




6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

6685MHz_TX




EUT_Z_2TX
Setting 52
01-U-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.36676G	47.95	74.00	-26.05	60.58	3	Horizontal	27	2.02	-	39.73	11.64	64.00
AV	13.37744G	37.01	54.00	-16.99	49.61	3	Horizontal	27	2.02	-	39.75	11.64	63.99



6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

6685MHz_TX




EUT_Z_2TX
Setting 52
03-R-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.0511G	45.00	83.54	-38.54	40.18	1	Vertical	60	1.77	-	37.70	19.12	52.00
AV	20.06308G	35.31	63.54	-28.23	30.44	1	Vertical	60	1.77	-	37.75	19.12	52.00



6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

6685MHz_TX




EUT_Z_2TX
 Setting 52
 03-R-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.04802G	43.87	83.54	-39.67	39.05	1	Horizontal	277	1.38	-	37.70	19.12	52.00
AV	20.04594G	35.54	63.54	-28.00	30.71	1	Horizontal	277	1.38	-	37.71	19.12	52.00



6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

6885MHz Straddle 6.525-6.875GHz_TX




EUT_Z_2TX
Setting 33
01-U-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.78113G	47.39	88.20	-40.81	59.10	3	Vertical	162	1.31	-	40.20	11.80	63.71
RMS	13.76721G	36.02	68.20	-32.18	47.75	3	Vertical	162	1.31	-	40.20	11.79	63.72

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

6885MHz Straddle 6.525-6.875GHz_TX




EUT_Z_2TX
 Setting 33
 01-U-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.75584G	47.35	88.20	-40.85	59.08	3	Horizontal	128	1.58	-	40.20	11.79	63.72
RMS	13.75902G	35.53	68.20	-32.67	47.26	3	Horizontal	128	1.58	-	40.20	11.79	63.72



6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

6885MHz Straddle 6.525-6.875GHz_TX




EUT_Z_2TX
Setting 33
03-R-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.66064G	44.14	83.54	-39.40	38.96	1	Vertical	194	1.53	-	37.90	19.34	52.06
AV	20.6576G	35.32	63.54	-28.22	30.14	1	Vertical	194	1.53	-	37.90	19.34	52.06



6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

6885MHz Straddle 6.525-6.875GHz_TX




EUT_Z_2TX
Setting 33
03-R-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.66206G	44.90	83.54	-38.64	39.72	1	Horizontal	260	1.24	-	37.90	19.34	52.06
AV	20.65596G	35.33	63.54	-28.21	30.15	1	Horizontal	260	1.24	-	37.90	19.34	52.06



6.875-7.125GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

6925MHz_TX




EUT_Z_2TX
Setting 39
03-R-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.84784G	48.53	88.20	-39.67	59.04	3	Vertical	360	1.06	-	40.80	12.37	63.68
RMS	13.84847G	38.23	68.20	-29.97	48.74	3	Vertical	360	1.06	-	40.80	12.37	63.68



6.875-7.125GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

6925MHz_TX




EUT_Z_2TX
Setting 39
03-R-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.84124G	49.25	88.20	-38.95	59.78	3	Horizontal	128	2.91	-	40.78	12.37	63.68
RMS	13.85603G	38.53	68.20	-29.67	49.02	3	Horizontal	128	2.91	-	40.81	12.38	63.68

6.875-7.125GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

6925MHz_TX




EUT_Z_2TX
Setting 39
03-R-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.77842G	46.46	83.54	-37.08	41.15	1	Vertical	327	2.22	-	38.03	19.39	52.11
AV	20.77586G	34.76	63.54	-28.78	29.47	1	Vertical	327	2.22	-	38.01	19.39	52.11



6.875-7.125GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

6925MHz_TX




EUT_Z_2TX
Setting 39
03-R-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.77652G	44.28	83.54	-39.26	38.99	1	Horizontal	314	2.50	-	38.01	19.39	52.11
AV	20.7801G	34.54	63.54	-29.00	29.22	1	Horizontal	314	2.50	-	38.04	19.39	52.11



6.875-7.125GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

7005MHz_TX




EUT_Z_2TX
Setting 31
03-R-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.99878G	50.53	88.20	-37.67	60.33	3	Vertical	0	2.46	-	41.30	12.51	63.61
RMS	14.01321G	39.54	68.20	-28.66	49.30	3	Vertical	0	2.46	-	41.30	12.52	63.58



6.875-7.125GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

7005MHz_TX




EUT_Z_2TX
Setting 31
03-R-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.01774G	50.22	88.20	-37.98	59.97	3	Horizontal	28	2.00	-	41.30	12.52	63.57
RMS	14.01252G	39.61	68.20	-28.59	49.37	3	Horizontal	28	2.00	-	41.30	12.52	63.58



6.875-7.125GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

7005MHz_TX




EUT_Z_2TX
Setting 31
03-R-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.01962G	44.23	83.54	-39.31	38.85	1	Vertical	55	1.23	-	38.10	19.48	52.20
AV	21.02442G	35.38	63.54	-28.16	29.96	1	Vertical	55	1.23	-	38.14	19.48	52.20



6.875-7.125GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

7005MHz_TX




EUT_Z_2TX
Setting 31
03-R-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.01716G	45.16	83.54	-38.38	39.81	1	Horizontal	296	1.31	-	38.07	19.48	52.20
AV	21.0177G	35.11	63.54	-28.43	29.75	1	Horizontal	296	1.31	-	38.08	19.48	52.20



6.875-7.125GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

7085MHz_TX




EUT_Y_2TX
Setting 34
01-U-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.084G	102.70	Inf	-Inf	91.71	3	Vertical	222	2.12	-	35.50	8.53	33.04
RMS	7.0868G	93.73	Inf	-Inf	82.72	3	Vertical	222	2.12	-	35.52	8.53	33.04
PK	7.168G	64.70	88.20	-23.50	53.29	3	Vertical	222	2.12	-	35.97	8.50	33.06
RMS	7.1826G	54.38	68.20	-13.82	42.91	3	Vertical	222	2.12	-	36.03	8.50	33.06



6.875-7.125GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

7085MHz_TX




EUT_Y_2TX
Setting 34
01-U-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0844G	95.34	Inf	-Inf	84.34	3	Horizontal	204	1.80	-	35.51	8.53	33.04
RMS	7.0844G	85.98	Inf	-Inf	74.98	3	Horizontal	204	1.80	-	35.51	8.53	33.04
PK	7.1374G	64.81	88.20	-23.39	53.53	3	Horizontal	204	1.80	-	35.82	8.51	33.05
RMS	7.1792G	54.36	68.20	-13.84	42.90	3	Horizontal	204	1.80	-	36.02	8.50	33.06



6.875-7.125GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

7085MHz_TX




EUT_Z_2TX
Setting 34
03-R-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.18038G	51.00	88.20	-37.20	59.86	3	Vertical	128	1.35	-	41.72	12.62	63.20
RMS	14.16556G	40.22	68.20	-27.98	49.17	3	Vertical	128	1.35	-	41.66	12.62	63.23

6.875-7.125GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

7085MHz_TX




EUT_Z_2TX
Setting 34
03-R-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.17822G	50.98	88.20	-37.22	59.85	3	Horizontal	337	3.00	-	41.71	12.62	63.20
RMS	14.18407G	40.69	68.20	-27.51	49.51	3	Horizontal	337	3.00	-	41.74	12.63	63.19



6.875-7.125GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

7085MHz_TX




EUT_Z_2TX
Setting 34
03-R-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.25474G	45.47	83.54	-38.07	40.07	1	Vertical	136	2.30	-	38.04	19.56	52.20
AV	21.25488G	37.66	63.54	-25.88	32.26	1	Vertical	136	2.30	-	38.04	19.56	52.20



6.875-7.125GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

7085MHz_TX




EUT_Z_2TX
Setting 34
03-R-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.24624G	45.79	83.54	-37.75	40.43	1	Horizontal	10	1.01	-	38.00	19.56	52.20
AV	21.25188G	35.40	63.54	-28.14	30.02	1	Horizontal	10	1.01	-	38.02	19.56	52.20



5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5985MHz_TX




EUT_Y_2TX
Setting 59
01-U-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8934G	66.39	88.20	-21.81	59.35	3	Vertical	28	2.06	-	32.37	7.63	32.96
RMS	5.9242G	51.94	68.20	-16.26	44.87	3	Vertical	28	2.06	-	32.40	7.64	32.97
PK	5.9794G	104.05	Inf	-Inf	96.91	3	Vertical	28	2.06	-	32.46	7.67	32.99
RMS	5.9842G	93.88	Inf	-Inf	86.73	3	Vertical	28	2.06	-	32.47	7.67	32.99



5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5985MHz_TX




EUT_Y_2TX
Setting 59
01-U-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9098G	63.92	88.20	-24.28	56.86	3	Horizontal	176	1.80	-	32.40	7.63	32.97
RMS	5.925G	50.90	68.20	-17.30	43.83	3	Horizontal	176	1.80	-	32.40	7.64	32.97
PK	5.983G	99.91	Inf	-Inf	92.76	3	Horizontal	176	1.80	-	32.47	7.67	32.99
RMS	5.9834G	90.76	Inf	-Inf	83.61	3	Horizontal	176	1.80	-	32.47	7.67	32.99



5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5985MHz_TX




EUT_Z_2TX
Setting 59
03-R-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.96376G	47.94	74.00	-26.06	63.10	3	Vertical	29	1.92	-	39.34	10.67	65.17
AV	11.96322G	38.75	54.00	-15.25	53.90	3	Vertical	29	1.92	-	39.35	10.67	65.17
PK	17.95322G	52.00	74.00	-22.00	55.34	3	Vertical	106	2.21	-	44.62	14.98	62.94
AV	17.94664G	42.77	54.00	-11.23	46.11	3	Vertical	106	2.21	-	44.61	14.98	62.93



5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5985MHz_TX



Legend for the spectrum plot:

- Lim.PK (Red line)
- PK (Blue line)
- Lim.AV (Magenta line)
- AV (Green line)


08/01/2024

EUT_Z_2TX
Setting 59
03-R-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.97411G	47.10	74.00	-26.90	62.30	3	Horizontal	246	1.55	-	39.30	10.68	65.18
AV	11.96694G	39.00	54.00	-15.00	54.16	3	Horizontal	246	1.55	-	39.33	10.68	65.17
PK	17.9577G	53.69	74.00	-20.31	57.00	3	Horizontal	288	2.93	-	44.65	14.98	62.94
AV	17.95486G	43.95	54.00	-10.05	47.28	3	Horizontal	288	2.93	-	44.63	14.98	62.94

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5985MHz_TX




EUT_Z_2TX
Setting 59
01-C-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	23.95458G	51.32	83.54	-32.22	41.75	1	Vertical	14	1.94	-	38.92	21.06	50.41
AV	23.93055G	40.52	63.54	-23.02	31.02	1	Vertical	14	1.94	-	38.86	21.05	50.41



5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5985MHz_TX




EUT_Z_2TX
Setting 59
01-C-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	23.92692G	51.01	83.54	-32.53	41.53	1	Horizontal	10	1.23	-	38.85	21.04	50.41
AV	23.95218G	41.19	63.54	-22.35	31.63	1	Horizontal	10	1.23	-	38.91	21.06	50.41



5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

6225MHz_TX




EUT_Z_2TX
Setting 67
03-R-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.44715G	47.67	74.00	-26.33	62.41	3	Vertical	40	1.23	-	38.80	11.10	64.64
AV	12.44406G	38.47	54.00	-15.53	53.22	3	Vertical	40	1.23	-	38.80	11.09	64.64



5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

6225MHz_TX




EUT_Z_2TX
Setting 67
03-R-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.43527G	48.53	74.00	-25.47	63.29	3	Horizontal	273	2.78	-	38.80	11.09	64.65			
AV	12.43662G	38.56	54.00	-15.44	53.32	3	Horizontal	273	2.78	-	38.80	11.09	64.65			



5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

6225MHz_TX



Legend for plot:

- Lim.PK (Red line)
- PK (Blue line)
- Lim.AV (Magenta line)
- AV (Green line)

09/01/2024


EUT_Z_2TX
 Setting 67
 01-C-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.67482G	50.89	83.54	-32.65	44.97	1	Vertical	347	1.85	-	37.70	18.83	50.61
AV	18.68565G	39.47	63.54	-24.07	33.60	1	Vertical	347	1.85	-	37.66	18.83	50.62



5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

6225MHz_TX




EUT_Z_2TX
Setting 67
01-C-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.68205G	49.93	83.54	-33.61	44.05	1	Horizontal	186	2.78	-	37.67	18.83	50.62
AV	18.66936G	39.17	63.54	-24.37	33.22	1	Horizontal	186	2.78	-	37.72	18.83	50.60



5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

6385MHz_TX




EUT_Z_2TX
Setting 50
03-R-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.78359G	46.98	88.20	-41.22	61.01	3	Vertical	211	1.21	-	39.07	11.40	64.50
RMS	12.75587G	37.62	68.20	-30.58	51.74	3	Vertical	211	1.21	-	39.01	11.38	64.51



5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

6385MHz_TX




EUT_Z_2TX
Setting 50
03-R-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.76769G	46.92	88.20	-41.28	61.00	3	Horizontal	194	2.18	-	39.04	11.39	64.51
RMS	12.75695G	37.40	68.20	-30.80	51.52	3	Horizontal	194	2.18	-	39.01	11.38	64.51



5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

6385MHz_TX




EUT_Z_2TX
Setting 50
01-C-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.16739G	49.02	83.54	-34.52	43.49	1	Vertical	4	1.06	-	37.80	18.93	51.20
AV	19.15146G	38.50	63.54	-25.04	33.04	1	Vertical	4	1.06	-	37.71	18.93	51.18



5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

6385MHz_TX



Lim.PK
 PK
 Lim.AV
 AV

09/01/2024


EUT_Z_2TX
 Setting 50
 01-C-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.15548G	49.44	83.54	-34.10	43.97	1	Horizontal	294	2.39	-	37.73	18.93	51.19
AV	19.14621G	38.79	63.54	-24.75	33.33	1	Horizontal	294	2.39	-	37.72	18.92	51.18



6.425-6.525GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

6465MHz_TX




EUT_Z_2TX
Setting 68
03-R-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.91614G	45.93	88.20	-42.27	59.55	3	Vertical	169	2.49	-	39.33	11.52	64.47
RMS	12.94308G	36.56	68.20	-31.64	50.08	3	Vertical	169	2.49	-	39.39	11.55	64.46



6.425-6.525GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

6465MHz_TX




EUT_Z_2TX
Setting 68
03-R-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.94197G	45.00	88.20	-43.20	58.53	3	Horizontal	341	1.55	-	39.38	11.55	64.46
RMS	12.94287G	36.15	68.20	-32.05	49.67	3	Horizontal	341	1.55	-	39.39	11.55	64.46



6.425-6.525GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

6465MHz_TX




EUT_Z_2TX
Setting 68
01-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.40898G	47.93	83.54	-35.61	42.48	1	Vertical	268	1.70	-	37.96	18.98	51.49			
AV	19.39719G	38.01	63.54	-25.53	32.52	1	Vertical	268	1.70	-	37.99	18.98	51.48			



6.425-6.525GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

6465MHz_TX




EUT_Z_2TX
Setting 68
01-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	19.40997G	48.52	83.54	-35.02	43.07	1	Horizontal	78	1.68	-	37.96	18.98	51.49
AV	19.40763G	37.95	63.54	-25.59	32.49	1	Horizontal	78	1.68	-	37.97	18.98	51.49



6.425-6.525GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

6545MHz Straddle 6.425-6.525GHz_TX




EUT_Z_2TX
 Setting 65
 03-R-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.08631G	46.53	88.20	-41.67	59.52	3	Vertical	259	1.44	-	39.67	11.68	64.34
RMS	13.07701G	37.42	68.20	-30.78	50.46	3	Vertical	259	1.44	-	39.65	11.67	64.36



6.425-6.525GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

6545MHz Straddle 6.425-6.525GHz_TX




EUT_Z_2TX
Setting 65
03-R-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.10161G	47.33	88.20	-40.87	60.27	3	Horizontal	310	1.30	-	39.70	11.69	64.33
RMS	13.09699G	37.33	68.20	-30.87	50.28	3	Horizontal	310	1.30	-	39.69	11.69	64.33



6.425-6.525GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

6545MHz Straddle 6.425-6.525GHz_TX




EUT_Z_2TX
Setting 65
01-C-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.63896G	49.84	83.54	-33.70	44.49	1	Vertical	269	2.57	-	38.03	19.03	51.71
AV	19.64145G	38.97	63.54	-24.57	33.60	1	Vertical	269	2.57	-	38.05	19.03	51.71



6.425-6.525GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

6545MHz Straddle 6.425-6.525GHz_TX




EUT_Z_2TX
Setting 65
01-C-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.64502G	49.40	83.54	-34.14	44.02	1	Horizontal	198	1.71	-	38.07	19.03	51.72
AV	19.64751G	38.97	63.54	-24.57	33.57	1	Horizontal	198	1.71	-	38.09	19.03	51.72



6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

6625MHz_TX




EUT_Z_2TX
Setting 62
03-R-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.24778G	47.11	88.20	-41.09	59.44	3	Vertical	233	1.36	-	39.99	11.83	64.15
AV	13.26128G	38.16	54.00	-15.84	50.43	3	Vertical	233	1.36	-	40.02	11.84	64.13



6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

6625MHz_TX




EUT_Z_2TX
Setting 62
03-R-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.24439G	46.81	88.20	-41.39	59.16	3	Horizontal	338	1.08	-	39.98	11.82	64.15
AV	13.25252G	37.72	54.00	-16.28	50.02	3	Horizontal	338	1.08	-	40.01	11.83	64.14



6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

6625MHz_TX




EUT_Z_2TX
Setting 62
01-C-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.88979G	48.45	83.54	-35.09	43.44	1	Vertical	2	2.30	-	37.84	19.08	51.91
AV	19.88502G	38.09	63.54	-25.45	33.11	1	Vertical	2	2.30	-	37.81	19.08	51.91



6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

6625MHz_TX




EUT_Z_2TX
Setting 62
01-C-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.86129G	47.71	83.54	-35.83	42.86	1	Horizontal	158	1.57	-	37.67	19.07	51.89
AV	19.88958G	38.20	63.54	-25.34	33.19	1	Horizontal	158	1.57	-	37.84	19.08	51.91

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

6705MHz_TX




EUT_Z_2TX
 Setting 56
 03-R-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.40541G	46.99	88.20	-41.21	58.77	3	Vertical	219	1.73	-	40.21	11.97	63.96
AV	13.398G	37.97	54.00	-16.03	49.77	3	Vertical	219	1.73	-	40.20	11.96	63.96



6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

6705MHz_TX




EUT_Z_2TX
Setting 56
03-R-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.40619G	46.85	88.20	-41.35	58.62	3	Horizontal	48	1.12	-	40.21	11.97	63.95
AV	13.3995G	38.47	54.00	-15.53	50.27	3	Horizontal	48	1.12	-	40.20	11.96	63.96



6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

6705MHz_TX




EUT_Z_2TX
Setting 56
01-C-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.12913G	49.17	83.54	-34.37	44.29	1	Vertical	91	2.31	-	37.73	19.15	52.00
AV	20.10312G	38.39	63.54	-25.15	33.37	1	Vertical	91	2.31	-	37.88	19.14	52.00



6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

6705MHz_TX




EUT_Z_2TX
Setting 56
01-C-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.10648G	48.79	83.54	-34.75	43.79	1	Horizontal	241	2.07	-	37.86	19.14	52.00
AV	20.12655G	38.55	63.54	-24.99	33.66	1	Horizontal	241	2.07	-	37.74	19.15	52.00



6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

6785MHz_TX




EUT_Z_2TX
Setting 57
03-R-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.58035G	48.75	88.20	-39.45	60.02	3	Vertical	114	2.21	-	40.40	12.13	63.80
RMS	13.57942G	39.53	68.20	-28.67	50.80	3	Vertical	114	2.21	-	40.40	12.13	63.80



6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

6785MHz_TX




EUT_Z_2TX
Setting 57
03-R-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.55914G	49.13	88.20	-39.07	60.43	3	Horizontal	61	2.69	-	40.40	12.11	63.81
RMS	13.58164G	39.46	68.20	-28.74	50.73	3	Horizontal	61	2.69	-	40.40	12.13	63.80



6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

6785MHz_TX




EUT_Z_2TX
Setting 57
01-C-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.35914G	49.74	83.54	-33.80	44.43	1	Vertical	330	2.61	-	38.08	19.23	52.00
AV	20.35314G	39.57	63.54	-23.97	34.25	1	Vertical	330	2.61	-	38.09	19.23	52.00



6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

6785MHz_TX




EUT_Z_2TX
Setting 57
01-C-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.3583G	49.85	83.54	-33.69	44.54	1	Horizontal	189	1.38	-	38.08	19.23	52.00
AV	20.34048G	39.33	63.54	-24.21	33.98	1	Horizontal	189	1.38	-	38.12	19.23	52.00



6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

6865MHz Straddle 6.525-6.875GHz_TX




EUT_Z_2TX
Setting 53
03-R-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.72823G	49.01	88.20	-39.19	59.83	3	Vertical	58	2.44	-	40.66	12.26	63.74
RMS	13.71635G	39.82	68.20	-28.38	50.68	3	Vertical	58	2.44	-	40.63	12.25	63.74

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

6865MHz Straddle 6.525-6.875GHz_TX




EUT_Z_2TX
Setting 53
03-R-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.74053G	48.76	88.20	-39.44	59.54	3	Horizontal	90	1.18	-	40.68	12.27	63.73
RMS	13.72067G	39.80	68.20	-28.40	50.64	3	Horizontal	90	1.18	-	40.64	12.26	63.74



6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

6865MHz Straddle 6.525-6.875GHz_TX




EUT_Z_2TX
Setting 53
01-C-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.60928G	48.73	83.54	-34.81	43.46	1	Vertical	258	2.93	-	37.98	19.33	52.04
AV	20.58024G	38.67	63.54	-24.87	33.43	1	Vertical	258	2.93	-	37.96	19.31	52.03



6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

6865MHz Straddle 6.525-6.875GHz_TX




EUT_Z_2TX
Setting 53
01-C-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.59026G	48.93	83.54	-34.61	43.67	1	Horizontal	143	2.27	-	37.98	19.32	52.04
AV	20.60283G	38.19	63.54	-25.35	32.92	1	Horizontal	143	2.27	-	37.99	19.32	52.04



6.875-7.125GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

6945MHz_TX




EUT_Z_2TX
Setting 54
03-R-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.8798G	47.85	88.20	-40.35	58.26	3	Vertical	79	1.66	-	40.86	12.40	63.67
RMS	13.88889G	39.48	68.20	-28.72	49.85	3	Vertical	79	1.66	-	40.88	12.41	63.66



6.875-7.125GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

6945MHz_TX




EUT_Z_2TX
Setting 54
03-R-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.90431G	48.34	88.20	-39.86	58.65	3	Horizontal	88	1.29	-	40.92	12.42	63.65
RMS	13.88586G	39.71	68.20	-28.49	50.09	3	Horizontal	88	1.29	-	40.87	12.41	63.66



6.875-7.125GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

6945MHz_TX




EUT_Z_2TX
Setting 54
01-C-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.82258G	50.13	83.54	-33.41	44.66	1	Vertical	263	1.33	-	38.20	19.40	52.13
AV	20.82258G	38.95	63.54	-24.59	33.48	1	Vertical	263	1.33	-	38.20	19.40	52.13



6.875-7.125GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

6945MHz_TX




EUT_Z_2TX
Setting 54
01-C-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.82711G	49.25	83.54	-34.29	43.77	1	Horizontal	126	1.10	-	38.20	19.41	52.13
AV	20.83548G	39.28	63.54	-24.26	33.80	1	Horizontal	126	1.10	-	38.20	19.41	52.13



6.875-7.125GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

7025MHz_TX




EUT_Y_2TX
Setting 53
01-U-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.033G	103.55	Inf	-Inf	92.79	3	Vertical	126	1.05	-	35.23	8.55	33.02
RMS	7.0278G	94.01	Inf	-Inf	83.27	3	Vertical	126	1.05	-	35.21	8.55	33.02
PK	7.1258G	64.71	88.20	-23.49	53.49	3	Vertical	126	1.05	-	35.75	8.52	33.05
RMS	7.2234G	55.12	68.20	-13.08	43.53	3	Vertical	126	1.05	-	36.15	8.52	33.08



6.875-7.125GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

7025MHz_TX




EUT_Y_2TX
Setting 53
01-U-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0238G	98.32	Inf	-Inf	87.59	3	Horizontal	143	2.95	-	35.20	8.55	33.02
RMS	7.0238G	88.58	Inf	-Inf	77.85	3	Horizontal	143	2.95	-	35.20	8.55	33.02
PK	7.2046G	64.75	88.20	-23.45	53.21	3	Horizontal	143	2.95	-	36.11	8.50	33.07
RMS	7.2226G	55.09	68.20	-13.11	43.50	3	Horizontal	143	2.95	-	36.15	8.52	33.08



6.875-7.125GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

7025MHz_TX




EUT_Z_2TX
Setting 53
03-R-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.04823G	50.22	88.20	-37.98	59.88	3	Vertical	148	2.94	-	41.30	12.54	63.50
RMS	14.06317G	41.71	68.20	-26.49	51.30	3	Vertical	148	2.94	-	41.33	12.55	63.47



6.875-7.125GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

7025MHz_TX




EUT_Z_2TX
Setting 53
03-R-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.06158G	50.66	88.20	-37.54	60.26	3	Horizontal	254	1.81	-	41.32	12.55	63.47
RMS	14.05876G	41.85	68.20	-26.35	51.46	3	Horizontal	254	1.81	-	41.32	12.55	63.48

6.875-7.125GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

7025MHz_TX




EUT_Z_2TX
Setting 53
01-C-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.06387G	49.55	83.54	-33.99	43.94	1	Vertical	208	1.69	-	38.32	19.49	52.20
AV	21.06741G	38.03	63.54	-25.51	32.44	1	Vertical	208	1.69	-	38.30	19.49	52.20



6.875-7.125GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

7025MHz_TX



EUT_Z_2TX
Setting 53
01-C-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.08901G	49.64	83.54	-33.90	44.17	1	Horizontal	305	1.56	-	38.17	19.50	52.20
AV	21.07098G	38.22	63.54	-25.32	32.65	1	Horizontal	305	1.56	-	38.27	19.50	52.20




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20-BF_Nss1,(MCS0)_2TX	Pass	AV	17.8659G	45.93	54.00	-8.07	3	Horizontal	95	1.14	-
802.11ax HEW40-BF_Nss1,(MCS0)_2TX	Pass	AV	17.8908G	46.14	54.00	-7.86	3	Horizontal	124	1.71	-
802.11ax HEW80-BF_Nss1,(MCS0)_2TX	Pass	AV	17.95485G	50.53	54.00	-3.47	3	Horizontal	132	1.80	-
6.425-6.525GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20-BF_Nss1,(MCS0)_2TX	Pass	AV	19.2954G	38.51	63.54	-25.03	1	Horizontal	120	2.86	-
802.11ax HEW40-BF_Nss1,(MCS0)_2TX	Pass	AV	19.57491G	42.30	63.54	-21.24	1	Vertical	259	1.59	-
802.11ax HEW80-BF_Nss1,(MCS0)_2TX	Pass	AV	19.39494G	45.70	63.54	-17.84	1	Vertical	261	1.52	-
6.525-6.875GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20-BF_Nss1,(MCS0)_2TX	Pass	AV	13.37977G	38.99	54.00	-15.01	3	Horizontal	123	2.81	-
802.11ax HEW40-BF_Nss1,(MCS0)_2TX	Pass	AV	13.38062G	39.77	54.00	-14.23	3	Horizontal	333	1.62	-
802.11ax HEW80-BF_Nss1,(MCS0)_2TX	Pass	AV	13.25G	41.46	54.00	-12.54	3	Vertical	277	2.00	-
6.875-7.125GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20-BF_Nss1,(MCS0)_2TX	Pass	RMS	7.1255G	66.94	68.20	-1.26	3	Vertical	224	2.11	80_BP 1MHz
802.11ax HEW40-BF_Nss1,(MCS0)_2TX	Pass	RMS	7.1788G	54.38	68.20	-13.82	3	Vertical	222	2.12	-
802.11ax HEW80-BF_Nss1,(MCS0)_2TX	Pass	RMS	7.221G	55.08	68.20	-13.12	3	Vertical	126	1.05	-



5.925-6.425GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5955MHz_TX




EUT_Y_2TX
Setting 30
01-U-G-5-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9184G	59.77	88.20	-28.43	52.70	3	Vertical	31	1.80	-	32.40	7.64	32.97
RMS	5.924G	49.18	68.20	-19.02	42.11	3	Vertical	31	1.80	-	32.40	7.64	32.97
PK	5.9572G	102.46	Inf	-Inf	95.38	3	Vertical	31	1.80	-	32.41	7.66	32.99
RMS	5.9544G	93.78	Inf	-Inf	86.69	3	Vertical	31	1.80	-	32.41	7.66	32.98



5.925-6.425GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5955MHz_TX




EUT_Y_2TX
Setting 30
01-U-G-5-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8702G	59.92	88.20	-28.28	52.98	3	Horizontal	173	2.06	-	32.28	7.62	32.96
RMS	5.9234G	49.09	68.20	-19.11	42.02	3	Horizontal	173	2.06	-	32.40	7.64	32.97
PK	5.9556G	101.94	Inf	-Inf	94.85	3	Horizontal	173	2.06	-	32.41	7.66	32.98
RMS	5.9556G	93.18	Inf	-Inf	86.09	3	Horizontal	173	2.06	-	32.41	7.66	32.98

5.925-6.425GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5955MHz_TX




EUT_Z_4TX
Setting 30
03-R-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.91374G	50.37	74.00	-23.63	65.47	3	Vertical	150	2.19	-	39.40	10.65	65.15
AV	11.90088G	38.67	54.00	-15.33	53.76	3	Vertical	150	2.19	-	39.40	10.65	65.14
PK	17.85724G	55.75	74.00	-18.25	58.87	3	Vertical	301	2.26	-	44.79	14.92	62.83
AV	17.85902G	44.02	54.00	-9.98	47.15	3	Vertical	301	2.26	-	44.78	14.92	62.83

5.925-6.425GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5955MHz_TX




EUT_Z_4TX
Setting 30
03-R-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.90508G	50.91	74.00	-23.09	66.01	3	Horizontal	219	1.34	-	39.40	10.65	65.15
AV	11.90196G	39.19	54.00	-14.81	54.28	3	Horizontal	219	1.34	-	39.40	10.65	65.14
PK	17.8632G	57.73	74.00	-16.27	60.87	3	Horizontal	95	1.14	-	44.77	14.93	62.84
AV	17.8659G	45.93	54.00	-8.07	49.07	3	Horizontal	95	1.14	-	44.77	14.93	62.84

5.925-6.425GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6195MHz_TX




EUT_Z_2TX
Setting 31
03-R-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.38871G	51.42	74.00	-22.58	66.27	3	Vertical	327	1.00	-	38.82	11.04	64.71
AV	12.39546G	39.88	54.00	-14.12	54.72	3	Vertical	327	1.00	-	38.81	11.05	64.70



5.925-6.425GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6195MHz_TX




EUT_Z_2TX
Setting 31
03-R-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.38157G	51.55	74.00	-22.45	66.39	3	Horizontal	95	1.03	-	38.84	11.04	64.72
AV	12.40263G	39.86	54.00	-14.14	54.69	3	Horizontal	95	1.03	-	38.80	11.06	64.69



5.925-6.425GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6195MHz_TX



Lim.PK
 PK
 Lim.AV
 AV

09/01/2024


EUT_Z_2TX
Setting 31
01-C-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.5748G	51.83	83.54	-31.71	45.81	1	Vertical	13	2.97	-	37.70	18.81	50.49
AV	18.5715G	38.88	63.54	-24.66	32.86	1	Vertical	13	2.97	-	37.70	18.81	50.49



5.925-6.425GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6195MHz_TX



Lim.PK
 PK
 Lim.AV
 AV


09/01/2024

EUT_Z_2TX
 Setting 31
 01-C-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.59925G	51.49	83.54	-32.05	45.50	1	Horizontal	318	1.06	-	37.70	18.81	50.52
AV	18.58929G	38.96	63.54	-24.58	32.96	1	Horizontal	318	1.06	-	37.70	18.81	50.51

5.925-6.425GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6415MHz_TX




EUT_Z_2TX
Setting 25
03-R-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.82085G	50.14	88.20	-38.06	64.01	3	Vertical	46	1.80	-	39.18	11.44	64.49
RMS	12.8195G	38.60	68.20	-29.60	52.47	3	Vertical	46	1.80	-	39.18	11.44	64.49

5.925-6.425GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6415MHz_TX




EUT_Z_2TX
Setting 25
03-R-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.82502G	50.70	88.20	-37.50	64.55	3	Horizontal	54	1.99	-	39.20	11.44	64.49
RMS	12.82781G	38.81	68.20	-29.39	52.65	3	Horizontal	54	1.99	-	39.21	11.44	64.49

5.925-6.425GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6415MHz_TX




EUT_Z_2TX
Setting 25
01-C-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.58041G	51.54	83.54	-32.00	45.53	1	Vertical	156	1.91	-	37.70	18.81	50.50
AV	18.57255G	38.87	63.54	-24.67	32.85	1	Vertical	156	1.91	-	37.70	18.81	50.49



5.925-6.425GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6415MHz_TX




EUT_Z_2TX
Setting 25
01-C-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.58434G	51.56	83.54	-31.98	45.55	1	Horizontal	324	2.31	-	37.70	18.81	50.50
AV	18.58863G	38.72	63.54	-24.82	32.72	1	Horizontal	324	2.31	-	37.70	18.81	50.51



6.425-6.525GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6435MHz_TX




EUT_Z_2TX
Setting 25
03-R-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.85518G	53.83	88.20	-34.37	67.63	3	Vertical	352	1.47	-	39.21	11.47	64.48
RMS	12.8787G	41.10	88.20	-47.10	54.83	3	Vertical	352	1.47	-	39.26	11.49	64.48



6.425-6.525GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6435MHz_TX




EUT_Z_2TX
Setting 25
03-R-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.86124G	50.47	88.20	-37.73	64.18	3	Horizontal	111	1.33	-	39.30	11.47	64.48
RMS	12.86367G	38.97	68.20	-29.23	52.67	3	Horizontal	111	1.33	-	39.30	11.48	64.48

6.425-6.525GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6435MHz_TX




EUT_Z_2TX
Setting 25
01-C-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.30458G	51.57	83.54	-31.97	46.00	1	Vertical	179	1.49	-	37.98	18.96	51.37
AV	19.29552G	38.45	63.54	-25.09	32.85	1	Vertical	179	1.49	-	37.99	18.96	51.35



6.425-6.525GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6435MHz_TX




EUT_Z_2TX
Setting 25
01-C-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.31649G	50.54	83.54	-33.00	45.03	1	Horizontal	120	2.86	-	37.93	18.96	51.38
AV	19.2954G	38.51	63.54	-25.03	32.91	1	Horizontal	120	2.86	-	37.99	18.96	51.35

6.425-6.525GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6435MHz_TX




EUT_Y_2TX
Setting 25
01-U-G-5-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
AV	6.435G	8.98	24.00	-15.02	-11.50	3	Vertical	155	2.47	CP 20MHz	-12.66	7.97	33.04



6.425-6.525GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6475MHz_TX




EUT_Z_2TX
Setting 34
03-R-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.96164G	49.89	88.20	-38.31	63.36	3	Vertical	48	1.80	-	39.42	11.57	64.46
RMS	12.96479G	38.84	68.20	-29.36	52.30	3	Vertical	48	1.80	-	39.43	11.57	64.46



6.425-6.525GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6475MHz_TX




EUT_Z_2TX
Setting 34
03-R-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.96281G	49.67	88.20	-38.53	63.13	3	Horizontal	202	1.00	-	39.43	11.57	64.46
RMS	12.95552G	38.84	68.20	-29.36	52.33	3	Horizontal	202	1.00	-	39.41	11.56	64.46

6.425-6.525GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6475MHz_TX




EUT_Z_2TX
Setting 34
01-C-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.42596G	50.71	83.54	-32.83	45.34	1	Vertical	0	2.06	-	37.90	18.98	51.51
AV	19.42203G	38.48	63.54	-25.06	33.10	1	Vertical	0	2.06	-	37.91	18.98	51.51

6.425-6.525GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6475MHz_TX




EUT_Z_2TX
Setting 34
01-C-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.43841G	51.17	83.54	-32.37	45.87	1	Horizontal	176	2.99	-	37.85	18.98	51.53
AV	19.42452G	38.29	63.54	-25.25	32.92	1	Horizontal	176	2.99	-	37.90	18.98	51.51

6.425-6.525GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6515MHz_TX




EUT_Z_2TX
Setting 34
03-R-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.03462G	51.55	88.20	-36.65	64.76	3	Vertical	247	2.10	-	39.57	11.63	64.41
RMS	13.03G	40.49	68.20	-27.71	53.71	3	Vertical	247	2.10	-	39.56	11.63	64.41

6.425-6.525GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6515MHz_TX




EUT_Z_2TX
Setting 34
03-R-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.03039G	51.19	88.20	-37.01	64.41	3	Horizontal	35	1.80	-	39.56	11.63	64.41
RMS	13.02991G	39.50	68.20	-28.70	52.72	3	Horizontal	35	1.80	-	39.56	11.63	64.41

6.425-6.525GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6515MHz_TX




EUT_Z_2TX
Setting 34
01-C-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.55796G	50.99	83.54	-32.55	45.58	1	Vertical	70	1.51	-	38.05	19.01	51.65
AV	19.55757G	38.26	63.54	-25.28	32.85	1	Vertical	70	1.51	-	38.05	19.01	51.65



6.425-6.525GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6515MHz_TX



Lim.PK
 PK
 Lim.AV
 AV

09/01/2024


EUT_Z_2TX
 Setting 34
 01-C-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.54308G	52.07	83.54	-31.47	46.60	1	Horizontal	42	2.19	-	38.09	19.01	51.63
AV	19.54509G	38.28	63.54	-25.26	32.82	1	Horizontal	42	2.19	-	38.09	19.01	51.64



6.525-6.875GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6535MHz_TX




EUT_Z_2TX
Setting 29
03-R-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.08362G	51.67	88.20	-36.53	64.67	3	Vertical	354	1.28	-	39.67	11.68	64.35
RMS	13.0775G	40.45	68.20	-27.75	53.48	3	Vertical	354	1.28	-	39.66	11.67	64.36



6.525-6.875GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6535MHz_TX




EUT_Z_2TX
Setting 29
03-R-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.07318G	52.22	88.20	-35.98	65.26	3	Horizontal	49	1.60	-	39.65	11.67	64.36
RMS	13.08392G	40.30	68.20	-27.90	53.30	3	Horizontal	49	1.60	-	39.67	11.68	64.35



6.525-6.875GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6535MHz_TX




EUT_Z_2TX
Setting 29
01-C-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.60746G	50.25	83.54	-33.29	45.08	1	Vertical	103	1.08	-	37.84	19.02	51.69
AV	19.61961G	38.09	63.54	-25.45	32.85	1	Vertical	103	1.08	-	37.92	19.02	51.70



6.525-6.875GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6535MHz_TX




EUT_Z_2TX
Setting 29
01-C-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.59279G	50.07	83.54	-33.47	44.88	1	Horizontal	258	1.40	-	37.84	19.02	51.67
AV	19.62G	38.24	63.54	-25.30	33.00	1	Horizontal	258	1.40	-	37.92	19.02	51.70



6.525-6.875GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6695MHz_TX




EUTZ_2TX
Setting 22
03-R-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.38094G	51.01	74.00	-22.99	62.89	3	Vertical	124	1.72	-	40.16	11.95	63.99
AV	13.38223G	38.89	54.00	-15.11	50.76	3	Vertical	124	1.72	-	40.16	11.95	63.98

6.525-6.875GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6695MHz_TX




EUT_Z_2TX
Setting 22
03-R-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.38328G	50.85	74.00	-23.15	62.71	3	Horizontal	123	2.81	-	40.17	11.95	63.98
AV	13.37977G	38.99	54.00	-15.01	50.87	3	Horizontal	123	2.81	-	40.16	11.95	63.99



6.525-6.875GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6695MHz_TX




EUT_Z_2TX
Setting 22
01-C-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.07936G	51.66	83.54	-31.88	46.71	1	Vertical	137	2.00	-	37.82	19.13	52.00
AV	20.09772G	38.65	63.54	-24.89	33.62	1	Vertical	137	2.00	-	37.89	19.14	52.00

6.525-6.875GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6695MHz_TX




EUT_Z_2TX
Setting 22
01-C-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.09577G	51.48	83.54	-32.06	46.46	1	Horizontal	62	2.81	-	37.88	19.14	52.00
AV	20.09247G	38.42	63.54	-25.12	33.42	1	Horizontal	62	2.81	-	37.87	19.13	52.00

6.525-6.875GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6875MHz Straddle 6.525-6.875GHz_TX




EUT_Z_2TX
 Setting 15
 03-R-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.73728G	51.70	88.20	-36.50	62.49	3	Vertical	112	1.13	-	40.67	12.27	63.73
RMS	13.73647G	40.25	68.20	-27.95	51.04	3	Vertical	112	1.13	-	40.67	12.27	63.73

6.525-6.875GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6875MHz Straddle 6.525-6.875GHz_TX




EUT_Z_2TX
Setting 15
03-R-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.73911G	51.43	88.20	-36.77	62.21	3	Horizontal	221	2.55	-	40.68	12.27	63.73
RMS	13.73593G	40.37	68.20	-27.83	51.16	3	Horizontal	221	2.55	-	40.67	12.27	63.73



6.525-6.875GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6875MHz Straddle 6.525-6.875GHz_TX




EUT_Z_2TX
Setting 15
01-C-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.6211G	51.37	83.54	-32.17	46.13	1	Vertical	113	2.19	-	37.96	19.33	52.05
AV	20.61669G	38.55	63.54	-24.99	33.30	1	Vertical	113	2.19	-	37.97	19.33	52.05



6.525-6.875GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6875MHz Straddle 6.525-6.875GHz_TX




EUT_Z_2TX
Setting 15
01-C-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.61048G	52.41	83.54	-31.13	47.14	1	Horizontal	141	2.75	-	37.98	19.33	52.04
AV	20.61699G	38.41	63.54	-25.13	33.16	1	Horizontal	141	2.75	-	37.97	19.33	52.05



6.875-7.125GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6895MHz_TX




EUT_Z_2TX
Setting 15
03-R-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.80011G	51.05	88.20	-37.15	61.72	3	Vertical	270	1.58	-	40.70	12.33	63.70
RMS	13.78856G	40.26	68.20	-27.94	50.95	3	Vertical	270	1.58	-	40.70	12.32	63.71



6.875-7.125GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6895MHz_TX




EUT_Z_2TX
Setting 15
03-R-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.78913G	51.51	88.20	-36.69	62.20	3	Horizontal	341	1.04	-	40.70	12.32	63.71
RMS	13.78748G	40.18	68.20	-28.02	50.87	3	Horizontal	341	1.04	-	40.70	12.32	63.71

6.875-7.125GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6895MHz_TX




EUT_Z_2TX
Setting 15
01-C-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.6814G	51.47	83.54	-32.07	46.29	1	Vertical	164	3.00	-	37.90	19.35	52.07
AV	20.69103G	38.48	63.54	-25.06	33.30	1	Vertical	164	3.00	-	37.90	19.36	52.08

6.875-7.125GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6895MHz_TX




EUT_Z_2TX
Setting 15
01-C-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.68251G	51.23	83.54	-32.31	46.05	1	Horizontal	232	1.79	-	37.90	19.35	52.07
AV	20.67054G	38.03	63.54	-25.51	32.85	1	Horizontal	232	1.79	-	37.90	19.35	52.07

6.875-7.125GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6995MHz_TX




EUT_Z_2TX
Setting 14
03-R-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.00119G	53.80	88.20	-34.40	63.60	3	Vertical	279	1.59	-	41.30	12.51	63.61
RMS	14.00257G	41.77	68.20	-26.43	51.56	3	Vertical	279	1.59	-	41.30	12.51	63.60



6.875-7.125GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6995MHz_TX




EUT_Z_2TX
Setting 14
03-R-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	13.98562G	52.68	88.20	-35.52	62.56	3	Horizontal	328	2.11	-	41.24	12.50	63.62
RMS	14.00155G	41.76	68.20	-26.44	51.56	3	Horizontal	328	2.11	-	41.30	12.51	63.61



6.875-7.125GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6995MHz_TX




EUT_Z_2TX
Setting 14
01-C-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.99379G	50.90	83.54	-32.64	45.71	1	Vertical	294	1.68	-	37.92	19.47	52.20
AV	20.97579G	38.23	63.54	-25.31	32.96	1	Vertical	294	1.68	-	38.00	19.46	52.19



6.875-7.125GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6995MHz_TX




EUT_Z_2TX
Setting 14
01-C-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.97456G	52.00	83.54	-31.54	46.73	1	Horizontal	145	2.90	-	38.00	19.46	52.19
AV	20.973G	38.11	63.54	-25.43	32.83	1	Horizontal	145	2.90	-	38.01	19.46	52.19

6.875-7.125GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

7095MHz_TX




EUT_Y_2TX
Setting 16
01-U-J-8-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0896G	103.13	Inf	-Inf	92.10	3	Vertical	226	2.10	-	35.54	8.53	33.04
RMS	7.0946G	93.96	Inf	-Inf	82.90	3	Vertical	226	2.10	-	35.57	8.53	33.04
PK	7.1794G	64.65	88.20	-23.55	53.19	3	Vertical	226	2.10	-	36.02	8.50	33.06
RMS	7.1938G	53.77	68.20	-14.43	42.27	3	Vertical	226	2.10	-	36.08	8.49	33.07

6.875-7.125GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

7095MHz_TX




EUT_Y_2TX
Setting 16
01-U-J-8-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0956G	96.14	Inf	-Inf	85.08	3	Horizontal	206	1.80	-	35.57	8.53	33.04
RMS	7.0946G	85.25	Inf	-Inf	74.19	3	Horizontal	206	1.80	-	35.57	8.53	33.04
PK	7.166G	64.50	88.20	-23.70	53.10	3	Horizontal	206	1.80	-	35.96	8.50	33.06
RMS	7.1942G	53.85	68.20	-14.35	42.35	3	Horizontal	206	1.80	-	36.08	8.49	33.07

6.875-7.125GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

7095MHz_TX




EUT_Z_2TX
Setting 16
03-R-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.17794G	54.01	88.20	-34.19	62.88	3	Vertical	105	1.38	-	41.71	12.62	63.20
RMS	14.19564G	42.66	68.20	-25.54	51.41	3	Vertical	105	1.38	-	41.78	12.63	63.16



6.875-7.125GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

7095MHz_TX




EUT_Z_2TX
Setting 16
03-R-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.20026G	53.97	88.20	-34.23	62.68	3	Horizontal	165	1.44	-	41.80	12.64	63.15
RMS	14.1966G	42.72	68.20	-25.48	51.46	3	Horizontal	165	1.44	-	41.79	12.63	63.16



6.875-7.125GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

7095MHz_TX




EUT_Z_2TX
Setting 16
01-C-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.28899G	51.32	83.54	-32.22	45.63	1	Vertical	327	1.30	-	38.31	19.58	52.20
AV	21.29229G	38.95	63.54	-24.59	33.23	1	Vertical	327	1.30	-	38.34	19.58	52.20



6.875-7.125GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

7095MHz_TX



Lim.PK
 PK
 Lim.AV
 AV


09/01/2024

EUT_Z_2TX
 Setting 16
 01-C-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.27264G	51.81	83.54	-31.73	46.26	1	Horizontal	90	1.78	-	38.18	19.57	52.20
AV	21.29949G	38.96	63.54	-24.58	33.18	1	Horizontal	90	1.78	-	38.40	19.58	52.20

6.875-7.125GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

7115MHz_TX




EUT_Y_2TX
Setting 16
01-U-J-8-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.1145G	101.48	Inf	-Inf	90.31	3	Vertical	224	2.11	80_BP 1M	35.69	8.52	33.04
RMS	7.1145G	94.73	Inf	-Inf	83.56	3	Vertical	224	2.11	80_BP 1M	35.69	8.52	33.04
PK	7.1255G	77.91	88.20	-10.29	66.69	3	Vertical	224	2.11	80_BP 1M	35.75	8.52	33.05
RMS	7.1255G	66.94	68.20	-1.26	55.72	3	Vertical	224	2.11	80_BP 1M	35.75	8.52	33.05

6.875-7.125GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

7115MHz_TX




EUT_Y_2TX
Setting 16
01-U-J-8-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.1145G	91.48	Inf	-Inf	80.31	3	Horizontal	205	1.80	80_BP 1M	35.69	8.52	33.04
RMS	7.1145G	85.93	Inf	-Inf	74.76	3	Horizontal	205	1.80	80_BP 1M	35.69	8.52	33.04
PK	7.1255G	68.84	88.20	-19.36	57.62	3	Horizontal	205	1.80	80_BP 1M	35.75	8.52	33.05
RMS	7.1255G	58.83	68.20	-9.37	47.61	3	Horizontal	205	1.80	80_BP 1M	35.75	8.52	33.05



6.875-7.125GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

7115MHz_TX




EUT_Z_2TX
Setting 16
03-R-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.2303G	53.69	88.20	-34.51	62.31	3	Vertical	225	2.67	-	41.80	12.66	63.08
RMS	14.22979G	42.44	68.20	-25.76	51.07	3	Vertical	225	2.67	-	41.80	12.66	63.09

6.875-7.125GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

7115MHz_TX




EUT_Z_2TX
Setting 16
03-R-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.22529G	53.60	88.20	-34.60	62.25	3	Horizontal	213	2.11	-	41.80	12.65	63.10
RMS	14.21539G	42.83	68.20	-25.37	51.50	3	Horizontal	213	2.11	-	41.80	12.65	63.12

6.875-7.125GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

7115MHz_TX




EUT_Z_2TX
Setting 16
01-C-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.35913G	51.64	83.54	-31.90	45.89	1	Vertical	297	2.53	-	38.35	19.60	52.20
AV	21.35736G	39.27	63.54	-24.27	33.53	1	Vertical	297	2.53	-	38.34	19.60	52.20



6.875-7.125GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

7115MHz_TX




EUT_Z_2TX
Setting 16
01-C-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.35484G	52.68	83.54	-30.86	46.95	1	Horizontal	50	1.61	-	38.33	19.60	52.20
AV	21.35805G	39.46	63.54	-24.08	33.71	1	Horizontal	50	1.61	-	38.35	19.60	52.20



5.925-6.425GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5965MHz_TX




EUT_Y_2TX
Setting 37
01-U-J-8-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.914G	59.38	88.20	-28.82	52.31	3	Vertical	157	1.05	-	32.40	7.64	32.97
RMS	5.9222G	49.26	68.20	-18.94	42.19	3	Vertical	157	1.05	-	32.40	7.64	32.97
PK	5.9666G	103.20	Inf	-Inf	96.10	3	Vertical	157	1.05	-	32.43	7.66	32.99
RMS	5.9642G	94.20	Inf	-Inf	87.10	3	Vertical	157	1.05	-	32.43	7.66	32.99



5.925-6.425GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5965MHz_TX




EUT_Y_2TX
Setting 37
01-U-J-8-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8956G	59.42	88.20	-28.78	52.37	3	Horizontal	177	2.01	-	32.38	7.63	32.96
RMS	5.925G	49.12	68.20	-19.08	42.05	3	Horizontal	177	2.01	-	32.40	7.64	32.97
PK	5.9658G	101.85	Inf	-Inf	94.75	3	Horizontal	177	2.01	-	32.43	7.66	32.99
RMS	5.966G	92.03	Inf	-Inf	84.93	3	Horizontal	177	2.01	-	32.43	7.66	32.99

5.925-6.425GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5965MHz_TX




EUT_Z_2TX
Setting 37
03-R-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.92901G	50.09	74.00	-23.91	65.19	3	Vertical	216	1.24	-	39.40	10.66	65.16
AV	11.93549G	40.30	54.00	-13.70	55.40	3	Vertical	216	1.24	-	39.40	10.66	65.16
PK	17.891G	55.87	74.00	-18.13	59.08	3	Vertical	242	1.69	-	44.72	14.94	62.87
AV	17.88782G	44.58	54.00	-9.42	47.78	3	Vertical	242	1.69	-	44.72	14.94	62.86

5.925-6.425GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5965MHz_TX




EUT_Z_2TX
Setting 37
03-R-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.92547G	50.69	74.00	-23.31	65.79	3	Horizontal	306	2.35	-	39.40	10.66	65.16
AV	11.93834G	40.61	54.00	-13.39	55.71	3	Horizontal	306	2.35	-	39.40	10.66	65.16
PK	17.89128G	56.94	74.00	-17.06	60.15	3	Horizontal	124	1.71	-	44.72	14.94	62.87
AV	17.8908G	46.14	54.00	-7.86	49.35	3	Horizontal	124	1.71	-	44.72	14.94	62.87



5.925-6.425GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6205MHz_TX




EUT_Z_2TX
Setting 41
03-R-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	12.41507G	51.26	74.00	-22.74	66.07	3	Vertical	273	1.05	-	38.80	11.07	64.68
AV	12.40136G	39.96	54.00	-14.04	54.79	3	Vertical	273	1.05	-	38.80	11.06	64.69

5.925-6.425GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6205MHz_TX




EUT_Z_2TX
Setting 41
03-R-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.41258G	50.60	74.00	-23.40	65.41	3	Horizontal	56	1.11	-	38.80	11.07	64.68
AV	12.39959G	40.28	54.00	-13.72	55.12	3	Horizontal	56	1.11	-	38.80	11.05	64.69



5.925-6.425GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6205MHz_TX




EUT_Z_2TX
Setting 41
01-C-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.62643G	51.43	83.54	-32.11	45.41	1	Vertical	236	1.50	-	37.75	18.82	50.55
AV	18.61635G	39.40	63.54	-24.14	33.39	1	Vertical	236	1.50	-	37.73	18.82	50.54

5.925-6.425GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6205MHz_TX




EUT_Z_2TX
Setting 41
01-C-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.60585G	51.29	83.54	-32.25	45.30	1	Horizontal	121	2.69	-	37.71	18.81	50.53
AV	18.62937G	39.55	63.54	-23.99	33.53	1	Horizontal	121	2.69	-	37.76	18.82	50.56

5.925-6.425GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6405MHz_TX




EUT_Z_2TX
Setting 34
03-R-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.79743G	49.23	88.20	-38.97	63.22	3	Vertical	348	1.64	-	39.09	11.42	64.50
RMS	12.82077G	38.99	68.20	-29.21	52.86	3	Vertical	348	1.64	-	39.18	11.44	64.49



5.925-6.425GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6405MHz_TX




EUT_Z_2TX
Setting 34
03-R-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.80595G	49.41	88.20	-38.79	63.37	3	Horizontal	294	2.38	-	39.12	11.42	64.50
RMS	12.82101G	38.56	68.20	-29.64	52.43	3	Horizontal	294	2.38	-	39.18	11.44	64.49



5.925-6.425GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6405MHz_TX




EUT_Z_2TX
Setting 34
01-C-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.21026G	50.85	83.54	-32.69	45.18	1	Vertical	247	1.62	-	37.98	18.94	51.25
AV	19.21317G	38.77	63.54	-24.77	33.12	1	Vertical	247	1.62	-	37.97	18.94	51.26



5.925-6.425GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6405MHz_TX




EUT_Z_2TX
Setting 34
01-C-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.20753G	50.70	83.54	-32.84	45.03	1	Horizontal	198	2.17	-	37.98	18.94	51.25
AV	19.21728G	39.03	63.54	-24.51	33.38	1	Horizontal	198	2.17	-	37.97	18.94	51.26



6.425-6.525GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6445MHz_TX




EUT_Z_2TX
Setting 32
03-R-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.87905G	49.35	88.20	-38.85	63.04	3	Vertical	337	1.86	-	39.30	11.49	64.48
RMS	12.88781G	38.37	68.20	-29.83	52.05	3	Vertical	337	1.86	-	39.30	11.50	64.48



6.425-6.525GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6445MHz_TX




EUT_Z_2TX
Setting 32
03-R-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.88385G	49.34	88.20	-38.86	63.03	3	Horizontal	292	2.21	-	39.30	11.49	64.48
RMS	12.88517G	38.67	68.20	-29.53	52.35	3	Horizontal	292	2.21	-	39.30	11.50	64.48



6.425-6.525GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6445MHz_TX




EUT_Z_2TX
Setting 32
01-C-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	19.33128G	50.34	83.54	-33.20	44.91	1	Vertical	257	2.88	-	37.87	18.96	51.40
AV	19.32819G	38.53	63.54	-25.01	33.07	1	Vertical	257	2.88	-	37.89	18.96	51.39



6.425-6.525GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6445MHz_TX




EUT_Z_2TX
Setting 32
01-C-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.32618G	50.73	83.54	-32.81	45.26	1	Horizontal	88	1.03	-	37.90	18.96	51.39
AV	19.32144G	38.70	63.54	-24.84	33.22	1	Horizontal	88	1.03	-	37.91	18.96	51.39

6.425-6.525GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6485MHz_TX




EUT_Z_2TX
Setting 36
03-R-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.96646G	48.92	88.20	-39.28	62.38	3	Vertical	229	1.51	-	39.43	11.57	64.46
RMS	12.96586G	38.89	68.20	-29.31	52.35	3	Vertical	229	1.51	-	39.43	11.57	64.46

6.425-6.525GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6485MHz_TX




EUT_Z_2TX
Setting 36
03-R-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.9742G	49.81	88.20	-38.39	63.24	3	Horizontal	17	2.17	-	39.45	11.58	64.46
RMS	12.96544G	38.75	68.20	-29.45	52.21	3	Horizontal	17	2.17	-	39.43	11.57	64.46

6.425-6.525GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6485MHz_TX




EUT_Z_2TX
Setting 36
01-C-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.46328G	51.22	83.54	-32.32	45.94	1	Vertical	170	1.80	-	37.85	18.99	51.56
AV	19.45128G	39.41	63.54	-24.13	34.15	1	Vertical	170	1.80	-	37.81	18.99	51.54

6.425-6.525GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6485MHz_TX




EUT_Z_2TX
Setting 36
01-C-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.46055G	51.72	83.54	-31.82	46.44	1	Horizontal	88	1.80	-	37.84	18.99	51.55
AV	19.45884G	38.91	63.54	-24.63	33.63	1	Horizontal	88	1.80	-	37.84	18.99	51.55

6.425-6.525GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6525MHz Straddle 6.425-6.525GHz_TX




EUT_Z_2TX
Setting 46
03-R-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.06398G	50.20	88.20	-38.00	63.28	3	Vertical	126	1.92	-	39.63	11.66	64.37
RMS	13.05864G	39.58	68.20	-28.62	52.69	3	Vertical	126	1.92	-	39.62	11.65	64.38

6.425-6.525GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6525MHz Straddle 6.425-6.525GHz_TX




EUT_Z_2TX
Setting 46
03-R-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.05561G	50.57	88.20	-37.63	63.69	3	Horizontal	155	2.62	-	39.61	11.65	64.38
RMS	13.05702G	39.36	68.20	-28.84	52.48	3	Horizontal	155	2.62	-	39.61	11.65	64.38



6.425-6.525GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6525MHz Straddle 6.425-6.525GHz_TX




EUT_Z_2TX
Setting 46
01-C-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.58799G	51.64	83.54	-31.90	46.42	1	Vertical	259	1.59	-	37.87	19.02	51.67			
AV	19.57491G	42.30	63.54	-21.24	37.00	1	Vertical	259	1.59	-	37.95	19.01	51.66			

6.425-6.525GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6525MHz Straddle 6.425-6.525GHz_TX




EUT_Z_2TX
 Setting 46
 01-C-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.58055G	50.76	83.54	-32.78	45.49	1	Horizontal	247	1.80	-	37.92	19.01	51.66
AV	19.57659G	38.94	63.54	-24.60	33.65	1	Horizontal	247	1.80	-	37.94	19.01	51.66

6.525-6.875GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6565MHz_TX




EUT_Z_2TX
Setting 36
03-R-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.14293G	50.15	88.20	-38.05	63.00	3	Vertical	144	2.64	-	39.70	11.73	64.28
RMS	13.14365G	39.74	68.20	-28.46	52.58	3	Vertical	144	2.64	-	39.70	11.73	64.27



6.525-6.875GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6565MHz_TX




EUT_Z_2TX
Setting 36
03-R-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.14062G	50.02	88.20	-38.18	62.87	3	Horizontal	246	1.95	-	39.70	11.73	64.28
RMS	13.14476G	39.82	68.20	-28.38	52.66	3	Horizontal	246	1.95	-	39.70	11.73	64.27

6.525-6.875GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6565MHz_TX




EUT_Z_2TX
Setting 36
01-C-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.69494G	52.70	83.54	-30.84	47.59	1	Vertical	217	1.68	-	37.83	19.04	51.76
AV	19.69488G	41.55	63.54	-21.99	36.44	1	Vertical	217	1.68	-	37.83	19.04	51.76



6.525-6.875GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6565MHz_TX




EUT_Z_2TX
Setting 36
01-C-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.69527G	51.12	83.54	-32.42	46.01	1	Horizontal	213	1.80	-	37.83	19.04	51.76
AV	19.695G	39.61	63.54	-23.93	34.50	1	Horizontal	213	1.80	-	37.83	19.04	51.76

6.525-6.875GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6685MHz_TX




EUT_Z_2TX
Setting 41
03-R-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.37537G	51.05	74.00	-22.95	62.95	3	Vertical	21	1.94	-	40.15	11.94	63.99
AV	13.38008G	39.59	54.00	-14.41	51.47	3	Vertical	21	1.94	-	40.16	11.95	63.99

6.525-6.875GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6685MHz_TX




EUT_Z_2TX
Setting 41
03-R-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.36262G	50.90	74.00	-23.10	62.85	3	Horizontal	333	1.62	-	40.13	11.93	64.01
AV	13.38062G	39.77	54.00	-14.23	51.65	3	Horizontal	333	1.62	-	40.16	11.95	63.99

6.525-6.875GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6685MHz_TX




EUT_Z_2TX
Setting 41
01-C-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.05491G	52.02	83.54	-31.52	47.18	1	Vertical	236	1.62	-	37.72	19.12	52.00
AV	20.05494G	42.59	63.54	-20.95	37.75	1	Vertical	236	1.62	-	37.72	19.12	52.00



6.525-6.875GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6685MHz_TX




EUT_Z_2TX
Setting 41
01-C-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.04819G	50.89	83.54	-32.65	46.07	1	Horizontal	123	1.80	-	37.70	19.12	52.00
AV	20.06859G	39.29	63.54	-24.25	34.39	1	Horizontal	123	1.80	-	37.77	19.13	52.00



6.525-6.875GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6885MHz Straddle 6.525-6.875GHz_TX




EUT_Z_2TX
Setting 22
03-R-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.7706G	51.22	88.20	-36.98	61.94	3	Vertical	186	1.22	-	40.70	12.30	63.72
RMS	13.77804G	40.65	68.20	-27.55	51.35	3	Vertical	186	1.22	-	40.70	12.31	63.71



6.525-6.875GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6885MHz Straddle 6.525-6.875GHz_TX




EUT_Z_2TX
Setting 22
03-R-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.76223G	50.84	88.20	-37.36	61.57	3	Horizontal	87	1.85	-	40.70	12.29	63.72
RMS	13.77735G	40.65	68.20	-27.55	51.35	3	Horizontal	87	1.85	-	40.70	12.31	63.71



6.525-6.875GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6885MHz Straddle 6.525-6.875GHz_TX




EUT_Z_2TX
Setting 22
01-C-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.65491G	52.09	83.54	-31.45	46.91	1	Vertical	240	1.62	-	37.90	19.34	52.06
AV	20.65503G	41.14	63.54	-22.40	35.96	1	Vertical	240	1.62	-	37.90	19.34	52.06



6.525-6.875GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6885MHz Straddle 6.525-6.875GHz_TX




EUT_Z_2TX
Setting 22
01-C-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.66556G	51.18	83.54	-32.36	46.00	1	Horizontal	165	1.80	-	37.90	19.35	52.07
AV	20.65344G	39.30	63.54	-24.24	34.12	1	Horizontal	165	1.80	-	37.90	19.34	52.06

6.875-7.125GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6925MHz_TX




EUT_Z_2TX
Setting 27
03-R-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.85207G	51.52	88.20	-36.68	62.02	3	Vertical	153	1.48	-	40.80	12.38	63.68
RMS	13.83617G	41.66	68.20	-26.54	52.22	3	Vertical	153	1.48	-	40.77	12.36	63.69



6.875-7.125GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6925MHz_TX




EUT_Z_2TX
Setting 27
03-R-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.86374G	51.41	88.20	-36.79	61.86	3	Horizontal	272	2.46	-	40.83	12.39	63.67
RMS	13.85609G	41.42	68.20	-26.78	51.91	3	Horizontal	272	2.46	-	40.81	12.38	63.68

6.875-7.125GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6925MHz_TX




EUT_Z_2TX
Setting 27
01-C-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.77482G	51.92	83.54	-31.62	46.64	1	Vertical	245	1.60	-	38.00	19.39	52.11
AV	20.77485G	41.14	63.54	-22.40	35.86	1	Vertical	245	1.60	-	38.00	19.39	52.11



6.875-7.125GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6925MHz_TX



Lim.PK
 PK
 Lim.AV
 AV


09/01/2024

EUT_Z_2TX
Setting 27
01-C-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.78664G	51.81	83.54	-31.73	46.44	1	Horizontal	165	1.80	-	38.09	19.39	52.11
AV	20.78772G	39.19	63.54	-24.35	33.82	1	Horizontal	165	1.80	-	38.10	19.39	52.12

6.875-7.125GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

7005MHz_TX




EUT_Z_2TX
Setting 20
03-R-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.01363G	52.72	88.20	-35.48	62.48	3	Vertical	231	1.87	-	41.30	12.52	63.58
RMS	14.00805G	42.75	68.20	-25.45	52.52	3	Vertical	231	1.87	-	41.30	12.52	63.59



6.875-7.125GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

7005MHz_TX




EUT_Z_2TX
Setting 20
03-R-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	14.00619G	53.44	88.20	-34.76	63.23	3	Horizontal	117	2.34	-	41.30	12.51	63.60
RMS	14.02023G	42.65	68.20	-25.55	52.39	3	Horizontal	117	2.34	-	41.30	12.52	63.56



6.875-7.125GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

7005MHz_TX




EUT_Z_2TX
Setting 20
01-C-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.02601G	51.19	83.54	-32.35	45.75	1	Vertical	117	1.35	-	38.16	19.48	52.20
AV	21.02016G	39.50	63.54	-24.04	34.12	1	Vertical	117	1.35	-	38.10	19.48	52.20

6.875-7.125GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

7005MHz_TX




EUT_Z_2TX
Setting 20
01-C-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.02718G	51.59	83.54	-31.95	46.14	1	Horizontal	203	1.66	-	38.17	19.48	52.20
AV	21.0024G	39.31	63.54	-24.23	34.12	1	Horizontal	203	1.66	-	37.92	19.47	52.20

6.875-7.125GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

7085MHz_TX




EUT_Y_2TX
Setting 24
01-U-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0842G	103.25	Inf	-Inf	92.25	3	Vertical	222	2.12	-	35.51	8.53	33.04
RMS	7.0842G	94.43	Inf	-Inf	83.43	3	Vertical	222	2.12	-	35.51	8.53	33.04
PK	7.1568G	64.18	88.20	-24.02	52.80	3	Vertical	222	2.12	-	35.93	8.51	33.06
RMS	7.1788G	54.38	68.20	-13.82	42.92	3	Vertical	222	2.12	-	36.02	8.50	33.06



6.875-7.125GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

7085MHz_TX




EUT_Y_2TX
Setting 24
01-U-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.082G	93.97	Inf	-Inf	82.98	3	Horizontal	204	1.80	-	35.49	8.53	33.03
RMS	7.0844G	85.40	Inf	-Inf	74.40	3	Horizontal	204	1.80	-	35.51	8.53	33.04
PK	7.1836G	64.60	88.20	-23.60	53.14	3	Horizontal	204	1.80	-	36.03	8.50	33.07
RMS	7.1728G	54.31	68.20	-13.89	42.88	3	Horizontal	204	1.80	-	35.99	8.50	33.06



6.875-7.125GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

7085MHz_TX




EUT_Z_2TX
Setting 24
03-R-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.17267G	53.71	88.20	-34.49	62.62	3	Vertical	71	2.72	-	41.69	12.62	63.22
RMS	14.18293G	43.49	68.20	-24.71	52.32	3	Vertical	71	2.72	-	41.73	12.63	63.19



6.875-7.125GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

7085MHz_TX




EUT_Z_2TX
Setting 24
03-R-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	14.17387G	53.68	88.20	-34.52	62.57	3	Horizontal	28	1.87	-	41.70	12.62	63.21
RMS	14.16427G	43.42	68.20	-24.78	52.39	3	Horizontal	28	1.87	-	41.66	12.61	63.24



6.875-7.125GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

7085MHz_TX




EUT_Z_2TX
Setting 24
01-C-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.24939G	51.62	83.54	-31.92	46.26	1	Vertical	350	1.40	-	38.00	19.56	52.20
AV	21.2604G	39.26	63.54	-24.28	33.81	1	Vertical	350	1.40	-	38.08	19.57	52.20



6.875-7.125GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

7085MHz_TX




EUT_Z_2TX
Setting 24
01-C-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.26493G	51.13	83.54	-32.41	45.64	1	Horizontal	94	1.80	-	38.12	19.57	52.20
AV	21.26526G	39.52	63.54	-24.02	34.03	1	Horizontal	94	1.80	-	38.12	19.57	52.20



5.925-6.425GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

5985MHz_TX




EUT_Y_2TX
Setting 48
01-U-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9118G	61.97	88.20	-26.23	54.90	3	Vertical	28	2.06	-	32.40	7.64	32.97
RMS	5.9238G	50.55	68.20	-17.65	43.48	3	Vertical	28	2.06	-	32.40	7.64	32.97
PK	5.9846G	103.87	Inf	-Inf	96.72	3	Vertical	28	2.06	-	32.47	7.67	32.99
RMS	5.987G	93.84	Inf	-Inf	86.70	3	Vertical	28	2.06	-	32.47	7.67	33.00

5.925-6.425GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

5985MHz_TX




EUT_Y_2TX
Setting 48
01-U-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9146G	61.89	88.20	-26.31	54.82	3	Horizontal	176	1.80	-	32.40	7.64	32.97
RMS	5.9182G	49.93	68.20	-18.27	42.86	3	Horizontal	176	1.80	-	32.40	7.64	32.97
PK	5.991G	100.47	Inf	-Inf	93.31	3	Horizontal	176	1.80	-	32.48	7.68	33.00
RMS	5.9834G	90.64	Inf	-Inf	83.49	3	Horizontal	176	1.80	-	32.47	7.67	32.99

5.925-6.425GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

5985MHz_TX




EUT_Z_2TX
Setting 48
03-R-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.97384G	50.14	74.00	-23.86	65.34	3	Vertical	89	2.07	-	39.30	10.68	65.18
AV	11.96901G	41.06	54.00	-12.94	56.24	3	Vertical	89	2.07	-	39.32	10.68	65.18
PK	17.9484G	55.40	74.00	-18.60	58.75	3	Vertical	83	1.00	-	44.60	14.98	62.93
AV	17.95701G	46.18	54.00	-7.82	49.50	3	Vertical	83	1.00	-	44.64	14.98	62.94

5.925-6.425GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

5985MHz_TX




EUT_Z_2TX
Setting 48
03-R-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.96316G	50.68	74.00	-23.32	65.83	3	Horizontal	315	1.80	-	39.35	10.67	65.17
AV	11.96874G	41.28	54.00	-12.72	56.45	3	Horizontal	315	1.80	-	39.33	10.68	65.18
PK	17.95509G	57.38	74.00	-16.62	60.71	3	Horizontal	132	1.80	-	44.63	14.98	62.94
AV	17.95485G	50.53	54.00	-3.47	53.86	3	Horizontal	132	1.80	-	44.63	14.98	62.94

5.925-6.425GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6225MHz_TX




EUT_Z_2TX
Setting 56
03-R-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	12.46173G	50.54	74.00	-23.46	65.25	3	Vertical	32	1.80	-	38.80	11.11	64.62
AV	12.44355G	41.32	54.00	-12.68	56.07	3	Vertical	32	1.80	-	38.80	11.09	64.64



5.925-6.425GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6225MHz_TX




EUT_Z_2TX
Setting 56
03-R-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.43824G	50.97	74.00	-23.03	65.73	3	Horizontal	0	1.00	-	38.80	11.09	64.65
AV	12.44232G	41.91	54.00	-12.09	56.66	3	Horizontal	0	1.00	-	38.80	11.09	64.64



5.925-6.425GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6225MHz_TX




EUT_Z_2TX
Setting 56
01-C-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.675G	54.92	83.54	-28.62	49.00	1	Vertical	268	1.64	-	37.70	18.83	50.61
AV	18.67509G	47.12	63.54	-16.42	41.20	1	Vertical	268	1.64	-	37.70	18.83	50.61



5.925-6.425GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6225MHz_TX




EUT_Z_2TX
Setting 56
01-C-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.67479G	52.44	83.54	-31.10	46.52	1	Horizontal	145	1.99	-	37.70	18.83	50.61
AV	18.67488G	43.43	63.54	-20.11	37.51	1	Horizontal	145	1.99	-	37.70	18.83	50.61

5.925-6.425GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6385MHz_TX




EUT_Z_2TX
Setting 39
03-R-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.76631G	50.11	88.20	-38.09	64.20	3	Vertical	27	1.26	-	39.03	11.39	64.51
RMS	12.75965G	40.68	68.20	-27.52	54.79	3	Vertical	27	1.26	-	39.02	11.38	64.51



5.925-6.425GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6385MHz_TX




EUT_Z_2TX
Setting 39
03-R-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.75545G	50.51	88.20	-37.69	64.63	3	Horizontal	327	1.80	-	39.01	11.38	64.51
RMS	12.76673G	41.40	68.20	-26.80	55.49	3	Horizontal	327	1.80	-	39.03	11.39	64.51



5.925-6.425GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6385MHz_TX




EUT_Z_2TX
Setting 39
01-C-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.155G	52.77	83.54	-30.77	47.30	1	Vertical	268	1.61	-	37.73	18.93	51.19
AV	19.155G	46.37	63.54	-17.17	40.90	1	Vertical	268	1.61	-	37.73	18.93	51.19



5.925-6.425GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6385MHz_TX




EUT_Z_2TX
Setting 39
01-C-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.14669G	51.61	83.54	-31.93	46.15	1	Horizontal	169	1.70	-	37.71	18.93	51.18
AV	19.15488G	42.96	63.54	-20.58	37.49	1	Horizontal	169	1.70	-	37.73	18.93	51.19

6.425-6.525GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6465MHz_TX




EUT_Z_2TX
Setting 56
03-R-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.9408G	48.40	88.20	-39.80	61.93	3	Vertical	230	1.80	-	39.38	11.55	64.46
RMS	12.93921G	39.62	68.20	-28.58	53.16	3	Vertical	230	1.80	-	39.38	11.54	64.46



6.425-6.525GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6465MHz_TX




EUT_Z_2TX
Setting 56
03-R-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	12.92685G	48.70	88.20	-39.50	62.29	3	Horizontal	360	1.80	-	39.35	11.53	64.47
RMS	12.94002G	39.45	68.20	-28.75	52.98	3	Horizontal	360	1.80	-	39.38	11.55	64.46

6.425-6.525GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6465MHz_TX




EUT_Z_2TX
Setting 56
01-C-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.39497G	52.54	83.54	-31.00	47.05	1	Vertical	261	1.52	-	37.98	18.98	51.47
AV	19.39494G	45.70	63.54	-17.84	40.21	1	Vertical	261	1.52	-	37.98	18.98	51.47



6.425-6.525GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6465MHz_TX




EUT_Z_2TX
Setting 56
01-C-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.40607G	52.21	83.54	-31.33	46.74	1	Horizontal	173	1.72	-	37.98	18.98	51.49
AV	19.39491G	42.76	63.54	-20.78	37.27	1	Horizontal	173	1.72	-	37.98	18.98	51.47

6.425-6.525GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6545MHz Straddle 6.425-6.525GHz_TX




EUT_Z_2TX
Setting 60
03-R-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.08865G	49.81	88.20	-38.39	62.79	3	Vertical	78	1.98	-	39.68	11.68	64.34
RMS	13.08565G	41.76	68.20	-26.44	54.76	3	Vertical	78	1.98	-	39.67	11.68	64.35



6.425-6.525GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6545MHz Straddle 6.425-6.525GHz_TX




EUT_Z_2TX
Setting 60
03-R-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.09249G	50.41	88.20	-37.79	63.39	3	Horizontal	232	1.44	-	39.68	11.68	64.34
RMS	13.08535G	41.39	68.20	-26.81	54.39	3	Horizontal	232	1.44	-	39.67	11.68	64.35

6.425-6.525GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6545MHz Straddle 6.425-6.525GHz_TX




EUT_Z_2TX
Setting 60
01-C-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.63722G	51.70	83.54	-31.84	46.36	1	Vertical	236	1.80	-	38.02	19.03	51.71
AV	19.63506G	40.71	63.54	-22.83	35.38	1	Vertical	236	1.80	-	38.01	19.03	51.71

6.425-6.525GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6545MHz Straddle 6.425-6.525GHz_TX




EUT_Z_2TX
Setting 60
01-C-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.62774G	51.37	83.54	-32.17	46.08	1	Horizontal	250	1.56	-	37.97	19.02	51.70
AV	19.635G	42.17	63.54	-21.37	36.84	1	Horizontal	250	1.56	-	38.01	19.03	51.71

6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6625MHz_TX




EUT_Z_2TX
Setting 49
03-R-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.256G	50.56	74.00	-23.44	62.86	3	Vertical	277	2.00	-	40.01	11.83	64.14
AV	13.25G	41.46	54.00	-12.54	53.77	3	Vertical	277	2.00	-	40.00	11.83	64.14

6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6625MHz_TX




EUT_Z_2TX
Setting 49
03-R-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.25201G	50.61	74.00	-23.39	62.92	3	Horizontal	357	2.21	-	40.00	11.83	64.14
AV	13.26338G	41.24	54.00	-12.76	53.50	3	Horizontal	357	2.21	-	40.03	11.84	64.13

6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6625MHz_TX




EUT_Z_2TX
Setting 49
01-C-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.87485G	51.94	83.54	-31.60	47.02	1	Vertical	237	1.60	-	37.75	19.07	51.90
AV	19.87491G	44.43	63.54	-19.11	39.51	1	Vertical	237	1.60	-	37.75	19.07	51.90

6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6625MHz_TX




EUT_Z_2TX
Setting 49
01-C-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.87494G	51.31	83.54	-32.23	46.39	1	Horizontal	215	1.80	-	37.75	19.07	51.90
AV	19.87494G	40.30	63.54	-23.24	35.38	1	Horizontal	215	1.80	-	37.75	19.07	51.90

6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6705MHz_TX




EUT_Z_2TX
Setting 45
03-R-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.4155G	49.90	88.20	-38.30	61.63	3	Vertical	303	1.35	-	40.23	11.98	63.94
RMS	13.40044G	40.61	68.20	-27.59	52.41	3	Vertical	303	1.35	-	40.20	11.96	63.96

6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6705MHz_TX




EUT_Z_2TX
Setting 45
03-R-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.40778G	49.70	88.20	-38.50	61.46	3	Horizontal	294	2.19	-	40.22	11.97	63.95
RMS	13.40212G	41.38	68.20	-26.82	53.17	3	Horizontal	294	2.19	-	40.20	11.97	63.96



6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6705MHz_TX




EUT_Z_2TX
Setting 45
01-C-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.10285G	48.16	83.54	-35.38	43.14	1	Vertical	115	2.26	-	37.88	19.14	52.00
AV	20.11737G	38.09	63.54	-25.45	33.15	1	Vertical	115	2.26	-	37.80	19.14	52.00



6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6705MHz_TX




EUT_Z_2TX
Setting 45
01-C-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.10063G	49.05	83.54	-34.49	44.01	1	Horizontal	111	2.98	-	37.90	19.14	52.00
AV	20.10264G	38.02	63.54	-25.52	33.00	1	Horizontal	111	2.98	-	37.88	19.14	52.00

6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6785MHz_TX




EUT_Z_2TX
Setting 45
03-R-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.5772G	52.01	88.20	-36.19	63.28	3	Vertical	115	2.16	-	40.40	12.13	63.80
RMS	13.57896G	42.36	68.20	-25.84	53.63	3	Vertical	115	2.16	-	40.40	12.13	63.80



6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6785MHz_TX




EUT_Z_2TX
Setting 45
03-R-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.57636G	51.95	88.20	-36.25	63.23	3	Horizontal	90	1.23	-	40.40	12.12	63.80
RMS	13.57898G	42.48	68.20	-25.72	53.75	3	Horizontal	90	1.23	-	40.40	12.13	63.80

6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6785MHz_TX




EUT_Z_2TX
Setting 45
01-C-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.36166G	52.25	83.54	-31.29	46.94	1	Vertical	51	2.32	-	38.08	19.23	52.00
AV	20.34522G	41.09	63.54	-22.45	35.75	1	Vertical	51	2.32	-	38.11	19.23	52.00

6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6785MHz_TX




EUT_Z_2TX
Setting 45
01-C-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.36775G	51.73	83.54	-31.81	46.43	1	Horizontal	294	2.80	-	38.06	19.24	52.00
AV	20.34909G	41.55	63.54	-21.99	36.22	1	Horizontal	294	2.80	-	38.10	19.23	52.00



6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6865MHz Straddle 6.525-6.875GHz_TX




EUT_Z_2TX
Setting 42
03-R-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.73024G	51.57	88.20	-36.63	62.38	3	Vertical	171	2.18	-	40.66	12.26	63.73
RMS	13.73634G	42.63	68.20	-25.57	53.42	3	Vertical	171	2.18	-	40.67	12.27	63.73

6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6865MHz Straddle 6.525-6.875GHz_TX




EUT_Z_2TX
Setting 42
03-R-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.722666G	52.32	88.20	-35.88	63.15	3	Horizontal	82	2.41	-	40.65	12.26	63.74
RMS	13.72428G	42.63	68.20	-25.57	53.46	3	Horizontal	82	2.41	-	40.65	12.26	63.74



6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6865MHz Straddle 6.525-6.875GHz_TX




EUT_Z_2TX
Setting 42
01-C-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.60319G	52.06	83.54	-31.48	46.79	1	Vertical	306	2.18	-	37.99	19.32	52.04
AV	20.59449G	40.84	63.54	-22.70	35.57	1	Vertical	306	2.18	-	37.99	19.32	52.04



6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6865MHz Straddle 6.525-6.875GHz_TX




EUT_Z_2TX
Setting 42
01-C-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.60493G	51.07	83.54	-32.47	45.80	1	Horizontal	100	2.83	-	37.99	19.32	52.04
AV	20.58054G	40.86	63.54	-22.68	35.62	1	Horizontal	100	2.83	-	37.96	19.31	52.03

6.875-7.125GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6945MHz_TX




EUT_Z_2TX
Setting 39
03-R-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.8909G	51.82	88.20	-36.38	62.19	3	Vertical	38	1.00	-	40.88	12.41	63.66
RMS	13.8983G	42.25	68.20	-25.95	52.59	3	Vertical	38	1.00	-	40.90	12.42	63.66

6.875-7.125GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6945MHz_TX




EUT_Z_2TX
Setting 39
03-R-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.89652G	51.58	88.20	-36.62	61.93	3	Horizontal	4	1.08	-	40.89	12.42	63.66
RMS	13.8895G	42.56	68.20	-25.64	52.93	3	Horizontal	4	1.08	-	40.88	12.41	63.66

6.875-7.125GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6945MHz_TX




EUT_Z_2TX
Setting 39
01-C-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.84805G	52.29	83.54	-31.25	46.82	1	Vertical	295	1.70	-	38.20	19.41	52.14
AV	20.83482G	42.58	63.54	-20.96	37.10	1	Vertical	295	1.70	-	38.20	19.41	52.13

6.875-7.125GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6945MHz_TX




EUT_Z_2TX
Setting 39
01-C-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.83158G	52.61	83.54	-30.93	47.13	1	Horizontal	219	1.73	-	38.20	19.41	52.13
AV	20.83497G	41.85	63.54	-21.69	36.37	1	Horizontal	219	1.73	-	38.20	19.41	52.13



6.875-7.125GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

7025MHz_TX




EUT_Y_2TX
Setting 37
01-U-G-5-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0226G	103.20	Inf	-Inf	92.48	3	Vertical	126	1.05	-	35.19	8.55	33.02
RMS	7.0274G	94.27	Inf	-Inf	83.53	3	Vertical	126	1.05	-	35.21	8.55	33.02
PK	7.181G	64.93	88.20	-23.27	53.47	3	Vertical	126	1.05	-	36.02	8.50	33.06
RMS	7.221G	55.08	68.20	-13.12	43.50	3	Vertical	126	1.05	-	36.14	8.52	33.08

6.875-7.125GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

7025MHz_TX




EUT_Y_2TX
Setting 37
01-U-G-5-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0166G	98.15	Inf	-Inf	87.44	3	Horizontal	143	2.95	-	35.17	8.55	33.01
RMS	7.0238G	88.62	Inf	-Inf	77.89	3	Horizontal	143	2.95	-	35.20	8.55	33.02
PK	7.2166G	64.40	88.20	-23.80	52.83	3	Horizontal	143	2.95	-	36.13	8.51	33.07
RMS	7.219G	55.08	68.20	-13.12	43.51	3	Horizontal	143	2.95	-	36.14	8.51	33.08

6.875-7.125GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

7025MHz_TX




EUT_Z_2TX
Setting 37
03-R-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.04546G	53.51	88.20	-34.69	63.18	3	Vertical	273	1.53	-	41.30	12.54	63.51
RMS	14.05414G	44.50	68.20	-23.70	54.14	3	Vertical	273	1.53	-	41.31	12.54	63.49



6.875-7.125GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

7025MHz_TX




EUT_Z_2TX
Setting 37
03-R-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.05524G	53.29	88.20	-34.91	62.91	3	Horizontal	348	1.13	-	41.31	12.55	63.48
RMS	14.05804G	44.42	68.20	-23.78	54.03	3	Horizontal	348	1.13	-	41.32	12.55	63.48



6.875-7.125GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

7025MHz_TX




EUT_Z_2TX
Setting 37
01-C-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.06873G	51.58	83.54	-31.96	45.99	1	Vertical	266	1.62	-	38.29	19.50	52.20
AV	21.07503G	42.24	63.54	-21.30	36.69	1	Vertical	266	1.62	-	38.25	19.50	52.20



6.875-7.125GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

7025MHz_TX



EUT_Z_2TX
Setting 37
01-C-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.08136G	52.17	83.54	-31.37	46.66	1	Horizontal	244	1.51	-	38.21	19.50	52.20
AV	21.0852G	40.89	63.54	-22.65	35.40	1	Horizontal	244	1.51	-	38.19	19.50	52.20




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1,(MCSO)_1TX	Pass	AV	17.87892G	50.87	54.00	-3.13	3	Horizontal	43	1.56	-
802.11ax HEW40_Nss1,(MCSO)_1TX	Pass	AV	17.90676G	52.41	54.00	-1.59	3	Vertical	16	2.21	-
802.11ax HEW80_Nss1,(MCSO)_1TX	Pass	AV	17.96442G	52.31	54.00	-1.69	3	Horizontal	173	2.57	-
6.425-6.525GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1,(MCSO)_1TX	Pass	AV	19.4043G	46.05	63.54	-17.49	1	Horizontal	217	1.53	-
802.11ax HEW40_Nss1,(MCSO)_1TX	Pass	RMS	12.96394G	52.15	68.20	-16.05	3	Vertical	159	2.42	-
802.11ax HEW80_Nss1,(MCSO)_1TX	Pass	RMS	12.94236G	52.51	68.20	-15.69	3	Horizontal	33	1.03	-
6.525-6.875GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1,(MCSO)_1TX	Pass	AV	13.39084G	49.42	54.00	-4.58	3	Vertical	341	2.38	-
802.11ax HEW40_Nss1,(MCSO)_1TX	Pass	AV	13.3841G	52.15	54.00	-1.85	3	Horizontal	176	1.69	-
802.11ax HEW80_Nss1,(MCSO)_1TX	Pass	AV	13.25408G	52.84	54.00	-1.16	3	Vertical	190	2.58	-
6.875-7.125GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1,(MCSO)_1TX	Pass	RMS	7.1255G	67.03	68.20	-1.17	3	Vertical	96	2.12	BP 1MHz
802.11ax HEW40_Nss1,(MCSO)_1TX	Pass	RMS	14.0226G	60.10	68.20	-8.10	3	Horizontal	185	1.33	-
802.11ax HEW80_Nss1,(MCSO)_1TX	Pass	RMS	14.0509G	60.50	68.20	-7.70	3	Horizontal	258	2.43	-

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

5955MHz_TX




EUT_Y_1TX
 Setting 46
 06-C-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8906G	60.78	88.20	-27.42	51.94	3	Vertical	360	2.19	-	32.46	7.43	31.05
RMS	5.924G	50.30	68.20	-17.90	41.36	3	Vertical	360	2.19	-	32.55	7.44	31.05
PK	5.9538G	103.23	Inf	-Inf	94.24	3	Vertical	360	2.19	-	32.59	7.45	31.05
RMS	5.9556G	93.90	Inf	-Inf	84.91	3	Vertical	360	2.19	-	32.59	7.45	31.05

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

5955MHz_TX




EUT_Y_1TX
 Setting 46
 06-C-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9222G	60.69	88.20	-27.51	51.76	3	Horizontal	49	3.00	-	32.54	7.44	31.05
RMS	5.9216G	50.21	68.20	-17.99	41.28	3	Horizontal	49	3.00	-	32.54	7.44	31.05
PK	5.951G	97.15	Inf	-Inf	88.15	3	Horizontal	49	3.00	-	32.60	7.45	31.05
RMS	5.9556G	88.17	Inf	-Inf	79.18	3	Horizontal	49	3.00	-	32.59	7.45	31.05

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

5955MHz_TX








EUTZ_1TX
Setting 46
01-U-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.90958G	53.10	74.00	-20.90	46.34	3	Vertical	221	2.50	-	38.92	11.07	43.23
AV	11.8989G	40.61	54.00	-13.39	33.89	3	Vertical	221	2.50	-	38.90	11.06	43.24
PK	17.87706G	62.91	74.00	-11.09	44.53	3	Vertical	251	2.82	-	46.35	13.41	41.38
AV	17.87184G	50.82	54.00	-3.18	32.58	3	Vertical	251	2.82	-	46.22	13.41	41.39

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

5955MHz_TX



Lim.PK 
 PK 
 Lim.AV 
 AV 


03/01/2024

EUTZ_1TX
Setting 46
01-U-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.89572G	52.20	74.00	-21.80	45.48	3	Horizontal	228	1.95	-	38.90	11.06	43.24
AV	11.90496G	40.63	54.00	-13.37	33.89	3	Horizontal	228	1.95	-	38.91	11.07	43.24
PK	17.85384G	62.72	74.00	-11.28	44.95	3	Horizontal	43	1.56	-	45.79	13.40	41.42
AV	17.87892G	50.87	54.00	-3.13	32.45	3	Horizontal	43	1.56	-	46.39	13.41	41.38

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

5955MHz_TX




EUT_Z_1TX
Setting 46
01-U-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	23.82834G	54.14	83.54	-29.40	44.66	1	Vertical	56	2.35	-	38.93	20.98	50.43
AV	23.8326G	42.53	63.54	-21.01	33.07	1	Vertical	56	2.35	-	38.90	20.99	50.43

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

5955MHz_TX




EUT_Z_1TX
Setting 46
01-U-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	23.80974G	54.96	83.54	-28.58	45.39	1	Horizontal	264	1.44	-	39.04	20.97	50.44
AV	23.81154G	42.64	63.54	-20.90	33.08	1	Horizontal	264	1.44	-	39.03	20.97	50.44

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6195MHz_TX




EUTZ_1TX
Setting 49
06-U-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.39774G	59.46	74.00	-14.54	41.12	3	Vertical	182	2.64	-	38.90	10.99	31.55
AV	12.3828G	47.65	54.00	-6.35	29.31	3	Vertical	182	2.64	-	38.93	10.98	31.57

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6195MHz_TX




EUTZ_1TX
Setting 49
06-U-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.38718G	59.70	74.00	-14.30	41.34	3	Horizontal	110	1.32	-	38.93	10.99	31.56
AV	12.375G	47.79	54.00	-6.21	29.44	3	Horizontal	110	1.32	-	38.95	10.98	31.58

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6195MHz_TX




EUT_Z_1TX
Setting 49
01-U-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.6002G	54.63	83.54	-28.91	48.64	1	Vertical	325	2.21	-	37.70	18.81	50.52
AV	18.5606G	45.90	63.54	-17.64	39.87	1	Vertical	325	2.21	-	37.70	18.80	50.47

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6195MHz_TX




EUT_Z_1TX
Setting 49
01-U-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.5772G	55.64	83.54	-27.90	49.62	1	Horizontal	197	2.75	-	37.70	18.81	50.49
AV	18.5616G	46.35	63.54	-17.19	40.31	1	Horizontal	197	2.75	-	37.70	18.81	50.47

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6415MHz_TX




EUTZ_1TX
Setting 44
06-U-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.84254G	60.73	88.20	-27.47	41.58	3	Vertical	126	1.09	-	39.39	11.19	31.43
RMS	12.8252G	48.21	68.20	-19.99	29.10	3	Vertical	126	1.09	-	39.35	11.19	31.43

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6415MHz_TX




EUTZ_1TX
Setting 44
06-U-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	12.8351G	60.21	88.20	-27.99	42.20	3	Horizontal	148	2.75	-	39.37	11.19	32.55
RMS	12.845G	48.19	68.20	-20.01	30.16	3	Horizontal	148	2.75	-	39.39	11.19	32.55

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6415MHz_TX




EUT_Z_1TX
Setting 44
01-U-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	19.2448G	54.79	83.54	-28.75	49.22	1	Vertical	214	1.61	-	37.91	18.95	51.29
AV	19.242G	45.03	63.54	-18.51	39.46	1	Vertical	214	1.61	-	37.92	18.94	51.29

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6415MHz_TX




EUTZ_1TX
Setting 44
01-U-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.2612G	58.03	83.54	-25.51	52.47	1	Horizontal	158	1.81	-	37.92	18.95	51.31
AV	19.2382G	45.95	63.54	-17.59	40.38	1	Horizontal	158	1.81	-	37.92	18.94	51.29

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6435MHz_TX




EUTZ_1TX
Setting 46
06-U-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.86964G	61.48	88.20	-26.72	42.26	3	Vertical	198	1.25	-	39.44	11.21	31.43
RMS	12.86988G	48.76	68.20	-19.44	29.54	3	Vertical	198	1.25	-	39.44	11.21	31.43

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6435MHz_TX




EUTZ_1TX
 Setting 46
 06-U-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.86868G	60.37	88.20	-27.83	41.15	3	Horizontal	318	2.14	-	39.44	11.21	31.43
RMS	12.8727G	48.51	68.20	-19.69	29.28	3	Horizontal	318	2.14	-	39.45	11.21	31.43

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6435MHz_TX




EUT_Z_1TX
 Setting 46
 01-U-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.3009G	56.73	83.54	-26.81	51.13	1	Vertical	237	1.71	-	38.00	18.96	51.36
AV	19.3158G	44.91	63.54	-18.63	39.39	1	Vertical	237	1.71	-	37.94	18.96	51.38

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6435MHz_TX




EUTZ_1TX
Setting 46
01-U-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.3089G	59.51	83.54	-24.03	53.96	1	Horizontal	46	2.77	-	37.96	18.96	51.37
AV	19.3132G	45.91	63.54	-17.63	40.38	1	Horizontal	46	2.77	-	37.95	18.96	51.38

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6475MHz_TX




EUTZ_1TX
Setting 46
06-U-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.93974G	60.70	88.20	-27.50	41.39	3	Vertical	307	1.59	-	39.50	11.24	31.43
RMS	12.95318G	48.66	68.20	-19.54	29.35	3	Vertical	307	1.59	-	39.50	11.24	31.43

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6475MHz_TX




EUTZ_1TX
Setting 46
06-U-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.93608G	60.76	88.20	-27.44	41.45	3	Horizontal	357	2.85	-	39.50	11.24	31.43
RMS	12.94772G	48.87	68.20	-19.33	29.56	3	Horizontal	357	2.85	-	39.50	11.24	31.43

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6475MHz_TX




EUT_Z_1TX
Setting 46
01-U-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.4155G	55.62	83.54	-27.92	50.20	1	Vertical	351	1.02	-	37.94	18.98	51.50			
AV	19.4244G	43.07	63.54	-20.47	37.70	1	Vertical	351	1.02	-	37.90	18.98	51.51			

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6475MHz_TX




EUTZ_1TX
Setting 46
01-U-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.416G	58.09	83.54	-25.45	52.67	1	Horizontal	217	1.53	-	37.94	18.98	51.50
AV	19.4043G	46.05	63.54	-17.49	40.58	1	Horizontal	217	1.53	-	37.98	18.98	51.49

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6515MHz_TX




EUTZ_1TX
Setting 45
06-U-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.0405G	59.99	88.20	-28.21	40.73	3	Vertical	345	2.47	-	39.42	11.28	31.44
RMS	13.04038G	48.50	68.20	-19.70	29.24	3	Vertical	345	2.47	-	39.42	11.28	31.44

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6515MHz_TX




EUTZ_1TX
Setting 45
06-U-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.0276G	60.92	88.20	-27.28	41.63	3	Horizontal	247	1.12	-	39.44	11.28	31.43
RMS	13.02376G	48.28	68.20	-19.92	28.98	3	Horizontal	247	1.12	-	39.45	11.28	31.43

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6515MHz_TX




EUT_Z_1TX
Setting 45
01-U-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.525G	54.64	83.54	-28.90	49.21	1	Vertical	241	2.68	-	38.05	19.00	51.62			
AV	19.5599G	42.75	63.54	-20.79	37.35	1	Vertical	241	2.68	-	38.04	19.01	51.65			

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6515MHz_TX




EUT_Z_1TX
Setting 45
01-U-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.532G	55.05	83.54	-28.49	49.62	1	Horizontal	220	2.75	-	38.06	19.00	51.63
AV	19.556G	42.91	63.54	-20.63	37.48	1	Horizontal	220	2.75	-	38.06	19.01	51.64

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6535MHz_TX




EUTZ_1TX
Setting 43
06-U-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.058G	60.86	88.20	-27.34	41.61	3	Vertical	114	2.44	-	39.40	11.29	31.44
RMS	13.07534G	48.28	68.20	-19.92	29.02	3	Vertical	114	2.44	-	39.40	11.30	31.44

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6535MHz_TX




EUTZ_1TX
 Setting 43
 06-U-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.07876G	61.56	88.20	-26.64	42.30	3	Horizontal	103	1.24	-	39.40	11.30	31.44
RMS	13.05824G	48.42	68.20	-19.78	29.17	3	Horizontal	103	1.24	-	39.40	11.29	31.44

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6535MHz_TX




EUT_Z_1TX
Setting 43
01-U-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.6271G	55.14	83.54	-28.40	49.86	1	Vertical	278	1.90	-	37.96	19.02	51.70
AV	19.5819G	42.41	63.54	-21.13	37.16	1	Vertical	278	1.90	-	37.91	19.01	51.67

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6535MHz_TX




EUT_Z_1TX
Setting 43
01-U-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.6203G	55.65	83.54	-27.89	50.41	1	Horizontal	343	1.55	-	37.92	19.02	51.70
AV	19.5921G	42.69	63.54	-20.85	37.49	1	Horizontal	343	1.55	-	37.85	19.02	51.67

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6695MHz_TX




EUTZ_1TX
Setting 43
06-U-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.39654G	61.70	74.00	-12.30	41.45	3	Vertical	341	2.38	-	40.29	11.45	31.49
AV	13.39084G	49.42	54.00	-4.58	29.21	3	Vertical	341	2.38	-	40.26	11.44	31.49

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6695MHz_TX




EUTZ_1TX
Setting 43
06-U-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.39834G	60.77	74.00	-13.23	40.52	3	Horizontal	236	2.43	-	40.29	11.45	31.49
AV	13.39282G	49.32	54.00	-4.68	29.10	3	Horizontal	236	2.43	-	40.27	11.44	31.49

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6695MHz_TX




EUT_Z_1TX
Setting 43
01-U-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.1097G	57.25	83.54	-26.29	52.27	1	Vertical	339	1.22	-	37.84	19.14	52.00
AV	20.092G	44.23	63.54	-19.31	39.23	1	Vertical	339	1.22	-	37.87	19.13	52.00

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6695MHz_TX




EUT_Z_1TX
Setting 43
01-U-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.0967G	57.29	83.54	-26.25	52.26	1	Horizontal	352	1.73	-	37.89	19.14	52.00
AV	20.1059G	44.36	63.54	-19.18	39.36	1	Horizontal	352	1.73	-	37.86	19.14	52.00

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6875MHz Straddle 6.525-6.875GHz_TX




EUT_Z_1TX
 Setting 40
 06-U-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.75096G	65.97	88.20	-22.23	42.23	3	Vertical	336	1.33	-	40.70	11.61	28.57
RMS	13.75402G	53.14	68.20	-15.06	29.38	3	Vertical	336	1.33	-	40.68	11.61	28.53

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6875MHz Straddle 6.525-6.875GHz_TX




EUTZ_1TX
 Setting 40
 06-U-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.73584G	64.31	88.20	-23.89	40.84	3	Horizontal	102	2.00	-	40.62	11.60	28.75
RMS	13.7581G	53.17	68.20	-15.03	29.38	3	Horizontal	102	2.00	-	40.67	11.61	28.49

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6875MHz Straddle 6.525-6.875GHz_TX




EUT_Z_1TX
Setting 40
01-U-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.6168G	54.55	83.54	-28.99	49.30	1	Vertical	228	1.68	-	37.97	19.33	52.05
AV	20.6024G	41.73	63.54	-21.81	36.45	1	Vertical	228	1.68	-	38.00	19.32	52.04

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6875MHz Straddle 6.525-6.875GHz_TX




EUTZ_1TX
 Setting 40
 01-U-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.649G	54.86	83.54	-28.68	49.68	1	Horizontal	156	1.54	-	37.90	19.34	52.06
AV	20.6198G	41.74	63.54	-21.80	36.50	1	Horizontal	156	1.54	-	37.96	19.33	52.05

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6895MHz_TX




EUTZ_1TX
Setting 41
06-U-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.793G	64.82	88.20	-23.38	40.74	3	Vertical	195	1.53	-	40.53	11.63	28.08
RMS	13.7843G	53.30	68.20	-14.90	29.30	3	Vertical	195	1.53	-	40.56	11.62	28.18

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6895MHz_TX




EUTZ_1TX
Setting 41
06-U-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.7792G	65.94	88.20	-22.26	41.98	3	Horizontal	82	2.02	-	40.58	11.62	28.24
RMS	13.7952G	53.54	68.20	-14.66	29.44	3	Horizontal	82	2.02	-	40.52	11.63	28.05

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6895MHz_TX




EUTZ_1TX
Setting 41
01-U-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.6997G	54.30	83.54	-29.24	49.12	1	Vertical	254	1.40	-	37.90	19.36	52.08
AV	20.7061G	41.81	63.54	-21.73	36.64	1	Vertical	254	1.40	-	37.89	19.36	52.08

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6895MHz_TX




EUT_Z_1TX
Setting 41
01-U-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.6642G	53.93	83.54	-29.61	48.75	1	Horizontal	135	1.20	-	37.90	19.35	52.07
AV	20.7071G	41.84	63.54	-21.70	36.67	1	Horizontal	135	1.20	-	37.89	19.36	52.08

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6995MHz_TX




EUTZ_1TX
Setting 41
06-U-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.99924G	68.17	88.20	-20.03	41.21	3	Vertical	181	1.86	-	40.90	11.72	25.66
RMS	13.99042G	56.44	68.20	-11.76	29.62	3	Vertical	181	1.86	-	40.86	11.72	25.76

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6995MHz_TX




EUTZ_1TX
Setting 41
06-U-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.99222G	68.58	88.20	-19.62	41.73	3	Horizontal	162	2.65	-	40.87	11.72	25.74
RMS	13.99708G	56.61	68.20	-11.59	29.68	3	Horizontal	162	2.65	-	40.89	11.72	25.68

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6995MHz_TX




EUT_Z_1TX
Setting 41
01-U-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.9798G	55.77	83.54	-27.77	50.52	1	Vertical	5	1.08	-	37.98	19.46	52.19
AV	20.9702G	43.19	63.54	-20.35	37.90	1	Vertical	5	1.08	-	38.02	19.46	52.19

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6995MHz_TX




EUT_Z_1TX
Setting 41
01-U-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.9872G	56.51	83.54	-27.03	51.28	1	Horizontal	186	1.24	-	37.95	19.47	52.19
AV	20.9625G	44.71	63.54	-18.83	39.39	1	Horizontal	186	1.24	-	38.05	19.46	52.19

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

7095MHz_TX




EUT_Y_1TX
Setting 41
06-C-5-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.091G	103.56	Inf	-Inf	91.00	3	Vertical	147.9	2.04	-	35.96	8.24	31.64
RMS	7.0956G	94.80	Inf	-Inf	82.22	3	Vertical	147.9	2.04	-	35.98	8.24	31.64
PK	7.1866G	65.81	88.20	-22.39	52.64	3	Vertical	147.9	2.04	-	36.37	8.33	31.53
RMS	7.1872G	55.43	68.20	-12.77	42.26	3	Vertical	147.9	2.04	-	36.37	8.33	31.53

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

7095MHz_TX




EUT_Y_1TX
Setting 41
06-C-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0954G	96.03	Inf	-Inf	83.45	3	Horizontal	352	1.92	-	35.98	8.24	31.64
RMS	7.0956G	86.04	Inf	-Inf	73.46	3	Horizontal	352	1.92	-	35.98	8.24	31.64
PK	7.1786G	66.04	88.20	-22.16	52.90	3	Horizontal	352	1.92	-	36.36	8.32	31.54
RMS	7.1846G	55.36	68.20	-12.84	42.20	3	Horizontal	352	1.92	-	36.37	8.33	31.54

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

7095MHz_TX




EUTZ_1TX
Setting 41
06-U-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.18166G	69.67	88.20	-18.53	42.64	3	Vertical	284	1.80	-	40.96	11.81	25.74
RMS	14.2011G	56.52	68.20	-11.68	29.45	3	Vertical	284	1.80	-	41.00	11.82	25.75

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

7095MHz_TX




EUTZ_1TX
 Setting 41
 06-U-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.18478G	69.24	88.20	-18.96	42.20	3	Horizontal	10	2.89	-	40.97	11.81	25.74
RMS	14.1915G	56.66	68.20	-11.54	29.62	3	Horizontal	10	2.89	-	40.98	11.81	25.75

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

7095MHz_TX




EUT_Z_1TX
Setting 41
01-U-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.2954G	55.96	83.54	-27.58	50.22	1	Vertical	279	1.67	-	38.36	19.58	52.20
AV	21.2927G	43.39	63.54	-20.15	37.67	1	Vertical	279	1.67	-	38.34	19.58	52.20

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

7095MHz_TX




EUT_Z_1TX
Setting 41
01-U-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.2934G	56.70	83.54	-26.84	50.97	1	Horizontal	98	1.68	-	38.35	19.58	52.20
AV	21.3083G	43.47	63.54	-20.07	37.71	1	Horizontal	98	1.68	-	38.38	19.58	52.20

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

7115MHz_TX




EUT_Y_1TX
Setting 32
06-U-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.11745G	95.36	Inf	-Inf	82.61	3	Vertical	96	2.12	-	36.10	8.26	31.61
RMS	7.11455G	86.33	Inf	-Inf	73.60	3	Vertical	96	2.12	-	36.09	8.26	31.62
PK	7.1255G	79.73	88.20	-8.47	66.91	3	Vertical	96	2.12	BP 1MHz	36.15	8.27	31.60
RMS	7.1255G	67.03	68.20	-1.17	54.21	3	Vertical	96	2.12	BP 1MHz	36.15	8.27	31.60

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

7115MHz_TX




EUT_Y_1TX
Setting 32
06-U-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.11995G	88.10	Inf	-Inf	75.33	3	Horizontal	105	1.80	-	36.12	8.26	31.61
RMS	7.11463G	78.88	Inf	-Inf	66.15	3	Horizontal	105	1.80	-	36.09	8.26	31.62
PK	7.1255G	72.60	88.20	-15.60	59.78	3	Horizontal	105	1.80	BP 1MHz	36.15	8.27	31.60
RMS	7.1255G	61.11	68.20	-7.09	48.29	3	Horizontal	105	1.80	BP 1MHz	36.15	8.27	31.60

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

7115MHz_TX




EUTZ_1TX
Setting 32
06-U-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.22454G	68.73	88.20	-19.47	41.61	3	Vertical	325	2.78	-	41.05	11.83	25.76
RMS	14.22436G	57.14	68.20	-11.06	30.02	3	Vertical	325	2.78	-	41.05	11.83	25.76

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

7115MHz_TX




EUTZ_1TX
 Setting 32
 06-U-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.21602G	68.93	88.20	-19.27	41.84	3	Horizontal	94	1.21	-	41.03	11.82	25.76
RMS	14.22088G	57.15	68.20	-11.05	30.05	3	Horizontal	94	1.21	-	41.04	11.82	25.76

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

7115MHz_TX




EUT_Z_1TX
Setting 32
01-U-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.3563G	56.03	83.54	-27.51	50.29	1	Vertical	267	2.43	-	38.34	19.60	52.20
AV	21.3351G	43.10	63.54	-20.44	37.38	1	Vertical	267	2.43	-	38.33	19.59	52.20

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

7115MHz_TX




EUT_Z_1TX
Setting 32
01-U-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.3302G	56.07	83.54	-27.47	50.34	1	Horizontal	111	1.17	-	38.34	19.59	52.20
AV	21.325G	43.50	63.54	-20.04	37.76	1	Horizontal	111	1.17	-	38.35	19.59	52.20

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

5965MHz_TX




EUT_Y_1TX
Setting 52
06-C-5-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9206G	62.34	88.20	-25.86	53.41	3	Vertical	147	2.14	-	32.54	7.44	31.05
RMS	5.9248G	52.01	68.20	-16.19	43.07	3	Vertical	147	2.14	-	32.55	7.44	31.05
PK	5.9662G	102.52	Inf	-Inf	93.54	3	Vertical	147	2.14	-	32.57	7.46	31.05
RMS	5.9662G	93.71	Inf	-Inf	84.73	3	Vertical	147	2.14	-	32.57	7.46	31.05

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

5965MHz_TX




EUT_Y_1TX
Setting 52
06-C-5-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9212G	60.14	88.20	-28.06	51.21	3	Horizontal	38.9	1.86	-	32.54	7.44	31.05
RMS	5.9233G	50.69	68.20	-17.51	41.75	3	Horizontal	38.9	1.86	-	32.55	7.44	31.05
PK	5.9656G	97.11	Inf	-Inf	88.13	3	Horizontal	38.9	1.86	-	32.57	7.46	31.05
RMS	5.9665G	87.34	Inf	-Inf	78.36	3	Horizontal	38.9	1.86	-	32.57	7.46	31.05

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

5965MHz_TX




EUTZ_1TX
Setting 52
01-U-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.94026G	53.37	74.00	-20.63	46.53	3	Vertical	35	1.00	-	38.98	11.09	43.23
AV	11.93948G	41.53	54.00	-12.47	34.69	3	Vertical	35	1.00	-	38.98	11.09	43.23
PK	17.8998G	63.73	74.00	-10.27	44.76	3	Vertical	16	2.21	-	46.90	13.42	41.35
AV	17.90676G	52.41	54.00	-1.59	33.28	3	Vertical	16	2.21	-	47.05	13.42	41.34

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

5965MHz_TX




EUTZ_1TX
Setting 52
01-U-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.94398G	53.66	74.00	-20.34	46.81	3	Horizontal	323	2.58	-	38.99	11.09	43.23
AV	11.9381G	41.24	54.00	-12.76	34.40	3	Horizontal	323	2.58	-	38.98	11.09	43.23
PK	17.892G	64.20	74.00	-9.80	45.44	3	Horizontal	199	2.59	-	46.71	13.41	41.36
AV	17.90544G	52.39	54.00	-1.61	33.29	3	Horizontal	199	2.59	-	47.02	13.42	41.34

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

5965MHz_TX




EUTZ_1TX
 Setting 52
 01-U-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	23.85574G	53.71	83.54	-29.83	44.34	1	Vertical	82	2.54	-	38.80	21.00	50.43
AV	23.86168G	43.41	63.54	-20.13	34.04	1	Vertical	82	2.54	-	38.80	21.00	50.43

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

5965MHz_TX




EUTZ_1TX
 Setting 52
 01-U-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	23.84608G	54.51	83.54	-29.03	45.13	1	Horizontal	319	2.05	-	38.82	20.99	50.43
AV	23.8531G	43.46	63.54	-20.08	34.09	1	Horizontal	319	2.05	-	38.80	21.00	50.43

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6205MHz_TX




EUTZ_1TX
 Setting 55
 06-U-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	12.4142G	56.99	74.00	-17.01	38.71	3	Vertical	34	1.79	-	38.81	11.00	31.53
AV	12.42074G	50.83	54.00	-3.17	32.58	3	Vertical	34	1.79	-	38.78	11.00	31.53

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6205MHz_TX




EUTZ_1TX
 Setting 55
 06-U-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.40298G	57.47	74.00	-16.53	39.15	3	Horizontal	343	1.41	-	38.88	10.99	31.55
AV	12.41306G	50.73	54.00	-3.27	32.45	3	Horizontal	343	1.41	-	38.82	11.00	31.54

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6205MHz_TX




EUT_Z_1TX
Setting 55
01-U-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.6001G	54.11	83.54	-29.43	48.12	1	Vertical	184	2.24	-	37.70	18.81	50.52			
AV	18.636G	42.75	63.54	-20.79	36.72	1	Vertical	184	2.24	-	37.77	18.82	50.56			

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6205MHz_TX




EUT_Z_1TX
Setting 55
01-U-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.6253G	54.24	83.54	-29.30	48.22	1	Horizontal	345	1.49	-	37.75	18.82	50.55
AV	18.6217G	42.85	63.54	-20.69	36.84	1	Horizontal	345	1.49	-	37.74	18.82	50.55

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6405MHz_TX




EUTZ_1TX
 Setting 52
 06-U-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.81294G	57.52	88.20	-30.68	38.44	3	Vertical	177	1.16	-	39.33	11.18	31.43
RMS	12.80268G	51.13	68.20	-17.07	32.07	3	Vertical	177	1.16	-	39.31	11.18	31.43

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6405MHz_TX




EUTZ_1TX
Setting 52
06-U-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.81684G	58.76	88.20	-29.44	39.68	3	Horizontal	193	2.57	-	39.33	11.18	31.43
RMS	12.80418G	51.23	68.20	-16.97	32.17	3	Horizontal	193	2.57	-	39.31	11.18	31.43

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6405MHz_TX



EUT_Z_1TX
Setting 52
01-U-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.2132G	55.46	83.54	-28.08	49.81	1	Vertical	346	2.30	-	37.97	18.94	51.26
AV	19.2324G	44.62	63.54	-18.92	39.02	1	Vertical	346	2.30	-	37.94	18.94	51.28