

Summary



Mode	EIRP (dBm)	EIRP (W)
5.925-6.425GHz	-	-
802.11ax HEW20_Nss1,(MCS0)_1TX	11.24	0.01330
802.11ax HEW40_Nss1,(MCS0)_1TX	13.66	0.02323
802.11ax HEW80_Nss1,(MCS0)_1TX	16.58	0.04550
6.425-6.525GHz	-	-
802.11ax HEW20_Nss1,(MCS0)_1TX	11.31	0.01352
802.11ax HEW40_Nss1,(MCS0)_1TX	13.34	0.02158
802.11ax HEW80_Nss1,(MCS0)_1TX	16.61	0.04581
6.525-6.875GHz	-	-
802.11ax HEW20_Nss1,(MCS0)_1TX	11.54	0.01426
802.11ax HEW40_Nss1,(MCS0)_1TX	14.09	0.02564
802.11ax HEW80_Nss1,(MCS0)_1TX	16.94	0.04943
6.875-7.125GHz	-	-
802.11ax HEW20_Nss1,(MCS0)_1TX	11.56	0.01432
802.11ax HEW40_Nss1,(MCS0)_1TX	13.25	0.02113
802.11ax HEW80_Nss1,(MCS0)_1TX	16.81	0.04797





Result



Mode	Result	EIRP (dBm)	EIRP Limit (dBm)
802.11ax HEW20_Nss1,(MCS0)_1TX	-	-	-
5955MHz	Pass	10.98	24.00
6195MHz	Pass	10.67	24.00
6415MHz	Pass	11.24	24.00
6435MHz	Pass	10.93	24.00
6475MHz	Pass	10.85	24.00
6515MHz	Pass	11.31	24.00
6535MHz	Pass	11.23	24.00
6695MHz	Pass	11.54	24.00
6875MHz Straddle 6.525-6.875GHz	Pass	11.01	24.00
6895MHz	Pass	11.28	24.00
6995MHz	Pass	11.05	24.00
7095MHz	Pass	11.56	24.00
7115MHz	Pass	10.84	24.00
802.11ax HEW40_Nss1,(MCS0)_1TX	-	-	-
5965MHz	Pass	12.59	24.00
6205MHz	Pass	12.63	24.00
6405MHz	Pass	13.66	24.00
6445MHz	Pass	13.27	24.00
6485MHz	Pass	13.30	24.00
6525MHz Straddle 6.425-6.525GHz	Pass	13.34	24.00
6565MHz	Pass	13.74	24.00
6685MHz	Pass	13.77	24.00
6885MHz Straddle 6.525-6.875GHz	Pass	14.09	24.00
6925MHz	Pass	12.83	24.00
7005MHz	Pass	13.25	24.00
7085MHz	Pass	12.95	24.00
802.11ax HEW80_Nss1,(MCS0)_1TX	-	-	-
5985MHz	Pass	15.29	24.00
6225MHz	Pass	15.83	24.00
6385MHz	Pass	16.58	24.00
6465MHz	Pass	16.06	24.00
6545MHz Straddle 6.425-6.525GHz	Pass	16.61	24.00
6625MHz	Pass	16.70	24.00
6705MHz	Pass	16.94	24.00
6785MHz	Pass	16.46	24.00
6865MHz Straddle 6.525-6.875GHz	Pass	16.66	24.00
6945MHz	Pass	16.81	24.00
7025MHz	Pass	16.53	24.00



DG = Directional Gain; Port X = Port X output power

































































Summary

Mode	EIRP PD (dBm/RBW)
5.925-6.425GHz	-
802.11ax HEW20_Nss1,(MCS0)_2TX	-1.16
802.11ax HEW40_Nss1,(MCS0)_2TX	-1.14
802.11ax HEW80_Nss1,(MCS0)_2TX	-1.14
6.425-6.525GHz	-
802.11ax HEW20_Nss1,(MCS0)_2TX	-1.12
802.11ax HEW40_Nss1,(MCS0)_2TX	-1.12
802.11ax HEW80_Nss1,(MCS0)_2TX	-1.08
6.525-6.875GHz	-
802.11ax HEW20_Nss1,(MCS0)_2TX	-1.05
802.11ax HEW40_Nss1,(MCS0)_2TX	-1.01
802.11ax HEW80_Nss1,(MCS0)_2TX	-1.01
6.875-7.125GHz	-
802.11ax HEW20_Nss1,(MCS0)_2TX	-1.04
802.11ax HEW40_Nss1,(MCS0)_2TX	-1.02
802.11ax HEW80_Nss1,(MCS0)_2TX	-1.03



RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;







Result



Mode	Result	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
802.11ax HEW20_Nss1,(MCS0)_2TX	-	-	-
5955MHz	Pass	-1.18	-1.00
6195MHz	Pass	-1.22	-1.00
6415MHz	Pass	-1.16	-1.00
6435MHz	Pass	-1.19	-1.00
6475MHz	Pass	-1.18	-1.00
6515MHz	Pass	-1.12	-1.00
6535MHz	Pass	-1.05	-1.00
6695MHz	Pass	-1.26	-1.00
6875MHz Straddle 6.525-6.875GHz	Pass	-1.23	-1.00
6895MHz	Pass	-1.26	-1.00
6995MHz	Pass	-1.24	-1.00
7095MHz	Pass	-1.15	-1.00
7115MHz	Pass	-1.04	-1.00
802.11ax HEW40_Nss1,(MCS0)_2TX	-	-	-
5965MHz	Pass	-1.14	-1.00
6205MHz	Pass	-1.16	-1.00
6405MHz	Pass	-1.15	-1.00
6445MHz	Pass	-1.13	-1.00
6485MHz	Pass	-1.19	-1.00
6525MHz Straddle 6.425-6.525GHz	Pass	-1.12	-1.00
6565MHz	Pass	-1.01	-1.00
6685MHz	Pass	-1.24	-1.00
6885MHz Straddle 6.525-6.875GHz	Pass	-1.10	-1.00
6925MHz	Pass	-1.02	-1.00
7005MHz	Pass	-1.09	-1.00
7085MHz	Pass	-1.10	-1.00
802.11ax HEW80_Nss1,(MCS0)_2TX	-	-	-
5985MHz	Pass	-1.14	-1.00
6225MHz	Pass	-1.14	-1.00
6385MHz	Pass	-1.21	-1.00
6465MHz	Pass	-1.14	-1.00
6545MHz Straddle 6.425-6.525GHz	Pass	-1.08	-1.00
6625MHz	Pass	-1.06	-1.00
6705MHz	Pass	-1.01	-1.00
6785MHz	Pass	-1.06	-1.00
6865MHz Straddle 6.525-6.875GHz	Pass	-1.14	-1.00
6945MHz	Pass	-1.03	-1.00
7025MHz	Pass	-1.15	-1.00



DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;
 PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;

























































































































Summary

Mode	EIRP PD (dBm/RBW)
5.925-6.425GHz	-
802.11ax HEW20-BF_Nss1,(MCS0)_2TX	-1.01
802.11ax HEW40-BF_Nss1,(MCS0)_2TX	-1.08
802.11ax HEW80-BF_Nss1,(MCS0)_2TX	-1.06
6.425-6.525GHz	-
802.11ax HEW20-BF_Nss1,(MCS0)_2TX	-1.05
802.11ax HEW40-BF_Nss1,(MCS0)_2TX	-1.04
802.11ax HEW80-BF_Nss1,(MCS0)_2TX	-1.17
6.525-6.875GHz	-
802.11ax HEW20-BF_Nss1,(MCS0)_2TX	-1.07
802.11ax HEW40-BF_Nss1,(MCS0)_2TX	-1.08
802.11ax HEW80-BF_Nss1,(MCS0)_2TX	-1.02
6.875-7.125GHz	-
802.11ax HEW20-BF_Nss1,(MCS0)_2TX	-1.09
802.11ax HEW40-BF_Nss1,(MCS0)_2TX	-1.05
802.11ax HEW80-BF_Nss1,(MCS0)_2TX	-1.04

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band:





Radiated PSD_SKU 1 (Beamforming mode)



Appendix D.2



Result



Mode	Result	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
802.11ax HEW20-BF_Nss1,(MCS0)_2TX	-	-	-
5955MHz	Pass	-1.12	-1.00
6195MHz	Pass	-1.01	-1.00
6415MHz	Pass	-1.38	-1.00
6435MHz	Pass	-1.10	-1.00
6475MHz	Pass	-1.05	-1.00
6515MHz	Pass	-1.08	-1.00
6535MHz	Pass	-1.16	-1.00
6695MHz	Pass	-1.14	-1.00
6875MHz Straddle 6.525-6.875GHz	Pass	-1.07	-1.00
6895MHz	Pass	-1.37	-1.00
6995MHz	Pass	-1.09	-1.00
7095MHz	Pass	-1.28	-1.00
7115MHz	Pass	-1.21	-1.00
802.11ax HEW40-BF_Nss1,(MCS0)_2TX	-	-	-
5965MHz	Pass	-1.36	-1.00
6205MHz	Pass	-1.08	-1.00
6405MHz	Pass	-1.08	-1.00
6445MHz	Pass	-1.04	-1.00
6485MHz	Pass	-1.10	-1.00
6525MHz Straddle 6.425-6.525GHz	Pass	-1.04	-1.00
6565MHz	Pass	-1.15	-1.00
6685MHz	Pass	-1.08	-1.00
6885MHz Straddle 6.525-6.875GHz	Pass	-1.11	-1.00
6925MHz	Pass	-1.20	-1.00
7005MHz	Pass	-1.17	-1.00
7085MHz	Pass	-1.05	-1.00
802.11ax HEW80-BF_Nss1,(MCS0)_2TX	-	-	-
5985MHz	Pass	-1.19	-1.00
6225MHz	Pass	-1.12	-1.00
6385MHz	Pass	-1.06	-1.00
6465MHz	Pass	-1.17	-1.00
6545MHz Straddle 6.425-6.525GHz	Pass	-1.20	-1.00
6625MHz	Pass	-1.07	-1.00
6705MHz	Pass	-1.24	-1.00
6785MHz	Pass	-1.02	-1.00
6865MHz Straddle 6.525-6.875GHz	Pass	-1.08	-1.00
6945MHz	Pass	-1.04	-1.00
7025MHz	Pass	-1.19	-1.00



DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;
 PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;
























































































































Summary

Mode	EIRP PD (dBm/RBW)
5.925-6.425GHz	-
802.11ax HEW20_Nss1,(MCS0)_1TX	-1.03
802.11ax HEW40_Nss1,(MCS0)_1TX	-1.02
802.11ax HEW80_Nss1,(MCS0)_1TX	-1.09
6.425-6.525GHz	-
802.11ax HEW20_Nss1,(MCS0)_1TX	-1.01
802.11ax HEW40_Nss1,(MCS0)_1TX	-1.01
802.11ax HEW80_Nss1,(MCS0)_1TX	-1.01
6.525-6.875GHz	-
802.11ax HEW20_Nss1,(MCS0)_1TX	-1.02
802.11ax HEW40_Nss1,(MCS0)_1TX	-1.01
802.11ax HEW80_Nss1,(MCS0)_1TX	-1.12
6.875-7.125GHz	-
802.11ax HEW20_Nss1,(MCS0)_1TX	-1.02
802.11ax HEW40_Nss1,(MCS0)_1TX	-1.12
802.11ax HEW80_Nss1,(MCS0)_1TX	-1.19



RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band:







Result



Mode	Result	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
802.11ax HEW20_Nss1,(MCS0)_1TX	-	-	-
5955MHz	Pass	-1.03	-1.00
6195MHz	Pass	-1.21	-1.00
6415MHz	Pass	-1.11	-1.00
6435MHz	Pass	-1.15	-1.00
6475MHz	Pass	-1.13	-1.00
6515MHz	Pass	-1.01	-1.00
6535MHz	Pass	-1.22	-1.00
6695MHz	Pass	-1.02	-1.00
6875MHz Straddle 6.525-6.875GHz	Pass	-1.17	-1.00
6895MHz	Pass	-1.03	-1.00
6995MHz	Pass	-1.02	-1.00
7095MHz	Pass	-1.15	-1.00
7115MHz	Pass	-1.48	-1.00
802.11ax HEW40_Nss1,(MCS0)_1TX	-	-	-
5965MHz	Pass	-1.14	-1.00
6205MHz	Pass	-1.20	-1.00
6405MHz	Pass	-1.02	-1.00
6445MHz	Pass	-1.13	-1.00
6485MHz	Pass	-1.11	-1.00
6525MHz Straddle 6.425-6.525GHz	Pass	-1.01	-1.00
6565MHz	Pass	-1.09	-1.00
6685MHz	Pass	-1.01	-1.00
6885MHz Straddle 6.525-6.875GHz	Pass	-1.12	-1.00
6925MHz	Pass	-1.22	-1.00
7005MHz	Pass	-1.24	-1.00
7085MHz	Pass	-1.12	-1.00
802.11ax HEW80_Nss1,(MCS0)_1TX	-	-	-
5985MHz	Pass	-1.21	-1.00
6225MHz	Pass	-1.09	-1.00
6385MHz	Pass	-1.23	-1.00
6465MHz	Pass	-1.24	-1.00
6545MHz Straddle 6.425-6.525GHz	Pass	-1.01	-1.00
6625MHz	Pass	-1.32	-1.00
6705MHz	Pass	-1.18	-1.00
6785MHz	Pass	-1.22	-1.00
6865MHz Straddle 6.525-6.875GHz	Pass	-1.12	-1.00
6945MHz	Pass	-1.23	-1.00
7025MHz	Pass	-1.19	-1.00



DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;
 PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;


































































Summary


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Condition
Mode 1	Pass	QP	925.31M	44.99	46.00	-1.01	Horizontal

Mode 1



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
QP	30.97M	38.68	40.00	-1.32	-7.77	3	Vertical	89	1.50	"Worst"	46.45	23.07	0.34	31.18
QP	44.55M	38.27	40.00	-1.73	-14.85	3	Vertical	236	1.00	-	53.12	16.17	0.45	31.47
PK	127.97M	41.06	43.50	-2.44	-12.19	3	Vertical	107	1.25	-	53.25	18.53	1.00	31.72
PK	288.02M	43.82	46.00	-2.18	-11.29	3	Vertical	129	1.00	-	55.11	18.91	1.63	31.83
PK	531.49M	39.53	46.00	-6.47	-5.90	3	Vertical	207	1.25	-	45.43	23.93	2.27	32.10
PK	575.14M	41.35	46.00	-4.65	-5.23	3	Vertical	216	1.25	-	46.58	24.54	2.38	32.15

Mode 1



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
PK	130.88M	39.68	43.50	-3.82	-12.55	3	Horizontal	316	3.00	-	52.23	18.17	1.02	31.74
PK	215.27M	39.59	43.50	-3.91	-15.58	3	Horizontal	282	1.00	-	55.17	14.89	1.32	31.79
QP	284.14M	39.52	46.00	-6.48	-11.36	3	Horizontal	240	1.00	-	50.88	18.86	1.61	31.83
PK	324.88M	40.95	46.00	-5.05	-10.64	3	Horizontal	250	1.25	-	51.59	19.45	1.73	31.82
PK	575.14M	43.78	46.00	-2.22	-5.23	3	Horizontal	180	2.00	-	49.01	24.54	2.38	32.15
QP	925.31M	44.99	46.00	-1.01	-2.38	3	Horizontal	235	1.00	"Worst"	47.37	26.72	3.14	32.24




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1,(MCS0)_2TX	Pass	AV	17.86472G	42.86	54.00	-11.14	3	Horizontal	314	2.72	-
802.11ax HEW40_Nss1,(MCS0)_2TX	Pass	AV	17.88814G	43.10	54.00	-10.90	3	Horizontal	207	2.79	-
802.11ax HEW80_Nss1,(MCS0)_2TX	Pass	AV	17.95486G	43.95	54.00	-10.05	3	Horizontal	288	2.93	-
6.425-6.525GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1,(MCS0)_2TX	Pass	AV	19.42488G	40.34	63.54	-23.20	1	Vertical	120	2.20	-
802.11ax HEW40_Nss1,(MCS0)_2TX	Pass	AV	19.45538G	42.72	63.54	-20.82	1	Vertical	214	1.69	-
802.11ax HEW80_Nss1,(MCS0)_2TX	Pass	AV	19.64145G	38.97	63.54	-24.57	1	Vertical	269	2.57	-
6.525-6.875GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1,(MCS0)_2TX	Pass	AV	13.39222G	36.07	54.00	-17.93	3	Vertical	65	1.51	-
802.11ax HEW40_Nss1,(MCS0)_2TX	Pass	AV	13.37744G	37.01	54.00	-16.99	3	Horizontal	27	2.02	-
802.11ax HEW80_Nss1,(MCS0)_2TX	Pass	AV	13.3995G	38.47	54.00	-15.53	3	Horizontal	48	1.12	-
6.875-7.125GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1,(MCS0)_2TX	Pass	RMS	7.1255G	66.69	68.20	-1.51	3	Vertical	224	2.11	80_BP 1MHz
802.11ax HEW40_Nss1,(MCS0)_2TX	Pass	RMS	7.1826G	54.38	68.20	-13.82	3	Vertical	222	2.12	-
802.11ax HEW80_Nss1,(MCS0)_2TX	Pass	RMS	7.2234G	55.12	68.20	-13.08	3	Vertical	126	1.05	-



5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5955MHz_TX




EUT_Y_2TX
Setting 40
01-U-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9168G	59.90	88.20	-28.30	52.83	3	Vertical	31	1.80	-	32.40	7.64	32.97
RMS	5.9242G	49.02	68.20	-19.18	41.95	3	Vertical	31	1.80	-	32.40	7.64	32.97
PK	5.9544G	104.00	Inf	-Inf	96.91	3	Vertical	31	1.80	-	32.41	7.66	32.98
RMS	5.9544G	93.83	Inf	-Inf	86.74	3	Vertical	31	1.80	-	32.41	7.66	32.98

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5955MHz_TX




EUT_Y_2TX
Setting 40
01-U-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8874G	60.07	88.20	-28.13	53.06	3	Horizontal	173	2.06	-	32.35	7.62	32.96
RMS	5.925G	48.91	68.20	-19.29	41.84	3	Horizontal	173	2.06	-	32.40	7.64	32.97
PK	5.9584G	101.69	Inf	-Inf	94.60	3	Horizontal	173	2.06	-	32.42	7.66	32.99
RMS	5.9556G	92.76	Inf	-Inf	85.67	3	Horizontal	173	2.06	-	32.41	7.66	32.98



5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5955MHz_TX



Legend for the spectrum plot:

- Lim.PK (Red line)
- PK (Blue line)
- Lim.AV (Magenta line)
- AV (Green line)

08/01/2024


EUT_Z_2TX
Setting 40
03-R-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.90344G	46.89	74.00	-27.11	61.99	3	Vertical	229	2.57	-	39.40	10.65	65.15
AV	11.90164G	35.74	54.00	-18.26	50.83	3	Vertical	229	2.57	-	39.40	10.65	65.14
PK	17.86188G	52.58	74.00	-21.42	55.71	3	Vertical	321	1.03	-	44.78	14.93	62.84
AV	17.86686G	41.06	54.00	-12.94	44.20	3	Vertical	321	1.03	-	44.77	14.93	62.84



5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5955MHz_TX



Lim.PK
 PK
 Lim.AV
 AV

08/01/2024


EUT_Z_2TX
Setting 40
03-R-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.90688G	47.46	74.00	-26.54	62.56	3	Horizontal	325	2.46	-	39.40	10.65	65.15
AV	11.90184G	36.33	54.00	-17.67	51.42	3	Horizontal	325	2.46	-	39.40	10.65	65.14
PK	17.8573G	54.14	74.00	-19.86	57.26	3	Horizontal	314	2.72	-	44.79	14.92	62.83
AV	17.86472G	42.86	54.00	-11.14	46.00	3	Horizontal	314	2.72	-	44.77	14.93	62.84



5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

6195MHz_TX




EUT_Z_2TX
Setting 39
03-R-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.39075G	49.60	74.00	-24.40	64.44	3	Vertical	312	1.34	-	38.82	11.05	64.71
AV	12.37599G	36.80	54.00	-17.20	51.64	3	Vertical	312	1.34	-	38.85	11.03	64.72



5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

6195MHz_TX




EUT_Z_2TX
Setting 39
03-R-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.39336G	48.61	74.00	-25.39	63.45	3	Horizontal	103	1.27	-	38.81	11.05	64.70
AV	12.3894G	36.88	54.00	-17.12	51.73	3	Horizontal	103	1.27	-	38.82	11.04	64.71



5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

6195MHz_TX




EUT_Z_2TX
Setting 39
03-R-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.58488G	45.47	83.54	-38.07	39.46	1	Vertical	246	1.87	-	37.70	18.81	50.50
AV	18.58488G	39.99	63.54	-23.55	33.98	1	Vertical	246	1.87	-	37.70	18.81	50.50



5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

6195MHz_TX




EUT_Z_2TX
Setting 39
03-R-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.58478G	46.03	83.54	-37.51	40.02	1	Horizontal	172	1.80	-	37.70	18.81	50.50
AV	18.58488G	37.76	63.54	-25.78	31.75	1	Horizontal	172	1.80	-	37.70	18.81	50.50



5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

6415MHz_TX




EUT_Z_2TX
Setting 31
03-R-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.81977G	47.86	88.20	-40.34	61.73	3	Vertical	67	1.74	-	39.18	11.44	64.49
RMS	12.82139G	35.49	68.20	-32.71	49.35	3	Vertical	67	1.74	-	39.19	11.44	64.49



5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

6415MHz_TX




EUT_Z_2TX
Setting 31
03-R-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.82493G	47.12	88.20	-41.08	60.97	3	Horizontal	41	2.34	-	39.20	11.44	64.49
RMS	12.81833G	35.68	68.20	-32.52	49.57	3	Horizontal	41	2.34	-	39.17	11.43	64.49



5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

6415MHz_TX



Lim.PK
 PK
 Lim.AV
 AV

08/01/2024


EUT_Z_2TX
 Setting 31
 03-R-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.24938G	44.85	83.54	-38.69	39.30	1	Vertical	191	2.11	-	37.90	18.95	51.30
AV	19.2377G	35.00	63.54	-28.54	29.43	1	Vertical	191	2.11	-	37.92	18.94	51.29



5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

6415MHz_TX




EUT_Z_2TX
Setting 31
03-R-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.2531G	45.31	83.54	-38.23	39.75	1	Horizontal	286	1.44	-	37.91	18.95	51.30
AV	19.2542G	35.29	63.54	-28.25	29.74	1	Horizontal	286	1.44	-	37.91	18.95	51.31



6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

6435MHz_TX




EUT_Z_2TX
Setting 32
03-R-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.88194G	47.28	88.20	-40.92	60.97	3	Vertical	343	1.74	-	39.30	11.49	64.48
RMS	12.86445G	35.83	68.20	-32.37	49.53	3	Vertical	343	1.74	-	39.30	11.48	64.48



6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

6435MHz_TX




EUT_Z_2TX
Setting 32
03-R-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.85767G	47.17	88.20	-41.03	60.88	3	Horizontal	123	1.07	-	39.30	11.47	64.48
RMS	12.86289G	35.82	68.20	-32.38	49.52	3	Horizontal	123	1.07	-	39.30	11.48	64.48



6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

6435MHz_TX




EUT_Z_2TX
Setting 32
03-R-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.31086G	46.04	83.54	-37.50	40.49	1	Vertical	278	2.03	-	37.96	18.96	51.37
AV	19.2992G	35.55	63.54	-27.99	29.95	1	Vertical	278	2.03	-	38.00	18.96	51.36



6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

6435MHz_TX




EUT_Z_2TX
Setting 32
03-R-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.3048G	46.15	83.54	-37.39	40.58	1	Horizontal	288	2.20	-	37.98	18.96	51.37
AV	19.29902G	35.69	63.54	-27.85	30.09	1	Horizontal	288	2.20	-	38.00	18.96	51.36



6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

6475MHz_TX




EUT_Z_2TX
Setting 45
03-R-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	12.96476G	47.47	88.20	-40.73	60.93	3	Vertical	55	1.50	-	39.43	11.57	64.46
RMS	12.96485G	35.87	68.20	-32.33	49.33	3	Vertical	55	1.50	-	39.43	11.57	64.46



6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

6475MHz_TX




EUT_Z_2TX
Setting 45
03-R-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.96395G	46.74	88.20	-41.46	60.20	3	Horizontal	193	1.15	-	39.43	11.57	64.46
RMS	12.96473G	35.90	68.20	-32.30	49.36	3	Horizontal	193	1.15	-	39.43	11.57	64.46



6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

6475MHz_TX




EUT_Z_2TX
Setting 45
03-R-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.42476G	46.35	83.54	-37.19	40.98	1	Vertical	214	1.78	-	37.90	18.98	51.51			
AV	19.4249G	40.32	63.54	-23.22	34.95	1	Vertical	214	1.78	-	37.90	18.98	51.51			



6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

6475MHz_TX




EUT_Z_2TX
Setting 45
03-R-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.41816G	44.47	83.54	-39.07	39.06	1	Horizontal	304	2.33	-	37.93	18.98	51.50			
AV	19.42486G	35.20	63.54	-28.34	29.83	1	Horizontal	304	2.33	-	37.90	18.98	51.51			



6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

6515MHz_TX




EUT_Z_2TX
Setting 46
03-R-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	13.03498G	47.40	88.20	-40.80	60.61	3	Vertical	254	2.29	-	39.57	11.63	64.41
RMS	13.03702G	36.38	68.20	-31.82	49.58	3	Vertical	254	2.29	-	39.57	11.63	64.40

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

6515MHz_TX




EUT_Z_2TX
Setting 46
03-R-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.03483G	47.89	88.20	-40.31	61.10	3	Horizontal	57	2.01	-	39.57	11.63	64.41
RMS	13.03636G	36.51	68.20	-31.69	49.72	3	Horizontal	57	2.01	-	39.57	11.63	64.41

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

6515MHz_TX




EUT_Z_2TX
Setting 46
03-R-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.42482G	46.97	83.54	-36.57	41.60	1	Vertical	120	2.20	-	37.90	18.98	51.51
AV	19.42488G	40.34	63.54	-23.20	34.97	1	Vertical	120	2.20	-	37.90	18.98	51.51



6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

6515MHz_TX




EUT_Z_2TX
Setting 46
03-R-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.4185G	45.35	83.54	-38.19	39.94	1	Horizontal	276	1.40	-	37.93	18.98	51.50
AV	19.42486G	35.50	63.54	-28.04	30.13	1	Horizontal	276	1.40	-	37.90	18.98	51.51



6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

6535MHz_TX




EUT_Z_2TX
Setting 39
03-R-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.05974G	49.72	88.20	-38.48	62.83	3	Vertical	312	1.37	-	39.62	11.65	64.38
RMS	13.06172G	37.52	68.20	-30.68	50.61	3	Vertical	312	1.37	-	39.62	11.66	64.37



6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

6535MHz_TX




EUT_Z_2TX
Setting 39
03-R-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	13.08389G	48.41	88.20	-39.79	61.41	3	Horizontal	83	1.77	-	39.67	11.68	64.35
RMS	13.07765G	37.47	68.20	-30.73	50.50	3	Horizontal	83	1.77	-	39.66	11.67	64.36



6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

6535MHz_TX




EUT_Z_2TX
Setting 39
03-R-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.6057G	45.02	83.54	-38.52	39.85	1	Vertical	66	2.71	-	37.83	19.02	51.68
AV	19.60896G	34.30	63.54	-29.24	29.12	1	Vertical	66	2.71	-	37.85	19.02	51.69



6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

6535MHz_TX




EUT_Z_2TX
Setting 39
03-R-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.60576G	43.95	83.54	-39.59	38.78	1	Horizontal	78	2.19	-	37.83	19.02	51.68
AV	19.60892G	34.68	63.54	-28.86	29.50	1	Horizontal	78	2.19	-	37.85	19.02	51.69



6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

6695MHz_TX




EUT_Z_2TX
 Setting 33
 03-R-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.40065G	46.97	88.20	-41.23	58.77	3	Vertical	65	1.51	-	40.20	11.96	63.96
AV	13.39222G	36.07	54.00	-17.93	47.90	3	Vertical	65	1.51	-	40.18	11.96	63.97



6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

6695MHz_TX




EUT_Z_2TX
Setting 33
03-R-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.39012G	47.75	74.00	-26.25	59.58	3	Horizontal	265	2.95	-	40.18	11.96	63.97
AV	13.3918G	36.04	54.00	-17.96	47.87	3	Horizontal	265	2.95	-	40.18	11.96	63.97



6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

6695MHz_TX




EUT_Z_2TX
 Setting 33
 03-R-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.08154G	46.24	83.54	-37.30	41.28	1	Vertical	251	2.71	-	37.83	19.13	52.00
AV	20.09354G	34.74	63.54	-28.80	29.74	1	Vertical	251	2.71	-	37.87	19.13	52.00



6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

6695MHz_TX




EUT_Z_2TX
Setting 33
03-R-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.08406G	45.13	83.54	-38.41	40.16	1	Horizontal	210	1.02	-	37.84	19.13	52.00
AV	20.09382G	34.97	63.54	-28.57	29.96	1	Horizontal	210	1.02	-	37.88	19.13	52.00



6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

6875MHz Straddle 6.525-6.875GHz_TX




EUT_Z_2TX
Setting 26
03-R-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.7437G	49.31	88.20	-38.89	60.07	3	Vertical	287	1.83	-	40.69	12.28	63.73
RMS	13.73797G	37.18	68.20	-31.02	47.96	3	Vertical	287	1.83	-	40.68	12.27	63.73

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

6875MHz Straddle 6.525-6.875GHz_TX




EUT_Z_2TX
 Setting 26
 03-R-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.741G	49.21	88.20	-38.99	59.99	3	Horizontal	137	2.31	-	40.68	12.27	63.73
RMS	13.73806G	37.27	68.20	-30.93	48.05	3	Horizontal	137	2.31	-	40.68	12.27	63.73



6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

6875MHz Straddle 6.525-6.875GHz_TX




EUT_Z_2TX
Setting 26
03-R-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.62232G	44.55	83.54	-38.99	39.31	1	Vertical	56	2.26	-	37.96	19.33	52.05
AV	20.61652G	34.43	63.54	-29.11	29.18	1	Vertical	56	2.26	-	37.97	19.33	52.05



6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

6875MHz Straddle 6.525-6.875GHz_TX




EUT_Z_2TX
Setting 26
03-R-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.6183G	44.28	83.54	-39.26	39.04	1	Horizontal	175	1.48	-	37.96	19.33	52.05
AV	20.61966G	34.32	63.54	-29.22	29.08	1	Horizontal	175	1.48	-	37.96	19.33	52.05



6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

6895MHz_TX




EUT_Z_2TX
 Setting 25
 03-R-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.77929G	48.89	88.20	-39.31	59.59	3	Vertical	0	1.16	-	40.70	12.31	63.71
RMS	13.79738G	37.24	68.20	-30.96	47.91	3	Vertical	0	1.16	-	40.70	12.33	63.70



6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

6895MHz_TX




EUT_Z_2TX
 Setting 25
 03-R-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.78319G	48.59	88.20	-39.61	59.29	3	Horizontal	28	1.88	-	40.70	12.31	63.71
RMS	13.79663G	37.19	68.20	-31.01	47.87	3	Horizontal	28	1.88	-	40.70	12.32	63.70



6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

6895MHz_TX




EUT_Z_2TX
Setting 25
03-R-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.69434G	45.18	83.54	-38.36	40.00	1	Vertical	287	2.58	-	37.90	19.36	52.08
AV	20.68572G	34.37	63.54	-29.17	29.19	1	Vertical	287	2.58	-	37.90	19.35	52.07



6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

6895MHz_TX




EUT_Z_2TX
Setting 25
03-R-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.69134G	44.54	83.54	-39.00	39.36	1	Horizontal	197	1.73	-	37.90	19.36	52.08
AV	20.69086G	34.73	63.54	-28.81	29.55	1	Horizontal	197	1.73	-	37.90	19.36	52.08



6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

6995MHz_TX




EUT_Z_2TX
Setting 25
03-R-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.99774G	50.42	88.20	-37.78	60.23	3	Vertical	268	1.24	-	41.29	12.51	63.61
RMS	14.00497G	38.95	68.20	-29.25	48.74	3	Vertical	268	1.24	-	41.30	12.51	63.60



6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

6995MHz_TX




EUT_Z_2TX
Setting 25
03-R-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	13.98457G	50.66	88.20	-37.54	60.54	3	Horizontal	181	1.47	-	41.24	12.50	63.62
RMS	13.99879G	38.81	68.20	-29.39	48.61	3	Horizontal	181	1.47	-	41.30	12.51	63.61



6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

6995MHz_TX




EUT_Z_2TX
Setting 25
03-R-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.98902G	44.35	83.54	-39.19	39.14	1	Vertical	309	2.44	-	37.94	19.47	52.20
AV	20.99194G	34.15	63.54	-29.39	28.95	1	Vertical	309	2.44	-	37.93	19.47	52.20



6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

6995MHz_TX



Lim.PK
 PK
 Lim.AV
 AV


09/01/2024

EUT_Z_2TX
 Setting 25
 03-R-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.97514G	45.29	83.54	-38.25	40.02	1	Horizontal	333	1.29	-	38.00	19.46	52.19
AV	20.98358G	34.36	63.54	-29.18	29.12	1	Horizontal	333	1.29	-	37.97	19.46	52.19

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

7095MHz_TX




EUT_Y_2TX
Setting 26
01-U-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.09G	103.67	Inf	-Inf	92.64	3	Vertical	226	2.10	-	35.54	8.53	33.04
RMS	7.0946G	93.67	Inf	-Inf	82.61	3	Vertical	226	2.10	-	35.57	8.53	33.04
PK	7.1648G	64.78	88.20	-23.42	53.38	3	Vertical	226	2.10	-	35.96	8.50	33.06
RMS	7.1766G	53.90	68.20	-14.30	42.45	3	Vertical	226	2.10	-	36.01	8.50	33.06



6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

7095MHz_TX



Legend for the spectrum plot:

- Lim.PK (Red line)
- PK (Blue line)
- Lim.AV (Green line)
- AV (Yellow line)

04/01/2024


EUT_Y_2TX
Setting 26
01-U-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.095G	94.66	Inf	-Inf	83.60	3	Horizontal	206	1.80	-	35.57	8.53	33.04
RMS	7.0946G	85.46	Inf	-Inf	74.40	3	Horizontal	206	1.80	-	35.57	8.53	33.04
PK	7.1846G	64.39	88.20	-23.81	52.92	3	Horizontal	206	1.80	-	36.04	8.50	33.07
RMS	7.1796G	53.85	68.20	-14.35	42.39	3	Horizontal	206	1.80	-	36.02	8.50	33.06



6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

7095MHz_TX




EUT_Z_2TX
Setting 26
03-R-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.18184G	50.93	88.20	-37.27	59.77	3	Vertical	113	2.67	-	41.73	12.63	63.20
RMS	14.19642G	39.76	68.20	-28.44	48.50	3	Vertical	113	2.67	-	41.79	12.63	63.16



6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

7095MHz_TX




EUT_Z_2TX
Setting 26
03-R-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.18106G	51.18	88.20	-37.02	60.04	3	Horizontal	50	1.87	-	41.72	12.62	63.20
RMS	14.19888G	39.77	68.20	-28.43	48.49	3	Horizontal	50	1.87	-	41.80	12.64	63.16



6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

7095MHz_TX




EUT_Z_2TX
Setting 26
03-R-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.28494G	48.49	83.54	-35.05	42.83	1	Vertical	255	1.72	-	38.28	19.58	52.20
AV	21.28488G	37.56	63.54	-25.98	31.90	1	Vertical	255	1.72	-	38.28	19.58	52.20



6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

7095MHz_TX




EUT_Z_2TX
Setting 26
03-R-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.29308G	47.71	83.54	-35.83	41.99	1	Horizontal	252	2.15	-	38.34	19.58	52.20
AV	21.29466G	34.85	63.54	-28.69	29.11	1	Horizontal	252	2.15	-	38.36	19.58	52.20

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

7115MHz_TX




EUT_Y_2TX
Setting 27
01-U-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.1145G	101.04	Inf	-Inf	89.87	3	Vertical	224	2.11	80_BP 1M	35.69	8.52	33.04
RMS	7.1145G	95.13	Inf	-Inf	83.96	3	Vertical	224	2.11	80_BP 1M	35.69	8.52	33.04
PK	7.1255G	77.59	88.20	-10.61	66.37	3	Vertical	224	2.11	80_BP 1M	35.75	8.52	33.05
RMS	7.1255G	66.69	68.20	-1.51	55.47	3	Vertical	224	2.11	80_BP 1M	35.75	8.52	33.05

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

7115MHz_TX




EUT_Y_2TX
Setting 27
01-U-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.1145G	92.83	Inf	-Inf	81.66	3	Horizontal	205	1.80	80_BP 1M	35.69	8.52	33.04
RMS	7.1145G	86.75	Inf	-Inf	75.58	3	Horizontal	205	1.80	80_BP 1M	35.69	8.52	33.04
PK	7.1255G	68.36	88.20	-19.84	57.14	3	Horizontal	205	1.80	80_BP 1M	35.75	8.52	33.05
RMS	7.1255G	59.30	68.20	-8.90	48.08	3	Horizontal	205	1.80	80_BP 1M	35.75	8.52	33.05



6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

7115MHz_TX




EUT_Z_2TX
Setting 27
03-R-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.24359G	51.46	88.20	-36.74	60.05	3	Vertical	5	2.04	-	41.80	12.66	63.05
RMS	14.21623G	39.56	68.20	-28.64	48.23	3	Vertical	5	2.04	-	41.80	12.65	63.12



6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

7115MHz_TX




EUT_Z_2TX
Setting 27
03-R-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.22667G	51.84	88.20	-36.36	60.48	3	Horizontal	6	2.04	-	41.80	12.65	63.09
RMS	14.21887G	39.50	68.20	-28.70	48.16	3	Horizontal	6	2.04	-	41.80	12.65	63.11



6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

7115MHz_TX




EUT_Z_2TX
Setting 27
03-R-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.33928G	46.78	83.54	-36.76	41.06	1	Vertical	254	1.71	-	38.32	19.60	52.20			
AV	21.3449G	37.16	63.54	-26.38	31.45	1	Vertical	254	1.71	-	38.31	19.60	52.20			



6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

7115MHz_TX




EUT_Z_2TX
Setting 27
03-R-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.3529G	45.50	83.54	-38.04	39.78	1	Horizontal	204	2.10	-	38.32	19.60	52.20
AV	21.34486G	37.30	63.54	-26.24	31.59	1	Horizontal	204	2.10	-	38.31	19.60	52.20



5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5965MHz_TX




EUT_Y_2TX
Setting 48
01-U-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9214G	59.66	88.20	-28.54	52.59	3	Vertical	157	1.05	-	32.40	7.64	32.97
RMS	5.9246G	49.39	68.20	-18.81	42.32	3	Vertical	157	1.05	-	32.40	7.64	32.97
PK	5.9638G	104.36	Inf	-Inf	97.26	3	Vertical	157	1.05	-	32.43	7.66	32.99
RMS	5.9642G	94.12	Inf	-Inf	87.02	3	Vertical	157	1.05	-	32.43	7.66	32.99



5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5965MHz_TX




EUT_Y_2TX
Setting 48
01-U-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8712G	59.54	88.20	-28.66	52.60	3	Horizontal	177	2.01	-	32.28	7.62	32.96
RMS	5.921G	49.12	68.20	-19.08	42.05	3	Horizontal	177	2.01	-	32.40	7.64	32.97
PK	5.9658G	101.77	Inf	-Inf	94.67	3	Horizontal	177	2.01	-	32.43	7.66	32.99
RMS	5.9662G	92.61	Inf	-Inf	85.51	3	Horizontal	177	2.01	-	32.43	7.66	32.99

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5965MHz_TX




EUT_Z_2TX
Setting 48
03-R-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.92706G	46.91	74.00	-27.09	62.01	3	Vertical	352	1.29	-	39.40	10.66	65.16
AV	11.93522G	37.34	54.00	-16.66	52.44	3	Vertical	352	1.29	-	39.40	10.66	65.16
PK	17.90314G	51.95	74.00	-22.05	55.19	3	Vertical	260	2.21	-	44.69	14.95	62.88
AV	17.88698G	41.41	54.00	-12.59	44.60	3	Vertical	260	2.21	-	44.73	14.94	62.86

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5965MHz_TX




EUT_Z_2TX
Setting 48
03-R-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.93186G	47.72	74.00	-26.28	62.82	3	Horizontal	323	2.05	-	39.40	10.66	65.16
AV	11.93828G	37.36	54.00	-16.64	52.46	3	Horizontal	323	2.05	-	39.40	10.66	65.16
PK	17.88892G	53.38	74.00	-20.62	56.59	3	Horizontal	207	2.79	-	44.72	14.94	62.87
AV	17.88814G	43.10	54.00	-10.90	46.30	3	Horizontal	207	2.79	-	44.72	14.94	62.86



5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

6205MHz_TX




EUT_Z_2TX
Setting 52
03-R-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.40301G	48.29	74.00	-25.71	63.12	3	Vertical	172	2.77	-	38.80	11.06	64.69
AV	12.40535G	37.08	54.00	-16.92	51.91	3	Vertical	172	2.77	-	38.80	11.06	64.69



5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

6205MHz_TX




EUT_Z_2TX
Setting 52
03-R-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.4238G	47.70	74.00	-26.30	62.48	3	Horizontal	166	2.53	-	38.80	11.08	64.66
AV	12.39875G	37.22	54.00	-16.78	52.07	3	Horizontal	166	2.53	-	38.80	11.05	64.70



5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

6205MHz_TX




EUT_Z_2TX
Setting 52
03-R-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.61476G	46.95	83.54	-36.59	40.94	1	Vertical	245	1.80	-	37.73	18.82	50.54
AV	18.61488G	40.96	63.54	-22.58	34.95	1	Vertical	245	1.80	-	37.73	18.82	50.54



5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

6205MHz_TX




EUT_Z_2TX
Setting 52
03-R-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.61518G	48.77	83.54	-34.77	42.76	1	Horizontal	188	2.28	-	37.73	18.82	50.54			
AV	18.61486G	46.87	63.54	-16.67	40.86	1	Horizontal	188	2.28	-	37.73	18.82	50.54			



5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

6405MHz_TX




EUT_Z_2TX
Setting 45
03-R-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.81573G	46.36	88.20	-41.84	60.26	3	Vertical	185	2.81	-	39.16	11.43	64.49
RMS	12.8238G	35.69	68.20	-32.51	49.54	3	Vertical	185	2.81	-	39.20	11.44	64.49



5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

6405MHz_TX




EUT_Z_2TX
Setting 45
03-R-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.81225G	46.44	88.20	-41.76	60.36	3	Horizontal	124	2.41	-	39.15	11.43	64.50
RMS	12.81915G	35.61	68.20	-32.59	49.48	3	Horizontal	124	2.41	-	39.18	11.44	64.49



5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

6405MHz_TX




EUT_Z_2TX
Setting 45
03-R-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.20794G	44.81	83.54	-38.73	39.14	1	Vertical	211	1.26	-	37.98	18.94	51.25
AV	19.20532G	35.63	63.54	-27.91	29.95	1	Vertical	211	1.26	-	37.99	18.94	51.25



5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

6405MHz_TX




EUT_Z_2TX
Setting 45
03-R-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.20926G	45.03	83.54	-38.51	39.36	1	Horizontal	32	2.72	-	37.98	18.94	51.25
AV	19.2061G	35.48	63.54	-28.06	29.80	1	Horizontal	32	2.72	-	37.99	18.94	51.25



6.425-6.525GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

6445MHz_TX




EUT_Z_2TX
Setting 46
03-R-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.88454G	46.79	88.20	-41.41	60.48	3	Vertical	347	2.52	-	39.30	11.49	64.48
RMS	12.88577G	35.42	68.20	-32.78	49.10	3	Vertical	347	2.52	-	39.30	11.50	64.48



6.425-6.525GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

6445MHz_TX




EUT_Z_2TX
Setting 46
03-R-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.87932G	45.95	88.20	-42.25	59.64	3	Horizontal	47	2.56	-	39.30	11.49	64.48
RMS	12.87716G	35.34	68.20	-32.86	49.03	3	Horizontal	47	2.56	-	39.30	11.49	64.48

6.425-6.525GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

6445MHz_TX




EUT_Z_2TX
Setting 46
03-R-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.33074G	46.90	83.54	-36.64	41.46	1	Vertical	190	1.21	-	37.88	18.96	51.40
AV	19.33442G	35.84	63.54	-27.70	30.42	1	Vertical	190	1.21	-	37.86	18.96	51.40



6.425-6.525GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

6445MHz_TX




EUT_Z_2TX
Setting 46
03-R-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.32508G	45.27	83.54	-38.27	39.80	1	Horizontal	149	2.72	-	37.90	18.96	51.39
AV	19.3297G	36.39	63.54	-27.15	30.95	1	Horizontal	149	2.72	-	37.88	18.96	51.40



6.425-6.525GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

6485MHz_TX




EUT_Z_2TX
Setting 47
03-R-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.96556G	46.42	88.20	-41.78	59.88	3	Vertical	167	2.89	-	39.43	11.57	64.46
RMS	12.97453G	35.77	68.20	-32.43	49.20	3	Vertical	167	2.89	-	39.45	11.58	64.46

6.425-6.525GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

6485MHz_TX




EUT_Z_2TX
Setting 47
03-R-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	12.96868G	46.48	88.20	-41.72	59.93	3	Horizontal	24	2.79	-	39.44	11.57	64.46
RMS	12.96592G	35.63	68.20	-32.57	49.09	3	Horizontal	24	2.79	-	39.43	11.57	64.46

6.425-6.525GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

6485MHz_TX




EUT_Z_2TX
Setting 47
03-R-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.4504G	55.84	83.54	-27.70	50.59	1	Vertical	214	1.69	-	37.80	18.99	51.54
AV	19.45538G	42.72	63.54	-20.82	37.46	1	Vertical	214	1.69	-	37.82	18.99	51.55



6.425-6.525GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

6485MHz_TX




EUT_Z_2TX
Setting 47
03-R-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.4553G	52.38	83.54	-31.16	47.12	1	Horizontal	202	1.81	-	37.82	18.99	51.55
AV	19.46074G	39.82	63.54	-23.72	34.54	1	Horizontal	202	1.81	-	37.84	18.99	51.55



6.425-6.525GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

6525MHz Straddle 6.425-6.525GHz_TX




EUT_Z_2TX
Setting 60
03-R-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.05507G	47.11	88.20	-41.09	60.23	3	Vertical	27	1.68	-	39.61	11.65	64.38
RMS	13.05831G	36.36	68.20	-31.84	49.47	3	Vertical	27	1.68	-	39.62	11.65	64.38



6.425-6.525GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

6525MHz Straddle 6.425-6.525GHz_TX




EUT_Z_2TX
 Setting 60
 03-R-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.06296G	48.22	88.20	-39.98	61.30	3	Horizontal	180	1.90	-	39.63	11.66	64.37
RMS	13.05402G	36.67	68.20	-31.53	49.79	3	Horizontal	180	1.90	-	39.61	11.65	64.38



6.425-6.525GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

6525MHz Straddle 6.425-6.525GHz_TX




EUT_Z_2TX
Setting 60
03-R-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.56656G	44.09	83.54	-39.45	38.73	1	Vertical	89	2.53	-	38.00	19.01	51.65
AV	19.56904G	35.26	63.54	-28.28	29.92	1	Vertical	89	2.53	-	37.99	19.01	51.66



6.425-6.525GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

6525MHz Straddle 6.425-6.525GHz_TX




EUT_Z_2TX
Setting 60
03-R-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.56844G	44.71	83.54	-38.83	39.36	1	Horizontal	212	2.57	-	37.99	19.01	51.65
AV	19.5781G	35.36	63.54	-28.18	30.08	1	Horizontal	212	2.57	-	37.93	19.01	51.66



6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

6565MHz_TX



Lim.PK
 PK
 Lim.AV
 AV

09/01/2024


EUT_Z_2TX
 Setting 46
 01-U-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	13.12475G	46.62	88.20	-41.58	60.07	3	Vertical	114	2.89	-	39.30	11.55	64.30
RMS	13.13822G	34.40	68.20	-33.80	47.78	3	Vertical	114	2.89	-	39.35	11.55	64.28



6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

6565MHz_TX




EUT_Z_2TX
Setting 46
01-U-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.12034G	46.45	88.20	-41.75	59.92	3	Horizontal	271	2.61	-	39.28	11.55	64.30
RMS	13.13705G	34.61	68.20	-33.59	47.99	3	Horizontal	271	2.61	-	39.35	11.55	64.28



6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

6565MHz_TX




EUT_Z_2TX
Setting 46
03-R-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.69164G	47.56	83.54	-35.98	42.42	1	Vertical	186	2.20	-	37.85	19.04	51.75
AV	19.69242G	35.13	63.54	-28.41	29.99	1	Vertical	186	2.20	-	37.85	19.04	51.75



6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

6565MHz_TX




EUT_Z_2TX
Setting 46
03-R-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.69806G	47.38	83.54	-36.16	42.29	1	Horizontal	132	2.12	-	37.81	19.04	51.76
AV	19.70328G	35.42	63.54	-28.12	30.33	1	Horizontal	132	2.12	-	37.81	19.04	51.76



6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

6685MHz_TX



EUT_Z_2TX
Setting 52
01-U-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.37864G	48.60	74.00	-25.40	61.19	3	Vertical	223	1.97	-	39.76	11.64	63.99
AV	13.3721G	36.74	54.00	-17.26	49.36	3	Vertical	223	1.97	-	39.74	11.64	64.00