


5.25-5.35GHz\_802.11ax\_HEW80\_Nss1,(MCS0)\_1TX

5290MHz\_TX




EUTZ\_1TX  
Setting 63  
02-E-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.5941G	51.49	68.20	-16.71	70.32	3	Horizontal	120	1.50	-	38.40	8.26	65.49
PK	15.8817G	51.28	74.00	-22.72	66.00	3	Horizontal	220	1.54	-	37.30	10.24	62.26
AV	15.88104G	40.47	54.00	-13.53	55.19	3	Horizontal	220	1.54	-	37.30	10.24	62.26

5.47-5.725GHz\_802.11ax HEW80\_Nss1,(MCS0)\_1TX

5530MHz\_TX




EUT\_X\_1TX  
Setting 75  
02-E-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.325G	60.32	68.20	-7.88	51.79	3	Vertical	98	2.04	-	33.95	5.40	30.82
PK	5.434G	61.50	74.00	-12.50	52.90	3	Vertical	98	2.04	-	34.07	5.44	30.91
PK	5.47G	63.57	68.20	-4.63	54.94	3	Vertical	98	2.04	-	34.10	5.47	30.94
AV	5.458G	51.07	54.00	-2.93	42.44	3	Vertical	98	2.04	-	34.10	5.46	30.93
PK	5.531G	103.33	Inf	-Inf	94.69	3	Vertical	98	2.04	-	34.10	5.51	30.97
AV	5.533G	92.60	Inf	-Inf	83.96	3	Vertical	98	2.04	-	34.10	5.52	30.98
PK	5.727G	59.45	68.20	-8.75	50.90	3	Vertical	98	2.04	-	34.00	5.61	31.06

5.47-5.725GHz\_802.11ax HEW80\_Nss1,(MCS0)\_1TX

5530MHz\_TX




EUT\_X\_1TX  
Setting 75  
02-E-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.347G	59.87	68.20	-8.33	51.32	3	Horizontal	10	1.01	-	33.99	5.40	30.84
PK	5.434G	63.12	74.00	-10.88	54.52	3	Horizontal	10	1.01	-	34.07	5.44	30.91
PK	5.467G	63.17	68.20	-5.03	54.54	3	Horizontal	10	1.01	-	34.10	5.46	30.93
AV	5.458G	52.33	54.00	-1.67	43.70	3	Horizontal	10	1.01	-	34.10	5.46	30.93
PK	5.528G	106.10	Inf	-Inf	97.46	3	Horizontal	10	1.01	-	34.10	5.51	30.97
AV	5.532G	94.52	Inf	-Inf	85.87	3	Horizontal	10	1.01	-	34.10	5.52	30.97
PK	5.772G	59.79	68.20	-8.41	51.26	3	Horizontal	10	1.01	-	34.00	5.62	31.09

5.47-5.725GHz\_802.11ax HEW80\_Nss1,(MCS0)\_1TX

5530MHz\_TX




EUTZ\_1TX  
Setting 75  
02-E-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.05352G	51.95	74.00	-22.05	70.83	3	Vertical	131	1.02	-	38.51	8.42	65.81
AV	11.07356G	40.23	54.00	-13.77	59.02	3	Vertical	131	1.02	-	38.55	8.43	65.77
PK	16.58382G	57.09	68.20	-11.11	69.35	3	Vertical	192	2.55	-	39.14	10.69	62.09

5.47-5.725GHz\_802.11ax HEW80\_Nss1,(MCS0)\_1TX

5530MHz\_TX




EUTZ\_1TX  
Setting 75  
02-E-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.07428G	50.24	74.00	-23.76	69.03	3	Horizontal	54	2.97	-	38.55	8.43	65.77
AV	11.06228G	39.86	54.00	-14.14	58.71	3	Horizontal	54	2.97	-	38.52	8.42	65.79
PK	16.57914G	56.90	68.20	-11.30	69.19	3	Horizontal	288	1.77	-	39.12	10.68	62.09

5.47-5.725GHz\_802.11ax HEW80\_Nss1,(MCS0)\_1TX

5610MHz\_TX




EUT\_X\_1TX  
Setting 80  
02-E-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.459G	61.78	74.00	-12.22	53.15	3	Vertical	78	2.26	-	34.10	5.46	30.93
AV	5.459G	51.55	54.00	-2.45	42.92	3	Vertical	78	2.26	-	34.10	5.46	30.93
PK	5.461G	62.07	68.20	-6.13	53.44	3	Vertical	78	2.26	-	34.10	5.46	30.93
PK	5.612G	104.56	Inf	-Inf	96.02	3	Vertical	78	2.26	-	33.98	5.57	31.01
AV	5.609G	92.61	Inf	-Inf	84.07	3	Vertical	78	2.26	-	33.98	5.57	31.01
PK	5.753G	61.77	68.20	-6.43	53.23	3	Vertical	78	2.26	-	34.00	5.62	31.08

5.47-5.725GHz\_802.11ax HEW80\_Nss1,(MCS0)\_1TX

5610MHz\_TX




EUT\_X\_1TX  
Setting 80  
02-E-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.454G	61.24	74.00	-12.76	52.61	3	Horizontal	0	2.12	-	34.10	5.45	30.92
AV	5.455G	51.20	54.00	-2.80	42.57	3	Horizontal	0	2.12	-	34.10	5.45	30.92
PK	5.464G	61.34	68.20	-6.86	52.71	3	Horizontal	0	2.12	-	34.10	5.46	30.93
PK	5.622G	105.80	Inf	-Inf	97.28	3	Horizontal	0	2.12	-	33.96	5.58	31.02
AV	5.609G	95.83	Inf	-Inf	87.29	3	Horizontal	0	2.12	-	33.98	5.57	31.01
PK	5.74G	63.70	68.20	-4.50	55.16	3	Horizontal	0	2.12	-	34.00	5.61	31.07

5.47-5.725GHz\_802.11ax HEW80\_Nss1,(MCS0)\_1TX

5610MHz\_TX




EUTZ\_1TX  
Setting 80  
02-E-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.23056G	50.74	74.00	-23.26	69.07	3	Vertical	50	2.01	-	38.66	8.48	65.47
AV	11.23398G	40.33	54.00	-13.67	58.65	3	Vertical	50	2.01	-	38.67	8.48	65.47
PK	16.8168G	57.95	68.20	-10.25	68.86	3	Vertical	98	1.80	-	40.40	10.85	62.16



5.47-5.725GHz\_802.11ax HEW80\_Nss1,(MCS0)\_1TX

5610MHz\_TX




EUTZ\_1TX  
Setting 80  
02-E-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.23452G	51.42	74.00	-22.58	69.73	3	Horizontal	44	1.98	-	38.67	8.48	65.46
AV	11.23434G	40.20	54.00	-13.80	58.51	3	Horizontal	44	1.98	-	38.67	8.48	65.46
PK	16.81824G	57.03	68.20	-11.17	67.94	3	Horizontal	175	1.74	-	40.40	10.85	62.16

5.725-5.85GHz\_802.11ax HEW80\_Nss1,(MCS0)\_1TX

5775MHz\_TX




EUT\_X\_1TX  
 Setting 80  
 02-E-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.626G	62.18	68.20	-6.02	53.67	3	Vertical	102	2.49	-	33.95	5.58	31.02
PK	5.778G	104.74	Inf	-Inf	96.21	3	Vertical	102	2.49	-	34.00	5.62	31.09
AV	5.774G	93.27	Inf	-Inf	84.74	3	Vertical	102	2.49	-	34.00	5.62	31.09
PK	5.932G	63.42	68.20	-4.78	54.54	3	Vertical	102	2.49	-	34.26	5.78	31.16

5.725-5.85GHz\_802.11ax HEW80\_Nss1,(MCS0)\_1TX

5775MHz\_TX




EUT\_X\_1TX  
Setting 80  
02-E-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.613G	63.44	68.20	-4.76	54.91	3	Horizontal	345	2.12	-	33.97	5.57	31.01
PK	5.776G	105.70	Inf	-Inf	97.17	3	Horizontal	345	2.12	-	34.00	5.62	31.09
AV	5.774G	95.45	Inf	-Inf	86.92	3	Horizontal	345	2.12	-	34.00	5.62	31.09
PK	5.933G	63.48	68.20	-4.72	54.59	3	Horizontal	345	2.12	-	34.27	5.78	31.16

5.725-5.85GHz\_802.11ax HEW80\_Nss1,(MCS0)\_1TX

5775MHz\_TX




EUTZ\_1TX  
Setting 80  
02-E-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.56002G	51.69	74.00	-22.31	68.95	3	Vertical	352	2.75	-	39.14	8.59	64.99
AV	11.55942G	41.36	54.00	-12.64	58.62	3	Vertical	352	2.75	-	39.14	8.59	64.99
PK	17.32032G	60.20	68.20	-8.00	68.85	3	Vertical	75	2.34	-	42.50	11.20	62.35

5.725-5.85GHz\_802.11ax HEW80\_Nss1,(MCS0)\_1TX

5775MHz\_TX



EUTZ\_1TX  
Setting 80  
02-E-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.56242G	52.45	74.00	-21.55	69.70	3	Horizontal	244	1.40	-	39.15	8.59	64.99
AV	11.56044G	41.57	54.00	-12.43	58.83	3	Horizontal	244	1.40	-	39.14	8.59	64.99
PK	17.3244G	60.04	68.20	-8.16	68.66	3	Horizontal	89	2.41	-	42.54	11.20	62.36