


5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5500MHz_TX




EUT_Z_2TX
Setting 72
02-E-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.452G	62.27	74.00	-11.73	53.64	3	Horizontal	142	2.43	-	34.10	5.45	30.92
AV	5.4596G	49.58	54.00	-4.42	40.95	3	Horizontal	142	2.43	-	34.10	5.46	30.93
PK	5.4696G	64.83	68.20	-3.37	56.20	3	Horizontal	142	2.43	-	34.10	5.47	30.94
PK	5.5008G	110.65	Inf	-Inf	102.02	3	Horizontal	142	2.43	-	34.10	5.49	30.96
AV	5.5008G	101.25	Inf	-Inf	92.62	3	Horizontal	142	2.43	-	34.10	5.49	30.96

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5500MHz_TX




EUT_Y_2TX
Setting 72
02-E-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.0024G	54.79	74.00	-19.21	73.80	3	Vertical	264	2.45	-	38.50	8.40	65.91
AV	11.00258G	40.28	54.00	-13.72	59.29	3	Vertical	264	2.45	-	38.50	8.40	65.91
PK	16.49814G	55.43	68.20	-12.77	67.97	3	Vertical	357	2.46	-	38.89	10.63	62.06

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5500MHz_TX




EUT_Y_2TX
Setting 72
02-E-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.99976G	55.27	74.00	-18.73	74.28	3	Horizontal	26	1.80	-	38.50	8.40	65.91
AV	10.99976G	42.59	54.00	-11.41	61.60	3	Horizontal	26	1.80	-	38.50	8.40	65.91
PK	16.5024G	55.20	68.20	-13.00	67.73	3	Horizontal	165	2.96	-	38.90	10.63	62.06

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5580MHz_TX




EUT_Z_2TX
Setting 84
02-E-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3952G	60.87	74.00	-13.13	52.34	3	Vertical	209	2.88	-	34.00	5.41	30.88
PK	5.4648G	60.49	68.20	-7.71	51.86	3	Vertical	209	2.88	-	34.10	5.46	30.93
AV	5.4576G	48.55	54.00	-5.45	39.92	3	Vertical	209	2.88	-	34.10	5.46	30.93
PK	5.5792G	115.56	Inf	-Inf	106.97	3	Vertical	209	2.88	-	34.04	5.55	31.00
AV	5.5792G	106.66	Inf	-Inf	98.07	3	Vertical	209	2.88	-	34.04	5.55	31.00
PK	5.7336G	60.35	68.20	-7.85	51.81	3	Vertical	209	2.88	-	34.00	5.61	31.07

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5580MHz_TX




EUT_Z_2TX
Setting 84
02-E-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4136G	60.45	74.00	-13.55	51.89	3	Horizontal	143	2.48	-	34.03	5.42	30.89
PK	5.4608G	59.21	68.20	-8.99	50.58	3	Horizontal	143	2.48	-	34.10	5.46	30.93
AV	5.4584G	48.15	54.00	-5.85	39.52	3	Horizontal	143	2.48	-	34.10	5.46	30.93
PK	5.5808G	114.24	Inf	-Inf	105.65	3	Horizontal	143	2.48	-	34.04	5.55	31.00
AV	5.5808G	104.62	Inf	-Inf	96.03	3	Horizontal	143	2.48	-	34.04	5.55	31.00
PK	5.7496G	59.95	68.20	-8.25	51.41	3	Horizontal	143	2.48	-	34.00	5.61	31.07

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5580MHz_TX




EUT_Y_2TX
Setting 84
02-E-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.1522G	52.07	74.00	-21.93	70.64	3	Vertical	311	1.80	-	38.60	8.45	65.62
AV	11.1576G	38.69	54.00	-15.31	57.25	3	Vertical	311	1.80	-	38.60	8.45	65.61
PK	16.72578G	58.07	68.20	-10.13	69.47	3	Vertical	236	2.04	-	39.95	10.78	62.13

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5580MHz_TX




EUT_Y_2TX
Setting 84
02-E-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.154666G	54.30	74.00	-19.70	72.87	3	Horizontal	35	1.80	-	38.60	8.45	65.62
AV	11.16444G	41.33	54.00	-12.67	59.87	3	Horizontal	35	1.80	-	38.60	8.46	65.60
PK	16.72806G	57.95	68.20	-10.25	69.32	3	Horizontal	270	1.80	-	39.97	10.79	62.13

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5700MHz_TX




EUT_Z_2TX
Setting 71
02-E-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6992G	113.43	Inf	-Inf	104.88	3	Vertical	210	2.93	-	34.00	5.60	31.05
AV	5.6994G	103.48	Inf	-Inf	94.93	3	Vertical	210	2.93	-	34.00	5.60	31.05
PK	5.7256G	66.97	68.20	-1.23	58.42	3	Vertical	210	2.93	-	34.00	5.61	31.06

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5700MHz_TX




EUT_Z_2TX
 Setting 71
 02-E-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6992G	113.32	Inf	-Inf	104.77	3	Horizontal	158	2.78	-	34.00	5.60	31.05
AV	5.699G	103.38	Inf	-Inf	94.83	3	Horizontal	158	2.78	-	34.00	5.60	31.05
PK	5.7254G	67.05	68.20	-1.15	58.50	3	Horizontal	158	2.78	-	34.00	5.61	31.06

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5700MHz_TX




EUT_Y_2TX
Setting 71
02-E-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4045G	52.43	74.00	-21.57	70.32	3	Vertical	314	1.80	-	38.71	8.54	65.14
AV	11.41134G	39.09	54.00	-14.91	56.96	3	Vertical	314	1.80	-	38.72	8.54	65.13
PK	17.10054G	59.37	68.20	-8.83	69.09	3	Vertical	211	2.22	-	41.50	11.04	62.26

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5700MHz_TX




EUT_Y_2TX
Setting 71
02-E-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.38992G	52.58	74.00	-21.42	70.54	3	Horizontal	88	1.33	-	38.68	8.53	65.17
AV	11.41314G	39.10	54.00	-14.90	56.96	3	Horizontal	88	1.33	-	38.73	8.54	65.13
PK	17.10384G	59.65	68.20	-8.55	69.34	3	Horizontal	277	1.80	-	41.52	11.05	62.26

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5745MHz_TX




EUT_Z_2TX
Setting 84
02-E-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.64G	63.70	68.20	-4.50	55.22	3	Vertical	211	3.00	-	33.92	5.58	31.02
PK	5.744G	116.67	Inf	-Inf	108.13	3	Vertical	211	3.00	-	34.00	5.61	31.07
AV	5.744G	107.00	Inf	-Inf	98.46	3	Vertical	211	3.00	-	34.00	5.61	31.07
PK	5.936G	61.41	68.20	-6.79	52.52	3	Vertical	211	3.00	-	34.27	5.78	31.16

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5745MHz_TX




EUT_Z_2TX
Setting 84
02-E-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.651G	64.82	68.94	-4.12	56.36	3	Horizontal	143	2.73	-	33.90	5.59	31.03
PK	5.746G	115.30	Inf	-Inf	106.76	3	Horizontal	143	2.73	-	34.00	5.61	31.07
AV	5.746G	105.90	Inf	-Inf	97.36	3	Horizontal	143	2.73	-	34.00	5.61	31.07
PK	5.982G	61.76	68.20	-6.44	52.81	3	Horizontal	143	2.73	-	34.30	5.83	31.18

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5745MHz_TX




EUT_Y_2TX
Setting 84
02-E-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.48868G	57.15	74.00	-16.85	74.68	3	Vertical	234	2.01	-	38.88	8.57	64.98
AV	11.48844G	43.97	54.00	-10.03	61.50	3	Vertical	234	2.01	-	38.88	8.57	64.98
PK	17.24184G	60.46	68.20	-7.74	69.66	3	Vertical	237	1.87	-	41.98	11.14	62.32

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5745MHz_TX




EUT_Y_2TX
Setting 84
02-E-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.48934G	57.99	74.00	-16.01	75.52	3	Horizontal	27	2.78	-	38.88	8.57	64.98
AV	11.49006G	44.81	54.00	-9.19	62.34	3	Horizontal	27	2.78	-	38.88	8.57	64.98
PK	17.22672G	59.57	68.20	-8.63	68.81	3	Horizontal	263	1.82	-	41.95	11.13	62.32

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5785MHz_TX




EUT_Z_2TX
Setting 84
02-E-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.564G	60.86	68.20	-7.34	52.24	3	Vertical	202	2.72	-	34.07	5.54	30.99
PK	5.784G	116.08	Inf	-Inf	107.54	3	Vertical	202	2.72	-	34.00	5.63	31.09
AV	5.784G	106.24	Inf	-Inf	97.70	3	Vertical	202	2.72	-	34.00	5.63	31.09
PK	5.929G	60.81	68.20	-7.39	51.94	3	Vertical	202	2.72	-	34.26	5.77	31.16

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5785MHz_TX




EUT_Z_2TX
Setting 84
02-E-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.623G	60.07	68.20	-8.13	51.56	3	Horizontal	146	2.39	-	33.95	5.58	31.02
PK	5.786G	115.76	Inf	-Inf	107.22	3	Horizontal	146	2.39	-	34.00	5.63	31.09
AV	5.786G	106.16	Inf	-Inf	97.62	3	Horizontal	146	2.39	-	34.00	5.63	31.09
PK	5.952G	61.11	68.20	-7.09	52.18	3	Horizontal	146	2.39	-	34.30	5.80	31.17

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5785MHz_TX




EUT_Y_2TX
Setting 84
02-E-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.57222G	55.77	74.00	-18.23	72.98	3	Vertical	258	2.58	-	39.19	8.59	64.99
AV	11.57246G	42.89	54.00	-11.11	60.10	3	Vertical	258	2.58	-	39.19	8.59	64.99
PK	17.36382G	59.91	68.20	-8.29	68.17	3	Vertical	348	1.69	-	42.88	11.23	62.37

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5785MHz_TX




EUT_Y_2TX
Setting 84
02-E-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.57576G	56.11	74.00	-17.89	73.30	3	Horizontal	36	1.80	-	39.20	8.60	64.99
AV	11.57006G	43.14	54.00	-10.86	60.36	3	Horizontal	36	1.80	-	39.18	8.59	64.99
PK	17.35242G	60.78	68.20	-7.42	69.12	3	Horizontal	311	1.80	-	42.81	11.22	62.37

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5825MHz_TX




EUT_Z_2TX
Setting 84
02-E-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.615G	60.45	68.20	-7.75	51.92	3	Vertical	210	2.81	-	33.97	5.57	31.01
PK	5.824G	116.57	Inf	-Inf	108.02	3	Vertical	210	2.81	-	34.00	5.66	31.11
AV	5.825G	106.67	Inf	-Inf	98.12	3	Vertical	210	2.81	-	34.00	5.66	31.11
PK	6.03G	61.92	68.20	-6.28	52.84	3	Vertical	210	2.81	-	34.42	5.86	31.20

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5825MHz_TX




EUT_Z_2TX
Setting 84
02-E-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.575G	60.56	68.20	-7.64	51.95	3	Horizontal	145	2.60	-	34.05	5.55	30.99
PK	5.826G	115.99	Inf	-Inf	107.44	3	Horizontal	145	2.60	-	34.00	5.66	31.11
AV	5.826G	106.32	Inf	-Inf	97.77	3	Horizontal	145	2.60	-	34.00	5.66	31.11
PK	5.928G	61.39	68.20	-6.81	52.52	3	Horizontal	145	2.60	-	34.26	5.77	31.16

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5825MHz_TX




EUT_Y_2TX
Setting 84
02-E-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.64376G	57.38	74.00	-16.62	74.49	3	Vertical	265	1.84	-	39.30	8.62	65.03
AV	11.64808G	43.96	54.00	-10.04	61.07	3	Vertical	265	1.84	-	39.30	8.62	65.03
PK	17.47782G	61.92	68.20	-6.28	69.31	3	Vertical	239	1.93	-	43.72	11.31	62.42

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5825MHz_TX




EUT_Y_2TX
Setting 84
02-E-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.6503G	58.20	74.00	-15.80	75.31	3	Horizontal	36	1.78	-	39.30	8.62	65.03
AV	11.64994G	45.83	54.00	-8.17	62.94	3	Horizontal	36	1.78	-	39.30	8.62	65.03
PK	17.4771G	61.90	68.20	-6.30	69.29	3	Horizontal	264	1.79	-	43.72	11.31	62.42

5.15-5.25GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX

5180MHz_TX




EUT_Z_2TX
 Setting 72
 02-E-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1486G	68.54	74.00	-5.46	60.31	3	Vertical	180	2.40	-	33.60	5.31	30.68
AV	5.1486G	52.28	54.00	-1.72	44.05	3	Vertical	180	2.40	-	33.60	5.31	30.68
PK	5.1786G	112.41	Inf	-Inf	104.05	3	Vertical	180	2.40	-	33.71	5.35	30.70
AV	5.181G	99.97	Inf	-Inf	91.60	3	Vertical	180	2.40	-	33.72	5.35	30.70

5.15-5.25GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX

5180MHz_TX




EUT_Z_2TX
 Setting 72
 02-E-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1452G	68.74	74.00	-5.26	60.52	3	Horizontal	182	2.56	-	33.59	5.31	30.68
AV	5.1498G	52.82	54.00	-1.18	44.59	3	Horizontal	182	2.56	-	33.60	5.31	30.68
PK	5.1804G	113.74	Inf	-Inf	105.37	3	Horizontal	182	2.56	-	33.72	5.35	30.70
AV	5.1804G	102.19	Inf	-Inf	93.82	3	Horizontal	182	2.56	-	33.72	5.35	30.70

5.15-5.25GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX

5180MHz_TX




EUT_Y_2TX
Setting 72
02-E-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.35358G	51.77	68.20	-16.43	70.89	3	Vertical	224	2.02	-	38.49	8.18	65.79
PK	15.5427G	55.00	74.00	-19.00	69.10	3	Vertical	234	1.83	-	37.83	10.14	62.07
AV	15.54018G	41.93	54.00	-12.07	56.02	3	Vertical	234	1.83	-	37.84	10.14	62.07

5.15-5.25GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX

5180MHz_TX




EUT_Y_2TX
Setting 72
02-E-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.35358G	51.18	68.20	-17.02	70.30	3	Horizontal	103	2.38	-	38.49	8.18	65.79
PK	15.5382G	55.91	74.00	-18.09	69.99	3	Horizontal	240	2.16	-	37.85	10.14	62.07
AV	15.53628G	42.71	54.00	-11.29	56.79	3	Horizontal	240	2.16	-	37.85	10.14	62.07

5.15-5.25GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX

5200MHz_TX




EUT_Z_2TX
Setting 76
02-E-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1468G	65.99	74.00	-8.01	57.77	3	Vertical	210	2.70	-	33.59	5.31	30.68
AV	5.1492G	52.78	54.00	-1.22	44.55	3	Vertical	210	2.70	-	33.60	5.31	30.68
PK	5.202G	116.39	Inf	-Inf	107.94	3	Vertical	210	2.70	-	33.80	5.37	30.72
AV	5.1996G	105.23	Inf	-Inf	96.78	3	Vertical	210	2.70	-	33.80	5.37	30.72

5.15-5.25GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX

5200MHz_TX




EUT_Z_2TX
Setting 76
02-E-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1496G	65.68	74.00	-8.32	57.45	3	Horizontal	186	2.86	-	33.60	5.31	30.68
AV	5.15G	52.81	54.00	-1.19	44.57	3	Horizontal	186	2.86	-	33.60	5.32	30.68
PK	5.2004G	116.17	Inf	-Inf	107.72	3	Horizontal	186	2.86	-	33.80	5.37	30.72
AV	5.2004G	104.18	Inf	-Inf	95.73	3	Horizontal	186	2.86	-	33.80	5.37	30.72

5.15-5.25GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX

5200MHz_TX




EUT_Y_2TX
Setting 76
02-E-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.4042G	53.67	68.20	-14.53	72.72	3	Vertical	222	1.99	-	38.40	8.20	65.65
PK	15.59778G	57.20	74.00	-16.80	71.44	3	Vertical	238	1.88	-	37.70	10.16	62.10
AV	15.5979G	44.29	54.00	-9.71	58.53	3	Vertical	238	1.88	-	37.70	10.16	62.10

5.15-5.25GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX

5200MHz_TX




EUT_Y_2TX
Setting 76
02-E-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.40756G	55.05	68.20	-13.15	74.09	3	Horizontal	23	1.80	-	38.40	8.20	65.64
PK	15.59826G	58.12	74.00	-15.88	72.36	3	Horizontal	239	2.15	-	37.70	10.16	62.10
AV	15.60084G	43.80	54.00	-10.20	58.04	3	Horizontal	239	2.15	-	37.70	10.16	62.10

5.15-5.25GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX

5240MHz_TX




EUT_Z_2TX
Setting 84
02-E-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1428G	59.82	74.00	-14.18	51.59	3	Vertical	180	2.45	-	33.59	5.31	30.67
AV	5.1488G	47.99	54.00	-6.01	39.76	3	Vertical	180	2.45	-	33.60	5.31	30.68
PK	5.2406G	114.41	Inf	-Inf	105.98	3	Vertical	180	2.45	-	33.80	5.38	30.75
AV	5.2406G	103.05	Inf	-Inf	94.62	3	Vertical	180	2.45	-	33.80	5.38	30.75
PK	5.3576G	60.62	74.00	-13.38	52.07	3	Vertical	180	2.45	-	34.00	5.40	30.85
AV	5.35G	48.23	54.00	-5.77	39.67	3	Vertical	180	2.45	-	34.00	5.40	30.84

5.15-5.25GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX

5240MHz_TX




EUT_Z_2TX
Setting 84
02-E-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.144G	60.28	74.00	-13.72	52.06	3	Horizontal	184	2.44	-	33.59	5.31	30.68
AV	5.1482G	48.65	54.00	-5.35	40.42	3	Horizontal	184	2.44	-	33.60	5.31	30.68
PK	5.2406G	116.69	Inf	-Inf	108.26	3	Horizontal	184	2.44	-	33.80	5.38	30.75
AV	5.2406G	104.74	Inf	-Inf	96.31	3	Horizontal	184	2.44	-	33.80	5.38	30.75
PK	5.3882G	60.49	74.00	-13.51	51.95	3	Horizontal	184	2.44	-	34.00	5.41	30.87
AV	5.3606G	48.18	54.00	-5.82	39.63	3	Horizontal	184	2.44	-	34.00	5.40	30.85

5.15-5.25GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX

5240MHz_TX




EUT_Y_2TX
Setting 84
02-E-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.47226G	53.13	68.20	-15.07	71.98	3	Vertical	232	2.03	-	38.40	8.22	65.47
PK	15.72294G	54.53	74.00	-19.47	68.79	3	Vertical	239	1.80	-	37.71	10.20	62.17
AV	15.72066G	41.77	54.00	-12.23	56.03	3	Vertical	239	1.80	-	37.72	10.19	62.17

5.15-5.25GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX

5240MHz_TX




EUT_Y_2TX
Setting 84
02-E-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.47118G	52.08	68.20	-16.12	70.93	3	Horizontal	266	2.47	-	38.40	8.22	65.47
PK	15.72966G	53.25	74.00	-20.75	67.54	3	Horizontal	115	2.31	-	37.68	10.20	62.17
AV	15.70602G	41.33	54.00	-12.67	55.52	3	Horizontal	115	2.31	-	37.78	10.19	62.16

5.25-5.35GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX

5260MHz_TX




EUT_Z_2TX
Setting 84
02-E-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1112G	59.63	74.00	-14.37	51.49	3	Vertical	208	2.66	-	33.52	5.27	30.65
AV	5.1466G	48.09	54.00	-5.91	39.87	3	Vertical	208	2.66	-	33.59	5.31	30.68
PK	5.2594G	118.08	Inf	-Inf	109.65	3	Vertical	208	2.66	-	33.82	5.38	30.77
AV	5.2594G	106.57	Inf	-Inf	98.14	3	Vertical	208	2.66	-	33.82	5.38	30.77
PK	5.3512G	61.54	74.00	-12.46	52.98	3	Vertical	208	2.66	-	34.00	5.40	30.84
AV	5.35G	49.70	54.00	-4.30	41.14	3	Vertical	208	2.66	-	34.00	5.40	30.84

5.25-5.35GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX

5260MHz_TX




EUT_Z_2TX
Setting 84
02-E-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	60.17	74.00	-13.83	51.94	3	Horizontal	186	2.97	-	33.60	5.31	30.68
AV	5.1454G	47.91	54.00	-6.09	39.69	3	Horizontal	186	2.97	-	33.59	5.31	30.68
PK	5.263G	115.49	Inf	-Inf	107.05	3	Horizontal	186	2.97	-	33.83	5.38	30.77
AV	5.2606G	104.69	Inf	-Inf	96.26	3	Horizontal	186	2.97	-	33.82	5.38	30.77
PK	5.3542G	63.00	74.00	-11.00	54.44	3	Horizontal	186	2.97	-	34.00	5.40	30.84
AV	5.3506G	49.60	54.00	-4.40	41.04	3	Horizontal	186	2.97	-	34.00	5.40	30.84

5.25-5.35GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX

5260MHz_TX




EUT_Y_2TX
Setting 84
02-E-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.511G	51.57	68.20	-16.63	70.34	3	Vertical	292	2.53	-	38.40	8.23	65.40
PK	15.7734G	52.44	74.00	-21.56	66.92	3	Vertical	241	1.80	-	37.51	10.21	62.20
AV	15.77844G	39.84	54.00	-14.16	54.34	3	Vertical	241	1.80	-	37.49	10.21	62.20

5.25-5.35GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX

5260MHz_TX




EUT_Y_2TX
Setting 84
02-E-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.50716G	51.25	68.20	-16.95	70.02	3	Horizontal	161	1.91	-	38.40	8.23	65.40
PK	15.77136G	52.19	74.00	-21.81	66.67	3	Horizontal	0	1.80	-	37.51	10.21	62.20
AV	15.77598G	39.10	54.00	-14.90	53.59	3	Horizontal	0	1.80	-	37.50	10.21	62.20

5.25-5.35GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX

5300MHz_TX




EUT_Z_2TX
Setting 76
02-E-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3052G	116.42	Inf	-Inf	107.92	3	Vertical	214	2.75	-	33.91	5.39	30.80
AV	5.3004G	104.60	Inf	-Inf	96.11	3	Vertical	214	2.75	-	33.90	5.39	30.80
PK	5.352G	64.87	74.00	-9.13	56.31	3	Vertical	214	2.75	-	34.00	5.40	30.84
AV	5.3504G	50.85	54.00	-3.15	42.29	3	Vertical	214	2.75	-	34.00	5.40	30.84

5.25-5.35GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX

5300MHz_TX




EUT_Z_2TX
Setting 76
02-E-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3008G	114.54	Inf	-Inf	106.05	3	Horizontal	177	2.40	-	33.90	5.39	30.80
AV	5.3004G	102.74	Inf	-Inf	94.25	3	Horizontal	177	2.40	-	33.90	5.39	30.80
PK	5.3528G	65.76	74.00	-8.24	57.20	3	Horizontal	177	2.40	-	34.00	5.40	30.84
AV	5.35G	51.35	54.00	-2.65	42.79	3	Horizontal	177	2.40	-	34.00	5.40	30.84

5.25-5.35GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX

5300MHz_TX




EUT_Y_2TX
Setting 76
02-E-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.58554G	51.79	68.20	-16.41	70.61	3	Vertical	313	1.80	-	38.40	8.26	65.48
PK	15.91464G	53.96	74.00	-20.04	68.65	3	Vertical	244	2.10	-	37.33	10.25	62.27
AV	15.9012G	40.94	54.00	-13.06	55.66	3	Vertical	244	2.10	-	37.30	10.25	62.27

5.25-5.35GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX

5300MHz_TX




EUT_Y_2TX
Setting 76
02-E-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.59226G	53.39	68.20	-14.81	72.22	3	Horizontal	13	2.22	-	38.40	8.26	65.49
PK	15.90984G	53.31	74.00	-20.69	68.01	3	Horizontal	0	1.85	-	37.32	10.25	62.27
AV	15.9015G	40.16	54.00	-13.84	54.88	3	Horizontal	0	1.85	-	37.30	10.25	62.27

5.25-5.35GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX

5320MHz_TX




EUT_Z_2TX
 Setting 68
 02-E-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3196G	115.23	Inf	-Inf	106.72	3	Vertical	209	2.73	-	33.94	5.39	30.82
AV	5.3196G	103.24	Inf	-Inf	94.73	3	Vertical	209	2.73	-	33.94	5.39	30.82
PK	5.35G	65.19	74.00	-8.81	56.63	3	Vertical	209	2.73	-	34.00	5.40	30.84
AV	5.35G	52.93	54.00	-1.07	44.37	3	Vertical	209	2.73	-	34.00	5.40	30.84

5.25-5.35GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX

5320MHz_TX




EUT_Z_2TX
Setting 68
02-E-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3196G	113.23	Inf	-Inf	104.72	3	Horizontal	154	2.46	-	33.94	5.39	30.82
AV	5.3196G	100.42	Inf	-Inf	91.91	3	Horizontal	154	2.46	-	33.94	5.39	30.82
PK	5.35G	65.00	74.00	-9.00	56.44	3	Horizontal	154	2.46	-	34.00	5.40	30.84
AV	5.35G	51.50	54.00	-2.50	42.94	3	Horizontal	154	2.46	-	34.00	5.40	30.84

5.25-5.35GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX

5320MHz_TX




EUT_Y_2TX
Setting 68
02-E-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.63724G	52.44	74.00	-21.56	71.29	3	Vertical	221	1.97	-	38.40	8.28	65.53
AV	10.6418G	39.40	54.00	-14.60	58.26	3	Vertical	221	1.97	-	38.40	8.28	65.54
PK	15.9639G	53.96	74.00	-20.04	68.53	3	Vertical	232	1.80	-	37.46	10.27	62.30
AV	15.95868G	41.71	54.00	-12.29	56.31	3	Vertical	232	1.80	-	37.43	10.27	62.30

5.25-5.35GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX

5320MHz_TX




EUT_Y_2TX
Setting 68
02-E-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.64192G	52.53	74.00	-21.47	71.39	3	Horizontal	46	2.77	-	38.40	8.28	65.54
AV	10.64162G	39.58	54.00	-14.42	58.44	3	Horizontal	46	2.77	-	38.40	8.28	65.54
PK	15.97176G	53.13	74.00	-20.87	67.67	3	Horizontal	262	1.38	-	37.49	10.27	62.30
AV	15.9738G	40.32	54.00	-13.68	54.86	3	Horizontal	262	1.38	-	37.50	10.27	62.31

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5500MHz_TX




EUT_Z_2TX
Setting 70
02-E-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4592G	63.00	74.00	-11.00	54.37	3	Vertical	207	2.84	-	34.10	5.46	30.93
AV	5.4588G	49.89	54.00	-4.11	41.26	3	Vertical	207	2.84	-	34.10	5.46	30.93
PK	5.4674G	66.97	68.20	-1.23	58.34	3	Vertical	207	2.84	-	34.10	5.46	30.93
PK	5.4994G	114.27	Inf	-Inf	105.64	3	Vertical	207	2.84	-	34.10	5.49	30.96
AV	5.4994G	102.43	Inf	-Inf	93.80	3	Vertical	207	2.84	-	34.10	5.49	30.96

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5500MHz_TX




EUT_Z_2TX
Setting 70
02-E-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.46G	62.30	74.00	-11.70	53.67	3	Horizontal	143	2.41	-	34.10	5.46	30.93
AV	5.4558G	48.79	54.00	-5.21	40.16	3	Horizontal	143	2.41	-	34.10	5.45	30.92
PK	5.4676G	64.99	68.20	-3.21	56.36	3	Horizontal	143	2.41	-	34.10	5.46	30.93
PK	5.5006G	111.92	Inf	-Inf	103.29	3	Horizontal	143	2.41	-	34.10	5.49	30.96
AV	5.5004G	100.17	Inf	-Inf	91.54	3	Horizontal	143	2.41	-	34.10	5.49	30.96

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5500MHz_TX




EUT_Y_2TX
Setting 70
02-E-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.00738G	53.35	74.00	-20.65	38.44	3	Vertical	242	1.86	-	38.50	8.40	31.99
AV	11.0075G	40.75	54.00	-13.25	25.84	3	Vertical	242	1.86	-	38.50	8.40	31.99
PK	16.5126G	61.51	68.20	-6.69	44.28	3	Vertical	15	2.44	-	38.93	10.64	32.34

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5500MHz_TX




EUT_Y_2TX
Setting 70
02-E-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.00876G	52.84	74.00	-21.16	37.93	3	Horizontal	314	2.00	-	38.50	8.40	31.99
AV	11.01008G	40.80	54.00	-13.20	25.89	3	Horizontal	314	2.00	-	38.50	8.40	31.99
PK	16.4865G	61.39	68.20	-6.81	44.26	3	Horizontal	282	2.55	-	38.85	10.62	32.34

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5580MHz_TX




EUT_Z_2TX
Setting 84
02-E-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4584G	60.83	74.00	-13.17	52.20	3	Vertical	212	2.90	-	34.10	5.46	30.93
AV	5.448G	48.35	54.00	-5.65	39.72	3	Vertical	212	2.90	-	34.10	5.45	30.92
PK	5.4648G	60.35	68.20	-7.85	51.72	3	Vertical	212	2.90	-	34.10	5.46	30.93
PK	5.58G	116.86	Inf	-Inf	108.27	3	Vertical	212	2.90	-	34.04	5.55	31.00
AV	5.58G	104.75	Inf	-Inf	96.16	3	Vertical	212	2.90	-	34.04	5.55	31.00
PK	5.7696G	60.13	68.20	-8.07	51.59	3	Vertical	212	2.90	-	34.00	5.62	31.08

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5580MHz_TX




EUT_Z_2TX
Setting 84
02-E-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3888G	60.74	74.00	-13.26	52.20	3	Horizontal	143	2.49	-	34.00	5.41	30.87
PK	5.4632G	59.91	68.20	-8.29	51.28	3	Horizontal	143	2.49	-	34.10	5.46	30.93
AV	5.456G	48.32	54.00	-5.68	39.69	3	Horizontal	143	2.49	-	34.10	5.45	30.92
PK	5.5808G	115.08	Inf	-Inf	106.49	3	Horizontal	143	2.49	-	34.04	5.55	31.00
AV	5.5808G	103.78	Inf	-Inf	95.19	3	Horizontal	143	2.49	-	34.04	5.55	31.00
PK	5.7336G	60.57	68.20	-7.63	52.03	3	Horizontal	143	2.49	-	34.00	5.61	31.07

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5580MHz_TX




EUT_Y_2TX
Setting 84
02-E-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.1582G	54.90	74.00	-19.10	39.89	3	Vertical	325	1.34	-	38.60	8.45	32.04
AV	11.17464G	41.92	54.00	-12.08	26.91	3	Vertical	325	1.34	-	38.60	8.46	32.05
PK	16.74906G	61.35	68.20	-6.85	42.70	3	Vertical	307	2.75	-	40.09	10.80	32.24

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5580MHz_TX




EUT_Y_2TX
Setting 84
02-E-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.1543G	53.91	74.00	-20.09	38.90	3	Horizontal	189	2.26	-	38.60	8.45	32.04
AV	11.17056G	41.38	54.00	-12.62	26.37	3	Horizontal	189	2.26	-	38.60	8.46	32.05
PK	16.73742G	61.54	68.20	-6.66	42.98	3	Horizontal	41	2.75	-	40.02	10.79	32.25

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5700MHz_TX




EUT_Z_2TX
Setting 67
02-E-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6952G	113.19	Inf	-Inf	104.65	3	Vertical	215	2.78	-	33.99	5.60	31.05
AV	5.7004G	101.27	Inf	-Inf	92.72	3	Vertical	215	2.78	-	34.00	5.60	31.05
PK	5.7252G	66.98	68.20	-1.22	58.43	3	Vertical	215	2.78	-	34.00	5.61	31.06

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5700MHz_TX




EUT_Z_2TX
Setting 67
02-E-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7006G	112.07	Inf	-Inf	103.52	3	Horizontal	144	2.51	-	34.00	5.60	31.05
AV	5.7004G	100.30	Inf	-Inf	91.75	3	Horizontal	144	2.51	-	34.00	5.60	31.05
PK	5.725G	64.69	68.20	-3.51	56.14	3	Horizontal	144	2.51	-	34.00	5.61	31.06

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5700MHz_TX




EUT_Y_2TX
Setting 67
02-E-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.41014G	54.24	74.00	-19.76	39.11	3	Vertical	245	1.99	-	38.72	8.54	32.13
AV	11.4027G	41.19	54.00	-12.81	26.07	3	Vertical	245	1.99	-	38.71	8.54	32.13
PK	17.08638G	62.04	68.20	-6.16	41.77	3	Vertical	182	2.81	-	41.42	11.04	32.19

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5700MHz_TX




EUT_Y_2TX
Setting 67
02-E-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.41398G	54.18	74.00	-19.82	39.04	3	Horizontal	231	1.53	-	38.73	8.54	32.13
AV	11.4132G	41.62	54.00	-12.38	26.48	3	Horizontal	231	1.53	-	38.73	8.54	32.13
PK	17.10084G	63.74	68.20	-4.46	44.68	3	Horizontal	266	2.05	-	41.50	11.05	33.49

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5745MHz_TX




EUT_Z_2TX
Setting 84
02-E-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.652G	65.94	69.68	-3.74	57.48	3	Vertical	199	2.64	-	33.90	5.59	31.03
PK	5.744G	116.81	Inf	-Inf	108.27	3	Vertical	199	2.64	-	34.00	5.61	31.07
AV	5.744G	105.49	Inf	-Inf	96.95	3	Vertical	199	2.64	-	34.00	5.61	31.07
PK	5.951G	60.51	68.20	-7.69	51.58	3	Vertical	199	2.64	-	34.30	5.80	31.17

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5745MHz_TX




EUT_Z_2TX
Setting 84
02-E-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.65G	65.36	68.20	-2.84	56.91	3	Horizontal	145	2.43	-	33.90	5.58	31.03
PK	5.745G	115.68	Inf	-Inf	107.14	3	Horizontal	145	2.43	-	34.00	5.61	31.07
AV	5.746G	105.58	Inf	-Inf	97.04	3	Horizontal	145	2.43	-	34.00	5.61	31.07
PK	5.951G	61.24	68.20	-6.96	52.31	3	Horizontal	145	2.43	-	34.30	5.80	31.17

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5745MHz_TX




EUT_Y_2TX
Setting 84
02-E-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.47698G	54.43	74.00	-19.57	39.17	3	Vertical	41	2.49	-	38.85	8.56	32.15
AV	11.50446G	41.46	54.00	-12.54	26.12	3	Vertical	41	2.49	-	38.92	8.57	32.15
PK	17.22288G	61.48	68.20	-6.72	40.68	3	Vertical	104	2.81	-	41.95	11.13	32.28

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5745MHz_TX




EUT_Y_2TX
Setting 84
02-E-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.47824G	54.74	74.00	-19.26	39.47	3	Horizontal	324	1.37	-	38.86	8.56	32.15
AV	11.4948G	41.42	54.00	-12.58	26.12	3	Horizontal	324	1.37	-	38.89	8.57	32.16
PK	17.2203G	60.44	68.20	-7.76	39.65	3	Horizontal	242	2.02	-	41.94	11.13	32.28

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5785MHz_TX




EUT_Z_2TX
Setting 84
02-E-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.645G	60.78	68.20	-7.42	52.32	3	Vertical	202	2.72	-	33.91	5.58	31.03
PK	5.787G	115.51	Inf	-Inf	106.97	3	Vertical	202	2.72	-	34.00	5.63	31.09
AV	5.785G	105.21	Inf	-Inf	96.67	3	Vertical	202	2.72	-	34.00	5.63	31.09
PK	5.944G	60.31	68.20	-7.89	51.39	3	Vertical	202	2.72	-	34.29	5.79	31.16

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5785MHz_TX




EUT_Z_2TX
Setting 84
02-E-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.57G	60.24	68.20	-7.96	51.62	3	Horizontal	145	2.42	-	34.06	5.55	30.99
PK	5.785G	115.86	Inf	-Inf	107.32	3	Horizontal	145	2.42	-	34.00	5.63	31.09
AV	5.786G	104.69	Inf	-Inf	96.15	3	Horizontal	145	2.42	-	34.00	5.63	31.09
PK	5.985G	61.55	68.20	-6.65	52.60	3	Horizontal	145	2.42	-	34.30	5.83	31.18

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5785MHz_TX




EUT_Y_2TX
Setting 84
02-E-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.5646G	54.57	74.00	-19.43	38.87	3	Vertical	244	1.45	-	39.16	8.59	32.05
AV	11.57888G	42.01	54.00	-11.99	26.21	3	Vertical	244	1.45	-	39.22	8.60	32.02
PK	17.3484G	60.37	68.20	-7.83	38.74	3	Vertical	273	1.43	-	42.78	11.22	32.37

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5785MHz_TX




EUT_Y_2TX
Setting 84
02-E-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.58434G	54.76	74.00	-19.24	38.93	3	Horizontal	105	1.46	-	39.24	8.60	32.01
AV	11.58182G	42.17	54.00	-11.83	26.36	3	Horizontal	105	1.46	-	39.23	8.60	32.02
PK	17.36844G	62.01	68.20	-6.19	40.25	3	Horizontal	332	1.55	-	42.91	11.23	32.38

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5825MHz_TX




EUT_Z_2TX
Setting 84
02-E-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.641G	61.08	68.20	-7.12	52.60	3	Vertical	216	2.81	-	33.92	5.58	31.02
PK	5.826G	116.63	Inf	-Inf	108.08	3	Vertical	216	2.81	-	34.00	5.66	31.11
AV	5.826G	105.97	Inf	-Inf	97.42	3	Vertical	216	2.81	-	34.00	5.66	31.11
PK	5.925G	64.36	68.20	-3.84	55.50	3	Vertical	216	2.81	-	34.25	5.77	31.16

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5825MHz_TX




EUT_Z_2TX
Setting 84
02-E-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.623G	60.04	68.20	-8.16	51.53	3	Horizontal	145	2.60	-	33.95	5.58	31.02
PK	5.826G	116.67	Inf	-Inf	108.12	3	Horizontal	145	2.60	-	34.00	5.66	31.11
AV	5.826G	105.47	Inf	-Inf	96.92	3	Horizontal	145	2.60	-	34.00	5.66	31.11
PK	5.924G	65.73	68.94	-3.21	56.87	3	Horizontal	145	2.60	-	34.25	5.77	31.16

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5825MHz_TX




EUT_Y_2TX
Setting 84
02-E-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.63854G	55.05	74.00	-18.95	39.05	3	Vertical	245	1.20	-	39.30	8.62	31.92
AV	11.6545G	42.33	54.00	-11.67	26.29	3	Vertical	245	1.20	-	39.31	8.62	31.89
PK	17.48418G	62.59	68.20	-5.61	39.97	3	Vertical	360	1.50	-	43.77	11.31	32.46

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5825MHz_TX




EUT_Y_2TX
Setting 84
02-E-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.6419G	54.88	74.00	-19.12	38.87	3	Horizontal	259	1.98	-	39.30	8.62	31.91
AV	11.65114G	42.23	54.00	-11.77	26.20	3	Horizontal	259	1.98	-	39.30	8.62	31.89
PK	17.46282G	63.13	68.20	-5.07	40.67	3	Horizontal	96	1.51	-	43.60	11.30	32.44

5.15-5.25GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX

5190MHz_TX




EUT_Z_2TX
Setting 70
02-E-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1372G	66.47	74.00	-7.53	58.27	3	Vertical	216	2.81	-	33.57	5.30	30.67
AV	5.15G	52.80	54.00	-1.20	44.56	3	Vertical	216	2.81	-	33.60	5.32	30.68
PK	5.2072G	110.94	Inf	-Inf	102.50	3	Vertical	216	2.81	-	33.80	5.37	30.73
AV	5.1896G	98.76	Inf	-Inf	90.35	3	Vertical	216	2.81	-	33.76	5.36	30.71

5.15-5.25GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX

5190MHz_TX




EUT_Z_2TX
Setting 70
02-E-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1484G	67.80	74.00	-6.20	59.57	3	Horizontal	135	1.02	-	33.60	5.31	30.68
AV	5.1496G	52.75	54.00	-1.25	44.52	3	Horizontal	135	1.02	-	33.60	5.31	30.68
PK	5.192G	108.66	Inf	-Inf	100.24	3	Horizontal	135	1.02	-	33.77	5.36	30.71
AV	5.1896G	98.10	Inf	-Inf	89.69	3	Horizontal	135	1.02	-	33.76	5.36	30.71

5.15-5.25GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX

5190MHz_TX




EUT_Y_2TX
Setting 70
02-E-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.3875G	53.46	68.20	-14.74	38.64	3	Vertical	227	1.40	-	38.42	8.19	31.79
PK	15.5584G	59.79	74.00	-14.21	43.81	3	Vertical	274	2.72	-	37.79	10.14	31.95
AV	15.561G	47.14	54.00	-6.86	31.16	3	Vertical	274	2.72	-	37.78	10.15	31.95

5.15-5.25GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX

5190MHz_TX




EUT_Y_2TX
Setting 70
02-E-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.36722G	53.99	68.20	-14.21	39.12	3	Horizontal	260	1.68	-	38.47	8.18	31.78
PK	15.55596G	59.13	74.00	-14.87	43.15	3	Horizontal	117	1.15	-	37.79	10.14	31.95
AV	15.5697G	47.03	54.00	-6.97	31.08	3	Horizontal	117	1.15	-	37.76	10.15	31.96

5.15-5.25GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX

5230MHz_TX




EUT_Z_2TX
Setting 72
02-E-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1488G	61.37	74.00	-12.63	53.14	3	Vertical	180	2.33	-	33.60	5.31	30.68
AV	5.1496G	49.76	54.00	-4.24	41.53	3	Vertical	180	2.33	-	33.60	5.31	30.68
PK	5.2312G	111.86	Inf	-Inf	103.42	3	Vertical	180	2.33	-	33.80	5.38	30.74
AV	5.2308G	100.04	Inf	-Inf	91.60	3	Vertical	180	2.33	-	33.80	5.38	30.74

5.15-5.25GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX

5230MHz_TX




EUT_Z_2TX
Setting 72
02-E-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.148G	65.03	74.00	-8.97	56.80	3	Horizontal	181	2.96	-	33.60	5.31	30.68
AV	5.148G	52.85	54.00	-1.15	44.62	3	Horizontal	181	2.96	-	33.60	5.31	30.68
PK	5.2308G	111.06	Inf	-Inf	102.62	3	Horizontal	181	2.96	-	33.80	5.38	30.74
AV	5.2304G	99.92	Inf	-Inf	91.48	3	Horizontal	181	2.96	-	33.80	5.38	30.74

5.15-5.25GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX

5230MHz_TX




EUT_Y_2TX
Setting 72
02-E-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.46918G	53.38	68.20	-14.82	38.56	3	Vertical	359	1.00	-	38.40	8.22	31.80
PK	15.702G	58.68	74.00	-15.32	42.67	3	Vertical	178	2.90	-	37.79	10.19	31.97
AV	15.67746G	45.89	54.00	-8.11	29.92	3	Vertical	178	2.90	-	37.75	10.18	31.96

5.15-5.25GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX

5230MHz_TX




EUT_Y_2TX
Setting 72
02-E-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.46516G	49.94	68.20	-18.26	38.33	3	Horizontal	215	1.68	-	38.40	8.22	35.01
PK	15.69048G	56.65	74.00	-17.35	42.12	3	Horizontal	223	2.53	-	37.78	10.19	33.44
AV	15.69504G	44.31	54.00	-9.69	29.77	3	Horizontal	223	2.53	-	37.79	10.19	33.44

5.25-5.35GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX

5270MHz_TX




EUT_Z_2TX
Setting 70
02-E-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.2684G	111.13	Inf	-Inf	102.68	3	Vertical	188	2.44	-	33.84	5.38	30.77
AV	5.2712G	99.29	Inf	-Inf	90.85	3	Vertical	188	2.44	-	33.84	5.38	30.78
PK	5.3568G	60.74	74.00	-13.26	52.19	3	Vertical	188	2.44	-	34.00	5.40	30.85
AV	5.3508G	49.54	54.00	-4.46	40.98	3	Vertical	188	2.44	-	34.00	5.40	30.84

5.25-5.35GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX

5270MHz_TX




EUT_Z_2TX
Setting 70
02-E-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.2752G	111.76	Inf	-Inf	103.30	3	Horizontal	184	2.95	-	33.85	5.39	30.78
AV	5.2708G	101.29	Inf	-Inf	92.85	3	Horizontal	184	2.95	-	33.84	5.38	30.78
PK	5.3524G	63.53	74.00	-10.47	54.97	3	Horizontal	184	2.95	-	34.00	5.40	30.84
AV	5.3508G	50.43	54.00	-3.57	41.87	3	Horizontal	184	2.95	-	34.00	5.40	30.84

5.25-5.35GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX

5270MHz_TX




EUT_Y_2TX
Setting 70
02-E-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.55416G	53.18	68.20	-15.02	38.36	3	Vertical	135	1.00	-	38.40	8.25	31.83
PK	15.80604G	57.28	74.00	-16.72	41.64	3	Vertical	166	2.84	-	37.39	10.22	31.97
AV	15.80682G	45.02	54.00	-8.98	29.38	3	Vertical	166	2.84	-	37.39	10.22	31.97

5.25-5.35GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX

5270MHz_TX




EUT_Y_2TX
Setting 70
02-E-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.55026G	53.18	68.20	-15.02	38.36	3	Horizontal	134	1.87	-	38.40	8.25	31.83
PK	15.8148G	56.69	74.00	-17.31	41.08	3	Horizontal	256	2.75	-	37.37	10.22	31.98
AV	15.81264G	45.08	54.00	-8.92	29.47	3	Horizontal	256	2.75	-	37.37	10.22	31.98

5.25-5.35GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX

5310MHz_TX




EUT_Z_2TX
Setting 63
02-E-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3044G	111.56	Inf	-Inf	103.06	3	Vertical	209	2.61	-	33.91	5.39	30.80
AV	5.3096G	100.36	Inf	-Inf	91.86	3	Vertical	209	2.61	-	33.92	5.39	30.81
PK	5.35G	65.79	74.00	-8.21	57.23	3	Vertical	209	2.61	-	34.00	5.40	30.84
AV	5.35G	52.79	54.00	-1.21	44.23	3	Vertical	209	2.61	-	34.00	5.40	30.84

5.25-5.35GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX

5310MHz_TX




EUT_Z_2TX
 Setting 63
 02-E-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3108G	109.19	Inf	-Inf	100.69	3	Horizontal	144	2.70	-	33.92	5.39	30.81
AV	5.3108G	97.78	Inf	-Inf	89.28	3	Horizontal	144	2.70	-	33.92	5.39	30.81
PK	5.3532G	61.83	74.00	-12.17	53.27	3	Horizontal	144	2.70	-	34.00	5.40	30.84
AV	5.3508G	50.40	54.00	-3.60	41.84	3	Horizontal	144	2.70	-	34.00	5.40	30.84

5.25-5.35GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX

5310MHz_TX




EUT_Y_2TX
Setting 63
02-E-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.62114G	53.29	74.00	-20.71	38.47	3	Vertical	193	1.63	-	38.40	8.27	31.85
AV	10.62108G	41.35	54.00	-12.65	26.53	3	Vertical	193	1.63	-	38.40	8.27	31.85
PK	15.93084G	58.84	74.00	-15.16	43.20	3	Vertical	301	1.49	-	37.36	10.26	31.98
AV	15.93972G	47.06	54.00	-6.94	31.41	3	Vertical	301	1.49	-	37.38	10.26	31.99

5.25-5.35GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX

5310MHz_TX




EUT_Y_2TX
Setting 63
02-E-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.60734G	53.83	74.00	-20.17	39.01	3	Horizontal	163	2.13	-	38.40	8.27	31.85
AV	10.62942G	41.57	54.00	-12.43	26.76	3	Horizontal	163	2.13	-	38.40	8.27	31.86
PK	15.93138G	59.12	74.00	-14.88	43.48	3	Horizontal	272	1.45	-	37.36	10.26	31.98
AV	15.93714G	47.26	54.00	-6.74	31.61	3	Horizontal	272	1.45	-	37.37	10.26	31.98

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5510MHz_TX




EUT_Z_2TX
Setting 67
02-E-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4572G	63.87	74.00	-10.13	55.24	3	Vertical	198	2.36	-	34.10	5.46	30.93
AV	5.4596G	51.12	54.00	-2.88	42.49	3	Vertical	198	2.36	-	34.10	5.46	30.93
PK	5.4692G	66.98	68.20	-1.22	58.35	3	Vertical	198	2.36	-	34.10	5.47	30.94
PK	5.512G	112.47	Inf	-Inf	103.84	3	Vertical	198	2.36	-	34.10	5.50	30.97
AV	5.5092G	99.90	Inf	-Inf	91.26	3	Vertical	198	2.36	-	34.10	5.50	30.96

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5510MHz_TX




EUT_Z_2TX
Setting 67
02-E-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4592G	62.72	74.00	-11.28	54.09	3	Horizontal	158	2.71	-	34.10	5.46	30.93
AV	5.4596G	51.40	54.00	-2.60	42.77	3	Horizontal	158	2.71	-	34.10	5.46	30.93
PK	5.47G	66.98	68.20	-1.22	58.35	3	Horizontal	158	2.71	-	34.10	5.47	30.94
PK	5.5092G	111.19	Inf	-Inf	102.55	3	Horizontal	158	2.71	-	34.10	5.50	30.96
AV	5.5096G	99.58	Inf	-Inf	90.94	3	Horizontal	158	2.71	-	34.10	5.50	30.96

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5510MHz_TX




EUT_Y_2TX
Setting 67
02-E-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.01364G	53.22	74.00	-20.78	38.31	3	Vertical	302	1.94	-	38.50	8.40	31.99
AV	11.02402G	41.11	54.00	-12.89	26.20	3	Vertical	302	1.94	-	38.50	8.41	32.00
PK	16.53288G	62.02	68.20	-6.18	44.74	3	Vertical	107	2.60	-	38.97	10.65	32.34

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5510MHz_TX




EUT_Y_2TX
Setting 67
02-E-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.01988G	53.55	74.00	-20.45	38.64	3	Horizontal	107	1.76	-	38.50	8.41	32.00
AV	11.03356G	41.24	54.00	-12.76	26.33	3	Horizontal	107	1.76	-	38.50	8.41	32.00
PK	16.51842G	61.57	68.20	-6.63	44.33	3	Horizontal	327	2.73	-	38.94	10.64	32.34

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5550MHz_TX




EUT_Z_2TX
 Setting 75
 02-E-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.457G	64.56	74.00	-9.44	55.93	3	Vertical	202	2.91	-	34.10	5.46	30.93
AV	5.4582G	52.99	54.00	-1.01	44.36	3	Vertical	202	2.91	-	34.10	5.46	30.93
PK	5.4696G	66.70	68.20	-1.50	58.07	3	Vertical	202	2.91	-	34.10	5.47	30.94
PK	5.5524G	112.87	Inf	-Inf	104.22	3	Vertical	202	2.91	-	34.10	5.53	30.98
AV	5.5494G	101.70	Inf	-Inf	93.05	3	Vertical	202	2.91	-	34.10	5.53	30.98

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5550MHz_TX




EUT_Z_2TX
Setting 75
02-E-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4588G	64.41	74.00	-9.59	55.78	3	Horizontal	142	2.41	-	34.10	5.46	30.93
AV	5.46G	52.14	54.00	-1.86	43.51	3	Horizontal	142	2.41	-	34.10	5.46	30.93
PK	5.4678G	64.83	68.20	-3.37	56.20	3	Horizontal	142	2.41	-	34.10	5.46	30.93
PK	5.5506G	109.57	Inf	-Inf	100.92	3	Horizontal	142	2.41	-	34.10	5.53	30.98
AV	5.5506G	98.33	Inf	-Inf	89.68	3	Horizontal	142	2.41	-	34.10	5.53	30.98

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5550MHz_TX




EUT_Y_2TX
Setting 75
02-E-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.10396G	53.47	74.00	-20.53	38.46	3	Vertical	25	2.56	-	38.60	8.44	32.03
AV	11.1105G	41.25	54.00	-12.75	26.24	3	Vertical	25	2.56	-	38.60	8.44	32.03
PK	16.64136G	60.85	68.20	-7.35	43.04	3	Vertical	301	2.22	-	39.37	10.73	32.29

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5550MHz_TX




EUT_Y_2TX
Setting 75
02-E-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.09796G	53.93	74.00	-20.07	38.92	3	Horizontal	292	2.79	-	38.60	8.43	32.02
AV	11.09922G	41.84	54.00	-12.16	26.83	3	Horizontal	292	2.79	-	38.60	8.43	32.02
PK	16.63704G	60.83	68.20	-7.37	43.05	3	Horizontal	166	1.80	-	39.35	10.72	32.29

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5670MHz_TX




EUT_Z_2TX
Setting 73
02-E-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6718G	112.27	Inf	-Inf	103.78	3	Vertical	208	2.93	-	33.94	5.59	31.04
AV	5.6694G	100.97	Inf	-Inf	92.48	3	Vertical	208	2.93	-	33.94	5.59	31.04
PK	5.7252G	65.14	68.20	-3.06	56.59	3	Vertical	208	2.93	-	34.00	5.61	31.06

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5670MHz_TX




EUT_Z_2TX
Setting 73
02-E-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6712G	111.25	Inf	-Inf	102.76	3	Horizontal	149	2.57	-	33.94	5.59	31.04
AV	5.6712G	100.91	Inf	-Inf	92.42	3	Horizontal	149	2.57	-	33.94	5.59	31.04
PK	5.727G	66.98	68.20	-1.22	58.43	3	Horizontal	149	2.57	-	34.00	5.61	31.06

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5670MHz_TX




EUT_Y_2TX
Setting 73
02-E-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.33088G	54.23	74.00	-19.77	39.22	3	Vertical	8	1.16	-	38.60	8.51	32.10
AV	11.33604G	41.74	54.00	-12.26	26.73	3	Vertical	8	1.16	-	38.60	8.51	32.10
PK	17.02362G	63.10	68.20	-5.10	43.17	3	Vertical	113	1.51	-	41.09	10.99	32.15

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5670MHz_TX




EUT_Y_2TX
Setting 73
02-E-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.32698G	53.38	74.00	-20.62	38.37	3	Horizontal	209	1.28	-	38.60	8.51	32.10
AV	11.33238G	41.37	54.00	-12.63	26.36	3	Horizontal	209	1.28	-	38.60	8.51	32.10
PK	17.02032G	62.93	68.20	-5.27	43.00	3	Horizontal	249	2.11	-	41.08	10.99	32.14

5.725-5.85GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5755MHz_TX




23/12/2023

EUT_Z_2TX
Setting 78
02-E-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.645G	66.80	68.20	-1.40	58.34	3	Vertical	202	3.00	-	33.91	5.58	31.03
PK	5.757G	112.88	Inf	-Inf	104.34	3	Vertical	202	3.00	-	34.00	5.62	31.08
AV	5.755G	102.41	Inf	-Inf	93.87	3	Vertical	202	3.00	-	34.00	5.62	31.08
PK	5.96G	60.99	68.20	-7.21	52.05	3	Vertical	202	3.00	-	34.30	5.81	31.17

5.725-5.85GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5755MHz_TX




23/12/2023

EUT_Z_2TX
Setting 78
02-E-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.649G	65.82	68.20	-2.38	57.37	3	Horizontal	155	2.75	-	33.90	5.58	31.03
PK	5.754G	113.96	Inf	-Inf	105.42	3	Horizontal	155	2.75	-	34.00	5.62	31.08
AV	5.754G	102.68	Inf	-Inf	94.14	3	Horizontal	155	2.75	-	34.00	5.62	31.08
PK	5.99G	60.81	68.20	-7.39	51.86	3	Horizontal	155	2.75	-	34.30	5.84	31.19

5.725-5.85GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5755MHz_TX




EUT_Y_2TX
Setting 78
02-E-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.5097G	54.25	74.00	-19.75	38.88	3	Vertical	93	2.46	-	38.94	8.57	32.14
AV	11.52026G	41.86	54.00	-12.14	26.42	3	Vertical	93	2.46	-	38.98	8.58	32.12
PK	17.26212G	62.51	68.20	-5.69	41.59	3	Vertical	125	1.54	-	42.07	11.16	32.31

5.725-5.85GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5755MHz_TX




EUT_Y_2TX
Setting 78
02-E-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.49518G	53.59	74.00	-20.41	38.29	3	Horizontal	150	2.58	-	38.89	8.57	32.16
AV	11.50328G	42.03	54.00	-11.97	26.70	3	Horizontal	150	2.58	-	38.91	8.57	32.15
PK	17.26476G	61.71	68.20	-6.49	40.77	3	Horizontal	253	1.76	-	42.09	11.16	32.31

5.725-5.85GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5795MHz_TX




EUT_Z_2TX
Setting 82
02-E-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.644G	64.55	68.20	-3.65	56.09	3	Vertical	201	2.60	-	33.91	5.58	31.03
PK	5.794G	113.68	Inf	-Inf	105.15	3	Vertical	201	2.60	-	34.00	5.63	31.10
AV	5.795G	102.92	Inf	-Inf	94.39	3	Vertical	201	2.60	-	34.00	5.63	31.10
PK	5.928G	64.92	68.20	-3.28	56.05	3	Vertical	201	2.60	-	34.26	5.77	31.16

5.725-5.85GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5795MHz_TX




EUT_Z_2TX
Setting 82
02-E-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.641G	63.22	68.20	-4.98	54.74	3	Horizontal	150	2.71	-	33.92	5.58	31.02
PK	5.794G	114.83	Inf	-Inf	106.30	3	Horizontal	150	2.71	-	34.00	5.63	31.10
AV	5.796G	103.26	Inf	-Inf	94.73	3	Horizontal	150	2.71	-	34.00	5.63	31.10
PK	5.927G	67.00	68.20	-1.20	58.14	3	Horizontal	150	2.71	-	34.25	5.77	31.16

5.725-5.85GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5795MHz_TX




EUT_Y_2TX
Setting 82
02-E-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.60074G	54.77	74.00	-19.23	38.85	3	Vertical	8	1.52	-	39.30	8.60	31.98
AV	11.58586G	43.26	54.00	-10.74	27.43	3	Vertical	8	1.52	-	39.24	8.60	32.01
PK	17.37666G	62.70	68.20	-5.50	40.89	3	Vertical	238	1.32	-	42.96	11.24	32.39

5.725-5.85GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5795MHz_TX




EUT_Y_2TX
Setting 82
02-E-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.6047G	54.75	74.00	-19.25	38.82	3	Horizontal	320	2.00	-	39.30	8.61	31.98
AV	11.57536G	42.67	54.00	-11.33	26.90	3	Horizontal	320	2.00	-	39.20	8.60	32.03
PK	17.37366G	60.52	68.20	-7.68	38.73	3	Horizontal	281	2.18	-	42.94	11.23	32.38

5.15-5.25GHz_802.11ax_HEW80_Nss1,(MCS0)_2TX

5210MHz_TX




EUT_Z_2TX
 Setting 63
 02-E-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.146G	60.98	74.00	-13.02	52.76	3	Vertical	268	2.44	-	33.59	5.31	30.68
AV	5.144G	51.01	54.00	-2.99	42.79	3	Vertical	268	2.44	-	33.59	5.31	30.68
PK	5.207G	103.60	Inf	-Inf	95.16	3	Vertical	268	2.44	-	33.80	5.37	30.73
AV	5.212G	93.63	Inf	-Inf	85.19	3	Vertical	268	2.44	-	33.80	5.37	30.73
PK	5.423G	59.32	74.00	-14.68	50.74	3	Vertical	268	2.44	-	34.05	5.43	30.90
AV	5.419G	49.18	54.00	-4.82	40.61	3	Vertical	268	2.44	-	34.04	5.43	30.90

5.15-5.25GHz_802.11ax_HEW80_Nss1,(MCS0)_2TX

5210MHz_TX




EUT_Z_2TX
Setting 63
02-E-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.142G	63.62	74.00	-10.38	55.40	3	Horizontal	355	2.39	-	33.58	5.31	30.67
AV	5.145G	52.51	54.00	-1.49	44.29	3	Horizontal	355	2.39	-	33.59	5.31	30.68
PK	5.217G	104.43	Inf	-Inf	95.99	3	Horizontal	355	2.39	-	33.80	5.37	30.73
AV	5.212G	94.53	Inf	-Inf	86.09	3	Horizontal	355	2.39	-	33.80	5.37	30.73
PK	5.387G	59.56	74.00	-14.44	51.02	3	Horizontal	355	2.39	-	34.00	5.41	30.87
AV	5.389G	49.44	54.00	-4.56	40.90	3	Horizontal	355	2.39	-	34.00	5.41	30.87

5.15-5.25GHz_802.11ax_HEW80_Nss1,(MCS0)_2TX

5210MHz_TX




EUT_Y_2TX
Setting 63
02-E-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.41838G	53.36	68.20	-14.84	38.55	3	Vertical	54	1.69	-	38.40	8.20	31.79
PK	15.61608G	58.61	74.00	-15.39	42.71	3	Vertical	334	2.76	-	37.70	10.16	31.96
AV	15.61974G	48.14	54.00	-5.86	32.24	3	Vertical	334	2.76	-	37.70	10.16	31.96

5.15-5.25GHz_802.11ax_HEW80_Nss1,(MCS0)_2TX

5210MHz_TX




EUT_Y_2TX
Setting 63
02-E-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.42402G	53.52	68.20	-14.68	38.71	3	Horizontal	358	1.40	-	38.40	8.20	31.79
PK	15.62202G	59.55	74.00	-14.45	43.65	3	Horizontal	108	1.22	-	37.70	10.16	31.96
AV	15.62448G	47.74	54.00	-6.26	31.83	3	Horizontal	108	1.22	-	37.70	10.17	31.96

5.25-5.35GHz_802.11ax_HEW80_Nss1,(MCS0)_2TX

5290MHz_TX




EUT_Z_2TX
Setting 69
02-E-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.148G	60.14	74.00	-13.86	51.91	3	Vertical	263	2.62	-	33.60	5.31	30.68
AV	5.132G	50.05	54.00	-3.95	41.86	3	Vertical	263	2.62	-	33.56	5.30	30.67
PK	5.292G	103.87	Inf	-Inf	95.39	3	Vertical	263	2.62	-	33.88	5.39	30.79
AV	5.292G	94.96	Inf	-Inf	86.48	3	Vertical	263	2.62	-	33.88	5.39	30.79
PK	5.351G	62.05	74.00	-11.95	53.49	3	Vertical	263	2.62	-	34.00	5.40	30.84
AV	5.351G	50.38	54.00	-3.62	41.82	3	Vertical	263	2.62	-	34.00	5.40	30.84
PK	5.473G	59.21	68.20	-8.99	50.58	3	Vertical	263	2.62	-	34.10	5.47	30.94

5.25-5.35GHz_802.11ax_HEW80_Nss1,(MCS0)_2TX

5290MHz_TX




25/12/2023

EUT_Z_2TX
Setting 69
02-E-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.148G	59.56	74.00	-14.44	51.33	3	Horizontal	349	2.56	-	33.60	5.31	30.68
AV	5.148G	49.31	54.00	-4.69	41.08	3	Horizontal	349	2.56	-	33.60	5.31	30.68
PK	5.28G	105.54	Inf	-Inf	97.07	3	Horizontal	349	2.56	-	33.86	5.39	30.78
AV	5.292G	95.80	Inf	-Inf	87.32	3	Horizontal	349	2.56	-	33.88	5.39	30.79
PK	5.36G	65.47	74.00	-8.53	56.92	3	Horizontal	349	2.56	-	34.00	5.40	30.85
AV	5.353G	52.70	54.00	-1.30	44.14	3	Horizontal	349	2.56	-	34.00	5.40	30.84
PK	5.495G	60.25	68.20	-7.95	51.62	3	Horizontal	349	2.56	-	34.10	5.49	30.96

5.25-5.35GHz_802.11ax_HEW80_Nss1,(MCS0)_2TX

5290MHz_TX




EUT_Y_2TX
Setting 69
02-E-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.58234G	53.34	68.20	-14.86	38.52	3	Vertical	199	1.99	-	38.40	8.26	31.84
PK	15.87168G	57.46	74.00	-16.54	41.90	3	Vertical	159	1.00	-	37.30	10.24	31.98
AV	15.8811G	48.79	54.00	-5.21	33.23	3	Vertical	159	1.00	-	37.30	10.24	31.98

5.25-5.35GHz_802.11ax_HEW80_Nss1,(MCS0)_2TX

5290MHz_TX




EUT_Y_2TX
Setting 69
02-E-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.58678G	53.85	68.20	-14.35	39.03	3	Horizontal	281	1.99	-	38.40	8.26	31.84
PK	15.8628G	57.68	74.00	-16.32	42.12	3	Horizontal	78	1.60	-	37.30	10.24	31.98
AV	15.8772G	48.65	54.00	-5.35	33.09	3	Horizontal	78	1.60	-	37.30	10.24	31.98

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5530MHz_TX




EUT_Z_2TX
Setting 69
02-E-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.286G	58.68	68.20	-9.52	50.21	3	Vertical	256	2.56	-	33.87	5.39	30.79
PK	5.437G	63.04	74.00	-10.96	54.44	3	Vertical	256	2.56	-	34.07	5.44	30.91
PK	5.465G	62.31	68.20	-5.89	53.68	3	Vertical	256	2.56	-	34.10	5.46	30.93
AV	5.459G	52.99	54.00	-1.01	44.36	3	Vertical	256	2.56	-	34.10	5.46	30.93
PK	5.532G	107.21	Inf	-Inf	98.56	3	Vertical	256	2.56	-	34.10	5.52	30.97
AV	5.532G	96.93	Inf	-Inf	88.28	3	Vertical	256	2.56	-	34.10	5.52	30.97
PK	5.732G	58.93	68.20	-9.27	50.39	3	Vertical	256	2.56	-	34.00	5.61	31.07

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5530MHz_TX




EUT_Z_2TX
Setting 69
02-E-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.342G	59.79	68.20	-8.41	51.24	3	Horizontal	1	2.50	-	33.98	5.40	30.83
PK	5.453G	63.11	74.00	-10.89	54.48	3	Horizontal	1	2.50	-	34.10	5.45	30.92
AV	5.454G	51.90	54.00	-2.10	43.27	3	Horizontal	1	2.50	-	34.10	5.45	30.92
PK	5.469G	64.95	68.20	-3.25	56.32	3	Horizontal	1	2.50	-	34.10	5.47	30.94
PK	5.532G	106.40	Inf	-Inf	97.75	3	Horizontal	1	2.50	-	34.10	5.52	30.97
AV	5.532G	95.70	Inf	-Inf	87.05	3	Horizontal	1	2.50	-	34.10	5.52	30.97
PK	5.77G	58.77	68.20	-9.43	50.23	3	Horizontal	1	2.50	-	34.00	5.62	31.08

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5530MHz_TX




EUT_Y_2TX
Setting 69
02-E-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.05106G	53.71	74.00	-20.29	38.80	3	Vertical	331	1.90	-	38.50	8.42	32.01
AV	11.07416G	42.84	54.00	-11.16	27.88	3	Vertical	331	1.90	-	38.55	8.43	32.02
PK	16.59654G	61.66	68.20	-6.54	44.09	3	Vertical	5	1.06	-	39.19	10.69	32.31

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5530MHz_TX




EUT_Y_2TX
Setting 69
02-E-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.05616G	53.97	74.00	-20.03	39.05	3	Horizontal	49	1.65	-	38.51	8.42	32.01
AV	11.06438G	43.21	54.00	-10.79	28.27	3	Horizontal	49	1.65	-	38.53	8.42	32.01
PK	16.57926G	61.82	68.20	-6.38	44.34	3	Horizontal	265	1.17	-	39.12	10.68	32.32

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5610MHz_TX




EUT_Z_2TX
 Setting 76
 02-E-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.444G	61.92	74.00	-12.08	53.30	3	Vertical	260	2.62	-	34.09	5.45	30.92
AV	5.455G	51.22	54.00	-2.78	42.59	3	Vertical	260	2.62	-	34.10	5.45	30.92
PK	5.467G	61.01	68.20	-7.19	52.38	3	Vertical	260	2.62	-	34.10	5.46	30.93
PK	5.612G	106.25	Inf	-Inf	97.71	3	Vertical	260	2.62	-	33.98	5.57	31.01
AV	5.612G	95.90	Inf	-Inf	87.36	3	Vertical	260	2.62	-	33.98	5.57	31.01
PK	5.732G	61.30	68.20	-6.90	52.76	3	Vertical	260	2.62	-	34.00	5.61	31.07

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5610MHz_TX




EUT_Z_2TX
 Setting 76
 02-E-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.46G	63.86	74.00	-10.14	55.23	3	Horizontal	163	2.60	-	34.10	5.46	30.93
AV	5.457G	52.94	54.00	-1.06	44.31	3	Horizontal	163	2.60	-	34.10	5.46	30.93
PK	5.467G	63.26	68.20	-4.94	54.63	3	Horizontal	163	2.60	-	34.10	5.46	30.93
PK	5.608G	107.80	Inf	-Inf	99.26	3	Horizontal	163	2.60	-	33.98	5.57	31.01
AV	5.613G	98.45	Inf	-Inf	89.92	3	Horizontal	163	2.60	-	33.97	5.57	31.01
PK	5.731G	64.31	68.20	-3.89	55.77	3	Horizontal	163	2.60	-	34.00	5.61	31.07

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5610MHz_TX




EUT_Y_2TX
Setting 76
02-E-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.22222G	53.80	74.00	-20.20	38.75	3	Vertical	208	1.26	-	38.64	8.48	32.07
AV	11.2191G	42.98	54.00	-11.02	27.93	3	Vertical	208	1.26	-	38.64	8.47	32.06
PK	16.83396G	61.97	68.20	-6.23	42.91	3	Vertical	217	1.18	-	40.40	10.86	32.20

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5610MHz_TX




EUT_Y_2TX
Setting 76
02-E-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.2314G	54.60	74.00	-19.40	39.53	3	Horizontal	13	1.95	-	38.66	8.48	32.07
AV	11.23314G	43.34	54.00	-10.66	28.26	3	Horizontal	13	1.95	-	38.67	8.48	32.07
PK	16.84404G	62.02	68.20	-6.18	42.95	3	Horizontal	295	2.66	-	40.40	10.87	32.20

5.725-5.85GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5775MHz_TX




EUT_Z_2TX
Setting 78
02-E-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.617G	62.13	68.20	-6.07	53.59	3	Vertical	270	2.02	-	33.97	5.58	31.01
PK	5.772G	107.91	Inf	-Inf	99.38	3	Vertical	270	2.02	-	34.00	5.62	31.09
AV	5.777G	96.61	Inf	-Inf	88.08	3	Vertical	270	2.02	-	34.00	5.62	31.09
PK	5.933G	65.69	68.20	-2.51	56.80	3	Vertical	270	2.02	-	34.27	5.78	31.16

5.725-5.85GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5775MHz_TX




EUT_Z_2TX
Setting 78
02-E-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.644G	66.39	68.20	-1.81	57.93	3	Horizontal	163	2.38	-	33.91	5.58	31.03
PK	5.777G	110.88	Inf	-Inf	102.35	3	Horizontal	163	2.38	-	34.00	5.62	31.09
AV	5.773G	99.86	Inf	-Inf	91.33	3	Horizontal	163	2.38	-	34.00	5.62	31.09
PK	5.932G	64.72	68.20	-3.48	55.84	3	Horizontal	163	2.38	-	34.26	5.78	31.16

5.725-5.85GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5775MHz_TX




EUT_Y_2TX
Setting 78
02-E-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.55864G	54.69	74.00	-19.31	39.03	3	Vertical	309	1.44	-	39.13	8.59	32.06
AV	11.5539G	43.41	54.00	-10.59	27.77	3	Vertical	309	1.44	-	39.12	8.59	32.07
PK	17.32998G	62.16	68.20	-6.04	40.71	3	Vertical	153	2.65	-	42.60	11.20	32.35

5.725-5.85GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5775MHz_TX



EUT_Y_2TX
Setting 78
02-E-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.56134G	54.51	74.00	-19.49	38.82	3	Horizontal	58	2.68	-	39.15	8.59	32.05
AV	11.5458G	43.25	54.00	-10.75	27.66	3	Horizontal	58	2.68	-	39.08	8.59	32.08
PK	17.33112G	63.14	68.20	-5.06	41.68	3	Horizontal	42	2.94	-	42.61	11.21	32.36




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW40_Nss1,(MCS0)_1TX	Pass	PK	5.7252G	67.19	68.20	-1.01	3	Horizontal	5	2.39	-

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_1TX

5180MHz_TX




EUT_X_1TX
Setting 77
02-E-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1492G	63.13	74.00	-10.87	54.90	3	Vertical	260	1.93	-	33.60	5.31	30.68
AV	5.15G	49.69	54.00	-4.31	41.45	3	Vertical	260	1.93	-	33.60	5.32	30.68
PK	5.178G	109.52	Inf	-Inf	101.16	3	Vertical	260	1.93	-	33.71	5.35	30.70
AV	5.1786G	98.72	Inf	-Inf	90.36	3	Vertical	260	1.93	-	33.71	5.35	30.70

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_1TX

5180MHz_TX




EUT_X_1TX
Setting 77
02-E-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1496G	63.37	74.00	-10.63	55.14	3	Horizontal	358	2.22	-	33.60	5.31	30.68
AV	5.15G	49.74	54.00	-4.26	41.50	3	Horizontal	358	2.22	-	33.60	5.32	30.68
PK	5.178G	111.49	Inf	-Inf	103.13	3	Horizontal	358	2.22	-	33.71	5.35	30.70
AV	5.178G	100.91	Inf	-Inf	92.55	3	Horizontal	358	2.22	-	33.71	5.35	30.70

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_1TX

5180MHz_TX




EUTZ_1TX
Setting 77
02-E-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.3618G	51.80	68.20	-16.40	48.16	3	Vertical	245	1.96	-	38.48	8.18	43.02
PK	15.54084G	61.11	74.00	-12.89	55.69	3	Vertical	180	2.82	-	37.84	10.14	42.56
AV	15.5409G	47.23	54.00	-6.77	41.81	3	Vertical	180	2.82	-	37.84	10.14	42.56

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_1TX

5180MHz_TX




EUTZ_1TX
Setting 77
02-E-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.3585G	51.90	68.20	-16.30	48.26	3	Horizontal	339	1.80	-	38.48	8.18	43.02
PK	15.5409G	55.26	74.00	-18.74	49.84	3	Horizontal	244	1.79	-	37.84	10.14	42.56
AV	15.53946G	42.40	54.00	-11.60	36.98	3	Horizontal	244	1.79	-	37.84	10.14	42.56

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_1TX

5200MHz_TX




EUT_X_1TX
Setting 80
02-E-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	64.32	74.00	-9.68	56.08	3	Vertical	294	1.87	-	33.60	5.32	30.68
AV	5.15G	50.45	54.00	-3.55	42.21	3	Vertical	294	1.87	-	33.60	5.32	30.68
PK	5.202G	108.53	Inf	-Inf	100.08	3	Vertical	294	1.87	-	33.80	5.37	30.72
AV	5.2016G	98.20	Inf	-Inf	89.75	3	Vertical	294	1.87	-	33.80	5.37	30.72

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_1TX

5200MHz_TX




EUT_X_1TX
Setting 80
02-E-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1492G	65.68	74.00	-8.32	57.45	3	Horizontal	357	2.35	-	33.60	5.31	30.68
AV	5.1492G	52.41	54.00	-1.59	44.18	3	Horizontal	357	2.35	-	33.60	5.31	30.68
PK	5.202G	111.68	Inf	-Inf	103.23	3	Horizontal	357	2.35	-	33.80	5.37	30.72
AV	5.198G	101.19	Inf	-Inf	92.75	3	Horizontal	357	2.35	-	33.79	5.37	30.72

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_1TX

5200MHz_TX




EUTZ_1TX
Setting 80
02-E-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.40252G	53.34	68.20	-14.86	49.77	3	Vertical	236	2.33	-	38.40	8.20	43.03
PK	15.6006G	60.24	74.00	-13.76	54.87	3	Vertical	175	2.72	-	37.70	10.16	42.49
AV	15.59988G	46.86	54.00	-7.14	41.49	3	Vertical	175	2.72	-	37.70	10.16	42.49

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_1TX

5200MHz_TX




EUT_Z_1TX
Setting 80
02-E-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.4042G	52.85	68.20	-15.35	49.28	3	Horizontal	337	2.10	-	38.40	8.20	43.03
PK	15.6015G	55.17	74.00	-18.83	49.80	3	Horizontal	318	1.88	-	37.70	10.16	42.49
AV	15.60246G	42.46	54.00	-11.54	37.09	3	Horizontal	318	1.88	-	37.70	10.16	42.49

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_1TX

5240MHz_TX




EUT_X_1TX
Setting 80
02-E-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1296G	58.65	74.00	-15.35	50.46	3	Vertical	294	2.25	-	33.56	5.29	30.66
AV	5.1494G	46.80	54.00	-7.20	38.57	3	Vertical	294	2.25	-	33.60	5.31	30.68
PK	5.2418G	109.02	Inf	-Inf	100.59	3	Vertical	294	2.25	-	33.80	5.38	30.75
AV	5.2418G	98.50	Inf	-Inf	90.07	3	Vertical	294	2.25	-	33.80	5.38	30.75
PK	5.3768G	59.35	74.00	-14.65	50.80	3	Vertical	294	2.25	-	34.00	5.41	30.86
AV	5.351G	47.36	54.00	-6.64	38.80	3	Vertical	294	2.25	-	34.00	5.40	30.84

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_1TX

5240MHz_TX




EUT_X_1TX
Setting 80
02-E-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1452G	59.54	74.00	-14.46	51.32	3	Horizontal	349	2.29	-	33.59	5.31	30.68
AV	5.1464G	47.19	54.00	-6.81	38.97	3	Horizontal	349	2.29	-	33.59	5.31	30.68
PK	5.2382G	112.08	Inf	-Inf	103.65	3	Horizontal	349	2.29	-	33.80	5.38	30.75
AV	5.2412G	101.55	Inf	-Inf	93.12	3	Horizontal	349	2.29	-	33.80	5.38	30.75
PK	5.3576G	59.35	74.00	-14.65	50.80	3	Horizontal	349	2.29	-	34.00	5.40	30.85
AV	5.3672G	47.43	54.00	-6.57	38.88	3	Horizontal	349	2.29	-	34.00	5.40	30.85

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_1TX

5240MHz_TX




EUTZ_1TX
Setting 80
02-E-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.47436G	50.85	68.20	-17.35	47.27	3	Vertical	247	2.19	-	38.40	8.22	43.04
PK	15.7188G	57.99	74.00	-16.01	52.44	3	Vertical	172	2.68	-	37.72	10.19	42.36
AV	15.72354G	44.60	54.00	-9.40	39.04	3	Vertical	172	2.68	-	37.71	10.20	42.35

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_1TX

5240MHz_TX




EUT_Z_1TX
Setting 80
02-E-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.477G	50.16	68.20	-18.04	46.58	3	Horizontal	166	2.94	-	38.40	8.22	43.04
PK	15.72864G	54.52	74.00	-19.48	48.97	3	Horizontal	317	1.94	-	37.69	10.20	42.34
AV	15.72516G	41.24	54.00	-12.76	35.69	3	Horizontal	317	1.94	-	37.70	10.20	42.35

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX

5260MHz_TX




EUT_X_1TX
Setting 80
02-E-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1328G	59.52	74.00	-14.48	51.32	3	Vertical	292	1.95	-	33.57	5.30	30.67
AV	5.149G	46.47	54.00	-7.53	38.24	3	Vertical	292	1.95	-	33.60	5.31	30.68
PK	5.2582G	108.49	Inf	-Inf	100.06	3	Vertical	292	1.95	-	33.82	5.38	30.77
AV	5.2618G	98.20	Inf	-Inf	89.77	3	Vertical	292	1.95	-	33.82	5.38	30.77
PK	5.3716G	59.21	74.00	-14.79	50.67	3	Vertical	292	1.95	-	34.00	5.40	30.86
AV	5.3782G	47.22	54.00	-6.78	38.67	3	Vertical	292	1.95	-	34.00	5.41	30.86

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX

5260MHz_TX




EUT_X_1TX
Setting 80
02-E-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1406G	59.32	74.00	-14.68	51.11	3	Horizontal	356	2.42	-	33.58	5.30	30.67
AV	5.1388G	46.55	54.00	-7.45	38.34	3	Horizontal	356	2.42	-	33.58	5.30	30.67
PK	5.2582G	112.32	Inf	-Inf	103.89	3	Horizontal	356	2.42	-	33.82	5.38	30.77
AV	5.2582G	101.75	Inf	-Inf	93.32	3	Horizontal	356	2.42	-	33.82	5.38	30.77
PK	5.3638G	60.60	74.00	-13.40	52.05	3	Horizontal	356	2.42	-	34.00	5.40	30.85
AV	5.3698G	47.30	54.00	-6.70	38.76	3	Horizontal	356	2.42	-	34.00	5.40	30.86

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX

5260MHz_TX




EUT_Z_1TX
Setting 80
02-E-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.51772G	51.02	68.20	-17.18	47.42	3	Vertical	244	1.86	-	38.40	8.24	43.04
PK	15.78066G	55.78	74.00	-18.22	50.37	3	Vertical	169	2.70	-	37.48	10.21	42.28
AV	15.7827G	41.98	54.00	-12.02	36.58	3	Vertical	169	2.70	-	37.47	10.21	42.28

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX

5260MHz_TX




EUTZ_1TX
Setting 80
02-E-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.51946G	51.14	68.20	-17.06	47.54	3	Horizontal	348	2.03	-	38.40	8.24	43.04
PK	15.7719G	53.61	74.00	-20.39	48.18	3	Horizontal	319	1.90	-	37.51	10.21	42.29
AV	15.7785G	40.38	54.00	-13.62	34.97	3	Horizontal	319	1.90	-	37.49	10.21	42.29

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX

5300MHz_TX




EUT_X_1TX
Setting 80
02-E-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.298G	108.58	Inf	-Inf	100.09	3	Vertical	257	1.96	-	33.90	5.39	30.80
AV	5.3016G	98.57	Inf	-Inf	90.08	3	Vertical	257	1.96	-	33.90	5.39	30.80
PK	5.3636G	59.66	74.00	-14.34	51.11	3	Vertical	257	1.96	-	34.00	5.40	30.85
AV	5.3512G	47.59	54.00	-6.41	39.03	3	Vertical	257	1.96	-	34.00	5.40	30.84

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX

5300MHz_TX




EUT_X_1TX
Setting 80
02-E-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.302G	112.33	Inf	-Inf	103.84	3	Horizontal	355	2.16	-	33.90	5.39	30.80
AV	5.302G	101.75	Inf	-Inf	93.26	3	Horizontal	355	2.16	-	33.90	5.39	30.80
PK	5.3508G	61.00	74.00	-13.00	52.44	3	Horizontal	355	2.16	-	34.00	5.40	30.84
AV	5.3528G	48.29	54.00	-5.71	39.73	3	Horizontal	355	2.16	-	34.00	5.40	30.84

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX

5300MHz_TX




EUTZ_1TX
Setting 80
02-E-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.59142G	50.18	68.20	-18.02	46.57	3	Vertical	30	1.80	-	38.40	8.26	43.05
PK	15.90066G	54.20	74.00	-19.80	48.80	3	Vertical	178	1.80	-	37.30	10.25	42.15
AV	15.90042G	40.50	54.00	-13.50	35.10	3	Vertical	178	1.80	-	37.30	10.25	42.15

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX

5300MHz_TX




EUTZ_1TX
Setting 80
02-E-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (*)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.59358G	49.94	68.20	-18.26	46.33	3	Horizontal	121	1.56	-	38.40	8.26	43.05
PK	15.8892G	51.34	74.00	-22.66	45.95	3	Horizontal	225	2.04	-	37.30	10.25	42.16
AV	15.91302G	38.82	54.00	-15.18	33.37	3	Horizontal	225	2.04	-	37.33	10.25	42.13

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX

5320MHz_TX




EUT_X_1TX
Setting 79
02-E-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.322G	109.32	Inf	-Inf	100.81	3	Vertical	93	2.24	-	33.94	5.39	30.82
AV	5.3186G	99.21	Inf	-Inf	90.69	3	Vertical	93	2.24	-	33.94	5.39	30.81
PK	5.35G	66.65	74.00	-7.35	58.09	3	Vertical	93	2.24	-	34.00	5.40	30.84
AV	5.3502G	50.62	54.00	-3.38	42.06	3	Vertical	93	2.24	-	34.00	5.40	30.84

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX

5320MHz_TX




EUT_X_1TX
Setting 79
02-E-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3218G	111.18	Inf	-Inf	102.67	3	Horizontal	237	2.09	-	33.94	5.39	30.82
AV	5.3218G	100.75	Inf	-Inf	92.24	3	Horizontal	237	2.09	-	33.94	5.39	30.82
PK	5.3502G	65.86	74.00	-8.14	57.30	3	Horizontal	237	2.09	-	34.00	5.40	30.84
AV	5.3502G	51.94	54.00	-2.06	43.38	3	Horizontal	237	2.09	-	34.00	5.40	30.84

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX

5320MHz_TX




EUTZ_1TX
Setting 79
02-E-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.63022G	50.61	74.00	-23.39	47.00	3	Vertical	241	1.81	-	38.40	8.27	43.06
AV	10.64396G	37.39	54.00	-16.61	33.77	3	Vertical	241	1.81	-	38.40	8.28	43.06
PK	15.96246G	55.09	74.00	-18.91	49.44	3	Vertical	177	1.82	-	37.45	10.27	42.07
AV	15.9546G	41.20	54.00	-12.80	35.59	3	Vertical	177	1.82	-	37.42	10.27	42.08

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX

5320MHz_TX




EUTZ_1TX
Setting 79
02-E-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.64138G	50.28	74.00	-23.72	46.66	3	Horizontal	199	2.31	-	38.40	8.28	43.06
AV	10.64258G	37.68	54.00	-16.32	34.06	3	Horizontal	199	2.31	-	38.40	8.28	43.06
PK	15.97086G	53.00	74.00	-21.00	47.31	3	Horizontal	253	1.28	-	37.48	10.27	42.06
AV	15.95982G	40.65	54.00	-13.35	35.02	3	Horizontal	253	1.28	-	37.44	10.27	42.08

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX

5500MHz_TX




EUT_X_1TX
 Setting 80
 02-E-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4548G	60.19	74.00	-13.81	51.56	3	Vertical	287	2.01	-	34.10	5.45	30.92
AV	5.4588G	48.04	54.00	-5.96	39.41	3	Vertical	287	2.01	-	34.10	5.46	30.93
PK	5.4674G	61.65	68.20	-6.55	53.02	3	Vertical	287	2.01	-	34.10	5.46	30.93
PK	5.4978G	108.79	Inf	-Inf	100.16	3	Vertical	287	2.01	-	34.10	5.49	30.96
AV	5.5016G	98.08	Inf	-Inf	89.45	3	Vertical	287	2.01	-	34.10	5.49	30.96

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX

5500MHz_TX




EUT_X_1TX
Setting 80
02-E-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4562G	61.68	74.00	-12.32	53.05	3	Horizontal	348	2.47	-	34.10	5.45	30.92
AV	5.4586G	49.19	54.00	-4.81	40.56	3	Horizontal	348	2.47	-	34.10	5.46	30.93
PK	5.468G	64.30	68.20	-3.90	55.67	3	Horizontal	348	2.47	-	34.10	5.46	30.93
PK	5.498G	112.76	Inf	-Inf	104.13	3	Horizontal	348	2.47	-	34.10	5.49	30.96
AV	5.498G	101.95	Inf	-Inf	93.32	3	Horizontal	348	2.47	-	34.10	5.49	30.96

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX

5500MHz_TX




EUTZ_1TX
Setting 80
02-E-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.0024G	56.00	74.00	-18.00	52.20	3	Vertical	243	2.09	-	38.50	8.40	43.10
AV	11G	42.64	54.00	-11.36	38.84	3	Vertical	243	2.09	-	38.50	8.40	43.10
PK	16.51398G	55.01	68.20	-13.19	47.05	3	Vertical	215	2.11	-	38.93	10.64	41.61

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX

5500MHz_TX




EUTZ_1TX
Setting 80
02-E-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.0024G	55.44	74.00	-18.56	51.64	3	Horizontal	9	1.77	-	38.50	8.40	43.10
AV	11.00006G	42.38	54.00	-11.62	38.58	3	Horizontal	9	1.77	-	38.50	8.40	43.10
PK	16.50186G	54.92	68.20	-13.28	46.99	3	Horizontal	67	2.84	-	38.90	10.63	41.60

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX

5580MHz_TX




EUT_X_1TX
Setting 80
02-E-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4504G	59.48	74.00	-14.52	50.85	3	Vertical	287	2.10	-	34.10	5.45	30.92
AV	5.4464G	47.06	54.00	-6.94	38.44	3	Vertical	287	2.10	-	34.09	5.45	30.92
PK	5.4664G	59.94	68.20	-8.26	51.31	3	Vertical	287	2.10	-	34.10	5.46	30.93
PK	5.5816G	107.55	Inf	-Inf	98.95	3	Vertical	287	2.10	-	34.04	5.56	31.00
AV	5.5816G	97.21	Inf	-Inf	88.61	3	Vertical	287	2.10	-	34.04	5.56	31.00
PK	5.74G	59.00	68.20	-9.20	50.46	3	Vertical	287	2.10	-	34.00	5.61	31.07

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX

5580MHz_TX




EUT_X_1TX
Setting 80
02-E-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4488G	59.62	74.00	-14.38	50.99	3	Horizontal	348	2.34	-	34.10	5.45	30.92
AV	5.4128G	47.11	54.00	-6.89	38.55	3	Horizontal	348	2.34	-	34.03	5.42	30.89
PK	5.4624G	58.60	68.20	-9.60	49.97	3	Horizontal	348	2.34	-	34.10	5.46	30.93
PK	5.5824G	111.59	Inf	-Inf	102.99	3	Horizontal	348	2.34	-	34.04	5.56	31.00
AV	5.5816G	101.34	Inf	-Inf	92.74	3	Horizontal	348	2.34	-	34.04	5.56	31.00
PK	5.7336G	59.23	68.20	-8.97	50.69	3	Horizontal	348	2.34	-	34.00	5.61	31.07

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX

5580MHz_TX




EUTZ_1TX
Setting 80
02-E-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.14848G	51.66	74.00	-22.34	47.77	3	Vertical	252	2.18	-	38.60	8.45	43.16
AV	11.15628G	38.75	54.00	-15.25	34.86	3	Vertical	252	2.18	-	38.60	8.45	43.16
PK	16.7472G	57.24	68.20	-10.96	48.20	3	Vertical	244	1.13	-	40.08	10.80	41.84

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX

5580MHz_TX




EUTZ_1TX
Setting 80
02-E-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.15472G	52.65	74.00	-21.35	48.76	3	Horizontal	5	2.07	-	38.60	8.45	43.16
AV	11.16198G	39.47	54.00	-14.53	35.57	3	Horizontal	5	2.07	-	38.60	8.46	43.16
PK	16.73154G	56.67	68.20	-11.53	47.72	3	Horizontal	314	2.04	-	39.99	10.79	41.83

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX

5700MHz_TX




EUT_X_1TX
Setting 74
02-E-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.698G	107.58	Inf	-Inf	99.03	3	Vertical	100	2.44	-	34.00	5.60	31.05
AV	5.6978G	97.03	Inf	-Inf	88.48	3	Vertical	100	2.44	-	34.00	5.60	31.05
PK	5.728G	62.96	68.20	-5.24	54.41	3	Vertical	100	2.44	-	34.00	5.61	31.06

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX

5700MHz_TX




EUT_X_1TX
Setting 74
02-E-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6978G	109.35	Inf	-Inf	100.80	3	Horizontal	357	2.18	-	34.00	5.60	31.05
AV	5.6986G	98.81	Inf	-Inf	90.26	3	Horizontal	357	2.18	-	34.00	5.60	31.05
PK	5.7252G	63.40	68.20	-4.80	54.85	3	Horizontal	357	2.18	-	34.00	5.61	31.06

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX

5700MHz_TX




EUTZ_1TX
Setting 74
02-E-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.40534G	51.75	74.00	-22.25	47.76	3	Vertical	119	1.55	-	38.71	8.54	43.26
AV	11.394G	38.24	54.00	-15.76	34.28	3	Vertical	119	1.55	-	38.69	8.53	43.26
PK	17.1123G	59.11	68.20	-9.09	48.57	3	Vertical	225	2.94	-	41.55	11.05	42.06

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX

5700MHz_TX




EUTZ_1TX
Setting 74
02-E-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.39532G	50.96	74.00	-23.04	47.00	3	Horizontal	289	2.51	-	38.69	8.53	43.26
AV	11.39604G	38.01	54.00	-15.99	34.05	3	Horizontal	289	2.51	-	38.69	8.53	43.26
PK	17.09406G	59.10	68.20	-9.10	48.67	3	Horizontal	39	2.25	-	41.46	11.04	42.07

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_1TX

5745MHz_TX




EUT_X_1TX
 Setting 80
 02-E-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.567G	59.70	68.20	-8.50	51.08	3	Vertical	283	2.09	-	34.07	5.54	30.99
PK	5.743G	109.94	Inf	-Inf	101.40	3	Vertical	283	2.09	-	34.00	5.61	31.07
AV	5.746G	99.45	Inf	-Inf	90.91	3	Vertical	283	2.09	-	34.00	5.61	31.07
PK	5.967G	60.29	68.20	-7.91	51.35	3	Vertical	283	2.09	-	34.30	5.81	31.17

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_1TX

5745MHz_TX




EUT_X_1TX
Setting 80
02-E-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.633G	60.32	68.20	-7.88	51.83	3	Horizontal	350	2.89	-	33.93	5.58	31.02
PK	5.747G	112.98	Inf	-Inf	104.44	3	Horizontal	350	2.89	-	34.00	5.61	31.07
AV	5.746G	103.05	Inf	-Inf	94.51	3	Horizontal	350	2.89	-	34.00	5.61	31.07
PK	5.994G	59.68	68.20	-8.52	50.73	3	Horizontal	350	2.89	-	34.30	5.84	31.19

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_1TX

5745MHz_TX




EUTZ_1TX
Setting 80
02-E-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.49054G	50.71	74.00	-23.29	35.42	3	Vertical	76	1.80	-	38.88	8.57	32.16
AV	11.50062G	37.88	54.00	-16.12	22.57	3	Vertical	76	1.80	-	38.90	8.57	32.16
PK	17.23566G	59.20	68.20	-9.00	38.38	3	Vertical	333	3.00	-	41.97	11.14	32.29

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_1TX

5745MHz_TX




EUT_Z_1TX
Setting 80
02-E-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.50326G	51.44	74.00	-22.56	47.26	3	Horizontal	1	2.43	-	38.91	8.57	43.30
AV	11.4966G	38.62	54.00	-15.38	34.46	3	Horizontal	1	2.43	-	38.89	8.57	43.30
PK	17.24106G	59.41	68.20	-8.79	48.32	3	Horizontal	299	2.05	-	41.98	11.14	42.03

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_1TX

5785MHz_TX




EUT_X_1TX
Setting 80
02-E-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.629G	59.91	68.20	-8.29	51.41	3	Vertical	283	2.42	-	33.94	5.58	31.02
PK	5.783G	109.57	Inf	-Inf	101.04	3	Vertical	283	2.42	-	34.00	5.62	31.09
AV	5.787G	98.92	Inf	-Inf	90.38	3	Vertical	283	2.42	-	34.00	5.63	31.09
PK	6.004G	59.62	68.20	-8.58	50.64	3	Vertical	283	2.42	-	34.32	5.85	31.19

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_1TX

5785MHz_TX




EUT_X_1TX
 Setting 80
 02-E-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.62G	59.96	68.20	-8.24	51.44	3	Horizontal	348	2.96	-	33.96	5.58	31.02
PK	5.787G	112.55	Inf	-Inf	104.01	3	Horizontal	348	2.96	-	34.00	5.63	31.09
AV	5.787G	102.05	Inf	-Inf	93.51	3	Horizontal	348	2.96	-	34.00	5.63	31.09
PK	5.933G	60.13	68.20	-8.07	51.24	3	Horizontal	348	2.96	-	34.27	5.78	31.16

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_1TX

5785MHz_TX




EUT_Z_1TX
Setting 80
02-E-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.58176G	51.83	74.00	-22.17	47.29	3	Vertical	35	1.25	-	39.23	8.60	43.29
AV	11.57822G	38.73	54.00	-15.27	34.21	3	Vertical	35	1.25	-	39.21	8.60	43.29
PK	17.35794G	60.86	68.20	-7.34	48.79	3	Vertical	198	1.49	-	42.85	11.22	42.00

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_1TX

5785MHz_TX




EUTZ_1TX
Setting 80
02-E-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.57528G	52.18	74.00	-21.82	47.67	3	Horizontal	9	1.77	-	39.20	8.60	43.29
AV	11.57204G	39.57	54.00	-14.43	35.08	3	Horizontal	9	1.77	-	39.19	8.59	43.29
PK	17.3571G	60.19	68.20	-8.01	48.13	3	Horizontal	9	1.24	-	42.84	11.22	42.00

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_1TX

5825MHz_TX




EUT_X_1TX
 Setting 80
 02-E-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.649G	60.07	68.20	-8.13	51.62	3	Vertical	284	2.18	-	33.90	5.58	31.03
PK	5.823G	108.36	Inf	-Inf	99.81	3	Vertical	284	2.18	-	34.00	5.66	31.11
AV	5.826G	97.91	Inf	-Inf	89.36	3	Vertical	284	2.18	-	34.00	5.66	31.11
PK	6.015G	60.46	68.20	-7.74	51.45	3	Vertical	284	2.18	-	34.36	5.85	31.20

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_1TX

5825MHz_TX




EUT_X_1TX
Setting 80
02-E-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.597G	60.05	68.20	-8.15	51.47	3	Horizontal	347	2.91	-	34.01	5.57	31.00
PK	5.823G	111.26	Inf	-Inf	102.71	3	Horizontal	347	2.91	-	34.00	5.66	31.11
AV	5.827G	100.87	Inf	-Inf	92.32	3	Horizontal	347	2.91	-	34.00	5.66	31.11
PK	5.968G	59.82	68.20	-8.38	50.89	3	Horizontal	347	2.91	-	34.30	5.81	31.18

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_1TX

5825MHz_TX




EUTZ_1TX
Setting 80
02-E-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.64424G	52.68	74.00	-21.32	48.04	3	Vertical	257	2.67	-	39.30	8.62	43.28
AV	11.64526G	39.36	54.00	-14.64	34.72	3	Vertical	257	2.67	-	39.30	8.62	43.28
PK	17.46768G	62.58	68.20	-5.62	49.62	3	Vertical	39	2.38	-	43.64	11.30	41.98

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_1TX

5825MHz_TX




EUTZ_1TX
Setting 80
02-E-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.65042G	51.81	74.00	-22.19	47.17	3	Horizontal	296	2.34	-	39.30	8.62	43.28
AV	11.6464G	39.06	54.00	-14.94	34.42	3	Horizontal	296	2.34	-	39.30	8.62	43.28
PK	17.48538G	61.08	68.20	-7.12	47.96	3	Horizontal	275	2.98	-	43.78	11.31	41.97

5.15-5.25GHz_802.11ax_HEW20_Nss1,(MCS0)_1TX

5180MHz_TX




EUT_X_1TX
Setting 79
02-E-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1496G	66.89	74.00	-7.11	58.66	3	Vertical	260	1.92	-	33.60	5.31	30.68
AV	5.15G	52.10	54.00	-1.90	43.86	3	Vertical	260	1.92	-	33.60	5.32	30.68
PK	5.1808G	111.09	Inf	-Inf	102.72	3	Vertical	260	1.92	-	33.72	5.35	30.70
AV	5.1806G	98.70	Inf	-Inf	90.33	3	Vertical	260	1.92	-	33.72	5.35	30.70

5.15-5.25GHz_802.11ax_HEW20_Nss1,(MCS0)_1TX

5180MHz_TX




EUT_X_1TX
Setting 79
02-E-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	69.16	74.00	-4.84	60.92	3	Horizontal	358	2.16	-	33.60	5.32	30.68
AV	5.15G	52.43	54.00	-1.57	44.19	3	Horizontal	358	2.16	-	33.60	5.32	30.68
PK	5.1806G	112.95	Inf	-Inf	104.58	3	Horizontal	358	2.16	-	33.72	5.35	30.70
AV	5.1806G	100.62	Inf	-Inf	92.25	3	Horizontal	358	2.16	-	33.72	5.35	30.70

5.15-5.25GHz_802.11ax_HEW20_Nss1,(MCS0)_1TX

5180MHz_TX




EUTZ_1TX
Setting 79
02-E-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.34866G	52.36	68.20	-15.84	48.70	3	Vertical	292	1.80	-	38.50	8.18	43.02
PK	15.54396G	60.59	74.00	-13.41	55.19	3	Vertical	174	2.73	-	37.82	10.14	42.56
AV	15.5397G	47.29	54.00	-6.71	41.87	3	Vertical	174	2.73	-	37.84	10.14	42.56

5.15-5.25GHz_802.11ax_HEW20_Nss1,(MCS0)_1TX

5180MHz_TX




EUTZ_1TX
Setting 79
02-E-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.36348G	52.67	68.20	-15.53	49.04	3	Horizontal	185	2.53	-	38.47	8.18	43.02
PK	15.53856G	55.22	74.00	-18.78	49.80	3	Horizontal	190	1.18	-	37.85	10.14	42.57
AV	15.52584G	43.27	54.00	-10.73	37.81	3	Horizontal	190	1.18	-	37.90	10.14	42.58

5.15-5.25GHz_802.11ax_HEW20_Nss1,(MCS0)_1TX

5200MHz_TX




EUT_X_1TX
Setting 79
02-E-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1484G	64.12	74.00	-9.88	55.89	3	Vertical	294	1.87	-	33.60	5.31	30.68
AV	5.1496G	49.89	54.00	-4.11	41.66	3	Vertical	294	1.87	-	33.60	5.31	30.68
PK	5.2012G	109.33	Inf	-Inf	100.88	3	Vertical	294	1.87	-	33.80	5.37	30.72
AV	5.2008G	96.80	Inf	-Inf	88.35	3	Vertical	294	1.87	-	33.80	5.37	30.72

5.15-5.25GHz_802.11ax_HEW20_Nss1,(MCS0)_1TX

5200MHz_TX




EUT_X_1TX
Setting 79
02-E-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1472G	66.04	74.00	-7.96	57.82	3	Horizontal	356	2.33	-	33.59	5.31	30.68
AV	5.15G	51.12	54.00	-2.88	42.88	3	Horizontal	356	2.33	-	33.60	5.32	30.68
PK	5.1992G	112.72	Inf	-Inf	104.27	3	Horizontal	356	2.33	-	33.80	5.37	30.72
AV	5.2008G	100.18	Inf	-Inf	91.73	3	Horizontal	356	2.33	-	33.80	5.37	30.72

5.15-5.25GHz_802.11ax_HEW20_Nss1,(MCS0)_1TX

5200MHz_TX




EUTZ_1TX
Setting 79
02-E-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.40696G	52.61	68.20	-15.59	49.04	3	Vertical	269	1.94	-	38.40	8.20	43.03
PK	15.59136G	60.62	74.00	-13.38	55.24	3	Vertical	173	2.72	-	37.72	10.16	42.50
AV	15.60096G	46.44	54.00	-7.56	41.07	3	Vertical	173	2.72	-	37.70	10.16	42.49

5.15-5.25GHz_802.11ax_HEW20_Nss1,(MCS0)_1TX

5200MHz_TX




EUTZ_1TX
Setting 79
02-E-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.40168G	52.47	68.20	-15.73	48.90	3	Horizontal	320	1.80	-	38.40	8.20	43.03
PK	15.59946G	55.96	74.00	-18.04	50.59	3	Horizontal	317	1.87	-	37.70	10.16	42.49
AV	15.59418G	42.86	54.00	-11.14	37.49	3	Horizontal	317	1.87	-	37.71	10.16	42.50

5.15-5.25GHz_802.11ax_HEW20_Nss1,(MCS0)_1TX

5240MHz_TX




EUT_X_1TX
Setting 80
02-E-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1452G	59.04	74.00	-14.96	50.82	3	Vertical	293	2.13	-	33.59	5.31	30.68
AV	5.147G	46.71	54.00	-7.29	38.49	3	Vertical	293	2.13	-	33.59	5.31	30.68
PK	5.2394G	109.25	Inf	-Inf	100.82	3	Vertical	293	2.13	-	33.80	5.38	30.75
AV	5.2406G	97.53	Inf	-Inf	89.10	3	Vertical	293	2.13	-	33.80	5.38	30.75
PK	5.3768G	59.50	74.00	-14.50	50.95	3	Vertical	293	2.13	-	34.00	5.41	30.86
AV	5.3738G	47.05	54.00	-6.95	38.51	3	Vertical	293	2.13	-	34.00	5.40	30.86

5.15-5.25GHz_802.11ax_HEW20_Nss1,(MCS0)_1TX

5240MHz_TX




EUT_X_1TX
Setting 80
02-E-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1452G	59.32	74.00	-14.68	51.10	3	Horizontal	354	2.31	-	33.59	5.31	30.68
AV	5.1494G	46.97	54.00	-7.03	38.74	3	Horizontal	354	2.31	-	33.60	5.31	30.68
PK	5.2394G	114.05	Inf	-Inf	105.62	3	Horizontal	354	2.31	-	33.80	5.38	30.75
AV	5.2406G	101.47	Inf	-Inf	93.04	3	Horizontal	354	2.31	-	33.80	5.38	30.75
PK	5.372G	60.37	74.00	-13.63	51.83	3	Horizontal	354	2.31	-	34.00	5.40	30.86
AV	5.3564G	47.20	54.00	-6.80	38.65	3	Horizontal	354	2.31	-	34.00	5.40	30.85

5.15-5.25GHz_802.11ax_HEW20_Nss1,(MCS0)_1TX

5240MHz_TX




EUTZ_1TX
Setting 80
02-E-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.4809G	53.37	68.20	-14.83	49.79	3	Vertical	244	2.19	-	38.40	8.22	43.04
PK	15.72012G	57.24	74.00	-16.76	51.68	3	Vertical	172	2.68	-	37.72	10.19	42.35
AV	15.7221G	44.24	54.00	-9.76	38.68	3	Vertical	172	2.68	-	37.71	10.20	42.35

5.15-5.25GHz_802.11ax_HEW20_Nss1,(MCS0)_1TX

5240MHz_TX




EUTZ_1TX
Setting 80
02-E-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.47874G	53.76	68.20	-14.44	50.18	3	Horizontal	336	1.84	-	38.40	8.22	43.04
PK	15.72246G	54.16	74.00	-19.84	48.60	3	Horizontal	318	1.87	-	37.71	10.20	42.35
AV	15.72474G	41.28	54.00	-12.72	35.73	3	Horizontal	318	1.87	-	37.70	10.20	42.35

5.25-5.35GHz_802.11ax_HEW20_Nss1,(MCS0)_1TX

5260MHz_TX




EUT_X_1TX
Setting 80
02-E-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1388G	58.69	74.00	-15.31	50.48	3	Vertical	257	2.15	-	33.58	5.30	30.67
AV	5.1478G	46.62	54.00	-7.38	38.39	3	Vertical	257	2.15	-	33.60	5.31	30.68
PK	5.2606G	110.35	Inf	-Inf	101.92	3	Vertical	257	2.15	-	33.82	5.38	30.77
AV	5.2606G	97.84	Inf	-Inf	89.41	3	Vertical	257	2.15	-	33.82	5.38	30.77
PK	5.3608G	59.47	74.00	-14.53	50.92	3	Vertical	257	2.15	-	34.00	5.40	30.85
AV	5.3734G	47.18	54.00	-6.82	38.64	3	Vertical	257	2.15	-	34.00	5.40	30.86

5.25-5.35GHz_802.11ax_HEW20_Nss1,(MCS0)_1TX

5260MHz_TX




EUT_X_1TX
Setting 80
02-E-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.149G	58.76	74.00	-15.24	50.53	3	Horizontal	356	2.42	-	33.60	5.31	30.68
AV	5.1496G	46.55	54.00	-7.45	38.32	3	Horizontal	356	2.42	-	33.60	5.31	30.68
PK	5.2606G	113.05	Inf	-Inf	104.62	3	Horizontal	356	2.42	-	33.82	5.38	30.77
AV	5.2606G	100.93	Inf	-Inf	92.50	3	Horizontal	356	2.42	-	33.82	5.38	30.77
PK	5.368G	60.03	74.00	-13.97	51.48	3	Horizontal	356	2.42	-	34.00	5.40	30.85
AV	5.35G	47.34	54.00	-6.66	38.78	3	Horizontal	356	2.42	-	34.00	5.40	30.84

5.25-5.35GHz_802.11ax_HEW20_Nss1,(MCS0)_1TX

5260MHz_TX




EUTZ_1TX
Setting 80
02-E-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.52138G	52.26	68.20	-15.94	48.66	3	Vertical	241	1.92	-	38.40	8.24	43.04
PK	15.77616G	55.47	74.00	-18.53	50.05	3	Vertical	171	2.79	-	37.50	10.21	42.29
AV	15.77766G	42.17	54.00	-11.83	36.76	3	Vertical	171	2.79	-	37.49	10.21	42.29

5.25-5.35GHz_802.11ax_HEW20_Nss1,(MCS0)_1TX

5260MHz_TX




EUTZ_1TX
Setting 80
02-E-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.52078G	51.64	68.20	-16.56	48.04	3	Horizontal	335	1.84	-	38.40	8.24	43.04
PK	15.78366G	53.47	74.00	-20.53	48.07	3	Horizontal	318	1.96	-	37.47	10.21	42.28
AV	15.78042G	40.13	54.00	-13.87	34.72	3	Horizontal	318	1.96	-	37.48	10.21	42.28

5.25-5.35GHz_802.11ax_HEW20_Nss1,(MCS0)_1TX

5300MHz_TX




EUT_X_1TX
Setting 80
02-E-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3008G	109.55	Inf	-Inf	101.06	3	Vertical	259	1.96	-	33.90	5.39	30.80
AV	5.3004G	97.69	Inf	-Inf	89.20	3	Vertical	259	1.96	-	33.90	5.39	30.80
PK	5.3568G	60.19	74.00	-13.81	51.64	3	Vertical	259	1.96	-	34.00	5.40	30.85
AV	5.3516G	47.45	54.00	-6.55	38.89	3	Vertical	259	1.96	-	34.00	5.40	30.84

5.25-5.35GHz_802.11ax_HEW20_Nss1,(MCS0)_1TX

5300MHz_TX




EUT_X_1TX
Setting 80
02-E-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3012G	113.09	Inf	-Inf	104.60	3	Horizontal	355	2.26	-	33.90	5.39	30.80
AV	5.3004G	100.91	Inf	-Inf	92.42	3	Horizontal	355	2.26	-	33.90	5.39	30.80
PK	5.35G	60.90	74.00	-13.10	52.34	3	Horizontal	355	2.26	-	34.00	5.40	30.84
AV	5.3504G	48.33	54.00	-5.67	39.77	3	Horizontal	355	2.26	-	34.00	5.40	30.84

5.25-5.35GHz_802.11ax_HEW20_Nss1,(MCS0)_1TX

5300MHz_TX




EUTZ_1TX
Setting 80
02-E-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.59868G	51.00	68.20	-17.20	47.39	3	Vertical	-0	1.80	-	38.40	8.26	43.05
PK	15.90618G	53.72	74.00	-20.28	48.30	3	Vertical	182	1.80	-	37.31	10.25	42.14
AV	15.91434G	40.53	54.00	-13.47	35.08	3	Vertical	182	1.80	-	37.33	10.25	42.13

5.25-5.35GHz_802.11ax_HEW20_Nss1,(MCS0)_1TX

5300MHz_TX




EUTZ_1TX
Setting 80
02-E-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.58518G	50.96	68.20	-17.24	47.35	3	Horizontal	337	1.12	-	38.40	8.26	43.05
PK	15.89202G	52.43	74.00	-21.57	47.04	3	Horizontal	69	1.28	-	37.30	10.25	42.16
AV	15.91368G	39.55	54.00	-14.45	34.10	3	Horizontal	69	1.28	-	37.33	10.25	42.13

5.25-5.35GHz_802.11ax_HEW20_Nss1,(MCS0)_1TX

5320MHz_TX




EUT_X_1TX
Setting 76
02-E-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3196G	109.56	Inf	-Inf	101.05	3	Vertical	92	2.24	-	33.94	5.39	30.82
AV	5.3204G	96.88	Inf	-Inf	88.37	3	Vertical	92	2.24	-	33.94	5.39	30.82
PK	5.3524G	64.58	74.00	-9.42	56.02	3	Vertical	92	2.24	-	34.00	5.40	30.84
AV	5.3508G	50.68	54.00	-3.32	42.12	3	Vertical	92	2.24	-	34.00	5.40	30.84

5.25-5.35GHz_802.11ax_HEW20_Nss1,(MCS0)_1TX

5320MHz_TX




EUT_X_1TX
Setting 76
02-E-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3192G	110.58	Inf	-Inf	102.07	3	Horizontal	236	2.10	-	33.94	5.39	30.82
AV	5.3204G	98.84	Inf	-Inf	90.33	3	Horizontal	236	2.10	-	33.94	5.39	30.82
PK	5.35G	65.61	74.00	-8.39	57.05	3	Horizontal	236	2.10	-	34.00	5.40	30.84
AV	5.35G	52.04	54.00	-1.96	43.48	3	Horizontal	236	2.10	-	34.00	5.40	30.84

5.25-5.35GHz_802.11ax_HEW20_Nss1,(MCS0)_1TX

5320MHz_TX




EUTZ_1TX
Setting 76
02-E-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.62728G	53.46	74.00	-20.54	49.85	3	Vertical	257	2.00	-	38.40	8.27	43.06
AV	10.62866G	39.77	54.00	-14.23	36.16	3	Vertical	257	2.00	-	38.40	8.27	43.06
PK	15.96366G	54.63	74.00	-19.37	48.98	3	Vertical	8	2.93	-	37.45	10.27	42.07
AV	15.96996G	41.32	54.00	-12.68	35.63	3	Vertical	8	2.93	-	37.48	10.27	42.06

5.25-5.35GHz_802.11ax_HEW20_Nss1,(MCS0)_1TX

5320MHz_TX




EUTZ_1TX
Setting 76
02-E-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.62644G	51.30	74.00	-22.70	47.69	3	Horizontal	343	1.26	-	38.40	8.27	43.06
AV	10.64414G	38.49	54.00	-15.51	34.87	3	Horizontal	343	1.26	-	38.40	8.28	43.06
PK	15.97176G	53.61	74.00	-20.39	47.91	3	Horizontal	221	2.69	-	37.49	10.27	42.06
AV	15.96222G	40.80	54.00	-13.20	35.15	3	Horizontal	221	2.69	-	37.45	10.27	42.07

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

5500MHz_TX




EUT_X_1TX
Setting 79
02-E-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4598G	60.81	74.00	-13.19	52.18	3	Vertical	289	2.03	-	34.10	5.46	30.93
AV	5.4598G	48.07	54.00	-5.93	39.44	3	Vertical	289	2.03	-	34.10	5.46	30.93
PK	5.469G	63.83	68.20	-4.37	55.20	3	Vertical	289	2.03	-	34.10	5.47	30.94
PK	5.5048G	109.98	Inf	-Inf	101.35	3	Vertical	289	2.03	-	34.10	5.49	30.96
AV	5.5006G	96.92	Inf	-Inf	88.29	3	Vertical	289	2.03	-	34.10	5.49	30.96

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

5500MHz_TX




EUT_X_1TX
Setting 79
02-E-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4586G	63.63	74.00	-10.37	55.00	3	Horizontal	349	2.17	-	34.10	5.46	30.93
AV	5.4584G	49.22	54.00	-4.78	40.59	3	Horizontal	349	2.17	-	34.10	5.46	30.93
PK	5.4678G	67.05	68.20	-1.15	58.42	3	Horizontal	349	2.17	-	34.10	5.46	30.93
PK	5.5008G	113.58	Inf	-Inf	104.95	3	Horizontal	349	2.17	-	34.10	5.49	30.96
AV	5.5006G	100.80	Inf	-Inf	92.17	3	Horizontal	349	2.17	-	34.10	5.49	30.96

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

5500MHz_TX



EUTZ_1TX
Setting 79
02-E-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.00066G	52.95	74.00	-21.05	49.15	3	Vertical	252	2.03	-	38.50	8.40	43.10
AV	11.00054G	40.49	54.00	-13.51	36.69	3	Vertical	252	2.03	-	38.50	8.40	43.10
PK	16.50252G	56.49	68.20	-11.71	48.55	3	Vertical	153	2.94	-	38.91	10.63	41.60

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

5500MHz_TX




EUTZ_1TX
Setting 79
02-E-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.99838G	55.27	74.00	-18.73	51.47	3	Horizontal	184	2.02	-	38.50	8.40	43.10
AV	10.99952G	43.01	54.00	-10.99	39.21	3	Horizontal	184	2.02	-	38.50	8.40	43.10
PK	16.49892G	56.00	68.20	-12.20	48.07	3	Horizontal	233	2.68	-	38.90	10.63	41.60

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

5580MHz_TX




EUT_X_1TX
Setting 80
02-E-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4496G	59.89	74.00	-14.11	51.26	3	Vertical	287	2.09	-	34.10	5.45	30.92
AV	5.4528G	47.18	54.00	-6.82	38.55	3	Vertical	287	2.09	-	34.10	5.45	30.92
PK	5.4648G	59.77	68.20	-8.43	51.14	3	Vertical	287	2.09	-	34.10	5.46	30.93
PK	5.5808G	108.89	Inf	-Inf	100.30	3	Vertical	287	2.09	-	34.04	5.55	31.00
AV	5.5808G	96.14	Inf	-Inf	87.55	3	Vertical	287	2.09	-	34.04	5.55	31.00
PK	5.768G	59.22	68.20	-8.98	50.68	3	Vertical	287	2.09	-	34.00	5.62	31.08

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

5580MHz_TX




EUT_X_1TX
Setting 80
02-E-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4128G	60.03	74.00	-13.97	51.47	3	Horizontal	351	2.33	-	34.03	5.42	30.89
PK	5.4672G	59.45	68.20	-8.75	50.82	3	Horizontal	351	2.33	-	34.10	5.46	30.93
AV	5.46G	47.15	54.00	-6.85	38.52	3	Horizontal	351	2.33	-	34.10	5.46	30.93
PK	5.58G	112.07	Inf	-Inf	103.48	3	Horizontal	351	2.33	-	34.04	5.55	31.00
AV	5.5808G	100.31	Inf	-Inf	91.72	3	Horizontal	351	2.33	-	34.04	5.55	31.00
PK	5.7424G	59.47	68.20	-8.73	50.93	3	Horizontal	351	2.33	-	34.00	5.61	31.07

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

5580MHz_TX




EUTZ_1TX
Setting 80
02-E-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.16696G	52.17	74.00	-21.83	48.28	3	Vertical	255	1.79	-	38.60	8.46	43.17
AV	11.15784G	39.41	54.00	-14.59	35.52	3	Vertical	255	1.79	-	38.60	8.45	43.16
PK	16.73286G	58.03	68.20	-10.17	49.07	3	Vertical	105	1.40	-	40.00	10.79	41.83

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

5580MHz_TX




EUTZ_1TX
Setting 80
02-E-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.16084G	53.27	74.00	-20.73	49.38	3	Horizontal	152	1.80	-	38.60	8.45	43.16
AV	11.16282G	39.77	54.00	-14.23	35.88	3	Horizontal	152	1.80	-	38.60	8.46	43.17
PK	16.73988G	58.49	68.20	-9.71	49.50	3	Horizontal	360	1.69	-	40.04	10.79	41.84

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

5700MHz_TX




EUT_X_1TX
Setting 74
02-E-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7008G	108.66	Inf	-Inf	100.11	3	Vertical	100	2.43	-	34.00	5.60	31.05
AV	5.7004G	95.94	Inf	-Inf	87.39	3	Vertical	100	2.43	-	34.00	5.60	31.05
PK	5.7258G	64.24	68.20	-3.96	55.69	3	Vertical	100	2.43	-	34.00	5.61	31.06

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

5700MHz_TX




EUT_X_1TX
Setting 74
02-E-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6994G	109.84	Inf	-Inf	101.29	3	Horizontal	357	2.21	-	34.00	5.60	31.05
AV	5.7008G	96.80	Inf	-Inf	88.25	3	Horizontal	357	2.21	-	34.00	5.60	31.05
PK	5.7308G	64.48	68.20	-3.72	55.94	3	Horizontal	357	2.21	-	34.00	5.61	31.07

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

5700MHz_TX




EUTZ_1TX
Setting 74
02-E-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.38938G	51.58	74.00	-22.42	69.54	3	Vertical	351	1.80	-	38.68	8.53	65.17
AV	11.39388G	38.88	54.00	-15.12	56.82	3	Vertical	351	1.80	-	38.69	8.53	65.16
PK	17.0925G	60.32	68.20	-7.88	70.08	3	Vertical	326	2.56	-	41.46	11.04	62.26

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

5700MHz_TX




EUTZ_1TX
Setting 74
02-E-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.41434G	51.98	74.00	-22.02	69.83	3	Horizontal	83	2.34	-	38.73	8.54	65.12
AV	11.3967G	38.83	54.00	-15.17	56.77	3	Horizontal	83	2.34	-	38.69	8.53	65.16
PK	17.10024G	58.65	68.20	-9.55	68.37	3	Horizontal	30	2.96	-	41.50	11.04	62.26

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

5745MHz_TX




EUT_X_1TX
Setting 80
02-E-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.507G	59.44	68.20	-8.76	50.80	3	Vertical	286	2.27	-	34.10	5.50	30.96
PK	5.745G	110.40	Inf	-Inf	101.86	3	Vertical	286	2.27	-	34.00	5.61	31.07
AV	5.746G	98.57	Inf	-Inf	90.03	3	Vertical	286	2.27	-	34.00	5.61	31.07
PK	5.948G	60.47	68.20	-7.73	51.55	3	Vertical	286	2.27	-	34.30	5.79	31.17

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

5745MHz_TX




EUT_X_1TX
Setting 80
02-E-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.516G	59.61	68.20	-8.59	50.98	3	Horizontal	349	2.88	-	34.10	5.50	30.97
PK	5.745G	114.68	Inf	-Inf	106.14	3	Horizontal	349	2.88	-	34.00	5.61	31.07
AV	5.746G	102.41	Inf	-Inf	93.87	3	Horizontal	349	2.88	-	34.00	5.61	31.07
PK	5.968G	59.98	68.20	-8.22	51.05	3	Horizontal	349	2.88	-	34.30	5.81	31.18

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

5745MHz_TX




EUTZ_1TX
Setting 80
02-E-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.47602G	51.03	74.00	-22.97	68.63	3	Vertical	31	1.80	-	38.85	8.56	65.01
AV	11.47518G	38.18	54.00	-15.82	55.78	3	Vertical	31	1.80	-	38.85	8.56	65.01
PK	17.2482G	59.64	68.20	-8.56	68.81	3	Vertical	33	1.22	-	42.00	11.15	62.32

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

5745MHz_TX




EUTZ_1TX
Setting 80
02-E-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4786G	51.38	74.00	-22.62	68.96	3	Horizontal	13	1.10	-	38.86	8.56	65.00
AV	11.48916G	38.66	54.00	-15.34	56.19	3	Horizontal	13	1.10	-	38.88	8.57	64.98
PK	17.22582G	58.39	68.20	-9.81	67.62	3	Horizontal	255	1.79	-	41.95	11.13	62.31

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

5785MHz_TX




EUT_X_1TX
 Setting 80
 02-E-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.592G	59.43	68.20	-8.77	50.85	3	Vertical	284	2.08	-	34.02	5.56	31.00
PK	5.783G	110.43	Inf	-Inf	101.90	3	Vertical	284	2.08	-	34.00	5.62	31.09
AV	5.786G	98.16	Inf	-Inf	89.62	3	Vertical	284	2.08	-	34.00	5.63	31.09
PK	5.976G	60.26	68.20	-7.94	51.32	3	Vertical	284	2.08	-	34.30	5.82	31.18

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

5785MHz_TX




EUT_X_1TX
Setting 80
02-E-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.645G	60.23	68.20	-7.97	51.77	3	Horizontal	347	2.97	-	33.91	5.58	31.03
PK	5.786G	112.85	Inf	-Inf	104.31	3	Horizontal	347	2.97	-	34.00	5.63	31.09
AV	5.786G	101.28	Inf	-Inf	92.74	3	Horizontal	347	2.97	-	34.00	5.63	31.09
PK	5.988G	60.15	68.20	-8.05	51.19	3	Horizontal	347	2.97	-	34.30	5.84	31.18

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

5785MHz_TX




EUTZ_1TX
Setting 80
02-E-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.5706G	52.53	74.00	-21.47	69.75	3	Vertical	14	2.31	-	39.18	8.59	64.99
AV	11.5613G	39.43	54.00	-14.57	56.68	3	Vertical	14	2.31	-	39.15	8.59	64.99
PK	17.36154G	61.00	68.20	-7.20	69.27	3	Vertical	290	1.13	-	42.87	11.23	62.37

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

5785MHz_TX




EUTZ_1TX
Setting 80
02-E-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.55752G	52.65	74.00	-21.35	69.92	3	Horizontal	15	1.16	-	39.13	8.59	64.99
AV	11.55644G	39.62	54.00	-14.38	56.89	3	Horizontal	15	1.16	-	39.13	8.59	64.99
PK	17.36178G	59.95	68.20	-8.25	68.22	3	Horizontal	208	2.19	-	42.87	11.23	62.37

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

5825MHz_TX




EUT_X_1TX
Setting 80
02-E-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.597G	59.67	68.20	-8.53	51.09	3	Vertical	284	2.20	-	34.01	5.57	31.00
PK	5.824G	108.20	Inf	-Inf	99.65	3	Vertical	284	2.20	-	34.00	5.66	31.11
AV	5.826G	96.73	Inf	-Inf	88.18	3	Vertical	284	2.20	-	34.00	5.66	31.11
PK	6.021G	60.04	68.20	-8.16	51.00	3	Vertical	284	2.20	-	34.38	5.86	31.20

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

5825MHz_TX




EUT_X_1TX
Setting 80
02-E-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.575G	59.67	68.20	-8.53	51.06	3	Horizontal	339	2.22	-	34.05	5.55	30.99
PK	5.82G	110.23	Inf	-Inf	101.69	3	Horizontal	339	2.22	-	34.00	5.65	31.11
AV	5.826G	98.07	Inf	-Inf	89.52	3	Horizontal	339	2.22	-	34.00	5.66	31.11
PK	5.951G	59.95	68.20	-8.25	51.02	3	Horizontal	339	2.22	-	34.30	5.80	31.17

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

5825MHz_TX




EUTZ_1TX
Setting 80
02-E-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.64754G	51.77	74.00	-22.23	68.88	3	Vertical	170	2.48	-	39.30	8.62	65.03
AV	11.66302G	38.68	54.00	-15.32	55.75	3	Vertical	170	2.48	-	39.33	8.63	65.03
PK	17.48784G	62.33	68.20	-5.87	69.64	3	Vertical	354	1.29	-	43.80	11.31	62.42

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

5825MHz_TX




EUTZ_1TX
Setting 80
02-E-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.64736G	51.19	74.00	-22.81	68.30	3	Horizontal	195	1.11	-	39.30	8.62	65.03
AV	11.65102G	38.53	54.00	-15.47	55.64	3	Horizontal	195	1.11	-	39.30	8.62	65.03
PK	17.48184G	61.80	68.20	-6.40	69.16	3	Horizontal	338	2.98	-	43.75	11.31	62.42

5.15-5.25GHz_802.11ax_HEW40_Nss1,(MCS0)_1TX

5190MHz_TX




EUT_X_1TX
Setting 73
02-E-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.148G	64.33	74.00	-9.67	56.10	3	Vertical	109	2.57	-	33.60	5.31	30.68
AV	5.1488G	50.50	54.00	-3.50	42.27	3	Vertical	109	2.57	-	33.60	5.31	30.68
PK	5.1908G	107.20	Inf	-Inf	98.79	3	Vertical	109	2.57	-	33.76	5.36	30.71
AV	5.1912G	95.93	Inf	-Inf	87.52	3	Vertical	109	2.57	-	33.76	5.36	30.71

5.15-5.25GHz_802.11ax_HEW40_Nss1,(MCS0)_1TX

5190MHz_TX




EUT_X_1TX
Setting 73
02-E-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.146G	63.79	74.00	-10.21	55.57	3	Horizontal	332	2.38	-	33.59	5.31	30.68
AV	5.1496G	50.97	54.00	-3.03	42.74	3	Horizontal	332	2.38	-	33.60	5.31	30.68
PK	5.1888G	106.46	Inf	-Inf	98.05	3	Horizontal	332	2.38	-	33.76	5.36	30.71
AV	5.1892G	94.91	Inf	-Inf	86.50	3	Horizontal	332	2.38	-	33.76	5.36	30.71

5.15-5.25GHz_802.11ax_HEW40_Nss1,(MCS0)_1TX

5190MHz_TX




EUTZ_1TX
Setting 73
02-E-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.37148G	50.28	68.20	-17.92	69.37	3	Vertical	323	2.16	-	38.46	8.19	65.74
PK	15.5562G	54.35	74.00	-19.65	68.50	3	Vertical	110	1.56	-	37.79	10.14	62.08
AV	15.58446G	42.12	54.00	-11.88	56.34	3	Vertical	110	1.56	-	37.73	10.15	62.10

5.15-5.25GHz_802.11ax_HEW40_Nss1,(MCS0)_1TX

5190MHz_TX




EUTZ_1TX
Setting 73
02-E-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.365666G	50.59	68.20	-17.61	69.70	3	Horizontal	349	2.83	-	38.47	8.18	65.76
PK	15.55668G	54.01	74.00	-19.99	68.16	3	Horizontal	102	1.97	-	37.79	10.14	62.08
AV	15.57906G	41.72	54.00	-12.28	55.92	3	Horizontal	102	1.97	-	37.74	10.15	62.09

5.15-5.25GHz_802.11ax_HEW40_Nss1,(MCS0)_1TX

5230MHz_TX




EUT_X_1TX
Setting 80
02-E-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1496G	62.55	74.00	-11.45	54.32	3	Vertical	259	1.99	-	33.60	5.31	30.68
AV	5.15G	50.47	54.00	-3.53	42.24	3	Vertical	259	1.99	-	33.60	5.31	30.68
PK	5.2312G	108.30	Inf	-Inf	99.86	3	Vertical	259	1.99	-	33.80	5.38	30.74
AV	5.2312G	95.98	Inf	-Inf	87.54	3	Vertical	259	1.99	-	33.80	5.38	30.74
PK	5.35G	59.93	74.00	-14.07	51.37	3	Vertical	259	1.99	-	34.00	5.40	30.84
AV	5.3536G	48.29	54.00	-5.71	39.73	3	Vertical	259	1.99	-	34.00	5.40	30.84

5.15-5.25GHz_802.11ax_HEW40_Nss1,(MCS0)_1TX

5230MHz_TX




EUT_X_1TX
Setting 80
02-E-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	64.28	74.00	-9.72	56.05	3	Horizontal	350	2.27	-	33.60	5.31	30.68
AV	5.1496G	52.11	54.00	-1.89	43.88	3	Horizontal	350	2.27	-	33.60	5.31	30.68
PK	5.2312G	109.85	Inf	-Inf	101.41	3	Horizontal	350	2.27	-	33.80	5.38	30.74
AV	5.2312G	97.68	Inf	-Inf	89.24	3	Horizontal	350	2.27	-	33.80	5.38	30.74
PK	5.3686G	60.25	74.00	-13.75	51.70	3	Horizontal	350	2.27	-	34.00	5.40	30.85
AV	5.3518G	48.62	54.00	-5.38	40.06	3	Horizontal	350	2.27	-	34.00	5.40	30.84

5.15-5.25GHz_802.11ax_HEW40_Nss1,(MCS0)_1TX

5230MHz_TX




EUTZ_1TX
Setting 80
02-E-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.44704G	52.60	68.20	-15.60	71.53	3	Vertical	253	1.79	-	38.40	8.21	65.54
PK	15.69024G	59.10	74.00	-14.90	73.28	3	Vertical	195	3.00	-	37.78	10.19	62.15
AV	15.68118G	46.02	54.00	-7.98	60.23	3	Vertical	195	3.00	-	37.76	10.18	62.15

5.15-5.25GHz_802.11ax_HEW40_Nss1,(MCS0)_1TX

5230MHz_TX




EUTZ_1TX
Setting 80
02-E-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.46126G	52.12	68.20	-16.08	71.00	3	Horizontal	116	2.04	-	38.40	8.22	65.50
PK	15.68094G	55.34	74.00	-18.66	69.55	3	Horizontal	186	1.99	-	37.76	10.18	62.15
AV	15.68538G	42.36	54.00	-11.64	56.56	3	Horizontal	186	1.99	-	37.77	10.18	62.15

5.25-5.35GHz_802.11ax_HEW40_Nss1,(MCS0)_1TX

5270MHz_TX




EUT_X_1TX
Setting 77
02-E-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1332G	59.38	74.00	-14.62	51.18	3	Vertical	259	2.15	-	33.57	5.30	30.67
AV	5.1476G	47.29	54.00	-6.71	39.06	3	Vertical	259	2.15	-	33.60	5.31	30.68
PK	5.267G	107.57	Inf	-Inf	99.13	3	Vertical	259	2.15	-	33.83	5.38	30.77
AV	5.2694G	96.01	Inf	-Inf	87.57	3	Vertical	259	2.15	-	33.84	5.38	30.78
PK	5.3522G	61.28	74.00	-12.72	52.72	3	Vertical	259	2.15	-	34.00	5.40	30.84
AV	5.35G	48.86	54.00	-5.14	40.30	3	Vertical	259	2.15	-	34.00	5.40	30.84

5.25-5.35GHz_802.11ax_HEW40_Nss1,(MCS0)_1TX

5270MHz_TX




EUT_X_1TX
Setting 77
02-E-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1452G	59.13	74.00	-14.87	50.91	3	Horizontal	356	2.19	-	33.59	5.31	30.68
AV	5.1494G	47.59	54.00	-6.41	39.36	3	Horizontal	356	2.19	-	33.60	5.31	30.68
PK	5.2706G	111.23	Inf	-Inf	102.79	3	Horizontal	356	2.19	-	33.84	5.38	30.78
AV	5.2712G	98.96	Inf	-Inf	90.52	3	Horizontal	356	2.19	-	33.84	5.38	30.78
PK	5.3528G	62.67	74.00	-11.33	54.11	3	Horizontal	356	2.19	-	34.00	5.40	30.84
AV	5.35G	49.82	54.00	-4.18	41.26	3	Horizontal	356	2.19	-	34.00	5.40	30.84

5.25-5.35GHz_802.11ax_HEW40_Nss1,(MCS0)_1TX

5270MHz_TX




EUTZ_1TX
Setting 77
02-E-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.5457G	51.50	68.20	-16.70	70.29	3	Vertical	207	2.84	-	38.40	8.25	65.44
PK	15.80982G	54.31	74.00	-19.69	68.93	3	Vertical	181	1.73	-	37.38	10.22	62.22
AV	15.81606G	41.26	54.00	-12.74	55.89	3	Vertical	181	1.73	-	37.37	10.22	62.22

5.25-5.35GHz_802.11ax_HEW40_Nss1,(MCS0)_1TX

5270MHz_TX




EUTZ_1TX
Setting 77
02-E-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.54666G	50.96	68.20	-17.24	69.75	3	Horizontal	347	2.54	-	38.40	8.25	65.44
PK	15.81348G	52.46	74.00	-21.54	67.09	3	Horizontal	72	2.97	-	37.37	10.22	62.22
AV	15.80892G	40.07	54.00	-13.93	54.69	3	Horizontal	72	2.97	-	37.38	10.22	62.22

5.25-5.35GHz_802.11ax_HEW40_Nss1,(MCS0)_1TX

5310MHz_TX




EUT_X_1TX
Setting 72
02-E-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3112G	106.15	Inf	-Inf	97.65	3	Vertical	93	2.26	-	33.92	5.39	30.81
AV	5.3108G	94.41	Inf	-Inf	85.91	3	Vertical	93	2.26	-	33.92	5.39	30.81
PK	5.3556G	61.64	74.00	-12.36	53.08	3	Vertical	93	2.26	-	34.00	5.40	30.84
AV	5.3524G	49.88	54.00	-4.12	41.32	3	Vertical	93	2.26	-	34.00	5.40	30.84

5.25-5.35GHz_802.11ax_HEW40_Nss1,(MCS0)_1TX

5310MHz_TX




EUT_X_1TX
Setting 72
02-E-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.312G	107.31	Inf	-Inf	98.81	3	Horizontal	237	2.27	-	33.92	5.39	30.81
AV	5.3108G	95.31	Inf	-Inf	86.81	3	Horizontal	237	2.27	-	33.92	5.39	30.81
PK	5.3532G	64.02	74.00	-9.98	55.46	3	Horizontal	237	2.27	-	34.00	5.40	30.84
AV	5.3532G	51.12	54.00	-2.88	42.56	3	Horizontal	237	2.27	-	34.00	5.40	30.84

5.25-5.35GHz_802.11ax_HEW40_Nss1,(MCS0)_1TX

5310MHz_TX




EUTZ_1TX
Setting 72
02-E-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.62408G	51.63	74.00	-22.37	70.48	3	Vertical	236	2.48	-	38.40	8.27	65.52
AV	10.62882G	39.27	54.00	-14.73	58.12	3	Vertical	236	2.48	-	38.40	8.27	65.52
PK	15.92592G	52.42	74.00	-21.58	67.09	3	Vertical	309	1.48	-	37.35	10.26	62.28
AV	15.94278G	40.18	54.00	-13.82	54.82	3	Vertical	309	1.48	-	37.39	10.26	62.29

5.25-5.35GHz_802.11ax_HEW40_Nss1,(MCS0)_1TX

5310MHz_TX




EUTZ_1TX
Setting 72
02-E-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.60884G	51.39	74.00	-22.61	70.22	3	Horizontal	290	2.61	-	38.40	8.27	65.50
AV	10.62606G	39.09	54.00	-14.91	57.94	3	Horizontal	290	2.61	-	38.40	8.27	65.52
PK	15.92808G	52.29	74.00	-21.71	66.95	3	Horizontal	105	1.21	-	37.36	10.26	62.28
AV	15.91992G	40.25	54.00	-13.75	54.93	3	Horizontal	105	1.21	-	37.34	10.26	62.28

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

5510MHz_TX




EUT_X_1TX
Setting 74
02-E-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4356G	60.09	74.00	-13.91	51.49	3	Vertical	98	2.22	-	34.07	5.44	30.91
PK	5.47G	61.43	68.20	-6.77	52.80	3	Vertical	98	2.22	-	34.10	5.47	30.94
AV	5.4556G	48.81	54.00	-5.19	40.18	3	Vertical	98	2.22	-	34.10	5.45	30.92
PK	5.5192G	105.64	Inf	-Inf	97.00	3	Vertical	98	2.22	-	34.10	5.51	30.97
AV	5.5112G	94.34	Inf	-Inf	85.71	3	Vertical	98	2.22	-	34.10	5.50	30.97

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

5510MHz_TX




EUT_X_1TX
Setting 74
02-E-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4596G	61.93	74.00	-12.07	53.30	3	Horizontal	9	1.12	-	34.10	5.46	30.93
AV	5.4596G	50.30	54.00	-3.70	41.67	3	Horizontal	9	1.12	-	34.10	5.46	30.93
PK	5.4692G	64.74	68.20	-3.46	56.11	3	Horizontal	9	1.12	-	34.10	5.47	30.94
PK	5.5108G	108.44	Inf	-Inf	99.80	3	Horizontal	9	1.12	-	34.10	5.50	30.96
AV	5.5108G	96.54	Inf	-Inf	87.90	3	Horizontal	9	1.12	-	34.10	5.50	30.96

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

5510MHz_TX




EUTZ_1TX
Setting 74
02-E-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.03434G	49.70	74.00	-24.30	68.63	3	Vertical	111	1.83	-	38.50	8.41	65.84
AV	11.03404G	37.29	54.00	-16.71	56.23	3	Vertical	111	1.83	-	38.50	8.41	65.85
PK	16.53816G	55.28	68.20	-12.92	67.72	3	Vertical	120	2.51	-	38.98	10.65	62.07

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

5510MHz_TX




EUTZ_1TX
Setting 74
02-E-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.03248G	49.25	74.00	-24.75	68.19	3	Horizontal	223	2.61	-	38.50	8.41	65.85
AV	11.0341G	37.64	54.00	-16.36	56.58	3	Horizontal	223	2.61	-	38.50	8.41	65.85
PK	16.5294G	56.18	68.20	-12.02	68.64	3	Horizontal	266	2.74	-	38.96	10.65	62.07

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

5550MHz_TX




EUT_X_1TX
Setting 80
02-E-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.454G	60.74	74.00	-13.26	52.11	3	Vertical	288	1.94	-	34.10	5.45	30.92
PK	5.4618G	61.96	68.20	-6.24	53.33	3	Vertical	288	1.94	-	34.10	5.46	30.93
AV	5.46G	48.93	54.00	-5.07	40.30	3	Vertical	288	1.94	-	34.10	5.46	30.93
PK	5.5464G	107.04	Inf	-Inf	98.39	3	Vertical	288	1.94	-	34.10	5.53	30.98
AV	5.5512G	95.57	Inf	-Inf	86.92	3	Vertical	288	1.94	-	34.10	5.53	30.98

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

5550MHz_TX




EUT_X_1TX
Setting 80
02-E-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.46G	62.40	74.00	-11.60	53.77	3	Horizontal	350	2.35	-	34.10	5.46	30.93
AV	5.46G	50.27	54.00	-3.73	41.64	3	Horizontal	350	2.35	-	34.10	5.46	30.93
PK	5.47G	64.01	68.20	-4.19	55.38	3	Horizontal	350	2.35	-	34.10	5.47	30.94
PK	5.5506G	112.06	Inf	-Inf	103.41	3	Horizontal	350	2.35	-	34.10	5.53	30.98
AV	5.5506G	99.17	Inf	-Inf	90.52	3	Horizontal	350	2.35	-	34.10	5.53	30.98

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

5550MHz_TX




EUTZ_1TX
Setting 80
02-E-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.10426G	51.06	74.00	-22.94	69.73	3	Vertical	78	1.80	-	38.60	8.44	65.71
AV	11.11332G	38.12	54.00	-15.88	56.77	3	Vertical	78	1.80	-	38.60	8.44	65.69
PK	16.6497G	57.45	68.20	-10.75	69.43	3	Vertical	242	1.05	-	39.40	10.73	62.11

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

5550MHz_TX




EUTZ_1TX
Setting 80
02-E-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.11314G	50.22	74.00	-23.78	68.88	3	Horizontal	45	1.34	-	38.60	8.44	65.70
AV	11.11152G	38.43	54.00	-15.57	57.09	3	Horizontal	45	1.34	-	38.60	8.44	65.70
PK	16.65948G	57.30	68.20	-10.90	69.19	3	Horizontal	222	1.28	-	39.48	10.74	62.11

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

5670MHz_TX




EUT_X_1TX
Setting 80
02-E-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6708G	107.85	Inf	-Inf	99.36	3	Vertical	102	2.34	-	33.94	5.59	31.04
AV	5.6708G	95.73	Inf	-Inf	87.24	3	Vertical	102	2.34	-	33.94	5.59	31.04
PK	5.7288G	62.45	68.20	-5.75	53.91	3	Vertical	102	2.34	-	34.00	5.61	31.07

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

5670MHz_TX




EUT_X_1TX
 Setting 80
 02-E-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6704G	110.21	Inf	-Inf	101.72	3	Horizontal	5	2.39	-	33.94	5.59	31.04
AV	5.6712G	98.54	Inf	-Inf	90.05	3	Horizontal	5	2.39	-	33.94	5.59	31.04
PK	5.7252G	67.19	68.20	-1.01	58.64	3	Horizontal	5	2.39	-	34.00	5.61	31.06

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

5670MHz_TX




EUTZ_1TX
Setting 80
02-E-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.34702G	51.70	74.00	-22.30	69.83	3	Vertical	184	1.80	-	38.60	8.52	65.25
AV	11.35158G	38.80	54.00	-15.20	56.92	3	Vertical	184	1.80	-	38.60	8.52	65.24
PK	17.0178G	57.54	68.20	-10.66	67.71	3	Vertical	62	2.85	-	41.07	10.99	62.23

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

5670MHz_TX




EUTZ_1TX
Setting 80
02-E-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.34402G	50.56	74.00	-23.44	68.70	3	Horizontal	340	1.12	-	38.60	8.52	65.26
AV	11.3526G	38.73	54.00	-15.27	56.84	3	Horizontal	340	1.12	-	38.61	8.52	65.24
PK	17.02488G	57.58	68.20	-10.62	67.72	3	Horizontal	3	1.47	-	41.10	10.99	62.23

5.725-5.85GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

5755MHz_TX




EUT_X_1TX
Setting 80
02-E-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.643G	60.93	68.20	-7.27	52.47	3	Vertical	81	2.51	-	33.91	5.58	31.03
PK	5.754G	107.53	Inf	-Inf	98.99	3	Vertical	81	2.51	-	34.00	5.62	31.08
AV	5.756G	96.56	Inf	-Inf	88.02	3	Vertical	81	2.51	-	34.00	5.62	31.08
PK	5.954G	61.14	68.20	-7.06	52.21	3	Vertical	81	2.51	-	34.30	5.80	31.17

5.725-5.85GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

5755MHz_TX




EUT_X_1TX
 Setting 80
 02-E-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.636G	62.92	68.20	-5.28	54.43	3	Horizontal	344	2.14	-	33.93	5.58	31.02
PK	5.757G	109.79	Inf	-Inf	101.25	3	Horizontal	344	2.14	-	34.00	5.62	31.08
AV	5.756G	98.77	Inf	-Inf	90.23	3	Horizontal	344	2.14	-	34.00	5.62	31.08
PK	5.931G	59.88	68.20	-8.32	51.01	3	Horizontal	344	2.14	-	34.26	5.77	31.16

5.725-5.85GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

5755MHz_TX




EUTZ_1TX
Setting 80
02-E-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.50226G	51.12	74.00	-22.88	68.60	3	Vertical	92	1.65	-	38.91	8.57	64.96
AV	11.50904G	38.74	54.00	-15.26	56.19	3	Vertical	92	1.65	-	38.94	8.57	64.96
PK	17.27844G	59.08	68.20	-9.12	68.08	3	Vertical	122	1.48	-	42.17	11.17	62.34

5.725-5.85GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

5755MHz_TX




EUTZ_1TX
Setting 80
02-E-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.5049G	51.14	74.00	-22.86	68.61	3	Horizontal	10	1.35	-	38.92	8.57	64.96
AV	11.50862G	39.28	54.00	-14.72	56.74	3	Horizontal	10	1.35	-	38.93	8.57	64.96
PK	17.27166G	59.10	68.20	-9.10	68.14	3	Horizontal	353	2.57	-	42.13	11.16	62.33

5.725-5.85GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

5795MHz_TX




EUT_X_1TX
 Setting 80
 02-E-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.585G	59.96	68.20	-8.24	51.37	3	Vertical	85	1.58	-	34.03	5.56	31.00
PK	5.796G	106.47	Inf	-Inf	97.94	3	Vertical	85	1.58	-	34.00	5.63	31.10
AV	5.796G	94.99	Inf	-Inf	86.46	3	Vertical	85	1.58	-	34.00	5.63	31.10
PK	6G	60.45	68.20	-7.75	51.49	3	Vertical	85	1.58	-	34.30	5.85	31.19

5.725-5.85GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

5795MHz_TX




EUT_X_1TX
 Setting 80
 02-E-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.647G	60.76	68.20	-7.44	52.30	3	Horizontal	348	2.22	-	33.91	5.58	31.03
PK	5.793G	109.63	Inf	-Inf	101.09	3	Horizontal	348	2.22	-	34.00	5.63	31.09
AV	5.794G	97.50	Inf	-Inf	88.97	3	Horizontal	348	2.22	-	34.00	5.63	31.10
PK	5.929G	60.82	68.20	-7.38	51.95	3	Horizontal	348	2.22	-	34.26	5.77	31.16

5.725-5.85GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

5795MHz_TX




EUTZ_1TX
Setting 80
02-E-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.58184G	52.12	74.00	-21.88	69.29	3	Vertical	281	1.24	-	39.23	8.60	65.00
AV	11.58652G	39.75	54.00	-14.25	56.90	3	Vertical	281	1.24	-	39.25	8.60	65.00
PK	17.37684G	60.43	68.20	-7.77	68.61	3	Vertical	330	2.38	-	42.96	11.24	62.38

5.725-5.85GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

5795MHz_TX




EUTZ_1TX
Setting 80
02-E-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.6017G	53.06	74.00	-20.94	70.17	3	Horizontal	52	2.36	-	39.30	8.60	65.01
AV	11.59222G	41.11	54.00	-12.89	58.24	3	Horizontal	52	2.36	-	39.27	8.60	65.00
PK	17.39988G	61.25	68.20	-6.95	69.29	3	Horizontal	23	2.81	-	43.10	11.25	62.39

5.15-5.25GHz_802.11ax_HEW80_Nss1,(MCS0)_1TX

5210MHz_TX




EUT_X_1TX
Setting 71
02-E-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.134G	64.77	74.00	-9.23	56.57	3	Vertical	89	2.25	-	33.57	5.30	30.67
AV	5.132G	52.81	54.00	-1.19	44.62	3	Vertical	89	2.25	-	33.56	5.30	30.67
PK	5.212G	102.04	Inf	-Inf	93.60	3	Vertical	89	2.25	-	33.80	5.37	30.73
AV	5.212G	91.73	Inf	-Inf	83.29	3	Vertical	89	2.25	-	33.80	5.37	30.73
PK	5.46G	60.51	74.00	-13.49	51.88	3	Vertical	89	2.25	-	34.10	5.46	30.93
AV	5.453G	49.30	54.00	-4.70	40.67	3	Vertical	89	2.25	-	34.10	5.45	30.92

5.15-5.25GHz_802.11ax_HEW80_Nss1,(MCS0)_1TX

5210MHz_TX




EUT_X_1TX
Setting 71
02-E-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.137G	64.34	74.00	-9.66	56.14	3	Horizontal	238	2.36	-	33.57	5.30	30.67
AV	5.138G	52.87	54.00	-1.13	44.66	3	Horizontal	238	2.36	-	33.58	5.30	30.67
PK	5.209G	101.41	Inf	-Inf	92.97	3	Horizontal	238	2.36	-	33.80	5.37	30.73
AV	5.212G	91.11	Inf	-Inf	82.67	3	Horizontal	238	2.36	-	33.80	5.37	30.73
PK	5.353G	60.46	74.00	-13.54	51.90	3	Horizontal	238	2.36	-	34.00	5.40	30.84
AV	5.402G	49.56	54.00	-4.44	41.03	3	Horizontal	238	2.36	-	34.00	5.41	30.88

5.15-5.25GHz_802.11ax_HEW80_Nss1,(MCS0)_1TX

5210MHz_TX




EUTZ_1TX
Setting 71
02-E-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.4308G	51.81	68.20	-16.39	70.78	3	Vertical	255	2.75	-	38.40	8.21	65.58
PK	15.61842G	53.87	74.00	-20.13	68.12	3	Vertical	252	2.63	-	37.70	10.16	62.11
AV	15.61728G	42.96	54.00	-11.04	57.21	3	Vertical	252	2.63	-	37.70	10.16	62.11

5.15-5.25GHz_802.11ax_HEW80_Nss1,(MCS0)_1TX

5210MHz_TX




EUTZ_1TX
Setting 71
02-E-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.42G	51.02	68.20	-17.18	70.03	3	Horizontal	98	2.21	-	38.40	8.20	65.61
PK	15.61752G	54.30	74.00	-19.70	68.55	3	Horizontal	225	1.66	-	37.70	10.16	62.11
AV	15.63672G	42.76	54.00	-11.24	57.01	3	Horizontal	225	1.66	-	37.70	10.17	62.12

5.25-5.35GHz_802.11ax_HEW80_Nss1,(MCS0)_1TX

5290MHz_TX




EUT_X_1TX
Setting 63
02-E-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.13G	59.02	74.00	-14.98	50.83	3	Vertical	91	2.26	-	33.56	5.29	30.66
AV	5.057G	49.07	54.00	-4.93	40.97	3	Vertical	91	2.26	-	33.50	5.21	30.61
PK	5.293G	100.56	Inf	-Inf	92.07	3	Vertical	91	2.26	-	33.89	5.39	30.79
AV	5.292G	89.47	Inf	-Inf	80.99	3	Vertical	91	2.26	-	33.88	5.39	30.79
PK	5.361G	62.60	74.00	-11.40	54.05	3	Vertical	91	2.26	-	34.00	5.40	30.85
AV	5.35G	51.61	54.00	-2.39	43.05	3	Vertical	91	2.26	-	34.00	5.40	30.84
PK	5.532G	60.38	68.20	-7.82	51.73	3	Vertical	91	2.26	-	34.10	5.52	30.97

5.25-5.35GHz_802.11ax_HEW80_Nss1,(MCS0)_1TX

5290MHz_TX




EUT_X_1TX
Setting 63
02-E-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.082G	59.79	74.00	-14.21	51.68	3	Horizontal	237	2.30	-	33.50	5.24	30.63
AV	5.041G	48.90	54.00	-5.10	40.81	3	Horizontal	237	2.30	-	33.48	5.20	30.59
PK	5.288G	101.71	Inf	-Inf	93.23	3	Horizontal	237	2.30	-	33.88	5.39	30.79
AV	5.289G	90.23	Inf	-Inf	81.75	3	Horizontal	237	2.30	-	33.88	5.39	30.79
PK	5.353G	63.37	74.00	-10.63	54.81	3	Horizontal	237	2.30	-	34.00	5.40	30.84
AV	5.353G	52.65	54.00	-1.35	44.09	3	Horizontal	237	2.30	-	34.00	5.40	30.84
PK	5.509G	60.96	68.20	-7.24	52.32	3	Horizontal	237	2.30	-	34.10	5.50	30.96

5.25-5.35GHz_802.11ax_HEW80_Nss1,(MCS0)_1TX

5290MHz_TX



EUTZ_1TX
Setting 63
02-E-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.58738G	51.45	68.20	-16.75	70.27	3	Vertical	293	2.57	-	38.40	8.26	65.48
PK	15.88092G	51.62	74.00	-22.38	66.34	3	Vertical	147	1.17	-	37.30	10.24	62.26
AV	15.88338G	40.81	54.00	-13.19	55.53	3	Vertical	147	1.17	-	37.30	10.24	62.26