


5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5825MHz_TX




EUT Y_2TX
 Setting 21
 02-F-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.632G	59.30	68.20	-8.90	50.18	3	Vertical	355	2.84	-	33.84	6.10	30.82
PK	5.828G	107.24	Inf	-Inf	98.29	3	Vertical	355	2.84	-	33.80	6.12	30.97
AV	5.827G	97.67	Inf	-Inf	88.72	3	Vertical	355	2.84	-	33.80	6.12	30.97
PK	6.051G	59.39	68.20	-8.81	49.91	3	Vertical	355	2.84	-	34.30	6.30	31.12

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5825MHz_TX




EUT_Y_2TX
 Setting 21
 02-F-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.575G	59.38	68.20	-8.82	50.14	3	Horizontal	139	2.58	-	33.95	6.07	30.78
PK	5.827G	111.49	Inf	-Inf	102.54	3	Horizontal	139	2.58	-	33.80	6.12	30.97
AV	5.827G	102.06	Inf	-Inf	93.11	3	Horizontal	139	2.58	-	33.80	6.12	30.97
PK	5.945G	60.57	68.20	-7.63	51.20	3	Horizontal	139	2.58	-	34.19	6.24	31.06

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5825MHz_TX




EUT Y_2TX
 Setting 20
 02-F-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.64632G	57.22	74.00	-16.78	41.15	3	Vertical	194	1.80	-	39.39	8.88	32.20
AV	11.6516G	44.55	54.00	-9.45	28.48	3	Vertical	194	1.80	-	39.40	8.88	32.21
PK	17.47884G	66.87	68.20	-1.33	42.33	3	Vertical	149	2.38	-	43.73	11.02	30.21

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5825MHz_TX




EUT Y_2TX
 Setting 20
 02-F-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.65128G	60.48	74.00	-13.52	44.41	3	Horizontal	132	2.95	-	39.40	8.88	32.21
AV	11.65136G	47.29	54.00	-6.71	31.22	3	Horizontal	132	2.95	-	39.40	8.88	32.21
PK	17.47884G	67.03	68.20	-1.17	42.49	3	Horizontal	127	1.80	-	43.73	11.02	30.21

5.15-5.25GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5180MHz_TX




EUT_Y_2TX
 Setting 17
 02-F-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1496G	67.71	74.00	-6.29	59.07	3	Vertical	181	2.00	-	33.60	5.77	30.73
AV	5.1496G	49.45	54.00	-4.55	40.81	3	Vertical	181	2.00	-	33.60	5.77	30.73
PK	5.1726G	109.69	Inf	-Inf	100.98	3	Vertical	181	2.00	-	33.65	5.79	30.73
AV	5.1826G	96.76	Inf	-Inf	88.03	3	Vertical	181	2.00	-	33.67	5.79	30.73

5.15-5.25GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5180MHz_TX




EUT_Y_2TX
 Setting 17
 02-F-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1496G	71.76	74.00	-2.24	63.12	3	Horizontal	134	2.66	-	33.60	5.77	30.73
AV	5.15G	52.34	54.00	-1.66	43.69	3	Horizontal	134	2.66	-	33.60	5.78	30.73
PK	5.1776G	112.20	Inf	-Inf	103.48	3	Horizontal	134	2.66	-	33.66	5.79	30.73
AV	5.1774G	99.98	Inf	-Inf	91.27	3	Horizontal	134	2.66	-	33.65	5.79	30.73

5.15-5.25GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5180MHz_TX




EUT_Y_2TX
 Setting 17
 02-F-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.36144G	59.09	68.20	-9.11	43.85	3	Vertical	214	1.58	-	38.64	8.43	31.83
PK	15.53096G	59.07	74.00	-14.93	42.20	3	Vertical	99	1.74	-	37.91	10.31	31.35
AV	15.52512G	45.66	54.00	-8.34	28.74	3	Vertical	99	1.74	-	37.95	10.31	31.34

5.15-5.25GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5180MHz_TX




EUT Y_2TX
 Setting 17
 02-F-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.35616G	62.29	68.20	-5.91	47.06	3	Horizontal	216	1.79	-	38.64	8.42	31.83
PK	15.52792G	59.08	74.00	-14.92	42.18	3	Horizontal	140	2.90	-	37.93	10.31	31.34
AV	15.52768G	45.54	54.00	-8.46	28.64	3	Horizontal	140	2.90	-	37.93	10.31	31.34

5.15-5.25GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5200MHz_TX




EUT_Y_2TX
 Setting 21
 02-F-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1472G	64.06	74.00	-9.94	55.43	3	Vertical	168	1.58	-	33.59	5.77	30.73
AV	5.15G	48.17	54.00	-5.83	39.52	3	Vertical	168	1.58	-	33.60	5.78	30.73
PK	5.1972G	110.18	Inf	-Inf	101.42	3	Vertical	168	1.58	-	33.69	5.80	30.73
AV	5.2076G	98.14	Inf	-Inf	89.37	3	Vertical	168	1.58	-	33.70	5.80	30.73

5.15-5.25GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5200MHz_TX




EUT_Y_2TX
 Setting 21
 02-F-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1488G	67.39	74.00	-6.61	58.75	3	Horizontal	140	2.76	-	33.60	5.77	30.73
AV	5.15G	50.36	54.00	-3.64	41.71	3	Horizontal	140	2.76	-	33.60	5.78	30.73
PK	5.1916G	113.80	Inf	-Inf	105.05	3	Horizontal	140	2.76	-	33.68	5.80	30.73
AV	5.1972G	101.92	Inf	-Inf	93.16	3	Horizontal	140	2.76	-	33.69	5.80	30.73

5.15-5.25GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5200MHz_TX




EUT Y_2TX
 Setting 21
 02-F-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.40016G	59.37	68.20	-8.83	44.16	3	Vertical	215	1.68	-	38.60	8.44	31.83
PK	15.60584G	58.88	74.00	-15.12	42.43	3	Vertical	180	1.80	-	37.50	10.34	31.39
AV	15.5912G	44.92	54.00	-9.08	28.41	3	Vertical	180	1.80	-	37.55	10.34	31.38

5.15-5.25GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


5200MHz_TX



EUT Y_2TX
 Setting 21
 02-F-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.39608G	64.72	68.20	-3.48	49.51	3	Horizontal	216	1.72	-	38.60	8.44	31.83
PK	15.61744G	58.36	74.00	-15.64	41.90	3	Horizontal	239	1.80	-	37.50	10.35	31.39
AV	15.59056G	44.91	54.00	-9.09	28.39	3	Horizontal	239	1.80	-	37.56	10.34	31.38

5.15-5.25GHz_802.11ax HEW20_Nss1,(MCS0)_2TX
5240MHz_TX




EUT_Y_2TX
Setting 21
02-F-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1494G	59.17	74.00	-14.83	50.53	3	Vertical	177	1.98	-	33.60	5.77	30.73
AV	5.1446G	46.61	54.00	-7.39	37.98	3	Vertical	177	1.98	-	33.59	5.77	30.73
PK	5.243G	110.49	Inf	-Inf	101.70	3	Vertical	177	1.98	-	33.70	5.82	30.73
AV	5.237G	99.17	Inf	-Inf	90.38	3	Vertical	177	1.98	-	33.70	5.82	30.73
PK	5.3882G	59.82	74.00	-14.18	50.67	3	Vertical	177	1.98	-	33.98	5.89	30.72
AV	5.3858G	46.95	54.00	-7.05	37.81	3	Vertical	177	1.98	-	33.97	5.89	30.72

5.15-5.25GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5240MHz_TX




EUT Y_2TX
 Setting 21
 02-F-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1368G	59.49	74.00	-14.51	50.88	3	Horizontal	142	1.89	-	33.57	5.77	30.73
AV	5.15G	47.05	54.00	-6.95	38.40	3	Horizontal	142	1.89	-	33.60	5.78	30.73
PK	5.237G	113.69	Inf	-Inf	104.90	3	Horizontal	142	1.89	-	33.70	5.82	30.73
AV	5.2364G	101.12	Inf	-Inf	92.33	3	Horizontal	142	1.89	-	33.70	5.82	30.73
PK	5.3714G	59.10	74.00	-14.90	49.99	3	Horizontal	142	1.89	-	33.94	5.89	30.72
AV	5.3876G	46.97	54.00	-7.03	37.82	3	Horizontal	142	1.89	-	33.98	5.89	30.72

5.15-5.25GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


5240MHz_TX



EUT Y_2TX
 Setting 21
 02-F-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.47576G	60.47	68.20	-7.73	45.25	3	Vertical	214	1.70	-	38.60	8.47	31.85
PK	15.73256G	57.39	74.00	-16.61	40.95	3	Vertical	32	1.80	-	37.50	10.39	31.45
AV	15.70088G	44.03	54.00	-9.97	27.58	3	Vertical	32	1.80	-	37.50	10.38	31.43

5.15-5.25GHz_802.11ax HEW20_Nss1,(MCS0)_2TX
5240MHz_TX




EUT Y_2TX
Setting 21
02-F-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.4812G	64.82	68.20	-3.38	49.60	3	Horizontal	220	1.80	-	38.60	8.47	31.85
PK	15.71152G	57.14	74.00	-16.86	40.70	3	Horizontal	47	1.80	-	37.50	10.38	31.44
AV	15.7G	44.16	54.00	-9.84	27.71	3	Horizontal	47	1.80	-	37.50	10.38	31.43

5.25-5.35GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5260MHz_TX




EUT Y_2TX
 Setting 21
 02-F-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1442G	60.15	74.00	-13.85	51.52	3	Vertical	348	2.11	-	33.59	5.77	30.73
AV	5.1496G	46.53	54.00	-7.47	37.89	3	Vertical	348	2.11	-	33.60	5.77	30.73
PK	5.2678G	110.29	Inf	-Inf	101.44	3	Vertical	348	2.11	-	33.74	5.83	30.72
AV	5.2522G	99.40	Inf	-Inf	90.59	3	Vertical	348	2.11	-	33.70	5.83	30.72
PK	5.3872G	60.45	74.00	-13.55	51.31	3	Vertical	348	2.11	-	33.97	5.89	30.72
AV	5.4064G	47.12	54.00	-6.88	37.93	3	Vertical	348	2.11	-	34.00	5.91	30.72

5.25-5.35GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5260MHz_TX




EUT Y_2TX
 Setting 21
 02-F-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1418G	58.79	74.00	-15.21	50.17	3	Horizontal	131	2.72	-	33.58	5.77	30.73
AV	5.1484G	46.65	54.00	-7.35	38.01	3	Horizontal	131	2.72	-	33.60	5.77	30.73
PK	5.2576G	113.19	Inf	-Inf	104.36	3	Horizontal	131	2.72	-	33.72	5.83	30.72
AV	5.2522G	100.97	Inf	-Inf	92.16	3	Horizontal	131	2.72	-	33.70	5.83	30.72
PK	5.3524G	59.61	74.00	-14.39	50.55	3	Horizontal	131	2.72	-	33.90	5.88	30.72
AV	5.353G	47.24	54.00	-6.76	38.17	3	Horizontal	131	2.72	-	33.91	5.88	30.72

5.25-5.35GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5260MHz_TX




EUT Y_2TX
 Setting 21
 02-F-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.51616G	60.65	68.20	-7.55	45.44	3	Vertical	215	1.60	-	38.58	8.48	31.85
PK	15.7784G	56.99	74.00	-17.01	40.55	3	Vertical	118	1.80	-	37.50	10.41	31.47
AV	15.76208G	43.73	54.00	-10.27	27.30	3	Vertical	118	1.80	-	37.50	10.40	31.47

5.25-5.35GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5260MHz_TX




EUT Y_2TX
 Setting 21
 02-F-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.52224G	65.46	68.20	-2.74	50.25	3	Horizontal	219	1.80	-	38.58	8.48	31.85
PK	15.78624G	57.43	74.00	-16.57	41.00	3	Horizontal	358	1.80	-	37.50	10.41	31.48
AV	15.76672G	43.67	54.00	-10.33	27.23	3	Horizontal	358	1.80	-	37.50	10.41	31.47

5.25-5.35GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5300MHz_TX




EUT Y_2TX
Setting 21
02-F-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3032G	111.05	Inf	-Inf	102.11	3	Vertical	349	2.18	-	33.81	5.85	30.72
AV	5.308G	99.54	Inf	-Inf	90.59	3	Vertical	349	2.18	-	33.82	5.85	30.72
PK	5.35G	59.92	74.00	-14.08	50.86	3	Vertical	349	2.18	-	33.90	5.88	30.72
AV	5.35G	48.12	54.00	-5.88	39.06	3	Vertical	349	2.18	-	33.90	5.88	30.72

5.25-5.35GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5300MHz_TX




EUT_Y_2TX
 Setting 21
 02-F-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3028G	112.18	Inf	-Inf	103.24	3	Horizontal	138	2.80	-	33.81	5.85	30.72
AV	5.302G	100.62	Inf	-Inf	91.69	3	Horizontal	138	2.80	-	33.80	5.85	30.72
PK	5.35G	64.92	74.00	-9.08	55.86	3	Horizontal	138	2.80	-	33.90	5.88	30.72
AV	5.35G	49.13	54.00	-4.87	40.07	3	Horizontal	138	2.80	-	33.90	5.88	30.72

5.25-5.35GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5300MHz_TX




EUT Y_2TX
 Setting 20
 02-F-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.5964G	59.22	68.20	-8.98	44.07	3	Vertical	214	1.68	-	38.50	8.51	31.86
AV	10.60144G	46.94	54.00	-7.06	31.79	3	Vertical	214	1.68	-	38.50	8.51	31.86
PK	15.89976G	56.51	74.00	-17.49	40.29	3	Vertical	-0	1.69	-	37.30	10.46	31.54
AV	15.90504G	43.23	54.00	-10.77	27.01	3	Vertical	-0	1.69	-	37.30	10.46	31.54

5.25-5.35GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5300MHz_TX




EUT Y_2TX
 Setting 20
 02-F-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.60232G	65.81	74.00	-8.19	50.66	3	Horizontal	224	1.80	-	38.50	8.51	31.86
AV	10.60216G	52.67	54.00	-1.33	37.52	3	Horizontal	224	1.80	-	38.50	8.51	31.86
PK	15.8932G	56.39	74.00	-17.61	40.15	3	Horizontal	104	1.80	-	37.31	10.46	31.53
AV	15.90776G	43.13	54.00	-10.87	26.91	3	Horizontal	104	1.80	-	37.30	10.46	31.54

5.25-5.35GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5320MHz_TX




EUT_Y_2TX
 Setting 19
 02-F-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3118G	110.83	Inf	-Inf	101.87	3	Vertical	349	2.19	-	33.82	5.86	30.72
AV	5.3124G	98.59	Inf	-Inf	89.63	3	Vertical	349	2.19	-	33.82	5.86	30.72
PK	5.3512G	68.27	74.00	-5.73	59.21	3	Vertical	349	2.19	-	33.90	5.88	30.72
AV	5.3502G	49.13	54.00	-4.87	40.07	3	Vertical	349	2.19	-	33.90	5.88	30.72

5.25-5.35GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5320MHz_TX




EUT_Y_2TX
 Setting 19
 02-F-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3166G	112.28	Inf	-Inf	103.31	3	Horizontal	141	1.86	-	33.83	5.86	30.72
AV	5.3172G	100.39	Inf	-Inf	91.42	3	Horizontal	141	1.86	-	33.83	5.86	30.72
PK	5.3518G	71.90	74.00	-2.10	62.84	3	Horizontal	141	1.86	-	33.90	5.88	30.72
AV	5.35G	51.79	54.00	-2.21	42.73	3	Horizontal	141	1.86	-	33.90	5.88	30.72

5.25-5.35GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5320MHz_TX




EUT_Y_2TX
Setting 19
02-F-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.63704G	59.34	74.00	-14.66	44.19	3	Vertical	214	1.67	-	38.50	8.52	31.87
AV	10.63656G	46.55	54.00	-7.45	31.40	3	Vertical	214	1.67	-	38.50	8.52	31.87
PK	15.95096G	56.16	74.00	-17.84	39.94	3	Vertical	127	2.40	-	37.30	10.48	31.56
AV	15.9592G	43.53	54.00	-10.47	27.32	3	Vertical	127	2.40	-	37.30	10.48	31.57

5.25-5.35GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5320MHz_TX




EUT_Y_2TX
Setting 19
02-F-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.6424G	66.64	74.00	-7.36	51.49	3	Horizontal	219	1.73	-	38.50	8.52	31.87
AV	10.64232G	52.81	54.00	-1.19	37.66	3	Horizontal	219	1.73	-	38.50	8.52	31.87
PK	15.94568G	57.13	74.00	-16.87	40.91	3	Horizontal	21	2.14	-	37.30	10.48	31.56
AV	15.97416G	43.00	54.00	-11.00	26.79	3	Horizontal	21	2.14	-	37.30	10.49	31.58

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5500MHz_TX




EUT_Y_2TX
 Setting 16
 02-F-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4528G	60.20	74.00	-13.80	50.97	3	Vertical	347	2.18	-	34.00	5.95	30.72
AV	5.4572G	47.33	54.00	-6.67	38.09	3	Vertical	347	2.18	-	34.00	5.96	30.72
PK	5.4676G	64.30	68.20	-3.90	55.05	3	Vertical	347	2.18	-	34.00	5.97	30.72
PK	5.4926G	108.81	Inf	-Inf	99.54	3	Vertical	347	2.18	-	34.00	5.99	30.72
AV	5.4924G	96.62	Inf	-Inf	87.35	3	Vertical	347	2.18	-	34.00	5.99	30.72

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5500MHz_TX




EUT Y_2TX
 Setting 16
 02-F-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.46G	63.36	74.00	-10.64	54.12	3	Horizontal	139	1.86	-	34.00	5.96	30.72
AV	5.46G	47.83	54.00	-6.17	38.59	3	Horizontal	139	1.86	-	34.00	5.96	30.72
PK	5.4696G	66.06	68.20	-2.14	56.81	3	Horizontal	139	1.86	-	34.00	5.97	30.72
PK	5.5076G	110.71	Inf	-Inf	101.43	3	Horizontal	139	1.86	-	34.00	6.01	30.73
AV	5.508G	98.23	Inf	-Inf	88.95	3	Horizontal	139	1.86	-	34.00	6.01	30.73

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5500MHz_TX




EUT Y_2TX
 Setting 16
 02-F-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.9972G	58.03	74.00	-15.97	42.70	3	Vertical	149	1.82	-	38.60	8.65	31.92
AV	11.00152G	44.21	54.00	-9.79	28.88	3	Vertical	149	1.82	-	38.60	8.65	31.92
PK	16.5196G	59.88	68.20	-8.32	40.99	3	Vertical	351	2.78	-	39.16	10.68	30.95

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5500MHz_TX




EUT Y_2TX
 Setting 16
 02-F-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.00216G	61.42	74.00	-12.58	46.09	3	Horizontal	216	1.80	-	38.60	8.65	31.92
AV	10.99696G	47.66	54.00	-6.34	32.33	3	Horizontal	216	1.80	-	38.60	8.65	31.92
PK	16.50784G	59.65	68.20	-8.55	40.82	3	Horizontal	142	2.75	-	39.12	10.68	30.97

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5580MHz_TX




EUT Y_2TX
 Setting 21
 02-F-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4552G	59.76	74.00	-14.24	50.52	3	Vertical	181	2.48	-	34.00	5.96	30.72
AV	5.416G	47.18	54.00	-6.82	37.98	3	Vertical	181	2.48	-	34.00	5.92	30.72
PK	5.4648G	58.92	68.20	-9.28	49.68	3	Vertical	181	2.48	-	34.00	5.96	30.72
PK	5.5864G	112.09	Inf	-Inf	102.86	3	Vertical	181	2.48	-	33.93	6.09	30.79
AV	5.5872G	99.94	Inf	-Inf	90.71	3	Vertical	181	2.48	-	33.93	6.09	30.79
PK	5.7408G	59.67	68.20	-8.53	50.65	3	Vertical	181	2.48	-	33.82	6.10	30.90

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5580MHz_TX




EUT Y_2TX
 Setting 21
 02-F-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.44G	59.48	74.00	-14.52	50.26	3	Horizontal	140	1.91	-	34.00	5.94	30.72
AV	5.4296G	47.42	54.00	-6.58	38.21	3	Horizontal	140	1.91	-	34.00	5.93	30.72
PK	5.4632G	59.72	68.20	-8.48	50.48	3	Horizontal	140	1.91	-	34.00	5.96	30.72
PK	5.5776G	114.85	Inf	-Inf	105.61	3	Horizontal	140	1.91	-	33.94	6.08	30.78
AV	5.5824G	103.08	Inf	-Inf	93.84	3	Horizontal	140	1.91	-	33.94	6.08	30.78
PK	5.748G	60.47	68.20	-7.73	51.48	3	Horizontal	140	1.91	-	33.80	6.10	30.91

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5580MHz_TX




EUT Y_2TX
 Setting 21
 02-F-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.16704G	58.35	74.00	-15.65	42.86	3	Vertical	133	1.70	-	38.77	8.71	31.99
AV	11.16192G	45.39	54.00	-8.61	29.90	3	Vertical	133	1.70	-	38.76	8.71	31.98
PK	16.7436G	64.83	68.20	-3.37	44.75	3	Vertical	168	1.80	-	39.95	10.76	30.63

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5580MHz_TX




EUT Y_2TX
 Setting 21
 02-F-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.15152G	63.65	74.00	-10.35	48.18	3	Horizontal	216	1.71	-	38.75	8.70	31.98
AV	11.1564G	49.51	54.00	-4.49	34.03	3	Horizontal	216	1.71	-	38.76	8.70	31.98
PK	16.73528G	62.42	68.20	-5.78	42.42	3	Horizontal	245	1.80	-	39.88	10.76	30.64

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5700MHz_TX




EUT Y_2TX
 Setting 15
 02-F-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6974G	106.75	Inf	-Inf	97.63	3	Vertical	169	1.61	-	33.89	6.10	30.87
AV	5.697G	93.87	Inf	-Inf	84.75	3	Vertical	169	1.61	-	33.89	6.10	30.87
PK	5.7256G	66.68	68.20	-1.52	57.62	3	Vertical	169	1.61	-	33.85	6.10	30.89

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5700MHz_TX




EUT Y_2TX
 Setting 15
 02-F-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6974G	109.51	Inf	-Inf	100.39	3	Horizontal	140	1.87	-	33.89	6.10	30.87
AV	5.7012G	97.06	Inf	-Inf	87.93	3	Horizontal	140	1.87	-	33.90	6.10	30.87
PK	5.7252G	66.25	68.20	-1.95	57.19	3	Horizontal	140	1.87	-	33.85	6.10	30.89

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5700MHz_TX




EUT Y_2TX
 Setting 15
 02-F-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.39712G	56.10	74.00	-17.90	40.59	3	Vertical	198	1.84	-	38.80	8.79	32.08
AV	11.39776G	43.41	54.00	-10.59	27.90	3	Vertical	198	1.84	-	38.80	8.79	32.08
PK	17.08352G	62.77	68.20	-5.43	40.81	3	Vertical	258	2.45	-	41.33	10.88	30.25

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5700MHz_TX




EUT_Y_2TX
 Setting 15
 02-F-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.39808G	60.91	74.00	-13.09	45.40	3	Horizontal	216	1.65	-	38.80	8.79	32.08
AV	11.39768G	46.96	54.00	-7.04	31.45	3	Horizontal	216	1.65	-	38.80	8.79	32.08
PK	17.09608G	61.91	68.20	-6.29	39.90	3	Horizontal	94	2.87	-	41.38	10.88	30.25

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT Y_2TX
 Setting 21
 01-B-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4442G	58.62	74.00	-15.38	51.28	3	Vertical	351	1.80	-	33.88	6.12	32.66
AV	5.4008G	46.25	54.00	-7.75	39.13	3	Vertical	351	1.80	-	33.70	6.10	32.68
PK	5.4694G	57.97	68.20	-10.23	50.51	3	Vertical	351	1.80	-	33.98	6.13	32.65
PK	5.7214G	116.08	Inf	-Inf	108.05	3	Vertical	351	1.80	-	34.50	6.26	32.73
AV	5.713G	103.92	Inf	-Inf	95.89	3	Vertical	351	1.80	-	34.50	6.26	32.73
PK	5.9888G	61.77	68.20	-6.43	52.72	3	Vertical	351	1.80	-	35.50	6.39	32.84

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT Y_2TX
 Setting 21
 01-B-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3854G	58.93	74.00	-15.07	51.89	3	Horizontal	308	1.65	-	33.64	6.09	32.69
PK	5.461G	58.85	68.20	-9.35	51.44	3	Horizontal	308	1.65	-	33.94	6.13	32.66
AV	5.4554G	46.31	54.00	-7.69	38.92	3	Horizontal	308	1.65	-	33.92	6.13	32.66
PK	5.7158G	115.42	Inf	-Inf	107.39	3	Horizontal	308	1.65	-	34.50	6.26	32.73
AV	5.7158G	104.04	Inf	-Inf	96.01	3	Horizontal	308	1.65	-	34.50	6.26	32.73
PK	5.9552G	61.76	68.20	-6.44	52.70	3	Horizontal	308	1.65	-	35.50	6.38	32.82

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT Y_2TX
 Setting 16
 01-B-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4373G	60.99	74.00	-13.01	45.10	3	Vertical	28	2.06	-	38.80	8.87	31.78
AV	11.4424G	47.58	54.00	-6.42	31.67	3	Vertical	28	2.06	-	38.80	8.88	31.77
PK	17.1573G	67.13	68.20	-1.07	44.17	3	Vertical	5	2.82	-	41.86	11.16	30.06

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT Y_2TX
Setting 16
01-B-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.43694G	61.97	74.00	-12.03	46.08	3	Horizontal	50	1.80	-	38.80	8.87	31.78
AV	11.44216G	48.13	54.00	-5.87	32.22	3	Horizontal	50	1.80	-	38.80	8.88	31.77
PK	17.15334G	65.59	68.20	-2.61	42.63	3	Horizontal	58	1.61	-	41.85	11.16	30.05

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5745MHz_TX




EUT_Y_2TX
 Setting 21
 02-F-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.569G	59.43	68.20	-8.77	50.17	3	Vertical	169	1.53	-	33.96	6.07	30.77
PK	5.748G	110.54	Inf	-Inf	101.55	3	Vertical	169	1.53	-	33.80	6.10	30.91
AV	5.747G	98.05	Inf	-Inf	89.05	3	Vertical	169	1.53	-	33.81	6.10	30.91
PK	5.986G	60.01	68.20	-8.19	50.61	3	Vertical	169	1.53	-	34.20	6.29	31.09

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5745MHz_TX




EUT Y_2TX
 Setting 21
 02-F-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.595G	59.57	68.20	-8.63	50.36	3	Horizontal	143	1.80	-	33.91	6.09	30.79
PK	5.742G	111.86	Inf	-Inf	102.84	3	Horizontal	143	1.80	-	33.82	6.10	30.90
AV	5.737G	99.92	Inf	-Inf	90.89	3	Horizontal	143	1.80	-	33.83	6.10	30.90
PK	5.952G	59.27	68.20	-8.93	49.88	3	Horizontal	143	1.80	-	34.20	6.25	31.06

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5745MHz_TX




EUT Y_2TX
 Setting 19
 02-F-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.49128G	56.46	74.00	-17.54	40.78	3	Vertical	119	1.80	-	38.98	8.82	32.12
AV	11.4916G	44.05	54.00	-9.95	28.37	3	Vertical	119	1.80	-	38.98	8.82	32.12
PK	17.23164G	66.75	68.20	-1.45	43.90	3	Vertical	177	2.50	-	42.16	10.93	30.24

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5745MHz_TX




EUT Y_2TX
Setting 19
02-F-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4908G	58.57	74.00	-15.43	42.89	3	Horizontal	209	1.80	-	38.98	8.82	32.12
AV	11.49128G	46.07	54.00	-7.93	30.39	3	Horizontal	209	1.80	-	38.98	8.82	32.12
PK	17.23268G	62.22	68.20	-5.98	39.37	3	Horizontal	136	1.80	-	42.16	10.93	30.24

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5785MHz_TX




EUT_Y_2TX
 Setting 21
 02-F-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.55G	60.78	68.20	-7.42	51.49	3	Vertical	171	1.80	-	34.00	6.05	30.76
PK	5.793G	108.61	Inf	-Inf	99.65	3	Vertical	171	1.80	-	33.80	6.10	30.94
AV	5.793G	96.44	Inf	-Inf	87.48	3	Vertical	171	1.80	-	33.80	6.10	30.94
PK	5.949G	59.61	68.20	-8.59	50.22	3	Vertical	171	1.80	-	34.20	6.25	31.06

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5785MHz_TX




EUT_Y_2TX
 Setting 21
 02-F-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.576G	60.25	68.20	-7.95	51.00	3	Horizontal	137	2.64	-	33.95	6.08	30.78
PK	5.782G	113.23	Inf	-Inf	104.26	3	Horizontal	137	2.64	-	33.80	6.10	30.93
AV	5.787G	101.14	Inf	-Inf	92.18	3	Horizontal	137	2.64	-	33.80	6.10	30.94
PK	5.928G	59.33	68.20	-8.87	50.00	3	Horizontal	137	2.64	-	34.16	6.22	31.05

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5785MHz_TX




EUT Y_2TX
 Setting 21
 02-F-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.57624G	57.15	74.00	-16.85	41.23	3	Vertical	191	1.67	-	39.23	8.85	32.16
AV	11.57136G	44.19	54.00	-9.81	28.29	3	Vertical	191	1.67	-	39.21	8.85	32.16
PK	17.3654G	63.54	68.20	-4.66	39.89	3	Vertical	201	1.80	-	42.89	10.98	30.22

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5785MHz_TX




EUT Y_2TX
 Setting 21
 02-F-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.57088G	62.03	74.00	-11.97	46.13	3	Horizontal	206	1.67	-	39.21	8.85	32.16
AV	11.57144G	48.56	54.00	-5.44	32.66	3	Horizontal	206	1.67	-	39.21	8.85	32.16
PK	17.36484G	63.93	68.20	-4.27	40.28	3	Horizontal	126	1.80	-	42.89	10.98	30.22

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5825MHz_TX




EUT_Y_2TX
 Setting 21
 02-F-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6G	59.97	68.20	-8.23	50.77	3	Vertical	342	2.16	-	33.90	6.10	30.80
PK	5.818G	108.26	Inf	-Inf	99.31	3	Vertical	342	2.16	-	33.80	6.11	30.96
AV	5.823G	97.25	Inf	-Inf	88.31	3	Vertical	342	2.16	-	33.80	6.11	30.97
PK	5.977G	59.47	68.20	-8.73	50.07	3	Vertical	342	2.16	-	34.20	6.28	31.08

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5825MHz_TX




EUT_Y_2TX
 Setting 21
 02-F-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.592G	59.16	68.20	-9.04	49.94	3	Horizontal	136	2.59	-	33.92	6.09	30.79
PK	5.827G	112.35	Inf	-Inf	103.40	3	Horizontal	136	2.59	-	33.80	6.12	30.97
AV	5.827G	100.74	Inf	-Inf	91.79	3	Horizontal	136	2.59	-	33.80	6.12	30.97
PK	6.04G	59.65	68.20	-8.55	50.18	3	Horizontal	136	2.59	-	34.28	6.30	31.11

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5825MHz_TX




EUT Y_2TX
 Setting 21
 02-F-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.64752G	56.94	74.00	-17.06	40.87	3	Vertical	195	1.80	-	39.40	8.88	32.21
AV	11.6472G	43.96	54.00	-10.04	27.90	3	Vertical	195	1.80	-	39.39	8.88	32.21
PK	17.4882G	64.21	68.20	-3.99	39.59	3	Vertical	28	1.01	-	43.81	11.02	30.21

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5825MHz_TX




EUT Y_2TX
 Setting 21
 02-F-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.64592G	59.98	74.00	-14.02	43.91	3	Horizontal	205	1.93	-	39.39	8.88	32.20
AV	11.6512G	47.10	54.00	-6.90	31.03	3	Horizontal	205	1.93	-	39.40	8.88	32.21
PK	17.479G	67.17	68.20	-1.03	42.63	3	Horizontal	124	1.80	-	43.73	11.02	30.21

5.15-5.25GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5190MHz_TX




EUT_Y_2TX
 Setting 15
 02-F-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1456G	69.42	74.00	-4.58	60.79	3	Vertical	180	2.06	-	33.59	5.77	30.73
AV	5.1496G	50.25	54.00	-3.75	41.61	3	Vertical	180	2.06	-	33.60	5.77	30.73
PK	5.1944G	105.45	Inf	-Inf	96.69	3	Vertical	180	2.06	-	33.69	5.80	30.73
AV	5.1844G	92.92	Inf	-Inf	84.19	3	Vertical	180	2.06	-	33.67	5.79	30.73

5.15-5.25GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5190MHz_TX




EUT_Y_2TX
 Setting 15
 02-F-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1484G	71.63	74.00	-2.37	62.99	3	Horizontal	133	2.64	-	33.60	5.77	30.73
AV	5.15G	52.34	54.00	-1.66	43.69	3	Horizontal	133	2.64	-	33.60	5.78	30.73
PK	5.1752G	108.03	Inf	-Inf	99.32	3	Horizontal	133	2.64	-	33.65	5.79	30.73
AV	5.1744G	95.22	Inf	-Inf	86.51	3	Horizontal	133	2.64	-	33.65	5.79	30.73

5.15-5.25GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5190MHz_TX




EUT Y_2TX
 Setting 15
 02-F-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.3756G	54.85	68.20	-13.35	39.63	3	Vertical	214	1.63	-	38.62	8.43	31.83
PK	15.5454G	57.46	74.00	-16.54	40.66	3	Vertical	236	2.19	-	37.83	10.32	31.35
AV	15.5455G	45.12	54.00	-8.88	28.32	3	Vertical	236	2.19	-	37.83	10.32	31.35

5.15-5.25GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5190MHz_TX




EUT_Y_2TX
 Setting 15
 02-F-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.3901G	58.52	68.20	-9.68	43.30	3	Horizontal	224	1.72	-	38.61	8.44	31.83
PK	15.5557G	58.05	74.00	-15.95	41.32	3	Horizontal	233	2.16	-	37.77	10.32	31.36
AV	15.545G	45.00	54.00	-9.00	28.20	3	Horizontal	233	2.16	-	37.83	10.32	31.35

5.15-5.25GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5230MHz_TX




EUT Y_2TX
 Setting 21
 02-F-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1418G	64.32	74.00	-9.68	55.70	3	Vertical	168	1.87	-	33.58	5.77	30.73
AV	5.15G	49.89	54.00	-4.11	41.25	3	Vertical	168	1.87	-	33.60	5.77	30.73
PK	5.2234G	109.49	Inf	-Inf	100.71	3	Vertical	168	1.87	-	33.70	5.81	30.73
AV	5.2258G	96.75	Inf	-Inf	87.97	3	Vertical	168	1.87	-	33.70	5.81	30.73
PK	5.371G	59.60	74.00	-14.40	50.49	3	Vertical	168	1.87	-	33.94	5.89	30.72
AV	5.3506G	47.75	54.00	-6.25	38.69	3	Vertical	168	1.87	-	33.90	5.88	30.72

5.15-5.25GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5230MHz_TX




EUT Y_2TX
 Setting 21
 02-F-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.149G	67.67	74.00	-6.33	59.03	3	Horizontal	141	2.74	-	33.60	5.77	30.73
AV	5.1496G	52.96	54.00	-1.04	44.32	3	Horizontal	141	2.74	-	33.60	5.77	30.73
PK	5.2246G	112.45	Inf	-Inf	103.67	3	Horizontal	141	2.74	-	33.70	5.81	30.73
AV	5.2252G	100.74	Inf	-Inf	91.96	3	Horizontal	141	2.74	-	33.70	5.81	30.73
PK	5.3518G	59.89	74.00	-14.11	50.83	3	Horizontal	141	2.74	-	33.90	5.88	30.72
AV	5.3524G	47.97	54.00	-6.03	38.91	3	Horizontal	141	2.74	-	33.90	5.88	30.72

5.15-5.25GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5230MHz_TX




EUT Y_2TX
 Setting 21
 02-F-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.46112G	57.50	68.20	-10.70	42.28	3	Vertical	213	1.69	-	38.60	8.46	31.84
PK	15.67012G	57.69	74.00	-16.31	41.24	3	Vertical	-0	2.71	-	37.50	10.37	31.42
AV	15.66634G	44.94	54.00	-9.06	28.49	3	Vertical	-0	2.71	-	37.50	10.37	31.42

5.15-5.25GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5230MHz_TX




EUT Y_2TX
Setting 21
02-F-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.4613G	62.45	68.20	-5.75	47.23	3	Horizontal	224	1.79	-	38.60	8.46	31.84
PK	15.67446G	57.03	74.00	-16.97	40.58	3	Horizontal	53	1.80	-	37.50	10.37	31.42
AV	15.65906G	44.33	54.00	-9.67	27.88	3	Horizontal	53	1.80	-	37.50	10.36	31.41

5.25-5.35GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5270MHz_TX




EUT Y_2TX
 Setting 21
 02-F-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1452G	59.86	74.00	-14.14	51.23	3	Vertical	344	2.13	-	33.59	5.77	30.73
AV	5.15G	47.36	54.00	-6.64	38.71	3	Vertical	344	2.13	-	33.60	5.78	30.73
PK	5.2544G	108.06	Inf	-Inf	99.24	3	Vertical	344	2.13	-	33.71	5.83	30.72
AV	5.2544G	97.18	Inf	-Inf	88.36	3	Vertical	344	2.13	-	33.71	5.83	30.72
PK	5.3954G	60.45	74.00	-13.55	51.28	3	Vertical	344	2.13	-	33.99	5.90	30.72
AV	5.35G	48.28	54.00	-5.72	39.22	3	Vertical	344	2.13	-	33.90	5.88	30.72

5.25-5.35GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5270MHz_TX




EUT Y_2TX
 Setting 21
 02-F-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1464G	61.23	74.00	-12.77	52.60	3	Horizontal	145	1.80	-	33.59	5.77	30.73
AV	5.15G	48.49	54.00	-5.51	39.84	3	Horizontal	145	1.80	-	33.60	5.78	30.73
PK	5.2658G	110.36	Inf	-Inf	101.52	3	Horizontal	145	1.80	-	33.73	5.83	30.72
AV	5.2556G	97.72	Inf	-Inf	88.90	3	Horizontal	145	1.80	-	33.71	5.83	30.72
PK	5.3546G	62.13	74.00	-11.87	53.06	3	Horizontal	145	1.80	-	33.91	5.88	30.72
AV	5.3504G	49.71	54.00	-4.29	40.65	3	Horizontal	145	1.80	-	33.90	5.88	30.72

5.25-5.35GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5270MHz_TX




EUT Y_2TX
Setting 21
02-F-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.54182G	56.77	68.20	-11.43	41.58	3	Vertical	212	1.78	-	38.56	8.49	31.86
PK	15.83016G	57.29	74.00	-16.71	40.92	3	Vertical	111	1.80	-	37.44	10.43	31.50
AV	15.78634G	43.90	54.00	-10.10	27.47	3	Vertical	111	1.80	-	37.50	10.41	31.48

5.25-5.35GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5270MHz_TX




EUT Y_2TX
 Setting 21
 02-F-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.5428G	63.42	68.20	-4.78	48.23	3	Horizontal	218	1.70	-	38.56	8.49	31.86
PK	15.83842G	56.34	74.00	-17.66	39.99	3	Horizontal	193	1.78	-	37.42	10.44	31.51
AV	15.78228G	43.52	54.00	-10.48	27.09	3	Horizontal	193	1.78	-	37.50	10.41	31.48

5.25-5.35GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5310MHz_TX




EUT_Y_2TX
 Setting 15
 02-F-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3068G	104.49	Inf	-Inf	95.55	3	Vertical	346	2.47	-	33.81	5.85	30.72
AV	5.3048G	92.38	Inf	-Inf	83.44	3	Vertical	346	2.47	-	33.81	5.85	30.72
PK	5.3524G	68.20	74.00	-5.80	59.14	3	Vertical	346	2.47	-	33.90	5.88	30.72
AV	5.35G	49.65	54.00	-4.35	40.59	3	Vertical	346	2.47	-	33.90	5.88	30.72

5.25-5.35GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5310MHz_TX




EUT_Y_2TX
 Setting 15
 02-F-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3072G	106.25	Inf	-Inf	97.31	3	Horizontal	141	1.85	-	33.81	5.85	30.72
AV	5.3164G	93.98	Inf	-Inf	85.01	3	Horizontal	141	1.85	-	33.83	5.86	30.72
PK	5.3504G	71.91	74.00	-2.09	62.85	3	Horizontal	141	1.85	-	33.90	5.88	30.72
AV	5.35G	52.65	54.00	-1.35	43.59	3	Horizontal	141	1.85	-	33.90	5.88	30.72

5.25-5.35GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5310MHz_TX




EUT_Y_2TX
 Setting 15
 02-F-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.62098G	55.07	74.00	-18.93	39.92	3	Vertical	211	1.80	-	38.50	8.52	31.87
AV	10.62084G	42.69	54.00	-11.31	27.54	3	Vertical	211	1.80	-	38.50	8.52	31.87
PK	15.92678G	57.46	74.00	-16.54	41.24	3	Vertical	22	1.95	-	37.30	10.47	31.55
AV	15.93209G	43.33	54.00	-10.67	27.11	3	Vertical	22	1.95	-	37.30	10.47	31.55

5.25-5.35GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5310MHz_TX




EUT_Y_2TX
 Setting 15
 02-F-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.62084G	61.28	74.00	-12.72	46.13	3	Horizontal	218	1.71	-	38.50	8.52	31.87
AV	10.6214G	48.58	54.00	-5.42	33.43	3	Horizontal	218	1.71	-	38.50	8.52	31.87
PK	15.92923G	56.04	74.00	-17.96	39.82	3	Horizontal	35	2.19	-	37.30	10.47	31.55
AV	15.92668G	43.17	54.00	-10.83	26.95	3	Horizontal	35	2.19	-	37.30	10.47	31.55

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5510MHz_TX




EUT Y_2TX
 Setting 14
 02-F-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4252G	59.76	74.00	-14.24	50.55	3	Vertical	349	2.15	-	34.00	5.93	30.72
PK	5.466G	61.24	68.20	-6.96	51.99	3	Vertical	349	2.15	-	34.00	5.97	30.72
AV	5.4556G	47.54	54.00	-6.46	38.30	3	Vertical	349	2.15	-	34.00	5.96	30.72
PK	5.5268G	104.23	Inf	-Inf	94.94	3	Vertical	349	2.15	-	34.00	6.03	30.74
AV	5.5168G	91.65	Inf	-Inf	82.36	3	Vertical	349	2.15	-	34.00	6.02	30.73

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5510MHz_TX




EUT_Y_2TX
 Setting 14
 02-F-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4592G	60.24	74.00	-13.76	51.00	3	Horizontal	138	1.88	-	34.00	5.96	30.72
AV	5.4596G	48.59	54.00	-5.41	39.35	3	Horizontal	138	1.88	-	34.00	5.96	30.72
PK	5.4652G	65.69	68.20	-2.51	56.44	3	Horizontal	138	1.88	-	34.00	5.97	30.72
PK	5.4948G	105.35	Inf	-Inf	96.08	3	Horizontal	138	1.88	-	34.00	5.99	30.72
AV	5.5144G	93.67	Inf	-Inf	84.39	3	Horizontal	138	1.88	-	34.00	6.01	30.73

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5510MHz_TX




EUT Y_2TX
 Setting 14
 02-F-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.02182G	54.49	74.00	-19.51	39.14	3	Vertical	146	1.76	-	38.62	8.66	31.93
AV	11.02224G	41.74	54.00	-12.26	26.39	3	Vertical	146	1.76	-	38.62	8.66	31.93

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5510MHz_TX




EUT Y_2TX
 Setting 14
 02-F-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.99802G	57.11	74.00	-16.89	41.78	3	Horizontal	216	1.75	-	38.60	8.65	31.92
AV	11.02252G	45.22	54.00	-8.78	29.87	3	Horizontal	216	1.75	-	38.62	8.66	31.93

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5550MHz_TX




EUT Y_2TX
 Setting 19
 02-F-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.415G	60.28	74.00	-13.72	51.08	3	Vertical	184	2.40	-	34.00	5.92	30.72
PK	5.466G	60.87	68.20	-7.33	51.62	3	Vertical	184	2.40	-	34.00	5.97	30.72
AV	5.4582G	48.23	54.00	-5.77	38.99	3	Vertical	184	2.40	-	34.00	5.96	30.72
PK	5.5542G	108.11	Inf	-Inf	98.83	3	Vertical	184	2.40	-	33.99	6.05	30.76
AV	5.5452G	96.20	Inf	-Inf	86.90	3	Vertical	184	2.40	-	34.00	6.05	30.75

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5550MHz_TX




EUT Y_2TX
 Setting 19
 02-F-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.451G	64.35	74.00	-9.65	55.12	3	Horizontal	140	1.95	-	34.00	5.95	30.72
AV	5.4576G	49.44	54.00	-4.56	40.20	3	Horizontal	140	1.95	-	34.00	5.96	30.72
PK	5.466G	64.38	68.20	-3.82	55.13	3	Horizontal	140	1.95	-	34.00	5.97	30.72
PK	5.547G	110.99	Inf	-Inf	101.70	3	Horizontal	140	1.95	-	34.00	6.05	30.76
AV	5.556G	98.56	Inf	-Inf	89.27	3	Horizontal	140	1.95	-	33.99	6.06	30.76

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5550MHz_TX




EUT Y_2TX
 Setting 19
 02-F-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.0986G	56.27	74.00	-17.73	40.85	3	Vertical	151	1.92	-	38.70	8.68	31.96
AV	11.09748G	44.30	54.00	-9.70	28.88	3	Vertical	151	1.92	-	38.70	8.68	31.96
PK	16.6178G	60.01	68.20	-8.19	40.66	3	Vertical	220	2.54	-	39.44	10.72	30.81

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5550MHz_TX




EUT Y_2TX
 Setting 19
 02-F-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.08278G	60.07	74.00	-13.93	44.66	3	Horizontal	218	1.70	-	38.68	8.68	31.95
AV	11.1028G	48.18	54.00	-5.82	32.75	3	Horizontal	218	1.70	-	38.70	8.69	31.96
PK	16.65238G	60.56	68.20	-7.64	41.09	3	Horizontal	182	1.78	-	39.50	10.73	30.76

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5670MHz_TX




EUT_Y_2TX
 Setting 19
 02-F-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6636G	108.22	Inf	-Inf	99.13	3	Vertical	165	1.75	-	33.83	6.10	30.84
AV	5.6656G	95.41	Inf	-Inf	86.33	3	Vertical	165	1.75	-	33.83	6.10	30.85
PK	5.7284G	62.69	68.20	-5.51	53.64	3	Vertical	165	1.75	-	33.84	6.10	30.89

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5670MHz_TX




EUT_Y_2TX
 Setting 19
 02-F-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6544G	109.64	Inf	-Inf	100.57	3	Horizontal	139	1.89	-	33.81	6.10	30.84
AV	5.654G	98.21	Inf	-Inf	89.14	3	Horizontal	139	1.89	-	33.81	6.10	30.84
PK	5.7288G	67.16	68.20	-1.04	58.11	3	Horizontal	139	1.89	-	33.84	6.10	30.89

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5670MHz_TX




EUT Y_2TX
 Setting 18.5
 02-F-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.3512G	55.32	74.00	-18.68	39.81	3	Vertical	151	1.80	-	38.80	8.77	32.06
AV	11.3427G	42.89	54.00	-11.11	27.38	3	Vertical	151	1.80	-	38.80	8.77	32.06
PK	17.0144G	67.10	68.20	-1.10	45.44	3	Vertical	187	1.76	-	41.06	10.86	30.26

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5670MHz_TX




EUT Y_2TX
 Setting 18.5
 02-F-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.3412G	59.08	74.00	-14.92	43.57	3	Horizontal	216	1.80	-	38.80	8.77	32.06
AV	11.3428G	46.98	54.00	-7.02	31.47	3	Horizontal	216	1.80	-	38.80	8.77	32.06
PK	17.0186G	67.13	68.20	-1.07	45.46	3	Horizontal	198	2.56	-	41.07	10.86	30.26

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT Y_2TX
 Setting 21
 01-B-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4482G	59.36	74.00	-14.64	52.01	3	Vertical	190	1.80	-	33.89	6.12	32.66
AV	5.4132G	46.86	54.00	-7.14	39.68	3	Vertical	190	1.80	-	33.75	6.11	32.68
PK	5.4608G	58.48	68.20	-9.72	51.07	3	Vertical	190	1.80	-	33.94	6.13	32.66
PK	5.6946G	110.49	Inf	-Inf	102.48	3	Vertical	190	1.80	-	34.48	6.25	32.72
AV	5.6946G	100.21	Inf	-Inf	92.20	3	Vertical	190	1.80	-	34.48	6.25	32.72
PK	5.962G	62.08	68.20	-6.12	53.02	3	Vertical	190	1.80	-	35.50	6.38	32.82

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT Y_2TX
 Setting 21
 01-B-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4272G	59.16	74.00	-14.84	51.91	3	Horizontal	315	1.53	-	33.81	6.11	32.67
PK	5.47G	58.94	68.20	-9.26	51.48	3	Horizontal	315	1.53	-	33.98	6.13	32.65
AV	5.458G	46.90	54.00	-7.10	39.50	3	Horizontal	315	1.53	-	33.93	6.13	32.66
PK	5.6946G	113.31	Inf	-Inf	105.30	3	Horizontal	315	1.53	-	34.48	6.25	32.72
AV	5.6946G	102.01	Inf	-Inf	94.00	3	Horizontal	315	1.53	-	34.48	6.25	32.72
PK	5.9522G	61.65	68.20	-6.55	52.59	3	Horizontal	315	1.53	-	35.50	6.38	32.82

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT Y_2TX
Setting 17
01-B-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.42078G	60.60	74.00	-13.40	44.72	3	Vertical	34	1.80	-	38.80	8.87	31.79
AV	11.41724G	46.70	54.00	-7.30	30.82	3	Vertical	34	1.80	-	38.80	8.87	31.79
PK	17.12364G	66.56	68.20	-1.64	43.59	3	Vertical	0	2.60	-	41.82	11.15	30.00

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT Y_2TX
Setting 17
01-B-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.41754G	61.71	74.00	-12.29	45.83	3	Horizontal	26	1.80	-	38.80	8.87	31.79
AV	11.4173G	48.04	54.00	-5.96	32.16	3	Horizontal	26	1.80	-	38.80	8.87	31.79
PK	17.11566G	66.73	68.20	-1.47	43.75	3	Horizontal	55	2.26	-	41.82	11.15	29.99

5.725-5.85GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5755MHz_TX




EUT Y_2TX
 Setting 21
 02-F-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.576G	59.61	68.20	-8.59	50.36	3	Vertical	169	1.80	-	33.95	6.08	30.78
PK	5.741G	106.89	Inf	-Inf	97.87	3	Vertical	169	1.80	-	33.82	6.10	30.90
AV	5.739G	95.43	Inf	-Inf	86.41	3	Vertical	169	1.80	-	33.82	6.10	30.90
PK	5.93G	59.60	68.20	-8.60	50.26	3	Vertical	169	1.80	-	34.16	6.23	31.05

5.725-5.85GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5755MHz_TX




EUT Y_2TX
 Setting 21
 02-F-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.622G	60.36	68.20	-7.84	51.21	3	Horizontal	142	1.79	-	33.86	6.10	30.81
PK	5.761G	110.14	Inf	-Inf	101.16	3	Horizontal	142	1.79	-	33.80	6.10	30.92
AV	5.761G	97.89	Inf	-Inf	88.91	3	Horizontal	142	1.79	-	33.80	6.10	30.92
PK	5.934G	59.30	68.20	-8.90	49.95	3	Horizontal	142	1.79	-	34.17	6.23	31.05

5.725-5.85GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5755MHz_TX




EUT Y_2TX
 Setting 20
 02-F-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.5206G	57.12	74.00	-16.88	41.36	3	Vertical	132	1.81	-	39.06	8.83	32.13
AV	11.5113G	44.19	54.00	-9.81	28.46	3	Vertical	132	1.81	-	39.03	8.83	32.13
PK	17.2475G	66.89	68.20	-1.31	43.95	3	Vertical	188	1.80	-	42.24	10.94	30.24

5.725-5.85GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5755MHz_TX




EUT Y_2TX
 Setting 20
 02-F-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.5063G	60.75	74.00	-13.25	45.02	3	Horizontal	214	1.87	-	39.02	8.83	32.12
AV	11.5112G	47.89	54.00	-6.11	32.16	3	Horizontal	214	1.87	-	39.03	8.83	32.13
PK	17.271G	67.18	68.20	-1.02	44.11	3	Horizontal	211	2.88	-	42.36	10.94	30.23

5.725-5.85GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5795MHz_TX




EUT Y_2TX
 Setting 21
 02-F-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.581G	59.89	68.20	-8.31	50.65	3	Vertical	172	2.26	-	33.94	6.08	30.78
PK	5.801G	106.67	Inf	-Inf	97.73	3	Vertical	172	2.26	-	33.80	6.09	30.95
AV	5.779G	94.99	Inf	-Inf	86.02	3	Vertical	172	2.26	-	33.80	6.10	30.93
PK	5.93G	59.35	68.20	-8.85	50.01	3	Vertical	172	2.26	-	34.16	6.23	31.05

5.725-5.85GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5795MHz_TX




EUT Y_2TX
 Setting 21
 02-F-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.559G	59.75	68.20	-8.45	50.47	3	Horizontal	142	1.80	-	33.98	6.06	30.76
PK	5.791G	109.41	Inf	-Inf	100.45	3	Horizontal	142	1.80	-	33.80	6.10	30.94
AV	5.78G	97.20	Inf	-Inf	88.23	3	Horizontal	142	1.80	-	33.80	6.10	30.93
PK	5.962G	60.05	68.20	-8.15	50.66	3	Horizontal	142	1.80	-	34.20	6.26	31.07

5.725-5.85GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5795MHz_TX




EUT Y_2TX
Setting 18.5
02-F-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.5963G	55.98	74.00	-18.02	40.01	3	Vertical	134	1.82	-	39.29	8.86	32.18
AV	11.5865G	43.46	54.00	-10.54	27.51	3	Vertical	134	1.82	-	39.26	8.86	32.17
PK	17.3958G	67.19	68.20	-1.01	43.35	3	Vertical	138	2.45	-	43.07	10.99	30.22

5.725-5.85GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


5795MHz_TX



EUT Y_2TX
 Setting 18.5
 02-F-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.5862G	59.67	74.00	-14.33	43.72	3	Horizontal	120	1.86	-	39.26	8.86	32.17
AV	11.591G	46.77	54.00	-7.23	30.81	3	Horizontal	120	1.86	-	39.27	8.86	32.17
PK	17.3913G	67.19	68.20	-1.01	43.37	3	Horizontal	153	2.88	-	43.05	10.99	30.22

5.15-5.25GHz_802.11ax HEW80_Nss1,(MCS0)_2TX
5210MHz_TX




EUT Y_2TX
Setting 13
02-F-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.14G	64.52	74.00	-9.48	55.90	3	Vertical	182	1.98	-	33.58	5.77	30.73
AV	5.15G	50.87	54.00	-3.13	42.22	3	Vertical	182	1.98	-	33.60	5.78	30.73
PK	5.232G	99.90	Inf	-Inf	91.11	3	Vertical	182	1.98	-	33.70	5.82	30.73
AV	5.172G	88.03	Inf	-Inf	79.33	3	Vertical	182	1.98	-	33.64	5.79	30.73
PK	5.416G	59.46	74.00	-14.54	50.26	3	Vertical	182	1.98	-	34.00	5.92	30.72
AV	5.412G	48.26	54.00	-5.74	39.07	3	Vertical	182	1.98	-	34.00	5.91	30.72

5.15-5.25GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5210MHz_TX




EUT Y_2TX
 Setting 13
 02-F-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.144G	65.03	74.00	-8.97	56.40	3	Horizontal	139	2.73	-	33.59	5.77	30.73
AV	5.146G	52.74	54.00	-1.26	44.11	3	Horizontal	139	2.73	-	33.59	5.77	30.73
PK	5.228G	102.65	Inf	-Inf	93.87	3	Horizontal	139	2.73	-	33.70	5.81	30.73
AV	5.223G	90.79	Inf	-Inf	82.01	3	Horizontal	139	2.73	-	33.70	5.81	30.73
PK	5.416G	59.31	74.00	-14.69	50.11	3	Horizontal	139	2.73	-	34.00	5.92	30.72
AV	5.399G	48.15	54.00	-5.85	38.97	3	Horizontal	139	2.73	-	34.00	5.90	30.72

5.15-5.25GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5210MHz_TX




EUT Y_2TX
 Setting 13
 02-F-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.4178G	54.86	68.20	-13.34	39.65	3	Vertical	213	1.63	-	38.60	8.45	31.84
PK	15.6188G	60.27	74.00	-13.73	43.81	3	Vertical	218	3.00	-	37.50	10.35	31.39
AV	15.6273G	46.94	54.00	-7.06	30.49	3	Vertical	218	3.00	-	37.50	10.35	31.40

5.15-5.25GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5210MHz_TX




EUT Y_2TX
Setting 13
02-F-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.3961G	56.09	68.20	-12.11	40.88	3	Horizontal	225	1.74	-	38.60	8.44	31.83
PK	15.6207G	59.04	74.00	-14.96	42.58	3	Horizontal	20	2.06	-	37.50	10.35	31.39
AV	15.6273G	46.98	54.00	-7.02	30.53	3	Horizontal	20	2.06	-	37.50	10.35	31.40

5.25-5.35GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5290MHz_TX




EUT Y_2TX
 Setting 13
 02-F-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.089G	58.46	74.00	-15.54	49.95	3	Vertical	345	2.12	-	33.50	5.74	30.73
AV	5.148G	47.31	54.00	-6.69	38.67	3	Vertical	345	2.12	-	33.60	5.77	30.73
PK	5.252G	99.33	Inf	-Inf	90.52	3	Vertical	345	2.12	-	33.70	5.83	30.72
AV	5.252G	88.03	Inf	-Inf	79.22	3	Vertical	345	2.12	-	33.70	5.83	30.72
PK	5.352G	60.83	74.00	-13.17	51.77	3	Vertical	345	2.12	-	33.90	5.88	30.72
AV	5.351G	49.68	54.00	-4.32	40.62	3	Vertical	345	2.12	-	33.90	5.88	30.72
PK	5.538G	59.86	68.20	-8.34	50.57	3	Vertical	345	2.12	-	34.00	6.04	30.75

5.25-5.35GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5290MHz_TX




EUT Y_2TX
 Setting 13
 02-F-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.131G	60.18	74.00	-13.82	51.58	3	Horizontal	131	2.68	-	33.56	5.77	30.73
AV	5.145G	47.84	54.00	-6.16	39.21	3	Horizontal	131	2.68	-	33.59	5.77	30.73
PK	5.259G	102.16	Inf	-Inf	93.33	3	Horizontal	131	2.68	-	33.72	5.83	30.72
AV	5.254G	90.77	Inf	-Inf	81.95	3	Horizontal	131	2.68	-	33.71	5.83	30.72
PK	5.356G	64.56	74.00	-9.44	55.49	3	Horizontal	131	2.68	-	33.91	5.88	30.72
AV	5.35G	52.11	54.00	-1.89	43.05	3	Horizontal	131	2.68	-	33.90	5.88	30.72
PK	5.524G	58.98	68.20	-9.22	49.70	3	Horizontal	131	2.68	-	34.00	6.02	30.74

5.25-5.35GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5290MHz_TX




EUT Y_2TX
 Setting 13
 02-F-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.5717G	55.17	68.20	-13.03	40.00	3	Vertical	213	1.72	-	38.53	8.50	31.86
PK	15.8873G	58.26	74.00	-15.74	42.01	3	Vertical	259	1.24	-	37.33	10.45	31.53
AV	15.85G	46.04	54.00	-7.96	29.71	3	Vertical	259	1.24	-	37.40	10.44	31.51

5.25-5.35GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5290MHz_TX




EUT Y_2TX
 Setting 13
 02-F-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.5765G	58.01	68.20	-10.19	42.85	3	Horizontal	219	1.62	-	38.52	8.50	31.86
PK	15.8655G	57.79	74.00	-16.21	41.49	3	Horizontal	204	1.81	-	37.37	10.45	31.52
AV	15.8537G	45.84	54.00	-8.16	29.52	3	Horizontal	204	1.81	-	37.39	10.44	31.51

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5530MHz_TX




EUT Y_2TX
 Setting 13
 02-F-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.288G	59.55	68.20	-8.65	50.65	3	Vertical	178	2.69	-	33.78	5.84	30.72
AV	5.35G	47.45	54.00	-6.55	38.40	3	Vertical	178	2.69	-	33.90	5.87	30.72
PK	5.451G	63.21	74.00	-10.79	53.98	3	Vertical	178	2.69	-	34.00	5.95	30.72
AV	5.445G	50.14	54.00	-3.86	40.91	3	Vertical	178	2.69	-	34.00	5.95	30.72
PK	5.461G	60.92	68.20	-7.28	51.68	3	Vertical	178	2.69	-	34.00	5.96	30.72
PK	5.562G	99.51	Inf	-Inf	90.24	3	Vertical	178	2.69	-	33.98	6.06	30.77
AV	5.559G	88.26	Inf	-Inf	78.98	3	Vertical	178	2.69	-	33.98	6.06	30.76
PK	5.741G	60.47	68.20	-7.73	51.45	3	Vertical	178	2.69	-	33.82	6.10	30.90

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5530MHz_TX




EUT Y_2TX
Setting 13
02-F-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.349G	59.41	68.20	-8.79	50.36	3	Horizontal	140	1.80	-	33.90	5.87	30.72
AV	5.35G	47.77	54.00	-6.23	38.72	3	Horizontal	140	1.80	-	33.90	5.87	30.72
PK	5.443G	64.71	74.00	-9.29	55.49	3	Horizontal	140	1.80	-	34.00	5.94	30.72
PK	5.465G	64.87	68.20	-3.33	55.63	3	Horizontal	140	1.80	-	34.00	5.96	30.72
AV	5.46G	52.35	54.00	-1.65	43.11	3	Horizontal	140	1.80	-	34.00	5.96	30.72
PK	5.544G	101.45	Inf	-Inf	92.16	3	Horizontal	140	1.80	-	34.00	6.04	30.75
AV	5.568G	90.06	Inf	-Inf	80.80	3	Horizontal	140	1.80	-	33.96	6.07	30.77
PK	5.747G	59.80	68.20	-8.40	50.80	3	Horizontal	140	1.80	-	33.81	6.10	30.91

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5530MHz_TX




EUT Y_2TX
 Setting 13
 02-F-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.0576G	55.27	74.00	-18.73	39.88	3	Vertical	154	1.80	-	38.66	8.67	31.94
AV	11.0816G	43.05	54.00	-10.95	27.64	3	Vertical	154	1.80	-	38.68	8.68	31.95
PK	16.6056G	61.72	68.20	-6.48	42.43	3	Vertical	55	1.81	-	39.41	10.71	30.83

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5530MHz_TX




EUT_Y_2TX
 Setting 13
 02-F-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.057G	57.45	74.00	-16.55	42.06	3	Horizontal	217	1.80	-	38.66	8.67	31.94
AV	11.0669G	44.77	54.00	-9.23	29.38	3	Horizontal	217	1.80	-	38.67	8.67	31.95
PK	16.6147G	61.38	68.20	-6.82	42.04	3	Horizontal	33	2.00	-	39.43	10.72	30.81

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5610MHz_TX




EUT Y_2TX
Setting 17
02-F-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.454G	65.76	74.00	-8.24	56.53	3	Vertical	183	2.48	-	34.00	5.95	30.72
AV	5.46G	49.85	54.00	-4.15	40.61	3	Vertical	183	2.48	-	34.00	5.96	30.72
PK	5.468G	65.93	68.20	-2.27	56.68	3	Vertical	183	2.48	-	34.00	5.97	30.72
PK	5.585G	102.65	Inf	-Inf	93.42	3	Vertical	183	2.48	-	33.93	6.08	30.78
AV	5.588G	92.08	Inf	-Inf	82.86	3	Vertical	183	2.48	-	33.92	6.09	30.79
PK	5.76G	66.18	68.20	-2.02	57.20	3	Vertical	183	2.48	-	33.80	6.10	30.92

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5610MHz_TX




EUT_Y_2TX
 Setting 17
 02-F-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.45G	67.59	74.00	-6.41	58.36	3	Horizontal	142	1.91	-	34.00	5.95	30.72
PK	5.463G	66.98	68.20	-1.22	57.74	3	Horizontal	142	1.91	-	34.00	5.96	30.72
AV	5.46G	52.03	54.00	-1.97	42.79	3	Horizontal	142	1.91	-	34.00	5.96	30.72
PK	5.572G	107.15	Inf	-Inf	97.89	3	Horizontal	142	1.91	-	33.96	6.07	30.77
AV	5.581G	95.39	Inf	-Inf	86.15	3	Horizontal	142	1.91	-	33.94	6.08	30.78
PK	5.725G	62.52	68.20	-5.68	53.46	3	Horizontal	142	1.91	-	33.85	6.10	30.89

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5610MHz_TX




EUT_Y_2TX
 Setting 17
 02-F-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.206G	55.83	74.00	-18.17	40.31	3	Vertical	136	1.75	-	38.80	8.72	32.00
AV	11.2026G	43.44	54.00	-10.56	27.92	3	Vertical	136	1.75	-	38.80	8.72	32.00
PK	16.8263G	62.62	68.20	-5.58	41.86	3	Vertical	85	1.53	-	40.48	10.79	30.51

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5610MHz_TX




EUT_Y_2TX
 Setting 17
 02-F-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.2174G	59.10	74.00	-14.90	43.58	3	Horizontal	215	1.89	-	38.80	8.73	32.01
AV	11.2124G	46.87	54.00	-7.13	31.35	3	Horizontal	215	1.89	-	38.80	8.72	32.00
PK	16.8173G	63.51	68.20	-4.69	42.79	3	Horizontal	249	1.98	-	40.45	10.79	30.52

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT Y_2TX
 Setting 17
 01-B-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4572G	63.24	74.00	-10.76	55.84	3	Vertical	171	1.80	-	33.93	6.13	32.66
AV	5.438G	47.68	54.00	-6.32	40.38	3	Vertical	171	1.80	-	33.85	6.12	32.67
PK	5.4632G	63.02	68.20	-5.18	55.60	3	Vertical	171	1.80	-	33.95	6.13	32.66
PK	5.6684G	108.08	Inf	-Inf	100.19	3	Vertical	171	1.80	-	34.37	6.23	32.71
AV	5.6576G	95.42	Inf	-Inf	87.56	3	Vertical	171	1.80	-	34.33	6.23	32.70
PK	5.984G	62.54	68.20	-5.66	53.48	3	Vertical	171	1.80	-	35.50	6.39	32.83

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT Y_2TX
 Setting 17
 01-B-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.45G	63.81	74.00	-10.19	56.45	3	Horizontal	312	1.60	-	33.90	6.12	32.66
AV	5.4596G	48.22	54.00	-5.78	40.81	3	Horizontal	312	1.60	-	33.94	6.13	32.66
PK	5.47G	65.49	68.20	-2.71	58.03	3	Horizontal	312	1.60	-	33.98	6.13	32.65
PK	5.6552G	108.27	Inf	-Inf	100.42	3	Horizontal	312	1.60	-	34.32	6.23	32.70
AV	5.6552G	97.29	Inf	-Inf	89.44	3	Horizontal	312	1.60	-	34.32	6.23	32.70
PK	5.8664G	63.11	68.20	-5.09	54.54	3	Horizontal	312	1.60	-	35.03	6.33	32.79

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT Y_2TX
Setting 17
01-B-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.37784G	58.84	74.00	-15.16	43.02	3	Vertical	34	1.80	-	38.78	8.85	31.81
AV	11.38738G	46.50	54.00	-7.50	30.67	3	Vertical	34	1.80	-	38.79	8.85	31.81
PK	17.0757G	66.36	68.20	-1.84	43.48	3	Vertical	325	2.76	-	41.68	11.13	29.93

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT Y_2TX
 Setting 17
 01-B-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.3824G	59.56	74.00	-14.44	43.74	3	Horizontal	25	1.80	-	38.78	8.85	31.81
AV	11.36758G	47.11	54.00	-6.89	31.31	3	Horizontal	25	1.80	-	38.77	8.85	31.82
PK	17.06766G	65.78	68.20	-2.42	42.93	3	Horizontal	331	1.66	-	41.64	11.13	29.92

5.725-5.85GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5775MHz_TX




EUT_Y_2TX
 Setting 17
 02-F-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.649G	66.71	68.20	-1.49	57.64	3	Vertical	137	2.67	-	33.80	6.10	30.83
PK	5.742G	106.06	Inf	-Inf	97.04	3	Vertical	137	2.67	-	33.82	6.10	30.90
AV	5.746G	94.36	Inf	-Inf	85.36	3	Vertical	137	2.67	-	33.81	6.10	30.91
PK	5.942G	60.98	68.20	-7.22	51.62	3	Vertical	137	2.67	-	34.18	6.24	31.06

5.725-5.85GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5775MHz_TX




EUT_Y_2TX
 Setting 17
 02-F-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.616G	66.94	68.20	-1.26	57.78	3	Horizontal	141	1.80	-	33.87	6.10	30.81
PK	5.759G	104.16	Inf	-Inf	95.18	3	Horizontal	141	1.80	-	33.80	6.10	30.92
AV	5.759G	93.02	Inf	-Inf	84.04	3	Horizontal	141	1.80	-	33.80	6.10	30.92
PK	5.951G	60.44	68.20	-7.76	51.05	3	Horizontal	141	1.80	-	34.20	6.25	31.06

5.725-5.85GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5775MHz_TX




EUT Y_2TX
 Setting 17
 02-F-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.5676G	55.04	74.00	-18.96	39.15	3	Vertical	144	1.80	-	39.20	8.85	32.16
AV	11.566G	42.97	54.00	-11.03	27.08	3	Vertical	144	1.80	-	39.20	8.85	32.16
PK	17.3261G	65.75	68.20	-2.45	42.36	3	Vertical	297	2.17	-	42.66	10.96	30.23

5.725-5.85GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5775MHz_TX



EUT Y_2TX
 Setting 17
 02-F-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.5524G	56.96	74.00	-17.04	41.11	3	Horizontal	208	2.24	-	39.16	8.84	32.15
AV	11.5416G	45.05	54.00	-8.95	29.23	3	Horizontal	208	2.24	-	39.12	8.84	32.14
PK	17.3254G	66.09	68.20	-2.11	42.71	3	Horizontal	51	1.98	-	42.65	10.96	30.23




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX	Pass	AV	11.00168G	52.99	54.00	-1.01	3	Horizontal	40	2.32	-

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5180MHz_TX




EUT_X_2TX
 Setting 17.5
 01-K-R-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1492G	67.82	74.00	-6.18	61.54	3	Horizontal	171	1.80	-	33.10	5.97	32.79
AV	5.1496G	52.89	54.00	-1.11	46.61	3	Horizontal	171	1.80	-	33.10	5.97	32.79
PK	5.1834G	113.84	Inf	-Inf	107.45	3	Horizontal	171	1.80	-	33.17	5.99	32.77
AV	5.1784G	105.98	Inf	-Inf	99.61	3	Horizontal	171	1.80	-	33.16	5.99	32.78

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5180MHz_TX




EUT X_2TX
 Setting 16
 01-K-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.3561G	59.99	68.20	-8.21	44.64	3	Vertical	34	1.80	-	38.71	8.44	31.80
PK	15.53976G	61.01	74.00	-12.99	42.69	3	Vertical	349	1.46	-	38.52	10.52	30.72
AV	15.5406G	49.36	54.00	-4.64	31.04	3	Vertical	349	1.46	-	38.52	10.52	30.72

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5180MHz_TX




EUT X_2TX
 Setting 16
 01-K-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.36108G	66.94	68.20	-1.26	51.57	3	Horizontal	45	2.34	-	38.72	8.44	31.79
PK	15.54762G	61.07	74.00	-12.93	42.77	3	Horizontal	66	1.80	-	38.50	10.52	30.72
AV	15.54624G	48.84	54.00	-5.16	30.53	3	Horizontal	66	1.80	-	38.51	10.52	30.72

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5200MHz_TX




EUT_X_2TX
 Setting 21
 01-K-R-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.149G	65.81	74.00	-8.19	59.53	3	Horizontal	163	1.80	-	33.10	5.97	32.79
AV	5.1475G	51.43	54.00	-2.57	45.15	3	Horizontal	163	1.80	-	33.10	5.97	32.79
PK	5.2051G	115.22	Inf	-Inf	108.77	3	Horizontal	163	1.80	-	33.21	6.00	32.76
AV	5.2048G	107.43	Inf	-Inf	100.98	3	Horizontal	163	1.80	-	33.21	6.00	32.76

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5200MHz_TX




EUT X_2TX
 Setting 15.5
 01-K-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.39682G	61.37	68.20	-6.83	45.87	3	Vertical	19	2.48	-	38.79	8.46	31.75
PK	15.61344G	61.65	74.00	-12.35	43.41	3	Vertical	17	2.30	-	38.39	10.55	30.70
AV	15.59436G	49.14	54.00	-4.86	30.89	3	Vertical	17	2.30	-	38.41	10.54	30.70

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5200MHz_TX




EUT X_2TX
 Setting 15.5
 01-K-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.40132G	66.92	68.20	-1.28	51.41	3	Horizontal	44	2.35	-	38.80	8.46	31.75
PK	15.59808G	61.16	74.00	-12.84	42.92	3	Horizontal	273	2.52	-	38.40	10.54	30.70
AV	15.59352G	49.06	54.00	-4.94	30.81	3	Horizontal	273	2.52	-	38.41	10.54	30.70

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5240MHz_TX




EUT X_2TX
Setting 21
01-K-R-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1435G	61.12	74.00	-12.88	54.84	3	Horizontal	178	1.80	-	33.10	5.97	32.79
AV	5.1475G	49.02	54.00	-4.98	42.74	3	Horizontal	178	1.80	-	33.10	5.97	32.79
PK	5.242G	117.44	Inf	-Inf	110.89	3	Horizontal	178	1.80	-	33.28	6.02	32.75
AV	5.237G	109.27	Inf	-Inf	102.73	3	Horizontal	178	1.80	-	33.27	6.02	32.75
PK	5.3645G	60.53	74.00	-13.47	53.59	3	Horizontal	178	1.80	-	33.56	6.08	32.70
AV	5.361G	49.42	54.00	-4.58	42.50	3	Horizontal	178	1.80	-	33.54	6.08	32.70

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5240MHz_TX




EUT X_2TX
 Setting 15
 01-K-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.48156G	60.51	68.20	-7.69	44.88	3	Vertical	23	2.40	-	38.80	8.49	31.66
PK	15.72048G	60.38	74.00	-13.62	42.09	3	Vertical	105	2.72	-	38.36	10.59	30.66
AV	15.70662G	48.88	54.00	-5.12	30.65	3	Vertical	105	2.72	-	38.32	10.58	30.67

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5240MHz_TX




EUT X_2TX
 Setting 15
 01-K-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.47598G	67.07	68.20	-1.13	51.45	3	Horizontal	44	2.32	-	38.80	8.49	31.67
PK	15.72414G	60.79	74.00	-13.21	42.49	3	Horizontal	285	1.97	-	38.37	10.59	30.66
AV	15.73308G	49.17	54.00	-4.83	30.84	3	Horizontal	285	1.97	-	38.40	10.59	30.66

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5260MHz_TX




EUT X_2TX
 Setting 21
 01-K-R-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1435G	60.08	74.00	-13.92	53.80	3	Horizontal	184	1.66	-	33.10	5.97	32.79
AV	5.15G	48.68	54.00	-5.32	42.40	3	Horizontal	184	1.66	-	33.10	5.97	32.79
PK	5.255G	116.51	Inf	-Inf	109.91	3	Horizontal	184	1.66	-	33.31	6.03	32.74
AV	5.255G	108.27	Inf	-Inf	101.67	3	Horizontal	184	1.66	-	33.31	6.03	32.74
PK	5.3625G	60.96	74.00	-13.04	54.03	3	Horizontal	184	1.66	-	33.55	6.08	32.70
AV	5.3715G	49.45	54.00	-4.55	42.46	3	Horizontal	184	1.66	-	33.59	6.09	32.69

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5260MHz_TX




EUT X_2TX
 Setting 15
 01-K-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.52144G	61.16	68.20	-7.04	45.51	3	Vertical	25	2.41	-	38.80	8.51	31.66
PK	15.78828G	61.60	74.00	-12.40	43.06	3	Vertical	307	1.73	-	38.56	10.62	30.64
AV	15.77982G	48.87	54.00	-5.13	30.37	3	Vertical	307	1.73	-	38.54	10.61	30.65

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5260MHz_TX




EUT X_2TX
 Setting 15
 01-K-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.51706G	66.78	68.20	-1.42	51.12	3	Horizontal	38	2.33	-	38.80	8.51	31.65
PK	15.77772G	60.39	74.00	-13.61	41.90	3	Horizontal	351	2.45	-	38.53	10.61	30.65
AV	15.79074G	49.06	54.00	-4.94	30.51	3	Horizontal	351	2.45	-	38.57	10.62	30.64

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5300MHz_TX




EUT_X_2TX
 Setting 21
 01-K-R-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.295G	116.06	Inf	-Inf	109.35	3	Horizontal	357	1.66	-	33.39	6.05	32.73
AV	5.295G	108.24	Inf	-Inf	101.53	3	Horizontal	357	1.66	-	33.39	6.05	32.73
PK	5.351G	65.49	74.00	-8.51	58.61	3	Horizontal	357	1.66	-	33.50	6.08	32.70
AV	5.3505G	51.58	54.00	-2.42	44.70	3	Horizontal	357	1.66	-	33.50	6.08	32.70

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5300MHz_TX




EUT_X_2TX
 Setting 13
 01-K-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.60228G	58.21	74.00	-15.79	42.59	3	Vertical	22	2.36	-	38.80	8.54	31.72
AV	10.6012G	46.00	54.00	-8.00	30.38	3	Vertical	22	2.36	-	38.80	8.54	31.72
PK	15.89526G	61.15	74.00	-12.85	42.31	3	Vertical	310	2.40	-	38.79	10.66	30.61
AV	15.90846G	49.44	54.00	-4.56	30.57	3	Vertical	310	2.40	-	38.82	10.66	30.61

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5300MHz_TX




EUT X_2TX
 Setting 13
 01-K-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.60246G	64.91	74.00	-9.09	49.29	3	Horizontal	43	2.33	-	38.80	8.54	31.72
AV	10.6015G	52.97	54.00	-1.03	37.35	3	Horizontal	43	2.33	-	38.80	8.54	31.72
PK	15.90954G	60.93	74.00	-13.07	42.06	3	Horizontal	360	1.97	-	38.82	10.66	30.61
AV	15.91158G	49.29	54.00	-4.71	30.42	3	Horizontal	360	1.97	-	38.82	10.66	30.61

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5320MHz_TX




EUT_X_2TX
 Setting 19
 01-K-R-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3158G	114.12	Inf	-Inf	107.35	3	Horizontal	164	1.80	-	33.43	6.06	32.72
AV	5.3208G	106.03	Inf	-Inf	99.25	3	Horizontal	164	1.80	-	33.44	6.06	32.72
PK	5.35G	71.68	74.00	-2.32	64.80	3	Horizontal	164	1.80	-	33.50	6.08	32.70
AV	5.35G	52.63	54.00	-1.37	45.75	3	Horizontal	164	1.80	-	33.50	6.08	32.70

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5320MHz_TX




EUT X_2TX
 Setting 13
 01-K-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.6316G	57.80	74.00	-16.20	42.20	3	Vertical	18	2.98	-	38.80	8.55	31.75
AV	10.64114G	46.14	54.00	-7.86	30.53	3	Vertical	18	2.98	-	38.80	8.56	31.75
PK	15.97314G	61.47	74.00	-12.53	42.42	3	Vertical	218	1.77	-	38.95	10.69	30.59
AV	15.97128G	49.77	54.00	-4.23	30.73	3	Vertical	218	1.77	-	38.94	10.69	30.59

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5320MHz_TX




EUT X_2TX
 Setting 13
 01-K-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.64162G	64.39	74.00	-9.61	48.78	3	Horizontal	40	2.33	-	38.80	8.56	31.75
AV	10.64174G	52.91	54.00	-1.09	37.30	3	Horizontal	40	2.33	-	38.80	8.56	31.75
PK	15.96084G	61.15	74.00	-12.85	42.14	3	Horizontal	27	1.22	-	38.92	10.68	30.59
AV	15.97344G	49.65	54.00	-4.35	30.60	3	Horizontal	27	1.22	-	38.95	10.69	30.59

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5500MHz_TX




EUT X_2TX
 Setting 17
 01-K-R-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.454G	63.96	74.00	-10.04	56.57	3	Horizontal	164	1.80	-	33.92	6.13	32.66
AV	5.4598G	50.66	54.00	-3.34	43.25	3	Horizontal	164	1.80	-	33.94	6.13	32.66
PK	5.4698G	65.98	68.20	-2.22	58.52	3	Horizontal	164	1.80	-	33.98	6.13	32.65
PK	5.4974G	114.24	Inf	-Inf	106.64	3	Horizontal	164	1.80	-	34.09	6.15	32.64
AV	5.4976G	105.95	Inf	-Inf	98.35	3	Horizontal	164	1.80	-	34.09	6.15	32.64

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5500MHz_TX




EUT X_2TX
 Setting 13.5
 01-K-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.99706G	58.37	74.00	-15.63	43.01	3	Vertical	326	1.80	-	38.70	8.70	32.04
AV	11.00126G	46.28	54.00	-7.72	30.92	3	Vertical	326	1.80	-	38.70	8.70	32.04
PK	16.49424G	64.42	68.20	-3.78	42.01	3	Vertical	80	2.71	-	40.47	10.90	28.96

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5500MHz_TX




EUT X_2TX
 Setting 13.5
 01-K-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.00174G	64.81	74.00	-9.19	49.45	3	Horizontal	40	2.32	-	38.70	8.70	32.04
AV	11.00168G	52.99	54.00	-1.01	37.63	3	Horizontal	40	2.32	-	38.70	8.70	32.04
PK	16.49658G	64.97	68.20	-3.23	42.54	3	Horizontal	219	1.14	-	40.48	10.90	28.95

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5580MHz_TX




EUT X_2TX
 Setting 21
 01-K-R-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4365G	61.88	74.00	-12.12	54.58	3	Horizontal	167	1.61	-	33.85	6.12	32.67
PK	5.4603G	60.27	68.20	-7.93	52.86	3	Horizontal	167	1.61	-	33.94	6.13	32.66
AV	5.4589G	49.83	54.00	-4.17	42.42	3	Horizontal	167	1.61	-	33.94	6.13	32.66
PK	5.5828G	115.95	Inf	-Inf	108.20	3	Horizontal	167	1.61	-	34.23	6.19	32.67
AV	5.5828G	108.91	Inf	-Inf	101.16	3	Horizontal	167	1.61	-	34.23	6.19	32.67
PK	5.7431G	61.45	68.20	-6.75	53.42	3	Horizontal	167	1.61	-	34.50	6.27	32.74

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5580MHz_TX




EUT X_2TX
 Setting 15.5
 01-K-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.16102G	58.25	74.00	-15.75	42.79	3	Vertical	40	1.80	-	38.64	8.76	31.94
AV	11.16144G	46.46	54.00	-7.54	31.00	3	Vertical	40	1.80	-	38.64	8.76	31.94
PK	16.7331G	64.93	68.20	-3.27	42.56	3	Vertical	34	1.80	-	40.73	10.99	29.35

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5580MHz_TX




EUT X_2TX
 Setting 15.5
 01-K-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.16174G	64.96	74.00	-9.04	49.50	3	Horizontal	34	2.29	-	38.64	8.76	31.94
AV	11.16144G	52.97	54.00	-1.03	37.51	3	Horizontal	34	2.29	-	38.64	8.76	31.94
PK	16.7391G	65.39	68.20	-2.81	42.99	3	Horizontal	318	2.55	-	40.76	11.00	29.36

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5700MHz_TX




EUT X_2TX
 Setting 16
 01-K-R-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.696G	111.30	Inf	-Inf	103.29	3	Horizontal	16	1.80	-	34.48	6.25	32.72
AV	5.7008G	102.99	Inf	-Inf	94.96	3	Horizontal	16	1.80	-	34.50	6.25	32.72
PK	5.7256G	67.13	68.20	-1.07	59.10	3	Horizontal	16	1.80	-	34.50	6.26	32.73

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5700MHz_TX




EUT X_2TX
 Setting 16
 01-K-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.40144G	57.94	74.00	-16.06	42.08	3	Vertical	31	1.75	-	38.80	8.86	31.80
AV	11.39736G	46.24	54.00	-7.76	30.38	3	Vertical	31	1.75	-	38.80	8.86	31.80
PK	17.10042G	65.79	68.20	-2.41	42.82	3	Vertical	325	1.90	-	41.80	11.14	29.97

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5700MHz_TX




EUT X_2TX
 Setting 16
 01-K-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.39718G	64.94	74.00	-9.06	49.08	3	Horizontal	37	1.77	-	38.80	8.86	31.80
AV	11.40204G	52.49	54.00	-1.51	36.63	3	Horizontal	37	1.77	-	38.80	8.86	31.80
PK	17.0976G	65.48	68.20	-2.72	42.51	3	Horizontal	274	1.80	-	41.79	11.14	29.96

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT X_2TX
 Setting 21
 01-B-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.447G	59.12	74.00	-14.88	51.77	3	Horizontal	9	1.72	-	33.89	6.12	32.66
AV	5.3868G	46.72	54.00	-7.28	39.67	3	Horizontal	9	1.72	-	33.65	6.09	32.69
PK	5.4652G	58.82	68.20	-9.38	51.38	3	Horizontal	9	1.72	-	33.96	6.13	32.65
PK	5.7158G	118.05	Inf	-Inf	110.02	3	Horizontal	9	1.72	-	34.50	6.26	32.73
AV	5.7158G	107.98	Inf	-Inf	99.95	3	Horizontal	9	1.72	-	34.50	6.26	32.73
PK	5.9286G	61.36	68.20	-6.84	52.40	3	Horizontal	9	1.72	-	35.41	6.36	32.81

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT X_2TX
 Setting 20
 01-B-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.43148G	57.44	74.00	-16.56	41.55	3	Vertical	6	2.11	-	38.80	8.87	31.78
AV	11.4283G	43.90	54.00	-10.10	28.01	3	Vertical	6	2.11	-	38.80	8.87	31.78
PK	17.15364G	65.68	68.20	-2.52	42.72	3	Vertical	357	1.80	-	41.85	11.16	30.05

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT X_2TX
 Setting 20
 01-B-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.43664G	65.97	74.00	-8.03	50.08	3	Horizontal	118	1.75	-	38.80	8.87	31.78
AV	11.43706G	52.98	54.00	-1.02	37.09	3	Horizontal	118	1.75	-	38.80	8.87	31.78
PK	17.1465G	64.76	68.20	-3.44	41.79	3	Horizontal	321	1.08	-	41.85	11.16	30.04

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5745MHz_TX




EUT X_2TX
Setting 21
01-K-R-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.587G	62.30	68.20	-5.90	54.53	3	Horizontal	18	1.80	-	34.25	6.19	32.67
PK	5.743G	116.44	Inf	-Inf	108.41	3	Horizontal	18	1.80	-	34.50	6.27	32.74
AV	5.738G	108.33	Inf	-Inf	100.30	3	Horizontal	18	1.80	-	34.50	6.27	32.74
PK	5.955G	62.90	68.20	-5.30	53.84	3	Horizontal	18	1.80	-	35.50	6.38	32.82

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5745MHz_TX




EUT X_2TX
 Setting 17
 01-K-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.49252G	58.19	74.00	-15.81	42.23	3	Vertical	25	1.64	-	38.80	8.90	31.74
AV	11.48748G	45.95	54.00	-8.05	30.01	3	Vertical	25	1.64	-	38.80	8.89	31.75
PK	17.24214G	65.05	68.20	-3.15	41.97	3	Vertical	266	1.38	-	42.07	11.20	30.19

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5745MHz_TX




EUT X_2TX
 Setting 17
 01-K-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.49234G	64.65	74.00	-9.35	48.69	3	Horizontal	36	1.79	-	38.80	8.90	31.74
AV	11.48724G	52.77	54.00	-1.23	36.83	3	Horizontal	36	1.79	-	38.80	8.89	31.75
PK	17.24904G	64.80	68.20	-3.40	41.70	3	Horizontal	341	1.92	-	42.10	11.20	30.20

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5785MHz_TX




EUT_X_2TX
Setting 21
01-K-R-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.647G	61.59	68.20	-6.61	53.77	3	Horizontal	180	1.46	-	34.30	6.22	32.70
PK	5.79G	115.43	Inf	-Inf	107.32	3	Horizontal	180	1.46	-	34.58	6.29	32.76
AV	5.79G	107.40	Inf	-Inf	99.29	3	Horizontal	180	1.46	-	34.58	6.29	32.76
PK	5.992G	63.09	68.20	-5.11	54.03	3	Horizontal	180	1.46	-	35.50	6.40	32.84

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5785MHz_TX




EUT X_2TX
 Setting 18
 01-K-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.5667G	58.31	74.00	-15.69	42.29	3	Vertical	24	1.65	-	38.80	8.93	31.71
AV	11.57234G	46.45	54.00	-7.55	30.43	3	Vertical	24	1.65	-	38.80	8.93	31.71
PK	17.34672G	67.06	68.20	-1.14	43.73	3	Vertical	320	1.80	-	42.44	11.24	30.35

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5785MHz_TX




EUT X_2TX
 Setting 18
 01-K-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.5673G	63.79	74.00	-10.21	47.77	3	Horizontal	32	1.74	-	38.80	8.93	31.71
AV	11.5673G	51.88	54.00	-2.12	35.86	3	Horizontal	32	1.74	-	38.80	8.93	31.71
PK	17.35614G	66.83	68.20	-1.37	43.49	3	Horizontal	30	2.79	-	42.47	11.24	30.37

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5825MHz_TX




EUT_X_2TX
 Setting 21
 01-K-R-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.601G	61.90	68.20	-6.30	54.08	3	Horizontal	18	1.71	-	34.30	6.20	32.68
PK	5.823G	116.08	Inf	-Inf	107.80	3	Horizontal	18	1.71	-	34.74	6.31	32.77
AV	5.823G	108.26	Inf	-Inf	99.98	3	Horizontal	18	1.71	-	34.74	6.31	32.77
PK	6.073G	63.81	68.20	-4.39	54.61	3	Horizontal	18	1.71	-	35.60	6.44	32.84

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5825MHz_TX




EUT X_2TX
 Setting 19
 01-K-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.65588G	59.15	74.00	-14.85	43.01	3	Vertical	28	1.80	-	38.86	8.96	31.68
AV	11.65252G	47.04	54.00	-6.96	30.91	3	Vertical	28	1.80	-	38.85	8.96	31.68
PK	17.46684G	67.19	68.20	-1.01	43.91	3	Vertical	320	1.80	-	42.53	11.29	30.54

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5825MHz_TX




EUT X_2TX
 Setting 19
 01-K-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.64718G	63.33	74.00	-10.67	47.20	3	Horizontal	27	1.80	-	38.85	8.96	31.68
AV	11.6473G	51.18	54.00	-2.82	35.05	3	Horizontal	27	1.80	-	38.85	8.96	31.68
PK	17.4729G	67.13	68.20	-1.07	43.86	3	Horizontal	68	1.60	-	42.53	11.29	30.55

5.15-5.25GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5180MHz_TX




EUT X_2TX
 Setting 16.5
 01-K-R-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1498G	67.60	74.00	-6.40	61.32	3	Horizontal	171	1.80	-	33.10	5.97	32.79
AV	5.15G	52.07	54.00	-1.93	45.79	3	Horizontal	171	1.80	-	33.10	5.97	32.79
PK	5.1862G	115.63	Inf	-Inf	109.24	3	Horizontal	171	1.80	-	33.17	5.99	32.77
AV	5.181G	104.16	Inf	-Inf	97.78	3	Horizontal	171	1.80	-	33.16	5.99	32.77

5.15-5.25GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5180MHz_TX




EUT X_2TX
 Setting 16.5
 01-K-R-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.3575G	62.51	68.20	-5.69	47.15	3	Vertical	22	2.37	-	38.71	8.44	31.79
PK	15.5465G	61.82	74.00	-12.18	43.51	3	Vertical	342	1.64	-	38.51	10.52	30.72
AV	15.5388G	50.11	54.00	-3.89	31.79	3	Vertical	342	1.64	-	38.52	10.52	30.72

5.15-5.25GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5180MHz_TX




EUT X_2TX
 Setting 16.5
 01-K-R-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.3618G	66.36	68.20	-1.84	50.99	3	Horizontal	37	2.30	-	38.72	8.44	31.79
PK	15.541G	62.24	74.00	-11.76	43.92	3	Horizontal	178	1.25	-	38.52	10.52	30.72
AV	15.5397G	49.27	54.00	-4.73	30.95	3	Horizontal	178	1.25	-	38.52	10.52	30.72

5.15-5.25GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5200MHz_TX




EUT_X_2TX
 Setting 21
 01-K-R-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1452G	67.89	74.00	-6.11	61.61	3	Horizontal	178	1.80	-	33.10	5.97	32.79
AV	5.15G	52.67	54.00	-1.33	46.39	3	Horizontal	178	1.80	-	33.10	5.97	32.79
PK	5.2072G	119.36	Inf	-Inf	112.91	3	Horizontal	178	1.80	-	33.21	6.00	32.76
AV	5.1968G	108.53	Inf	-Inf	102.11	3	Horizontal	178	1.80	-	33.19	6.00	32.77

5.15-5.25GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5200MHz_TX




EUT X_2TX
 Setting 16
 01-K-R-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.4021G	61.36	68.20	-6.84	45.85	3	Vertical	19	2.43	-	38.80	8.46	31.75
PK	15.5878G	61.33	74.00	-12.67	43.07	3	Vertical	4	3.00	-	38.42	10.54	30.70
AV	15.6028G	49.74	54.00	-4.26	31.50	3	Vertical	4	3.00	-	38.40	10.54	30.70

5.15-5.25GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5200MHz_TX




EUT X_2TX
 Setting 16
 01-K-R-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.4019G	67.16	68.20	-1.04	51.65	3	Horizontal	45	2.32	-	38.80	8.46	31.75
PK	15.6062G	61.33	74.00	-12.67	43.10	3	Horizontal	52	1.75	-	38.39	10.54	30.70
AV	15.6078G	49.30	54.00	-4.70	31.07	3	Horizontal	52	1.75	-	38.39	10.54	30.70

5.15-5.25GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5240MHz_TX




EUT X_2TX
 Setting 21
 01-K-R-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1265G	61.15	74.00	-12.85	54.89	3	Horizontal	171	1.80	-	33.10	5.96	32.80
AV	5.1455G	48.83	54.00	-5.17	42.55	3	Horizontal	171	1.80	-	33.10	5.97	32.79
PK	5.248G	118.66	Inf	-Inf	112.09	3	Horizontal	171	1.80	-	33.30	6.02	32.75
AV	5.243G	108.35	Inf	-Inf	101.79	3	Horizontal	171	1.80	-	33.29	6.02	32.75
PK	5.3565G	60.75	74.00	-13.25	53.84	3	Horizontal	171	1.80	-	33.53	6.08	32.70
AV	5.3545G	49.02	54.00	-4.98	42.12	3	Horizontal	171	1.80	-	33.52	6.08	32.70

5.15-5.25GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5240MHz_TX




EUT X_2TX
 Setting 16
 01-K-R-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.4767G	60.82	68.20	-7.38	45.20	3	Vertical	20	2.34	-	38.80	8.49	31.67
PK	15.7257G	62.13	74.00	-11.87	43.82	3	Vertical	3	3.00	-	38.38	10.59	30.66
AV	15.718G	49.46	54.00	-4.54	31.18	3	Vertical	3	3.00	-	38.35	10.59	30.66

5.15-5.25GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5240MHz_TX




EUT X_2TX
 Setting 16
 01-K-R-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.4863G	67.16	68.20	-1.04	51.52	3	Horizontal	39	2.28	-	38.80	8.49	31.65
PK	15.7024G	61.53	74.00	-12.47	43.31	3	Horizontal	360	2.45	-	38.31	10.58	30.67
AV	15.7383G	49.02	54.00	-4.98	30.67	3	Horizontal	360	2.45	-	38.41	10.60	30.66

5.25-5.35GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5260MHz_TX




EUT X_2TX
 Setting 21
 01-K-R-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.139G	60.20	74.00	-13.80	53.92	3	Horizontal	164	1.80	-	33.10	5.97	32.79
AV	5.15G	48.31	54.00	-5.69	42.03	3	Horizontal	164	1.80	-	33.10	5.97	32.79
PK	5.2625G	119.07	Inf	-Inf	112.46	3	Horizontal	164	1.80	-	33.32	6.03	32.74
AV	5.2625G	108.11	Inf	-Inf	101.50	3	Horizontal	164	1.80	-	33.32	6.03	32.74
PK	5.3815G	61.14	74.00	-12.86	54.11	3	Horizontal	164	1.80	-	33.63	6.09	32.69
AV	5.368G	49.05	54.00	-4.95	42.10	3	Horizontal	164	1.80	-	33.57	6.08	32.70

5.25-5.35GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5260MHz_TX




EUT X_2TX
 Setting 15
 01-K-R-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.5172G	65.87	68.20	-2.33	50.21	3	Vertical	37	1.77	-	38.80	8.51	31.65
PK	15.7875G	61.71	74.00	-12.29	43.18	3	Vertical	180	1.17	-	38.56	10.61	30.64
AV	15.7885G	49.16	54.00	-4.84	30.61	3	Vertical	180	1.17	-	38.57	10.62	30.64

5.25-5.35GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5260MHz_TX




EUT X_2TX
 Setting 15
 01-K-R-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.5267G	66.99	68.20	-1.21	51.34	3	Horizontal	38	2.30	-	38.80	8.51	31.66
PK	15.7776G	61.97	74.00	-12.03	43.48	3	Horizontal	357	1.97	-	38.53	10.61	30.65
AV	15.8039G	48.99	54.00	-5.01	30.40	3	Horizontal	357	1.97	-	38.61	10.62	30.64

5.25-5.35GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5300MHz_TX




EUT X_2TX
 Setting 21
 01-K-R-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3025G	119.53	Inf	-Inf	112.79	3	Horizontal	360	1.80	-	33.41	6.05	32.72
AV	5.3025G	108.48	Inf	-Inf	101.74	3	Horizontal	360	1.80	-	33.41	6.05	32.72
PK	5.3535G	66.69	74.00	-7.31	59.80	3	Horizontal	360	1.80	-	33.51	6.08	32.70
AV	5.353G	51.02	54.00	-2.98	44.13	3	Horizontal	360	1.80	-	33.51	6.08	32.70

5.25-5.35GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5300MHz_TX




EUT X_2TX
 Setting 13
 01-K-R-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.6049G	58.04	74.00	-15.96	42.42	3	Vertical	3	3.00	-	38.80	8.54	31.72
AV	10.6018G	45.98	54.00	-8.02	30.36	3	Vertical	3	3.00	-	38.80	8.54	31.72
PK	15.9048G	61.37	74.00	-12.63	42.51	3	Vertical	149	2.11	-	38.81	10.66	30.61
AV	15.9239G	49.35	54.00	-4.65	30.43	3	Vertical	149	2.11	-	38.85	10.67	30.60

5.25-5.35GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5300MHz_TX




EUT X_2TX
 Setting 13
 01-K-R-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.6016G	65.73	74.00	-8.27	50.11	3	Horizontal	44	2.31	-	38.80	8.54	31.72
AV	10.602G	52.65	54.00	-1.35	37.03	3	Horizontal	44	2.31	-	38.80	8.54	31.72
PK	15.8902G	62.10	74.00	-11.90	43.27	3	Horizontal	286	1.91	-	38.78	10.66	30.61
AV	15.9244G	49.42	54.00	-4.58	30.50	3	Horizontal	286	1.91	-	38.85	10.67	30.60

5.25-5.35GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5320MHz_TX




EUT_X_2TX
 Setting 19
 01-K-R-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3275G	117.16	Inf	-Inf	110.36	3	Horizontal	163	1.80	-	33.45	6.06	32.71
AV	5.323G	106.66	Inf	-Inf	99.86	3	Horizontal	163	1.80	-	33.45	6.06	32.71
PK	5.353G	69.72	74.00	-4.28	62.83	3	Horizontal	163	1.80	-	33.51	6.08	32.70
AV	5.353G	52.77	54.00	-1.23	45.88	3	Horizontal	163	1.80	-	33.51	6.08	32.70

5.25-5.35GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5320MHz_TX




EUT X_2TX
Setting 14
01-K-R-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.6423G	58.11	74.00	-15.89	42.50	3	Vertical	21	2.34	-	38.80	8.56	31.75
AV	10.6372G	46.52	54.00	-7.48	30.92	3	Vertical	21	2.34	-	38.80	8.55	31.75
PK	15.9791G	61.53	74.00	-12.47	42.47	3	Vertical	294	2.41	-	38.96	10.69	30.59
AV	15.9809G	49.82	54.00	-4.18	30.76	3	Vertical	294	2.41	-	38.96	10.69	30.59

5.25-5.35GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5320MHz_TX




EUT X_2TX
 Setting 14
 01-K-R-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.6424G	65.51	74.00	-8.49	49.90	3	Horizontal	38	1.78	-	38.80	8.56	31.75
AV	10.6373G	52.97	54.00	-1.03	37.37	3	Horizontal	38	1.78	-	38.80	8.55	31.75
PK	15.9462G	62.04	74.00	-11.96	43.07	3	Horizontal	308	1.98	-	38.89	10.68	30.60
AV	15.9781G	49.73	54.00	-4.27	30.67	3	Horizontal	308	1.98	-	38.96	10.69	30.59

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5500MHz_TX




EUT X_2TX
 Setting 16
 01-K-R-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.459G	63.16	74.00	-10.84	55.75	3	Horizontal	180	1.60	-	33.94	6.13	32.66
AV	5.46G	50.34	54.00	-3.66	42.93	3	Horizontal	180	1.60	-	33.94	6.13	32.66
PK	5.47G	66.71	68.20	-1.49	59.25	3	Horizontal	180	1.60	-	33.98	6.13	32.65
PK	5.4915G	115.66	Inf	-Inf	108.08	3	Horizontal	180	1.60	-	34.07	6.15	32.64
AV	5.492G	104.93	Inf	-Inf	97.35	3	Horizontal	180	1.60	-	34.07	6.15	32.64

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5500MHz_TX




EUT X_2TX
 Setting 13.5
 01-K-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.00744G	59.24	74.00	-14.76	43.88	3	Vertical	334	1.80	-	38.70	8.70	32.04
AV	11.0018G	46.64	54.00	-7.36	31.28	3	Vertical	334	1.80	-	38.70	8.70	32.04
PK	16.48884G	65.44	68.20	-2.76	43.08	3	Vertical	273	2.93	-	40.44	10.90	28.98

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5500MHz_TX




EUT X_2TX
 Setting 13.5
 01-K-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.9967G	65.83	74.00	-8.17	50.47	3	Horizontal	32	2.31	-	38.70	8.70	32.04
AV	11.00204G	52.99	54.00	-1.01	37.63	3	Horizontal	32	2.31	-	38.70	8.70	32.04
PK	16.48758G	65.14	68.20	-3.06	42.78	3	Horizontal	29	1.39	-	40.44	10.90	28.98

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5580MHz_TX




EUT X_2TX
 Setting 21
 01-K-R-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4384G	61.21	74.00	-12.79	53.91	3	Horizontal	360	1.60	-	33.85	6.12	32.67
PK	5.4666G	61.32	68.20	-6.88	53.87	3	Horizontal	360	1.60	-	33.97	6.13	32.65
AV	5.46G	49.84	54.00	-4.16	42.43	3	Horizontal	360	1.60	-	33.94	6.13	32.66
PK	5.5752G	118.31	Inf	-Inf	110.59	3	Horizontal	360	1.60	-	34.20	6.19	32.67
AV	5.5746G	107.61	Inf	-Inf	99.89	3	Horizontal	360	1.60	-	34.20	6.19	32.67
PK	5.7276G	61.96	68.20	-6.24	53.93	3	Horizontal	360	1.60	-	34.50	6.26	32.73

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5580MHz_TX




EUT X_2TX
 Setting 16
 01-K-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.1615G	58.91	74.00	-15.09	43.45	3	Vertical	40	1.80	-	38.64	8.76	31.94
AV	11.16162G	46.56	54.00	-7.44	31.10	3	Vertical	40	1.80	-	38.64	8.76	31.94
PK	16.74048G	65.12	68.20	-3.08	42.72	3	Vertical	270	1.81	-	40.76	11.00	29.36

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5580MHz_TX




EUT X_2TX
 Setting 16
 01-K-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.15682G	65.89	74.00	-8.11	50.44	3	Horizontal	29	2.28	-	38.64	8.76	31.95
AV	11.16198G	52.96	54.00	-1.04	37.50	3	Horizontal	29	2.28	-	38.64	8.76	31.94
PK	16.74156G	66.10	68.20	-2.10	43.69	3	Horizontal	52	2.68	-	40.77	11.00	29.36

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5700MHz_TX




EUT X_2TX
Setting 15
01-K-R-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7062G	113.02	Inf	-Inf	104.99	3	Horizontal	16	1.80	-	34.50	6.25	32.72
AV	5.7008G	101.74	Inf	-Inf	93.71	3	Horizontal	16	1.80	-	34.50	6.25	32.72
PK	5.7262G	66.86	68.20	-1.34	58.83	3	Horizontal	16	1.80	-	34.50	6.26	32.73

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5700MHz_TX




EUT X_2TX
 Setting 15
 01-K-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.39202G	58.70	74.00	-15.30	42.85	3	Vertical	310	1.01	-	38.79	8.86	31.80
AV	11.40192G	45.93	54.00	-8.07	30.07	3	Vertical	310	1.01	-	38.80	8.86	31.80
PK	17.11434G	65.41	68.20	-2.79	42.44	3	Vertical	295	2.18	-	41.81	11.15	29.99

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5700MHz_TX




EUT X_2TX
 Setting 15
 01-K-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.40216G	64.12	74.00	-9.88	48.26	3	Horizontal	36	1.79	-	38.80	8.86	31.80
AV	11.39724G	51.47	54.00	-2.53	35.61	3	Horizontal	36	1.79	-	38.80	8.86	31.80
PK	17.09508G	65.75	68.20	-2.45	42.79	3	Horizontal	143	2.87	-	41.78	11.14	29.96

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT X_2TX
 Setting 21
 01-B-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4484G	59.35	74.00	-14.65	52.00	3	Horizontal	4	1.69	-	33.89	6.12	32.66
AV	5.4442G	46.32	54.00	-7.68	38.98	3	Horizontal	4	1.69	-	33.88	6.12	32.66
PK	5.4652G	58.70	68.20	-9.50	51.26	3	Horizontal	4	1.69	-	33.96	6.13	32.65
PK	5.7144G	118.62	Inf	-Inf	110.59	3	Horizontal	4	1.69	-	34.50	6.26	32.73
AV	5.7186G	107.04	Inf	-Inf	99.01	3	Horizontal	4	1.69	-	34.50	6.26	32.73
PK	5.9762G	61.80	68.20	-6.40	52.74	3	Horizontal	4	1.69	-	35.50	6.39	32.83

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT X_2TX
 Setting 18
 01-B-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.43226G	57.65	74.00	-16.35	41.76	3	Vertical	53	2.28	-	38.80	8.87	31.78
AV	11.43694G	44.36	54.00	-9.64	28.47	3	Vertical	53	2.28	-	38.80	8.87	31.78
PK	17.16G	66.64	68.20	-1.56	43.68	3	Vertical	347	1.58	-	41.86	11.16	30.06

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT X_2TX
 Setting 18
 01-B-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.44252G	65.73	74.00	-8.27	49.82	3	Horizontal	127	1.80	-	38.80	8.88	31.77
AV	11.44258G	51.67	54.00	-2.33	35.76	3	Horizontal	127	1.80	-	38.80	8.88	31.77
PK	17.16486G	65.63	68.20	-2.57	42.67	3	Horizontal	352	2.29	-	41.86	11.17	30.07

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5745MHz_TX




EUT X_2TX
 Setting 21
 01-K-R-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.588G	61.92	68.20	-6.28	54.16	3	Horizontal	183	1.54	-	34.25	6.19	32.68
PK	5.742G	119.42	Inf	-Inf	111.39	3	Horizontal	183	1.54	-	34.50	6.27	32.74
AV	5.737G	108.57	Inf	-Inf	100.53	3	Horizontal	183	1.54	-	34.50	6.27	32.73
PK	5.938G	63.17	68.20	-5.03	54.17	3	Horizontal	183	1.54	-	35.45	6.37	32.82

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5745MHz_TX




EUT X_2TX
 Setting 14
 01-K-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.48616G	57.83	74.00	-16.17	41.89	3	Vertical	26	2.17	-	38.80	8.89	31.75
AV	11.49198G	45.18	54.00	-8.82	29.22	3	Vertical	26	2.17	-	38.80	8.90	31.74
PK	17.2344G	66.87	68.20	-1.33	43.82	3	Vertical	337	2.52	-	42.04	11.19	30.18

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5745MHz_TX




EUT X_2TX
 Setting 14
 01-K-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.49144G	62.12	74.00	-11.88	46.17	3	Horizontal	29	1.80	-	38.80	8.90	31.75
AV	11.49222G	49.71	54.00	-4.29	33.75	3	Horizontal	29	1.80	-	38.80	8.90	31.74
PK	17.22312G	66.23	68.20	-1.97	43.21	3	Horizontal	316	2.93	-	41.99	11.19	30.16

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5785MHz_TX




EUT_X_2TX
 Setting 21
 01-K-R-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.635G	61.17	68.20	-7.03	53.34	3	Horizontal	19	1.80	-	34.30	6.22	32.69
PK	5.78G	115.39	Inf	-Inf	107.29	3	Horizontal	19	1.80	-	34.56	6.29	32.75
AV	5.78G	106.05	Inf	-Inf	97.95	3	Horizontal	19	1.80	-	34.56	6.29	32.75
PK	5.976G	63.18	68.20	-5.02	54.12	3	Horizontal	19	1.80	-	35.50	6.39	32.83

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5785MHz_TX




EUT X_2TX
 Setting 16
 01-K-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.5682G	58.98	74.00	-15.02	42.96	3	Vertical	27	1.70	-	38.80	8.93	31.71
AV	11.57288G	46.25	54.00	-7.75	30.23	3	Vertical	27	1.70	-	38.80	8.93	31.71
PK	17.3526G	67.16	68.20	-1.04	43.82	3	Vertical	331	2.47	-	42.46	11.24	30.36

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5785MHz_TX




EUT X_2TX
 Setting 16
 01-K-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.56856G	63.17	74.00	-10.83	47.15	3	Horizontal	35	1.77	-	38.80	8.93	31.71
AV	11.56766G	50.57	54.00	-3.43	34.55	3	Horizontal	35	1.77	-	38.80	8.93	31.71
PK	17.3595G	66.36	68.20	-1.84	43.01	3	Horizontal	157	1.80	-	42.48	11.24	30.37

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5825MHz_TX




EUT X_2TX
 Setting 21
 01-K-R-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.612G	62.32	68.20	-5.88	54.49	3	Horizontal	20	1.80	-	34.30	6.21	32.68
PK	5.83G	116.09	Inf	-Inf	107.77	3	Horizontal	20	1.80	-	34.78	6.31	32.77
AV	5.82G	105.72	Inf	-Inf	97.46	3	Horizontal	20	1.80	-	34.72	6.31	32.77
PK	6.073G	63.06	68.20	-5.14	53.86	3	Horizontal	20	1.80	-	35.60	6.44	32.84

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5825MHz_TX




EUT X_2TX
 Setting 19
 01-K-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.65222G	60.58	74.00	-13.42	44.45	3	Vertical	206	2.04	-	38.85	8.96	31.68
AV	11.65228G	48.18	54.00	-5.82	32.05	3	Vertical	206	2.04	-	38.85	8.96	31.68
PK	17.48304G	66.98	68.20	-1.22	43.73	3	Vertical	327	1.80	-	42.52	11.29	30.56

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5825MHz_TX




EUT X_2TX
 Setting 19
 01-K-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.64214G	63.25	74.00	-10.75	47.13	3	Horizontal	33	1.80	-	38.84	8.96	31.68
AV	11.64748G	50.66	54.00	-3.34	34.53	3	Horizontal	33	1.80	-	38.85	8.96	31.68
PK	17.47476G	67.03	68.20	-1.17	43.76	3	Horizontal	69	1.63	-	42.53	11.29	30.55

5.15-5.25GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5190MHz_TX




EUT_X_2TX
 Setting 14
 01-K-R-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1492G	67.52	74.00	-6.48	61.24	3	Horizontal	173	1.80	-	33.10	5.97	32.79
AV	5.1496G	52.89	54.00	-1.11	46.61	3	Horizontal	173	1.80	-	33.10	5.97	32.79
PK	5.184G	110.91	Inf	-Inf	104.52	3	Horizontal	173	1.80	-	33.17	5.99	32.77
AV	5.194G	99.58	Inf	-Inf	93.16	3	Horizontal	173	1.80	-	33.19	6.00	32.77

5.15-5.25GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5190MHz_TX




EUT X_2TX
 Setting 14
 01-K-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.3773G	57.87	68.20	-10.33	42.44	3	Vertical	34	1.80	-	38.75	8.45	31.77
PK	15.5842G	60.92	74.00	-13.08	42.66	3	Vertical	281	2.49	-	38.43	10.53	30.70
AV	15.5781G	49.06	54.00	-4.94	30.80	3	Vertical	281	2.49	-	38.44	10.53	30.71

5.15-5.25GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5190MHz_TX




EUT X_2TX
 Setting 14
 01-K-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.3825G	62.54	68.20	-5.66	47.10	3	Horizontal	37	2.34	-	38.76	8.45	31.77
PK	15.5683G	60.92	74.00	-13.08	42.64	3	Horizontal	45	1.80	-	38.46	10.53	30.71
AV	15.5903G	48.99	54.00	-5.01	30.73	3	Horizontal	45	1.80	-	38.42	10.54	30.70

5.15-5.25GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5230MHz_TX




EUT X_2TX
 Setting 19.5
 01-K-R-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1392G	67.12	74.00	-6.88	60.84	3	Horizontal	179	1.80	-	33.10	5.97	32.79
AV	5.1496G	52.66	54.00	-1.34	46.38	3	Horizontal	179	1.80	-	33.10	5.97	32.79
PK	5.2244G	116.07	Inf	-Inf	109.57	3	Horizontal	179	1.80	-	33.25	6.01	32.76
AV	5.2444G	105.14	Inf	-Inf	98.58	3	Horizontal	179	1.80	-	33.29	6.02	32.75

5.15-5.25GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5230MHz_TX




EUT X_2TX
 Setting 19.5
 01-K-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.4515G	59.60	68.20	-8.60	44.01	3	Vertical	36	1.80	-	38.80	8.48	31.69
PK	15.7113G	61.66	74.00	-12.34	43.42	3	Vertical	360	2.64	-	38.33	10.58	30.67
AV	15.6978G	50.08	54.00	-3.92	31.87	3	Vertical	360	2.64	-	38.30	10.58	30.67

5.15-5.25GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5230MHz_TX




EUT X_2TX
 Setting 19.5
 01-K-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.461G	67.17	68.20	-1.03	51.57	3	Horizontal	44	2.33	-	38.80	8.48	31.68
PK	15.7034G	61.08	74.00	-12.92	42.86	3	Horizontal	317	1.80	-	38.31	10.58	30.67
AV	15.6939G	49.32	54.00	-4.68	31.10	3	Horizontal	317	1.80	-	38.31	10.58	30.67

5.25-5.35GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5270MHz_TX




EUT_X_2TX
 Setting 20.5
 01-K-R-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.2636G	117.01	Inf	-Inf	110.39	3	Horizontal	177	1.80	-	33.33	6.03	32.74
AV	5.2544G	105.79	Inf	-Inf	99.19	3	Horizontal	177	1.80	-	33.31	6.03	32.74
PK	5.3596G	67.22	74.00	-6.78	60.30	3	Horizontal	177	1.80	-	33.54	6.08	32.70
AV	5.35G	52.63	54.00	-1.37	45.75	3	Horizontal	177	1.80	-	33.50	6.08	32.70

5.25-5.35GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5270MHz_TX




EUT X_2TX
 Setting 19
 01-K-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.5411G	60.19	68.20	-8.01	44.54	3	Vertical	24	2.38	-	38.80	8.52	31.67
PK	15.8079G	62.14	74.00	-11.86	43.54	3	Vertical	357	2.69	-	38.62	10.62	30.64
AV	15.8032G	50.07	54.00	-3.93	31.48	3	Vertical	357	2.69	-	38.61	10.62	30.64

5.25-5.35GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5270MHz_TX




EUT X_2TX
 Setting 19
 01-K-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.54228G	67.13	68.20	-1.07	51.48	3	Horizontal	37	1.80	-	38.80	8.52	31.67
PK	15.8236G	63.18	74.00	-10.82	44.53	3	Horizontal	55	2.44	-	38.65	10.63	30.63
AV	15.8237G	49.87	54.00	-4.13	31.22	3	Horizontal	55	2.44	-	38.65	10.63	30.63

5.25-5.35GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5310MHz_TX




EUT X_2TX
 Setting 13.5
 01-K-R-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3076G	110.04	Inf	-Inf	103.29	3	Horizontal	181	1.80	-	33.42	6.05	32.72
AV	5.3128G	99.01	Inf	-Inf	92.24	3	Horizontal	181	1.80	-	33.43	6.06	32.72
PK	5.3536G	64.99	74.00	-9.01	58.10	3	Horizontal	181	1.80	-	33.51	6.08	32.70
AV	5.3528G	52.77	54.00	-1.23	45.88	3	Horizontal	181	1.80	-	33.51	6.08	32.70

5.25-5.35GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5310MHz_TX




EUT X_2TX
Setting 13.5
01-K-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.6102G	58.28	74.00	-15.72	42.67	3	Vertical	38	1.80	-	38.80	8.54	31.73
AV	10.606G	45.36	54.00	-8.64	29.74	3	Vertical	38	1.80	-	38.80	8.54	31.72
PK	15.9176G	62.31	74.00	-11.69	43.40	3	Vertical	185	1.80	-	38.84	10.67	30.60
AV	15.9314G	50.01	54.00	-3.99	31.08	3	Vertical	185	1.80	-	38.86	10.67	30.60

5.25-5.35GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5310MHz_TX




EUT X_2TX
 Setting 13.5
 01-K-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.6229G	62.78	74.00	-11.22	47.17	3	Horizontal	38	1.80	-	38.80	8.55	31.74
AV	10.6222G	50.66	54.00	-3.34	35.05	3	Horizontal	38	1.80	-	38.80	8.55	31.74
PK	15.9253G	62.26	74.00	-11.74	43.34	3	Horizontal	53	2.46	-	38.85	10.67	30.60
AV	15.9244G	49.94	54.00	-4.06	31.02	3	Horizontal	53	2.46	-	38.85	10.67	30.60

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5510MHz_TX




EUT_X_2TX
 Setting 13.5
 01-K-R-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.46G	63.95	74.00	-10.05	56.54	3	Horizontal	0	1.57	-	33.94	6.13	32.66
AV	5.4592G	51.70	54.00	-2.30	44.29	3	Horizontal	0	1.57	-	33.94	6.13	32.66
PK	5.4696G	67.19	68.20	-1.01	59.73	3	Horizontal	0	1.57	-	33.98	6.13	32.65
PK	5.5048G	111.21	Inf	-Inf	103.60	3	Horizontal	0	1.57	-	34.10	6.15	32.64
AV	5.5152G	100.20	Inf	-Inf	92.59	3	Horizontal	0	1.57	-	34.10	6.16	32.65

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5510MHz_TX




EUT X_2TX
 Setting 13.5
 01-K-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.023G	57.97	74.00	-16.03	42.59	3	Vertical	42	1.80	-	38.70	8.71	32.03
AV	11.0166G	45.77	54.00	-8.23	30.39	3	Vertical	42	1.80	-	38.70	8.71	32.03
PK	16.5545G	65.52	68.20	-2.68	43.35	3	Vertical	342	1.12	-	40.28	10.92	29.03

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5510MHz_TX




EUT X_2TX
 Setting 13.5
 01-K-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.0225G	63.67	74.00	-10.33	48.29	3	Horizontal	38	2.26	-	38.70	8.71	32.03
AV	11.0169G	50.52	54.00	-3.48	35.14	3	Horizontal	38	2.26	-	38.70	8.71	32.03
PK	16.5175G	65.51	68.20	-2.69	43.14	3	Horizontal	194	1.80	-	40.43	10.91	28.97

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5550MHz_TX




EUT X_2TX
 Setting 18.5
 01-K-R-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4576G	64.87	74.00	-9.13	57.47	3	Horizontal	354	1.57	-	33.93	6.13	32.66
AV	5.4592G	51.56	54.00	-2.44	44.15	3	Horizontal	354	1.57	-	33.94	6.13	32.66
PK	5.4692G	66.65	68.20	-1.55	59.19	3	Horizontal	354	1.57	-	33.98	6.13	32.65
PK	5.5456G	116.44	Inf	-Inf	108.83	3	Horizontal	354	1.57	-	34.10	6.17	32.66
AV	5.5456G	104.49	Inf	-Inf	96.88	3	Horizontal	354	1.57	-	34.10	6.17	32.66

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5550MHz_TX




EUT X_2TX
 Setting 16.5
 01-K-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.0968G	58.43	74.00	-15.57	42.97	3	Vertical	325	2.33	-	38.70	8.74	31.98
AV	11.097G	46.61	54.00	-7.39	31.15	3	Vertical	325	2.33	-	38.70	8.74	31.98
PK	16.6716G	65.65	68.20	-2.55	43.46	3	Vertical	42	1.80	-	40.46	10.97	29.24

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5550MHz_TX




EUT X_2TX
 Setting 16.5
 01-K-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.0869G	64.98	74.00	-9.02	49.54	3	Horizontal	39	2.30	-	38.70	8.73	31.99
AV	11.0969G	52.89	54.00	-1.11	37.43	3	Horizontal	39	2.30	-	38.70	8.74	31.98
PK	16.6501G	64.95	68.20	-3.25	42.84	3	Horizontal	93	1.72	-	40.35	10.96	29.20

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5670MHz_TX




EUT X_2TX
 Setting 17
 01-K-R-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6672G	112.21	Inf	-Inf	104.32	3	Horizontal	18	1.80	-	34.37	6.23	32.71
AV	5.6628G	101.64	Inf	-Inf	93.77	3	Horizontal	18	1.80	-	34.35	6.23	32.71
PK	5.7284G	66.58	68.20	-1.62	58.55	3	Horizontal	18	1.80	-	34.50	6.26	32.73

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5670MHz_TX




EUT X_2TX
 Setting 17
 01-K-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.3284G	57.53	74.00	-16.47	41.81	3	Vertical	40	2.17	-	38.73	8.83	31.84
AV	11.3426G	46.02	54.00	-7.98	30.27	3	Vertical	40	2.17	-	38.74	8.84	31.83
PK	16.9963G	65.38	68.20	-2.82	42.78	3	Vertical	29	1.80	-	41.30	11.10	29.80

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5670MHz_TX




EUT X_2TX
 Setting 17
 01-K-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.347G	63.87	74.00	-10.13	48.11	3	Horizontal	36	1.78	-	38.75	8.84	31.83
AV	11.3425G	51.98	54.00	-2.02	36.23	3	Horizontal	36	1.78	-	38.74	8.84	31.83
PK	17.0073G	64.75	68.20	-3.45	42.13	3	Horizontal	300	2.51	-	41.34	11.10	29.82

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT X_2TX
 Setting 21
 01-B-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4468G	59.58	74.00	-14.42	52.23	3	Horizontal	0	1.71	-	33.89	6.12	32.66
AV	5.4426G	46.84	54.00	-7.16	39.51	3	Horizontal	0	1.71	-	33.87	6.12	32.66
PK	5.47G	58.48	68.20	-9.72	51.02	3	Horizontal	0	1.71	-	33.98	6.13	32.65
PK	5.6946G	115.93	Inf	-Inf	107.92	3	Horizontal	0	1.71	-	34.48	6.25	32.72
AV	5.6946G	105.14	Inf	-Inf	97.13	3	Horizontal	0	1.71	-	34.48	6.25	32.72
PK	5.9186G	62.01	68.20	-6.19	53.09	3	Horizontal	0	1.71	-	35.37	6.36	32.81

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT X_2TX
 Setting 18.5
 01-B-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.42726G	57.83	74.00	-16.17	41.94	3	Vertical	309	1.70	-	38.80	8.87	31.78
AV	11.41748G	44.72	54.00	-9.28	28.84	3	Vertical	309	1.70	-	38.80	8.87	31.79
PK	17.14134G	67.06	68.20	-1.14	44.09	3	Vertical	352	1.57	-	41.84	11.16	30.03

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT X_2TX
 Setting 18.5
 01-B-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.41652G	63.98	74.00	-10.02	48.10	3	Horizontal	130	1.75	-	38.80	8.87	31.79
AV	11.41706G	51.33	54.00	-2.67	35.45	3	Horizontal	130	1.75	-	38.80	8.87	31.79
PK	17.13108G	66.53	68.20	-1.67	43.56	3	Horizontal	16	3.00	-	41.83	11.15	30.01

5.725-5.85GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5755MHz_TX




EUT X_2TX
 Setting 20.5
 01-K-R-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.65G	64.67	68.20	-3.53	56.85	3	Horizontal	18	1.76	-	34.30	6.22	32.70
PK	5.748G	114.98	Inf	-Inf	106.95	3	Horizontal	18	1.76	-	34.50	6.27	32.74
AV	5.753G	104.33	Inf	-Inf	96.28	3	Horizontal	18	1.76	-	34.51	6.28	32.74
PK	5.999G	63.23	68.20	-4.97	54.17	3	Horizontal	18	1.76	-	35.50	6.40	32.84

5.725-5.85GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5755MHz_TX




EUT X_2TX
 Setting 19
 01-K-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.5314G	57.99	74.00	-16.01	42.01	3	Vertical	248	1.24	-	38.80	8.91	31.73
AV	11.5121G	46.10	54.00	-7.90	30.14	3	Vertical	248	1.24	-	38.80	8.90	31.74
PK	17.2765G	66.95	68.20	-1.25	43.77	3	Vertical	320	2.13	-	42.21	11.21	30.24

5.725-5.85GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5755MHz_TX




EUT X_2TX
 Setting 19
 01-K-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.517G	63.17	74.00	-10.83	47.19	3	Horizontal	36	1.80	-	38.80	8.91	31.73
AV	11.5124G	51.09	54.00	-2.91	35.13	3	Horizontal	36	1.80	-	38.80	8.90	31.74
PK	17.2589G	66.98	68.20	-1.22	43.85	3	Horizontal	315	2.94	-	42.14	11.20	30.21

5.725-5.85GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5795MHz_TX




EUT X_2TX
 Setting 21
 01-K-R-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.614G	61.93	68.20	-6.27	54.11	3	Horizontal	18	1.80	-	34.30	6.21	32.69
PK	5.79G	115.00	Inf	-Inf	106.89	3	Horizontal	18	1.80	-	34.58	6.29	32.76
AV	5.78G	104.78	Inf	-Inf	96.68	3	Horizontal	18	1.80	-	34.56	6.29	32.75
PK	5.976G	63.27	68.20	-4.93	54.21	3	Horizontal	18	1.80	-	35.50	6.39	32.83

5.725-5.85GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5795MHz_TX




EUT X_2TX
 Setting 19
 01-K-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.6006G	57.81	74.00	-16.19	41.77	3	Vertical	340	2.83	-	38.80	8.94	31.70
AV	11.5927G	46.07	54.00	-7.93	30.03	3	Vertical	340	2.83	-	38.80	8.94	31.70
PK	17.3831G	66.79	68.20	-1.41	43.40	3	Vertical	323	2.21	-	42.55	11.25	30.41

5.725-5.85GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5795MHz_TX




EUT X_2TX
 Setting 19
 01-K-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.5924G	61.70	74.00	-12.30	45.66	3	Horizontal	32	1.80	-	38.80	8.94	31.70
AV	11.5925G	49.97	54.00	-4.03	33.93	3	Horizontal	32	1.80	-	38.80	8.94	31.70
PK	17.4094G	66.11	68.20	-2.09	42.71	3	Horizontal	342	1.44	-	42.59	11.26	30.45

5.15-5.25GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5210MHz_TX




EUT X_2TX
Setting 11
01-K-R-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1348G	66.40	74.00	-7.60	60.12	3	Horizontal	179	1.80	-	33.10	5.97	32.79
AV	5.1388G	52.93	54.00	-1.07	46.65	3	Horizontal	179	1.80	-	33.10	5.97	32.79
PK	5.2396G	104.54	Inf	-Inf	97.99	3	Horizontal	179	1.80	-	33.28	6.02	32.75
AV	5.1948G	94.28	Inf	-Inf	87.86	3	Horizontal	179	1.80	-	33.19	6.00	32.77
PK	5.37G	60.59	74.00	-13.41	53.62	3	Horizontal	179	1.80	-	33.58	6.08	32.69
AV	5.3556G	49.92	54.00	-4.08	43.02	3	Horizontal	179	1.80	-	33.52	6.08	32.70

5.15-5.25GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5210MHz_TX




EUT X_2TX
 Setting 11
 01-K-R-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.3776G	57.27	68.20	-10.93	41.83	3	Vertical	227	2.83	-	38.76	8.45	31.77
PK	15.5908G	61.14	74.00	-12.86	42.88	3	Vertical	341	2.40	-	38.42	10.54	30.70
AV	15.6718G	49.81	54.00	-4.19	31.59	3	Vertical	341	2.40	-	38.33	10.57	30.68

5.15-5.25GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5210MHz_TX




EUT X_2TX
 Setting 11
 01-K-R-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.4566G	59.39	68.20	-8.81	43.80	3	Horizontal	37	2.36	-	38.80	8.48	31.69
PK	15.583G	61.00	74.00	-13.00	42.75	3	Horizontal	134	1.48	-	38.43	10.53	30.71
AV	15.6654G	49.94	54.00	-4.06	31.72	3	Horizontal	134	1.48	-	38.33	10.57	30.68

5.25-5.35GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5290MHz_TX




EUT X_2TX
 Setting 10
 01-K-R-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.138G	60.74	74.00	-13.26	54.46	3	Horizontal	177	1.80	-	33.10	5.97	32.79
AV	5.13G	49.24	54.00	-4.76	42.98	3	Horizontal	177	1.80	-	33.10	5.96	32.80
PK	5.2916G	104.77	Inf	-Inf	98.07	3	Horizontal	177	1.80	-	33.38	6.05	32.73
AV	5.2516G	93.64	Inf	-Inf	87.05	3	Horizontal	177	1.80	-	33.30	6.03	32.74
PK	5.3516G	63.35	74.00	-10.65	56.46	3	Horizontal	177	1.80	-	33.51	6.08	32.70
AV	5.3524G	52.77	54.00	-1.23	45.88	3	Horizontal	177	1.80	-	33.51	6.08	32.70
PK	5.4828G	61.20	68.20	-7.00	53.68	3	Horizontal	177	1.80	-	34.03	6.14	32.65

5.25-5.35GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5290MHz_TX




EUT X_2TX
 Setting 10
 01-K-R-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.565G	57.29	68.20	-10.91	41.65	3	Vertical	339	1.39	-	38.80	8.53	31.69
PK	15.907G	61.00	74.00	-13.00	42.14	3	Vertical	52	1.04	-	38.81	10.66	30.61
AV	15.897G	50.52	54.00	-3.48	31.68	3	Vertical	52	1.04	-	38.79	10.66	30.61

5.25-5.35GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5290MHz_TX




EUT X_2TX
 Setting 10
 01-K-R-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.5618G	58.13	68.20	-10.07	42.50	3	Horizontal	40	1.80	-	38.80	8.52	31.69
PK	15.881G	61.95	74.00	-12.05	43.16	3	Horizontal	249	1.80	-	38.76	10.65	30.62
AV	15.9158G	50.60	54.00	-3.40	31.71	3	Horizontal	249	1.80	-	38.83	10.67	30.61

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5530MHz_TX




EUT_X_2TX
 Setting 10.5
 01-F-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3G	58.60	68.20	-9.60	51.87	3	Horizontal	10	1.79	-	33.40	6.05	32.72
AV	5.35G	46.65	54.00	-7.35	39.78	3	Horizontal	10	1.79	-	33.50	6.07	32.70
PK	5.438G	66.19	74.00	-7.81	58.89	3	Horizontal	10	1.79	-	33.85	6.12	32.67
PK	5.469G	63.22	68.20	-4.98	55.76	3	Horizontal	10	1.79	-	33.98	6.13	32.65
AV	5.454G	52.56	54.00	-1.44	45.17	3	Horizontal	10	1.79	-	33.92	6.13	32.66
PK	5.504G	105.12	Inf	-Inf	97.51	3	Horizontal	10	1.79	-	34.10	6.15	32.64
AV	5.515G	93.04	Inf	-Inf	85.43	3	Horizontal	10	1.79	-	34.10	6.16	32.65
PK	5.771G	59.80	68.20	-8.40	51.72	3	Horizontal	10	1.79	-	34.54	6.29	32.75

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5530MHz_TX




EUT X_2TX
 Setting 10.5
 01-K-R-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.072G	56.93	74.00	-17.07	41.50	3	Vertical	60	2.42	-	38.70	8.73	32.00
AV	11.0204G	45.86	54.00	-8.14	30.48	3	Vertical	60	2.42	-	38.70	8.71	32.03
PK	16.544G	65.32	68.20	-2.88	43.10	3	Vertical	152	2.86	-	40.32	10.92	29.02

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5530MHz_TX




EUT X_2TX
 Setting 10.5
 01-K-R-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.0338G	57.46	74.00	-16.54	42.07	3	Horizontal	43	1.80	-	38.70	8.71	32.02
AV	11.0624G	46.64	54.00	-7.36	31.22	3	Horizontal	43	1.80	-	38.70	8.72	32.00
PK	16.6386G	64.71	68.20	-3.49	42.64	3	Horizontal	287	1.80	-	40.29	10.96	29.18

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5610MHz_TX




EUT X_2TX
 Setting 16
 01-K-R-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4556G	66.27	74.00	-7.73	58.88	3	Horizontal	179	1.50	-	33.92	6.13	32.66
AV	5.4556G	52.86	54.00	-1.14	45.47	3	Horizontal	179	1.50	-	33.92	6.13	32.66
PK	5.4612G	65.82	68.20	-2.38	58.41	3	Horizontal	179	1.50	-	33.94	6.13	32.66
PK	5.6324G	109.58	Inf	-Inf	101.75	3	Horizontal	179	1.50	-	34.30	6.22	32.69
AV	5.622G	99.24	Inf	-Inf	91.42	3	Horizontal	179	1.50	-	34.30	6.21	32.69
PK	5.7332G	65.45	68.20	-2.75	57.41	3	Horizontal	179	1.50	-	34.50	6.27	32.73

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5610MHz_TX




EUT X_2TX
 Setting 16
 01-K-R-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.2494G	57.36	74.00	-16.64	41.80	3	Vertical	46	2.87	-	38.65	8.80	31.89
AV	11.2196G	46.00	54.00	-8.00	30.50	3	Vertical	46	2.87	-	38.62	8.79	31.91
PK	16.8252G	65.57	68.20	-2.63	42.97	3	Vertical	358	1.56	-	41.08	11.03	29.51

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5610MHz_TX




EUT X_2TX
 Setting 16
 01-K-R-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.2362G	60.96	74.00	-13.04	45.43	3	Horizontal	35	1.77	-	38.64	8.79	31.90
AV	11.2172G	49.84	54.00	-4.16	34.34	3	Horizontal	35	1.77	-	38.62	8.79	31.91
PK	16.854G	65.09	68.20	-3.11	42.45	3	Horizontal	45	2.84	-	41.16	11.04	29.56

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT X_2TX
 Setting 19
 01-B-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3456G	58.36	68.20	-9.84	51.50	3	Horizontal	360	1.73	-	33.49	6.07	32.70
PK	5.459G	63.40	74.00	-10.60	55.99	3	Horizontal	360	1.73	-	33.94	6.13	32.66
AV	5.4548G	48.08	54.00	-5.92	40.69	3	Horizontal	360	1.73	-	33.92	6.13	32.66
PK	5.47G	65.80	68.20	-2.40	58.34	3	Horizontal	360	1.73	-	33.98	6.13	32.65
PK	5.6802G	112.50	Inf	-Inf	104.55	3	Horizontal	360	1.73	-	34.42	6.24	32.71
AV	5.6858G	101.73	Inf	-Inf	93.76	3	Horizontal	360	1.73	-	34.44	6.24	32.71
PK	5.8608G	66.94	68.20	-1.26	58.40	3	Horizontal	360	1.73	-	34.99	6.33	32.78

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT X_2TX
 Setting 19
 01-B-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.38168G	57.51	74.00	-16.49	41.69	3	Vertical	313	1.80	-	38.78	8.85	31.81
AV	11.38234G	44.98	54.00	-9.02	29.16	3	Vertical	313	1.80	-	38.78	8.85	31.81
PK	17.0745G	66.21	68.20	-1.99	43.34	3	Vertical	351	1.58	-	41.67	11.13	29.93

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT X_2TX
 Setting 19
 01-B-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.383G	61.89	74.00	-12.11	46.07	3	Horizontal	129	1.80	-	38.78	8.85	31.81
AV	11.383G	49.26	54.00	-4.74	33.44	3	Horizontal	129	1.80	-	38.78	8.85	31.81
PK	17.0784G	64.91	68.20	-3.29	42.02	3	Horizontal	83	1.80	-	41.69	11.13	29.93

5.725-5.85GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5775MHz_TX




EUT_X_2TX
 Setting 16.5
 01-K-R-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.617G	66.96	68.20	-1.24	59.14	3	Horizontal	19	1.76	-	34.30	6.21	32.69
PK	5.763G	108.88	Inf	-Inf	100.82	3	Horizontal	19	1.76	-	34.53	6.28	32.75
AV	5.753G	98.79	Inf	-Inf	90.74	3	Horizontal	19	1.76	-	34.51	6.28	32.74
PK	5.944G	63.29	68.20	-4.91	54.26	3	Horizontal	19	1.76	-	35.48	6.37	32.82

5.725-5.85GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5775MHz_TX




EUT X_2TX
 Setting 16.5
 01-K-R-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.5928G	57.22	74.00	-16.78	41.18	3	Vertical	30	1.80	-	38.80	8.94	31.70
AV	11.5766G	46.09	54.00	-7.91	30.07	3	Vertical	30	1.80	-	38.80	8.93	31.71
PK	17.3512G	66.09	68.20	-2.11	42.76	3	Vertical	342	3.00	-	42.45	11.24	30.36

5.725-5.85GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5775MHz_TX



EUT X_2TX
 Setting 16.5
 01-K-R-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.5774G	59.80	74.00	-14.20	43.78	3	Horizontal	34	1.80	-	38.80	8.93	31.71
AV	11.5468G	48.50	54.00	-5.50	32.50	3	Horizontal	34	1.80	-	38.80	8.92	31.72
PK	17.3484G	66.00	68.20	-2.20	42.66	3	Horizontal	314	1.10	-	42.45	11.24	30.35