


5.725-5.85GHz_802.11a_Nss1,(6Mbps)_1TX

5785MHz_TX




EUT_Z_1TX
Setting 30
03-C-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.606G	59.32	68.20	-8.88	52.51	3	Horizontal	288	2.11	-	34.59	7.10	34.88
PK	5.783G	109.70	Inf	-Inf	103.23	3	Horizontal	288	2.11	-	34.20	7.19	34.92
AV	5.783G	99.90	Inf	-Inf	93.43	3	Horizontal	288	2.11	-	34.20	7.19	34.92
PK	5.992G	59.63	68.20	-8.57	52.50	3	Horizontal	288	2.11	-	34.80	7.30	34.97

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_1TX

5785MHz_TX




EUT_Z_1TX
Setting 30
06-H-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.57484G	56.10	74.00	-17.90	41.98	3	Vertical	281	1.00	-	39.95	8.81	34.64
AV	11.56552G	43.27	54.00	-10.73	29.14	3	Vertical	281	1.00	-	39.97	8.80	34.64
PK	17.35552G	60.64	68.20	-7.56	42.58	3	Vertical	146	2.64	-	42.06	11.18	35.18

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_1TX

5785MHz_TX




EUT_Z_1TX
Setting 30
06-H-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.5749G	56.18	74.00	-17.82	42.06	3	Horizontal	110	1.63	-	39.95	8.81	34.64
AV	11.56946G	43.22	54.00	-10.78	29.09	3	Horizontal	110	1.63	-	39.96	8.81	34.64
PK	17.35294G	60.74	68.20	-7.46	42.70	3	Horizontal	294	2.67	-	42.03	11.18	35.17

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_1TX

5825MHz_TX




EUT Z_1TX
Setting 30
03-C-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.581G	59.26	68.20	-8.94	52.46	3	Vertical	355	1.80	-	34.60	7.08	34.88
PK	5.822G	107.86	Inf	-Inf	101.34	3	Vertical	355	1.80	-	34.24	7.21	34.93
AV	5.822G	97.30	Inf	-Inf	90.78	3	Vertical	355	1.80	-	34.24	7.21	34.93
PK	5.926G	60.68	68.20	-7.52	53.67	3	Vertical	355	1.80	-	34.70	7.26	34.95

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_1TX

5825MHz_TX




EUT_Z_1TX
Setting 30
03-C-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.586G	59.54	68.20	-8.66	52.73	3	Horizontal	286	2.12	-	34.60	7.09	34.88
PK	5.827G	109.54	Inf	-Inf	103.01	3	Horizontal	286	2.12	-	34.25	7.21	34.93
AV	5.822G	99.26	Inf	-Inf	92.74	3	Horizontal	286	2.12	-	34.24	7.21	34.93
PK	5.947G	60.01	68.20	-8.19	52.91	3	Horizontal	286	2.12	-	34.79	7.27	34.96

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_1TX

5825MHz_TX




EUT_Z_1TX
Setting 30
06-H-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.6494G	55.20	74.00	-18.80	41.40	3	Vertical	37	1.80	-	39.60	8.84	34.64
AV	11.64602G	42.95	54.00	-11.05	29.13	3	Vertical	37	1.80	-	39.62	8.84	34.64
PK	17.47754G	62.42	68.20	-5.78	43.23	3	Vertical	140	2.94	-	43.28	11.24	35.33

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_1TX

5825MHz_TX




EUT_Z_1TX
Setting 30
06-H-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.64582G	55.80	74.00	-18.20	41.97	3	Horizontal	7	1.80	-	39.63	8.84	34.64
AV	11.64576G	42.84	54.00	-11.16	29.01	3	Horizontal	7	1.80	-	39.63	8.84	34.64
PK	17.47454G	61.75	68.20	-6.45	42.59	3	Horizontal	159	1.21	-	43.25	11.24	35.33

5.15-5.25GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

5180MHz_TX




EUT_Z_1TX
Setting 19
06-H-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1483G	65.22	74.00	-8.78	60.13	3	Vertical	184	2.45	-	31.90	5.65	32.46
AV	5.1494G	48.98	54.00	-5.02	43.89	3	Vertical	184	2.45	-	31.90	5.65	32.46
PK	5.1828G	107.67	Inf	-Inf	102.62	3	Vertical	184	2.45	-	31.83	5.68	32.46
AV	5.1828G	96.36	Inf	-Inf	91.31	3	Vertical	184	2.45	-	31.83	5.68	32.46

5.15-5.25GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

5180MHz_TX




EUT_Z_1TX
Setting 19
06-H-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1481G	70.95	74.00	-3.05	65.86	3	Horizontal	325	2.37	-	31.90	5.65	32.46
AV	5.1496G	52.94	54.00	-1.06	47.85	3	Horizontal	325	2.37	-	31.90	5.65	32.46
PK	5.1821G	111.48	Inf	-Inf	106.42	3	Horizontal	325	2.37	-	31.84	5.68	32.46
AV	5.1777G	99.96	Inf	-Inf	94.90	3	Horizontal	325	2.37	-	31.84	5.68	32.46

5.15-5.25GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

5180MHz_TX




EUT_Z_1TX
Setting 19
06-H-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.35535G	56.56	68.20	-11.64	42.98	3	Vertical	147	3.00	-	39.92	8.26	34.60
PK	15.54304G	56.48	74.00	-17.52	42.57	3	Vertical	318	2.93	-	38.44	10.29	34.82
AV	15.54544G	44.21	54.00	-9.79	30.30	3	Vertical	318	2.93	-	38.43	10.30	34.82

5.15-5.25GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

5180MHz_TX




EUT_Z_1TX
Setting 19
06-H-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.35551G	56.58	68.20	-11.62	43.00	3	Horizontal	134	1.80	-	39.92	8.26	34.60
PK	15.53786G	56.60	74.00	-17.40	42.66	3	Horizontal	199	2.62	-	38.47	10.29	34.82
AV	15.536G	44.21	54.00	-9.79	30.26	3	Horizontal	199	2.62	-	38.48	10.29	34.82

5.15-5.25GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

5200MHz_TX




EUT_Z_1TX
Setting 22
06-H-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1496G	65.79	74.00	-8.21	60.70	3	Vertical	184	2.13	-	31.90	5.65	32.46
AV	5.15G	47.23	54.00	-6.77	42.14	3	Vertical	184	2.13	-	31.90	5.65	32.46
PK	5.1976G	109.61	Inf	-Inf	104.57	3	Vertical	184	2.13	-	31.80	5.70	32.46
AV	5.1976G	98.20	Inf	-Inf	93.16	3	Vertical	184	2.13	-	31.80	5.70	32.46

5.15-5.25GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

5200MHz_TX




EUT_Z_1TX
Setting 22
06-H-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.143G	65.84	74.00	-8.16	60.75	3	Horizontal	324	2.21	-	31.91	5.64	32.46
AV	5.15G	49.11	54.00	-4.89	44.02	3	Horizontal	324	2.21	-	31.90	5.65	32.46
PK	5.1934G	113.66	Inf	-Inf	108.62	3	Horizontal	324	2.21	-	31.81	5.69	32.46
AV	5.1976G	101.91	Inf	-Inf	96.87	3	Horizontal	324	2.21	-	31.80	5.70	32.46

5.15-5.25GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

5200MHz_TX




EUT Z_1TX
Setting 22
06-H-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.40495G	57.08	68.20	-11.12	43.33	3	Vertical	69	1.19	-	40.10	8.28	34.63
PK	15.59659G	56.32	74.00	-17.68	42.69	3	Vertical	225	1.80	-	38.12	10.32	34.81
AV	15.59712G	43.53	54.00	-10.47	29.90	3	Vertical	225	1.80	-	38.12	10.32	34.81

5.15-5.25GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

5200MHz_TX




EUT Z_1TX
Setting 22
06-H-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.40056G	55.86	68.20	-12.34	42.11	3	Horizontal	338	1.80	-	40.10	8.28	34.63
PK	15.5951G	56.05	74.00	-17.95	42.41	3	Horizontal	6	1.92	-	38.13	10.32	34.81
AV	15.6042G	43.53	54.00	-10.47	29.93	3	Horizontal	6	1.92	-	38.09	10.32	34.81

5.15-5.25GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

5240MHz_TX




EUT Z_1TX
Setting 30
06-H-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.0963G	57.85	74.00	-16.15	52.71	3	Vertical	182	1.78	-	31.99	5.60	32.45
AV	5.1497G	45.94	54.00	-8.06	40.85	3	Vertical	182	1.78	-	31.90	5.65	32.46
PK	5.2379G	108.26	Inf	-Inf	103.32	3	Vertical	182	1.78	-	31.65	5.76	32.47
AV	5.2376G	96.06	Inf	-Inf	91.12	3	Vertical	182	1.78	-	31.65	5.76	32.47
PK	5.3897G	57.62	74.00	-16.38	52.67	3	Vertical	182	1.78	-	31.46	5.98	32.49
AV	5.3849G	45.50	54.00	-8.50	40.57	3	Vertical	182	1.78	-	31.44	5.98	32.49

5.15-5.25GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

5240MHz_TX




EUT Z_1TX
Setting 30
06-H-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1392G	59.84	74.00	-14.16	54.74	3	Horizontal	323	2.21	-	31.92	5.64	32.46
AV	5.1488G	46.91	54.00	-7.09	41.82	3	Horizontal	323	2.21	-	31.90	5.65	32.46
PK	5.2421G	111.12	Inf	-Inf	106.20	3	Horizontal	323	2.21	-	31.63	5.76	32.47
AV	5.2325G	99.64	Inf	-Inf	94.69	3	Horizontal	323	2.21	-	31.67	5.75	32.47
PK	5.3576G	57.52	74.00	-16.48	52.73	3	Horizontal	323	2.21	-	31.33	5.94	32.48
AV	5.3873G	45.51	54.00	-8.49	40.57	3	Horizontal	323	2.21	-	31.45	5.98	32.49

5.15-5.25GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

5240MHz_TX




EUT_Z_1TX
Setting 30
06-H-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.47977G	56.53	68.20	-11.67	42.72	3	Vertical	287	2.58	-	40.18	8.32	34.69
PK	15.71985G	56.98	74.00	-17.02	43.52	3	Vertical	67	1.80	-	37.90	10.37	34.81
AV	15.7249G	43.84	54.00	-10.16	30.37	3	Vertical	67	1.80	-	37.90	10.38	34.81

5.15-5.25GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

5240MHz_TX




EUT Z_1TX
Setting 30
06-H-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.47965G	57.04	68.20	-11.16	43.23	3	Horizontal	68	2.14	-	40.18	8.32	34.69
PK	15.72454G	57.15	74.00	-16.85	43.68	3	Horizontal	358	1.99	-	37.90	10.38	34.81
AV	15.72494G	43.85	54.00	-10.15	30.38	3	Horizontal	358	1.99	-	37.90	10.38	34.81

5.25-5.35GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

5260MHz_TX




EUT Z_1TX
Setting 30
06-H-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1247G	57.56	74.00	-16.44	52.44	3	Vertical	184	1.92	-	31.95	5.62	32.45
AV	5.1499G	45.94	54.00	-8.06	40.85	3	Vertical	184	1.92	-	31.90	5.65	32.46
PK	5.2573G	108.37	Inf	-Inf	103.48	3	Vertical	184	1.92	-	31.57	5.79	32.47
AV	5.2576G	97.19	Inf	-Inf	92.30	3	Vertical	184	1.92	-	31.57	5.79	32.47
PK	5.3653G	57.78	74.00	-16.22	52.95	3	Vertical	184	1.92	-	31.36	5.95	32.48
AV	5.3521G	45.90	54.00	-8.10	41.14	3	Vertical	184	1.92	-	31.31	5.93	32.48

5.25-5.35GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

5260MHz_TX




EUT_Z_1TX
Setting 30
06-H-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1442G	59.94	74.00	-14.06	54.85	3	Horizontal	320	2.34	-	31.91	5.64	32.46
AV	5.149G	46.44	54.00	-7.56	41.35	3	Horizontal	320	2.34	-	31.90	5.65	32.46
PK	5.2636G	111.32	Inf	-Inf	106.44	3	Horizontal	320	2.34	-	31.55	5.80	32.47
AV	5.2576G	99.42	Inf	-Inf	94.53	3	Horizontal	320	2.34	-	31.57	5.79	32.47
PK	5.404G	59.03	74.00	-14.97	54.00	3	Horizontal	320	2.34	-	31.52	6.00	32.49
AV	5.3506G	46.21	54.00	-7.79	41.46	3	Horizontal	320	2.34	-	31.30	5.93	32.48

5.25-5.35GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

5260MHz_TX




EUT_Z_1TX
Setting 30
06-H-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.51543G	56.45	68.20	-11.75	42.64	3	Vertical	63	1.84	-	40.18	8.33	34.70
PK	15.77505G	57.11	74.00	-16.89	43.61	3	Vertical	184	1.80	-	37.90	10.40	34.80
AV	15.78095G	44.50	54.00	-9.50	31.00	3	Vertical	184	1.80	-	37.90	10.40	34.80

5.25-5.35GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

5260MHz_TX




EUT_Z_1TX
Setting 30
06-H-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.51535G	56.24	68.20	-11.96	42.43	3	Horizontal	85	1.50	-	40.18	8.33	34.70
PK	15.77533G	57.47	74.00	-16.53	43.97	3	Horizontal	258	3.00	-	37.90	10.40	34.80
AV	15.78153G	44.44	54.00	-9.56	30.94	3	Horizontal	258	3.00	-	37.90	10.40	34.80

5.25-5.35GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

5300MHz_TX




EUT_Z_1TX
Setting 30
06-H-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.2976G	109.24	Inf	-Inf	104.46	3	Vertical	184	2.02	-	31.41	5.85	32.48
AV	5.2974G	97.69	Inf	-Inf	92.91	3	Vertical	184	2.02	-	31.41	5.85	32.48
PK	5.355G	68.70	74.00	-5.30	63.93	3	Vertical	184	2.02	-	31.32	5.93	32.48
AV	5.35G	51.55	54.00	-2.45	46.80	3	Vertical	184	2.02	-	31.30	5.93	32.48

5.25-5.35GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

5300MHz_TX




EUT_Z_1TX
Setting 30
06-H-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.2978G	110.31	Inf	-Inf	105.53	3	Horizontal	324	2.10	-	31.41	5.85	32.48
AV	5.2976G	98.58	Inf	-Inf	93.80	3	Horizontal	324	2.10	-	31.41	5.85	32.48
PK	5.3504G	68.16	74.00	-5.84	63.41	3	Horizontal	324	2.10	-	31.30	5.93	32.48
AV	5.3502G	51.46	54.00	-2.54	46.71	3	Horizontal	324	2.10	-	31.30	5.93	32.48

5.25-5.35GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

5300MHz_TX




EUT_Z_1TX
Setting 30
06-H-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.59375G	56.04	68.20	-12.16	42.25	3	Vertical	284	1.02	-	40.11	8.37	34.69
PK	15.89532G	56.15	74.00	-17.85	42.79	3	Vertical	227	1.42	-	37.71	10.45	34.80
AV	15.90021G	43.87	54.00	-10.13	30.51	3	Vertical	227	1.42	-	37.70	10.46	34.80

5.25-5.35GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

5300MHz_TX




EUT_Z_1TX
Setting 30
06-H-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.59939G	55.89	68.20	-12.31	42.11	3	Horizontal	57	2.80	-	40.10	8.37	34.69
PK	15.90454G	56.29	74.00	-17.71	42.93	3	Horizontal	234	2.34	-	37.70	10.46	34.80
AV	15.89705G	43.90	54.00	-10.10	30.54	3	Horizontal	234	2.34	-	37.71	10.45	34.80

5.25-5.35GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

5320MHz_TX




EUT_Z_1TX
Setting 19
06-H-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.322G	107.71	Inf	-Inf	102.95	3	Vertical	183	2.01	-	31.36	5.88	32.48
AV	5.3226G	96.20	Inf	-Inf	91.45	3	Vertical	183	2.01	-	31.35	5.88	32.48
PK	5.3505G	66.81	74.00	-7.19	62.06	3	Vertical	183	2.01	-	31.30	5.93	32.48
AV	5.35G	51.98	54.00	-2.02	47.23	3	Vertical	183	2.01	-	31.30	5.93	32.48

5.25-5.35GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

5320MHz_TX




EUT_Z_1TX
Setting 19
06-H-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3168G	108.45	Inf	-Inf	103.68	3	Horizontal	323	2.13	-	31.37	5.88	32.48
AV	5.3225G	97.20	Inf	-Inf	92.44	3	Horizontal	323	2.13	-	31.36	5.88	32.48
PK	5.3507G	68.38	74.00	-5.62	63.63	3	Horizontal	323	2.13	-	31.30	5.93	32.48
AV	5.35G	52.31	54.00	-1.69	47.56	3	Horizontal	323	2.13	-	31.30	5.93	32.48

5.25-5.35GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

5320MHz_TX




EUT_Z_1TX
Setting 19
06-H-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.63772G	55.64	74.00	-18.36	41.84	3	Vertical	87	1.57	-	40.10	8.39	34.69
AV	10.63529G	42.91	54.00	-11.09	29.11	3	Vertical	87	1.57	-	40.10	8.39	34.69
PK	15.9567G	55.31	74.00	-18.69	41.98	3	Vertical	307	1.96	-	37.64	10.48	34.79
AV	15.955G	43.79	54.00	-10.21	30.45	3	Vertical	307	1.96	-	37.65	10.48	34.79

5.25-5.35GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

5320MHz_TX




EUT_Z_1TX
Setting 19
06-H-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.63682G	55.36	74.00	-18.64	41.56	3	Horizontal	257	1.23	-	40.10	8.39	34.69
AV	10.63619G	42.97	54.00	-11.03	29.17	3	Horizontal	257	1.23	-	40.10	8.39	34.69
PK	15.96037G	55.92	74.00	-18.08	42.59	3	Horizontal	36	2.92	-	37.64	10.48	34.79
AV	15.95769G	43.71	54.00	-10.29	30.38	3	Horizontal	36	2.92	-	37.64	10.48	34.79

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

5500MHz_TX




EUT_Z_1TX
Setting 18
06-H-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.457G	65.02	74.00	-8.98	59.78	3	Vertical	182	1.84	-	31.73	6.00	32.49
AV	5.4598G	47.67	54.00	-6.33	42.43	3	Vertical	182	1.84	-	31.74	6.00	32.50
PK	5.468G	65.19	68.20	-3.01	59.92	3	Vertical	182	1.84	-	31.77	6.00	32.50
PK	5.4977G	109.08	Inf	-Inf	103.69	3	Vertical	182	1.84	-	31.89	6.00	32.50
AV	5.5027G	97.64	Inf	-Inf	92.24	3	Vertical	182	1.84	-	31.90	6.00	32.50

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

5500MHz_TX




EUT_Z_1TX
Setting 18
06-H-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4588G	62.84	74.00	-11.16	57.60	3	Horizontal	315	2.16	-	31.74	6.00	32.50
AV	5.4595G	47.96	54.00	-6.04	42.72	3	Horizontal	315	2.16	-	31.74	6.00	32.50
PK	5.4631G	66.31	68.20	-1.89	61.06	3	Horizontal	315	2.16	-	31.75	6.00	32.50
PK	5.502G	109.59	Inf	-Inf	104.19	3	Horizontal	315	2.16	-	31.90	6.00	32.50
AV	5.5028G	97.95	Inf	-Inf	92.55	3	Horizontal	315	2.16	-	31.90	6.00	32.50

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

5500MHz_TX




EUT Z_1TX
Setting 18
06-H-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.99845G	56.99	74.00	-17.01	42.49	3	Vertical	0	1.89	-	40.60	8.55	34.65
AV	11.0023G	44.35	54.00	-9.65	29.86	3	Vertical	0	1.89	-	40.59	8.55	34.65
PK	16.49561G	58.31	68.20	-9.89	42.84	3	Vertical	80	2.93	-	39.66	10.75	34.94

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

5500MHz_TX




EUT Z_1TX
Setting 18
06-H-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.99947G	56.84	74.00	-17.16	42.34	3	Horizontal	139	2.18	-	40.60	8.55	34.65
AV	11.00269G	44.29	54.00	-9.71	29.80	3	Horizontal	139	2.18	-	40.59	8.55	34.65
PK	16.50034G	58.31	68.20	-9.89	42.80	3	Horizontal	343	1.02	-	39.70	10.75	34.94

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

5580MHz_TX




EUT Z_1TX
Setting 30
06-H-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4384G	58.31	74.00	-15.69	53.15	3	Vertical	181	1.80	-	31.65	6.00	32.49
PK	5.4668G	59.53	68.20	-8.67	54.26	3	Vertical	181	1.80	-	31.77	6.00	32.50
AV	5.4572G	46.40	54.00	-7.60	41.16	3	Vertical	181	1.80	-	31.73	6.00	32.49
PK	5.5784G	111.77	Inf	-Inf	106.34	3	Vertical	181	1.80	-	31.90	6.00	32.47
AV	5.5724G	100.25	Inf	-Inf	94.83	3	Vertical	181	1.80	-	31.90	6.00	32.48
PK	5.7776G	58.96	68.20	-9.24	53.02	3	Vertical	181	1.80	-	32.26	6.09	32.41

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

5580MHz_TX




EUT Z_1TX
Setting 30
06-H-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4572G	58.86	74.00	-15.14	53.62	3	Horizontal	322	2.05	-	31.73	6.00	32.49
AV	5.4588G	46.73	54.00	-7.27	41.49	3	Horizontal	322	2.05	-	31.74	6.00	32.50
PK	5.464G	59.76	68.20	-8.44	54.50	3	Horizontal	322	2.05	-	31.76	6.00	32.50
PK	5.5776G	113.72	Inf	-Inf	108.30	3	Horizontal	322	2.05	-	31.90	6.00	32.48
AV	5.5776G	101.66	Inf	-Inf	96.24	3	Horizontal	322	2.05	-	31.90	6.00	32.48
PK	5.7744G	59.54	68.20	-8.66	53.61	3	Horizontal	322	2.05	-	32.25	6.09	32.41

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

5580MHz_TX




EUT Z_1TX
Setting 30
06-H-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.16453G	57.18	74.00	-16.82	43.19	3	Vertical	212	2.64	-	40.01	8.62	34.64
AV	11.16478G	44.11	54.00	-9.89	30.12	3	Vertical	212	2.64	-	40.01	8.62	34.64
PK	16.74105G	58.87	68.20	-9.33	42.51	3	Vertical	130	1.66	-	40.33	10.87	34.84

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

5580MHz_TX




EUT_Z_1TX
Setting 30
06-H-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.16361G	57.11	74.00	-16.89	43.12	3	Horizontal	265	1.41	-	40.01	8.62	34.64
AV	11.15684G	44.12	54.00	-9.88	30.11	3	Horizontal	265	1.41	-	40.03	8.62	34.64
PK	16.73584G	59.06	68.20	-9.14	42.74	3	Horizontal	60	2.62	-	40.29	10.87	34.84

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

5700MHz_TX




EUT_Z_1TX
Setting 15
06-H-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6975G	105.44	Inf	-Inf	99.84	3	Vertical	184	1.94	-	31.99	6.05	32.44
AV	5.6976G	93.70	Inf	-Inf	88.10	3	Vertical	184	1.94	-	31.99	6.05	32.44
PK	5.7254G	66.22	68.20	-1.98	60.49	3	Vertical	184	1.94	-	32.10	6.06	32.43

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

5700MHz_TX




EUT_Z_1TX
Setting 15
06-H-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7023G	107.53	Inf	-Inf	101.91	3	Horizontal	320	2.19	-	32.01	6.05	32.44
AV	5.7026G	95.34	Inf	-Inf	89.72	3	Horizontal	320	2.19	-	32.01	6.05	32.44
PK	5.7253G	66.60	68.20	-1.60	60.87	3	Horizontal	320	2.19	-	32.10	6.06	32.43

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

5700MHz_TX




EUT Z_1TX
Setting 15
06-H-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.40218G	56.79	74.00	-17.21	42.59	3	Vertical	346	2.78	-	40.10	8.73	34.63
AV	11.39803G	44.19	54.00	-9.81	29.99	3	Vertical	346	2.78	-	40.10	8.73	34.63
PK	17.10056G	59.94	68.20	-8.26	42.85	3	Vertical	133	2.76	-	40.90	11.05	34.86

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

5700MHz_TX




EUT Z_1TX
Setting 15
06-H-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.40122G	57.09	74.00	-16.91	42.89	3	Horizontal	230	2.77	-	40.10	8.73	34.63
AV	11.40114G	44.19	54.00	-9.81	29.99	3	Horizontal	230	2.77	-	40.10	8.73	34.63
PK	17.10018G	59.82	68.20	-8.38	42.73	3	Horizontal	69	1.36	-	40.90	11.05	34.86

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT Z_1TX
Setting 30
01-B-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4584G	58.85	74.00	-15.15	51.45	3	Vertical	184	3.00	-	33.93	6.13	32.66
AV	5.4584G	46.46	54.00	-7.54	39.06	3	Vertical	184	3.00	-	33.93	6.13	32.66
PK	5.4644G	58.54	68.20	-9.66	51.10	3	Vertical	184	3.00	-	33.96	6.13	32.65
PK	5.7128G	111.76	Inf	-Inf	103.73	3	Vertical	184	3.00	-	34.50	6.26	32.73
AV	5.7176G	99.94	Inf	-Inf	91.91	3	Vertical	184	3.00	-	34.50	6.26	32.73
PK	5.9708G	62.28	68.20	-5.92	53.22	3	Vertical	184	3.00	-	35.50	6.39	32.83

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT Z_1TX
Setting 30
01-B-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4344G	58.84	74.00	-15.16	51.55	3	Horizontal	36	2.64	-	33.84	6.12	32.67
AV	5.444G	46.28	54.00	-7.72	38.94	3	Horizontal	36	2.64	-	33.88	6.12	32.66
PK	5.4644G	57.59	68.20	-10.61	50.15	3	Horizontal	36	2.64	-	33.96	6.13	32.65
PK	5.7284G	110.84	Inf	-Inf	102.81	3	Horizontal	36	2.64	-	34.50	6.26	32.73
AV	5.7176G	99.63	Inf	-Inf	91.60	3	Horizontal	36	2.64	-	34.50	6.26	32.73
PK	5.9888G	61.72	68.20	-6.48	52.67	3	Horizontal	36	2.64	-	35.50	6.39	32.84

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Z_1TX
Setting 30
01-B-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.43866G	57.71	74.00	-16.29	41.81	3	Vertical	161	1.41	-	38.80	8.88	31.78
AV	11.43864G	43.63	54.00	-10.37	27.73	3	Vertical	161	1.41	-	38.80	8.88	31.78

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Z_1TX
Setting 30
01-B-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.44298G	57.71	74.00	-16.29	41.80	3	Horizontal	134	2.40	-	38.80	8.88	31.77
AV	11.44182G	43.61	54.00	-10.39	27.70	3	Horizontal	134	2.40	-	38.80	8.88	31.77

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

5745MHz_TX




EUT_Z_1TX
Setting 30
06-H-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.646G	62.69	68.20	-5.51	57.31	3	Vertical	181	1.80	-	31.81	6.02	32.45
PK	5.7425G	109.41	Inf	-Inf	103.59	3	Vertical	181	1.80	-	32.17	6.07	32.42
AV	5.7425G	98.24	Inf	-Inf	92.42	3	Vertical	181	1.80	-	32.17	6.07	32.42
PK	5.9745G	59.72	68.20	-8.48	53.51	3	Vertical	181	1.80	-	32.55	6.01	32.35

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

5745MHz_TX




EUT Z_1TX
Setting 30
06-H-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.65G	64.54	68.20	-3.66	59.16	3	Horizontal	320	2.15	-	31.80	6.03	32.45
PK	5.7425G	112.89	Inf	-Inf	107.07	3	Horizontal	320	2.15	-	32.17	6.07	32.42
AV	5.7425G	101.00	Inf	-Inf	95.18	3	Horizontal	320	2.15	-	32.17	6.07	32.42
PK	5.973G	59.61	68.20	-8.59	53.40	3	Horizontal	320	2.15	-	32.55	6.01	32.35

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

5745MHz_TX




EUT_Z_1TX
Setting 30
06-H-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4924G	56.67	74.00	-17.33	42.43	3	Vertical	240	1.69	-	40.10	8.77	34.63
AV	11.4939G	43.83	54.00	-10.17	29.59	3	Vertical	240	1.69	-	40.10	8.77	34.63
PK	17.23206G	60.76	68.20	-7.44	43.30	3	Vertical	114	2.72	-	41.36	11.12	35.02

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

5745MHz_TX




EUT Z_1TX
Setting 30
06-H-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.49478G	56.61	74.00	-17.39	42.37	3	Horizontal	180	1.58	-	40.10	8.77	34.63
AV	11.49468G	43.90	54.00	-10.10	29.66	3	Horizontal	180	1.58	-	40.10	8.77	34.63
PK	17.23261G	60.32	68.20	-7.88	42.85	3	Horizontal	157	2.33	-	41.37	11.12	35.02

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

5785MHz_TX




EUT Z_1TX
Setting 30
06-H-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.5595G	58.86	68.20	-9.34	53.44	3	Vertical	222	1.80	-	31.90	6.00	32.48
PK	5.7875G	108.70	Inf	-Inf	102.75	3	Vertical	222	1.80	-	32.27	6.09	32.41
AV	5.7825G	98.09	Inf	-Inf	92.14	3	Vertical	222	1.80	-	32.27	6.09	32.41
PK	5.9675G	60.23	68.20	-7.97	53.99	3	Vertical	222	1.80	-	32.57	6.02	32.35

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

5785MHz_TX




EUT Z_1TX
Setting 30
06-H-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.627G	59.29	68.20	-8.91	53.89	3	Horizontal	319	2.12	-	31.85	6.01	32.46
PK	5.7765G	112.05	Inf	-Inf	106.12	3	Horizontal	319	2.12	-	32.25	6.09	32.41
AV	5.783G	100.90	Inf	-Inf	94.95	3	Horizontal	319	2.12	-	32.27	6.09	32.41
PK	5.936G	59.97	68.20	-8.23	53.70	3	Horizontal	319	2.12	-	32.60	6.03	32.36

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

5785MHz_TX




EUT Z_1TX
Setting 30
06-H-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.57483G	56.43	74.00	-17.57	42.31	3	Vertical	277	2.85	-	39.95	8.81	34.64
AV	11.56978G	43.46	54.00	-10.54	29.33	3	Vertical	277	2.85	-	39.96	8.81	34.64
PK	17.35751G	60.95	68.20	-7.25	42.87	3	Vertical	183	2.66	-	42.08	11.18	35.18

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

5785MHz_TX




EUT Z_1TX
Setting 30
06-H-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.57375G	56.29	74.00	-17.71	42.17	3	Horizontal	342	2.50	-	39.95	8.81	34.64
AV	11.56529G	43.45	54.00	-10.55	29.32	3	Horizontal	342	2.50	-	39.97	8.80	34.64
PK	17.35508G	60.82	68.20	-7.38	42.77	3	Horizontal	234	1.64	-	42.05	11.18	35.18

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

5825MHz_TX




EUT Z_1TX
Setting 30
06-H-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.61G	58.48	68.20	-9.72	53.06	3	Vertical	221	1.78	-	31.88	6.00	32.46
PK	5.8165G	108.49	Inf	-Inf	102.50	3	Vertical	221	1.78	-	32.30	6.09	32.40
AV	5.8175G	97.84	Inf	-Inf	91.85	3	Vertical	221	1.78	-	32.30	6.09	32.40
PK	6.0645G	60.87	68.20	-7.33	54.64	3	Vertical	221	1.78	-	32.60	6.06	32.43

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

5825MHz_TX




EUT Z_1TX
Setting 30
06-H-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.607G	59.20	68.20	-9.00	53.78	3	Horizontal	320	2.10	-	31.89	6.00	32.47
PK	5.8215G	110.57	Inf	-Inf	104.58	3	Horizontal	320	2.10	-	32.30	6.09	32.40
AV	5.8175G	99.70	Inf	-Inf	93.71	3	Horizontal	320	2.10	-	32.30	6.09	32.40
PK	5.9275G	60.82	68.20	-7.38	54.54	3	Horizontal	320	2.10	-	32.60	6.04	32.36

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

5825MHz_TX




EUT Z_1TX
Setting 30
06-H-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.64909G	55.59	74.00	-18.41	41.78	3	Vertical	121	1.18	-	39.61	8.84	34.64
AV	11.64502G	43.02	54.00	-10.98	29.19	3	Vertical	121	1.18	-	39.63	8.84	34.64
PK	17.47103G	61.83	68.20	-6.37	42.70	3	Vertical	192	2.69	-	43.21	11.24	35.32

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

5825MHz_TX




EUT Z_1TX
Setting 30
06-H-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.65388G	55.61	74.00	-18.39	41.84	3	Horizontal	41	1.40	-	39.58	8.84	34.65
AV	11.6496G	42.99	54.00	-11.01	29.19	3	Horizontal	41	1.40	-	39.60	8.84	34.64
PK	17.47695G	62.54	68.20	-5.66	43.36	3	Horizontal	316	2.79	-	43.27	11.24	35.33

5.15-5.25GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

5190MHz_TX




EUT_Z_1TX
Setting 15
06-H-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1464G	62.27	74.00	-11.73	57.17	3	Vertical	182	2.10	-	31.91	5.65	32.46
AV	5.1488G	49.22	54.00	-4.78	44.13	3	Vertical	182	2.10	-	31.90	5.65	32.46
PK	5.1956G	103.18	Inf	-Inf	98.13	3	Vertical	182	2.10	-	31.81	5.70	32.46
AV	5.1952G	90.51	Inf	-Inf	85.46	3	Vertical	182	2.10	-	31.81	5.70	32.46

5.15-5.25GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

5190MHz_TX




EUT_Z_1TX
Setting 15
06-H-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1498G	65.12	74.00	-8.88	60.03	3	Horizontal	324	2.26	-	31.90	5.65	32.46
AV	5.15G	51.96	54.00	-2.04	46.87	3	Horizontal	324	2.26	-	31.90	5.65	32.46
PK	5.1944G	105.26	Inf	-Inf	100.22	3	Horizontal	324	2.26	-	31.81	5.69	32.46
AV	5.1954G	94.11	Inf	-Inf	89.06	3	Horizontal	324	2.26	-	31.81	5.70	32.46

5.15-5.25GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

5190MHz_TX




EUT_Z_1TX
Setting 15
06-H-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.37572G	55.62	68.20	-12.58	41.96	3	Vertical	74	1.21	-	40.00	8.27	34.61
PK	15.57144G	56.68	74.00	-17.32	42.92	3	Vertical	40	2.01	-	38.27	10.31	34.82
AV	15.56732G	44.48	54.00	-9.52	30.69	3	Vertical	40	2.01	-	38.30	10.31	34.82

5.15-5.25GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

5190MHz_TX




EUT_Z_1TX
Setting 15
06-H-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.38164G	56.17	68.20	-12.03	42.49	3	Horizontal	171	1.95	-	40.03	8.27	34.62
PK	15.56593G	56.77	74.00	-17.23	42.99	3	Horizontal	0	1.03	-	38.30	10.30	34.82
AV	15.56741G	44.54	54.00	-9.46	30.75	3	Horizontal	0	1.03	-	38.30	10.31	34.82

5.15-5.25GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

5230MHz_TX




EUT Z_1TX
Setting 22
06-H-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1391G	61.00	74.00	-13.00	55.90	3	Vertical	181	1.80	-	31.92	5.64	32.46
AV	5.1499G	47.95	54.00	-6.05	42.86	3	Vertical	181	1.80	-	31.90	5.65	32.46
PK	5.2267G	106.71	Inf	-Inf	101.75	3	Vertical	181	1.80	-	31.69	5.74	32.47
AV	5.2249G	94.63	Inf	-Inf	89.66	3	Vertical	181	1.80	-	31.70	5.74	32.47
PK	5.3662G	60.25	74.00	-13.75	55.42	3	Vertical	181	1.80	-	31.36	5.95	32.48
AV	5.3512G	46.21	54.00	-7.79	41.46	3	Vertical	181	1.80	-	31.30	5.93	32.48

5.15-5.25GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

5230MHz_TX




EUT_Z_1TX
Setting 22
06-H-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1496G	67.14	74.00	-6.86	62.05	3	Horizontal	321	2.35	-	31.90	5.65	32.46
AV	5.1496G	50.23	54.00	-3.77	45.14	3	Horizontal	321	2.35	-	31.90	5.65	32.46
PK	5.2273G	109.43	Inf	-Inf	104.47	3	Horizontal	321	2.35	-	31.69	5.74	32.47
AV	5.2144G	97.94	Inf	-Inf	92.95	3	Horizontal	321	2.35	-	31.74	5.72	32.47
PK	5.3563G	60.18	74.00	-13.82	55.40	3	Horizontal	321	2.35	-	31.33	5.93	32.48
AV	5.3545G	46.42	54.00	-7.58	41.65	3	Horizontal	321	2.35	-	31.32	5.93	32.48

5.15-5.25GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

5230MHz_TX




EUT Z_1TX
Setting 22
06-H-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.46052G	56.30	68.20	-11.90	42.50	3	Vertical	240	2.58	-	40.16	8.31	34.67
PK	15.6896G	56.09	74.00	-17.91	42.62	3	Vertical	138	2.51	-	37.92	10.36	34.81
AV	15.69297G	43.81	54.00	-10.19	30.35	3	Vertical	138	2.51	-	37.91	10.36	34.81

5.15-5.25GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

5230MHz_TX




EUT Z_1TX
Setting 22
06-H-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.45919G	56.24	68.20	-11.96	42.44	3	Horizontal	209	1.67	-	40.16	8.31	34.67
PK	15.69161G	55.31	74.00	-18.69	41.84	3	Horizontal	4	2.62	-	37.92	10.36	34.81
AV	15.68636G	43.80	54.00	-10.20	30.32	3	Horizontal	4	2.62	-	37.93	10.36	34.81

5.25-5.35GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

5270MHz_TX




EUT Z_1TX
Setting 23
06-H-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1494G	59.88	74.00	-14.12	54.79	3	Vertical	181	1.80	-	31.90	5.65	32.46
AV	5.15G	46.61	54.00	-7.39	41.52	3	Vertical	181	1.80	-	31.90	5.65	32.46
PK	5.2847G	105.89	Inf	-Inf	101.07	3	Vertical	181	1.80	-	31.46	5.83	32.47
AV	5.2754G	94.39	Inf	-Inf	89.55	3	Vertical	181	1.80	-	31.50	5.81	32.47
PK	5.3504G	66.94	74.00	-7.06	62.19	3	Vertical	181	1.80	-	31.30	5.93	32.48
AV	5.3522G	51.02	54.00	-2.98	46.26	3	Vertical	181	1.80	-	31.31	5.93	32.48

5.25-5.35GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

5270MHz_TX




EUT Z_1TX
Setting 23
06-H-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1299G	65.91	74.00	-8.09	60.80	3	Horizontal	324	2.18	-	31.94	5.63	32.46
AV	5.1488G	47.94	54.00	-6.06	42.85	3	Horizontal	324	2.18	-	31.90	5.65	32.46
PK	5.2772G	108.47	Inf	-Inf	103.63	3	Horizontal	324	2.18	-	31.49	5.82	32.47
AV	5.2748G	97.23	Inf	-Inf	92.39	3	Horizontal	324	2.18	-	31.50	5.81	32.47
PK	5.3558G	67.34	74.00	-6.66	62.57	3	Horizontal	324	2.18	-	31.32	5.93	32.48
AV	5.3507G	52.48	54.00	-1.52	47.73	3	Horizontal	324	2.18	-	31.30	5.93	32.48

5.25-5.35GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

5270MHz_TX




EUT_Z_1TX
Setting 23
06-H-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.54353G	55.93	68.20	-12.27	42.13	3	Vertical	260	2.03	-	40.16	8.34	34.70
PK	15.81144G	56.81	74.00	-17.19	43.31	3	Vertical	77	1.14	-	37.88	10.42	34.80
AV	15.80697G	45.09	54.00	-8.91	31.59	3	Vertical	77	1.14	-	37.89	10.41	34.80

5.25-5.35GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

5270MHz_TX




EUT Z_1TX
Setting 23
06-H-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.53538G	56.00	68.20	-12.20	42.20	3	Horizontal	50	2.52	-	40.16	8.34	34.70
PK	15.81036G	56.44	74.00	-17.56	42.95	3	Horizontal	10	1.06	-	37.88	10.41	34.80
AV	15.80696G	44.96	54.00	-9.04	31.46	3	Horizontal	10	1.06	-	37.89	10.41	34.80

5.25-5.35GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

5310MHz_TX




EUT Z_1TX
Setting 14
06-H-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3247G	101.82	Inf	-Inf	97.06	3	Vertical	187	2.18	-	31.35	5.89	32.48
AV	5.3253G	90.01	Inf	-Inf	85.25	3	Vertical	187	2.18	-	31.35	5.89	32.48
PK	5.35G	66.27	74.00	-7.73	61.52	3	Vertical	187	2.18	-	31.30	5.93	32.48
AV	5.3502G	50.90	54.00	-3.10	46.15	3	Vertical	187	2.18	-	31.30	5.93	32.48

5.25-5.35GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

5310MHz_TX




EUT_Z_1TX
Setting 14
06-H-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3157G	103.37	Inf	-Inf	98.61	3	Horizontal	324	2.32	-	31.37	5.87	32.48
AV	5.295G	91.04	Inf	-Inf	86.26	3	Horizontal	324	2.32	-	31.42	5.84	32.48
PK	5.35G	66.65	74.00	-7.35	61.90	3	Horizontal	324	2.32	-	31.30	5.93	32.48
AV	5.3502G	51.98	54.00	-2.02	47.23	3	Horizontal	324	2.32	-	31.30	5.93	32.48

5.25-5.35GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

5310MHz_TX




EUT_Z_1TX
Setting 14
06-H-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.62297G	55.81	74.00	-18.19	42.02	3	Vertical	179	2.07	-	40.10	8.38	34.69
AV	10.62044G	43.79	54.00	-10.21	30.00	3	Vertical	179	2.07	-	40.10	8.38	34.69
PK	15.92517G	56.12	74.00	-17.88	42.77	3	Vertical	10	1.20	-	37.67	10.47	34.79
AV	15.92421G	44.30	54.00	-9.70	30.94	3	Vertical	10	1.20	-	37.68	10.47	34.79

5.25-5.35GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

5310MHz_TX




EUT_Z_1TX
Setting 14
06-H-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.61775G	55.99	74.00	-18.01	42.20	3	Horizontal	321	1.44	-	40.10	8.38	34.69
AV	10.61865G	43.74	54.00	-10.26	29.95	3	Horizontal	321	1.44	-	40.10	8.38	34.69
PK	15.93361G	56.19	74.00	-17.81	42.84	3	Horizontal	274	2.13	-	37.67	10.47	34.79
AV	15.9328G	44.42	54.00	-9.58	31.07	3	Horizontal	274	2.13	-	37.67	10.47	34.79

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

5510MHz_TX




EUT_Z_1TX
Setting 17
06-H-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.457G	61.43	74.00	-12.57	56.19	3	Vertical	181	1.73	-	31.73	6.00	32.49
AV	5.4588G	48.51	54.00	-5.49	43.27	3	Vertical	181	1.73	-	31.74	6.00	32.50
PK	5.4686G	66.00	68.20	-2.20	60.73	3	Vertical	181	1.73	-	31.77	6.00	32.50
PK	5.5248G	105.35	Inf	-Inf	99.94	3	Vertical	181	1.73	-	31.90	6.00	32.49
AV	5.515G	93.37	Inf	-Inf	87.97	3	Vertical	181	1.73	-	31.90	6.00	32.50

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

5510MHz_TX




EUT_Z_1TX
Setting 17
06-H-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4536G	64.45	74.00	-9.55	59.23	3	Horizontal	322	2.19	-	31.71	6.00	32.49
AV	5.46G	49.40	54.00	-4.60	44.16	3	Horizontal	322	2.19	-	31.74	6.00	32.50
PK	5.4694G	66.98	68.20	-1.22	61.70	3	Horizontal	322	2.19	-	31.78	6.00	32.50
PK	5.5132G	106.66	Inf	-Inf	101.26	3	Horizontal	322	2.19	-	31.90	6.00	32.50
AV	5.5252G	94.56	Inf	-Inf	89.15	3	Horizontal	322	2.19	-	31.90	6.00	32.49

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

5510MHz_TX




EUT Z_1TX
Setting 17
06-H-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.02161G	57.50	74.00	-16.50	43.08	3	Vertical	146	1.80	-	40.51	8.56	34.65
AV	11.01812G	45.27	54.00	-8.73	30.83	3	Vertical	146	1.80	-	40.53	8.56	34.65
PK	16.53034G	59.16	68.20	-9.04	43.68	3	Vertical	47	1.81	-	39.64	10.77	34.93

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

5510MHz_TX




EUT Z_1TX
Setting 17
06-H-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.01713G	57.27	74.00	-16.73	42.83	3	Horizontal	98	1.80	-	40.53	8.56	34.65
AV	11.0226G	45.17	54.00	-8.83	30.75	3	Horizontal	98	1.80	-	40.51	8.56	34.65
PK	16.52705G	59.44	68.20	-8.76	43.96	3	Horizontal	35	1.76	-	39.65	10.76	34.93

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

5550MHz_TX




EUT Z_1TX
Setting Z1
06-H-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4573G	64.62	74.00	-9.38	59.38	3	Vertical	180	1.80	-	31.73	6.00	32.49
AV	5.4576G	49.87	54.00	-4.13	44.63	3	Vertical	180	1.80	-	31.73	6.00	32.49
PK	5.4696G	66.69	68.20	-1.51	61.41	3	Vertical	180	1.80	-	31.78	6.00	32.50
PK	5.5554G	107.91	Inf	-Inf	102.49	3	Vertical	180	1.80	-	31.90	6.00	32.48
AV	5.5341G	96.36	Inf	-Inf	90.95	3	Vertical	180	1.80	-	31.90	6.00	32.49

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

5550MHz_TX




EUT_Z_1TX
Setting 21
06-H-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4579G	65.96	74.00	-8.04	60.72	3	Horizontal	314	2.26	-	31.73	6.00	32.49
AV	5.46G	51.71	54.00	-2.29	46.47	3	Horizontal	314	2.26	-	31.74	6.00	32.50
PK	5.4696G	66.92	68.20	-1.28	61.64	3	Horizontal	314	2.26	-	31.78	6.00	32.50
PK	5.5338G	109.10	Inf	-Inf	103.69	3	Horizontal	314	2.26	-	31.90	6.00	32.49
AV	5.5341G	97.63	Inf	-Inf	92.22	3	Horizontal	314	2.26	-	31.90	6.00	32.49

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

5550MHz_TX




EUT Z_1TX
Setting 21
06-H-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.09663G	56.85	74.00	-17.15	42.70	3	Vertical	352	1.95	-	40.21	8.59	34.65
AV	11.09791G	44.59	54.00	-9.41	30.44	3	Vertical	352	1.95	-	40.21	8.59	34.65
PK	16.64809G	58.27	68.20	-9.93	42.59	3	Vertical	37	1.13	-	39.74	10.82	34.88

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

5550MHz_TX




EUT Z_1TX
Setting 21
06-H-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.10053G	56.29	74.00	-17.71	42.14	3	Horizontal	204	2.88	-	40.20	8.60	34.65
AV	11.09703G	44.72	54.00	-9.28	30.57	3	Horizontal	204	2.88	-	40.21	8.59	34.65
PK	16.65279G	58.55	68.20	-9.65	42.84	3	Horizontal	150	2.89	-	39.76	10.83	34.88

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

5670MHz_TX




EUT_Z_1TX
Setting 20
06-H-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6643G	106.05	Inf	-Inf	100.61	3	Vertical	184	1.95	-	31.86	6.03	32.45
AV	5.6649G	93.77	Inf	-Inf	88.33	3	Vertical	184	1.95	-	31.86	6.03	32.45
PK	5.7315G	64.75	68.20	-3.45	58.98	3	Vertical	184	1.95	-	32.13	6.07	32.43

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

5670MHz_TX




EUT_Z_1TX
Setting 20
06-H-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6544G	106.21	Inf	-Inf	100.81	3	Horizontal	323	2.20	-	31.82	6.03	32.45
AV	5.6541G	94.59	Inf	-Inf	89.19	3	Horizontal	323	2.20	-	31.82	6.03	32.45
PK	5.7252G	66.53	68.20	-1.67	60.80	3	Horizontal	323	2.20	-	32.10	6.06	32.43

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

5670MHz_TX




EUT Z_1TX
Setting 20
06-H-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.33709G	57.16	74.00	-16.84	43.13	3	Vertical	243	2.87	-	39.97	8.70	34.64
AV	11.33844G	44.82	54.00	-9.18	30.78	3	Vertical	243	2.87	-	39.98	8.70	34.64
PK	17.00911G	60.25	68.20	-7.95	43.27	3	Vertical	108	2.47	-	40.72	11.00	34.74

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

5670MHz_TX




EUT Z_1TX
Setting 20
06-H-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.34011G	56.96	74.00	-17.04	42.92	3	Horizontal	65	1.13	-	39.98	8.70	34.64
AV	11.33955G	44.83	54.00	-9.17	30.79	3	Horizontal	65	1.13	-	39.98	8.70	34.64
PK	17.00633G	60.94	68.20	-7.26	43.97	3	Horizontal	158	2.15	-	40.71	11.00	34.74

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT Z_1TX
Setting 30
01-B-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4508G	58.60	74.00	-15.40	51.23	3	Vertical	184	2.98	-	33.90	6.13	32.66
AV	5.428G	46.85	54.00	-7.15	39.60	3	Vertical	184	2.98	-	33.81	6.11	32.67
PK	5.4664G	58.93	68.20	-9.27	51.48	3	Vertical	184	2.98	-	33.97	6.13	32.65
PK	5.6968G	110.27	Inf	-Inf	102.25	3	Vertical	184	2.98	-	34.49	6.25	32.72
AV	5.7052G	97.85	Inf	-Inf	89.82	3	Vertical	184	2.98	-	34.50	6.25	32.72
PK	5.854G	62.00	68.20	-6.20	53.52	3	Vertical	184	2.98	-	34.93	6.33	32.78

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT Z_1TX
Setting 30
01-B-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4232G	59.63	74.00	-14.37	52.40	3	Horizontal	357	1.05	-	33.79	6.11	32.67
PK	5.4664G	59.15	68.20	-9.05	51.70	3	Horizontal	357	1.05	-	33.97	6.13	32.65
AV	5.452G	46.81	54.00	-7.19	39.43	3	Horizontal	357	1.05	-	33.91	6.13	32.66
PK	5.6956G	111.68	Inf	-Inf	103.67	3	Horizontal	357	1.05	-	34.48	6.25	32.72
AV	5.6956G	99.29	Inf	-Inf	91.28	3	Horizontal	357	1.05	-	34.48	6.25	32.72
PK	5.85G	62.85	68.20	-5.35	54.40	3	Horizontal	357	1.05	-	34.90	6.33	32.78

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Z_1TX
Setting 30
01-B-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.41896G	58.37	74.00	-15.63	42.49	3	Vertical	261	1.17	-	38.80	8.87	31.79
AV	11.42448G	44.33	54.00	-9.67	28.45	3	Vertical	261	1.17	-	38.80	8.87	31.79

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Z_1TX
Setting 30
01-B-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.41842G	57.76	74.00	-16.24	41.88	3	Horizontal	58	1.57	-	38.80	8.87	31.79
AV	11.4188G	44.14	54.00	-9.86	28.26	3	Horizontal	58	1.57	-	38.80	8.87	31.79

5.725-5.85GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

5755MHz_TX




EUT_Z_1TX
Setting 21
06-H-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6455G	63.34	68.20	-4.86	57.96	3	Vertical	221	1.80	-	31.81	6.02	32.45
PK	5.7585G	106.06	Inf	-Inf	100.18	3	Vertical	221	1.80	-	32.22	6.08	32.42
AV	5.76G	94.39	Inf	-Inf	88.51	3	Vertical	221	1.80	-	32.22	6.08	32.42
PK	5.97G	59.72	68.20	-8.48	53.50	3	Vertical	221	1.80	-	32.56	6.01	32.35

5.725-5.85GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

5755MHz_TX




EUT_Z_1TX
Setting 21
06-H-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6495G	66.09	68.20	-2.11	60.72	3	Horizontal	321	2.02	-	31.80	6.02	32.45
PK	5.75G	107.83	Inf	-Inf	101.98	3	Horizontal	321	2.02	-	32.20	6.07	32.42
AV	5.74G	96.90	Inf	-Inf	91.09	3	Horizontal	321	2.02	-	32.16	6.07	32.42
PK	6.005G	59.74	68.20	-8.46	53.58	3	Horizontal	321	2.02	-	32.51	6.00	32.35

5.725-5.85GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

5755MHz_TX




EUT Z_1TX
Setting 21
06-H-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.51063G	57.00	74.00	-17.00	42.77	3	Vertical	345	2.19	-	40.08	8.78	34.63
AV	11.50822G	44.48	54.00	-9.52	30.25	3	Vertical	345	2.19	-	40.08	8.78	34.63
PK	17.26205G	60.61	68.20	-7.59	43.12	3	Vertical	224	2.60	-	41.42	11.13	35.06

5.725-5.85GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

5755MHz_TX




EUT Z_1TX
Setting 21
06-H-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.50673G	56.65	74.00	-17.35	42.41	3	Horizontal	204	1.83	-	40.09	8.78	34.63
AV	11.51038G	44.46	54.00	-9.54	30.23	3	Horizontal	204	1.83	-	40.08	8.78	34.63
PK	17.26547G	60.30	68.20	-7.90	42.80	3	Horizontal	319	2.12	-	41.43	11.13	35.06

5.725-5.85GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

5795MHz_TX




EUT Z_1TX
Setting 30
06-H-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6475G	63.40	68.20	-4.80	58.03	3	Vertical	220	1.80	-	31.80	6.02	32.45
PK	5.788G	106.55	Inf	-Inf	100.59	3	Vertical	220	1.80	-	32.28	6.09	32.41
AV	5.7905G	95.36	Inf	-Inf	89.39	3	Vertical	220	1.80	-	32.28	6.10	32.41
PK	5.9275G	62.50	68.20	-5.70	56.22	3	Vertical	220	1.80	-	32.60	6.04	32.36

5.725-5.85GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

5795MHz_TX



EUT_Z_1TX
Setting 30
06-H-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6515G	68.26	69.31	-1.05	62.87	3	Horizontal	319	2.15	-	31.81	6.03	32.45
PK	5.781G	109.09	Inf	-Inf	103.15	3	Horizontal	319	2.15	-	32.26	6.09	32.41
AV	5.7795G	97.95	Inf	-Inf	92.01	3	Horizontal	319	2.15	-	32.26	6.09	32.41
PK	5.9255G	64.39	68.20	-3.81	58.11	3	Horizontal	319	2.15	-	32.60	6.04	32.36

5.725-5.85GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

5795MHz_TX




EUT Z_1TX
Setting 30
06-H-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.58935G	55.89	74.00	-18.11	41.79	3	Vertical	167	1.13	-	39.92	8.82	34.64
AV	11.58724G	44.08	54.00	-9.92	29.98	3	Vertical	167	1.13	-	39.93	8.81	34.64
PK	17.38915G	62.01	68.20	-6.19	43.65	3	Vertical	31	1.02	-	42.39	11.19	35.22

5.725-5.85GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

5795MHz_TX




EUT Z_1TX
Setting 30
06-H-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.59186G	56.34	74.00	-17.66	42.24	3	Horizontal	193	2.12	-	39.92	8.82	34.64
AV	11.58502G	44.02	54.00	-9.98	29.92	3	Horizontal	193	2.12	-	39.93	8.81	34.64
PK	17.38718G	61.81	68.20	-6.39	43.47	3	Horizontal	35	2.73	-	42.37	11.19	35.22

5.15-5.25GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

5210MHz_TX




EUT Z_1TX
Setting 14
06-H-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1448G	60.38	74.00	-13.62	55.29	3	Vertical	180	1.80	-	31.91	5.64	32.46
AV	5.1148G	49.85	54.00	-4.15	44.72	3	Vertical	180	1.80	-	31.97	5.61	32.45
PK	5.2116G	97.01	Inf	-Inf	92.01	3	Vertical	180	1.80	-	31.75	5.72	32.47
AV	5.2256G	86.41	Inf	-Inf	81.44	3	Vertical	180	1.80	-	31.70	5.74	32.47
PK	5.4028G	57.42	74.00	-16.58	52.40	3	Vertical	180	1.80	-	31.51	6.00	32.49
AV	5.3976G	46.63	54.00	-7.37	41.63	3	Vertical	180	1.80	-	31.49	6.00	32.49

5.15-5.25GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

5210MHz_TX




EUT Z_1TX
Setting 14
06-H-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1136G	63.62	74.00	-10.38	58.49	3	Horizontal	323	2.27	-	31.97	5.61	32.45
AV	5.1144G	52.68	54.00	-1.32	47.55	3	Horizontal	323	2.27	-	31.97	5.61	32.45
PK	5.2124G	101.34	Inf	-Inf	96.34	3	Horizontal	323	2.27	-	31.75	5.72	32.47
AV	5.2012G	90.37	Inf	-Inf	85.33	3	Horizontal	323	2.27	-	31.80	5.70	32.46
PK	5.362G	57.48	74.00	-16.52	52.67	3	Horizontal	323	2.27	-	31.35	5.94	32.48
AV	5.3856G	46.71	54.00	-7.29	41.78	3	Horizontal	323	2.27	-	31.44	5.98	32.49

5.15-5.25GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

5210MHz_TX




EUT_Z_1TX
Setting 14
06-H-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.415G	56.38	68.20	-11.82	42.61	3	Vertical	0	1.81	-	40.12	8.29	34.64
PK	15.62919G	57.00	74.00	-17.00	43.44	3	Vertical	3	1.80	-	38.04	10.33	34.81
AV	15.6251G	45.19	54.00	-8.81	31.62	3	Vertical	3	1.80	-	38.05	10.33	34.81

5.15-5.25GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

5210MHz_TX




EUT Z_1TX
Setting 14
06-H-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.41571G	57.86	68.20	-10.34	44.09	3	Horizontal	117	1.80	-	40.12	8.29	34.64
PK	15.6307G	56.61	74.00	-17.39	43.05	3	Horizontal	360	1.00	-	38.04	10.33	34.81
AV	15.62562G	45.14	54.00	-8.86	31.57	3	Horizontal	360	1.00	-	38.05	10.33	34.81

5.25-5.35GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

5290MHz_TX




EUT Z_1TX
Setting 14
06-H-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.146G	57.79	74.00	-16.21	52.69	3	Vertical	183	2.01	-	31.91	5.65	32.46
AV	5.1004G	47.01	54.00	-6.99	41.86	3	Vertical	183	2.01	-	32.00	5.60	32.45
PK	5.3216G	98.42	Inf	-Inf	93.66	3	Vertical	183	2.01	-	31.36	5.88	32.48
AV	5.2984G	87.33	Inf	-Inf	82.55	3	Vertical	183	2.01	-	31.41	5.85	32.48
PK	5.352G	63.55	74.00	-10.45	58.79	3	Vertical	183	2.01	-	31.31	5.93	32.48
AV	5.3544G	52.02	54.00	-1.98	47.25	3	Vertical	183	2.01	-	31.32	5.93	32.48
PK	5.484G	57.73	68.20	-10.47	52.39	3	Vertical	183	2.01	-	31.84	6.00	32.50

5.25-5.35GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

5290MHz_TX




EUT Z_1TX
Setting 14
06-H-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1248G	58.17	74.00	-15.83	53.05	3	Horizontal	321	2.24	-	31.95	5.62	32.45
AV	5.136G	47.13	54.00	-6.87	42.02	3	Horizontal	321	2.24	-	31.93	5.64	32.46
PK	5.2984G	100.03	Inf	-Inf	95.25	3	Horizontal	321	2.24	-	31.41	5.85	32.48
AV	5.278G	88.71	Inf	-Inf	83.87	3	Horizontal	321	2.24	-	31.49	5.82	32.47
PK	5.3604G	64.68	74.00	-9.32	59.88	3	Horizontal	321	2.24	-	31.34	5.94	32.48
AV	5.3524G	52.49	54.00	-1.51	47.73	3	Horizontal	321	2.24	-	31.31	5.93	32.48
PK	5.4828G	57.90	68.20	-10.30	52.57	3	Horizontal	321	2.24	-	31.83	6.00	32.50

5.25-5.35GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

5290MHz_TX




EUT_Z_1TX
Setting 14
06-H-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.58401G	56.03	68.20	-12.17	42.24	3	Vertical	98	1.83	-	40.12	8.36	34.69
PK	15.86557G	56.72	74.00	-17.28	43.31	3	Vertical	317	1.80	-	37.77	10.44	34.80
AV	15.87063G	45.76	54.00	-8.24	32.36	3	Vertical	317	1.80	-	37.76	10.44	34.80

5.25-5.35GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

5290MHz_TX




EUT_Z_1TX
Setting 14
06-H-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.57734G	56.48	68.20	-11.72	42.69	3	Horizontal	348	3.00	-	40.12	8.36	34.69
PK	15.86844G	57.75	74.00	-16.25	44.35	3	Horizontal	29	1.37	-	37.76	10.44	34.80
AV	15.86742G	45.92	54.00	-8.08	32.51	3	Horizontal	29	1.37	-	37.77	10.44	34.80

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

5530MHz_TX




EUT Z_1TX
Setting 16
06-H-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3275G	57.20	68.20	-11.00	52.45	3	Vertical	180	1.80	-	31.34	5.89	32.48
PK	5.458G	65.32	74.00	-8.68	60.08	3	Vertical	180	1.80	-	31.73	6.00	32.49
AV	5.435G	52.37	54.00	-1.63	47.22	3	Vertical	180	1.80	-	31.64	6.00	32.49
PK	5.4635G	66.11	68.20	-2.09	60.86	3	Vertical	180	1.80	-	31.75	6.00	32.50
PK	5.5075G	101.03	Inf	-Inf	95.63	3	Vertical	180	1.80	-	31.90	6.00	32.50
AV	5.515G	89.65	Inf	-Inf	84.25	3	Vertical	180	1.80	-	31.90	6.00	32.50
PK	5.761G	59.44	68.20	-8.76	53.56	3	Vertical	180	1.80	-	32.22	6.08	32.42

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

5530MHz_TX




EUT_Z_1TX
Setting 16
06-H-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.301G	57.36	68.20	-10.84	52.59	3	Horizontal	316	2.06	-	31.40	5.85	32.48
PK	5.448G	65.64	74.00	-8.36	60.44	3	Horizontal	316	2.06	-	31.69	6.00	32.49
PK	5.4695G	64.95	68.20	-3.25	59.67	3	Horizontal	316	2.06	-	31.78	6.00	32.50
AV	5.46G	52.92	54.00	-1.08	47.68	3	Horizontal	316	2.06	-	31.74	6.00	32.50
PK	5.498G	101.83	Inf	-Inf	96.44	3	Horizontal	316	2.06	-	31.89	6.00	32.50
AV	5.5145G	90.64	Inf	-Inf	85.24	3	Horizontal	316	2.06	-	31.90	6.00	32.50
PK	5.7595G	58.77	68.20	-9.43	52.89	3	Horizontal	316	2.06	-	32.22	6.08	32.42

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

5530MHz_TX




EUT Z_1TX
Setting 16
06-H-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.06248G	56.95	74.00	-17.05	42.67	3	Vertical	1	1.69	-	40.35	8.58	34.65
AV	11.0617G	45.43	54.00	-8.57	31.15	3	Vertical	1	1.69	-	40.35	8.58	34.65
PK	16.58758G	58.59	68.20	-9.61	43.18	3	Vertical	226	1.80	-	39.52	10.79	34.90

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

5530MHz_TX




EUT Z_1TX
Setting 16
06-H-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.06467G	57.00	74.00	-17.00	42.73	3	Horizontal	269	1.80	-	40.34	8.58	34.65
AV	11.05973G	45.42	54.00	-8.58	31.13	3	Horizontal	269	1.80	-	40.36	8.58	34.65
PK	16.59448G	58.81	68.20	-9.39	43.40	3	Horizontal	261	1.81	-	39.51	10.80	34.90

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

5610MHz_TX




EUT Z_1TX
Setting 19
06-H-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.458G	64.55	74.00	-9.45	59.31	3	Vertical	182	1.80	-	31.73	6.00	32.49
AV	5.457G	51.24	54.00	-2.76	46.00	3	Vertical	182	1.80	-	31.73	6.00	32.49
PK	5.466G	63.28	68.20	-4.92	58.02	3	Vertical	182	1.80	-	31.76	6.00	32.50
PK	5.578G	103.65	Inf	-Inf	98.23	3	Vertical	182	1.80	-	31.90	6.00	32.48
AV	5.5715G	92.26	Inf	-Inf	86.84	3	Vertical	182	1.80	-	31.90	6.00	32.48
PK	5.7355G	64.79	68.20	-3.41	59.00	3	Vertical	182	1.80	-	32.14	6.07	32.42

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

5610MHz_TX




EUT_Z_1TX
Setting 19
06-H-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.458G	64.51	74.00	-9.49	59.27	3	Horizontal	314	2.22	-	31.73	6.00	32.49
AV	5.4565G	52.16	54.00	-1.84	46.92	3	Horizontal	314	2.22	-	31.73	6.00	32.49
PK	5.4665G	65.97	68.20	-2.23	60.70	3	Horizontal	314	2.22	-	31.77	6.00	32.50
PK	5.6085G	104.52	Inf	-Inf	99.11	3	Horizontal	314	2.22	-	31.88	6.00	32.47
AV	5.595G	93.71	Inf	-Inf	88.28	3	Horizontal	314	2.22	-	31.90	6.00	32.47
PK	5.7355G	67.17	68.20	-1.03	61.38	3	Horizontal	314	2.22	-	32.14	6.07	32.42

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

5610MHz_TX




EUT_Z_1TX
Setting 19
06-H-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.21558G	57.08	74.00	-16.92	43.17	3	Vertical	30	1.73	-	39.90	8.65	34.64
AV	11.2234G	45.10	54.00	-8.90	31.19	3	Vertical	30	1.73	-	39.90	8.65	34.64
PK	16.83034G	60.57	68.20	-7.63	43.65	3	Vertical	168	2.73	-	40.80	10.92	34.80

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

5610MHz_TX




EUT_Z_1TX
Setting 19
06-H-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.21945G	56.63	74.00	-17.37	42.72	3	Horizontal	4	2.31	-	39.90	8.65	34.64
AV	11.21764G	45.23	54.00	-8.77	31.32	3	Horizontal	4	2.31	-	39.90	8.65	34.64
PK	16.83318G	60.07	68.20	-8.13	43.15	3	Horizontal	52	1.62	-	40.80	10.92	34.80

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT Z_1TX
Setting 23
01-B-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.456G	61.22	74.00	-12.78	53.83	3	Vertical	47	1.80	-	33.92	6.13	32.66
AV	5.456G	48.59	54.00	-5.41	41.20	3	Vertical	47	1.80	-	33.92	6.13	32.66
PK	5.4668G	63.33	68.20	-4.87	55.88	3	Vertical	47	1.80	-	33.97	6.13	32.65
PK	5.6684G	106.65	Inf	-Inf	98.76	3	Vertical	47	1.80	-	34.37	6.23	32.71
AV	5.6888G	94.76	Inf	-Inf	86.78	3	Vertical	47	1.80	-	34.46	6.24	32.72
PK	5.8712G	64.38	68.20	-3.82	55.76	3	Vertical	47	1.80	-	35.07	6.34	32.79

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT Z_1TX
Setting 23
01-B-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4584G	65.55	74.00	-8.45	58.15	3	Horizontal	47	2.80	-	33.93	6.13	32.66
AV	5.4596G	50.59	54.00	-3.41	43.18	3	Horizontal	47	2.80	-	33.94	6.13	32.66
PK	5.4668G	68.11	68.20	-0.09	60.66	3	Horizontal	47	2.80	-	33.97	6.13	32.65
PK	5.6828G	108.97	Inf	-Inf	101.01	3	Horizontal	47	2.80	-	34.43	6.24	32.71
AV	5.6744G	96.75	Inf	-Inf	88.82	3	Horizontal	47	2.80	-	34.40	6.24	32.71
PK	5.8616G	66.04	68.20	-2.16	57.50	3	Horizontal	47	2.80	-	34.99	6.33	32.78

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT Z_1TX
Setting 23
01-B-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.37992G	57.16	74.00	-16.84	41.34	3	Vertical	185	1.54	-	38.78	8.85	31.81
AV	11.3802G	44.81	54.00	-9.19	28.99	3	Vertical	185	1.54	-	38.78	8.85	31.81

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT Z_1TX
Setting 23
01-B-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.38236G	57.26	74.00	-16.74	41.44	3	Horizontal	26	1.07	-	38.78	8.85	31.81
AV	11.37612G	44.97	54.00	-9.03	29.15	3	Horizontal	26	1.07	-	38.78	8.85	31.81

5.725-5.85GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

5775MHz_TX




EUT Z_1TX
Setting 17
06-H-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6385G	64.08	68.20	-4.12	58.70	3	Vertical	221	1.80	-	31.82	6.02	32.46
PK	5.76G	101.87	Inf	-Inf	95.99	3	Vertical	221	1.80	-	32.22	6.08	32.42
AV	5.79G	90.20	Inf	-Inf	84.24	3	Vertical	221	1.80	-	32.28	6.09	32.41
PK	5.925G	60.02	68.20	-8.18	53.74	3	Vertical	221	1.80	-	32.60	6.04	32.36

5.725-5.85GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

5775MHz_TX




EUT_Z_1TX
Setting 17
06-H-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6305G	66.34	68.20	-1.86	60.94	3	Horizontal	320	2.04	-	31.84	6.02	32.46
PK	5.7555G	103.35	Inf	-Inf	97.48	3	Horizontal	320	2.04	-	32.21	6.08	32.42
AV	5.753G	92.31	Inf	-Inf	86.44	3	Horizontal	320	2.04	-	32.21	6.08	32.42
PK	6.0215G	61.20	68.20	-7.00	55.01	3	Horizontal	320	2.04	-	32.54	6.02	32.37

5.725-5.85GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

5775MHz_TX




EUT Z_1TX
Setting 17
06-H-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.54963G	56.53	74.00	-17.47	42.36	3	Vertical	29	2.33	-	40.00	8.80	34.63
AV	11.54951G	45.00	54.00	-9.00	30.83	3	Vertical	29	2.33	-	40.00	8.80	34.63
PK	17.32575G	60.73	68.20	-7.47	42.95	3	Vertical	178	2.49	-	41.76	11.16	35.14

5.725-5.85GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

5775MHz_TX



EUT Z_1TX
Setting 17
06-H-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.54963G	56.29	74.00	-17.71	42.12	3	Horizontal	139	1.31	-	40.00	8.80	34.63
AV	11.54562G	45.05	54.00	-8.95	30.87	3	Horizontal	139	1.31	-	40.01	8.80	34.63
PK	17.32441G	60.75	68.20	-7.45	42.99	3	Horizontal	11	1.80	-	41.74	11.16	35.14