

Page: 1 of 134

ELECTROMAGNETIC EMISSIONS COMPLIANCE REPORT





Applicant: TaiDoc Technology Corp

6F, No. 127, Wugong 2nd Rd., Wugu Dist., 24888 New Taipei

City, Taiwan

Manufacturer: TaiDoc Technology Corp

B1-7F, No. 127, Wugong 2nd Rd., Wugu Dist., 24888 New

Taipei City, Taiwan

Product Name: Weight scale

Brand Name: FORA TN'G Scale 550

Model No.: TD-2555G, TD-2555X(X=0~9,A~F,H~Z or blank for different

product exterior color and market)

Model Difference: For different product exterior color and market

ER/2022/30008 **Report Number:**

FCC ID TM72555GLTE

Issue Date: May 6, 2022

Date of Test: March 9, 2022~May 5, 2022

Date of EUT Received: March 3, 2022

Approved By

We hereby certify that:

The above equipment was tested by SGS Taiwan Ltd. Central RF Lab The test data, data evaluation, test procedures, and equipment configurations shown in this report were made in accordance with the procedures given in ANSI ANSI C63.26-2015 and the energy emitted by the sample EUT comply with FCC rule part 2, 24E & 27C.

The results of this report relate only to the sample identified in this report.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

**SCST Taivan Left ** No. 124 ** No. 1



Page: 2 of 134

Revision History						
Report Number	Revision	Description	Issue Date	Revised By	Remark	
ER/2022/30008	00	Original.	May 6, 2022	Susan Lin		

Note:

- 1 . The remark "*" indicates modification of the report upon requests from certification
- 2 Variant information of model numbers is provided by the applicant, test results of this report are applicable to the sample EUT(s) received and are assessed as electrically identical in RF characteristics, therefore, no further assessment required for the variant(s).

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document area to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

**SCENTIAL PROBLEM STATES OF THE PROB

SGS Taiwan Ltd. No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 f (886-2) 2298-0488



Page: 3 of 134

Contents

1	GENERAL PRODUCT INFORMATION	4
2	SYSTEM TEST CONFIGURATION	10
3	SUMMARY OF TEST RESULTS	13
4	DESCRIPTION OF TEST MODES	14
5	MEASUREMENT UNCERTAINTY	16
6	MEASUREMENT EQUIPMENT USED	17
7	MAXMUM OUTPUT POWER	19
8	OCCUPIED BANDWIDTH MEASUREMENT	44
9	OUT OF BAND EMISSION AT ANTENNA TERMINALS	69
10	FIELD STRENGTH OF SPURIOUS RADIATION MEASUREMENT	89
11	FREQUENCY STABILITY MEASUREMENT	116
12	PEAK TO AVERAGE RATIO	119

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

除非另有說明,此報告結果僅對測試之樣品負責,问時此樣品僅保留則失。本格告表經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

**SCENTIAL PROJECT AND 124 No. 124 No.

SGS Taiwan Ltd. No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279 f (886-2) 2298-0488



Page: 4 of 134

1 GENERAL PRODUCT INFORMATION

1.1 Product Description

Product Name:	Weight scale
Brand Name:	FORA TN'G Scale 550
Model No.:	TD-2555G, TD-2555X(X=0~9,A~F,H~Z or blank for different product exterior color and market)
Model Difference:	For different product exterior color and market
Hardware Version:	1.10
Firmware Version:	M0F.313002
EUT Series No.:	357661790030736
Power Supply:	3.7Vdc from Li-ion Battery
Test Software (Name/Version):	Default

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

除非另有說明,此報告結果僅對測試之樣品負責,问時此樣品僅保留則失。本格告表經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

**SCENTIAL PROJECT AND 124 No. 124 No.

wan Ltd. No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279 f (886-2) 2298-0488



Page: 5 of 134

1.2 Operation Frequency Range

LTE Band 2					
BW (MHz)	Operation	Freque	ency (MHz)		
1.4	1850.7	-	1909.3		
3	1851.5	-	1908.5		
5	1852.5	-	1907.5		
10	1855.0	-	1905.0		
15	1857.5	-	1902.5		
20	1860.0	-	1900.0		
	LTE Bar	nd 4			
BW (MHz)	Operation	Freque	ency (MHz)		
BW (MHz)	Operation 1710.7	Freque	ency (MHz) 1754.3		
, ,	•	Freque - -	, ,		
1.4	1710.7	Freque - - -	1754.3		
1.4	1710.7 1711.5	Freque - - -	1754.3 1753.5		
1.4 3 5	1710.7 1711.5 1712.5	Freque	1754.3 1753.5 1752.5		

LTE Band 12					
BW (MHz)	Operation	Freque	ency (MHz)		
1.4	699.7	-	715.3		
3	700.5	-	714.5		
5	701.5	-	713.5		
10	704.0	-	711.0		
	LTE Ban	d 66			
BW (MHz)	Operation	Freque	ency (MHz)		
1.4	1710.7	-	1779.3		
3	1711.5	-	1778.5		
5	1712.5	-	1777.5		
10	1715.0	-	1775.0		
15	1717.5	_	1772.5		
10	17 17.5		1112.5		

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

除非另有說明,此報告結果僅對測試之樣品負責,问時此樣品僅保留則失。本格告表經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

**SCENTIAL PROJECT AND 124 No. 124 No.



Page: 6 of 134

1.3 Antenna Designation

Antenna Type	Antenna Model No.			
PCB	RFA-LTE-AP785-70-65			
Note: Transmission frequencies in this test report are only available by the above antenna(s).				

Туре	Modulation	Frequency (MHz)					Peak Antenna Gain (dBi)
	LTE-Band 2	1850	١	1910	4.97		
DCB	LTE-Band 4	1710	٧	1755	4.97		
PCB	LTE-Band 12	699	١	716	0.82		
	LTE-Band 66	1710	~	1780	4.97		

Note: Antenna information is provided by the applicant.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document area to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

**SCENTIAL PROBLEM STATES OF THE PROB

n <mark>Ltd. _| No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號</mark>



Page: 7 of 134

1.4 Type of Emission & Max ERP/EIRP Power Measurement Result:

LTE Band	BW	Frequ	iency	Modulation	ERP / EIR	P (dBm)	(W)	99%	Type of Emission
			4000.0	QPSK	27.88	EIRP	0.614	1.0867	1M09G7D
2	1.4	1850.7	1909.3	16QAM	26.90	EIRP	0.490	1.0870	1M09D7W
2	3	1851.5	1908.5	QPSK	27.89	EIRP	0.615	2.6864	2M69G7D
2	٥	1001.0	1906.5	16QAM	26.91	EIRP	0.491	2.6872	2M69D7W
2	5	1852.5	1907.5	QPSK	27.91	EIRP	0.618	4.4866	4M49G7D
2	5	1852.5	1907.5	16QAM	26.87	EIRP	0.486	4.4871	4M49D7W
2	10	1855.0	1905.0	QPSK	27.92	EIRP	0.619	8.9637	8M96G7D
2	10	1000.0	1905.0	16QAM	26.90	EIRP	0.490	4.6249	4M62D7W
2	15	1857.5	1902.5	QPSK	27.91	EIRP	0.618	13.427	13M4G7D
2	15	1007.0	1902.5	16QAM	26.90	EIRP	0.490	1.077	1M08D7W
2	20	1860.0	1900.0	QPSK	27.96	EIRP	0.625	17.853	17M9G7D
	20	1000.0	1900.0	16QAM	26.89	EIRP	0.489	1.318	1M32D7W
LTE Band	BW	Frequ	iency	M odulation	ERP / EIR	!	(W)	99%	Type of Emission
Band				Modulation QPSK		!	(W) 0.644	99%	,,
1	BW 1.4	Frequ	1754.3		ERP / EIR	P (dBm)	٠,		Emission
Band 4	1.4	1710.7	1754.3	QPSK	ERP / EIR 28.09	P (dBm) EIRP	0.644	1.0889	Emission 1M09G7D
Band				QPSK 16QAM	ERP / EIR 28.09 27.11	P (dBm) EIRP EIRP	0.644 0.514	1.0889 1.0878	Emission 1M09G7D 1M09D7W
Band 4 4	1.4	1710.7	1754.3 1753.5	QPSK 16QAM QPSK	ERP / EIR 28.09 27.11 28.10	P (dBm) EIRP EIRP EIRP	0.644 0.514 0.646	1.0889 1.0878 2.6873	Emission 1M09G7D 1M09D7W 2M69G7D
Band 4	1.4	1710.7	1754.3	QPSK 16QAM QPSK 16QAM	28.09 27.11 28.10 27.12	P (dBm) EIRP EIRP EIRP EIRP	0.644 0.514 0.646 0.515	1.0889 1.0878 2.6873 2.6872	Emission 1M09G7D 1M09D7W 2M69G7D 2M69D7W
Band 4 4	1.4 3 5	1710.7 1711.5 1712.5	1754.3 1753.5 1752.5	QPSK 16QAM QPSK 16QAM QPSK	ERP / EIR 28.09 27.11 28.10 27.12 28.11	P (dBm) EIRP EIRP EIRP EIRP	0.644 0.514 0.646 0.515 0.647	1.0889 1.0878 2.6873 2.6872 4.4917	Emission 1M09G7D 1M09D7W 2M69G7D 2M69D7W 4M49G7D
Band 4 4	1.4	1710.7	1754.3 1753.5	QPSK 16QAM QPSK 16QAM QPSK 16QAM	28.09 27.11 28.10 27.12 28.11 27.10	P (dBm) EIRP EIRP EIRP EIRP EIRP EIRP	0.644 0.514 0.646 0.515 0.647 0.513	1.0889 1.0878 2.6873 2.6872 4.4917 4.4925	Emission 1M09G7D 1M09D7W 2M69G7D 2M69D7W 4M49G7D 4M49D7W
4 4 4 4	1.4 3 5	1710.7 1711.5 1712.5 1715.0	1754.3 1753.5 1752.5 1750.0	QPSK 16QAM QPSK 16QAM QPSK 16QAM QPSK	28.09 27.11 28.10 27.12 28.11 27.10 28.10	P (dBm) EIRP EIRP EIRP EIRP EIRP EIRP EIRP	0.644 0.514 0.646 0.515 0.647 0.513 0.646	1.0889 1.0878 2.6873 2.6872 4.4917 4.4925 8.9619	Emission 1M09G7D 1M09D7W 2M69G7D 2M69D7W 4M49G7D 4M49D7W 8M96G7D
Band 4 4	1.4 3 5	1710.7 1711.5 1712.5	1754.3 1753.5 1752.5	QPSK 16QAM QPSK 16QAM QPSK 16QAM QPSK 16QAM	ERP / EIR 28.09 27.11 28.10 27.12 28.11 27.10 28.10 27.04	P (dBm) EIRP EIRP EIRP EIRP EIRP EIRP EIRP	0.644 0.514 0.646 0.515 0.647 0.513 0.646 0.506	1.0889 1.0878 2.6873 2.6872 4.4917 4.4925 8.9619 4.6286	Emission 1M09G7D 1M09D7W 2M69G7D 2M69D7W 4M49G7D 4M49D7W 8M96G7D 4M63D7W
4 4 4 4	1.4 3 5	1710.7 1711.5 1712.5 1715.0	1754.3 1753.5 1752.5 1750.0	QPSK 16QAM QPSK 16QAM QPSK 16QAM QPSK 16QAM QPSK	ERP / EIR 28.09 27.11 28.10 27.12 28.11 27.10 28.10 27.04	P (dBm) EIRP EIRP EIRP EIRP EIRP EIRP EIRP EIRP	0.644 0.514 0.646 0.515 0.647 0.513 0.646 0.506 0.647	1.0889 1.0878 2.6873 2.6872 4.4917 4.4925 8.9619 4.6286 13.4200	Emission 1M09G7D 1M09D7W 2M69G7D 2M69D7W 4M49G7D 4M49D7W 8M96G7D 4M63D7W 13M4G7D

LTE Band	BW	Frequ	iency	Modulation	ERP / EIR	P (dBm)	(W)	99%	Type of Emission
				QPSK	22.26	ERP	0.168	1.0862	1M09G7D
12	1.4	699.7	715.3	16QAM	21.31	ERP	0.135	1.0854	1M09D7W
				QPSK	22.26	ERP	0.168	2.6849	2M68G7D
12	3	700.5	714.5	16QAM	21.30	ERP	0.135	2.6866	2M69D7W
12	5	701.5	713.5	QPSK	22.22	ERP	0.167	4.4847	4M48G7D
12	5	701.5	/13.5	16QAM	21.30	ERP	0.135	4.4870	4M49D7W
12	10	704.0	711.0	QPSK	22.36	ERP	0.172	8.9585	8M96G7D
12	10	704.0	711.0	16QAM	21.29	ERP	0.135	4.5987	4M60D7W
LTE	BW	Гиоли		Modulation	ERP/I	EIRP	(14/)	99%	Type of
Band	BVV	Frequ	iericy	iviodulation	(dBr	n)	(W)	9976	Emission
66	1.4	1710.7	1779.3	QPSK	28.02	EIRP	0.634	1.0885	1M09G7D
00	1.4	17 10.7	1115.5	16QAM	27.02	EIRP	0.504	1.0886	1M09D7W
66	3	1711.5	1778.5	QPSK	28.02	EIRP	0.634	2.6859	2M69G7D
00	3	1711.5	1770.5	16QAM	26.99	EIRP	0.500	2.6889	2M69D7W
66	5	1712.5	1777.5	QPSK	27.96	EIRP	0.625	4.4909	4M49G7D
00	٦	17 12.3	1111.5	16QAM	27.01	EIRP	0.502	4.4880	4M49D7W
66	10	1715.0	1775.0	QPSK	27.97	EIRP	0.627	8.9668	8M97G7D
00	10	17 15.0	1775.0	16QAM	27.02	EIRP	0.504	4.6417	4M64D7W
66	15	1717.5	1772.5	QPSK	28.02	EIRP	0.634	13.4340	13M4G7D
00	13	1717.5	1172.5	16QAM	27.00	EIRP	0.501	1.0454	1M05D7W
66	20	1720.0	1770.0	QPSK	28.07	EIRP	0.641	17.8420	17M8G7D
00	20	1720.0	1770.0	16QAM	26.98	EIRP	0.499	1.2980	1M30D7W

1.5 Test Methodology of Applied Standards

FCC 47 CFR Part 2, 24E, 27C ANSI C63.26-2015 KDB971168 D01 Power Meas license Digital System v03r01 KDB412172 D01 Determining ERP and EIRP v01r01

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document area to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

**SCENTIAL PROBLEM STATES OF THE PROB

SS Taiwan Ltd. |No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279 f (886-2) 2298-0488



Page: 8 of 134

1.6 **Test Facility**

Laboratory	Test Site Address	Test Site Name	FCC Designa- tion number	IC CAB identifier
		SAC 1		
		SAC 3		
		Conduction 1		
	No.134, Wu Kung Road, New Taipei	Conducted 1		
	Industrial Park, Wuku District, New	Conducted 2	TW0027	
	Taipei City, Taiwan.	Conducted 3		TW3702
		Conducted 4		
		Conducted 5		
SGS Taiwan Ltd.		Conducted 6		
Central RF Lab.		Conduction C	TW0028	
(TAF code 3702)	No.2, Keji 1st Rd., Guishan District, Taoyuan City, Taiwan 333	SAC C		
(1741 COGC 5702)		SAC D		
		SAC G		
		Conducted A		
		Conducted B		
		Conducted C		
		Conducted D		
		Conducted E		
		Conducted F		
		Conducted G		

Note: Test site name is remarked on the equipment list in each section of this report as an indication where measurements occurred in specific test site and address.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

SGS Taiwan Ltd. No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 www.sgs.com.tw



Page: 9 of 134

1.7 **Special Accessories**

No special accessories were used during testing.

1.8 **Equipment Modifications**

There was no modifications incorporated into the EUT.

1.9 Radiated Emission Test Sites For Measurements From 9 kHz To 30 MHz

Radiated emission below 30MHz is measured in a 9m*6m*6m semi-anechoic chamber, the measurements correspond to those obtained at an open-field test site. There is a comparison data of both open-field test site and semi-Anechoic chamber, and the result came out very similar.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document area to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

**SCENTIAL PROBLEM STATES OF THE PROB



Page: 10 of 134

SYSTEM TEST CONFIGURATION

2.1 **EUT Configuration**

The EUT configuration for testing is installed on RF field strength measurement to meet the Commissions requirement and operating in a manner which intends to maximize its emission characteristics in a continuous normal application.

2.2 **EUT Exercise**

The EUT (Transmitter) was operated in the continuous transmission mode employed with the simulator of the Base Station that fixates at test default channels to fix the Tx frequency which was for the purpose of the measurements.

2.3 **Test Procedure**

2.3.1 **Conducted Measurement at Antenna Port**

The EUT is placed on a table which is 0.8 m above ground plane. A low loss of RF cable was used to connect the antenna port of EUT to measurement equipment.

2.3.2 Radiated Emissions (ERP/EIRP)

The EUT is placed on a turn table, for emission measurements below 1 GHz is 0.8 m above ground plane, for emission measurements above 1 GHz, the table height shall be 1.5 m. The turn table shall rotate 360 degrees to determine the position of maximum emission level. EUT is set 3m away from the receiving antenna which varied from 1m to 4m to find out the highest emission. And also, each emission was to be maximized by changing the polarization of receiving antenna both Horizontal and Vertical. In order to find out the max. emission, the relative positions of this hand-held transmitter (EUT) was rotated through three orthogonal axes and measurement procedures for electric field radiated emissions above 1 GHz the EUT measurement is to be made "while keeping the antenna in the 'cone of radiation' from that area and pointed at the area both in azimuth and elevation, with polarization oriented for maximum response." is still within the 3dB illumination BW of the measurement antenna.

2.4 **Measurement Results Explanation Example**

For all conducted test items:

The offset level is set in the spectrum analyzer to compensate the RF cable loss and attenuation factor between EUT conducted port and spectrum analyzer. With the offset compensation, the spectrum analyzer reading level is exactly EUT RF output level.

Note:

The spectrum analyzer offset is derived from RF cable loss and attenuator factor. Following shows an offset computation in physical test.

Frequency	RF Cable loss (dB)	Attenuation (dB)	Offset (dB)
LB(1GHz below)	4.68	10	14.68
MB(1GHz - 2GHz)	5.69	10	15.69

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

**SCST Taivan Left ** No. 124 ** No. 1



Page: 11 of 134

2.5 Final Amplifier Voltage and Current Information:

LTE Band 2

Test mode	DC voltage (V)	DC current (mA)
LTE Band 2_20M QPSK	3.7	550

LTE Band 4

Test mode	DC voltage (V)	DC current (mA)
LTE Band 4_20M QPSK	3.7	620

LTE Band 12

Test mode	DC voltage (V)	DC current (mA)
LTE Band 5_10M QPSK	3.7	580

LTE Band 66

Test mode	DC voltage (V)	DC current (mA)
LTE Band 66_20M QPSK	3.7	630

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。


This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document area to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


**SCENTIAL PROBLEM STATES OF THE PROB



Page: 12 of 134

2.6 **Test Configuration**





Note: Radio Communication Analyzer is placed in remote side for radiated test.

Control Unit(s)

Conducted Emission Test Site: Conducted 4								
EQUIPMENT TYPE	MFR	MED MODEL SERIAL		LAST CAL.	CAL DUE.			
EQUIFIVIENT TIFE	IVIFIX	NUMBER	NUMBER	LAST CAL.	CAL DOL.			
Test Software	SGS	Radio Test	Ver. 21	N.C.R	N.C.R			
rest software	303	Software	Vel. 21	N.C.K	IV.C.R			

Radiated Emission Test Site: SAC 3									
EQUIPMENT TYPE MFR MODEL SERIAL NUMBER LAST CAL. CAL DUE.									
Test Software	audix	e3	Ver. 9 210322	N.C.R	N.C.R				

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document area to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

**SCENTIAL PROBLEM STATES OF THE PROB

∣ No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279 f (886-2) 2298-0488

台灣檢驗科技股份有限公司

www.sgs.com.tw



Page: 13 of 134

SUMMARY OF TEST RESULTS

FCC Rules	Description Of Test	Result
§2.1046(a)	RF Power Output	Compliant
§24.232(c) §27.50(c)(10) §27.50(d)(4)	ERP/ EIRP measurement	Compliant
§2.1049(h)	99% & 26dB Occupied Bandwidth	Compliant
§2.1051 §24.238(a) §27.53(g) §27.53(h)	Out of Band Emissions at Antenna Terminals and Band Edge / Emission mask requirements	Compliant
§2.1053 §24.238(a) §27.53(g) §27.53(h)	Field Strength of Spurious Radiation	Compliant
§24.232(d) §27.50(a)(1)(B)	Peak to Average Ratio	Compliant
§2.1055(a)(1) §24.235 §27.54	Frequency Stability	Compliant

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Page: 14 of 134

4 DESCRIPTION OF TEST MODES

4.1 The Worst Test Modes and Channel Details

- 1. The EUT has been tested under operating condition.
- 2. Pre-Scan has been conducted to determine the worst-case scenario from all possible combinations among available modulations, data rates and antenna ports, the worst case configurations listed below for the final test.
- 3. The field strength of radiated emission was measured as the EUT positioned in different orthogonal planes (E1/E2/H) based on actual usage of the EUT to pre-scan the emissions for determining the worst case scenario.

4.2 Measurement Configuration

	Test Ite	ms							Max.	Output F	Power					
	Te	st Chan	nel			Bandwid	th (MHz	<u>.</u>		Modulation					RB#	
Band	L	М	Н	1.4	3	5	10	15	20	QPSK	16QAM	64QAM	256QAM	1	Half	Full
2	V	V	٧	٧	٧	٧	V	٧	٧	٧	V	-	-	V	V	٧
4	٧	٧	٧	٧	٧	٧	٧	٧	٧	٧	٧	-	-	V	V	٧
12	٧	٧	٧	٧	٧	٧	٧	-	-	٧	٧	-	-	٧	V	٧
66	V	V	V	V	V	V	V	V	V	V	V	-	-	V	V	V
Test Items					Frequency Stability											
2	-	٧	-	-		-	V	-	-	V	-	-	-	-	-	٧
4	-	V	-	-	-	-	V	-	-	V	-	-	-	-	-	٧
12	-	V	-	-	-	-	V	-	-	V	-	-	-	-	-	V
66	-	V	-	-	-	-	V	-	-	V	-	-	-	-	-	V
	Test Ite	ms								IB and 9 andwidt	h					
Band	Te	st Chan	nel		E	Bandwid	th (MHz)			Modu	lation			RB#	
Danu	L	М	Н	1.4	3	5	10	15	20	QPSK	16QAM	64QAM	256QAM	1	Half	Full
2	V	٧	٧	V	٧	٧	V	٧	٧	V	V	-	-	V	V	٧
4	٧	٧	٧	V	٧	V	V	V	V	V	V	-	-	V	V	٧
12	V	V	٧	V	V	V	V	-	-	V	V	-	-	V	V	V
66	V	V	V	V	V	V	V	V	V	V	V	-		V	V	V
	Test Ite	ms							Peak-to	-Av erage Ratio						
2	٧	٧	V	V	٧	V	V	٧	٧	V	V	-	-	-	-	٧
4	٧	V	V	V	V	V	V	V	V	V	V	-	-	-	-	V
12	V	V	V	V	V	V	V	-	-	V	V	-	-	-	-	٧
66	٧	V	V	V	V	V	V	V	V	V	V	-	-	-	-	V
	Test Ite								В	and Edg						
Band	Te	st Chan				Bandwid	-				Modu				RB#	
	L	М	Н	1.4	3	5	10	15	20	QPSK	16QAM	64QAM	256QAM	1	Half	Full
2	V	-	V	V	V	V	V	V	V	V	-	-	-	V	V	V
12	V	-	V	V	V	V	V	V	V	V	-	-	-	V	V	V
66	V	-	V	V	V	V	V	-	-	V	-	-	-	V	V V	V V
00	<u> </u>	-	l V	V							V	V	V			
Test Items					Conducted Emission											
2	٧	٧	٧	V	٧	V	V	٧	٧	V	-	-	-	V	-	-
4	V	V	V	V	V	V	V	V	V	V	-	-	-	V	-	-
12	V	V	V	V	V	V	V	-	-	V	-	-	-	V	-	-
66	V	V	٧	٧	٧	٧	٧	٧	٧	V	-	-	-	V	-	-

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

**SCST Taivan Left ** No. 124 ** No. 1

n <mark>Ltd. _| No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號</mark>

台灣檢驗科技股份有限公司

t (886-2) 2299-3279 f (886-2) 2298-0488



Page: 15 of 134

	Test Iter	ms		Radiated Emission													
Band	Tes	st Chanı	nel		Bandwidth (MHz)						Modulation				RB#		
Dallu	L	М	Н	1.4	1.4 3 5 10 15 20					QPSK	16QAM	64QAM	256QAM	1	Half	Full	
2	٧	٧	٧	-	-	-	-	-	٧	٧	-	-	-	٧	-	-	
4	٧	٧	٧	-	-	-	-	-	٧	٧	-	-	-	٧		-	
12	٧	٧	٧	-	-	-	٧	1	-	٧	-	-	-	٧	•	-	
66	٧	٧	٧	-	-	-	-	-	٧	٧	-	-	-	٧	-	-	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Page: 16 of 134

MEASUREMENT UNCERTAINTY

Test Items	Und	certair	nty
RF Power Output	+/-	1	dB
ERP/ EIRP measurement	+/-	3	dB
ERF/ EIRF Measurement	+/-	3	dB
Emission Bandwidth	+/-	1.53	Hz
Out of Band Emissions at Antenna Terminals and Band Edge	+/-	1.68	dB
Peak to Average Ratio	+/-	1	dB
Frequency Stability vs. Temperature	+/-	1.53	Hz
Frequency Stability vs. Voltage	+/-	1.53	Hz
Temperature	+/-	0.4	°C
Humidity	+/-	3.5	%
DC / AC Power Source	+/-	1	%

Radiated Spurious Emission Measurement Uncertainty								
	+/-	2.57	dB	9kHz~30MHz				
Polarization: Vertical	+/-	4.85	dB	30MHz - 1000MHz				
Polarization. Vertical	+/-	4.45	dB	1GHz - 18GHz				
	+/-	4.24	dB	18GHz - 40GHz				
	+/-	2.57	dB	9kHz~30MHz				
 Polarization: Horizontal	+/-	4.37	dB	30MHz - 1000MHz				
Folarization: Horizontal	+/-	4.45	dB	1GHz - 18GHz				
	+/-	4.24	dB	18GHz - 40GHz				

This uncertainty represents an expanded uncertainty expressed at approximately the 95% confidence level using a coverage factor of k=2.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document area to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

**SCENTIAL PROBLEM STATES OF THE PROB



Page: 17 of 134

6 MEASUREMENT EQUIPMENT USED

6.1 Conducted Measurement

Conducted Emission Test Site: Conducted 4										
EQUIPMENT TYPE	MFR	MODEL NUMBER			CAL DUE.					
EXA Spectrum Analyzer	Agilent	N9010A	MY53400256	11/12/2021	11/11/2022					
Radio Communication Analyer	Anritsu	MT8820C	6200995019	03/28/2021	03/27/2022					
Temperature Chamber	Giant Force	GTH-150- 40-CP-AR	MAA0512-018	05/19/2021	05/18/2022					
DC Power Supply	Gwinstek	SPS-3610	GEV856733	12/03/2021	12/02/2022					
Attenuator	Mini-Circuit	BW- S10W2+	4	12/14/2021	12/13/2022					
DC Block	Mini-Circuits	BLK-18-S+	1	12/14/2021	12/13/2022					
Power Divider	RF-LAMBAD	RFLT2W1G1 8G	11-JSPF412- 017	12/14/2021	12/13/2022					

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

.td. No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279 f (886-2) 2298-0488



Page: 18 of 134

6.2 **Radiated Measurement**

		MODEL	SERIAL			
EQUIPMENT TYPE	MFR	NUMBER	NUMBER	LAST CAL.	CAL DUE.	
	SCHWARZBE	NOWIDER	NOWIBER			
Bi-log Antenna	CK	VULB9168	378	08/20/2021	08/19/2022	
	SCHWARZBE	BBHA9120		22/27/222	20/20/202	
Horn Antenna	CK	D 1441		09/27/2021	09/26/2022	
Horn Antonna	SCHWARZBE	DDU 40170	184	12/16/2021	12/15/2022	
Horn Antenna	CK	BBHA9170	104	12/10/2021	12/13/2022	
Bi-log Antenna	SCHWARZBE	VULB9168	300	10/19/2021	10/18/2022	
	CK					
Horn Antenna	SCHWARZBE	BBHA9120	603	05/18/2021	05/17/2022	
	CK SCHWARZBE	D				
Horn Antenna	CK	BBHA9170	185	08/02/2021	08/01/2022	
PXA Spectrum						
Analyzer	Agilent	N9030A	MY53120760	04/27/2021	04/26/2022	
Signal Generator	R&S	SMBV100A	263084	01/11/2022	01/10/2023	
Pre-Amplifier	HP	8449B	3008A00578	12/16/2021	12/15/2022	
Pre-Amplifier	HP	8447D	2944A07676	12/16/2021	12/15/2022	
Pre-Amplifier	EMC	EMC18404	980135	10/27/2021	10/26/2022	
TTC / (III)pillici	Instruments	5B	300133	10/2//2021	10/20/2022	
Filter 635-920	Micro-	WI	4	12/14/2021	12/13/2022	
	Tronics				· ,	
Filter 800-1000	Micro- Tronics	EWT	M1	12/14/2021	12/13/2022	
	Micro-					
Filter 1700-2000	Tronics	EWT	M3	12/14/2021	12/13/2022	
	Micro-			10/11/0001	10/10/2020	
1GHz High Pass Filter	Tronics	HPM50108	32	12/14/2021	12/13/2022	
2GHz High Pass Filter	Micro-	HPM50110	36	12/14/2021	12/13/2022	
ZGITZ FIIgH Fass FIILEI	Tronics		30	12/14/2021	12/13/2022	
Coaxial Cable	Huber	SUCOFLEX	MY2636/2	12/16/2021	12/15/2022	
	Suhner	102		, -, -	, -, -	
Coaxial Cable	Huber	SUCOFLEX	340057/4	12/16/2021	12/15/2022	
	Suhner Huber	104 SUCOFLEX				
Coaxial Cable	Suhner	104PEA	800052/2	12/16/2021	12/15/2022	
	Huber	SUCOFLEX				
Coaxial Cable	Suhner	102	MY2621/2	12/16/2021	12/15/2022	
Cassial Cabla	Huber	SUCOFLEX	NAV2647/2	12/16/2021	12/15/2022	
Coaxial Cable	Suhner	102	MY2617/2	12/16/2021	12/15/2022	
Coaxial Cable	Huber	SUCOFLEX	160125	12/16/2021	12/15/2022	
Couxidi Cabic	Suhner	104	100123	12/10/2021	12/13/2022	
Coaxial Cable	Huber	SUCOFLEX	76096/6	12/16/2021	12/15/2022	
	Suhner	106	, -		, -, -	
Coaxial Cable	Huber	SUCOFLEX	MY2630/2	12/16/2021	12/15/2022	
	Suhner Huber	102 SUCOFLEX				
Coaxial Cable	Suhner	102	MY22962/2	12/16/2021	12/15/2022	
	Huber	SUCOFLEX			1015-1	
Coaxial Cable	Suhner	102	SN 520430/2	12/16/2021	12/15/2022	
Radio Communication			6262044670	00/10/2021	09/17/2022	
Analyer	Anritsu	MT8821C	6262044670	08/18/2021	08/17/2022	
Site Cal	SGS	SAC 3	N/A	01/01/2022	12/31/2022	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Page: 19 of 134

7 MAXMUM OUTPUT POWER

7.1 Standard Applicable

A base station simulator was used to establish communication with the EUT. Its parameters were set to transmit the maximum power on the EUT. The measured power in the radio frequency on the transmitter output terminals.

7.1.1 ERP/EIRP LIMIT

According to FCC §2.1046

FCC 24.232(c)

Mobile and portable stations are limited to 2 W EIRP.

FCC 27.50(c)

(10) Portable stations (hand-held devices) are limited to 3 watts ERP.

FCC 27.50(d)

(4) Mobile, and portable (hand-held) stations operating in the 1710-1755 MHz, 1695-1710 MHz and 1755-1780 MHz bands are limited to 1W EIRP.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

**SCST Taivan Left ** No. 124 ** No. 1

a<mark>iwan Ltd.</mark> No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號


台灣檢驗科技股份有限公司

t (886-2) 2299-3279 f (886-2) 2298-0488



Page: 20 of 134

7.2 **Test Set-up**



Note: Measurement setup for testing on Antenna connector

7.3 **Output Power Measurement Applicable Guideance**

The transmitter output was connected to a calibrated attenuator, the other end of which was connected to a power meter. Transmitter output was read off the power meter in dBm. The power output at the transmitter antenna port was determined by adding the value of the attenuator to the power meter reading.

KDB 971168 D01 Power Meas License Digital System as the supplemental test methodology to adjust the proper setting obtaining the measurement results.

All LTE bands conducted average power is obtained from the simulator telecommunication test set.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

**SCST Taivan Left ** No. 124 ** No. 1

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279 www.sgs.com.tw



Page: 21 of 134

7.4 Determining ERP and/or EIRP from conducted RF output power measurements

According to KDB 412172 D01 Power Approach,

 $EIRP = P_T + G_T - L_C$

ERP= EIRP-2.15.

Where:

ERP or EIRP = effective radiated power or equivalent isotropically radiated power

> (expressed in the same units as PT, typically dBW, dBm, or power spectral density (PSD)2), relative to either a dipole antenna (ERP) or

an isotropic antenna (EIRP);

 P_{τ} = transmitter output power, expressed in dBW, dBm, or PSD;

= gain of the transmitting antenna, in dBd (ERP) or dBi (EIRP); Gτ

= signal attenuation in the connecting cable between the transmitter Lc

and antenna, in dB.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

**SCST Taivan Left ** No. 124 ** No. 1



Page: 22 of 134

7.5 **Measurement Results:**

1 97 Antenna gain (dBi)

Antenna	gain (dBi)	4.97							
		ı	LTE Band 2_Upl	link frequ	iency bar	nd : 1850 to 191	0 MHz		
BW (MHz)	UL Channel	Frequency (MHz)	Modulation	RB Size	RB Offset	Conducted Average (dBm)	EIRP Average (dBm)	EIRP Limit (dBm)	Margin (dB)
				1	0	22.83	27.80	33	-5.2
	18607	1850.7	QPSK	1	5	22.87	27.84	33	-5.16
	10007	1000.7	QFSN	3	2	22.86	27.83	33	-5.17
				6	0	21.81	26.78	33	-6.22
				1	0	22.88	27.85	33	-5.15
1.4	18900	1880	QPSK	1	5	22.86	27.83	33	-5.17
1.4	10300	1000	QISIN	3	2	22.79	27.76	33	-5.24
				6	0	21.93	26.90	33	-6.1
		1909.3	QPSK	1	0	22.78	27.75	33	-5.25
	19193			1	5	22.80	27.77	33	-5.23
	19193	1909.5	QISIN	3	2	22.91	27.88	33	-5.12
				6	0	21.89	26.86	33	-6.14
				1	0	21.85	26.82	33	-6.18
	18607	1850.7	16QAM	1	5	21.87	26.84	33	-6.16
	10007	1030.7	10QAW	3	2	21.93	26.90	33	-6.1
				6	0	20.79	25.76	33	-7.24
				1	0	21.81	26.78	33	-6.22
1.4	18900	1880	16QAM	1	5	21.89	26.86	33	-6.14
1.7	10300	1000	IOGAW	3	2	21.91	26.88	33	-6.12
				6	0	20.80	25.77	33	-7.23
				1	0	21.79	26.76	33	-6.24
	19193	1909.3	16QAM	1	5	21.89	26.86	33	-6.14
	13133	1303.5	IOGAW	3	2	21.78	26.75	33	-6.25
				6	0	20.91	25.88	33	-7.12

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Page: 23 of 134

Antenna gain (dBi) 4.97

		l	TE Band 2_Upl	ink frequ	iency bar	nd : 1850 to 191	0 MHz		
BW (MHz)	UL Channel	Frequency (MHz)	Modulation	RB Size	RB Offset	Conducted Average (dBm)	EIRP Average (dBm)	EIRP Limit (dBm)	Margin (dB)
				1	0	22.90	27.87	33	-5.13
	18615	1851.5	QPSK	1	14	22.79	27.76	33	-5.24
	10015	1001.0	QFSK	8	4	21.79	26.76	33	-6.24
				15	0	21.88	26.85	33	-6.15
				1	0	22.81	27.78	33	-5.22
3	18900	1880	QPSK	1	14	22.81	27.78	33	-5.22
3	10900	1000	QF3N	8	4	21.93	26.90	33	-6.1
				15	0	21.90	26.87	33	-6.13
		1908.5	QPSK	1	0	22.92	27.89	33	-5.11
	19185			1	14	22.77	27.74	33	-5.26
	19100	1906.5	QFSK	8	4	21.83	26.80	33	-6.2
				15	0	21.84	26.81	33	-6.19
				1	0	21.83	26.80	33	-6.2
	18615	1851.5	16QAM	1	14	21.76	26.73	33	-6.27
	10015	1001.0	TOQAM	8	4	20.84	25.81	33	-7.19
				15	0	20.80	25.77	33	-7.23
				1	0	21.92	26.89	33	-6.11
3	18900	1880	16QAM	1	14	21.94	26.91	33	-6.09
J	10300	1000	I U Q/AIVI	8	4	20.90	25.87	33	-7.13
				15	0	20.84	25.81	33	-7.19
				1	0	21.82	26.79	33	-6.21
	19185	1908 5	16OAM	1	14	21.86	26.83	33	-6.17
	19100	1908.5	16QAM —	8	4	20.89	25.86	33	-7.14
				15	0	20.77	25.74	33	-7.26

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此根告结果僅對測試之樣品負責,同時此樣品僅保留90天。本報告來企司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 24 of 134

Antenna gain (dBi) 4.97

		I	TE Band 2_Upl	ink frequ	iency bar	nd : 1850 to 191	0 MHz		
BW (MHz)	UL Channel	Frequency (MHz)	Modulation	RB Size	RB Offset	Conducted Average (dBm)	EIRP Average (dBm)	EIRP Limit (dBm)	Margin (dB)
				1	0	22.75	27.72	33	-5.28
	18625	1852.5	QPSK	1	24	22.94	27.91	33	-5.09
	10025	1002.0	QFSN	12	6	21.78	26.75	33	-6.25
				25	0	21.76	26.73	33	-6.27
				1	0	22.94	27.91	33	-5.09
5	18900	1880	QPSK	1	24	22.91	27.88	33	-5.12
J	10900	1000	QFSK	12	6	21.76	26.73	33	-6.27
				25	0	21.92	26.89	33	-6.11
		1907.5	QPSK	1	0	22.77	27.74	33	-5.26
	19175			1	24	22.81	27.78	33	-5.22
	19173	1907.5	QFSK	12	6	21.76	26.73	33	-6.27
				25	0	21.79	26.76	33	-6.24
				1	0	21.78	26.75	33	-6.25
	18625	1852.5	16QAM	1	24	21.76	26.73	33	-6.27
	10023	1032.3	TOQAM	12	6	20.86	25.83	33	-7.17
				25	0	20.93	25.90	33	-7.1
				1	0	21.80	26.77	33	-6.23
5	18900	1880	16QAM	1	24	21.79	26.76	33	-6.24
J	10300	1000	IUQAW	12	6	20.91	25.88	33	-7.12
				25	0	20.83	25.80	33	-7.2
				1	0	21.90	26.87	33	-6.13
	19175	1907 5	16OAM	1	24	21.81	26.78	33	-6.22
	19110	1907.5	16QAM —	12	6	20.88	25.85	33	-7.15
				25	0	20.89	25.86	33	-7.14

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此根告结果僅對測試之樣品負責,同時此樣品僅保留90天。本報告來企司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 25 of 134

Antenna gain (dBi) 4.97

	. , ,								
		l	_TE Band 2_Upl	ink frequ	ency bar	nd : 1850 to 191	0 MHz		
BW (MHz)	UL Channel	Frequency (MHz)	Modulation	RB Size	RB Offset	Conducted Average (dBm)	EIRP Average (dBm)	EIRP Limit (dBm)	Margin (dB)
				1	0	22.88	27.85	33	-5.15
	18650	1855	QPSK	1	49	22.82	27.79	33	-5.21
	10000	1000	QP3N	25	12	21.93	26.90	33	-6.1
				50	0	21.90	26.87	33	-6.13
				1	0	22.81	27.78	33	-5.22
10	18900	1880	QPSK	1	49	22.95	27.92	33	-5.08
10	10900	1000	QFSK	25	12	21.89	26.86	33	-6.14
				50	0	21.81	26.78	33	-6.22
				1	0	22.89	27.86	33	-5.14
	19150	1905	QPSK	1	49	22.93	27.90	33	-5.1
	19150	1905	QFSN	25	12	21.91	26.88	33	-6.12
				50	0	21.85	26.82	33	-6.18
				1	0	21.90	26.87	33	-6.13
	18650	1855	16QAM	1	49	21.88	26.85	33	-6.15
	10030	1000	IOQAW	25	12	20.94	25.91	33	-7.09
				50	0	N/A	N/A	N/A	N/A
				1	0	21.80	26.77	33	-6.23
10	18900	1880	16QAM	1	49	21.80	26.77	33	-6.23
10	10900	1000	IOQAW	25	12	20.89	25.86	33	-7.14
				50	0	N/A	N/A	N/A	N/A
				1	0	21.93	26.90	33	-6.1
	19150	1905	16QAM	1	49	21.91	26.88	33	-6.12
	19100	1900	IUQAW	25	12	20.80	25.77	33	-7.23
				50	0	N/A	N/A	N/A	N/A

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

「<mark>aiwan Ltd. 」</mark> No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號



Page: 26 of 134

Antenna gain (dBi) 4.97

	· ,	-							
		l	TE Band 2_Upl	ink frequ	iency bar	nd : 1850 to 191	0 MHz		
BW (MHz)	UL Channel	Frequency (MHz)	Modulation	RB Size	RB Offset	Conducted Average (dBm)	EIRP Average (dBm)	EIRP Limit (dBm)	Margin (dB)
				1	0	22.88	27.85	33	-5.15
	18675	1857.5	QPSK	1	74	22.87	27.84	33	-5.16
	10075	1007.0	QP3N	36	18	21.89	26.86	33	-6.14
				75	0	21.88	26.85	33	-6.15
				1	0	22.94	27.91	33	-5.09
15	18900	1880	QPSK	1	74	22.79	27.76	33	-5.24
15	10900	1000	QFSN	36	18	21.92	26.89	33	-6.11
				75	0	21.86	26.83	33	-6.17
		1902.5	QPSK	1	0	22.93	27.90	33	-5.1
	19125			1	74	22.80	27.77	33	-5.23
	19123	1902.5	QFSK	36	18	21.86	26.83	33	-6.17
				75	0	21.77	26.74	33	-6.26
				1	0	21.84	26.81	33	-6.19
	18675	1857.5	16QAM	1	74	21.93	26.90	33	-6.1
	10075	1007.0	TOQAW	36	18	N/A	N/A	N/A	N/A
				75	0	N/A	N/A	N/A	N/A
				1	0	21.87	26.84	33	-6.16
15	18900	1880	16QAM	1	74	21.87	26.84	33	-6.16
13	10900	1000	IOQAW	36	18	N/A	N/A	N/A	N/A
				75	0	N/A	N/A	N/A	N/A
		_		1	0	21.89	26.86	33	-6.14
	19125	1902.5	16OAM	1	74	21.91	26.88	33	-6.12
	13123	1302.3	16QAM	36	18	N/A	N/A	N/A	N/A
				75	0	N/A	N/A	N/A	N/A

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此根告结果僅對測試之樣品負責,同時此樣品僅保留90天。本報告來企司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279 f (886-2) 2298-0488 www.sgs.com.tw



Page: 27 of 134

Antenna gain (dBi) 4.97

		l	TE Band 2_Upl	ink frequ	ency bar	nd : 1850 to 191	0 MHz		
BW (MHz)	UL Channel	Frequency (MHz)	Modulation	RB Size	RB Offset	Conducted Average (dBm)	EIRP Average (dBm)	EIRP Limit (dBm)	Margin (dB)
				1	0	22.98	27.95	33	-5.05
	18700	1860	QPSK	1	99	22.82	27.79	33	-5.21
	16700	1000	QFSN	50	25	21.84	26.81	33	-6.19
				100	0	21.82	26.79	33	-6.21
				1	0	22.99	27.96	33	-5.04
20	18900	1880	QPSK	1	99	22.86	27.83	33	-5.17
20	10300	1000	Qi Sit	50	25	21.80	26.77	33	-6.23
				100	0	21.88	26.85	33	-6.15
		1900	QPSK	1	0	22.96	27.93	33	-5.07
	19100			1	99	22.84	27.81	33	-5.19
	19100	1900	QFSK	50	25	21.77	26.74	33	-6.26
				100	0	21.81	26.78	33	-6.22
				1	0	21.82	26.79	33	-6.21
	18700	1860	16QAM	1	99	21.92	26.89	33	-6.11
	10700	1000	IOQAW	50	25	N/A	N/A	N/A	N/A
				100	0	N/A	N/A	N/A	N/A
				1	0	21.85	26.82	33	-6.18
20	18900	1880	16QAM	1	99	21.84	26.81	33	-6.19
20	10300	1000	IOQAW	50	25	N/A	N/A	N/A	N/A
				100	0	N/A	N/A	N/A	N/A
				1	0	21.85	26.82	33	-6.18
	19100	1900	16OAM	1	99	21.89	26.86	33	-6.14
	13100	1900	16QAM	50	25	N/A	N/A	N/A	N/A
				100	0	N/A	N/A	N/A	N/A

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此根告结果僅對測試之樣品負責,同時此樣品僅保留90天。本報告來企司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 28 of 134

Antenna gain (dBi) 4.97

	94 (42.)	4.57							
		I	TE Band 4_Upl	ink frequ	iency bar	nd : 1710 to 175	5 MHz		
BW (MHz)	UL Channel	Frequency (MHz)	Modulation	RB Size	RB Offset	Conducted Average (dBm)	EIRP Average (dBm)	EIRP Limit (dBm)	Margin (dB)
				1	0	23.02	27.99	30	-2.01
	19957	1710.7	QPSK	1	5	23.07	28.04	30	-1.96
	19957	17 10.7	QPSK	3	2	22.96	27.93	30	-2.07
				6	0	22.11	27.08	30	-2.92
				1	0	23.06	28.03	30	-1.97
1.4	20175	1732.5	QPSK	1	5	23.01	27.98	30	-2.02
1.4	20173	1732.3	Qi Sit	3	2	23.10	28.07	30	-1.93
				6	0	22.10	27.07	30	-2.93
			QPSK	1	0	23.12	28.09	30	-1.91
	20393	1754.3		1	5	22.96	27.93	30	-2.07
	20090	1734.3	Qi Sit	3	2	23.04	28.01	30	-1.99
				6	0	22.13	27.10	30	-2.9
				1	0	22.08	27.05	30	-2.95
	19957	1710.7	16QAM	1	5	22.05	27.02	30	-2.98
	19957	17 10.7	TOQAW	3	2	22.14	27.11	30	-2.89
				6	0	21.12	26.09	30	-3.91
				1	0	22.10	27.07	30	-2.93
1.4	20175	1732.5	16QAM	1	5	21.98	26.95	30	-3.05
1.4	20173	1732.3	IUQAW	3	2	22.00	26.97	30	-3.03
				6	0	21.09	26.06	30	-3.94
				1	0	22.06	27.03	30	-2.97
	20393	1754 3	16OAM	1	5	22.13	27.10	30	-2.9
	20000	1754.3	16QAM —	3	2	22.02	26.99	30	-3.01
				6	0	21.04	26.01	30	-3.99

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此根告结果僅對測試之樣品負責,同時此樣品僅保留90天。本報告來企司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 29 of 134

Antenna gain (dBi) 4.97

	· ,	-							
		l	_TE Band 4_Upl	ink frequ	iency bar	nd : 1710 to 175	5 MHz		
BW (MHz)	UL Channel	Frequency (MHz)	Modulation	RB Size	RB Offset	Conducted Average (dBm)	EIRP Average (dBm)	EIRP Limit (dBm)	Margin (dB)
				1	0	23.02	27.99	30	-2.01
	10065	4744 E	ODCK	1	14	23.08	28.05	30	-1.95
	19965	1711.5	QPSK	8	4	22.01	26.98	30	-3.02
				15	0	21.95	26.92	30	-3.08
				1	0	23.04	28.01	30	-1.99
3	20175	1732.5	QPSK	1	14	23.12	28.09	30	-1.91
3	20175	1732.3	QF3N	8	4	22.02	26.99	30	-3.01
				15	0	22.04	27.01	30	-2.99
		1753.5	QPSK	1	0	23.10	28.07	30	-1.93
	20385			1	14	23.13	28.10	30	-1.9
	20303	1733.3	QFSK	8	4	22.08	27.05	30	-2.95
				15	0	22.05	27.02	30	-2.98
				1	0	22.12	27.09	30	-2.91
	19965	1711.5	16QAM	1	14	22.08	27.05	30	-2.95
	19903	1711.5	TOGAW	8	4	21.03	26.00	30	-4
				15	0	21.01	25.98	30	-4.02
				1	0	22.13	27.10	30	-2.9
3	20175	1732.5	16QAM	1	14	21.96	26.93	30	-3.07
J	20173	1732.3	IUQAW	8	4	21.13	26.10	30	-3.9
				15	0	21.06	26.03	30	-3.97
				1	0	22.11	27.08	30	-2.92
	20385	1753 5	16OAM	1	14	22.15	27.12	30	-2.88
	20303	1753.5	16QAM —	8	4	21.15	26.12	30	-3.88
				15	0	21.02	25.99	30	-4.01

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此根告结果僅對測試之樣品負責,同時此樣品僅保留90天。本報告來企司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 30 of 134

Antenna gain (dBi) 4.97

74101114	0 ()	4.01							
		ı	TE Band 4_Upl	ink frequ	iency bar	nd : 1710 to 175	5 MHz		
BW (MHz)	UL Channel	Frequency (MHz)	Modulation	RB Size	RB Offset	Conducted Average (dBm)	EIRP Average (dBm)	EIRP Limit (dBm)	Margin (dB)
				1	0	23.10	28.07	30	-1.93
	19975	1712.5	QPSK	1	24	23.14	28.11	30	-1.89
	19975	1712.5	QPSK	12	6	22.11	27.08	30	-2.92
				25	0	21.97	26.94	30	-3.06
				1	0	23.14	28.11	30	-1.89
5	20175	1732.5	QPSK	1	24	22.98	27.95	30	-2.05
J	20173	1732.3	Qi Sit	12	6	22.04	27.01	30	-2.99
				25	0	22.11	27.08	30	-2.92
			QPSK	1	0	23.14	28.11	30	-1.89
	20375	1752.5		1	24	23.10	28.07	30	-1.93
	20373	1732.3	Qi Sit	12	6	22.00	26.97	30	-3.03
				25	0	22.00	26.97	30	-3.03
				1	0	22.13	27.10	30	-2.9
	19975	1712.5	16QAM	1	24	22.04	27.01	30	-2.99
	15575	17 12.0	TOGAW	12	6	20.99	25.96	30	-4.04
				25	0	20.97	25.94	30	-4.06
				1	0	21.95	26.92	30	-3.08
5	20175	1732.5	16QAM	1	24	22.11	27.08	30	-2.92
	20170	1702.0	I O Q/AIVI	12	6	21.03	26.00	30	-4
				25	0	21.11	26.08	30	-3.92
				1	0	22.06	27.03	30	-2.97
	20375	1752.5	16OAM	1	24	22.03	27.00	30	-3
	20070	1702.0	16QAM —	12	6	21.14	26.11	30	-3.89
				25	0	21.02	25.99	30	-4.01

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此根告结果僅對測試之樣品負責,同時此樣品僅保留90天。本報告來企司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 31 of 134

Antenna gain (dBi) 4.97

		I	TE Band 4_Upl	ink frequ	iency bar	nd : 1710 to 175	5 MHz		
BW (MHz)	UL Channel	Frequency (MHz)	Modulation	RB Size	RB Offset	Conducted Average (dBm)	EIRP Average (dBm)	EIRP Limit (dBm)	Margin (dB)
				1	0	23.13	28.10	30	-1.9
	20000	1715	QPSK	1	49	23.01	27.98	30	-2.02
	20000	1715	QFSN	25	12	22.10	27.07	30	-2.93
				50	0	22.01	26.98	30	-3.02
				1	0	23.08	28.05	30	-1.95
10	20175	1732.5	QPSK	1	49	23.10	28.07	30	-1.93
10	20173	1732.3	QFSK	25	12	22.10	27.07	30	-2.93
				50	0	22.11	27.08	30	-2.92
			QPSK	1	0	23.08	28.05	30	-1.95
	20350	1750		1	49	22.97	27.94	30	-2.06
	20330	1730	QFSK	25	12	22.08	27.05	30	-2.95
				50	0	22.11	27.08	30	-2.92
				1	0	22.06	27.03	30	-2.97
	20000	1715	16QAM	1	49	21.97	26.94	30	-3.06
	20000	1713	TOQAM	25	12	21.01	25.98	30	-4.02
				50	0	N/A	N/A	N/A	N/A
				1	0	22.07	27.04	30	-2.96
10	20175	1732.5	16QAM	1	49	21.96	26.93	30	-3.07
10	20173	1732.3	IUQAW	25	12	20.99	25.96	30	-4.04
				50	0	N/A	N/A	N/A	N/A
				1	0	21.96	26.93	30	-3.07
	20350	1750	16OAM	1	49	22.00	26.97	30	-3.03
	20000	1750	16QAM —	25	12	20.95	25.92	30	-4.08
ı				50	0	N/A	N/A	N/A	N/A

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此根告结果僅對測試之樣品負責,同時此樣品僅保留90天。本報告來企司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 32 of 134

Antenna gain (dBi) 4.97

	• ,	_							
		ı	_TE Band 4_Upl	ink frequ	iency bai	nd : 1710 to 175	5 MHz		
BW (MHz)	UL Channel	Frequency (MHz)	Modulation	RB Size	RB Offset	Conducted Average (dBm)	EIRP Average (dBm)	EIRP Limit (dBm)	Margin (dB)
				1	0	23.10	28.07	30	-1.93
	20025	1717.5	QPSK	1	74	22.98	27.95	30	-2.05
	20025	1/1/.5	QPSK	36	18	21.97	26.94	30	-3.06
				75	0	22.14	27.11	30	-2.89
				1	0	23.08	28.05	30	-1.95
15	20175	1732.5	QPSK	1	74	22.98	27.95	30	-2.05
10	20173	1732.3	Qi Sit	36	18	22.00	26.97	30	-3.03
				75	0	22.12	27.09	30	-2.91
		1747.5	QPSK	1	0	23.14	28.11	30	-1.89
	20325			1	74	23.02	27.99	30	-2.01
	20323	1747.5	Qi Sit	36	18	22.07	27.04	30	-2.96
				75	0	22.07	27.04	30	-2.96
				1	0	22.04	27.01	30	-2.99
	20025	1717.5	16QAM	1	74	21.99	26.96	30	-3.04
	20020	1717.5	TOGAIVI	36	18	N/A	N/A	N/A	N/A
				75	0	N/A	N/A	N/A	N/A
				1	0	22.13	27.10	30	-2.9
15	20175	1732.5	16QAM	1	74	22.02	26.99	30	-3.01
10	20170	1702.0	10QAW	36	18	N/A	N/A	N/A	N/A
				75	0	N/A	N/A	N/A	N/A
				1	0	22.05	27.02	30	-2.98
	20325	1747 5	16OAM	1	74	21.96	26.93	30	-3.07
	20020	1747.5	16QAM	36	18	N/A	N/A	N/A	N/A
				75	0	N/A	N/A	N/A	N/A

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此根告结果僅對測試之樣品負責,同時此樣品僅保留90天。本報告來企司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 33 of 134

Antenna gain (dBi) 4.97

	• ,								
		ı	TE Band 4_Upl	ink frequ	iency bai	nd : 1710 to 175	5 MHz		
BW (MHz)	UL Channel	Frequency (MHz)	Modulation	RB Size	RB Offset	Conducted Average (dBm)	EIRP Average (dBm)	EIRP Limit (dBm)	Margin (dB)
				1	0	22.17	27.14	30	-2.86
	20050	1720	QPSK	1	99	23.11	28.08	30	-1.92
	20050	1720	QP5K	50	25	22.05	27.02	30	-2.98
				100	0	21.98	26.95	30	-3.05
				1	0	23.15	28.12	30	-1.88
20	20175	1732.5	QPSK	1	99	23.10	28.07	30	-1.93
20	20173	1732.3	QFSK	50	25	22.12	27.09	30	-2.91
				100	0	22.15	27.12	30	-2.88
				1	0	23.19	28.16	30	-1.84
	20300	1745	QPSK	1	99	22.97	27.94	30	-2.06
	20300	1745	QFSK	50	25	22.05	27.02	30	-2.98
				100	0	22.05	27.02	30	-2.98
				1	0	22.03	27.00	30	-3
	20050	1720	16QAM	1	99	22.05	27.02	30	-2.98
	20030	1720	10QAW	50	25	N/A	N/A	N/A	N/A
				100	0	N/A	N/A	N/A	N/A
				1	0	22.02	26.99	30	-3.01
20	20175	1732.5	16QAM	1	99	22.02	26.99	30	-3.01
20	20170	1702.0	I O Q/AIVI	50	25	N/A	N/A	N/A	N/A
				100	0	N/A	N/A	N/A	N/A
				1	0	22.09	27.06	30	-2.94
	20300	1745	16OAM	1	99	21.96	26.93	30	-3.07
	20000	1775	16QAM	50	25	N/A	N/A	N/A	N/A
				100	0	N/A	N/A	N/A	N/A

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此根告结果僅對測試之樣品負責,同時此樣品僅保留90天。本報告來企司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 34 of 134

Antenna gain (dBi)		0.82									
LTE Band 12_Uplink frequency band : 699 to 716 MHz											
BW (MHz)	UL Channel	Frequency (MHz)	Modulation	RB Size	RB Offset	Conducted Average (dBm)	ERP Average (dBm)	EIRP Average (dBm)	ERP Limit (dBm)	Margin (dB)	
		699.7	QPSK -	1	0	23.54	22.21	24.36	34.77	-12.56	
	23017			1	5	23.50	22.17	24.32	34.77	-12.60	
	23017			3	2	23.55	22.22	24.37	34.77	-12.55	
				6	0	22.60	21.27	23.42	34.77	-13.50	
				1	0	23.59	22.26	24.41	34.77	-12.51	
1.4	23095	707.5	QPSK	1	5	23.55	22.22	24.37	34.77	-12.55	
1.4				3	2	23.52	22.19	24.34	34.77	-12.58	
				6	0	22.54	21.21	23.36	34.77	(dB) -12.56 -12.60 -12.55 -13.50 -12.51 -12.55	
				1	0	23.48	22.15	24.30	34.77		
	23173	715.5	QPSK	1	5	23.52	22.19	24.34	34.77	-12.58	
				3	2	23.48	22.15	24.30	34.77	-12.62	
				6	0	22.45	21.12	23.27	34.77	-13.65	
	23017	699.7	16QAM	1	0	22.62	21.29	23.44	34.77	-13.48	
				1	5	22.56	21.23	23.38	34.77	-13.54	
				3	2	22.47	21.14	23.29	34.77	-13.63	
				6	0	21.54	20.21	22.36	34.77	-14.56	
	23095			1	0	22.50	21.17	23.32	34.77	-13.60	
1.4		707.5	16QAM -	1	5	22.61	21.28	23.43	34.77	-13.49	
				3	2	22.55	21.22	23.37	34.77	-13.55	
				6	0	21.49	20.16	22.31	34.77	-14.61	
	23173			1	0	22.61	21.28	23.43	34.77	-13.49	
		715.5	16QAM –	1	5	22.61	21.28	23.43	34.77	-13.49	
				3	2	22.64	21.31	23.46	34.77	-13.46	
				6	0	21.45	20.12	22.27	34.77	-14.65	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

i <mark>Taiwan Ltd.</mark> No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號



Page: 35 of 134

Antenna gain (dBi)		0.82								
			LTE Bar	nd 12_Up	link frequ	uency band : 69	9 to 716 MHz			
BW (MHz)	UL Channel	Frequency (MHz)	Modulation	RB Size	RB Offset	Conducted Average (dBm)	ERP Average (dBm)	EIRP Average (dBm)	ERP Limit (dBm)	Margin (dB)
		700.5	QPSK	1	0	23.51	22.18	24.33	34.77	-12.59
	23025			1	14	23.58	22.25	24.40	34.77	-12.52
				8	4	22.65	21.32	23.47	34.77	-13.45
				15	0	22.48	21.15	23.30	34.77	-13.62
				1	0	23.57	22.24	24.39	34.77	-12.53
3	23095	707.5	QPSK	1	14	23.59	22.26	24.41	34.77	-12.51
3				8	4	22.59	21.26	23.41	34.77	-13.51
				15	0	22.56	21.23	23.38	34.77	-13.54
				1	0	23.53	22.20	24.35	34.77	-12.57
	23165	714.5	QPSK	1	14	23.50	22.17	24.32	34.77	-12.60
				8	4	22.54	21.21	23.36	34.77	-13.56
				15	0	22.49	21.16	23.31	34.77	-13.61
	23025	700.5	16QAM	1	0	22.46	21.13	23.28	34.77	-13.64
				1	14	22.50	21.17	23.32	34.77	-13.60
				8	4	21.62	20.29	22.44	34.77	-14.48
				15	0	21.63	20.30	22.45	34.77	-14.47
3	23095		16QAM	1	0	22.46	21.13	23.28	34.77	-13.64
		707.5		1	14	22.57	21.24	23.39	34.77	-13.53
J				8	4	21.50	20.17	22.32	34.77	-14.60
				15	0	21.47	20.14	22.29	34.77	-14.63
	23165	714.5	16QAM -	1	0	22.63	21.30	23.45	34.77	-13.47
				1	14	22.58	21.25	23.40	34.77	-13.52
				8	4	21.65	20.32	22.47	34.77	-14.45
				15	0	21.47	20.14	22.29	34.77	-14.63

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Page: 36 of 134

Antenna	gain (dBi)	0.82									
LTE Band 12_Uplink frequency band : 699 to 716 MHz											
BW (MHz)	UL Channel	Frequency (MHz)	Modulation	RB Size	RB Offset	Conducted Average (dBm)	ERP Average (dBm)	EIRP Average (dBm)	ERP Limit (dBm)	Margin (dB)	
				1 0 23.55 22.22 2	24.37	34.77	-12.55				
	23035	701.5	QPSK	1	24	23.46	22.13	24.28	34.77	-12.64	
	23033	701.5		12	6	22.46	21.13	23.28	34.77	-13.64	
				25	0	22.59	21.26	23.41	34.77	-13.51	
				1	0	23.47	22.14	24.29	34.77	-12.63	
5	23095	707.5	QPSK	1	24	23.49	22.16	24.31	34.77	-12.61	
J			QF3K	12	6	22.51	21.18	23.33	34.77	-13.59	
				25	0	22.49	21.16	23.31	34.77	-13.61	
				1	0	23.49	22.16	24.31	34.77	-12.61	
	23155	713.5	QPSK	1	24	23.45	22.12	24.27	34.77	-12.65	
				12	6	22.65	21.32	23.47	34.77	-13.45	
				25	0	22.50	21.17	23.32	34.77	-13.60	
	23035	701.5	16QAM	1	0	22.48	21.15	23.30	34.77	-13.62	
				1	24	22.54	21.21	23.36	34.77	-13.56	
				12	6	21.50	20.17	22.32	34.77	-14.60	
				25	0	21.56	20.23	22.38	34.77	-14.54	
	23095			1	0	22.49	21.16	23.31	34.77	-13.61	
5		707.5	16QAM	1	24	22.63	21.30	23.45	34.77	-13.47	
J				12	6	21.65	20.32	22.47	34.77	-14.45	
				25	0	21.46	20.13	22.28	34.77	-14.64	
	23155	713.5		1	0	22.61	21.28	23.43	34.77	-13.49	
			713.5 16QAM —	1	24	22.63	21.30	23.45	34.77	-13.47	
				12	6	21.52	20.19	22.34	34.77	-14.58	
I				25	0	21.50	20.17	22.32	34.77	-14.60	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Page: 37 of 134

Antenna	gain (dBi)	0.82								
			LTE Bar	nd 12_Up	link frequ	ency band: 69	9 to 716 MHz			
BW (MHz)	UL Channel	Frequency (MHz)	Modulation	RB Size	RB Offset	Conducted Average (dBm)	ERP Average (dBm)	EIRP Average (dBm)	ERP Limit (dBm)	Margin (dB)
				1	0	23.69	22.36	24.51	34.77	-12.41
	23060	704	QPSK	1	49	23.51	22.18	24.33	34.77	-12.59
	23000	704	QFSK	25	12	22.49	21.16	23.31	34.77	-13.61
				50	0	22.53	21.20	23.35	34.77	-13.57
				1	0	23.66	22.33	24.48	34.77	-12.44
10	23095	707.5	QPSK	1	49	23.52	22.19	24.34	34.77	-12.58
10	10 23095 707	101.5	QI OIT	25	12	22.60	21.27	23.42	34.77	-13.50
				50	0	22.50	21.17	23.32	34.77	-13.60
		711	711 QPSK	1	0	23.65	22.32	24.47	34.77	-12.45
	23130			1	49	23.59	22.26	24.41	34.77	-12.51
	20100	'''		25	12	22.47	21.14	23.29	34.77	-13.63
				50	0	22.52	21.19	23.34	34.77	-13.58
				1	0	22.60	21.27	23.42	34.77	-13.50
	23060	704	16QAM	1	49	22.49	21.16	23.31	34.77	-13.61
	23000	704	TOQAW	25	12	21.53	20.20	22.35	34.77	-14.57
				50	0	N/A	N/A	N/A	N/A	N/A
				1	0	22.58	21.25	23.40	34.77	-13.52
10	23095	707.5	16QAM	1	49	22.51	21.18	23.33	34.77	-13.59
10	10 23095	101.5	TOGATIVI	25	12	21.59	20.26	22.41	34.77	-14.51
				50	0	N/A	N/A	N/A	N/A	N/A
				1	0	22.52	21.19	23.34	34.77	-13.58
	23130	711	16QAM	1	49	22.62	21.29	23.44	34.77	-13.48
	20100	/ ' ' '	IUQAW	25	12	21.48	20.15	22.30	34.77	-14.62
				50	0	N/A	N/A	N/A	N/A	N/A

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此根告结果僅對測試之樣品負責,同時此樣品僅保留90天。本報告來企司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 38 of 134

Antenna gain (dBi) 4.97

		L	TE Band 66_Up	link freq	uency ba	nd : 1710 to 178	0 MHz		
BW (MHz)	UL Channel	Frequency (MHz)	Modulation	RB Size	RB Offset	Conducted Average (dBm)	EIRP Average (dBm)	EIRP Limit (dBm)	Margin (dB)
				1	0	22.95	27.92	30	-2.08
	131979	1710.7	QPSK	1	5	22.93	27.90	30	-2.1
	131979	1710.7	QP3N	3	2	22.92	27.89	30	-2.11
				6	0	22.04	27.01	30	-2.99
				1	0	23.05	28.02	30	-1.98
1.4	132322	1745	QPSK	1	5	22.88	27.85	30	-2.15
1.4	132322	1743	QFSK	3	2	23.01	27.98	30	-2.02
				6	0	21.93	26.90	30	-3.1
		1779.3	QPSK	1	0	22.89	27.86	30	-2.14
	132665			1	5	22.87	27.84	30	-2.16
	132003			3	2	22.85	27.82	30	-2.18
				6	0	21.90	26.87	30	-3.13
				1	0	22.00	26.97	30	-3.03
	131979	1710.7	16QAM	1	5	22.03	27.00	30	-3
	131979	1710.7	TOQAW	3	2	21.99	26.96	30	-3.04
				6	0	20.95	25.92	30	-4.08
				1	0	22.03	27.00	30	-3
1.4	132322	1745	16QAM	1	5	21.94	26.91	30	-3.09
1.4	132322	1740	TOQAW	3	2	22.05	27.02	30	-2.98
				6	0	21.03	26.00	30	-4
				1	0	21.92	26.89	30	-3.11
	132665	1770 3	16QAM	1	5	22.00	26.97	30	-3.03
	132003	1779.3	IUQAW	3	2	21.94	26.91	30	-3.09
				6	0	20.87	25.84	30	-4.16

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此根告结果僅對測試之樣品負責,同時此樣品僅保留90天。本報告來企司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 39 of 134

Antenna gain (dBi) 4.97

		L	TE Band 66_Up	link freq	uency ba	nd : 1710 to 178	0 MHz		
BW (MHz)	UL Channel	Frequency (MHz)	Modulation	RB Size	RB Offset	Conducted Average (dBm)	EIRP Average (dBm)	EIRP Limit (dBm)	Margin (dB)
				1	0	22.90	27.87	30	-2.13
	121007	1711.5	QPSK	1	14	22.92	27.89	30	-2.11
	131987	1/11.5	QP3N	8	4	21.89	26.86	30	-3.14
				15	0	21.92	26.89	30	-3.11
				1	0	22.96	27.93	30	-2.07
3	132322	1745	QPSK	1	14	22.92	27.89	30	-2.11
J	132322	1745	QF3N	8	4	21.96	26.93	30	-3.07
				15	0	21.86	26.83	30	-3.17
			.5 QPSK	1	0	23.03	28.00	30	-2
	132657	7 1778.5		1	14	23.05	28.02	30	-1.98
	132037			8	4	21.96	26.93	30	-3.07
				15	0	21.99	26.96	30	-3.04
				1	0	22.01	26.98	30	-3.02
	131987	1711.5	16QAM	1	14	22.02	26.99	30	-3.01
	131907	1711.5	TOQAM	8	4	20.96	25.93	30	-4.07
				15	0	20.90	25.87	30	-4.13
				1	0	21.85	26.82	30	-3.18
3	132322	1745	16QAM	1	14	21.92	26.89	30	-3.11
J	102022	1145	I U Q/AIVI	8	4	20.87	25.84	30	-4.16
_				15	0	21.04	26.01	30	-3.99
				1	0	22.00	26.97	30	-3.03
	132657	1778.5	16QAM	1	14	21.98	26.95	30	-3.05
	132031	1770.5	I U Q/AIVI	8	4	20.86	25.83	30	-4.17
				15	0	20.96	25.93	30	-4.07

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此根告结果僅對測試之樣品負責,同時此樣品僅保留90天。本報告來企司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 40 of 134

Antenna gain (dBi) 4.97

	· ,								
		L	TE Band 66_Up	link freq	uency ba	nd : 1710 to 178	0 MHz		
BW (MHz)	UL Channel	Frequency (MHz)	Modulation	RB Size	RB Offset	Conducted Average (dBm)	EIRP Average (dBm)	EIRP Limit (dBm)	Margin (dB)
				1	0	22.86	27.83	30	-2.17
	121007	1712.5	QPSK	1	24	22.95	27.92	30	-2.08
	131997	1712.5	QP5K	12	6	21.86	26.83	30	-3.17
				25	0	22.04	27.01	30	-2.99
				1	0	22.88	27.85	30	-2.15
5	132322	1745	QPSK	1	24	22.99	27.96	30	-2.04
J	132322	1743	QFSK	12	6	21.90	26.87	30	-3.13
				25	0	21.92	26.89	30	-3.11
			QPSK	1	0	22.97	27.94	30	-2.06
	132647	47 1777.5		1	24	22.96	27.93	30	-2.07
	132047			12	6	21.97	26.94	30	-3.06
				25	0	21.89	26.86	30	-3.14
				1	0	22.04	27.01	30	-2.99
	131997	1712.5	16QAM	1	24	21.92	26.89	30	-3.11
	131991	17 12.3	TOGAW	12	6	20.86	25.83	30	-4.17
				25	0	21.03	26.00	30	-4
				1	0	21.93	26.90	30	-3.1
5	132322	1745	16QAM	1	24	21.94	26.91	30	-3.09
J	102022	1745	IOGAWI	12	6	20.93	25.90	30	-4.1
				25	0	20.87	25.84	30	-4.16
				1	0	22.00	26.97	30	-3.03
	132647	1777 5	16QAM	1	24	22.04	27.01	30	-2.99
	102041	1777.5	IOGAWI	12	6	20.94	25.91	30	-4.09
				25	0	20.98	25.95	30	-4.05

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此根告结果僅對測試之樣品負責,同時此樣品僅保留90天。本報告來企司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 41 of 134

Antenna gain (dBi) 4.97

	· ,								
		L	TE Band 66_Up	link freq	uency ba	nd : 1710 to 178	80 MHz		
BW (MHz)	UL Channel	Frequency (MHz)	Modulation	RB Size	RB Offset	Conducted Average (dBm)	EIRP Average (dBm)	EIRP Limit (dBm)	Margin (dB)
				1	0	22.87	27.84	30	-2.16
	122022	1715	QPSK	1	49	23.00	27.97	30	-2.03
	132022	1715	QP3N	25	12	21.94	26.91	30	-3.09
				50	0	22.02	26.99	30	-3.01
				1	0	22.87	27.84	30	-2.16
10	132322	1745	QPSK	1	49	23.00	27.97	30	-2.03
10	132322	1745	QF3N	25	12	21.99	26.96	30	-3.04
			50	0	21.89	26.86	30	-3.14	
			775 QPSK	1	0	22.85	27.82	30	-2.18
	132622	1775		1	49	22.94	27.91	30	-2.09
	132022	1775		25	12	21.98	26.95	30	-3.05
				50	0	21.95	26.92	30	-3.08
				1	0	22.05	27.02	30	-2.98
	132022	1715	16QAM	1	49	21.93	26.90	30	-3.1
	132022	1713	TOGAW	25	12	21.04	26.01	30	-3.99
				50	0	N/A	N/A	N/A	N/A
				1	0	22.02	26.99	30	-3.01
10	132322	1745	16QAM	1	49	21.92	26.89	30	-3.11
10	102022	1745	IUQAW	25	12	20.99	25.96	30	-4.04
				50	0	N/A	N/A	N/A	N/A
				1	0	21.93	26.90	30	-3.1
	132622	1775	16QAM	1	49	22.04	27.01	30	-2.99
	132022	1773	IUQAW	25	12	20.87	25.84	30	-4.16
				50	0	N/A	N/A	N/A	N/A

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此根告结果僅對測試之樣品負責,同時此樣品僅保留90天。本報告來企司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 42 of 134

Antenna gain (dBi) 4.97

		_							
		L	TE Band 66_Up	link freq	uency ba	nd : 1710 to 178	0 MHz		
BW (MHz)	UL Channel	Frequency (MHz)	Modulation	RB Size	RB Offset	Conducted Average (dBm)	EIRP Average (dBm)	EIRP Limit (dBm)	Margin (dB)
				1	0	22.99	27.96	30	-2.04
	132047	1717.5	QPSK	1	74	22.93	27.90	30	-2.1
	132047	1/1/.5	QP3N	36	18	22.04	27.01	30	-2.99
				75	0	21.96	26.93	30	-3.07
				1	0	23.05	28.02	30	-1.98
15	132322	1745	QPSK	1	74	22.93	27.90	30	-2.1
10	132322	1745	QF3N	36	18	21.90	26.87	30	-3.13
				75	0	22.02	26.99	30	-3.01
		32597 1772.5	QPSK	1	0	23.02	27.99	30	-2.01
	132507			1	74	23.03	28.00	30	-2
	132391			36	18	21.87	26.84	30	-3.16
				75	0	21.93	26.90	30	-3.1
				1	0	21.97	26.94	30	-3.06
	132047	1717.5	16QAM	1	74	21.91	26.88	30	-3.12
	132047	1717.5	TOGAW	36	18	N/A	N/A	N/A	N/A
				75	0	N/A	N/A	N/A	N/A
				1	0	21.88	26.85	30	-3.15
15	132322	1745	16QAM	1	74	21.88	26.85	30	-3.15
10	102022	1745	IUQAW	36	18	N/A	N/A	N/A	N/A
				75	0	N/A	N/A	N/A	N/A
				1	0	22.03	27.00	30	-3
	132597	1772.5	16QAM	1	74	21.90	26.87	30	-3.13
	102001	1112.5	IOGAIVI	36	18	N/A	N/A	N/A	N/A
				75	0	N/A	N/A	N/A	N/A

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此根告结果僅對測試之樣品負責,同時此樣品僅保留90天。本報告來企司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 43 of 134

Antenna gain (dBi) 4.97

	ga (a.b.)	4.57							
		L	TE Band 66_Up	link frequ	uency ba	nd : 1710 to 178	80 MHz		
BW (MHz)	UL Channel	Frequency (MHz)	Modulation	RB Size	RB Offset	Conducted Average (dBm)	EIRP Average (dBm)	EIRP Limit (dBm)	Margin (dB)
				1	0	23.06	28.03	30	-1.97
	132072	1720	QPSK	1	99	22.93	27.90	30	-2.1
	132072	1720	QPSN	50	25	21.86	26.83	30	-3.17
				100	0	21.98	26.95	30	-3.05
				1	0	23.10	28.07	30	-1.93
20	132322	1745	QPSK	1	99	23.05	28.02	30	-1.98
20	102022	1745	QI OIX	50	25	21.96	26.93	30	-3.07
				100	0	21.86	26.83	30	-3.17
			1770 QPSK	1	0	23.09	28.06	30	-1.94
	132572	1770		1	99	22.98	27.95	30	-2.05
	132372			50	25	21.90	26.87	30	-3.13
				100	0	21.93	26.90	30	-3.1
				1	0	21.98	26.95	30	-3.05
	132072	1720	16QAM	1	99	21.90	26.87	30	-3.13
	102072	1720	TOQAW	50	25	N/A	N/A	N/A	N/A
				100	0	N/A	N/A	N/A	N/A
				1	0	21.92	26.89	30	-3.11
20	132322	1745	16QAM	1	99	22.01	26.98	30	-3.02
20	102022	1745	TOQAW	50	25	N/A	N/A	N/A	N/A
				100	0	N/A	N/A	N/A	N/A
				1	0	21.90	26.87	30	-3.13
	132572	1770	16QAM	1	99	21.96	26.93	30	-3.07
	102012	1770	I O Q/AIVI	50	25	N/A	N/A	N/A	N/A
				100	0	N/A	N/A	N/A	N/A

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此根告结果僅對測試之樣品負責,同時此樣品僅保留90天。本報告來企司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




Page: 44 of 134

OCCUPIED BANDWIDTH MEASUREMENT

8.1 Standard Applicable

The occupied bandwidth is the frequency bandwidth such that, below its lower and above its upper frequency limits, the mean powers radiated are each equal to 0.5 percent of the total mean power.

8.2 **Test Set-up**



8.3 **Measurement Procedure**

99% &26dB Bandwidth with detector peak

The EUT's output RF connector was connected with a short cable to the spectrum analyzer. RBW was set to about 1% of emission BW, VBW= 3 times RBW, -26dBc display line was placed on the screen (or 26dB bandwidth), the occupied bandwidth is the delta frequency between the two points where the display line intersects the signal trace. Then set RBW to 99% bandwidth, RBW= 1%, VBW= 3 * RBW, with span > 2 * Signal BW, set % Power = 99%.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for rins occurrents issued by the Company's subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 45 of 134

8.4 **Measurement Result**

	LTE BAND 2 Channel bandwidth: 1.4MHz									
Freq.	Freq. 99% BW (MHz) 26 dB BW (MHz)									
(MHz)	CH	CH QPSK 16QAM QPSK 16QAM								
1850.7	18607	1.0861	1.0864	1.264	1.270					
1880.0	18900	1.0867	1.0867	1.275	1.292					
1909.3	19193	1.0860	1.0870	1.275	1.293					

	LTE BAND 2 Channel bandwidth: 5MHz									
Freq.	СН	99% BW (MHz) 26 dB BW (MHz)								
(MHz)	OH	QPSK	16QAM	QPSK	16QAM					
1852.5	18625	4.4856	4.4824	4.977	5.000					
1880.0	18900	4.4866	4.4871	5.032	4.983					
1907.5	19175	4.4866	4.4796	5.025	4.969					

	LTE BAND 2 Channel bandwidth: 15MHz									
Freq.	CH 99% BW (MHz) 26 dB BW (MHz)									
(MHz)	QPSK 16QAM QPSK 16QAM									
1857.5	18675	13.427	1.0606	14.61	1.4930					
1880.0	18900	13.418	1.0767	14.55	1.4790					
1902.5	19125	13.398	1.0576	14.57	1.4210					

	LTE BAND 4 Channel bandwidth: 1.4MHz									
Freq. CH 99% BW (MHz) 26 dB BW (MHz)										
(MHz)	QPSK 16QAM QPSK 16QAM									
1710.7	19957	1.0865	1.0868	1.272	1.294					
1732.5	20175	1.0871	1.0863	1.269	1.299					
1754.3	1754.3 20393 1.0889 1.0878 1.293 1.308									

	LTE BAND 4 Channel bandwidth: 5MHz									
Freq.	Freq. CH 99% BW (MHz) 26 dB BW (MHz)									
(MHz)	OH	QPSK	16QAM	QPSK	16QAM					
1712.5	19975	4.4856	4.4856	4.986	4.995					
1732.5	20175	4.4891	4.4875	4.990	4.999					
1752.5	20375	4.4917	4.4925	5.046	4.998					

LTE BAND 4 Channel bandwidth: 15MHz							
Freq.	СН	99% BV	V (MHz)	26 dB B	W (MHz)		
(MHz)	OH	QPSK	16QAM	QPSK	16QAM		
1717.5	20025	13.420	1.0489	14.60	1.4400		
1732.5	20175	13.413	0.9906	14.59	1.4170		
1747.5	20325	13.411	1.0188	14.67	1.4350		

1								
LTE BAND 2 Channel bandwidth: 3MHz								
Freq.	СН	99% BV	V (MHz)	26 dB B	W (MHz)			
(MHz)	CH	QPSK	16QAM	QPSK	16QAM			
1851.5	18615	2.6845	2.6872	2.964	2.957			
1880.0	18900	2.6864	2.6852	2.959	2.960			
1908.5	19185	2.6854	2.6854	2.967	2.959			

LTE BAND 2 Channel bandwidth: 10MHz								
Freq.	СН	99% BV	V (MHz)	26 dB B	W (MHz)			
(MHz)	CH	QPSK	16QAM	QPSK	16QAM			
1855.0	18650	8.9637	4.6034	9.851	5.9740			
1880.0	18900	8.9569	4.6249	9.784	6.1820			
1905.0	19150	8.9536	4.5870	9.807	6.0790			

LTE BAND 2 Channel bandwidth: 20MHz								
Freq.	СН	99% BV	V (MHz)	26 dB B	W (MHz)			
(MHz)	CIT	QPSK	16QAM	QPSK	16QAM			
1860.0	18700	17.841	1.2542	19.33	1.7550			
1880.0	18900	17.853	1.3023	19.27	1.8030			
1900.0	19100	17.839	1.3179	19.29	1.8280			

LTE BAND 4 Channel bandwidth: 3MHz									
Freq.	СН	99% BV	V (MHz)	26 dB B	W (MHz)				
(MHz)	OH	QPSK	16QAM	QPSK	16QAM				
1711.5	19965	2.6827	2.6858	2.954	2.958				
1732.5	20175	2.6857	2.6857	2.965	2.958				
1753.5	20385	2.6873	2.6872	2.959	2.963				

LTE BAND 4 Channel bandwidth: 10MHz								
Freq.	СН	99% BV	V (MHz)	26 dB B	W (MHz)			
(MHz)	CIT	QPSK	16QAM	QPSK	16QAM			
1715.0	20000	8.9579	4.6012	9.804	5.7670			
1732.5	20175	8.9458	4.6021	9.834	5.9400			
1750.0	20350	8.9619	4.6286	9.908	6.1360			

LTE BAND 4 Channel bandwidth: 20MHz							
Freq.	СН	99% BV	V (MHz)	26 dB B	W (MHz)		
(MHz)	OH	QPSK	16QAM	QPSK	16QAM		
1720.0	20050	17.842	1.2401	19.32	1.8410		
1732.5	20175	17.856	1.2609	19.33	1.8020		
1745.0	20300	17.861	1.2985	19.42	1.8350		

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

除非另有說明,此報告結果僅對測試之樣品負責,问時此樣品僅保留則失。本格告表經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

**SCENTIAL PROJECT AND 124 No. 124 No.



Page: 46 of 134

LTE BAND 12 Channel bandwidth: 1.4MHz							
Freq.	СН	99% BV	V (MHz)	26 dB B	W (MHz)		
(MHz)	OH	QPSK	16QAM	QPSK	16QAM		
699.7	23017	1.0862	1.0849	1.264	1.267		
707.5	23095	1.0860	1.0852	1.271	1.269		
715.3	23173	1.0859	1.0854	1.260	1.270		

LTE BAND 12 Channel bandwidth: 5MHz							
Freq.	СН	99% BV	V (MHz)	26 dB B	W (MHz)		
(MHz)	OIT	QPSK	16QAM	QPSK	16QAM		
701.5	23035	4.4763	4.4736	4.976	4.955		
707.5	23095	4.4847	4.4870	5.001	5.002		
713.5	23155	4.4695	4.4676	4.942	4.911		

LTE BAND 66 Channel bandwidth: 1.4MHz							
Freq.	СН	99% BV	V (MHz)	26 dB B	W (MHz)		
(MHz)	OH	QPSK	16QAM	QPSK	16QAM		
1710.7	131979	1.0869	1.0864	1.267	1.302		
1745.0	132322	1.0885	1.0885	1.281	1.308		
1779.3	132665	1.0878	1.0886	1.277	1.313		

LTE BAND 66 Channel bandwidth: 5MHz						
Freq.	СН	99% BV	V (MHz)	26 dB B	W (MHz)	
(MHz)	OH	QPSK	16QAM	QPSK	16QAM	
1712.5	131997	4.4852	4.4863	5.022	5.004	
1745.0	132322	4.4909	4.4880	5.052	5.001	
1777.5	132647	4.4849	4.4855	5.027	4.966	

LTE BAND 66 Channel bandwidth: 15MHz							
Freq.	СН	99% BV	V (MHz)	26 dB B	W (MHz)		
(MHz)	CIT	QPSK	16QAM	QPSK	16QAM		
1717.5	132047	13.397	1.0454	14.63	1.5090		
1745.0	132322	13.434	1.0321	14.58	1.4890		
1772.5	132597	13.433	1.0212	14.55	1.4390		

LTE BAND 12 Channel bandwidth: 3MHz						
Freq.	Freq. (MHz) CH	99% BV	V (MHz)	26 dB BW (MHz)		
(MHz)		QPSK	16QAM	QPSK	16QAM	
700.5	23025	2.6816	2.6832	2.941	2.950	
707.5	23095	2.6849	2.6866	2.944	2.945	
714.5	23165	2.6810	2.6788	2.948	2.952	

LTE BAND 12 Channel bandwidth: 10MHz						
Freq.	СН	99% BW (MHz)		26 dB BW (MHz)		
(MHz)	(MHz)	QPSK	16QAM	QPSK	16QAM	
704.0	23060	8.9252	4.5910	9.740	5.7970	
707.5	23095	8.9585	4.5987	9.816	6.0220	
711.0	23130	8.9333	4.5976	9.744	5.7880	

LTE BAND 66 Channel bandwidth: 3MHz						
Freq.	· I (.H	99% BW (MHz)		26 dB BW (MHz)		
(MHz)		QPSK	16QAM	QPSK	16QAM	
1711.5	131987	2.6849	2.6883	2.968	2.956	
1745.0	132322	2.6846	2.6889	2.959	2.969	
1778.5	132657	2.6859	2.6882	2.960	2.962	

LTE BAND 66 Channel bandwidth: 10MHz						
Freq.	СН	99% BW (MHz)		26 dB BW (MHz)		
(MHz)		QPSK	16QAM	QPSK	16QAM	
1715.0	132022	8.9527	4.6298	9.834	5.8840	
1745.0	132322	8.9668	4.6116	9.821	6.2270	
1775.0	132622	8.9441	4.6417	9.852	6.0670	

LTE BAND 66 Channel bandwidth: 20MHz						
Freq.	СН			V (MHz)	26 dB BW (MHz)	
(MHz)		QPSK	16QAM	QPSK	16QAM	
1720.0	132072	17.842	1.2980	19.36	1.7910	
1745.0	132322	17.838	1.2617	19.36	1.7660	
1770.0	132572	17.836	1.2748	19.35	1.8260	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。


除非另有說明,此報告結果僅對測試之樣品負責,问時此樣品僅保留則失。本格告表經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

**SCENTIAL PROJECT AND 124 No. 124 No.




Page: 47 of 134


Band2 1.4MHz QPSK RB6 0 CH18607




Band2 1.4MHz QPSK RB6 0 CH18900




Band2 1.4MHz QPSK RB6 0 CH19193




Band2 1.4MHz 16QAM RB6 0 CH18607



Band2 1.4MHz 16QAM RB6 0 CH18900



Band2_1.4MHz_16QAM_RB6_0_CH19193



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。


This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document area to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

**SCENTIAL PROBLEM STATES OF THE PROB




Page: 48 of 134


Band2 3MHz QPSK RB15 0 CH18615




Band2_3MHz_QPSK_RB15_0_CH18900




Band2 3MHz QPSK RB15 0 CH19185




Band2 3MHz 16QAM RB15 0 CH18615



Band2_3MHz_16QAM_RB15_0_CH18900



Band2 3MHz 16QAM RB15 0 CH19185



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。


This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document area to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

**SCENTIAL PROBLEM STATES OF THE PROB




Page: 49 of 134


Band2 5MHz QPSK RB25 0 CH18625




Band2_5MHz_QPSK_RB25_0_CH18900




Band2 5MHz QPSK RB25 0 CH19175




Band2 5MHz 16QAM RB25 0 CH18625



Band2_5MHz_16QAM_RB25_0_CH18900



Band2 5MHz 16QAM RB25 0 CH19175



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。


This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document area to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

**SCENTIAL PROBLEM STATES OF THE PROB




Page: 50 of 134


Band2 10MHz QPSK RB50 0 CH18650




Band2_10MHz_QPSK_RB50_0_CH18900




Band2_10MHz_QPSK_RB50_0_CH19150




Band2_10MHz_16QAM_RB25_12_CH18650



Band2_10MHz_16QAM_ RB25_12_CH18900



Band2_10MHz_16QAM_ RB25_12_CH19150



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。


This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document area to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

**SCENTIAL PROBLEM STATES OF THE PROB




Page: 51 of 134


Band2 15MHz QPSK RB75 0 CH18675




Band2 15MHz QPSK RB75 0 CH18900




Band2 15MHz QPSK RB75 0 CH19125




Band2 15MHz 16QAM RB1 0 CH18675



Band2 15MHz 16QAM RB1 0 CH18900



Band2 15MHz 16QAM RB1 0 CH19125



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。


This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document area to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

**SCENTIAL PROBLEM STATES OF THE PROB




Page: 52 of 134


Band2 20MHz QPSK RB100 0 CH18700




Band2 20MHz QPSK RB100 0 CH18900




Band2_20MHz_QPSK_RB100_0_CH19100




Band2 20MHz 16QAM RB1 0 CH18700



Band2 20MHz 16QAM RB1 0 CH18900



Band2 20MHz 16QAM RB1 0 CH19100



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。


This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document area to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

**SCENTIAL PROBLEM STATES OF THE PROB




Page: 53 of 134


Band4_1.4MHz_QPSK_RB6_0_CH19957




Band4 1.4MHz QPSK RB6 0 CH20175




Band4 1.4MHz QPSK RB6 0 CH20393




Band4_1.4MHz_16QAM_RB6_0_CH19957



Band4 1.4MHz 16QAM RB6 0 CH20175



Band4_1.4MHz_16QAM_RB6_0_CH20393



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。


This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document area to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

**SCENTIAL PROBLEM STATES OF THE PROB




Page: 54 of 134


Band4 3MHz QPSK RB15 0 CH19965




Band4 3MHz QPSK RB15 0 CH20175




Band4 3MHz QPSK RB15 0 CH20385




Band4 3MHz 16QAM RB15 0 CH19965



Band4 3MHz 16QAM RB15 0 CH20175



Band4 3MHz 16QAM RB15 0 CH20385



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。


This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document area to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

**SCENTIAL PROBLEM STATES OF THE PROB




Page: 55 of 134


Band4 5MHz QPSK RB25 0 CH19975




Band4 5MHz QPSK RB25 0 CH20175




Band4 5MHz QPSK RB25 0 CH20375




Band4 5MHz 16QAM RB25 0 CH19975



Band4 5MHz 16QAM RB25 0 CH20175



Band4 5MHz 16QAM RB25 0 CH20375



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。


This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document area to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

**SCENTIAL PROBLEM STATES OF THE PROB




Page: 56 of 134


Band4 10MHz QPSK RB50 0 CH20000




Band4 10MHz QPSK RB50 0 CH20175




Band4_10MHz_QPSK_RB50_0_CH20350



Band4_10MHz_16QAM_RB25_12_CH20000



Band4_10MHz_16QAM_RB25_12_CH20175



Band4_10MHz_16QAM_RB25_12_CH20350



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。


This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document area to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

**SCENTIAL PROBLEM STATES OF THE PROB




Page: 57 of 134


Band4 15MHz QPSK RB75 0 CH20025




Band4 15MHz QPSK RB75 0 CH20175




Band4_15MHz_QPSK_RB75_0_CH20325



Band4 15MHz 16QAM RB1 0 CH20025



Band4_15MHz_16QAM_RB1_0_CH20175



Band4_15MHz_16QAM_RB1_0_CH20325



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。


This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document area to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

**SCENTIAL PROBLEM STATES OF THE PROB




Page: 58 of 134


Band4 20MHz QPSK RB100 0 CH20050




Band4 20MHz QPSK RB100 0 CH20175




Band4 20MHz QPSK RB100 0 CH20300



Band4 20MHz 16QAM RB1 0 CH20050



Band4 20MHz 16QAM RB1 0 CH20175



Band4 20MHz 16QAM RB1 0 CH20300



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document area to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

**SCENTIAL PROBLEM STATES OF THE PROB

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司


t (886-2) 2299-3279

f (886-2) 2298-0488




Page: 59 of 134


Band12 1.4MHz QPSK RB6 0 CH23017




Band12 1.4MHz QPSK RB6 0 CH23095




Band12 1.4MHz QPSK RB6 0 CH23173




Band12 1.4MHz 16QAM RB6 0 CH23017



Band12 1.4MHz 16QAM RB6 0 CH23095



Band12 1.4MHz 16QAM RB6 0 CH23173



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。


This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document area to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

**SCENTIAL PROBLEM STATES OF THE PROB




Page: 60 of 134


Band12 3MHz QPSK RB15 0 CH23025




Band12 3MHz QPSK RB15 0 CH23095




Band12 3MHz QPSK RB15 0 CH23165




Band12 3MHz 16QAM RB15 0 CH23025



Band12 3MHz 16QAM RB15 0 CH23095



Band12 3MHz 16QAM RB15 0 CH23165



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。


This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document area to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

**SCENTIAL PROBLEM STATES OF THE PROB




Page: 61 of 134


Band12 5MHz QPSK RB25 0 CH23035




Band12 5MHz QPSK RB25 0 CH23095




Band12 5MHz QPSK RB25 0 CH23155




Band12 5MHz 16QAM RB25 0 CH23035



Band12 5MHz 16QAM RB25 0 CH23095



Band12 5MHz 16QAM RB25 0 CH23155



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。


This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document area to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

**SCENTIAL PROBLEM STATES OF THE PROB




Page: 62 of 134


Band12_10MHz_QPSK_RB50_0_CH23060




Band12_10MHz_QPSK_RB50_0_CH23095



Band12_10MHz_QPSK_RB50_0_CH23130




Band12_10MHz_16QAM_RB25_12_CH23060



Band12 10MHz 16QAM RB25 12 CH23095



Band12_10MHz_16QAM_RB25_12_CH23130



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。


This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document area to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

**SCENTIAL PROBLEM STATES OF THE PROB




Page: 63 of 134


Band66 1.4MHz QPSK RB6 0 CH131979




Band66 1.4MHz QPSK RB6 0 CH132322




Band66 1.4MHz QPSK RB6 0 CH132665




Band66 1.4MHz 16QAM RB6 0 CH131979



Band66 1.4MHz 16QAM RB6 0 CH132322



Band66 1.4MHz 16QAM RB6 0 CH132665



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document area to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

**SCENTIAL PROBLEM STATES OF THE PROB