



Exhibit: Test Setup Photos

FCC ID: TMB- G35FOCUSP
IC: 6028A- G35FOCUSP


Client	Trilliant Networks Inc.	
Product	SecureMesh FocusP Radio Module, CL-R0249C-4.1	
Standard(s)	RSS 247 Issue 2, FCC Part 15 Subpart 15.247	

Figure 1 – EUT Close Up – Top





Client	Trilliant Networks Inc.	
Product	SecureMesh FocusP Radio Module, CL-R0249C-4.1	
Standard(s)	RSS 247 Issue 2, FCC Part 15 Subpart 15.247	

Figure 2 – EUT Close Up – Bottom





Client	Trilliant Networks Inc.	
Product	SecureMesh FocusP Radio Module, CL-R0249C-4.1	
Standard(s)	RSS 247 Issue 2, FCC Part 15 Subpart 15.247	

Figure 3 – Radiated Emissions Setup – 9 kHz to 30 MHz




Client	Trilliant Networks Inc.	
Product	SecureMesh FocusP Radio Module, CL-R0249C-4.1	
Standard(s)	RSS 247 Issue 2, FCC Part 15 Subpart 15.247	

Figure 4 – Radiated Emissions Setup – - 30 MHz to 1 GHz



Note: As per ANSI C63.10-2013 Clause 6.3.1, below 1GHz, the height of the EUT was set to 80cm. Above 1GHz, the height was raised to 1.5m.



Client	Trilliant Networks Inc.	
Product	SecureMesh FocusP Radio Module, CL-R0249C-4.1	
Standard(s)	RSS 247 Issue 2, FCC Part 15 Subpart 15.247	

Figure 5 – Radiated Emissions Setup at 3m – above 1 GHz



Note: As per ANSI C63.10-2013 Clause 6.3.1, above 1GHz, the height of the EUT was set to 1.5m.


Client	Trilliant Networks Inc.	
Product	SecureMesh FocusP Radio Module, CL-R0249C-4.1	
Standard(s)	RSS 247 Issue 2, FCC Part 15 Subpart 15.247	

Figure 6 – Radiated Emissions Setup at 1m – Above 1 GHz

