



### Prediction of MPE limit at a given distance

Equation from page 18 of OET Bulletin 65, Edition 97-01

$$S = \frac{PG}{4\pi R^2}$$

where: S = power density

P = power input to the antenna

G = power gain of the antenna in the direction of interest relative to an isotropic radiator

R = distance to the center of radiation of the antenna

Maximum peak output power at antenna input terminal: 26.18 (dBm)

Maximum peak output power at antenna input terminal: 414.9540426 (mW)

Antenna gain(typical): 5.5 (dBi)

Maximum antenna gain: 3.548133892 (numeric)

Prediction distance: 30 (cm)

Prediction frequency: 824.2 (MHz)

MPE limit for uncontrolled exposure at prediction frequency: 0.549466667 (mW/cm<sup>2</sup>)

Power density at prediction frequency: **0.130181** (mW/cm<sup>2</sup>)

Maximum allowable antenna gain: **11.75393725** (dBi)

Margin of Compliance: 6.253937246

Peak Power = 32.2dBm

Product is a Class 10 GPRS, therefore worst case time source averaging = 1:4 (2 UP + 3down)

Average power =  $32.2 - 10\log(4/1) = 26.18\text{dBm}$

Maximum ERP =  $26.18 + 5.5 - 2.15 = 29.53\text{dBm} = 0.897\text{Watts}$