


802.11ac VHT80+80-BF_Nss2,(MCS0)_4TX

01/07/2019

5530MHz,#5690MHz Straddle 5.47-5.725GHz_TX




EUT Y_4TX
Setting 17
03-S-5-10
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.4464G	64.75	74.00	-9.25	6.45	3	Vertical	63	2.68	-
PK	5.4604G	62.53	68.20	-5.67	6.45	3	Vertical	63	2.68	-
AV	5.4555G	52.24	54.00	-1.76	6.45	3	Vertical	63	2.68	-
PK	5.6914G	106.99	Inf	-Inf	6.37	3	Vertical	63	2.68	-
AV	5.6914G	97.03	Inf	-Inf	6.37	3	Vertical	63	2.68	-
PK	5.9105G	63.02	68.20	-5.18	6.76	3	Vertical	63	2.68	-

802.11ac VHT80+80-BF_Nss2,(MCS0)_4TX

01/07/2019

5530MHz,#5690MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
Setting 17
03-S-5-10
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.4436G	65.00	74.00	-9.00	6.44	3	Horizontal	168	2.09	-
AV	5.4429G	51.80	54.00	-2.20	6.44	3	Horizontal	168	2.09	-
PK	5.4625G	64.52	68.20	-3.68	6.45	3	Horizontal	168	2.09	-
PK	5.6753G	108.69	Inf	-Inf	6.36	3	Horizontal	168	2.09	-
AV	5.676G	97.74	Inf	-Inf	6.36	3	Horizontal	168	2.09	-
PK	5.9448G	61.81	68.20	-6.39	6.88	3	Horizontal	168	2.09	-

802.11ac VHT80+80-BF_Nss2,(MCS0)_4TX

01/07/2019

5530MHz,#5690MHz Straddle 5.47-5.725GHz_TX




EUT Y_4TX
Setting 17
03-S-5
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.37142G	55.37	74.00	-18.63	14.30	3	Vertical	132	1.67	-
AV	11.3889G	42.32	54.00	-11.68	14.32	3	Vertical	132	1.67	-

802.11ac VHT80+80-BF_Nss2,(MCS0)_4TX

01/07/2019

5530MHz,#5690MHz Straddle 5.47-5.725GHz_TX




EUT Y_4TX
Setting 17
03-S-5
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.37376G	55.64	74.00	-18.36	14.30	3	Horizontal	108	2.21	-
AV	11.38898G	42.28	54.00	-11.72	14.32	3	Horizontal	108	2.21	-

802.11ac VHT80+80-BF_Nss1,(MCS0)_4TX

01/07/2019

#5690MHz,5775MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
Setting 23
03-S-5-10
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.4534G	66.33	74.00	-7.67	6.44	3	Vertical	178	1.50	-
AV	5.4555G	53.51	54.00	-0.49	6.45	3	Vertical	178	1.50	-
PK	5.4688G	65.83	68.20	-2.37	6.46	3	Vertical	178	1.50	-
PK	5.6914G	113.53	Inf	-Inf	6.37	3	Vertical	178	1.50	-
AV	5.6914G	103.96	Inf	-Inf	6.37	3	Vertical	178	1.50	-

802.11ac VHT80+80-BF_Nss1,(MCS0)_4TX

01/07/2019

#5690MHz,5775MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
Setting 23
03-S-5-10
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.459G	65.52	74.00	-8.48	6.45	3	Horizontal	6	1.50	-
AV	5.4597G	53.39	54.00	-0.61	6.45	3	Horizontal	6	1.50	-
PK	5.4618G	66.44	68.20	-1.76	6.45	3	Horizontal	6	1.50	-
PK	5.697G	113.57	Inf	-Inf	6.37	3	Horizontal	6	1.50	-
AV	5.6977G	103.66	Inf	-Inf	6.37	3	Horizontal	6	1.50	-

802.11ac VHT80+80-BF_Nss1,(MCS0)_4TX

01/07/2019

#5690MHz,5775MHz Straddle 5.47-5.725GHz_TX




EUT Y_4TX
Setting 23
03-S-5
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.37958G	55.87	74.00	-18.13	14.31	3	Vertical	229	2.19	-
AV	11.38282G	43.19	54.00	-10.81	14.31	3	Vertical	229	2.19	-

802.11ac VHT80+80-BF_Nss1,(MCS0)_4TX

01/07/2019

#5690MHz,5775MHz Straddle 5.47-5.725GHz_TX




EUT Y_4TX
Setting 23
03-S-5
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.38718G	55.67	74.00	-18.33	14.32	3	Horizontal	69	1.18	-
AV	11.37386G	43.11	54.00	-10.89	14.30	3	Horizontal	69	1.18	-

802.11ac VHT80+80-BF_Nss1,(MCS0)_4TX

01/07/2019

5290MHz,#5775MHz_TX




EUT_Y_4TX
Setting 12.5
03-S-5-10
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.6385G	62.33	68.20	-5.87	6.37	3	Vertical	267	1.24	-
PK	5.758G	103.60	Inf	-Inf	6.42	3	Vertical	267	1.24	-
AV	5.7765G	93.47	Inf	-Inf	6.43	3	Vertical	267	1.24	-
PK	5.979G	62.55	68.20	-5.65	7.01	3	Vertical	267	1.24	-

802.11ac VHT80+80-BF_Nss1,(MCS0)_4TX

01/07/2019

5290MHz,#5775MHz_TX




EUT Y_4TX
Setting 12.5
03-S-5-10
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.55G	62.36	68.20	-5.84	6.42	3	Horizontal	171	2.10	-
PK	5.758G	103.57	Inf	-Inf	6.42	3	Horizontal	171	2.10	-
AV	5.758G	93.17	Inf	-Inf	6.42	3	Horizontal	171	2.10	-
PK	5.972G	62.73	68.20	-5.47	6.98	3	Horizontal	171	2.10	-

802.11ac VHT80+80-BF_Nss1,(MCS0)_4TX

01/07/2019

5290MHz,#5775MHz_TX




EUT Y_4TX
Setting 12.5
03-S-5
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.54574G	55.38	74.00	-18.62	14.46	3	Vertical	79	2.34	-
AV	11.54214G	42.57	54.00	-11.43	14.46	3	Vertical	79	2.34	-

802.11ac VHT80+80-BF_Nss1,(MCS0)_4TX

01/07/2019

5290MHz,#5775MHz_TX




EUT Y_4TX
Setting 12.5
03-S-5
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.5458G	56.00	74.00	-18.00	14.46	3	Horizontal	158	1.58	-
AV	11.5459G	42.55	54.00	-11.45	14.46	3	Horizontal	158	1.58	-

802.11ac VHT80+80-BF_Nss1,(MCS0)_4TX

01/07/2019

5530MHz,#5775MHz_TX




EUT Y_4TX
Setting 16.5
03-S-5-10
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.6155G	65.32	68.20	-2.88	6.37	3	Vertical	266	1.20	-
PK	5.7585G	107.73	Inf	-Inf	6.42	3	Vertical	266	1.20	-
AV	5.7575G	97.56	Inf	-Inf	6.42	3	Vertical	266	1.20	-
PK	5.964G	62.31	68.20	-5.89	6.94	3	Vertical	266	1.20	-

802.11ac VHT80+80-BF_Nss1,(MCS0)_4TX

01/07/2019

5530MHz,#5775MHz_TX




EUT Y_4TX
Setting 16.5
03-S-5-10
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.5885G	68.13	68.20	-0.07	6.38	3	Horizontal	170	2.10	-
PK	5.761G	107.73	Inf	-Inf	6.43	3	Horizontal	170	2.10	-
AV	5.758G	97.26	Inf	-Inf	6.42	3	Horizontal	170	2.10	-
PK	5.9835G	62.12	68.20	-6.08	7.02	3	Horizontal	170	2.10	-

802.11ac VHT80+80-BF_Nss1,(MCS0)_4TX

01/07/2019

5530MHz,#5775MHz_TX




EUT Y_4TX
Setting 16.5
03-S-5
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.54258G	56.30	74.00	-17.70	14.46	3	Vertical	214	2.09	-
AV	11.54052G	42.48	54.00	-11.52	14.46	3	Vertical	214	2.09	-

802.11ac VHT80+80-BF_Nss1,(MCS0)_4TX

01/07/2019

5530MHz,#5775MHz_TX




EUT Y_4TX
Setting 16.5
03-S-5
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.55294G	55.51	74.00	-18.49	14.48	3	Horizontal	187	1.62	-
AV	11.5434G	42.44	54.00	-11.56	14.46	3	Horizontal	187	1.62	-

802.11ac VHT80+80-BF_Nss1,(MCS0)_4TX

01/07/2019

5610MHz,#5775MHz_TX




EUT Y_4TX
Setting 20.5
03-S-5-10
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.758G	112.22	Inf	-Inf	6.42	3	Vertical	269	1.20	-
AV	5.7575G	101.75	Inf	-Inf	6.42	3	Vertical	269	1.20	-
PK	5.9325G	67.73	68.20	-0.47	6.84	3	Vertical	269	1.20	-

802.11ac VHT80+80-BF_Nss1,(MCS0)_4TX

01/07/2019

5610MHz,#5775MHz_TX




EUT Y_4TX
Setting 20.5
03-S-5-10
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.748G	110.30	Inf	-Inf	6.41	3	Horizontal	195	2.11	-
AV	5.7895G	100.13	Inf	-Inf	6.45	3	Horizontal	195	2.11	-
PK	5.9265G	65.52	68.20	-2.68	6.82	3	Horizontal	195	2.11	-

802.11ac VHT80+80-BF_Nss1,(MCS0)_4TX

01/07/2019

5610MHz,#5775MHz_TX




EUT Y_4TX
 Setting 20.5
 03-S-5
 FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.55696G	55.65	74.00	-18.35	14.48	3	Vertical	23	1.54	-
AV	11.54186G	42.64	54.00	-11.36	14.46	3	Vertical	23	1.54	-

802.11ac VHT80+80-BF_Nss1,(MCS0)_4TX

01/07/2019

5610MHz,#5775MHz_TX




EUT Y_4TX
Setting 20.5
03-S-5
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.54314G	56.22	74.00	-17.78	14.46	3	Horizontal	24	1.83	-
AV	11.54454G	42.42	54.00	-11.58	14.46	3	Horizontal	24	1.83	-

802.11ac VHT80+80-BF_Nss1,(MCS0)_4TX

01/07/2019

5690MHz,#5775MHz_TX




EUT_Y_4TX
Setting 21.5
03-S-5-10
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.4374G	61.17	74.00	-12.83	8.41	3	Vertical	186	1.36	-
AV	5.4454G	48.98	54.00	-5.02	8.42	3	Vertical	186	1.36	-
PK	5.4694G	61.31	68.20	-6.89	8.46	3	Vertical	186	1.36	-
PK	5.7606G	111.83	Inf	-Inf	8.85	3	Vertical	186	1.36	-
AV	5.7574G	100.98	Inf	-Inf	8.83	3	Vertical	186	1.36	-
PK	5.9238G	68.89	69.09	-0.20	8.92	3	Vertical	186	1.36	-

802.11ac VHT80+80-BF_Nss1,(MCS0)_4TX

01/07/2019

5690MHz,#5775MHz_TX




EUT_Y_4TX
Setting 21.5
03-S-5-10
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.451G	61.67	74.00	-12.33	8.44	3	Horizontal	176	2.15	-
AV	5.4398G	48.63	54.00	-5.37	8.41	3	Horizontal	176	2.15	-
PK	5.4654G	59.53	68.20	-8.67	8.46	3	Horizontal	176	2.15	-
PK	5.7934G	111.02	Inf	-Inf	8.89	3	Horizontal	176	2.15	-
AV	5.751G	101.28	Inf	-Inf	8.83	3	Horizontal	176	2.15	-
PK	5.9302G	67.65	68.20	-0.55	8.93	3	Horizontal	176	2.15	-

802.11ac VHT80+80-BF_Nss1,(MCS0)_4TX

01/07/2019

5690MHz,#5775MHz_TX




EUT Y_4TX
Setting 21.5
03-S-5
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.5451G	56.20	74.00	-17.80	14.46	3	Vertical	199	1.34	-
AV	11.54168G	42.45	54.00	-11.55	14.46	3	Vertical	199	1.34	-

802.11ac VHT80+80-BF_Nss1,(MCS0)_4TX

01/07/2019

5690MHz,#5775MHz_TX



EUT Y_4TX
Setting 21.5
03-S-5
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.54654G	55.39	74.00	-18.61	14.47	3	Horizontal	103	2.50	-
AV	11.54548G	42.41	54.00	-11.59	14.46	3	Horizontal	103	2.50	-




For Non-Beamforming mode
Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-	-	-
802.11ac VHT40_Nss1,(MCS0)_2TX	Pass	AV	5.3508G	53.93	54.00	-0.07	6.31	3	Vertical	249	1.01	-

802.11a_Nss1,(6Mbps)_2TX

05/06/2019

5260MHz_TX




EUT_Z_2TX
Setting 30
03-S-5-10
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.147G	62.75	74.00	-11.25	5.83	3	Vertical	241	1.15	-
AV	5.1485G	50.06	54.00	-3.94	5.83	3	Vertical	241	1.15	-
PK	5.2675G	118.84	Inf	-Inf	6.11	3	Vertical	241	1.15	-
AV	5.2625G	108.22	Inf	-Inf	6.11	3	Vertical	241	1.15	-
PK	5.352G	65.94	74.00	-8.06	6.31	3	Vertical	241	1.15	-
AV	5.3515G	51.67	54.00	-2.33	6.31	3	Vertical	241	1.15	-
PK	5.487G	62.28	68.20	-5.92	6.48	3	Vertical	241	1.15	-

802.11a_Nss1,(6Mbps)_2TX

05/06/2019

5260MHz_TX




EUT Z_2TX
 Setting 30
 03-S-5
 FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	15.7887G	59.18	74.00	-14.82	14.31	3	Vertical	141	1.50	-
AV	15.77332G	45.57	54.00	-8.43	14.38	3	Vertical	141	1.50	-

802.11a_Nss1,(6Mbps)_2TX

05/06/2019

5260MHz_TX




EUT Z_2TX
Setting 30
03-S-5
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	15.78916G	59.18	74.00	-14.82	14.31	3	Horizontal	106	1.11	-
AV	15.7815G	45.64	54.00	-8.36	14.35	3	Horizontal	106	1.11	-

802.11a_Nss1,(6Mbps)_2TX

05/06/2019

5300MHz_TX




EUT_Z_2TX
Setting 20.5
03-S-5-10
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.1452G	61.16	74.00	-12.84	5.83	3	Vertical	251	1.01	-
AV	5.1344G	48.94	54.00	-5.06	5.80	3	Vertical	251	1.01	-
PK	5.303G	116.22	Inf	-Inf	6.22	3	Vertical	251	1.01	-
AV	5.3036G	106.91	Inf	-Inf	6.22	3	Vertical	251	1.01	-
PK	5.3516G	66.44	74.00	-7.56	6.31	3	Vertical	251	1.01	-
AV	5.3528G	53.65	54.00	-0.35	6.31	3	Vertical	251	1.01	-
PK	5.4986G	63.13	68.20	-5.07	6.49	3	Vertical	251	1.01	-

802.11a_Nss1,(6Mbps)_2TX

06/06/2019

5300MHz_TX




EUT Z_2TX
 Setting 20.5
 03-S-5
 FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	15.89144G	58.47	74.00	-15.53	13.94	3	Vertical	37	1.41	-
AV	15.89122G	45.90	54.00	-8.10	13.94	3	Vertical	37	1.41	-

802.11a_Nss1,(6Mbps)_2TX

06/06/2019

5300MHz_TX




EUT Z_2TX
Setting 20.5
03-S-5
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	15.89646G	58.60	74.00	-15.40	13.91	3	Horizontal	95	1.58	-
AV	15.89288G	46.02	54.00	-7.98	13.93	3	Horizontal	95	1.58	-

802.11a_Nss1,(6Mbps)_2TX

05/06/2019

5320MHz_TX




EUT_Z_2TX
Setting 15
03-S-5-10
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.1202G	60.01	74.00	-13.99	5.78	3	Vertical	249	1.01	-
AV	5.1496G	49.72	54.00	-4.28	5.83	3	Vertical	249	1.01	-
PK	5.3134G	113.01	Inf	-Inf	6.24	3	Vertical	249	1.01	-
AV	5.3134G	104.24	Inf	-Inf	6.24	3	Vertical	249	1.01	-
PK	5.353G	67.83	74.00	-6.17	6.31	3	Vertical	249	1.01	-
AV	5.3524G	53.66	54.00	-0.34	6.31	3	Vertical	249	1.01	-
PK	5.47G	61.68	68.20	-6.52	6.46	3	Vertical	249	1.01	-

802.11a_Nss1,(6Mbps)_2TX

05/06/2019

5320MHz_TX




EUT Z_2TX
Setting 15
03-S-5
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	15.96954G	57.78	74.00	-16.22	13.63	3	Vertical	314	1.44	-
AV	15.9642G	44.61	54.00	-9.39	13.66	3	Vertical	314	1.44	-

802.11a_Nss1,(6Mbps)_2TX

05/06/2019

5320MHz_TX




EUT Z_2TX
Setting 15
03-S-5
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	15.95326G	58.33	74.00	-15.67	13.70	3	Horizontal	247	1.59	-
AV	15.95276G	44.44	54.00	-9.56	13.70	3	Horizontal	247	1.59	-

802.11a_Nss1,(6Mbps)_2TX

05/06/2019

5500MHz_TX




EUT_Z_2TX
Setting 16.5
03-S-5-10
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.4573G	62.15	74.00	-11.85	6.45	3	Vertical	168	1.38	-
AV	5.4599G	49.54	54.00	-4.46	6.45	3	Vertical	168	1.38	-
PK	5.4696G	68.06	68.20	-0.14	6.46	3	Vertical	168	1.38	-
PK	5.5045G	112.24	Inf	-Inf	6.49	3	Vertical	168	1.38	-
AV	5.5051G	102.87	Inf	-Inf	6.48	3	Vertical	168	1.38	-

802.11a_Nss1,(6Mbps)_2TX

05/06/2019

5500MHz_TX




EUT Z_2TX
 Setting 16.5
 03-S-5
 FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	10.99596G	55.82	74.00	-18.18	13.94	3	Vertical	49	1.09	-
AV	11.005G	42.15	54.00	-11.85	13.94	3	Vertical	49	1.09	-

802.11a_Nss1,(6Mbps)_2TX

05/06/2019

5500MHz_TX




EUT Z_2TX
 Setting 16.5
 03-S-5
 FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.00692G	55.75	74.00	-18.25	13.94	3	Horizontal	236	1.63	-
AV	11.00074G	42.23	54.00	-11.77	13.94	3	Horizontal	236	1.63	-

802.11a_Nss1,(6Mbps)_2TX

05/06/2019

5580MHz_TX




EUT_Z_2TX
Setting 30
03-S-5-10
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.3136G	64.03	68.20	-4.17	6.24	3	Vertical	245	1.09	-
PK	5.4036G	64.76	74.00	-9.24	6.40	3	Vertical	245	1.09	-
AV	5.445G	52.03	54.00	-1.97	6.45	3	Vertical	245	1.09	-
PK	5.463G	64.58	68.20	-3.62	6.45	3	Vertical	245	1.09	-
PK	5.5764G	119.19	Inf	-Inf	6.39	3	Vertical	245	1.09	-
AV	5.5764G	108.28	Inf	-Inf	6.39	3	Vertical	245	1.09	-
PK	5.7474G	62.42	68.20	-5.78	6.41	3	Vertical	245	1.09	-

802.11a_Nss1,(6Mbps)_2TX

05/06/2019

5580MHz_TX




EUT Z_2TX
Setting 30
03-S-5
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.16682G	56.99	74.00	-17.01	14.10	3	Vertical	329	1.89	-
AV	11.16194G	43.62	54.00	-10.38	14.09	3	Vertical	329	1.89	-

802.11a_Nss1,(6Mbps)_2TX

05/06/2019

5580MHz_TX




EUT Z_2TX
 Setting 30
 03-S-5
 FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.16146G	55.84	74.00	-18.16	14.09	3	Horizontal	300	1.52	-
AV	11.16368G	42.17	54.00	-11.83	14.09	3	Horizontal	300	1.52	-

802.11a_Nss1,(6Mbps)_2TX

05/06/2019

5700MHz_TX




EUT_Z_2TX
Setting 16
03-S-5-10
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.6936G	113.39	Inf	-Inf	6.37	3	Vertical	192	1.44	-
AV	5.6935G	102.87	Inf	-Inf	6.37	3	Vertical	192	1.44	-
PK	5.7284G	67.89	68.20	-0.31	6.39	3	Vertical	192	1.44	-

802.11a_Nss1,(6Mbps)_2TX

05/06/2019

5700MHz_TX




EUT Z_2TX
Setting 16
03-S-5
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.39246G	56.11	74.00	-17.89	14.32	3	Vertical	258	2.44	-
AV	11.3938G	42.34	54.00	-11.66	14.33	3	Vertical	258	2.44	-

802.11a_Nss1,(6Mbps)_2TX

05/06/2019

5700MHz_TX




EUT Z_2TX
Setting 16
03-S-5
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.3975G	56.00	74.00	-18.00	14.33	3	Horizontal	315	2.09	-
AV	11.4095G	42.40	54.00	-11.60	14.34	3	Horizontal	315	2.09	-

802.11ac VHT20_Nss1,(MCS0)_2TX

05/06/2019

5260MHz_TX




EUT_Z_2TX
Setting 30
03-S-5-10
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.1403G	63.75	74.00	-10.25	5.81	3	Vertical	248	1.02	-
AV	5.1452G	50.01	54.00	-3.99	5.83	3	Vertical	248	1.02	-
PK	5.2565G	118.88	Inf	-Inf	6.08	3	Vertical	248	1.02	-
AV	5.2572G	108.11	Inf	-Inf	6.08	3	Vertical	248	1.02	-
PK	5.3531G	65.35	74.00	-8.65	6.31	3	Vertical	248	1.02	-
AV	5.351G	53.10	54.00	-0.90	6.31	3	Vertical	248	1.02	-
PK	5.4644G	64.23	68.20	-3.97	6.45	3	Vertical	248	1.02	-

802.11ac VHT20_Nss1,(MCS0)_2TX

05/06/2019

5260MHz_TX




EUT Z_2TX
Setting 30
03-S-5
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	15.788G	58.81	74.00	-15.19	14.32	3	Vertical	298	1.59	-
AV	15.7837G	45.45	54.00	-8.55	14.34	3	Vertical	298	1.59	-

802.11ac VHT20_Nss1,(MCS0)_2TX

05/06/2019

5260MHz_TX




EUT Z_2TX
 Setting 30
 03-S-5
 FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	15.77734G	58.68	74.00	-15.32	14.36	3	Horizontal	319	1.81	-
AV	15.77394G	45.47	54.00	-8.53	14.38	3	Horizontal	319	1.81	-

802.11ac VHT20_Nss1,(MCS0)_2TX

05/06/2019

5300MHz_TX




EUT_Z_2TX
Setting 21.5
03-S-5-10
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.1375G	60.84	74.00	-13.16	5.81	3	Vertical	62	1.02	-
AV	5.148G	48.34	54.00	-5.66	5.83	3	Vertical	62	1.02	-
PK	5.306G	117.30	Inf	-Inf	6.24	3	Vertical	62	1.02	-
AV	5.305G	107.79	Inf	-Inf	6.22	3	Vertical	62	1.02	-
PK	5.35G	69.48	74.00	-4.52	6.31	3	Vertical	62	1.02	-
AV	5.35G	53.68	54.00	-0.32	6.31	3	Vertical	62	1.02	-
PK	5.479G	61.99	68.20	-6.21	6.47	3	Vertical	62	1.02	-

802.11ac VHT20_Nss1,(MCS0)_2TX

05/06/2019

5300MHz_TX




EUT Z_2TX
 Setting 21.5
 03-S-5
 FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	15.8985G	59.00	74.00	-15.00	13.90	3	Vertical	90	1.72	-
AV	15.8902G	44.67	54.00	-9.33	13.94	3	Vertical	90	1.72	-

802.11ac VHT20_Nss1,(MCS0)_2TX

05/06/2019

5300MHz_TX




EUT Z_2TX
Setting 21.5
03-S-5
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	15.89826G	58.16	74.00	-15.84	13.91	3	Horizontal	21	1.34	-
AV	15.89122G	44.71	54.00	-9.29	13.94	3	Horizontal	21	1.34	-

802.11ac VHT20_Nss1,(MCS0)_2TX

05/06/2019

5320MHz_TX




EUT Z_2TX
Setting 15.5
03-S-5-10
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.3262G	111.88	Inf	-Inf	6.27	3	Vertical	258	1.05	-
AV	5.328G	101.89	Inf	-Inf	6.28	3	Vertical	258	1.05	-
PK	5.3516G	67.65	74.00	-6.35	6.31	3	Vertical	258	1.05	-
AV	5.3502G	53.58	54.00	-0.42	6.31	3	Vertical	258	1.05	-

802.11ac VHT20_Nss1,(MCS0)_2TX

05/06/2019

5320MHz_TX




EUT Z_2TX
 Setting 15.5
 03-S-5
 FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	15.96304G	57.14	74.00	-16.86	13.66	3	Vertical	72	1.27	-
AV	15.95186G	44.49	54.00	-9.51	13.70	3	Vertical	72	1.27	-

802.11ac VHT20_Nss1,(MCS0)_2TX

05/06/2019

5320MHz_TX




EUT Z_2TX
Setting 15.5
03-S-5
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	15.9557G	58.00	74.00	-16.00	13.68	3	Horizontal	281	2.50	-
AV	15.95478G	44.43	54.00	-9.57	13.70	3	Horizontal	281	2.50	-

802.11ac VHT20_Nss1,(MCS0)_2TX

05/06/2019

5500MHz_TX




EUT_Z_2TX
Setting 16
03-S-5-10
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.4596G	63.14	74.00	-10.86	6.45	3	Vertical	167	1.46	-
AV	5.4599G	49.12	54.00	-4.88	6.45	3	Vertical	167	1.46	-
PK	5.4659G	67.96	68.20	-0.24	6.46	3	Vertical	167	1.46	-
PK	5.5016G	112.04	Inf	-Inf	6.49	3	Vertical	167	1.46	-
AV	5.5029G	102.35	Inf	-Inf	6.49	3	Vertical	167	1.46	-

802.11ac VHT20_Nss1,(MCS0)_2TX

05/06/2019

5500MHz_TX




EUT Z_2TX
Setting 16
03-S-5
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.0094G	55.46	74.00	-18.54	13.95	3	Vertical	77	2.07	-
AV	11.00626G	42.04	54.00	-11.96	13.94	3	Vertical	77	2.07	-

802.11ac VHT20_Nss1,(MCS0)_2TX

05/06/2019

5500MHz_TX




EUT Z_2TX
Setting 16
03-S-5
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.00698G	56.09	74.00	-17.91	13.94	3	Horizontal	31	1.96	-
AV	11.0085G	42.17	54.00	-11.83	13.95	3	Horizontal	31	1.96	-

802.11ac VHT20_Nss1,(MCS0)_2TX

05/06/2019

5580MHz_TX




EUT_Z_2TX
Setting 30
03-S-5-10
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.3478G	64.24	68.20	-3.96	6.31	3	Vertical	249	1.01	-
PK	5.3883G	65.46	74.00	-8.54	6.38	3	Vertical	249	1.01	-
AV	5.4027G	51.91	54.00	-2.09	6.40	3	Vertical	249	1.01	-
PK	5.4648G	64.13	68.20	-4.07	6.45	3	Vertical	249	1.01	-
PK	5.5863G	117.20	Inf	-Inf	6.38	3	Vertical	249	1.01	-
AV	5.5854G	106.96	Inf	-Inf	6.38	3	Vertical	249	1.01	-
PK	5.7555G	62.30	68.20	-5.90	6.42	3	Vertical	249	1.01	-

802.11ac VHT20_Nss1,(MCS0)_2TX

05/06/2019

5580MHz_TX




EUT Z_2TX
Setting 30
03-S-5
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.15906G	55.24	74.00	-18.76	14.09	3	Vertical	99	1.76	-
AV	11.16974G	41.97	54.00	-12.03	14.10	3	Vertical	99	1.76	-

802.11ac VHT20_Nss1,(MCS0)_2TX

05/06/2019

5580MHz_TX




EUT Z_2TX
Setting 30
03-S-5
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.15926G	55.37	74.00	-18.63	14.09	3	Horizontal	21	1.60	-
AV	11.15328G	41.86	54.00	-12.14	14.10	3	Horizontal	21	1.60	-

802.11ac VHT20_Nss1,(MCS0)_2TX

05/06/2019

5700MHz_TX




EUT Z_2TX
Setting 15.5
03-S-5-10
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.7062G	111.54	Inf	-Inf	6.38	3	Vertical	181	1.50	-
AV	5.7053G	101.66	Inf	-Inf	6.38	3	Vertical	181	1.50	-
PK	5.7252G	67.84	68.20	-0.36	6.39	3	Vertical	181	1.50	-

802.11ac VHT20_Nss1,(MCS0)_2TX

05/06/2019

5700MHz_TX




EUT Z_2TX
Setting 15.5
03-S-5
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.39758G	55.15	74.00	-18.85	14.33	3	Vertical	227	1.24	-
AV	11.39342G	42.26	54.00	-11.74	14.33	3	Vertical	227	1.24	-

802.11ac VHT20_Nss1,(MCS0)_2TX

05/06/2019

5700MHz_TX




EUT Z_2TX
Setting 15.5
03-S-5
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.4047G	55.32	74.00	-18.68	14.33	3	Horizontal	71	1.19	-
AV	11.39066G	42.51	54.00	-11.49	14.32	3	Horizontal	71	1.19	-

802.11ac VHT40_Nss1,(MCS0)_2TX

05/06/2019

5270MHz_TX




EUT_Z_2TX
Setting 20
03-S-5-10
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.1215G	60.35	74.00	-13.65	5.78	3	Vertical	62	1.02	-
AV	5.1205G	48.75	54.00	-5.25	5.78	3	Vertical	62	1.02	-
PK	5.2745G	112.54	Inf	-Inf	6.14	3	Vertical	62	1.02	-
AV	5.2745G	103.37	Inf	-Inf	6.14	3	Vertical	62	1.02	-
PK	5.353G	65.20	74.00	-8.80	6.31	3	Vertical	62	1.02	-
AV	5.353G	53.67	54.00	-0.33	6.31	3	Vertical	62	1.02	-
PK	5.486G	61.55	68.20	-6.65	6.48	3	Vertical	62	1.02	-

802.11ac VHT40_Nss1,(MCS0)_2TX

05/06/2019

5270MHz_TX




EUT Z_2TX
 Setting 20
 03-S-5
 FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	15.81086G	58.90	74.00	-15.10	14.24	3	Vertical	244	2.29	-
AV	15.807G	46.13	54.00	-7.87	14.25	3	Vertical	244	2.29	-

802.11ac VHT40_Nss1,(MCS0)_2TX

05/06/2019

5270MHz_TX




EUT Z_2TX
 Setting 20
 03-S-5
 FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	15.80794G	58.67	74.00	-15.33	14.25	3	Horizontal	84	1.88	-
AV	15.80116G	46.09	54.00	-7.91	14.28	3	Horizontal	84	1.88	-

802.11ac VHT40_Nss1,(MCS0)_2TX

05/06/2019

5310MHz_TX




EUT Z_2TX
Setting 13.5
03-S-5-10
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.3136G	106.58	Inf	-Inf	6.24	3	Vertical	249	1.01	-
AV	5.3146G	98.41	Inf	-Inf	6.24	3	Vertical	249	1.01	-
PK	5.3516G	65.09	74.00	-8.91	6.31	3	Vertical	249	1.01	-
AV	5.3508G	53.93	54.00	-0.07	6.31	3	Vertical	249	1.01	-

802.11ac VHT40_Nss1,(MCS0)_2TX

05/06/2019

5310MHz_TX




EUT Z_2TX
 Setting 13.5
 03-S-5
 FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	15.92064G	58.03	74.00	-15.97	13.82	3	Vertical	304	1.33	-
AV	15.92988G	46.63	54.00	-7.37	13.78	3	Vertical	304	1.33	-

802.11ac VHT40_Nss1,(MCS0)_2TX

05/06/2019

5310MHz_TX




EUT Z_2TX
Setting 13.5
03-S-5
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	15.92924G	57.99	74.00	-16.01	13.78	3	Horizontal	104	1.72	-
AV	15.92952G	46.57	54.00	-7.43	13.78	3	Horizontal	104	1.72	-

802.11ac VHT40_Nss1,(MCS0)_2TX

05/06/2019

5510MHz_TX




EUT_Z_2TX
Setting 15.5
03-S-5-10
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.4548G	62.16	74.00	-11.84	6.44	3	Vertical	168	1.47	-
AV	5.4544G	49.60	54.00	-4.40	6.44	3	Vertical	168	1.47	-
PK	5.4699G	67.25	68.20	-0.95	6.46	3	Vertical	168	1.47	-
PK	5.5112G	106.66	Inf	-Inf	6.48	3	Vertical	168	1.47	-
AV	5.5114G	98.12	Inf	-Inf	6.48	3	Vertical	168	1.47	-

802.11ac VHT40_Nss1,(MCS0)_2TX

05/06/2019

5510MHz_TX




EUT Z_2TX
Setting 15.5
03-S-5
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.01072G	55.54	74.00	-18.46	13.95	3	Vertical	120	1.03	-
AV	11.01936G	42.96	54.00	-11.04	13.96	3	Vertical	120	1.03	-

802.11ac VHT40_Nss1,(MCS0)_2TX

05/06/2019

5510MHz_TX




EUT Z_2TX
 Setting 15.5
 03-S-5
 FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.01226G	55.29	74.00	-18.71	13.96	3	Horizontal	74	1.84	-
AV	11.01678G	43.08	54.00	-10.92	13.96	3	Horizontal	74	1.84	-

802.11ac VHT40_Nss1,(MCS0)_2TX

05/06/2019

5550MHz_TX




EUT_Z_2TX
Setting 21.5
03-S-5-10
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.2896G	62.66	68.20	-5.54	6.19	3	Vertical	294	1.19	-
PK	5.4583G	66.23	74.00	-7.77	6.45	3	Vertical	294	1.19	-
AV	5.4583G	53.73	54.00	-0.27	6.45	3	Vertical	294	1.19	-
PK	5.4611G	65.03	68.20	-3.17	6.45	3	Vertical	294	1.19	-
PK	5.5591G	112.75	Inf	-Inf	6.41	3	Vertical	294	1.19	-
AV	5.5584G	103.74	Inf	-Inf	6.41	3	Vertical	294	1.19	-
PK	5.7334G	61.53	68.20	-6.67	6.40	3	Vertical	294	1.19	-

802.11ac VHT40_Nss1,(MCS0)_2TX

06/06/2019

5550MHz_TX




EUT Z_2TX
Setting 21.5
03-S-5
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.09206G	55.48	74.00	-18.52	14.03	3	Vertical	36	1.12	-
AV	11.09702G	42.43	54.00	-11.57	14.03	3	Vertical	36	1.12	-

802.11ac VHT40_Nss1,(MCS0)_2TX

06/06/2019

5550MHz_TX




EUT Z_2TX
 Setting 21.5
 03-S-5
 FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.09078G	56.12	74.00	-17.88	14.03	3	Horizontal	60	2.44	-
AV	11.09574G	42.79	54.00	-11.21	14.03	3	Horizontal	60	2.44	-

802.11ac VHT40_Nss1,(MCS0)_2TX

05/06/2019

5670MHz_TX




EUT Z_2TX
 Setting 20
 03-S-5-10
 FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.6631G	110.64	Inf	-Inf	6.37	3	Vertical	172	1.50	-
AV	5.6622G	101.46	Inf	-Inf	6.37	3	Vertical	172	1.50	-
PK	5.7252G	67.87	68.20	-0.33	6.39	3	Vertical	172	1.50	-

802.11ac VHT40_Nss1,(MCS0)_2TX

06/06/2019

5670MHz_TX




EUT Z_2TX
Setting 20
03-S-5
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.34682G	55.69	74.00	-18.31	14.27	3	Vertical	321	1.49	-
AV	11.3325G	43.19	54.00	-10.81	14.26	3	Vertical	321	1.49	-

802.11ac VHT40_Nss1,(MCS0)_2TX

06/06/2019

5670MHz_TX




EUT Z_2TX
Setting 20
03-S-5
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.3316G	55.80	74.00	-18.20	14.26	3	Horizontal	216	1.88	-
AV	11.3459G	43.08	54.00	-10.92	14.27	3	Horizontal	216	1.88	-

802.11ac VHT80_Nss1,(MCS0)_2TX

05/06/2019

5290MHz_TX




EUT_Z_2TX
Setting 12
03-S-5-10
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.148G	60.06	74.00	-13.94	5.83	3	Vertical	253	1.01	-
AV	5.1335G	47.33	54.00	-6.67	5.80	3	Vertical	253	1.01	-
PK	5.2755G	102.66	Inf	-Inf	6.14	3	Vertical	253	1.01	-
AV	5.3095G	92.68	Inf	-Inf	6.24	3	Vertical	253	1.01	-
PK	5.35G	67.09	74.00	-6.91	6.31	3	Vertical	253	1.01	-
AV	5.35G	53.63	54.00	-0.37	6.31	3	Vertical	253	1.01	-
PK	5.4775G	59.78	68.20	-8.42	6.47	3	Vertical	253	1.01	-

802.11ac VHT80_Nss1,(MCS0)_2TX

06/06/2019

5290MHz_TX




EUT Z_2TX
Setting 12
03-S-5
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	15.87296G	58.55	74.00	-15.45	14.00	3	Vertical	90	1.81	-
AV	15.8777G	45.53	54.00	-8.47	13.98	3	Vertical	90	1.81	-

802.11ac VHT80_Nss1,(MCS0)_2TX

06/06/2019

5290MHz_TX




EUT_Z_2TX
 Setting 12
 03-S-5
 FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	15.87326G	57.97	74.00	-16.03	14.00	3	Horizontal	4	1.23	-
AV	15.86764G	45.71	54.00	-8.29	14.02	3	Horizontal	4	1.23	-

802.11ac VHT80_Nss1,(MCS0)_2TX

05/06/2019

5530MHz_TX




EUT_Z_2TX
Setting 14
03-S-5-10
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.2905G	59.11	68.20	-9.09	6.19	3	Vertical	170	1.47	-
PK	5.4595G	64.39	74.00	-9.61	6.45	3	Vertical	170	1.47	-
AV	5.4485G	49.74	54.00	-4.26	6.45	3	Vertical	170	1.47	-
PK	5.4695G	68.11	68.20	-0.09	6.46	3	Vertical	170	1.47	-
PK	5.519G	104.29	Inf	-Inf	6.47	3	Vertical	170	1.47	-
AV	5.506G	93.24	Inf	-Inf	6.48	3	Vertical	170	1.47	-
PK	5.769G	61.23	68.20	-6.97	6.44	3	Vertical	170	1.47	-

802.11ac VHT80_Nss1,(MCS0)_2TX

06/06/2019

5530MHz_TX




EUT Z_2TX
Setting 14
03-S-5
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.06554G	54.68	74.00	-19.32	14.01	3	Vertical	34	1.77	-
AV	11.06582G	42.51	54.00	-11.49	14.01	3	Vertical	34	1.77	-

802.11ac VHT80_Nss1,(MCS0)_2TX

06/06/2019

5530MHz_TX




EUT Z_2TX
 Setting 14
 03-S-5
 FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.06264G	55.86	74.00	-18.14	14.00	3	Horizontal	271	1.62	-
AV	11.05426G	42.96	54.00	-11.04	13.99	3	Horizontal	271	1.62	-

802.11ac VHT80_Nss1,(MCS0)_2TX

05/06/2019

5610MHz_TX




EUT_Z_2TX
Setting 20.5
03-S-5-10
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.3286G	62.38	68.20	-5.82	6.28	3	Vertical	248	1.34	-
PK	5.4588G	64.43	74.00	-9.57	6.45	3	Vertical	248	1.34	-
AV	5.4588G	53.72	54.00	-0.28	6.45	3	Vertical	248	1.34	-
PK	5.4616G	64.53	68.20	-3.67	6.45	3	Vertical	248	1.34	-
PK	5.5799G	108.73	Inf	-Inf	6.39	3	Vertical	248	1.34	-
AV	5.5785G	98.93	Inf	-Inf	6.39	3	Vertical	248	1.34	-
PK	5.7346G	66.64	68.20	-1.56	6.40	3	Vertical	248	1.34	-

802.11ac VHT80_Nss1,(MCS0)_2TX

06/06/2019

5610MHz_TX




EUT Z_2TX
 Setting 20.5
 03-S-5
 FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.22276G	56.04	74.00	-17.96	14.16	3	Vertical	251	2.09	-
AV	11.22632G	42.79	54.00	-11.21	14.16	3	Vertical	251	2.09	-

802.11ac VHT80_Nss1,(MCS0)_2TX

06/06/2019

5610MHz_TX



EUT Z_2TX
 Setting 20.5
 03-S-5
 FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.21448G	55.35	74.00	-18.65	14.15	3	Horizontal	235	1.51	-
AV	11.21114G	42.84	54.00	-11.16	14.15	3	Horizontal	235	1.51	-