




802.11b\_Nss1,(1Mbps)\_2TX  
 2417MHz\_TX

31/03/2020




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.83396G	37.27	54.00	-16.73	4.38	3	Horizontal	342	1.83	-	32.89	31.10	7.33	34.05
PK	4.83371G	47.95	74.00	-26.05	4.38	3	Horizontal	342	1.83	-	43.57	31.10	7.33	34.05



802.11b\_Nss1,(1Mbps)\_2TX  
 2437MHz\_TX

31/03/2020




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3598G	45.01	54.00	-8.99	32.78	3	Vertical	342	1.50	-	12.23	27.76	5.02	-
AV	2.4354G	113.02	Inf	-Inf	32.71	3	Vertical	342	1.50	-	80.31	27.56	5.15	-
AV	2.4962G	45.82	54.00	-8.18	32.74	3	Vertical	342	1.50	-	13.08	27.50	5.24	-
PK	2.3802G	58.75	74.00	-15.25	32.74	3	Vertical	342	1.50	-	26.01	27.68	5.06	-
PK	2.435G	115.02	Inf	-Inf	32.72	3	Vertical	342	1.50	-	82.30	27.57	5.15	-
PK	2.4934G	57.97	74.00	-16.03	32.75	3	Vertical	342	1.50	-	25.22	27.51	5.24	-



802.11b\_Nss1,(1Mbps)\_2TX  
 2437MHz\_TX

31/03/2020




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.874G	52.15	54.00	-1.85	4.42	3	Vertical	20	1.49	-	47.73	31.10	7.37	34.05
PK	4.87397G	55.38	74.00	-18.62	4.42	3	Vertical	20	1.49	-	50.96	31.10	7.37	34.05



802.11b\_Nss1,(1Mbps)\_2TX  
 2437MHz\_TX

31/03/2020




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.8739G	35.40	54.00	-18.60	4.42	3	Horizontal	340	1.42	-	30.98	31.10	7.37	34.05
PK	4.87388G	47.57	74.00	-26.43	4.42	3	Horizontal	340	1.42	-	43.15	31.10	7.37	34.05



802.11b\_Nss1,(1Mbps)\_2TX  
 2457MHz\_TX

31/03/2020




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4578G	111.31	Inf	-Inf	32.73	3	Vertical	342	1.50	-	78.58	27.54	5.19	-
AV	2.484G	47.46	54.00	-6.54	32.75	3	Vertical	342	1.50	-	14.71	27.52	5.23	-
PK	2.4578G	113.88	Inf	-Inf	32.73	3	Vertical	342	1.50	-	81.15	27.54	5.19	-
PK	2.4852G	59.11	74.00	-14.89	32.74	3	Vertical	342	1.50	-	26.37	27.51	5.23	-



802.11b\_Nss1,(1Mbps)\_2TX  
 2457MHz\_TX

27/05/2020




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.914G	53.45	54.00	-0.55	7.19	3	Vertical	15	1.30	-	46.26	33.83	7.41	34.05
PK	4.91391G	55.98	74.00	-18.02	7.19	3	Vertical	15	1.30	-	48.79	33.83	7.41	34.05



802.11b\_Nss1,(1Mbps)\_2TX  
 2457MHz\_TX

27/05/2020




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.91281G	37.38	54.00	-16.62	7.19	3	Horizontal	110	1.78	-	30.19	33.83	7.41	34.05
PK	4.91405G	46.78	74.00	-27.22	7.19	3	Horizontal	110	1.78	-	39.59	33.83	7.41	34.05



802.11b\_Nss1,(1Mbps)\_2TX  
 2462MHz\_TX

31/03/2020




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4628G	111.37	Inf	-Inf	32.73	3	Vertical	21	1.50	-	78.64	27.54	5.19	-
AV	2.4835G	47.61	54.00	-6.39	32.75	3	Vertical	21	1.50	-	14.86	27.52	5.23	-
PK	2.4628G	113.79	Inf	-Inf	32.73	3	Vertical	21	1.50	-	81.06	27.54	5.19	-
PK	2.4842G	59.78	74.00	-14.22	32.75	3	Vertical	21	1.50	-	27.03	27.52	5.23	-





802.11b\_Nss1,(1Mbps)\_2TX  
 2462MHz\_TX

27/05/2020




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.92387G	53.74	54.00	-0.26	7.22	3	Vertical	25	1.34	-	46.52	33.85	7.42	34.05
PK	4.92392G	57.12	74.00	-16.88	7.22	3	Vertical	25	1.34	-	49.90	33.85	7.42	34.05



802.11b\_Nss1,(1Mbps)\_2TX  
 2462MHz\_TX

27/05/2020




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.92408G	36.22	54.00	-17.78	7.22	3	Horizontal	85	2.21	-	29.00	33.85	7.42	34.05
PK	4.92382G	48.38	74.00	-25.62	7.22	3	Horizontal	85	2.21	-	41.16	33.85	7.42	34.05



802.11g\_Nss1,(6Mbps)\_2TX

27/05/2020

2412MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3894G	53.66	54.00	-0.34	34.76	3	Vertical	344	1.90	-	18.90	29.68	5.08	-
AV	2.4184G	105.27	Inf	-Inf	34.92	3	Vertical	344	1.90	-	70.35	29.79	5.13	-
PK	2.3892G	67.39	74.00	-6.61	34.76	3	Vertical	344	1.90	-	32.63	29.68	5.08	-
PK	2.4184G	113.90	Inf	-Inf	34.92	3	Vertical	344	1.90	-	78.98	29.79	5.13	-



802.11g\_Nss1,(6Mbps)\_2TX

31/03/2020

2412MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.82404G	37.06	54.00	-16.94	4.37	3	Vertical	280	2.05	-	32.69	31.10	7.32	34.05
PK	4.82436G	49.96	74.00	-24.04	4.37	3	Vertical	280	2.05	-	45.59	31.10	7.32	34.05



802.11g\_Nss1,(6Mbps)\_2TX

31/03/2020

2412MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.82408G	33.21	54.00	-20.79	4.37	3	Horizontal	267	1.82	-	28.84	31.10	7.32	34.05
PK	4.82726G	46.28	74.00	-27.72	4.38	3	Horizontal	267	1.82	-	41.90	31.10	7.33	34.05



802.11g\_Nss1,(6Mbps)\_2TX

27/05/2020

2417MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3894G	53.25	54.00	-0.75	34.76	3	Vertical	342	1.90	-	18.49	29.68	5.08	-
AV	2.4232G	105.98	Inf	-Inf	34.95	3	Vertical	342	1.90	-	71.03	29.82	5.13	-
PK	2.3894G	68.21	74.00	-5.79	34.76	3	Vertical	342	1.90	-	33.45	29.68	5.08	-
PK	2.4234G	115.14	Inf	-Inf	34.96	3	Vertical	342	1.90	-	80.18	29.82	5.14	-



802.11g\_Nss1,(6Mbps)\_2TX  
 2437MHz\_TX

31/03/2020




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.389G	48.96	54.00	-5.04	32.72	3	Vertical	34	1.48	-	16.24	27.64	5.08	-
AV	2.4442G	109.17	Inf	-Inf	32.73	3	Vertical	34	1.48	-	76.44	27.56	5.17	-
AV	2.4835G	50.12	Inf	-Inf	32.75	3	Vertical	34	1.48	-	17.37	27.52	5.23	-
PK	2.3894G	65.33	74.00	-8.67	32.72	3	Vertical	34	1.48	-	32.61	27.64	5.08	-
PK	2.439G	118.06	Inf	-Inf	32.72	3	Vertical	34	1.48	-	85.34	27.56	5.16	-
PK	2.4842G	64.49	74.00	-9.51	32.75	3	Vertical	34	1.48	-	31.74	27.52	5.23	-



802.11g\_Nss1,(6Mbps)\_2TX  
 2437MHz\_TX

31/03/2020



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.87422G	41.22	54.00	-12.78	4.42	3	Vertical	16	1.23	-	36.80	31.10	7.37	34.05
PK	4.87416G	54.70	74.00	-19.30	4.42	3	Vertical	16	1.23	-	50.28	31.10	7.37	34.05






802.11g\_Nss1,(6Mbps)\_2TX

31/03/2020

2437MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.87352G	34.59	54.00	-19.41	4.42	3	Horizontal	183	1.50	-	30.17	31.10	7.37	34.05
PK	4.87388G	47.46	74.00	-26.54	4.42	3	Horizontal	183	1.50	-	43.04	31.10	7.37	34.05



802.11g\_Nss1,(6Mbps)\_2TX  
 2457MHz\_TX

27/05/2020




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4548G	106.41	Inf	-Inf	35.15	3	Vertical	27	1.67	-	71.26	29.97	5.18	-
AV	2.4846G	53.81	54.00	-0.19	35.35	3	Vertical	27	1.67	-	18.46	30.12	5.23	-
PK	2.4546G	115.82	Inf	-Inf	35.15	3	Vertical	27	1.67	-	80.67	29.97	5.18	-
PK	2.4848G	69.33	74.00	-4.67	35.35	3	Vertical	27	1.67	-	33.98	30.12	5.23	-



802.11g\_Nss1,(6Mbps)\_2TX  
 2462MHz\_TX

27/05/2020




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.469G	104.36	Inf	-Inf	35.24	3	Vertical	346	1.50	-	69.12	30.04	5.20	-
AV	2.4835G	53.64	54.00	-0.36	35.35	3	Vertical	346	1.50	-	18.29	30.12	5.23	-
PK	2.4588G	113.27	Inf	-Inf	35.18	3	Vertical	346	1.50	-	78.09	29.99	5.19	-
PK	2.4836G	67.50	74.00	-6.50	35.35	3	Vertical	346	1.50	-	32.15	30.12	5.23	-



802.11g\_Nss1,(6Mbps)\_2TX  
 2462MHz\_TX

31/03/2020




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.92412G	38.55	54.00	-15.45	4.57	3	Vertical	21	1.45	-	33.98	31.20	7.42	34.05
PK	4.92466G	51.85	74.00	-22.15	4.57	3	Vertical	21	1.45	-	47.28	31.20	7.42	34.05



802.11g\_Nss1,(6Mbps)\_2TX  
 2462MHz\_TX

31/03/2020




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.91848G	33.07	54.00	-20.93	4.54	3	Horizontal	142	1.29	-	28.53	31.17	7.42	34.05
PK	4.93324G	46.49	74.00	-27.51	4.61	3	Horizontal	142	1.29	-	41.88	31.23	7.43	34.05



VHT20\_Nss1,(MCS0)\_2TX  
 2412MHz\_TX

27/05/2020




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.39G	53.43	54.00	-0.57	34.76	3	Vertical	27	1.69	-	18.67	29.68	5.08	-
AV	2.415G	102.80	Inf	-Inf	34.89	3	Vertical	27	1.69	-	67.91	29.77	5.12	-
PK	2.3898G	68.98	74.00	-5.02	34.76	3	Vertical	27	1.69	-	34.22	29.68	5.08	-
PK	2.4158G	112.17	Inf	-Inf	34.90	3	Vertical	27	1.69	-	77.27	29.78	5.12	-



VHT20\_Nss1,(MCS0)\_2TX  
 2412MHz\_TX

31/03/2020




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.82388G	37.05	54.00	-16.95	4.37	3	Vertical	19	1.45	-	32.68	31.10	7.32	34.05
PK	4.82304G	50.86	74.00	-23.14	4.37	3	Vertical	19	1.45	-	46.49	31.10	7.32	34.05



VHT20\_Nss1,(MCS0)\_2TX  
 2412MHz\_TX

31/03/2020




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.81596G	33.19	54.00	-20.81	4.37	3	Horizontal	15	1.50	-	28.82	31.10	7.32	34.05
PK	4.81492G	46.00	74.00	-28.00	4.36	3	Horizontal	15	1.50	-	41.64	31.10	7.31	34.05





VHT20\_Nss1,(MCS0)\_2TX  
 2417MHz\_TX

31/03/2020




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	2.3886G	67.66	74.00	-6.34	31.64	3	Vertical	25	1.92	-	36.02	27.65	3.99	-
AV	2.3886G	51.96	54.00	-2.04	31.64	3	Vertical	25	1.92	-	20.32	27.65	3.99	-
PK	2.4234G	115.77	Inf	-Inf	31.60	3	Vertical	25	1.92	-	84.17	27.58	4.02	-
AV	2.4224G	106.78	Inf	-Inf	31.60	3	Vertical	25	1.92	-	75.18	27.58	4.02	-



VHT20\_Nss1,(MCS0)\_2TX  
 2437MHz\_TX

31/03/2020




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3882G	48.76	54.00	-5.24	32.73	3	Vertical	33	1.49	-	16.03	27.65	5.08	-
AV	2.4438G	108.92	Inf	-Inf	32.73	3	Vertical	33	1.49	-	76.19	27.56	5.17	-
AV	2.4835G	50.31	Inf	-Inf	32.75	3	Vertical	33	1.49	-	17.56	27.52	5.23	-
PK	2.389G	65.36	74.00	-8.64	32.72	3	Vertical	33	1.49	-	32.64	27.64	5.08	-
PK	2.4434G	117.99	Inf	-Inf	32.73	3	Vertical	33	1.49	-	85.26	27.56	5.17	-
PK	2.487G	66.06	74.00	-7.94	32.74	3	Vertical	33	1.49	-	33.32	27.51	5.23	-



VHT20\_Nss1,(MCS0)\_2TX  
 2437MHz\_TX

31/03/2020




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.87418G	40.54	54.00	-13.46	4.42	3	Vertical	20	1.72	-	36.12	31.10	7.37	34.05
PK	4.87322G	55.89	74.00	-18.11	4.42	3	Vertical	20	1.72	-	51.47	31.10	7.37	34.05



VHT20\_Nss1,(MCS0)\_2TX

31/03/2020

2437MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.87688G	33.62	54.00	-20.38	4.43	3	Horizontal	0	1.50	-	29.19	31.10	7.38	34.05
PK	4.86812G	46.57	74.00	-27.43	4.42	3	Horizontal	0	1.50	-	42.15	31.10	7.37	34.05



VHT20\_Nss1,(MCS0)\_2TX  
 2457MHz\_TX

27/05/2020




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.464G	105.46	Inf	-Inf	35.22	3	Vertical	346	1.50	-	70.24	30.02	5.20	-
AV	2.4835G	53.25	54.00	-0.75	35.35	3	Vertical	346	1.50	-	17.90	30.12	5.23	-
PK	2.4634G	114.40	Inf	-Inf	35.22	3	Vertical	346	1.50	-	79.18	30.02	5.20	-
PK	2.4838G	67.68	74.00	-6.32	35.35	3	Vertical	346	1.50	-	32.33	30.12	5.23	-



VHT20\_Nss1,(MCS0)\_2TX  
 2462MHz\_TX

27/05/2020




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.469G	104.64	Inf	-Inf	35.24	3	Vertical	346	1.50	-	69.40	30.04	5.20	-
AV	2.4842G	53.39	54.00	-0.61	35.35	3	Vertical	346	1.50	-	18.04	30.12	5.23	-
PK	2.4684G	113.76	Inf	-Inf	35.24	3	Vertical	346	1.50	-	78.52	30.04	5.20	-
PK	2.4844G	68.79	74.00	-5.21	35.35	3	Vertical	346	1.50	-	33.44	30.12	5.23	-



VHT20\_Nss1,(MCS0)\_2TX

31/03/2020

2462MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.92268G	38.77	54.00	-15.23	4.56	3	Vertical	22	1.40	-	34.21	31.19	7.42	34.05
PK	4.9225G	52.06	74.00	-21.94	4.56	3	Vertical	22	1.40	-	47.50	31.19	7.42	34.05



VHT20\_Nss1,(MCS0)\_2TX  
 2462MHz\_TX

31/03/2020




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.91404G	33.37	54.00	-20.63	4.52	3	Horizontal	334	1.50	-	28.85	31.16	7.41	34.05
PK	4.90948G	46.29	74.00	-27.71	4.50	3	Horizontal	334	1.50	-	41.79	31.14	7.41	34.05





VHT40\_Nss1,(MCS0)\_2TX  
 2422MHz\_TX

27/05/2020




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.39G	53.19	54.00	-0.81	34.76	3	Vertical	344	1.72	-	18.43	29.68	5.08	-
AV	2.4344G	98.61	Inf	-Inf	35.02	3	Vertical	344	1.72	-	63.59	29.87	5.15	-
AV	2.4912G	49.52	54.00	-4.48	35.40	3	Vertical	344	1.72	-	14.12	30.16	5.24	-
PK	2.386G	64.14	74.00	-9.86	34.74	3	Vertical	344	1.72	-	29.40	29.67	5.07	-
PK	2.4336G	107.40	Inf	-Inf	35.02	3	Vertical	344	1.72	-	72.38	29.87	5.15	-
PK	2.4872G	60.42	74.00	-13.58	35.37	3	Vertical	344	1.72	-	25.05	30.14	5.23	-



VHT40\_Nss1,(MCS0)\_2TX

31/03/2020

2422MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.8293G	34.08	54.00	-19.92	4.38	3	Vertical	36	1.50	-	29.70	31.10	7.33	34.05
PK	4.83794G	46.82	74.00	-27.18	4.39	3	Vertical	36	1.50	-	42.43	31.10	7.34	34.05



VHT40\_Nss1,(MCS0)\_2TX  
 2422MHz\_TX

31/03/2020




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.83434G	33.83	54.00	-20.17	4.38	3	Horizontal	92	1.50	-	29.45	31.10	7.33	34.05
PK	4.84448G	46.15	74.00	-27.85	4.39	3	Horizontal	92	1.50	-	41.76	31.10	7.34	34.05



VHT40\_Nss1,(MCS0)\_2TX  
 2427MHz\_TX

27/05/2020



Legend for plot:


- Lim.PK (Red line)
- PK (Blue line)
- Lim.AV (Red line)
- AV (Blue line)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	53.38	54.00	-0.62	34.76	3	Vertical	347	1.88	-	18.62	29.68	5.08	-
AV	2.433G	99.12	Inf	-Inf	35.01	3	Vertical	347	1.88	-	64.11	29.86	5.15	-
AV	2.4982G	49.39	54.00	-4.61	35.44	3	Vertical	347	1.88	-	13.95	30.19	5.25	-
PK	2.389G	64.75	74.00	-9.25	34.76	3	Vertical	347	1.88	-	29.99	29.68	5.08	-
PK	2.4318G	107.74	Inf	-Inf	35.01	3	Vertical	347	1.88	-	72.73	29.86	5.15	-
PK	2.4914G	60.48	74.00	-13.52	35.40	3	Vertical	347	1.88	-	25.08	30.16	5.24	-



VHT40\_Nss1,(MCS0)\_2TX  
 2437MHz\_TX

27/05/2020




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	53.52	54.00	-0.48	34.76	3	Vertical	345	1.87	-	18.76	29.68	5.08	-
AV	2.4514G	102.40	Inf	-Inf	35.14	3	Vertical	345	1.87	-	67.26	29.96	5.18	-
AV	2.4854G	50.63	54.00	-3.37	35.36	3	Vertical	345	1.87	-	15.27	30.13	5.23	-
PK	2.3898G	65.97	74.00	-8.03	34.76	3	Vertical	345	1.87	-	31.21	29.68	5.08	-
PK	2.4518G	110.83	Inf	-Inf	35.14	3	Vertical	345	1.87	-	75.69	29.96	5.18	-
PK	2.4862G	62.11	74.00	-11.89	35.36	3	Vertical	345	1.87	-	26.75	30.13	5.23	-



VHT40\_Nss1,(MCS0)\_2TX

31/03/2020

2437MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.87376G	36.99	54.00	-17.01	4.42	3	Vertical	20	1.49	-	32.57	31.10	7.37	34.05
PK	4.87364G	48.53	74.00	-25.47	4.42	3	Vertical	20	1.49	-	44.11	31.10	7.37	34.05



VHT40\_Nss1,(MCS0)\_2TX

31/03/2020

2437MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.87094G	34.44	54.00	-19.56	4.42	3	Horizontal	18	2.88	-	30.02	31.10	7.37	34.05
PK	4.86326G	46.41	74.00	-27.59	4.41	3	Horizontal	18	2.88	-	42.00	31.10	7.36	34.05



VHT40\_Nss1,(MCS0)\_2TX  
 2447MHz\_TX

27/05/2020




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	49.07	54.00	-4.93	34.76	3	Vertical	345	1.87	-	14.31	29.68	5.08	-
AV	2.4514G	102.43	Inf	-Inf	35.14	3	Vertical	345	1.87	-	67.29	29.96	5.18	-
AV	2.4862G	53.83	54.00	-0.17	35.36	3	Vertical	345	1.87	-	18.47	30.13	5.23	-
PK	2.3794G	60.01	74.00	-13.99	34.72	3	Vertical	345	1.87	-	25.29	29.66	5.06	-
PK	2.4514G	111.06	Inf	-Inf	35.14	3	Vertical	345	1.87	-	75.92	29.96	5.18	-
PK	2.4835G	68.14	74.00	-5.86	35.35	3	Vertical	345	1.87	-	32.79	30.12	5.23	-





VHT40\_Nss1,(MCS0)\_2TX  
 2452MHz\_TX

27/05/2020




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3864G	48.00	54.00	-6.00	34.74	3	Vertical	345	1.87	-	13.26	29.67	5.07	-
AV	2.4464G	97.68	Inf	-Inf	35.10	3	Vertical	345	1.87	-	62.58	29.93	5.17	-
AV	2.4835G	53.62	54.00	-0.38	35.35	3	Vertical	345	1.87	-	18.27	30.12	5.23	-
PK	2.3556G	59.42	74.00	-14.58	34.62	3	Vertical	345	1.87	-	24.80	29.61	5.01	-
PK	2.4476G	105.78	Inf	-Inf	35.11	3	Vertical	345	1.87	-	70.67	29.94	5.17	-
PK	2.4835G	65.45	74.00	-8.55	35.35	3	Vertical	345	1.87	-	30.10	30.12	5.23	-



VHT40\_Nss1,(MCS0)\_2TX  
 2452MHz\_TX

31/03/2020




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.91822G	35.22	54.00	-18.78	4.54	3	Vertical	203	1.93	-	30.68	31.17	7.42	34.05
PK	4.91612G	47.25	74.00	-26.75	4.53	3	Vertical	203	1.93	-	42.72	31.16	7.42	34.05



VHT40\_Nss1,(MCS0)\_2TX  
 2452MHz\_TX

31/03/2020



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.91858G	34.35	54.00	-19.65	4.54	3	Horizontal	88	1.50	-	29.81	31.17	7.42	34.05
PK	4.91396G	46.27	74.00	-27.73	4.52	3	Horizontal	88	1.50	-	41.75	31.16	7.41	34.05