




802.11ac VHT40\_Nss1,(MCS0)\_2TX

01/04/2020

5550MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.0964G	48.08	54.00	-5.92	15.77	3	Horizontal	40	1.58	-	32.31	40.07	9.87	34.17
PK	11.09766G	59.66	74.00	-14.34	15.77	3	Horizontal	40	1.58	-	43.89	40.07	9.87	34.17
PK	16.65456G	60.88	68.20	-7.32	16.77	3	Horizontal	297	1.50	-	44.11	39.27	11.29	33.79



802.11ac VHT40\_Nss1,(MCS0)\_2TX

27/05/2020

5670MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.6682G	104.85	Inf	-Inf	7.72	3	Horizontal	181	1.50	-	97.13	33.96	7.83	34.07
PK	5.6688G	113.16	Inf	-Inf	7.72	3	Horizontal	181	1.50	-	105.44	33.96	7.83	34.07
PK	5.7306G	67.86	68.20	-0.34	7.76	3	Horizontal	181	1.50	-	60.10	33.96	7.87	34.07



802.11ac VHT40\_Nss1,(MCS0)\_2TX

01/04/2020

5670MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.33202G	46.47	54.00	-7.53	15.52	3	Vertical	31	1.49	-	30.95	39.77	9.93	34.18
PK	11.33988G	58.25	74.00	-15.75	15.51	3	Vertical	31	1.49	-	42.74	39.76	9.93	34.18
PK	17.01732G	59.70	68.20	-8.50	18.35	3	Vertical	316	1.63	-	41.35	40.32	11.46	33.43



802.11ac VHT40\_Nss1,(MCS0)\_2TX

01/04/2020

5670MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.33994G	45.97	54.00	-8.03	15.51	3	Horizontal	299	1.50	-	30.46	39.76	9.93	34.18
PK	11.33616G	57.11	74.00	-16.89	15.51	3	Horizontal	299	1.50	-	41.60	39.76	9.93	34.18
PK	17.01468G	59.68	68.20	-8.52	18.33	3	Horizontal	176	1.50	-	41.35	40.30	11.46	33.43



802.11ac VHT40\_Nss1,(MCS0)\_2TX

01/04/2020

5710MHz Straddle 5.47-5.725GHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.396G	51.99	54.00	-2.01	5.13	3	Horizontal	179	1.24	-	46.86	31.49	7.70	34.06
AV	5.696G	106.62	Inf	-Inf	5.57	3	Horizontal	179	1.24	-	101.05	31.79	7.85	34.07
PK	5.46G	63.17	74.00	-10.83	5.34	3	Horizontal	179	1.24	-	57.83	31.68	7.73	34.07
PK	5.698G	115.35	Inf	-Inf	5.58	3	Horizontal	179	1.24	-	109.77	31.80	7.85	34.07
PK	5.858G	61.13	68.20	-7.07	6.12	3	Horizontal	179	1.24	-	55.01	32.27	7.93	34.08



802.11ac VHT40\_Nss1,(MCS0)\_2TX

01/04/2020

5710MHz Straddle 5.47-5.725GHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.4203G	49.49	54.00	-4.51	15.42	3	Vertical	324	1.48	-	34.07	39.65	9.96	34.19
PK	11.4167G	60.63	74.00	-13.37	15.42	3	Vertical	324	1.48	-	45.21	39.66	9.95	34.19
PK	17.1285G	63.32	68.20	-4.88	19.14	3	Vertical	317	1.67	-	44.18	41.09	11.51	33.46



802.11ac VHT40\_Nss1,(MCS0)\_2TX

01/04/2020

5710MHz Straddle 5.47-5.725GHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.42018G	47.16	54.00	-6.84	15.42	3	Horizontal	350	2.96	-	31.74	39.65	9.96	34.19
PK	11.41928G	59.32	74.00	-14.68	15.41	3	Horizontal	350	2.96	-	43.91	39.65	9.95	34.19
PK	17.13204G	62.69	68.20	-5.51	19.16	3	Horizontal	332	2.32	-	43.53	41.11	11.51	33.46



802.11ac VHT80\_Nss1,(MCS0)\_2TX

27/05/2020

5290MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.138G	51.19	54.00	-2.81	7.72	3	Horizontal	181	2.42	-	43.47	34.20	7.57	34.05
AV	5.29G	97.25	Inf	-Inf	7.96	3	Horizontal	181	2.42	-	89.29	34.38	7.64	34.06
AV	5.35G	53.76	54.00	-0.24	7.92	3	Horizontal	181	2.42	-	45.84	34.30	7.68	34.06
PK	5.117G	62.54	74.00	-11.46	7.71	3	Horizontal	181	2.42	-	54.83	34.20	7.56	34.05
PK	5.277G	105.95	Inf	-Inf	7.93	3	Horizontal	181	2.42	-	98.02	34.35	7.64	34.06
PK	5.464G	62.56	68.20	-5.64	7.86	3	Horizontal	181	2.42	-	54.70	34.20	7.73	34.07






802.11ac VHT80\_Nss1,(MCS0)\_2TX

01/04/2020

5290MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.86408G	44.96	54.00	-9.04	14.55	3	Vertical	200	2.02	-	30.41	37.92	10.97	34.34
PK	10.584G	56.14	68.20	-12.06	15.00	3	Vertical	84	1.50	-	41.14	39.66	9.75	34.41
PK	15.86928G	56.39	74.00	-17.61	14.53	3	Vertical	200	2.02	-	41.86	37.91	10.97	34.35



802.11ac VHT80\_Nss1,(MCS0)\_2TX

01/04/2020

5290MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.87168G	44.81	54.00	-9.19	14.52	3	Horizontal	316	1.50	-	30.29	37.90	10.97	34.35
PK	10.58228G	56.64	68.20	-11.56	15.00	3	Horizontal	25	1.50	-	41.64	39.66	9.75	34.41
PK	15.87032G	56.73	74.00	-17.27	14.52	3	Horizontal	316	1.50	-	42.21	37.90	10.97	34.35



802.11ac VHT80\_Nss1,(MCS0)\_2TX

27/05/2020

5530MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	53.12	54.00	-0.88	7.86	3	Horizontal	179	2.39	-	45.26	34.20	7.73	34.07
AV	5.503G	95.04	Inf	-Inf	7.88	3	Horizontal	179	2.39	-	87.16	34.20	7.75	34.07
PK	5.463G	67.89	68.20	-0.31	7.86	3	Horizontal	179	2.39	-	60.03	34.20	7.73	34.07
PK	5.519G	105.27	Inf	-Inf	7.87	3	Horizontal	179	2.39	-	97.40	34.18	7.76	34.07
PK	5.751G	61.19	68.20	-7.01	7.80	3	Horizontal	179	2.39	-	53.39	34.00	7.88	34.08



802.11ac VHT80\_Nss1,(MCS0)\_2TX

01/04/2020

5530MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.0504G	45.62	54.00	-8.38	15.83	3	Vertical	78	1.50	-	29.79	40.13	9.86	34.16
PK	11.06416G	57.49	74.00	-16.51	15.83	3	Vertical	78	1.50	-	41.66	40.12	9.87	34.16
PK	16.5912G	59.20	68.20	-9.00	16.51	3	Vertical	266	1.50	-	42.69	39.10	11.27	33.86



802.11ac VHT80\_Nss1,(MCS0)\_2TX

01/04/2020

5530MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.05236G	45.69	54.00	-8.31	15.83	3	Horizontal	257	2.03	-	29.86	40.13	9.86	34.16
PK	11.06636G	57.85	74.00	-16.15	15.82	3	Horizontal	257	2.03	-	42.03	40.11	9.87	34.16
PK	16.59224G	59.96	68.20	-8.24	16.51	3	Horizontal	77	1.50	-	43.45	39.10	11.27	33.86



802.11ac VHT80\_Nss1,(MCS0)\_2TX

27/05/2020

5610MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.452G	53.71	54.00	-0.29	7.86	3	Horizontal	176	2.33	-	45.85	34.20	7.73	34.07
AV	5.591G	103.27	Inf	-Inf	7.84	3	Horizontal	176	2.33	-	95.43	34.11	7.80	34.07
PK	5.469G	65.81	68.20	-2.39	7.86	3	Horizontal	176	2.33	-	57.95	34.20	7.73	34.07
PK	5.595G	112.45	Inf	-Inf	7.84	3	Horizontal	176	2.33	-	104.61	34.11	7.80	34.07
PK	5.732G	64.29	68.20	-3.91	7.76	3	Horizontal	176	2.33	-	56.53	33.96	7.87	34.07



802.11ac VHT80\_Nss1,(MCS0)\_2TX

01/04/2020

5610MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.21564G	45.75	54.00	-8.25	15.65	3	Vertical	333	1.62	-	30.10	39.92	9.90	34.17
PK	11.21984G	57.67	74.00	-16.33	15.64	3	Vertical	333	1.62	-	42.03	39.91	9.90	34.17
PK	16.8344G	59.24	68.20	-8.96	17.53	3	Vertical	266	1.42	-	41.71	39.75	11.38	33.60



802.11ac VHT80\_Nss1,(MCS0)\_2TX

01/04/2020

5610MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.21052G	45.52	54.00	-8.48	15.66	3	Horizontal	295	1.48	-	29.86	39.93	9.90	34.17
PK	11.21784G	57.22	74.00	-16.78	15.65	3	Horizontal	295	1.48	-	41.57	39.92	9.90	34.17
PK	16.82976G	59.47	68.20	-8.73	17.50	3	Horizontal	293	2.70	-	41.97	39.74	11.37	33.61






802.11ac VHT80\_Nss1,(MCS0)\_2TX

27/05/2020

5690MHz Straddle 5.47-5.725GHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4404G	53.89	54.00	-0.11	7.86	3	Horizontal	178	2.27	-	46.03	34.20	7.72	34.06
AV	5.6684G	105.82	Inf	-Inf	7.72	3	Horizontal	178	2.27	-	98.10	33.96	7.83	34.07
PK	5.46G	65.29	68.20	-2.91	7.86	3	Horizontal	178	2.27	-	57.43	34.20	7.73	34.07
PK	5.6792G	115.24	Inf	-Inf	7.71	3	Horizontal	178	2.27	-	107.53	33.94	7.84	34.07
PK	5.852G	67.90	68.20	-0.30	8.21	3	Horizontal	178	2.27	-	59.69	34.36	7.93	34.08



802.11ac VHT80\_Nss1,(MCS0)\_2TX

01/04/2020

5690MHz Straddle 5.47-5.725GHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.37932G	47.66	54.00	-6.34	15.47	3	Vertical	330	2.25	-	32.19	39.71	9.94	34.18
PK	11.37988G	59.38	74.00	-14.62	15.47	3	Vertical	330	2.25	-	43.91	39.71	9.94	34.18
PK	17.06316G	60.46	68.20	-7.74	18.68	3	Vertical	221	1.05	-	41.78	40.64	11.48	33.44



802.11ac VHT80\_Nss1,(MCS0)\_2TX

01/04/2020

5690MHz Straddle 5.47-5.725GHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.37248G	45.85	54.00	-8.15	15.48	3	Horizontal	293	1.58	-	30.37	39.72	9.94	34.18
PK	11.37436G	57.63	74.00	-16.37	15.47	3	Horizontal	293	1.58	-	42.16	39.71	9.94	34.18
PK	17.079G	61.27	68.20	-6.93	18.79	3	Horizontal	298	2.67	-	42.48	40.75	11.49	33.45