



Bandwidth 20MHz: Traffic Loading Plot - 6215MHz




Bandwidth 20MHz: Traffic Loading Plot - 6455MHz



Bandwidth 20MHz: Traffic Loading Plot - 6695MHz

Time Analysis

Main




Sample Time

12.5us	
All TX Time	
96.3375ms	
All TX Sample	
7707	
Duty Cycle	
0.963255	
T1[s]	T2[s]
NaNs	NaNs
T3[s]	T4[s]
NaNs	NaNs

Bandwidth 20MHz: Traffic Loading Plot - 7015MHz

Time Analysis

Main




Sample Time

12.5us	
All TX Time	
96.5ms	
All TX Sample	
7720	
Duty Cycle	
0.964879	
T1[s]	T2[s]
NaNs	NaNs
T3[s]	T4[s]
NaNs	NaNs

Bandwidth 160MHz: Traffic Loading Plot - 6185MHz

Time Analysis

Main



Sample Time

12.5us

All TX Time

44.2ms

All TX Sample

3536

Duty Cycle

0.441945

T1[s] T2[s]

NaNs NaNs


T3[s] T4[s]

NaNs NaNs

Bandwidth 160MHz: Traffic Loading Plot - 6505MHz

Time Analysis

Main



Sample Time

12.5us

All TX Time

54.4625ms

All TX Sample

4357

Duty Cycle

0.544557

T1[s] T2[s]

NaNs NaNs


T3[s] T4[s]

NaNs NaNs

Bandwidth 160MHz: Traffic Loading Plot - 6665MHz

Time Analysis

Main



Sample Time

12.5us

All TX Time

48.775ms

All TX Sample

3902

Duty Cycle

0.487689

T1[s] T2[s]

NaNs NaNs


T3[s] T4[s]

NaNs NaNs

Bandwidth 160MHz: Traffic Loading Plot - 6985MHz

Time Analysis

Main



Sample Time

12.5us

All TX Time

52.2ms

All TX Sample

4176

Duty Cycle

0.521935


T1[s] T2[s]


NaNs NaNs

T3[s] T4[s]

NaNs NaNs

1. Incumbent signal (AWGN) Plot








802.11ax HEW160


Frequency (MHz): 6110 MHz



Date: 15.MAR.2023 17:37:39


AWGN Bandwidth: 10MHz


Frequency (MHz): 6185 MHz





Date: 15.MAR.2023 17:38:39

AWGN Bandwidth: 10MHz











Frequency (MHz): 6985 MHz



Date: 15.MAR.2023 17:46:21

AWGN Bandwidth: 10MHz


Frequency (MHz): 7060 MHz




Date: 15.MAR.2023 17:47:15

AWGN Bandwidth: 10MHz

2. Contention-Based Protocol Plot



Note: M1: Inject AWGN signal; M2: Remove AWGN signal.




Note: M1: Inject AWGN signal; M2: Remove AWGN signal.



Test CH 149 ; Incumbent signal 6695 MHz


Time Analysis




Note: M1: Inject AWGN signal; M2: Remove AWGN signal.

Test CH 213 ; Incumbent signal 7015 MHz


Time Analysis



Note: M1: Inject AWGN signal; M2: Remove AWGN signal.



Note: M1: Inject AWGN signal; M2: Remove AWGN signal.




Note: M1: Inject AWGN signal; M2: Remove AWGN signal.



Test CH 47 ; Incumbent signal 6260 MHz


Time Analysis



Note: M1: Inject AWGN signal; M2: Remove AWGN signal.

Test CH 111 ; Incumbent signal 6430 MHz


Time Analysis



Note: M1: Inject AWGN signal; M2: Remove AWGN signal.

Test CH 111 ; Incumbent signal 6505 MHz


Time Analysis



Note: M1: Inject AWGN signal; M2: Remove AWGN signal.

Test CH 111 ; Incumbent signal 6580 MHz


Time Analysis



Note: M1: Inject AWGN signal; M2: Remove AWGN signal.

Test CH 143 ; Incumbent signal 6590 MHz


Time Analysis



Note: M1: Inject AWGN signal; M2: Remove AWGN signal.

Test CH 143 ; Incumbent signal 6665 MHz


Time Analysis



Note: M1: Inject AWGN signal; M2: Remove AWGN signal.

Test CH 143 ; Incumbent signal 6740 MHz


Time Analysis



Note: M1: Inject AWGN signal; M2: Remove AWGN signal.

Test CH 207 ; Incumbent signal 6910 MHz

Time Analysis




Note: M1: Inject AWGN signal; M2: Remove AWGN signal.



Test CH 207 ; Incumbent signal 6985 MHz

Time Analysis




Sample Time	1us
All TX Time	113.034ms
All TX Sample	113034
Duty Cycle	0.113034
T1[s]	T2[s]
0s	0s
T3[s]	T4[s]
NaNs	NaNs

Note: M1: Inject AWGN signal; M2: Remove AWGN signal.

Test CH 207 ; Incumbent signal 7060 MHz


Time Analysis



Sample Time	1us
All TX Time	160.615ms
All TX Sample	160615
Duty Cycle	0.160615
T1[s]	T2[s]
0s	0s
T3[s]	T4[s]
NaNs	NaNs

Note: M1: Inject AWGN signal; M2: Remove AWGN signal.


3. Contention Based Protocol Threshold Level Verify Plot





Frequency (MHz): 6215 MHz (Threshold Level: -69 dBm)


Time Analysis



Bandwidth (MHz): 160

Frequency (MHz): 6110 MHz (Threshold Level: -64dBm)


Time Analysis





Frequency (MHz): 6110 MHz (Threshold Level: -65dBm)


Time Analysis



Sample Time	1us
All TX Time	433.855ms
All TX Sample	433855
Duty Cycle	0.433855
T1[s]	T2[s]
0s	0s
T3[s]	T4[s]
NaNs	NaNs

Frequency (MHz): 6110 MHz (Threshold Level: -66dBm)

Time Analysis




Sample Time	1us
All TX Time	405.941ms
All TX Sample	405941
Duty Cycle	0.405941
T1[s]	T2[s]
0s	0s
T3[s]	T4[s]
NaNs	NaNs



Frequency (MHz): 6185 MHz (Threshold Level: -62dBm)


Time Analysis



Sample Time	1us
All TX Time	332.345ms
All TX Sample	332345
Duty Cycle	0.332345
T1[s]	T2[s]
0s	0s
T3[s]	T4[s]
NaNs	NaNs

Frequency (MHz): 6185 MHz (Threshold Level: -63dBm)

Time Analysis




Sample Time	1us
All TX Time	353.518ms
All TX Sample	353518
Duty Cycle	0.353518
T1[s]	T2[s]
0s	0s
T3[s]	T4[s]
NaNs	NaNs



Frequency (MHz): 6185 MHz (Threshold Level: -64 dBm)


Time Analysis



Sample Time	1us
All TX Time	371.403ms
All TX Sample	371403
Duty Cycle	0.371403
T1[s]	T2[s]
0s	0s
T3[s]	T4[s]
NaNs	NaNs

Frequency (MHz): 6260 MHz (Threshold Level: -64dBm)

Time Analysis




Sample Time	1us
All TX Time	118.155ms
All TX Sample	118155
Duty Cycle	0.118155
T1[s]	T2[s]
0s	0s
T3[s]	T4[s]
NaNs	NaNs



Frequency (MHz): 6260 MHz (Threshold Level: -65dBm)


Time Analysis



Sample Time	1us
All TX Time	127.724ms
All TX Sample	127724
Duty Cycle	0.127724
T1[s]	T2[s]
0s	0s
T3[s]	T4[s]
NaNs	NaNs

Frequency (MHz): 6260 MHz (Threshold Level: -66dBm)

Time Analysis



Sample Time	1us
All TX Time	128.416ms
All TX Sample	128416
Duty Cycle	0.128416
T1[s]	T2[s]
0s	0s
T3[s]	T4[s]
NaNs	NaNs



Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Condition
Mode 1	Pass	AV	4.82404G	44.91	54.00	-9.09	Horizontal
Mode 2	Pass	AV	4.82398G	44.91	54.00	-9.09	Horizontal
Mode 3	Pass	AV	4.82399G	45.12	54.00	-8.88	Horizontal




Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
Mode 1	Pass	AV	4.82406G	43.63	54.00	-10.37	3	Vertical	303	2.77	-
Mode 1	Pass	AV	4.92196G	33.94	54.00	-20.06	3	Vertical	1	1.50	-
Mode 1	Pass	AV	4.95905G	34.99	54.00	-19.01	3	Vertical	136	2.17	-
Mode 1	Pass	AV	11.01934G	42.49	54.00	-11.51	3	Vertical	171	1.58	-
Mode 1	Pass	AV	14.0641G	45.45	68.20	-22.75	3	Vertical	54	2.19	-
Mode 1	Pass	PK	4.82392G	50.22	74.00	-23.78	3	Vertical	303	2.77	-
Mode 1	Pass	PK	4.92272G	46.23	74.00	-27.77	3	Vertical	1	1.50	-
Mode 1	Pass	PK	4.9633G	46.60	74.00	-27.40	3	Vertical	136	2.17	-
Mode 1	Pass	PK	11.0203G	53.33	74.00	-20.67	3	Vertical	171	1.58	-
Mode 1	Pass	PK	14.04904G	57.42	68.20	-10.78	3	Vertical	54	2.19	-
Mode 1	Pass	AV	4.82404G	44.91	54.00	-9.09	3	Horizontal	308	1.27	-
Mode 1	Pass	AV	4.92008G	34.49	54.00	-19.51	3	Horizontal	320	1.50	-
Mode 1	Pass	AV	4.9603G	34.99	54.00	-19.01	3	Horizontal	130	2.02	-
Mode 1	Pass	AV	11.01608G	42.48	54.00	-11.52	3	Horizontal	44	2.77	-
Mode 1	Pass	AV	14.03962G	45.53	68.20	-22.67	3	Horizontal	62	2.19	-
Mode 1	Pass	PK	4.82417G	50.58	74.00	-23.42	3	Horizontal	308	1.27	-
Mode 1	Pass	PK	4.92714G	47.20	74.00	-26.80	3	Horizontal	320	1.50	-
Mode 1	Pass	PK	4.96364G	47.50	74.00	-26.50	3	Horizontal	130	2.02	-
Mode 1	Pass	PK	11.01826G	53.97	74.00	-20.03	3	Horizontal	44	2.77	-
Mode 1	Pass	PK	14.04052G	56.87	68.20	-11.33	3	Horizontal	62	2.19	-
Mode 2	Pass	AV	4.82392G	42.88	54.00	-11.12	3	Vertical	308	2.90	-
Mode 2	Pass	AV	4.95911G	35.03	54.00	-18.97	3	Vertical	65	1.75	-
Mode 2	Pass	AV	11.01878G	42.45	54.00	-11.55	3	Vertical	322	2.46	-
Mode 2	Pass	AV	11.48738G	42.32	54.00	-11.68	3	Vertical	349	2.11	-
Mode 2	Pass	AV	14.0498G	45.30	68.20	-22.90	3	Vertical	272	1.20	-
Mode 2	Pass	PK	4.82399G	49.77	74.00	-24.23	3	Vertical	308	2.90	-
Mode 2	Pass	PK	4.96363G	46.51	74.00	-27.49	3	Vertical	65	1.75	-
Mode 2	Pass	PK	11.015G	53.81	74.00	-20.19	3	Vertical	322	2.46	-
Mode 2	Pass	PK	11.48998G	51.97	74.00	-22.03	3	Vertical	349	2.11	-
Mode 2	Pass	PK	14.04616G	56.83	68.20	-11.37	3	Vertical	272	1.20	-
Mode 2	Pass	AV	4.82398G	44.91	54.00	-9.09	3	Horizontal	305	1.03	-
Mode 2	Pass	AV	4.9615G	35.07	54.00	-18.93	3	Horizontal	76	1.53	-
Mode 2	Pass	AV	11.01836G	42.55	54.00	-11.45	3	Horizontal	258	2.66	-
Mode 2	Pass	AV	11.48668G	42.34	54.00	-11.66	3	Horizontal	342	1.09	-
Mode 2	Pass	AV	14.05478G	45.36	68.20	-22.84	3	Horizontal	231	2.05	-
Mode 2	Pass	PK	4.82396G	51.05	74.00	-22.95	3	Horizontal	305	1.03	-
Mode 2	Pass	PK	4.96365G	47.46	74.00	-26.54	3	Horizontal	76	1.53	-
Mode 2	Pass	PK	11.01514G	54.01	74.00	-19.99	3	Horizontal	258	2.66	-
Mode 2	Pass	PK	11.48932G	51.85	74.00	-22.15	3	Horizontal	342	1.09	-
Mode 2	Pass	PK	14.0492G	56.28	68.20	-11.92	3	Horizontal	231	2.05	-
Mode 3	Pass	AV	4.82394G	43.86	54.00	-10.14	3	Vertical	305	2.78	-
Mode 3	Pass	AV	4.95915G	34.96	54.00	-19.04	3	Vertical	341	1.48	-
Mode 3	Pass	AV	11.01566G	42.37	54.00	-11.63	3	Vertical	28	1.06	-
Mode 3	Pass	AV	12.68798G	43.70	54.00	-10.30	3	Vertical	108	2.39	-
Mode 3	Pass	AV	14.05486G	45.37	68.20	-22.83	3	Vertical	61	2.24	-
Mode 3	Pass	PK	4.82404G	51.07	74.00	-22.93	3	Vertical	305	2.78	-
Mode 3	Pass	PK	4.96366G	46.08	74.00	-27.92	3	Vertical	341	1.48	-
Mode 3	Pass	PK	11.0181G	53.65	74.00	-20.35	3	Vertical	28	1.06	-
Mode 3	Pass	PK	12.69058G	54.26	74.00	-19.74	3	Vertical	108	2.39	-
Mode 3	Pass	PK	14.0469G	55.90	68.20	-12.30	3	Vertical	61	2.24	-




Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
Mode 3	Pass	AV	4.82399G	45.12	54.00	-8.88	3	Horizontal	307	1.32	-
Mode 3	Pass	AV	4.96096G	35.12	54.00	-18.88	3	Horizontal	233	1.50	-
Mode 3	Pass	AV	11.0153G	42.42	54.00	-11.58	3	Horizontal	124	2.15	-
Mode 3	Pass	AV	12.69054G	43.74	54.00	-10.26	3	Horizontal	42	2.66	-
Mode 3	Pass	AV	14.04836G	45.43	68.20	-22.77	3	Horizontal	82	1.04	-
Mode 3	Pass	PK	4.8238G	50.71	74.00	-23.29	3	Horizontal	307	1.32	-
Mode 3	Pass	PK	4.96366G	47.40	74.00	-26.60	3	Horizontal	233	1.50	-
Mode 3	Pass	PK	11.0178G	53.72	74.00	-20.28	3	Horizontal	124	2.15	-
Mode 3	Pass	PK	12.68926G	54.38	74.00	-19.62	3	Horizontal	42	2.66	-
Mode 3	Pass	PK	14.05256G	56.95	68.20	-11.25	3	Horizontal	82	1.04	-

Radiated Emissions above 1GHz_Mode 1




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.82406G	43.63	54.00	-10.37	3.37	3	Vertical	303	2.77	40.26	32.34	5.68	34.65
AV	4.92196G	33.94	54.00	-20.06	3.92	3	Vertical	1	1.50	30.02	32.83	5.74	34.65
AV	4.95905G	34.99	54.00	-19.01	4.17	3	Vertical	136	2.17	30.82	33.04	5.77	34.64
AV	11.01934G	42.49	54.00	-11.51	12.60	3	Vertical	171	1.58	29.89	38.88	8.30	34.58
AV	14.0641G	45.45	68.20	-22.75	16.86	3	Vertical	54	2.19	28.59	40.49	9.33	32.96
PK	4.82392G	50.22	74.00	-23.78	3.37	3	Vertical	303	2.77	46.85	32.34	5.68	34.65
PK	4.92272G	46.23	74.00	-27.77	3.93	3	Vertical	1	1.50	42.30	32.84	5.74	34.65
PK	4.9633G	46.60	74.00	-27.40	4.18	3	Vertical	136	2.17	42.42	33.05	5.77	34.64
PK	11.0203G	53.33	74.00	-20.67	12.60	3	Vertical	171	1.58	40.73	38.88	8.30	34.58
PK	14.04904G	57.42	68.20	-10.78	16.84	3	Vertical	54	2.19	40.58	40.45	9.33	32.94

Radiated Emissions above 1GHz_Mode 1




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.82404G	44.91	54.00	-9.09	3.37	3	Horizontal	308	1.27	41.54	32.34	5.68	34.65
AV	4.92008G	34.49	54.00	-19.51	3.91	3	Horizontal	320	1.50	30.58	32.82	5.74	34.65
AV	4.9603G	34.99	54.00	-19.01	4.17	3	Horizontal	130	2.02	30.82	33.04	5.77	34.64
AV	11.01608G	42.48	54.00	-11.52	12.60	3	Horizontal	44	2.77	29.88	38.88	8.30	34.58
AV	14.03962G	45.53	68.20	-22.67	16.81	3	Horizontal	62	2.19	28.72	40.42	9.32	32.93
PK	4.82417G	50.58	74.00	-23.42	3.38	3	Horizontal	308	1.27	47.20	32.35	5.68	34.65
PK	4.92714G	47.20	74.00	-26.80	3.96	3	Horizontal	320	1.50	43.24	32.86	5.75	34.65
PK	4.96364G	47.50	74.00	-26.50	4.18	3	Horizontal	130	2.02	43.32	33.05	5.77	34.64
PK	11.01826G	53.97	74.00	-20.03	12.60	3	Horizontal	44	2.77	41.37	38.88	8.30	34.58
PK	14.04052G	56.87	68.20	-11.33	16.81	3	Horizontal	62	2.19	40.06	40.42	9.32	32.93

Radiated Emissions above 1GHz_Mode 2




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.82392G	42.88	54.00	-11.12	3.37	3	Vertical	308	2.90	39.51	32.34	5.68	34.65
AV	4.95911G	35.03	54.00	-18.97	4.17	3	Vertical	65	1.75	30.86	33.04	5.77	34.64
AV	11.01878G	42.45	54.00	-11.55	12.60	3	Vertical	322	2.46	29.85	38.88	8.30	34.58
AV	11.48738G	42.32	54.00	-11.68	12.93	3	Vertical	349	2.11	29.39	39.01	8.49	34.57
AV	14.0498G	45.30	68.20	-22.90	16.84	3	Vertical	272	1.20	28.46	40.45	9.33	32.94
PK	4.82399G	49.77	74.00	-24.23	3.37	3	Vertical	308	2.90	46.40	32.34	5.68	34.65
PK	4.96363G	46.51	74.00	-27.49	4.18	3	Vertical	65	1.75	42.33	33.05	5.77	34.64
PK	11.015G	53.81	74.00	-20.19	12.60	3	Vertical	322	2.46	41.21	38.88	8.30	34.58
PK	11.48998G	51.97	74.00	-22.03	12.94	3	Vertical	349	2.11	39.03	39.01	8.50	34.57
PK	14.04616G	56.83	68.20	-11.37	16.82	3	Vertical	272	1.20	40.01	40.44	9.32	32.94

Radiated Emissions above 1GHz_Mode 2




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.82398G	44.91	54.00	-9.09	3.37	3	Horizontal	305	1.03	41.54	32.34	5.68	34.65
AV	4.9615G	35.07	54.00	-18.93	4.18	3	Horizontal	76	1.53	30.89	33.05	5.77	34.64
AV	11.01836G	42.55	54.00	-11.45	12.60	3	Horizontal	258	2.66	29.95	38.88	8.30	34.58
AV	11.48668G	42.34	54.00	-11.66	12.93	3	Horizontal	342	1.09	29.41	39.01	8.49	34.57
AV	14.05478G	45.36	68.20	-22.84	16.84	3	Horizontal	231	2.05	28.52	40.46	9.33	32.95
PK	4.82396G	51.05	74.00	-22.95	3.37	3	Horizontal	305	1.03	47.68	32.34	5.68	34.65
PK	4.96365G	47.46	74.00	-26.54	4.18	3	Horizontal	76	1.53	43.28	33.05	5.77	34.64
PK	11.01514G	54.01	74.00	-19.99	12.60	3	Horizontal	258	2.66	41.41	38.88	8.30	34.58
PK	11.48932G	51.85	74.00	-22.15	12.94	3	Horizontal	342	1.09	38.91	39.01	8.50	34.57
PK	14.0492G	56.28	68.20	-11.92	16.84	3	Horizontal	231	2.05	39.44	40.45	9.33	32.94

Radiated Emissions above 1GHz_Mode 3



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.82394G	43.86	54.00	-10.14	3.37	3	Vertical	305	2.78	40.49	32.34	5.68	34.65
AV	4.95915G	34.96	54.00	-19.04	4.17	3	Vertical	341	1.48	30.79	33.04	5.77	34.64
AV	11.01566G	42.37	54.00	-11.63	12.60	3	Vertical	28	1.06	29.77	38.88	8.30	34.58
AV	12.68798G	43.70	54.00	-10.30	14.33	3	Vertical	108	2.39	29.37	39.46	8.92	34.05
AV	14.05486G	45.37	68.20	-22.83	16.84	3	Vertical	61	2.24	28.53	40.46	9.32	32.95
PK	4.82404G	51.07	74.00	-22.93	3.37	3	Vertical	305	2.78	47.70	32.34	5.68	34.65
PK	4.96366G	46.08	74.00	-27.92	4.18	3	Vertical	341	1.48	41.90	33.05	5.77	34.64
PK	11.0181G	53.65	74.00	-20.35	12.60	3	Vertical	28	1.06	41.05	38.88	8.30	34.58
PK	12.69058G	54.26	74.00	-19.74	14.34	3	Vertical	108	2.39	39.92	39.47	8.92	34.05
PK	14.0469G	55.90	68.20	-12.30	16.82	3	Vertical	61	2.24	39.08	40.44	9.32	32.94

Radiated Emissions above 1GHz_Mode 3



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.82399G	45.12	54.00	-8.88	3.37	3	Horizontal	307	1.32	41.75	32.34	5.68	34.65
AV	4.96096G	35.12	54.00	-18.88	4.17	3	Horizontal	233	1.50	30.95	33.04	5.77	34.64
AV	11.0153G	42.42	54.00	-11.58	12.60	3	Horizontal	124	2.15	29.82	38.88	8.30	34.58
AV	12.69054G	43.74	54.00	-10.26	14.34	3	Horizontal	42	2.66	29.40	39.47	8.92	34.05
AV	14.04836G	45.43	68.20	-22.77	16.84	3	Horizontal	82	1.04	28.59	40.45	9.32	32.94
PK	4.8238G	50.71	74.00	-23.29	3.37	3	Horizontal	307	1.32	47.34	32.34	5.68	34.65
PK	4.96366G	47.40	74.00	-26.60	4.18	3	Horizontal	233	1.50	43.22	33.05	5.77	34.64
PK	11.0178G	53.72	74.00	-20.28	12.60	3	Horizontal	124	2.15	41.12	38.88	8.30	34.58
PK	12.68926G	54.38	74.00	-19.62	14.34	3	Horizontal	42	2.66	40.04	39.47	8.92	34.05
PK	14.05256G	56.95	68.20	-11.25	16.85	3	Horizontal	82	1.04	40.10	40.46	9.32	32.94