




6.875-7.125GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX


6895MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.78756G	46.20	68.20	-22.00	16.65	3	Vertical	36	2.66	29.55	40.20	9.25	32.80
PK	13.78492G	57.58	88.20	-30.62	16.65	3	Vertical	36	2.66	40.93	40.20	9.25	32.80

6.875-7.125GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX

6895MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.79224G	55.12	68.20	-13.08	16.65	3	Horizontal	245	2.56	38.47	40.20	9.25	32.80
PK	13.78344G	66.55	88.20	-21.65	16.65	3	Horizontal	245	2.56	49.90	40.20	9.25	32.80



6.875-7.125GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX


6995MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.994G	95.12	Inf	-Inf	7.94	3	Vertical	8	1.92	87.18	36.00	6.68	34.74
AV	7.211G	49.56	68.20	-18.64	9.01	3	Vertical	8	1.92	40.55	37.02	6.76	34.77
PK	6.994G	104.51	Inf	-Inf	7.94	3	Vertical	8	1.92	96.57	36.00	6.68	34.74
PK	7.214G	61.13	88.20	-27.07	9.02	3	Vertical	8	1.92	52.11	37.03	6.76	34.77

6.875-7.125GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX

6995MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.993G	99.00	Inf	-Inf	7.94	3	Horizontal	46	1.44	91.06	36.00	6.68	34.74
AV	7.226G	49.50	68.20	-18.70	9.05	3	Horizontal	46	1.44	40.45	37.05	6.77	34.77
PK	6.993G	108.58	Inf	-Inf	7.94	3	Horizontal	46	1.44	100.64	36.00	6.68	34.74
PK	7.136G	60.26	88.20	-27.94	8.69	3	Horizontal	46	1.44	51.57	36.72	6.73	34.76



6.875-7.125GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX


6995MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.98576G	46.67	68.20	-21.53	16.71	3	Vertical	110	1.19	29.96	40.27	9.31	32.87
PK	13.99124G	59.42	88.20	-28.78	16.71	3	Vertical	110	1.19	42.71	40.28	9.31	32.88

6.875-7.125GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX

6995MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.99328G	55.93	68.20	-12.27	16.72	3	Horizontal	89	1.02	39.21	40.29	9.31	32.88
PK	13.98352G	68.93	88.20	-19.27	16.71	3	Horizontal	89	1.02	52.22	40.27	9.31	32.87



6.875-7.125GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX


7095MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.0962G	95.21	Inf	-Inf	8.44	3	Vertical	7	1.94	86.77	36.48	6.71	34.75
AV	7.2066G	49.42	68.20	-18.78	9.00	3	Vertical	7	1.94	40.42	37.01	6.75	34.76
PK	7.0962G	105.46	Inf	-Inf	8.44	3	Vertical	7	1.94	97.02	36.48	6.71	34.75
PK	7.233G	60.67	88.20	-27.53	9.07	3	Vertical	7	1.94	51.60	37.07	6.77	34.77

6.875-7.125GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX


7095MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.0932G	99.73	Inf	-Inf	8.42	3	Horizontal	46	1.48	91.31	36.46	6.71	34.75
AV	7.2048G	49.55	68.20	-18.65	9.00	3	Horizontal	46	1.48	40.55	37.01	6.75	34.76
PK	7.0926G	109.96	Inf	-Inf	8.42	3	Horizontal	46	1.48	101.54	36.46	6.71	34.75
PK	7.233G	60.32	88.20	-27.88	9.07	3	Horizontal	46	1.48	51.25	37.07	6.77	34.77

6.875-7.125GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX


7095MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.18464G	47.00	68.20	-21.20	16.94	3	Vertical	339	2.35	30.06	40.68	9.37	33.11
PK	14.18516G	58.07	88.20	-30.13	16.95	3	Vertical	339	2.35	41.12	40.69	9.37	33.11

6.875-7.125GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX

7095MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.19232G	56.64	68.20	-11.56	16.95	3	Horizontal	155	2.20	39.69	40.69	9.37	33.11
PK	14.18316G	69.74	88.20	-18.46	16.95	3	Horizontal	155	2.20	52.79	40.68	9.37	33.10



5.925-6.425GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX


5965MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9002G	46.56	68.20	-21.64	5.92	3	Vertical	29	3.00	40.64	34.20	6.25	34.53
AV	5.9674G	93.40	Inf	-Inf	5.93	3	Vertical	29	3.00	87.47	34.17	6.28	34.52
PK	5.8576G	57.95	88.20	-30.25	5.73	3	Vertical	29	3.00	52.22	34.03	6.23	34.53
PK	5.9668G	103.68	Inf	-Inf	5.93	3	Vertical	29	3.00	97.75	34.17	6.28	34.52

5.925-6.425GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX

5965MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9224G	47.01	68.20	-21.19	5.93	3	Horizontal	318	1.92	41.08	34.20	6.26	34.53
AV	5.9716G	98.39	Inf	-Inf	5.93	3	Horizontal	318	1.92	92.46	34.16	6.29	34.52
PK	5.8426G	57.41	88.20	-30.79	5.68	3	Horizontal	318	1.92	51.73	33.99	6.22	34.53
PK	5.962G	107.40	Inf	-Inf	5.94	3	Horizontal	318	1.92	101.46	34.18	6.28	34.52



5.925-6.425GHz\_802.11ax\_HEW40\_Nss1,(MCS0)\_2TX


5965MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.9438G	41.95	54.00	-12.05	12.71	3	Vertical	336	3.00	29.24	38.73	8.69	34.71
PK	11.94584G	53.58	74.00	-20.42	12.72	3	Vertical	336	3.00	40.86	38.74	8.69	34.71

5.925-6.425GHz\_802.11ax\_HEW40\_Nss1,(MCS0)\_2TX

5965MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.95664G	41.97	54.00	-12.03	12.74	3	Horizontal	340	1.00	29.23	38.77	8.69	34.72
PK	11.9504G	53.62	74.00	-20.38	12.73	3	Horizontal	340	1.00	40.89	38.75	8.69	34.71



5.925-6.425GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX


6165MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8974G	46.42	68.20	-21.78	5.91	3	Vertical	42	3.00	40.51	34.19	6.25	34.53
AV	6.171G	94.41	Inf	-Inf	6.03	3	Vertical	42	3.00	88.38	34.20	6.33	34.50
PK	5.8794G	56.85	88.20	-31.35	5.83	3	Vertical	42	3.00	51.02	34.12	6.24	34.53
PK	6.1698G	104.26	Inf	-Inf	6.03	3	Vertical	42	3.00	98.23	34.20	6.33	34.50

5.925-6.425GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX

6165MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9154G	46.45	68.20	-21.75	5.93	3	Horizontal	315	1.91	40.52	34.20	6.26	34.53
AV	6.1746G	99.02	Inf	-Inf	6.03	3	Horizontal	315	1.91	92.99	34.20	6.33	34.50
PK	5.8734G	58.54	88.20	-29.66	5.80	3	Horizontal	315	1.91	52.74	34.09	6.24	34.53
PK	6.1746G	108.95	Inf	-Inf	6.03	3	Horizontal	315	1.91	102.92	34.20	6.33	34.50





5.925-6.425GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX


6165MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.30012G	42.82	54.00	-11.18	13.28	3	Vertical	70	1.58	29.54	39.00	8.80	34.52
PK	12.3528G	54.59	74.00	-19.41	13.34	3	Vertical	70	1.58	41.25	39.00	8.82	34.48

5.925-6.425GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX

6165MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.30792G	42.80	54.00	-11.20	13.29	3	Horizontal	32	1.50	29.51	39.00	8.80	34.51
PK	12.34404G	54.93	74.00	-19.07	13.32	3	Horizontal	32	1.50	41.61	39.00	8.81	34.49



5.925-6.425GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX


6405MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9154G	46.47	68.20	-21.73	5.93	3	Vertical	22	2.91	40.54	34.20	6.26	34.53
AV	6.4026G	94.82	Inf	-Inf	6.76	3	Vertical	22	2.91	88.06	34.81	6.43	34.48
PK	5.9034G	58.80	88.20	-29.40	5.92	3	Vertical	22	2.91	52.88	34.20	6.25	34.53
PK	6.405G	103.02	Inf	-Inf	6.77	3	Vertical	22	2.91	96.25	34.82	6.43	34.48

5.925-6.425GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX

6405MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8866G	46.42	68.20	-21.78	5.86	3	Horizontal	54	1.85	40.56	34.15	6.24	34.53
AV	6.4098G	98.72	Inf	-Inf	6.80	3	Horizontal	54	1.85	91.92	34.84	6.44	34.48
PK	5.9154G	57.42	88.20	-30.78	5.93	3	Horizontal	54	1.85	51.49	34.20	6.26	34.53
PK	6.4098G	107.77	Inf	-Inf	6.80	3	Horizontal	54	1.85	100.97	34.84	6.44	34.48



5.925-6.425GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX


6405MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.8028G	43.78	68.20	-24.42	14.91	3	Vertical	302	1.50	28.87	39.81	8.95	33.85
PK	12.7938G	55.71	88.20	-32.49	14.86	3	Vertical	302	1.50	40.85	39.78	8.95	33.87

5.925-6.425GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX

6405MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.79428G	43.82	68.20	-24.38	14.86	3	Horizontal	145	1.50	28.96	39.78	8.95	33.87
PK	12.81348G	55.44	88.20	-32.76	14.95	3	Horizontal	145	1.50	40.49	39.83	8.95	33.83



6.425-6.525GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX


6445MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8954G	46.42	68.20	-21.78	5.90	3	Vertical	16	2.97	40.52	34.18	6.25	34.53
AV	6.445G	94.57	Inf	-Inf	6.96	3	Vertical	16	2.97	87.61	34.98	6.46	34.48
PK	5.8618G	57.52	88.20	-30.68	5.75	3	Vertical	16	2.97	51.77	34.05	6.23	34.53
PK	6.4426G	102.69	Inf	-Inf	6.95	3	Vertical	16	2.97	95.74	34.97	6.46	34.48

6.425-6.525GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX

6445MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9146G	46.51	68.20	-21.69	5.93	3	Horizontal	52	1.80	40.58	34.20	6.26	34.53
AV	6.4402G	98.72	Inf	-Inf	6.93	3	Horizontal	52	1.80	91.79	34.96	6.45	34.48
PK	5.8738G	56.58	88.20	-31.62	5.81	3	Horizontal	52	1.80	50.77	34.10	6.24	34.53
PK	6.4402G	107.84	Inf	-Inf	6.93	3	Horizontal	52	1.80	100.91	34.96	6.45	34.48



6.425-6.525GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX


6445MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.89996G	43.94	68.20	-24.26	15.30	3	Vertical	153	3.00	28.64	40.00	8.98	33.68
PK	12.884G	55.99	88.20	-32.21	15.24	3	Vertical	153	3.00	40.75	39.97	8.98	33.71

6.425-6.525GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX

6445MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.89792G	44.02	68.20	-24.18	15.29	3	Horizontal	216	1.23	28.73	40.00	8.98	33.69
PK	12.89684G	55.29	88.20	-32.91	15.28	3	Horizontal	216	1.23	40.01	39.99	8.98	33.69



6.425-6.525GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX


6485MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9222G	46.40	68.20	-21.80	5.93	3	Vertical	18	2.91	40.47	34.20	6.26	34.53
AV	6.485G	94.50	Inf	-Inf	7.15	3	Vertical	18	2.91	87.35	35.14	6.48	34.47
AV	7.1822G	49.32	68.20	-18.88	8.91	3	Vertical	18	2.91	40.41	36.93	6.74	34.76
PK	5.9138G	56.96	88.20	-31.24	5.93	3	Vertical	18	2.91	51.03	34.20	6.26	34.53
PK	6.4822G	102.31	Inf	-Inf	7.14	3	Vertical	18	2.91	95.17	35.13	6.48	34.47
PK	7.171G	59.71	88.20	-28.49	8.86	3	Vertical	18	2.91	50.85	36.88	6.74	34.76

6.425-6.525GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX

6485MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9054G	46.46	68.20	-21.74	5.92	3	Horizontal	53	1.86	40.54	34.20	6.25	34.53
AV	6.4906G	98.81	Inf	-Inf	7.17	3	Horizontal	53	1.86	91.64	35.16	6.48	34.47
AV	7.185G	49.28	68.20	-18.92	8.92	3	Horizontal	53	1.86	40.36	36.94	6.74	34.76
PK	5.7906G	57.08	88.20	-31.12	5.51	3	Horizontal	53	1.86	51.57	33.86	6.19	34.54
PK	6.471G	107.83	Inf	-Inf	7.08	3	Horizontal	53	1.86	100.75	35.08	6.47	34.47
PK	7.1542G	59.61	88.20	-28.59	8.79	3	Horizontal	53	1.86	50.82	36.82	6.73	34.76



6.425-6.525GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX


6485MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.95692G	43.96	68.20	-24.24	15.48	3	Vertical	110	1.50	28.48	40.06	9.00	33.58
PK	12.95584G	56.18	88.20	-32.02	15.47	3	Vertical	110	1.50	40.71	40.06	9.00	33.59

6.425-6.525GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX

6485MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.96316G	44.01	68.20	-24.19	15.49	3	Horizontal	153	2.98	28.52	40.06	9.00	33.57
PK	12.9676G	55.13	88.20	-33.07	15.50	3	Horizontal	153	2.98	39.63	40.07	9.00	33.57



6.425-6.525GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX


6525MHz Straddle 6.425-6.525GHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9062G	46.51	68.20	-21.69	5.92	3	Vertical	18	2.80	40.59	34.20	6.25	34.53
AV	6.5222G	94.32	Inf	-Inf	7.40	3	Vertical	18	2.80	86.92	35.38	6.50	34.48
AV	7.2082G	49.40	68.20	-18.80	9.02	3	Vertical	18	2.80	40.38	37.02	6.76	34.76
PK	5.8922G	56.64	88.20	-31.56	5.89	3	Vertical	18	2.80	50.75	34.17	6.25	34.53
PK	6.525G	104.15	Inf	-Inf	7.42	3	Vertical	18	2.80	96.73	35.40	6.50	34.48
PK	7.1858G	59.63	88.20	-28.57	8.93	3	Vertical	18	2.80	50.70	36.94	6.75	34.76

6.425-6.525GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX

6525MHz Straddle 6.425-6.525GHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9118G	46.47	68.20	-21.73	5.93	3	Horizontal	50	1.88	40.54	34.20	6.26	34.53
AV	6.5306G	98.95	Inf	-Inf	7.46	3	Horizontal	50	1.88	91.49	35.44	6.51	34.49
AV	7.211G	49.46	68.20	-18.74	9.01	3	Horizontal	50	1.88	40.45	37.02	6.76	34.77
PK	5.9006G	57.93	88.20	-30.27	5.92	3	Horizontal	50	1.88	52.01	34.20	6.25	34.53
PK	6.5306G	108.00	Inf	-Inf	7.46	3	Horizontal	50	1.88	100.54	35.44	6.51	34.49
PK	7.1886G	59.60	88.20	-28.60	8.94	3	Horizontal	50	1.88	50.66	36.95	6.75	34.76





6.425-6.525GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX


6525MHz Straddle 6.425-6.525GHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.07568G	44.00	68.20	-24.20	15.59	3	Vertical	77	1.50	28.41	39.95	9.03	33.39
PK	13.05804G	55.81	88.20	-32.39	15.60	3	Vertical	77	1.50	40.21	39.98	9.03	33.41

6.425-6.525GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX

6525MHz Straddle 6.425-6.525GHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.06764G	43.96	68.20	-24.24	15.59	3	Horizontal	22	2.24	28.37	39.96	9.03	33.40
PK	13.04748G	55.41	88.20	-32.79	15.60	3	Horizontal	22	2.24	39.81	40.01	9.02	33.43



6.525-6.875GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX


6565MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.565G	93.70	Inf	-Inf	7.68	3	Vertical	18	3.00	86.02	35.66	6.53	34.51
AV	7.1506G	49.19	68.20	-19.01	8.77	3	Vertical	18	3.00	40.42	36.80	6.73	34.76
PK	6.5746G	101.83	Inf	-Inf	7.72	3	Vertical	18	3.00	94.11	35.70	6.53	34.51
PK	7.153G	59.15	88.20	-29.05	8.78	3	Vertical	18	3.00	50.37	36.81	6.73	34.76

6.525-6.875GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX

6565MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.5698G	98.58	Inf	-Inf	7.70	3	Horizontal	54	1.61	90.88	35.68	6.53	34.51
AV	7.1626G	49.21	68.20	-18.99	8.83	3	Horizontal	54	1.61	40.38	36.85	6.74	34.76
PK	6.5578G	106.21	Inf	-Inf	7.65	3	Horizontal	54	1.61	98.56	35.63	6.52	34.50
PK	7.1338G	61.70	88.20	-26.50	8.67	3	Horizontal	54	1.61	53.03	36.70	6.73	34.76



6.525-6.875GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX


6565MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.15556G	44.08	68.20	-24.12	15.77	3	Vertical	286	2.04	28.31	39.96	9.06	33.25
PK	13.10816G	55.58	88.20	-32.62	15.62	3	Vertical	286	2.04	39.96	39.91	9.04	33.33

6.525-6.875GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX

6565MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.12832G	44.09	68.20	-24.11	15.68	3	Horizontal	0	1.50	28.41	39.93	9.05	33.30
PK	13.14284G	55.52	88.20	-32.68	15.71	3	Horizontal	0	1.50	39.81	39.94	9.05	33.28



6.525-6.875GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX


6685MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.687G	92.68	Inf	-Inf	7.99	3	Vertical	354	2.83	84.69	36.00	6.56	34.57
AV	7.183G	49.26	68.20	-18.94	8.91	3	Vertical	354	2.83	40.35	36.93	6.74	34.76
PK	6.677G	100.32	Inf	-Inf	7.99	3	Vertical	354	2.83	92.33	36.00	6.56	34.57
PK	7.149G	60.69	88.20	-27.51	8.76	3	Vertical	354	2.83	51.93	36.79	6.73	34.76

6.525-6.875GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX

6685MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.681G	97.49	Inf	-Inf	7.99	3	Horizontal	54	1.50	89.50	36.00	6.56	34.57
AV	7.175G	49.38	68.20	-18.82	8.88	3	Horizontal	54	1.50	40.50	36.90	6.74	34.76
PK	6.689G	106.24	Inf	-Inf	7.99	3	Horizontal	54	1.50	98.25	36.00	6.56	34.57
PK	7.177G	59.57	88.20	-28.63	8.89	3	Horizontal	54	1.50	50.68	36.91	6.74	34.76



6.525-6.875GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX


6685MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.38344G	44.23	54.00	-9.77	16.48	3	Vertical	32	2.74	27.75	40.23	9.13	32.88
PK	13.36496G	55.71	74.00	-18.29	16.37	3	Vertical	32	2.74	39.34	40.16	9.12	32.91

6.525-6.875GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX

6685MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.39568G	44.23	54.00	-9.77	16.55	3	Horizontal	199	2.97	27.68	40.28	9.13	32.86
PK	13.39472G	55.47	74.00	-18.53	16.55	3	Horizontal	199	2.97	38.92	40.28	9.13	32.86



6.525-6.875GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX


6845MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.8478G	91.66	Inf	-Inf	7.84	3	Vertical	349	3.00	83.82	35.90	6.60	34.66
AV	7.1908G	49.44	68.20	-18.76	8.95	3	Vertical	349	3.00	40.49	36.96	6.75	34.76
PK	6.8478G	101.24	Inf	-Inf	7.84	3	Vertical	349	3.00	93.40	35.90	6.60	34.66
PK	7.188G	60.41	88.20	-27.79	8.94	3	Vertical	349	3.00	51.47	36.95	6.75	34.76

6.525-6.875GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX

6845MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.8436G	98.40	Inf	-Inf	7.85	3	Horizontal	43	2.39	90.55	35.91	6.60	34.66
AV	7.1922G	49.41	68.20	-18.79	8.96	3	Horizontal	43	2.39	40.45	36.97	6.75	34.76
PK	6.8422G	107.15	Inf	-Inf	7.87	3	Horizontal	43	2.39	99.28	35.92	6.60	34.65
PK	7.139G	60.34	88.20	-27.86	8.70	3	Horizontal	43	2.39	51.64	36.73	6.73	34.76



6.525-6.875GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX


6845MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.66564G	44.84	68.20	-23.36	16.69	3	Vertical	255	1.39	28.15	40.23	9.21	32.75
PK	13.70092G	56.28	88.20	-31.92	16.65	3	Vertical	255	1.39	39.63	40.20	9.22	32.77

6.525-6.875GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX

6845MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.66588G	44.70	68.20	-23.50	16.69	3	Horizontal	347	1.50	28.01	40.23	9.21	32.75
PK	13.69228G	56.14	88.20	-32.06	16.67	3	Horizontal	347	1.50	39.47	40.21	9.22	32.76



6.525-6.875GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX


6885MHz Straddle 6.525-6.875GHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.8864G	94.00	Inf	-Inf	7.84	3	Vertical	20	2.20	86.16	35.90	6.62	34.68
AV	7.1888G	49.56	68.20	-18.64	8.95	3	Vertical	20	2.20	40.61	36.96	6.75	34.76
PK	6.8948G	103.96	Inf	-Inf	7.85	3	Vertical	20	2.20	96.11	35.90	6.63	34.68
PK	7.228G	60.46	88.20	-27.74	9.06	3	Vertical	20	2.20	51.40	37.06	6.77	34.77

6.525-6.875GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX

6885MHz Straddle 6.525-6.875GHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.8836G	98.27	Inf	-Inf	7.84	3	Horizontal	44	2.37	90.43	35.90	6.62	34.68
AV	7.2266G	49.58	68.20	-18.62	9.05	3	Horizontal	44	2.37	40.53	37.05	6.77	34.77
PK	6.892G	107.69	Inf	-Inf	7.85	3	Horizontal	44	2.37	99.84	35.90	6.63	34.68
PK	7.1902G	60.65	88.20	-27.55	8.95	3	Horizontal	44	2.37	51.70	36.96	6.75	34.76





6.525-6.875GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX


6885MHz Straddle 6.525-6.875GHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.746G	44.50	68.20	-23.70	16.65	3	Vertical	155	1.50	27.85	40.20	9.23	32.78
PK	13.75776G	55.89	88.20	-32.31	16.65	3	Vertical	155	1.50	39.24	40.20	9.24	32.79

6.525-6.875GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX

6885MHz Straddle 6.525-6.875GHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.76052G	44.46	68.20	-23.74	16.65	3	Horizontal	0	1.50	27.81	40.20	9.24	32.79
PK	13.7568G	55.99	88.20	-32.21	16.65	3	Horizontal	0	1.50	39.34	40.20	9.24	32.79



6.875-7.125GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX


6925MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.9238G	94.25	Inf	-Inf	7.89	3	Vertical	8	1.88	86.36	35.95	6.64	34.70
AV	7.1938G	49.60	68.20	-18.60	8.97	3	Vertical	8	1.88	40.63	36.98	6.75	34.76
PK	6.9226G	104.49	Inf	-Inf	7.89	3	Vertical	8	1.88	96.60	35.95	6.64	34.70
PK	7.1926G	60.77	88.20	-27.43	8.96	3	Vertical	8	1.88	51.81	36.97	6.75	34.76

6.875-7.125GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX

6925MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.9226G	98.41	Inf	-Inf	7.89	3	Horizontal	45	1.50	90.52	35.95	6.64	34.70
AV	7.1938G	49.52	68.20	-18.68	8.97	3	Horizontal	45	1.50	40.55	36.98	6.75	34.76
PK	6.913G	110.24	Inf	-Inf	7.88	3	Horizontal	45	1.50	102.36	35.93	6.64	34.69
PK	7.2154G	61.03	88.20	-27.17	9.02	3	Horizontal	45	1.50	52.01	37.03	6.76	34.77



6.875-7.125GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX


6925MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.82084G	44.28	68.20	-23.92	16.63	3	Vertical	16	2.14	27.65	40.18	9.26	32.81
PK	13.83584G	56.18	88.20	-32.02	16.60	3	Vertical	16	2.14	39.58	40.16	9.26	32.82

6.875-7.125GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX

6925MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.82636G	44.47	68.20	-23.73	16.62	3	Horizontal	360	1.50	27.85	40.17	9.26	32.81
PK	13.83668G	56.66	88.20	-31.54	16.60	3	Horizontal	360	1.50	40.06	40.16	9.26	32.82



6.875-7.125GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX


7005MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.0038G	95.20	Inf	-Inf	7.96	3	Vertical	6	1.99	87.24	36.02	6.68	34.74
AV	7.1442G	49.27	68.20	-18.93	8.74	3	Vertical	6	1.99	40.53	36.77	6.73	34.76
PK	7.0032G	106.19	Inf	-Inf	7.95	3	Vertical	6	1.99	98.24	36.01	6.68	34.74
PK	7.1508G	60.54	88.20	-27.66	8.77	3	Vertical	6	1.99	51.77	36.80	6.73	34.76

6.875-7.125GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX

7005MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.0032G	98.97	Inf	-Inf	7.95	3	Horizontal	44	1.50	91.02	36.01	6.68	34.74
AV	7.1358G	49.39	68.20	-18.81	8.68	3	Horizontal	44	1.50	40.71	36.71	6.73	34.76
PK	7.0128G	109.78	Inf	-Inf	7.99	3	Horizontal	44	1.50	101.79	36.05	6.68	34.74
PK	7.155G	61.12	88.20	-27.08	8.79	3	Horizontal	44	1.50	52.33	36.82	6.73	34.76



6.875-7.125GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX


7005MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.0394G	44.87	68.20	-23.33	16.81	3	Vertical	360	1.97	28.06	40.42	9.32	32.93
PK	14.03532G	56.05	88.20	-32.15	16.81	3	Vertical	360	1.97	39.24	40.41	9.32	32.92

6.875-7.125GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX

7005MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.03436G	44.71	68.20	-23.49	16.80	3	Horizontal	48	2.19	27.91	40.40	9.32	32.92
PK	14.03748G	55.95	88.20	-32.25	16.80	3	Horizontal	48	2.19	39.15	40.41	9.32	32.93



6.875-7.125GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX

7085MHz\_TX




03/01/2023

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.0838G	95.91	Inf	-Inf	8.36	3	Vertical	8	1.94	87.55	36.40	6.71	34.75
AV	7.1252G	49.90	68.20	-18.30	8.61	3	Vertical	8	1.94	41.29	36.65	6.72	34.76
PK	7.0748G	107.05	Inf	-Inf	8.31	3	Vertical	8	1.94	98.74	36.35	6.71	34.75
PK	7.2242G	61.42	88.20	-26.78	9.05	3	Vertical	8	1.94	52.37	37.05	6.77	34.77

6.875-7.125GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX

7085MHz\_TX




03/01/2023

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.0832G	100.24	Inf	-Inf	8.36	3	Horizontal	44	1.48	91.88	36.40	6.71	34.75
AV	7.1252G	51.10	68.20	-17.10	8.61	3	Horizontal	44	1.48	42.49	36.65	6.72	34.76
PK	7.0838G	111.34	Inf	-Inf	8.36	3	Horizontal	44	1.48	102.98	36.40	6.71	34.75
PK	7.1252G	62.73	88.20	-25.47	8.61	3	Horizontal	44	1.48	54.12	36.65	6.72	34.76



6.875-7.125GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX


7085MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.16004G	45.08	68.20	-23.12	16.94	3	Vertical	336	1.50	28.14	40.66	9.36	33.08
PK	14.14432G	57.46	88.20	-30.74	16.94	3	Vertical	336	1.50	40.52	40.64	9.36	33.06

6.875-7.125GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX

7085MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.14324G	45.08	68.20	-23.12	16.95	3	Horizontal	40	1.50	28.13	40.64	9.36	33.05
PK	14.1844G	56.81	88.20	-31.39	16.95	3	Horizontal	40	1.50	39.86	40.68	9.37	33.10



5.925-6.425GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX


5985MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.919G	47.43	68.20	-20.77	5.93	3	Vertical	39	2.92	41.50	34.20	6.26	34.53
AV	5.991G	93.83	Inf	-Inf	5.90	3	Vertical	39	2.92	87.93	34.12	6.30	34.52
PK	5.922G	58.46	88.20	-29.74	5.93	3	Vertical	39	2.92	52.53	34.20	6.26	34.53
PK	6G	104.65	Inf	-Inf	5.88	3	Vertical	39	2.92	98.77	34.10	6.30	34.52

5.925-6.425GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX

5985MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.924G	50.23	68.20	-17.97	5.93	3	Horizontal	311	1.93	44.30	34.20	6.26	34.53
AV	5.983G	99.63	Inf	-Inf	5.90	3	Horizontal	311	1.93	93.73	34.13	6.29	34.52
PK	5.924G	60.89	88.20	-27.31	5.93	3	Horizontal	311	1.93	54.96	34.20	6.26	34.53
PK	5.983G	108.57	Inf	-Inf	5.90	3	Horizontal	311	1.93	102.67	34.13	6.29	34.52





5.925-6.425GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX


5985MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.0288G	42.00	54.00	-12.00	12.97	3	Vertical	190	2.99	29.03	38.96	8.72	34.71
PK	11.93976G	53.33	74.00	-20.67	12.69	3	Vertical	190	2.99	40.64	38.72	8.68	34.71

5.925-6.425GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX

5985MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.00336G	42.11	54.00	-11.89	12.89	3	Horizontal	303	1.50	29.22	38.91	8.71	34.73
PK	11.97816G	53.30	74.00	-20.70	12.81	3	Horizontal	303	1.50	40.49	38.83	8.70	34.72



5.925-6.425GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX


6145MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9182G	46.74	68.20	-21.46	5.93	3	Vertical	41	2.94	40.81	34.20	6.26	34.53
AV	6.151G	96.16	Inf	-Inf	6.03	3	Vertical	41	2.94	90.13	34.20	6.33	34.50
PK	5.8762G	58.03	88.20	-30.17	5.81	3	Vertical	41	2.94	52.22	34.10	6.24	34.53
PK	6.121G	106.40	Inf	-Inf	5.95	3	Vertical	41	2.94	100.45	34.14	6.32	34.51

5.925-6.425GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX

6145MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.899G	46.87	68.20	-21.33	5.92	3	Horizontal	312	1.86	40.95	34.20	6.25	34.53
AV	6.1438G	100.26	Inf	-Inf	6.01	3	Horizontal	312	1.86	94.25	34.19	6.33	34.51
PK	5.8522G	58.05	88.20	-30.15	5.71	3	Horizontal	312	1.86	52.34	34.01	6.23	34.53
PK	6.1438G	110.60	Inf	-Inf	6.01	3	Horizontal	312	1.86	104.59	34.19	6.33	34.51



5.925-6.425GHz\_802.11ax\_HEW80\_Nss1,(MCS0)\_2TX


6145MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.29428G	42.82	54.00	-11.18	13.28	3	Vertical	212	2.05	29.54	39.00	8.80	34.52
PK	12.28328G	54.24	74.00	-19.76	13.26	3	Vertical	212	2.05	40.98	39.00	8.79	34.53

5.925-6.425GHz\_802.11ax\_HEW80\_Nss1,(MCS0)\_2TX

6145MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.2814G	42.83	54.00	-11.17	13.26	3	Horizontal	298	1.96	29.57	39.00	8.79	34.53
PK	12.29864G	54.53	74.00	-19.47	13.28	3	Horizontal	298	1.96	41.25	39.00	8.80	34.52



5.925-6.425GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX


6385MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9002G	46.46	68.20	-21.74	5.92	3	Vertical	37	2.97	40.54	34.20	6.25	34.53
AV	6.3826G	95.60	Inf	-Inf	6.67	3	Vertical	37	2.97	88.93	34.73	6.42	34.48
PK	5.8618G	57.85	88.20	-30.35	5.75	3	Vertical	37	2.97	52.10	34.05	6.23	34.53
PK	6.3826G	106.13	Inf	-Inf	6.67	3	Vertical	37	2.97	99.46	34.73	6.42	34.48

5.925-6.425GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX

6385MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8978G	46.61	68.20	-21.59	5.91	3	Horizontal	47	1.88	40.70	34.19	6.25	34.53
AV	6.3898G	98.61	Inf	-Inf	6.71	3	Horizontal	47	1.88	91.90	34.76	6.43	34.48
PK	5.8594G	57.97	88.20	-30.23	5.74	3	Horizontal	47	1.88	52.23	34.04	6.23	34.53
PK	6.3898G	108.60	Inf	-Inf	6.71	3	Horizontal	47	1.88	101.89	34.76	6.43	34.48



5.925-6.425GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX


6385MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.80888G	43.77	68.20	-24.43	14.93	3	Vertical	46	2.01	28.84	39.82	8.95	33.84
PK	12.79528G	55.23	88.20	-32.97	14.87	3	Vertical	46	2.01	40.36	39.79	8.95	33.87

5.925-6.425GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX

6385MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.81896G	43.73	68.20	-24.47	14.97	3	Horizontal	187	2.32	28.76	39.84	8.96	33.83
PK	12.7892G	55.78	88.20	-32.42	14.84	3	Horizontal	187	2.32	40.94	39.77	8.95	33.88



6.425-6.525GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX


6465MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9022G	46.45	68.20	-21.75	5.92	3	Vertical	13	2.96	40.53	34.20	6.25	34.53
AV	6.465G	95.10	Inf	-Inf	7.06	3	Vertical	13	2.96	88.04	35.06	6.47	34.47
AV	7.1538G	49.23	68.20	-18.97	8.79	3	Vertical	13	2.96	40.44	36.82	6.73	34.76
PK	5.8462G	57.40	88.20	-30.80	5.68	3	Vertical	13	2.96	51.72	33.99	6.22	34.53
PK	6.4734G	104.62	Inf	-Inf	7.09	3	Vertical	13	2.96	97.53	35.09	6.47	34.47
PK	7.1426G	59.49	88.20	-28.71	8.73	3	Vertical	13	2.96	50.76	36.76	6.73	34.76

6.425-6.525GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX

6465MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9022G	46.48	68.20	-21.72	5.92	3	Horizontal	45	1.79	40.56	34.20	6.25	34.53
AV	6.4622G	99.33	Inf	-Inf	7.05	3	Horizontal	45	1.79	92.28	35.05	6.47	34.47
AV	7.1622G	49.22	68.20	-18.98	8.83	3	Horizontal	45	1.79	40.39	36.85	6.74	34.76
PK	5.7986G	57.88	88.20	-30.32	5.55	3	Horizontal	45	1.79	52.33	33.89	6.20	34.54
PK	6.4818G	109.11	Inf	-Inf	7.14	3	Horizontal	45	1.79	101.97	35.13	6.48	34.47
PK	7.137G	60.53	88.20	-27.67	8.69	3	Horizontal	45	1.79	51.84	36.72	6.73	34.76



6.425-6.525GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX


6465MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.92868G	43.99	68.20	-24.21	15.39	3	Vertical	234	1.06	28.60	40.03	8.99	33.63
PK	12.92264G	55.14	88.20	-33.06	15.37	3	Vertical	234	1.06	39.77	40.02	8.99	33.64

6.425-6.525GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX

6465MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.93296G	43.95	68.20	-24.25	15.39	3	Horizontal	198	2.90	28.56	40.03	8.99	33.63
PK	12.93408G	55.92	88.20	-32.28	15.40	3	Horizontal	198	2.90	40.52	40.03	8.99	33.62



6.425-6.525GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX


6545MHz Straddle 6.425-6.525GHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8814G	46.54	68.20	-21.66	5.84	3	Vertical	9	3.00	40.70	34.13	6.24	34.53
AV	6.5366G	94.94	Inf	-Inf	7.51	3	Vertical	9	3.00	87.43	35.49	6.51	34.49
AV	7.2254G	49.51	68.20	-18.69	9.05	3	Vertical	9	3.00	40.46	37.05	6.77	34.77
PK	5.8646G	57.21	88.20	-30.99	5.76	3	Vertical	9	3.00	51.45	34.06	6.23	34.53
PK	6.545G	104.55	Inf	-Inf	7.59	3	Vertical	9	3.00	96.96	35.56	6.52	34.49
PK	7.147G	60.66	88.20	-27.54	8.75	3	Vertical	9	3.00	51.91	36.78	6.73	34.76

6.425-6.525GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX

6545MHz Straddle 6.425-6.525GHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8702G	46.40	68.20	-21.80	5.79	3	Horizontal	51	1.61	40.61	34.08	6.24	34.53
AV	6.5394G	99.19	Inf	-Inf	7.54	3	Horizontal	51	1.61	91.65	35.52	6.51	34.49
AV	7.1694G	49.48	68.20	-18.72	8.86	3	Horizontal	51	1.61	40.62	36.88	6.74	34.76
PK	5.8618G	57.10	88.20	-31.10	5.75	3	Horizontal	51	1.61	51.35	34.05	6.23	34.53
PK	6.5506G	109.05	Inf	-Inf	7.62	3	Horizontal	51	1.61	101.43	35.60	6.52	34.50
PK	7.1694G	60.29	88.20	-27.91	8.86	3	Horizontal	51	1.61	51.43	36.88	6.74	34.76





6.425-6.525GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX


6545MHz Straddle 6.425-6.525GHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.08668G	44.23	68.20	-23.97	15.60	3	Vertical	276	1.50	28.63	39.93	9.04	33.37
PK	13.08456G	55.99	88.20	-32.21	15.60	3	Vertical	276	1.50	40.39	39.93	9.04	33.37

6.425-6.525GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX

6545MHz Straddle 6.425-6.525GHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.08724G	44.16	68.20	-24.04	15.60	3	Horizontal	72	1.06	28.56	39.93	9.04	33.37
PK	13.08708G	56.08	88.20	-32.12	15.60	3	Horizontal	72	1.06	40.48	39.93	9.04	33.37



6.525-6.875GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX


6625MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.6154G	93.84	Inf	-Inf	7.88	3	Vertical	350	2.86	85.96	35.86	6.55	34.53
AV	7.2082G	49.42	68.20	-18.78	9.02	3	Vertical	350	2.86	40.40	37.02	6.76	34.76
PK	6.6058G	102.51	Inf	-Inf	7.84	3	Vertical	350	2.86	94.67	35.82	6.55	34.53
PK	7.1602G	59.93	88.20	-28.27	8.82	3	Vertical	350	2.86	51.11	36.84	6.74	34.76

6.525-6.875GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX

6625MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.6202G	98.06	Inf	-Inf	7.90	3	Horizontal	51	1.59	90.16	35.88	6.55	34.53
AV	7.1866G	49.50	68.20	-18.70	8.94	3	Horizontal	51	1.59	40.56	36.95	6.75	34.76
PK	6.6082G	108.04	Inf	-Inf	7.85	3	Horizontal	51	1.59	100.19	35.83	6.55	34.53
PK	7.2202G	60.40	88.20	-27.80	9.03	3	Horizontal	51	1.59	51.37	37.04	6.76	34.77



6.525-6.875GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX


6625MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.24488G	44.05	68.20	-24.15	15.93	3	Vertical	360	1.71	28.12	39.96	9.08	33.11
PK	13.2414G	55.17	88.20	-33.03	15.93	3	Vertical	360	1.71	39.24	39.96	9.08	33.11

6.525-6.875GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX

6625MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.24172G	44.16	68.20	-24.04	15.93	3	Horizontal	270	2.71	28.23	39.96	9.08	33.11
PK	13.24348G	56.40	88.20	-31.80	15.93	3	Horizontal	270	2.71	40.47	39.96	9.08	33.11



6.525-6.875GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX


6705MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.703G	93.19	Inf	-Inf	7.99	3	Vertical	354	2.89	85.20	36.00	6.57	34.58
AV	7.201G	49.50	68.20	-18.70	8.99	3	Vertical	354	2.89	40.51	37.00	6.75	34.76
PK	6.693G	102.56	Inf	-Inf	7.99	3	Vertical	354	2.89	94.57	36.00	6.56	34.57
PK	7.163G	60.11	88.20	-28.09	8.83	3	Vertical	354	2.89	51.28	36.85	6.74	34.76

6.525-6.875GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX

6705MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.703G	98.73	Inf	-Inf	7.99	3	Horizontal	41	2.39	90.74	36.00	6.57	34.58
AV	7.201G	49.50	68.20	-18.70	8.99	3	Horizontal	41	2.39	40.51	37.00	6.75	34.76
PK	6.703G	108.39	Inf	-Inf	7.99	3	Horizontal	41	2.39	100.40	36.00	6.57	34.58
PK	7.141G	60.24	88.20	-27.96	8.72	3	Horizontal	41	2.39	51.52	36.75	6.73	34.76



6.525-6.875GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX


6705MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.41816G	44.49	68.20	-23.71	16.64	3	Vertical	339	1.87	27.85	40.32	9.14	32.82
PK	13.40188G	53.71	88.20	-34.49	16.58	3	Vertical	339	1.87	37.13	40.30	9.13	32.85

6.525-6.875GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX

6705MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.41696G	44.51	68.20	-23.69	16.63	3	Horizontal	24	1.27	27.88	40.32	9.14	32.83
PK	13.41932G	55.03	88.20	-33.17	16.64	3	Horizontal	24	1.27	38.39	40.32	9.14	32.82



6.525-6.875GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX


6785MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.7864G	92.54	Inf	-Inf	7.96	3	Vertical	350	2.93	84.58	36.00	6.58	34.62
AV	7.1322G	49.10	68.20	-19.10	8.66	3	Vertical	350	2.93	40.44	36.69	6.73	34.76
PK	6.7864G	102.75	Inf	-Inf	7.96	3	Vertical	350	2.93	94.79	36.00	6.58	34.62
PK	7.1308G	59.43	88.20	-28.77	8.65	3	Vertical	350	2.93	50.78	36.68	6.73	34.76

6.525-6.875GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX

6785MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.7724G	98.15	Inf	-Inf	7.96	3	Horizontal	44	2.42	90.19	36.00	6.58	34.62
AV	7.1322G	49.07	68.20	-19.13	8.66	3	Horizontal	44	2.42	40.41	36.69	6.73	34.76
PK	6.792G	109.15	Inf	-Inf	7.95	3	Horizontal	44	2.42	101.20	36.00	6.58	34.63
PK	7.1336G	60.06	88.20	-28.14	8.67	3	Horizontal	44	2.42	51.39	36.70	6.73	34.76



6.525-6.875GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX


6785MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.56544G	44.74	68.20	-23.46	16.80	3	Vertical	274	1.97	27.94	40.33	9.18	32.71
PK	13.5682G	53.62	88.20	-34.58	16.79	3	Vertical	274	1.97	36.83	40.33	9.18	32.72

6.525-6.875GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX

6785MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.572G	44.71	68.20	-23.49	16.79	3	Horizontal	8	1.13	27.92	40.33	9.18	32.72
PK	13.57692G	54.55	88.20	-33.65	16.78	3	Horizontal	8	1.13	37.77	40.32	9.18	32.72



6.525-6.875GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX


6865MHz Straddle 6.525-6.875GHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.8748G	93.68	Inf	-Inf	7.85	3	Vertical	4	1.98	85.83	35.90	6.62	34.67
AV	7.215G	49.46	68.20	-18.74	9.02	3	Vertical	4	1.98	40.44	37.03	6.76	34.77
PK	6.865G	104.11	Inf	-Inf	7.84	3	Vertical	4	1.98	96.27	35.90	6.61	34.67
PK	7.1268G	59.84	88.20	-28.36	8.62	3	Vertical	4	1.98	51.22	36.66	6.72	34.76

6.525-6.875GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX

6865MHz Straddle 6.525-6.875GHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.8622G	97.95	Inf	-Inf	7.84	3	Horizontal	47	1.50	90.11	35.90	6.61	34.67
AV	7.2024G	49.59	68.20	-18.61	8.99	3	Horizontal	47	1.50	40.60	37.00	6.75	34.76
PK	6.8748G	108.03	Inf	-Inf	7.85	3	Horizontal	47	1.50	100.18	35.90	6.62	34.67
PK	7.1674G	60.59	88.20	-27.61	8.85	3	Horizontal	47	1.50	51.74	36.87	6.74	34.76





6.525-6.875GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX


6865MHz Straddle 6.525-6.875GHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.72252G	45.08	68.20	-23.12	16.66	3	Vertical	358	2.71	28.42	40.20	9.23	32.77
PK	13.72844G	56.00	88.20	-32.20	16.65	3	Vertical	358	2.71	39.35	40.20	9.23	32.78

6.525-6.875GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX

6865MHz Straddle 6.525-6.875GHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.73212G	45.19	68.20	-23.01	16.65	3	Horizontal	69	2.34	28.54	40.20	9.23	32.78
PK	13.72124G	56.35	88.20	-31.85	16.66	3	Horizontal	69	2.34	39.69	40.20	9.23	32.77



6.875-7.125GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX


6945MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.9342G	95.25	Inf	-Inf	7.92	3	Vertical	6	2.05	87.33	35.97	6.65	34.70
AV	7.2102G	49.60	68.20	-18.60	9.01	3	Vertical	6	2.05	40.59	37.02	6.76	34.77
PK	6.9246G	105.32	Inf	-Inf	7.89	3	Vertical	6	2.05	97.43	35.95	6.64	34.70
PK	7.1562G	61.03	88.20	-27.17	8.79	3	Vertical	6	2.05	52.24	36.82	6.73	34.76

6.875-7.125GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX

6945MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.9438G	98.97	Inf	-Inf	7.93	3	Horizontal	44	1.50	91.04	35.99	6.65	34.71
AV	7.2354G	49.66	68.20	-18.54	9.07	3	Horizontal	44	1.50	40.59	37.07	6.77	34.77
PK	6.9534G	109.39	Inf	-Inf	7.95	3	Horizontal	44	1.50	101.44	36.00	6.66	34.71
PK	7.1298G	61.14	88.20	-27.06	8.65	3	Horizontal	44	1.50	52.49	36.68	6.73	34.76



6.875-7.125GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX


6945MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.8852G	44.64	68.20	-23.56	16.55	3	Vertical	130	2.19	28.09	40.11	9.28	32.84
PK	13.89536G	56.03	88.20	-32.17	16.54	3	Vertical	130	2.19	39.49	40.10	9.28	32.84

6.875-7.125GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX

6945MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.89908G	44.57	68.20	-23.63	16.54	3	Horizontal	172	1.38	28.03	40.10	9.28	32.84
PK	13.89684G	56.11	88.20	-32.09	16.54	3	Horizontal	172	1.38	39.57	40.10	9.28	32.84



6.875-7.125GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX


7025MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.0154G	96.26	Inf	-Inf	8.01	3	Vertical	5	1.84	88.25	36.06	6.69	34.74
AV	7.1708G	49.49	68.20	-18.71	8.86	3	Vertical	5	1.84	40.63	36.88	6.74	34.76
PK	7.004G	106.79	Inf	-Inf	7.96	3	Vertical	5	1.84	98.83	36.02	6.68	34.74
PK	7.1414G	60.88	88.20	-27.32	8.72	3	Vertical	5	1.84	52.16	36.75	6.73	34.76

6.875-7.125GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX

7025MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.0226G	100.26	Inf	-Inf	8.04	3	Horizontal	47	1.68	92.22	36.09	6.69	34.74
AV	7.1312G	49.66	68.20	-18.54	8.66	3	Horizontal	47	1.68	41.00	36.69	6.73	34.76
PK	7.0226G	110.75	Inf	-Inf	8.04	3	Horizontal	47	1.68	102.71	36.09	6.69	34.74
PK	7.133G	61.08	88.20	-27.12	8.67	3	Horizontal	47	1.68	52.41	36.70	6.73	34.76



6.875-7.125GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX


7025MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.0442G	45.19	68.20	-23.01	16.82	3	Vertical	0	2.77	28.37	40.43	9.32	32.93
PK	14.04276G	56.11	88.20	-32.09	16.82	3	Vertical	0	2.77	39.29	40.43	9.32	32.93

6.875-7.125GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX

7025MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.04908G	45.23	68.20	-22.97	16.84	3	Horizontal	84	1.99	28.39	40.45	9.33	32.94
PK	14.05068G	56.44	88.20	-31.76	16.84	3	Horizontal	84	1.99	39.60	40.45	9.33	32.94



5.925-6.425GHz\_802.11ax HEW160\_Nss1,(MCS0)\_2TX


6025MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.919G	48.34	68.20	-19.86	5.93	3	Vertical	42	2.97	42.41	34.20	6.26	34.53
AV	6.05G	93.04	Inf	-Inf	5.89	3	Vertical	42	2.97	87.15	34.10	6.31	34.52
PK	5.922G	60.36	88.20	-27.84	5.93	3	Vertical	42	2.97	54.43	34.20	6.26	34.53
PK	6.03G	103.68	Inf	-Inf	5.89	3	Vertical	42	2.97	97.79	34.10	6.31	34.52

5.925-6.425GHz\_802.11ax HEW160\_Nss1,(MCS0)\_2TX

6025MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.925G	50.58	68.20	-17.62	5.93	3	Horizontal	292	1.50	44.65	34.20	6.26	34.53
AV	6.057G	95.93	Inf	-Inf	5.90	3	Horizontal	292	1.50	90.03	34.10	6.31	34.51
PK	5.924G	61.32	88.20	-26.88	5.93	3	Horizontal	292	1.50	55.39	34.20	6.26	34.53
PK	6.058G	106.79	Inf	-Inf	5.90	3	Horizontal	292	1.50	100.89	34.10	6.31	34.51



5.925-6.425GHz\_802.11ax HEW160\_Nss1,(MCS0)\_2TX


6025MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.05744G	42.24	54.00	-11.76	13.05	3	Vertical	71	2.83	29.19	39.01	8.73	34.69
PK	12.05808G	53.27	74.00	-20.73	13.06	3	Vertical	71	2.83	40.21	39.02	8.73	34.69

5.925-6.425GHz\_802.11ax HEW160\_Nss1,(MCS0)\_2TX

6025MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.05232G	42.18	54.00	-11.82	13.04	3	Horizontal	99	2.25	29.14	39.00	8.73	34.69
PK	12.04976G	53.94	74.00	-20.06	13.02	3	Horizontal	99	2.25	40.92	39.00	8.72	34.70



5.925-6.425GHz\_802.11ax HEW160\_Nss1,(MCS0)\_2TX


6185MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9002G	46.34	68.20	-21.86	5.92	3	Vertical	36	3.00	40.42	34.20	6.25	34.53
AV	6.201G	93.64	Inf	-Inf	6.04	3	Vertical	36	3.00	87.60	34.20	6.34	34.50
PK	5.873G	57.88	88.20	-30.32	5.80	3	Vertical	36	3.00	52.08	34.09	6.24	34.53
PK	6.193G	103.35	Inf	-Inf	6.04	3	Vertical	36	3.00	97.31	34.20	6.34	34.50

5.925-6.425GHz\_802.11ax HEW160\_Nss1,(MCS0)\_2TX

6185MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.913G	46.57	68.20	-21.63	5.93	3	Horizontal	313	1.84	40.64	34.20	6.26	34.53
AV	6.2042G	97.78	Inf	-Inf	6.06	3	Horizontal	313	1.84	91.72	34.22	6.34	34.50
PK	5.9098G	58.04	88.20	-30.16	5.92	3	Horizontal	313	1.84	52.12	34.20	6.25	34.53
PK	6.2042G	107.96	Inf	-Inf	6.06	3	Horizontal	313	1.84	101.90	34.22	6.34	34.50





5.925-6.425GHz\_802.11ax HEW160\_Nss1,(MCS0)\_2TX


6185MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.36964G	42.64	54.00	-11.36	13.35	3	Vertical	333	1.30	29.29	39.00	8.82	34.47
PK	12.37924G	54.51	74.00	-19.49	13.36	3	Vertical	333	1.30	41.15	39.00	8.82	34.46

5.925-6.425GHz\_802.11ax HEW160\_Nss1,(MCS0)\_2TX

6185MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.36992G	42.75	54.00	-11.25	13.35	3	Horizontal	35	1.38	29.40	39.00	8.82	34.47
PK	12.36184G	54.53	74.00	-19.47	13.34	3	Horizontal	35	1.38	41.19	39.00	8.82	34.48



5.925-6.425GHz\_802.11ax HEW160\_Nss1,(MCS0)\_2TX


6345MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9082G	46.30	68.20	-21.90	5.92	3	Vertical	36	3.00	40.38	34.20	6.25	34.53
AV	6.333G	94.31	Inf	-Inf	6.44	3	Vertical	36	3.00	87.87	34.53	6.40	34.49
PK	5.9154G	56.84	88.20	-31.36	5.93	3	Vertical	36	3.00	50.91	34.20	6.26	34.53
PK	6.3642G	104.67	Inf	-Inf	6.59	3	Vertical	36	3.00	98.08	34.66	6.41	34.48

5.925-6.425GHz\_802.11ax HEW160\_Nss1,(MCS0)\_2TX

6345MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.901G	46.35	68.20	-21.85	5.92	3	Horizontal	307	1.96	40.43	34.20	6.25	34.53
AV	6.3378G	97.91	Inf	-Inf	6.46	3	Horizontal	307	1.96	91.45	34.55	6.40	34.49
PK	5.7474G	57.45	88.20	-30.75	5.30	3	Horizontal	307	1.96	52.15	33.68	6.16	34.54
PK	6.3354G	107.73	Inf	-Inf	6.45	3	Horizontal	307	1.96	101.28	34.54	6.40	34.49



5.925-6.425GHz\_802.11ax HEW160\_Nss1,(MCS0)\_2TX


6345MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.69424G	43.36	54.00	-10.64	14.36	3	Vertical	92	1.03	29.00	39.48	8.92	34.04
PK	12.69088G	52.17	74.00	-21.83	14.34	3	Vertical	92	1.03	37.83	39.47	8.92	34.05

5.925-6.425GHz\_802.11ax HEW160\_Nss1,(MCS0)\_2TX

6345MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.684G	43.34	54.00	-10.66	14.31	3	Horizontal	145	1.90	29.03	39.45	8.92	34.06
PK	12.69436G	53.10	74.00	-20.90	14.36	3	Horizontal	145	1.90	38.74	39.48	8.92	34.04



6.425-6.525GHz\_802.11ax HEW160\_Nss1,(MCS0)\_2TX


6505MHz Straddle 6.425-6.525GHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9086G	46.26	68.20	-21.94	5.92	3	Vertical	13	2.92	40.34	34.20	6.25	34.53
AV	6.4826G	92.76	Inf	-Inf	7.14	3	Vertical	13	2.92	85.62	35.13	6.48	34.47
AV	7.1994G	49.24	68.20	-18.96	8.99	3	Vertical	13	2.92	40.25	37.00	6.75	34.76
PK	5.8078G	57.08	88.20	-31.12	5.58	3	Vertical	13	2.92	51.50	33.92	6.20	34.54
PK	6.4742G	102.20	Inf	-Inf	7.10	3	Vertical	13	2.92	95.10	35.10	6.47	34.47
PK	7.177G	59.72	88.20	-28.48	8.89	3	Vertical	13	2.92	50.83	36.91	6.74	34.76

6.425-6.525GHz\_802.11ax HEW160\_Nss1,(MCS0)\_2TX

6505MHz Straddle 6.425-6.525GHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9002G	46.27	68.20	-21.93	5.92	3	Horizontal	47	1.88	40.35	34.20	6.25	34.53
AV	6.4798G	96.96	Inf	-Inf	7.13	3	Horizontal	47	1.88	89.83	35.12	6.48	34.47
AV	7.2022G	49.29	68.20	-18.91	8.99	3	Horizontal	47	1.88	40.30	37.00	6.75	34.76
PK	5.9002G	57.33	88.20	-30.87	5.92	3	Horizontal	47	1.88	51.41	34.20	6.25	34.53
PK	6.4714G	107.29	Inf	-Inf	7.09	3	Horizontal	47	1.88	100.20	35.09	6.47	34.47
PK	7.1994G	60.31	88.20	-27.89	8.99	3	Horizontal	47	1.88	51.32	37.00	6.75	34.76



6.425-6.525GHz\_802.11ax HEW160\_Nss1,(MCS0)\_2TX


6505MHz Straddle 6.425-6.525GHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.01548G	43.95	68.20	-24.25	15.60	3	Vertical	170	2.07	28.35	40.07	9.01	33.48
PK	13.01084G	54.76	88.20	-33.44	15.60	3	Vertical	170	2.07	39.16	40.08	9.01	33.49

6.425-6.525GHz\_802.11ax HEW160\_Nss1,(MCS0)\_2TX

6505MHz Straddle 6.425-6.525GHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.00084G	43.92	68.20	-24.28	15.60	3	Horizontal	125	1.06	28.32	40.10	9.01	33.51
PK	13.01556G	55.10	88.20	-33.10	15.60	3	Horizontal	125	1.06	39.50	40.07	9.01	33.48



6.525-6.875GHz\_802.11ax HEW160\_Nss1,(MCS0)\_2TX


6665MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.643G	92.98	Inf	-Inf	7.98	3	Vertical	352	2.83	85.00	35.97	6.56	34.55
AV	7.1886G	49.32	68.20	-18.88	8.94	3	Vertical	352	2.83	40.38	36.95	6.75	34.76
PK	6.643G	103.24	Inf	-Inf	7.98	3	Vertical	352	2.83	95.26	35.97	6.56	34.55
PK	7.1864G	60.74	88.20	-27.46	8.94	3	Vertical	352	2.83	51.80	36.95	6.75	34.76

6.525-6.875GHz\_802.11ax HEW160\_Nss1,(MCS0)\_2TX

6665MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.6606G	97.42	Inf	-Inf	8.00	3	Horizontal	49	1.56	89.42	36.00	6.56	34.56
AV	7.2128G	49.28	68.20	-18.92	9.02	3	Horizontal	49	1.56	40.26	37.03	6.76	34.77
PK	6.632G	107.23	Inf	-Inf	7.94	3	Horizontal	49	1.56	99.29	35.93	6.55	34.54
PK	7.1798G	60.51	88.20	-27.69	8.90	3	Horizontal	49	1.56	51.61	36.92	6.74	34.76



6.525-6.875GHz\_802.11ax HEW160\_Nss1,(MCS0)\_2TX


6665MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.33572G	44.07	54.00	-9.93	16.19	3	Vertical	240	2.05	27.88	40.04	9.11	32.96
PK	13.33268G	55.27	74.00	-18.73	16.18	3	Vertical	240	2.05	39.09	40.03	9.11	32.96

6.525-6.875GHz\_802.11ax HEW160\_Nss1,(MCS0)\_2TX

6665MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.33992G	44.05	54.00	-9.95	16.22	3	Horizontal	137	1.34	27.83	40.06	9.11	32.95
PK	13.33596G	56.10	74.00	-17.90	16.19	3	Horizontal	137	1.34	39.91	40.04	9.11	32.96



6.525-6.875GHz\_802.11ax HEW160\_Nss1,(MCS0)\_2TX


6825MHz Straddle 6.525-6.875GHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.8554G	91.15	Inf	-Inf	7.85	3	Vertical	350	3.00	83.30	35.90	6.61	34.66
AV	7.217G	49.41	68.20	-18.79	9.02	3	Vertical	350	3.00	40.39	37.03	6.76	34.77
PK	6.857G	101.74	Inf	-Inf	7.85	3	Vertical	350	3.00	93.89	35.90	6.61	34.66
PK	7.1994G	60.06	88.20	-28.14	8.99	3	Vertical	350	3.00	51.07	37.00	6.75	34.76

6.525-6.875GHz\_802.11ax HEW160\_Nss1,(MCS0)\_2TX

6825MHz Straddle 6.525-6.875GHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.8426G	97.63	Inf	-Inf	7.85	3	Horizontal	43	2.40	89.78	35.91	6.60	34.66
AV	7.201G	49.35	68.20	-18.85	8.99	3	Horizontal	43	2.40	40.36	37.00	6.75	34.76
PK	6.8122G	108.20	Inf	-Inf	7.93	3	Horizontal	43	2.40	100.27	35.98	6.59	34.64
PK	7.201G	60.62	88.20	-27.58	8.99	3	Horizontal	43	2.40	51.63	37.00	6.75	34.76





6.525-6.875GHz\_802.11ax HEW160\_Nss1,(MCS0)\_2TX


6825MHz Straddle 6.525-6.875GHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.65652G	45.20	68.20	-23.00	16.70	3	Vertical	99	1.06	28.50	40.24	9.21	32.75
PK	13.64856G	56.84	88.20	-31.36	16.70	3	Vertical	99	1.06	40.14	40.25	9.20	32.75

6.525-6.875GHz\_802.11ax HEW160\_Nss1,(MCS0)\_2TX

6825MHz Straddle 6.525-6.875GHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.64816G	45.17	68.20	-23.03	16.70	3	Horizontal	313	2.58	28.47	40.25	9.20	32.75
PK	13.64368G	57.20	88.20	-31.00	16.72	3	Horizontal	313	2.58	40.48	40.26	9.20	32.74



6.875-7.125GHz\_802.11ax HEW160\_Nss1,(MCS0)\_2TX


6985MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.964G	93.78	Inf	-Inf	7.94	3	Vertical	6	1.93	85.84	36.00	6.66	34.72
AV	7.125G	49.83	68.20	-18.37	8.61	3	Vertical	6	1.93	41.22	36.65	6.72	34.76
PK	7.005G	104.54	Inf	-Inf	7.96	3	Vertical	6	1.93	96.58	36.02	6.68	34.74
PK	7.125G	61.00	88.20	-27.20	8.61	3	Vertical	6	1.93	52.39	36.65	6.72	34.76

6.875-7.125GHz\_802.11ax HEW160\_Nss1,(MCS0)\_2TX

6985MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.963G	97.56	Inf	-Inf	7.94	3	Horizontal	44	1.50	89.62	36.00	6.66	34.72
AV	7.134G	51.35	68.20	-16.85	8.67	3	Horizontal	44	1.50	42.68	36.70	6.73	34.76
PK	6.954G	108.84	Inf	-Inf	7.94	3	Horizontal	44	1.50	100.90	36.00	6.66	34.72
PK	7.207G	62.13	88.20	-26.07	9.00	3	Horizontal	44	1.50	53.13	37.01	6.75	34.76



6.875-7.125GHz\_802.11ax HEW160\_Nss1,(MCS0)\_2TX


6985MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.96036G	44.79	68.20	-23.41	16.66	3	Vertical	109	1.85	28.13	40.22	9.30	32.86
PK	13.9754G	55.93	88.20	-32.27	16.68	3	Vertical	109	1.85	39.25	40.25	9.30	32.87

6.875-7.125GHz\_802.11ax HEW160\_Nss1,(MCS0)\_2TX

6985MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.96908G	44.75	68.20	-23.45	16.67	3	Horizontal	37	2.04	28.08	40.24	9.30	32.87
PK	13.9736G	56.47	88.20	-31.73	16.68	3	Horizontal	37	2.04	39.79	40.25	9.30	32.87



Summary

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
5.925-6.425GHz	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1,(MCS0)_2TX	Pass	6.41214G	-19.35	6.49134G	-71.50	-59.35	-12.15	1
802.11ax HEW40_Nss1,(MCS0)_2TX	Pass	6.4028G	-15.35	6.49432G	-67.35	-55.35	-12.00	1
802.11ax HEW80_Nss1,(MCS0)_2TX	Pass	6.13973G	-12.50	6.50228G	-64.30	-52.50	-11.80	1
802.11ax HEW160_Nss1,(MCS0)_2TX	Pass	5.9969G	-9.66	6.509G	-60.78	-49.66	-11.12	1
6.425-6.525GHz	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1,(MCS0)_2TX	Pass	6.48115G	-19.40	6.5091G	-71.44	-59.40	-12.04	1
802.11ax HEW40_Nss1,(MCS0)_2TX	Pass	6.49027G	-15.80	6.41988G	-68.02	-55.80	-12.22	1
802.11ax HEW80_Nss1,(MCS0)_2TX	Pass	6.54324G	-12.01	6.9806G	-63.92	-52.01	-11.91	1
802.11ax HEW160_Nss1,(MCS0)_2TX	Pass	6.4909G	-9.28	6.9978G	-60.49	-49.28	-11.21	1
6.525-6.875GHz	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1,(MCS0)_2TX	Pass	6.87632G	-19.31	6.98324G	-70.84	-59.31	-11.53	1
802.11ax HEW40_Nss1,(MCS0)_2TX	Pass	6.84896G	-15.28	7.00648G	-66.79	-55.28	-11.51	1
802.11ax HEW80_Nss1,(MCS0)_2TX	Pass	6.71115G	-12.90	6.99364G	-63.75	-52.90	-10.85	1
802.11ax HEW160_Nss1,(MCS0)_2TX	Pass	6.6316G	-9.48	7.49748G	-59.90	-49.48	-10.42	1
6.875-7.125GHz	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1,(MCS0)_2TX	Pass	7.0928G	-19.40	7.0059G	-70.73	-59.40	-11.33	1
802.11ax HEW40_Nss1,(MCS0)_2TX	Pass	7.07621G	-15.58	7.00624G	-66.89	-55.58	-11.31	1
802.11ax HEW80_Nss1,(MCS0)_2TX	Pass	7.01797G	-12.42	7.46324G	-63.09	-52.42	-10.67	1
802.11ax HEW160_Nss1,(MCS0)_2TX	Pass	6.9498G	-9.07	7.49716G	-59.88	-49.07	-10.81	1



Result

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
802.11ax HEW20_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5955MHz	Pass	5.95676G	-18.94	5.988G	-72.27	-58.94	-13.33	1
5955MHz	Pass	5.95324G	-18.56	5.92222G	-72.52	-58.56	-13.96	2
6175MHz	Pass	6.1728G	-18.97	6.2795G	-72.00	-58.97	-13.03	1
6175MHz	Pass	6.17852G	-18.70	6.2751G	-72.11	-58.70	-13.41	2
6415MHz	Pass	6.41214G	-19.35	6.49134G	-71.50	-59.35	-12.15	1
6415MHz	Pass	6.41764G	-18.81	6.49046G	-71.75	-58.81	-12.94	2
6435MHz	Pass	6.43874G	-19.11	6.4911G	-71.59	-59.11	-12.48	1
6435MHz	Pass	6.43918G	-18.51	6.4702G	-71.62	-58.51	-13.11	2
6475MHz	Pass	6.48115G	-19.40	6.5091G	-71.44	-59.40	-12.04	1
6475MHz	Pass	6.47742G	-18.74	6.44376G	-71.65	-58.74	-12.91	2
6515MHz	Pass	6.51258G	-19.49	6.47232G	-71.54	-59.49	-12.05	1
6515MHz	Pass	6.51786G	-18.49	6.48398G	-71.27	-58.40	-12.87	2
6535MHz	Pass	6.53346G	-19.77	6.49232G	-71.50	-59.77	-11.73	1
6535MHz	Pass	6.53742G	-18.98	6.4987G	-71.52	-58.98	-12.54	2
6695MHz	Pass	6.69676G	-19.70	6.79532G	-72.06	-59.70	-12.36	1
6695MHz	Pass	6.69214G	-18.73	6.80148G	-72.16	-58.73	-13.43	2
6855MHz	Pass	6.85632G	-19.19	6.96346G	-70.87	-59.19	-11.68	1
6855MHz	Pass	6.85082G	-18.74	6.95752G	-71.15	-58.74	-12.41	2
6875MHz	Pass	6.87632G	-19.31	6.98324G	-70.84	-59.31	-11.53	1
6875MHz	Pass	6.8772G	-18.89	6.9729G	-70.95	-58.89	-12.06	2
6895MHz	Pass	6.89126G	-18.99	6.9929G	-70.80	-58.99	-11.81	1
6895MHz	Pass	6.89808G	-19.03	6.99862G	-70.77	-59.03	-11.74	2
6995MHz	Pass	6.99148G	-19.31	6.91184G	-70.85	-59.31	-11.54	1
6995MHz	Pass	6.99104G	-19.12	6.96046G	-71.18	-59.12	-12.06	2
7095MHz	Pass	7.0928G	-19.40	7.0059G	-70.73	-59.40	-11.33	1
7095MHz	Pass	7.09214G	-18.64	7.0026G	-71.05	-58.64	-12.41	2
802.11ax HEW40_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5965MHz	Pass	5.96764G	-15.21	6.14144G	-68.42	-55.21	-13.21	1
5965MHz	Pass	5.96368G	-14.62	6.11372G	-68.46	-54.62	-13.84	2
6165MHz	Pass	6.16896G	-15.18	6.30052G	-67.83	-55.18	-12.65	1
6165MHz	Pass	6.16852G	-14.81	6.32692G	-67.92	-54.81	-13.11	2
6405MHz	Pass	6.4028G	-15.35	6.49432G	-67.35	-55.35	-12.00	1
6405MHz	Pass	6.40764G	-14.43	6.49608G	-67.54	-54.43	-13.11	2
6445MHz	Pass	6.44148G	-15.20	6.50924G	-67.63	-55.20	-12.43	1
6445MHz	Pass	6.44764G	-15.17	6.50616G	-67.61	-55.17	-12.44	2
6485MHz	Pass	6.49027G	-15.80	6.41988G	-68.02	-55.80	-12.22	1
6485MHz	Pass	6.48852G	-14.37	6.33496G	-67.88	-54.37	-13.51	2
6525MHz	Pass	6.52236G	-15.45	6.4546G	-67.76	-55.45	-12.31	1
6525MHz	Pass	6.52676G	-14.56	6.4612G	-67.90	-54.56	-13.34	2
6565MHz	Pass	6.5628G	-14.94	6.5034G	-67.54	-54.94	-12.60	1
6565MHz	Pass	6.56368G	-14.74	6.49592G	-67.58	-54.74	-12.84	2
6685MHz	Pass	6.68192G	-15.39	6.50724G	-67.43	-55.39	-12.04	1
6685MHz	Pass	6.68852G	-14.71	6.89136G	-67.56	-54.71	-12.85	2
6845MHz	Pass	6.84896G	-15.28	7.00648G	-66.79	-55.28	-11.51	1
6845MHz	Pass	6.84852G	-14.79	7.0034G	-66.86	-54.79	-12.07	2
6885MHz	Pass	6.89115G	-15.10	6.99456G	-66.84	-55.10	-11.74	1
6885MHz	Pass	6.88236G	-14.76	6.98796G	-67.02	-54.76	-12.26	2
6925MHz	Pass	6.9206G	-14.89	6.99804G	-66.83	-54.89	-11.94	1
6925MHz	Pass	6.92368G	-15.06	6.98792G	-66.90	-55.06	-11.84	2
7005MHz	Pass	7.00236G	-14.65	6.91172G	-66.99	-54.65	-12.34	1
7005MHz	Pass	6.99841G	-14.92	6.9434G	-67.10	-54.92	-12.18	2
7085MHz	Pass	7.07621G	-15.58	7.00624G	-66.89	-55.58	-11.31	1
7085MHz	Pass	7.07973G	-14.10	6.98116G	-66.90	-54.10	-12.80	2
802.11ax HEW80_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-



Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
5985MHz	Pass	5.98852G	-12.15	6.4118G	-64.77	-52.15	-12.62	1
5985MHz	Pass	5.97973G	-11.44	6.3634G	-64.90	-51.44	-13.46	2
6145MHz	Pass	6.13973G	-12.50	6.50228G	-64.30	-52.50	-11.80	1
6145MHz	Pass	6.14852G	-11.89	6.49084G	-64.57	-51.89	-12.68	2
6385MHz	Pass	6.3894G	-11.91	6.5082G	-64.04	-51.91	-12.13	1
6385MHz	Pass	6.37973G	-11.75	6.50732G	-64.09	-51.72	-12.37	2
6465MHz	Pass	6.45885G	-12.14	6.90236G	-64.37	-52.14	-12.23	1
6465MHz	Pass	6.47027G	-11.62	6.89796G	-64.42	-51.62	-12.80	2
6545MHz	Pass	6.54324G	-12.01	6.9806G	-63.92	-52.01	-11.91	1
6545MHz	Pass	6.54764G	-11.75	6.97884G	-63.98	-51.75	-12.23	2
6625MHz	Pass	6.61357G	-12.72	6.99812G	-63.75	-52.72	-11.03	1
6625MHz	Pass	6.61885G	-11.75	6.99196G	-63.90	-51.75	-12.15	2
6705MHz	Pass	6.71115G	-12.90	6.99364G	-63.75	-52.90	-10.85	1
6705MHz	Pass	6.70764G	-12.07	6.9866G	-63.89	-52.07	-11.82	2
6785MHz	Pass	6.78148G	-12.78	6.9962G	-63.81	-52.78	-11.03	1
6785MHz	Pass	6.77797G	-11.42	7.00588G	-63.78	-51.42	-12.36	2
6865MHz	Pass	6.84654G	-12.50	7.00932G	-63.54	-52.50	-11.04	1
6865MHz	Pass	6.85973G	-11.52	7.00932G	-63.73	-51.52	-12.21	2
6945MHz	Pass	6.93181G	-12.31	7.38412G	-63.75	-52.31	-11.44	1
6945MHz	Pass	6.93005G	-12.30	7.38236G	-63.90	-52.30	-11.60	2
7025MHz	Pass	7.01797G	-12.42	7.46324G	-63.09	-52.42	-10.67	1
7025MHz	Pass	7.0083G	-11.76	7.4606G	-63.08	-51.76	-11.32	2
802.11ax HEW160_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
6025MHz	Pass	5.9969G	-9.66	6.509G	-60.78	-49.66	-11.12	1
6025MHz	Pass	6.0408G	-9.22	6.4914G	-61.07	-49.22	-11.85	2
6185MHz	Pass	6.2114G	-8.75	6.43668G	-60.43	-48.75	-11.68	1
6185MHz	Pass	6.1516G	-8.94	6.99988G	-60.68	-48.94	-11.74	2
6345MHz	Pass	6.3257G	-8.54	6.99444G	-60.46	-48.54	-11.92	1
6345MHz	Pass	6.3661G	-8.61	7.00324G	-60.69	-48.61	-12.08	2
6505MHz	Pass	6.4909G	-9.28	6.9978G	-60.49	-49.28	-11.21	1
6505MHz	Pass	6.4821G	-8.51	6.98372G	-60.59	-48.51	-12.08	2
6665MHz	Pass	6.6316G	-9.48	7.49748G	-59.90	-49.48	-10.42	1
6665MHz	Pass	6.6966G	-8.79	7.49924G	-59.99	-48.79	-11.20	2
6825MHz	Pass	6.8057G	-9.20	7.4938G	-59.76	-49.20	-10.56	1
6825MHz	Pass	6.8004G	-8.93	7.4938G	-60.03	-48.93	-11.10	2
6985MHz	Pass	6.9498G	-9.07	7.49716G	-59.88	-49.07	-10.81	1
6985MHz	Pass	6.9604G	-9.18	7.4954G	-60.02	-49.18	-10.84	2



5.925-6.425GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX

MASK

5955MHz\_TX

24/04/2023

CF Freq  
5.955GHz


Span  
220MHz

RBW  
200kHz

VBW  
1MHz

Sweep Time  
20ms

Detector Type  
RMS



Port 1

Port 2

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.95676G	-18.94	5.988G	-72.27	-58.94	-13.33	1
5.95324G	-18.56	5.92222G	-72.52	-58.56	-13.96	2

5.925-6.425GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX

MASK

6175MHz\_TX

24/04/2023

CF Freq  
6.175GHz


Span  
220MHz

RBW  
200kHz

VBW  
1MHz

Sweep Time  
20ms


Detector Type  
RMS




Port 1


Port 2


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.1728G	-18.97	6.2795G	-72.00	-58.97	-13.03	1
6.17852G	-18.70	6.2751G	-72.11	-58.70	-13.41	2

























6.425-6.525GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX

MASK

6525MHz\_TX

24/04/2023

CF Freq  
6.525GHz


Span  
440MHz

RBW  
500kHz

VBW  
2MHz

Sweep Time  
20ms

Detector Type  
RMS



Port 1

Port 2

6.525-6.875GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX

MASK

6565MHz\_TX

24/04/2023

CF Freq  
6.565GHz


Span  
440MHz

RBW  
500kHz

VBW  
2MHz

Sweep Time  
20ms


Detector Type  
RMS



Port 1

Port 2







6.525-6.875GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX

MASK

6885MHz\_TX

24/04/2023

CF Freq  
6.885GHz


Span  
440MHz

RBW  
500kHz

VBW  
2MHz

Sweep Time  
20ms

Detector Type  
RMS



Port 1

Port 2

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.89115G	-15.10	6.99456G	-66.84	-55.10	-11.74	1
6.88236G	-14.76	6.98796G	-67.02	-54.76	-12.26	2

6.875-7.125GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX

MASK

6925MHz\_TX

24/04/2023

CF Freq  
6.925GHz


Span  
440MHz

RBW  
500kHz

VBW  
2MHz

Sweep Time  
20ms



Detector Type  
RMS




Port 1

Port 2

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.9206G	-14.89	6.99804G	-66.83	-54.89	-11.94	1
6.92368G	-15.06	6.98792G	-66.90	-55.06	-11.84	2







5.925-6.425GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX

MASK

6385MHz\_TX

24/04/2023

CF Freq  
6.385GHz


Span  
880MHz

RBW  
1MHz

VBW  
3MHz

Sweep Time  
20ms

Detector Type  
RMS



Port 1

Port 2

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.3894G	-11.91	6.5082G	-64.04	-51.91	-12.13	1
6.37973G	-11.75	6.50732G	-64.09	-51.72	-12.37	2

6.425-6.525GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX

MASK

6465MHz\_TX

24/04/2023

CF Freq  
6.465GHz


Span  
880MHz

RBW  
1MHz

VBW  
3MHz

Sweep Time  
20ms


Detector Type  
RMS





Port 1

Port 2


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.45885G	-12.14	6.90236G	-64.37	-52.14	-12.23	1
6.47027G	-11.62	6.89796G	-64.42	-51.62	-12.80	2














CF Freq  
6.345GHz



Span  
1.76GHz

RBW  
2MHz

VBW  
10MHz

Sweep Time  
20ms

Detector Type  
RMS







Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6.875-7.125GHz	-	-	-	-	-	-	-	-	-	-
802.11ax HEW80_Nss1,(MCS0)_2TX	Pass	PK	95.96M	39.81	43.50	-3.69	3	Horizontal	0	1.00




Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11ax HEW80_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
7025MHz	Pass	PK	107.6M	35.75	43.50	-7.75	3	Vertical	360	1.00
7025MHz	Pass	PK	165.8M	31.37	43.50	-12.13	3	Vertical	360	1.00
7025MHz	Pass	PK	255.04M	30.47	46.00	-15.53	3	Vertical	360	1.00
7025MHz	Pass	PK	301.6M	31.20	46.00	-14.80	3	Vertical	360	1.00
7025MHz	Pass	PK	575.14M	29.36	46.00	-16.64	3	Vertical	360	1.00
7025MHz	Pass	PK	959.26M	36.29	46.00	-9.71	3	Vertical	360	1.00
7025MHz	Pass	PK	95.96M	39.81	43.50	-3.69	3	Horizontal	0	1.00
7025MHz	Pass	PK	192.96M	39.23	43.50	-4.27	3	Horizontal	0	1.00
7025MHz	Pass	PK	220.12M	30.19	46.00	-15.81	3	Horizontal	0	1.00
7025MHz	Pass	PK	293.84M	27.65	46.00	-18.35	3	Horizontal	0	1.00
7025MHz	Pass	PK	575.14M	39.20	46.00	-6.80	3	Horizontal	0	1.00
7025MHz	Pass	PK	959.26M	32.88	46.00	-13.12	3	Horizontal	0	1.00



6.875-7.125GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX


7025MHz\_PoE



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	107.6M	35.75	43.50	-7.75	-19.36	3	Vertical	360	1.00	55.11	15.97	1.30	36.63
PK	165.8M	31.37	43.50	-12.13	-19.81	3	Vertical	360	1.00	51.18	15.24	1.38	36.43
PK	255.04M	30.47	46.00	-15.53	-16.52	3	Vertical	360	1.00	46.99	18.44	1.51	36.47
PK	301.6M	31.20	46.00	-14.80	-16.46	3	Vertical	360	1.00	47.66	18.37	1.58	36.41
PK	575.14M	29.36	46.00	-16.64	-10.18	3	Vertical	360	1.00	39.54	24.96	1.97	37.11
PK	959.26M	36.29	46.00	-9.71	-4.71	3	Vertical	360	1.00	41.00	30.07	2.53	37.31

6.875-7.125GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX

7025MHz\_PoE



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	95.96M	39.81	43.50	-3.69	-20.67	3	Horizontal	0	1.00	60.48	14.71	1.28	36.66
PK	192.96M	39.23	43.50	-4.27	-20.90	3	Horizontal	0	1.00	60.13	14.02	1.42	36.34
PK	220.12M	30.19	46.00	-15.81	-20.58	3	Horizontal	0	1.00	50.77	14.31	1.46	36.35
PK	293.84M	27.65	46.00	-18.35	-16.56	3	Horizontal	0	1.00	44.21	18.29	1.57	36.42
PK	575.14M	39.20	46.00	-6.80	-10.18	3	Horizontal	0	1.00	49.38	24.96	1.97	37.11
PK	959.26M	32.88	46.00	-13.12	-4.71	3	Horizontal	0	1.00	37.59	30.07	2.53	37.31



Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1,(MCS0)_2TX	Pass	AV	12.34452G	42.47	54.00	-11.53	3	Horizontal	273	2.75
802.11ax HEW40_Nss1,(MCS0)_2TX	Pass	AV	12.30012G	42.82	54.00	-11.18	3	Vertical	70	1.58
802.11ax HEW80_Nss1,(MCS0)_2TX	Pass	AV	12.2814G	42.83	54.00	-11.17	3	Horizontal	298	1.96
802.11ax HEW160_Nss1,(MCS0)_2TX	Pass	AV	12.69424G	43.36	54.00	-10.64	3	Vertical	92	1.03
6.425-6.525GHz	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1,(MCS0)_2TX	Pass	AV	7.2066G	49.42	68.20	-18.78	3	Vertical	10	2.81
802.11ax HEW40_Nss1,(MCS0)_2TX	Pass	AV	7.211G	49.46	68.20	-18.74	3	Horizontal	50	1.88
802.11ax HEW80_Nss1,(MCS0)_2TX	Pass	AV	7.2254G	49.51	68.20	-18.69	3	Vertical	9	3.00
802.11ax HEW160_Nss1,(MCS0)_2TX	Pass	AV	7.2022G	49.29	68.20	-18.91	3	Horizontal	47	1.88
6.525-6.875GHz	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1,(MCS0)_2TX	Pass	AV	13.39696G	44.22	54.00	-9.78	3	Vertical	159	2.07
802.11ax HEW40_Nss1,(MCS0)_2TX	Pass	AV	13.38344G	44.23	54.00	-9.77	3	Vertical	32	2.74
802.11ax HEW80_Nss1,(MCS0)_2TX	Pass	AV	7.2024G	49.59	68.20	-18.61	3	Horizontal	47	1.50
802.11ax HEW160_Nss1,(MCS0)_2TX	Pass	AV	13.33572G	44.07	54.00	-9.93	3	Vertical	240	2.05
6.875-7.125GHz	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1,(MCS0)_2TX	Pass	AV	14.19232G	56.64	68.20	-11.56	3	Horizontal	155	2.20
802.11ax HEW40_Nss1,(MCS0)_2TX	Pass	AV	7.1252G	51.10	68.20	-17.10	3	Horizontal	44	1.48
802.11ax HEW80_Nss1,(MCS0)_2TX	Pass	AV	7.2354G	49.66	68.20	-18.54	3	Horizontal	44	1.50
802.11ax HEW160_Nss1,(MCS0)_2TX	Pass	AV	7.134G	51.35	68.20	-16.85	3	Horizontal	44	1.50





Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11ax HEW20_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5955MHz	Pass	AV	5.9124G	46.40	68.20	-21.80	3	Vertical	26	2.98
5955MHz	Pass	AV	5.9574G	93.66	Inf	-Inf	3	Vertical	26	2.98
5955MHz	Pass	PK	5.826G	57.27	88.20	-30.93	3	Vertical	26	2.98
5955MHz	Pass	PK	5.9574G	104.60	Inf	-Inf	3	Vertical	26	2.98
5955MHz	Pass	AV	5.904G	46.39	68.20	-21.81	3	Horizontal	313	1.89
5955MHz	Pass	AV	5.9526G	98.74	Inf	-Inf	3	Horizontal	313	1.89
5955MHz	Pass	PK	5.9082G	57.76	88.20	-30.44	3	Horizontal	313	1.89
5955MHz	Pass	PK	5.9532G	107.44	Inf	-Inf	3	Horizontal	313	1.89
5955MHz	Pass	AV	11.90136G	41.61	54.00	-12.39	3	Vertical	282	2.85
5955MHz	Pass	PK	11.91688G	53.21	74.00	-20.79	3	Vertical	282	2.85
5955MHz	Pass	AV	11.91392G	41.62	54.00	-12.38	3	Horizontal	25	2.09
5955MHz	Pass	PK	11.90192G	53.48	74.00	-20.52	3	Horizontal	25	2.09
6175MHz	Pass	AV	5.8834G	46.34	68.20	-21.86	3	Vertical	38	3.00
6175MHz	Pass	AV	6.1726G	94.69	Inf	-Inf	3	Vertical	38	3.00
6175MHz	Pass	PK	5.9038G	57.42	88.20	-30.78	3	Vertical	38	3.00
6175MHz	Pass	PK	6.1726G	104.47	Inf	-Inf	3	Vertical	38	3.00
6175MHz	Pass	AV	5.8954G	46.35	68.20	-21.85	3	Horizontal	311	1.98
6175MHz	Pass	AV	6.1738G	99.17	Inf	-Inf	3	Horizontal	311	1.98
6175MHz	Pass	PK	5.8822G	57.66	88.20	-30.54	3	Horizontal	311	1.98
6175MHz	Pass	PK	6.1762G	107.74	Inf	-Inf	3	Horizontal	311	1.98
6175MHz	Pass	AV	12.34664G	42.46	54.00	-11.54	3	Vertical	208	1.57
6175MHz	Pass	PK	12.3492G	53.90	74.00	-20.10	3	Vertical	208	1.57
6175MHz	Pass	AV	12.34452G	42.47	54.00	-11.53	3	Horizontal	273	2.75
6175MHz	Pass	PK	12.34436G	54.01	74.00	-19.99	3	Horizontal	273	2.75
6415MHz	Pass	AV	5.8966G	46.30	68.20	-21.90	3	Vertical	11	2.88
6415MHz	Pass	AV	6.4126G	94.17	Inf	-Inf	3	Vertical	11	2.88
6415MHz	Pass	PK	5.8654G	57.22	88.20	-30.98	3	Vertical	11	2.88
6415MHz	Pass	PK	6.4126G	102.53	Inf	-Inf	3	Vertical	11	2.88
6415MHz	Pass	AV	5.911G	46.43	68.20	-21.77	3	Horizontal	53	1.86
6415MHz	Pass	AV	6.4198G	98.17	Inf	-Inf	3	Horizontal	53	1.86
6415MHz	Pass	PK	5.8726G	57.00	88.20	-31.20	3	Horizontal	53	1.86
6415MHz	Pass	PK	6.4198G	106.16	Inf	-Inf	3	Horizontal	53	1.86
6415MHz	Pass	AV	12.82304G	43.42	68.20	-24.78	3	Vertical	109	2.26
6415MHz	Pass	PK	12.82484G	54.62	88.20	-33.58	3	Vertical	109	2.26
6415MHz	Pass	AV	12.8356G	43.56	68.20	-24.64	3	Horizontal	308	1.49
6415MHz	Pass	PK	12.8396G	54.79	88.20	-33.41	3	Horizontal	308	1.49
6435MHz	Pass	AV	5.9118G	46.39	68.20	-21.81	3	Vertical	14	2.85
6435MHz	Pass	AV	6.4326G	95.42	Inf	-Inf	3	Vertical	14	2.85
6435MHz	Pass	PK	5.883G	57.35	88.20	-30.85	3	Vertical	14	2.85
6435MHz	Pass	PK	6.4326G	103.21	Inf	-Inf	3	Vertical	14	2.85
6435MHz	Pass	AV	5.8998G	46.50	68.20	-21.70	3	Horizontal	48	1.89
6435MHz	Pass	AV	6.4302G	98.95	Inf	-Inf	3	Horizontal	48	1.89
6435MHz	Pass	PK	5.9238G	57.36	88.20	-30.84	3	Horizontal	48	1.89
6435MHz	Pass	PK	6.4422G	106.96	Inf	-Inf	3	Horizontal	48	1.89
6435MHz	Pass	AV	12.87444G	43.72	68.20	-24.48	3	Vertical	166	1.28
6435MHz	Pass	PK	12.87432G	54.84	88.20	-33.36	3	Vertical	166	1.28
6435MHz	Pass	AV	12.8674G	43.77	68.20	-24.43	3	Horizontal	345	2.51
6435MHz	Pass	PK	12.871G	54.91	88.20	-33.29	3	Horizontal	345	2.51
6475MHz	Pass	AV	5.8786G	46.34	68.20	-21.86	3	Vertical	17	2.71
6475MHz	Pass	AV	6.4722G	95.15	Inf	-Inf	3	Vertical	17	2.71
6475MHz	Pass	AV	7.1582G	49.24	68.20	-18.96	3	Vertical	17	2.71
6475MHz	Pass	PK	5.7918G	57.27	88.20	-30.93	3	Vertical	17	2.71
6475MHz	Pass	PK	6.4722G	102.48	Inf	-Inf	3	Vertical	17	2.71
6475MHz	Pass	PK	7.1498G	59.05	88.20	-29.15	3	Vertical	17	2.71
6475MHz	Pass	AV	5.9122G	46.40	68.20	-21.80	3	Horizontal	48	1.88
6475MHz	Pass	AV	6.4694G	99.12	Inf	-Inf	3	Horizontal	48	1.88
6475MHz	Pass	AV	7.1722G	49.17	68.20	-19.03	3	Horizontal	48	1.88
6475MHz	Pass	PK	5.8562G	57.49	88.20	-30.71	3	Horizontal	48	1.88
6475MHz	Pass	PK	6.4722G	108.11	Inf	-Inf	3	Horizontal	48	1.88
6475MHz	Pass	PK	7.175G	59.68	88.20	-28.52	3	Horizontal	48	1.88



RSE TX above 1GHz\_C-330\_Radio 3

Appendix E.6

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6475MHz	Pass	AV	12.953G	43.76	68.20	-24.44	3	Vertical	282	1.59
6475MHz	Pass	PK	12.95852G	54.96	88.20	-33.24	3	Vertical	282	1.59
6475MHz	Pass	AV	12.95076G	43.79	68.20	-24.41	3	Horizontal	305	1.75
6475MHz	Pass	PK	12.95132G	55.06	88.20	-33.14	3	Horizontal	305	1.75
6515MHz	Pass	AV	5.9158G	46.41	68.20	-21.79	3	Vertical	10	2.81
6515MHz	Pass	AV	6.515G	94.55	Inf	-Inf	3	Vertical	10	2.81
6515MHz	Pass	AV	7.2066G	49.42	68.20	-18.78	3	Vertical	10	2.81
6515MHz	Pass	PK	5.8262G	57.23	88.20	-30.97	3	Vertical	10	2.81
6515MHz	Pass	PK	6.515G	101.94	Inf	-Inf	3	Vertical	10	2.81
6515MHz	Pass	PK	7.2038G	59.72	88.20	-28.48	3	Vertical	10	2.81
6515MHz	Pass	AV	5.899G	46.38	68.20	-21.82	3	Horizontal	53	1.66
6515MHz	Pass	AV	6.5206G	98.58	Inf	-Inf	3	Horizontal	53	1.66
6515MHz	Pass	AV	7.1954G	49.35	68.20	-18.85	3	Horizontal	53	1.66
6515MHz	Pass	PK	5.9186G	56.99	88.20	-31.21	3	Horizontal	53	1.66
6515MHz	Pass	PK	6.5206G	107.82	Inf	-Inf	3	Horizontal	53	1.66
6515MHz	Pass	PK	7.1646G	60.16	88.20	-28.04	3	Horizontal	53	1.66
6515MHz	Pass	AV	13.02232G	43.99	68.20	-24.21	3	Vertical	107	1.38
6515MHz	Pass	PK	13.03416G	55.16	88.20	-33.04	3	Vertical	107	1.38
6515MHz	Pass	AV	13.0272G	44.03	68.20	-24.17	3	Horizontal	339	1.75
6515MHz	Pass	PK	13.03556G	55.21	88.20	-32.99	3	Horizontal	339	1.75
6535MHz	Pass	AV	5.8994G	46.39	68.20	-21.81	3	Vertical	16	2.90
6535MHz	Pass	AV	6.535G	94.07	Inf	-Inf	3	Vertical	16	2.90
6535MHz	Pass	AV	7.2154G	49.56	68.20	-18.64	3	Vertical	16	2.90
6535MHz	Pass	PK	5.863G	57.10	88.20	-31.10	3	Vertical	16	2.90
6535MHz	Pass	PK	6.535G	101.95	Inf	-Inf	3	Vertical	16	2.90
6535MHz	Pass	PK	7.2266G	60.16	88.20	-28.04	3	Vertical	16	2.90
6535MHz	Pass	AV	5.8826G	46.37	68.20	-21.83	3	Horizontal	46	1.84
6535MHz	Pass	AV	6.5322G	98.39	Inf	-Inf	3	Horizontal	46	1.84
6535MHz	Pass	AV	7.235G	49.41	68.20	-18.79	3	Horizontal	46	1.84
6535MHz	Pass	PK	5.8938G	57.01	88.20	-31.19	3	Horizontal	46	1.84
6535MHz	Pass	PK	6.5322G	105.66	Inf	-Inf	3	Horizontal	46	1.84
6535MHz	Pass	PK	7.2182G	60.19	88.20	-28.01	3	Horizontal	46	1.84
6535MHz	Pass	AV	13.07684G	43.87	68.20	-24.33	3	Vertical	257	1.96
6535MHz	Pass	PK	13.0696G	55.15	88.20	-33.05	3	Vertical	257	1.96
6535MHz	Pass	AV	13.07528G	43.89	68.20	-24.31	3	Horizontal	307	1.17
6535MHz	Pass	PK	13.0658G	55.90	88.20	-32.30	3	Horizontal	307	1.17
6695MHz	Pass	AV	6.693G	92.11	Inf	-Inf	3	Vertical	356	2.80
6695MHz	Pass	AV	7.195G	49.37	68.20	-18.83	3	Vertical	356	2.80
6695MHz	Pass	PK	6.693G	100.61	Inf	-Inf	3	Vertical	356	2.80
6695MHz	Pass	PK	7.145G	59.56	88.20	-28.64	3	Vertical	356	2.80
6695MHz	Pass	AV	6.691G	97.62	Inf	-Inf	3	Horizontal	50	1.54
6695MHz	Pass	AV	7.189G	49.38	68.20	-18.82	3	Horizontal	50	1.54
6695MHz	Pass	PK	6.701G	106.88	Inf	-Inf	3	Horizontal	50	1.54
6695MHz	Pass	PK	7.157G	59.38	88.20	-28.82	3	Horizontal	50	1.54
6695MHz	Pass	AV	13.39696G	44.22	54.00	-9.78	3	Vertical	159	2.07
6695MHz	Pass	PK	13.39644G	55.54	74.00	-18.46	3	Vertical	159	2.07
6695MHz	Pass	AV	13.39536G	44.00	54.00	-10.00	3	Horizontal	271	1.79
6695MHz	Pass	PK	13.39856G	55.73	74.00	-18.27	3	Horizontal	271	1.79
6855MHz	Pass	AV	6.8536G	93.70	Inf	-Inf	3	Vertical	6	1.89
6855MHz	Pass	AV	7.1924G	49.48	68.20	-18.72	3	Vertical	6	1.89
6855MHz	Pass	PK	6.855G	102.11	Inf	-Inf	3	Vertical	6	1.89
6855MHz	Pass	PK	7.184G	59.81	88.20	-28.39	3	Vertical	6	1.89
6855MHz	Pass	AV	6.8536G	98.42	Inf	-Inf	3	Horizontal	43	2.42
6855MHz	Pass	AV	7.1952G	49.38	68.20	-18.82	3	Horizontal	43	2.42
6855MHz	Pass	PK	6.8536G	107.68	Inf	-Inf	3	Horizontal	43	2.42
6855MHz	Pass	PK	7.1938G	60.24	88.20	-27.96	3	Horizontal	43	2.42
6855MHz	Pass	AV	13.7088G	48.94	68.20	-19.26	3	Vertical	8	2.43
6855MHz	Pass	PK	13.7138G	62.08	88.20	-26.12	3	Vertical	8	2.43
6855MHz	Pass	AV	13.71416G	54.35	68.20	-13.85	3	Horizontal	51	1.52
6855MHz	Pass	PK	13.70352G	67.37	88.20	-20.83	3	Horizontal	51	1.52
6875MHz Straddle 6.525-6.875GHz	Pass	AV	6.8736G	94.01	Inf	-Inf	3	Vertical	6	1.97
6875MHz Straddle 6.525-6.875GHz	Pass	AV	7.2082G	49.53	68.20	-18.67	3	Vertical	6	1.97



RSE TX above 1GHz\_C-330\_Radio 3

Appendix E.6

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6875MHz Straddle 6.525-6.875GHz	Pass	PK	6.875G	102.20	Inf	-Inf	3	Vertical	6	1.97
6875MHz Straddle 6.525-6.875GHz	Pass	PK	7.1368G	59.96	88.20	-28.24	3	Vertical	6	1.97
6875MHz Straddle 6.525-6.875GHz	Pass	AV	6.8722G	98.11	Inf	-Inf	3	Horizontal	48	1.50
6875MHz Straddle 6.525-6.875GHz	Pass	AV	7.1914G	49.47	68.20	-18.73	3	Horizontal	48	1.50
6875MHz Straddle 6.525-6.875GHz	Pass	PK	6.8736G	107.96	Inf	-Inf	3	Horizontal	48	1.50
6875MHz Straddle 6.525-6.875GHz	Pass	PK	7.2236G	60.55	88.20	-27.65	3	Horizontal	48	1.50
6875MHz Straddle 6.525-6.875GHz	Pass	AV	13.74648G	46.13	68.20	-22.07	3	Vertical	106	1.86
6875MHz Straddle 6.525-6.875GHz	Pass	PK	13.7542G	57.76	88.20	-30.44	3	Vertical	106	1.86
6875MHz Straddle 6.525-6.875GHz	Pass	AV	13.75376G	55.05	68.20	-13.15	3	Horizontal	52	1.78
6875MHz Straddle 6.525-6.875GHz	Pass	PK	13.75172G	66.77	88.20	-21.43	3	Horizontal	52	1.78
6895MHz	Pass	AV	6.8964G	94.47	Inf	-Inf	3	Vertical	25	2.05
6895MHz	Pass	AV	7.2044G	49.49	68.20	-18.71	3	Vertical	25	2.05
6895MHz	Pass	PK	6.8964G	103.32	Inf	-Inf	3	Vertical	25	2.05
6895MHz	Pass	PK	7.1834G	60.33	88.20	-27.87	3	Vertical	25	2.05
6895MHz	Pass	AV	6.8936G	98.74	Inf	-Inf	3	Horizontal	45	1.68
6895MHz	Pass	AV	7.231G	49.51	68.20	-18.69	3	Horizontal	45	1.68
6895MHz	Pass	PK	6.8922G	107.75	Inf	-Inf	3	Horizontal	45	1.68
6895MHz	Pass	PK	7.175G	60.66	88.20	-27.54	3	Horizontal	45	1.68
6895MHz	Pass	AV	13.78756G	46.20	68.20	-22.00	3	Vertical	36	2.66
6895MHz	Pass	PK	13.78492G	57.58	88.20	-30.62	3	Vertical	36	2.66
6895MHz	Pass	AV	13.79224G	55.12	68.20	-13.08	3	Horizontal	245	2.56
6895MHz	Pass	PK	13.78344G	66.55	88.20	-21.65	3	Horizontal	245	2.56
6995MHz	Pass	AV	6.994G	95.12	Inf	-Inf	3	Vertical	8	1.92
6995MHz	Pass	AV	7.211G	49.56	68.20	-18.64	3	Vertical	8	1.92
6995MHz	Pass	PK	6.994G	104.51	Inf	-Inf	3	Vertical	8	1.92
6995MHz	Pass	PK	7.214G	61.13	88.20	-27.07	3	Vertical	8	1.92
6995MHz	Pass	AV	6.993G	99.00	Inf	-Inf	3	Horizontal	46	1.44
6995MHz	Pass	AV	7.226G	49.50	68.20	-18.70	3	Horizontal	46	1.44
6995MHz	Pass	PK	6.993G	108.58	Inf	-Inf	3	Horizontal	46	1.44
6995MHz	Pass	PK	7.136G	60.26	88.20	-27.94	3	Horizontal	46	1.44
6995MHz	Pass	AV	13.98576G	46.67	68.20	-21.53	3	Vertical	110	1.19
6995MHz	Pass	PK	13.99124G	59.42	88.20	-28.78	3	Vertical	110	1.19
6995MHz	Pass	AV	13.99328G	55.93	68.20	-12.27	3	Horizontal	89	1.02
6995MHz	Pass	PK	13.98352G	68.93	88.20	-19.27	3	Horizontal	89	1.02
7095MHz	Pass	AV	7.0962G	95.21	Inf	-Inf	3	Vertical	7	1.94
7095MHz	Pass	AV	7.2066G	49.42	68.20	-18.78	3	Vertical	7	1.94
7095MHz	Pass	PK	7.0962G	105.46	Inf	-Inf	3	Vertical	7	1.94
7095MHz	Pass	PK	7.233G	60.67	88.20	-27.53	3	Vertical	7	1.94
7095MHz	Pass	AV	7.0932G	99.73	Inf	-Inf	3	Horizontal	46	1.48
7095MHz	Pass	AV	7.2048G	49.55	68.20	-18.65	3	Horizontal	46	1.48
7095MHz	Pass	PK	7.0926G	109.96	Inf	-Inf	3	Horizontal	46	1.48
7095MHz	Pass	PK	7.233G	60.32	88.20	-27.88	3	Horizontal	46	1.48
7095MHz	Pass	AV	14.18464G	47.00	68.20	-21.20	3	Vertical	339	2.35
7095MHz	Pass	PK	14.18516G	58.07	88.20	-30.13	3	Vertical	339	2.35
7095MHz	Pass	AV	14.19232G	56.64	68.20	-11.56	3	Horizontal	155	2.20
7095MHz	Pass	PK	14.18316G	69.74	88.20	-18.46	3	Horizontal	155	2.20
802.11ax HEW40_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5965MHz	Pass	AV	5.9002G	46.56	68.20	-21.64	3	Vertical	29	3.00
5965MHz	Pass	AV	5.9674G	93.40	Inf	-Inf	3	Vertical	29	3.00
5965MHz	Pass	PK	5.8576G	57.95	88.20	-30.25	3	Vertical	29	3.00
5965MHz	Pass	PK	5.9668G	103.68	Inf	-Inf	3	Vertical	29	3.00
5965MHz	Pass	AV	5.9224G	47.01	68.20	-21.19	3	Horizontal	318	1.92
5965MHz	Pass	AV	5.9716G	98.39	Inf	-Inf	3	Horizontal	318	1.92
5965MHz	Pass	PK	5.8426G	57.41	88.20	-30.79	3	Horizontal	318	1.92
5965MHz	Pass	PK	5.962G	107.40	Inf	-Inf	3	Horizontal	318	1.92
5965MHz	Pass	AV	11.9438G	41.95	54.00	-12.05	3	Vertical	336	3.00
5965MHz	Pass	PK	11.94584G	53.58	74.00	-20.42	3	Vertical	336	3.00
5965MHz	Pass	AV	11.95664G	41.97	54.00	-12.03	3	Horizontal	340	1.00
5965MHz	Pass	PK	11.9504G	53.62	74.00	-20.38	3	Horizontal	340	1.00
6165MHz	Pass	AV	5.8974G	46.42	68.20	-21.78	3	Vertical	42	3.00
6165MHz	Pass	AV	6.171G	94.41	Inf	-Inf	3	Vertical	42	3.00
6165MHz	Pass	PK	5.8794G	56.85	88.20	-31.35	3	Vertical	42	3.00



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6165MHz	Pass	PK	6.1698G	104.26	Inf	-Inf	3	Vertical	42	3.00
6165MHz	Pass	AV	5.9154G	46.45	68.20	-21.75	3	Horizontal	315	1.91
6165MHz	Pass	AV	6.1746G	99.02	Inf	-Inf	3	Horizontal	315	1.91
6165MHz	Pass	PK	5.8734G	58.54	88.20	-29.66	3	Horizontal	315	1.91
6165MHz	Pass	PK	6.1746G	108.95	Inf	-Inf	3	Horizontal	315	1.91
6165MHz	Pass	AV	12.30012G	42.82	54.00	-11.18	3	Vertical	70	1.58
6165MHz	Pass	PK	12.3528G	54.59	74.00	-19.41	3	Vertical	70	1.58
6165MHz	Pass	AV	12.30792G	42.80	54.00	-11.20	3	Horizontal	32	1.50
6165MHz	Pass	PK	12.34404G	54.93	74.00	-19.07	3	Horizontal	32	1.50
6405MHz	Pass	AV	5.9154G	46.47	68.20	-21.73	3	Vertical	22	2.91
6405MHz	Pass	AV	6.4026G	94.82	Inf	-Inf	3	Vertical	22	2.91
6405MHz	Pass	PK	5.9034G	58.80	88.20	-29.40	3	Vertical	22	2.91
6405MHz	Pass	PK	6.405G	103.02	Inf	-Inf	3	Vertical	22	2.91
6405MHz	Pass	AV	5.8866G	46.42	68.20	-21.78	3	Horizontal	54	1.85
6405MHz	Pass	AV	6.4098G	98.72	Inf	-Inf	3	Horizontal	54	1.85
6405MHz	Pass	PK	5.9154G	57.42	88.20	-30.78	3	Horizontal	54	1.85
6405MHz	Pass	PK	6.4098G	107.77	Inf	-Inf	3	Horizontal	54	1.85
6405MHz	Pass	AV	12.8028G	43.78	68.20	-24.42	3	Vertical	302	1.50
6405MHz	Pass	PK	12.7938G	55.71	88.20	-32.49	3	Vertical	302	1.50
6405MHz	Pass	AV	12.79428G	43.82	68.20	-24.38	3	Horizontal	145	1.50
6405MHz	Pass	PK	12.81348G	55.44	88.20	-32.76	3	Horizontal	145	1.50
6445MHz	Pass	AV	5.8954G	46.42	68.20	-21.78	3	Vertical	16	2.97
6445MHz	Pass	AV	6.445G	94.57	Inf	-Inf	3	Vertical	16	2.97
6445MHz	Pass	PK	5.8618G	57.52	88.20	-30.68	3	Vertical	16	2.97
6445MHz	Pass	PK	6.4426G	102.69	Inf	-Inf	3	Vertical	16	2.97
6445MHz	Pass	AV	5.9146G	46.51	68.20	-21.69	3	Horizontal	52	1.80
6445MHz	Pass	AV	6.4402G	98.72	Inf	-Inf	3	Horizontal	52	1.80
6445MHz	Pass	PK	5.8738G	56.58	88.20	-31.62	3	Horizontal	52	1.80
6445MHz	Pass	PK	6.4402G	107.84	Inf	-Inf	3	Horizontal	52	1.80
6445MHz	Pass	AV	12.89996G	43.94	68.20	-24.26	3	Vertical	153	3.00
6445MHz	Pass	PK	12.884G	55.99	88.20	-32.21	3	Vertical	153	3.00
6445MHz	Pass	AV	12.89792G	44.02	68.20	-24.18	3	Horizontal	216	1.23
6445MHz	Pass	PK	12.89684G	55.29	88.20	-32.91	3	Horizontal	216	1.23
6485MHz	Pass	AV	5.9222G	46.40	68.20	-21.80	3	Vertical	18	2.91
6485MHz	Pass	AV	6.485G	94.50	Inf	-Inf	3	Vertical	18	2.91
6485MHz	Pass	AV	7.1822G	49.32	68.20	-18.88	3	Vertical	18	2.91
6485MHz	Pass	PK	5.9138G	56.96	88.20	-31.24	3	Vertical	18	2.91
6485MHz	Pass	PK	6.4822G	102.31	Inf	-Inf	3	Vertical	18	2.91
6485MHz	Pass	PK	7.171G	59.71	88.20	-28.49	3	Vertical	18	2.91
6485MHz	Pass	AV	5.9054G	46.46	68.20	-21.74	3	Horizontal	53	1.86
6485MHz	Pass	AV	6.4906G	98.81	Inf	-Inf	3	Horizontal	53	1.86
6485MHz	Pass	AV	7.185G	49.28	68.20	-18.92	3	Horizontal	53	1.86
6485MHz	Pass	PK	5.7906G	57.08	88.20	-31.12	3	Horizontal	53	1.86
6485MHz	Pass	PK	6.471G	107.83	Inf	-Inf	3	Horizontal	53	1.86
6485MHz	Pass	PK	7.1542G	59.61	88.20	-28.59	3	Horizontal	53	1.86
6485MHz	Pass	AV	12.95692G	43.96	68.20	-24.24	3	Vertical	110	1.50
6485MHz	Pass	PK	12.95584G	56.18	88.20	-32.02	3	Vertical	110	1.50
6485MHz	Pass	AV	12.96316G	44.01	68.20	-24.19	3	Horizontal	153	2.98
6485MHz	Pass	PK	12.9676G	55.13	88.20	-33.07	3	Horizontal	153	2.98
6525MHz Straddle 6.425-6.525GHz	Pass	AV	5.9062G	46.51	68.20	-21.69	3	Vertical	18	2.80
6525MHz Straddle 6.425-6.525GHz	Pass	AV	6.5222G	94.32	Inf	-Inf	3	Vertical	18	2.80
6525MHz Straddle 6.425-6.525GHz	Pass	AV	7.2082G	49.40	68.20	-18.80	3	Vertical	18	2.80
6525MHz Straddle 6.425-6.525GHz	Pass	PK	5.8922G	56.64	88.20	-31.56	3	Vertical	18	2.80
6525MHz Straddle 6.425-6.525GHz	Pass	PK	6.525G	104.15	Inf	-Inf	3	Vertical	18	2.80
6525MHz Straddle 6.425-6.525GHz	Pass	PK	7.1858G	59.63	88.20	-28.57	3	Vertical	18	2.80
6525MHz Straddle 6.425-6.525GHz	Pass	AV	5.9118G	46.47	68.20	-21.73	3	Horizontal	50	1.88
6525MHz Straddle 6.425-6.525GHz	Pass	AV	6.5306G	98.95	Inf	-Inf	3	Horizontal	50	1.88
6525MHz Straddle 6.425-6.525GHz	Pass	AV	7.211G	49.46	68.20	-18.74	3	Horizontal	50	1.88
6525MHz Straddle 6.425-6.525GHz	Pass	PK	5.9006G	57.93	88.20	-30.27	3	Horizontal	50	1.88
6525MHz Straddle 6.425-6.525GHz	Pass	PK	6.5306G	108.00	Inf	-Inf	3	Horizontal	50	1.88
6525MHz Straddle 6.425-6.525GHz	Pass	PK	7.1886G	59.60	88.20	-28.60	3	Horizontal	50	1.88
6525MHz Straddle 6.425-6.525GHz	Pass	AV	13.07568G	44.00	68.20	-24.20	3	Vertical	77	1.50



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6525MHz Straddle 6.425-6.525GHz	Pass	PK	13.05804G	55.81	88.20	-32.39	3	Vertical	77	1.50
6525MHz Straddle 6.425-6.525GHz	Pass	AV	13.06764G	43.96	68.20	-24.24	3	Horizontal	22	2.24
6525MHz Straddle 6.425-6.525GHz	Pass	PK	13.04748G	55.41	88.20	-32.79	3	Horizontal	22	2.24
6565MHz	Pass	AV	6.565G	93.70	Inf	-Inf	3	Vertical	18	3.00
6565MHz	Pass	AV	7.1506G	49.19	68.20	-19.01	3	Vertical	18	3.00
6565MHz	Pass	PK	6.5746G	101.83	Inf	-Inf	3	Vertical	18	3.00
6565MHz	Pass	PK	7.153G	59.15	88.20	-29.05	3	Vertical	18	3.00
6565MHz	Pass	AV	6.5698G	98.58	Inf	-Inf	3	Horizontal	54	1.61
6565MHz	Pass	AV	7.1626G	49.21	68.20	-18.99	3	Horizontal	54	1.61
6565MHz	Pass	PK	6.5578G	106.21	Inf	-Inf	3	Horizontal	54	1.61
6565MHz	Pass	PK	7.1338G	61.70	88.20	-26.50	3	Horizontal	54	1.61
6565MHz	Pass	AV	13.15556G	44.08	68.20	-24.12	3	Vertical	286	2.04
6565MHz	Pass	PK	13.10816G	55.58	88.20	-32.62	3	Vertical	286	2.04
6565MHz	Pass	AV	13.12832G	44.09	68.20	-24.11	3	Horizontal	0	1.50
6565MHz	Pass	PK	13.14284G	55.52	88.20	-32.68	3	Horizontal	0	1.50
6685MHz	Pass	AV	6.687G	92.68	Inf	-Inf	3	Vertical	354	2.83
6685MHz	Pass	AV	7.183G	49.26	68.20	-18.94	3	Vertical	354	2.83
6685MHz	Pass	PK	6.677G	100.32	Inf	-Inf	3	Vertical	354	2.83
6685MHz	Pass	PK	7.149G	60.69	88.20	-27.51	3	Vertical	354	2.83
6685MHz	Pass	AV	6.681G	97.49	Inf	-Inf	3	Horizontal	54	1.50
6685MHz	Pass	AV	7.175G	49.38	68.20	-18.82	3	Horizontal	54	1.50
6685MHz	Pass	PK	6.689G	106.24	Inf	-Inf	3	Horizontal	54	1.50
6685MHz	Pass	PK	7.177G	59.57	88.20	-28.63	3	Horizontal	54	1.50
6685MHz	Pass	AV	13.38344G	44.23	54.00	-9.77	3	Vertical	32	2.74
6685MHz	Pass	PK	13.36496G	55.71	74.00	-18.29	3	Vertical	32	2.74
6685MHz	Pass	AV	13.39568G	44.23	54.00	-9.77	3	Horizontal	199	2.97
6685MHz	Pass	PK	13.39472G	55.47	74.00	-18.53	3	Horizontal	199	2.97
6845MHz	Pass	AV	6.8478G	91.66	Inf	-Inf	3	Vertical	349	3.00
6845MHz	Pass	AV	7.1908G	49.44	68.20	-18.76	3	Vertical	349	3.00
6845MHz	Pass	PK	6.8478G	101.24	Inf	-Inf	3	Vertical	349	3.00
6845MHz	Pass	PK	7.188G	60.41	88.20	-27.79	3	Vertical	349	3.00
6845MHz	Pass	AV	6.8436G	98.40	Inf	-Inf	3	Horizontal	43	2.39
6845MHz	Pass	AV	7.1922G	49.41	68.20	-18.79	3	Horizontal	43	2.39
6845MHz	Pass	PK	6.8422G	107.15	Inf	-Inf	3	Horizontal	43	2.39
6845MHz	Pass	PK	7.139G	60.34	88.20	-27.86	3	Horizontal	43	2.39
6845MHz	Pass	AV	13.66564G	44.84	68.20	-23.36	3	Vertical	255	1.39
6845MHz	Pass	PK	13.70092G	56.28	88.20	-31.92	3	Vertical	255	1.39
6845MHz	Pass	AV	13.66588G	44.70	68.20	-23.50	3	Horizontal	347	1.50
6845MHz	Pass	PK	13.69228G	56.14	88.20	-32.06	3	Horizontal	347	1.50
6885MHz Straddle 6.525-6.875GHz	Pass	AV	6.8864G	94.00	Inf	-Inf	3	Vertical	20	2.20
6885MHz Straddle 6.525-6.875GHz	Pass	AV	7.1888G	49.56	68.20	-18.64	3	Vertical	20	2.20
6885MHz Straddle 6.525-6.875GHz	Pass	PK	6.8948G	103.96	Inf	-Inf	3	Vertical	20	2.20
6885MHz Straddle 6.525-6.875GHz	Pass	PK	7.228G	60.46	88.20	-27.74	3	Vertical	20	2.20
6885MHz Straddle 6.525-6.875GHz	Pass	AV	6.8836G	98.27	Inf	-Inf	3	Horizontal	44	2.37
6885MHz Straddle 6.525-6.875GHz	Pass	AV	7.2266G	49.58	68.20	-18.62	3	Horizontal	44	2.37
6885MHz Straddle 6.525-6.875GHz	Pass	PK	6.892G	107.69	Inf	-Inf	3	Horizontal	44	2.37
6885MHz Straddle 6.525-6.875GHz	Pass	PK	7.1902G	60.65	88.20	-27.55	3	Horizontal	44	2.37
6885MHz Straddle 6.525-6.875GHz	Pass	AV	13.746G	44.50	68.20	-23.70	3	Vertical	155	1.50
6885MHz Straddle 6.525-6.875GHz	Pass	PK	13.75776G	55.89	88.20	-32.31	3	Vertical	155	1.50
6885MHz Straddle 6.525-6.875GHz	Pass	AV	13.76052G	44.46	68.20	-23.74	3	Horizontal	0	1.50
6885MHz Straddle 6.525-6.875GHz	Pass	PK	13.7568G	55.99	88.20	-32.21	3	Horizontal	0	1.50
6925MHz	Pass	AV	6.9238G	94.25	Inf	-Inf	3	Vertical	8	1.88
6925MHz	Pass	AV	7.1938G	49.60	68.20	-18.60	3	Vertical	8	1.88
6925MHz	Pass	PK	6.9226G	104.49	Inf	-Inf	3	Vertical	8	1.88
6925MHz	Pass	PK	7.1926G	60.77	88.20	-27.43	3	Vertical	8	1.88
6925MHz	Pass	AV	6.9226G	98.41	Inf	-Inf	3	Horizontal	45	1.50
6925MHz	Pass	AV	7.1938G	49.52	68.20	-18.68	3	Horizontal	45	1.50
6925MHz	Pass	PK	6.913G	110.24	Inf	-Inf	3	Horizontal	45	1.50
6925MHz	Pass	PK	7.2154G	61.03	88.20	-27.17	3	Horizontal	45	1.50
6925MHz	Pass	AV	13.82084G	44.28	68.20	-23.92	3	Vertical	16	2.14
6925MHz	Pass	PK	13.83584G	56.18	88.20	-32.02	3	Vertical	16	2.14
6925MHz	Pass	AV	13.82636G	44.47	68.20	-23.73	3	Horizontal	360	1.50



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6925MHz	Pass	PK	13.83668G	56.66	88.20	-31.54	3	Horizontal	360	1.50
7005MHz	Pass	AV	7.0038G	95.20	Inf	-Inf	3	Vertical	6	1.99
7005MHz	Pass	AV	7.1442G	49.27	68.20	-18.93	3	Vertical	6	1.99
7005MHz	Pass	PK	7.0032G	106.19	Inf	-Inf	3	Vertical	6	1.99
7005MHz	Pass	PK	7.1508G	60.54	88.20	-27.66	3	Vertical	6	1.99
7005MHz	Pass	AV	7.0032G	98.97	Inf	-Inf	3	Horizontal	44	1.50
7005MHz	Pass	AV	7.1358G	49.39	68.20	-18.81	3	Horizontal	44	1.50
7005MHz	Pass	PK	7.0128G	109.78	Inf	-Inf	3	Horizontal	44	1.50
7005MHz	Pass	PK	7.155G	61.12	88.20	-27.08	3	Horizontal	44	1.50
7005MHz	Pass	AV	14.0394G	44.87	68.20	-23.33	3	Vertical	360	1.97
7005MHz	Pass	PK	14.03532G	56.05	88.20	-32.15	3	Vertical	360	1.97
7005MHz	Pass	AV	14.03436G	44.71	68.20	-23.49	3	Horizontal	48	2.19
7005MHz	Pass	PK	14.03748G	55.95	88.20	-32.25	3	Horizontal	48	2.19
7085MHz	Pass	AV	7.0838G	95.91	Inf	-Inf	3	Vertical	8	1.94
7085MHz	Pass	AV	7.1252G	49.90	68.20	-18.30	3	Vertical	8	1.94
7085MHz	Pass	PK	7.0748G	107.05	Inf	-Inf	3	Vertical	8	1.94
7085MHz	Pass	PK	7.2242G	61.42	88.20	-26.78	3	Vertical	8	1.94
7085MHz	Pass	AV	7.0832G	100.24	Inf	-Inf	3	Horizontal	44	1.48
7085MHz	Pass	AV	7.1252G	51.10	68.20	-17.10	3	Horizontal	44	1.48
7085MHz	Pass	PK	7.0838G	111.34	Inf	-Inf	3	Horizontal	44	1.48
7085MHz	Pass	PK	7.1252G	62.73	88.20	-25.47	3	Horizontal	44	1.48
7085MHz	Pass	AV	14.16004G	45.08	68.20	-23.12	3	Vertical	336	1.50
7085MHz	Pass	PK	14.14432G	57.46	88.20	-30.74	3	Vertical	336	1.50
7085MHz	Pass	AV	14.14324G	45.08	68.20	-23.12	3	Horizontal	40	1.50
7085MHz	Pass	PK	14.1844G	56.81	88.20	-31.39	3	Horizontal	40	1.50
802.11ax HEW80_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5985MHz	Pass	AV	5.919G	47.43	68.20	-20.77	3	Vertical	39	2.92
5985MHz	Pass	AV	5.991G	93.83	Inf	-Inf	3	Vertical	39	2.92
5985MHz	Pass	PK	5.922G	58.46	88.20	-29.74	3	Vertical	39	2.92
5985MHz	Pass	PK	6G	104.65	Inf	-Inf	3	Vertical	39	2.92
5985MHz	Pass	AV	5.924G	50.23	68.20	-17.97	3	Horizontal	311	1.93
5985MHz	Pass	AV	5.983G	99.63	Inf	-Inf	3	Horizontal	311	1.93
5985MHz	Pass	PK	5.924G	60.89	88.20	-27.31	3	Horizontal	311	1.93
5985MHz	Pass	PK	5.983G	108.57	Inf	-Inf	3	Horizontal	311	1.93
5985MHz	Pass	AV	12.0288G	42.00	54.00	-12.00	3	Vertical	190	2.99
5985MHz	Pass	PK	11.93976G	53.33	74.00	-20.67	3	Vertical	190	2.99
5985MHz	Pass	AV	12.00336G	42.11	54.00	-11.89	3	Horizontal	303	1.50
5985MHz	Pass	PK	11.97816G	53.30	74.00	-20.70	3	Horizontal	303	1.50
6145MHz	Pass	AV	5.9182G	46.74	68.20	-21.46	3	Vertical	41	2.94
6145MHz	Pass	AV	6.151G	96.16	Inf	-Inf	3	Vertical	41	2.94
6145MHz	Pass	PK	5.8762G	58.03	88.20	-30.17	3	Vertical	41	2.94
6145MHz	Pass	PK	6.121G	106.40	Inf	-Inf	3	Vertical	41	2.94
6145MHz	Pass	AV	5.899G	46.87	68.20	-21.33	3	Horizontal	312	1.86
6145MHz	Pass	AV	6.1438G	100.26	Inf	-Inf	3	Horizontal	312	1.86
6145MHz	Pass	PK	5.8522G	58.05	88.20	-30.15	3	Horizontal	312	1.86
6145MHz	Pass	PK	6.1438G	110.60	Inf	-Inf	3	Horizontal	312	1.86
6145MHz	Pass	AV	12.29428G	42.82	54.00	-11.18	3	Vertical	212	2.05
6145MHz	Pass	PK	12.28328G	54.24	74.00	-19.76	3	Vertical	212	2.05
6145MHz	Pass	AV	12.2814G	42.83	54.00	-11.17	3	Horizontal	298	1.96
6145MHz	Pass	PK	12.29864G	54.53	74.00	-19.47	3	Horizontal	298	1.96
6385MHz	Pass	AV	5.9002G	46.46	68.20	-21.74	3	Vertical	37	2.97
6385MHz	Pass	AV	6.3826G	95.60	Inf	-Inf	3	Vertical	37	2.97
6385MHz	Pass	PK	5.8618G	57.85	88.20	-30.35	3	Vertical	37	2.97
6385MHz	Pass	PK	6.3826G	106.13	Inf	-Inf	3	Vertical	37	2.97
6385MHz	Pass	AV	5.8978G	46.61	68.20	-21.59	3	Horizontal	47	1.88
6385MHz	Pass	AV	6.3898G	98.61	Inf	-Inf	3	Horizontal	47	1.88
6385MHz	Pass	PK	5.8594G	57.97	88.20	-30.23	3	Horizontal	47	1.88
6385MHz	Pass	PK	6.3898G	108.60	Inf	-Inf	3	Horizontal	47	1.88
6385MHz	Pass	AV	12.80888G	43.77	68.20	-24.43	3	Vertical	46	2.01
6385MHz	Pass	PK	12.79528G	55.23	88.20	-32.97	3	Vertical	46	2.01
6385MHz	Pass	AV	12.81896G	43.73	68.20	-24.47	3	Horizontal	187	2.32
6385MHz	Pass	PK	12.7892G	55.78	88.20	-32.42	3	Horizontal	187	2.32



RSE TX above 1GHz\_C-330\_Radio 3

Appendix E.6

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6465MHz	Pass	AV	5.9022G	46.45	68.20	-21.75	3	Vertical	13	2.96
6465MHz	Pass	AV	6.465G	95.10	Inf	-Inf	3	Vertical	13	2.96
6465MHz	Pass	AV	7.1538G	49.23	68.20	-18.97	3	Vertical	13	2.96
6465MHz	Pass	PK	5.8462G	57.40	88.20	-30.80	3	Vertical	13	2.96
6465MHz	Pass	PK	6.4734G	104.62	Inf	-Inf	3	Vertical	13	2.96
6465MHz	Pass	PK	7.1426G	59.49	88.20	-28.71	3	Vertical	13	2.96
6465MHz	Pass	AV	5.9022G	46.48	68.20	-21.72	3	Horizontal	45	1.79
6465MHz	Pass	AV	6.4622G	99.33	Inf	-Inf	3	Horizontal	45	1.79
6465MHz	Pass	AV	7.1622G	49.22	68.20	-18.98	3	Horizontal	45	1.79
6465MHz	Pass	PK	5.7986G	57.88	88.20	-30.32	3	Horizontal	45	1.79
6465MHz	Pass	PK	6.4818G	109.11	Inf	-Inf	3	Horizontal	45	1.79
6465MHz	Pass	PK	7.137G	60.53	88.20	-27.67	3	Horizontal	45	1.79
6465MHz	Pass	AV	12.92868G	43.99	68.20	-24.21	3	Vertical	234	1.06
6465MHz	Pass	PK	12.92264G	55.14	88.20	-33.06	3	Vertical	234	1.06
6465MHz	Pass	AV	12.93296G	43.95	68.20	-24.25	3	Horizontal	198	2.90
6465MHz	Pass	PK	12.93408G	55.92	88.20	-32.28	3	Horizontal	198	2.90
6545MHz Straddle 6.425-6.525GHz	Pass	AV	5.8814G	46.54	68.20	-21.66	3	Vertical	9	3.00
6545MHz Straddle 6.425-6.525GHz	Pass	AV	6.5366G	94.94	Inf	-Inf	3	Vertical	9	3.00
6545MHz Straddle 6.425-6.525GHz	Pass	AV	7.2254G	49.51	68.20	-18.69	3	Vertical	9	3.00
6545MHz Straddle 6.425-6.525GHz	Pass	PK	5.8646G	57.21	88.20	-30.99	3	Vertical	9	3.00
6545MHz Straddle 6.425-6.525GHz	Pass	PK	6.545G	104.55	Inf	-Inf	3	Vertical	9	3.00
6545MHz Straddle 6.425-6.525GHz	Pass	PK	7.147G	60.66	88.20	-27.54	3	Vertical	9	3.00
6545MHz Straddle 6.425-6.525GHz	Pass	AV	5.8702G	46.40	68.20	-21.80	3	Horizontal	51	1.61
6545MHz Straddle 6.425-6.525GHz	Pass	AV	6.5394G	99.19	Inf	-Inf	3	Horizontal	51	1.61
6545MHz Straddle 6.425-6.525GHz	Pass	AV	7.1694G	49.48	68.20	-18.72	3	Horizontal	51	1.61
6545MHz Straddle 6.425-6.525GHz	Pass	PK	5.8618G	57.10	88.20	-31.10	3	Horizontal	51	1.61
6545MHz Straddle 6.425-6.525GHz	Pass	PK	6.5506G	109.05	Inf	-Inf	3	Horizontal	51	1.61
6545MHz Straddle 6.425-6.525GHz	Pass	PK	7.1694G	60.29	88.20	-27.91	3	Horizontal	51	1.61
6545MHz Straddle 6.425-6.525GHz	Pass	AV	13.08668G	44.23	68.20	-23.97	3	Vertical	276	1.50
6545MHz Straddle 6.425-6.525GHz	Pass	PK	13.08456G	55.99	88.20	-32.21	3	Vertical	276	1.50
6545MHz Straddle 6.425-6.525GHz	Pass	AV	13.08724G	44.16	68.20	-24.04	3	Horizontal	72	1.06
6545MHz Straddle 6.425-6.525GHz	Pass	PK	13.08708G	56.08	88.20	-32.12	3	Horizontal	72	1.06
6625MHz	Pass	AV	6.6154G	93.84	Inf	-Inf	3	Vertical	350	2.86
6625MHz	Pass	AV	7.2082G	49.42	68.20	-18.78	3	Vertical	350	2.86
6625MHz	Pass	PK	6.6058G	102.51	Inf	-Inf	3	Vertical	350	2.86
6625MHz	Pass	PK	7.1602G	59.93	88.20	-28.27	3	Vertical	350	2.86
6625MHz	Pass	AV	6.6202G	98.06	Inf	-Inf	3	Horizontal	51	1.59
6625MHz	Pass	AV	7.1866G	49.50	68.20	-18.70	3	Horizontal	51	1.59
6625MHz	Pass	PK	6.6082G	108.04	Inf	-Inf	3	Horizontal	51	1.59
6625MHz	Pass	PK	7.2202G	60.40	88.20	-27.80	3	Horizontal	51	1.59
6625MHz	Pass	AV	13.24488G	44.05	68.20	-24.15	3	Vertical	360	1.71
6625MHz	Pass	PK	13.2414G	55.17	88.20	-33.03	3	Vertical	360	1.71
6625MHz	Pass	AV	13.24172G	44.16	68.20	-24.04	3	Horizontal	270	2.71
6625MHz	Pass	PK	13.24348G	56.40	88.20	-31.80	3	Horizontal	270	2.71
6705MHz	Pass	AV	6.703G	93.19	Inf	-Inf	3	Vertical	354	2.89
6705MHz	Pass	AV	7.201G	49.50	68.20	-18.70	3	Vertical	354	2.89
6705MHz	Pass	PK	6.693G	102.56	Inf	-Inf	3	Vertical	354	2.89
6705MHz	Pass	PK	7.163G	60.11	88.20	-28.09	3	Vertical	354	2.89
6705MHz	Pass	AV	6.703G	98.73	Inf	-Inf	3	Horizontal	41	2.39
6705MHz	Pass	AV	7.201G	49.50	68.20	-18.70	3	Horizontal	41	2.39
6705MHz	Pass	PK	6.703G	108.39	Inf	-Inf	3	Horizontal	41	2.39
6705MHz	Pass	PK	7.141G	60.24	88.20	-27.96	3	Horizontal	41	2.39
6705MHz	Pass	AV	13.41816G	44.49	68.20	-23.71	3	Vertical	339	1.87
6705MHz	Pass	PK	13.40188G	53.71	88.20	-34.49	3	Vertical	339	1.87
6705MHz	Pass	AV	13.41696G	44.51	68.20	-23.69	3	Horizontal	24	1.27
6705MHz	Pass	PK	13.41932G	55.03	88.20	-33.17	3	Horizontal	24	1.27
6785MHz	Pass	AV	6.7864G	92.54	Inf	-Inf	3	Vertical	350	2.93
6785MHz	Pass	AV	7.1322G	49.10	68.20	-19.10	3	Vertical	350	2.93
6785MHz	Pass	PK	6.7864G	102.75	Inf	-Inf	3	Vertical	350	2.93
6785MHz	Pass	PK	7.1308G	59.43	88.20	-28.77	3	Vertical	350	2.93
6785MHz	Pass	AV	6.7724G	98.15	Inf	-Inf	3	Horizontal	44	2.42
6785MHz	Pass	AV	7.1322G	49.07	68.20	-19.13	3	Horizontal	44	2.42



RSE TX above 1GHz\_C-330\_Radio 3

Appendix E.6

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6785MHz	Pass	PK	6.792G	109.15	Inf	-Inf	3	Horizontal	44	2.42
6785MHz	Pass	PK	7.1336G	60.06	88.20	-28.14	3	Horizontal	44	2.42
6785MHz	Pass	AV	13.56544G	44.74	68.20	-23.46	3	Vertical	274	1.97
6785MHz	Pass	PK	13.5682G	53.62	88.20	-34.58	3	Vertical	274	1.97
6785MHz	Pass	AV	13.572G	44.71	68.20	-23.49	3	Horizontal	8	1.13
6785MHz	Pass	PK	13.57692G	54.55	88.20	-33.65	3	Horizontal	8	1.13
6865MHz Straddle 6.525-6.875GHz	Pass	AV	6.8748G	93.68	Inf	-Inf	3	Vertical	4	1.98
6865MHz Straddle 6.525-6.875GHz	Pass	AV	7.215G	49.46	68.20	-18.74	3	Vertical	4	1.98
6865MHz Straddle 6.525-6.875GHz	Pass	PK	6.865G	104.11	Inf	-Inf	3	Vertical	4	1.98
6865MHz Straddle 6.525-6.875GHz	Pass	PK	7.1268G	59.84	88.20	-28.36	3	Vertical	4	1.98
6865MHz Straddle 6.525-6.875GHz	Pass	AV	6.8622G	97.95	Inf	-Inf	3	Horizontal	47	1.50
6865MHz Straddle 6.525-6.875GHz	Pass	AV	7.2024G	49.59	68.20	-18.61	3	Horizontal	47	1.50
6865MHz Straddle 6.525-6.875GHz	Pass	PK	6.8748G	108.03	Inf	-Inf	3	Horizontal	47	1.50
6865MHz Straddle 6.525-6.875GHz	Pass	PK	7.1674G	60.59	88.20	-27.61	3	Horizontal	47	1.50
6865MHz Straddle 6.525-6.875GHz	Pass	AV	13.72252G	45.08	68.20	-23.12	3	Vertical	358	2.71
6865MHz Straddle 6.525-6.875GHz	Pass	PK	13.72844G	56.00	88.20	-32.20	3	Vertical	358	2.71
6865MHz Straddle 6.525-6.875GHz	Pass	AV	13.73212G	45.19	68.20	-23.01	3	Horizontal	69	2.34
6865MHz Straddle 6.525-6.875GHz	Pass	PK	13.72124G	56.35	88.20	-31.85	3	Horizontal	69	2.34
6945MHz	Pass	AV	6.9342G	95.25	Inf	-Inf	3	Vertical	6	2.05
6945MHz	Pass	AV	7.2102G	49.60	68.20	-18.60	3	Vertical	6	2.05
6945MHz	Pass	PK	6.9246G	105.32	Inf	-Inf	3	Vertical	6	2.05
6945MHz	Pass	PK	7.1562G	61.03	88.20	-27.17	3	Vertical	6	2.05
6945MHz	Pass	AV	6.9438G	98.97	Inf	-Inf	3	Horizontal	44	1.50
6945MHz	Pass	AV	7.2354G	49.66	68.20	-18.54	3	Horizontal	44	1.50
6945MHz	Pass	PK	6.9534G	109.39	Inf	-Inf	3	Horizontal	44	1.50
6945MHz	Pass	PK	7.1298G	61.14	88.20	-27.06	3	Horizontal	44	1.50
6945MHz	Pass	AV	13.8852G	44.64	68.20	-23.56	3	Vertical	130	2.19
6945MHz	Pass	PK	13.89536G	56.03	88.20	-32.17	3	Vertical	130	2.19
6945MHz	Pass	AV	13.89908G	44.57	68.20	-23.63	3	Horizontal	172	1.38
6945MHz	Pass	PK	13.89684G	56.11	88.20	-32.09	3	Horizontal	172	1.38
7025MHz	Pass	AV	7.0154G	96.26	Inf	-Inf	3	Vertical	5	1.84
7025MHz	Pass	AV	7.1708G	49.49	68.20	-18.71	3	Vertical	5	1.84
7025MHz	Pass	PK	7.004G	106.79	Inf	-Inf	3	Vertical	5	1.84
7025MHz	Pass	PK	7.1414G	60.88	88.20	-27.32	3	Vertical	5	1.84
7025MHz	Pass	AV	7.0226G	100.26	Inf	-Inf	3	Horizontal	47	1.68
7025MHz	Pass	AV	7.1312G	49.66	68.20	-18.54	3	Horizontal	47	1.68
7025MHz	Pass	PK	7.0226G	110.75	Inf	-Inf	3	Horizontal	47	1.68
7025MHz	Pass	PK	7.133G	61.08	88.20	-27.12	3	Horizontal	47	1.68
7025MHz	Pass	AV	14.0442G	45.19	68.20	-23.01	3	Vertical	0	2.77
7025MHz	Pass	PK	14.04276G	56.11	88.20	-32.09	3	Vertical	0	2.77
7025MHz	Pass	AV	14.04908G	45.23	68.20	-22.97	3	Horizontal	84	1.99
7025MHz	Pass	PK	14.05068G	56.44	88.20	-31.76	3	Horizontal	84	1.99
802.11ax HEW160_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
6025MHz	Pass	AV	5.919G	48.34	68.20	-19.86	3	Vertical	42	2.97
6025MHz	Pass	AV	6.05G	93.04	Inf	-Inf	3	Vertical	42	2.97
6025MHz	Pass	PK	5.922G	60.36	88.20	-27.84	3	Vertical	42	2.97
6025MHz	Pass	PK	6.03G	103.68	Inf	-Inf	3	Vertical	42	2.97
6025MHz	Pass	AV	5.925G	50.58	68.20	-17.62	3	Horizontal	292	1.50
6025MHz	Pass	AV	6.057G	95.93	Inf	-Inf	3	Horizontal	292	1.50
6025MHz	Pass	PK	5.924G	61.32	88.20	-26.88	3	Horizontal	292	1.50
6025MHz	Pass	PK	6.058G	106.79	Inf	-Inf	3	Horizontal	292	1.50
6025MHz	Pass	AV	12.05744G	42.24	54.00	-11.76	3	Vertical	71	2.83
6025MHz	Pass	PK	12.05808G	53.27	74.00	-20.73	3	Vertical	71	2.83
6025MHz	Pass	AV	12.05232G	42.18	54.00	-11.82	3	Horizontal	99	2.25
6025MHz	Pass	PK	12.04976G	53.94	74.00	-20.06	3	Horizontal	99	2.25
6185MHz	Pass	AV	5.9002G	46.34	68.20	-21.86	3	Vertical	36	3.00
6185MHz	Pass	AV	6.201G	93.64	Inf	-Inf	3	Vertical	36	3.00
6185MHz	Pass	PK	5.873G	57.88	88.20	-30.32	3	Vertical	36	3.00
6185MHz	Pass	PK	6.193G	103.35	Inf	-Inf	3	Vertical	36	3.00
6185MHz	Pass	AV	5.913G	46.57	68.20	-21.63	3	Horizontal	313	1.84
6185MHz	Pass	AV	6.2042G	97.78	Inf	-Inf	3	Horizontal	313	1.84
6185MHz	Pass	PK	5.9098G	58.04	88.20	-30.16	3	Horizontal	313	1.84






Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6185MHz	Pass	PK	6.2042G	107.96	Inf	-Inf	3	Horizontal	313	1.84
6185MHz	Pass	AV	12.36964G	42.64	54.00	-11.36	3	Vertical	333	1.30
6185MHz	Pass	PK	12.37924G	54.51	74.00	-19.49	3	Vertical	333	1.30
6185MHz	Pass	AV	12.36992G	42.75	54.00	-11.25	3	Horizontal	35	1.38
6185MHz	Pass	PK	12.36184G	54.53	74.00	-19.47	3	Horizontal	35	1.38
6345MHz	Pass	AV	5.9082G	46.30	68.20	-21.90	3	Vertical	36	3.00
6345MHz	Pass	AV	6.333G	94.31	Inf	-Inf	3	Vertical	36	3.00
6345MHz	Pass	PK	5.9154G	56.84	88.20	-31.36	3	Vertical	36	3.00
6345MHz	Pass	PK	6.3642G	104.67	Inf	-Inf	3	Vertical	36	3.00
6345MHz	Pass	AV	5.901G	46.35	68.20	-21.85	3	Horizontal	307	1.96
6345MHz	Pass	AV	6.3378G	97.91	Inf	-Inf	3	Horizontal	307	1.96
6345MHz	Pass	PK	5.7474G	57.45	88.20	-30.75	3	Horizontal	307	1.96
6345MHz	Pass	PK	6.3354G	107.73	Inf	-Inf	3	Horizontal	307	1.96
6345MHz	Pass	AV	12.69424G	43.36	54.00	-10.64	3	Vertical	92	1.03
6345MHz	Pass	PK	12.69088G	52.17	74.00	-21.83	3	Vertical	92	1.03
6345MHz	Pass	AV	12.684G	43.34	54.00	-10.66	3	Horizontal	145	1.90
6345MHz	Pass	PK	12.69436G	53.10	74.00	-20.90	3	Horizontal	145	1.90
6505MHz Straddle 6.425-6.525GHz	Pass	AV	5.9086G	46.26	68.20	-21.94	3	Vertical	13	2.92
6505MHz Straddle 6.425-6.525GHz	Pass	AV	6.4826G	92.76	Inf	-Inf	3	Vertical	13	2.92
6505MHz Straddle 6.425-6.525GHz	Pass	AV	7.1994G	49.24	68.20	-18.96	3	Vertical	13	2.92
6505MHz Straddle 6.425-6.525GHz	Pass	PK	5.8078G	57.08	88.20	-31.12	3	Vertical	13	2.92
6505MHz Straddle 6.425-6.525GHz	Pass	PK	6.4742G	102.20	Inf	-Inf	3	Vertical	13	2.92
6505MHz Straddle 6.425-6.525GHz	Pass	PK	7.177G	59.72	88.20	-28.48	3	Vertical	13	2.92
6505MHz Straddle 6.425-6.525GHz	Pass	AV	5.9002G	46.27	68.20	-21.93	3	Horizontal	47	1.88
6505MHz Straddle 6.425-6.525GHz	Pass	AV	6.4798G	96.96	Inf	-Inf	3	Horizontal	47	1.88
6505MHz Straddle 6.425-6.525GHz	Pass	AV	7.2022G	49.29	68.20	-18.91	3	Horizontal	47	1.88
6505MHz Straddle 6.425-6.525GHz	Pass	PK	5.9002G	57.33	88.20	-30.87	3	Horizontal	47	1.88
6505MHz Straddle 6.425-6.525GHz	Pass	PK	6.4714G	107.29	Inf	-Inf	3	Horizontal	47	1.88
6505MHz Straddle 6.425-6.525GHz	Pass	PK	7.1994G	60.31	88.20	-27.89	3	Horizontal	47	1.88
6505MHz Straddle 6.425-6.525GHz	Pass	AV	13.01548G	43.95	68.20	-24.25	3	Vertical	170	2.07
6505MHz Straddle 6.425-6.525GHz	Pass	PK	13.01084G	54.76	88.20	-33.44	3	Vertical	170	2.07
6505MHz Straddle 6.425-6.525GHz	Pass	AV	13.00084G	43.92	68.20	-24.28	3	Horizontal	125	1.06
6505MHz Straddle 6.425-6.525GHz	Pass	PK	13.01556G	55.10	88.20	-33.10	3	Horizontal	125	1.06
6665MHz	Pass	AV	6.643G	92.98	Inf	-Inf	3	Vertical	352	2.83
6665MHz	Pass	AV	7.1886G	49.32	68.20	-18.88	3	Vertical	352	2.83
6665MHz	Pass	PK	6.643G	103.24	Inf	-Inf	3	Vertical	352	2.83
6665MHz	Pass	PK	7.1864G	60.74	88.20	-27.46	3	Vertical	352	2.83
6665MHz	Pass	AV	6.6606G	97.42	Inf	-Inf	3	Horizontal	49	1.56
6665MHz	Pass	AV	7.2128G	49.28	68.20	-18.92	3	Horizontal	49	1.56
6665MHz	Pass	PK	6.632G	107.23	Inf	-Inf	3	Horizontal	49	1.56
6665MHz	Pass	PK	7.1798G	60.51	88.20	-27.69	3	Horizontal	49	1.56
6665MHz	Pass	AV	13.33572G	44.07	54.00	-9.93	3	Vertical	240	2.05
6665MHz	Pass	PK	13.33268G	55.27	74.00	-18.73	3	Vertical	240	2.05
6665MHz	Pass	AV	13.33992G	44.05	54.00	-9.95	3	Horizontal	137	1.34
6665MHz	Pass	PK	13.33596G	56.10	74.00	-17.90	3	Horizontal	137	1.34
6825MHz Straddle 6.525-6.875GHz	Pass	AV	6.8554G	91.15	Inf	-Inf	3	Vertical	350	3.00
6825MHz Straddle 6.525-6.875GHz	Pass	AV	7.217G	49.41	68.20	-18.79	3	Vertical	350	3.00
6825MHz Straddle 6.525-6.875GHz	Pass	PK	6.857G	101.74	Inf	-Inf	3	Vertical	350	3.00
6825MHz Straddle 6.525-6.875GHz	Pass	PK	7.1994G	60.06	88.20	-28.14	3	Vertical	350	3.00
6825MHz Straddle 6.525-6.875GHz	Pass	AV	6.8426G	97.63	Inf	-Inf	3	Horizontal	43	2.40
6825MHz Straddle 6.525-6.875GHz	Pass	AV	7.201G	49.35	68.20	-18.85	3	Horizontal	43	2.40
6825MHz Straddle 6.525-6.875GHz	Pass	PK	6.8122G	108.20	Inf	-Inf	3	Horizontal	43	2.40
6825MHz Straddle 6.525-6.875GHz	Pass	PK	7.201G	60.62	88.20	-27.58	3	Horizontal	43	2.40
6825MHz Straddle 6.525-6.875GHz	Pass	AV	13.65652G	45.20	68.20	-23.00	3	Vertical	99	1.06
6825MHz Straddle 6.525-6.875GHz	Pass	PK	13.64856G	56.84	88.20	-31.36	3	Vertical	99	1.06
6825MHz Straddle 6.525-6.875GHz	Pass	AV	13.64816G	45.17	68.20	-23.03	3	Horizontal	313	2.58
6825MHz Straddle 6.525-6.875GHz	Pass	PK	13.64368G	57.20	88.20	-31.00	3	Horizontal	313	2.58
6985MHz	Pass	AV	6.964G	93.78	Inf	-Inf	3	Vertical	6	1.93
6985MHz	Pass	AV	7.125G	49.83	68.20	-18.37	3	Vertical	6	1.93
6985MHz	Pass	PK	7.005G	104.54	Inf	-Inf	3	Vertical	6	1.93
6985MHz	Pass	PK	7.125G	61.00	88.20	-27.20	3	Vertical	6	1.93
6985MHz	Pass	AV	6.963G	97.56	Inf	-Inf	3	Horizontal	44	1.50



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6985MHz	Pass	AV	7.134G	51.35	68.20	-16.85	3	Horizontal	44	1.50
6985MHz	Pass	PK	6.954G	108.84	Inf	-Inf	3	Horizontal	44	1.50
6985MHz	Pass	PK	7.207G	62.13	88.20	-26.07	3	Horizontal	44	1.50
6985MHz	Pass	AV	13.96036G	44.79	68.20	-23.41	3	Vertical	109	1.85
6985MHz	Pass	PK	13.9754G	55.93	88.20	-32.27	3	Vertical	109	1.85
6985MHz	Pass	AV	13.96908G	44.75	68.20	-23.45	3	Horizontal	37	2.04
6985MHz	Pass	PK	13.9736G	56.47	88.20	-31.73	3	Horizontal	37	2.04

5.925-6.425GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX


5955MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9124G	46.40	68.20	-21.80	5.93	3	Vertical	26	2.98	40.47	34.20	6.26	34.53
AV	5.9574G	93.66	Inf	-Inf	5.95	3	Vertical	26	2.98	87.71	34.19	6.28	34.52
PK	5.826G	57.27	88.20	-30.93	5.63	3	Vertical	26	2.98	51.64	33.95	6.21	34.53
PK	5.9574G	104.60	Inf	-Inf	5.95	3	Vertical	26	2.98	98.65	34.19	6.28	34.52

5.925-6.425GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX

5955MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.904G	46.39	68.20	-21.81	5.92	3	Horizontal	313	1.89	40.47	34.20	6.25	34.53
AV	5.9526G	98.74	Inf	-Inf	5.95	3	Horizontal	313	1.89	92.79	34.19	6.28	34.52
PK	5.9082G	57.76	88.20	-30.44	5.92	3	Horizontal	313	1.89	51.84	34.20	6.25	34.53
PK	5.9532G	107.44	Inf	-Inf	5.95	3	Horizontal	313	1.89	101.49	34.19	6.28	34.52



5.925-6.425GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX


5955MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.90136G	41.61	54.00	-12.39	12.57	3	Vertical	282	2.85	29.04	38.60	8.67	34.70
PK	11.91688G	53.21	74.00	-20.79	12.63	3	Vertical	282	2.85	40.58	38.65	8.68	34.70

5.925-6.425GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX

5955MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.91392G	41.62	54.00	-12.38	12.61	3	Horizontal	25	2.09	29.01	38.64	8.67	34.70
PK	11.90192G	53.48	74.00	-20.52	12.58	3	Horizontal	25	2.09	40.90	38.61	8.67	34.70



5.925-6.425GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX


6175MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8834G	46.34	68.20	-21.86	5.84	3	Vertical	38	3.00	40.50	34.13	6.24	34.53
AV	6.1726G	94.69	Inf	-Inf	6.03	3	Vertical	38	3.00	88.66	34.20	6.33	34.50
PK	5.9038G	57.42	88.20	-30.78	5.92	3	Vertical	38	3.00	51.50	34.20	6.25	34.53
PK	6.1726G	104.47	Inf	-Inf	6.03	3	Vertical	38	3.00	98.44	34.20	6.33	34.50

5.925-6.425GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX

6175MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8954G	46.35	68.20	-21.85	5.90	3	Horizontal	311	1.98	40.45	34.18	6.25	34.53
AV	6.1738G	99.17	Inf	-Inf	6.03	3	Horizontal	311	1.98	93.14	34.20	6.33	34.50
PK	5.8822G	57.66	88.20	-30.54	5.84	3	Horizontal	311	1.98	51.82	34.13	6.24	34.53
PK	6.1762G	107.74	Inf	-Inf	6.04	3	Horizontal	311	1.98	101.70	34.20	6.34	34.50



5.925-6.425GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX


6175MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.34664G	42.46	54.00	-11.54	13.32	3	Vertical	208	1.57	29.14	39.00	8.81	34.49
PK	12.3492G	53.90	74.00	-20.10	13.32	3	Vertical	208	1.57	40.58	39.00	8.81	34.49

5.925-6.425GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX

6175MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.34452G	42.47	54.00	-11.53	13.32	3	Horizontal	273	2.75	29.15	39.00	8.81	34.49
PK	12.34436G	54.01	74.00	-19.99	13.32	3	Horizontal	273	2.75	40.69	39.00	8.81	34.49



5.925-6.425GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX


6415MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9086G	46.65	68.20	-21.55	5.92	3	Vertical	10.9	2.88	40.73	34.20	6.25	34.53
AV	6.415G	95.36	Inf	-Inf	6.82	3	Vertical	10.9	2.88	88.54	34.86	6.44	34.48
PK	5.8726G	57.88	88.20	-30.32	5.80	3	Vertical	10.9	2.88	52.08	34.09	6.24	34.53
PK	6.415G	103.37	Inf	-Inf	6.82	3	Vertical	10.9	2.88	96.55	34.86	6.44	34.48

5.925-6.425GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX

6415MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8966G	46.61	68.20	-21.59	5.91	3	Horizontal	52.9	1.86	40.70	34.19	6.25	34.53
AV	6.4198G	98.95	Inf	-Inf	6.84	3	Horizontal	52.9	1.86	92.11	34.88	6.44	34.48
PK	5.8726G	58.73	88.20	-29.47	5.80	3	Horizontal	52.9	1.86	52.93	34.09	6.24	34.53
PK	6.4198G	109.12	Inf	-Inf	6.84	3	Horizontal	52.9	1.86	102.28	34.88	6.44	34.48



5.925-6.425GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX


6415MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.82304G	43.42	68.20	-24.78	14.99	3	Vertical	109	2.26	28.43	39.85	8.96	33.82
PK	12.82484G	54.62	88.20	-33.58	15.00	3	Vertical	109	2.26	39.62	39.85	8.96	33.81

5.925-6.425GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX

6415MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.8356G	43.56	68.20	-24.64	15.03	3	Horizontal	308	1.49	28.53	39.87	8.96	33.80
PK	12.8396G	54.79	88.20	-33.41	15.05	3	Horizontal	308	1.49	39.74	39.88	8.96	33.79





6.425-6.525GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX


6435MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9118G	46.39	68.20	-21.81	5.93	3	Vertical	14	2.85	40.46	34.20	6.26	34.53
AV	6.4326G	95.42	Inf	-Inf	6.90	3	Vertical	14	2.85	88.52	34.93	6.45	34.48
PK	5.883G	57.35	88.20	-30.85	5.84	3	Vertical	14	2.85	51.51	34.13	6.24	34.53
PK	6.4326G	103.21	Inf	-Inf	6.90	3	Vertical	14	2.85	96.31	34.93	6.45	34.48

6.425-6.525GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX

6435MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8998G	46.50	68.20	-21.70	5.92	3	Horizontal	48	1.89	40.58	34.20	6.25	34.53
AV	6.4302G	98.95	Inf	-Inf	6.89	3	Horizontal	48	1.89	92.06	34.92	6.45	34.48
PK	5.9238G	57.36	88.20	-30.84	5.93	3	Horizontal	48	1.89	51.43	34.20	6.26	34.53
PK	6.4422G	106.96	Inf	-Inf	6.95	3	Horizontal	48	1.89	100.01	34.97	6.46	34.48



6.425-6.525GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX


6435MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.87444G	43.72	68.20	-24.48	15.19	3	Vertical	166	1.28	28.53	39.95	8.97	33.73
PK	12.87432G	54.84	88.20	-33.36	15.19	3	Vertical	166	1.28	39.65	39.95	8.97	33.73

6.425-6.525GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX

6435MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.8674G	43.77	68.20	-24.43	15.16	3	Horizontal	345	2.51	28.61	39.93	8.97	33.74
PK	12.871G	54.91	88.20	-33.29	15.18	3	Horizontal	345	2.51	39.73	39.94	8.97	33.73



6.425-6.525GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX


6475MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8786G	46.34	68.20	-21.86	5.82	3	Vertical	17	2.71	40.52	34.11	6.24	34.53
AV	6.4722G	95.15	Inf	-Inf	7.09	3	Vertical	17	2.71	88.06	35.09	6.47	34.47
AV	7.1582G	49.24	68.20	-18.96	8.81	3	Vertical	17	2.71	40.43	36.83	6.74	34.76
PK	5.7918G	57.27	88.20	-30.93	5.52	3	Vertical	17	2.71	51.75	33.87	6.19	34.54
PK	6.4722G	102.48	Inf	-Inf	7.09	3	Vertical	17	2.71	95.39	35.09	6.47	34.47
PK	7.1498G	59.05	88.20	-29.15	8.77	3	Vertical	17	2.71	50.28	36.80	6.73	34.76

6.425-6.525GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX

6475MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9122G	46.40	68.20	-21.80	5.93	3	Horizontal	48	1.88	40.47	34.20	6.26	34.53
AV	6.4694G	99.12	Inf	-Inf	7.08	3	Horizontal	48	1.88	92.04	35.08	6.47	34.47
AV	7.1722G	49.17	68.20	-19.03	8.87	3	Horizontal	48	1.88	40.30	36.89	6.74	34.76
PK	5.8562G	57.49	88.20	-30.71	5.72	3	Horizontal	48	1.88	51.77	34.02	6.23	34.53
PK	6.4722G	108.11	Inf	-Inf	7.09	3	Horizontal	48	1.88	101.02	35.09	6.47	34.47
PK	7.175G	59.68	88.20	-28.52	8.88	3	Horizontal	48	1.88	50.80	36.90	6.74	34.76



6.425-6.525GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX


6475MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.953G	43.76	68.20	-24.44	15.46	3	Vertical	282	1.59	28.30	40.05	9.00	33.59
PK	12.95852G	54.96	88.20	-33.24	15.48	3	Vertical	282	1.59	39.48	40.06	9.00	33.58

6.425-6.525GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX

6475MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.95076G	43.79	68.20	-24.41	15.45	3	Horizontal	305	1.75	28.34	40.05	9.00	33.60
PK	12.95132G	55.06	88.20	-33.14	15.46	3	Horizontal	305	1.75	39.60	40.05	9.00	33.59



6.425-6.525GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX


6515MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9158G	46.41	68.20	-21.79	5.93	3	Vertical	10	2.81	40.48	34.20	6.26	34.53
AV	6.515G	94.55	Inf	-Inf	7.34	3	Vertical	10	2.81	87.21	35.32	6.50	34.48
AV	7.2066G	49.42	68.20	-18.78	9.00	3	Vertical	10	2.81	40.42	37.01	6.75	34.76
PK	5.8262G	57.23	88.20	-30.97	5.63	3	Vertical	10	2.81	51.60	33.95	6.21	34.53
PK	6.515G	101.94	Inf	-Inf	7.34	3	Vertical	10	2.81	94.60	35.32	6.50	34.48
PK	7.2038G	59.72	88.20	-28.48	9.00	3	Vertical	10	2.81	50.72	37.01	6.75	34.76

6.425-6.525GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX


6515MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.899G	46.38	68.20	-21.82	5.92	3	Horizontal	53	1.66	40.46	34.20	6.25	34.53
AV	6.5206G	98.58	Inf	-Inf	7.38	3	Horizontal	53	1.66	91.20	35.36	6.50	34.48
AV	7.1954G	49.35	68.20	-18.85	8.97	3	Horizontal	53	1.66	40.38	36.98	6.75	34.76
PK	5.9186G	56.99	88.20	-31.21	5.93	3	Horizontal	53	1.66	51.06	34.20	6.26	34.53
PK	6.5206G	107.82	Inf	-Inf	7.38	3	Horizontal	53	1.66	100.44	35.36	6.50	34.48
PK	7.1646G	60.16	88.20	-28.04	8.84	3	Horizontal	53	1.66	51.32	36.86	6.74	34.76


6.425-6.525GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX

6515MHz\_TX



6.425-6.525GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX


6515MHz\_TX





6.525-6.875GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX


6535MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8994G	46.39	68.20	-21.81	5.92	3	Vertical	16	2.90	40.47	34.20	6.25	34.53
AV	6.535G	94.07	Inf	-Inf	7.50	3	Vertical	16	2.90	86.57	35.48	6.51	34.49
AV	7.2154G	49.56	68.20	-18.64	9.02	3	Vertical	16	2.90	40.54	37.03	6.76	34.77
PK	5.863G	57.10	88.20	-31.10	5.75	3	Vertical	16	2.90	51.35	34.05	6.23	34.53
PK	6.535G	101.95	Inf	-Inf	7.50	3	Vertical	16	2.90	94.45	35.48	6.51	34.49
PK	7.2266G	60.16	88.20	-28.04	9.05	3	Vertical	16	2.90	51.11	37.05	6.77	34.77

6.525-6.875GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX

6535MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8826G	46.37	68.20	-21.83	5.84	3	Horizontal	46	1.84	40.53	34.13	6.24	34.53
AV	6.5322G	98.39	Inf	-Inf	7.48	3	Horizontal	46	1.84	90.91	35.46	6.51	34.49
AV	7.235G	49.41	68.20	-18.79	9.07	3	Horizontal	46	1.84	40.34	37.07	6.77	34.77
PK	5.8938G	57.01	88.20	-31.19	5.90	3	Horizontal	46	1.84	51.11	34.18	6.25	34.53
PK	6.5322G	105.66	Inf	-Inf	7.48	3	Horizontal	46	1.84	98.18	35.46	6.51	34.49
PK	7.2182G	60.19	88.20	-28.01	9.03	3	Horizontal	46	1.84	51.16	37.04	6.76	34.77



6.525-6.875GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX


6535MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.07684G	43.87	68.20	-24.33	15.60	3	Vertical	257	1.96	28.27	39.95	9.03	33.38
PK	13.0696G	55.15	88.20	-33.05	15.59	3	Vertical	257	1.96	39.56	39.96	9.03	33.40

6.525-6.875GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX

6535MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.07528G	43.89	68.20	-24.31	15.59	3	Horizontal	307	1.17	28.30	39.95	9.03	33.39
PK	13.0658G	55.90	88.20	-32.30	15.60	3	Horizontal	307	1.17	40.30	39.97	9.03	33.40





6.525-6.875GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX


6695MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.693G	92.11	Inf	-Inf	7.99	3	Vertical	356	2.80	84.12	36.00	6.56	34.57
AV	7.195G	49.37	68.20	-18.83	8.97	3	Vertical	356	2.80	40.40	36.98	6.75	34.76
PK	6.693G	100.61	Inf	-Inf	7.99	3	Vertical	356	2.80	92.62	36.00	6.56	34.57
PK	7.145G	59.56	88.20	-28.64	8.74	3	Vertical	356	2.80	50.82	36.77	6.73	34.76

6.525-6.875GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX

6695MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.691G	97.62	Inf	-Inf	7.99	3	Horizontal	50	1.54	89.63	36.00	6.56	34.57
AV	7.189G	49.38	68.20	-18.82	8.95	3	Horizontal	50	1.54	40.43	36.96	6.75	34.76
PK	6.701G	106.88	Inf	-Inf	7.99	3	Horizontal	50	1.54	98.89	36.00	6.57	34.58
PK	7.157G	59.38	88.20	-28.82	8.80	3	Horizontal	50	1.54	50.58	36.83	6.73	34.76



6.525-6.875GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX


6695MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.39696G	44.22	54.00	-9.78	16.56	3	Vertical	159	2.07	27.66	40.29	9.13	32.86
PK	13.39644G	55.54	74.00	-18.46	16.56	3	Vertical	159	2.07	38.98	40.29	9.13	32.86

6.525-6.875GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX

6695MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.39536G	44.00	54.00	-10.00	16.55	3	Horizontal	271	1.79	27.45	40.28	9.13	32.86
PK	13.39856G	55.73	74.00	-18.27	16.56	3	Horizontal	271	1.79	39.17	40.29	9.13	32.86



6.525-6.875GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX


6855MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.8536G	93.70	Inf	-Inf	7.85	3	Vertical	6	1.89	85.85	35.90	6.61	34.66
AV	7.1924G	49.48	68.20	-18.72	8.96	3	Vertical	6	1.89	40.52	36.97	6.75	34.76
PK	6.855G	102.11	Inf	-Inf	7.85	3	Vertical	6	1.89	94.26	35.90	6.61	34.66
PK	7.184G	59.81	88.20	-28.39	8.92	3	Vertical	6	1.89	50.89	36.94	6.74	34.76

6.525-6.875GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX

6855MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.8536G	98.42	Inf	-Inf	7.85	3	Horizontal	43	2.42	90.57	35.90	6.61	34.66
AV	7.1952G	49.38	68.20	-18.82	8.97	3	Horizontal	43	2.42	40.41	36.98	6.75	34.76
PK	6.8536G	107.68	Inf	-Inf	7.85	3	Horizontal	43	2.42	99.83	35.90	6.61	34.66
PK	7.1938G	60.24	88.20	-27.96	8.97	3	Horizontal	43	2.42	51.27	36.98	6.75	34.76



6.525-6.875GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX


6855MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.7088G	48.94	68.20	-19.26	16.65	3	Vertical	8	2.43	32.29	40.20	9.22	32.77
PK	13.7138G	62.08	88.20	-26.12	16.65	3	Vertical	8	2.43	45.43	40.20	9.22	32.77

6.525-6.875GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX

6855MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.71416G	54.35	68.20	-13.85	16.65	3	Horizontal	51	1.52	37.70	40.20	9.22	32.77
PK	13.70352G	67.37	88.20	-20.83	16.65	3	Horizontal	51	1.52	50.72	40.20	9.22	32.77



6.525-6.875GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX


6875MHz Straddle 6.525-6.875GHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.8736G	94.01	Inf	-Inf	7.85	3	Vertical	6	1.97	86.16	35.90	6.62	34.67
AV	7.2082G	49.53	68.20	-18.67	9.02	3	Vertical	6	1.97	40.51	37.02	6.76	34.76
PK	6.875G	102.20	Inf	-Inf	7.85	3	Vertical	6	1.97	94.35	35.90	6.62	34.67
PK	7.1368G	59.96	88.20	-28.24	8.69	3	Vertical	6	1.97	51.27	36.72	6.73	34.76

6.525-6.875GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX

6875MHz Straddle 6.525-6.875GHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.8722G	98.11	Inf	-Inf	7.85	3	Horizontal	48	1.50	90.26	35.90	6.62	34.67
AV	7.1914G	49.47	68.20	-18.73	8.96	3	Horizontal	48	1.50	40.51	36.97	6.75	34.76
PK	6.8736G	107.96	Inf	-Inf	7.85	3	Horizontal	48	1.50	100.11	35.90	6.62	34.67
PK	7.2236G	60.55	88.20	-27.65	9.05	3	Horizontal	48	1.50	51.50	37.05	6.77	34.77



6.525-6.875GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX


6875MHz Straddle 6.525-6.875GHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.74648G	46.13	68.20	-22.07	16.65	3	Vertical	106	1.86	29.48	40.20	9.23	32.78
PK	13.7542G	57.76	88.20	-30.44	16.65	3	Vertical	106	1.86	41.11	40.20	9.24	32.79

6.525-6.875GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX

6875MHz Straddle 6.525-6.875GHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.75376G	55.05	68.20	-13.15	16.65	3	Horizontal	52	1.78	38.40	40.20	9.24	32.79
PK	13.75172G	66.77	88.20	-21.43	16.65	3	Horizontal	52	1.78	50.12	40.20	9.24	32.79



6.875-7.125GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX


6895MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.8964G	94.47	Inf	-Inf	7.85	3	Vertical	25	2.05	86.62	35.90	6.63	34.68
AV	7.2044G	49.49	68.20	-18.71	9.00	3	Vertical	25	2.05	40.49	37.01	6.75	34.76
PK	6.8964G	103.32	Inf	-Inf	7.85	3	Vertical	25	2.05	95.47	35.90	6.63	34.68
PK	7.1834G	60.33	88.20	-27.87	8.91	3	Vertical	25	2.05	51.42	36.93	6.74	34.76

6.875-7.125GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX

6895MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.8936G	98.74	Inf	-Inf	7.85	3	Horizontal	45	1.68	90.89	35.90	6.63	34.68
AV	7.231G	49.51	68.20	-18.69	9.06	3	Horizontal	45	1.68	40.45	37.06	6.77	34.77
PK	6.8922G	107.75	Inf	-Inf	7.85	3	Horizontal	45	1.68	99.90	35.90	6.63	34.68
PK	7.175G	60.66	88.20	-27.54	8.88	3	Horizontal	45	1.68	51.78	36.90	6.74	34.76



6.875-7.125GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX


6895MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.78756G	46.20	68.20	-22.00	16.65	3	Vertical	36	2.66	29.55	40.20	9.25	32.80
PK	13.78492G	57.58	88.20	-30.62	16.65	3	Vertical	36	2.66	40.93	40.20	9.25	32.80

6.875-7.125GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX

6895MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.79224G	55.12	68.20	-13.08	16.65	3	Horizontal	245	2.56	38.47	40.20	9.25	32.80
PK	13.78344G	66.55	88.20	-21.65	16.65	3	Horizontal	245	2.56	49.90	40.20	9.25	32.80





6.875-7.125GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX


6995MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.994G	95.12	Inf	-Inf	7.94	3	Vertical	8	1.92	87.18	36.00	6.68	34.74
AV	7.211G	49.56	68.20	-18.64	9.01	3	Vertical	8	1.92	40.55	37.02	6.76	34.77
PK	6.994G	104.51	Inf	-Inf	7.94	3	Vertical	8	1.92	96.57	36.00	6.68	34.74
PK	7.214G	61.13	88.20	-27.07	9.02	3	Vertical	8	1.92	52.11	37.03	6.76	34.77

6.875-7.125GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX

6995MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.993G	99.00	Inf	-Inf	7.94	3	Horizontal	46	1.44	91.06	36.00	6.68	34.74
AV	7.226G	49.50	68.20	-18.70	9.05	3	Horizontal	46	1.44	40.45	37.05	6.77	34.77
PK	6.993G	108.58	Inf	-Inf	7.94	3	Horizontal	46	1.44	100.64	36.00	6.68	34.74
PK	7.136G	60.26	88.20	-27.94	8.69	3	Horizontal	46	1.44	51.57	36.72	6.73	34.76



6.875-7.125GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX


6995MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.98576G	46.67	68.20	-21.53	16.71	3	Vertical	110	1.19	29.96	40.27	9.31	32.87
PK	13.99124G	59.42	88.20	-28.78	16.71	3	Vertical	110	1.19	42.71	40.28	9.31	32.88

6.875-7.125GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX

6995MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.99328G	55.93	68.20	-12.27	16.72	3	Horizontal	89	1.02	39.21	40.29	9.31	32.88
PK	13.98352G	68.93	88.20	-19.27	16.71	3	Horizontal	89	1.02	52.22	40.27	9.31	32.87



6.875-7.125GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX


7095MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.0962G	95.21	Inf	-Inf	8.44	3	Vertical	7	1.94	86.77	36.48	6.71	34.75
AV	7.2066G	49.42	68.20	-18.78	9.00	3	Vertical	7	1.94	40.42	37.01	6.75	34.76
PK	7.0962G	105.46	Inf	-Inf	8.44	3	Vertical	7	1.94	97.02	36.48	6.71	34.75
PK	7.233G	60.67	88.20	-27.53	9.07	3	Vertical	7	1.94	51.60	37.07	6.77	34.77

6.875-7.125GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX

7095MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.0932G	99.73	Inf	-Inf	8.42	3	Horizontal	46	1.48	91.31	36.46	6.71	34.75
AV	7.2048G	49.55	68.20	-18.65	9.00	3	Horizontal	46	1.48	40.55	37.01	6.75	34.76
PK	7.0926G	109.96	Inf	-Inf	8.42	3	Horizontal	46	1.48	101.54	36.46	6.71	34.75
PK	7.233G	60.32	88.20	-27.88	9.07	3	Horizontal	46	1.48	51.25	37.07	6.77	34.77



6.875-7.125GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX


7095MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.18464G	47.00	68.20	-21.20	16.94	3	Vertical	339	2.35	30.06	40.68	9.37	33.11
PK	14.18516G	58.07	88.20	-30.13	16.95	3	Vertical	339	2.35	41.12	40.69	9.37	33.11

6.875-7.125GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX

7095MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.19232G	56.64	68.20	-11.56	16.95	3	Horizontal	155	2.20	39.69	40.69	9.37	33.11
PK	14.18316G	69.74	88.20	-18.46	16.95	3	Horizontal	155	2.20	52.79	40.68	9.37	33.10



5.925-6.425GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX


5965MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9002G	46.56	68.20	-21.64	5.92	3	Vertical	29	3.00	40.64	34.20	6.25	34.53
AV	5.9674G	93.40	Inf	-Inf	5.93	3	Vertical	29	3.00	87.47	34.17	6.28	34.52
PK	5.8576G	57.95	88.20	-30.25	5.73	3	Vertical	29	3.00	52.22	34.03	6.23	34.53
PK	5.9668G	103.68	Inf	-Inf	5.93	3	Vertical	29	3.00	97.75	34.17	6.28	34.52

5.925-6.425GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX

5965MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9224G	47.01	68.20	-21.19	5.93	3	Horizontal	318	1.92	41.08	34.20	6.26	34.53
AV	5.9716G	98.39	Inf	-Inf	5.93	3	Horizontal	318	1.92	92.46	34.16	6.29	34.52
PK	5.8426G	57.41	88.20	-30.79	5.68	3	Horizontal	318	1.92	51.73	33.99	6.22	34.53
PK	5.962G	107.40	Inf	-Inf	5.94	3	Horizontal	318	1.92	101.46	34.18	6.28	34.52



5.925-6.425GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX


5965MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.9438G	41.95	54.00	-12.05	12.71	3	Vertical	336	3.00	29.24	38.73	8.69	34.71
PK	11.94584G	53.58	74.00	-20.42	12.72	3	Vertical	336	3.00	40.86	38.74	8.69	34.71

5.925-6.425GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX

5965MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.95664G	41.97	54.00	-12.03	12.74	3	Horizontal	340	1.00	29.23	38.77	8.69	34.72
PK	11.9504G	53.62	74.00	-20.38	12.73	3	Horizontal	340	1.00	40.89	38.75	8.69	34.71



5.925-6.425GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX


6165MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8974G	46.42	68.20	-21.78	5.91	3	Vertical	42	3.00	40.51	34.19	6.25	34.53
AV	6.171G	94.41	Inf	-Inf	6.03	3	Vertical	42	3.00	88.38	34.20	6.33	34.50
PK	5.8794G	56.85	88.20	-31.35	5.83	3	Vertical	42	3.00	51.02	34.12	6.24	34.53
PK	6.1698G	104.26	Inf	-Inf	6.03	3	Vertical	42	3.00	98.23	34.20	6.33	34.50

5.925-6.425GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX

6165MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9154G	46.45	68.20	-21.75	5.93	3	Horizontal	315	1.91	40.52	34.20	6.26	34.53
AV	6.1746G	99.02	Inf	-Inf	6.03	3	Horizontal	315	1.91	92.99	34.20	6.33	34.50
PK	5.8734G	58.54	88.20	-29.66	5.80	3	Horizontal	315	1.91	52.74	34.09	6.24	34.53
PK	6.1746G	108.95	Inf	-Inf	6.03	3	Horizontal	315	1.91	102.92	34.20	6.33	34.50



5.925-6.425GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX


6165MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.30012G	42.82	54.00	-11.18	13.28	3	Vertical	70	1.58	29.54	39.00	8.80	34.52
PK	12.3528G	54.59	74.00	-19.41	13.34	3	Vertical	70	1.58	41.25	39.00	8.82	34.48

5.925-6.425GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX

6165MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.30792G	42.80	54.00	-11.20	13.29	3	Horizontal	32	1.50	29.51	39.00	8.80	34.51
PK	12.34404G	54.93	74.00	-19.07	13.32	3	Horizontal	32	1.50	41.61	39.00	8.81	34.49





5.925-6.425GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX


6405MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9154G	46.47	68.20	-21.73	5.93	3	Vertical	22	2.91	40.54	34.20	6.26	34.53
AV	6.4026G	94.82	Inf	-Inf	6.76	3	Vertical	22	2.91	88.06	34.81	6.43	34.48
PK	5.9034G	58.80	88.20	-29.40	5.92	3	Vertical	22	2.91	52.88	34.20	6.25	34.53
PK	6.405G	103.02	Inf	-Inf	6.77	3	Vertical	22	2.91	96.25	34.82	6.43	34.48

5.925-6.425GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX

6405MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8866G	46.42	68.20	-21.78	5.86	3	Horizontal	54	1.85	40.56	34.15	6.24	34.53
AV	6.4098G	98.72	Inf	-Inf	6.80	3	Horizontal	54	1.85	91.92	34.84	6.44	34.48
PK	5.9154G	57.42	88.20	-30.78	5.93	3	Horizontal	54	1.85	51.49	34.20	6.26	34.53
PK	6.4098G	107.77	Inf	-Inf	6.80	3	Horizontal	54	1.85	100.97	34.84	6.44	34.48



5.925-6.425GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX


6405MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.8028G	43.78	68.20	-24.42	14.91	3	Vertical	302	1.50	28.87	39.81	8.95	33.85
PK	12.7938G	55.71	88.20	-32.49	14.86	3	Vertical	302	1.50	40.85	39.78	8.95	33.87

5.925-6.425GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX

6405MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.79428G	43.82	68.20	-24.38	14.86	3	Horizontal	145	1.50	28.96	39.78	8.95	33.87
PK	12.81348G	55.44	88.20	-32.76	14.95	3	Horizontal	145	1.50	40.49	39.83	8.95	33.83



6.425-6.525GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX


6445MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8954G	46.42	68.20	-21.78	5.90	3	Vertical	16	2.97	40.52	34.18	6.25	34.53
AV	6.445G	94.57	Inf	-Inf	6.96	3	Vertical	16	2.97	87.61	34.98	6.46	34.48
PK	5.8618G	57.52	88.20	-30.68	5.75	3	Vertical	16	2.97	51.77	34.05	6.23	34.53
PK	6.4426G	102.69	Inf	-Inf	6.95	3	Vertical	16	2.97	95.74	34.97	6.46	34.48

6.425-6.525GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX

6445MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9146G	46.51	68.20	-21.69	5.93	3	Horizontal	52	1.80	40.58	34.20	6.26	34.53
AV	6.4402G	98.72	Inf	-Inf	6.93	3	Horizontal	52	1.80	91.79	34.96	6.45	34.48
PK	5.8738G	56.58	88.20	-31.62	5.81	3	Horizontal	52	1.80	50.77	34.10	6.24	34.53
PK	6.4402G	107.84	Inf	-Inf	6.93	3	Horizontal	52	1.80	100.91	34.96	6.45	34.48



6.425-6.525GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX


6445MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.89996G	43.94	68.20	-24.26	15.30	3	Vertical	153	3.00	28.64	40.00	8.98	33.68
PK	12.884G	55.99	88.20	-32.21	15.24	3	Vertical	153	3.00	40.75	39.97	8.98	33.71

6.425-6.525GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX

6445MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.89792G	44.02	68.20	-24.18	15.29	3	Horizontal	216	1.23	28.73	40.00	8.98	33.69
PK	12.89684G	55.29	88.20	-32.91	15.28	3	Horizontal	216	1.23	40.01	39.99	8.98	33.69



6.425-6.525GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX


6485MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9222G	46.40	68.20	-21.80	5.93	3	Vertical	18	2.91	40.47	34.20	6.26	34.53
AV	6.485G	94.50	Inf	-Inf	7.15	3	Vertical	18	2.91	87.35	35.14	6.48	34.47
AV	7.1822G	49.32	68.20	-18.88	8.91	3	Vertical	18	2.91	40.41	36.93	6.74	34.76
PK	5.9138G	56.96	88.20	-31.24	5.93	3	Vertical	18	2.91	51.03	34.20	6.26	34.53
PK	6.4822G	102.31	Inf	-Inf	7.14	3	Vertical	18	2.91	95.17	35.13	6.48	34.47
PK	7.171G	59.71	88.20	-28.49	8.86	3	Vertical	18	2.91	50.85	36.88	6.74	34.76

6.425-6.525GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX

6485MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9054G	46.46	68.20	-21.74	5.92	3	Horizontal	53	1.86	40.54	34.20	6.25	34.53
AV	6.4906G	98.81	Inf	-Inf	7.17	3	Horizontal	53	1.86	91.64	35.16	6.48	34.47
AV	7.185G	49.28	68.20	-18.92	8.92	3	Horizontal	53	1.86	40.36	36.94	6.74	34.76
PK	5.7906G	57.08	88.20	-31.12	5.51	3	Horizontal	53	1.86	51.57	33.86	6.19	34.54
PK	6.471G	107.83	Inf	-Inf	7.08	3	Horizontal	53	1.86	100.75	35.08	6.47	34.47
PK	7.1542G	59.61	88.20	-28.59	8.79	3	Horizontal	53	1.86	50.82	36.82	6.73	34.76



6.425-6.525GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX


6485MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.95692G	43.96	68.20	-24.24	15.48	3	Vertical	110	1.50	28.48	40.06	9.00	33.58
PK	12.95584G	56.18	88.20	-32.02	15.47	3	Vertical	110	1.50	40.71	40.06	9.00	33.59

6.425-6.525GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX

6485MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.96316G	44.01	68.20	-24.19	15.49	3	Horizontal	153	2.98	28.52	40.06	9.00	33.57
PK	12.9676G	55.13	88.20	-33.07	15.50	3	Horizontal	153	2.98	39.63	40.07	9.00	33.57



6.425-6.525GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX


6525MHz Straddle 6.425-6.525GHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9062G	46.51	68.20	-21.69	5.92	3	Vertical	18	2.80	40.59	34.20	6.25	34.53
AV	6.5222G	94.32	Inf	-Inf	7.40	3	Vertical	18	2.80	86.92	35.38	6.50	34.48
AV	7.2082G	49.40	68.20	-18.80	9.02	3	Vertical	18	2.80	40.38	37.02	6.76	34.76
PK	5.8922G	56.64	88.20	-31.56	5.89	3	Vertical	18	2.80	50.75	34.17	6.25	34.53
PK	6.525G	104.15	Inf	-Inf	7.42	3	Vertical	18	2.80	96.73	35.40	6.50	34.48
PK	7.1858G	59.63	88.20	-28.57	8.93	3	Vertical	18	2.80	50.70	36.94	6.75	34.76

6.425-6.525GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX


6525MHz Straddle 6.425-6.525GHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9118G	46.47	68.20	-21.73	5.93	3	Horizontal	50	1.88	40.54	34.20	6.26	34.53
AV	6.5306G	98.95	Inf	-Inf	7.46	3	Horizontal	50	1.88	91.49	35.44	6.51	34.49
AV	7.211G	49.46	68.20	-18.74	9.01	3	Horizontal	50	1.88	40.45	37.02	6.76	34.77
PK	5.9006G	57.93	88.20	-30.27	5.92	3	Horizontal	50	1.88	52.01	34.20	6.25	34.53
PK	6.5306G	108.00	Inf	-Inf	7.46	3	Horizontal	50	1.88	100.54	35.44	6.51	34.49
PK	7.1886G	59.60	88.20	-28.60	8.94	3	Horizontal	50	1.88	50.66	36.95	6.75	34.76


6.425-6.525GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX

6525MHz Straddle 6.425-6.525GHz\_TX



6.425-6.525GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX


6525MHz Straddle 6.425-6.525GHz\_TX





6.525-6.875GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX


6565MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.565G	93.70	Inf	-Inf	7.68	3	Vertical	18	3.00	86.02	35.66	6.53	34.51
AV	7.1506G	49.19	68.20	-19.01	8.77	3	Vertical	18	3.00	40.42	36.80	6.73	34.76
PK	6.5746G	101.83	Inf	-Inf	7.72	3	Vertical	18	3.00	94.11	35.70	6.53	34.51
PK	7.153G	59.15	88.20	-29.05	8.78	3	Vertical	18	3.00	50.37	36.81	6.73	34.76

6.525-6.875GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX

6565MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.5698G	98.58	Inf	-Inf	7.70	3	Horizontal	54	1.61	90.88	35.68	6.53	34.51
AV	7.1626G	49.21	68.20	-18.99	8.83	3	Horizontal	54	1.61	40.38	36.85	6.74	34.76
PK	6.5578G	106.21	Inf	-Inf	7.65	3	Horizontal	54	1.61	98.56	35.63	6.52	34.50
PK	7.1338G	61.70	88.20	-26.50	8.67	3	Horizontal	54	1.61	53.03	36.70	6.73	34.76



6.525-6.875GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX


6565MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.15556G	44.08	68.20	-24.12	15.77	3	Vertical	286	2.04	28.31	39.96	9.06	33.25
PK	13.10816G	55.58	88.20	-32.62	15.62	3	Vertical	286	2.04	39.96	39.91	9.04	33.33

6.525-6.875GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX

6565MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.12832G	44.09	68.20	-24.11	15.68	3	Horizontal	0	1.50	28.41	39.93	9.05	33.30
PK	13.14284G	55.52	88.20	-32.68	15.71	3	Horizontal	0	1.50	39.81	39.94	9.05	33.28



6.525-6.875GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX


6685MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.687G	92.68	Inf	-Inf	7.99	3	Vertical	354	2.83	84.69	36.00	6.56	34.57
AV	7.183G	49.26	68.20	-18.94	8.91	3	Vertical	354	2.83	40.35	36.93	6.74	34.76
PK	6.677G	100.32	Inf	-Inf	7.99	3	Vertical	354	2.83	92.33	36.00	6.56	34.57
PK	7.149G	60.69	88.20	-27.51	8.76	3	Vertical	354	2.83	51.93	36.79	6.73	34.76

6.525-6.875GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX

6685MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.681G	97.49	Inf	-Inf	7.99	3	Horizontal	54	1.50	89.50	36.00	6.56	34.57
AV	7.175G	49.38	68.20	-18.82	8.88	3	Horizontal	54	1.50	40.50	36.90	6.74	34.76
PK	6.689G	106.24	Inf	-Inf	7.99	3	Horizontal	54	1.50	98.25	36.00	6.56	34.57
PK	7.177G	59.57	88.20	-28.63	8.89	3	Horizontal	54	1.50	50.68	36.91	6.74	34.76



6.525-6.875GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX


6685MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.38344G	44.23	54.00	-9.77	16.48	3	Vertical	32	2.74	27.75	40.23	9.13	32.88
PK	13.36496G	55.71	74.00	-18.29	16.37	3	Vertical	32	2.74	39.34	40.16	9.12	32.91

6.525-6.875GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX

6685MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.39568G	44.23	54.00	-9.77	16.55	3	Horizontal	199	2.97	27.68	40.28	9.13	32.86
PK	13.39472G	55.47	74.00	-18.53	16.55	3	Horizontal	199	2.97	38.92	40.28	9.13	32.86



6.525-6.875GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX


6845MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.8478G	91.66	Inf	-Inf	7.84	3	Vertical	349	3.00	83.82	35.90	6.60	34.66
AV	7.1908G	49.44	68.20	-18.76	8.95	3	Vertical	349	3.00	40.49	36.96	6.75	34.76
PK	6.8478G	101.24	Inf	-Inf	7.84	3	Vertical	349	3.00	93.40	35.90	6.60	34.66
PK	7.188G	60.41	88.20	-27.79	8.94	3	Vertical	349	3.00	51.47	36.95	6.75	34.76

6.525-6.875GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX

6845MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.8436G	98.40	Inf	-Inf	7.85	3	Horizontal	43	2.39	90.55	35.91	6.60	34.66
AV	7.1922G	49.41	68.20	-18.79	8.96	3	Horizontal	43	2.39	40.45	36.97	6.75	34.76
PK	6.8422G	107.15	Inf	-Inf	7.87	3	Horizontal	43	2.39	99.28	35.92	6.60	34.65
PK	7.139G	60.34	88.20	-27.86	8.70	3	Horizontal	43	2.39	51.64	36.73	6.73	34.76



6.525-6.875GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX


6845MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.66564G	44.84	68.20	-23.36	16.69	3	Vertical	255	1.39	28.15	40.23	9.21	32.75
PK	13.70092G	56.28	88.20	-31.92	16.65	3	Vertical	255	1.39	39.63	40.20	9.22	32.77

6.525-6.875GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX

6845MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.66588G	44.70	68.20	-23.50	16.69	3	Horizontal	347	1.50	28.01	40.23	9.21	32.75
PK	13.69228G	56.14	88.20	-32.06	16.67	3	Horizontal	347	1.50	39.47	40.21	9.22	32.76



6.525-6.875GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX


6885MHz Straddle 6.525-6.875GHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.8864G	94.00	Inf	-Inf	7.84	3	Vertical	20	2.20	86.16	35.90	6.62	34.68
AV	7.1888G	49.56	68.20	-18.64	8.95	3	Vertical	20	2.20	40.61	36.96	6.75	34.76
PK	6.8948G	103.96	Inf	-Inf	7.85	3	Vertical	20	2.20	96.11	35.90	6.63	34.68
PK	7.228G	60.46	88.20	-27.74	9.06	3	Vertical	20	2.20	51.40	37.06	6.77	34.77

6.525-6.875GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX

6885MHz Straddle 6.525-6.875GHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.8836G	98.27	Inf	-Inf	7.84	3	Horizontal	44	2.37	90.43	35.90	6.62	34.68
AV	7.2266G	49.58	68.20	-18.62	9.05	3	Horizontal	44	2.37	40.53	37.05	6.77	34.77
PK	6.892G	107.69	Inf	-Inf	7.85	3	Horizontal	44	2.37	99.84	35.90	6.63	34.68
PK	7.1902G	60.65	88.20	-27.55	8.95	3	Horizontal	44	2.37	51.70	36.96	6.75	34.76



6.525-6.875GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX


6885MHz Straddle 6.525-6.875GHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.746G	44.50	68.20	-23.70	16.65	3	Vertical	155	1.50	27.85	40.20	9.23	32.78
PK	13.75776G	55.89	88.20	-32.31	16.65	3	Vertical	155	1.50	39.24	40.20	9.24	32.79

6.525-6.875GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX

6885MHz Straddle 6.525-6.875GHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.76052G	44.46	68.20	-23.74	16.65	3	Horizontal	0	1.50	27.81	40.20	9.24	32.79
PK	13.7568G	55.99	88.20	-32.21	16.65	3	Horizontal	0	1.50	39.34	40.20	9.24	32.79





6.875-7.125GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX


6925MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.9238G	94.25	Inf	-Inf	7.89	3	Vertical	8	1.88	86.36	35.95	6.64	34.70
AV	7.1938G	49.60	68.20	-18.60	8.97	3	Vertical	8	1.88	40.63	36.98	6.75	34.76
PK	6.9226G	104.49	Inf	-Inf	7.89	3	Vertical	8	1.88	96.60	35.95	6.64	34.70
PK	7.1926G	60.77	88.20	-27.43	8.96	3	Vertical	8	1.88	51.81	36.97	6.75	34.76

6.875-7.125GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX

6925MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.9226G	98.41	Inf	-Inf	7.89	3	Horizontal	45	1.50	90.52	35.95	6.64	34.70
AV	7.1938G	49.52	68.20	-18.68	8.97	3	Horizontal	45	1.50	40.55	36.98	6.75	34.76
PK	6.913G	110.24	Inf	-Inf	7.88	3	Horizontal	45	1.50	102.36	35.93	6.64	34.69
PK	7.2154G	61.03	88.20	-27.17	9.02	3	Horizontal	45	1.50	52.01	37.03	6.76	34.77



6.875-7.125GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX


6925MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.82084G	44.28	68.20	-23.92	16.63	3	Vertical	16	2.14	27.65	40.18	9.26	32.81
PK	13.83584G	56.18	88.20	-32.02	16.60	3	Vertical	16	2.14	39.58	40.16	9.26	32.82

6.875-7.125GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX

6925MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.82636G	44.47	68.20	-23.73	16.62	3	Horizontal	360	1.50	27.85	40.17	9.26	32.81
PK	13.83668G	56.66	88.20	-31.54	16.60	3	Horizontal	360	1.50	40.06	40.16	9.26	32.82



6.875-7.125GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX


7005MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.0038G	95.20	Inf	-Inf	7.96	3	Vertical	6	1.99	87.24	36.02	6.68	34.74
AV	7.1442G	49.27	68.20	-18.93	8.74	3	Vertical	6	1.99	40.53	36.77	6.73	34.76
PK	7.0032G	106.19	Inf	-Inf	7.95	3	Vertical	6	1.99	98.24	36.01	6.68	34.74
PK	7.1508G	60.54	88.20	-27.66	8.77	3	Vertical	6	1.99	51.77	36.80	6.73	34.76

6.875-7.125GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX

7005MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.0032G	98.97	Inf	-Inf	7.95	3	Horizontal	44	1.50	91.02	36.01	6.68	34.74
AV	7.1358G	49.39	68.20	-18.81	8.68	3	Horizontal	44	1.50	40.71	36.71	6.73	34.76
PK	7.0128G	109.78	Inf	-Inf	7.99	3	Horizontal	44	1.50	101.79	36.05	6.68	34.74
PK	7.155G	61.12	88.20	-27.08	8.79	3	Horizontal	44	1.50	52.33	36.82	6.73	34.76



6.875-7.125GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX


7005MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.0394G	44.87	68.20	-23.33	16.81	3	Vertical	360	1.97	28.06	40.42	9.32	32.93
PK	14.03532G	56.05	88.20	-32.15	16.81	3	Vertical	360	1.97	39.24	40.41	9.32	32.92

6.875-7.125GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX

7005MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.03436G	44.71	68.20	-23.49	16.80	3	Horizontal	48	2.19	27.91	40.40	9.32	32.92
PK	14.03748G	55.95	88.20	-32.25	16.80	3	Horizontal	48	2.19	39.15	40.41	9.32	32.93



6.875-7.125GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX


7085MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.0838G	95.91	Inf	-Inf	8.36	3	Vertical	8	1.94	87.55	36.40	6.71	34.75
AV	7.1252G	49.90	68.20	-18.30	8.61	3	Vertical	8	1.94	41.29	36.65	6.72	34.76
PK	7.0748G	107.05	Inf	-Inf	8.31	3	Vertical	8	1.94	98.74	36.35	6.71	34.75
PK	7.2242G	61.42	88.20	-26.78	9.05	3	Vertical	8	1.94	52.37	37.05	6.77	34.77

6.875-7.125GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX

7085MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.0832G	100.24	Inf	-Inf	8.36	3	Horizontal	44	1.48	91.88	36.40	6.71	34.75
AV	7.1252G	51.10	68.20	-17.10	8.61	3	Horizontal	44	1.48	42.49	36.65	6.72	34.76
PK	7.0838G	111.34	Inf	-Inf	8.36	3	Horizontal	44	1.48	102.98	36.40	6.71	34.75
PK	7.1252G	62.73	88.20	-25.47	8.61	3	Horizontal	44	1.48	54.12	36.65	6.72	34.76



6.875-7.125GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX


7085MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.16004G	45.08	68.20	-23.12	16.94	3	Vertical	336	1.50	28.14	40.66	9.36	33.08
PK	14.14432G	57.46	88.20	-30.74	16.94	3	Vertical	336	1.50	40.52	40.64	9.36	33.06

6.875-7.125GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX

7085MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.14324G	45.08	68.20	-23.12	16.95	3	Horizontal	40	1.50	28.13	40.64	9.36	33.05
PK	14.1844G	56.81	88.20	-31.39	16.95	3	Horizontal	40	1.50	39.86	40.68	9.37	33.10



5.925-6.425GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX


5985MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.919G	47.43	68.20	-20.77	5.93	3	Vertical	39	2.92	41.50	34.20	6.26	34.53
AV	5.991G	93.83	Inf	-Inf	5.90	3	Vertical	39	2.92	87.93	34.12	6.30	34.52
PK	5.922G	58.46	88.20	-29.74	5.93	3	Vertical	39	2.92	52.53	34.20	6.26	34.53
PK	6G	104.65	Inf	-Inf	5.88	3	Vertical	39	2.92	98.77	34.10	6.30	34.52

5.925-6.425GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX

5985MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.924G	50.23	68.20	-17.97	5.93	3	Horizontal	311	1.93	44.30	34.20	6.26	34.53
AV	5.983G	99.63	Inf	-Inf	5.90	3	Horizontal	311	1.93	93.73	34.13	6.29	34.52
PK	5.924G	60.89	88.20	-27.31	5.93	3	Horizontal	311	1.93	54.96	34.20	6.26	34.53
PK	5.983G	108.57	Inf	-Inf	5.90	3	Horizontal	311	1.93	102.67	34.13	6.29	34.52



5.925-6.425GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX


5985MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.0288G	42.00	54.00	-12.00	12.97	3	Vertical	190	2.99	29.03	38.96	8.72	34.71
PK	11.93976G	53.33	74.00	-20.67	12.69	3	Vertical	190	2.99	40.64	38.72	8.68	34.71

5.925-6.425GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX

5985MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.00336G	42.11	54.00	-11.89	12.89	3	Horizontal	303	1.50	29.22	38.91	8.71	34.73
PK	11.97816G	53.30	74.00	-20.70	12.81	3	Horizontal	303	1.50	40.49	38.83	8.70	34.72





5.925-6.425GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX


6145MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9182G	46.74	68.20	-21.46	5.93	3	Vertical	41	2.94	40.81	34.20	6.26	34.53
AV	6.151G	96.16	Inf	-Inf	6.03	3	Vertical	41	2.94	90.13	34.20	6.33	34.50
PK	5.8762G	58.03	88.20	-30.17	5.81	3	Vertical	41	2.94	52.22	34.10	6.24	34.53
PK	6.121G	106.40	Inf	-Inf	5.95	3	Vertical	41	2.94	100.45	34.14	6.32	34.51

5.925-6.425GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX

6145MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.899G	46.87	68.20	-21.33	5.92	3	Horizontal	312	1.86	40.95	34.20	6.25	34.53
AV	6.1438G	100.26	Inf	-Inf	6.01	3	Horizontal	312	1.86	94.25	34.19	6.33	34.51
PK	5.8522G	58.05	88.20	-30.15	5.71	3	Horizontal	312	1.86	52.34	34.01	6.23	34.53
PK	6.1438G	110.60	Inf	-Inf	6.01	3	Horizontal	312	1.86	104.59	34.19	6.33	34.51



5.925-6.425GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX


6145MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.29428G	42.82	54.00	-11.18	13.28	3	Vertical	212	2.05	29.54	39.00	8.80	34.52
PK	12.28328G	54.24	74.00	-19.76	13.26	3	Vertical	212	2.05	40.98	39.00	8.79	34.53

5.925-6.425GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX

6145MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.2814G	42.83	54.00	-11.17	13.26	3	Horizontal	298	1.96	29.57	39.00	8.79	34.53
PK	12.29864G	54.53	74.00	-19.47	13.28	3	Horizontal	298	1.96	41.25	39.00	8.80	34.52



5.925-6.425GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX


6385MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9002G	46.46	68.20	-21.74	5.92	3	Vertical	37	2.97	-	40.54	34.20	6.25	34.53
AV	6.3826G	95.60	Inf	-Inf	6.67	3	Vertical	37	2.97	-	88.93	34.73	6.42	34.48
PK	5.8618G	57.85	88.20	-30.35	5.75	3	Vertical	37	2.97	-	52.10	34.05	6.23	34.53
PK	6.3826G	106.13	Inf	-Inf	6.67	3	Vertical	37	2.97	-	99.46	34.73	6.42	34.48

5.925-6.425GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX

6385MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8978G	46.61	68.20	-21.59	5.91	3	Horizontal	47	1.88	-	40.70	34.19	6.25	34.53
AV	6.3898G	98.61	Inf	-Inf	6.71	3	Horizontal	47	1.88	-	91.90	34.76	6.43	34.48
PK	5.8594G	57.97	88.20	-30.23	5.74	3	Horizontal	47	1.88	-	52.23	34.04	6.23	34.53
PK	6.3898G	108.60	Inf	-Inf	6.71	3	Horizontal	47	1.88	-	101.89	34.76	6.43	34.48



5.925-6.425GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX


6385MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.80888G	43.77	68.20	-24.43	14.93	3	Vertical	46	2.01	-	28.84	39.82	8.95	33.84
PK	12.79528G	55.23	88.20	-32.97	14.87	3	Vertical	46	2.01	-	40.36	39.79	8.95	33.87

5.925-6.425GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX

6385MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.81896G	43.73	68.20	-24.47	14.97	3	Horizontal	187	2.32	-	28.76	39.84	8.96	33.83
PK	12.7892G	55.78	88.20	-32.42	14.84	3	Horizontal	187	2.32	-	40.94	39.77	8.95	33.88



6.425-6.525GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX


6465MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9022G	46.45	68.20	-21.75	5.92	3	Vertical	13	2.96	40.53	34.20	6.25	34.53
AV	6.465G	95.10	Inf	-Inf	7.06	3	Vertical	13	2.96	88.04	35.06	6.47	34.47
AV	7.1538G	49.23	68.20	-18.97	8.79	3	Vertical	13	2.96	40.44	36.82	6.73	34.76
PK	5.8462G	57.40	88.20	-30.80	5.68	3	Vertical	13	2.96	51.72	33.99	6.22	34.53
PK	6.4734G	104.62	Inf	-Inf	7.09	3	Vertical	13	2.96	97.53	35.09	6.47	34.47
PK	7.1426G	59.49	88.20	-28.71	8.73	3	Vertical	13	2.96	50.76	36.76	6.73	34.76

6.425-6.525GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX

6465MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9022G	46.48	68.20	-21.72	5.92	3	Horizontal	45	1.79	40.56	34.20	6.25	34.53
AV	6.4622G	99.33	Inf	-Inf	7.05	3	Horizontal	45	1.79	92.28	35.05	6.47	34.47
AV	7.1622G	49.22	68.20	-18.98	8.83	3	Horizontal	45	1.79	40.39	36.85	6.74	34.76
PK	5.7986G	57.88	88.20	-30.32	5.55	3	Horizontal	45	1.79	52.33	33.89	6.20	34.54
PK	6.4818G	109.11	Inf	-Inf	7.14	3	Horizontal	45	1.79	101.97	35.13	6.48	34.47
PK	7.137G	60.53	88.20	-27.67	8.69	3	Horizontal	45	1.79	51.84	36.72	6.73	34.76



6.425-6.525GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX


6465MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.92868G	43.99	68.20	-24.21	15.39	3	Vertical	234	1.06	28.60	40.03	8.99	33.63
PK	12.92264G	55.14	88.20	-33.06	15.37	3	Vertical	234	1.06	39.77	40.02	8.99	33.64

6.425-6.525GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX

6465MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.93296G	43.95	68.20	-24.25	15.39	3	Horizontal	198	2.90	28.56	40.03	8.99	33.63
PK	12.93408G	55.92	88.20	-32.28	15.40	3	Horizontal	198	2.90	40.52	40.03	8.99	33.62



6.425-6.525GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX


6545MHz Straddle 6.425-6.525GHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8814G	46.54	68.20	-21.66	5.84	3	Vertical	9	3.00	40.70	34.13	6.24	34.53
AV	6.5366G	94.94	Inf	-Inf	7.51	3	Vertical	9	3.00	87.43	35.49	6.51	34.49
AV	7.2254G	49.51	68.20	-18.69	9.05	3	Vertical	9	3.00	40.46	37.05	6.77	34.77
PK	5.8646G	57.21	88.20	-30.99	5.76	3	Vertical	9	3.00	51.45	34.06	6.23	34.53
PK	6.545G	104.55	Inf	-Inf	7.59	3	Vertical	9	3.00	96.96	35.56	6.52	34.49
PK	7.147G	60.66	88.20	-27.54	8.75	3	Vertical	9	3.00	51.91	36.78	6.73	34.76

6.425-6.525GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX

6545MHz Straddle 6.425-6.525GHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8702G	46.40	68.20	-21.80	5.79	3	Horizontal	51	1.61	40.61	34.08	6.24	34.53
AV	6.5394G	99.19	Inf	-Inf	7.54	3	Horizontal	51	1.61	91.65	35.52	6.51	34.49
AV	7.1694G	49.48	68.20	-18.72	8.86	3	Horizontal	51	1.61	40.62	36.88	6.74	34.76
PK	5.8618G	57.10	88.20	-31.10	5.75	3	Horizontal	51	1.61	51.35	34.05	6.23	34.53
PK	6.5506G	109.05	Inf	-Inf	7.62	3	Horizontal	51	1.61	101.43	35.60	6.52	34.50
PK	7.1694G	60.29	88.20	-27.91	8.86	3	Horizontal	51	1.61	51.43	36.88	6.74	34.76



6.425-6.525GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX


6545MHz Straddle 6.425-6.525GHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.08668G	44.23	68.20	-23.97	15.60	3	Vertical	276	1.50	28.63	39.93	9.04	33.37
PK	13.08456G	55.99	88.20	-32.21	15.60	3	Vertical	276	1.50	40.39	39.93	9.04	33.37

6.425-6.525GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX

6545MHz Straddle 6.425-6.525GHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.08724G	44.16	68.20	-24.04	15.60	3	Horizontal	72	1.06	28.56	39.93	9.04	33.37
PK	13.08708G	56.08	88.20	-32.12	15.60	3	Horizontal	72	1.06	40.48	39.93	9.04	33.37





6.525-6.875GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX


6625MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.6154G	93.84	Inf	-Inf	7.88	3	Vertical	350	2.86	85.96	35.86	6.55	34.53
AV	7.2082G	49.42	68.20	-18.78	9.02	3	Vertical	350	2.86	40.40	37.02	6.76	34.76
PK	6.6058G	102.51	Inf	-Inf	7.84	3	Vertical	350	2.86	94.67	35.82	6.55	34.53
PK	7.1602G	59.93	88.20	-28.27	8.82	3	Vertical	350	2.86	51.11	36.84	6.74	34.76

6.525-6.875GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX

6625MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.6202G	98.06	Inf	-Inf	7.90	3	Horizontal	51	1.59	90.16	35.88	6.55	34.53
AV	7.1866G	49.50	68.20	-18.70	8.94	3	Horizontal	51	1.59	40.56	36.95	6.75	34.76
PK	6.6082G	108.04	Inf	-Inf	7.85	3	Horizontal	51	1.59	100.19	35.83	6.55	34.53
PK	7.2202G	60.40	88.20	-27.80	9.03	3	Horizontal	51	1.59	51.37	37.04	6.76	34.77



6.525-6.875GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX


6625MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.24488G	44.05	68.20	-24.15	15.93	3	Vertical	360	1.71	28.12	39.96	9.08	33.11
PK	13.2414G	55.17	88.20	-33.03	15.93	3	Vertical	360	1.71	39.24	39.96	9.08	33.11

6.525-6.875GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX

6625MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.24172G	44.16	68.20	-24.04	15.93	3	Horizontal	270	2.71	28.23	39.96	9.08	33.11
PK	13.24348G	56.40	88.20	-31.80	15.93	3	Horizontal	270	2.71	40.47	39.96	9.08	33.11



6.525-6.875GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX


6705MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.703G	93.19	Inf	-Inf	7.99	3	Vertical	354	2.89	85.20	36.00	6.57	34.58
AV	7.201G	49.50	68.20	-18.70	8.99	3	Vertical	354	2.89	40.51	37.00	6.75	34.76
PK	6.693G	102.56	Inf	-Inf	7.99	3	Vertical	354	2.89	94.57	36.00	6.56	34.57
PK	7.163G	60.11	88.20	-28.09	8.83	3	Vertical	354	2.89	51.28	36.85	6.74	34.76

6.525-6.875GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX

6705MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.703G	98.73	Inf	-Inf	7.99	3	Horizontal	41	2.39	90.74	36.00	6.57	34.58
AV	7.201G	49.50	68.20	-18.70	8.99	3	Horizontal	41	2.39	40.51	37.00	6.75	34.76
PK	6.703G	108.39	Inf	-Inf	7.99	3	Horizontal	41	2.39	100.40	36.00	6.57	34.58
PK	7.141G	60.24	88.20	-27.96	8.72	3	Horizontal	41	2.39	51.52	36.75	6.73	34.76



6.525-6.875GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX


6705MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.41816G	44.49	68.20	-23.71	16.64	3	Vertical	339	1.87	27.85	40.32	9.14	32.82
PK	13.40188G	53.71	88.20	-34.49	16.58	3	Vertical	339	1.87	37.13	40.30	9.13	32.85

6.525-6.875GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX

6705MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.41696G	44.51	68.20	-23.69	16.63	3	Horizontal	24	1.27	27.88	40.32	9.14	32.83
PK	13.41932G	55.03	88.20	-33.17	16.64	3	Horizontal	24	1.27	38.39	40.32	9.14	32.82



6.525-6.875GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX


6785MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.7864G	92.54	Inf	-Inf	7.96	3	Vertical	350	2.93	84.58	36.00	6.58	34.62
AV	7.1322G	49.10	68.20	-19.10	8.66	3	Vertical	350	2.93	40.44	36.69	6.73	34.76
PK	6.7864G	102.75	Inf	-Inf	7.96	3	Vertical	350	2.93	94.79	36.00	6.58	34.62
PK	7.1308G	59.43	88.20	-28.77	8.65	3	Vertical	350	2.93	50.78	36.68	6.73	34.76

6.525-6.875GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX


6785MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.7724G	98.15	Inf	-Inf	7.96	3	Horizontal	44	2.42	90.19	36.00	6.58	34.62
AV	7.1322G	49.07	68.20	-19.13	8.66	3	Horizontal	44	2.42	40.41	36.69	6.73	34.76
PK	6.792G	109.15	Inf	-Inf	7.95	3	Horizontal	44	2.42	101.20	36.00	6.58	34.63
PK	7.1336G	60.06	88.20	-28.14	8.67	3	Horizontal	44	2.42	51.39	36.70	6.73	34.76


6.525-6.875GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX

6785MHz\_TX



6.525-6.875GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX


6785MHz\_TX





6.525-6.875GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX


6865MHz Straddle 6.525-6.875GHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.8748G	93.68	Inf	-Inf	7.85	3	Vertical	4	1.98	85.83	35.90	6.62	34.67
AV	7.215G	49.46	68.20	-18.74	9.02	3	Vertical	4	1.98	40.44	37.03	6.76	34.77
PK	6.865G	104.11	Inf	-Inf	7.84	3	Vertical	4	1.98	96.27	35.90	6.61	34.67
PK	7.1268G	59.84	88.20	-28.36	8.62	3	Vertical	4	1.98	51.22	36.66	6.72	34.76

6.525-6.875GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX

6865MHz Straddle 6.525-6.875GHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.8622G	97.95	Inf	-Inf	7.84	3	Horizontal	47	1.50	90.11	35.90	6.61	34.67
AV	7.2024G	49.59	68.20	-18.61	8.99	3	Horizontal	47	1.50	40.60	37.00	6.75	34.76
PK	6.8748G	108.03	Inf	-Inf	7.85	3	Horizontal	47	1.50	100.18	35.90	6.62	34.67
PK	7.1674G	60.59	88.20	-27.61	8.85	3	Horizontal	47	1.50	51.74	36.87	6.74	34.76



6.525-6.875GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX


6865MHz Straddle 6.525-6.875GHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.72252G	45.08	68.20	-23.12	16.66	3	Vertical	358	2.71	28.42	40.20	9.23	32.77
PK	13.72844G	56.00	88.20	-32.20	16.65	3	Vertical	358	2.71	39.35	40.20	9.23	32.78

6.525-6.875GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX

6865MHz Straddle 6.525-6.875GHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.73212G	45.19	68.20	-23.01	16.65	3	Horizontal	69	2.34	28.54	40.20	9.23	32.78
PK	13.72124G	56.35	88.20	-31.85	16.66	3	Horizontal	69	2.34	39.69	40.20	9.23	32.77





6.875-7.125GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX


6945MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.9342G	95.25	Inf	-Inf	7.92	3	Vertical	6	2.05	87.33	35.97	6.65	34.70
AV	7.2102G	49.60	68.20	-18.60	9.01	3	Vertical	6	2.05	40.59	37.02	6.76	34.77
PK	6.9246G	105.32	Inf	-Inf	7.89	3	Vertical	6	2.05	97.43	35.95	6.64	34.70
PK	7.1562G	61.03	88.20	-27.17	8.79	3	Vertical	6	2.05	52.24	36.82	6.73	34.76

6.875-7.125GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX

6945MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.9438G	98.97	Inf	-Inf	7.93	3	Horizontal	44	1.50	91.04	35.99	6.65	34.71
AV	7.2354G	49.66	68.20	-18.54	9.07	3	Horizontal	44	1.50	40.59	37.07	6.77	34.77
PK	6.9534G	109.39	Inf	-Inf	7.95	3	Horizontal	44	1.50	101.44	36.00	6.66	34.71
PK	7.1298G	61.14	88.20	-27.06	8.65	3	Horizontal	44	1.50	52.49	36.68	6.73	34.76



6.875-7.125GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX


6945MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.8852G	44.64	68.20	-23.56	16.55	3	Vertical	130	2.19	28.09	40.11	9.28	32.84
PK	13.89536G	56.03	88.20	-32.17	16.54	3	Vertical	130	2.19	39.49	40.10	9.28	32.84

6.875-7.125GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX

6945MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.89908G	44.57	68.20	-23.63	16.54	3	Horizontal	172	1.38	28.03	40.10	9.28	32.84
PK	13.89684G	56.11	88.20	-32.09	16.54	3	Horizontal	172	1.38	39.57	40.10	9.28	32.84



6.875-7.125GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX


7025MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.0154G	96.26	Inf	-Inf	8.01	3	Vertical	5	1.84	-	88.25	36.06	6.69	34.74
AV	7.1708G	49.49	68.20	-18.71	8.86	3	Vertical	5	1.84	-	40.63	36.88	6.74	34.76
PK	7.004G	106.79	Inf	-Inf	7.96	3	Vertical	5	1.84	-	98.83	36.02	6.68	34.74
PK	7.1414G	60.88	88.20	-27.32	8.72	3	Vertical	5	1.84	-	52.16	36.75	6.73	34.76

6.875-7.125GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX

7025MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.0226G	100.26	Inf	-Inf	8.04	3	Horizontal	47	1.68	-	92.22	36.09	6.69	34.74
AV	7.1312G	49.66	68.20	-18.54	8.66	3	Horizontal	47	1.68	-	41.00	36.69	6.73	34.76
PK	7.0226G	110.75	Inf	-Inf	8.04	3	Horizontal	47	1.68	-	102.71	36.09	6.69	34.74
PK	7.133G	61.08	88.20	-27.12	8.67	3	Horizontal	47	1.68	-	52.41	36.70	6.73	34.76



6.875-7.125GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX


7025MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.0442G	45.19	68.20	-23.01	16.82	3	Vertical	0	2.77	-	28.37	40.43	9.32	32.93
PK	14.04276G	56.11	88.20	-32.09	16.82	3	Vertical	0	2.77	-	39.29	40.43	9.32	32.93

6.875-7.125GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX

7025MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.04908G	45.23	68.20	-22.97	16.84	3	Horizontal	84	1.99	-	28.39	40.45	9.33	32.94
PK	14.05068G	56.44	88.20	-31.76	16.84	3	Horizontal	84	1.99	-	39.60	40.45	9.33	32.94



5.925-6.425GHz\_802.11ax HEW160\_Nss1,(MCS0)\_2TX


6025MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.919G	48.34	68.20	-19.86	5.93	3	Vertical	42	2.97	42.41	34.20	6.26	34.53
AV	6.05G	93.04	Inf	-Inf	5.89	3	Vertical	42	2.97	87.15	34.10	6.31	34.52
PK	5.922G	60.36	88.20	-27.84	5.93	3	Vertical	42	2.97	54.43	34.20	6.26	34.53
PK	6.03G	103.68	Inf	-Inf	5.89	3	Vertical	42	2.97	97.79	34.10	6.31	34.52

5.925-6.425GHz\_802.11ax HEW160\_Nss1,(MCS0)\_2TX

6025MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.925G	50.58	68.20	-17.62	5.93	3	Horizontal	292	1.50	44.65	34.20	6.26	34.53
AV	6.057G	95.93	Inf	-Inf	5.90	3	Horizontal	292	1.50	90.03	34.10	6.31	34.51
PK	5.924G	61.32	88.20	-26.88	5.93	3	Horizontal	292	1.50	55.39	34.20	6.26	34.53
PK	6.058G	106.79	Inf	-Inf	5.90	3	Horizontal	292	1.50	100.89	34.10	6.31	34.51



5.925-6.425GHz\_802.11ax HEW160\_Nss1,(MCS0)\_2TX


6025MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.05744G	42.24	54.00	-11.76	13.05	3	Vertical	71	2.83	29.19	39.01	8.73	34.69
PK	12.05808G	53.27	74.00	-20.73	13.06	3	Vertical	71	2.83	40.21	39.02	8.73	34.69

5.925-6.425GHz\_802.11ax HEW160\_Nss1,(MCS0)\_2TX

6025MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.05232G	42.18	54.00	-11.82	13.04	3	Horizontal	99	2.25	29.14	39.00	8.73	34.69
PK	12.04976G	53.94	74.00	-20.06	13.02	3	Horizontal	99	2.25	40.92	39.00	8.72	34.70



5.925-6.425GHz\_802.11ax HEW160\_Nss1,(MCS0)\_2TX


6185MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9002G	46.34	68.20	-21.86	5.92	3	Vertical	36	3.00	40.42	34.20	6.25	34.53
AV	6.201G	93.64	Inf	-Inf	6.04	3	Vertical	36	3.00	87.60	34.20	6.34	34.50
PK	5.873G	57.88	88.20	-30.32	5.80	3	Vertical	36	3.00	52.08	34.09	6.24	34.53
PK	6.193G	103.35	Inf	-Inf	6.04	3	Vertical	36	3.00	97.31	34.20	6.34	34.50

5.925-6.425GHz\_802.11ax HEW160\_Nss1,(MCS0)\_2TX

6185MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.913G	46.57	68.20	-21.63	5.93	3	Horizontal	313	1.84	40.64	34.20	6.26	34.53
AV	6.2042G	97.78	Inf	-Inf	6.06	3	Horizontal	313	1.84	91.72	34.22	6.34	34.50
PK	5.9098G	58.04	88.20	-30.16	5.92	3	Horizontal	313	1.84	52.12	34.20	6.25	34.53
PK	6.2042G	107.96	Inf	-Inf	6.06	3	Horizontal	313	1.84	101.90	34.22	6.34	34.50



5.925-6.425GHz\_802.11ax HEW160\_Nss1,(MCS0)\_2TX


6185MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.36964G	42.64	54.00	-11.36	13.35	3	Vertical	333	1.30	29.29	39.00	8.82	34.47
PK	12.37924G	54.51	74.00	-19.49	13.36	3	Vertical	333	1.30	41.15	39.00	8.82	34.46

5.925-6.425GHz\_802.11ax HEW160\_Nss1,(MCS0)\_2TX

6185MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.36992G	42.75	54.00	-11.25	13.35	3	Horizontal	35	1.38	29.40	39.00	8.82	34.47
PK	12.36184G	54.53	74.00	-19.47	13.34	3	Horizontal	35	1.38	41.19	39.00	8.82	34.48





5.925-6.425GHz\_802.11ax HEW160\_Nss1,(MCS0)\_2TX


6345MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9082G	46.30	68.20	-21.90	5.92	3	Vertical	36	3.00	40.38	34.20	6.25	34.53
AV	6.333G	94.31	Inf	-Inf	6.44	3	Vertical	36	3.00	87.87	34.53	6.40	34.49
PK	5.9154G	56.84	88.20	-31.36	5.93	3	Vertical	36	3.00	50.91	34.20	6.26	34.53
PK	6.3642G	104.67	Inf	-Inf	6.59	3	Vertical	36	3.00	98.08	34.66	6.41	34.48

5.925-6.425GHz\_802.11ax HEW160\_Nss1,(MCS0)\_2TX

6345MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.901G	46.35	68.20	-21.85	5.92	3	Horizontal	307	1.96	40.43	34.20	6.25	34.53
AV	6.3378G	97.91	Inf	-Inf	6.46	3	Horizontal	307	1.96	91.45	34.55	6.40	34.49
PK	5.7474G	57.45	88.20	-30.75	5.30	3	Horizontal	307	1.96	52.15	33.68	6.16	34.54
PK	6.3354G	107.73	Inf	-Inf	6.45	3	Horizontal	307	1.96	101.28	34.54	6.40	34.49



5.925-6.425GHz\_802.11ax HEW160\_Nss1,(MCS0)\_2TX


6345MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.69424G	43.36	54.00	-10.64	14.36	3	Vertical	92	1.03	29.00	39.48	8.92	34.04
PK	12.69088G	52.17	74.00	-21.83	14.34	3	Vertical	92	1.03	37.83	39.47	8.92	34.05

5.925-6.425GHz\_802.11ax HEW160\_Nss1,(MCS0)\_2TX

6345MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.684G	43.34	54.00	-10.66	14.31	3	Horizontal	145	1.90	29.03	39.45	8.92	34.06
PK	12.69436G	53.10	74.00	-20.90	14.36	3	Horizontal	145	1.90	38.74	39.48	8.92	34.04



6.425-6.525GHz\_802.11ax HEW160\_Nss1,(MCS0)\_2TX


6505MHz Straddle 6.425-6.525GHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9086G	46.26	68.20	-21.94	5.92	3	Vertical	13	2.92	40.34	34.20	6.25	34.53
AV	6.4826G	92.76	Inf	-Inf	7.14	3	Vertical	13	2.92	85.62	35.13	6.48	34.47
AV	7.1994G	49.24	68.20	-18.96	8.99	3	Vertical	13	2.92	40.25	37.00	6.75	34.76
PK	5.8078G	57.08	88.20	-31.12	5.58	3	Vertical	13	2.92	51.50	33.92	6.20	34.54
PK	6.4742G	102.20	Inf	-Inf	7.10	3	Vertical	13	2.92	95.10	35.10	6.47	34.47
PK	7.177G	59.72	88.20	-28.48	8.89	3	Vertical	13	2.92	50.83	36.91	6.74	34.76

6.425-6.525GHz\_802.11ax HEW160\_Nss1,(MCS0)\_2TX

6505MHz Straddle 6.425-6.525GHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9002G	46.27	68.20	-21.93	5.92	3	Horizontal	47	1.88	40.35	34.20	6.25	34.53
AV	6.4798G	96.96	Inf	-Inf	7.13	3	Horizontal	47	1.88	89.83	35.12	6.48	34.47
AV	7.2022G	49.29	68.20	-18.91	8.99	3	Horizontal	47	1.88	40.30	37.00	6.75	34.76
PK	5.9002G	57.33	88.20	-30.87	5.92	3	Horizontal	47	1.88	51.41	34.20	6.25	34.53
PK	6.4714G	107.29	Inf	-Inf	7.09	3	Horizontal	47	1.88	100.20	35.09	6.47	34.47
PK	7.1994G	60.31	88.20	-27.89	8.99	3	Horizontal	47	1.88	51.32	37.00	6.75	34.76



6.425-6.525GHz\_802.11ax HEW160\_Nss1,(MCS0)\_2TX


6505MHz Straddle 6.425-6.525GHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.01548G	43.95	68.20	-24.25	15.60	3	Vertical	170	2.07	28.35	40.07	9.01	33.48
PK	13.01084G	54.76	88.20	-33.44	15.60	3	Vertical	170	2.07	39.16	40.08	9.01	33.49

6.425-6.525GHz\_802.11ax HEW160\_Nss1,(MCS0)\_2TX

6505MHz Straddle 6.425-6.525GHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.00084G	43.92	68.20	-24.28	15.60	3	Horizontal	125	1.06	28.32	40.10	9.01	33.51
PK	13.01556G	55.10	88.20	-33.10	15.60	3	Horizontal	125	1.06	39.50	40.07	9.01	33.48



6.525-6.875GHz\_802.11ax HEW160\_Nss1,(MCS0)\_2TX


6665MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.643G	92.98	Inf	-Inf	7.98	3	Vertical	352	2.83	85.00	35.97	6.56	34.55
AV	7.1886G	49.32	68.20	-18.88	8.94	3	Vertical	352	2.83	40.38	36.95	6.75	34.76
PK	6.643G	103.24	Inf	-Inf	7.98	3	Vertical	352	2.83	95.26	35.97	6.56	34.55
PK	7.1864G	60.74	88.20	-27.46	8.94	3	Vertical	352	2.83	51.80	36.95	6.75	34.76

6.525-6.875GHz\_802.11ax HEW160\_Nss1,(MCS0)\_2TX

6665MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.6606G	97.42	Inf	-Inf	8.00	3	Horizontal	49	1.56	89.42	36.00	6.56	34.56
AV	7.2128G	49.28	68.20	-18.92	9.02	3	Horizontal	49	1.56	40.26	37.03	6.76	34.77
PK	6.632G	107.23	Inf	-Inf	7.94	3	Horizontal	49	1.56	99.29	35.93	6.55	34.54
PK	7.1798G	60.51	88.20	-27.69	8.90	3	Horizontal	49	1.56	51.61	36.92	6.74	34.76



6.525-6.875GHz\_802.11ax HEW160\_Nss1,(MCS0)\_2TX


6665MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.33572G	44.07	54.00	-9.93	16.19	3	Vertical	240	2.05	27.88	40.04	9.11	32.96
PK	13.33268G	55.27	74.00	-18.73	16.18	3	Vertical	240	2.05	39.09	40.03	9.11	32.96

6.525-6.875GHz\_802.11ax HEW160\_Nss1,(MCS0)\_2TX

6665MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.33992G	44.05	54.00	-9.95	16.22	3	Horizontal	137	1.34	27.83	40.06	9.11	32.95
PK	13.33596G	56.10	74.00	-17.90	16.19	3	Horizontal	137	1.34	39.91	40.04	9.11	32.96



6.525-6.875GHz\_802.11ax HEW160\_Nss1,(MCS0)\_2TX


6825MHz Straddle 6.525-6.875GHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.8554G	91.15	Inf	-Inf	7.85	3	Vertical	350	3.00	83.30	35.90	6.61	34.66
AV	7.217G	49.41	68.20	-18.79	9.02	3	Vertical	350	3.00	40.39	37.03	6.76	34.77
PK	6.857G	101.74	Inf	-Inf	7.85	3	Vertical	350	3.00	93.89	35.90	6.61	34.66
PK	7.1994G	60.06	88.20	-28.14	8.99	3	Vertical	350	3.00	51.07	37.00	6.75	34.76

6.525-6.875GHz\_802.11ax HEW160\_Nss1,(MCS0)\_2TX

6825MHz Straddle 6.525-6.875GHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.8426G	97.63	Inf	-Inf	7.85	3	Horizontal	43	2.40	89.78	35.91	6.60	34.66
AV	7.201G	49.35	68.20	-18.85	8.99	3	Horizontal	43	2.40	40.36	37.00	6.75	34.76
PK	6.8122G	108.20	Inf	-Inf	7.93	3	Horizontal	43	2.40	100.27	35.98	6.59	34.64
PK	7.201G	60.62	88.20	-27.58	8.99	3	Horizontal	43	2.40	51.63	37.00	6.75	34.76



6.525-6.875GHz\_802.11ax HEW160\_Nss1,(MCS0)\_2TX


6825MHz Straddle 6.525-6.875GHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.65652G	45.20	68.20	-23.00	16.70	3	Vertical	99	1.06	28.50	40.24	9.21	32.75
PK	13.64856G	56.84	88.20	-31.36	16.70	3	Vertical	99	1.06	40.14	40.25	9.20	32.75

6.525-6.875GHz\_802.11ax HEW160\_Nss1,(MCS0)\_2TX

6825MHz Straddle 6.525-6.875GHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.64816G	45.17	68.20	-23.03	16.70	3	Horizontal	313	2.58	28.47	40.25	9.20	32.75
PK	13.64368G	57.20	88.20	-31.00	16.72	3	Horizontal	313	2.58	40.48	40.26	9.20	32.74





6.875-7.125GHz\_802.11ax HEW160\_Nss1,(MCS0)\_2TX


6985MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.964G	93.78	Inf	-Inf	7.94	3	Vertical	6	1.93	85.84	36.00	6.66	34.72
AV	7.125G	49.83	68.20	-18.37	8.61	3	Vertical	6	1.93	41.22	36.65	6.72	34.76
PK	7.005G	104.54	Inf	-Inf	7.96	3	Vertical	6	1.93	96.58	36.02	6.68	34.74
PK	7.125G	61.00	88.20	-27.20	8.61	3	Vertical	6	1.93	52.39	36.65	6.72	34.76

6.875-7.125GHz\_802.11ax HEW160\_Nss1,(MCS0)\_2TX

6985MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.963G	97.56	Inf	-Inf	7.94	3	Horizontal	44	1.50	89.62	36.00	6.66	34.72
AV	7.134G	51.35	68.20	-16.85	8.67	3	Horizontal	44	1.50	42.68	36.70	6.73	34.76
PK	6.954G	108.84	Inf	-Inf	7.94	3	Horizontal	44	1.50	100.90	36.00	6.66	34.72
PK	7.207G	62.13	88.20	-26.07	9.00	3	Horizontal	44	1.50	53.13	37.01	6.75	34.76



6.875-7.125GHz\_802.11ax HEW160\_Nss1,(MCS0)\_2TX


6985MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.96036G	44.79	68.20	-23.41	16.66	3	Vertical	109	1.85	28.13	40.22	9.30	32.86
PK	13.9754G	55.93	88.20	-32.27	16.68	3	Vertical	109	1.85	39.25	40.25	9.30	32.87

6.875-7.125GHz\_802.11ax HEW160\_Nss1,(MCS0)\_2TX

6985MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.96908G	44.75	68.20	-23.45	16.67	3	Horizontal	37	2.04	28.08	40.24	9.30	32.87
PK	13.9736G	56.47	88.20	-31.73	16.68	3	Horizontal	37	2.04	39.79	40.25	9.30	32.87



Antenna Gain(dBi)			
UNII5	UNII6	UNII7	UNII8
5.17	4.29	5.79	4.94

Contention Based protocol (802.11ax HEW20)											
UNII Band	Test Channel	Bandwidth (MHz)	Frequency (MHz)	Intetference frequency (MHz)		AWGN Threshold Level (dBm)	EUT Status	Number of Detected (out of 10 times)	Detection Probability (%)	Limit (%)	Test Result
5	53	20	6215	Center	6215	-72.17	OFF	10	100	90	Pass
6	101	20	6455	Center	6455	-70.29	OFF	10	100	90	Pass
7	149	20	6695	Center	6695	-72.79	OFF	10	100	90	Pass
8	213	20	7015	Center	7015	-69.94	OFF	10	100	90	Pass

Contention Based protocol (802.11ax HEW160)											
UNII Band	Test Channel	Bandwidth (MHz)	Frequency (MHz)	Intetference frequency (MHz)		AWGN Threshold Level (dBm)	EUT Status	Number of Detected (out of 10 times)	Detection Probability (%)	Limit (%)	Test Result
5	47	160	6185	Low edge	6110	-69.17	OFF	10	100	90	Pass
				Center	6185	-67.17	OFF	10	100	90	Pass
				High edge	6260	-69.17	OFF	10	100	90	Pass
6	111	160	6505	Low edge	6430	-70.29	OFF	10	100	90	Pass
				Center	6505	-61.29	OFF	10	100	90	Pass
				High edge	6580	-64.29	OFF	10	100	90	Pass
7	143	160	6665	Low edge	6590	-65.79	OFF	10	100	90	Pass
				Center	6665	-66.79	OFF	10	100	90	Pass
				High edge	6740	-70.79	OFF	10	100	90	Pass
8	207	160	6985	Low edge	6910	-70.94	OFF	10	100	90	Pass
				Center	6985	-67.94	OFF	10	100	90	Pass
				High edge	7060	-67.94	OFF	10	100	90	Pass



Contention Based Protocol Threshold Level (802.11ax HEW20)										
UNII Band	Test Channel	Bandwidth (MHz)	Frequency (MHz)	Intefference frequency (MHz)		EUT Status	Injected AWGN Power (dBm)	Ant Gain (dBi)	Detection Power(dBm)	Detection Limit (dBm)
5	53	20	6215	Center	6215	OFF	-67.00	5.17	-72.17	≤ -62
						Minimal	-68.00	5.17	-73.17	≤ -62
						ON	-69.00	5.17	-74.17	≤ -62
6	101	20	6455	Center	6455	OFF	-66.00	4.29	-70.29	≤ -62
						Minimal	-67.00	4.29	-71.29	≤ -62
						ON	-68.00	4.29	-72.29	≤ -62
7	149	20	6695	Center	6695	OFF	-67.00	5.79	-72.79	≤ -62
						Minimal	-68.00	5.79	-73.79	≤ -62
						ON	-69.00	5.79	-74.79	≤ -62
8	213	20	7015	Center	7015	OFF	-65.00	4.94	-69.94	≤ -62
						Minimal	-66.00	4.94	-70.94	≤ -62
						ON	-67.00	4.94	-71.94	≤ -62



Contention Based Protocol Threshold Level (802.11ax HEW160)										
UNII Band	Test Channel	Bandwidth (MHz)	Frequency (MHz)	Intetference frequency (MHz)		EUT Status	Injected AWGN Power (dBm)	Ant Gain (dBi)	Detection Power(dBm)	Detection Limit (dBm)
5	47	160	6185	Low edge	6110	OFF	-64.00	5.17	-69.17	≤ -62
						Minimal	-65.00	5.17	-70.17	
						ON	-66.00	5.17	-71.17	
				Center	6185	OFF	-62.00	5.17	-67.17	≤ -62
						Minimal	-63.00	5.17	-68.17	
						ON	-64.00	5.17	-69.17	
				High edge	6260	OFF	-64.00	5.17	-69.17	≤ -62
						Minimal	-65.00	5.17	-70.17	
						ON	-66.00	5.17	-71.17	
6	111	160	6505	Low edge	6430	OFF	-66.00	4.29	-70.29	≤ -62
						Minimal	-67.00	4.29	-71.29	
						ON	-68.00	4.29	-72.29	
				Center	6505	OFF	-57.00	4.29	-61.29	≤ -62
						Minimal	-58.00	4.29	-62.29	
						ON	-59.00	4.29	-63.29	
				High edge	6580	OFF	-60.00	4.29	-64.29	≤ -62
						Minimal	-61.00	4.29	-65.29	
						ON	-62.00	4.29	-66.29	
7	143	160	6665	Low edge	6590	OFF	-60.00	5.79	-65.79	≤ -62
						Minimal	-61.00	5.79	-66.79	
						ON	-62.00	5.79	-67.79	
				Center	6665	OFF	-61.00	5.79	-66.79	≤ -62
						Minimal	-62.00	5.79	-67.79	
						ON	-63.00	5.79	-68.79	
				High edge	6740	OFF	-65.00	5.79	-70.79	≤ -62
						Minimal	-66.00	5.79	-71.79	
						ON	-67.00	5.79	-72.79	
8	207	160	6985	Low edge	6910	OFF	-66.00	4.94	-70.94	≤ -62
						Minimal	-67.00	4.94	-71.94	
						ON	-68.00	4.94	-72.94	
				Center	6985	OFF	-63.00	4.94	-67.94	≤ -62
						Minimal	-64.00	4.94	-68.94	
						ON	-65.00	4.94	-69.94	
				High edge	7060	OFF	-63.00	4.94	-67.94	≤ -62
						Minimal	-64.00	4.94	-68.94	
						ON	-65.00	4.94	-69.94	