





Summary



| Mode | Result | Ref (Hz) | Ref (dBm) | Limit (dBm) | Freq (Hz) | Level (dBm) | Freq (Hz) | Level (dBm) | Freq (Hz) | Level (dBm) | Freq (Hz) | Level (dBm) | Freq (Hz) | Level (dBm) | Port |
|--------------------------------|--------|----------|-----------|-------------|-----------|-------------|-----------|-------------|-----------|-------------|-----------|-------------|-----------|-------------|------|
| 2.4-2.4835GHz | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 802.11b_Nss1,(1Mbps)_2TX | Pass | 2.41336G | 8.47 | -21.53 | 31.17M | -54.31 | 2.39856G | -45.11 | 2.4G | -43.77 | 2.50318G | -52.59 | 23.22998G | -42.01 | 2 |
| 802.11g_Nss1,(6Mbps)_2TX | Pass | 2.41703G | 6.31 | -23.69 | 2.13749G | -53.62 | 2.39992G | -32.07 | 2.4G | -30.52 | 2.51134G | -52.76 | 16.41117G | -41.74 | 2 |
| 802.11ax HEW20_Nss1,(MCS0)_2TX | Pass | 2.41453G | 6.14 | -23.86 | 2.16428G | -53.71 | 2.39992G | -28.81 | 2.4G | -30.28 | 2.5203G | -52.03 | 23.51936G | -41.56 | 2 |
| 802.11ax HEW40_Nss1,(MCS0)_2TX | Pass | 2.4319G | 1.95 | -28.05 | 1.96505G | -54.24 | 2.39952G | -37.46 | 2.4G | -35.36 | 2.50654G | -52.32 | 16.57509G | -41.99 | 2 |







Result



| Mode | Result | Ref (Hz) | Ref (dBm) | Limit (dBm) | Freq (Hz) | Level (dBm) | Freq (Hz) | Level (dBm) | Freq (Hz) | Level (dBm) | Freq (Hz) | Level (dBm) | Freq (Hz) | Level (dBm) | Port |
|--------------------------------|--------|----------|-----------|-------------|-----------|-------------|-----------|-------------|-----------|-------------|-----------|-------------|-----------|-------------|------|
| 802.11b_Nss1,(1Mbps)_2TX | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 2412MHz | Pass | 2.41336G | 8.47 | -21.53 | 2.13632G | -53.68 | 2.4G | -46.20 | 2.4G | -44.60 | 2.50486G | -52.84 | 23.55869G | -42.42 | 1 |
| 2412MHz | Pass | 2.41336G | 8.47 | -21.53 | 31.17M | -54.31 | 2.39856G | -45.11 | 2.4G | -43.77 | 2.50318G | -52.59 | 23.22998G | -42.01 | 2 |
| 2437MHz | Pass | 2.41336G | 8.47 | -21.53 | 2.30292G | -54.66 | 2.4G | -51.92 | 2.4G | -52.51 | 2.50014G | -52.70 | 24.52518G | -42.29 | 1 |
| 2437MHz | Pass | 2.41336G | 8.47 | -21.53 | 2.13632G | -54.33 | 2.3984G | -53.38 | 2.4G | -55.57 | 2.51302G | -52.65 | 16.35498G | -42.33 | 2 |
| 2462MHz | Pass | 2.41336G | 8.47 | -21.53 | 1.99186G | -54.37 | 2.4G | -51.59 | 2.4G | -52.85 | 2.50222G | -52.43 | 24.95505G | -41.94 | 1 |
| 2462MHz | Pass | 2.41336G | 8.47 | -21.53 | 2.11885G | -54.34 | 2.3992G | -54.15 | 2.4G | -55.02 | 2.50646G | -52.91 | 16.8607G | -41.81 | 2 |
| 802.11g_Nss1,(6Mbps)_2TX | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 2412MHz | Pass | 2.41703G | 6.31 | -23.69 | 1.95575G | -53.86 | 2.39984G | -34.37 | 2.4G | -32.09 | 2.51126G | -52.50 | 23.48284G | -42.20 | 1 |
| 2412MHz | Pass | 2.41703G | 6.31 | -23.69 | 2.13749G | -53.62 | 2.3992G | -32.07 | 2.4G | -30.52 | 2.51134G | -52.76 | 16.41117G | -41.74 | 2 |
| 2437MHz | Pass | 2.41703G | 6.31 | -23.69 | 2.14797G | -54.47 | 2.4G | -50.16 | 2.4G | -50.99 | 2.50254G | -52.71 | 16.54322G | -41.20 | 1 |
| 2437MHz | Pass | 2.41703G | 6.31 | -23.69 | 2.13516G | -54.22 | 2.39656G | -52.34 | 2.4G | -53.61 | 2.50982G | -52.27 | 14.96424G | -41.66 | 2 |
| 2462MHz | Pass | 2.41703G | 6.31 | -23.69 | 2.13283G | -53.63 | 2.4G | -51.16 | 2.4G | -50.71 | 2.50022G | -52.77 | 14.50628G | -41.21 | 1 |
| 2462MHz | Pass | 2.41703G | 6.31 | -23.69 | 2.13632G | -53.66 | 2.3992G | -52.80 | 2.4G | -54.31 | 2.51814G | -52.85 | 24.60104G | -42.17 | 2 |
| 802.11ax HEW20_Nss1,(MCS0)_2TX | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 2412MHz | Pass | 2.41453G | 6.14 | -23.86 | 2.13982G | -54.54 | 2.39984G | -30.44 | 2.4G | -32.17 | 2.50598G | -52.67 | 24.49709G | -41.97 | 1 |
| 2412MHz | Pass | 2.41453G | 6.14 | -23.86 | 2.16428G | -53.71 | 2.3992G | -28.81 | 2.4G | -30.28 | 2.5203G | -52.03 | 23.51936G | -41.56 | 2 |
| 2437MHz | Pass | 2.41453G | 6.14 | -23.86 | 2.10953G | -53.54 | 2.4G | -50.11 | 2.4G | -49.62 | 2.50118G | -52.89 | 24.61228G | -41.99 | 1 |
| 2437MHz | Pass | 2.41453G | 6.14 | -23.86 | 2.11186G | -53.25 | 2.3984G | -50.55 | 2.4G | -51.46 | 2.5171G | -52.55 | 14.80972G | -41.91 | 2 |
| 2462MHz | Pass | 2.41453G | 6.14 | -23.86 | 2.30408G | -54.11 | 2.4G | -50.85 | 2.4G | -50.11 | 2.5007G | -52.42 | 23.20469G | -41.96 | 1 |
| 2462MHz | Pass | 2.41453G | 6.14 | -23.86 | 2.11652G | -54.45 | 2.3936G | -52.81 | 2.4G | -53.15 | 2.51422G | -52.73 | 16.7146G | -42.19 | 2 |
| 802.11ax HEW40_Nss1,(MCS0)_2TX | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 2422MHz | Pass | 2.4319G | 1.95 | -28.05 | 2.10589G | -53.82 | 2.4G | -39.35 | 2.4G | -38.10 | 2.51678G | -50.88 | 24.47835G | -42.14 | 1 |
| 2422MHz | Pass | 2.4319G | 1.95 | -28.05 | 1.96505G | -54.24 | 2.39952G | -37.46 | 2.4G | -35.36 | 2.50654G | -52.32 | 16.57509G | -41.99 | 2 |
| 2437MHz | Pass | 2.4319G | 1.95 | -28.05 | 2.16199G | -53.98 | 2.39936G | -42.24 | 2.4G | -43.05 | 2.52798G | -52.31 | 23.17423G | -41.40 | 1 |
| 2437MHz | Pass | 2.4319G | 1.95 | -28.05 | 2.1368G | -53.73 | 2.39872G | -41.37 | 2.4G | -40.71 | 2.50142G | -52.37 | 23.53321G | -42.13 | 2 |
| 2452MHz | Pass | 2.4319G | 1.95 | -28.05 | 2.19062G | -53.92 | 2.4G | -49.90 | 2.4G | -49.89 | 2.50542G | -52.28 | 16.55546G | -39.95 | 1 |
| 2452MHz | Pass | 2.4319G | 1.95 | -28.05 | 2.1597G | -54.52 | 2.39984G | -49.44 | 2.4G | -50.54 | 2.5419G | -53.00 | 23.18264G | -42.06 | 2 |

















Summary

| Mode | Result | Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comments |
|--------------------------------|--------|------|-----------|----------------|----------------|-------------|----------|------------|-------------|------------|----------|
| 2.4-2.4835GHz | - | - | - | - | - | - | - | - | - | - | - |
| 802.11ax HEW20_Nss1,(MCS0)_2TX | Pass | PK | 80.44M | 35.86 | 40.00 | -4.14 | 3 | Horizontal | 0 | 1.00 | - |




Result

| Mode | Result | Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comments |
|--------------------------------|--------|------|-----------|----------------|----------------|-------------|----------|------------|-------------|------------|----------|
| 802.11ax HEW20_Nss1,(MCS0)_2TX | - | - | - | - | - | - | - | - | - | - | - |
| 2437MHz | Pass | PK | 95.96M | 35.81 | 43.50 | -7.69 | 3 | Vertical | 360 | 1.00 | - |
| 2437MHz | Pass | PK | 152.22M | 33.90 | 43.50 | -9.60 | 3 | Vertical | 360 | 1.00 | - |
| 2437MHz | Pass | PK | 575.14M | 31.29 | 46.00 | -14.71 | 3 | Vertical | 360 | 1.00 | - |
| 2437MHz | Pass | PK | 600.36M | 29.53 | 46.00 | -16.47 | 3 | Vertical | 360 | 1.00 | - |
| 2437MHz | Pass | PK | 959.26M | 36.27 | 46.00 | -9.73 | 3 | Vertical | 360 | 1.00 | - |
| 2437MHz | Pass | QP | 30.13M | 34.88 | 40.00 | -5.12 | 3 | Vertical | 213 | 1.00 | - |
| 2437MHz | Pass | PK | 80.44M | 35.86 | 40.00 | -4.14 | 3 | Horizontal | 0 | 1.00 | - |
| 2437MHz | Pass | PK | 94.02M | 36.52 | 43.50 | -6.98 | 3 | Horizontal | 0 | 1.00 | - |
| 2437MHz | Pass | PK | 192.96M | 38.36 | 43.50 | -5.14 | 3 | Horizontal | 0 | 1.00 | - |
| 2437MHz | Pass | PK | 575.14M | 40.00 | 46.00 | -6.00 | 3 | Horizontal | 0 | 1.00 | - |
| 2437MHz | Pass | PK | 600.36M | 41.48 | 46.00 | -4.52 | 3 | Horizontal | 0 | 1.00 | - |
| 2437MHz | Pass | PK | 838.98M | 35.22 | 46.00 | -10.78 | 3 | Horizontal | 0 | 1.00 | - |



2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


2437MHz_PoE



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|------------|---------|---------|---------|
| PK | 95.96M | 35.81 | 43.50 | -7.69 | -20.86 | 3 | Vertical | 360 | 1.00 | 56.67 | 14.71 | 1.09 | 36.66 |
| PK | 152.22M | 33.90 | 43.50 | -9.60 | -18.80 | 3 | Vertical | 360 | 1.00 | 52.70 | 16.24 | 1.39 | 36.43 |
| PK | 575.14M | 31.29 | 46.00 | -14.71 | -9.40 | 3 | Vertical | 360 | 1.00 | 40.69 | 24.96 | 2.75 | 37.11 |
| PK | 600.36M | 29.53 | 46.00 | -16.47 | -9.48 | 3 | Vertical | 360 | 1.00 | 39.01 | 24.73 | 2.88 | 37.09 |
| PK | 959.26M | 36.27 | 46.00 | -9.73 | -3.47 | 3 | Vertical | 360 | 1.00 | 39.74 | 30.07 | 3.77 | 37.31 |
| QP | 30.13M | 34.88 | 40.00 | -5.12 | -12.87 | 3 | Vertical | 213 | 1.00 | 47.75 | 23.62 | 0.71 | 37.20 |

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

2437MHz_PoE



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|------------|---------|---------|---------|
| PK | 80.44M | 35.86 | 40.00 | -4.14 | -23.29 | 3 | Horizontal | 0 | 1.00 | 59.15 | 12.57 | 0.97 | 36.83 |
| PK | 94.02M | 36.52 | 43.50 | -6.98 | -21.24 | 3 | Horizontal | 0 | 1.00 | 57.76 | 14.37 | 1.06 | 36.67 |
| PK | 192.96M | 38.36 | 43.50 | -5.14 | -20.74 | 3 | Horizontal | 0 | 1.00 | 59.10 | 14.02 | 1.58 | 36.34 |
| PK | 575.14M | 40.00 | 46.00 | -6.00 | -9.40 | 3 | Horizontal | 0 | 1.00 | 49.40 | 24.96 | 2.75 | 37.11 |
| PK | 600.36M | 41.48 | 46.00 | -4.52 | -9.48 | 3 | Horizontal | 0 | 1.00 | 50.96 | 24.73 | 2.88 | 37.09 |
| PK | 838.98M | 35.22 | 46.00 | -10.78 | -5.90 | 3 | Horizontal | 0 | 1.00 | 41.12 | 28.18 | 3.50 | 37.58 |



Summary

| Mode | Result | Type | Freq (Hz) | Level (dBUV/m) | Limit (dBUV/m) | Margin (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) |
|--------------------------------|--------|------|-----------|----------------|----------------|-------------|----------|------------|-------------|------------|
| 2.4-2.4835GHz | - | - | - | - | - | - | - | - | - | - |
| 802.11b_Nss1,(1Mbps)_2TX | Pass | AV | 2.4852G | 47.30 | 54.00 | -6.70 | 3 | Horizontal | 303 | 1.59 |
| 802.11g_Nss1,(6Mbps)_2TX | Pass | AV | 2.39G | 53.29 | 54.00 | -0.71 | 3 | Horizontal | 297 | 1.56 |
| 802.11ax HEW20_Nss1,(MCS0)_2TX | Pass | AV | 2.39G | 53.85 | 54.00 | -0.15 | 3 | Horizontal | 285 | 1.96 |
| 802.11ax HEW40_Nss1,(MCS0)_2TX | Pass | AV | 2.3898G | 53.68 | 54.00 | -0.32 | 3 | Horizontal | 300 | 2.03 |



Result

| Mode | Result | Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) |
|--------------------------|--------|------|-----------|----------------|----------------|-------------|----------|------------|-------------|------------|
| 802.11b_Nss1,(1Mbps)_2TX | - | - | - | - | - | - | - | - | - | - |
| 2412MHz | Pass | AV | 2.3796G | 46.23 | 54.00 | -7.77 | 3 | Vertical | 127 | 1.41 |
| 2412MHz | Pass | AV | 2.4128G | 100.65 | Inf | -Inf | 3 | Vertical | 127 | 1.41 |
| 2412MHz | Pass | PK | 2.3892G | 57.12 | 74.00 | -16.88 | 3 | Vertical | 127 | 1.41 |
| 2412MHz | Pass | PK | 2.4128G | 102.49 | Inf | -Inf | 3 | Vertical | 127 | 1.41 |
| 2412MHz | Pass | AV | 2.388G | 46.05 | 54.00 | -7.95 | 3 | Horizontal | 304 | 1.73 |
| 2412MHz | Pass | AV | 2.4128G | 109.54 | Inf | -Inf | 3 | Horizontal | 304 | 1.73 |
| 2412MHz | Pass | PK | 2.3866G | 56.70 | 74.00 | -17.30 | 3 | Horizontal | 304 | 1.73 |
| 2412MHz | Pass | PK | 2.4112G | 111.26 | Inf | -Inf | 3 | Horizontal | 304 | 1.73 |
| 2412MHz | Pass | AV | 4.82394G | 44.16 | 54.00 | -9.84 | 3 | Vertical | 300 | 2.88 |
| 2412MHz | Pass | PK | 4.82394G | 49.15 | 74.00 | -24.85 | 3 | Vertical | 300 | 2.88 |
| 2412MHz | Pass | AV | 4.82406G | 43.37 | 54.00 | -10.63 | 3 | Horizontal | 63 | 1.50 |
| 2412MHz | Pass | PK | 4.824G | 48.92 | 74.00 | -25.08 | 3 | Horizontal | 63 | 1.50 |
| 2437MHz | Pass | AV | 2.3798G | 45.90 | 54.00 | -8.10 | 3 | Vertical | 45 | 1.00 |
| 2437MHz | Pass | AV | 2.4378G | 101.36 | Inf | -Inf | 3 | Vertical | 45 | 1.00 |
| 2437MHz | Pass | AV | 2.4914G | 46.94 | 54.00 | -7.06 | 3 | Vertical | 45 | 1.00 |
| 2437MHz | Pass | PK | 2.365G | 56.05 | 74.00 | -17.95 | 3 | Vertical | 45 | 1.00 |
| 2437MHz | Pass | PK | 2.4378G | 103.21 | Inf | -Inf | 3 | Vertical | 45 | 1.00 |
| 2437MHz | Pass | PK | 2.4934G | 57.03 | 74.00 | -16.97 | 3 | Vertical | 45 | 1.00 |
| 2437MHz | Pass | AV | 2.3802G | 45.99 | 54.00 | -8.01 | 3 | Horizontal | 307 | 1.66 |
| 2437MHz | Pass | AV | 2.4362G | 108.89 | Inf | -Inf | 3 | Horizontal | 307 | 1.66 |
| 2437MHz | Pass | AV | 2.4922G | 46.81 | 54.00 | -7.19 | 3 | Horizontal | 307 | 1.66 |
| 2437MHz | Pass | PK | 2.3574G | 56.99 | 74.00 | -17.01 | 3 | Horizontal | 307 | 1.66 |
| 2437MHz | Pass | PK | 2.4362G | 110.71 | Inf | -Inf | 3 | Horizontal | 307 | 1.66 |
| 2437MHz | Pass | PK | 2.4958G | 57.01 | 74.00 | -16.99 | 3 | Horizontal | 307 | 1.66 |
| 2437MHz | Pass | AV | 4.87396G | 42.22 | 54.00 | -11.78 | 3 | Vertical | 302 | 1.26 |
| 2437MHz | Pass | PK | 4.87396G | 47.97 | 74.00 | -26.03 | 3 | Vertical | 302 | 1.26 |
| 2437MHz | Pass | AV | 4.874G | 43.49 | 54.00 | -10.51 | 3 | Horizontal | 311 | 1.61 |
| 2437MHz | Pass | PK | 4.87428G | 49.25 | 74.00 | -24.75 | 3 | Horizontal | 311 | 1.61 |
| 2462MHz | Pass | AV | 2.4612G | 102.26 | Inf | -Inf | 3 | Vertical | 62 | 1.03 |
| 2462MHz | Pass | AV | 2.487G | 46.81 | 54.00 | -7.19 | 3 | Vertical | 62 | 1.03 |
| 2462MHz | Pass | PK | 2.4612G | 104.04 | Inf | -Inf | 3 | Vertical | 62 | 1.03 |
| 2462MHz | Pass | PK | 2.4848G | 57.63 | 74.00 | -16.37 | 3 | Vertical | 62 | 1.03 |
| 2462MHz | Pass | AV | 2.4614G | 108.55 | Inf | -Inf | 3 | Horizontal | 303 | 1.59 |
| 2462MHz | Pass | AV | 2.4852G | 47.30 | 54.00 | -6.70 | 3 | Horizontal | 303 | 1.59 |
| 2462MHz | Pass | PK | 2.461G | 110.15 | Inf | -Inf | 3 | Horizontal | 303 | 1.59 |
| 2462MHz | Pass | PK | 2.4942G | 57.36 | 74.00 | -16.64 | 3 | Horizontal | 303 | 1.59 |
| 2462MHz | Pass | AV | 4.92404G | 38.26 | 54.00 | -15.74 | 3 | Vertical | 21 | 1.67 |
| 2462MHz | Pass | PK | 4.92392G | 46.21 | 74.00 | -27.79 | 3 | Vertical | 21 | 1.67 |
| 2462MHz | Pass | AV | 4.92408G | 40.24 | 54.00 | -13.76 | 3 | Horizontal | 311 | 1.78 |
| 2462MHz | Pass | PK | 4.92384G | 47.66 | 74.00 | -26.34 | 3 | Horizontal | 311 | 1.78 |
| 802.11g_Nss1,(6Mbps)_2TX | - | - | - | - | - | - | - | - | - | - |
| 2412MHz | Pass | AV | 2.39G | 47.94 | 54.00 | -6.06 | 3 | Vertical | 239 | 2.50 |
| 2412MHz | Pass | AV | 2.4116G | 98.95 | Inf | -Inf | 3 | Vertical | 239 | 2.50 |
| 2412MHz | Pass | PK | 2.39G | 58.70 | 74.00 | -15.30 | 3 | Vertical | 239 | 2.50 |
| 2412MHz | Pass | PK | 2.4114G | 106.55 | Inf | -Inf | 3 | Vertical | 239 | 2.50 |
| 2412MHz | Pass | AV | 2.39G | 53.29 | 54.00 | -0.71 | 3 | Horizontal | 297 | 1.56 |
| 2412MHz | Pass | AV | 2.4112G | 105.37 | Inf | -Inf | 3 | Horizontal | 297 | 1.56 |
| 2412MHz | Pass | PK | 2.39G | 64.61 | 74.00 | -9.39 | 3 | Horizontal | 297 | 1.56 |
| 2412MHz | Pass | PK | 2.4112G | 113.08 | Inf | -Inf | 3 | Horizontal | 297 | 1.56 |
| 2412MHz | Pass | AV | 4.82396G | 35.35 | 54.00 | -18.65 | 3 | Vertical | 305 | 2.89 |
| 2412MHz | Pass | PK | 4.82404G | 47.25 | 74.00 | -26.75 | 3 | Vertical | 305 | 2.89 |
| 2412MHz | Pass | AV | 4.82396G | 36.27 | 54.00 | -17.73 | 3 | Horizontal | 306 | 1.37 |
| 2412MHz | Pass | PK | 4.8244G | 46.51 | 74.00 | -27.49 | 3 | Horizontal | 306 | 1.37 |
| 2417MHz | Pass | AV | 2.3856G | 45.20 | 54.00 | -8.80 | 3 | Vertical | 118 | 1.79 |
| 2417MHz | Pass | AV | 2.4178G | 97.42 | Inf | -Inf | 3 | Vertical | 118 | 1.79 |
| 2417MHz | Pass | PK | 2.3862G | 56.38 | 74.00 | -17.62 | 3 | Vertical | 118 | 1.79 |
| 2417MHz | Pass | PK | 2.4178G | 104.91 | Inf | -Inf | 3 | Vertical | 118 | 1.79 |
| 2417MHz | Pass | AV | 2.39G | 45.92 | 54.00 | -8.08 | 3 | Horizontal | 288 | 1.91 |
| 2417MHz | Pass | AV | 2.4164G | 106.02 | Inf | -Inf | 3 | Horizontal | 288 | 1.91 |
| 2417MHz | Pass | PK | 2.3882G | 56.74 | 74.00 | -17.26 | 3 | Horizontal | 288 | 1.91 |



| Mode | Result | Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) |
|--------------------------------|--------|------|-----------|----------------|----------------|-------------|----------|------------|-------------|------------|
| 2417MHz | Pass | PK | 2.4164G | 113.69 | Inf | -Inf | 3 | Horizontal | 288 | 1.91 |
| 2437MHz | Pass | AV | 2.3738G | 45.23 | 54.00 | -8.77 | 3 | Vertical | 39 | 1.00 |
| 2437MHz | Pass | AV | 2.4362G | 99.82 | Inf | -Inf | 3 | Vertical | 39 | 1.00 |
| 2437MHz | Pass | AV | 2.4835G | 46.26 | 54.00 | -7.74 | 3 | Vertical | 39 | 1.00 |
| 2437MHz | Pass | PK | 2.3506G | 56.60 | 74.00 | -17.40 | 3 | Vertical | 39 | 1.00 |
| 2437MHz | Pass | PK | 2.4362G | 107.87 | Inf | -Inf | 3 | Vertical | 39 | 1.00 |
| 2437MHz | Pass | PK | 2.4914G | 58.04 | 74.00 | -15.96 | 3 | Vertical | 39 | 1.00 |
| 2437MHz | Pass | AV | 2.3882G | 45.39 | 54.00 | -8.61 | 3 | Horizontal | 286 | 1.82 |
| 2437MHz | Pass | AV | 2.4362G | 106.43 | Inf | -Inf | 3 | Horizontal | 286 | 1.82 |
| 2437MHz | Pass | AV | 2.4835G | 46.30 | 54.00 | -7.70 | 3 | Horizontal | 286 | 1.82 |
| 2437MHz | Pass | PK | 2.351G | 57.14 | 74.00 | -16.86 | 3 | Horizontal | 286 | 1.82 |
| 2437MHz | Pass | PK | 2.4362G | 113.96 | Inf | -Inf | 3 | Horizontal | 286 | 1.82 |
| 2437MHz | Pass | PK | 2.4926G | 57.12 | 74.00 | -16.88 | 3 | Horizontal | 286 | 1.82 |
| 2437MHz | Pass | AV | 4.8742G | 35.95 | 54.00 | -18.05 | 3 | Vertical | 296 | 2.54 |
| 2437MHz | Pass | PK | 4.87404G | 46.73 | 74.00 | -27.27 | 3 | Vertical | 296 | 2.54 |
| 2437MHz | Pass | AV | 4.87392G | 35.70 | 54.00 | -18.30 | 3 | Horizontal | 309 | 1.49 |
| 2437MHz | Pass | PK | 4.8756G | 46.59 | 74.00 | -27.41 | 3 | Horizontal | 309 | 1.49 |
| 2457MHz | Pass | AV | 2.4576G | 99.26 | Inf | -Inf | 3 | Vertical | 237 | 2.66 |
| 2457MHz | Pass | AV | 2.4835G | 46.83 | 54.00 | -7.17 | 3 | Vertical | 237 | 2.66 |
| 2457MHz | Pass | PK | 2.4578G | 106.71 | Inf | -Inf | 3 | Vertical | 237 | 2.66 |
| 2457MHz | Pass | PK | 2.4862G | 57.80 | 74.00 | -16.20 | 3 | Vertical | 237 | 2.66 |
| 2457MHz | Pass | AV | 2.4586G | 104.63 | Inf | -Inf | 3 | Horizontal | 360 | 2.82 |
| 2457MHz | Pass | AV | 2.4835G | 48.56 | 54.00 | -5.44 | 3 | Horizontal | 360 | 2.82 |
| 2457MHz | Pass | PK | 2.4582G | 112.72 | Inf | -Inf | 3 | Horizontal | 360 | 2.82 |
| 2457MHz | Pass | PK | 2.484G | 59.57 | 74.00 | -14.43 | 3 | Horizontal | 360 | 2.82 |
| 2462MHz | Pass | AV | 2.4642G | 96.17 | Inf | -Inf | 3 | Vertical | 194 | 1.49 |
| 2462MHz | Pass | AV | 2.4835G | 48.49 | 54.00 | -5.51 | 3 | Vertical | 194 | 1.49 |
| 2462MHz | Pass | PK | 2.4632G | 103.86 | Inf | -Inf | 3 | Vertical | 194 | 1.49 |
| 2462MHz | Pass | PK | 2.4835G | 60.11 | 74.00 | -13.89 | 3 | Vertical | 194 | 1.49 |
| 2462MHz | Pass | AV | 2.4632G | 103.30 | Inf | -Inf | 3 | Horizontal | 1 | 2.79 |
| 2462MHz | Pass | AV | 2.4835G | 52.97 | 54.00 | -1.03 | 3 | Horizontal | 1 | 2.79 |
| 2462MHz | Pass | PK | 2.4632G | 111.34 | Inf | -Inf | 3 | Horizontal | 1 | 2.79 |
| 2462MHz | Pass | PK | 2.4835G | 64.18 | 74.00 | -9.82 | 3 | Horizontal | 1 | 2.79 |
| 2462MHz | Pass | AV | 4.92384G | 35.65 | 54.00 | -18.35 | 3 | Vertical | 30 | 1.87 |
| 2462MHz | Pass | PK | 4.91888G | 46.59 | 74.00 | -27.41 | 3 | Vertical | 30 | 1.87 |
| 2462MHz | Pass | AV | 4.92404G | 36.03 | 54.00 | -17.97 | 3 | Horizontal | 311 | 1.90 |
| 2462MHz | Pass | PK | 4.92036G | 46.03 | 74.00 | -27.97 | 3 | Horizontal | 311 | 1.90 |
| 802.11ax HEW20_Nss1,(MCS0)_2TX | - | - | - | - | - | - | - | - | - | - |
| 2412MHz | Pass | AV | 2.39G | 45.98 | 54.00 | -8.02 | 3 | Vertical | 116 | 1.44 |
| 2412MHz | Pass | AV | 2.4126G | 95.52 | Inf | -Inf | 3 | Vertical | 116 | 1.44 |
| 2412MHz | Pass | PK | 2.39G | 57.65 | 74.00 | -16.35 | 3 | Vertical | 116 | 1.44 |
| 2412MHz | Pass | PK | 2.4126G | 106.51 | Inf | -Inf | 3 | Vertical | 116 | 1.44 |
| 2412MHz | Pass | AV | 2.39G | 53.85 | 54.00 | -0.15 | 3 | Horizontal | 285 | 1.96 |
| 2412MHz | Pass | AV | 2.4114G | 103.93 | Inf | -Inf | 3 | Horizontal | 285 | 1.96 |
| 2412MHz | Pass | PK | 2.39G | 64.99 | 74.00 | -9.01 | 3 | Horizontal | 285 | 1.96 |
| 2412MHz | Pass | PK | 2.4128G | 115.44 | Inf | -Inf | 3 | Horizontal | 285 | 1.96 |
| 2412MHz | Pass | AV | 4.82408G | 34.85 | 54.00 | -19.15 | 3 | Vertical | 298 | 2.90 |
| 2412MHz | Pass | PK | 4.82476G | 46.30 | 74.00 | -27.70 | 3 | Vertical | 298 | 2.90 |
| 2412MHz | Pass | AV | 4.82408G | 35.74 | 54.00 | -18.26 | 3 | Horizontal | 307 | 1.39 |
| 2412MHz | Pass | PK | 4.82444G | 46.54 | 74.00 | -27.46 | 3 | Horizontal | 307 | 1.39 |
| 2417MHz | Pass | AV | 2.39G | 44.95 | 54.00 | -9.05 | 3 | Vertical | 118 | 1.48 |
| 2417MHz | Pass | AV | 2.4178G | 96.39 | Inf | -Inf | 3 | Vertical | 118 | 1.48 |
| 2417MHz | Pass | PK | 2.386G | 56.98 | 74.00 | -17.02 | 3 | Vertical | 118 | 1.48 |
| 2417MHz | Pass | PK | 2.418G | 107.26 | Inf | -Inf | 3 | Vertical | 118 | 1.48 |
| 2417MHz | Pass | AV | 2.39G | 47.78 | 54.00 | -6.22 | 3 | Horizontal | 299 | 1.98 |
| 2417MHz | Pass | AV | 2.4178G | 105.02 | Inf | -Inf | 3 | Horizontal | 299 | 1.98 |
| 2417MHz | Pass | PK | 2.39G | 59.63 | 74.00 | -14.37 | 3 | Horizontal | 299 | 1.98 |
| 2417MHz | Pass | PK | 2.4182G | 116.10 | Inf | -Inf | 3 | Horizontal | 299 | 1.98 |
| 2437MHz | Pass | AV | 2.383G | 44.69 | 54.00 | -9.31 | 3 | Vertical | 42 | 1.01 |
| 2437MHz | Pass | AV | 2.4358G | 98.32 | Inf | -Inf | 3 | Vertical | 42 | 1.01 |
| 2437MHz | Pass | AV | 2.499G | 45.57 | 54.00 | -8.43 | 3 | Vertical | 42 | 1.01 |
| 2437MHz | Pass | PK | 2.3598G | 56.79 | 74.00 | -17.21 | 3 | Vertical | 42 | 1.01 |



RSE TX above 1GHz_C-330_Radio 1

Appendix F.2

| Mode | Result | Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) |
|--------------------------------|--------|------|-----------|----------------|----------------|-------------|----------|------------|-------------|------------|
| 2437MHz | Pass | PK | 2.4354G | 109.52 | Inf | -Inf | 3 | Vertical | 42 | 1.01 |
| 2437MHz | Pass | PK | 2.4874G | 57.65 | 74.00 | -16.35 | 3 | Vertical | 42 | 1.01 |
| 2437MHz | Pass | AV | 2.3882G | 44.80 | 54.00 | -9.20 | 3 | Horizontal | 298 | 1.48 |
| 2437MHz | Pass | AV | 2.4362G | 104.64 | Inf | -Inf | 3 | Horizontal | 298 | 1.48 |
| 2437MHz | Pass | AV | 2.485G | 45.92 | 54.00 | -8.08 | 3 | Horizontal | 298 | 1.48 |
| 2437MHz | Pass | PK | 2.3642G | 56.82 | 74.00 | -17.18 | 3 | Horizontal | 298 | 1.48 |
| 2437MHz | Pass | PK | 2.4358G | 115.72 | Inf | -Inf | 3 | Horizontal | 298 | 1.48 |
| 2437MHz | Pass | PK | 2.497G | 57.85 | 74.00 | -16.15 | 3 | Horizontal | 298 | 1.48 |
| 2437MHz | Pass | AV | 4.87396G | 33.93 | 54.00 | -20.07 | 3 | Vertical | 0 | 1.50 |
| 2437MHz | Pass | PK | 4.876G | 46.06 | 74.00 | -27.94 | 3 | Vertical | 0 | 1.50 |
| 2437MHz | Pass | AV | 4.874G | 35.49 | 54.00 | -18.51 | 3 | Horizontal | 313 | 1.60 |
| 2437MHz | Pass | PK | 4.87408G | 46.68 | 74.00 | -27.32 | 3 | Horizontal | 313 | 1.60 |
| 2457MHz | Pass | AV | 2.4576G | 98.72 | Inf | -Inf | 3 | Vertical | 250 | 2.66 |
| 2457MHz | Pass | AV | 2.4835G | 48.79 | 54.00 | -5.21 | 3 | Vertical | 250 | 2.66 |
| 2457MHz | Pass | PK | 2.4576G | 110.47 | Inf | -Inf | 3 | Vertical | 250 | 2.66 |
| 2457MHz | Pass | PK | 2.4835G | 62.59 | 74.00 | -11.41 | 3 | Vertical | 250 | 2.66 |
| 2457MHz | Pass | AV | 2.4562G | 102.81 | Inf | -Inf | 3 | Horizontal | 2 | 1.50 |
| 2457MHz | Pass | AV | 2.4835G | 52.04 | 54.00 | -1.96 | 3 | Horizontal | 2 | 1.50 |
| 2457MHz | Pass | PK | 2.4564G | 113.42 | Inf | -Inf | 3 | Horizontal | 2 | 1.50 |
| 2457MHz | Pass | PK | 2.4835G | 66.67 | 74.00 | -7.33 | 3 | Horizontal | 2 | 1.50 |
| 2462MHz | Pass | AV | 2.4612G | 96.09 | Inf | -Inf | 3 | Vertical | 46 | 1.07 |
| 2462MHz | Pass | AV | 2.4856G | 47.24 | 54.00 | -6.76 | 3 | Vertical | 46 | 1.07 |
| 2462MHz | Pass | PK | 2.4598G | 106.86 | Inf | -Inf | 3 | Vertical | 46 | 1.07 |
| 2462MHz | Pass | PK | 2.4862G | 58.91 | 74.00 | -15.09 | 3 | Vertical | 46 | 1.07 |
| 2462MHz | Pass | AV | 2.4632G | 102.53 | Inf | -Inf | 3 | Horizontal | 306 | 1.91 |
| 2462MHz | Pass | AV | 2.4835G | 53.22 | 54.00 | -0.78 | 3 | Horizontal | 306 | 1.91 |
| 2462MHz | Pass | PK | 2.4626G | 114.21 | Inf | -Inf | 3 | Horizontal | 306 | 1.91 |
| 2462MHz | Pass | PK | 2.484G | 65.11 | 74.00 | -8.89 | 3 | Horizontal | 306 | 1.91 |
| 2462MHz | Pass | AV | 4.92392G | 35.35 | 54.00 | -18.65 | 3 | Vertical | 20 | 2.92 |
| 2462MHz | Pass | PK | 4.91448G | 46.37 | 74.00 | -27.63 | 3 | Vertical | 20 | 2.92 |
| 2462MHz | Pass | AV | 4.92404G | 35.92 | 54.00 | -18.08 | 3 | Horizontal | 312 | 1.68 |
| 2462MHz | Pass | PK | 4.91432G | 46.44 | 74.00 | -27.56 | 3 | Horizontal | 312 | 1.68 |
| 802.11ax HEW40_Nss1,(MCS0)_2TX | - | - | - | - | - | - | - | - | - | - |
| 2422MHz | Pass | AV | 2.39G | 48.35 | 54.00 | -5.65 | 3 | Vertical | 39 | 1.08 |
| 2422MHz | Pass | AV | 2.4208G | 94.54 | Inf | -Inf | 3 | Vertical | 39 | 1.08 |
| 2422MHz | Pass | AV | 2.4876G | 45.61 | 54.00 | -8.39 | 3 | Vertical | 39 | 1.08 |
| 2422MHz | Pass | PK | 2.39G | 59.36 | 74.00 | -14.64 | 3 | Vertical | 39 | 1.08 |
| 2422MHz | Pass | PK | 2.4208G | 105.46 | Inf | -Inf | 3 | Vertical | 39 | 1.08 |
| 2422MHz | Pass | PK | 2.4864G | 57.81 | 74.00 | -16.19 | 3 | Vertical | 39 | 1.08 |
| 2422MHz | Pass | AV | 2.39G | 52.46 | 54.00 | -1.54 | 3 | Horizontal | 306 | 1.78 |
| 2422MHz | Pass | AV | 2.4228G | 101.64 | Inf | -Inf | 3 | Horizontal | 306 | 1.78 |
| 2422MHz | Pass | AV | 2.484G | 45.79 | 54.00 | -8.21 | 3 | Horizontal | 306 | 1.78 |
| 2422MHz | Pass | PK | 2.39G | 63.33 | 74.00 | -10.67 | 3 | Horizontal | 306 | 1.78 |
| 2422MHz | Pass | PK | 2.4212G | 112.15 | Inf | -Inf | 3 | Horizontal | 306 | 1.78 |
| 2422MHz | Pass | PK | 2.4856G | 57.15 | 74.00 | -16.85 | 3 | Horizontal | 306 | 1.78 |
| 2422MHz | Pass | AV | 4.844G | 33.96 | 54.00 | -20.04 | 3 | Vertical | 355 | 1.68 |
| 2422MHz | Pass | PK | 4.8548G | 45.84 | 74.00 | -28.16 | 3 | Vertical | 355 | 1.68 |
| 2422MHz | Pass | AV | 4.844G | 35.07 | 54.00 | -18.93 | 3 | Horizontal | 304 | 1.34 |
| 2422MHz | Pass | PK | 4.82664G | 45.79 | 74.00 | -28.21 | 3 | Horizontal | 304 | 1.34 |
| 2427MHz | Pass | AV | 2.3898G | 49.78 | 54.00 | -4.22 | 3 | Vertical | 39 | 1.10 |
| 2427MHz | Pass | AV | 2.4254G | 96.45 | Inf | -Inf | 3 | Vertical | 39 | 1.10 |
| 2427MHz | Pass | AV | 2.4835G | 46.13 | 54.00 | -7.87 | 3 | Vertical | 39 | 1.10 |
| 2427MHz | Pass | PK | 2.3898G | 60.06 | 74.00 | -13.94 | 3 | Vertical | 39 | 1.10 |
| 2427MHz | Pass | PK | 2.4258G | 107.54 | Inf | -Inf | 3 | Vertical | 39 | 1.10 |
| 2427MHz | Pass | PK | 2.4854G | 57.35 | 74.00 | -16.65 | 3 | Vertical | 39 | 1.10 |
| 2427MHz | Pass | AV | 2.3898G | 53.68 | 54.00 | -0.32 | 3 | Horizontal | 300 | 2.03 |
| 2427MHz | Pass | AV | 2.4282G | 103.32 | Inf | -Inf | 3 | Horizontal | 300 | 2.03 |
| 2427MHz | Pass | AV | 2.4835G | 47.44 | 54.00 | -6.56 | 3 | Horizontal | 300 | 2.03 |
| 2427MHz | Pass | PK | 2.3894G | 65.62 | 74.00 | -8.38 | 3 | Horizontal | 300 | 2.03 |
| 2427MHz | Pass | PK | 2.4278G | 114.36 | Inf | -Inf | 3 | Horizontal | 300 | 2.03 |
| 2427MHz | Pass | PK | 2.4838G | 58.78 | 74.00 | -15.22 | 3 | Horizontal | 300 | 2.03 |
| 2437MHz | Pass | AV | 2.3898G | 45.47 | 54.00 | -8.53 | 3 | Vertical | 37 | 1.00 |



RSE TX above 1GHz_C-330_Radio 1


Appendix F.2

| Mode | Result | Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) |
|---------|--------|------|-----------|----------------|----------------|-------------|----------|------------|-------------|------------|
| 2437MHz | Pass | AV | 2.4354G | 95.74 | Inf | -Inf | 3 | Vertical | 37 | 1.00 |
| 2437MHz | Pass | AV | 2.4835G | 51.97 | 54.00 | -2.03 | 3 | Vertical | 37 | 1.00 |
| 2437MHz | Pass | PK | 2.3486G | 56.94 | 74.00 | -17.06 | 3 | Vertical | 37 | 1.00 |
| 2437MHz | Pass | PK | 2.4354G | 106.98 | Inf | -Inf | 3 | Vertical | 37 | 1.00 |
| 2437MHz | Pass | PK | 2.4838G | 65.52 | 74.00 | -8.48 | 3 | Vertical | 37 | 1.00 |
| 2437MHz | Pass | AV | 2.3894G | 50.01 | 54.00 | -3.99 | 3 | Horizontal | 288 | 1.80 |
| 2437MHz | Pass | AV | 2.4358G | 102.23 | Inf | -Inf | 3 | Horizontal | 288 | 1.80 |
| 2437MHz | Pass | AV | 2.4858G | 53.37 | 54.00 | -0.63 | 3 | Horizontal | 288 | 1.80 |
| 2437MHz | Pass | PK | 2.3886G | 61.30 | 74.00 | -12.70 | 3 | Horizontal | 288 | 1.80 |
| 2437MHz | Pass | PK | 2.4358G | 112.80 | Inf | -Inf | 3 | Horizontal | 288 | 1.80 |
| 2437MHz | Pass | PK | 2.4854G | 67.41 | 74.00 | -6.59 | 3 | Horizontal | 288 | 1.80 |
| 2437MHz | Pass | AV | 4.87408G | 34.69 | 54.00 | -19.31 | 3 | Vertical | 311 | 3.00 |
| 2437MHz | Pass | PK | 4.8864G | 45.45 | 74.00 | -28.55 | 3 | Vertical | 311 | 3.00 |
| 2437MHz | Pass | AV | 4.874G | 34.99 | 54.00 | -19.01 | 3 | Horizontal | 310 | 1.38 |
| 2437MHz | Pass | PK | 4.87408G | 47.03 | 74.00 | -26.97 | 3 | Horizontal | 310 | 1.38 |
| 2447MHz | Pass | AV | 2.3758G | 44.69 | 54.00 | -9.31 | 3 | Vertical | 251 | 2.64 |
| 2447MHz | Pass | AV | 2.4462G | 92.48 | Inf | -Inf | 3 | Vertical | 251 | 2.64 |
| 2447MHz | Pass | AV | 2.4858G | 49.43 | 54.00 | -4.57 | 3 | Vertical | 251 | 2.64 |
| 2447MHz | Pass | PK | 2.3882G | 56.58 | 74.00 | -17.42 | 3 | Vertical | 251 | 2.64 |
| 2447MHz | Pass | PK | 2.4482G | 103.72 | Inf | -Inf | 3 | Vertical | 251 | 2.64 |
| 2447MHz | Pass | PK | 2.4838G | 61.12 | 74.00 | -12.88 | 3 | Vertical | 251 | 2.64 |
| 2447MHz | Pass | AV | 2.3898G | 44.67 | 54.00 | -9.33 | 3 | Horizontal | 303 | 1.53 |
| 2447MHz | Pass | AV | 2.4462G | 98.55 | Inf | -Inf | 3 | Horizontal | 303 | 1.53 |
| 2447MHz | Pass | AV | 2.4862G | 53.00 | 54.00 | -1.00 | 3 | Horizontal | 303 | 1.53 |
| 2447MHz | Pass | PK | 2.3794G | 57.22 | 74.00 | -16.78 | 3 | Horizontal | 303 | 1.53 |
| 2447MHz | Pass | PK | 2.4462G | 109.23 | Inf | -Inf | 3 | Horizontal | 303 | 1.53 |
| 2447MHz | Pass | PK | 2.4835G | 65.55 | 74.00 | -8.45 | 3 | Horizontal | 303 | 1.53 |
| 2452MHz | Pass | AV | 2.3752G | 44.60 | 54.00 | -9.40 | 3 | Vertical | 251 | 2.67 |
| 2452MHz | Pass | AV | 2.4528G | 91.17 | Inf | -Inf | 3 | Vertical | 251 | 2.67 |
| 2452MHz | Pass | AV | 2.4835G | 48.65 | 54.00 | -5.35 | 3 | Vertical | 251 | 2.67 |
| 2452MHz | Pass | PK | 2.3568G | 57.66 | 74.00 | -16.34 | 3 | Vertical | 251 | 2.67 |
| 2452MHz | Pass | PK | 2.4512G | 101.99 | Inf | -Inf | 3 | Vertical | 251 | 2.67 |
| 2452MHz | Pass | PK | 2.4856G | 59.75 | 74.00 | -14.25 | 3 | Vertical | 251 | 2.67 |
| 2452MHz | Pass | AV | 2.39G | 44.62 | 54.00 | -9.38 | 3 | Horizontal | 304 | 1.86 |
| 2452MHz | Pass | AV | 2.4528G | 97.34 | Inf | -Inf | 3 | Horizontal | 304 | 1.86 |
| 2452MHz | Pass | AV | 2.4835G | 53.05 | 54.00 | -0.95 | 3 | Horizontal | 304 | 1.86 |
| 2452MHz | Pass | PK | 2.3892G | 57.04 | 74.00 | -16.96 | 3 | Horizontal | 304 | 1.86 |
| 2452MHz | Pass | PK | 2.454G | 107.95 | Inf | -Inf | 3 | Horizontal | 304 | 1.86 |
| 2452MHz | Pass | PK | 2.4844G | 64.12 | 74.00 | -9.88 | 3 | Horizontal | 304 | 1.86 |
| 2452MHz | Pass | AV | 4.904G | 35.27 | 54.00 | -18.73 | 3 | Vertical | 30 | 1.85 |
| 2452MHz | Pass | PK | 4.9068G | 46.32 | 74.00 | -27.68 | 3 | Vertical | 30 | 1.85 |
| 2452MHz | Pass | AV | 4.90392G | 35.31 | 54.00 | -18.69 | 3 | Horizontal | 312 | 1.85 |
| 2452MHz | Pass | PK | 4.89304G | 46.22 | 74.00 | -27.78 | 3 | Horizontal | 312 | 1.85 |



2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX


2412MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|------------|---------|---------|---------|
| AV | 2.3796G | 46.23 | 54.00 | -7.77 | 31.53 | 3 | Vertical | 127 | 1.41 | 14.70 | 27.38 | 4.15 | - |
| AV | 2.4128G | 100.65 | Inf | -Inf | 31.71 | 3 | Vertical | 127 | 1.41 | 68.94 | 27.53 | 4.18 | - |
| PK | 2.3892G | 57.12 | 74.00 | -16.88 | 31.60 | 3 | Vertical | 127 | 1.41 | 25.52 | 27.44 | 4.16 | - |
| PK | 2.4128G | 102.49 | Inf | -Inf | 31.71 | 3 | Vertical | 127 | 1.41 | 70.78 | 27.53 | 4.18 | - |

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX

2412MHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|------------|---------|---------|---------|
| AV | 2.388G | 46.05 | 54.00 | -7.95 | 31.59 | 3 | Horizontal | 304 | 1.73 | 14.46 | 27.43 | 4.16 | - |
| AV | 2.4128G | 109.54 | Inf | -Inf | 31.71 | 3 | Horizontal | 304 | 1.73 | 77.83 | 27.53 | 4.18 | - |
| PK | 2.3866G | 56.70 | 74.00 | -17.30 | 31.58 | 3 | Horizontal | 304 | 1.73 | 25.12 | 27.42 | 4.16 | - |
| PK | 2.4112G | 111.26 | Inf | -Inf | 31.70 | 3 | Horizontal | 304 | 1.73 | 79.56 | 27.52 | 4.18 | - |



2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX


2412MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|------------|---------|---------|---------|
| AV | 4.82394G | 44.16 | 54.00 | -9.84 | 3.47 | 3 | Vertical | 300 | 2.88 | 40.69 | 32.44 | 5.68 | 34.65 |
| PK | 4.82394G | 49.15 | 74.00 | -24.85 | 3.47 | 3 | Vertical | 300 | 2.88 | 45.68 | 32.44 | 5.68 | 34.65 |

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX


2412MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|------------|---------|---------|---------|
| AV | 4.82406G | 43.37 | 54.00 | -10.63 | 3.47 | 3 | Horizontal | 63 | 1.50 | 39.90 | 32.44 | 5.68 | 34.65 |
| PK | 4.824G | 48.92 | 74.00 | -25.08 | 3.47 | 3 | Horizontal | 63 | 1.50 | 45.45 | 32.44 | 5.68 | 34.65 |

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX


2437MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|------------|---------|---------|---------|
| AV | 2.3798G | 45.90 | 54.00 | -8.10 | 31.53 | 3 | Vertical | 45 | 1.00 | 14.37 | 27.38 | 4.15 | - |
| AV | 2.4378G | 101.36 | Inf | -Inf | 31.77 | 3 | Vertical | 45 | 1.00 | 69.59 | 27.58 | 4.19 | - |
| AV | 2.4914G | 46.94 | 54.00 | -7.06 | 32.07 | 3 | Vertical | 45 | 1.00 | 14.87 | 27.85 | 4.22 | - |
| PK | 2.365G | 56.05 | 74.00 | -17.95 | 31.43 | 3 | Vertical | 45 | 1.00 | 24.62 | 27.29 | 4.14 | - |
| PK | 2.4378G | 103.21 | Inf | -Inf | 31.77 | 3 | Vertical | 45 | 1.00 | 71.44 | 27.58 | 4.19 | - |
| PK | 2.4934G | 57.03 | 74.00 | -16.97 | 32.09 | 3 | Vertical | 45 | 1.00 | 24.94 | 27.86 | 4.23 | - |

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX

2437MHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|------------|---------|---------|---------|
| AV | 2.3802G | 45.99 | 54.00 | -8.01 | 31.53 | 3 | Horizontal | 307 | 1.66 | 14.46 | 27.38 | 4.15 | - |
| AV | 2.4362G | 108.89 | Inf | -Inf | 31.76 | 3 | Horizontal | 307 | 1.66 | 77.13 | 27.57 | 4.19 | - |
| AV | 2.4922G | 46.81 | 54.00 | -7.19 | 32.08 | 3 | Horizontal | 307 | 1.66 | 14.73 | 27.85 | 4.23 | - |
| PK | 2.3574G | 56.99 | 74.00 | -17.01 | 31.37 | 3 | Horizontal | 307 | 1.66 | 25.62 | 27.24 | 4.13 | - |
| PK | 2.4362G | 110.71 | Inf | -Inf | 31.76 | 3 | Horizontal | 307 | 1.66 | 78.95 | 27.57 | 4.19 | - |
| PK | 2.4958G | 57.01 | 74.00 | -16.99 | 32.10 | 3 | Horizontal | 307 | 1.66 | 24.91 | 27.87 | 4.23 | - |



2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX


2437MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|------------|---------|---------|---------|
| AV | 4.87396G | 42.22 | 54.00 | -11.78 | 3.76 | 3 | Vertical | 302 | 1.26 | 38.46 | 32.70 | 5.71 | 34.65 |
| PK | 4.87396G | 47.97 | 74.00 | -26.03 | 3.76 | 3 | Vertical | 302 | 1.26 | 44.21 | 32.70 | 5.71 | 34.65 |

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX


2437MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|------------|---------|---------|---------|
| AV | 4.874G | 43.49 | 54.00 | -10.51 | 3.76 | 3 | Horizontal | 311 | 1.61 | 39.73 | 32.70 | 5.71 | 34.65 |
| PK | 4.87428G | 49.25 | 74.00 | -24.75 | 3.76 | 3 | Horizontal | 311 | 1.61 | 45.49 | 32.70 | 5.71 | 34.65 |

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX


2462MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|------------|---------|---------|---------|
| AV | 2.4612G | 102.26 | Inf | -Inf | 31.88 | 3 | Vertical | 62 | 1.03 | 70.38 | 27.67 | 4.21 | - |
| AV | 2.487G | 46.81 | 54.00 | -7.19 | 32.04 | 3 | Vertical | 62 | 1.03 | 14.77 | 27.82 | 4.22 | - |
| PK | 2.4612G | 104.04 | Inf | -Inf | 31.88 | 3 | Vertical | 62 | 1.03 | 72.16 | 27.67 | 4.21 | - |
| PK | 2.4848G | 57.63 | 74.00 | -16.37 | 32.03 | 3 | Vertical | 62 | 1.03 | 25.60 | 27.81 | 4.22 | - |

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX

2462MHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|------------|---------|---------|---------|
| AV | 2.4614G | 108.55 | Inf | -Inf | 31.88 | 3 | Horizontal | 303 | 1.59 | 76.67 | 27.67 | 4.21 | - |
| AV | 2.4852G | 47.30 | 54.00 | -6.70 | 32.03 | 3 | Horizontal | 303 | 1.59 | 15.27 | 27.81 | 4.22 | - |
| PK | 2.461G | 110.15 | Inf | -Inf | 31.88 | 3 | Horizontal | 303 | 1.59 | 78.27 | 27.67 | 4.21 | - |
| PK | 2.4942G | 57.36 | 74.00 | -16.64 | 32.10 | 3 | Horizontal | 303 | 1.59 | 25.26 | 27.87 | 4.23 | - |



2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX


2462MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|------------|---------|---------|---------|
| AV | 4.92404G | 38.26 | 54.00 | -15.74 | 3.99 | 3 | Vertical | 21 | 1.67 | 34.27 | 32.90 | 5.74 | 34.65 |
| PK | 4.92392G | 46.21 | 74.00 | -27.79 | 3.99 | 3 | Vertical | 21 | 1.67 | 42.22 | 32.90 | 5.74 | 34.65 |

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX

2462MHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|------------|---------|---------|---------|
| AV | 4.92408G | 40.24 | 54.00 | -13.76 | 3.99 | 3 | Horizontal | 311 | 1.78 | 36.25 | 32.90 | 5.74 | 34.65 |
| PK | 4.92384G | 47.66 | 74.00 | -26.34 | 3.99 | 3 | Horizontal | 311 | 1.78 | 43.67 | 32.90 | 5.74 | 34.65 |



2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX


2412MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|------------|---------|---------|---------|
| AV | 2.39G | 47.94 | 54.00 | -6.06 | 31.60 | 3 | Vertical | 239 | 2.50 | 16.34 | 27.44 | 4.16 | - |
| AV | 2.4116G | 98.95 | Inf | -Inf | 31.70 | 3 | Vertical | 239 | 2.50 | 67.25 | 27.52 | 4.18 | - |
| PK | 2.39G | 58.70 | 74.00 | -15.30 | 31.60 | 3 | Vertical | 239 | 2.50 | 27.10 | 27.44 | 4.16 | - |
| PK | 2.4114G | 106.55 | Inf | -Inf | 31.70 | 3 | Vertical | 239 | 2.50 | 74.85 | 27.52 | 4.18 | - |

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX


2412MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|------------|---------|---------|---------|
| AV | 2.39G | 53.29 | 54.00 | -0.71 | 31.60 | 3 | Horizontal | 297 | 1.56 | 21.69 | 27.44 | 4.16 | - |
| AV | 2.4112G | 105.37 | Inf | -Inf | 31.70 | 3 | Horizontal | 297 | 1.56 | 73.67 | 27.52 | 4.18 | - |
| PK | 2.39G | 64.61 | 74.00 | -9.39 | 31.60 | 3 | Horizontal | 297 | 1.56 | 33.01 | 27.44 | 4.16 | - |
| PK | 2.4112G | 113.08 | Inf | -Inf | 31.70 | 3 | Horizontal | 297 | 1.56 | 81.38 | 27.52 | 4.18 | - |

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX


2412MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|------------|---------|---------|---------|
| AV | 4.82396G | 35.35 | 54.00 | -18.65 | 3.47 | 3 | Vertical | 305 | 2.89 | 31.88 | 32.44 | 5.68 | 34.65 |
| PK | 4.82404G | 47.25 | 74.00 | -26.75 | 3.47 | 3 | Vertical | 305 | 2.89 | 43.78 | 32.44 | 5.68 | 34.65 |

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX

2412MHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|------------|---------|---------|---------|
| AV | 4.82396G | 36.27 | 54.00 | -17.73 | 3.47 | 3 | Horizontal | 306 | 1.37 | 32.80 | 32.44 | 5.68 | 34.65 |
| PK | 4.8244G | 46.51 | 74.00 | -27.49 | 3.48 | 3 | Horizontal | 306 | 1.37 | 43.03 | 32.45 | 5.68 | 34.65 |



2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX


2417MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|------------|---------|---------|---------|
| AV | 2.3856G | 45.20 | 54.00 | -8.80 | 31.57 | 3 | Vertical | 118 | 1.79 | 13.63 | 27.41 | 4.16 | - |
| AV | 2.4178G | 97.42 | Inf | -Inf | 31.72 | 3 | Vertical | 118 | 1.79 | 65.70 | 27.54 | 4.18 | - |
| PK | 2.3862G | 56.38 | 74.00 | -17.62 | 31.58 | 3 | Vertical | 118 | 1.79 | 24.80 | 27.42 | 4.16 | - |
| PK | 2.4178G | 104.91 | Inf | -Inf | 31.72 | 3 | Vertical | 118 | 1.79 | 73.19 | 27.54 | 4.18 | - |

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX


2417MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|------------|---------|---------|---------|
| AV | 2.39G | 45.92 | 54.00 | -8.08 | 31.60 | 3 | Horizontal | 288 | 1.91 | 14.32 | 27.44 | 4.16 | - |
| AV | 2.4164G | 106.02 | Inf | -Inf | 31.71 | 3 | Horizontal | 288 | 1.91 | 74.31 | 27.53 | 4.18 | - |
| PK | 2.3882G | 56.74 | 74.00 | -17.26 | 31.59 | 3 | Horizontal | 288 | 1.91 | 25.15 | 27.43 | 4.16 | - |
| PK | 2.4164G | 113.69 | Inf | -Inf | 31.71 | 3 | Horizontal | 288 | 1.91 | 81.98 | 27.53 | 4.18 | - |

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX


2437MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|------------|---------|---------|---------|
| AV | 2.3738G | 45.23 | 54.00 | -8.77 | 31.49 | 3 | Vertical | 39 | 1.00 | 13.74 | 27.34 | 4.15 | - |
| AV | 2.4362G | 99.82 | Inf | -Inf | 31.76 | 3 | Vertical | 39 | 1.00 | 68.06 | 27.57 | 4.19 | - |
| AV | 2.4835G | 46.26 | 54.00 | -7.74 | 32.02 | 3 | Vertical | 39 | 1.00 | 14.24 | 27.80 | 4.22 | - |
| PK | 2.3506G | 56.60 | 74.00 | -17.40 | 31.32 | 3 | Vertical | 39 | 1.00 | 25.28 | 27.20 | 4.12 | - |
| PK | 2.4362G | 107.87 | Inf | -Inf | 31.76 | 3 | Vertical | 39 | 1.00 | 76.11 | 27.57 | 4.19 | - |
| PK | 2.4914G | 58.04 | 74.00 | -15.96 | 32.07 | 3 | Vertical | 39 | 1.00 | 25.97 | 27.85 | 4.22 | - |

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX

2437MHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|------------|---------|---------|---------|
| AV | 2.3882G | 45.39 | 54.00 | -8.61 | 31.59 | 3 | Horizontal | 286 | 1.82 | 13.80 | 27.43 | 4.16 | - |
| AV | 2.4362G | 106.43 | Inf | -Inf | 31.76 | 3 | Horizontal | 286 | 1.82 | 74.67 | 27.57 | 4.19 | - |
| AV | 2.4835G | 46.30 | 54.00 | -7.70 | 32.02 | 3 | Horizontal | 286 | 1.82 | 14.28 | 27.80 | 4.22 | - |
| PK | 2.351G | 57.14 | 74.00 | -16.86 | 31.33 | 3 | Horizontal | 286 | 1.82 | 25.81 | 27.21 | 4.12 | - |
| PK | 2.4362G | 113.96 | Inf | -Inf | 31.76 | 3 | Horizontal | 286 | 1.82 | 82.20 | 27.57 | 4.19 | - |
| PK | 2.4926G | 57.12 | 74.00 | -16.88 | 32.09 | 3 | Horizontal | 286 | 1.82 | 25.03 | 27.86 | 4.23 | - |



2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX


2437MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|------------|---------|---------|---------|
| AV | 4.8742G | 35.95 | 54.00 | -18.05 | 3.76 | 3 | Vertical | 296 | 2.54 | 32.19 | 32.70 | 5.71 | 34.65 |
| PK | 4.87404G | 46.73 | 74.00 | -27.27 | 3.76 | 3 | Vertical | 296 | 2.54 | 42.97 | 32.70 | 5.71 | 34.65 |

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX

2437MHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|------------|---------|---------|---------|
| AV | 4.87392G | 35.70 | 54.00 | -18.30 | 3.76 | 3 | Horizontal | 309 | 1.49 | 31.94 | 32.70 | 5.71 | 34.65 |
| PK | 4.8756G | 46.59 | 74.00 | -27.41 | 3.77 | 3 | Horizontal | 309 | 1.49 | 42.82 | 32.70 | 5.72 | 34.65 |



2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX


2457MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|------------|---------|---------|---------|
| AV | 2.4576G | 99.26 | Inf | -Inf | 31.85 | 3 | Vertical | 237 | 2.66 | 67.41 | 27.65 | 4.20 | - |
| AV | 2.4835G | 46.83 | 54.00 | -7.17 | 32.02 | 3 | Vertical | 237 | 2.66 | 14.81 | 27.80 | 4.22 | - |
| PK | 2.4578G | 106.71 | Inf | -Inf | 31.85 | 3 | Vertical | 237 | 2.66 | 74.86 | 27.65 | 4.20 | - |
| PK | 2.4862G | 57.80 | 74.00 | -16.20 | 32.04 | 3 | Vertical | 237 | 2.66 | 25.76 | 27.82 | 4.22 | - |

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX

2457MHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|------------|---------|---------|---------|
| AV | 2.4586G | 104.63 | Inf | -Inf | 31.86 | 3 | Horizontal | 360 | 2.82 | 72.77 | 27.65 | 4.21 | - |
| AV | 2.4835G | 48.56 | 54.00 | -5.44 | 32.02 | 3 | Horizontal | 360 | 2.82 | 16.54 | 27.80 | 4.22 | - |
| PK | 2.4582G | 112.72 | Inf | -Inf | 31.85 | 3 | Horizontal | 360 | 2.82 | 80.87 | 27.65 | 4.20 | - |
| PK | 2.484G | 59.57 | 74.00 | -14.43 | 32.02 | 3 | Horizontal | 360 | 2.82 | 27.55 | 27.80 | 4.22 | - |



2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX


2462MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|------------|---------|---------|---------|
| AV | 2.4642G | 96.17 | Inf | -Inf | 31.90 | 3 | Vertical | 194 | 1.49 | 64.27 | 27.69 | 4.21 | - |
| AV | 2.4835G | 48.49 | 54.00 | -5.51 | 32.02 | 3 | Vertical | 194 | 1.49 | 16.47 | 27.80 | 4.22 | - |
| PK | 2.4632G | 103.86 | Inf | -Inf | 31.89 | 3 | Vertical | 194 | 1.49 | 71.97 | 27.68 | 4.21 | - |
| PK | 2.4835G | 60.11 | 74.00 | -13.89 | 32.02 | 3 | Vertical | 194 | 1.49 | 28.09 | 27.80 | 4.22 | - |

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX


2462MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|------------|---------|---------|---------|
| AV | 2.4632G | 103.30 | Inf | -Inf | 31.89 | 3 | Horizontal | 1 | 2.79 | 71.41 | 27.68 | 4.21 | - |
| AV | 2.4835G | 52.97 | 54.00 | -1.03 | 32.02 | 3 | Horizontal | 1 | 2.79 | 20.95 | 27.80 | 4.22 | - |
| PK | 2.4632G | 111.34 | Inf | -Inf | 31.89 | 3 | Horizontal | 1 | 2.79 | 79.45 | 27.68 | 4.21 | - |
| PK | 2.4835G | 64.18 | 74.00 | -9.82 | 32.02 | 3 | Horizontal | 1 | 2.79 | 32.16 | 27.80 | 4.22 | - |

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX


2462MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|------------|---------|---------|---------|
| AV | 4.92384G | 35.65 | 54.00 | -18.35 | 3.99 | 3 | Vertical | 30 | 1.87 | 31.66 | 32.90 | 5.74 | 34.65 |
| PK | 4.91888G | 46.59 | 74.00 | -27.41 | 3.97 | 3 | Vertical | 30 | 1.87 | 42.62 | 32.88 | 5.74 | 34.65 |

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX

2462MHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|------------|---------|---------|---------|
| AV | 4.92404G | 36.03 | 54.00 | -17.97 | 3.99 | 3 | Horizontal | 311 | 1.90 | 32.04 | 32.90 | 5.74 | 34.65 |
| PK | 4.92036G | 46.03 | 74.00 | -27.97 | 3.97 | 3 | Horizontal | 311 | 1.90 | 42.06 | 32.88 | 5.74 | 34.65 |



2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


2412MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|------------|---------|---------|---------|
| AV | 2.39G | 45.98 | 54.00 | -8.02 | 31.60 | 3 | Vertical | 116 | 1.44 | 14.38 | 27.44 | 4.16 | - |
| AV | 2.4126G | 95.52 | Inf | -Inf | 31.71 | 3 | Vertical | 116 | 1.44 | 63.81 | 27.53 | 4.18 | - |
| PK | 2.39G | 57.65 | 74.00 | -16.35 | 31.60 | 3 | Vertical | 116 | 1.44 | 26.05 | 27.44 | 4.16 | - |
| PK | 2.4126G | 106.51 | Inf | -Inf | 31.71 | 3 | Vertical | 116 | 1.44 | 74.80 | 27.53 | 4.18 | - |

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

2412MHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|------------|---------|---------|---------|
| AV | 2.39G | 53.85 | 54.00 | -0.15 | 31.60 | 3 | Horizontal | 285 | 1.96 | 22.25 | 27.44 | 4.16 | - |
| AV | 2.4114G | 103.93 | Inf | -Inf | 31.70 | 3 | Horizontal | 285 | 1.96 | 72.23 | 27.52 | 4.18 | - |
| PK | 2.39G | 64.99 | 74.00 | -9.01 | 31.60 | 3 | Horizontal | 285 | 1.96 | 33.39 | 27.44 | 4.16 | - |
| PK | 2.4128G | 115.44 | Inf | -Inf | 31.71 | 3 | Horizontal | 285 | 1.96 | 83.73 | 27.53 | 4.18 | - |



2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


2412MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|------------|---------|---------|---------|
| AV | 4.82408G | 34.85 | 54.00 | -19.15 | 3.47 | 3 | Vertical | 298 | 2.90 | 31.38 | 32.44 | 5.68 | 34.65 |
| PK | 4.82476G | 46.30 | 74.00 | -27.70 | 3.48 | 3 | Vertical | 298 | 2.90 | 42.82 | 32.45 | 5.68 | 34.65 |

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

2412MHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|------------|---------|---------|---------|
| AV | 4.82408G | 35.74 | 54.00 | -18.26 | 3.47 | 3 | Horizontal | 307 | 1.39 | 32.27 | 32.44 | 5.68 | 34.65 |
| PK | 4.82444G | 46.54 | 74.00 | -27.46 | 3.48 | 3 | Horizontal | 307 | 1.39 | 43.06 | 32.45 | 5.68 | 34.65 |



2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


2417MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|------------|---------|---------|---------|
| AV | 2.39G | 44.95 | 54.00 | -9.05 | 31.60 | 3 | Vertical | 118 | 1.48 | 13.35 | 27.44 | 4.16 | - |
| AV | 2.4178G | 96.39 | Inf | -Inf | 31.72 | 3 | Vertical | 118 | 1.48 | 64.67 | 27.54 | 4.18 | - |
| PK | 2.386G | 56.98 | 74.00 | -17.02 | 31.58 | 3 | Vertical | 118 | 1.48 | 25.40 | 27.42 | 4.16 | - |
| PK | 2.418G | 107.26 | Inf | -Inf | 31.72 | 3 | Vertical | 118 | 1.48 | 75.54 | 27.54 | 4.18 | - |

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

2417MHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|------------|---------|---------|---------|
| AV | 2.39G | 47.78 | 54.00 | -6.22 | 31.60 | 3 | Horizontal | 299 | 1.98 | 16.18 | 27.44 | 4.16 | - |
| AV | 2.4178G | 105.02 | Inf | -Inf | 31.72 | 3 | Horizontal | 299 | 1.98 | 73.30 | 27.54 | 4.18 | - |
| PK | 2.39G | 59.63 | 74.00 | -14.37 | 31.60 | 3 | Horizontal | 299 | 1.98 | 28.03 | 27.44 | 4.16 | - |
| PK | 2.4182G | 116.10 | Inf | -Inf | 31.72 | 3 | Horizontal | 299 | 1.98 | 84.38 | 27.54 | 4.18 | - |



2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


2437MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|------------|---------|---------|---------|
| AV | 2.383G | 44.69 | 54.00 | -9.31 | 31.55 | 3 | Vertical | 42 | 1.01 | 13.14 | 27.40 | 4.15 | - |
| AV | 2.4358G | 98.32 | Inf | -Inf | 31.76 | 3 | Vertical | 42 | 1.01 | 66.56 | 27.57 | 4.19 | - |
| AV | 2.499G | 45.57 | 54.00 | -8.43 | 32.12 | 3 | Vertical | 42 | 1.01 | 13.45 | 27.89 | 4.23 | - |
| PK | 2.3598G | 56.79 | 74.00 | -17.21 | 31.39 | 3 | Vertical | 42 | 1.01 | 25.40 | 27.26 | 4.13 | - |
| PK | 2.4354G | 109.52 | Inf | -Inf | 31.76 | 3 | Vertical | 42 | 1.01 | 77.76 | 27.57 | 4.19 | - |
| PK | 2.4874G | 57.65 | 74.00 | -16.35 | 32.04 | 3 | Vertical | 42 | 1.01 | 25.61 | 27.82 | 4.22 | - |

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

2437MHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|------------|---------|---------|---------|
| AV | 2.3882G | 44.80 | 54.00 | -9.20 | 31.59 | 3 | Horizontal | 298 | 1.48 | 13.21 | 27.43 | 4.16 | - |
| AV | 2.4362G | 104.64 | Inf | -Inf | 31.76 | 3 | Horizontal | 298 | 1.48 | 72.88 | 27.57 | 4.19 | - |
| AV | 2.485G | 45.92 | 54.00 | -8.08 | 32.03 | 3 | Horizontal | 298 | 1.48 | 13.89 | 27.81 | 4.22 | - |
| PK | 2.3642G | 56.82 | 74.00 | -17.18 | 31.43 | 3 | Horizontal | 298 | 1.48 | 25.39 | 27.29 | 4.14 | - |
| PK | 2.4358G | 115.72 | Inf | -Inf | 31.76 | 3 | Horizontal | 298 | 1.48 | 83.96 | 27.57 | 4.19 | - |
| PK | 2.497G | 57.85 | 74.00 | -16.15 | 32.11 | 3 | Horizontal | 298 | 1.48 | 25.74 | 27.88 | 4.23 | - |



2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


2437MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|------------|---------|---------|---------|
| AV | 4.87396G | 33.93 | 54.00 | -20.07 | 3.76 | 3 | Vertical | 0 | 1.50 | 30.17 | 32.70 | 5.71 | 34.65 |
| PK | 4.876G | 46.06 | 74.00 | -27.94 | 3.77 | 3 | Vertical | 0 | 1.50 | 42.29 | 32.70 | 5.72 | 34.65 |

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

2437MHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|------------|---------|---------|---------|
| AV | 4.874G | 35.49 | 54.00 | -18.51 | 3.76 | 3 | Horizontal | 313 | 1.60 | 31.73 | 32.70 | 5.71 | 34.65 |
| PK | 4.87408G | 46.68 | 74.00 | -27.32 | 3.76 | 3 | Horizontal | 313 | 1.60 | 42.92 | 32.70 | 5.71 | 34.65 |



2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


2457MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|------------|---------|---------|---------|
| AV | 2.4576G | 98.72 | Inf | -Inf | 31.85 | 3 | Vertical | 250 | 2.66 | 66.87 | 27.65 | 4.20 | - |
| AV | 2.4835G | 48.79 | 54.00 | -5.21 | 32.02 | 3 | Vertical | 250 | 2.66 | 16.77 | 27.80 | 4.22 | - |
| PK | 2.4576G | 110.47 | Inf | -Inf | 31.85 | 3 | Vertical | 250 | 2.66 | 78.62 | 27.65 | 4.20 | - |
| PK | 2.4835G | 62.59 | 74.00 | -11.41 | 32.02 | 3 | Vertical | 250 | 2.66 | 30.57 | 27.80 | 4.22 | - |

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

2457MHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|------------|---------|---------|---------|
| AV | 2.4562G | 102.81 | Inf | -Inf | 31.84 | 3 | Horizontal | 2 | 1.50 | 70.97 | 27.64 | 4.20 | - |
| AV | 2.4835G | 52.04 | 54.00 | -1.96 | 32.02 | 3 | Horizontal | 2 | 1.50 | 20.02 | 27.80 | 4.22 | - |
| PK | 2.4564G | 113.42 | Inf | -Inf | 31.84 | 3 | Horizontal | 2 | 1.50 | 81.58 | 27.64 | 4.20 | - |
| PK | 2.4835G | 66.67 | 74.00 | -7.33 | 32.02 | 3 | Horizontal | 2 | 1.50 | 34.65 | 27.80 | 4.22 | - |



2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


2462MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|------------|---------|---------|---------|
| AV | 2.4612G | 96.09 | Inf | -Inf | 31.88 | 3 | Vertical | 46 | 1.07 | 64.21 | 27.67 | 4.21 | - |
| AV | 2.4856G | 47.24 | 54.00 | -6.76 | 32.03 | 3 | Vertical | 46 | 1.07 | 15.21 | 27.81 | 4.22 | - |
| PK | 2.4598G | 106.86 | Inf | -Inf | 31.87 | 3 | Vertical | 46 | 1.07 | 74.99 | 27.66 | 4.21 | - |
| PK | 2.4862G | 58.91 | 74.00 | -15.09 | 32.04 | 3 | Vertical | 46 | 1.07 | 26.87 | 27.82 | 4.22 | - |

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

2462MHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|------------|---------|---------|---------|
| AV | 2.4632G | 102.53 | Inf | -Inf | 31.89 | 3 | Horizontal | 306 | 1.91 | 70.64 | 27.68 | 4.21 | - |
| AV | 2.4835G | 53.22 | 54.00 | -0.78 | 32.02 | 3 | Horizontal | 306 | 1.91 | 21.20 | 27.80 | 4.22 | - |
| PK | 2.4626G | 114.21 | Inf | -Inf | 31.89 | 3 | Horizontal | 306 | 1.91 | 82.32 | 27.68 | 4.21 | - |
| PK | 2.484G | 65.11 | 74.00 | -8.89 | 32.02 | 3 | Horizontal | 306 | 1.91 | 33.09 | 27.80 | 4.22 | - |



2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


2462MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|------------|---------|---------|---------|
| AV | 4.92392G | 35.35 | 54.00 | -18.65 | 3.99 | 3 | Vertical | 20 | 2.92 | 31.36 | 32.90 | 5.74 | 34.65 |
| PK | 4.91448G | 46.37 | 74.00 | -27.63 | 3.95 | 3 | Vertical | 20 | 2.92 | 42.42 | 32.86 | 5.74 | 34.65 |

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

2462MHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|------------|---------|---------|---------|
| AV | 4.92404G | 35.92 | 54.00 | -18.08 | 3.99 | 3 | Horizontal | 312 | 1.68 | 31.93 | 32.90 | 5.74 | 34.65 |
| PK | 4.91432G | 46.44 | 74.00 | -27.56 | 3.95 | 3 | Horizontal | 312 | 1.68 | 42.49 | 32.86 | 5.74 | 34.65 |



2.4-2.4835GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


2422MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|------------|---------|---------|---------|
| AV | 2.39G | 48.35 | 54.00 | -5.65 | 31.60 | 3 | Vertical | 39 | 1.08 | 16.75 | 27.44 | 4.16 | - |
| AV | 2.4208G | 94.54 | Inf | -Inf | 31.72 | 3 | Vertical | 39 | 1.08 | 62.82 | 27.54 | 4.18 | - |
| AV | 2.4876G | 45.61 | 54.00 | -8.39 | 32.05 | 3 | Vertical | 39 | 1.08 | 13.56 | 27.83 | 4.22 | - |
| PK | 2.39G | 59.36 | 74.00 | -14.64 | 31.60 | 3 | Vertical | 39 | 1.08 | 27.76 | 27.44 | 4.16 | - |
| PK | 2.4208G | 105.46 | Inf | -Inf | 31.72 | 3 | Vertical | 39 | 1.08 | 73.74 | 27.54 | 4.18 | - |
| PK | 2.4864G | 57.81 | 74.00 | -16.19 | 32.04 | 3 | Vertical | 39 | 1.08 | 25.77 | 27.82 | 4.22 | - |

2.4-2.4835GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

2422MHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|------------|---------|---------|---------|
| AV | 2.39G | 52.46 | 54.00 | -1.54 | 31.60 | 3 | Horizontal | 306 | 1.78 | 20.86 | 27.44 | 4.16 | - |
| AV | 2.4228G | 101.64 | Inf | -Inf | 31.73 | 3 | Horizontal | 306 | 1.78 | 69.91 | 27.55 | 4.18 | - |
| AV | 2.484G | 45.79 | 54.00 | -8.21 | 32.02 | 3 | Horizontal | 306 | 1.78 | 13.77 | 27.80 | 4.22 | - |
| PK | 2.39G | 63.33 | 74.00 | -10.67 | 31.60 | 3 | Horizontal | 306 | 1.78 | 31.73 | 27.44 | 4.16 | - |
| PK | 2.4212G | 112.15 | Inf | -Inf | 31.72 | 3 | Horizontal | 306 | 1.78 | 80.43 | 27.54 | 4.18 | - |
| PK | 2.4856G | 57.15 | 74.00 | -16.85 | 32.03 | 3 | Horizontal | 306 | 1.78 | 25.12 | 27.81 | 4.22 | - |



2.4-2.4835GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


2422MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|------------|---------|---------|---------|
| AV | 4.844G | 33.96 | 54.00 | -20.04 | 3.61 | 3 | Vertical | 355 | 1.68 | 30.35 | 32.56 | 5.70 | 34.65 |
| PK | 4.8548G | 45.84 | 74.00 | -28.16 | 3.67 | 3 | Vertical | 355 | 1.68 | 42.17 | 32.62 | 5.70 | 34.65 |

2.4-2.4835GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

2422MHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|------------|---------|---------|---------|
| AV | 4.844G | 35.07 | 54.00 | -18.93 | 3.61 | 3 | Horizontal | 304 | 1.34 | 31.46 | 32.56 | 5.70 | 34.65 |
| PK | 4.82664G | 45.79 | 74.00 | -28.21 | 3.50 | 3 | Horizontal | 304 | 1.34 | 42.29 | 32.46 | 5.69 | 34.65 |



2.4-2.4835GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


2427MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|------------|---------|---------|---------|
| AV | 2.3898G | 49.78 | 54.00 | -4.22 | 31.60 | 3 | Vertical | 39 | 1.10 | 18.18 | 27.44 | 4.16 | - |
| AV | 2.4254G | 96.45 | Inf | -Inf | 31.74 | 3 | Vertical | 39 | 1.10 | 64.71 | 27.55 | 4.19 | - |
| AV | 2.4835G | 46.13 | 54.00 | -7.87 | 32.02 | 3 | Vertical | 39 | 1.10 | 14.11 | 27.80 | 4.22 | - |
| PK | 2.3898G | 60.06 | 74.00 | -13.94 | 31.60 | 3 | Vertical | 39 | 1.10 | 28.46 | 27.44 | 4.16 | - |
| PK | 2.4258G | 107.54 | Inf | -Inf | 31.74 | 3 | Vertical | 39 | 1.10 | 75.80 | 27.55 | 4.19 | - |
| PK | 2.4854G | 57.35 | 74.00 | -16.65 | 32.03 | 3 | Vertical | 39 | 1.10 | 25.32 | 27.81 | 4.22 | - |

2.4-2.4835GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

2427MHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|------------|---------|---------|---------|
| AV | 2.3898G | 53.68 | 54.00 | -0.32 | 31.60 | 3 | Horizontal | 300 | 2.03 | 22.08 | 27.44 | 4.16 | - |
| AV | 2.4282G | 103.32 | Inf | -Inf | 31.75 | 3 | Horizontal | 300 | 2.03 | 71.57 | 27.56 | 4.19 | - |
| AV | 2.4835G | 47.44 | 54.00 | -6.56 | 32.02 | 3 | Horizontal | 300 | 2.03 | 15.42 | 27.80 | 4.22 | - |
| PK | 2.3894G | 65.62 | 74.00 | -8.38 | 31.60 | 3 | Horizontal | 300 | 2.03 | 34.02 | 27.44 | 4.16 | - |
| PK | 2.4278G | 114.36 | Inf | -Inf | 31.75 | 3 | Horizontal | 300 | 2.03 | 82.61 | 27.56 | 4.19 | - |
| PK | 2.4838G | 58.78 | 74.00 | -15.22 | 32.02 | 3 | Horizontal | 300 | 2.03 | 26.76 | 27.80 | 4.22 | - |



2.4-2.4835GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


2437MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|------------|---------|---------|---------|
| AV | 2.3898G | 45.47 | 54.00 | -8.53 | 31.60 | 3 | Vertical | 37 | 1.00 | 13.87 | 27.44 | 4.16 | - |
| AV | 2.4354G | 95.74 | Inf | -Inf | 31.76 | 3 | Vertical | 37 | 1.00 | 63.98 | 27.57 | 4.19 | - |
| AV | 2.4835G | 51.97 | 54.00 | -2.03 | 32.02 | 3 | Vertical | 37 | 1.00 | 19.95 | 27.80 | 4.22 | - |
| PK | 2.3486G | 56.94 | 74.00 | -17.06 | 31.31 | 3 | Vertical | 37 | 1.00 | 25.63 | 27.19 | 4.12 | - |
| PK | 2.4354G | 106.98 | Inf | -Inf | 31.76 | 3 | Vertical | 37 | 1.00 | 75.22 | 27.57 | 4.19 | - |
| PK | 2.4838G | 65.52 | 74.00 | -8.48 | 32.02 | 3 | Vertical | 37 | 1.00 | 33.50 | 27.80 | 4.22 | - |

2.4-2.4835GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

2437MHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|------------|---------|---------|---------|
| AV | 2.3894G | 50.01 | 54.00 | -3.99 | 31.60 | 3 | Horizontal | 288 | 1.80 | 18.41 | 27.44 | 4.16 | - |
| AV | 2.4358G | 102.23 | Inf | -Inf | 31.76 | 3 | Horizontal | 288 | 1.80 | 70.47 | 27.57 | 4.19 | - |
| AV | 2.4858G | 53.37 | 54.00 | -0.63 | 32.03 | 3 | Horizontal | 288 | 1.80 | 21.34 | 27.81 | 4.22 | - |
| PK | 2.3886G | 61.30 | 74.00 | -12.70 | 31.59 | 3 | Horizontal | 288 | 1.80 | 29.71 | 27.43 | 4.16 | - |
| PK | 2.4358G | 112.80 | Inf | -Inf | 31.76 | 3 | Horizontal | 288 | 1.80 | 81.04 | 27.57 | 4.19 | - |
| PK | 2.4854G | 67.41 | 74.00 | -6.59 | 32.03 | 3 | Horizontal | 288 | 1.80 | 35.38 | 27.81 | 4.22 | - |



2.4-2.4835GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


2437MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|------------|---------|---------|---------|
| AV | 4.87408G | 34.69 | 54.00 | -19.31 | 3.76 | 3 | Vertical | 311 | 3.00 | 30.93 | 32.70 | 5.71 | 34.65 |
| PK | 4.8864G | 45.45 | 74.00 | -28.55 | 3.82 | 3 | Vertical | 311 | 3.00 | 41.63 | 32.75 | 5.72 | 34.65 |

2.4-2.4835GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

2437MHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|------------|---------|---------|---------|
| AV | 4.874G | 34.99 | 54.00 | -19.01 | 3.76 | 3 | Horizontal | 310 | 1.38 | 31.23 | 32.70 | 5.71 | 34.65 |
| PK | 4.87408G | 47.03 | 74.00 | -26.97 | 3.76 | 3 | Horizontal | 310 | 1.38 | 43.27 | 32.70 | 5.71 | 34.65 |



2.4-2.4835GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


2447MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|------------|---------|---------|---------|
| AV | 2.3758G | 44.69 | 54.00 | -9.31 | 31.50 | 3 | Vertical | 251 | 2.64 | 13.19 | 27.35 | 4.15 | - |
| AV | 2.4462G | 92.48 | Inf | -Inf | 31.79 | 3 | Vertical | 251 | 2.64 | 60.69 | 27.59 | 4.20 | - |
| AV | 2.4858G | 49.43 | 54.00 | -4.57 | 32.03 | 3 | Vertical | 251 | 2.64 | 17.40 | 27.81 | 4.22 | - |
| PK | 2.3882G | 56.58 | 74.00 | -17.42 | 31.59 | 3 | Vertical | 251 | 2.64 | 24.99 | 27.43 | 4.16 | - |
| PK | 2.4482G | 103.72 | Inf | -Inf | 31.80 | 3 | Vertical | 251 | 2.64 | 71.92 | 27.60 | 4.20 | - |
| PK | 2.4838G | 61.12 | 74.00 | -12.88 | 32.02 | 3 | Vertical | 251 | 2.64 | 29.10 | 27.80 | 4.22 | - |

2.4-2.4835GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

2447MHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|------------|---------|---------|---------|
| AV | 2.3898G | 44.67 | 54.00 | -9.33 | 31.60 | 3 | Horizontal | 303 | 1.53 | 13.07 | 27.44 | 4.16 | - |
| AV | 2.4462G | 98.55 | Inf | -Inf | 31.79 | 3 | Horizontal | 303 | 1.53 | 66.76 | 27.59 | 4.20 | - |
| AV | 2.4862G | 53.00 | 54.00 | -1.00 | 32.04 | 3 | Horizontal | 303 | 1.53 | 20.96 | 27.82 | 4.22 | - |
| PK | 2.3794G | 57.22 | 74.00 | -16.78 | 31.53 | 3 | Horizontal | 303 | 1.53 | 25.69 | 27.38 | 4.15 | - |
| PK | 2.4462G | 109.23 | Inf | -Inf | 31.79 | 3 | Horizontal | 303 | 1.53 | 77.44 | 27.59 | 4.20 | - |
| PK | 2.4835G | 65.55 | 74.00 | -8.45 | 32.02 | 3 | Horizontal | 303 | 1.53 | 33.53 | 27.80 | 4.22 | - |



2.4-2.4835GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


2452MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|------------|---------|---------|---------|
| AV | 2.3752G | 44.60 | 54.00 | -9.40 | 31.50 | 3 | Vertical | 251 | 2.67 | 13.10 | 27.35 | 4.15 | - |
| AV | 2.4528G | 91.17 | Inf | -Inf | 31.82 | 3 | Vertical | 251 | 2.67 | 59.35 | 27.62 | 4.20 | - |
| AV | 2.4835G | 48.65 | 54.00 | -5.35 | 32.02 | 3 | Vertical | 251 | 2.67 | 16.63 | 27.80 | 4.22 | - |
| PK | 2.3568G | 57.66 | 74.00 | -16.34 | 31.37 | 3 | Vertical | 251 | 2.67 | 26.29 | 27.24 | 4.13 | - |
| PK | 2.4512G | 101.99 | Inf | -Inf | 31.81 | 3 | Vertical | 251 | 2.67 | 70.18 | 27.61 | 4.20 | - |
| PK | 2.4856G | 59.75 | 74.00 | -14.25 | 32.03 | 3 | Vertical | 251 | 2.67 | 27.72 | 27.81 | 4.22 | - |

2.4-2.4835GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


2452MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|------------|---------|---------|---------|
| AV | 2.39G | 44.62 | 54.00 | -9.38 | 31.60 | 3 | Horizontal | 304 | 1.86 | 13.02 | 27.44 | 4.16 | - |
| AV | 2.4528G | 97.34 | Inf | -Inf | 31.82 | 3 | Horizontal | 304 | 1.86 | 65.52 | 27.62 | 4.20 | - |
| AV | 2.4835G | 53.05 | 54.00 | -0.95 | 32.02 | 3 | Horizontal | 304 | 1.86 | 21.03 | 27.80 | 4.22 | - |
| PK | 2.3892G | 57.04 | 74.00 | -16.96 | 31.60 | 3 | Horizontal | 304 | 1.86 | 25.44 | 27.44 | 4.16 | - |
| PK | 2.454G | 107.95 | Inf | -Inf | 31.82 | 3 | Horizontal | 304 | 1.86 | 76.13 | 27.62 | 4.20 | - |
| PK | 2.4844G | 64.12 | 74.00 | -9.88 | 32.03 | 3 | Horizontal | 304 | 1.86 | 32.09 | 27.81 | 4.22 | - |

2.4-2.4835GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


2452MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|------------|---------|---------|---------|
| AV | 4.904G | 35.27 | 54.00 | -18.73 | 3.90 | 3 | Vertical | 30 | 1.85 | 31.37 | 32.82 | 5.73 | 34.65 |
| PK | 4.9068G | 46.32 | 74.00 | -27.68 | 3.91 | 3 | Vertical | 30 | 1.85 | 42.41 | 32.83 | 5.73 | 34.65 |

2.4-2.4835GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

2452MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|------------|---------|---------|---------|
| AV | 4.90392G | 35.31 | 54.00 | -18.69 | 3.90 | 3 | Horizontal | 312 | 1.85 | 31.41 | 32.82 | 5.73 | 34.65 |
| PK | 4.89304G | 46.22 | 74.00 | -27.78 | 3.85 | 3 | Horizontal | 312 | 1.85 | 42.37 | 32.77 | 5.73 | 34.65 |



Summary

| Mode | Result | Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) |
|--------------------------------|--------|------|-----------|----------------|----------------|-------------|----------|------------|-------------|------------|
| 2.4-2.4835GHz | - | - | - | - | - | - | - | - | - | - |
| 802.11ax HEW40_Nss1,(MCS0)_2TX | Pass | PK | 95.96M | 39.91 | 43.50 | -3.59 | 3 | Horizontal | 0 | 1.00 |




Result

| Mode | Result | Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) |
|--------------------------------|--------|------|-----------|----------------|----------------|-------------|----------|------------|-------------|------------|
| 802.11ax HEW40_Nss1,(MCS0)_2TX | - | - | - | - | - | - | - | - | - | - |
| 2422MHz | Pass | PK | 105.66M | 35.20 | 43.50 | -8.30 | 3 | Vertical | 360 | 1.00 |
| 2422MHz | Pass | PK | 192.96M | 32.32 | 43.50 | -11.18 | 3 | Vertical | 360 | 1.00 |
| 2422MHz | Pass | PK | 332.64M | 24.98 | 46.00 | -21.02 | 3 | Vertical | 360 | 1.00 |
| 2422MHz | Pass | PK | 575.14M | 29.55 | 46.00 | -16.45 | 3 | Vertical | 360 | 1.00 |
| 2422MHz | Pass | PK | 844.8M | 29.97 | 46.00 | -16.03 | 3 | Vertical | 360 | 1.00 |
| 2422MHz | Pass | PK | 959.26M | 37.77 | 46.00 | -8.23 | 3 | Vertical | 360 | 1.00 |
| 2422MHz | Pass | PK | 95.96M | 39.91 | 43.50 | -3.59 | 3 | Horizontal | 0 | 1.00 |
| 2422MHz | Pass | PK | 192.96M | 38.83 | 43.50 | -4.67 | 3 | Horizontal | 0 | 1.00 |
| 2422MHz | Pass | PK | 575.14M | 39.58 | 46.00 | -6.42 | 3 | Horizontal | 0 | 1.00 |
| 2422MHz | Pass | PK | 600.36M | 33.25 | 46.00 | -12.75 | 3 | Horizontal | 0 | 1.00 |
| 2422MHz | Pass | PK | 875.84M | 29.22 | 46.00 | -16.78 | 3 | Horizontal | 0 | 1.00 |
| 2422MHz | Pass | PK | 959.26M | 34.14 | 46.00 | -11.86 | 3 | Horizontal | 0 | 1.00 |



2.4-2.4835GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


2422MHz_PoE



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|------------|---------|---------|---------|
| PK | 105.66M | 35.20 | 43.50 | -8.30 | -19.69 | 3 | Vertical | 360 | 1.00 | 54.89 | 15.82 | 1.12 | 36.63 |
| PK | 192.96M | 32.32 | 43.50 | -11.18 | -20.74 | 3 | Vertical | 360 | 1.00 | 53.06 | 14.02 | 1.58 | 36.34 |
| PK | 332.64M | 24.98 | 46.00 | -21.02 | -15.30 | 3 | Vertical | 360 | 1.00 | 40.28 | 18.98 | 2.21 | 36.49 |
| PK | 575.14M | 29.55 | 46.00 | -16.45 | -9.40 | 3 | Vertical | 360 | 1.00 | 38.95 | 24.96 | 2.75 | 37.11 |
| PK | 844.8M | 29.97 | 46.00 | -16.03 | -5.71 | 3 | Vertical | 360 | 1.00 | 35.68 | 28.36 | 3.53 | 37.60 |
| PK | 959.26M | 37.77 | 46.00 | -8.23 | -3.47 | 3 | Vertical | 360 | 1.00 | 41.24 | 30.07 | 3.77 | 37.31 |

2.4-2.4835GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

2422MHz_PoE



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|------------|---------|---------|---------|
| PK | 95.96M | 39.91 | 43.50 | -3.59 | -20.86 | 3 | Horizontal | 0 | 1.00 | 60.77 | 14.71 | 1.09 | 36.66 |
| PK | 192.96M | 38.83 | 43.50 | -4.67 | -20.74 | 3 | Horizontal | 0 | 1.00 | 59.57 | 14.02 | 1.58 | 36.34 |
| PK | 575.14M | 39.58 | 46.00 | -6.42 | -9.40 | 3 | Horizontal | 0 | 1.00 | 48.98 | 24.96 | 2.75 | 37.11 |
| PK | 600.36M | 33.25 | 46.00 | -12.75 | -9.48 | 3 | Horizontal | 0 | 1.00 | 42.73 | 24.73 | 2.88 | 37.09 |
| PK | 875.84M | 29.22 | 46.00 | -16.78 | -5.85 | 3 | Horizontal | 0 | 1.00 | 35.07 | 28.25 | 3.50 | 37.60 |
| PK | 959.26M | 34.14 | 46.00 | -11.86 | -3.47 | 3 | Horizontal | 0 | 1.00 | 37.61 | 30.07 | 3.77 | 37.31 |



Summary

| Mode | Result | Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) |
|--------------------------------|--------|------|-----------|----------------|----------------|-------------|----------|------------|-------------|------------|
| 2.4-2.4835GHz | - | - | - | - | - | - | - | - | - | - |
| 802.11b_Nss1,(1Mbps)_2TX | Pass | AV | 2.4994G | 47.06 | 54.00 | -6.94 | 3 | Horizontal | 313 | 1.90 |
| 802.11g_Nss1,(6Mbps)_2TX | Pass | AV | 2.4838G | 51.44 | 54.00 | -2.56 | 3 | Horizontal | 56 | 1.20 |
| 802.11ax HEW20_Nss1,(MCS0)_2TX | Pass | AV | 2.39G | 53.50 | 54.00 | -0.50 | 3 | Horizontal | 10 | 1.15 |
| 802.11ax HEW40_Nss1,(MCS0)_2TX | Pass | AV | 2.4835G | 53.65 | 54.00 | -0.35 | 3 | Horizontal | 62 | 1.00 |



Result

| Mode | Result | Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) |
|--------------------------|--------|------|-----------|----------------|----------------|-------------|----------|------------|-------------|------------|
| 802.11b_Nss1,(1Mbps)_2TX | - | - | - | - | - | - | - | - | - | - |
| 2412MHz | Pass | AV | 2.3732G | 46.28 | 54.00 | -7.72 | 3 | Vertical | 276 | 1.44 |
| 2412MHz | Pass | AV | 2.4128G | 99.71 | Inf | -Inf | 3 | Vertical | 276 | 1.44 |
| 2412MHz | Pass | PK | 2.386G | 57.42 | 74.00 | -16.58 | 3 | Vertical | 276 | 1.44 |
| 2412MHz | Pass | PK | 2.4128G | 101.58 | Inf | -Inf | 3 | Vertical | 276 | 1.44 |
| 2412MHz | Pass | AV | 2.3678G | 46.14 | 54.00 | -7.86 | 3 | Horizontal | 19 | 1.56 |
| 2412MHz | Pass | AV | 2.4128G | 107.11 | Inf | -Inf | 3 | Horizontal | 19 | 1.56 |
| 2412MHz | Pass | PK | 2.376G | 56.92 | 74.00 | -17.08 | 3 | Horizontal | 19 | 1.56 |
| 2412MHz | Pass | PK | 2.4128G | 108.54 | Inf | -Inf | 3 | Horizontal | 19 | 1.56 |
| 2412MHz | Pass | AV | 4.82832G | 34.56 | 54.00 | -19.44 | 3 | Vertical | 360 | 1.46 |
| 2412MHz | Pass | PK | 4.82952G | 46.22 | 74.00 | -27.78 | 3 | Vertical | 360 | 1.46 |
| 2412MHz | Pass | AV | 4.82504G | 35.25 | 54.00 | -18.75 | 3 | Horizontal | 205 | 2.11 |
| 2412MHz | Pass | PK | 4.82472G | 45.85 | 74.00 | -28.15 | 3 | Horizontal | 205 | 2.11 |
| 2437MHz | Pass | AV | 2.3818G | 45.87 | 54.00 | -8.13 | 3 | Vertical | 11 | 1.23 |
| 2437MHz | Pass | AV | 2.4362G | 97.83 | Inf | -Inf | 3 | Vertical | 11 | 1.23 |
| 2437MHz | Pass | AV | 2.493G | 46.76 | 54.00 | -7.24 | 3 | Vertical | 11 | 1.23 |
| 2437MHz | Pass | PK | 2.3674G | 58.10 | 74.00 | -15.90 | 3 | Vertical | 11 | 1.23 |
| 2437MHz | Pass | PK | 2.4362G | 99.52 | Inf | -Inf | 3 | Vertical | 11 | 1.23 |
| 2437MHz | Pass | PK | 2.4954G | 57.32 | 74.00 | -16.68 | 3 | Vertical | 11 | 1.23 |
| 2437MHz | Pass | AV | 2.3802G | 45.88 | 54.00 | -8.12 | 3 | Horizontal | 23 | 1.40 |
| 2437MHz | Pass | AV | 2.4362G | 104.46 | Inf | -Inf | 3 | Horizontal | 23 | 1.40 |
| 2437MHz | Pass | AV | 2.4998G | 46.80 | 54.00 | -7.20 | 3 | Horizontal | 23 | 1.40 |
| 2437MHz | Pass | PK | 2.3778G | 56.28 | 74.00 | -17.72 | 3 | Horizontal | 23 | 1.40 |
| 2437MHz | Pass | PK | 2.4362G | 106.29 | Inf | -Inf | 3 | Horizontal | 23 | 1.40 |
| 2437MHz | Pass | PK | 2.4962G | 57.08 | 74.00 | -16.92 | 3 | Horizontal | 23 | 1.40 |
| 2437MHz | Pass | AV | 4.86744G | 34.86 | 54.00 | -19.14 | 3 | Vertical | 266 | 1.50 |
| 2437MHz | Pass | PK | 4.87784G | 45.65 | 74.00 | -28.35 | 3 | Vertical | 266 | 1.50 |
| 2437MHz | Pass | AV | 4.86888G | 34.74 | 54.00 | -19.26 | 3 | Horizontal | 358 | 1.05 |
| 2437MHz | Pass | PK | 4.87208G | 45.31 | 74.00 | -28.69 | 3 | Horizontal | 358 | 1.05 |
| 2462MHz | Pass | AV | 2.4628G | 98.44 | Inf | -Inf | 3 | Vertical | 14 | 1.50 |
| 2462MHz | Pass | AV | 2.487G | 47.05 | 54.00 | -6.95 | 3 | Vertical | 14 | 1.50 |
| 2462MHz | Pass | PK | 2.4628G | 100.24 | Inf | -Inf | 3 | Vertical | 14 | 1.50 |
| 2462MHz | Pass | PK | 2.4918G | 57.87 | 74.00 | -16.13 | 3 | Vertical | 14 | 1.50 |
| 2462MHz | Pass | AV | 2.4614G | 106.20 | Inf | -Inf | 3 | Horizontal | 313 | 1.90 |
| 2462MHz | Pass | AV | 2.4994G | 47.06 | 54.00 | -6.94 | 3 | Horizontal | 313 | 1.90 |
| 2462MHz | Pass | PK | 2.4612G | 107.97 | Inf | -Inf | 3 | Horizontal | 313 | 1.90 |
| 2462MHz | Pass | PK | 2.4994G | 57.62 | 74.00 | -16.38 | 3 | Horizontal | 313 | 1.90 |
| 2462MHz | Pass | AV | 4.91584G | 35.29 | 54.00 | -18.71 | 3 | Vertical | 42 | 1.22 |
| 2462MHz | Pass | PK | 4.9176G | 46.14 | 74.00 | -27.86 | 3 | Vertical | 42 | 1.22 |
| 2462MHz | Pass | AV | 4.93028G | 35.15 | 54.00 | -18.85 | 3 | Horizontal | 360 | 2.88 |
| 2462MHz | Pass | PK | 4.93252G | 46.42 | 74.00 | -27.58 | 3 | Horizontal | 360 | 2.88 |
| 802.11g_Nss1,(6Mbps)_2TX | - | - | - | - | - | - | - | - | - | - |
| 2412MHz | Pass | AV | 2.39G | 46.50 | 54.00 | -7.50 | 3 | Vertical | 126 | 1.04 |
| 2412MHz | Pass | AV | 2.4152G | 95.45 | Inf | -Inf | 3 | Vertical | 126 | 1.04 |
| 2412MHz | Pass | PK | 2.39G | 56.87 | 74.00 | -17.13 | 3 | Vertical | 126 | 1.04 |
| 2412MHz | Pass | PK | 2.4154G | 104.42 | Inf | -Inf | 3 | Vertical | 126 | 1.04 |
| 2412MHz | Pass | AV | 2.39G | 50.64 | 54.00 | -3.36 | 3 | Horizontal | 10 | 1.14 |
| 2412MHz | Pass | AV | 2.4154G | 103.77 | Inf | -Inf | 3 | Horizontal | 10 | 1.14 |
| 2412MHz | Pass | PK | 2.39G | 62.86 | 74.00 | -11.14 | 3 | Horizontal | 10 | 1.14 |
| 2412MHz | Pass | PK | 2.4154G | 112.21 | Inf | -Inf | 3 | Horizontal | 10 | 1.14 |
| 2412MHz | Pass | AV | 4.82816G | 34.55 | 54.00 | -19.45 | 3 | Vertical | 219 | 3.00 |
| 2412MHz | Pass | PK | 4.8256G | 46.56 | 74.00 | -27.44 | 3 | Vertical | 219 | 3.00 |
| 2412MHz | Pass | AV | 4.83328G | 34.56 | 54.00 | -19.44 | 3 | Horizontal | 35 | 1.50 |
| 2412MHz | Pass | PK | 4.83152G | 46.32 | 74.00 | -27.68 | 3 | Horizontal | 35 | 1.50 |
| 2437MHz | Pass | AV | 2.3882G | 45.14 | 54.00 | -8.86 | 3 | Vertical | 16 | 1.74 |
| 2437MHz | Pass | AV | 2.433G | 94.57 | Inf | -Inf | 3 | Vertical | 16 | 1.74 |
| 2437MHz | Pass | AV | 2.4994G | 46.03 | 54.00 | -7.97 | 3 | Vertical | 16 | 1.74 |
| 2437MHz | Pass | PK | 2.377G | 56.54 | 74.00 | -17.46 | 3 | Vertical | 16 | 1.74 |
| 2437MHz | Pass | PK | 2.4338G | 102.75 | Inf | -Inf | 3 | Vertical | 16 | 1.74 |
| 2437MHz | Pass | PK | 2.4866G | 57.12 | 74.00 | -16.88 | 3 | Vertical | 16 | 1.74 |
| 2437MHz | Pass | AV | 2.3846G | 45.29 | 54.00 | -8.71 | 3 | Horizontal | 60 | 1.03 |



| Mode | Result | Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) |
|--------------------------------|--------|------|-----------|----------------|----------------|-------------|----------|------------|-------------|------------|
| 2437MHz | Pass | AV | 2.4298G | 103.03 | Inf | -Inf | 3 | Horizontal | 60 | 1.03 |
| 2437MHz | Pass | AV | 2.4874G | 46.09 | 54.00 | -7.91 | 3 | Horizontal | 60 | 1.03 |
| 2437MHz | Pass | PK | 2.3574G | 56.53 | 74.00 | -17.47 | 3 | Horizontal | 60 | 1.03 |
| 2437MHz | Pass | PK | 2.4346G | 110.83 | Inf | -Inf | 3 | Horizontal | 60 | 1.03 |
| 2437MHz | Pass | PK | 2.4842G | 57.20 | 74.00 | -16.80 | 3 | Horizontal | 60 | 1.03 |
| 2437MHz | Pass | AV | 4.88204G | 34.16 | 54.00 | -19.84 | 3 | Vertical | 190 | 1.50 |
| 2437MHz | Pass | PK | 4.86472G | 45.00 | 74.00 | -29.00 | 3 | Vertical | 190 | 1.50 |
| 2437MHz | Pass | AV | 4.88212G | 34.04 | 54.00 | -19.96 | 3 | Horizontal | 38 | 1.50 |
| 2437MHz | Pass | PK | 4.87944G | 45.61 | 74.00 | -28.39 | 3 | Horizontal | 38 | 1.50 |
| 2462MHz | Pass | AV | 2.4558G | 96.54 | Inf | -Inf | 3 | Vertical | 289 | 2.81 |
| 2462MHz | Pass | AV | 2.4846G | 46.91 | 54.00 | -7.09 | 3 | Vertical | 289 | 2.81 |
| 2462MHz | Pass | PK | 2.4556G | 104.03 | Inf | -Inf | 3 | Vertical | 289 | 2.81 |
| 2462MHz | Pass | PK | 2.484G | 58.59 | 74.00 | -15.41 | 3 | Vertical | 289 | 2.81 |
| 2462MHz | Pass | AV | 2.4594G | 103.18 | Inf | -Inf | 3 | Horizontal | 56 | 1.20 |
| 2462MHz | Pass | AV | 2.4838G | 51.44 | 54.00 | -2.56 | 3 | Horizontal | 56 | 1.20 |
| 2462MHz | Pass | PK | 2.4598G | 112.07 | Inf | -Inf | 3 | Horizontal | 56 | 1.20 |
| 2462MHz | Pass | PK | 2.4835G | 64.48 | 74.00 | -9.52 | 3 | Horizontal | 56 | 1.20 |
| 2462MHz | Pass | AV | 4.93272G | 34.48 | 54.00 | -19.52 | 3 | Vertical | 348 | 1.50 |
| 2462MHz | Pass | PK | 4.92664G | 46.23 | 74.00 | -27.77 | 3 | Vertical | 348 | 1.50 |
| 2462MHz | Pass | AV | 4.92516G | 34.48 | 54.00 | -19.52 | 3 | Horizontal | 108 | 1.50 |
| 2462MHz | Pass | PK | 4.92272G | 46.06 | 74.00 | -27.94 | 3 | Horizontal | 108 | 1.50 |
| 802.11ax HEW20_Nss1,(MCS0)_2TX | - | - | - | - | - | - | - | - | - | - |
| 2412MHz | Pass | AV | 2.3898G | 47.36 | 54.00 | -6.64 | 3 | Vertical | 130 | 1.07 |
| 2412MHz | Pass | AV | 2.4092G | 94.18 | Inf | -Inf | 3 | Vertical | 130 | 1.07 |
| 2412MHz | Pass | PK | 2.3896G | 58.48 | 74.00 | -15.52 | 3 | Vertical | 130 | 1.07 |
| 2412MHz | Pass | PK | 2.4092G | 105.98 | Inf | -Inf | 3 | Vertical | 130 | 1.07 |
| 2412MHz | Pass | AV | 2.39G | 53.50 | 54.00 | -0.50 | 3 | Horizontal | 10 | 1.15 |
| 2412MHz | Pass | AV | 2.418G | 102.74 | Inf | -Inf | 3 | Horizontal | 10 | 1.15 |
| 2412MHz | Pass | PK | 2.3894G | 66.43 | 74.00 | -7.57 | 3 | Horizontal | 10 | 1.15 |
| 2412MHz | Pass | PK | 2.4178G | 114.58 | Inf | -Inf | 3 | Horizontal | 10 | 1.15 |
| 2412MHz | Pass | AV | 4.83104G | 34.33 | 54.00 | -19.67 | 3 | Vertical | 81 | 1.50 |
| 2412MHz | Pass | PK | 4.83024G | 45.83 | 74.00 | -28.17 | 3 | Vertical | 81 | 1.50 |
| 2412MHz | Pass | AV | 4.82944G | 34.22 | 54.00 | -19.78 | 3 | Horizontal | 135 | 1.45 |
| 2412MHz | Pass | PK | 4.83156G | 46.54 | 74.00 | -27.46 | 3 | Horizontal | 135 | 1.45 |
| 2417MHz | Pass | AV | 2.3896G | 44.83 | 54.00 | -9.17 | 3 | Vertical | 130 | 1.06 |
| 2417MHz | Pass | AV | 2.414G | 95.08 | Inf | -Inf | 3 | Vertical | 130 | 1.06 |
| 2417MHz | Pass | PK | 2.3876G | 56.95 | 74.00 | -17.05 | 3 | Vertical | 130 | 1.06 |
| 2417MHz | Pass | PK | 2.415G | 106.33 | Inf | -Inf | 3 | Vertical | 130 | 1.06 |
| 2417MHz | Pass | AV | 2.3896G | 45.41 | 54.00 | -8.59 | 3 | Horizontal | 4 | 1.85 |
| 2417MHz | Pass | AV | 2.415G | 103.80 | Inf | -Inf | 3 | Horizontal | 4 | 1.85 |
| 2417MHz | Pass | PK | 2.3786G | 57.21 | 74.00 | -16.79 | 3 | Horizontal | 4 | 1.85 |
| 2417MHz | Pass | PK | 2.4148G | 115.18 | Inf | -Inf | 3 | Horizontal | 4 | 1.85 |
| 2437MHz | Pass | AV | 2.3882G | 44.71 | 54.00 | -9.29 | 3 | Vertical | 3 | 3.00 |
| 2437MHz | Pass | AV | 2.4346G | 93.89 | Inf | -Inf | 3 | Vertical | 3 | 3.00 |
| 2437MHz | Pass | AV | 2.4878G | 45.46 | 54.00 | -8.54 | 3 | Vertical | 3 | 3.00 |
| 2437MHz | Pass | PK | 2.339G | 56.37 | 74.00 | -17.63 | 3 | Vertical | 3 | 3.00 |
| 2437MHz | Pass | PK | 2.4358G | 105.18 | Inf | -Inf | 3 | Vertical | 3 | 3.00 |
| 2437MHz | Pass | PK | 2.497G | 57.15 | 74.00 | -16.85 | 3 | Vertical | 3 | 3.00 |
| 2437MHz | Pass | AV | 2.3838G | 44.76 | 54.00 | -9.24 | 3 | Horizontal | 60 | 1.00 |
| 2437MHz | Pass | AV | 2.4318G | 103.06 | Inf | -Inf | 3 | Horizontal | 60 | 1.00 |
| 2437MHz | Pass | AV | 2.4835G | 45.55 | 54.00 | -8.45 | 3 | Horizontal | 60 | 1.00 |
| 2437MHz | Pass | PK | 2.3554G | 56.62 | 74.00 | -17.38 | 3 | Horizontal | 60 | 1.00 |
| 2437MHz | Pass | PK | 2.4322G | 114.23 | Inf | -Inf | 3 | Horizontal | 60 | 1.00 |
| 2437MHz | Pass | PK | 2.4994G | 57.37 | 74.00 | -16.63 | 3 | Horizontal | 60 | 1.00 |
| 2437MHz | Pass | AV | 4.88088G | 33.64 | 54.00 | -20.36 | 3 | Vertical | 338 | 1.50 |
| 2437MHz | Pass | PK | 4.87288G | 45.78 | 74.00 | -28.22 | 3 | Vertical | 338 | 1.50 |
| 2437MHz | Pass | AV | 4.88284G | 33.68 | 54.00 | -20.32 | 3 | Horizontal | 60 | 2.04 |
| 2437MHz | Pass | PK | 4.8762G | 45.35 | 74.00 | -28.65 | 3 | Horizontal | 60 | 2.04 |
| 2462MHz | Pass | AV | 2.4638G | 94.50 | Inf | -Inf | 3 | Vertical | 14 | 1.92 |
| 2462MHz | Pass | AV | 2.4835G | 50.82 | 54.00 | -3.18 | 3 | Vertical | 14 | 1.92 |
| 2462MHz | Pass | PK | 2.4646G | 106.49 | Inf | -Inf | 3 | Vertical | 14 | 1.92 |
| 2462MHz | Pass | PK | 2.4835G | 65.66 | 74.00 | -8.34 | 3 | Vertical | 14 | 1.92 |



| Mode | Result | Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) |
|--------------------------------|--------|------|-----------|----------------|----------------|-------------|----------|------------|-------------|------------|
| 2462MHz | Pass | AV | 2.4578G | 103.29 | Inf | -Inf | 3 | Horizontal | 62 | 1.22 |
| 2462MHz | Pass | AV | 2.4852G | 51.94 | 54.00 | -2.06 | 3 | Horizontal | 62 | 1.22 |
| 2462MHz | Pass | PK | 2.4572G | 115.06 | Inf | -Inf | 3 | Horizontal | 62 | 1.22 |
| 2462MHz | Pass | PK | 2.4858G | 65.91 | 74.00 | -8.09 | 3 | Horizontal | 62 | 1.22 |
| 2462MHz | Pass | AV | 4.93224G | 34.04 | 54.00 | -19.96 | 3 | Vertical | 135 | 3.00 |
| 2462MHz | Pass | PK | 4.92708G | 46.66 | 74.00 | -27.34 | 3 | Vertical | 135 | 3.00 |
| 2462MHz | Pass | AV | 4.93368G | 34.17 | 54.00 | -19.83 | 3 | Horizontal | 107 | 1.00 |
| 2462MHz | Pass | PK | 4.9278G | 46.04 | 74.00 | -27.96 | 3 | Horizontal | 107 | 1.00 |
| 802.11ax HEW40_Nss1_(MCS0)_2TX | - | - | - | - | - | - | - | - | - | - |
| 2422MHz | Pass | AV | 2.39G | 47.38 | 54.00 | -6.62 | 3 | Vertical | 126 | 1.12 |
| 2422MHz | Pass | AV | 2.42G | 92.07 | Inf | -Inf | 3 | Vertical | 126 | 1.12 |
| 2422MHz | Pass | AV | 2.4992G | 45.60 | 54.00 | -8.40 | 3 | Vertical | 126 | 1.12 |
| 2422MHz | Pass | PK | 2.3896G | 59.86 | 74.00 | -14.14 | 3 | Vertical | 126 | 1.12 |
| 2422MHz | Pass | PK | 2.4204G | 103.17 | Inf | -Inf | 3 | Vertical | 126 | 1.12 |
| 2422MHz | Pass | PK | 2.4948G | 56.76 | 74.00 | -17.24 | 3 | Vertical | 126 | 1.12 |
| 2422MHz | Pass | AV | 2.3888G | 49.87 | 54.00 | -4.13 | 3 | Horizontal | 60 | 1.00 |
| 2422MHz | Pass | AV | 2.4168G | 100.79 | Inf | -Inf | 3 | Horizontal | 60 | 1.00 |
| 2422MHz | Pass | AV | 2.4848G | 45.76 | 54.00 | -8.24 | 3 | Horizontal | 60 | 1.00 |
| 2422MHz | Pass | PK | 2.39G | 67.49 | 74.00 | -6.51 | 3 | Horizontal | 60 | 1.00 |
| 2422MHz | Pass | PK | 2.4168G | 111.82 | Inf | -Inf | 3 | Horizontal | 60 | 1.00 |
| 2422MHz | Pass | PK | 2.4984G | 57.62 | 74.00 | -16.38 | 3 | Horizontal | 60 | 1.00 |
| 2422MHz | Pass | AV | 4.82808G | 34.30 | 54.00 | -19.70 | 3 | Vertical | 7 | 1.50 |
| 2422MHz | Pass | PK | 4.82816G | 46.17 | 74.00 | -27.83 | 3 | Vertical | 7 | 1.50 |
| 2422MHz | Pass | AV | 4.82912G | 34.27 | 54.00 | -19.73 | 3 | Horizontal | 220 | 2.03 |
| 2422MHz | Pass | PK | 4.85392G | 46.44 | 74.00 | -27.56 | 3 | Horizontal | 220 | 2.03 |
| 2437MHz | Pass | AV | 2.389G | 44.76 | 54.00 | -9.24 | 3 | Vertical | 169 | 1.50 |
| 2437MHz | Pass | AV | 2.4274G | 89.91 | Inf | -Inf | 3 | Vertical | 169 | 1.50 |
| 2437MHz | Pass | AV | 2.4842G | 45.82 | 54.00 | -8.18 | 3 | Vertical | 169 | 1.50 |
| 2437MHz | Pass | PK | 2.3806G | 57.04 | 74.00 | -16.96 | 3 | Vertical | 169 | 1.50 |
| 2437MHz | Pass | PK | 2.427G | 100.50 | Inf | -Inf | 3 | Vertical | 169 | 1.50 |
| 2437MHz | Pass | PK | 2.4918G | 57.38 | 74.00 | -16.62 | 3 | Vertical | 169 | 1.50 |
| 2437MHz | Pass | AV | 2.3898G | 47.04 | 54.00 | -6.96 | 3 | Horizontal | 65 | 1.01 |
| 2437MHz | Pass | AV | 2.4222G | 100.16 | Inf | -Inf | 3 | Horizontal | 65 | 1.01 |
| 2437MHz | Pass | AV | 2.4835G | 51.10 | 54.00 | -2.90 | 3 | Horizontal | 65 | 1.01 |
| 2437MHz | Pass | PK | 2.3898G | 58.76 | 74.00 | -15.24 | 3 | Horizontal | 65 | 1.01 |
| 2437MHz | Pass | PK | 2.4218G | 111.41 | Inf | -Inf | 3 | Horizontal | 65 | 1.01 |
| 2437MHz | Pass | PK | 2.4835G | 63.32 | 74.00 | -10.68 | 3 | Horizontal | 65 | 1.01 |
| 2437MHz | Pass | AV | 4.89384G | 33.96 | 54.00 | -20.04 | 3 | Vertical | -0 | 2.21 |
| 2437MHz | Pass | PK | 4.85816G | 45.54 | 74.00 | -28.46 | 3 | Vertical | -0 | 2.21 |
| 2437MHz | Pass | AV | 4.85408G | 34.01 | 54.00 | -19.99 | 3 | Horizontal | 120 | 1.50 |
| 2437MHz | Pass | PK | 4.89224G | 45.69 | 74.00 | -28.31 | 3 | Horizontal | 120 | 1.50 |
| 2447MHz | Pass | AV | 2.3478G | 44.72 | 54.00 | -9.28 | 3 | Vertical | 290 | 2.80 |
| 2447MHz | Pass | AV | 2.4546G | 92.55 | Inf | -Inf | 3 | Vertical | 290 | 2.80 |
| 2447MHz | Pass | AV | 2.4835G | 48.72 | 54.00 | -5.28 | 3 | Vertical | 290 | 2.80 |
| 2447MHz | Pass | PK | 2.365G | 56.62 | 74.00 | -17.38 | 3 | Vertical | 290 | 2.80 |
| 2447MHz | Pass | PK | 2.4554G | 103.68 | Inf | -Inf | 3 | Vertical | 290 | 2.80 |
| 2447MHz | Pass | PK | 2.4838G | 60.90 | 74.00 | -13.10 | 3 | Vertical | 290 | 2.80 |
| 2447MHz | Pass | AV | 2.3894G | 44.84 | 54.00 | -9.16 | 3 | Horizontal | 62 | 1.00 |
| 2447MHz | Pass | AV | 2.4518G | 100.25 | Inf | -Inf | 3 | Horizontal | 62 | 1.00 |
| 2447MHz | Pass | AV | 2.4835G | 53.65 | 54.00 | -0.35 | 3 | Horizontal | 62 | 1.00 |
| 2447MHz | Pass | PK | 2.3574G | 56.19 | 74.00 | -17.81 | 3 | Horizontal | 62 | 1.00 |
| 2447MHz | Pass | PK | 2.4526G | 111.27 | Inf | -Inf | 3 | Horizontal | 62 | 1.00 |
| 2447MHz | Pass | PK | 2.4838G | 67.71 | 74.00 | -6.29 | 3 | Horizontal | 62 | 1.00 |
| 2452MHz | Pass | AV | 2.3764G | 44.67 | 54.00 | -9.33 | 3 | Vertical | 289.9 | 2.82 |
| 2452MHz | Pass | AV | 2.4508G | 91.65 | Inf | -Inf | 3 | Vertical | 289.9 | 2.82 |
| 2452MHz | Pass | AV | 2.488G | 48.00 | 54.00 | -6.00 | 3 | Vertical | 289.9 | 2.82 |
| 2452MHz | Pass | PK | 2.3688G | 57.13 | 74.00 | -16.87 | 3 | Vertical | 289.9 | 2.82 |
| 2452MHz | Pass | PK | 2.4592G | 103.32 | Inf | -Inf | 3 | Vertical | 289.9 | 2.82 |
| 2452MHz | Pass | PK | 2.4848G | 64.26 | 74.00 | -9.74 | 3 | Vertical | 289.9 | 2.82 |
| 2452MHz | Pass | AV | 2.39G | 44.71 | 54.00 | -9.29 | 3 | Horizontal | 58 | 1.21 |
| 2452MHz | Pass | AV | 2.4568G | 99.28 | Inf | -Inf | 3 | Horizontal | 58 | 1.21 |
| 2452MHz | Pass | AV | 2.4868G | 53.32 | 54.00 | -0.68 | 3 | Horizontal | 58 | 1.21 |




| Mode | Result | Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) |
|---------|--------|------|-----------|----------------|----------------|-------------|----------|------------|-------------|------------|
| 2452MHz | Pass | PK | 2.3688G | 57.04 | 74.00 | -16.96 | 3 | Horizontal | 58 | 1.21 |
| 2452MHz | Pass | PK | 2.4564G | 110.44 | Inf | -Inf | 3 | Horizontal | 58 | 1.21 |
| 2452MHz | Pass | PK | 2.4868G | 68.95 | 74.00 | -5.05 | 3 | Horizontal | 58 | 1.21 |
| 2452MHz | Pass | AV | 4.90752G | 34.09 | 54.00 | -19.91 | 3 | Vertical | 146 | 1.56 |
| 2452MHz | Pass | PK | 4.92176G | 46.45 | 74.00 | -27.55 | 3 | Vertical | 146 | 1.56 |
| 2452MHz | Pass | AV | 4.89768G | 34.11 | 54.00 | -19.89 | 3 | Horizontal | 186 | 1.00 |
| 2452MHz | Pass | PK | 4.90864G | 46.55 | 74.00 | -27.45 | 3 | Horizontal | 186 | 1.00 |



2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX


2412MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|------------|---------|---------|---------|
| AV | 2.3732G | 46.28 | 54.00 | -7.72 | 31.49 | 3 | Vertical | 276 | 1.44 | 14.79 | 27.35 | 4.14 | - |
| AV | 2.4128G | 99.71 | Inf | -Inf | 31.63 | 3 | Vertical | 276 | 1.44 | 68.08 | 27.45 | 4.18 | - |
| PK | 2.386G | 57.42 | 74.00 | -16.58 | 31.53 | 3 | Vertical | 276 | 1.44 | 25.89 | 27.37 | 4.16 | - |
| PK | 2.4128G | 101.58 | Inf | -Inf | 31.63 | 3 | Vertical | 276 | 1.44 | 69.95 | 27.45 | 4.18 | - |

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX

2412MHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|------------|---------|---------|---------|
| AV | 2.3678G | 46.14 | 54.00 | -7.86 | 31.48 | 3 | Horizontal | 19 | 1.56 | 14.66 | 27.34 | 4.14 | - |
| AV | 2.4128G | 107.11 | Inf | -Inf | 31.63 | 3 | Horizontal | 19 | 1.56 | 75.48 | 27.45 | 4.18 | - |
| PK | 2.376G | 56.92 | 74.00 | -17.08 | 31.50 | 3 | Horizontal | 19 | 1.56 | 25.42 | 27.35 | 4.15 | - |
| PK | 2.4128G | 108.54 | Inf | -Inf | 31.63 | 3 | Horizontal | 19 | 1.56 | 76.91 | 27.45 | 4.18 | - |



2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX


2412MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|------------|---------|---------|---------|
| AV | 4.82832G | 34.56 | 54.00 | -19.44 | 3.41 | 3 | Vertical | 360 | 1.46 | 31.15 | 32.37 | 5.69 | 34.65 |
| PK | 4.82952G | 46.22 | 74.00 | -27.78 | 3.42 | 3 | Vertical | 360 | 1.46 | 42.80 | 32.38 | 5.69 | 34.65 |

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX


2412MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|------------|---------|---------|---------|
| AV | 4.82504G | 35.25 | 54.00 | -18.75 | 3.39 | 3 | Horizontal | 205 | 2.11 | 31.86 | 32.35 | 5.69 | 34.65 |
| PK | 4.82472G | 45.85 | 74.00 | -28.15 | 3.38 | 3 | Horizontal | 205 | 2.11 | 42.47 | 32.35 | 5.68 | 34.65 |

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX


2437MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|------------|---------|---------|---------|
| AV | 2.3818G | 45.87 | 54.00 | -8.13 | 31.51 | 3 | Vertical | 11 | 1.23 | 14.36 | 27.36 | 4.15 | - |
| AV | 2.4362G | 97.83 | Inf | -Inf | 31.73 | 3 | Vertical | 11 | 1.23 | 66.10 | 27.54 | 4.19 | - |
| AV | 2.493G | 46.76 | 54.00 | -7.24 | 31.92 | 3 | Vertical | 11 | 1.23 | 14.84 | 27.69 | 4.23 | - |
| PK | 2.3674G | 58.10 | 74.00 | -15.90 | 31.47 | 3 | Vertical | 11 | 1.23 | 26.63 | 27.33 | 4.14 | - |
| PK | 2.4362G | 99.52 | Inf | -Inf | 31.73 | 3 | Vertical | 11 | 1.23 | 67.79 | 27.54 | 4.19 | - |
| PK | 2.4954G | 57.32 | 74.00 | -16.68 | 31.92 | 3 | Vertical | 11 | 1.23 | 25.40 | 27.69 | 4.23 | - |

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX

2437MHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|------------|---------|---------|---------|
| AV | 2.3802G | 45.88 | 54.00 | -8.12 | 31.51 | 3 | Horizontal | 23 | 1.40 | 14.37 | 27.36 | 4.15 | - |
| AV | 2.4362G | 104.46 | Inf | -Inf | 31.73 | 3 | Horizontal | 23 | 1.40 | 72.73 | 27.54 | 4.19 | - |
| AV | 2.4998G | 46.80 | 54.00 | -7.20 | 31.93 | 3 | Horizontal | 23 | 1.40 | 14.87 | 27.70 | 4.23 | - |
| PK | 2.3778G | 56.28 | 74.00 | -17.72 | 31.51 | 3 | Horizontal | 23 | 1.40 | 24.77 | 27.36 | 4.15 | - |
| PK | 2.4362G | 106.29 | Inf | -Inf | 31.73 | 3 | Horizontal | 23 | 1.40 | 74.56 | 27.54 | 4.19 | - |
| PK | 2.4962G | 57.08 | 74.00 | -16.92 | 31.92 | 3 | Horizontal | 23 | 1.40 | 25.16 | 27.69 | 4.23 | - |



2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX


2437MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|------------|---------|---------|---------|
| AV | 4.86744G | 34.86 | 54.00 | -19.14 | 3.63 | 3 | Vertical | 266 | 1.50 | 31.23 | 32.57 | 5.71 | 34.65 |
| PK | 4.87784G | 45.65 | 74.00 | -28.35 | 3.68 | 3 | Vertical | 266 | 1.50 | 41.97 | 32.61 | 5.72 | 34.65 |

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX


2437MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|------------|---------|---------|---------|
| AV | 4.86888G | 34.74 | 54.00 | -19.26 | 3.64 | 3 | Horizontal | 358 | 1.05 | 31.10 | 32.58 | 5.71 | 34.65 |
| PK | 4.87208G | 45.31 | 74.00 | -28.69 | 3.65 | 3 | Horizontal | 358 | 1.05 | 41.66 | 32.59 | 5.71 | 34.65 |

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX


2462MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|------------|---------|---------|---------|
| AV | 2.4628G | 98.44 | Inf | -Inf | 31.84 | 3 | Vertical | 14 | 1.50 | 66.60 | 27.63 | 4.21 | - |
| AV | 2.487G | 47.05 | 54.00 | -6.95 | 31.89 | 3 | Vertical | 14 | 1.50 | 15.16 | 27.67 | 4.22 | - |
| PK | 2.4628G | 100.24 | Inf | -Inf | 31.84 | 3 | Vertical | 14 | 1.50 | 68.40 | 27.63 | 4.21 | - |
| PK | 2.4918G | 57.87 | 74.00 | -16.13 | 31.91 | 3 | Vertical | 14 | 1.50 | 25.96 | 27.68 | 4.23 | - |

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX

2462MHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|------------|---------|---------|---------|
| AV | 2.4614G | 106.20 | Inf | -Inf | 31.83 | 3 | Horizontal | 313 | 1.90 | 74.37 | 27.62 | 4.21 | - |
| AV | 2.4994G | 47.06 | 54.00 | -6.94 | 31.93 | 3 | Horizontal | 313 | 1.90 | 15.13 | 27.70 | 4.23 | - |
| PK | 2.4612G | 107.97 | Inf | -Inf | 31.83 | 3 | Horizontal | 313 | 1.90 | 76.14 | 27.62 | 4.21 | - |
| PK | 2.4994G | 57.62 | 74.00 | -16.38 | 31.93 | 3 | Horizontal | 313 | 1.90 | 25.69 | 27.70 | 4.23 | - |



2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX


2462MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|------------|---------|---------|---------|
| AV | 4.91584G | 35.29 | 54.00 | -18.71 | 3.89 | 3 | Vertical | 42 | 1.22 | 31.40 | 32.80 | 5.74 | 34.65 |
| PK | 4.9176G | 46.14 | 74.00 | -27.86 | 3.90 | 3 | Vertical | 42 | 1.22 | 42.24 | 32.81 | 5.74 | 34.65 |

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX

2462MHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|------------|---------|---------|---------|
| AV | 4.93028G | 35.15 | 54.00 | -18.85 | 3.98 | 3 | Horizontal | 360 | 2.88 | 31.17 | 32.88 | 5.75 | 34.65 |
| PK | 4.93252G | 46.42 | 74.00 | -27.58 | 4.00 | 3 | Horizontal | 360 | 2.88 | 42.42 | 32.90 | 5.75 | 34.65 |



2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX


2412MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|------------|---------|---------|---------|
| AV | 2.39G | 46.50 | 54.00 | -7.50 | 31.54 | 3 | Vertical | 126 | 1.04 | 14.96 | 27.38 | 4.16 | - |
| AV | 2.4152G | 95.45 | Inf | -Inf | 31.64 | 3 | Vertical | 126 | 1.04 | 63.81 | 27.46 | 4.18 | - |
| PK | 2.39G | 56.87 | 74.00 | -17.13 | 31.54 | 3 | Vertical | 126 | 1.04 | 25.33 | 27.38 | 4.16 | - |
| PK | 2.4154G | 104.42 | Inf | -Inf | 31.64 | 3 | Vertical | 126 | 1.04 | 72.78 | 27.46 | 4.18 | - |

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX


2412MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|------------|---------|---------|---------|
| AV | 2.39G | 50.64 | 54.00 | -3.36 | 31.54 | 3 | Horizontal | 10 | 1.14 | 19.10 | 27.38 | 4.16 | - |
| AV | 2.4154G | 103.77 | Inf | -Inf | 31.64 | 3 | Horizontal | 10 | 1.14 | 72.13 | 27.46 | 4.18 | - |
| PK | 2.39G | 62.86 | 74.00 | -11.14 | 31.54 | 3 | Horizontal | 10 | 1.14 | 31.32 | 27.38 | 4.16 | - |
| PK | 2.4154G | 112.21 | Inf | -Inf | 31.64 | 3 | Horizontal | 10 | 1.14 | 80.57 | 27.46 | 4.18 | - |

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX


2412MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|------------|---------|---------|---------|
| AV | 4.82816G | 34.55 | 54.00 | -19.45 | 3.41 | 3 | Vertical | 219 | 3.00 | 31.14 | 32.37 | 5.69 | 34.65 |
| PK | 4.8256G | 46.56 | 74.00 | -27.44 | 3.39 | 3 | Vertical | 219 | 3.00 | 43.17 | 32.35 | 5.69 | 34.65 |

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX

2412MHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|------------|---------|---------|---------|
| AV | 4.83328G | 34.56 | 54.00 | -19.44 | 3.44 | 3 | Horizontal | 35 | 1.50 | 31.12 | 32.40 | 5.69 | 34.65 |
| PK | 4.83152G | 46.32 | 74.00 | -27.68 | 3.43 | 3 | Horizontal | 35 | 1.50 | 42.89 | 32.39 | 5.69 | 34.65 |



2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX


2437MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|------------|---------|---------|---------|
| AV | 2.3882G | 45.14 | 54.00 | -8.86 | 31.54 | 3 | Vertical | 16 | 1.74 | 13.60 | 27.38 | 4.16 | - |
| AV | 2.433G | 94.57 | Inf | -Inf | 31.72 | 3 | Vertical | 16 | 1.74 | 62.85 | 27.53 | 4.19 | - |
| AV | 2.4994G | 46.03 | 54.00 | -7.97 | 31.93 | 3 | Vertical | 16 | 1.74 | 14.10 | 27.70 | 4.23 | - |
| PK | 2.377G | 56.54 | 74.00 | -17.46 | 31.50 | 3 | Vertical | 16 | 1.74 | 25.04 | 27.35 | 4.15 | - |
| PK | 2.4338G | 102.75 | Inf | -Inf | 31.73 | 3 | Vertical | 16 | 1.74 | 71.02 | 27.54 | 4.19 | - |
| PK | 2.4866G | 57.12 | 74.00 | -16.88 | 31.89 | 3 | Vertical | 16 | 1.74 | 25.23 | 27.67 | 4.22 | - |

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX

2437MHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|------------|---------|---------|---------|
| AV | 2.3846G | 45.29 | 54.00 | -8.71 | 31.53 | 3 | Horizontal | 60 | 1.03 | 13.76 | 27.37 | 4.16 | - |
| AV | 2.4298G | 103.03 | Inf | -Inf | 31.71 | 3 | Horizontal | 60 | 1.03 | 71.32 | 27.52 | 4.19 | - |
| AV | 2.4874G | 46.09 | 54.00 | -7.91 | 31.89 | 3 | Horizontal | 60 | 1.03 | 14.20 | 27.67 | 4.22 | - |
| PK | 2.3574G | 56.53 | 74.00 | -17.47 | 31.44 | 3 | Horizontal | 60 | 1.03 | 25.09 | 27.31 | 4.13 | - |
| PK | 2.4346G | 110.83 | Inf | -Inf | 31.73 | 3 | Horizontal | 60 | 1.03 | 79.10 | 27.54 | 4.19 | - |
| PK | 2.4842G | 57.20 | 74.00 | -16.80 | 31.89 | 3 | Horizontal | 60 | 1.03 | 25.31 | 27.67 | 4.22 | - |



2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX


2437MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|------------|---------|---------|---------|
| AV | 4.88204G | 34.16 | 54.00 | -19.84 | 3.70 | 3 | Vertical | 190 | 1.50 | 30.46 | 32.63 | 5.72 | 34.65 |
| PK | 4.86472G | 45.00 | 74.00 | -29.00 | 3.62 | 3 | Vertical | 190 | 1.50 | 41.38 | 32.56 | 5.71 | 34.65 |

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX

2437MHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|------------|---------|---------|---------|
| AV | 4.88212G | 34.04 | 54.00 | -19.96 | 3.70 | 3 | Horizontal | 38 | 1.50 | 30.34 | 32.63 | 5.72 | 34.65 |
| PK | 4.87944G | 45.61 | 74.00 | -28.39 | 3.69 | 3 | Horizontal | 38 | 1.50 | 41.92 | 32.62 | 5.72 | 34.65 |



2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX


2462MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|------------|---------|---------|---------|
| AV | 2.4558G | 96.54 | Inf | -Inf | 31.81 | 3 | Vertical | 289 | 2.81 | 64.73 | 27.61 | 4.20 | - |
| AV | 2.4846G | 46.91 | 54.00 | -7.09 | 31.89 | 3 | Vertical | 289 | 2.81 | 15.02 | 27.67 | 4.22 | - |
| PK | 2.4556G | 104.03 | Inf | -Inf | 31.81 | 3 | Vertical | 289 | 2.81 | 72.22 | 27.61 | 4.20 | - |
| PK | 2.484G | 58.59 | 74.00 | -15.41 | 31.89 | 3 | Vertical | 289 | 2.81 | 26.70 | 27.67 | 4.22 | - |

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX

2462MHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|------------|---------|---------|---------|
| AV | 2.4594G | 103.18 | Inf | -Inf | 31.83 | 3 | Horizontal | 56 | 1.20 | 71.35 | 27.62 | 4.21 | - |
| AV | 2.4838G | 51.44 | 54.00 | -2.56 | 31.89 | 3 | Horizontal | 56 | 1.20 | 19.55 | 27.67 | 4.22 | - |
| PK | 2.4598G | 112.07 | Inf | -Inf | 31.83 | 3 | Horizontal | 56 | 1.20 | 80.24 | 27.62 | 4.21 | - |
| PK | 2.4835G | 64.48 | 74.00 | -9.52 | 31.89 | 3 | Horizontal | 56 | 1.20 | 32.59 | 27.67 | 4.22 | - |



2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX


2462MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|------------|---------|---------|---------|
| AV | 4.93272G | 34.48 | 54.00 | -19.52 | 4.00 | 3 | Vertical | 348 | 1.50 | 30.48 | 32.90 | 5.75 | 34.65 |
| PK | 4.92664G | 46.23 | 74.00 | -27.77 | 3.96 | 3 | Vertical | 348 | 1.50 | 42.27 | 32.86 | 5.75 | 34.65 |

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX


2462MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|------------|---------|---------|---------|
| AV | 4.92516G | 34.48 | 54.00 | -19.52 | 3.95 | 3 | Horizontal | 108 | 1.50 | 30.53 | 32.85 | 5.75 | 34.65 |
| PK | 4.92272G | 46.06 | 74.00 | -27.94 | 3.93 | 3 | Horizontal | 108 | 1.50 | 42.13 | 32.84 | 5.74 | 34.65 |

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


2412MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|------------|---------|---------|---------|
| AV | 2.3898G | 47.36 | 54.00 | -6.64 | 31.54 | 3 | Vertical | 130 | 1.07 | 15.82 | 27.38 | 4.16 | - |
| AV | 2.4092G | 94.18 | Inf | -Inf | 31.62 | 3 | Vertical | 130 | 1.07 | 62.56 | 27.44 | 4.18 | - |
| PK | 2.3896G | 58.48 | 74.00 | -15.52 | 31.54 | 3 | Vertical | 130 | 1.07 | 26.94 | 27.38 | 4.16 | - |
| PK | 2.4092G | 105.98 | Inf | -Inf | 31.62 | 3 | Vertical | 130 | 1.07 | 74.36 | 27.44 | 4.18 | - |

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

2412MHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|------------|---------|---------|---------|
| AV | 2.39G | 53.50 | 54.00 | -0.50 | 31.54 | 3 | Horizontal | 10 | 1.15 | 21.96 | 27.38 | 4.16 | - |
| AV | 2.418G | 102.74 | Inf | -Inf | 31.65 | 3 | Horizontal | 10 | 1.15 | 71.09 | 27.47 | 4.18 | - |
| PK | 2.3894G | 66.43 | 74.00 | -7.57 | 31.54 | 3 | Horizontal | 10 | 1.15 | 34.89 | 27.38 | 4.16 | - |
| PK | 2.4178G | 114.58 | Inf | -Inf | 31.65 | 3 | Horizontal | 10 | 1.15 | 82.93 | 27.47 | 4.18 | - |



2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


2412MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|------------|---------|---------|---------|
| AV | 4.83104G | 34.33 | 54.00 | -19.67 | 3.43 | 3 | Vertical | 81 | 1.50 | 30.90 | 32.39 | 5.69 | 34.65 |
| PK | 4.83024G | 45.83 | 74.00 | -28.17 | 3.42 | 3 | Vertical | 81 | 1.50 | 42.41 | 32.38 | 5.69 | 34.65 |

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

2412MHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|------------|---------|---------|---------|
| AV | 4.82944G | 34.22 | 54.00 | -19.78 | 3.42 | 3 | Horizontal | 135 | 1.45 | 30.80 | 32.38 | 5.69 | 34.65 |
| PK | 4.83156G | 46.54 | 74.00 | -27.46 | 3.43 | 3 | Horizontal | 135 | 1.45 | 43.11 | 32.39 | 5.69 | 34.65 |



2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


2417MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|------------|---------|---------|---------|
| AV | 2.3896G | 44.83 | 54.00 | -9.17 | 31.54 | 3 | Vertical | 130 | 1.06 | 13.29 | 27.38 | 4.16 | - |
| AV | 2.414G | 95.08 | Inf | -Inf | 31.64 | 3 | Vertical | 130 | 1.06 | 63.44 | 27.46 | 4.18 | - |
| PK | 2.3876G | 56.95 | 74.00 | -17.05 | 31.54 | 3 | Vertical | 130 | 1.06 | 25.41 | 27.38 | 4.16 | - |
| PK | 2.415G | 106.33 | Inf | -Inf | 31.64 | 3 | Vertical | 130 | 1.06 | 74.69 | 27.46 | 4.18 | - |

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

2417MHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|------------|---------|---------|---------|
| AV | 2.3896G | 45.41 | 54.00 | -8.59 | 31.54 | 3 | Horizontal | 4 | 1.85 | 13.87 | 27.38 | 4.16 | - |
| AV | 2.415G | 103.80 | Inf | -Inf | 31.64 | 3 | Horizontal | 4 | 1.85 | 72.16 | 27.46 | 4.18 | - |
| PK | 2.3786G | 57.21 | 74.00 | -16.79 | 31.51 | 3 | Horizontal | 4 | 1.85 | 25.70 | 27.36 | 4.15 | - |
| PK | 2.4148G | 115.18 | Inf | -Inf | 31.64 | 3 | Horizontal | 4 | 1.85 | 83.54 | 27.46 | 4.18 | - |



2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


2437MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|------------|---------|---------|---------|
| AV | 2.3882G | 44.71 | 54.00 | -9.29 | 31.54 | 3 | Vertical | 3 | 3.00 | 13.17 | 27.38 | 4.16 | - |
| AV | 2.4346G | 93.89 | Inf | -Inf | 31.73 | 3 | Vertical | 3 | 3.00 | 62.16 | 27.54 | 4.19 | - |
| AV | 2.4878G | 45.46 | 54.00 | -8.54 | 31.90 | 3 | Vertical | 3 | 3.00 | 13.56 | 27.68 | 4.22 | - |
| PK | 2.339G | 56.37 | 74.00 | -17.63 | 31.39 | 3 | Vertical | 3 | 3.00 | 24.98 | 27.28 | 4.11 | - |
| PK | 2.4358G | 105.18 | Inf | -Inf | 31.73 | 3 | Vertical | 3 | 3.00 | 73.45 | 27.54 | 4.19 | - |
| PK | 2.497G | 57.15 | 74.00 | -16.85 | 31.92 | 3 | Vertical | 3 | 3.00 | 25.23 | 27.69 | 4.23 | - |

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

2437MHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|------------|---------|---------|---------|
| AV | 2.3838G | 44.76 | 54.00 | -9.24 | 31.52 | 3 | Horizontal | 60 | 1.00 | 13.24 | 27.37 | 4.15 | - |
| AV | 2.4318G | 103.06 | Inf | -Inf | 31.72 | 3 | Horizontal | 60 | 1.00 | 71.34 | 27.53 | 4.19 | - |
| AV | 2.4835G | 45.55 | 54.00 | -8.45 | 31.89 | 3 | Horizontal | 60 | 1.00 | 13.66 | 27.67 | 4.22 | - |
| PK | 2.3554G | 56.62 | 74.00 | -17.38 | 31.44 | 3 | Horizontal | 60 | 1.00 | 25.18 | 27.31 | 4.13 | - |
| PK | 2.4322G | 114.23 | Inf | -Inf | 31.72 | 3 | Horizontal | 60 | 1.00 | 82.51 | 27.53 | 4.19 | - |
| PK | 2.4994G | 57.37 | 74.00 | -16.63 | 31.93 | 3 | Horizontal | 60 | 1.00 | 25.44 | 27.70 | 4.23 | - |



2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


2437MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|------------|---------|---------|---------|
| AV | 4.88088G | 33.64 | 54.00 | -20.36 | 3.69 | 3 | Vertical | 338 | 1.50 | 29.95 | 32.62 | 5.72 | 34.65 |
| PK | 4.87288G | 45.78 | 74.00 | -28.22 | 3.65 | 3 | Vertical | 338 | 1.50 | 42.13 | 32.59 | 5.71 | 34.65 |

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

2437MHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|------------|---------|---------|---------|
| AV | 4.88284G | 33.68 | 54.00 | -20.32 | 3.70 | 3 | Horizontal | 60 | 2.04 | 29.98 | 32.63 | 5.72 | 34.65 |
| PK | 4.8762G | 45.35 | 74.00 | -28.65 | 3.67 | 3 | Horizontal | 60 | 2.04 | 41.68 | 32.60 | 5.72 | 34.65 |



2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


2462MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|------------|---------|---------|---------|
| AV | 2.4638G | 94.50 | Inf | -Inf | 31.84 | 3 | Vertical | 14 | 1.92 | 62.66 | 27.63 | 4.21 | - |
| AV | 2.4835G | 50.82 | 54.00 | -3.18 | 31.89 | 3 | Vertical | 14 | 1.92 | 18.93 | 27.67 | 4.22 | - |
| PK | 2.4646G | 106.49 | Inf | -Inf | 31.84 | 3 | Vertical | 14 | 1.92 | 74.65 | 27.63 | 4.21 | - |
| PK | 2.4835G | 65.66 | 74.00 | -8.34 | 31.89 | 3 | Vertical | 14 | 1.92 | 33.77 | 27.67 | 4.22 | - |

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


2462MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|------------|---------|---------|---------|
| AV | 2.4578G | 103.29 | Inf | -Inf | 31.82 | 3 | Horizontal | 62 | 1.22 | 71.47 | 27.62 | 4.20 | - |
| AV | 2.4852G | 51.94 | 54.00 | -2.06 | 31.89 | 3 | Horizontal | 62 | 1.22 | 20.05 | 27.67 | 4.22 | - |
| PK | 2.4572G | 115.06 | Inf | -Inf | 31.81 | 3 | Horizontal | 62 | 1.22 | 83.25 | 27.61 | 4.20 | - |
| PK | 2.4858G | 65.91 | 74.00 | -8.09 | 31.89 | 3 | Horizontal | 62 | 1.22 | 34.02 | 27.67 | 4.22 | - |

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


2462MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|------------|---------|---------|---------|
| AV | 4.93224G | 34.04 | 54.00 | -19.96 | 3.99 | 3 | Vertical | 135 | 3.00 | 30.05 | 32.89 | 5.75 | 34.65 |
| PK | 4.92708G | 46.66 | 74.00 | -27.34 | 3.96 | 3 | Vertical | 135 | 3.00 | 42.70 | 32.86 | 5.75 | 34.65 |

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

2462MHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|------------|---------|---------|---------|
| AV | 4.93368G | 34.17 | 54.00 | -19.83 | 4.00 | 3 | Horizontal | 107 | 1.00 | 30.17 | 32.90 | 5.75 | 34.65 |
| PK | 4.9278G | 46.04 | 74.00 | -27.96 | 3.97 | 3 | Horizontal | 107 | 1.00 | 42.07 | 32.87 | 5.75 | 34.65 |



2.4-2.4835GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


2422MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|------------|---------|---------|---------|
| AV | 2.39G | 47.38 | 54.00 | -6.62 | 31.54 | 3 | Vertical | 126 | 1.12 | 15.84 | 27.38 | 4.16 | - |
| AV | 2.42G | 92.07 | Inf | -Inf | 31.66 | 3 | Vertical | 126 | 1.12 | 60.41 | 27.48 | 4.18 | - |
| AV | 2.4992G | 45.60 | 54.00 | -8.40 | 31.93 | 3 | Vertical | 126 | 1.12 | 13.67 | 27.70 | 4.23 | - |
| PK | 2.3896G | 59.86 | 74.00 | -14.14 | 31.54 | 3 | Vertical | 126 | 1.12 | 28.32 | 27.38 | 4.16 | - |
| PK | 2.4204G | 103.17 | Inf | -Inf | 31.66 | 3 | Vertical | 126 | 1.12 | 71.51 | 27.48 | 4.18 | - |
| PK | 2.4948G | 56.76 | 74.00 | -17.24 | 31.92 | 3 | Vertical | 126 | 1.12 | 24.84 | 27.69 | 4.23 | - |

2.4-2.4835GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

2422MHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|------------|---------|---------|---------|
| AV | 2.3888G | 49.87 | 54.00 | -4.13 | 31.54 | 3 | Horizontal | 60 | 1.00 | 18.33 | 27.38 | 4.16 | - |
| AV | 2.4168G | 100.79 | Inf | -Inf | 31.65 | 3 | Horizontal | 60 | 1.00 | 69.14 | 27.47 | 4.18 | - |
| AV | 2.4848G | 45.76 | 54.00 | -8.24 | 31.89 | 3 | Horizontal | 60 | 1.00 | 13.87 | 27.67 | 4.22 | - |
| PK | 2.39G | 67.49 | 74.00 | -6.51 | 31.54 | 3 | Horizontal | 60 | 1.00 | 35.95 | 27.38 | 4.16 | - |
| PK | 2.4168G | 111.82 | Inf | -Inf | 31.65 | 3 | Horizontal | 60 | 1.00 | 80.17 | 27.47 | 4.18 | - |
| PK | 2.494G | 57.62 | 74.00 | -16.38 | 31.93 | 3 | Horizontal | 60 | 1.00 | 25.69 | 27.70 | 4.23 | - |



2.4-2.4835GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


2422MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|------------|---------|---------|---------|
| AV | 4.82808G | 34.30 | 54.00 | -19.70 | 3.41 | 3 | Vertical | 7 | 1.50 | 30.89 | 32.37 | 5.69 | 34.65 |
| PK | 4.82816G | 46.17 | 74.00 | -27.83 | 3.41 | 3 | Vertical | 7 | 1.50 | 42.76 | 32.37 | 5.69 | 34.65 |

2.4-2.4835GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

2422MHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|------------|---------|---------|---------|
| AV | 4.82912G | 34.27 | 54.00 | -19.73 | 3.41 | 3 | Horizontal | 220 | 2.03 | 30.86 | 32.37 | 5.69 | 34.65 |
| PK | 4.85392G | 46.44 | 74.00 | -27.56 | 3.57 | 3 | Horizontal | 220 | 2.03 | 42.87 | 32.52 | 5.70 | 34.65 |



2.4-2.4835GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


2437MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|------------|---------|---------|---------|
| AV | 2.389G | 44.76 | 54.00 | -9.24 | 31.54 | 3 | Vertical | 169 | 1.50 | 13.22 | 27.38 | 4.16 | - |
| AV | 2.4274G | 89.91 | Inf | -Inf | 31.70 | 3 | Vertical | 169 | 1.50 | 58.21 | 27.51 | 4.19 | - |
| AV | 2.4842G | 45.82 | 54.00 | -8.18 | 31.89 | 3 | Vertical | 169 | 1.50 | 13.93 | 27.67 | 4.22 | - |
| PK | 2.3806G | 57.04 | 74.00 | -16.96 | 31.51 | 3 | Vertical | 169 | 1.50 | 25.53 | 27.36 | 4.15 | - |
| PK | 2.427G | 100.50 | Inf | -Inf | 31.70 | 3 | Vertical | 169 | 1.50 | 68.80 | 27.51 | 4.19 | - |
| PK | 2.4918G | 57.38 | 74.00 | -16.62 | 31.91 | 3 | Vertical | 169 | 1.50 | 25.47 | 27.68 | 4.23 | - |

2.4-2.4835GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

2437MHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|------------|---------|---------|---------|
| AV | 2.3898G | 47.04 | 54.00 | -6.96 | 31.54 | 3 | Horizontal | 65 | 1.01 | 15.50 | 27.38 | 4.16 | - |
| AV | 2.4222G | 100.16 | Inf | -Inf | 31.67 | 3 | Horizontal | 65 | 1.01 | 68.49 | 27.49 | 4.18 | - |
| AV | 2.4835G | 51.10 | 54.00 | -2.90 | 31.89 | 3 | Horizontal | 65 | 1.01 | 19.21 | 27.67 | 4.22 | - |
| PK | 2.3898G | 58.76 | 74.00 | -15.24 | 31.54 | 3 | Horizontal | 65 | 1.01 | 27.22 | 27.38 | 4.16 | - |
| PK | 2.4218G | 111.41 | Inf | -Inf | 31.67 | 3 | Horizontal | 65 | 1.01 | 79.74 | 27.49 | 4.18 | - |
| PK | 2.4835G | 63.32 | 74.00 | -10.68 | 31.89 | 3 | Horizontal | 65 | 1.01 | 31.43 | 27.67 | 4.22 | - |



2.4-2.4835GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


2437MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|------------|---------|---------|---------|
| AV | 4.89384G | 33.96 | 54.00 | -20.04 | 3.76 | 3 | Vertical | 0 | 2.21 | 30.20 | 32.68 | 5.73 | 34.65 |
| PK | 4.85816G | 45.54 | 74.00 | -28.46 | 3.58 | 3 | Vertical | 0 | 2.21 | 41.96 | 32.53 | 5.70 | 34.65 |

2.4-2.4835GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

2437MHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|------------|---------|---------|---------|
| AV | 4.85408G | 34.01 | 54.00 | -19.99 | 3.57 | 3 | Horizontal | 120 | 1.50 | 30.44 | 32.52 | 5.70 | 34.65 |
| PK | 4.89224G | 45.69 | 74.00 | -28.31 | 3.75 | 3 | Horizontal | 120 | 1.50 | 41.94 | 32.67 | 5.73 | 34.65 |



2.4-2.4835GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


2447MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|------------|---------|---------|---------|
| AV | 2.3478G | 44.72 | 54.00 | -9.28 | 31.42 | 3 | Vertical | 290 | 2.80 | 13.30 | 27.30 | 4.12 | - |
| AV | 2.4546G | 92.55 | Inf | -Inf | 31.81 | 3 | Vertical | 290 | 2.80 | 60.74 | 27.61 | 4.20 | - |
| AV | 2.4835G | 48.72 | 54.00 | -5.28 | 31.89 | 3 | Vertical | 290 | 2.80 | 16.83 | 27.67 | 4.22 | - |
| PK | 2.365G | 56.62 | 74.00 | -17.38 | 31.47 | 3 | Vertical | 290 | 2.80 | 25.15 | 27.33 | 4.14 | - |
| PK | 2.4554G | 103.68 | Inf | -Inf | 31.81 | 3 | Vertical | 290 | 2.80 | 71.87 | 27.61 | 4.20 | - |
| PK | 2.4838G | 60.90 | 74.00 | -13.10 | 31.89 | 3 | Vertical | 290 | 2.80 | 29.01 | 27.67 | 4.22 | - |

2.4-2.4835GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

2447MHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|------------|---------|---------|---------|
| AV | 2.3894G | 44.84 | 54.00 | -9.16 | 31.54 | 3 | Horizontal | 62 | 1.00 | 13.30 | 27.38 | 4.16 | - |
| AV | 2.4518G | 100.25 | Inf | -Inf | 31.80 | 3 | Horizontal | 62 | 1.00 | 68.45 | 27.60 | 4.20 | - |
| AV | 2.4835G | 53.65 | 54.00 | -0.35 | 31.89 | 3 | Horizontal | 62 | 1.00 | 21.76 | 27.67 | 4.22 | - |
| PK | 2.3574G | 56.19 | 74.00 | -17.81 | 31.44 | 3 | Horizontal | 62 | 1.00 | 24.75 | 27.31 | 4.13 | - |
| PK | 2.4526G | 111.27 | Inf | -Inf | 31.81 | 3 | Horizontal | 62 | 1.00 | 79.46 | 27.61 | 4.20 | - |
| PK | 2.4838G | 67.71 | 74.00 | -6.29 | 31.89 | 3 | Horizontal | 62 | 1.00 | 35.82 | 27.67 | 4.22 | - |



2.4-2.4835GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


2452MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|------------|---------|---------|---------|
| AV | 2.3764G | 44.67 | 54.00 | -9.33 | 31.50 | 3 | Vertical | 290 | 2.82 | 13.17 | 27.35 | 4.15 | - |
| AV | 2.4508G | 91.65 | Inf | -Inf | 31.80 | 3 | Vertical | 290 | 2.82 | 59.85 | 27.60 | 4.20 | - |
| AV | 2.488G | 48.00 | 54.00 | -6.00 | 31.90 | 3 | Vertical | 290 | 2.82 | 16.10 | 27.68 | 4.22 | - |
| PK | 2.3688G | 57.13 | 74.00 | -16.87 | 31.48 | 3 | Vertical | 290 | 2.82 | 25.65 | 27.34 | 4.14 | - |
| PK | 2.4592G | 103.32 | Inf | -Inf | 31.83 | 3 | Vertical | 290 | 2.82 | 71.49 | 27.62 | 4.21 | - |
| PK | 2.4848G | 64.26 | 74.00 | -9.74 | 31.89 | 3 | Vertical | 290 | 2.82 | 32.37 | 27.67 | 4.22 | - |

2.4-2.4835GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

2452MHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|------------|---------|---------|---------|
| AV | 2.39G | 44.71 | 54.00 | -9.29 | 31.54 | 3 | Horizontal | 58 | 1.21 | 13.17 | 27.38 | 4.16 | - |
| AV | 2.4568G | 99.28 | Inf | -Inf | 31.81 | 3 | Horizontal | 58 | 1.21 | 67.47 | 27.61 | 4.20 | - |
| AV | 2.4868G | 53.32 | 54.00 | -0.68 | 31.89 | 3 | Horizontal | 58 | 1.21 | 21.43 | 27.67 | 4.22 | - |
| PK | 2.3688G | 57.04 | 74.00 | -16.96 | 31.48 | 3 | Horizontal | 58 | 1.21 | 25.56 | 27.34 | 4.14 | - |
| PK | 2.4564G | 110.44 | Inf | -Inf | 31.81 | 3 | Horizontal | 58 | 1.21 | 78.63 | 27.61 | 4.20 | - |
| PK | 2.4868G | 68.95 | 74.00 | -5.05 | 31.89 | 3 | Horizontal | 58 | 1.21 | 37.06 | 27.67 | 4.22 | - |



2.4-2.4835GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


2452MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|------------|---------|---------|---------|
| AV | 4.90752G | 34.09 | 54.00 | -19.91 | 3.83 | 3 | Vertical | 146 | 1.56 | 30.26 | 32.75 | 5.73 | 34.65 |
| PK | 4.92176G | 46.45 | 74.00 | -27.55 | 3.92 | 3 | Vertical | 146 | 1.56 | 42.53 | 32.83 | 5.74 | 34.65 |

2.4-2.4835GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

2452MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|------------|---------|---------|---------|
| AV | 4.89768G | 34.11 | 54.00 | -19.89 | 3.77 | 3 | Horizontal | 186 | 1.00 | 30.34 | 32.69 | 5.73 | 34.65 |
| PK | 4.90864G | 46.55 | 74.00 | -27.45 | 3.84 | 3 | Horizontal | 186 | 1.00 | 42.71 | 32.75 | 5.74 | 34.65 |



Summary

| Mode | Result | Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) |
|--------------------------------|--------|------|-----------|----------------|----------------|-------------|----------|------------|-------------|------------|
| 2.4-2.4835GHz | - | - | - | - | - | - | - | - | - | - |
| 802.11ax HEW20_Nss1,(MCS0)_2TX | Pass | PK | 37.76M | 36.79 | 40.00 | -3.21 | 3 | Horizontal | 0 | 1.00 |




Result

| Mode | Result | Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) |
|--------------------------------|--------|------|-----------|----------------|----------------|-------------|----------|------------|-------------|------------|
| 802.11ax HEW20_Nss1,(MCS0)_2TX | - | - | - | - | - | - | - | - | - | - |
| 2437MHz | Pass | PK | 256.98M | 22.95 | 46.00 | -23.05 | 3 | Vertical | 360 | 1.00 |
| 2437MHz | Pass | PK | 369.5M | 26.28 | 46.00 | -19.72 | 3 | Vertical | 360 | 1.00 |
| 2437MHz | Pass | PK | 518.88M | 40.79 | 46.00 | -5.21 | 3 | Vertical | 360 | 1.00 |
| 2437MHz | Pass | PK | 575.14M | 31.52 | 46.00 | -14.48 | 3 | Vertical | 360 | 1.00 |
| 2437MHz | Pass | QP | 30M | 33.99 | 40.00 | -6.01 | 3 | Vertical | 268 | 2.90 |
| 2437MHz | Pass | QP | 38.93M | 36.16 | 40.00 | -3.84 | 3 | Vertical | 175 | 1.00 |
| 2437MHz | Pass | PK | 37.76M | 36.79 | 40.00 | -3.21 | 3 | Horizontal | 0 | 1.00 |
| 2437MHz | Pass | PK | 101.78M | 27.91 | 43.50 | -15.59 | 3 | Horizontal | 0 | 1.00 |
| 2437MHz | Pass | PK | 249.22M | 27.91 | 46.00 | -18.09 | 3 | Horizontal | 0 | 1.00 |
| 2437MHz | Pass | PK | 383.08M | 25.63 | 46.00 | -20.37 | 3 | Horizontal | 0 | 1.00 |
| 2437MHz | Pass | PK | 575.14M | 31.26 | 46.00 | -14.74 | 3 | Horizontal | 0 | 1.00 |
| 2437MHz | Pass | PK | 598.42M | 34.20 | 46.00 | -11.80 | 3 | Horizontal | 0 | 1.00 |



2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


2437MHz_PoE



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|------------|---------|---------|---------|
| PK | 256.98M | 22.95 | 46.00 | -23.05 | -6.47 | 3 | Vertical | 360 | 1.00 | 29.42 | 18.40 | 2.29 | 27.16 |
| PK | 369.5M | 26.28 | 46.00 | -19.72 | -4.84 | 3 | Vertical | 360 | 1.00 | 31.12 | 20.01 | 2.78 | 27.63 |
| PK | 518.88M | 40.79 | 46.00 | -5.21 | -2.42 | 3 | Vertical | 360 | 1.00 | 43.21 | 22.68 | 3.35 | 28.45 |
| PK | 575.14M | 31.52 | 46.00 | -14.48 | -1.23 | 3 | Vertical | 360 | 1.00 | 32.75 | 23.81 | 3.50 | 28.54 |
| QP | 30M | 33.99 | 40.00 | -6.01 | -2.80 | 3 | Vertical | 268 | 2.90 | 36.79 | 23.14 | 1.02 | 26.96 |
| QP | 38.93M | 36.16 | 40.00 | -3.84 | -7.27 | 3 | Vertical | 175 | 1.00 | 43.43 | 18.46 | 1.03 | 26.76 |

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

2437MHz_PoE



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|------------|---------|---------|---------|
| PK | 37.76M | 36.79 | 40.00 | -3.21 | -6.64 | 3 | Horizontal | 0 | 1.00 | 43.43 | 19.05 | 1.03 | 26.72 |
| PK | 101.78M | 27.91 | 43.50 | -15.59 | -10.06 | 3 | Horizontal | 0 | 1.00 | 37.97 | 16.33 | 1.43 | 27.82 |
| PK | 249.22M | 27.91 | 46.00 | -18.09 | -7.43 | 3 | Horizontal | 0 | 1.00 | 35.34 | 17.47 | 2.26 | 27.16 |
| PK | 383.08M | 25.63 | 46.00 | -20.37 | -4.72 | 3 | Horizontal | 0 | 1.00 | 30.35 | 20.18 | 2.82 | 27.72 |
| PK | 575.14M | 31.26 | 46.00 | -14.74 | -1.23 | 3 | Horizontal | 0 | 1.00 | 32.49 | 23.81 | 3.50 | 28.54 |
| PK | 598.42M | 34.20 | 46.00 | -11.80 | -1.00 | 3 | Horizontal | 0 | 1.00 | 35.20 | 23.87 | 3.58 | 28.45 |



Summary

| Mode | Result | Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) |
|--------------------------------|--------|------|-----------|----------------|----------------|-------------|----------|------------|-------------|------------|
| 2.4-2.4835GHz | - | - | - | - | - | - | - | - | - | - |
| 802.11b_Nss1,(1Mbps)_2TX | Pass | AV | 2.4856G | 46.39 | 54.00 | -7.61 | 3 | Horizontal | 154 | 1.00 |
| 802.11g_Nss1,(6Mbps)_2TX | Pass | AV | 2.39G | 53.57 | 54.00 | -0.43 | 3 | Horizontal | 154 | 2.77 |
| 802.11ax HEW20_Nss1,(MCS0)_2TX | Pass | AV | 2.39G | 52.93 | 54.00 | -1.07 | 3 | Horizontal | 154 | 1.40 |
| 802.11ax HEW40_Nss1,(MCS0)_2TX | Pass | AV | 2.4835G | 53.70 | 54.00 | -0.30 | 3 | Horizontal | 153 | 1.48 |



Result

| Mode | Result | Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) |
|--------------------------|--------|------|-----------|----------------|----------------|-------------|----------|------------|-------------|------------|
| 802.11b_Nss1,(1Mbps)_2TX | - | - | - | - | - | - | - | - | - | - |
| 2412MHz | Pass | AV | 2.39G | 45.60 | 54.00 | -8.40 | 3 | Horizontal | 35 | 1.14 |
| 2412MHz | Pass | AV | 2.4112G | 111.68 | Inf | -Inf | 3 | Horizontal | 35 | 1.14 |
| 2412MHz | Pass | PK | 2.3714G | 57.87 | 74.00 | -16.13 | 3 | Horizontal | 35 | 1.14 |
| 2412MHz | Pass | PK | 2.4112G | 114.23 | Inf | -Inf | 3 | Horizontal | 35 | 1.14 |
| 2412MHz | Pass | AV | 4.824G | 40.29 | 54.00 | -13.71 | 3 | Vertical | 323 | 1.00 |
| 2412MHz | Pass | PK | 4.82382G | 45.56 | 74.00 | -28.44 | 3 | Vertical | 323 | 1.00 |
| 2412MHz | Pass | AV | 4.82406G | 39.76 | 54.00 | -14.24 | 3 | Horizontal | 337 | 1.27 |
| 2412MHz | Pass | PK | 4.82388G | 45.32 | 74.00 | -28.68 | 3 | Horizontal | 337 | 1.27 |
| 2437MHz | Pass | AV | 2.389G | 45.65 | 54.00 | -8.35 | 3 | Horizontal | 43 | 1.15 |
| 2437MHz | Pass | AV | 2.43604G | 111.03 | Inf | -Inf | 3 | Horizontal | 43 | 1.15 |
| 2437MHz | Pass | AV | 2.4962G | 46.15 | 54.00 | -7.85 | 3 | Horizontal | 43 | 1.15 |
| 2437MHz | Pass | PK | 2.38324G | 58.15 | 74.00 | -15.85 | 3 | Horizontal | 43 | 1.15 |
| 2437MHz | Pass | PK | 2.43604G | 113.26 | Inf | -Inf | 3 | Horizontal | 43 | 1.15 |
| 2437MHz | Pass | PK | 2.48948G | 58.95 | 74.00 | -15.05 | 3 | Horizontal | 43 | 1.15 |
| 2437MHz | Pass | AV | 4.874G | 39.72 | 54.00 | -14.28 | 3 | Vertical | 21 | 1.28 |
| 2437MHz | Pass | PK | 4.874G | 45.87 | 74.00 | -28.13 | 3 | Vertical | 21 | 1.28 |
| 2437MHz | Pass | AV | 4.87412G | 41.05 | 54.00 | -12.95 | 3 | Horizontal | 353 | 1.73 |
| 2437MHz | Pass | PK | 4.87418G | 46.27 | 74.00 | -27.73 | 3 | Horizontal | 353 | 1.73 |
| 2462MHz | Pass | AV | 2.4628G | 110.18 | Inf | -Inf | 3 | Horizontal | 154 | 1.00 |
| 2462MHz | Pass | AV | 2.4856G | 46.39 | 54.00 | -7.61 | 3 | Horizontal | 154 | 1.00 |
| 2462MHz | Pass | PK | 2.4628G | 112.70 | Inf | -Inf | 3 | Horizontal | 154 | 1.00 |
| 2462MHz | Pass | PK | 2.4888G | 58.54 | 74.00 | -15.46 | 3 | Horizontal | 154 | 1.00 |
| 2462MHz | Pass | AV | 4.924G | 35.88 | 54.00 | -18.12 | 3 | Vertical | 319 | 1.00 |
| 2462MHz | Pass | PK | 4.9234G | 43.33 | 74.00 | -30.67 | 3 | Vertical | 319 | 1.00 |
| 2462MHz | Pass | AV | 4.92406G | 35.18 | 54.00 | -18.82 | 3 | Horizontal | 355 | 1.60 |
| 2462MHz | Pass | PK | 4.92358G | 43.55 | 74.00 | -30.45 | 3 | Horizontal | 355 | 1.60 |
| 802.11g_Nss1,(6Mbps)_2TX | - | - | - | - | - | - | - | - | - | - |
| 2412MHz | Pass | AV | 2.39G | 53.57 | 54.00 | -0.43 | 3 | Horizontal | 154 | 2.77 |
| 2412MHz | Pass | AV | 2.4142G | 107.60 | Inf | -Inf | 3 | Horizontal | 154 | 2.77 |
| 2412MHz | Pass | PK | 2.39G | 69.13 | 74.00 | -4.87 | 3 | Horizontal | 154 | 2.77 |
| 2412MHz | Pass | PK | 2.414G | 117.99 | Inf | -Inf | 3 | Horizontal | 154 | 2.77 |
| 2412MHz | Pass | AV | 4.82376G | 30.20 | 54.00 | -23.80 | 3 | Vertical | 21 | 1.19 |
| 2412MHz | Pass | PK | 4.83642G | 43.53 | 74.00 | -30.47 | 3 | Vertical | 21 | 1.19 |
| 2412MHz | Pass | AV | 4.82388G | 32.32 | 54.00 | -21.68 | 3 | Horizontal | 313 | 1.13 |
| 2412MHz | Pass | PK | 4.82562G | 45.26 | 74.00 | -28.74 | 3 | Horizontal | 313 | 1.13 |
| 2417MHz | Pass | AV | 2.39G | 48.36 | 54.00 | -5.64 | 3 | Horizontal | 154 | 1.37 |
| 2417MHz | Pass | AV | 2.416G | 110.31 | Inf | -Inf | 3 | Horizontal | 154 | 1.37 |
| 2417MHz | Pass | PK | 2.3894G | 61.92 | 74.00 | -12.08 | 3 | Horizontal | 154 | 1.37 |
| 2417MHz | Pass | PK | 2.4152G | 120.01 | Inf | -Inf | 3 | Horizontal | 154 | 1.37 |
| 2437MHz | Pass | AV | 2.38644G | 44.73 | 54.00 | -9.27 | 3 | Horizontal | 148 | 1.53 |
| 2437MHz | Pass | AV | 2.43604G | 109.08 | Inf | -Inf | 3 | Horizontal | 148 | 1.53 |
| 2437MHz | Pass | AV | 2.4835G | 45.76 | 54.00 | -8.24 | 3 | Horizontal | 148 | 1.53 |
| 2437MHz | Pass | PK | 2.36116G | 57.98 | 74.00 | -16.02 | 3 | Horizontal | 148 | 1.53 |
| 2437MHz | Pass | PK | 2.4354G | 119.15 | Inf | -Inf | 3 | Horizontal | 148 | 1.53 |
| 2437MHz | Pass | PK | 2.5G | 58.15 | 74.00 | -15.85 | 3 | Horizontal | 148 | 1.53 |
| 2437MHz | Pass | AV | 4.87388G | 31.52 | 54.00 | -22.48 | 3 | Vertical | 19 | 1.29 |
| 2437MHz | Pass | PK | 4.87718G | 45.03 | 74.00 | -28.97 | 3 | Vertical | 19 | 1.29 |
| 2437MHz | Pass | AV | 4.87394G | 32.47 | 54.00 | -21.53 | 3 | Horizontal | 354 | 1.64 |
| 2437MHz | Pass | PK | 4.88072G | 45.54 | 74.00 | -28.46 | 3 | Horizontal | 354 | 1.64 |
| 2457MHz | Pass | AV | 2.456G | 109.44 | Inf | -Inf | 3 | Horizontal | 156 | 1.50 |
| 2457MHz | Pass | AV | 2.4852G | 48.50 | 54.00 | -5.50 | 3 | Horizontal | 156 | 1.50 |
| 2457MHz | Pass | PK | 2.4554G | 119.33 | Inf | -Inf | 3 | Horizontal | 156 | 1.50 |
| 2457MHz | Pass | PK | 2.4842G | 63.39 | 74.00 | -10.61 | 3 | Horizontal | 156 | 1.50 |
| 2462MHz | Pass | AV | 2.38644G | 44.73 | 54.00 | -9.27 | 3 | Horizontal | 148 | 1.53 |
| 2462MHz | Pass | AV | 2.43604G | 109.08 | Inf | -Inf | 3 | Horizontal | 148 | 1.53 |
| 2462MHz | Pass | AV | 2.4835G | 45.76 | 54.00 | -8.24 | 3 | Horizontal | 148 | 1.53 |
| 2462MHz | Pass | PK | 2.36116G | 57.98 | 74.00 | -16.02 | 3 | Horizontal | 148 | 1.53 |
| 2462MHz | Pass | PK | 2.4354G | 119.15 | Inf | -Inf | 3 | Horizontal | 148 | 1.53 |
| 2462MHz | Pass | PK | 2.5G | 58.15 | 74.00 | -15.85 | 3 | Horizontal | 148 | 1.53 |
| 2462MHz | Pass | AV | 4.87388G | 31.52 | 54.00 | -22.48 | 3 | Vertical | 19 | 1.29 |



| Mode | Result | Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) |
|--------------------------------|--------|------|-----------|----------------|----------------|-------------|----------|------------|-------------|------------|
| 2462MHz | Pass | PK | 4.87718G | 45.03 | 74.00 | -28.97 | 3 | Vertical | 19 | 1.29 |
| 2462MHz | Pass | AV | 4.87394G | 32.47 | 54.00 | -21.53 | 3 | Horizontal | 354 | 1.64 |
| 2462MHz | Pass | PK | 4.88072G | 45.54 | 74.00 | -28.46 | 3 | Horizontal | 354 | 1.64 |
| 802.11ax HEW20_Nss1,(MCS0)_2TX | - | - | - | - | - | - | - | - | - | - |
| 2412MHz | Pass | AV | 2.39G | 52.93 | 54.00 | -1.07 | 3 | Horizontal | 154 | 1.40 |
| 2412MHz | Pass | AV | 2.4108G | 103.88 | Inf | -Inf | 3 | Horizontal | 154 | 1.40 |
| 2412MHz | Pass | PK | 2.3898G | 67.65 | 74.00 | -6.35 | 3 | Horizontal | 154 | 1.40 |
| 2412MHz | Pass | PK | 2.4102G | 117.65 | Inf | -Inf | 3 | Horizontal | 154 | 1.40 |
| 2412MHz | Pass | AV | 4.83872G | 29.45 | 54.00 | -24.55 | 3 | Vertical | 2 | 2.55 |
| 2412MHz | Pass | PK | 4.83128G | 43.82 | 74.00 | -30.18 | 3 | Vertical | 2 | 2.55 |
| 2412MHz | Pass | AV | 4.83752G | 29.49 | 54.00 | -24.51 | 3 | Horizontal | 205 | 2.98 |
| 2412MHz | Pass | PK | 4.80736G | 44.08 | 74.00 | -29.92 | 3 | Horizontal | 205 | 2.98 |
| 2417MHz | Pass | AV | 2.3898G | 47.01 | 54.00 | -6.99 | 3 | Horizontal | 152 | 1.04 |
| 2417MHz | Pass | AV | 2.4156G | 108.86 | Inf | -Inf | 3 | Horizontal | 152 | 1.04 |
| 2417MHz | Pass | PK | 2.3896G | 60.41 | 74.00 | -13.59 | 3 | Horizontal | 152 | 1.04 |
| 2417MHz | Pass | PK | 2.416G | 122.17 | Inf | -Inf | 3 | Horizontal | 152 | 1.04 |
| 2437MHz | Pass | AV | 2.38996G | 44.37 | 54.00 | -9.63 | 3 | Horizontal | 146 | 1.50 |
| 2437MHz | Pass | AV | 2.43476G | 107.36 | Inf | -Inf | 3 | Horizontal | 146 | 1.50 |
| 2437MHz | Pass | AV | 2.4835G | 45.53 | 54.00 | -8.47 | 3 | Horizontal | 146 | 1.50 |
| 2437MHz | Pass | PK | 2.36532G | 58.30 | 74.00 | -15.70 | 3 | Horizontal | 146 | 1.50 |
| 2437MHz | Pass | PK | 2.43444G | 120.60 | Inf | -Inf | 3 | Horizontal | 146 | 1.50 |
| 2437MHz | Pass | PK | 2.4835G | 59.22 | 74.00 | -14.78 | 3 | Horizontal | 146 | 1.50 |
| 2437MHz | Pass | AV | 4.87408G | 32.70 | 54.00 | -21.30 | 3 | Vertical | 321 | 1.00 |
| 2437MHz | Pass | PK | 4.87536G | 47.29 | 74.00 | -26.71 | 3 | Vertical | 321 | 1.00 |
| 2437MHz | Pass | AV | 4.87416G | 32.48 | 54.00 | -21.52 | 3 | Horizontal | 319 | 1.13 |
| 2437MHz | Pass | PK | 4.87224G | 47.30 | 74.00 | -26.70 | 3 | Horizontal | 319 | 1.13 |
| 2457MHz | Pass | AV | 2.4584G | 109.16 | Inf | -Inf | 3 | Horizontal | 153 | 1.66 |
| 2457MHz | Pass | AV | 2.4835G | 47.79 | 54.00 | -6.21 | 3 | Horizontal | 153 | 1.66 |
| 2457MHz | Pass | PK | 2.4592G | 122.49 | Inf | -Inf | 3 | Horizontal | 153 | 1.66 |
| 2457MHz | Pass | PK | 2.4835G | 62.18 | 74.00 | -11.82 | 3 | Horizontal | 153 | 1.66 |
| 2462MHz | Pass | AV | 2.4614G | 104.94 | Inf | -Inf | 3 | Horizontal | 141 | 2.64 |
| 2462MHz | Pass | AV | 2.4836G | 52.92 | 54.00 | -1.08 | 3 | Horizontal | 141 | 2.64 |
| 2462MHz | Pass | PK | 2.4612G | 118.14 | Inf | -Inf | 3 | Horizontal | 141 | 2.64 |
| 2462MHz | Pass | PK | 2.4838G | 67.81 | 74.00 | -6.19 | 3 | Horizontal | 141 | 2.64 |
| 2462MHz | Pass | AV | 4.92392G | 31.73 | 54.00 | -22.27 | 3 | Vertical | 327 | 1.00 |
| 2462MHz | Pass | PK | 4.92224G | 43.77 | 74.00 | -30.23 | 3 | Vertical | 327 | 1.00 |
| 2462MHz | Pass | AV | 4.92408G | 31.69 | 54.00 | -22.31 | 3 | Horizontal | 359 | 1.56 |
| 2462MHz | Pass | PK | 4.92264G | 43.42 | 74.00 | -30.58 | 3 | Horizontal | 359 | 1.56 |
| 802.11ax HEW40_Nss1,(MCS0)_2TX | - | - | - | - | - | - | - | - | - | - |
| 2422MHz | Pass | AV | 2.39G | 52.87 | 54.00 | -1.13 | 3 | Horizontal | 144 | 1.60 |
| 2422MHz | Pass | AV | 2.4196G | 102.06 | Inf | -Inf | 3 | Horizontal | 144 | 1.60 |
| 2422MHz | Pass | AV | 2.4852G | 45.25 | 54.00 | -8.75 | 3 | Horizontal | 144 | 1.60 |
| 2422MHz | Pass | PK | 2.39G | 66.10 | 74.00 | -7.90 | 3 | Horizontal | 144 | 1.60 |
| 2422MHz | Pass | PK | 2.4188G | 115.24 | Inf | -Inf | 3 | Horizontal | 144 | 1.60 |
| 2422MHz | Pass | PK | 2.4936G | 58.70 | 74.00 | -15.30 | 3 | Horizontal | 144 | 1.60 |
| 2422MHz | Pass | AV | 4.83592G | 29.76 | 54.00 | -24.24 | 3 | Vertical | 118 | 1.00 |
| 2422MHz | Pass | PK | 4.85672G | 43.37 | 74.00 | -30.63 | 3 | Vertical | 118 | 1.00 |
| 2422MHz | Pass | AV | 4.84392G | 30.13 | 54.00 | -23.87 | 3 | Horizontal | 311 | 1.44 |
| 2422MHz | Pass | PK | 4.82784G | 42.87 | 74.00 | -31.13 | 3 | Horizontal | 311 | 1.44 |
| 2427MHz | Pass | AV | 2.3898G | 46.90 | 54.00 | -7.10 | 3 | Horizontal | 152 | 1.15 |
| 2427MHz | Pass | AV | 2.4246G | 100.47 | Inf | -Inf | 3 | Horizontal | 152 | 1.15 |
| 2427MHz | Pass | AV | 2.4838G | 47.15 | 54.00 | -6.85 | 3 | Horizontal | 152 | 1.15 |
| 2427MHz | Pass | PK | 2.3866G | 58.70 | 74.00 | -15.30 | 3 | Horizontal | 152 | 1.15 |
| 2427MHz | Pass | PK | 2.4254G | 111.99 | Inf | -Inf | 3 | Horizontal | 152 | 1.15 |
| 2427MHz | Pass | PK | 2.4838G | 59.28 | 74.00 | -14.72 | 3 | Horizontal | 152 | 1.15 |
| 2437MHz | Pass | AV | 2.3898G | 45.78 | 54.00 | -8.22 | 3 | Horizontal | 146 | 1.89 |
| 2437MHz | Pass | AV | 2.4334G | 103.18 | Inf | -Inf | 3 | Horizontal | 146 | 1.89 |
| 2437MHz | Pass | AV | 2.4835G | 52.67 | 54.00 | -1.33 | 3 | Horizontal | 146 | 1.89 |
| 2437MHz | Pass | PK | 2.3898G | 58.49 | 74.00 | -15.51 | 3 | Horizontal | 146 | 1.89 |
| 2437MHz | Pass | PK | 2.433G | 115.95 | Inf | -Inf | 3 | Horizontal | 146 | 1.89 |
| 2437MHz | Pass | PK | 2.4838G | 68.11 | 74.00 | -5.89 | 3 | Horizontal | 146 | 1.89 |
| 2437MHz | Pass | AV | 4.874G | 30.93 | 54.00 | -23.07 | 3 | Vertical | 326 | 1.02 |




| Mode | Result | Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) |
|---------|--------|------|-----------|----------------|----------------|-------------|----------|------------|-------------|------------|
| 2437MHz | Pass | PK | 4.87416G | 43.67 | 74.00 | -30.33 | 3 | Vertical | 326 | 1.02 |
| 2437MHz | Pass | AV | 4.874G | 30.42 | 54.00 | -23.58 | 3 | Horizontal | 357 | 1.50 |
| 2437MHz | Pass | PK | 4.86584G | 43.82 | 74.00 | -30.18 | 3 | Horizontal | 357 | 1.50 |
| 2447MHz | Pass | AV | 2.389G | 44.24 | 54.00 | -9.76 | 3 | Horizontal | 153 | 1.48 |
| 2447MHz | Pass | AV | 2.4442G | 101.89 | Inf | -Inf | 3 | Horizontal | 153 | 1.48 |
| 2447MHz | Pass | AV | 2.4835G | 53.70 | 54.00 | -0.30 | 3 | Horizontal | 153 | 1.48 |
| 2447MHz | Pass | PK | 2.3506G | 58.05 | 74.00 | -15.95 | 3 | Horizontal | 153 | 1.48 |
| 2447MHz | Pass | PK | 2.4438G | 115.74 | Inf | -Inf | 3 | Horizontal | 153 | 1.48 |
| 2447MHz | Pass | PK | 2.4835G | 68.14 | 74.00 | -5.86 | 3 | Horizontal | 153 | 1.48 |
| 2452MHz | Pass | AV | 2.39G | 44.63 | 54.00 | -9.37 | 3 | Horizontal | 153 | 1.92 |
| 2452MHz | Pass | AV | 2.448G | 102.72 | Inf | -Inf | 3 | Horizontal | 153 | 1.92 |
| 2452MHz | Pass | AV | 2.4835G | 53.23 | 54.00 | -0.77 | 3 | Horizontal | 153 | 1.92 |
| 2452MHz | Pass | PK | 2.3824G | 57.57 | 74.00 | -16.43 | 3 | Horizontal | 153 | 1.92 |
| 2452MHz | Pass | PK | 2.4472G | 115.14 | Inf | -Inf | 3 | Horizontal | 153 | 1.92 |
| 2452MHz | Pass | PK | 2.4844G | 68.21 | 74.00 | -5.79 | 3 | Horizontal | 153 | 1.92 |
| 2452MHz | Pass | AV | 4.904G | 31.28 | 54.00 | -22.72 | 3 | Vertical | 317 | 1.00 |
| 2452MHz | Pass | PK | 4.91104G | 42.62 | 74.00 | -31.38 | 3 | Vertical | 317 | 1.00 |
| 2452MHz | Pass | AV | 4.904G | 30.41 | 54.00 | -23.59 | 3 | Horizontal | 356 | 1.71 |
| 2452MHz | Pass | PK | 4.90416G | 43.14 | 74.00 | -30.86 | 3 | Horizontal | 356 | 1.71 |



2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX


2412MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|------------|---------|---------|---------|
| AV | 2.39G | 45.60 | 54.00 | -8.40 | 31.93 | 3 | Horizontal | 35 | 1.14 | 13.67 | 27.52 | 4.41 | - |
| AV | 2.4112G | 111.68 | Inf | -Inf | 32.05 | 3 | Horizontal | 35 | 1.14 | 79.63 | 27.62 | 4.43 | - |
| PK | 2.3714G | 57.87 | 74.00 | -16.13 | 31.76 | 3 | Horizontal | 35 | 1.14 | 26.11 | 27.37 | 4.39 | - |
| PK | 2.4112G | 114.23 | Inf | -Inf | 32.05 | 3 | Horizontal | 35 | 1.14 | 82.18 | 27.62 | 4.43 | - |

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX


2412MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|------------|---------|---------|---------|
| AV | 4.824G | 40.29 | 54.00 | -13.71 | 4.82 | 3 | Vertical | 323 | 1.00 | 35.47 | 32.34 | 6.66 | 34.18 |
| PK | 4.82382G | 45.56 | 74.00 | -28.44 | 4.82 | 3 | Vertical | 323 | 1.00 | 40.74 | 32.34 | 6.66 | 34.18 |

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX


2412MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|------------|---------|---------|---------|
| AV | 4.82406G | 39.76 | 54.00 | -14.24 | 4.82 | 3 | Horizontal | 337 | 1.27 | 34.94 | 32.34 | 6.66 | 34.18 |
| PK | 4.82388G | 45.32 | 74.00 | -28.68 | 4.82 | 3 | Horizontal | 337 | 1.27 | 40.50 | 32.34 | 6.66 | 34.18 |

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX

2437MHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|------------|---------|---------|---------|
| AV | 2.389G | 45.65 | 54.00 | -8.35 | 31.92 | 3 | Horizontal | 43 | 1.15 | 13.73 | 27.51 | 4.41 | - |
| AV | 2.43604G | 111.03 | Inf | -Inf | 32.13 | 3 | Horizontal | 43 | 1.15 | 78.90 | 27.67 | 4.46 | - |
| AV | 2.4962G | 46.15 | 54.00 | -7.85 | 32.40 | 3 | Horizontal | 43 | 1.15 | 13.75 | 27.88 | 4.52 | - |
| PK | 2.38324G | 58.15 | 74.00 | -15.85 | 31.87 | 3 | Horizontal | 43 | 1.15 | 26.28 | 27.47 | 4.40 | - |
| PK | 2.43604G | 113.26 | Inf | -Inf | 32.13 | 3 | Horizontal | 43 | 1.15 | 81.13 | 27.67 | 4.46 | - |
| PK | 2.48948G | 58.95 | 74.00 | -15.05 | 32.37 | 3 | Horizontal | 43 | 1.15 | 26.58 | 27.86 | 4.51 | - |



2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX


2437MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|------------|---------|---------|---------|
| AV | 4.874G | 39.72 | 54.00 | -14.28 | 5.09 | 3 | Vertical | 21 | 1.28 | 34.63 | 32.60 | 6.66 | 34.17 |
| PK | 4.874G | 45.87 | 74.00 | -28.13 | 5.09 | 3 | Vertical | 21 | 1.28 | 40.78 | 32.60 | 6.66 | 34.17 |

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX

2437MHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|------------|---------|---------|---------|
| AV | 4.87412G | 41.05 | 54.00 | -12.95 | 5.09 | 3 | Horizontal | 353 | 1.73 | 35.96 | 32.60 | 6.66 | 34.17 |
| PK | 4.87418G | 46.27 | 74.00 | -27.73 | 5.09 | 3 | Horizontal | 353 | 1.73 | 41.18 | 32.60 | 6.66 | 34.17 |



2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX


2462MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|------------|---------|---------|---------|
| AV | 2.4628G | 110.18 | Inf | -Inf | 32.24 | 3 | Horizontal | 154 | 1.00 | 77.94 | 27.75 | 4.49 | - |
| AV | 2.4856G | 46.39 | 54.00 | -7.61 | 32.35 | 3 | Horizontal | 154 | 1.00 | 14.04 | 27.84 | 4.51 | - |
| PK | 2.4628G | 112.70 | Inf | -Inf | 32.24 | 3 | Horizontal | 154 | 1.00 | 80.46 | 27.75 | 4.49 | - |
| PK | 2.4888G | 58.54 | 74.00 | -15.46 | 32.37 | 3 | Horizontal | 154 | 1.00 | 26.17 | 27.86 | 4.51 | - |

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX


2462MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|------------|---------|---------|---------|
| AV | 4.924G | 35.88 | 54.00 | -18.12 | 5.36 | 3 | Vertical | 319 | 1.00 | 30.52 | 32.84 | 6.67 | 34.15 |
| PK | 4.9234G | 43.33 | 74.00 | -30.67 | 5.36 | 3 | Vertical | 319 | 1.00 | 37.97 | 32.84 | 6.67 | 34.15 |

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX


2462MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|------------|---------|---------|---------|
| AV | 4.92406G | 35.18 | 54.00 | -18.82 | 5.36 | 3 | Horizontal | 355 | 1.60 | 29.82 | 32.84 | 6.67 | 34.15 |
| PK | 4.92358G | 43.55 | 74.00 | -30.45 | 5.36 | 3 | Horizontal | 355 | 1.60 | 38.19 | 32.84 | 6.67 | 34.15 |

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX

2412MHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|------------|---------|---------|---------|
| AV | 2.39G | 53.57 | 54.00 | -0.43 | 31.93 | 3 | Horizontal | 154 | 2.77 | 21.64 | 27.52 | 4.41 | - |
| AV | 2.4142G | 107.60 | Inf | -Inf | 32.06 | 3 | Horizontal | 154 | 2.77 | 75.54 | 27.63 | 4.43 | - |
| PK | 2.39G | 69.13 | 74.00 | -4.87 | 31.93 | 3 | Horizontal | 154 | 2.77 | 37.20 | 27.52 | 4.41 | - |
| PK | 2.414G | 117.99 | Inf | -Inf | 32.06 | 3 | Horizontal | 154 | 2.77 | 85.93 | 27.63 | 4.43 | - |



2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX


2412MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|------------|---------|---------|---------|
| AV | 4.82376G | 30.20 | 54.00 | -23.80 | 4.82 | 3 | Vertical | 21 | 1.19 | 25.38 | 32.34 | 6.66 | 34.18 |
| PK | 4.83642G | 43.53 | 74.00 | -30.47 | 4.90 | 3 | Vertical | 21 | 1.19 | 38.63 | 32.42 | 6.66 | 34.18 |

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX

2412MHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|------------|---------|---------|---------|
| AV | 4.82388G | 32.32 | 54.00 | -21.68 | 4.82 | 3 | Horizontal | 313 | 1.13 | 27.50 | 32.34 | 6.66 | 34.18 |
| PK | 4.82562G | 45.26 | 74.00 | -28.74 | 4.83 | 3 | Horizontal | 313 | 1.13 | 40.43 | 32.35 | 6.66 | 34.18 |



2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX


2417MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|------------|---------|---------|---------|
| AV | 2.39G | 48.36 | 54.00 | -5.64 | 31.93 | 3 | Horizontal | 154 | 1.37 | 16.43 | 27.52 | 4.41 | - |
| AV | 2.416G | 110.31 | Inf | -Inf | 32.07 | 3 | Horizontal | 154 | 1.37 | 78.24 | 27.63 | 4.44 | - |
| PK | 2.3894G | 61.92 | 74.00 | -12.08 | 31.93 | 3 | Horizontal | 154 | 1.37 | 29.99 | 27.52 | 4.41 | - |
| PK | 2.4152G | 120.01 | Inf | -Inf | 32.07 | 3 | Horizontal | 154 | 1.37 | 87.94 | 27.63 | 4.44 | - |

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX

2437MHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|------------|---------|---------|---------|
| AV | 2.38644G | 44.73 | 54.00 | -9.27 | 31.90 | 3 | Horizontal | 148 | 1.53 | 12.83 | 27.49 | 4.41 | - |
| AV | 2.43604G | 109.08 | Inf | -Inf | 32.13 | 3 | Horizontal | 148 | 1.53 | 76.95 | 27.67 | 4.46 | - |
| AV | 2.4835G | 45.76 | 54.00 | -8.24 | 32.34 | 3 | Horizontal | 148 | 1.53 | 13.42 | 27.83 | 4.51 | - |
| PK | 2.36116G | 57.98 | 74.00 | -16.02 | 31.68 | 3 | Horizontal | 148 | 1.53 | 26.30 | 27.29 | 4.39 | - |
| PK | 2.4354G | 119.15 | Inf | -Inf | 32.13 | 3 | Horizontal | 148 | 1.53 | 87.02 | 27.67 | 4.46 | - |
| PK | 2.5G | 58.15 | 74.00 | -15.85 | 32.43 | 3 | Horizontal | 148 | 1.53 | 25.72 | 27.90 | 4.53 | - |



2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX


2437MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|------------|---------|---------|---------|
| AV | 4.87388G | 31.52 | 54.00 | -22.48 | 5.09 | 3 | Vertical | 19 | 1.29 | 26.43 | 32.60 | 6.66 | 34.17 |
| PK | 4.87718G | 45.03 | 74.00 | -28.97 | 5.11 | 3 | Vertical | 19 | 1.29 | 39.92 | 32.61 | 6.66 | 34.16 |

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX

2437MHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|------------|---------|---------|---------|
| AV | 4.87394G | 32.47 | 54.00 | -21.53 | 5.09 | 3 | Horizontal | 354 | 1.64 | 27.38 | 32.60 | 6.66 | 34.17 |
| PK | 4.88072G | 45.54 | 74.00 | -28.46 | 5.12 | 3 | Horizontal | 354 | 1.64 | 40.42 | 32.62 | 6.66 | 34.16 |



2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX


2457MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|------------|---------|---------|---------|
| AV | 2.456G | 109.44 | Inf | -Inf | 32.20 | 3 | Horizontal | 156 | 1.50 | 77.24 | 27.72 | 4.48 | - |
| AV | 2.4852G | 48.50 | 54.00 | -5.50 | 32.35 | 3 | Horizontal | 156 | 1.50 | 16.15 | 27.84 | 4.51 | - |
| PK | 2.4554G | 119.33 | Inf | -Inf | 32.20 | 3 | Horizontal | 156 | 1.50 | 87.13 | 27.72 | 4.48 | - |
| PK | 2.4842G | 63.39 | 74.00 | -10.61 | 32.35 | 3 | Horizontal | 156 | 1.50 | 31.04 | 27.84 | 4.51 | - |

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX

2462MHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|------------|---------|---------|---------|
| AV | 2.38644G | 44.73 | 54.00 | -9.27 | 31.90 | 3 | Horizontal | 148 | 1.53 | 12.83 | 27.49 | 4.41 | - |
| AV | 2.43604G | 109.08 | Inf | -Inf | 32.13 | 3 | Horizontal | 148 | 1.53 | 76.95 | 27.67 | 4.46 | - |
| AV | 2.4835G | 45.76 | 54.00 | -8.24 | 32.34 | 3 | Horizontal | 148 | 1.53 | 13.42 | 27.83 | 4.51 | - |
| PK | 2.36116G | 57.98 | 74.00 | -16.02 | 31.68 | 3 | Horizontal | 148 | 1.53 | 26.30 | 27.29 | 4.39 | - |
| PK | 2.4354G | 119.15 | Inf | -Inf | 32.13 | 3 | Horizontal | 148 | 1.53 | 87.02 | 27.67 | 4.46 | - |
| PK | 2.5G | 58.15 | 74.00 | -15.85 | 32.43 | 3 | Horizontal | 148 | 1.53 | 25.72 | 27.90 | 4.53 | - |



2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX


2462MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|------------|---------|---------|---------|
| AV | 4.87388G | 31.52 | 54.00 | -22.48 | 5.09 | 3 | Vertical | 19 | 1.29 | 26.43 | 32.60 | 6.66 | 34.17 |
| PK | 4.87718G | 45.03 | 74.00 | -28.97 | 5.11 | 3 | Vertical | 19 | 1.29 | 39.92 | 32.61 | 6.66 | 34.16 |

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX

2462MHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|------------|---------|---------|---------|
| AV | 4.87394G | 32.47 | 54.00 | -21.53 | 5.09 | 3 | Horizontal | 354 | 1.64 | 27.38 | 32.60 | 6.66 | 34.17 |
| PK | 4.88072G | 45.54 | 74.00 | -28.46 | 5.12 | 3 | Horizontal | 354 | 1.64 | 40.42 | 32.62 | 6.66 | 34.16 |



2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


2412MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|------------|---------|---------|---------|
| AV | 2.39G | 52.93 | 54.00 | -1.07 | 31.93 | 3 | Horizontal | 154 | 1.40 | 21.00 | 27.52 | 4.41 | - |
| AV | 2.4108G | 103.88 | Inf | -Inf | 32.05 | 3 | Horizontal | 154 | 1.40 | 71.83 | 27.62 | 4.43 | - |
| PK | 2.3898G | 67.65 | 74.00 | -6.35 | 31.93 | 3 | Horizontal | 154 | 1.40 | 35.72 | 27.52 | 4.41 | - |
| PK | 2.4102G | 117.65 | Inf | -Inf | 32.05 | 3 | Horizontal | 154 | 1.40 | 85.60 | 27.62 | 4.43 | - |

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


2412MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|------------|---------|---------|---------|
| AV | 4.83872G | 29.45 | 54.00 | -24.55 | 4.91 | 3 | Vertical | 2 | 2.55 | 24.54 | 32.43 | 6.66 | 34.18 |
| PK | 4.83128G | 43.82 | 74.00 | -30.18 | 4.87 | 3 | Vertical | 2 | 2.55 | 38.95 | 32.39 | 6.66 | 34.18 |

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


2412MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|------------|---------|---------|---------|
| AV | 4.83752G | 29.49 | 54.00 | -24.51 | 4.91 | 3 | Horizontal | 205 | 2.98 | 24.58 | 32.43 | 6.66 | 34.18 |
| PK | 4.80736G | 44.08 | 74.00 | -29.92 | 4.71 | 3 | Horizontal | 205 | 2.98 | 39.37 | 32.24 | 6.66 | 34.19 |

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

2417MHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|------------|---------|---------|---------|
| AV | 2.3898G | 47.01 | 54.00 | -6.99 | 31.93 | 3 | Horizontal | 152 | 1.04 | 15.08 | 27.52 | 4.41 | - |
| AV | 2.4156G | 108.86 | Inf | -Inf | 32.07 | 3 | Horizontal | 152 | 1.04 | 76.79 | 27.63 | 4.44 | - |
| PK | 2.3896G | 60.41 | 74.00 | -13.59 | 31.93 | 3 | Horizontal | 152 | 1.04 | 28.48 | 27.52 | 4.41 | - |
| PK | 2.416G | 122.17 | Inf | -Inf | 32.07 | 3 | Horizontal | 152 | 1.04 | 90.10 | 27.63 | 4.44 | - |



2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


2437MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|------------|---------|---------|---------|
| AV | 2.38996G | 44.37 | 54.00 | -9.63 | 31.93 | 3 | Horizontal | 146 | 1.50 | 12.44 | 27.52 | 4.41 | - |
| AV | 2.43476G | 107.36 | Inf | -Inf | 32.13 | 3 | Horizontal | 146 | 1.50 | 75.23 | 27.67 | 4.46 | - |
| AV | 2.4835G | 45.53 | 54.00 | -8.47 | 32.34 | 3 | Horizontal | 146 | 1.50 | 13.19 | 27.83 | 4.51 | - |
| PK | 2.36532G | 58.30 | 74.00 | -15.70 | 31.71 | 3 | Horizontal | 146 | 1.50 | 26.59 | 27.32 | 4.39 | - |
| PK | 2.43444G | 120.60 | Inf | -Inf | 32.13 | 3 | Horizontal | 146 | 1.50 | 88.47 | 27.67 | 4.46 | - |
| PK | 2.4835G | 59.22 | 74.00 | -14.78 | 32.34 | 3 | Horizontal | 146 | 1.50 | 26.88 | 27.83 | 4.51 | - |

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

2437MHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|------------|---------|---------|---------|
| AV | 4.87408G | 32.70 | 54.00 | -21.30 | 5.09 | 3 | Vertical | 321 | 1.00 | 27.61 | 32.60 | 6.66 | 34.17 |
| PK | 4.87536G | 47.29 | 74.00 | -26.71 | 5.10 | 3 | Vertical | 321 | 1.00 | 42.19 | 32.60 | 6.66 | 34.16 |



2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


2437MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|------------|---------|---------|---------|
| AV | 4.87416G | 32.48 | 54.00 | -21.52 | 5.09 | 3 | Horizontal | 319 | 1.13 | 27.39 | 32.60 | 6.66 | 34.17 |
| PK | 4.87224G | 47.30 | 74.00 | -26.70 | 5.08 | 3 | Horizontal | 319 | 1.13 | 42.22 | 32.59 | 6.66 | 34.17 |

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

2457MHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|------------|---------|---------|---------|
| AV | 2.4584G | 109.16 | Inf | -Inf | 32.21 | 3 | Horizontal | 153 | 1.66 | 76.95 | 27.73 | 4.48 | - |
| AV | 2.4835G | 47.79 | 54.00 | -6.21 | 32.34 | 3 | Horizontal | 153 | 1.66 | 15.45 | 27.83 | 4.51 | - |
| PK | 2.4592G | 122.49 | Inf | -Inf | 32.22 | 3 | Horizontal | 153 | 1.66 | 90.27 | 27.74 | 4.48 | - |
| PK | 2.4835G | 62.18 | 74.00 | -11.82 | 32.34 | 3 | Horizontal | 153 | 1.66 | 29.84 | 27.83 | 4.51 | - |



2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


2462MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|------------|---------|---------|---------|
| AV | 2.4614G | 104.94 | Inf | -Inf | 32.23 | 3 | Horizontal | 141 | 2.64 | 72.71 | 27.75 | 4.48 | - |
| AV | 2.4836G | 52.92 | 54.00 | -1.08 | 32.34 | 3 | Horizontal | 141 | 2.64 | 20.58 | 27.83 | 4.51 | - |
| PK | 2.4612G | 118.14 | Inf | -Inf | 32.22 | 3 | Horizontal | 141 | 2.64 | 85.92 | 27.74 | 4.48 | - |
| PK | 2.4838G | 67.81 | 74.00 | -6.19 | 32.35 | 3 | Horizontal | 141 | 2.64 | 35.46 | 27.84 | 4.51 | - |

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


2462MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|------------|---------|---------|---------|
| AV | 4.92392G | 31.73 | 54.00 | -22.27 | 5.36 | 3 | Vertical | 327 | 1.00 | 26.37 | 32.84 | 6.67 | 34.15 |
| PK | 4.92224G | 43.77 | 74.00 | -30.23 | 5.35 | 3 | Vertical | 327 | 1.00 | 38.42 | 32.83 | 6.67 | 34.15 |

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


2462MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|------------|---------|---------|---------|
| AV | 4.92408G | 31.69 | 54.00 | -22.31 | 5.36 | 3 | Horizontal | 359 | 1.56 | 26.33 | 32.84 | 6.67 | 34.15 |
| PK | 4.92264G | 43.42 | 74.00 | -30.58 | 5.36 | 3 | Horizontal | 359 | 1.56 | 38.06 | 32.84 | 6.67 | 34.15 |

2.4-2.4835GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

2422MHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|------------|---------|---------|---------|
| AV | 2.39G | 52.87 | 54.00 | -1.13 | 31.93 | 3 | Horizontal | 144 | 1.60 | 20.94 | 27.52 | 4.41 | - |
| AV | 2.4196G | 102.06 | Inf | -Inf | 32.08 | 3 | Horizontal | 144 | 1.60 | 69.98 | 27.64 | 4.44 | - |
| AV | 2.4852G | 45.25 | 54.00 | -8.75 | 32.35 | 3 | Horizontal | 144 | 1.60 | 12.90 | 27.84 | 4.51 | - |
| PK | 2.39G | 66.10 | 74.00 | -7.90 | 31.93 | 3 | Horizontal | 144 | 1.60 | 34.17 | 27.52 | 4.41 | - |
| PK | 2.4188G | 115.24 | Inf | -Inf | 32.08 | 3 | Horizontal | 144 | 1.60 | 83.16 | 27.64 | 4.44 | - |
| PK | 2.4936G | 58.70 | 74.00 | -15.30 | 32.39 | 3 | Horizontal | 144 | 1.60 | 26.31 | 27.87 | 4.52 | - |



2.4-2.4835GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


2422MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|------------|---------|---------|---------|
| AV | 4.83592G | 29.76 | 54.00 | -24.24 | 4.90 | 3 | Vertical | 118 | 1.00 | 24.86 | 32.42 | 6.66 | 34.18 |
| PK | 4.85672G | 43.37 | 74.00 | -30.63 | 5.02 | 3 | Vertical | 118 | 1.00 | 38.35 | 32.53 | 6.66 | 34.17 |

2.4-2.4835GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

2422MHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|------------|---------|---------|---------|
| AV | 4.84392G | 30.13 | 54.00 | -23.87 | 4.94 | 3 | Horizontal | 311 | 1.44 | 25.19 | 32.46 | 6.66 | 34.18 |
| PK | 4.82784G | 42.87 | 74.00 | -31.13 | 4.85 | 3 | Horizontal | 311 | 1.44 | 38.02 | 32.37 | 6.66 | 34.18 |



2.4-2.4835GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


2427MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|------------|---------|---------|---------|
| AV | 2.3898G | 46.90 | 54.00 | -7.10 | 31.93 | 3 | Horizontal | 152 | 1.15 | 14.97 | 27.52 | 4.41 | - |
| AV | 2.4246G | 100.47 | Inf | -Inf | 32.10 | 3 | Horizontal | 152 | 1.15 | 68.37 | 27.65 | 4.45 | - |
| AV | 2.4838G | 47.15 | 54.00 | -6.85 | 32.35 | 3 | Horizontal | 152 | 1.15 | 14.80 | 27.84 | 4.51 | - |
| PK | 2.3866G | 58.70 | 74.00 | -15.30 | 31.90 | 3 | Horizontal | 152 | 1.15 | 26.80 | 27.49 | 4.41 | - |
| PK | 2.4254G | 111.99 | Inf | -Inf | 32.10 | 3 | Horizontal | 152 | 1.15 | 79.89 | 27.65 | 4.45 | - |
| PK | 2.4838G | 59.28 | 74.00 | -14.72 | 32.35 | 3 | Horizontal | 152 | 1.15 | 26.93 | 27.84 | 4.51 | - |

2.4-2.4835GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

2437MHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|------------|---------|---------|---------|
| AV | 2.3898G | 45.78 | 54.00 | -8.22 | 31.93 | 3 | Horizontal | 146 | 1.89 | 13.85 | 27.52 | 4.41 | - |
| AV | 2.4334G | 103.18 | Inf | -Inf | 32.13 | 3 | Horizontal | 146 | 1.89 | 71.05 | 27.67 | 4.46 | - |
| AV | 2.4835G | 52.67 | 54.00 | -1.33 | 32.34 | 3 | Horizontal | 146 | 1.89 | 20.33 | 27.83 | 4.51 | - |
| PK | 2.3898G | 58.49 | 74.00 | -15.51 | 31.93 | 3 | Horizontal | 146 | 1.89 | 26.56 | 27.52 | 4.41 | - |
| PK | 2.433G | 115.95 | Inf | -Inf | 32.12 | 3 | Horizontal | 146 | 1.89 | 83.83 | 27.67 | 4.45 | - |
| PK | 2.4838G | 68.11 | 74.00 | -5.89 | 32.35 | 3 | Horizontal | 146 | 1.89 | 35.76 | 27.84 | 4.51 | - |



2.4-2.4835GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

2437MHz_TX




Lim.PK
 PK
 Lim.AV
 AV

31/12/2022

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|------------|---------|---------|---------|
| AV | 4.874G | 30.93 | 54.00 | -23.07 | 5.09 | 3 | Vertical | 326 | 1.02 | 25.84 | 32.60 | 6.66 | 34.17 |
| PK | 4.87416G | 43.67 | 74.00 | -30.33 | 5.09 | 3 | Vertical | 326 | 1.02 | 38.58 | 32.60 | 6.66 | 34.17 |

2.4-2.4835GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

2437MHz_TX



Lim.PK
 PK
 Lim.AV
 AV


31/12/2022

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|------------|---------|---------|---------|
| AV | 4.874G | 30.42 | 54.00 | -23.58 | 5.09 | 3 | Horizontal | 357 | 1.50 | 25.33 | 32.60 | 6.66 | 34.17 |
| PK | 4.86584G | 43.82 | 74.00 | -30.18 | 5.05 | 3 | Horizontal | 357 | 1.50 | 38.77 | 32.56 | 6.66 | 34.17 |



2.4-2.4835GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


2447MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|------------|---------|---------|---------|
| AV | 2.389G | 44.24 | 54.00 | -9.76 | 31.92 | 3 | Horizontal | 153 | 1.48 | 12.32 | 27.51 | 4.41 | - |
| AV | 2.4442G | 101.89 | Inf | -Inf | 32.16 | 3 | Horizontal | 153 | 1.48 | 69.73 | 27.69 | 4.47 | - |
| AV | 2.4835G | 53.70 | 54.00 | -0.30 | 32.34 | 3 | Horizontal | 153 | 1.48 | 21.36 | 27.83 | 4.51 | - |
| PK | 2.3506G | 58.05 | 74.00 | -15.95 | 31.58 | 3 | Horizontal | 153 | 1.48 | 26.47 | 27.20 | 4.38 | - |
| PK | 2.4438G | 115.74 | Inf | -Inf | 32.16 | 3 | Horizontal | 153 | 1.48 | 83.58 | 27.69 | 4.47 | - |
| PK | 2.4835G | 68.14 | 74.00 | -5.86 | 32.34 | 3 | Horizontal | 153 | 1.48 | 35.80 | 27.83 | 4.51 | - |

2.4-2.4835GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

2452MHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|------------|---------|---------|---------|
| AV | 2.39G | 44.63 | 54.00 | -9.37 | 31.93 | 3 | Horizontal | 153 | 1.92 | 12.70 | 27.52 | 4.41 | - |
| AV | 2.448G | 102.72 | Inf | -Inf | 32.17 | 3 | Horizontal | 153 | 1.92 | 70.55 | 27.70 | 4.47 | - |
| AV | 2.4835G | 53.23 | 54.00 | -0.77 | 32.34 | 3 | Horizontal | 153 | 1.92 | 20.89 | 27.83 | 4.51 | - |
| PK | 2.3824G | 57.57 | 74.00 | -16.43 | 31.86 | 3 | Horizontal | 153 | 1.92 | 25.71 | 27.46 | 4.40 | - |
| PK | 2.4472G | 115.14 | Inf | -Inf | 32.16 | 3 | Horizontal | 153 | 1.92 | 82.98 | 27.69 | 4.47 | - |
| PK | 2.4844G | 68.21 | 74.00 | -5.79 | 32.35 | 3 | Horizontal | 153 | 1.92 | 35.86 | 27.84 | 4.51 | - |



2.4-2.4835GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


2452MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|------------|---------|---------|---------|
| AV | 4.904G | 31.28 | 54.00 | -22.72 | 5.24 | 3 | Vertical | 317 | 1.00 | 26.04 | 32.72 | 6.67 | 34.15 |
| PK | 4.91104G | 42.62 | 74.00 | -31.38 | 5.29 | 3 | Vertical | 317 | 1.00 | 37.33 | 32.77 | 6.67 | 34.15 |

2.4-2.4835GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

2452MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|------------|---------|---------|---------|
| AV | 4.904G | 30.41 | 54.00 | -23.59 | 5.24 | 3 | Horizontal | 356 | 1.71 | 25.17 | 32.72 | 6.67 | 34.15 |
| PK | 4.90416G | 43.14 | 74.00 | -30.86 | 5.24 | 3 | Horizontal | 356 | 1.71 | 37.90 | 32.72 | 6.67 | 34.15 |



Summary

| Mode | Result | Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) |
|--------------------------------|--------|------|-----------|----------------|----------------|-------------|----------|------------|-------------|------------|
| 2.4-2.4835GHz | - | - | - | - | - | - | - | - | - | - |
| 802.11ax HEW40_Nss1,(MCS0)_2TX | Pass | PK | 37.76M | 35.63 | 40.00 | -4.37 | 3 | Horizontal | 360 | 1.00 |




Result

| Mode | Result | Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) |
|--------------------------------|--------|------|-----------|----------------|----------------|-------------|----------|------------|-------------|------------|
| 802.11ax HEW40_Nss1,(MCS0)_2TX | - | - | - | - | - | - | - | - | - | - |
| 2422MHz | Pass | PK | 99.84M | 28.68 | 43.50 | -14.82 | 3 | Vertical | 0 | 1.00 |
| 2422MHz | Pass | PK | 191.02M | 23.55 | 43.50 | -19.95 | 3 | Vertical | 0 | 1.00 |
| 2422MHz | Pass | PK | 369.5M | 23.77 | 46.00 | -22.23 | 3 | Vertical | 0 | 1.00 |
| 2422MHz | Pass | PK | 499.48M | 27.97 | 46.00 | -18.03 | 3 | Vertical | 0 | 1.00 |
| 2422MHz | Pass | PK | 575.14M | 32.04 | 46.00 | -13.96 | 3 | Vertical | 0 | 1.00 |
| 2422MHz | Pass | PK | 40.77M | 33.07 | 40.00 | -6.93 | 3 | Vertical | 177 | 1.00 |
| 2422MHz | Pass | PK | 37.76M | 35.63 | 40.00 | -4.37 | 3 | Horizontal | 360 | 1.00 |
| 2422MHz | Pass | PK | 99.84M | 31.88 | 43.50 | -11.62 | 3 | Horizontal | 360 | 1.00 |
| 2422MHz | Pass | PK | 231.76M | 26.84 | 46.00 | -19.16 | 3 | Horizontal | 360 | 1.00 |
| 2422MHz | Pass | PK | 355.92M | 28.52 | 46.00 | -17.48 | 3 | Horizontal | 360 | 1.00 |
| 2422MHz | Pass | PK | 575.14M | 30.83 | 46.00 | -15.17 | 3 | Horizontal | 360 | 1.00 |
| 2422MHz | Pass | PK | 738.1M | 39.33 | 46.00 | -6.67 | 3 | Horizontal | 360 | 1.00 |



2.4-2.4835GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


2422MHz_PoE



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|------------|---------|---------|---------|
| PK | 99.84M | 28.68 | 43.50 | -14.82 | -10.36 | 3 | Vertical | 0 | 1.00 | 39.04 | 16.04 | 1.42 | 27.82 |
| PK | 191.02M | 23.55 | 43.50 | -19.95 | -11.25 | 3 | Vertical | 0 | 1.00 | 34.80 | 14.22 | 1.98 | 27.45 |
| PK | 369.5M | 23.77 | 46.00 | -22.23 | -4.84 | 3 | Vertical | 0 | 1.00 | 28.61 | 20.01 | 2.78 | 27.63 |
| PK | 499.48M | 27.97 | 46.00 | -18.03 | -2.38 | 3 | Vertical | 0 | 1.00 | 30.35 | 22.65 | 3.31 | 28.34 |
| PK | 575.14M | 32.04 | 46.00 | -13.96 | -1.23 | 3 | Vertical | 0 | 1.00 | 33.27 | 23.81 | 3.50 | 28.54 |
| PK | 40.77M | 33.07 | 40.00 | -6.93 | -8.37 | 3 | Vertical | 177 | 1.00 | 41.44 | 17.46 | 1.03 | 26.86 |

2.4-2.4835GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

2422MHz_PoE



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|------------|---------|---------|---------|
| PK | 37.76M | 35.63 | 40.00 | -4.37 | -6.64 | 3 | Horizontal | 360 | 1.00 | 42.27 | 19.05 | 1.03 | 26.72 |
| PK | 99.84M | 31.88 | 43.50 | -11.62 | -10.36 | 3 | Horizontal | 360 | 1.00 | 42.24 | 16.04 | 1.42 | 27.82 |
| PK | 231.76M | 26.84 | 46.00 | -19.16 | -9.56 | 3 | Horizontal | 360 | 1.00 | 36.40 | 15.51 | 2.18 | 27.25 |
| PK | 355.92M | 28.52 | 46.00 | -17.48 | -5.02 | 3 | Horizontal | 360 | 1.00 | 33.54 | 19.79 | 2.73 | 27.54 |
| PK | 575.14M | 30.83 | 46.00 | -15.17 | -1.23 | 3 | Horizontal | 360 | 1.00 | 32.06 | 23.81 | 3.50 | 28.54 |
| PK | 738.1M | 39.33 | 46.00 | -6.67 | 0.50 | 3 | Horizontal | 360 | 1.00 | 38.83 | 24.83 | 3.93 | 28.26 |



Summary

| Mode | Result | Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) |
|--------------------------------|--------|------|-----------|----------------|----------------|-------------|----------|------------|-------------|------------|
| 2.4-2.4835GHz | - | - | - | - | - | - | - | - | - | - |
| 802.11b_Nss1,(1Mbps)_2TX | Pass | AV | 2.4836G | 46.71 | 54.00 | -7.29 | 3 | Horizontal | 307 | 1.48 |
| 802.11g_Nss1,(6Mbps)_2TX | Pass | AV | 2.4858G | 49.12 | 54.00 | -4.88 | 3 | Horizontal | 66 | 1.10 |
| 802.11ax HEW20_Nss1,(MCS0)_2TX | Pass | AV | 2.4835G | 52.02 | 54.00 | -1.98 | 3 | Horizontal | 65 | 1.10 |
| 802.11ax HEW40_Nss1,(MCS0)_2TX | Pass | PK | 2.4864G | 73.27 | 74.00 | -0.73 | 3 | Horizontal | 66 | 1.52 |



Result

| Mode | Result | Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) |
|--------------------------------|--------|------|-----------|----------------|----------------|-------------|----------|------------|-------------|------------|
| 802.11b_Nss1,(1Mbps)_2TX | - | - | - | - | - | - | - | - | - | - |
| 2412MHz | Pass | AV | 2.3894G | 45.80 | 54.00 | -8.20 | 3 | Horizontal | 310 | 1.81 |
| 2412MHz | Pass | AV | 2.4128G | 111.12 | Inf | -Inf | 3 | Horizontal | 310 | 1.81 |
| 2412MHz | Pass | PK | 2.3636G | 58.74 | 74.00 | -15.26 | 3 | Horizontal | 310 | 1.81 |
| 2412MHz | Pass | PK | 2.4128G | 113.54 | Inf | -Inf | 3 | Horizontal | 310 | 1.81 |
| 2412MHz | Pass | AV | 4.82396G | 29.80 | 54.00 | -24.20 | 3 | Vertical | 195 | 1.50 |
| 2412MHz | Pass | PK | 4.82848G | 42.45 | 74.00 | -31.55 | 3 | Vertical | 195 | 1.50 |
| 2412MHz | Pass | PK | 4.8224G | 41.76 | 74.00 | -32.24 | 3 | Horizontal | 78 | 2.03 |
| 2412MHz | Pass | AV | 4.82404G | 29.44 | 54.00 | -24.56 | 3 | Horizontal | 78 | 2.03 |
| 2437MHz | Pass | AV | 2.3874G | 45.75 | 54.00 | -8.25 | 3 | Horizontal | 313 | 1.54 |
| 2437MHz | Pass | AV | 2.4362G | 110.35 | Inf | -Inf | 3 | Horizontal | 313 | 1.54 |
| 2437MHz | Pass | AV | 2.4846G | 46.20 | 54.00 | -7.80 | 3 | Horizontal | 313 | 1.54 |
| 2437MHz | Pass | PK | 2.357G | 57.81 | 74.00 | -16.19 | 3 | Horizontal | 313 | 1.54 |
| 2437MHz | Pass | PK | 2.4362G | 112.77 | Inf | -Inf | 3 | Horizontal | 313 | 1.54 |
| 2437MHz | Pass | PK | 2.4982G | 58.16 | 74.00 | -15.84 | 3 | Horizontal | 313 | 1.54 |
| 2437MHz | Pass | AV | 4.86704G | 29.67 | 54.00 | -24.33 | 3 | Vertical | 0 | 1.94 |
| 2437MHz | Pass | PK | 4.88368G | 42.41 | 74.00 | -31.59 | 3 | Vertical | 0 | 1.94 |
| 2437MHz | Pass | AV | 4.88116G | 29.73 | 54.00 | -24.27 | 3 | Horizontal | 10 | 1.35 |
| 2437MHz | Pass | PK | 4.87664G | 42.12 | 74.00 | -31.88 | 3 | Horizontal | 10 | 1.35 |
| 2462MHz | Pass | AV | 2.4614G | 110.32 | Inf | -Inf | 3 | Horizontal | 307 | 1.48 |
| 2462MHz | Pass | AV | 2.4836G | 46.71 | 54.00 | -7.29 | 3 | Horizontal | 307 | 1.48 |
| 2462MHz | Pass | PK | 2.4612G | 112.74 | Inf | -Inf | 3 | Horizontal | 307 | 1.48 |
| 2462MHz | Pass | PK | 2.4938G | 58.44 | 74.00 | -15.56 | 3 | Horizontal | 307 | 1.48 |
| 2462MHz | Pass | AV | 4.91704G | 30.19 | 54.00 | -23.81 | 3 | Vertical | 2 | 2.96 |
| 2462MHz | Pass | PK | 4.916G | 42.87 | 74.00 | -31.13 | 3 | Vertical | 2 | 2.96 |
| 2462MHz | Pass | AV | 4.92396G | 30.45 | 54.00 | -23.55 | 3 | Horizontal | 40 | 2.35 |
| 2462MHz | Pass | PK | 4.91448G | 43.07 | 74.00 | -30.93 | 3 | Horizontal | 40 | 2.35 |
| 802.11g_Nss1,(6Mbps)_2TX | - | - | - | - | - | - | - | - | - | - |
| 2412MHz | Pass | AV | 2.39G | 47.45 | 54.00 | -6.55 | 3 | Horizontal | 64 | 1.04 |
| 2412MHz | Pass | AV | 2.4114G | 104.69 | Inf | -Inf | 3 | Horizontal | 64 | 1.04 |
| 2412MHz | Pass | PK | 2.3898G | 60.27 | 74.00 | -13.73 | 3 | Horizontal | 64 | 1.04 |
| 2412MHz | Pass | PK | 2.4112G | 114.04 | Inf | -Inf | 3 | Horizontal | 64 | 1.04 |
| 2412MHz | Pass | AV | 4.83684G | 28.94 | 54.00 | -25.06 | 3 | Vertical | 216 | 1.12 |
| 2412MHz | Pass | PK | 4.83564G | 42.12 | 74.00 | -31.88 | 3 | Vertical | 216 | 1.12 |
| 2412MHz | Pass | AV | 4.83516G | 28.96 | 54.00 | -25.04 | 3 | Horizontal | 14 | 1.50 |
| 2412MHz | Pass | PK | 4.82604G | 42.02 | 74.00 | -31.98 | 3 | Horizontal | 14 | 1.50 |
| 2437MHz | Pass | AV | 2.3758G | 44.76 | 54.00 | -9.24 | 3 | Horizontal | 315 | 1.50 |
| 2437MHz | Pass | AV | 2.4318G | 103.16 | Inf | -Inf | 3 | Horizontal | 315 | 1.50 |
| 2437MHz | Pass | AV | 2.4858G | 45.52 | 54.00 | -8.48 | 3 | Horizontal | 315 | 1.50 |
| 2437MHz | Pass | PK | 2.381G | 58.56 | 74.00 | -15.44 | 3 | Horizontal | 315 | 1.50 |
| 2437MHz | Pass | PK | 2.4318G | 112.47 | Inf | -Inf | 3 | Horizontal | 315 | 1.50 |
| 2437MHz | Pass | PK | 2.4918G | 58.55 | 74.00 | -15.45 | 3 | Horizontal | 315 | 1.50 |
| 2437MHz | Pass | AV | 4.8818G | 29.08 | 54.00 | -24.92 | 3 | Vertical | 125 | 1.44 |
| 2437MHz | Pass | PK | 4.88714G | 42.79 | 74.00 | -31.21 | 3 | Vertical | 125 | 1.44 |
| 2437MHz | Pass | AV | 4.8863G | 29.17 | 54.00 | -24.83 | 3 | Horizontal | 47 | 1.50 |
| 2437MHz | Pass | PK | 4.8875G | 42.50 | 74.00 | -31.50 | 3 | Horizontal | 47 | 1.50 |
| 2462MHz | Pass | AV | 2.461G | 103.77 | Inf | -Inf | 3 | Horizontal | 66 | 1.10 |
| 2462MHz | Pass | AV | 2.4858G | 49.12 | 54.00 | -4.88 | 3 | Horizontal | 66 | 1.10 |
| 2462MHz | Pass | PK | 2.4564G | 113.66 | Inf | -Inf | 3 | Horizontal | 66 | 1.10 |
| 2462MHz | Pass | PK | 2.4866G | 65.00 | 74.00 | -9.00 | 3 | Horizontal | 66 | 1.10 |
| 2462MHz | Pass | AV | 4.9114G | 29.39 | 54.00 | -24.61 | 3 | Vertical | 106 | 1.00 |
| 2462MHz | Pass | PK | 4.93288G | 42.42 | 74.00 | -31.58 | 3 | Vertical | 106 | 1.00 |
| 2462MHz | Pass | AV | 4.91044G | 29.31 | 54.00 | -24.69 | 3 | Horizontal | 158 | 1.15 |
| 2462MHz | Pass | PK | 4.9303G | 42.07 | 74.00 | -31.93 | 3 | Horizontal | 158 | 1.15 |
| 802.11ax HEW20_Nss1,(MCS0)_2TX | - | - | - | - | - | - | - | - | - | - |
| 2412MHz | Pass | AV | 2.39G | 50.98 | 54.00 | -3.02 | 3 | Horizontal | 64 | 1.03 |
| 2412MHz | Pass | AV | 2.411G | 104.88 | Inf | -Inf | 3 | Horizontal | 64 | 1.03 |
| 2412MHz | Pass | PK | 2.3898G | 65.95 | 74.00 | -8.05 | 3 | Horizontal | 64 | 1.03 |
| 2412MHz | Pass | PK | 2.4112G | 118.39 | Inf | -Inf | 3 | Horizontal | 64 | 1.03 |
| 2412MHz | Pass | AV | 4.83762G | 28.31 | 54.00 | -25.69 | 3 | Vertical | 11 | 1.26 |
| 2412MHz | Pass | PK | 4.83576G | 42.20 | 74.00 | -31.80 | 3 | Vertical | 11 | 1.26 |



RSE TX above 1GHz_C-330E_Radio 3


Appendix F.8

| Mode | Result | Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) |
|--------------------------------|--------|------|-----------|----------------|----------------|-------------|----------|------------|-------------|------------|
| 2412MHz | Pass | AV | 4.83732G | 28.14 | 54.00 | -25.86 | 3 | Horizontal | 299 | 1.50 |
| 2412MHz | Pass | PK | 4.8198G | 42.57 | 74.00 | -31.43 | 3 | Horizontal | 299 | 1.50 |
| 2437MHz | Pass | AV | 2.3898G | 44.29 | 54.00 | -9.71 | 3 | Horizontal | 69 | 1.60 |
| 2437MHz | Pass | AV | 2.4354G | 102.31 | Inf | -Inf | 3 | Horizontal | 69 | 1.60 |
| 2437MHz | Pass | AV | 2.4854G | 45.02 | 54.00 | -8.98 | 3 | Horizontal | 69 | 1.60 |
| 2437MHz | Pass | PK | 2.387G | 57.84 | 74.00 | -16.16 | 3 | Horizontal | 69 | 1.60 |
| 2437MHz | Pass | PK | 2.4354G | 115.98 | Inf | -Inf | 3 | Horizontal | 69 | 1.60 |
| 2437MHz | Pass | PK | 2.4966G | 58.67 | 74.00 | -15.33 | 3 | Horizontal | 69 | 1.60 |
| 2437MHz | Pass | AV | 4.88738G | 28.50 | 54.00 | -25.50 | 3 | Vertical | 225 | 1.38 |
| 2437MHz | Pass | PK | 4.88822G | 42.05 | 74.00 | -31.95 | 3 | Vertical | 225 | 1.38 |
| 2437MHz | Pass | AV | 4.88756G | 28.23 | 54.00 | -25.77 | 3 | Horizontal | 315 | 2.08 |
| 2437MHz | Pass | PK | 4.87526G | 42.06 | 74.00 | -31.94 | 3 | Horizontal | 315 | 2.08 |
| 2462MHz | Pass | AV | 2.4606G | 103.59 | Inf | -Inf | 3 | Horizontal | 65 | 1.10 |
| 2462MHz | Pass | AV | 2.4835G | 52.02 | 54.00 | -1.98 | 3 | Horizontal | 65 | 1.10 |
| 2462MHz | Pass | PK | 2.4608G | 117.22 | Inf | -Inf | 3 | Horizontal | 65 | 1.10 |
| 2462MHz | Pass | PK | 2.4835G | 68.55 | 74.00 | -5.45 | 3 | Horizontal | 65 | 1.10 |
| 2462MHz | Pass | AV | 4.9141G | 28.67 | 54.00 | -25.33 | 3 | Vertical | 140 | 1.50 |
| 2462MHz | Pass | PK | 4.91866G | 42.72 | 74.00 | -31.28 | 3 | Vertical | 140 | 1.50 |
| 2462MHz | Pass | AV | 4.90984G | 28.75 | 54.00 | -25.25 | 3 | Horizontal | 327 | 1.50 |
| 2462MHz | Pass | PK | 4.92514G | 42.53 | 74.00 | -31.47 | 3 | Horizontal | 327 | 1.50 |
| 802.11ax HEW40_Nss1.(MCS0)_2TX | - | - | - | - | - | - | - | - | - | - |
| 2422MHz | Pass | AV | 2.39G | 48.25 | 54.00 | -5.75 | 3 | Horizontal | 317 | 1.60 |
| 2422MHz | Pass | AV | 2.4208G | 100.44 | Inf | -Inf | 3 | Horizontal | 317 | 1.60 |
| 2422MHz | Pass | AV | 2.488G | 45.00 | 54.00 | -9.00 | 3 | Horizontal | 317 | 1.60 |
| 2422MHz | Pass | PK | 2.39G | 64.24 | 74.00 | -9.76 | 3 | Horizontal | 317 | 1.60 |
| 2422MHz | Pass | PK | 2.4204G | 113.57 | Inf | -Inf | 3 | Horizontal | 317 | 1.60 |
| 2422MHz | Pass | PK | 2.4856G | 58.56 | 74.00 | -15.44 | 3 | Horizontal | 317 | 1.60 |
| 2422MHz | Pass | AV | 4.84784G | 28.19 | 54.00 | -25.81 | 3 | Vertical | 238 | 2.26 |
| 2422MHz | Pass | PK | 4.86008G | 41.91 | 74.00 | -32.09 | 3 | Vertical | 238 | 2.26 |
| 2422MHz | Pass | AV | 4.84112G | 28.20 | 54.00 | -25.80 | 3 | Horizontal | 0 | 1.27 |
| 2422MHz | Pass | PK | 4.85036G | 42.38 | 74.00 | -31.62 | 3 | Horizontal | 0 | 1.27 |
| 2437MHz | Pass | AV | 2.3898G | 44.50 | 54.00 | -9.50 | 3 | Horizontal | 65 | 1.73 |
| 2437MHz | Pass | AV | 2.4462G | 97.94 | Inf | -Inf | 3 | Horizontal | 65 | 1.73 |
| 2437MHz | Pass | AV | 2.4854G | 47.72 | 54.00 | -6.28 | 3 | Horizontal | 65 | 1.73 |
| 2437MHz | Pass | PK | 2.3422G | 57.79 | 74.00 | -16.21 | 3 | Horizontal | 65 | 1.73 |
| 2437MHz | Pass | PK | 2.4454G | 110.99 | Inf | -Inf | 3 | Horizontal | 65 | 1.73 |
| 2437MHz | Pass | PK | 2.4858G | 64.23 | 74.00 | -9.77 | 3 | Horizontal | 65 | 1.73 |
| 2437MHz | Pass | AV | 4.89524G | 28.50 | 54.00 | -25.50 | 3 | Vertical | 346 | 1.41 |
| 2437MHz | Pass | PK | 4.8626G | 42.19 | 74.00 | -31.81 | 3 | Vertical | 346 | 1.41 |
| 2437MHz | Pass | AV | 4.89536G | 28.46 | 54.00 | -25.54 | 3 | Horizontal | 216 | 1.15 |
| 2437MHz | Pass | PK | 4.85156G | 42.68 | 74.00 | -31.32 | 3 | Horizontal | 216 | 1.15 |
| 2452MHz | Pass | AV | 2.39G | 44.62 | 54.00 | -9.38 | 3 | Horizontal | 66 | 1.52 |
| 2452MHz | Pass | AV | 2.4512G | 99.63 | Inf | -Inf | 3 | Horizontal | 66 | 1.52 |
| 2452MHz | Pass | AV | 2.4835G | 51.37 | 54.00 | -2.63 | 3 | Horizontal | 66 | 1.52 |
| 2452MHz | Pass | PK | 2.356G | 57.63 | 74.00 | -16.37 | 3 | Horizontal | 66 | 1.52 |
| 2452MHz | Pass | PK | 2.4508G | 113.13 | Inf | -Inf | 3 | Horizontal | 66 | 1.52 |
| 2452MHz | Pass | PK | 2.4864G | 73.27 | 74.00 | -0.73 | 3 | Horizontal | 66 | 1.52 |
| 2452MHz | Pass | AV | 4.8914G | 28.42 | 54.00 | -25.58 | 3 | Vertical | 97 | 1.50 |
| 2452MHz | Pass | PK | 4.87964G | 43.09 | 74.00 | -30.91 | 3 | Vertical | 97 | 1.50 |
| 2452MHz | Pass | AV | 4.91144G | 28.47 | 54.00 | -25.53 | 3 | Horizontal | 148 | 1.50 |
| 2452MHz | Pass | PK | 4.89548G | 42.48 | 74.00 | -31.52 | 3 | Horizontal | 148 | 1.50 |



2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX


2412MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|------------|---------|---------|---------|
| AV | 2.3894G | 45.80 | 54.00 | -8.20 | 31.93 | 3 | Horizontal | 310 | 1.81 | 13.87 | 27.52 | 4.41 | - |
| AV | 2.4128G | 111.12 | Inf | -Inf | 32.06 | 3 | Horizontal | 310 | 1.81 | 79.06 | 27.63 | 4.43 | - |
| PK | 2.3636G | 58.74 | 74.00 | -15.26 | 31.70 | 3 | Horizontal | 310 | 1.81 | 27.04 | 27.31 | 4.39 | - |
| PK | 2.4128G | 113.54 | Inf | -Inf | 32.06 | 3 | Horizontal | 310 | 1.81 | 81.48 | 27.63 | 4.43 | - |

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX

2412MHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|------------|---------|---------|---------|
| AV | 4.82396G | 29.80 | 54.00 | -24.20 | 4.82 | 3 | Vertical | 195 | 1.50 | 24.98 | 32.34 | 6.66 | 34.18 |
| PK | 4.82848G | 42.45 | 74.00 | -31.55 | 4.85 | 3 | Vertical | 195 | 1.50 | 37.60 | 32.37 | 6.66 | 34.18 |



2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX


2412MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|------------|---------|---------|---------|
| PK | 4.8224G | 41.76 | 74.00 | -32.24 | 4.81 | 3 | Horizontal | 78 | 2.03 | 36.95 | 32.33 | 6.66 | 34.18 |
| AV | 4.82404G | 29.44 | 54.00 | -24.56 | 4.82 | 3 | Horizontal | 78 | 2.03 | 24.62 | 32.34 | 6.66 | 34.18 |

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX

2437MHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|------------|---------|---------|---------|
| AV | 2.3874G | 45.75 | 54.00 | -8.25 | 31.91 | 3 | Horizontal | 313 | 1.54 | 13.84 | 27.50 | 4.41 | - |
| AV | 2.4362G | 110.35 | Inf | -Inf | 32.13 | 3 | Horizontal | 313 | 1.54 | 78.22 | 27.67 | 4.46 | - |
| AV | 2.4846G | 46.20 | 54.00 | -7.80 | 32.35 | 3 | Horizontal | 313 | 1.54 | 13.85 | 27.84 | 4.51 | - |
| PK | 2.357G | 57.81 | 74.00 | -16.19 | 31.64 | 3 | Horizontal | 313 | 1.54 | 26.17 | 27.26 | 4.38 | - |
| PK | 2.4362G | 112.77 | Inf | -Inf | 32.13 | 3 | Horizontal | 313 | 1.54 | 80.64 | 27.67 | 4.46 | - |
| PK | 2.4982G | 58.16 | 74.00 | -15.84 | 32.41 | 3 | Horizontal | 313 | 1.54 | 25.75 | 27.89 | 4.52 | - |



2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX


2437MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|------------|---------|---------|---------|
| AV | 4.86704G | 29.67 | 54.00 | -24.33 | 5.06 | 3 | Vertical | 0 | 1.94 | 24.61 | 32.57 | 6.66 | 34.17 |
| PK | 4.88368G | 42.41 | 74.00 | -31.59 | 5.13 | 3 | Vertical | 0 | 1.94 | 37.28 | 32.63 | 6.66 | 34.16 |

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX

2437MHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|------------|---------|---------|---------|
| AV | 4.88116G | 29.73 | 54.00 | -24.27 | 5.12 | 3 | Horizontal | 10 | 1.35 | 24.61 | 32.62 | 6.66 | 34.16 |
| PK | 4.87664G | 42.12 | 74.00 | -31.88 | 5.11 | 3 | Horizontal | 10 | 1.35 | 37.01 | 32.61 | 6.66 | 34.16 |



2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX


2462MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|------------|---------|---------|---------|
| AV | 2.4614G | 110.32 | Inf | -Inf | 32.23 | 3 | Horizontal | 307 | 1.48 | 78.09 | 27.75 | 4.48 | - |
| AV | 2.4836G | 46.71 | 54.00 | -7.29 | 32.34 | 3 | Horizontal | 307 | 1.48 | 14.37 | 27.83 | 4.51 | - |
| PK | 2.4612G | 112.74 | Inf | -Inf | 32.22 | 3 | Horizontal | 307 | 1.48 | 80.52 | 27.74 | 4.48 | - |
| PK | 2.4938G | 58.44 | 74.00 | -15.56 | 32.40 | 3 | Horizontal | 307 | 1.48 | 26.04 | 27.88 | 4.52 | - |

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX

2462MHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|------------|---------|---------|---------|
| AV | 4.91704G | 30.19 | 54.00 | -23.81 | 5.32 | 3 | Vertical | 2 | 2.96 | 24.87 | 32.80 | 6.67 | 34.15 |
| PK | 4.916G | 42.87 | 74.00 | -31.13 | 5.32 | 3 | Vertical | 2 | 2.96 | 37.55 | 32.80 | 6.67 | 34.15 |



2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX


2462MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|------------|---------|---------|---------|
| AV | 4.92396G | 30.45 | 54.00 | -23.55 | 5.36 | 3 | Horizontal | 40 | 2.35 | 25.09 | 32.84 | 6.67 | 34.15 |
| PK | 4.91448G | 43.07 | 74.00 | -30.93 | 5.31 | 3 | Horizontal | 40 | 2.35 | 37.76 | 32.79 | 6.67 | 34.15 |

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX

2412MHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|------------|---------|---------|---------|
| AV | 2.39G | 47.45 | 54.00 | -6.55 | 31.93 | 3 | Horizontal | 64 | 1.04 | 15.52 | 27.52 | 4.41 | - |
| AV | 2.4114G | 104.69 | Inf | -Inf | 32.05 | 3 | Horizontal | 64 | 1.04 | 72.64 | 27.62 | 4.43 | - |
| PK | 2.3898G | 60.27 | 74.00 | -13.73 | 31.93 | 3 | Horizontal | 64 | 1.04 | 28.34 | 27.52 | 4.41 | - |
| PK | 2.4112G | 114.04 | Inf | -Inf | 32.05 | 3 | Horizontal | 64 | 1.04 | 81.99 | 27.62 | 4.43 | - |



2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX


2412MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|------------|---------|---------|---------|
| AV | 4.83684G | 28.94 | 54.00 | -25.06 | 4.90 | 3 | Vertical | 216 | 1.12 | 24.04 | 32.42 | 6.66 | 34.18 |
| PK | 4.83564G | 42.12 | 74.00 | -31.88 | 4.89 | 3 | Vertical | 216 | 1.12 | 37.23 | 32.41 | 6.66 | 34.18 |

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX

2412MHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|------------|---------|---------|---------|
| AV | 4.83516G | 28.96 | 54.00 | -25.04 | 4.89 | 3 | Horizontal | 14 | 1.50 | 24.07 | 32.41 | 6.66 | 34.18 |
| PK | 4.82604G | 42.02 | 74.00 | -31.98 | 4.84 | 3 | Horizontal | 14 | 1.50 | 37.18 | 32.36 | 6.66 | 34.18 |



2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX


2437MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|------------|---------|---------|---------|
| AV | 2.3758G | 44.76 | 54.00 | -9.24 | 31.81 | 3 | Horizontal | 315 | 1.50 | 12.95 | 27.41 | 4.40 | - |
| AV | 2.4318G | 103.16 | Inf | -Inf | 32.11 | 3 | Horizontal | 315 | 1.50 | 71.05 | 27.66 | 4.45 | - |
| AV | 2.4858G | 45.52 | 54.00 | -8.48 | 32.35 | 3 | Horizontal | 315 | 1.50 | 13.17 | 27.84 | 4.51 | - |
| PK | 2.381G | 58.56 | 74.00 | -15.44 | 31.85 | 3 | Horizontal | 315 | 1.50 | 26.71 | 27.45 | 4.40 | - |
| PK | 2.4318G | 112.47 | Inf | -Inf | 32.11 | 3 | Horizontal | 315 | 1.50 | 80.36 | 27.66 | 4.45 | - |
| PK | 2.4918G | 58.55 | 74.00 | -15.45 | 32.39 | 3 | Horizontal | 315 | 1.50 | 26.16 | 27.87 | 4.52 | - |

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX


2437MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|------------|---------|---------|---------|
| AV | 4.8818G | 29.08 | 54.00 | -24.92 | 5.13 | 3 | Vertical | 125 | 1.44 | 23.95 | 32.63 | 6.66 | 34.16 |
| PK | 4.88714G | 42.79 | 74.00 | -31.21 | 5.15 | 3 | Vertical | 125 | 1.44 | 37.64 | 32.65 | 6.66 | 34.16 |

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX


2437MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|------------|---------|---------|---------|
| AV | 4.8863G | 29.17 | 54.00 | -24.83 | 5.15 | 3 | Horizontal | 47 | 1.50 | 24.02 | 32.65 | 6.66 | 34.16 |
| PK | 4.8875G | 42.50 | 74.00 | -31.50 | 5.15 | 3 | Horizontal | 47 | 1.50 | 37.35 | 32.65 | 6.66 | 34.16 |

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX

2462MHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|------------|---------|---------|---------|
| AV | 2.461G | 103.77 | Inf | -Inf | 32.22 | 3 | Horizontal | 66 | 1.10 | 71.55 | 27.74 | 4.48 | - |
| AV | 2.4858G | 49.12 | 54.00 | -4.88 | 32.35 | 3 | Horizontal | 66 | 1.10 | 16.77 | 27.84 | 4.51 | - |
| PK | 2.4564G | 113.66 | Inf | -Inf | 32.21 | 3 | Horizontal | 66 | 1.10 | 81.45 | 27.73 | 4.48 | - |
| PK | 2.4866G | 65.00 | 74.00 | -9.00 | 32.36 | 3 | Horizontal | 66 | 1.10 | 32.64 | 27.85 | 4.51 | - |



2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX


2462MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|------------|---------|---------|---------|
| AV | 4.9114G | 29.39 | 54.00 | -24.61 | 5.29 | 3 | Vertical | 106 | 1.00 | 24.10 | 32.77 | 6.67 | 34.15 |
| PK | 4.93288G | 42.42 | 74.00 | -31.58 | 5.43 | 3 | Vertical | 106 | 1.00 | 36.99 | 32.90 | 6.67 | 34.14 |

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX

2462MHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|------------|---------|---------|---------|
| AV | 4.91044G | 29.31 | 54.00 | -24.69 | 5.28 | 3 | Horizontal | 158 | 1.15 | 24.03 | 32.76 | 6.67 | 34.15 |
| PK | 4.9303G | 42.07 | 74.00 | -31.93 | 5.40 | 3 | Horizontal | 158 | 1.15 | 36.67 | 32.88 | 6.67 | 34.15 |



2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


2412MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|------------|---------|---------|---------|
| AV | 2.39G | 50.98 | 54.00 | -3.02 | 31.93 | 3 | Horizontal | 64 | 1.03 | 19.05 | 27.52 | 4.41 | - |
| AV | 2.411G | 104.88 | Inf | -Inf | 32.05 | 3 | Horizontal | 64 | 1.03 | 72.83 | 27.62 | 4.43 | - |
| PK | 2.3898G | 65.95 | 74.00 | -8.05 | 31.93 | 3 | Horizontal | 64 | 1.03 | 34.02 | 27.52 | 4.41 | - |
| PK | 2.4112G | 118.39 | Inf | -Inf | 32.05 | 3 | Horizontal | 64 | 1.03 | 86.34 | 27.62 | 4.43 | - |

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

2412MHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|------------|---------|---------|---------|
| AV | 4.83762G | 28.31 | 54.00 | -25.69 | 4.91 | 3 | Vertical | 11 | 1.26 | 23.40 | 32.43 | 6.66 | 34.18 |
| PK | 4.83576G | 42.20 | 74.00 | -31.80 | 4.89 | 3 | Vertical | 11 | 1.26 | 37.31 | 32.41 | 6.66 | 34.18 |



2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


2412MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|------------|---------|---------|---------|
| AV | 4.83732G | 28.14 | 54.00 | -25.86 | 4.90 | 3 | Horizontal | 299 | 1.50 | 23.24 | 32.42 | 6.66 | 34.18 |
| PK | 4.8198G | 42.57 | 74.00 | -31.43 | 4.80 | 3 | Horizontal | 299 | 1.50 | 37.77 | 32.32 | 6.66 | 34.18 |

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

2437MHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|------------|---------|---------|---------|
| AV | 2.3898G | 44.29 | 54.00 | -9.71 | 31.93 | 3 | Horizontal | 69 | 1.60 | 12.36 | 27.52 | 4.41 | - |
| AV | 2.4354G | 102.31 | Inf | -Inf | 32.13 | 3 | Horizontal | 69 | 1.60 | 70.18 | 27.67 | 4.46 | - |
| AV | 2.4854G | 45.02 | 54.00 | -8.98 | 32.35 | 3 | Horizontal | 69 | 1.60 | 12.67 | 27.84 | 4.51 | - |
| PK | 2.387G | 57.84 | 74.00 | -16.16 | 31.91 | 3 | Horizontal | 69 | 1.60 | 25.93 | 27.50 | 4.41 | - |
| PK | 2.4354G | 115.98 | Inf | -Inf | 32.13 | 3 | Horizontal | 69 | 1.60 | 83.85 | 27.67 | 4.46 | - |
| PK | 2.4966G | 58.67 | 74.00 | -15.33 | 32.41 | 3 | Horizontal | 69 | 1.60 | 26.26 | 27.89 | 4.52 | - |



2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


2437MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|------------|---------|---------|---------|
| AV | 4.88738G | 28.50 | 54.00 | -25.50 | 5.15 | 3 | Vertical | 225 | 1.38 | 23.35 | 32.65 | 6.66 | 34.16 |
| PK | 4.88822G | 42.05 | 74.00 | -31.95 | 5.15 | 3 | Vertical | 225 | 1.38 | 36.90 | 32.65 | 6.66 | 34.16 |

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

2437MHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|------------|---------|---------|---------|
| AV | 4.88756G | 28.23 | 54.00 | -25.77 | 5.15 | 3 | Horizontal | 315 | 2.08 | 23.08 | 32.65 | 6.66 | 34.16 |
| PK | 4.87526G | 42.06 | 74.00 | -31.94 | 5.10 | 3 | Horizontal | 315 | 2.08 | 36.96 | 32.60 | 6.66 | 34.16 |



2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


2462MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|------------|---------|---------|---------|
| AV | 2.4606G | 103.59 | Inf | -Inf | 32.22 | 3 | Horizontal | 65 | 1.10 | 71.37 | 27.74 | 4.48 | - |
| AV | 2.4835G | 52.02 | 54.00 | -1.98 | 32.34 | 3 | Horizontal | 65 | 1.10 | 19.68 | 27.83 | 4.51 | - |
| PK | 2.4608G | 117.22 | Inf | -Inf | 32.22 | 3 | Horizontal | 65 | 1.10 | 85.00 | 27.74 | 4.48 | - |
| PK | 2.4835G | 68.55 | 74.00 | -5.45 | 32.34 | 3 | Horizontal | 65 | 1.10 | 36.21 | 27.83 | 4.51 | - |

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

2462MHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|------------|---------|---------|---------|
| AV | 4.9141G | 28.67 | 54.00 | -25.33 | 5.30 | 3 | Vertical | 140 | 1.50 | 23.37 | 32.78 | 6.67 | 34.15 |
| PK | 4.91866G | 42.72 | 74.00 | -31.28 | 5.33 | 3 | Vertical | 140 | 1.50 | 37.39 | 32.81 | 6.67 | 34.15 |



2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


2462MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|------------|---------|---------|---------|
| AV | 4.90984G | 28.75 | 54.00 | -25.25 | 5.28 | 3 | Horizontal | 327 | 1.50 | 23.47 | 32.76 | 6.67 | 34.15 |
| PK | 4.92514G | 42.53 | 74.00 | -31.47 | 5.37 | 3 | Horizontal | 327 | 1.50 | 37.16 | 32.85 | 6.67 | 34.15 |

2.4-2.4835GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

2422MHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|------------|---------|---------|---------|
| AV | 2.39G | 48.25 | 54.00 | -5.75 | 31.93 | 3 | Horizontal | 317 | 1.60 | 16.32 | 27.52 | 4.41 | - |
| AV | 2.4208G | 100.44 | Inf | -Inf | 32.08 | 3 | Horizontal | 317 | 1.60 | 68.36 | 27.64 | 4.44 | - |
| AV | 2.488G | 45.00 | 54.00 | -9.00 | 32.36 | 3 | Horizontal | 317 | 1.60 | 12.64 | 27.85 | 4.51 | - |
| PK | 2.39G | 64.24 | 74.00 | -9.76 | 31.93 | 3 | Horizontal | 317 | 1.60 | 32.31 | 27.52 | 4.41 | - |
| PK | 2.4204G | 113.57 | Inf | -Inf | 32.08 | 3 | Horizontal | 317 | 1.60 | 81.49 | 27.64 | 4.44 | - |
| PK | 2.4856G | 58.56 | 74.00 | -15.44 | 32.35 | 3 | Horizontal | 317 | 1.60 | 26.21 | 27.84 | 4.51 | - |



2.4-2.4835GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


2422MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|------------|---------|---------|---------|
| AV | 4.84784G | 28.19 | 54.00 | -25.81 | 4.98 | 3 | Vertical | 238 | 2.26 | 23.21 | 32.49 | 6.66 | 34.17 |
| PK | 4.86008G | 41.91 | 74.00 | -32.09 | 5.03 | 3 | Vertical | 238 | 2.26 | 36.88 | 32.54 | 6.66 | 34.17 |

2.4-2.4835GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

2422MHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|------------|---------|---------|---------|
| AV | 4.84112G | 28.20 | 54.00 | -25.80 | 4.93 | 3 | Horizontal | 0 | 1.27 | 23.27 | 32.45 | 6.66 | 34.18 |
| PK | 4.85036G | 42.38 | 74.00 | -31.62 | 4.99 | 3 | Horizontal | 0 | 1.27 | 37.39 | 32.50 | 6.66 | 34.17 |



2.4-2.4835GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


2437MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|------------|---------|---------|---------|
| AV | 2.3898G | 44.50 | 54.00 | -9.50 | 31.93 | 3 | Horizontal | 65 | 1.73 | 12.57 | 27.52 | 4.41 | - |
| AV | 2.4462G | 97.94 | Inf | -Inf | 32.16 | 3 | Horizontal | 65 | 1.73 | 65.78 | 27.69 | 4.47 | - |
| AV | 2.4854G | 47.72 | 54.00 | -6.28 | 32.35 | 3 | Horizontal | 65 | 1.73 | 15.37 | 27.84 | 4.51 | - |
| PK | 2.3422G | 57.79 | 74.00 | -16.21 | 31.57 | 3 | Horizontal | 65 | 1.73 | 26.22 | 27.20 | 4.37 | - |
| PK | 2.4454G | 110.99 | Inf | -Inf | 32.16 | 3 | Horizontal | 65 | 1.73 | 78.83 | 27.69 | 4.47 | - |
| PK | 2.4858G | 64.23 | 74.00 | -9.77 | 32.35 | 3 | Horizontal | 65 | 1.73 | 31.88 | 27.84 | 4.51 | - |

2.4-2.4835GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

2437MHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|------------|---------|---------|---------|
| AV | 4.89524G | 28.50 | 54.00 | -25.50 | 5.18 | 3 | Vertical | 346 | 1.41 | 23.32 | 32.68 | 6.66 | 34.16 |
| PK | 4.8626G | 42.19 | 74.00 | -31.81 | 5.04 | 3 | Vertical | 346 | 1.41 | 37.15 | 32.55 | 6.66 | 34.17 |



2.4-2.4835GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


2437MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|------------|---------|---------|---------|
| AV | 4.89536G | 28.46 | 54.00 | -25.54 | 5.18 | 3 | Horizontal | 216 | 1.15 | 23.28 | 32.68 | 6.66 | 34.16 |
| PK | 4.85156G | 42.68 | 74.00 | -31.32 | 5.00 | 3 | Horizontal | 216 | 1.15 | 37.68 | 32.51 | 6.66 | 34.17 |

2.4-2.4835GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

2452MHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|------------|---------|---------|---------|
| AV | 2.39G | 44.62 | 54.00 | -9.38 | 31.93 | 3 | Horizontal | 66 | 1.52 | 12.69 | 27.52 | 4.41 | - |
| AV | 2.4512G | 99.63 | Inf | -Inf | 32.17 | 3 | Horizontal | 66 | 1.52 | 67.46 | 27.70 | 4.47 | - |
| AV | 2.4835G | 51.37 | 54.00 | -2.63 | 32.34 | 3 | Horizontal | 66 | 1.52 | 19.03 | 27.83 | 4.51 | - |
| PK | 2.356G | 57.63 | 74.00 | -16.37 | 31.63 | 3 | Horizontal | 66 | 1.52 | 26.00 | 27.25 | 4.38 | - |
| PK | 2.4508G | 113.13 | Inf | -Inf | 32.17 | 3 | Horizontal | 66 | 1.52 | 80.96 | 27.70 | 4.47 | - |
| PK | 2.4864G | 73.27 | 74.00 | -0.73 | 32.36 | 3 | Horizontal | 66 | 1.52 | 40.91 | 27.85 | 4.51 | - |



2.4-2.4835GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


2452MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|------------|---------|---------|---------|
| AV | 4.8914G | 28.42 | 54.00 | -25.58 | 5.17 | 3 | Vertical | 97 | 1.50 | 23.25 | 32.67 | 6.66 | 34.16 |
| PK | 4.87964G | 43.09 | 74.00 | -30.91 | 5.12 | 3 | Vertical | 97 | 1.50 | 37.97 | 32.62 | 6.66 | 34.16 |

2.4-2.4835GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

2452MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|------------|---------|---------|---------|
| AV | 4.91144G | 28.47 | 54.00 | -25.53 | 5.29 | 3 | Horizontal | 148 | 1.50 | 23.18 | 32.77 | 6.67 | 34.15 |
| PK | 4.89548G | 42.48 | 74.00 | -31.52 | 5.18 | 3 | Horizontal | 148 | 1.50 | 37.30 | 32.68 | 6.66 | 34.16 |



Summary

| Mode | Result | Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Condition |
|--------|--------|------|-----------|----------------|----------------|-------------|------------|
| Mode 1 | Pass | AV | 4.82404G | 44.91 | 54.00 | -9.09 | Horizontal |
| Mode 2 | Pass | AV | 4.82398G | 44.91 | 54.00 | -9.09 | Horizontal |
| Mode 3 | Pass | AV | 4.82399G | 45.12 | 54.00 | -8.88 | Horizontal |




Result

| Mode | Result | Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comments |
|--------|--------|------|-----------|----------------|----------------|-------------|----------|------------|-------------|------------|----------|
| Mode 1 | Pass | AV | 4.82406G | 43.63 | 54.00 | -10.37 | 3 | Vertical | 303 | 2.77 | - |
| Mode 1 | Pass | AV | 4.92196G | 33.94 | 54.00 | -20.06 | 3 | Vertical | 1 | 1.50 | - |
| Mode 1 | Pass | AV | 4.95905G | 34.99 | 54.00 | -19.01 | 3 | Vertical | 136 | 2.17 | - |
| Mode 1 | Pass | AV | 11.01934G | 42.49 | 54.00 | -11.51 | 3 | Vertical | 171 | 1.58 | - |
| Mode 1 | Pass | AV | 14.0641G | 45.45 | 68.20 | -22.75 | 3 | Vertical | 54 | 2.19 | - |
| Mode 1 | Pass | PK | 4.82392G | 50.22 | 74.00 | -23.78 | 3 | Vertical | 303 | 2.77 | - |
| Mode 1 | Pass | PK | 4.92272G | 46.23 | 74.00 | -27.77 | 3 | Vertical | 1 | 1.50 | - |
| Mode 1 | Pass | PK | 4.9633G | 46.60 | 74.00 | -27.40 | 3 | Vertical | 136 | 2.17 | - |
| Mode 1 | Pass | PK | 11.0203G | 53.33 | 74.00 | -20.67 | 3 | Vertical | 171 | 1.58 | - |
| Mode 1 | Pass | PK | 14.04904G | 57.42 | 68.20 | -10.78 | 3 | Vertical | 54 | 2.19 | - |
| Mode 1 | Pass | AV | 4.82404G | 44.91 | 54.00 | -9.09 | 3 | Horizontal | 308 | 1.27 | - |
| Mode 1 | Pass | AV | 4.92008G | 34.49 | 54.00 | -19.51 | 3 | Horizontal | 320 | 1.50 | - |
| Mode 1 | Pass | AV | 4.9603G | 34.99 | 54.00 | -19.01 | 3 | Horizontal | 130 | 2.02 | - |
| Mode 1 | Pass | AV | 11.01608G | 42.48 | 54.00 | -11.52 | 3 | Horizontal | 44 | 2.77 | - |
| Mode 1 | Pass | AV | 14.03962G | 45.53 | 68.20 | -22.67 | 3 | Horizontal | 62 | 2.19 | - |
| Mode 1 | Pass | PK | 4.82417G | 50.58 | 74.00 | -23.42 | 3 | Horizontal | 308 | 1.27 | - |
| Mode 1 | Pass | PK | 4.92714G | 47.20 | 74.00 | -26.80 | 3 | Horizontal | 320 | 1.50 | - |
| Mode 1 | Pass | PK | 4.96364G | 47.50 | 74.00 | -26.50 | 3 | Horizontal | 130 | 2.02 | - |
| Mode 1 | Pass | PK | 11.01826G | 53.97 | 74.00 | -20.03 | 3 | Horizontal | 44 | 2.77 | - |
| Mode 1 | Pass | PK | 14.04052G | 56.87 | 68.20 | -11.33 | 3 | Horizontal | 62 | 2.19 | - |
| Mode 2 | Pass | AV | 4.82392G | 42.88 | 54.00 | -11.12 | 3 | Vertical | 308 | 2.90 | - |
| Mode 2 | Pass | AV | 4.95911G | 35.03 | 54.00 | -18.97 | 3 | Vertical | 65 | 1.75 | - |
| Mode 2 | Pass | AV | 11.01878G | 42.45 | 54.00 | -11.55 | 3 | Vertical | 322 | 2.46 | - |
| Mode 2 | Pass | AV | 11.48738G | 42.32 | 54.00 | -11.68 | 3 | Vertical | 349 | 2.11 | - |
| Mode 2 | Pass | AV | 14.0498G | 45.30 | 68.20 | -22.90 | 3 | Vertical | 272 | 1.20 | - |
| Mode 2 | Pass | PK | 4.82399G | 49.77 | 74.00 | -24.23 | 3 | Vertical | 308 | 2.90 | - |
| Mode 2 | Pass | PK | 4.96363G | 46.51 | 74.00 | -27.49 | 3 | Vertical | 65 | 1.75 | - |
| Mode 2 | Pass | PK | 11.015G | 53.81 | 74.00 | -20.19 | 3 | Vertical | 322 | 2.46 | - |
| Mode 2 | Pass | PK | 11.48998G | 51.97 | 74.00 | -22.03 | 3 | Vertical | 349 | 2.11 | - |
| Mode 2 | Pass | PK | 14.04616G | 56.83 | 68.20 | -11.37 | 3 | Vertical | 272 | 1.20 | - |
| Mode 2 | Pass | AV | 4.82398G | 44.91 | 54.00 | -9.09 | 3 | Horizontal | 305 | 1.03 | - |
| Mode 2 | Pass | AV | 4.9615G | 35.07 | 54.00 | -18.93 | 3 | Horizontal | 76 | 1.53 | - |
| Mode 2 | Pass | AV | 11.01836G | 42.55 | 54.00 | -11.45 | 3 | Horizontal | 258 | 2.66 | - |
| Mode 2 | Pass | AV | 11.48668G | 42.34 | 54.00 | -11.66 | 3 | Horizontal | 342 | 1.09 | - |
| Mode 2 | Pass | AV | 14.05478G | 45.36 | 68.20 | -22.84 | 3 | Horizontal | 231 | 2.05 | - |
| Mode 2 | Pass | PK | 4.82396G | 51.05 | 74.00 | -22.95 | 3 | Horizontal | 305 | 1.03 | - |
| Mode 2 | Pass | PK | 4.96365G | 47.46 | 74.00 | -26.54 | 3 | Horizontal | 76 | 1.53 | - |
| Mode 2 | Pass | PK | 11.01514G | 54.01 | 74.00 | -19.99 | 3 | Horizontal | 258 | 2.66 | - |
| Mode 2 | Pass | PK | 11.48932G | 51.85 | 74.00 | -22.15 | 3 | Horizontal | 342 | 1.09 | - |
| Mode 2 | Pass | PK | 14.0492G | 56.28 | 68.20 | -11.92 | 3 | Horizontal | 231 | 2.05 | - |
| Mode 3 | Pass | AV | 4.82394G | 43.86 | 54.00 | -10.14 | 3 | Vertical | 305 | 2.78 | - |
| Mode 3 | Pass | AV | 4.95915G | 34.96 | 54.00 | -19.04 | 3 | Vertical | 341 | 1.48 | - |
| Mode 3 | Pass | AV | 11.01566G | 42.37 | 54.00 | -11.63 | 3 | Vertical | 28 | 1.06 | - |
| Mode 3 | Pass | AV | 12.68798G | 43.70 | 54.00 | -10.30 | 3 | Vertical | 108 | 2.39 | - |
| Mode 3 | Pass | AV | 14.05486G | 45.37 | 68.20 | -22.83 | 3 | Vertical | 61 | 2.24 | - |
| Mode 3 | Pass | PK | 4.82404G | 51.07 | 74.00 | -22.93 | 3 | Vertical | 305 | 2.78 | - |
| Mode 3 | Pass | PK | 4.96366G | 46.08 | 74.00 | -27.92 | 3 | Vertical | 341 | 1.48 | - |
| Mode 3 | Pass | PK | 11.0181G | 53.65 | 74.00 | -20.35 | 3 | Vertical | 28 | 1.06 | - |
| Mode 3 | Pass | PK | 12.69058G | 54.26 | 74.00 | -19.74 | 3 | Vertical | 108 | 2.39 | - |
| Mode 3 | Pass | PK | 14.0469G | 55.90 | 68.20 | -12.30 | 3 | Vertical | 61 | 2.24 | - |




| Mode | Result | Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comments |
|--------|--------|------|-----------|----------------|----------------|-------------|----------|------------|-------------|------------|----------|
| Mode 3 | Pass | AV | 4.82399G | 45.12 | 54.00 | -8.88 | 3 | Horizontal | 307 | 1.32 | - |
| Mode 3 | Pass | AV | 4.96096G | 35.12 | 54.00 | -18.88 | 3 | Horizontal | 233 | 1.50 | - |
| Mode 3 | Pass | AV | 11.0153G | 42.42 | 54.00 | -11.58 | 3 | Horizontal | 124 | 2.15 | - |
| Mode 3 | Pass | AV | 12.69054G | 43.74 | 54.00 | -10.26 | 3 | Horizontal | 42 | 2.66 | - |
| Mode 3 | Pass | AV | 14.04836G | 45.43 | 68.20 | -22.77 | 3 | Horizontal | 82 | 1.04 | - |
| Mode 3 | Pass | PK | 4.8238G | 50.71 | 74.00 | -23.29 | 3 | Horizontal | 307 | 1.32 | - |
| Mode 3 | Pass | PK | 4.96366G | 47.40 | 74.00 | -26.60 | 3 | Horizontal | 233 | 1.50 | - |
| Mode 3 | Pass | PK | 11.0178G | 53.72 | 74.00 | -20.28 | 3 | Horizontal | 124 | 2.15 | - |
| Mode 3 | Pass | PK | 12.68926G | 54.38 | 74.00 | -19.62 | 3 | Horizontal | 42 | 2.66 | - |
| Mode 3 | Pass | PK | 14.05256G | 56.95 | 68.20 | -11.25 | 3 | Horizontal | 82 | 1.04 | - |

Radiated Emissions above 1GHz_Mode 1




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB/m) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV/m) | AF (dB/m) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|---------------|----------|-----------|-------------|------------|--------------|-----------|---------|---------|
| AV | 4.82406G | 43.63 | 54.00 | -10.37 | 3.37 | 3 | Vertical | 303 | 2.77 | 40.26 | 32.34 | 5.68 | 34.65 |
| AV | 4.92196G | 33.94 | 54.00 | -20.06 | 3.92 | 3 | Vertical | 1 | 1.50 | 30.02 | 32.83 | 5.74 | 34.65 |
| AV | 4.95905G | 34.99 | 54.00 | -19.01 | 4.17 | 3 | Vertical | 136 | 2.17 | 30.82 | 33.04 | 5.77 | 34.64 |
| AV | 11.01934G | 42.49 | 54.00 | -11.51 | 12.60 | 3 | Vertical | 171 | 1.58 | 29.89 | 38.88 | 8.30 | 34.58 |
| AV | 14.0641G | 45.45 | 68.20 | -22.75 | 16.86 | 3 | Vertical | 54 | 2.19 | 28.59 | 40.49 | 9.33 | 32.96 |
| PK | 4.82392G | 50.22 | 74.00 | -23.78 | 3.37 | 3 | Vertical | 303 | 2.77 | 46.85 | 32.34 | 5.68 | 34.65 |
| PK | 4.92272G | 46.23 | 74.00 | -27.77 | 3.93 | 3 | Vertical | 1 | 1.50 | 42.30 | 32.84 | 5.74 | 34.65 |
| PK | 4.9633G | 46.60 | 74.00 | -27.40 | 4.18 | 3 | Vertical | 136 | 2.17 | 42.42 | 33.05 | 5.77 | 34.64 |
| PK | 11.0203G | 53.33 | 74.00 | -20.67 | 12.60 | 3 | Vertical | 171 | 1.58 | 40.73 | 38.88 | 8.30 | 34.58 |
| PK | 14.04904G | 57.42 | 68.20 | -10.78 | 16.84 | 3 | Vertical | 54 | 2.19 | 40.58 | 40.45 | 9.33 | 32.94 |

Radiated Emissions above 1GHz_Mode 1




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB/m) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV/m) | AF (dB/m) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|---------------|----------|------------|-------------|------------|--------------|-----------|---------|---------|
| AV | 4.82404G | 44.91 | 54.00 | -9.09 | 3.37 | 3 | Horizontal | 308 | 1.27 | 41.54 | 32.34 | 5.68 | 34.65 |
| AV | 4.92008G | 34.49 | 54.00 | -19.51 | 3.91 | 3 | Horizontal | 320 | 1.50 | 30.58 | 32.82 | 5.74 | 34.65 |
| AV | 4.9603G | 34.99 | 54.00 | -19.01 | 4.17 | 3 | Horizontal | 130 | 2.02 | 30.82 | 33.04 | 5.77 | 34.64 |
| AV | 11.01608G | 42.48 | 54.00 | -11.52 | 12.60 | 3 | Horizontal | 44 | 2.77 | 29.88 | 38.88 | 8.30 | 34.58 |
| AV | 14.03962G | 45.53 | 68.20 | -22.67 | 16.81 | 3 | Horizontal | 62 | 2.19 | 28.72 | 40.42 | 9.32 | 32.93 |
| PK | 4.82417G | 50.58 | 74.00 | -23.42 | 3.38 | 3 | Horizontal | 308 | 1.27 | 47.20 | 32.35 | 5.68 | 34.65 |
| PK | 4.92714G | 47.20 | 74.00 | -26.80 | 3.96 | 3 | Horizontal | 320 | 1.50 | 43.24 | 32.86 | 5.75 | 34.65 |
| PK | 4.96364G | 47.50 | 74.00 | -26.50 | 4.18 | 3 | Horizontal | 130 | 2.02 | 43.32 | 33.05 | 5.77 | 34.64 |
| PK | 11.01826G | 53.97 | 74.00 | -20.03 | 12.60 | 3 | Horizontal | 44 | 2.77 | 41.37 | 38.88 | 8.30 | 34.58 |
| PK | 14.04052G | 56.87 | 68.20 | -11.33 | 16.81 | 3 | Horizontal | 62 | 2.19 | 40.06 | 40.42 | 9.32 | 32.93 |

Radiated Emissions above 1GHz_Mode 2




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB/m) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV/m) | AF (dB/m) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|---------------|----------|-----------|-------------|------------|--------------|-----------|---------|---------|
| AV | 4.82392G | 42.88 | 54.00 | -11.12 | 3.37 | 3 | Vertical | 308 | 2.90 | 39.51 | 32.34 | 5.68 | 34.65 |
| AV | 4.95911G | 35.03 | 54.00 | -18.97 | 4.17 | 3 | Vertical | 65 | 1.75 | 30.86 | 33.04 | 5.77 | 34.64 |
| AV | 11.01878G | 42.45 | 54.00 | -11.55 | 12.60 | 3 | Vertical | 322 | 2.46 | 29.85 | 38.88 | 8.30 | 34.58 |
| AV | 11.48738G | 42.32 | 54.00 | -11.68 | 12.93 | 3 | Vertical | 349 | 2.11 | 29.39 | 39.01 | 8.49 | 34.57 |
| AV | 14.0498G | 45.30 | 68.20 | -22.90 | 16.84 | 3 | Vertical | 272 | 1.20 | 28.46 | 40.45 | 9.33 | 32.94 |
| PK | 4.82399G | 49.77 | 74.00 | -24.23 | 3.37 | 3 | Vertical | 308 | 2.90 | 46.40 | 32.34 | 5.68 | 34.65 |
| PK | 4.96363G | 46.51 | 74.00 | -27.49 | 4.18 | 3 | Vertical | 65 | 1.75 | 42.33 | 33.05 | 5.77 | 34.64 |
| PK | 11.015G | 53.81 | 74.00 | -20.19 | 12.60 | 3 | Vertical | 322 | 2.46 | 41.21 | 38.88 | 8.30 | 34.58 |
| PK | 11.48998G | 51.97 | 74.00 | -22.03 | 12.94 | 3 | Vertical | 349 | 2.11 | 39.03 | 39.01 | 8.50 | 34.57 |
| PK | 14.04616G | 56.83 | 68.20 | -11.37 | 16.82 | 3 | Vertical | 272 | 1.20 | 40.01 | 40.44 | 9.32 | 32.94 |

Radiated Emissions above 1GHz_Mode 2




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB/m) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV/m) | AF (dB/m) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|---------------|----------|------------|-------------|------------|--------------|-----------|---------|---------|
| AV | 4.82398G | 44.91 | 54.00 | -9.09 | 3.37 | 3 | Horizontal | 305 | 1.03 | 41.54 | 32.34 | 5.68 | 34.65 |
| AV | 4.9615G | 35.07 | 54.00 | -18.93 | 4.18 | 3 | Horizontal | 76 | 1.53 | 30.89 | 33.05 | 5.77 | 34.64 |
| AV | 11.01836G | 42.55 | 54.00 | -11.45 | 12.60 | 3 | Horizontal | 258 | 2.66 | 29.95 | 38.88 | 8.30 | 34.58 |
| AV | 11.48668G | 42.34 | 54.00 | -11.66 | 12.93 | 3 | Horizontal | 342 | 1.09 | 29.41 | 39.01 | 8.49 | 34.57 |
| AV | 14.05478G | 45.36 | 68.20 | -22.84 | 16.84 | 3 | Horizontal | 231 | 2.05 | 28.52 | 40.46 | 9.33 | 32.95 |
| PK | 4.82396G | 51.05 | 74.00 | -22.95 | 3.37 | 3 | Horizontal | 305 | 1.03 | 47.68 | 32.34 | 5.68 | 34.65 |
| PK | 4.96365G | 47.46 | 74.00 | -26.54 | 4.18 | 3 | Horizontal | 76 | 1.53 | 43.28 | 33.05 | 5.77 | 34.64 |
| PK | 11.01514G | 54.01 | 74.00 | -19.99 | 12.60 | 3 | Horizontal | 258 | 2.66 | 41.41 | 38.88 | 8.30 | 34.58 |
| PK | 11.48932G | 51.85 | 74.00 | -22.15 | 12.94 | 3 | Horizontal | 342 | 1.09 | 38.91 | 39.01 | 8.50 | 34.57 |
| PK | 14.0492G | 56.28 | 68.20 | -11.92 | 16.84 | 3 | Horizontal | 231 | 2.05 | 39.44 | 40.45 | 9.33 | 32.94 |

Radiated Emissions above 1GHz_Mode 3



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB/m) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV/m) | AF (dB/m) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|---------------|----------|-----------|-------------|------------|--------------|-----------|---------|---------|
| AV | 4.82394G | 43.86 | 54.00 | -10.14 | 3.37 | 3 | Vertical | 305 | 2.78 | 40.49 | 32.34 | 5.68 | 34.65 |
| AV | 4.95915G | 34.96 | 54.00 | -19.04 | 4.17 | 3 | Vertical | 341 | 1.48 | 30.79 | 33.04 | 5.77 | 34.64 |
| AV | 11.01566G | 42.37 | 54.00 | -11.63 | 12.60 | 3 | Vertical | 28 | 1.06 | 29.77 | 38.88 | 8.30 | 34.58 |
| AV | 12.68798G | 43.70 | 54.00 | -10.30 | 14.33 | 3 | Vertical | 108 | 2.39 | 29.37 | 39.46 | 8.92 | 34.05 |
| AV | 14.05486G | 45.37 | 68.20 | -22.83 | 16.84 | 3 | Vertical | 61 | 2.24 | 28.53 | 40.46 | 9.33 | 32.95 |
| PK | 4.82404G | 51.07 | 74.00 | -22.93 | 3.37 | 3 | Vertical | 305 | 2.78 | 47.70 | 32.34 | 5.68 | 34.65 |
| PK | 4.96366G | 46.08 | 74.00 | -27.92 | 4.18 | 3 | Vertical | 341 | 1.48 | 41.90 | 33.05 | 5.77 | 34.64 |
| PK | 11.0181G | 53.65 | 74.00 | -20.35 | 12.60 | 3 | Vertical | 28 | 1.06 | 41.05 | 38.88 | 8.30 | 34.58 |
| PK | 12.69058G | 54.26 | 74.00 | -19.74 | 14.34 | 3 | Vertical | 108 | 2.39 | 39.92 | 39.47 | 8.92 | 34.05 |
| PK | 14.0469G | 55.90 | 68.20 | -12.30 | 16.82 | 3 | Vertical | 61 | 2.24 | 39.08 | 40.44 | 9.32 | 32.94 |

Radiated Emissions above 1GHz_Mode 3



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB/m) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV/m) | AF (dB/m) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|---------------|----------|------------|-------------|------------|--------------|-----------|---------|---------|
| AV | 4.82399G | 45.12 | 54.00 | -8.88 | 3.37 | 3 | Horizontal | 307 | 1.32 | 41.75 | 32.34 | 5.68 | 34.65 |
| AV | 4.96096G | 35.12 | 54.00 | -18.88 | 4.17 | 3 | Horizontal | 233 | 1.50 | 30.95 | 33.04 | 5.77 | 34.64 |
| AV | 11.0153G | 42.42 | 54.00 | -11.58 | 12.60 | 3 | Horizontal | 124 | 2.15 | 29.82 | 38.88 | 8.30 | 34.58 |
| AV | 12.69054G | 43.74 | 54.00 | -10.26 | 14.34 | 3 | Horizontal | 42 | 2.66 | 29.40 | 39.47 | 8.92 | 34.05 |
| AV | 14.04836G | 45.43 | 68.20 | -22.77 | 16.84 | 3 | Horizontal | 82 | 1.04 | 28.59 | 40.45 | 9.33 | 32.94 |
| PK | 4.8238G | 50.71 | 74.00 | -23.29 | 3.37 | 3 | Horizontal | 307 | 1.32 | 47.34 | 32.34 | 5.68 | 34.65 |
| PK | 4.96366G | 47.40 | 74.00 | -26.60 | 4.18 | 3 | Horizontal | 233 | 1.50 | 43.22 | 33.05 | 5.77 | 34.64 |
| PK | 11.0178G | 53.72 | 74.00 | -20.28 | 12.60 | 3 | Horizontal | 124 | 2.15 | 41.12 | 38.88 | 8.30 | 34.58 |
| PK | 12.68926G | 54.38 | 74.00 | -19.62 | 14.34 | 3 | Horizontal | 42 | 2.66 | 40.04 | 39.47 | 8.92 | 34.05 |
| PK | 14.05256G | 56.95 | 68.20 | -11.25 | 16.85 | 3 | Horizontal | 82 | 1.04 | 40.10 | 40.46 | 9.33 | 32.94 |



Summary


| Mode | Result | Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Condition |
|--------|--------|------|-----------|----------------|----------------|-------------|------------|
| Mode 1 | Pass | AV | 4.92458G | 39.68 | 54.00 | -14.32 | Vertical |
| Mode 2 | Pass | AV | 11.09483G | 37.65 | 54.00 | -16.35 | Horizontal |



Result

| Mode | Result | Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comments |
|--------|--------|------|-----------|----------------|----------------|-------------|----------|------------|-------------|------------|----------|
| Mode 1 | Pass | AV | 4.82397G | 38.72 | 54.00 | -15.28 | 3 | Vertical | 302 | 1.63 | - |
| Mode 1 | Pass | AV | 4.92458G | 39.68 | 54.00 | -14.32 | 3 | Vertical | 318 | 1.50 | - |
| Mode 1 | Pass | AV | 4.96096G | 30.13 | 54.00 | -23.87 | 3 | Vertical | 299 | 1.50 | - |
| Mode 1 | Pass | AV | 11.1013G | 37.36 | 54.00 | -16.64 | 3 | Vertical | 157 | 1.38 | - |
| Mode 1 | Pass | PK | 4.8241G | 46.38 | 74.00 | -27.62 | 3 | Vertical | 302 | 1.63 | - |
| Mode 1 | Pass | PK | 4.92659G | 47.66 | 74.00 | -26.34 | 3 | Vertical | 318 | 1.50 | - |
| Mode 1 | Pass | PK | 4.95907G | 44.41 | 74.00 | -29.59 | 3 | Vertical | 299 | 1.50 | - |
| Mode 1 | Pass | PK | 11.09941G | 51.56 | 74.00 | -22.44 | 3 | Vertical | 157 | 1.38 | - |
| Mode 1 | Pass | AV | 4.82386G | 34.79 | 54.00 | -19.21 | 3 | Horizontal | 341 | 1.41 | - |
| Mode 1 | Pass | AV | 4.92584G | 36.58 | 54.00 | -17.42 | 3 | Horizontal | 165 | 1.28 | - |
| Mode 1 | Pass | AV | 4.96094G | 30.54 | 54.00 | -23.46 | 3 | Horizontal | 303 | 1.30 | - |
| Mode 1 | Pass | AV | 11.1006G | 37.42 | 54.00 | -16.58 | 3 | Horizontal | 158 | 1.50 | - |
| Mode 1 | Pass | PK | 4.82405G | 44.82 | 74.00 | -29.18 | 3 | Horizontal | 341 | 1.41 | - |
| Mode 1 | Pass | PK | 4.93056G | 46.62 | 74.00 | -27.38 | 3 | Horizontal | 165 | 1.28 | - |
| Mode 1 | Pass | PK | 4.96097G | 43.99 | 74.00 | -30.01 | 3 | Horizontal | 303 | 1.30 | - |
| Mode 1 | Pass | PK | 11.10375G | 51.83 | 74.00 | -22.17 | 3 | Horizontal | 158 | 1.50 | - |
| Mode 2 | Pass | AV | 4.82396G | 37.07 | 54.00 | -16.93 | 3 | Vertical | 305 | 1.62 | - |
| Mode 2 | Pass | AV | 4.95628G | 30.46 | 54.00 | -23.54 | 3 | Vertical | 159 | 1.42 | - |
| Mode 2 | Pass | AV | 10.36567G | 36.97 | 68.20 | -31.23 | 3 | Vertical | 37 | 1.50 | - |
| Mode 2 | Pass | AV | 11.09967G | 37.45 | 54.00 | -16.55 | 3 | Vertical | 258 | 1.44 | - |
| Mode 2 | Pass | PK | 4.81413G | 47.62 | 74.00 | -26.38 | 3 | Vertical | 305 | 1.62 | - |
| Mode 2 | Pass | PK | 4.96434G | 44.84 | 74.00 | -29.16 | 3 | Vertical | 159 | 1.42 | - |
| Mode 2 | Pass | PK | 10.36254G | 50.86 | 68.20 | -17.34 | 3 | Vertical | 37 | 1.50 | - |
| Mode 2 | Pass | PK | 11.10689G | 52.03 | 74.00 | -21.97 | 3 | Vertical | 258 | 1.44 | - |
| Mode 2 | Pass | AV | 4.82394G | 35.25 | 54.00 | -18.75 | 3 | Horizontal | 343 | 1.47 | - |
| Mode 2 | Pass | AV | 4.96077G | 31.30 | 54.00 | -22.70 | 3 | Horizontal | 309 | 1.19 | - |
| Mode 2 | Pass | AV | 10.35052G | 36.94 | 68.20 | -31.26 | 3 | Horizontal | 19 | 1.50 | - |
| Mode 2 | Pass | AV | 11.09483G | 37.65 | 54.00 | -16.35 | 3 | Horizontal | 128 | 1.66 | - |
| Mode 2 | Pass | PK | 4.82393G | 45.89 | 74.00 | -28.11 | 3 | Horizontal | 343 | 1.47 | - |
| Mode 2 | Pass | PK | 4.96012G | 44.93 | 74.00 | -29.07 | 3 | Horizontal | 309 | 1.19 | - |
| Mode 2 | Pass | PK | 10.36856G | 50.94 | 68.20 | -17.26 | 3 | Horizontal | 19 | 1.50 | - |
| Mode 2 | Pass | PK | 11.10341G | 52.42 | 74.00 | -21.58 | 3 | Horizontal | 128 | 1.66 | - |

Radiated Emissions above 1GHz_Mode 1




Lim.PK
 PK
 Lim.AV
 AV

02/03/2023

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB/m) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV/m) | AF (dB/m) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|---------------|----------|-----------|-------------|------------|---------|--------------|-----------|---------|---------|
| AV | 4.82397G | 38.72 | 54.00 | -15.28 | 4.34 | 3 | Vertical | 302 | 1.63 | - | 34.38 | 32.34 | 6.18 | 34.18 |
| AV | 4.92458G | 39.68 | 54.00 | -14.32 | 4.95 | 3 | Vertical | 318 | 1.50 | - | 34.73 | 32.85 | 6.25 | 34.15 |
| AV | 4.96096G | 30.13 | 54.00 | -23.87 | 5.18 | 3 | Vertical | 299 | 1.50 | - | 24.95 | 33.04 | 6.27 | 34.13 |
| AV | 11.1013G | 37.36 | 54.00 | -16.64 | 16.05 | 3 | Vertical | 157 | 1.38 | - | 21.31 | 38.90 | 11.29 | 34.14 |
| PK | 4.8241G | 46.38 | 74.00 | -27.62 | 4.34 | 3 | Vertical | 302 | 1.63 | - | 42.04 | 32.34 | 6.18 | 34.18 |
| PK | 4.92659G | 47.66 | 74.00 | -26.34 | 4.96 | 3 | Vertical | 318 | 1.50 | - | 42.70 | 32.86 | 6.25 | 34.15 |
| PK | 4.95907G | 44.41 | 74.00 | -29.59 | 5.18 | 3 | Vertical | 299 | 1.50 | - | 39.23 | 33.04 | 6.27 | 34.13 |
| PK | 11.09941G | 51.56 | 74.00 | -22.44 | 16.05 | 3 | Vertical | 157 | 1.38 | - | 35.51 | 38.90 | 11.29 | 34.14 |

Radiated Emissions above 1GHz_Mode 1




Lim.PK
 PK
 Lim.AV
 AV

02/03/2023


| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB/m) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV/m) | AF (dB/m) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|---------------|----------|------------|-------------|------------|---------|--------------|-----------|---------|---------|
| AV | 4.82386G | 34.79 | 54.00 | -19.21 | 4.34 | 3 | Horizontal | 341 | 1.41 | - | 30.45 | 32.34 | 6.18 | 34.18 |
| AV | 4.92584G | 36.58 | 54.00 | -17.42 | 4.96 | 3 | Horizontal | 165 | 1.28 | - | 31.62 | 32.86 | 6.25 | 34.15 |
| AV | 4.96094G | 30.54 | 54.00 | -23.46 | 5.18 | 3 | Horizontal | 303 | 1.30 | - | 25.36 | 33.04 | 6.27 | 34.13 |
| AV | 11.1006G | 37.42 | 54.00 | -16.58 | 16.05 | 3 | Horizontal | 158 | 1.50 | - | 21.37 | 38.90 | 11.29 | 34.14 |
| PK | 4.82405G | 44.82 | 74.00 | -29.18 | 4.34 | 3 | Horizontal | 341 | 1.41 | - | 40.48 | 32.34 | 6.18 | 34.18 |
| PK | 4.93056G | 46.62 | 74.00 | -27.38 | 4.99 | 3 | Horizontal | 165 | 1.28 | - | 41.63 | 32.88 | 6.25 | 34.14 |
| PK | 4.96097G | 43.99 | 74.00 | -30.01 | 5.18 | 3 | Horizontal | 303 | 1.30 | - | 38.81 | 33.04 | 6.27 | 34.13 |
| PK | 11.10375G | 51.83 | 74.00 | -22.17 | 16.05 | 3 | Horizontal | 158 | 1.50 | - | 35.78 | 38.90 | 11.29 | 34.14 |

Radiated Emissions above 1GHz_Mode 2



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB/m) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV/m) | AF (dB/m) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|---------------|----------|-----------|-------------|------------|---------|--------------|-----------|---------|---------|
| AV | 4.82396G | 37.07 | 54.00 | -16.93 | 4.34 | 3 | Vertical | 305 | 1.62 | - | 32.73 | 32.34 | 6.18 | 34.18 |
| AV | 4.95628G | 30.46 | 54.00 | -23.54 | 5.16 | 3 | Vertical | 159 | 1.42 | - | 25.30 | 33.03 | 6.27 | 34.14 |
| AV | 10.36567G | 36.97 | 68.20 | -31.23 | 15.30 | 3 | Vertical | 37 | 1.50 | - | 21.67 | 38.90 | 11.02 | 34.62 |
| AV | 11.09967G | 37.45 | 54.00 | -16.55 | 16.05 | 3 | Vertical | 258 | 1.44 | - | 21.40 | 38.90 | 11.29 | 34.14 |
| PK | 4.81413G | 47.62 | 74.00 | -26.38 | 4.26 | 3 | Vertical | 305 | 1.62 | - | 43.36 | 32.28 | 6.17 | 34.19 |
| PK | 4.96434G | 44.84 | 74.00 | -29.16 | 5.21 | 3 | Vertical | 159 | 1.42 | - | 39.63 | 33.06 | 6.28 | 34.13 |
| PK | 10.36254G | 50.86 | 68.20 | -17.34 | 15.28 | 3 | Vertical | 37 | 1.50 | - | 35.58 | 38.90 | 11.01 | 34.63 |
| PK | 11.10689G | 52.03 | 74.00 | -21.97 | 16.06 | 3 | Vertical | 258 | 1.44 | - | 35.97 | 38.91 | 11.29 | 34.14 |

Radiated Emissions above 1GHz_Mode 2



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB/m) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV/m) | AF (dB/m) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|---------------|----------|------------|-------------|------------|---------|--------------|-----------|---------|---------|
| AV | 4.82394G | 35.25 | 54.00 | -18.75 | 4.34 | 3 | Horizontal | 343 | 1.47 | - | 30.91 | 32.34 | 6.18 | 34.18 |
| AV | 4.96077G | 31.30 | 54.00 | -22.70 | 5.18 | 3 | Horizontal | 309 | 1.19 | - | 26.12 | 33.04 | 6.27 | 34.13 |
| AV | 10.35052G | 36.94 | 68.20 | -31.26 | 15.27 | 3 | Horizontal | 19 | 1.50 | - | 21.67 | 38.90 | 11.01 | 34.64 |
| AV | 11.09483G | 37.65 | 54.00 | -16.35 | 16.06 | 3 | Horizontal | 128 | 1.66 | - | 21.59 | 38.91 | 11.29 | 34.14 |
| PK | 4.82393G | 45.89 | 74.00 | -28.11 | 4.34 | 3 | Horizontal | 343 | 1.47 | - | 41.55 | 32.34 | 6.18 | 34.18 |
| PK | 4.96012G | 44.93 | 74.00 | -29.07 | 5.18 | 3 | Horizontal | 309 | 1.19 | - | 39.75 | 33.04 | 6.27 | 34.13 |
| PK | 10.36856G | 50.94 | 68.20 | -17.26 | 15.30 | 3 | Horizontal | 19 | 1.50 | - | 35.64 | 38.90 | 11.02 | 34.62 |
| PK | 11.10341G | 52.42 | 74.00 | -21.58 | 16.05 | 3 | Horizontal | 128 | 1.66 | - | 36.37 | 38.90 | 11.29 | 34.14 |