



Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX	Pass	AV	5.3512G	51.85	54.00	-2.15	3	Horizontal	49	2.30
802.11ax HEW20_Nss1,(MCS0)_2TX	Pass	AV	5.353G	52.31	54.00	-1.69	3	Horizontal	47	2.30
802.11ax HEW40_Nss1,(MCS0)_2TX	Pass	AV	5.3524G	53.05	54.00	-0.95	3	Horizontal	64	2.13
802.11ax HEW80_Nss1,(MCS0)_2TX	Pass	AV	5.355G	53.02	54.00	-0.98	3	Horizontal	72	2.28
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX	Pass	PK	5.4696G	66.80	68.20	-1.40	3	Vertical	18	2.59
802.11ax HEW20_Nss1,(MCS0)_2TX	Pass	PK	5.7272G	66.80	68.20	-1.40	3	Vertical	0	2.69
802.11ax HEW40_Nss1,(MCS0)_2TX	Pass	PK	5.4668G	67.83	68.20	-0.37	3	Horizontal	64	2.66
802.11ax HEW80_Nss1,(MCS0)_2TX	Pass	PK	5.725G	66.90	68.20	-1.30	3	Horizontal	69	2.20



Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11a_Nss1,(6Mbps)_2TX	-	-	-	-	-	-	-	-	-	-
5260MHz	Pass	AV	5.1118G	46.77	54.00	-7.23	3	Vertical	356	1.35
5260MHz	Pass	AV	5.2576G	104.27	Inf	-Inf	3	Vertical	356	1.35
5260MHz	Pass	AV	5.4088G	45.50	54.00	-8.50	3	Vertical	356	1.35
5260MHz	Pass	PK	5.1184G	57.90	74.00	-16.10	3	Vertical	356	1.35
5260MHz	Pass	PK	5.2582G	112.43	Inf	-Inf	3	Vertical	356	1.35
5260MHz	Pass	PK	5.3662G	56.35	74.00	-17.65	3	Vertical	356	1.35
5260MHz	Pass	AV	5.1148G	46.68	54.00	-7.32	3	Horizontal	49	2.32
5260MHz	Pass	AV	5.257G	107.78	Inf	-Inf	3	Horizontal	49	2.32
5260MHz	Pass	AV	5.3902G	45.75	54.00	-8.25	3	Horizontal	49	2.32
5260MHz	Pass	PK	5.1232G	57.79	74.00	-16.21	3	Horizontal	49	2.32
5260MHz	Pass	PK	5.2618G	116.23	Inf	-Inf	3	Horizontal	49	2.32
5260MHz	Pass	PK	5.3842G	57.18	74.00	-16.82	3	Horizontal	49	2.32
5260MHz	Pass	PK	10.51668G	51.54	68.20	-16.66	3	Vertical	0	2.38
5260MHz	Pass	PK	10.52536G	51.94	68.20	-16.26	3	Horizontal	209	2.53
5300MHz	Pass	AV	5.3024G	104.41	Inf	-Inf	3	Vertical	354	2.60
5300MHz	Pass	AV	5.3536G	45.64	54.00	-8.36	3	Vertical	354	2.60
5300MHz	Pass	PK	5.3024G	111.84	Inf	-Inf	3	Vertical	354	2.60
5300MHz	Pass	PK	5.392G	56.28	74.00	-17.72	3	Vertical	354	2.60
5300MHz	Pass	AV	5.2968G	107.46	Inf	-Inf	3	Horizontal	49	2.18
5300MHz	Pass	AV	5.3524G	45.94	54.00	-8.06	3	Horizontal	49	2.18
5300MHz	Pass	PK	5.2968G	115.22	Inf	-Inf	3	Horizontal	49	2.18
5300MHz	Pass	PK	5.3968G	57.32	74.00	-16.68	3	Horizontal	49	2.18
5300MHz	Pass	AV	10.60684G	42.47	54.00	-11.53	3	Vertical	211	1.40
5300MHz	Pass	PK	10.5942G	51.91	68.20	-16.29	3	Vertical	211	1.40
5300MHz	Pass	AV	10.60404G	42.55	54.00	-11.45	3	Horizontal	140	2.01
5300MHz	Pass	PK	10.59088G	51.97	68.20	-16.23	3	Horizontal	140	2.01
5320MHz	Pass	AV	5.3168G	103.96	Inf	-Inf	3	Vertical	351	2.59
5320MHz	Pass	AV	5.3512G	51.62	54.00	-2.38	3	Vertical	351	2.59
5320MHz	Pass	PK	5.317G	111.49	Inf	-Inf	3	Vertical	351	2.59
5320MHz	Pass	PK	5.3508G	64.98	74.00	-9.02	3	Vertical	351	2.59
5320MHz	Pass	AV	5.3224G	107.00	Inf	-Inf	3	Horizontal	49	2.30
5320MHz	Pass	AV	5.3512G	51.85	54.00	-2.15	3	Horizontal	49	2.30
5320MHz	Pass	PK	5.3218G	115.28	Inf	-Inf	3	Horizontal	49	2.30
5320MHz	Pass	PK	5.3508G	64.45	74.00	-9.55	3	Horizontal	49	2.30
5320MHz	Pass	AV	10.63996G	42.40	54.00	-11.60	3	Vertical	271	2.94
5320MHz	Pass	PK	10.63736G	52.24	74.00	-21.76	3	Vertical	271	2.94
5320MHz	Pass	AV	10.64748G	42.38	54.00	-11.62	3	Horizontal	211	1.58
5320MHz	Pass	PK	10.6404G	52.31	74.00	-21.69	3	Horizontal	211	1.58
5500MHz	Pass	AV	5.4598G	47.64	54.00	-6.36	3	Vertical	18	2.59
5500MHz	Pass	AV	5.4992G	106.44	Inf	-Inf	3	Vertical	18	2.59
5500MHz	Pass	PK	5.4696G	66.80	68.20	-1.40	3	Vertical	18	2.59
5500MHz	Pass	PK	5.504G	113.87	Inf	-Inf	3	Vertical	18	2.59
5500MHz	Pass	AV	5.4592G	48.15	54.00	-5.85	3	Horizontal	48	2.67
5500MHz	Pass	AV	5.5034G	107.10	Inf	-Inf	3	Horizontal	48	2.67
5500MHz	Pass	PK	5.4688G	66.67	68.20	-1.53	3	Horizontal	48	2.67
5500MHz	Pass	PK	5.5032G	114.83	Inf	-Inf	3	Horizontal	48	2.67
5500MHz	Pass	AV	10.9972G	42.85	54.00	-11.15	3	Vertical	104	2.44
5500MHz	Pass	PK	10.99024G	52.35	74.00	-21.65	3	Vertical	104	2.44
5500MHz	Pass	AV	11.00092G	42.90	54.00	-11.10	3	Horizontal	227	2.98
5500MHz	Pass	PK	10.99064G	52.96	74.00	-21.04	3	Horizontal	227	2.98
5580MHz	Pass	AV	5.4324G	45.51	54.00	-8.49	3	Vertical	355	2.66
5580MHz	Pass	AV	5.5782G	105.23	Inf	-Inf	3	Vertical	355	2.66
5580MHz	Pass	PK	5.4684G	55.67	68.20	-12.53	3	Vertical	355	2.66
5580MHz	Pass	PK	5.5782G	112.87	Inf	-Inf	3	Vertical	355	2.66
5580MHz	Pass	PK	5.73G	57.04	68.20	-11.16	3	Vertical	355	2.66
5580MHz	Pass	AV	5.4552G	46.00	54.00	-8.00	3	Horizontal	53	2.34
5580MHz	Pass	AV	5.5836G	107.90	Inf	-Inf	3	Horizontal	53	2.34
5580MHz	Pass	PK	5.4684G	56.06	68.20	-12.14	3	Horizontal	53	2.34
5580MHz	Pass	PK	5.583G	115.78	Inf	-Inf	3	Horizontal	53	2.34
5580MHz	Pass	PK	5.7288G	57.73	68.20	-10.47	3	Horizontal	53	2.34



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5580MHz	Pass	AV	11.16352G	42.50	54.00	-11.50	3	Vertical	101	1.07
5580MHz	Pass	PK	11.15088G	51.76	74.00	-22.24	3	Vertical	101	1.07
5580MHz	Pass	AV	11.16708G	42.83	54.00	-11.17	3	Horizontal	146	2.27
5580MHz	Pass	PK	11.1646G	52.10	74.00	-21.90	3	Horizontal	146	2.27
5700MHz	Pass	AV	5.7032G	105.02	Inf	-Inf	3	Vertical	360	2.43
5700MHz	Pass	PK	5.7036G	113.00	Inf	-Inf	3	Vertical	360	2.43
5700MHz	Pass	PK	5.7272G	63.17	68.20	-5.03	3	Vertical	360	2.43
5700MHz	Pass	AV	5.7028G	107.10	Inf	-Inf	3	Horizontal	54	2.10
5700MHz	Pass	PK	5.6976G	115.51	Inf	-Inf	3	Horizontal	54	2.10
5700MHz	Pass	PK	5.7268G	66.17	68.20	-2.03	3	Horizontal	54	2.10
5700MHz	Pass	AV	11.40944G	42.93	54.00	-11.07	3	Vertical	135	1.91
5700MHz	Pass	PK	11.39956G	51.30	74.00	-22.70	3	Vertical	135	1.91
5700MHz	Pass	AV	11.39948G	42.76	54.00	-11.24	3	Horizontal	14	1.31
5700MHz	Pass	PK	11.39608G	52.16	74.00	-21.84	3	Horizontal	14	1.31
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.4224G	45.53	54.00	-8.47	3	Vertical	360	2.66
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.7188G	107.01	Inf	-Inf	3	Vertical	360	2.66
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4668G	56.33	68.20	-11.87	3	Vertical	360	2.66
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.7188G	114.01	Inf	-Inf	3	Vertical	360	2.66
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.8892G	59.26	68.20	-8.94	3	Vertical	360	2.66
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.45G	45.61	54.00	-8.39	3	Horizontal	52	2.25
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.7224G	108.02	Inf	-Inf	3	Horizontal	52	2.25
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.462G	55.88	68.20	-12.32	3	Horizontal	52	2.25
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.7176G	116.31	Inf	-Inf	3	Horizontal	52	2.25
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.912G	59.60	68.20	-8.60	3	Horizontal	52	2.25
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.43312G	43.17	54.00	-10.83	3	Vertical	54	2.03
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.43748G	52.46	74.00	-21.54	3	Vertical	54	2.03
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.43012G	42.99	54.00	-11.01	3	Horizontal	358	2.81
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.43272G	52.89	74.00	-21.11	3	Horizontal	358	2.81
802.11ax HEW20_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5260MHz	Pass	AV	5.1106G	46.06	54.00	-7.94	3	Vertical	357	1.37
5260MHz	Pass	AV	5.2564G	103.97	Inf	-Inf	3	Vertical	357	1.37
5260MHz	Pass	AV	5.3938G	45.10	54.00	-8.90	3	Vertical	357	1.37
5260MHz	Pass	PK	5.1172G	57.62	74.00	-16.38	3	Vertical	357	1.37
5260MHz	Pass	PK	5.257G	114.11	Inf	-Inf	3	Vertical	357	1.37
5260MHz	Pass	PK	5.3764G	57.10	74.00	-16.90	3	Vertical	357	1.37
5260MHz	Pass	AV	5.1244G	46.20	54.00	-7.80	3	Horizontal	53	2.32
5260MHz	Pass	AV	5.2558G	107.15	Inf	-Inf	3	Horizontal	53	2.32
5260MHz	Pass	AV	5.3992G	45.29	54.00	-8.71	3	Horizontal	53	2.32
5260MHz	Pass	PK	5.128G	57.07	74.00	-16.93	3	Horizontal	53	2.32
5260MHz	Pass	PK	5.2558G	118.00	Inf	-Inf	3	Horizontal	53	2.32
5260MHz	Pass	PK	5.4088G	56.86	74.00	-17.14	3	Horizontal	53	2.32
5260MHz	Pass	PK	10.52316G	51.67	68.20	-16.53	3	Vertical	332	1.20
5260MHz	Pass	PK	10.51272G	51.82	68.20	-16.38	3	Horizontal	263	2.20
5300MHz	Pass	AV	5.2992G	104.03	Inf	-Inf	3	Vertical	7	1.04
5300MHz	Pass	AV	5.35G	46.41	54.00	-7.59	3	Vertical	7	1.04
5300MHz	Pass	PK	5.2996G	114.07	Inf	-Inf	3	Vertical	7	1.04
5300MHz	Pass	PK	5.35G	57.88	74.00	-16.12	3	Vertical	7	1.04
5300MHz	Pass	AV	5.3036G	107.00	Inf	-Inf	3	Horizontal	49	2.15
5300MHz	Pass	AV	5.352G	46.92	54.00	-7.08	3	Horizontal	49	2.15
5300MHz	Pass	PK	5.2948G	117.49	Inf	-Inf	3	Horizontal	49	2.15
5300MHz	Pass	PK	5.3532G	59.13	74.00	-14.87	3	Horizontal	49	2.15
5300MHz	Pass	AV	10.60764G	41.93	54.00	-12.07	3	Vertical	291	2.05
5300MHz	Pass	PK	10.60592G	51.03	74.00	-22.97	3	Vertical	291	2.05
5300MHz	Pass	AV	10.60448G	42.08	54.00	-11.92	3	Horizontal	281	1.84
5300MHz	Pass	PK	10.59152G	51.34	68.20	-16.86	3	Horizontal	281	1.84
5320MHz	Pass	AV	5.318G	103.04	Inf	-Inf	3	Vertical	360	2.58
5320MHz	Pass	AV	5.35G	51.48	54.00	-2.52	3	Vertical	360	2.58
5320MHz	Pass	PK	5.3178G	114.48	Inf	-Inf	3	Vertical	360	2.58
5320MHz	Pass	PK	5.35G	66.51	74.00	-7.49	3	Vertical	360	2.58
5320MHz	Pass	AV	5.3236G	106.19	Inf	-Inf	3	Horizontal	47	2.30
5320MHz	Pass	AV	5.353G	52.31	54.00	-1.69	3	Horizontal	47	2.30
5320MHz	Pass	PK	5.314G	116.80	Inf	-Inf	3	Horizontal	47	2.30



RSE TX above 1GHz_C330_Radio 0

Appendix D.1

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5320MHz	Pass	PK	5.353G	67.92	74.00	-6.08	3	Horizontal	47	2.30
5320MHz	Pass	AV	10.64908G	42.00	54.00	-12.00	3	Vertical	27	1.63
5320MHz	Pass	PK	10.64756G	52.67	74.00	-21.33	3	Vertical	27	1.63
5320MHz	Pass	AV	10.638G	41.94	54.00	-12.06	3	Horizontal	3	2.97
5320MHz	Pass	PK	10.64176G	52.94	74.00	-21.06	3	Horizontal	3	2.97
5500MHz	Pass	AV	5.46G	46.42	54.00	-7.58	3	Vertical	21	2.78
5500MHz	Pass	AV	5.5012G	104.73	Inf	-Inf	3	Vertical	21	2.78
5500MHz	Pass	PK	5.47G	66.41	68.20	-1.79	3	Vertical	21	2.78
5500MHz	Pass	PK	5.5014G	116.21	Inf	-Inf	3	Vertical	21	2.78
5500MHz	Pass	AV	5.4578G	46.53	54.00	-7.47	3	Horizontal	46	2.70
5500MHz	Pass	AV	5.4972G	105.57	Inf	-Inf	3	Horizontal	46	2.70
5500MHz	Pass	PK	5.4682G	66.65	68.20	-1.55	3	Horizontal	46	2.70
5500MHz	Pass	PK	5.4968G	117.19	Inf	-Inf	3	Horizontal	46	2.70
5500MHz	Pass	AV	11.00236G	42.45	54.00	-11.55	3	Vertical	265	1.48
5500MHz	Pass	PK	10.99356G	51.42	74.00	-22.58	3	Vertical	265	1.48
5500MHz	Pass	AV	11.00352G	42.37	54.00	-11.63	3	Horizontal	210	2.43
5500MHz	Pass	PK	11.006G	52.74	74.00	-21.26	3	Horizontal	210	2.43
5580MHz	Pass	AV	5.4492G	45.14	54.00	-8.86	3	Vertical	19	2.63
5580MHz	Pass	AV	5.5782G	106.94	Inf	-Inf	3	Vertical	19	2.63
5580MHz	Pass	PK	5.469G	56.22	68.20	-11.98	3	Vertical	19	2.63
5580MHz	Pass	PK	5.5776G	117.76	Inf	-Inf	3	Vertical	19	2.63
5580MHz	Pass	PK	5.727G	57.72	68.20	-10.48	3	Vertical	19	2.63
5580MHz	Pass	AV	5.4366G	45.29	54.00	-8.71	3	Horizontal	52	2.64
5580MHz	Pass	AV	5.5782G	107.21	Inf	-Inf	3	Horizontal	52	2.64
5580MHz	Pass	PK	5.4696G	56.39	68.20	-11.81	3	Horizontal	52	2.64
5580MHz	Pass	PK	5.5782G	118.24	Inf	-Inf	3	Horizontal	52	2.64
5580MHz	Pass	PK	5.7252G	57.16	68.20	-11.04	3	Horizontal	52	2.64
5580MHz	Pass	AV	11.15044G	42.24	54.00	-11.76	3	Vertical	71	1.15
5580MHz	Pass	PK	11.15332G	51.79	74.00	-22.21	3	Vertical	71	1.15
5580MHz	Pass	AV	11.16344G	42.16	54.00	-11.84	3	Horizontal	353	2.01
5580MHz	Pass	PK	11.15304G	52.18	74.00	-21.82	3	Horizontal	353	2.01
5700MHz	Pass	AV	5.698G	103.89	Inf	-Inf	3	Vertical	0	2.69
5700MHz	Pass	PK	5.6972G	114.67	Inf	-Inf	3	Vertical	0	2.69
5700MHz	Pass	PK	5.7272G	66.80	68.20	-1.40	3	Vertical	0	2.69
5700MHz	Pass	AV	5.6972G	104.93	Inf	-Inf	3	Horizontal	56	2.42
5700MHz	Pass	PK	5.6984G	115.42	Inf	-Inf	3	Horizontal	56	2.42
5700MHz	Pass	PK	5.726G	63.76	68.20	-4.44	3	Horizontal	56	2.42
5700MHz	Pass	AV	11.40656G	42.33	54.00	-11.67	3	Vertical	38	1.30
5700MHz	Pass	PK	11.40196G	51.80	74.00	-22.20	3	Vertical	38	1.30
5700MHz	Pass	AV	11.40404G	42.36	54.00	-11.64	3	Horizontal	131	2.68
5700MHz	Pass	PK	11.3912G	52.05	74.00	-21.95	3	Horizontal	131	2.68
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.4332G	45.13	54.00	-8.87	3	Vertical	0	2.68
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.7176G	106.53	Inf	-Inf	3	Vertical	0	2.68
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4656G	55.33	68.20	-12.87	3	Vertical	0	2.68
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.7188G	117.24	Inf	-Inf	3	Vertical	0	2.68
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.9468G	60.00	68.20	-8.20	3	Vertical	0	2.68
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.4512G	45.06	54.00	-8.94	3	Horizontal	57	2.10
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.7152G	107.15	Inf	-Inf	3	Horizontal	57	2.10
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4644G	55.69	68.20	-12.51	3	Horizontal	57	2.10
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.7152G	118.04	Inf	-Inf	3	Horizontal	57	2.10
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.9624G	58.87	68.20	-9.33	3	Horizontal	57	2.10
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.43556G	42.40	54.00	-11.60	3	Vertical	305	2.39
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.43232G	53.16	74.00	-20.84	3	Vertical	305	2.39
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.44212G	42.58	54.00	-11.42	3	Horizontal	152	1.97
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.4326G	53.43	74.00	-20.57	3	Horizontal	152	1.97
802.11ax HEW40_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5270MHz	Pass	AV	5.2716G	100.91	Inf	-Inf	3	Vertical	53	1.77
5270MHz	Pass	AV	5.3508G	46.72	54.00	-7.28	3	Vertical	53	1.77
5270MHz	Pass	PK	5.272G	110.90	Inf	-Inf	3	Vertical	53	1.77
5270MHz	Pass	PK	5.352G	57.92	74.00	-16.08	3	Vertical	53	1.77
5270MHz	Pass	AV	5.2656G	103.95	Inf	-Inf	3	Horizontal	66	2.32
5270MHz	Pass	AV	5.356G	46.95	54.00	-7.05	3	Horizontal	66	2.32



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5270MHz	Pass	PK	5.2648G	114.44	Inf	-Inf	3	Horizontal	66	2.32
5270MHz	Pass	PK	5.358G	58.17	74.00	-15.83	3	Horizontal	66	2.32
5270MHz	Pass	PK	10.56904G	54.09	68.20	-14.11	3	Vertical	96	1.50
5270MHz	Pass	PK	10.53472G	53.98	68.20	-14.22	3	Horizontal	307	2.11
5310MHz	Pass	AV	5.3116G	98.36	Inf	-Inf	3	Vertical	51	1.87
5310MHz	Pass	AV	5.3504G	50.75	54.00	-3.25	3	Vertical	51	1.87
5310MHz	Pass	PK	5.3008G	108.75	Inf	-Inf	3	Vertical	51	1.87
5310MHz	Pass	PK	5.3608G	63.36	74.00	-10.64	3	Vertical	51	1.87
5310MHz	Pass	AV	5.3136G	101.44	Inf	-Inf	3	Horizontal	64	2.13
5310MHz	Pass	AV	5.3524G	53.05	54.00	-0.95	3	Horizontal	64	2.13
5310MHz	Pass	PK	5.3048G	111.78	Inf	-Inf	3	Horizontal	64	2.13
5310MHz	Pass	PK	5.362G	67.41	74.00	-6.59	3	Horizontal	64	2.13
5310MHz	Pass	AV	10.61796G	42.21	54.00	-11.79	3	Vertical	321	2.90
5310MHz	Pass	PK	10.63668G	55.02	74.00	-18.98	3	Vertical	321	2.90
5310MHz	Pass	AV	10.61076G	42.21	54.00	-11.79	3	Horizontal	255	2.78
5310MHz	Pass	PK	10.63272G	53.84	74.00	-20.16	3	Horizontal	255	2.78
5510MHz	Pass	AV	5.4572G	47.17	54.00	-6.83	3	Vertical	29	2.71
5510MHz	Pass	AV	5.5072G	99.62	Inf	-Inf	3	Vertical	29	2.71
5510MHz	Pass	PK	5.4664G	65.43	68.20	-2.77	3	Vertical	29	2.71
5510MHz	Pass	PK	5.4976G	109.56	Inf	-Inf	3	Vertical	29	2.71
5510MHz	Pass	AV	5.4572G	48.20	54.00	-5.80	3	Horizontal	64	2.66
5510MHz	Pass	AV	5.5076G	101.35	Inf	-Inf	3	Horizontal	64	2.66
5510MHz	Pass	PK	5.4668G	67.83	68.20	-0.37	3	Horizontal	64	2.66
5510MHz	Pass	PK	5.498G	112.01	Inf	-Inf	3	Horizontal	64	2.66
5510MHz	Pass	AV	11.00188G	42.61	54.00	-11.39	3	Vertical	30	1.50
5510MHz	Pass	PK	11.00224G	54.34	74.00	-19.66	3	Vertical	30	1.50
5510MHz	Pass	AV	11.00308G	42.63	54.00	-11.37	3	Horizontal	82	1.50
5510MHz	Pass	PK	11.03824G	55.63	74.00	-18.37	3	Horizontal	82	1.50
5550MHz	Pass	AV	5.4584G	45.63	54.00	-8.37	3	Vertical	14	1.39
5550MHz	Pass	AV	5.5464G	100.72	Inf	-Inf	3	Vertical	14	1.39
5550MHz	Pass	PK	5.4664G	57.27	68.20	-10.93	3	Vertical	14	1.39
5550MHz	Pass	PK	5.5568G	112.73	Inf	-Inf	3	Vertical	14	1.39
5550MHz	Pass	AV	5.4572G	45.94	54.00	-8.06	3	Horizontal	66	2.76
5550MHz	Pass	AV	5.5484G	103.80	Inf	-Inf	3	Horizontal	66	2.76
5550MHz	Pass	PK	5.4684G	58.73	68.20	-9.47	3	Horizontal	66	2.76
5550MHz	Pass	PK	5.5484G	115.37	Inf	-Inf	3	Horizontal	66	2.76
5550MHz	Pass	AV	11.08164G	42.66	54.00	-11.34	3	Vertical	266	1.50
5550MHz	Pass	PK	11.07732G	54.44	74.00	-19.56	3	Vertical	266	1.50
5550MHz	Pass	AV	11.08548G	42.69	54.00	-11.31	3	Horizontal	21	2.78
5550MHz	Pass	PK	11.08452G	54.25	74.00	-19.75	3	Horizontal	21	2.78
5670MHz	Pass	AV	5.6682G	101.49	Inf	-Inf	3	Vertical	18	2.46
5670MHz	Pass	PK	5.6766G	112.84	Inf	-Inf	3	Vertical	18	2.46
5670MHz	Pass	PK	5.7258G	65.24	68.20	-2.96	3	Vertical	18	2.46
5670MHz	Pass	AV	5.6664G	102.95	Inf	-Inf	3	Horizontal	69	2.23
5670MHz	Pass	PK	5.6754G	113.17	Inf	-Inf	3	Horizontal	69	2.23
5670MHz	Pass	PK	5.7252G	67.69	68.20	-0.51	3	Horizontal	69	2.23
5670MHz	Pass	AV	11.34G	42.36	54.00	-11.64	3	Vertical	250	1.50
5670MHz	Pass	PK	11.367G	54.45	74.00	-19.55	3	Vertical	250	1.50
5670MHz	Pass	AV	11.316G	42.30	54.00	-11.70	3	Horizontal	359	1.42
5670MHz	Pass	PK	11.32452G	54.34	74.00	-19.66	3	Horizontal	359	1.42
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.4568G	45.15	54.00	-8.85	3	Vertical	33	2.54
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.7172G	103.23	Inf	-Inf	3	Vertical	33	2.54
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.4676G	55.75	68.20	-12.45	3	Vertical	33	2.54
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.7076G	112.68	Inf	-Inf	3	Vertical	33	2.54
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.9596G	59.20	68.20	-9.00	3	Vertical	33	2.54
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.428G	45.12	54.00	-8.88	3	Horizontal	71	2.09
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.7052G	103.93	Inf	-Inf	3	Horizontal	71	2.09
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.47G	56.69	68.20	-11.51	3	Horizontal	71	2.09
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.7136G	114.36	Inf	-Inf	3	Horizontal	71	2.09
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.9332G	58.75	68.20	-9.45	3	Horizontal	71	2.09
5710MHz Straddle 5.47-5.725GHz	Pass	AV	11.43764G	42.62	54.00	-11.38	3	Vertical	250	1.50
5710MHz Straddle 5.47-5.725GHz	Pass	PK	11.40188G	54.64	74.00	-19.36	3	Vertical	250	1.50



RSE TX above 1GHz_C330_Radio 0


Appendix D.1

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5710MHz Straddle 5.47-5.725GHz	Pass	AV	11.44136G	42.64	54.00	-11.36	3	Horizontal	351	1.50
5710MHz Straddle 5.47-5.725GHz	Pass	PK	11.42456G	54.49	74.00	-19.51	3	Horizontal	351	1.50
802.11ax HEW80_Nss1.(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5290MHz	Pass	AV	5.053G	46.13	54.00	-7.87	3	Vertical	59	1.74
5290MHz	Pass	AV	5.292G	95.22	Inf	-Inf	3	Vertical	59	1.74
5290MHz	Pass	AV	5.35G	51.28	54.00	-2.72	3	Vertical	59	1.74
5290MHz	Pass	PK	5.121G	57.64	74.00	-16.36	3	Vertical	59	1.74
5290MHz	Pass	PK	5.282G	105.52	Inf	-Inf	3	Vertical	59	1.74
5290MHz	Pass	PK	5.352G	64.08	74.00	-9.92	3	Vertical	59	1.74
5290MHz	Pass	PK	5.484G	56.66	68.20	-11.54	3	Vertical	59	1.74
5290MHz	Pass	AV	5.146G	46.66	54.00	-7.34	3	Horizontal	72	2.28
5290MHz	Pass	AV	5.286G	97.84	Inf	-Inf	3	Horizontal	72	2.28
5290MHz	Pass	AV	5.355G	53.02	54.00	-0.98	3	Horizontal	72	2.28
5290MHz	Pass	PK	5.149G	57.64	74.00	-16.36	3	Horizontal	72	2.28
5290MHz	Pass	PK	5.266G	108.33	Inf	-Inf	3	Horizontal	72	2.28
5290MHz	Pass	PK	5.355G	63.98	74.00	-10.02	3	Horizontal	72	2.28
5290MHz	Pass	PK	5.464G	57.10	68.20	-11.10	3	Horizontal	72	2.28
5290MHz	Pass	PK	10.58264G	54.09	68.20	-14.11	3	Vertical	40	1.50
5290MHz	Pass	PK	10.57208G	53.85	68.20	-14.35	3	Horizontal	140	1.50
5530MHz	Pass	AV	5.46G	50.35	54.00	-3.65	3	Vertical	68	1.50
5530MHz	Pass	AV	5.524G	94.74	Inf	-Inf	3	Vertical	68	1.50
5530MHz	Pass	PK	5.463G	62.44	68.20	-5.76	3	Vertical	68	1.50
5530MHz	Pass	PK	5.535G	106.02	Inf	-Inf	3	Vertical	68	1.50
5530MHz	Pass	PK	5.77G	57.43	68.20	-10.77	3	Vertical	68	1.50
5530MHz	Pass	AV	5.455G	52.17	54.00	-1.83	3	Horizontal	72	2.52
5530MHz	Pass	AV	5.538G	98.27	Inf	-Inf	3	Horizontal	72	2.52
5530MHz	Pass	PK	5.464G	65.19	68.20	-3.01	3	Horizontal	72	2.52
5530MHz	Pass	PK	5.537G	108.31	Inf	-Inf	3	Horizontal	72	2.52
5530MHz	Pass	PK	5.735G	57.75	68.20	-10.45	3	Horizontal	72	2.52
5530MHz	Pass	AV	11.04728G	42.60	54.00	-11.40	3	Vertical	234	1.68
5530MHz	Pass	PK	11.01176G	54.23	74.00	-19.77	3	Vertical	234	1.68
5530MHz	Pass	AV	11.00624G	42.58	54.00	-11.42	3	Horizontal	334	1.98
5530MHz	Pass	PK	11.0252G	54.48	74.00	-19.52	3	Horizontal	334	1.98
5610MHz	Pass	AV	5.459G	46.55	54.00	-7.45	3	Vertical	53	1.70
5610MHz	Pass	AV	5.609G	98.41	Inf	-Inf	3	Vertical	53	1.70
5610MHz	Pass	PK	5.47G	58.52	68.20	-9.68	3	Vertical	53	1.70
5610MHz	Pass	PK	5.597G	108.83	Inf	-Inf	3	Vertical	53	1.70
5610MHz	Pass	PK	5.729G	64.74	68.20	-3.46	3	Vertical	53	1.70
5610MHz	Pass	AV	5.454G	47.52	54.00	-6.48	3	Horizontal	69	2.20
5610MHz	Pass	AV	5.604G	100.60	Inf	-Inf	3	Horizontal	69	2.20
5610MHz	Pass	PK	5.47G	62.26	68.20	-5.94	3	Horizontal	69	2.20
5610MHz	Pass	PK	5.625G	111.36	Inf	-Inf	3	Horizontal	69	2.20
5610MHz	Pass	PK	5.725G	66.90	68.20	-1.30	3	Horizontal	69	2.20
5610MHz	Pass	AV	11.172G	42.37	54.00	-11.63	3	Vertical	174	2.50
5610MHz	Pass	PK	11.23536G	54.27	74.00	-19.73	3	Vertical	174	2.50
5610MHz	Pass	AV	11.16576G	42.37	54.00	-11.63	3	Horizontal	258	1.50
5610MHz	Pass	PK	11.2644G	54.32	74.00	-19.68	3	Horizontal	258	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.4572G	45.09	54.00	-8.91	3	Vertical	19	2.55
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.6972G	99.61	Inf	-Inf	3	Vertical	19	2.55
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.4668G	56.23	68.20	-11.97	3	Vertical	19	2.55
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.6864G	110.53	Inf	-Inf	3	Vertical	19	2.55
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.9048G	58.67	68.20	-9.53	3	Vertical	19	2.55
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.438G	45.15	54.00	-8.85	3	Horizontal	73	2.18
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.6756G	100.97	Inf	-Inf	3	Horizontal	73	2.18
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.4608G	56.38	68.20	-11.82	3	Horizontal	73	2.18
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.6744G	110.61	Inf	-Inf	3	Horizontal	73	2.18
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.8544G	58.82	68.20	-9.38	3	Horizontal	73	2.18
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.4376G	42.59	54.00	-11.41	3	Vertical	320	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.4376G	53.97	74.00	-20.03	3	Vertical	320	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.43448G	42.57	54.00	-11.43	3	Horizontal	352	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.34232G	54.76	74.00	-19.24	3	Horizontal	352	1.50



5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX


5260MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1118G	46.77	54.00	-7.23	4.22	3	Vertical	356	1.35	42.55	33.00	5.84	34.62
AV	5.2576G	104.27	Inf	-Inf	4.39	3	Vertical	356	1.35	99.88	33.08	5.91	34.60
AV	5.4088G	45.50	54.00	-8.50	4.40	3	Vertical	356	1.35	41.10	32.98	5.99	34.57
PK	5.1184G	57.90	74.00	-16.10	4.22	3	Vertical	356	1.35	53.68	33.00	5.84	34.62
PK	5.2582G	112.43	Inf	-Inf	4.39	3	Vertical	356	1.35	108.04	33.08	5.91	34.60
PK	5.3662G	56.35	74.00	-17.65	4.32	3	Vertical	356	1.35	52.03	32.93	5.97	34.58

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5260MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1148G	46.68	54.00	-7.32	4.22	3	Horizontal	49	2.32	42.46	33.00	5.84	34.62
AV	5.257G	107.78	Inf	-Inf	4.40	3	Horizontal	49	2.32	103.38	33.09	5.91	34.60
AV	5.3902G	45.75	54.00	-8.25	4.38	3	Horizontal	49	2.32	41.37	32.98	5.98	34.58
PK	5.1232G	57.79	74.00	-16.21	4.23	3	Horizontal	49	2.32	53.56	33.00	5.85	34.62
PK	5.2618G	116.23	Inf	-Inf	4.39	3	Horizontal	49	2.32	111.84	33.08	5.91	34.60
PK	5.3842G	57.18	74.00	-16.82	4.37	3	Horizontal	49	2.32	52.81	32.97	5.98	34.58



5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX


5260MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.51668G	51.54	68.20	-16.66	12.30	3	Vertical	0	2.38	39.24	38.93	8.09	34.72

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5260MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.52536G	51.94	68.20	-16.26	12.33	3	Horizontal	209	2.53	39.61	38.95	8.09	34.71



5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX


5300MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3024G	104.41	Inf	-Inf	4.35	3	Vertical	354	2.60	100.06	33.00	5.94	34.59
AV	5.3536G	45.64	54.00	-8.36	4.29	3	Vertical	354	2.60	41.35	32.91	5.96	34.58
PK	5.3024G	111.84	Inf	-Inf	4.35	3	Vertical	354	2.60	107.49	33.00	5.94	34.59
PK	5.392G	56.28	74.00	-17.72	4.39	3	Vertical	354	2.60	51.89	32.98	5.99	34.58

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5300MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.2968G	107.46	Inf	-Inf	4.35	3	Horizontal	49	2.18	103.11	33.01	5.93	34.59
AV	5.3524G	45.94	54.00	-8.06	4.28	3	Horizontal	49	2.18	41.66	32.90	5.96	34.58
PK	5.2968G	115.22	Inf	-Inf	4.35	3	Horizontal	49	2.18	110.87	33.01	5.93	34.59
PK	5.3968G	57.32	74.00	-16.68	4.40	3	Horizontal	49	2.18	52.92	32.99	5.99	34.58



5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX


5300MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.60684G	42.47	54.00	-11.53	12.54	3	Vertical	211	1.40	29.93	39.11	8.12	34.69
PK	10.5942G	51.91	68.20	-16.29	12.52	3	Vertical	211	1.40	39.39	39.09	8.12	34.69

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX


5300MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.60404G	42.55	54.00	-11.45	12.53	3	Horizontal	140	2.01	30.02	39.10	8.12	34.69
PK	10.59088G	51.97	68.20	-16.23	12.51	3	Horizontal	140	2.01	39.46	39.08	8.12	34.69

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5320MHz_TX




27/12/2022

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3168G	103.96	Inf	-Inf	4.32	3	Vertical	351	2.59	99.64	32.97	5.94	34.59
AV	5.3512G	51.62	54.00	-2.38	4.28	3	Vertical	351	2.59	47.34	32.90	5.96	34.58
PK	5.317G	111.49	Inf	-Inf	4.32	3	Vertical	351	2.59	107.17	32.97	5.94	34.59
PK	5.3508G	64.98	74.00	-9.02	4.28	3	Vertical	351	2.59	60.70	32.90	5.96	34.58

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5320MHz_TX




27/12/2022

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3224G	107.00	Inf	-Inf	4.32	3	Horizontal	49	2.30	102.68	32.96	5.95	34.59
AV	5.3512G	51.85	54.00	-2.15	4.28	3	Horizontal	49	2.30	47.57	32.90	5.96	34.58
PK	5.3218G	115.28	Inf	-Inf	4.32	3	Horizontal	49	2.30	110.96	32.96	5.95	34.59
PK	5.3508G	64.45	74.00	-9.55	4.28	3	Horizontal	49	2.30	60.17	32.90	5.96	34.58



5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX


5320MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.63996G	42.40	54.00	-11.60	12.60	3	Vertical	271	2.94	29.80	39.14	8.14	34.68
PK	10.63736G	52.24	74.00	-21.76	12.60	3	Vertical	271	2.94	39.64	39.14	8.14	34.68

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5320MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.64748G	42.38	54.00	-11.62	12.61	3	Horizontal	211	1.58	29.77	39.15	8.14	34.68
PK	10.6404G	52.31	74.00	-21.69	12.60	3	Horizontal	211	1.58	39.71	39.14	8.14	34.68



5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX


5500MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4598G	47.64	54.00	-6.36	4.32	3	Vertical	18	2.59	43.32	32.88	6.01	34.57
AV	5.4992G	106.44	Inf	-Inf	4.26	3	Vertical	18	2.59	102.18	32.80	6.02	34.56
PK	5.4696G	66.80	68.20	-1.40	4.31	3	Vertical	18	2.59	62.49	32.86	6.01	34.56
PK	5.504G	113.87	Inf	-Inf	4.27	3	Vertical	18	2.59	109.60	32.80	6.03	34.56

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5500MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4592G	48.15	54.00	-5.85	4.32	3	Horizontal	48	2.67	43.83	32.88	6.01	34.57
AV	5.5034G	107.10	Inf	-Inf	4.27	3	Horizontal	48	2.67	102.83	32.80	6.03	34.56
PK	5.4688G	66.67	68.20	-1.53	4.31	3	Horizontal	48	2.67	62.36	32.86	6.01	34.56
PK	5.5032G	114.83	Inf	-Inf	4.27	3	Horizontal	48	2.67	110.56	32.80	6.03	34.56



5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX


5500MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.9972G	42.85	54.00	-11.15	12.61	3	Vertical	104	2.44	30.24	38.90	8.29	34.58
PK	10.99024G	52.35	74.00	-21.65	12.62	3	Vertical	104	2.44	39.73	38.91	8.29	34.58

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5500MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.00092G	42.90	54.00	-11.10	12.61	3	Horizontal	227	2.98	30.29	38.90	8.29	34.58
PK	10.99064G	52.96	74.00	-21.04	12.62	3	Horizontal	227	2.98	40.34	38.91	8.29	34.58



5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5580MHz_TX




27/12/2022

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4324G	45.51	54.00	-8.49	4.37	3	Vertical	355	2.66	41.14	32.94	6.00	34.57
AV	5.5782G	105.23	Inf	-Inf	4.36	3	Vertical	355	2.66	100.87	32.86	6.05	34.55
PK	5.4684G	55.67	68.20	-12.53	4.30	3	Vertical	355	2.66	51.37	32.86	6.01	34.57
PK	5.5782G	112.87	Inf	-Inf	4.36	3	Vertical	355	2.66	108.51	32.86	6.05	34.55
PK	5.73G	57.04	68.20	-11.16	5.19	3	Vertical	355	2.66	51.85	33.58	6.15	34.54

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5580MHz_TX




27/12/2022

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4552G	46.00	54.00	-8.00	4.33	3	Horizontal	53	2.34	41.67	32.89	6.01	34.57
AV	5.5836G	107.90	Inf	-Inf	4.37	3	Horizontal	53	2.34	103.53	32.87	6.05	34.55
PK	5.4684G	56.06	68.20	-12.14	4.30	3	Horizontal	53	2.34	51.76	32.86	6.01	34.57
PK	5.583G	115.78	Inf	-Inf	4.37	3	Horizontal	53	2.34	111.41	32.87	6.05	34.55
PK	5.7288G	57.73	68.20	-10.47	5.18	3	Horizontal	53	2.34	52.55	33.57	6.15	34.54



5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX


5580MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.16352G	42.50	54.00	-11.50	12.64	3	Vertical	101	1.07	29.86	38.86	8.36	34.58
PK	11.15088G	51.76	74.00	-22.24	12.62	3	Vertical	101	1.07	39.14	38.85	8.35	34.58

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5580MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.16708G	42.83	54.00	-11.17	12.65	3	Horizontal	146	2.27	30.18	38.87	8.36	34.58
PK	11.1646G	52.10	74.00	-21.90	12.64	3	Horizontal	146	2.27	39.46	38.86	8.36	34.58



5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX


5700MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7032G	105.02	Inf	-Inf	5.01	3	Vertical	360	2.43	100.01	33.42	6.13	34.54
PK	5.7036G	113.00	Inf	-Inf	5.01	3	Vertical	360	2.43	107.99	33.42	6.13	34.54
PK	5.7272G	63.17	68.20	-5.03	5.17	3	Vertical	360	2.43	58.00	33.56	6.15	34.54

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5700MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7028G	107.10	Inf	-Inf	5.01	3	Horizontal	54	2.10	102.09	33.42	6.13	34.54
PK	5.6976G	115.51	Inf	-Inf	4.97	3	Horizontal	54	2.10	110.54	33.38	6.13	34.54
PK	5.7268G	66.17	68.20	-2.03	5.17	3	Horizontal	54	2.10	61.00	33.56	6.15	34.54



5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX


5700MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.40944G	42.93	54.00	-11.07	12.98	3	Vertical	135	1.91	29.95	39.09	8.46	34.57
PK	11.39956G	51.30	74.00	-22.70	12.99	3	Vertical	135	1.91	38.31	39.10	8.46	34.57

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5700MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.39948G	42.76	54.00	-11.24	12.99	3	Horizontal	14	1.31	29.77	39.10	8.46	34.57
PK	11.39608G	52.16	74.00	-21.84	12.99	3	Horizontal	14	1.31	39.17	39.10	8.46	34.57



5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX


5720MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4224G	45.53	54.00	-8.47	4.39	3	Vertical	360	2.66	41.14	32.96	6.00	34.57
AV	5.7188G	107.01	Inf	-Inf	5.11	3	Vertical	360	2.66	101.90	33.51	6.14	34.54
PK	5.4668G	56.33	68.20	-11.87	4.31	3	Vertical	360	2.66	52.02	32.87	6.01	34.57
PK	5.7188G	114.01	Inf	-Inf	5.11	3	Vertical	360	2.66	108.90	33.51	6.14	34.54
PK	5.8892G	59.26	68.20	-8.94	5.87	3	Vertical	360	2.66	53.39	34.16	6.24	34.53

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.45G	45.61	54.00	-8.39	4.34	3	Horizontal	52	2.25	41.27	32.90	6.01	34.57
AV	5.7224G	108.02	Inf	-Inf	5.14	3	Horizontal	52	2.25	102.88	33.53	6.15	34.54
PK	5.462G	55.88	68.20	-12.32	4.32	3	Horizontal	52	2.25	51.56	32.88	6.01	34.57
PK	5.7176G	116.31	Inf	-Inf	5.11	3	Horizontal	52	2.25	111.20	33.51	6.14	34.54
PK	5.912G	59.60	68.20	-8.60	5.93	3	Horizontal	52	2.25	53.67	34.20	6.26	34.53



5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX


5720MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.43312G	43.17	54.00	-10.83	12.97	3	Vertical	54	2.03	30.20	39.07	8.47	34.57
PK	11.43748G	52.46	74.00	-21.54	12.96	3	Vertical	54	2.03	39.50	39.06	8.47	34.57

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.43012G	42.99	54.00	-11.01	12.97	3	Horizontal	358	2.81	30.02	39.07	8.47	34.57
PK	11.43272G	52.89	74.00	-21.11	12.97	3	Horizontal	358	2.81	39.92	39.07	8.47	34.57



5.25-5.35GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


5260MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1106G	46.06	54.00	-7.94	4.22	3	Vertical	357	1.37	41.84	33.00	5.84	34.62
AV	5.2564G	103.97	Inf	-Inf	4.40	3	Vertical	357	1.37	99.57	33.09	5.91	34.60
AV	5.3938G	45.10	54.00	-8.90	4.40	3	Vertical	357	1.37	40.70	32.99	5.99	34.58
PK	5.1172G	57.62	74.00	-16.38	4.22	3	Vertical	357	1.37	53.40	33.00	5.84	34.62
PK	5.257G	114.11	Inf	-Inf	4.40	3	Vertical	357	1.37	109.71	33.09	5.91	34.60
PK	5.3764G	57.10	74.00	-16.90	4.35	3	Vertical	357	1.37	52.75	32.95	5.98	34.58

5.25-5.35GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5260MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1244G	46.20	54.00	-7.80	4.23	3	Horizontal	53	2.32	41.97	33.00	5.85	34.62
AV	5.2558G	107.15	Inf	-Inf	4.40	3	Horizontal	53	2.32	102.75	33.09	5.91	34.60
AV	5.3992G	45.29	54.00	-8.71	4.41	3	Horizontal	53	2.32	40.88	33.00	5.99	34.58
PK	5.128G	57.07	74.00	-16.93	4.23	3	Horizontal	53	2.32	52.84	33.00	5.85	34.62
PK	5.2558G	118.00	Inf	-Inf	4.40	3	Horizontal	53	2.32	113.60	33.09	5.91	34.60
PK	5.4088G	56.86	74.00	-17.14	4.40	3	Horizontal	53	2.32	52.46	32.98	5.99	34.57




5.25-5.35GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX

5260MHz_TX



5.25-5.35GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX


5260MHz_TX





5.25-5.35GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX


5300MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.2992G	104.03	Inf	-Inf	4.34	3	Vertical	7	1.04	99.69	33.00	5.93	34.59
AV	5.35G	46.41	54.00	-7.59	4.28	3	Vertical	7	1.04	42.13	32.90	5.96	34.58
PK	5.2996G	114.07	Inf	-Inf	4.34	3	Vertical	7	1.04	109.73	33.00	5.93	34.59
PK	5.35G	57.88	74.00	-16.12	4.28	3	Vertical	7	1.04	53.60	32.90	5.96	34.58

5.25-5.35GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX

5300MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3036G	107.00	Inf	-Inf	4.34	3	Horizontal	49	2.15	102.66	32.99	5.94	34.59
AV	5.352G	46.92	54.00	-7.08	4.28	3	Horizontal	49	2.15	42.64	32.90	5.96	34.58
PK	5.2948G	117.49	Inf	-Inf	4.35	3	Horizontal	49	2.15	113.14	33.01	5.93	34.59
PK	5.3532G	59.13	74.00	-14.87	4.29	3	Horizontal	49	2.15	54.84	32.91	5.96	34.58



5.25-5.35GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX


5300MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.60764G	41.93	54.00	-12.07	12.55	3	Vertical	291	2.05	29.38	39.11	8.13	34.69
PK	10.60592G	51.03	74.00	-22.97	12.54	3	Vertical	291	2.05	38.49	39.11	8.12	34.69

5.25-5.35GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX

5300MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.60448G	42.08	54.00	-11.92	12.53	3	Horizontal	281	1.84	29.55	39.10	8.12	34.69
PK	10.59152G	51.34	68.20	-16.86	12.51	3	Horizontal	281	1.84	38.83	39.08	8.12	34.69



5.25-5.35GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX


5320MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.318G	103.04	Inf	-Inf	4.31	3	Vertical	360	2.58	98.73	32.96	5.94	34.59
AV	5.35G	51.48	54.00	-2.52	4.28	3	Vertical	360	2.58	47.20	32.90	5.96	34.58
PK	5.3178G	114.48	Inf	-Inf	4.31	3	Vertical	360	2.58	110.17	32.96	5.94	34.59
PK	5.35G	66.51	74.00	-7.49	4.28	3	Vertical	360	2.58	62.23	32.90	5.96	34.58

5.25-5.35GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX

5320MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3236G	106.19	Inf	-Inf	4.31	3	Horizontal	47	2.30	101.88	32.95	5.95	34.59
AV	5.353G	52.31	54.00	-1.69	4.29	3	Horizontal	47	2.30	48.02	32.91	5.96	34.58
PK	5.314G	116.80	Inf	-Inf	4.32	3	Horizontal	47	2.30	112.48	32.97	5.94	34.59
PK	5.353G	67.92	74.00	-6.08	4.29	3	Horizontal	47	2.30	63.63	32.91	5.96	34.58



5.25-5.35GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX


5320MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.64908G	42.00	54.00	-12.00	12.61	3	Vertical	27	1.63	29.39	39.15	8.14	34.68
PK	10.64756G	52.67	74.00	-21.33	12.61	3	Vertical	27	1.63	40.06	39.15	8.14	34.68

5.25-5.35GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX

5320MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.638G	41.94	54.00	-12.06	12.60	3	Horizontal	3	2.97	29.34	39.14	8.14	34.68
PK	10.64176G	52.94	74.00	-21.06	12.60	3	Horizontal	3	2.97	40.34	39.14	8.14	34.68



5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


5500MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	46.42	54.00	-7.58	4.32	3	Vertical	21	2.78	42.10	32.88	6.01	34.57
AV	5.5012G	104.73	Inf	-Inf	4.27	3	Vertical	21	2.78	100.46	32.80	6.03	34.56
PK	5.47G	66.41	68.20	-1.79	4.31	3	Vertical	21	2.78	62.10	32.86	6.01	34.56
PK	5.5014G	116.21	Inf	-Inf	4.27	3	Vertical	21	2.78	111.94	32.80	6.03	34.56

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5500MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4578G	46.53	54.00	-7.47	4.32	3	Horizontal	46	2.70	42.21	32.88	6.01	34.57
AV	5.4972G	105.57	Inf	-Inf	4.27	3	Horizontal	46	2.70	101.30	32.81	6.02	34.56
PK	5.4682G	66.65	68.20	-1.55	4.30	3	Horizontal	46	2.70	62.35	32.86	6.01	34.57
PK	5.4968G	117.19	Inf	-Inf	4.27	3	Horizontal	46	2.70	112.92	32.81	6.02	34.56



5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


5500MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.00236G	42.45	54.00	-11.55	12.61	3	Vertical	265	1.48	29.84	38.90	8.29	34.58
PK	10.99356G	51.42	74.00	-22.58	12.62	3	Vertical	265	1.48	38.80	38.91	8.29	34.58

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


5500MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.00352G	42.37	54.00	-11.63	12.61	3	Horizontal	210	2.43	29.76	38.90	8.29	34.58
PK	11.006G	52.74	74.00	-21.26	12.60	3	Horizontal	210	2.43	40.14	38.89	8.29	34.58

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5580MHz_TX




27/12/2022

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4492G	45.14	54.00	-8.86	4.34	3	Vertical	19	2.63	40.80	32.90	6.01	34.57
AV	5.5782G	106.94	Inf	-Inf	4.36	3	Vertical	19	2.63	102.58	32.86	6.05	34.55
PK	5.469G	56.22	68.20	-11.98	4.31	3	Vertical	19	2.63	51.91	32.86	6.01	34.56
PK	5.5776G	117.76	Inf	-Inf	4.36	3	Vertical	19	2.63	113.40	32.86	6.05	34.55
PK	5.727G	57.72	68.20	-10.48	5.17	3	Vertical	19	2.63	52.55	33.56	6.15	34.54

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5580MHz_TX




27/12/2022

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4366G	45.29	54.00	-8.71	4.36	3	Horizontal	52	2.64	40.93	32.93	6.00	34.57
AV	5.5782G	107.21	Inf	-Inf	4.36	3	Horizontal	52	2.64	102.85	32.86	6.05	34.55
PK	5.4696G	56.39	68.20	-11.81	4.31	3	Horizontal	52	2.64	52.08	32.86	6.01	34.56
PK	5.5782G	118.24	Inf	-Inf	4.36	3	Horizontal	52	2.64	113.88	32.86	6.05	34.55
PK	5.7252G	57.16	68.20	-11.04	5.16	3	Horizontal	52	2.64	52.00	33.55	6.15	34.54



5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


5580MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.15044G	42.24	54.00	-11.76	12.62	3	Vertical	71	1.15	29.62	38.85	8.35	34.58
PK	11.15332G	51.79	74.00	-22.21	12.62	3	Vertical	71	1.15	39.17	38.85	8.35	34.58

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


5580MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.16344G	42.16	54.00	-11.84	12.64	3	Horizontal	353	2.01	29.52	38.86	8.36	34.58
PK	11.15304G	52.18	74.00	-21.82	12.62	3	Horizontal	353	2.01	39.56	38.85	8.35	34.58

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


5700MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.698G	103.89	Inf	-Inf	4.97	3	Vertical	0	2.69	98.92	33.38	6.13	34.54
PK	5.6972G	114.67	Inf	-Inf	4.97	3	Vertical	0	2.69	109.70	33.38	6.13	34.54
PK	5.7272G	66.80	68.20	-1.40	5.17	3	Vertical	0	2.69	61.63	33.56	6.15	34.54

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5700MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.6972G	104.93	Inf	-Inf	4.97	3	Horizontal	56	2.42	99.96	33.38	6.13	34.54
PK	5.6984G	115.42	Inf	-Inf	4.98	3	Horizontal	56	2.42	110.44	33.39	6.13	34.54
PK	5.726G	63.76	68.20	-4.44	5.17	3	Horizontal	56	2.42	58.59	33.56	6.15	34.54



5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


5700MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.40656G	42.33	54.00	-11.67	12.98	3	Vertical	38	1.30	29.35	39.09	8.46	34.57
PK	11.40196G	51.80	74.00	-22.20	12.99	3	Vertical	38	1.30	38.81	39.10	8.46	34.57

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5700MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.40404G	42.36	54.00	-11.64	12.99	3	Horizontal	131	2.68	29.37	39.10	8.46	34.57
PK	11.3912G	52.05	74.00	-21.95	12.97	3	Horizontal	131	2.68	39.08	39.09	8.45	34.57



5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


5720MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4332G	45.13	54.00	-8.87	4.36	3	Vertical	0	2.68	40.77	32.93	6.00	34.57
AV	5.7176G	106.53	Inf	-Inf	5.11	3	Vertical	0	2.68	101.42	33.51	6.14	34.54
PK	5.4656G	55.33	68.20	-12.87	4.31	3	Vertical	0	2.68	51.02	32.87	6.01	34.57
PK	5.7188G	117.24	Inf	-Inf	5.11	3	Vertical	0	2.68	112.13	33.51	6.14	34.54
PK	5.9468G	60.00	68.20	-8.20	5.95	3	Vertical	0	2.68	54.05	34.20	6.27	34.52

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4512G	45.06	54.00	-8.94	4.34	3	Horizontal	57	2.10	40.72	32.90	6.01	34.57
AV	5.7152G	107.15	Inf	-Inf	5.09	3	Horizontal	57	2.10	102.06	33.49	6.14	34.54
PK	5.4644G	55.69	68.20	-12.51	4.31	3	Horizontal	57	2.10	51.38	32.87	6.01	34.57
PK	5.7152G	118.04	Inf	-Inf	5.09	3	Horizontal	57	2.10	112.95	33.49	6.14	34.54
PK	5.9624G	58.87	68.20	-9.33	5.94	3	Horizontal	57	2.10	52.93	34.18	6.28	34.52



5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


5720MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.43556G	42.40	54.00	-11.60	12.96	3	Vertical	305	2.39	29.44	39.06	8.47	34.57
PK	11.43232G	53.16	74.00	-20.84	12.97	3	Vertical	305	2.39	40.19	39.07	8.47	34.57

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.44212G	42.58	54.00	-11.42	12.97	3	Horizontal	152	1.97	29.61	39.06	8.48	34.57
PK	11.4326G	53.43	74.00	-20.57	12.97	3	Horizontal	152	1.97	40.46	39.07	8.47	34.57



5.25-5.35GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX


5270MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.2716G	100.91	Inf	-Inf	4.38	3	Vertical	53	1.77	96.53	33.06	5.92	34.60
AV	5.3508G	46.72	54.00	-7.28	4.28	3	Vertical	53	1.77	42.44	32.90	5.96	34.58
PK	5.272G	110.90	Inf	-Inf	4.38	3	Vertical	53	1.77	106.52	33.06	5.92	34.60
PK	5.352G	57.92	74.00	-16.08	4.28	3	Vertical	53	1.77	53.64	32.90	5.96	34.58

5.25-5.35GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX

5270MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.2656G	103.95	Inf	-Inf	4.39	3	Horizontal	66	2.32	99.56	33.07	5.92	34.60
AV	5.356G	46.95	54.00	-7.05	4.30	3	Horizontal	66	2.32	42.65	32.91	5.97	34.58
PK	5.2648G	114.44	Inf	-Inf	4.39	3	Horizontal	66	2.32	110.05	33.07	5.92	34.60
PK	5.358G	58.17	74.00	-15.83	4.31	3	Horizontal	66	2.32	53.86	32.92	5.97	34.58



5.25-5.35GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX


5270MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.56904G	54.09	68.20	-14.11	12.45	3	Vertical	96	1.50	41.64	39.04	8.11	34.70

5.25-5.35GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX

5270MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.53472G	53.98	68.20	-14.22	12.35	3	Horizontal	307	2.11	41.63	38.97	8.09	34.71



5.25-5.35GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX


5310MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3116G	98.36	Inf	-Inf	4.33	3	Vertical	51	1.87	94.03	32.98	5.94	34.59
AV	5.3504G	50.75	54.00	-3.25	4.28	3	Vertical	51	1.87	46.47	32.90	5.96	34.58
PK	5.3008G	108.75	Inf	-Inf	4.35	3	Vertical	51	1.87	104.40	33.00	5.94	34.59
PK	5.3608G	63.36	74.00	-10.64	4.31	3	Vertical	51	1.87	59.05	32.92	5.97	34.58

5.25-5.35GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX

5310MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3136G	101.44	Inf	-Inf	4.32	3	Horizontal	64	2.13	97.12	32.97	5.94	34.59
AV	5.3524G	53.05	54.00	-0.95	4.28	3	Horizontal	64	2.13	48.77	32.90	5.96	34.58
PK	5.3048G	111.78	Inf	-Inf	4.34	3	Horizontal	64	2.13	107.44	32.99	5.94	34.59
PK	5.362G	67.41	74.00	-6.59	4.31	3	Horizontal	64	2.13	63.10	32.92	5.97	34.58



5.25-5.35GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX


5310MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.61796G	42.21	54.00	-11.79	12.56	3	Vertical	321	2.90	29.65	39.12	8.13	34.69
PK	10.63668G	55.02	74.00	-18.98	12.60	3	Vertical	321	2.90	42.42	39.14	8.14	34.68

5.25-5.35GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX

5310MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.61076G	42.21	54.00	-11.79	12.55	3	Horizontal	255	2.78	29.66	39.11	8.13	34.69
PK	10.63272G	53.84	74.00	-20.16	12.59	3	Horizontal	255	2.78	41.25	39.13	8.14	34.68



5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


5510MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4572G	47.17	54.00	-6.83	4.33	3	Vertical	29	2.71	42.84	32.89	6.01	34.57
AV	5.5072G	99.62	Inf	-Inf	4.27	3	Vertical	29	2.71	95.35	32.80	6.03	34.56
PK	5.4664G	65.43	68.20	-2.77	4.31	3	Vertical	29	2.71	61.12	32.87	6.01	34.57
PK	5.4976G	109.56	Inf	-Inf	4.26	3	Vertical	29	2.71	105.30	32.80	6.02	34.56

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5510MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4572G	48.20	54.00	-5.80	4.33	3	Horizontal	64	2.66	43.87	32.89	6.01	34.57
AV	5.5076G	101.35	Inf	-Inf	4.27	3	Horizontal	64	2.66	97.08	32.80	6.03	34.56
PK	5.4668G	67.83	68.20	-0.37	4.31	3	Horizontal	64	2.66	63.52	32.87	6.01	34.57
PK	5.498G	112.01	Inf	-Inf	4.26	3	Horizontal	64	2.66	107.75	32.80	6.02	34.56



5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


5510MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.00188G	42.61	54.00	-11.39	12.61	3	Vertical	30	1.50	30.00	38.90	8.29	34.58
PK	11.00224G	54.34	74.00	-19.66	12.61	3	Vertical	30	1.50	41.73	38.90	8.29	34.58

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5510MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.00308G	42.63	54.00	-11.37	12.61	3	Horizontal	82	1.50	30.02	38.90	8.29	34.58
PK	11.03824G	55.63	74.00	-18.37	12.59	3	Horizontal	82	1.50	43.04	38.86	8.31	34.58



5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


5550MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4584G	45.63	54.00	-8.37	4.32	3	Vertical	14	1.39	41.31	32.88	6.01	34.57
AV	5.5464G	100.72	Inf	-Inf	4.28	3	Vertical	14	1.39	96.44	32.80	6.04	34.56
PK	5.4664G	57.27	68.20	-10.93	4.31	3	Vertical	14	1.39	52.96	32.87	6.01	34.57
PK	5.5568G	112.73	Inf	-Inf	4.29	3	Vertical	14	1.39	108.44	32.81	6.04	34.56

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5550MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4572G	45.94	54.00	-8.06	4.33	3	Horizontal	66	2.76	41.61	32.89	6.01	34.57
AV	5.5484G	103.80	Inf	-Inf	4.28	3	Horizontal	66	2.76	99.52	32.80	6.04	34.56
PK	5.4684G	58.73	68.20	-9.47	4.30	3	Horizontal	66	2.76	54.43	32.86	6.01	34.57
PK	5.5484G	115.37	Inf	-Inf	4.28	3	Horizontal	66	2.76	111.09	32.80	6.04	34.56



5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


5550MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.08164G	42.66	54.00	-11.34	12.56	3	Vertical	266	1.50	30.10	38.82	8.32	34.58
PK	11.07732G	54.44	74.00	-19.56	12.56	3	Vertical	266	1.50	41.88	38.82	8.32	34.58

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5550MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.08548G	42.69	54.00	-11.31	12.56	3	Horizontal	21	2.78	30.13	38.81	8.33	34.58
PK	11.08452G	54.25	74.00	-19.75	12.57	3	Horizontal	21	2.78	41.68	38.82	8.33	34.58



5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


5670MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.6682G	101.49	Inf	-Inf	4.71	3	Vertical	18	2.46	96.78	33.15	6.11	34.55
PK	5.6766G	112.84	Inf	-Inf	4.77	3	Vertical	18	2.46	108.07	33.21	6.11	34.55
PK	5.7258G	65.24	68.20	-2.96	5.16	3	Vertical	18	2.46	60.08	33.55	6.15	34.54

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5670MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.664G	102.95	Inf	-Inf	4.69	3	Horizontal	69	2.23	98.26	33.13	6.11	34.55
PK	5.6754G	113.17	Inf	-Inf	4.76	3	Horizontal	69	2.23	108.41	33.20	6.11	34.55
PK	5.7252G	67.69	68.20	-0.51	5.16	3	Horizontal	69	2.23	62.53	33.55	6.15	34.54



5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


5670MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.34G	42.36	54.00	-11.64	12.90	3	Vertical	250	1.50	29.46	39.04	8.43	34.57
PK	11.367G	54.45	74.00	-19.55	12.94	3	Vertical	250	1.50	41.51	39.07	8.44	34.57

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5670MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.316G	42.30	54.00	-11.70	12.87	3	Horizontal	359	1.42	29.43	39.02	8.42	34.57
PK	11.32452G	54.34	74.00	-19.66	12.88	3	Horizontal	359	1.42	41.46	39.02	8.43	34.57



5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


5710MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4568G	45.15	54.00	-8.85	4.33	3	Vertical	33	2.54	40.82	32.89	6.01	34.57
AV	5.7172G	103.23	Inf	-Inf	5.10	3	Vertical	33	2.54	98.13	33.50	6.14	34.54
PK	5.4676G	55.75	68.20	-12.45	4.30	3	Vertical	33	2.54	51.45	32.86	6.01	34.57
PK	5.7076G	112.68	Inf	-Inf	5.05	3	Vertical	33	2.54	107.63	33.45	6.14	34.54
PK	5.9596G	59.20	68.20	-9.00	5.94	3	Vertical	33	2.54	53.26	34.18	6.28	34.52

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5710MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.428G	45.12	54.00	-8.88	4.37	3	Horizontal	71	2.09	40.75	32.94	6.00	34.57
AV	5.7052G	103.93	Inf	-Inf	5.02	3	Horizontal	71	2.09	98.91	33.43	6.13	34.54
PK	5.47G	56.69	68.20	-11.51	4.31	3	Horizontal	71	2.09	52.38	32.86	6.01	34.56
PK	5.7136G	114.36	Inf	-Inf	5.08	3	Horizontal	71	2.09	109.28	33.48	6.14	34.54
PK	5.9332G	58.75	68.20	-9.45	5.94	3	Horizontal	71	2.09	52.81	34.20	6.27	34.53



5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


5710MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.43764G	42.62	54.00	-11.38	12.96	3	Vertical	250	1.50	29.66	39.06	8.47	34.57
PK	11.40188G	54.64	74.00	-19.36	12.99	3	Vertical	250	1.50	41.65	39.10	8.46	34.57

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5710MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.44136G	42.64	54.00	-11.36	12.97	3	Horizontal	351	1.50	29.67	39.06	8.48	34.57
PK	11.42456G	54.49	74.00	-19.51	12.98	3	Horizontal	351	1.50	41.51	39.08	8.47	34.57



5.25-5.35GHz_802.11ax_HEW80_Nss1,(MCS0)_2TX


5290MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.053G	46.13	54.00	-7.87	4.37	3	Vertical	59	1.74	41.76	33.19	5.81	34.63
AV	5.292G	95.22	Inf	-Inf	4.36	3	Vertical	59	1.74	90.86	33.02	5.93	34.59
AV	5.35G	51.28	54.00	-2.72	4.28	3	Vertical	59	1.74	47.00	32.90	5.96	34.58
PK	5.121G	57.64	74.00	-16.36	4.22	3	Vertical	59	1.74	53.42	33.00	5.84	34.62
PK	5.282G	105.52	Inf	-Inf	4.38	3	Vertical	59	1.74	101.14	33.04	5.93	34.59
PK	5.352G	64.08	74.00	-9.92	4.28	3	Vertical	59	1.74	59.80	32.90	5.96	34.58
PK	5.484G	56.66	68.20	-11.54	4.29	3	Vertical	59	1.74	52.37	32.83	6.02	34.56

5.25-5.35GHz_802.11ax_HEW80_Nss1,(MCS0)_2TX

5290MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.146G	46.66	54.00	-7.34	4.24	3	Horizontal	72	2.28	42.42	33.00	5.86	34.62
AV	5.286G	97.84	Inf	-Inf	4.37	3	Horizontal	72	2.28	93.47	33.03	5.93	34.59
AV	5.355G	53.02	54.00	-0.98	4.30	3	Horizontal	72	2.28	48.72	32.91	5.97	34.58
PK	5.149G	57.64	74.00	-16.36	4.24	3	Horizontal	72	2.28	53.40	33.00	5.86	34.62
PK	5.266G	108.33	Inf	-Inf	4.39	3	Horizontal	72	2.28	103.94	33.07	5.92	34.60
PK	5.355G	63.98	74.00	-10.02	4.30	3	Horizontal	72	2.28	59.68	32.91	5.97	34.58
PK	5.464G	57.10	68.20	-11.10	4.31	3	Horizontal	72	2.28	52.79	32.87	6.01	34.57




5.25-5.35GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5290MHz_TX



5.25-5.35GHz_802.11ax HEW80_Nss1,(MCS0)_2TX


5290MHz_TX





5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX


5530MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	50.35	54.00	-3.65	4.32	3	Vertical	68	1.50	46.03	32.88	6.01	34.57
AV	5.524G	94.74	Inf	-Inf	4.27	3	Vertical	68	1.50	90.47	32.80	6.03	34.56
PK	5.463G	62.44	68.20	-5.76	4.31	3	Vertical	68	1.50	58.13	32.87	6.01	34.57
PK	5.535G	106.02	Inf	-Inf	4.28	3	Vertical	68	1.50	101.74	32.80	6.04	34.56
PK	5.77G	57.43	68.20	-10.77	5.42	3	Vertical	68	1.50	52.01	33.78	6.18	34.54

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5530MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.455G	52.17	54.00	-1.83	4.33	3	Horizontal	72	2.52	47.84	32.89	6.01	34.57
AV	5.538G	98.27	Inf	-Inf	4.28	3	Horizontal	72	2.52	93.99	32.80	6.04	34.56
PK	5.464G	65.19	68.20	-3.01	4.31	3	Horizontal	72	2.52	60.88	32.87	6.01	34.57
PK	5.537G	108.31	Inf	-Inf	4.28	3	Horizontal	72	2.52	104.03	32.80	6.04	34.56
PK	5.735G	57.75	68.20	-10.45	5.22	3	Horizontal	72	2.52	52.53	33.61	6.15	34.54



5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX


5530MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.04728G	42.60	54.00	-11.40	12.58	3	Vertical	234	1.68	30.02	38.85	8.31	34.58
PK	11.01176G	54.23	74.00	-19.77	12.60	3	Vertical	234	1.68	41.63	38.89	8.29	34.58

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5530MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.00624G	42.58	54.00	-11.42	12.60	3	Horizontal	334	1.98	29.98	38.89	8.29	34.58
PK	11.0252G	54.48	74.00	-19.52	12.59	3	Horizontal	334	1.98	41.89	38.87	8.30	34.58



5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX


5610MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.459G	46.55	54.00	-7.45	4.32	3	Vertical	53	1.70	42.23	32.88	6.01	34.57
AV	5.609G	98.41	Inf	-Inf	4.44	3	Vertical	53	1.70	93.97	32.92	6.07	34.55
PK	5.47G	58.52	68.20	-9.68	4.31	3	Vertical	53	1.70	54.21	32.86	6.01	34.56
PK	5.597G	108.83	Inf	-Inf	4.40	3	Vertical	53	1.70	104.43	32.89	6.06	34.55
PK	5.729G	64.74	68.20	-3.46	5.18	3	Vertical	53	1.70	59.56	33.57	6.15	34.54

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5610MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.454G	47.52	54.00	-6.48	4.33	3	Horizontal	69	2.20	43.19	32.89	6.01	34.57
AV	5.604G	100.60	Inf	-Inf	4.42	3	Horizontal	69	2.20	96.18	32.91	6.06	34.55
PK	5.47G	62.26	68.20	-5.94	4.31	3	Horizontal	69	2.20	57.95	32.86	6.01	34.56
PK	5.625G	111.36	Inf	-Inf	4.48	3	Horizontal	69	2.20	106.88	32.95	6.08	34.55
PK	5.725G	66.90	68.20	-1.30	5.16	3	Horizontal	69	2.20	61.74	33.55	6.15	34.54



5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX


5610MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.172G	42.37	54.00	-11.63	12.65	3	Vertical	174	2.50	29.72	38.87	8.36	34.58
PK	11.23536G	54.27	74.00	-19.73	12.75	3	Vertical	174	2.50	41.52	38.94	8.39	34.58

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5610MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.16576G	42.37	54.00	-11.63	12.65	3	Horizontal	258	1.50	29.72	38.87	8.36	34.58
PK	11.2644G	54.32	74.00	-19.68	12.79	3	Horizontal	258	1.50	41.53	38.96	8.40	34.57



5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX


5690MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4572G	45.09	54.00	-8.91	4.33	3	Vertical	19	2.55	40.76	32.89	6.01	34.57
AV	5.6972G	99.61	Inf	-Inf	4.97	3	Vertical	19	2.55	94.64	33.38	6.13	34.54
PK	5.4668G	56.23	68.20	-11.97	4.31	3	Vertical	19	2.55	51.92	32.87	6.01	34.57
PK	5.6864G	110.53	Inf	-Inf	4.86	3	Vertical	19	2.55	105.67	33.29	6.12	34.55
PK	5.9048G	58.67	68.20	-9.53	5.92	3	Vertical	19	2.55	52.75	34.20	6.25	34.53

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.438G	45.15	54.00	-8.85	4.35	3	Horizontal	73	2.18	40.80	32.92	6.00	34.57
AV	5.6756G	100.97	Inf	-Inf	4.76	3	Horizontal	73	2.18	96.21	33.20	6.11	34.55
PK	5.4608G	56.38	68.20	-11.82	4.32	3	Horizontal	73	2.18	52.06	32.88	6.01	34.57
PK	5.6744G	110.61	Inf	-Inf	4.76	3	Horizontal	73	2.18	105.85	33.20	6.11	34.55
PK	5.8544G	58.82	68.20	-9.38	5.72	3	Horizontal	73	2.18	53.10	34.02	6.23	34.53



5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX


5690MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.4376G	42.59	54.00	-11.41	12.96	3	Vertical	320	1.50	29.63	39.06	8.47	34.57
PK	11.4376G	53.97	74.00	-20.03	12.96	3	Vertical	320	1.50	41.01	39.06	8.47	34.57

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.43448G	42.57	54.00	-11.43	12.97	3	Horizontal	352	1.50	29.60	39.07	8.47	34.57
PK	11.34232G	54.76	74.00	-19.24	12.90	3	Horizontal	352	1.50	41.86	39.04	8.43	34.57



Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX	Pass	AV	5.3512G	51.85	54.00	-2.15	3	Horizontal	49	2.30
802.11ax HEW20_Nss1,(MCS0)_2TX	Pass	AV	5.353G	52.31	54.00	-1.69	3	Horizontal	47	2.30
802.11ax HEW40_Nss1,(MCS0)_2TX	Pass	AV	5.3524G	53.05	54.00	-0.95	3	Horizontal	64	2.13
802.11ax HEW80_Nss1,(MCS0)_2TX	Pass	AV	5.355G	53.02	54.00	-0.98	3	Horizontal	72	2.28
802.11ax HEW160_Nss1,(MCS0)_2TX	Pass	AV	5.1432G	53.09	54.00	-0.91	3	Horizontal	48	2.27
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX	Pass	PK	5.4696G	66.80	68.20	-1.40	3	Vertical	18	2.59
802.11ax HEW20_Nss1,(MCS0)_2TX	Pass	PK	5.7272G	66.80	68.20	-1.40	3	Vertical	0	2.69
802.11ax HEW40_Nss1,(MCS0)_2TX	Pass	PK	5.4668G	67.83	68.20	-0.37	3	Horizontal	64	2.66
802.11ax HEW80_Nss1,(MCS0)_2TX	Pass	PK	5.725G	66.90	68.20	-1.30	3	Horizontal	69	2.20
802.11ax HEW160_Nss1,(MCS0)_2TX	Pass	AV	5.4548G	53.27	54.00	-0.73	3	Horizontal	44	2.60



Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11a_Nss1,(6Mbps)_2TX	-	-	-	-	-	-	-	-	-	-
5260MHz	Pass	AV	5.1118G	46.77	54.00	-7.23	3	Vertical	356	1.35
5260MHz	Pass	AV	5.2576G	104.27	Inf	-Inf	3	Vertical	356	1.35
5260MHz	Pass	AV	5.4088G	45.50	54.00	-8.50	3	Vertical	356	1.35
5260MHz	Pass	PK	5.1184G	57.90	74.00	-16.10	3	Vertical	356	1.35
5260MHz	Pass	PK	5.2582G	112.43	Inf	-Inf	3	Vertical	356	1.35
5260MHz	Pass	PK	5.3662G	56.35	74.00	-17.65	3	Vertical	356	1.35
5260MHz	Pass	AV	5.1148G	46.68	54.00	-7.32	3	Horizontal	49	2.32
5260MHz	Pass	AV	5.257G	107.78	Inf	-Inf	3	Horizontal	49	2.32
5260MHz	Pass	AV	5.3902G	45.75	54.00	-8.25	3	Horizontal	49	2.32
5260MHz	Pass	PK	5.1232G	57.79	74.00	-16.21	3	Horizontal	49	2.32
5260MHz	Pass	PK	5.2618G	116.23	Inf	-Inf	3	Horizontal	49	2.32
5260MHz	Pass	PK	5.3842G	57.18	74.00	-16.82	3	Horizontal	49	2.32
5260MHz	Pass	PK	10.51668G	51.54	68.20	-16.66	3	Vertical	0	2.38
5260MHz	Pass	PK	10.52536G	51.94	68.20	-16.26	3	Horizontal	209	2.53
5300MHz	Pass	AV	5.3024G	104.41	Inf	-Inf	3	Vertical	354	2.60
5300MHz	Pass	AV	5.3536G	45.64	54.00	-8.36	3	Vertical	354	2.60
5300MHz	Pass	PK	5.3024G	111.84	Inf	-Inf	3	Vertical	354	2.60
5300MHz	Pass	PK	5.392G	56.28	74.00	-17.72	3	Vertical	354	2.60
5300MHz	Pass	AV	5.2968G	107.46	Inf	-Inf	3	Horizontal	49	2.18
5300MHz	Pass	AV	5.3524G	45.94	54.00	-8.06	3	Horizontal	49	2.18
5300MHz	Pass	PK	5.2968G	115.22	Inf	-Inf	3	Horizontal	49	2.18
5300MHz	Pass	PK	5.3968G	57.32	74.00	-16.68	3	Horizontal	49	2.18
5300MHz	Pass	AV	10.60684G	42.47	54.00	-11.53	3	Vertical	211	1.40
5300MHz	Pass	PK	10.5942G	51.91	68.20	-16.29	3	Vertical	211	1.40
5300MHz	Pass	AV	10.60404G	42.55	54.00	-11.45	3	Horizontal	140	2.01
5300MHz	Pass	PK	10.59088G	51.97	68.20	-16.23	3	Horizontal	140	2.01
5320MHz	Pass	AV	5.3168G	103.96	Inf	-Inf	3	Vertical	351	2.59
5320MHz	Pass	AV	5.3512G	51.62	54.00	-2.38	3	Vertical	351	2.59
5320MHz	Pass	PK	5.317G	111.49	Inf	-Inf	3	Vertical	351	2.59
5320MHz	Pass	PK	5.3508G	64.98	74.00	-9.02	3	Vertical	351	2.59
5320MHz	Pass	AV	5.3224G	107.00	Inf	-Inf	3	Horizontal	49	2.30
5320MHz	Pass	AV	5.3512G	51.85	54.00	-2.15	3	Horizontal	49	2.30
5320MHz	Pass	PK	5.3218G	115.28	Inf	-Inf	3	Horizontal	49	2.30
5320MHz	Pass	PK	5.3508G	64.45	74.00	-9.55	3	Horizontal	49	2.30
5320MHz	Pass	AV	10.63996G	42.40	54.00	-11.60	3	Vertical	271	2.94
5320MHz	Pass	PK	10.63736G	52.24	74.00	-21.76	3	Vertical	271	2.94
5320MHz	Pass	AV	10.64748G	42.38	54.00	-11.62	3	Horizontal	211	1.58
5320MHz	Pass	PK	10.6404G	52.31	74.00	-21.69	3	Horizontal	211	1.58
5500MHz	Pass	AV	5.4598G	47.64	54.00	-6.36	3	Vertical	18	2.59
5500MHz	Pass	AV	5.4992G	106.44	Inf	-Inf	3	Vertical	18	2.59
5500MHz	Pass	PK	5.4696G	66.80	68.20	-1.40	3	Vertical	18	2.59
5500MHz	Pass	PK	5.504G	113.87	Inf	-Inf	3	Vertical	18	2.59
5500MHz	Pass	AV	5.4592G	48.15	54.00	-5.85	3	Horizontal	48	2.67
5500MHz	Pass	AV	5.5034G	107.10	Inf	-Inf	3	Horizontal	48	2.67
5500MHz	Pass	PK	5.4688G	66.67	68.20	-1.53	3	Horizontal	48	2.67
5500MHz	Pass	PK	5.5032G	114.83	Inf	-Inf	3	Horizontal	48	2.67
5500MHz	Pass	AV	10.9972G	42.85	54.00	-11.15	3	Vertical	104	2.44
5500MHz	Pass	PK	10.99024G	52.35	74.00	-21.65	3	Vertical	104	2.44
5500MHz	Pass	AV	11.00092G	42.90	54.00	-11.10	3	Horizontal	227	2.98
5500MHz	Pass	PK	10.99064G	52.96	74.00	-21.04	3	Horizontal	227	2.98
5580MHz	Pass	AV	5.4324G	45.51	54.00	-8.49	3	Vertical	355	2.66
5580MHz	Pass	AV	5.5782G	105.23	Inf	-Inf	3	Vertical	355	2.66
5580MHz	Pass	PK	5.4684G	55.67	68.20	-12.53	3	Vertical	355	2.66
5580MHz	Pass	PK	5.5782G	112.87	Inf	-Inf	3	Vertical	355	2.66
5580MHz	Pass	PK	5.73G	57.04	68.20	-11.16	3	Vertical	355	2.66
5580MHz	Pass	AV	5.4552G	46.00	54.00	-8.00	3	Horizontal	53	2.34
5580MHz	Pass	AV	5.5836G	107.90	Inf	-Inf	3	Horizontal	53	2.34
5580MHz	Pass	PK	5.4684G	56.06	68.20	-12.14	3	Horizontal	53	2.34
5580MHz	Pass	PK	5.583G	115.78	Inf	-Inf	3	Horizontal	53	2.34
5580MHz	Pass	PK	5.7288G	57.73	68.20	-10.47	3	Horizontal	53	2.34



RSE TX above 1GHz_C330_Radio 3

Appendix D.2

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5580MHz	Pass	AV	11.16352G	42.50	54.00	-11.50	3	Vertical	101	1.07
5580MHz	Pass	PK	11.15088G	51.76	74.00	-22.24	3	Vertical	101	1.07
5580MHz	Pass	AV	11.16708G	42.83	54.00	-11.17	3	Horizontal	146	2.27
5580MHz	Pass	PK	11.1646G	52.10	74.00	-21.90	3	Horizontal	146	2.27
5700MHz	Pass	AV	5.7032G	105.02	Inf	-Inf	3	Vertical	360	2.43
5700MHz	Pass	PK	5.7036G	113.00	Inf	-Inf	3	Vertical	360	2.43
5700MHz	Pass	PK	5.7272G	63.17	68.20	-5.03	3	Vertical	360	2.43
5700MHz	Pass	AV	5.7028G	107.10	Inf	-Inf	3	Horizontal	54	2.10
5700MHz	Pass	PK	5.6976G	115.51	Inf	-Inf	3	Horizontal	54	2.10
5700MHz	Pass	PK	5.7268G	66.17	68.20	-2.03	3	Horizontal	54	2.10
5700MHz	Pass	AV	11.40944G	42.93	54.00	-11.07	3	Vertical	135	1.91
5700MHz	Pass	PK	11.39956G	51.30	74.00	-22.70	3	Vertical	135	1.91
5700MHz	Pass	AV	11.39948G	42.76	54.00	-11.24	3	Horizontal	14	1.31
5700MHz	Pass	PK	11.39608G	52.16	74.00	-21.84	3	Horizontal	14	1.31
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.4224G	45.53	54.00	-8.47	3	Vertical	360	2.66
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.7188G	107.01	Inf	-Inf	3	Vertical	360	2.66
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4668G	56.33	68.20	-11.87	3	Vertical	360	2.66
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.7188G	114.01	Inf	-Inf	3	Vertical	360	2.66
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.8892G	59.26	68.20	-8.94	3	Vertical	360	2.66
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.45G	45.61	54.00	-8.39	3	Horizontal	52	2.25
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.7224G	108.02	Inf	-Inf	3	Horizontal	52	2.25
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.462G	55.88	68.20	-12.32	3	Horizontal	52	2.25
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.7176G	116.31	Inf	-Inf	3	Horizontal	52	2.25
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.912G	59.60	68.20	-8.60	3	Horizontal	52	2.25
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.43312G	43.17	54.00	-10.83	3	Vertical	54	2.03
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.43748G	52.46	74.00	-21.54	3	Vertical	54	2.03
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.43012G	42.99	54.00	-11.01	3	Horizontal	358	2.81
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.43272G	52.89	74.00	-21.11	3	Horizontal	358	2.81
802.11ax HEW20_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5260MHz	Pass	AV	5.1106G	46.06	54.00	-7.94	3	Vertical	357	1.37
5260MHz	Pass	AV	5.2564G	103.97	Inf	-Inf	3	Vertical	357	1.37
5260MHz	Pass	AV	5.3938G	45.10	54.00	-8.90	3	Vertical	357	1.37
5260MHz	Pass	PK	5.1172G	57.62	74.00	-16.38	3	Vertical	357	1.37
5260MHz	Pass	PK	5.257G	114.11	Inf	-Inf	3	Vertical	357	1.37
5260MHz	Pass	PK	5.3764G	57.10	74.00	-16.90	3	Vertical	357	1.37
5260MHz	Pass	AV	5.1244G	46.20	54.00	-7.80	3	Horizontal	53	2.32
5260MHz	Pass	AV	5.2558G	107.15	Inf	-Inf	3	Horizontal	53	2.32
5260MHz	Pass	AV	5.3992G	45.29	54.00	-8.71	3	Horizontal	53	2.32
5260MHz	Pass	PK	5.128G	57.07	74.00	-16.93	3	Horizontal	53	2.32
5260MHz	Pass	PK	5.2558G	118.00	Inf	-Inf	3	Horizontal	53	2.32
5260MHz	Pass	PK	5.4088G	56.86	74.00	-17.14	3	Horizontal	53	2.32
5260MHz	Pass	PK	10.52316G	51.67	68.20	-16.53	3	Vertical	332	1.20
5260MHz	Pass	PK	10.51272G	51.82	68.20	-16.38	3	Horizontal	263	2.20
5300MHz	Pass	AV	5.2992G	104.03	Inf	-Inf	3	Vertical	7	1.04
5300MHz	Pass	AV	5.35G	46.41	54.00	-7.59	3	Vertical	7	1.04
5300MHz	Pass	PK	5.2996G	114.07	Inf	-Inf	3	Vertical	7	1.04
5300MHz	Pass	PK	5.35G	57.88	74.00	-16.12	3	Vertical	7	1.04
5300MHz	Pass	AV	5.3036G	107.00	Inf	-Inf	3	Horizontal	49	2.15
5300MHz	Pass	AV	5.352G	46.92	54.00	-7.08	3	Horizontal	49	2.15
5300MHz	Pass	PK	5.2948G	117.49	Inf	-Inf	3	Horizontal	49	2.15
5300MHz	Pass	PK	5.3532G	59.13	74.00	-14.87	3	Horizontal	49	2.15
5300MHz	Pass	AV	10.60764G	41.93	54.00	-12.07	3	Vertical	291	2.05
5300MHz	Pass	PK	10.60592G	51.03	74.00	-22.97	3	Vertical	291	2.05
5300MHz	Pass	AV	10.60448G	42.08	54.00	-11.92	3	Horizontal	281	1.84
5300MHz	Pass	PK	10.59152G	51.34	68.20	-16.86	3	Horizontal	281	1.84
5320MHz	Pass	AV	5.318G	103.04	Inf	-Inf	3	Vertical	360	2.58
5320MHz	Pass	AV	5.35G	51.48	54.00	-2.52	3	Vertical	360	2.58
5320MHz	Pass	PK	5.3178G	114.48	Inf	-Inf	3	Vertical	360	2.58
5320MHz	Pass	PK	5.35G	66.51	74.00	-7.49	3	Vertical	360	2.58
5320MHz	Pass	AV	5.3236G	106.19	Inf	-Inf	3	Horizontal	47	2.30
5320MHz	Pass	AV	5.353G	52.31	54.00	-1.69	3	Horizontal	47	2.30
5320MHz	Pass	PK	5.314G	116.80	Inf	-Inf	3	Horizontal	47	2.30



RSE TX above 1GHz_C330_Radio 3

Appendix D.2

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5320MHz	Pass	PK	5.353G	67.92	74.00	-6.08	3	Horizontal	47	2.30
5320MHz	Pass	AV	10.64908G	42.00	54.00	-12.00	3	Vertical	27	1.63
5320MHz	Pass	PK	10.64756G	52.67	74.00	-21.33	3	Vertical	27	1.63
5320MHz	Pass	AV	10.638G	41.94	54.00	-12.06	3	Horizontal	3	2.97
5320MHz	Pass	PK	10.64176G	52.94	74.00	-21.06	3	Horizontal	3	2.97
5500MHz	Pass	AV	5.46G	46.42	54.00	-7.58	3	Vertical	21	2.78
5500MHz	Pass	AV	5.5012G	104.73	Inf	-Inf	3	Vertical	21	2.78
5500MHz	Pass	PK	5.47G	66.41	68.20	-1.79	3	Vertical	21	2.78
5500MHz	Pass	PK	5.5014G	116.21	Inf	-Inf	3	Vertical	21	2.78
5500MHz	Pass	AV	5.4578G	46.53	54.00	-7.47	3	Horizontal	46	2.70
5500MHz	Pass	AV	5.4972G	105.57	Inf	-Inf	3	Horizontal	46	2.70
5500MHz	Pass	PK	5.4682G	66.65	68.20	-1.55	3	Horizontal	46	2.70
5500MHz	Pass	PK	5.4968G	117.19	Inf	-Inf	3	Horizontal	46	2.70
5500MHz	Pass	AV	11.00236G	42.45	54.00	-11.55	3	Vertical	265	1.48
5500MHz	Pass	PK	10.99356G	51.42	74.00	-22.58	3	Vertical	265	1.48
5500MHz	Pass	AV	11.00352G	42.37	54.00	-11.63	3	Horizontal	210	2.43
5500MHz	Pass	PK	11.006G	52.74	74.00	-21.26	3	Horizontal	210	2.43
5580MHz	Pass	AV	5.4492G	45.14	54.00	-8.86	3	Vertical	19	2.63
5580MHz	Pass	AV	5.5782G	106.94	Inf	-Inf	3	Vertical	19	2.63
5580MHz	Pass	PK	5.469G	56.22	68.20	-11.98	3	Vertical	19	2.63
5580MHz	Pass	PK	5.5776G	117.76	Inf	-Inf	3	Vertical	19	2.63
5580MHz	Pass	PK	5.727G	57.72	68.20	-10.48	3	Vertical	19	2.63
5580MHz	Pass	AV	5.4366G	45.29	54.00	-8.71	3	Horizontal	52	2.64
5580MHz	Pass	AV	5.5782G	107.21	Inf	-Inf	3	Horizontal	52	2.64
5580MHz	Pass	PK	5.4696G	56.39	68.20	-11.81	3	Horizontal	52	2.64
5580MHz	Pass	PK	5.5782G	118.24	Inf	-Inf	3	Horizontal	52	2.64
5580MHz	Pass	PK	5.7252G	57.16	68.20	-11.04	3	Horizontal	52	2.64
5580MHz	Pass	AV	11.15044G	42.24	54.00	-11.76	3	Vertical	71	1.15
5580MHz	Pass	PK	11.15332G	51.79	74.00	-22.21	3	Vertical	71	1.15
5580MHz	Pass	AV	11.16344G	42.16	54.00	-11.84	3	Horizontal	353	2.01
5580MHz	Pass	PK	11.15304G	52.18	74.00	-21.82	3	Horizontal	353	2.01
5700MHz	Pass	AV	5.698G	103.89	Inf	-Inf	3	Vertical	0	2.69
5700MHz	Pass	PK	5.6972G	114.67	Inf	-Inf	3	Vertical	0	2.69
5700MHz	Pass	PK	5.7272G	66.80	68.20	-1.40	3	Vertical	0	2.69
5700MHz	Pass	AV	5.6972G	104.93	Inf	-Inf	3	Horizontal	56	2.42
5700MHz	Pass	PK	5.6984G	115.42	Inf	-Inf	3	Horizontal	56	2.42
5700MHz	Pass	PK	5.726G	63.76	68.20	-4.44	3	Horizontal	56	2.42
5700MHz	Pass	AV	11.40656G	42.33	54.00	-11.67	3	Vertical	38	1.30
5700MHz	Pass	PK	11.40196G	51.80	74.00	-22.20	3	Vertical	38	1.30
5700MHz	Pass	AV	11.40404G	42.36	54.00	-11.64	3	Horizontal	131	2.68
5700MHz	Pass	PK	11.3912G	52.05	74.00	-21.95	3	Horizontal	131	2.68
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.4332G	45.13	54.00	-8.87	3	Vertical	0	2.68
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.7176G	106.53	Inf	-Inf	3	Vertical	0	2.68
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4656G	55.33	68.20	-12.87	3	Vertical	0	2.68
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.7188G	117.24	Inf	-Inf	3	Vertical	0	2.68
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.9468G	60.00	68.20	-8.20	3	Vertical	0	2.68
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.4512G	45.06	54.00	-8.94	3	Horizontal	57	2.10
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.7152G	107.15	Inf	-Inf	3	Horizontal	57	2.10
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4644G	55.69	68.20	-12.51	3	Horizontal	57	2.10
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.7152G	118.04	Inf	-Inf	3	Horizontal	57	2.10
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.9624G	58.87	68.20	-9.33	3	Horizontal	57	2.10
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.43556G	42.40	54.00	-11.60	3	Vertical	305	2.39
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.43232G	53.16	74.00	-20.84	3	Vertical	305	2.39
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.44212G	42.58	54.00	-11.42	3	Horizontal	152	1.97
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.4326G	53.43	74.00	-20.57	3	Horizontal	152	1.97
802.11ax HEW40_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5270MHz	Pass	AV	5.2716G	100.91	Inf	-Inf	3	Vertical	53	1.77
5270MHz	Pass	AV	5.3508G	46.72	54.00	-7.28	3	Vertical	53	1.77
5270MHz	Pass	PK	5.272G	110.90	Inf	-Inf	3	Vertical	53	1.77
5270MHz	Pass	PK	5.352G	57.92	74.00	-16.08	3	Vertical	53	1.77
5270MHz	Pass	AV	5.2656G	103.95	Inf	-Inf	3	Horizontal	66	2.32
5270MHz	Pass	AV	5.356G	46.95	54.00	-7.05	3	Horizontal	66	2.32



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5270MHz	Pass	PK	5.2648G	114.44	Inf	-Inf	3	Horizontal	66	2.32
5270MHz	Pass	PK	5.358G	58.17	74.00	-15.83	3	Horizontal	66	2.32
5270MHz	Pass	PK	10.56904G	54.09	68.20	-14.11	3	Vertical	96	1.50
5270MHz	Pass	PK	10.53472G	53.98	68.20	-14.22	3	Horizontal	307	2.11
5310MHz	Pass	AV	5.3116G	98.36	Inf	-Inf	3	Vertical	51	1.87
5310MHz	Pass	AV	5.3504G	50.75	54.00	-3.25	3	Vertical	51	1.87
5310MHz	Pass	PK	5.3008G	108.75	Inf	-Inf	3	Vertical	51	1.87
5310MHz	Pass	PK	5.3608G	63.36	74.00	-10.64	3	Vertical	51	1.87
5310MHz	Pass	AV	5.3136G	101.44	Inf	-Inf	3	Horizontal	64	2.13
5310MHz	Pass	AV	5.3524G	53.05	54.00	-0.95	3	Horizontal	64	2.13
5310MHz	Pass	PK	5.3048G	111.78	Inf	-Inf	3	Horizontal	64	2.13
5310MHz	Pass	PK	5.362G	67.41	74.00	-6.59	3	Horizontal	64	2.13
5310MHz	Pass	AV	10.61796G	42.21	54.00	-11.79	3	Vertical	321	2.90
5310MHz	Pass	PK	10.63668G	55.02	74.00	-18.98	3	Vertical	321	2.90
5310MHz	Pass	AV	10.61076G	42.21	54.00	-11.79	3	Horizontal	255	2.78
5310MHz	Pass	PK	10.63272G	53.84	74.00	-20.16	3	Horizontal	255	2.78
5510MHz	Pass	AV	5.4572G	47.17	54.00	-6.83	3	Vertical	29	2.71
5510MHz	Pass	AV	5.5072G	99.62	Inf	-Inf	3	Vertical	29	2.71
5510MHz	Pass	PK	5.4664G	65.43	68.20	-2.77	3	Vertical	29	2.71
5510MHz	Pass	PK	5.4976G	109.56	Inf	-Inf	3	Vertical	29	2.71
5510MHz	Pass	AV	5.4572G	48.20	54.00	-5.80	3	Horizontal	64	2.66
5510MHz	Pass	AV	5.5076G	101.35	Inf	-Inf	3	Horizontal	64	2.66
5510MHz	Pass	PK	5.4668G	67.83	68.20	-0.37	3	Horizontal	64	2.66
5510MHz	Pass	PK	5.498G	112.01	Inf	-Inf	3	Horizontal	64	2.66
5510MHz	Pass	AV	11.00188G	42.61	54.00	-11.39	3	Vertical	30	1.50
5510MHz	Pass	PK	11.00224G	54.34	74.00	-19.66	3	Vertical	30	1.50
5510MHz	Pass	AV	11.00308G	42.63	54.00	-11.37	3	Horizontal	82	1.50
5510MHz	Pass	PK	11.03824G	55.63	74.00	-18.37	3	Horizontal	82	1.50
5550MHz	Pass	AV	5.4584G	45.63	54.00	-8.37	3	Vertical	14	1.39
5550MHz	Pass	AV	5.5464G	100.72	Inf	-Inf	3	Vertical	14	1.39
5550MHz	Pass	PK	5.4664G	57.27	68.20	-10.93	3	Vertical	14	1.39
5550MHz	Pass	PK	5.5568G	112.73	Inf	-Inf	3	Vertical	14	1.39
5550MHz	Pass	AV	5.4572G	45.94	54.00	-8.06	3	Horizontal	66	2.76
5550MHz	Pass	AV	5.5484G	103.80	Inf	-Inf	3	Horizontal	66	2.76
5550MHz	Pass	PK	5.4684G	58.73	68.20	-9.47	3	Horizontal	66	2.76
5550MHz	Pass	PK	5.5484G	115.37	Inf	-Inf	3	Horizontal	66	2.76
5550MHz	Pass	AV	11.08164G	42.66	54.00	-11.34	3	Vertical	266	1.50
5550MHz	Pass	PK	11.07732G	54.44	74.00	-19.56	3	Vertical	266	1.50
5550MHz	Pass	AV	11.08548G	42.69	54.00	-11.31	3	Horizontal	21	2.78
5550MHz	Pass	PK	11.08452G	54.25	74.00	-19.75	3	Horizontal	21	2.78
5670MHz	Pass	AV	5.6682G	101.49	Inf	-Inf	3	Vertical	18	2.46
5670MHz	Pass	PK	5.6766G	112.84	Inf	-Inf	3	Vertical	18	2.46
5670MHz	Pass	PK	5.7258G	65.24	68.20	-2.96	3	Vertical	18	2.46
5670MHz	Pass	AV	5.6664G	102.95	Inf	-Inf	3	Horizontal	69	2.23
5670MHz	Pass	PK	5.6754G	113.17	Inf	-Inf	3	Horizontal	69	2.23
5670MHz	Pass	PK	5.7252G	67.69	68.20	-0.51	3	Horizontal	69	2.23
5670MHz	Pass	AV	11.34G	42.36	54.00	-11.64	3	Vertical	250	1.50
5670MHz	Pass	PK	11.367G	54.45	74.00	-19.55	3	Vertical	250	1.50
5670MHz	Pass	AV	11.316G	42.30	54.00	-11.70	3	Horizontal	359	1.42
5670MHz	Pass	PK	11.32452G	54.34	74.00	-19.66	3	Horizontal	359	1.42
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.4568G	45.15	54.00	-8.85	3	Vertical	33	2.54
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.7172G	103.23	Inf	-Inf	3	Vertical	33	2.54
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.4676G	55.75	68.20	-12.45	3	Vertical	33	2.54
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.7076G	112.68	Inf	-Inf	3	Vertical	33	2.54
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.9596G	59.20	68.20	-9.00	3	Vertical	33	2.54
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.428G	45.12	54.00	-8.88	3	Horizontal	71	2.09
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.7052G	103.93	Inf	-Inf	3	Horizontal	71	2.09
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.47G	56.69	68.20	-11.51	3	Horizontal	71	2.09
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.7136G	114.36	Inf	-Inf	3	Horizontal	71	2.09
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.9332G	58.75	68.20	-9.45	3	Horizontal	71	2.09
5710MHz Straddle 5.47-5.725GHz	Pass	AV	11.43764G	42.62	54.00	-11.38	3	Vertical	250	1.50
5710MHz Straddle 5.47-5.725GHz	Pass	PK	11.40188G	54.64	74.00	-19.36	3	Vertical	250	1.50



RSE TX above 1GHz_C330_Radio 3

Appendix D.2

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5710MHz Straddle 5.47-5.725GHz	Pass	AV	11.44136G	42.64	54.00	-11.36	3	Horizontal	351	1.50
5710MHz Straddle 5.47-5.725GHz	Pass	PK	11.42456G	54.49	74.00	-19.51	3	Horizontal	351	1.50
802.11ax HEW80_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5290MHz	Pass	AV	5.053G	46.13	54.00	-7.87	3	Vertical	59	1.74
5290MHz	Pass	AV	5.292G	95.22	Inf	-Inf	3	Vertical	59	1.74
5290MHz	Pass	AV	5.35G	51.28	54.00	-2.72	3	Vertical	59	1.74
5290MHz	Pass	PK	5.121G	57.64	74.00	-16.36	3	Vertical	59	1.74
5290MHz	Pass	PK	5.282G	105.52	Inf	-Inf	3	Vertical	59	1.74
5290MHz	Pass	PK	5.352G	64.08	74.00	-9.92	3	Vertical	59	1.74
5290MHz	Pass	PK	5.484G	56.66	68.20	-11.54	3	Vertical	59	1.74
5290MHz	Pass	AV	5.146G	46.66	54.00	-7.34	3	Horizontal	72	2.28
5290MHz	Pass	AV	5.286G	97.84	Inf	-Inf	3	Horizontal	72	2.28
5290MHz	Pass	AV	5.355G	53.02	54.00	-0.98	3	Horizontal	72	2.28
5290MHz	Pass	PK	5.149G	57.64	74.00	-16.36	3	Horizontal	72	2.28
5290MHz	Pass	PK	5.266G	108.33	Inf	-Inf	3	Horizontal	72	2.28
5290MHz	Pass	PK	5.355G	63.98	74.00	-10.02	3	Horizontal	72	2.28
5290MHz	Pass	PK	5.464G	57.10	68.20	-11.10	3	Horizontal	72	2.28
5290MHz	Pass	PK	10.58264G	54.09	68.20	-14.11	3	Vertical	40	1.50
5290MHz	Pass	PK	10.57208G	53.85	68.20	-14.35	3	Horizontal	140	1.50
5530MHz	Pass	AV	5.46G	50.35	54.00	-3.65	3	Vertical	68	1.50
5530MHz	Pass	AV	5.524G	94.74	Inf	-Inf	3	Vertical	68	1.50
5530MHz	Pass	PK	5.463G	62.44	68.20	-5.76	3	Vertical	68	1.50
5530MHz	Pass	PK	5.535G	106.02	Inf	-Inf	3	Vertical	68	1.50
5530MHz	Pass	PK	5.77G	57.43	68.20	-10.77	3	Vertical	68	1.50
5530MHz	Pass	AV	5.455G	52.17	54.00	-1.83	3	Horizontal	72	2.52
5530MHz	Pass	AV	5.538G	98.27	Inf	-Inf	3	Horizontal	72	2.52
5530MHz	Pass	PK	5.464G	65.19	68.20	-3.01	3	Horizontal	72	2.52
5530MHz	Pass	PK	5.537G	108.31	Inf	-Inf	3	Horizontal	72	2.52
5530MHz	Pass	PK	5.735G	57.75	68.20	-10.45	3	Horizontal	72	2.52
5530MHz	Pass	AV	11.04728G	42.60	54.00	-11.40	3	Vertical	234	1.68
5530MHz	Pass	PK	11.01176G	54.23	74.00	-19.77	3	Vertical	234	1.68
5530MHz	Pass	AV	11.00624G	42.58	54.00	-11.42	3	Horizontal	334	1.98
5530MHz	Pass	PK	11.0252G	54.48	74.00	-19.52	3	Horizontal	334	1.98
5610MHz	Pass	AV	5.459G	46.55	54.00	-7.45	3	Vertical	53	1.70
5610MHz	Pass	AV	5.609G	98.41	Inf	-Inf	3	Vertical	53	1.70
5610MHz	Pass	PK	5.47G	58.52	68.20	-9.68	3	Vertical	53	1.70
5610MHz	Pass	PK	5.597G	108.83	Inf	-Inf	3	Vertical	53	1.70
5610MHz	Pass	PK	5.729G	64.74	68.20	-3.46	3	Vertical	53	1.70
5610MHz	Pass	AV	5.454G	47.52	54.00	-6.48	3	Horizontal	69	2.20
5610MHz	Pass	AV	5.604G	100.60	Inf	-Inf	3	Horizontal	69	2.20
5610MHz	Pass	PK	5.47G	62.26	68.20	-5.94	3	Horizontal	69	2.20
5610MHz	Pass	PK	5.625G	111.36	Inf	-Inf	3	Horizontal	69	2.20
5610MHz	Pass	PK	5.725G	66.90	68.20	-1.30	3	Horizontal	69	2.20
5610MHz	Pass	AV	11.172G	42.37	54.00	-11.63	3	Vertical	174	2.50
5610MHz	Pass	PK	11.23536G	54.27	74.00	-19.73	3	Vertical	174	2.50
5610MHz	Pass	AV	11.16576G	42.37	54.00	-11.63	3	Horizontal	258	1.50
5610MHz	Pass	PK	11.2644G	54.32	74.00	-19.68	3	Horizontal	258	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.4572G	45.09	54.00	-8.91	3	Vertical	19	2.55
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.6972G	99.61	Inf	-Inf	3	Vertical	19	2.55
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.4668G	56.23	68.20	-11.97	3	Vertical	19	2.55
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.6864G	110.53	Inf	-Inf	3	Vertical	19	2.55
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.9048G	58.67	68.20	-9.53	3	Vertical	19	2.55
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.438G	45.15	54.00	-8.85	3	Horizontal	73	2.18
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.6756G	100.97	Inf	-Inf	3	Horizontal	73	2.18
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.4608G	56.38	68.20	-11.82	3	Horizontal	73	2.18
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.6744G	110.61	Inf	-Inf	3	Horizontal	73	2.18
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.8544G	58.82	68.20	-9.38	3	Horizontal	73	2.18
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.4376G	42.59	54.00	-11.41	3	Vertical	320	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.4376G	53.97	74.00	-20.03	3	Vertical	320	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.43448G	42.57	54.00	-11.43	3	Horizontal	352	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.34232G	54.76	74.00	-19.24	3	Horizontal	352	1.50
802.11ax HEW160_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-



RSE TX above 1GHz_C330_Radio 3


Appendix D.2

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5250MHz	Pass	AV	5.1444G	51.14	54.00	-2.86	3	Vertical	353	2.54
5250MHz	Pass	AV	5.2248G	91.13	Inf	-Inf	3	Vertical	353	2.54
5250MHz	Pass	AV	5.3544G	48.81	54.00	-5.19	3	Vertical	353	2.54
5250MHz	Pass	PK	5.1432G	62.98	74.00	-11.02	3	Vertical	353	2.54
5250MHz	Pass	PK	5.226G	101.61	Inf	-Inf	3	Vertical	353	2.54
5250MHz	Pass	PK	5.3748G	59.43	74.00	-14.57	3	Vertical	353	2.54
5250MHz	Pass	PK	5.4948G	56.27	68.20	-11.93	3	Vertical	353	2.54
5250MHz	Pass	AV	5.1432G	53.09	54.00	-0.91	3	Horizontal	48	2.27
5250MHz	Pass	AV	5.274G	93.33	Inf	-Inf	3	Horizontal	48	2.27
5250MHz	Pass	AV	5.3532G	51.13	54.00	-2.87	3	Horizontal	48	2.27
5250MHz	Pass	PK	5.1324G	64.36	74.00	-9.64	3	Horizontal	48	2.27
5250MHz	Pass	PK	5.2656G	103.55	Inf	-Inf	3	Horizontal	48	2.27
5250MHz	Pass	PK	5.3532G	60.76	74.00	-13.24	3	Horizontal	48	2.27
5250MHz	Pass	PK	5.4888G	56.19	68.20	-12.01	3	Horizontal	48	2.27
5250MHz	Pass	PK	10.52592G	53.14	68.20	-15.06	3	Vertical	164	1.90
5250MHz	Pass	PK	10.46992G	53.27	68.20	-14.93	3	Horizontal	151	1.97
5570MHz	Pass	AV	5.4572G	52.32	54.00	-1.68	3	Vertical	18	2.60
5570MHz	Pass	AV	5.5892G	95.52	Inf	-Inf	3	Vertical	18	2.60
5570MHz	Pass	PK	5.35G	56.97	68.20	-11.23	3	Vertical	18	2.60
5570MHz	Pass	PK	5.4572G	62.15	74.00	-11.85	3	Vertical	18	2.60
5570MHz	Pass	PK	5.468G	64.61	68.20	-3.59	3	Vertical	18	2.60
5570MHz	Pass	PK	5.5892G	105.22	Inf	-Inf	3	Vertical	18	2.60
5570MHz	Pass	PK	5.7272G	61.41	68.20	-6.79	3	Vertical	18	2.60
5570MHz	Pass	AV	5.4548G	53.27	54.00	-0.73	3	Horizontal	44	2.60
5570MHz	Pass	AV	5.5856G	95.44	Inf	-Inf	3	Horizontal	44	2.60
5570MHz	Pass	PK	5.3024G	56.60	68.20	-11.60	3	Horizontal	44	2.60
5570MHz	Pass	PK	5.4356G	63.63	74.00	-10.37	3	Horizontal	44	2.60
5570MHz	Pass	PK	5.4644G	63.99	68.20	-4.21	3	Horizontal	44	2.60
5570MHz	Pass	PK	5.5856G	105.31	Inf	-Inf	3	Horizontal	44	2.60
5570MHz	Pass	PK	5.7356G	61.33	68.20	-6.87	3	Horizontal	44	2.60
5570MHz	Pass	AV	11.0712G	42.61	54.00	-11.39	3	Vertical	245	1.24
5570MHz	Pass	PK	11.14576G	52.77	74.00	-21.23	3	Vertical	245	1.24
5570MHz	Pass	AV	11.0712G	42.55	54.00	-11.45	3	Horizontal	156	2.48
5570MHz	Pass	PK	11.12528G	52.35	74.00	-21.65	3	Horizontal	156	2.48



5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX


5260MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1118G	46.77	54.00	-7.23	4.22	3	Vertical	356	1.35	42.55	33.00	5.84	34.62
AV	5.2576G	104.27	Inf	-Inf	4.39	3	Vertical	356	1.35	99.88	33.08	5.91	34.60
AV	5.4088G	45.50	54.00	-8.50	4.40	3	Vertical	356	1.35	41.10	32.98	5.99	34.57
PK	5.1184G	57.90	74.00	-16.10	4.22	3	Vertical	356	1.35	53.68	33.00	5.84	34.62
PK	5.2582G	112.43	Inf	-Inf	4.39	3	Vertical	356	1.35	108.04	33.08	5.91	34.60
PK	5.3662G	56.35	74.00	-17.65	4.32	3	Vertical	356	1.35	52.03	32.93	5.97	34.58

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5260MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1148G	46.68	54.00	-7.32	4.22	3	Horizontal	49	2.32	42.46	33.00	5.84	34.62
AV	5.257G	107.78	Inf	-Inf	4.40	3	Horizontal	49	2.32	103.38	33.09	5.91	34.60
AV	5.3902G	45.75	54.00	-8.25	4.38	3	Horizontal	49	2.32	41.37	32.98	5.98	34.58
PK	5.1232G	57.79	74.00	-16.21	4.23	3	Horizontal	49	2.32	53.56	33.00	5.85	34.62
PK	5.2618G	116.23	Inf	-Inf	4.39	3	Horizontal	49	2.32	111.84	33.08	5.91	34.60
PK	5.3842G	57.18	74.00	-16.82	4.37	3	Horizontal	49	2.32	52.81	32.97	5.98	34.58




5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5260MHz_TX



5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX


5260MHz_TX





5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX


5300MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3024G	104.41	Inf	-Inf	4.35	3	Vertical	354	2.60	100.06	33.00	5.94	34.59
AV	5.3536G	45.64	54.00	-8.36	4.29	3	Vertical	354	2.60	41.35	32.91	5.96	34.58
PK	5.3024G	111.84	Inf	-Inf	4.35	3	Vertical	354	2.60	107.49	33.00	5.94	34.59
PK	5.392G	56.28	74.00	-17.72	4.39	3	Vertical	354	2.60	51.89	32.98	5.99	34.58

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5300MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.2968G	107.46	Inf	-Inf	4.35	3	Horizontal	49	2.18	103.11	33.01	5.93	34.59
AV	5.3524G	45.94	54.00	-8.06	4.28	3	Horizontal	49	2.18	41.66	32.90	5.96	34.58
PK	5.2968G	115.22	Inf	-Inf	4.35	3	Horizontal	49	2.18	110.87	33.01	5.93	34.59
PK	5.3968G	57.32	74.00	-16.68	4.40	3	Horizontal	49	2.18	52.92	32.99	5.99	34.58



5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX


5300MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.60684G	42.47	54.00	-11.53	12.54	3	Vertical	211	1.40	29.93	39.11	8.12	34.69
PK	10.5942G	51.91	68.20	-16.29	12.52	3	Vertical	211	1.40	39.39	39.09	8.12	34.69

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5300MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.60404G	42.55	54.00	-11.45	12.53	3	Horizontal	140	2.01	30.02	39.10	8.12	34.69
PK	10.59088G	51.97	68.20	-16.23	12.51	3	Horizontal	140	2.01	39.46	39.08	8.12	34.69



5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX


5320MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3168G	103.96	Inf	-Inf	4.32	3	Vertical	351	2.59	99.64	32.97	5.94	34.59
AV	5.3512G	51.62	54.00	-2.38	4.28	3	Vertical	351	2.59	47.34	32.90	5.96	34.58
PK	5.317G	111.49	Inf	-Inf	4.32	3	Vertical	351	2.59	107.17	32.97	5.94	34.59
PK	5.3508G	64.98	74.00	-9.02	4.28	3	Vertical	351	2.59	60.70	32.90	5.96	34.58

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5320MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3224G	107.00	Inf	-Inf	4.32	3	Horizontal	49	2.30	102.68	32.96	5.95	34.59
AV	5.3512G	51.85	54.00	-2.15	4.28	3	Horizontal	49	2.30	47.57	32.90	5.96	34.58
PK	5.3218G	115.28	Inf	-Inf	4.32	3	Horizontal	49	2.30	110.96	32.96	5.95	34.59
PK	5.3508G	64.45	74.00	-9.55	4.28	3	Horizontal	49	2.30	60.17	32.90	5.96	34.58



5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX


5320MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.63996G	42.40	54.00	-11.60	12.60	3	Vertical	271	2.94	29.80	39.14	8.14	34.68
PK	10.63736G	52.24	74.00	-21.76	12.60	3	Vertical	271	2.94	39.64	39.14	8.14	34.68

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5320MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.64748G	42.38	54.00	-11.62	12.61	3	Horizontal	211	1.58	29.77	39.15	8.14	34.68
PK	10.6404G	52.31	74.00	-21.69	12.60	3	Horizontal	211	1.58	39.71	39.14	8.14	34.68



5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX


5500MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4598G	47.64	54.00	-6.36	4.32	3	Vertical	18	2.59	43.32	32.88	6.01	34.57
AV	5.4992G	106.44	Inf	-Inf	4.26	3	Vertical	18	2.59	102.18	32.80	6.02	34.56
PK	5.4696G	66.80	68.20	-1.40	4.31	3	Vertical	18	2.59	62.49	32.86	6.01	34.56
PK	5.504G	113.87	Inf	-Inf	4.27	3	Vertical	18	2.59	109.60	32.80	6.03	34.56

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5500MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4592G	48.15	54.00	-5.85	4.32	3	Horizontal	48	2.67	43.83	32.88	6.01	34.57
AV	5.5034G	107.10	Inf	-Inf	4.27	3	Horizontal	48	2.67	102.83	32.80	6.03	34.56
PK	5.4688G	66.67	68.20	-1.53	4.31	3	Horizontal	48	2.67	62.36	32.86	6.01	34.56
PK	5.5032G	114.83	Inf	-Inf	4.27	3	Horizontal	48	2.67	110.56	32.80	6.03	34.56



5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX


5500MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.9972G	42.85	54.00	-11.15	12.61	3	Vertical	104	2.44	30.24	38.90	8.29	34.58
PK	10.99024G	52.35	74.00	-21.65	12.62	3	Vertical	104	2.44	39.73	38.91	8.29	34.58

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5500MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.00092G	42.90	54.00	-11.10	12.61	3	Horizontal	227	2.98	30.29	38.90	8.29	34.58
PK	10.99064G	52.96	74.00	-21.04	12.62	3	Horizontal	227	2.98	40.34	38.91	8.29	34.58



5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5580MHz_TX




27/12/2022

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4324G	45.51	54.00	-8.49	4.37	3	Vertical	355	2.66	41.14	32.94	6.00	34.57
AV	5.5782G	105.23	Inf	-Inf	4.36	3	Vertical	355	2.66	100.87	32.86	6.05	34.55
PK	5.4684G	55.67	68.20	-12.53	4.30	3	Vertical	355	2.66	51.37	32.86	6.01	34.57
PK	5.5782G	112.87	Inf	-Inf	4.36	3	Vertical	355	2.66	108.51	32.86	6.05	34.55
PK	5.73G	57.04	68.20	-11.16	5.19	3	Vertical	355	2.66	51.85	33.58	6.15	34.54

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5580MHz_TX




27/12/2022

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4552G	46.00	54.00	-8.00	4.33	3	Horizontal	53	2.34	41.67	32.89	6.01	34.57
AV	5.5836G	107.90	Inf	-Inf	4.37	3	Horizontal	53	2.34	103.53	32.87	6.05	34.55
PK	5.4684G	56.06	68.20	-12.14	4.30	3	Horizontal	53	2.34	51.76	32.86	6.01	34.57
PK	5.583G	115.78	Inf	-Inf	4.37	3	Horizontal	53	2.34	111.41	32.87	6.05	34.55
PK	5.7288G	57.73	68.20	-10.47	5.18	3	Horizontal	53	2.34	52.55	33.57	6.15	34.54



5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX


5580MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.16352G	42.50	54.00	-11.50	12.64	3	Vertical	101	1.07	29.86	38.86	8.36	34.58
PK	11.15088G	51.76	74.00	-22.24	12.62	3	Vertical	101	1.07	39.14	38.85	8.35	34.58

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5580MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.16708G	42.83	54.00	-11.17	12.65	3	Horizontal	146	2.27	30.18	38.87	8.36	34.58
PK	11.1646G	52.10	74.00	-21.90	12.64	3	Horizontal	146	2.27	39.46	38.86	8.36	34.58



5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX


5700MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7032G	105.02	Inf	-Inf	5.01	3	Vertical	360	2.43	100.01	33.42	6.13	34.54
PK	5.7036G	113.00	Inf	-Inf	5.01	3	Vertical	360	2.43	107.99	33.42	6.13	34.54
PK	5.7272G	63.17	68.20	-5.03	5.17	3	Vertical	360	2.43	58.00	33.56	6.15	34.54

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5700MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7028G	107.10	Inf	-Inf	5.01	3	Horizontal	54	2.10	102.09	33.42	6.13	34.54
PK	5.6976G	115.51	Inf	-Inf	4.97	3	Horizontal	54	2.10	110.54	33.38	6.13	34.54
PK	5.7268G	66.17	68.20	-2.03	5.17	3	Horizontal	54	2.10	61.00	33.56	6.15	34.54



5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX


5700MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.40944G	42.93	54.00	-11.07	12.98	3	Vertical	135	1.91	29.95	39.09	8.46	34.57
PK	11.39956G	51.30	74.00	-22.70	12.99	3	Vertical	135	1.91	38.31	39.10	8.46	34.57

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5700MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.39948G	42.76	54.00	-11.24	12.99	3	Horizontal	14	1.31	29.77	39.10	8.46	34.57
PK	11.39608G	52.16	74.00	-21.84	12.99	3	Horizontal	14	1.31	39.17	39.10	8.46	34.57



5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX


5720MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4224G	45.53	54.00	-8.47	4.39	3	Vertical	360	2.66	41.14	32.96	6.00	34.57
AV	5.7188G	107.01	Inf	-Inf	5.11	3	Vertical	360	2.66	101.90	33.51	6.14	34.54
PK	5.4668G	56.33	68.20	-11.87	4.31	3	Vertical	360	2.66	52.02	32.87	6.01	34.57
PK	5.7188G	114.01	Inf	-Inf	5.11	3	Vertical	360	2.66	108.90	33.51	6.14	34.54
PK	5.8892G	59.26	68.20	-8.94	5.87	3	Vertical	360	2.66	53.39	34.16	6.24	34.53

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.45G	45.61	54.00	-8.39	4.34	3	Horizontal	52	2.25	41.27	32.90	6.01	34.57
AV	5.7224G	108.02	Inf	-Inf	5.14	3	Horizontal	52	2.25	102.88	33.53	6.15	34.54
PK	5.462G	55.88	68.20	-12.32	4.32	3	Horizontal	52	2.25	51.56	32.88	6.01	34.57
PK	5.7176G	116.31	Inf	-Inf	5.11	3	Horizontal	52	2.25	111.20	33.51	6.14	34.54
PK	5.912G	59.60	68.20	-8.60	5.93	3	Horizontal	52	2.25	53.67	34.20	6.26	34.53



5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX


5720MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.43312G	43.17	54.00	-10.83	12.97	3	Vertical	54	2.03	30.20	39.07	8.47	34.57
PK	11.43748G	52.46	74.00	-21.54	12.96	3	Vertical	54	2.03	39.50	39.06	8.47	34.57

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.43012G	42.99	54.00	-11.01	12.97	3	Horizontal	358	2.81	30.02	39.07	8.47	34.57
PK	11.43272G	52.89	74.00	-21.11	12.97	3	Horizontal	358	2.81	39.92	39.07	8.47	34.57



5.25-5.35GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


5260MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1106G	46.06	54.00	-7.94	4.22	3	Vertical	357	1.37	41.84	33.00	5.84	34.62
AV	5.2564G	103.97	Inf	-Inf	4.40	3	Vertical	357	1.37	99.57	33.09	5.91	34.60
AV	5.3938G	45.10	54.00	-8.90	4.40	3	Vertical	357	1.37	40.70	32.99	5.99	34.58
PK	5.1172G	57.62	74.00	-16.38	4.22	3	Vertical	357	1.37	53.40	33.00	5.84	34.62
PK	5.257G	114.11	Inf	-Inf	4.40	3	Vertical	357	1.37	109.71	33.09	5.91	34.60
PK	5.3764G	57.10	74.00	-16.90	4.35	3	Vertical	357	1.37	52.75	32.95	5.98	34.58

5.25-5.35GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5260MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1244G	46.20	54.00	-7.80	4.23	3	Horizontal	53	2.32	41.97	33.00	5.85	34.62
AV	5.2558G	107.15	Inf	-Inf	4.40	3	Horizontal	53	2.32	102.75	33.09	5.91	34.60
AV	5.3992G	45.29	54.00	-8.71	4.41	3	Horizontal	53	2.32	40.88	33.00	5.99	34.58
PK	5.128G	57.07	74.00	-16.93	4.23	3	Horizontal	53	2.32	52.84	33.00	5.85	34.62
PK	5.2558G	118.00	Inf	-Inf	4.40	3	Horizontal	53	2.32	113.60	33.09	5.91	34.60
PK	5.4088G	56.86	74.00	-17.14	4.40	3	Horizontal	53	2.32	52.46	32.98	5.99	34.57



5.25-5.35GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


5260MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.52316G	51.67	68.20	-16.53	12.33	3	Vertical	332	1.20	39.34	38.95	8.09	34.71

5.25-5.35GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5260MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.51272G	51.82	68.20	-16.38	12.30	3	Horizontal	263	2.20	39.52	38.93	8.09	34.72



5.25-5.35GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX


5300MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.2992G	104.03	Inf	-Inf	4.34	3	Vertical	7	1.04	99.69	33.00	5.93	34.59
AV	5.35G	46.41	54.00	-7.59	4.28	3	Vertical	7	1.04	42.13	32.90	5.96	34.58
PK	5.2996G	114.07	Inf	-Inf	4.34	3	Vertical	7	1.04	109.73	33.00	5.93	34.59
PK	5.35G	57.88	74.00	-16.12	4.28	3	Vertical	7	1.04	53.60	32.90	5.96	34.58

5.25-5.35GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX

5300MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3036G	107.00	Inf	-Inf	4.34	3	Horizontal	49	2.15	102.66	32.99	5.94	34.59
AV	5.352G	46.92	54.00	-7.08	4.28	3	Horizontal	49	2.15	42.64	32.90	5.96	34.58
PK	5.2948G	117.49	Inf	-Inf	4.35	3	Horizontal	49	2.15	113.14	33.01	5.93	34.59
PK	5.3532G	59.13	74.00	-14.87	4.29	3	Horizontal	49	2.15	54.84	32.91	5.96	34.58



5.25-5.35GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX


5300MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.60764G	41.93	54.00	-12.07	12.55	3	Vertical	291	2.05	29.38	39.11	8.13	34.69
PK	10.60592G	51.03	74.00	-22.97	12.54	3	Vertical	291	2.05	38.49	39.11	8.12	34.69

5.25-5.35GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX

5300MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.60448G	42.08	54.00	-11.92	12.53	3	Horizontal	281	1.84	29.55	39.10	8.12	34.69
PK	10.59152G	51.34	68.20	-16.86	12.51	3	Horizontal	281	1.84	38.83	39.08	8.12	34.69



5.25-5.35GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX


5320MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.318G	103.04	Inf	-Inf	4.31	3	Vertical	360	2.58	98.73	32.96	5.94	34.59
AV	5.35G	51.48	54.00	-2.52	4.28	3	Vertical	360	2.58	47.20	32.90	5.96	34.58
PK	5.3178G	114.48	Inf	-Inf	4.31	3	Vertical	360	2.58	110.17	32.96	5.94	34.59
PK	5.35G	66.51	74.00	-7.49	4.28	3	Vertical	360	2.58	62.23	32.90	5.96	34.58

5.25-5.35GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX

5320MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3236G	106.19	Inf	-Inf	4.31	3	Horizontal	47	2.30	101.88	32.95	5.95	34.59
AV	5.353G	52.31	54.00	-1.69	4.29	3	Horizontal	47	2.30	48.02	32.91	5.96	34.58
PK	5.314G	116.80	Inf	-Inf	4.32	3	Horizontal	47	2.30	112.48	32.97	5.94	34.59
PK	5.353G	67.92	74.00	-6.08	4.29	3	Horizontal	47	2.30	63.63	32.91	5.96	34.58



5.25-5.35GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX


5320MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.64908G	42.00	54.00	-12.00	12.61	3	Vertical	27	1.63	29.39	39.15	8.14	34.68
PK	10.64756G	52.67	74.00	-21.33	12.61	3	Vertical	27	1.63	40.06	39.15	8.14	34.68

5.25-5.35GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX

5320MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.638G	41.94	54.00	-12.06	12.60	3	Horizontal	3	2.97	29.34	39.14	8.14	34.68
PK	10.64176G	52.94	74.00	-21.06	12.60	3	Horizontal	3	2.97	40.34	39.14	8.14	34.68



5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


5500MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	46.42	54.00	-7.58	4.32	3	Vertical	21	2.78	42.10	32.88	6.01	34.57
AV	5.5012G	104.73	Inf	-Inf	4.27	3	Vertical	21	2.78	100.46	32.80	6.03	34.56
PK	5.47G	66.41	68.20	-1.79	4.31	3	Vertical	21	2.78	62.10	32.86	6.01	34.56
PK	5.5014G	116.21	Inf	-Inf	4.27	3	Vertical	21	2.78	111.94	32.80	6.03	34.56

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5500MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4578G	46.53	54.00	-7.47	4.32	3	Horizontal	46	2.70	42.21	32.88	6.01	34.57
AV	5.4972G	105.57	Inf	-Inf	4.27	3	Horizontal	46	2.70	101.30	32.81	6.02	34.56
PK	5.4682G	66.65	68.20	-1.55	4.30	3	Horizontal	46	2.70	62.35	32.86	6.01	34.57
PK	5.4968G	117.19	Inf	-Inf	4.27	3	Horizontal	46	2.70	112.92	32.81	6.02	34.56



5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


5500MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.00236G	42.45	54.00	-11.55	12.61	3	Vertical	265	1.48	29.84	38.90	8.29	34.58
PK	10.99356G	51.42	74.00	-22.58	12.62	3	Vertical	265	1.48	38.80	38.91	8.29	34.58

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


5500MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.00352G	42.37	54.00	-11.63	12.61	3	Horizontal	210	2.43	29.76	38.90	8.29	34.58
PK	11.006G	52.74	74.00	-21.26	12.60	3	Horizontal	210	2.43	40.14	38.89	8.29	34.58

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


5580MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4492G	45.14	54.00	-8.86	4.34	3	Vertical	19	2.63	40.80	32.90	6.01	34.57
AV	5.5782G	106.94	Inf	-Inf	4.36	3	Vertical	19	2.63	102.58	32.86	6.05	34.55
PK	5.469G	56.22	68.20	-11.98	4.31	3	Vertical	19	2.63	51.91	32.86	6.01	34.56
PK	5.5776G	117.76	Inf	-Inf	4.36	3	Vertical	19	2.63	113.40	32.86	6.05	34.55
PK	5.727G	57.72	68.20	-10.48	5.17	3	Vertical	19	2.63	52.55	33.56	6.15	34.54

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5580MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4366G	45.29	54.00	-8.71	4.36	3	Horizontal	52	2.64	40.93	32.93	6.00	34.57
AV	5.5782G	107.21	Inf	-Inf	4.36	3	Horizontal	52	2.64	102.85	32.86	6.05	34.55
PK	5.4696G	56.39	68.20	-11.81	4.31	3	Horizontal	52	2.64	52.08	32.86	6.01	34.56
PK	5.5782G	118.24	Inf	-Inf	4.36	3	Horizontal	52	2.64	113.88	32.86	6.05	34.55
PK	5.7252G	57.16	68.20	-11.04	5.16	3	Horizontal	52	2.64	52.00	33.55	6.15	34.54



5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


5580MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.15044G	42.24	54.00	-11.76	12.62	3	Vertical	71	1.15	29.62	38.85	8.35	34.58
PK	11.15332G	51.79	74.00	-22.21	12.62	3	Vertical	71	1.15	39.17	38.85	8.35	34.58

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5580MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.16344G	42.16	54.00	-11.84	12.64	3	Horizontal	353	2.01	29.52	38.86	8.36	34.58
PK	11.15304G	52.18	74.00	-21.82	12.62	3	Horizontal	353	2.01	39.56	38.85	8.35	34.58



5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


5700MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.698G	103.89	Inf	-Inf	4.97	3	Vertical	0	2.69	98.92	33.38	6.13	34.54
PK	5.6972G	114.67	Inf	-Inf	4.97	3	Vertical	0	2.69	109.70	33.38	6.13	34.54
PK	5.7272G	66.80	68.20	-1.40	5.17	3	Vertical	0	2.69	61.63	33.56	6.15	34.54

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5700MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.6972G	104.93	Inf	-Inf	4.97	3	Horizontal	56	2.42	99.96	33.38	6.13	34.54
PK	5.6984G	115.42	Inf	-Inf	4.98	3	Horizontal	56	2.42	110.44	33.39	6.13	34.54
PK	5.726G	63.76	68.20	-4.44	5.17	3	Horizontal	56	2.42	58.59	33.56	6.15	34.54



5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


5700MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.40656G	42.33	54.00	-11.67	12.98	3	Vertical	38	1.30	29.35	39.09	8.46	34.57
PK	11.40196G	51.80	74.00	-22.20	12.99	3	Vertical	38	1.30	38.81	39.10	8.46	34.57

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5700MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.40404G	42.36	54.00	-11.64	12.99	3	Horizontal	131	2.68	29.37	39.10	8.46	34.57
PK	11.3912G	52.05	74.00	-21.95	12.97	3	Horizontal	131	2.68	39.08	39.09	8.45	34.57



5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


5720MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4332G	45.13	54.00	-8.87	4.36	3	Vertical	0	2.68	40.77	32.93	6.00	34.57
AV	5.7176G	106.53	Inf	-Inf	5.11	3	Vertical	0	2.68	101.42	33.51	6.14	34.54
PK	5.4656G	55.33	68.20	-12.87	4.31	3	Vertical	0	2.68	51.02	32.87	6.01	34.57
PK	5.7188G	117.24	Inf	-Inf	5.11	3	Vertical	0	2.68	112.13	33.51	6.14	34.54
PK	5.9468G	60.00	68.20	-8.20	5.95	3	Vertical	0	2.68	54.05	34.20	6.27	34.52

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4512G	45.06	54.00	-8.94	4.34	3	Horizontal	57	2.10	40.72	32.90	6.01	34.57
AV	5.7152G	107.15	Inf	-Inf	5.09	3	Horizontal	57	2.10	102.06	33.49	6.14	34.54
PK	5.4644G	55.69	68.20	-12.51	4.31	3	Horizontal	57	2.10	51.38	32.87	6.01	34.57
PK	5.7152G	118.04	Inf	-Inf	5.09	3	Horizontal	57	2.10	112.95	33.49	6.14	34.54
PK	5.9624G	58.87	68.20	-9.33	5.94	3	Horizontal	57	2.10	52.93	34.18	6.28	34.52



5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


5720MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.43556G	42.40	54.00	-11.60	12.96	3	Vertical	305	2.39	29.44	39.06	8.47	34.57
PK	11.43232G	53.16	74.00	-20.84	12.97	3	Vertical	305	2.39	40.19	39.07	8.47	34.57

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.44212G	42.58	54.00	-11.42	12.97	3	Horizontal	152	1.97	29.61	39.06	8.48	34.57
PK	11.4326G	53.43	74.00	-20.57	12.97	3	Horizontal	152	1.97	40.46	39.07	8.47	34.57



5.25-5.35GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX


5270MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.2716G	100.91	Inf	-Inf	4.38	3	Vertical	53	1.77	96.53	33.06	5.92	34.60
AV	5.3508G	46.72	54.00	-7.28	4.28	3	Vertical	53	1.77	42.44	32.90	5.96	34.58
PK	5.272G	110.90	Inf	-Inf	4.38	3	Vertical	53	1.77	106.52	33.06	5.92	34.60
PK	5.352G	57.92	74.00	-16.08	4.28	3	Vertical	53	1.77	53.64	32.90	5.96	34.58

5.25-5.35GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX

5270MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.2656G	103.95	Inf	-Inf	4.39	3	Horizontal	66	2.32	99.56	33.07	5.92	34.60
AV	5.356G	46.95	54.00	-7.05	4.30	3	Horizontal	66	2.32	42.65	32.91	5.97	34.58
PK	5.2648G	114.44	Inf	-Inf	4.39	3	Horizontal	66	2.32	110.05	33.07	5.92	34.60
PK	5.358G	58.17	74.00	-15.83	4.31	3	Horizontal	66	2.32	53.86	32.92	5.97	34.58



5.25-5.35GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX


5270MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.56904G	54.09	68.20	-14.11	12.45	3	Vertical	96	1.50	41.64	39.04	8.11	34.70

5.25-5.35GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX

5270MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.53472G	53.98	68.20	-14.22	12.35	3	Horizontal	307	2.11	41.63	38.97	8.09	34.71



5.25-5.35GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX


5310MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3116G	98.36	Inf	-Inf	4.33	3	Vertical	51	1.87	94.03	32.98	5.94	34.59
AV	5.3504G	50.75	54.00	-3.25	4.28	3	Vertical	51	1.87	46.47	32.90	5.96	34.58
PK	5.3008G	108.75	Inf	-Inf	4.35	3	Vertical	51	1.87	104.40	33.00	5.94	34.59
PK	5.3608G	63.36	74.00	-10.64	4.31	3	Vertical	51	1.87	59.05	32.92	5.97	34.58

5.25-5.35GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX

5310MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3136G	101.44	Inf	-Inf	4.32	3	Horizontal	64	2.13	97.12	32.97	5.94	34.59
AV	5.3524G	53.05	54.00	-0.95	4.28	3	Horizontal	64	2.13	48.77	32.90	5.96	34.58
PK	5.3048G	111.78	Inf	-Inf	4.34	3	Horizontal	64	2.13	107.44	32.99	5.94	34.59
PK	5.362G	67.41	74.00	-6.59	4.31	3	Horizontal	64	2.13	63.10	32.92	5.97	34.58



5.25-5.35GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX


5310MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.61796G	42.21	54.00	-11.79	12.56	3	Vertical	321	2.90	29.65	39.12	8.13	34.69
PK	10.63668G	55.02	74.00	-18.98	12.60	3	Vertical	321	2.90	42.42	39.14	8.14	34.68

5.25-5.35GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX

5310MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.61076G	42.21	54.00	-11.79	12.55	3	Horizontal	255	2.78	29.66	39.11	8.13	34.69
PK	10.63272G	53.84	74.00	-20.16	12.59	3	Horizontal	255	2.78	41.25	39.13	8.14	34.68



5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


5510MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4572G	47.17	54.00	-6.83	4.33	3	Vertical	29	2.71	42.84	32.89	6.01	34.57
AV	5.5072G	99.62	Inf	-Inf	4.27	3	Vertical	29	2.71	95.35	32.80	6.03	34.56
PK	5.4664G	65.43	68.20	-2.77	4.31	3	Vertical	29	2.71	61.12	32.87	6.01	34.57
PK	5.4976G	109.56	Inf	-Inf	4.26	3	Vertical	29	2.71	105.30	32.80	6.02	34.56

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5510MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4572G	48.20	54.00	-5.80	4.33	3	Horizontal	64	2.66	43.87	32.89	6.01	34.57
AV	5.5076G	101.35	Inf	-Inf	4.27	3	Horizontal	64	2.66	97.08	32.80	6.03	34.56
PK	5.4668G	67.83	68.20	-0.37	4.31	3	Horizontal	64	2.66	63.52	32.87	6.01	34.57
PK	5.498G	112.01	Inf	-Inf	4.26	3	Horizontal	64	2.66	107.75	32.80	6.02	34.56



5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


5510MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.00188G	42.61	54.00	-11.39	12.61	3	Vertical	30	1.50	30.00	38.90	8.29	34.58
PK	11.00224G	54.34	74.00	-19.66	12.61	3	Vertical	30	1.50	41.73	38.90	8.29	34.58

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5510MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.00308G	42.63	54.00	-11.37	12.61	3	Horizontal	82	1.50	30.02	38.90	8.29	34.58
PK	11.03824G	55.63	74.00	-18.37	12.59	3	Horizontal	82	1.50	43.04	38.86	8.31	34.58



5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


5550MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4584G	45.63	54.00	-8.37	4.32	3	Vertical	14	1.39	41.31	32.88	6.01	34.57
AV	5.5464G	100.72	Inf	-Inf	4.28	3	Vertical	14	1.39	96.44	32.80	6.04	34.56
PK	5.4664G	57.27	68.20	-10.93	4.31	3	Vertical	14	1.39	52.96	32.87	6.01	34.57
PK	5.5568G	112.73	Inf	-Inf	4.29	3	Vertical	14	1.39	108.44	32.81	6.04	34.56

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5550MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4572G	45.94	54.00	-8.06	4.33	3	Horizontal	66	2.76	41.61	32.89	6.01	34.57
AV	5.5484G	103.80	Inf	-Inf	4.28	3	Horizontal	66	2.76	99.52	32.80	6.04	34.56
PK	5.4684G	58.73	68.20	-9.47	4.30	3	Horizontal	66	2.76	54.43	32.86	6.01	34.57
PK	5.5484G	115.37	Inf	-Inf	4.28	3	Horizontal	66	2.76	111.09	32.80	6.04	34.56



5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


5550MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.08164G	42.66	54.00	-11.34	12.56	3	Vertical	266	1.50	30.10	38.82	8.32	34.58
PK	11.07732G	54.44	74.00	-19.56	12.56	3	Vertical	266	1.50	41.88	38.82	8.32	34.58

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5550MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.08548G	42.69	54.00	-11.31	12.56	3	Horizontal	21	2.78	30.13	38.81	8.33	34.58
PK	11.08452G	54.25	74.00	-19.75	12.57	3	Horizontal	21	2.78	41.68	38.82	8.33	34.58



5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


5670MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.6682G	101.49	Inf	-Inf	4.71	3	Vertical	18	2.46	96.78	33.15	6.11	34.55
PK	5.6766G	112.84	Inf	-Inf	4.77	3	Vertical	18	2.46	108.07	33.21	6.11	34.55
PK	5.7258G	65.24	68.20	-2.96	5.16	3	Vertical	18	2.46	60.08	33.55	6.15	34.54

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5670MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.6664G	102.95	Inf	-Inf	4.69	3	Horizontal	69	2.23	98.26	33.13	6.11	34.55
PK	5.6754G	113.17	Inf	-Inf	4.76	3	Horizontal	69	2.23	108.41	33.20	6.11	34.55
PK	5.7252G	67.69	68.20	-0.51	5.16	3	Horizontal	69	2.23	62.53	33.55	6.15	34.54



5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


5670MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.34G	42.36	54.00	-11.64	12.90	3	Vertical	250	1.50	29.46	39.04	8.43	34.57
PK	11.367G	54.45	74.00	-19.55	12.94	3	Vertical	250	1.50	41.51	39.07	8.44	34.57

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5670MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.316G	42.30	54.00	-11.70	12.87	3	Horizontal	359	1.42	29.43	39.02	8.42	34.57
PK	11.32452G	54.34	74.00	-19.66	12.88	3	Horizontal	359	1.42	41.46	39.02	8.43	34.57



5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


5710MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4568G	45.15	54.00	-8.85	4.33	3	Vertical	33	2.54	40.82	32.89	6.01	34.57
AV	5.7172G	103.23	Inf	-Inf	5.10	3	Vertical	33	2.54	98.13	33.50	6.14	34.54
PK	5.4676G	55.75	68.20	-12.45	4.30	3	Vertical	33	2.54	51.45	32.86	6.01	34.57
PK	5.7076G	112.68	Inf	-Inf	5.05	3	Vertical	33	2.54	107.63	33.45	6.14	34.54
PK	5.9596G	59.20	68.20	-9.00	5.94	3	Vertical	33	2.54	53.26	34.18	6.28	34.52

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5710MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.428G	45.12	54.00	-8.88	4.37	3	Horizontal	71	2.09	40.75	32.94	6.00	34.57
AV	5.7052G	103.93	Inf	-Inf	5.02	3	Horizontal	71	2.09	98.91	33.43	6.13	34.54
PK	5.47G	56.69	68.20	-11.51	4.31	3	Horizontal	71	2.09	52.38	32.86	6.01	34.56
PK	5.7136G	114.36	Inf	-Inf	5.08	3	Horizontal	71	2.09	109.28	33.48	6.14	34.54
PK	5.9332G	58.75	68.20	-9.45	5.94	3	Horizontal	71	2.09	52.81	34.20	6.27	34.53



5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


5710MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.43764G	42.62	54.00	-11.38	12.96	3	Vertical	250	1.50	29.66	39.06	8.47	34.57
PK	11.40188G	54.64	74.00	-19.36	12.99	3	Vertical	250	1.50	41.65	39.10	8.46	34.57

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5710MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.44136G	42.64	54.00	-11.36	12.97	3	Horizontal	351	1.50	29.67	39.06	8.48	34.57
PK	11.42456G	54.49	74.00	-19.51	12.98	3	Horizontal	351	1.50	41.51	39.08	8.47	34.57



5.25-5.35GHz_802.11ax_HEW80_Nss1,(MCS0)_2TX


5290MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.053G	46.13	54.00	-7.87	4.37	3	Vertical	59	1.74	41.76	33.19	5.81	34.63
AV	5.292G	95.22	Inf	-Inf	4.36	3	Vertical	59	1.74	90.86	33.02	5.93	34.59
AV	5.35G	51.28	54.00	-2.72	4.28	3	Vertical	59	1.74	47.00	32.90	5.96	34.58
PK	5.121G	57.64	74.00	-16.36	4.22	3	Vertical	59	1.74	53.42	33.00	5.84	34.62
PK	5.282G	105.52	Inf	-Inf	4.38	3	Vertical	59	1.74	101.14	33.04	5.93	34.59
PK	5.352G	64.08	74.00	-9.92	4.28	3	Vertical	59	1.74	59.80	32.90	5.96	34.58
PK	5.484G	56.66	68.20	-11.54	4.29	3	Vertical	59	1.74	52.37	32.83	6.02	34.56

5.25-5.35GHz_802.11ax_HEW80_Nss1,(MCS0)_2TX

5290MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.146G	46.66	54.00	-7.34	4.24	3	Horizontal	72	2.28	42.42	33.00	5.86	34.62
AV	5.286G	97.84	Inf	-Inf	4.37	3	Horizontal	72	2.28	93.47	33.03	5.93	34.59
AV	5.355G	53.02	54.00	-0.98	4.30	3	Horizontal	72	2.28	48.72	32.91	5.97	34.58
PK	5.149G	57.64	74.00	-16.36	4.24	3	Horizontal	72	2.28	53.40	33.00	5.86	34.62
PK	5.266G	108.33	Inf	-Inf	4.39	3	Horizontal	72	2.28	103.94	33.07	5.92	34.60
PK	5.355G	63.98	74.00	-10.02	4.30	3	Horizontal	72	2.28	59.68	32.91	5.97	34.58
PK	5.464G	57.10	68.20	-11.10	4.31	3	Horizontal	72	2.28	52.79	32.87	6.01	34.57




5.25-5.35GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5290MHz_TX



5.25-5.35GHz_802.11ax HEW80_Nss1,(MCS0)_2TX


5290MHz_TX





5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX


5530MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	50.35	54.00	-3.65	4.32	3	Vertical	68	1.50	46.03	32.88	6.01	34.57
AV	5.524G	94.74	Inf	-Inf	4.27	3	Vertical	68	1.50	90.47	32.80	6.03	34.56
PK	5.463G	62.44	68.20	-5.76	4.31	3	Vertical	68	1.50	58.13	32.87	6.01	34.57
PK	5.535G	106.02	Inf	-Inf	4.28	3	Vertical	68	1.50	101.74	32.80	6.04	34.56
PK	5.77G	57.43	68.20	-10.77	5.42	3	Vertical	68	1.50	52.01	33.78	6.18	34.54

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5530MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.455G	52.17	54.00	-1.83	4.33	3	Horizontal	72	2.52	47.84	32.89	6.01	34.57
AV	5.538G	98.27	Inf	-Inf	4.28	3	Horizontal	72	2.52	93.99	32.80	6.04	34.56
PK	5.464G	65.19	68.20	-3.01	4.31	3	Horizontal	72	2.52	60.88	32.87	6.01	34.57
PK	5.537G	108.31	Inf	-Inf	4.28	3	Horizontal	72	2.52	104.03	32.80	6.04	34.56
PK	5.735G	57.75	68.20	-10.45	5.22	3	Horizontal	72	2.52	52.53	33.61	6.15	34.54



5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX


5530MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.04728G	42.60	54.00	-11.40	12.58	3	Vertical	234	1.68	30.02	38.85	8.31	34.58
PK	11.01176G	54.23	74.00	-19.77	12.60	3	Vertical	234	1.68	41.63	38.89	8.29	34.58

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5530MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.00624G	42.58	54.00	-11.42	12.60	3	Horizontal	334	1.98	29.98	38.89	8.29	34.58
PK	11.0252G	54.48	74.00	-19.52	12.59	3	Horizontal	334	1.98	41.89	38.87	8.30	34.58



5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX


5610MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.459G	46.55	54.00	-7.45	4.32	3	Vertical	53	1.70	42.23	32.88	6.01	34.57
AV	5.609G	98.41	Inf	-Inf	4.44	3	Vertical	53	1.70	93.97	32.92	6.07	34.55
PK	5.47G	58.52	68.20	-9.68	4.31	3	Vertical	53	1.70	54.21	32.86	6.01	34.56
PK	5.597G	108.83	Inf	-Inf	4.40	3	Vertical	53	1.70	104.43	32.89	6.06	34.55
PK	5.729G	64.74	68.20	-3.46	5.18	3	Vertical	53	1.70	59.56	33.57	6.15	34.54

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5610MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.454G	47.52	54.00	-6.48	4.33	3	Horizontal	69	2.20	43.19	32.89	6.01	34.57
AV	5.604G	100.60	Inf	-Inf	4.42	3	Horizontal	69	2.20	96.18	32.91	6.06	34.55
PK	5.47G	62.26	68.20	-5.94	4.31	3	Horizontal	69	2.20	57.95	32.86	6.01	34.56
PK	5.625G	111.36	Inf	-Inf	4.48	3	Horizontal	69	2.20	106.88	32.95	6.08	34.55
PK	5.725G	66.90	68.20	-1.30	5.16	3	Horizontal	69	2.20	61.74	33.55	6.15	34.54



5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX


5610MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.172G	42.37	54.00	-11.63	12.65	3	Vertical	174	2.50	29.72	38.87	8.36	34.58
PK	11.23536G	54.27	74.00	-19.73	12.75	3	Vertical	174	2.50	41.52	38.94	8.39	34.58

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5610MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.16576G	42.37	54.00	-11.63	12.65	3	Horizontal	258	1.50	29.72	38.87	8.36	34.58
PK	11.2644G	54.32	74.00	-19.68	12.79	3	Horizontal	258	1.50	41.53	38.96	8.40	34.57



5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX


5690MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4572G	45.09	54.00	-8.91	4.33	3	Vertical	19	2.55	40.76	32.89	6.01	34.57
AV	5.6972G	99.61	Inf	-Inf	4.97	3	Vertical	19	2.55	94.64	33.38	6.13	34.54
PK	5.4668G	56.23	68.20	-11.97	4.31	3	Vertical	19	2.55	51.92	32.87	6.01	34.57
PK	5.6864G	110.53	Inf	-Inf	4.86	3	Vertical	19	2.55	105.67	33.29	6.12	34.55
PK	5.9048G	58.67	68.20	-9.53	5.92	3	Vertical	19	2.55	52.75	34.20	6.25	34.53

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.438G	45.15	54.00	-8.85	4.35	3	Horizontal	73	2.18	40.80	32.92	6.00	34.57
AV	5.6756G	100.97	Inf	-Inf	4.76	3	Horizontal	73	2.18	96.21	33.20	6.11	34.55
PK	5.4608G	56.38	68.20	-11.82	4.32	3	Horizontal	73	2.18	52.06	32.88	6.01	34.57
PK	5.6744G	110.61	Inf	-Inf	4.76	3	Horizontal	73	2.18	105.85	33.20	6.11	34.55
PK	5.8544G	58.82	68.20	-9.38	5.72	3	Horizontal	73	2.18	53.10	34.02	6.23	34.53



5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX


5690MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.4376G	42.59	54.00	-11.41	12.96	3	Vertical	320	1.50	29.63	39.06	8.47	34.57
PK	11.4376G	53.97	74.00	-20.03	12.96	3	Vertical	320	1.50	41.01	39.06	8.47	34.57

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.43448G	42.57	54.00	-11.43	12.97	3	Horizontal	352	1.50	29.60	39.07	8.47	34.57
PK	11.34232G	54.76	74.00	-19.24	12.90	3	Horizontal	352	1.50	41.86	39.04	8.43	34.57



5.25-5.35GHz_802.11ax_HEW160_Nss1,(MCS0)_2TX


5250MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1444G	51.14	54.00	-2.86	4.23	3	Vertical	353	2.54	46.91	33.00	5.85	34.62
AV	5.2248G	91.13	Inf	-Inf	4.39	3	Vertical	353	2.54	86.74	33.10	5.89	34.60
AV	5.3544G	48.81	54.00	-5.19	4.29	3	Vertical	353	2.54	44.52	32.91	5.96	34.58
PK	5.1432G	62.98	74.00	-11.02	4.23	3	Vertical	353	2.54	58.75	33.00	5.85	34.62
PK	5.226G	101.61	Inf	-Inf	4.39	3	Vertical	353	2.54	97.22	33.10	5.89	34.60
PK	5.3748G	59.43	74.00	-14.57	4.35	3	Vertical	353	2.54	55.08	32.95	5.98	34.58
PK	5.4948G	56.27	68.20	-11.93	4.27	3	Vertical	353	2.54	52.00	32.81	6.02	34.56

5.25-5.35GHz_802.11ax_HEW160_Nss1,(MCS0)_2TX

5250MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1432G	53.09	54.00	-0.91	4.23	3	Horizontal	48	2.27	48.86	33.00	5.85	34.62
AV	5.274G	93.33	Inf	-Inf	4.37	3	Horizontal	48	2.27	88.96	33.05	5.92	34.60
AV	5.3532G	51.13	54.00	-2.87	4.29	3	Horizontal	48	2.27	46.84	32.91	5.96	34.58
PK	5.1324G	64.36	74.00	-9.64	4.23	3	Horizontal	48	2.27	60.13	33.00	5.85	34.62
PK	5.2656G	103.55	Inf	-Inf	4.39	3	Horizontal	48	2.27	99.16	33.07	5.92	34.60
PK	5.3532G	60.76	74.00	-13.24	4.29	3	Horizontal	48	2.27	56.47	32.91	5.96	34.58
PK	5.4888G	56.19	68.20	-12.01	4.28	3	Horizontal	48	2.27	51.91	32.82	6.02	34.56



5.25-5.35GHz_802.11ax HEW160_Nss1,(MCS0)_2TX


5250MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.52592G	53.14	68.20	-15.06	12.33	3	Vertical	164	1.90	40.81	38.95	8.09	34.71

5.25-5.35GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

5250MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.46992G	53.27	68.20	-14.93	12.28	3	Horizontal	151	1.97	40.99	38.96	8.07	34.75



5.47-5.725GHz_802.11ax HEW160_Nss1,(MCS0)_2TX


5570MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4572G	52.32	54.00	-1.68	4.33	3	Vertical	18	2.60	47.99	32.89	6.01	34.57
AV	5.5892G	95.52	Inf	-Inf	4.39	3	Vertical	18	2.60	91.13	32.88	6.06	34.55
PK	5.35G	56.97	68.20	-11.23	4.28	3	Vertical	18	2.60	52.69	32.90	5.96	34.58
PK	5.4572G	62.15	74.00	-11.85	4.33	3	Vertical	18	2.60	57.82	32.89	6.01	34.57
PK	5.468G	64.61	68.20	-3.59	4.30	3	Vertical	18	2.60	60.31	32.86	6.01	34.57
PK	5.5892G	105.22	Inf	-Inf	4.39	3	Vertical	18	2.60	100.83	32.88	6.06	34.55
PK	5.7272G	61.41	68.20	-6.79	5.17	3	Vertical	18	2.60	56.24	33.56	6.15	34.54

5.47-5.725GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

5570MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4548G	53.27	54.00	-0.73	4.33	3	Horizontal	44	2.60	48.94	32.89	6.01	34.57
AV	5.5856G	95.44	Inf	-Inf	4.37	3	Horizontal	44	2.60	91.07	32.87	6.05	34.55
PK	5.3024G	56.60	68.20	-11.60	4.35	3	Horizontal	44	2.60	52.25	33.00	5.94	34.59
PK	5.4356G	63.63	74.00	-10.37	4.36	3	Horizontal	44	2.60	59.27	32.93	6.00	34.57
PK	5.4644G	63.99	68.20	-4.21	4.31	3	Horizontal	44	2.60	59.68	32.87	6.01	34.57
PK	5.5856G	105.31	Inf	-Inf	4.37	3	Horizontal	44	2.60	100.94	32.87	6.05	34.55
PK	5.7356G	61.33	68.20	-6.87	5.22	3	Horizontal	44	2.60	56.11	33.61	6.15	34.54



5.47-5.725GHz_802.11ax HEW160_Nss1,(MCS0)_2TX


5570MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.0712G	42.61	54.00	-11.39	12.57	3	Vertical	245	1.24	30.04	38.83	8.32	34.58
PK	11.14576G	52.77	74.00	-21.23	12.62	3	Vertical	245	1.24	40.15	38.85	8.35	34.58

5.47-5.725GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

5570MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.0712G	42.55	54.00	-11.45	12.57	3	Horizontal	156	2.48	29.98	38.83	8.32	34.58
PK	11.12528G	52.35	74.00	-21.65	12.59	3	Horizontal	156	2.48	39.76	38.83	8.34	34.58



Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX	Pass	AV	5.3518G	45.15	54.00	-8.85	3	Vertical	197	2.79
802.11ax HEW20_Nss1,(MCS0)_2TX	Pass	AV	5.3502G	44.53	54.00	-9.47	3	Horizontal	164	1.02
802.11ax HEW40_Nss1,(MCS0)_2TX	Pass	AV	5.35G	49.40	54.00	-4.60	3	Vertical	213	2.93
802.11ax HEW80_Nss1,(MCS0)_2TX	Pass	AV	5.355G	51.77	54.00	-2.23	3	Horizontal	63	2.65
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX	Pass	PK	5.7264G	62.33	68.20	-5.87	3	Horizontal	324	2.78
802.11ax HEW20_Nss1,(MCS0)_2TX	Pass	PK	5.7252G	62.50	68.20	-5.70	3	Horizontal	314	2.21
802.11ax HEW40_Nss1,(MCS0)_2TX	Pass	PK	5.4676G	67.41	68.20	-0.79	3	Horizontal	64	2.67
802.11ax HEW80_Nss1,(MCS0)_2TX	Pass	PK	5.464G	66.61	68.20	-1.59	3	Horizontal	324	2.75



Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11a_Nss1,(6Mbps)_2TX	-	-	-	-	-	-	-	-	-	-
5260MHz	Pass	AV	5.1454G	43.11	54.00	-10.89	3	Vertical	190	2.83
5260MHz	Pass	AV	5.2624G	104.67	Inf	-Inf	3	Vertical	190	2.83
5260MHz	Pass	AV	5.4088G	44.10	54.00	-9.90	3	Vertical	190	2.83
5260MHz	Pass	PK	5.122G	56.60	74.00	-17.40	3	Vertical	190	2.83
5260MHz	Pass	PK	5.2624G	114.73	Inf	-Inf	3	Vertical	190	2.83
5260MHz	Pass	PK	5.392G	57.85	74.00	-16.15	3	Vertical	190	2.83
5260MHz	Pass	AV	5.1358G	43.39	54.00	-10.61	3	Horizontal	161	1.00
5260MHz	Pass	AV	5.2594G	102.37	Inf	-Inf	3	Horizontal	161	1.00
5260MHz	Pass	AV	5.3728G	43.76	54.00	-10.24	3	Horizontal	161	1.00
5260MHz	Pass	PK	5.1406G	56.53	74.00	-17.47	3	Horizontal	161	1.00
5260MHz	Pass	PK	5.254G	112.46	Inf	-Inf	3	Horizontal	161	1.00
5260MHz	Pass	PK	5.3644G	57.51	74.00	-16.49	3	Horizontal	161	1.00
5260MHz	Pass	PK	10.52594G	49.45	68.20	-18.75	3	Vertical	360	1.50
5260MHz	Pass	PK	10.50902G	49.73	68.20	-18.47	3	Horizontal	322	1.06
5300MHz	Pass	AV	5.3032G	104.47	Inf	-Inf	3	Vertical	184	2.79
5300MHz	Pass	AV	5.3992G	43.72	54.00	-10.28	3	Vertical	184	2.79
5300MHz	Pass	PK	5.304G	114.50	Inf	-Inf	3	Vertical	184	2.79
5300MHz	Pass	PK	5.366G	57.26	74.00	-16.74	3	Vertical	184	2.79
5300MHz	Pass	AV	5.3012G	102.98	Inf	-Inf	3	Horizontal	156	1.03
5300MHz	Pass	AV	5.3748G	43.77	54.00	-10.23	3	Horizontal	156	1.03
5300MHz	Pass	PK	5.2968G	113.38	Inf	-Inf	3	Horizontal	156	1.03
5300MHz	Pass	PK	5.3688G	57.24	74.00	-16.76	3	Horizontal	156	1.03
5300MHz	Pass	AV	10.60432G	37.52	54.00	-16.48	3	Vertical	70	1.50
5300MHz	Pass	PK	10.6075G	50.32	74.00	-23.68	3	Vertical	70	1.50
5300MHz	Pass	AV	10.6087G	37.54	54.00	-16.46	3	Horizontal	289	1.50
5300MHz	Pass	PK	10.60288G	50.48	74.00	-23.52	3	Horizontal	289	1.50
5320MHz	Pass	AV	5.3174G	104.28	Inf	-Inf	3	Vertical	197	2.79
5320MHz	Pass	AV	5.3518G	45.15	54.00	-8.85	3	Vertical	197	2.79
5320MHz	Pass	PK	5.3174G	114.93	Inf	-Inf	3	Vertical	197	2.79
5320MHz	Pass	PK	5.3528G	58.24	74.00	-15.76	3	Vertical	197	2.79
5320MHz	Pass	AV	5.319G	102.83	Inf	-Inf	3	Horizontal	162	1.00
5320MHz	Pass	AV	5.35G	44.98	54.00	-9.02	3	Horizontal	162	1.00
5320MHz	Pass	PK	5.3238G	112.87	Inf	-Inf	3	Horizontal	162	1.00
5320MHz	Pass	PK	5.3534G	57.91	74.00	-16.09	3	Horizontal	162	1.00
5320MHz	Pass	AV	10.64444G	37.67	54.00	-16.33	3	Vertical	301	1.50
5320MHz	Pass	PK	10.63226G	49.96	74.00	-24.04	3	Vertical	301	1.50
5320MHz	Pass	AV	10.63478G	37.92	54.00	-16.08	3	Horizontal	15	1.32
5320MHz	Pass	PK	10.62614G	50.93	74.00	-23.07	3	Horizontal	15	1.32
5500MHz	Pass	AV	5.4588G	44.93	54.00	-9.07	3	Vertical	182	2.77
5500MHz	Pass	AV	5.498G	104.55	Inf	-Inf	3	Vertical	182	2.77
5500MHz	Pass	PK	5.4688G	59.42	68.20	-8.78	3	Vertical	182	2.77
5500MHz	Pass	PK	5.4982G	114.97	Inf	-Inf	3	Vertical	182	2.77
5500MHz	Pass	AV	5.4596G	44.94	54.00	-9.06	3	Horizontal	63	2.69
5500MHz	Pass	AV	5.499G	106.08	Inf	-Inf	3	Horizontal	63	2.69
5500MHz	Pass	PK	5.4692G	60.15	68.20	-8.05	3	Horizontal	63	2.69
5500MHz	Pass	PK	5.5044G	116.08	Inf	-Inf	3	Horizontal	63	2.69
5500MHz	Pass	AV	11.00228G	37.83	54.00	-16.17	3	Vertical	318	2.19
5500MHz	Pass	PK	11.00648G	49.92	74.00	-24.08	3	Vertical	318	2.19
5500MHz	Pass	AV	10.99964G	37.88	54.00	-16.12	3	Horizontal	360	1.50
5500MHz	Pass	PK	11.00036G	50.65	74.00	-23.35	3	Horizontal	360	1.50
5580MHz	Pass	AV	5.4426G	44.32	54.00	-9.68	3	Vertical	191	2.95
5580MHz	Pass	AV	5.577G	105.31	Inf	-Inf	3	Vertical	191	2.95
5580MHz	Pass	PK	5.4642G	56.71	68.20	-11.49	3	Vertical	191	2.95
5580MHz	Pass	PK	5.577G	115.71	Inf	-Inf	3	Vertical	191	2.95
5580MHz	Pass	PK	5.73G	57.32	68.20	-10.88	3	Vertical	191	2.95
5580MHz	Pass	AV	5.4498G	44.21	54.00	-9.79	3	Horizontal	63	2.75
5580MHz	Pass	AV	5.5764G	105.53	Inf	-Inf	3	Horizontal	63	2.75
5580MHz	Pass	PK	5.4618G	56.72	68.20	-11.48	3	Horizontal	63	2.75
5580MHz	Pass	PK	5.5764G	115.94	Inf	-Inf	3	Horizontal	63	2.75
5580MHz	Pass	PK	5.7288G	57.34	68.20	-10.86	3	Horizontal	63	2.75



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5580MHz	Pass	AV	11.16348G	37.81	54.00	-16.19	3	Vertical	3	1.50
5580MHz	Pass	PK	11.15862G	49.79	74.00	-24.21	3	Vertical	3	1.50
5580MHz	Pass	AV	11.16372G	37.95	54.00	-16.05	3	Horizontal	104	1.50
5580MHz	Pass	PK	11.1693G	50.49	74.00	-23.51	3	Horizontal	104	1.50
5700MHz	Pass	AV	5.6968G	105.31	Inf	-Inf	3	Vertical	193	3.00
5700MHz	Pass	PK	5.6968G	115.85	Inf	-Inf	3	Vertical	193	3.00
5700MHz	Pass	PK	5.7268G	60.08	68.20	-8.12	3	Vertical	193	3.00
5700MHz	Pass	AV	5.7012G	104.66	Inf	-Inf	3	Horizontal	324	2.78
5700MHz	Pass	PK	5.6968G	115.59	Inf	-Inf	3	Horizontal	324	2.78
5700MHz	Pass	PK	5.7264G	62.33	68.20	-5.87	3	Horizontal	324	2.78
5700MHz	Pass	AV	11.41188G	38.59	54.00	-15.41	3	Vertical	171	1.99
5700MHz	Pass	PK	11.40408G	51.20	74.00	-22.80	3	Vertical	171	1.99
5700MHz	Pass	AV	11.40192G	38.38	54.00	-15.62	3	Horizontal	334	2.14
5700MHz	Pass	PK	11.40948G	51.17	74.00	-22.83	3	Horizontal	334	2.14
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.4236G	44.26	54.00	-9.74	3	Vertical	186	2.94
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.7236G	104.88	Inf	-Inf	3	Vertical	186	2.94
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4656G	56.84	68.20	-11.36	3	Vertical	186	2.94
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.7236G	114.60	Inf	-Inf	3	Vertical	186	2.94
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.9048G	59.25	68.20	-8.95	3	Vertical	186	2.94
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.4356G	44.02	54.00	-9.98	3	Horizontal	324	2.74
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.7236G	105.15	Inf	-Inf	3	Horizontal	324	2.74
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4608G	56.48	68.20	-11.72	3	Horizontal	324	2.74
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.7188G	115.27	Inf	-Inf	3	Horizontal	324	2.74
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.8772G	58.86	68.20	-9.34	3	Horizontal	324	2.74
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.43478G	38.12	54.00	-15.88	3	Vertical	155	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.4356G	50.31	74.00	-23.69	3	Vertical	155	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.42662G	38.52	54.00	-15.48	3	Horizontal	3	1.01
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.42608G	51.63	74.00	-22.37	3	Horizontal	3	1.01
802.11ax HEW20_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5260MHz	Pass	AV	5.1358G	42.72	54.00	-11.28	3	Vertical	192	2.84
5260MHz	Pass	AV	5.2588G	103.08	Inf	-Inf	3	Vertical	192	2.84
5260MHz	Pass	AV	5.3974G	43.55	54.00	-10.45	3	Vertical	192	2.84
5260MHz	Pass	PK	5.1214G	55.94	74.00	-18.06	3	Vertical	192	2.84
5260MHz	Pass	PK	5.2588G	116.78	Inf	-Inf	3	Vertical	192	2.84
5260MHz	Pass	PK	5.3806G	57.32	74.00	-16.68	3	Vertical	192	2.84
5260MHz	Pass	AV	5.1358G	43.02	54.00	-10.98	3	Horizontal	161	1.00
5260MHz	Pass	AV	5.263G	101.22	Inf	-Inf	3	Horizontal	161	1.00
5260MHz	Pass	AV	5.3788G	43.43	54.00	-10.57	3	Horizontal	161	1.00
5260MHz	Pass	PK	5.1352G	56.34	74.00	-17.66	3	Horizontal	161	1.00
5260MHz	Pass	PK	5.2624G	115.11	Inf	-Inf	3	Horizontal	161	1.00
5260MHz	Pass	PK	5.3764G	57.65	74.00	-16.35	3	Horizontal	161	1.00
5260MHz	Pass	PK	10.50572G	48.94	68.20	-19.26	3	Vertical	140	1.24
5260MHz	Pass	PK	10.5116G	48.77	68.20	-19.43	3	Horizontal	134	1.70
5300MHz	Pass	AV	5.2952G	103.03	Inf	-Inf	3	Vertical	197	2.82
5300MHz	Pass	AV	5.3996G	43.32	54.00	-10.68	3	Vertical	197	2.82
5300MHz	Pass	PK	5.2948G	116.25	Inf	-Inf	3	Vertical	197	2.82
5300MHz	Pass	PK	5.3604G	56.86	74.00	-17.14	3	Vertical	197	2.82
5300MHz	Pass	AV	5.2984G	101.26	Inf	-Inf	3	Horizontal	163	1.03
5300MHz	Pass	AV	5.374G	43.20	54.00	-10.80	3	Horizontal	163	1.03
5300MHz	Pass	PK	5.2976G	114.74	Inf	-Inf	3	Horizontal	163	1.03
5300MHz	Pass	PK	5.3796G	56.87	74.00	-17.13	3	Horizontal	163	1.03
5300MHz	Pass	AV	10.60924G	36.80	54.00	-17.20	3	Vertical	204	2.55
5300MHz	Pass	PK	10.6075G	48.97	74.00	-25.03	3	Vertical	204	2.55
5300MHz	Pass	AV	10.61248G	36.79	54.00	-17.21	3	Horizontal	135	2.71
5300MHz	Pass	PK	10.60906G	48.92	74.00	-25.08	3	Horizontal	135	2.71
5320MHz	Pass	AV	5.316G	102.64	Inf	-Inf	3	Vertical	199	2.79
5320MHz	Pass	AV	5.355G	44.26	54.00	-9.74	3	Vertical	199	2.79
5320MHz	Pass	PK	5.3152G	116.19	Inf	-Inf	3	Vertical	199	2.79
5320MHz	Pass	PK	5.3562G	57.93	74.00	-16.07	3	Vertical	199	2.79
5320MHz	Pass	AV	5.3188G	101.55	Inf	-Inf	3	Horizontal	164	1.02
5320MHz	Pass	AV	5.3502G	44.53	54.00	-9.47	3	Horizontal	164	1.02
5320MHz	Pass	PK	5.3182G	115.09	Inf	-Inf	3	Horizontal	164	1.02



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5320MHz	Pass	PK	5.35G	57.41	74.00	-16.59	3	Horizontal	164	1.02
5320MHz	Pass	AV	10.64G	37.04	54.00	-16.96	3	Vertical	2	2.94
5320MHz	Pass	PK	10.63568G	49.52	74.00	-24.48	3	Vertical	2	2.94
5320MHz	Pass	AV	10.64024G	37.17	54.00	-16.83	3	Horizontal	245	2.48
5320MHz	Pass	PK	10.64216G	49.51	74.00	-24.49	3	Horizontal	245	2.48
5500MHz	Pass	AV	5.46G	44.13	54.00	-9.87	3	Vertical	183	2.76
5500MHz	Pass	AV	5.5014G	103.45	Inf	-Inf	3	Vertical	183	2.76
5500MHz	Pass	PK	5.4612G	58.56	68.20	-9.64	3	Vertical	183	2.76
5500MHz	Pass	PK	5.5028G	117.41	Inf	-Inf	3	Vertical	183	2.76
5500MHz	Pass	AV	5.4548G	44.30	54.00	-9.70	3	Horizontal	63	2.57
5500MHz	Pass	AV	5.5036G	104.64	Inf	-Inf	3	Horizontal	63	2.57
5500MHz	Pass	PK	5.4648G	59.34	68.20	-8.86	3	Horizontal	63	2.57
5500MHz	Pass	PK	5.5026G	118.50	Inf	-Inf	3	Horizontal	63	2.57
5500MHz	Pass	AV	10.98842G	37.19	54.00	-16.81	3	Vertical	328	1.67
5500MHz	Pass	PK	11.00624G	48.99	74.00	-25.01	3	Vertical	328	1.67
5500MHz	Pass	AV	10.99922G	37.06	54.00	-16.94	3	Horizontal	104	2.35
5500MHz	Pass	PK	10.99346G	49.32	74.00	-24.68	3	Horizontal	104	2.35
5580MHz	Pass	AV	5.4336G	43.74	54.00	-10.26	3	Vertical	189	2.96
5580MHz	Pass	AV	5.5776G	104.14	Inf	-Inf	3	Vertical	189	2.96
5580MHz	Pass	PK	5.4612G	56.06	68.20	-12.14	3	Vertical	189	2.96
5580MHz	Pass	PK	5.5788G	116.93	Inf	-Inf	3	Vertical	189	2.96
5580MHz	Pass	PK	5.73G	57.19	68.20	-11.01	3	Vertical	189	2.96
5580MHz	Pass	AV	5.445G	43.49	54.00	-10.51	3	Horizontal	64	2.75
5580MHz	Pass	AV	5.5782G	104.12	Inf	-Inf	3	Horizontal	64	2.75
5580MHz	Pass	PK	5.4654G	56.73	68.20	-11.47	3	Horizontal	64	2.75
5580MHz	Pass	PK	5.5794G	117.22	Inf	-Inf	3	Horizontal	64	2.75
5580MHz	Pass	PK	5.7252G	57.57	68.20	-10.63	3	Horizontal	64	2.75
5580MHz	Pass	AV	11.15556G	37.17	54.00	-16.83	3	Vertical	339	2.35
5580MHz	Pass	PK	11.16906G	50.41	74.00	-23.59	3	Vertical	339	2.35
5580MHz	Pass	AV	11.15724G	37.15	54.00	-16.85	3	Horizontal	162	2.13
5580MHz	Pass	PK	11.15532G	49.97	74.00	-24.03	3	Horizontal	162	2.13
5700MHz	Pass	AV	5.692G	103.67	Inf	-Inf	3	Vertical	185	2.98
5700MHz	Pass	PK	5.7024G	116.59	Inf	-Inf	3	Vertical	185	2.98
5700MHz	Pass	PK	5.73G	59.57	68.20	-8.63	3	Vertical	185	2.98
5700MHz	Pass	AV	5.6948G	101.60	Inf	-Inf	3	Horizontal	314	2.21
5700MHz	Pass	PK	5.6948G	115.08	Inf	-Inf	3	Horizontal	314	2.21
5700MHz	Pass	PK	5.7252G	62.50	68.20	-5.70	3	Horizontal	314	2.21
5700MHz	Pass	AV	11.41308G	37.80	54.00	-16.20	3	Vertical	6	2.77
5700MHz	Pass	PK	11.38902G	50.87	74.00	-23.13	3	Vertical	6	2.77
5700MHz	Pass	AV	11.40558G	37.77	54.00	-16.23	3	Horizontal	26	1.63
5700MHz	Pass	PK	11.40336G	50.64	74.00	-23.36	3	Horizontal	26	1.63
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.4236G	44.03	54.00	-9.97	3	Vertical	187	2.96
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.7176G	104.26	Inf	-Inf	3	Vertical	187	2.96
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4656G	56.96	68.20	-11.24	3	Vertical	187	2.96
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.7176G	117.80	Inf	-Inf	3	Vertical	187	2.96
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.9672G	59.13	68.20	-9.07	3	Vertical	187	2.96
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.4236G	43.96	54.00	-10.04	3	Horizontal	63	2.68
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.7176G	104.29	Inf	-Inf	3	Horizontal	63	2.68
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.468G	57.11	68.20	-11.09	3	Horizontal	63	2.68
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.7176G	116.57	Inf	-Inf	3	Horizontal	63	2.68
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.924G	59.44	68.20	-8.76	3	Horizontal	63	2.68
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.4301G	37.70	54.00	-16.30	3	Vertical	203	2.78
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.43154G	50.41	74.00	-23.59	3	Vertical	203	2.78
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.44012G	37.68	54.00	-16.32	3	Horizontal	41	1.27
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.43958G	51.12	74.00	-22.88	3	Horizontal	41	1.27
802.11ax HEW40_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5270MHz	Pass	AV	5.268G	101.26	Inf	-Inf	3	Vertical	213	2.98
5270MHz	Pass	AV	5.3576G	43.43	54.00	-10.57	3	Vertical	213	2.98
5270MHz	Pass	PK	5.2692G	114.33	Inf	-Inf	3	Vertical	213	2.98
5270MHz	Pass	PK	5.3652G	57.37	74.00	-16.63	3	Vertical	213	2.98
5270MHz	Pass	AV	5.2744G	102.57	Inf	-Inf	3	Horizontal	63	2.64
5270MHz	Pass	AV	5.3532G	43.97	54.00	-10.03	3	Horizontal	63	2.64



RSE TX above 1GHz_C330E_Radio 0

Appendix D.3

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5270MHz	Pass	PK	5.2744G	116.62	Inf	-Inf	3	Horizontal	63	2.64
5270MHz	Pass	PK	5.3612G	57.27	74.00	-16.73	3	Horizontal	63	2.64
5270MHz	Pass	PK	10.53304G	49.59	68.20	-18.61	3	Vertical	346	1.50
5270MHz	Pass	PK	10.54498G	50.39	68.20	-17.81	3	Horizontal	202	2.16
5310MHz	Pass	AV	5.3084G	101.07	Inf	-Inf	3	Vertical	213	2.93
5310MHz	Pass	AV	5.35G	49.40	54.00	-4.60	3	Vertical	213	2.93
5310MHz	Pass	PK	5.3076G	114.31	Inf	-Inf	3	Vertical	213	2.93
5310MHz	Pass	PK	5.3504G	63.71	74.00	-10.29	3	Vertical	213	2.93
5310MHz	Pass	AV	5.318G	99.04	Inf	-Inf	3	Horizontal	162	1.00
5310MHz	Pass	AV	5.35G	48.94	54.00	-5.06	3	Horizontal	162	1.00
5310MHz	Pass	PK	5.3084G	113.49	Inf	-Inf	3	Horizontal	162	1.00
5310MHz	Pass	PK	5.35G	64.53	74.00	-9.47	3	Horizontal	162	1.00
5310MHz	Pass	AV	10.63122G	36.94	54.00	-17.06	3	Vertical	185	1.00
5310MHz	Pass	PK	10.6152G	49.27	74.00	-24.73	3	Vertical	185	1.00
5310MHz	Pass	AV	10.60986G	36.85	54.00	-17.15	3	Horizontal	208	1.05
5310MHz	Pass	PK	10.6227G	49.83	74.00	-24.17	3	Horizontal	208	1.05
5510MHz	Pass	AV	5.46G	45.31	54.00	-8.69	3	Vertical	213	2.75
5510MHz	Pass	AV	5.5028G	99.96	Inf	-Inf	3	Vertical	213	2.75
5510MHz	Pass	PK	5.4644G	63.75	68.20	-4.45	3	Vertical	213	2.75
5510MHz	Pass	PK	5.512G	114.47	Inf	-Inf	3	Vertical	213	2.75
5510MHz	Pass	AV	5.4588G	47.46	54.00	-6.54	3	Horizontal	64	2.67
5510MHz	Pass	AV	5.508G	102.10	Inf	-Inf	3	Horizontal	64	2.67
5510MHz	Pass	PK	5.4676G	67.41	68.20	-0.79	3	Horizontal	64	2.67
5510MHz	Pass	PK	5.498G	115.25	Inf	-Inf	3	Horizontal	64	2.67
5510MHz	Pass	AV	11.00554G	37.10	54.00	-16.90	3	Vertical	187	2.06
5510MHz	Pass	PK	11.02414G	50.06	74.00	-23.94	3	Vertical	187	2.06
5510MHz	Pass	AV	11.0098G	37.11	54.00	-16.89	3	Horizontal	194	1.15
5510MHz	Pass	PK	11.02012G	49.03	74.00	-24.97	3	Horizontal	194	1.15
5550MHz	Pass	AV	5.4596G	44.52	54.00	-9.48	3	Vertical	169	1.36
5550MHz	Pass	AV	5.548G	100.73	Inf	-Inf	3	Vertical	169	1.36
5550MHz	Pass	PK	5.4684G	57.92	68.20	-10.28	3	Vertical	169	1.36
5550MHz	Pass	PK	5.5488G	113.89	Inf	-Inf	3	Vertical	169	1.36
5550MHz	Pass	AV	5.4576G	43.99	54.00	-10.01	3	Horizontal	249	1.00
5550MHz	Pass	AV	5.5452G	99.98	Inf	-Inf	3	Horizontal	249	1.00
5550MHz	Pass	PK	5.4672G	57.72	68.20	-10.48	3	Horizontal	249	1.00
5550MHz	Pass	PK	5.5456G	113.02	Inf	-Inf	3	Horizontal	249	1.00
5550MHz	Pass	AV	11.10576G	36.97	54.00	-17.03	3	Vertical	273	2.25
5550MHz	Pass	PK	11.10648G	49.18	74.00	-24.82	3	Vertical	273	2.25
5550MHz	Pass	AV	11.1009G	36.91	54.00	-17.09	3	Horizontal	243	1.83
5550MHz	Pass	PK	11.10648G	49.31	74.00	-24.69	3	Horizontal	243	1.83
5670MHz	Pass	AV	5.667G	101.34	Inf	-Inf	3	Vertical	185	3.00
5670MHz	Pass	PK	5.6772G	114.87	Inf	-Inf	3	Vertical	185	3.00
5670MHz	Pass	PK	5.7276G	61.56	68.20	-6.64	3	Vertical	185	3.00
5670MHz	Pass	AV	5.6676G	99.28	Inf	-Inf	3	Horizontal	66	2.11
5670MHz	Pass	PK	5.676G	112.73	Inf	-Inf	3	Horizontal	66	2.11
5670MHz	Pass	PK	5.7258G	60.96	68.20	-7.24	3	Horizontal	66	2.11
5670MHz	Pass	AV	11.32836G	37.34	54.00	-16.66	3	Vertical	182	1.77
5670MHz	Pass	PK	11.3454G	50.21	74.00	-23.79	3	Vertical	182	1.77
5670MHz	Pass	AV	11.33682G	37.44	54.00	-16.56	3	Horizontal	76	1.23
5670MHz	Pass	PK	11.33016G	49.90	74.00	-24.10	3	Horizontal	76	1.23
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.4232G	44.08	54.00	-9.92	3	Vertical	171	1.33
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.7136G	100.28	Inf	-Inf	3	Vertical	171	1.33
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.4652G	57.03	68.20	-11.17	3	Vertical	171	1.33
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.7124G	113.31	Inf	-Inf	3	Vertical	171	1.33
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.9344G	58.58	68.20	-9.62	3	Vertical	171	1.33
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.4232G	43.53	54.00	-10.47	3	Horizontal	317	2.20
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.7088G	99.50	Inf	-Inf	3	Horizontal	317	2.20
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.47G	56.76	68.20	-11.44	3	Horizontal	317	2.20
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.6992G	112.34	Inf	-Inf	3	Horizontal	317	2.20
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.9632G	58.64	68.20	-9.56	3	Horizontal	317	2.20
5710MHz Straddle 5.47-5.725GHz	Pass	AV	11.40554G	37.76	54.00	-16.24	3	Vertical	150	2.24
5710MHz Straddle 5.47-5.725GHz	Pass	PK	11.4215G	50.33	74.00	-23.67	3	Vertical	150	2.24




Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5710MHz Straddle 5.47-5.725GHz	Pass	AV	11.41094G	37.75	54.00	-16.25	3	Horizontal	228	1.62
5710MHz Straddle 5.47-5.725GHz	Pass	PK	11.41568G	50.36	74.00	-23.64	3	Horizontal	228	1.62
802.11ax HEW80_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5290MHz	Pass	AV	5.136G	43.29	54.00	-10.71	3	Vertical	216	3.00
5290MHz	Pass	AV	5.269G	96.37	Inf	-Inf	3	Vertical	216	3.00
5290MHz	Pass	AV	5.35G	49.19	54.00	-4.81	3	Vertical	216	3.00
5290MHz	Pass	PK	5.045G	56.38	74.00	-17.62	3	Vertical	216	3.00
5290MHz	Pass	PK	5.259G	109.28	Inf	-Inf	3	Vertical	216	3.00
5290MHz	Pass	PK	5.36G	65.38	74.00	-8.62	3	Vertical	216	3.00
5290MHz	Pass	PK	5.487G	57.35	68.20	-10.85	3	Vertical	216	3.00
5290MHz	Pass	AV	5.136G	44.17	54.00	-9.83	3	Horizontal	63	2.65
5290MHz	Pass	AV	5.284G	99.01	Inf	-Inf	3	Horizontal	63	2.65
5290MHz	Pass	AV	5.355G	51.77	54.00	-2.23	3	Horizontal	63	2.65
5290MHz	Pass	PK	5.135G	58.11	74.00	-15.89	3	Horizontal	63	2.65
5290MHz	Pass	PK	5.294G	111.51	Inf	-Inf	3	Horizontal	63	2.65
5290MHz	Pass	PK	5.356G	68.12	74.00	-5.88	3	Horizontal	63	2.65
5290MHz	Pass	PK	5.538G	57.92	68.20	-10.28	3	Horizontal	63	2.65
5290MHz	Pass	PK	10.5749G	49.38	68.20	-18.82	3	Vertical	112	2.24
5290MHz	Pass	PK	10.5893G	49.63	68.20	-18.57	3	Horizontal	118	2.33
5530MHz	Pass	AV	5.454G	47.44	54.00	-6.56	3	Vertical	196	3.00
5530MHz	Pass	AV	5.535G	98.44	Inf	-Inf	3	Vertical	196	3.00
5530MHz	Pass	PK	5.465G	64.41	68.20	-3.79	3	Vertical	196	3.00
5530MHz	Pass	PK	5.513G	111.57	Inf	-Inf	3	Vertical	196	3.00
5530MHz	Pass	PK	5.749G	58.69	68.20	-9.51	3	Vertical	196	3.00
5530MHz	Pass	AV	5.453G	50.69	54.00	-3.31	3	Horizontal	324	2.75
5530MHz	Pass	AV	5.533G	98.15	Inf	-Inf	3	Horizontal	324	2.75
5530MHz	Pass	PK	5.464G	66.61	68.20	-1.59	3	Horizontal	324	2.75
5530MHz	Pass	PK	5.543G	111.90	Inf	-Inf	3	Horizontal	324	2.75
5530MHz	Pass	PK	5.771G	58.32	68.20	-9.88	3	Horizontal	324	2.75
5530MHz	Pass	AV	11.07272G	36.90	54.00	-17.10	3	Vertical	238	2.07
5530MHz	Pass	PK	11.06072G	49.52	74.00	-24.48	3	Vertical	238	2.07
5530MHz	Pass	AV	11.05304G	37.05	54.00	-16.95	3	Horizontal	134	1.35
5530MHz	Pass	PK	11.05274G	49.42	74.00	-24.58	3	Horizontal	134	1.35
5610MHz	Pass	AV	5.424G	44.69	54.00	-9.31	3	Vertical	188	2.96
5610MHz	Pass	AV	5.589G	98.25	Inf	-Inf	3	Vertical	188	2.96
5610MHz	Pass	PK	5.461G	58.24	68.20	-9.96	3	Vertical	188	2.96
5610MHz	Pass	PK	5.59G	110.85	Inf	-Inf	3	Vertical	188	2.96
5610MHz	Pass	PK	5.726G	60.40	68.20	-7.80	3	Vertical	188	2.96
5610MHz	Pass	AV	5.458G	44.73	54.00	-9.27	3	Horizontal	64	2.61
5610MHz	Pass	AV	5.598G	98.28	Inf	-Inf	3	Horizontal	64	2.61
5610MHz	Pass	PK	5.466G	58.62	68.20	-9.58	3	Horizontal	64	2.61
5610MHz	Pass	PK	5.598G	111.34	Inf	-Inf	3	Horizontal	64	2.61
5610MHz	Pass	PK	5.728G	59.77	68.20	-8.43	3	Horizontal	64	2.61
5610MHz	Pass	AV	11.22012G	37.21	54.00	-16.79	3	Vertical	51	1.32
5610MHz	Pass	PK	11.22258G	50.55	74.00	-23.45	3	Vertical	51	1.32
5610MHz	Pass	AV	11.22114G	37.22	54.00	-16.78	3	Horizontal	47	2.56
5610MHz	Pass	PK	11.21928G	49.39	74.00	-24.61	3	Horizontal	47	2.56
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.4236G	44.04	54.00	-9.96	3	Vertical	189	3.00
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.6888G	99.08	Inf	-Inf	3	Vertical	189	3.00
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.4656G	56.03	68.20	-12.17	3	Vertical	189	3.00
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.6876G	112.50	Inf	-Inf	3	Vertical	189	3.00
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.9264G	58.66	68.20	-9.54	3	Vertical	189	3.00
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.4236G	43.73	54.00	-10.27	3	Horizontal	316	2.10
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.6792G	96.64	Inf	-Inf	3	Horizontal	316	2.10
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.4644G	57.50	68.20	-10.70	3	Horizontal	316	2.10
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.6804G	109.60	Inf	-Inf	3	Horizontal	316	2.10
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.9408G	58.86	68.20	-9.34	3	Horizontal	316	2.10
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.38672G	37.64	54.00	-16.36	3	Vertical	33	1.84
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.36608G	49.52	74.00	-24.48	3	Vertical	33	1.84
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.39116G	37.79	54.00	-16.21	3	Horizontal	118	2.66
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.39158G	50.39	74.00	-23.61	3	Horizontal	118	2.66



5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX


5260MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1454G	43.11	54.00	-10.89	5.80	3	Vertical	190	2.83	37.31	33.10	6.84	34.14
AV	5.2624G	104.67	Inf	-Inf	5.75	3	Vertical	190	2.83	98.92	33.00	6.90	34.15
AV	5.4088G	44.10	54.00	-9.90	5.63	3	Vertical	190	2.83	38.47	32.90	6.90	34.17
PK	5.122G	56.60	74.00	-17.40	5.79	3	Vertical	190	2.83	50.81	33.10	6.82	34.13
PK	5.2624G	114.73	Inf	-Inf	5.75	3	Vertical	190	2.83	108.98	33.00	6.90	34.15
PK	5.392G	57.85	74.00	-16.15	5.62	3	Vertical	190	2.83	52.23	32.90	6.89	34.17

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5260MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1358G	43.39	54.00	-10.61	5.79	3	Horizontal	161	1.00	37.60	33.10	6.83	34.14
AV	5.2594G	102.37	Inf	-Inf	5.75	3	Horizontal	161	1.00	96.62	33.00	6.90	34.15
AV	5.3728G	43.76	54.00	-10.24	5.63	3	Horizontal	161	1.00	38.13	32.90	6.89	34.16
PK	5.1406G	56.53	74.00	-17.47	5.80	3	Horizontal	161	1.00	50.73	33.10	6.84	34.14
PK	5.254G	112.46	Inf	-Inf	5.75	3	Horizontal	161	1.00	106.71	33.00	6.90	34.15
PK	5.3644G	57.51	74.00	-16.49	5.63	3	Horizontal	161	1.00	51.88	32.90	6.89	34.16



5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX


5260MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.52594G	49.45	68.20	-18.75	16.09	3	Vertical	360	1.50	33.36	38.90	11.68	34.49

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5260MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.50902G	49.73	68.20	-18.47	16.08	3	Horizontal	322	1.06	33.65	38.90	11.68	34.50



5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX


5300MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3032G	104.47	Inf	-Inf	5.73	3	Vertical	184	2.79	98.74	32.99	6.90	34.16
AV	5.3992G	43.72	54.00	-10.28	5.62	3	Vertical	184	2.79	38.10	32.90	6.89	34.17
PK	5.304G	114.50	Inf	-Inf	5.73	3	Vertical	184	2.79	108.77	32.99	6.90	34.16
PK	5.366G	57.26	74.00	-16.74	5.63	3	Vertical	184	2.79	51.63	32.90	6.89	34.16

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5300MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3012G	102.98	Inf	-Inf	5.74	3	Horizontal	156	1.03	97.24	33.00	6.90	34.16
AV	5.3748G	43.77	54.00	-10.23	5.63	3	Horizontal	156	1.03	38.14	32.90	6.89	34.16
PK	5.2968G	113.38	Inf	-Inf	5.74	3	Horizontal	156	1.03	107.64	33.00	6.90	34.16
PK	5.3688G	57.24	74.00	-16.76	5.63	3	Horizontal	156	1.03	51.61	32.90	6.89	34.16



5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX


5300MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.60432G	37.52	54.00	-16.48	16.15	3	Vertical	70	1.50	21.37	38.91	11.68	34.44
PK	10.6075G	50.32	74.00	-23.68	16.17	3	Vertical	70	1.50	34.15	38.92	11.68	34.43

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5300MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.6087G	37.54	54.00	-16.46	16.18	3	Horizontal	289	1.50	21.36	38.93	11.68	34.43
PK	10.60288G	50.48	74.00	-23.52	16.15	3	Horizontal	289	1.50	34.33	38.91	11.68	34.44



5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX


5320MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3174G	104.28	Inf	-Inf	5.71	3	Vertical	197	2.79	98.57	32.97	6.90	34.16
AV	5.3518G	45.15	54.00	-8.85	5.63	3	Vertical	197	2.79	39.52	32.90	6.89	34.16
PK	5.3174G	114.93	Inf	-Inf	5.71	3	Vertical	197	2.79	109.22	32.97	6.90	34.16
PK	5.3528G	58.24	74.00	-15.76	5.63	3	Vertical	197	2.79	52.61	32.90	6.89	34.16

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5320MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.319G	102.83	Inf	-Inf	5.70	3	Horizontal	162	1.00	97.13	32.96	6.90	34.16
AV	5.35G	44.98	54.00	-9.02	5.63	3	Horizontal	162	1.00	39.35	32.90	6.89	34.16
PK	5.3238G	112.87	Inf	-Inf	5.69	3	Horizontal	162	1.00	107.18	32.95	6.90	34.16
PK	5.3534G	57.91	74.00	-16.09	5.63	3	Horizontal	162	1.00	52.28	32.90	6.89	34.16



5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX


5320MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.64444G	37.67	54.00	-16.33	16.31	3	Vertical	301	1.50	21.36	39.03	11.69	34.41
PK	10.63226G	49.96	74.00	-24.04	16.26	3	Vertical	301	1.50	33.70	39.00	11.68	34.42

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5320MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.63478G	37.92	54.00	-16.08	16.26	3	Horizontal	15	1.32	21.66	39.00	11.68	34.42
PK	10.62614G	50.93	74.00	-23.07	16.24	3	Horizontal	15	1.32	34.69	38.98	11.68	34.42



5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX


5500MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4588G	44.93	54.00	-9.07	5.70	3	Vertical	182	2.77	39.23	32.90	6.98	34.18
AV	5.498G	104.55	Inf	-Inf	5.77	3	Vertical	182	2.77	98.78	32.90	7.05	34.18
PK	5.4688G	59.42	68.20	-8.78	5.72	3	Vertical	182	2.77	53.70	32.90	7.00	34.18
PK	5.4982G	114.97	Inf	-Inf	5.77	3	Vertical	182	2.77	109.20	32.90	7.05	34.18

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5500MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4596G	44.94	54.00	-9.06	5.71	3	Horizontal	63	2.69	39.23	32.90	6.99	34.18
AV	5.499G	106.08	Inf	-Inf	5.77	3	Horizontal	63	2.69	100.31	32.90	7.05	34.18
PK	5.4692G	60.15	68.20	-8.05	5.72	3	Horizontal	63	2.69	54.43	32.90	7.00	34.18
PK	5.5044G	116.08	Inf	-Inf	5.78	3	Horizontal	63	2.69	110.30	32.90	7.06	34.18



5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX


5500MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.00228G	37.83	54.00	-16.17	16.55	3	Vertical	318	2.19	21.28	39.00	11.71	34.16
PK	11.00648G	49.92	74.00	-24.08	16.54	3	Vertical	318	2.19	33.38	38.99	11.71	34.16

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5500MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.99964G	37.88	54.00	-16.12	16.54	3	Horizontal	360	1.50	21.34	39.00	11.70	34.16
PK	11.00036G	50.65	74.00	-23.35	16.55	3	Horizontal	360	1.50	34.10	39.00	11.71	34.16



5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX


5580MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4426G	44.32	54.00	-9.68	5.69	3	Vertical	191	2.95	38.63	32.90	6.96	34.17
AV	5.577G	105.31	Inf	-Inf	5.93	3	Vertical	191	2.95	99.38	32.95	7.17	34.19
PK	5.4642G	56.71	68.20	-11.49	5.71	3	Vertical	191	2.95	51.00	32.90	6.99	34.18
PK	5.577G	115.71	Inf	-Inf	5.93	3	Vertical	191	2.95	109.78	32.95	7.17	34.19
PK	5.73G	57.32	68.20	-10.88	6.79	3	Vertical	191	2.95	50.53	33.72	7.27	34.20

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5580MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4498G	44.21	54.00	-9.79	5.70	3	Horizontal	63	2.75	38.51	32.90	6.97	34.17
AV	5.5764G	105.53	Inf	-Inf	5.93	3	Horizontal	63	2.75	99.60	32.95	7.17	34.19
PK	5.4618G	56.72	68.20	-11.48	5.71	3	Horizontal	63	2.75	51.01	32.90	6.99	34.18
PK	5.5764G	115.94	Inf	-Inf	5.93	3	Horizontal	63	2.75	110.01	32.95	7.17	34.19
PK	5.7288G	57.34	68.20	-10.86	6.79	3	Horizontal	63	2.75	50.55	33.72	7.27	34.20



5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX


5580MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.16348G	37.81	54.00	-16.19	16.54	3	Vertical	3	1.50	21.27	38.96	11.71	34.13
PK	11.15862G	49.79	74.00	-24.21	16.54	3	Vertical	3	1.50	33.25	38.96	11.71	34.13

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5580MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.16372G	37.95	54.00	-16.05	16.54	3	Horizontal	104	1.50	21.41	38.96	11.71	34.13
PK	11.1693G	50.49	74.00	-23.51	16.55	3	Horizontal	104	1.50	33.94	38.97	11.71	34.13



5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX


5700MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.6968G	105.31	Inf	-Inf	6.61	3	Vertical	193	3.00	98.70	33.56	7.25	34.20
PK	5.6968G	115.85	Inf	-Inf	6.61	3	Vertical	193	3.00	109.24	33.56	7.25	34.20
PK	5.7268G	60.08	68.20	-8.12	6.78	3	Vertical	193	3.00	53.30	33.71	7.27	34.20

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5700MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7012G	104.66	Inf	-Inf	6.66	3	Horizontal	324	2.78	98.00	33.60	7.26	34.20
PK	5.6968G	115.59	Inf	-Inf	6.61	3	Horizontal	324	2.78	108.98	33.56	7.25	34.20
PK	5.7264G	62.33	68.20	-5.87	6.78	3	Horizontal	324	2.78	55.55	33.71	7.27	34.20



5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX


5700MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.41188G	38.59	54.00	-15.41	16.84	3	Vertical	171	1.99	21.75	39.19	11.73	34.08
PK	11.40408G	51.20	74.00	-22.80	16.85	3	Vertical	171	1.99	34.35	39.20	11.73	34.08

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5700MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.40192G	38.38	54.00	-15.62	16.85	3	Horizontal	334	2.14	21.53	39.20	11.73	34.08
PK	11.40948G	51.17	74.00	-22.83	16.84	3	Horizontal	334	2.14	34.33	39.19	11.73	34.08



5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX


5720MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4236G	44.26	54.00	-9.74	5.66	3	Vertical	186	2.94	38.60	32.90	6.93	34.17
AV	5.7236G	104.88	Inf	-Inf	6.76	3	Vertical	186	2.94	98.12	33.69	7.27	34.20
PK	5.4656G	56.84	68.20	-11.36	5.71	3	Vertical	186	2.94	51.13	32.90	6.99	34.18
PK	5.7236G	114.60	Inf	-Inf	6.76	3	Vertical	186	2.94	107.84	33.69	7.27	34.20
PK	5.9048G	59.25	68.20	-8.95	7.50	3	Vertical	186	2.94	51.75	34.29	7.42	34.21

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4356G	44.02	54.00	-9.98	5.68	3	Horizontal	324	2.74	38.34	32.90	6.95	34.17
AV	5.7236G	105.15	Inf	-Inf	6.76	3	Horizontal	324	2.74	98.39	33.69	7.27	34.20
PK	5.4608G	56.48	68.20	-11.72	5.71	3	Horizontal	324	2.74	50.77	32.90	6.99	34.18
PK	5.7188G	115.27	Inf	-Inf	6.74	3	Horizontal	324	2.74	108.53	33.68	7.26	34.20
PK	5.8772G	58.86	68.20	-9.34	7.38	3	Horizontal	324	2.74	51.48	34.21	7.38	34.21



5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX


5720MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.43478G	38.12	54.00	-15.88	16.83	3	Vertical	155	1.50	21.29	39.17	11.73	34.07
PK	11.43556G	50.31	74.00	-23.69	16.82	3	Vertical	155	1.50	33.49	39.16	11.73	34.07

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.42662G	38.52	54.00	-15.48	16.83	3	Horizontal	3	1.01	21.69	39.17	11.73	34.07
PK	11.42608G	51.63	74.00	-22.37	16.83	3	Horizontal	3	1.01	34.80	39.17	11.73	34.07



5.25-5.35GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


5260MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1358G	42.72	54.00	-11.28	5.79	3	Vertical	192	2.84	36.93	33.10	6.83	34.14
AV	5.2588G	103.08	Inf	-Inf	5.75	3	Vertical	192	2.84	97.33	33.00	6.90	34.15
AV	5.3974G	43.55	54.00	-10.45	5.62	3	Vertical	192	2.84	37.93	32.90	6.89	34.17
PK	5.1214G	55.94	74.00	-18.06	5.79	3	Vertical	192	2.84	50.15	33.10	6.82	34.13
PK	5.2588G	116.78	Inf	-Inf	5.75	3	Vertical	192	2.84	111.03	33.00	6.90	34.15
PK	5.3806G	57.32	74.00	-16.68	5.62	3	Vertical	192	2.84	51.70	32.90	6.89	34.17

5.25-5.35GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5260MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1358G	43.02	54.00	-10.98	5.79	3	Horizontal	161	1.00	37.23	33.10	6.83	34.14
AV	5.263G	101.22	Inf	-Inf	5.75	3	Horizontal	161	1.00	95.47	33.00	6.90	34.15
AV	5.3788G	43.43	54.00	-10.57	5.62	3	Horizontal	161	1.00	37.81	32.90	6.89	34.17
PK	5.1352G	56.34	74.00	-17.66	5.79	3	Horizontal	161	1.00	50.55	33.10	6.83	34.14
PK	5.2624G	115.11	Inf	-Inf	5.75	3	Horizontal	161	1.00	109.36	33.00	6.90	34.15
PK	5.3764G	57.65	74.00	-16.35	5.62	3	Horizontal	161	1.00	52.03	32.90	6.89	34.17



5.25-5.35GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


5260MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.50572G	48.94	68.20	-19.26	16.07	3	Vertical	140	1.24	32.87	38.90	11.68	34.51

5.25-5.35GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5260MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.5116G	48.77	68.20	-19.43	16.08	3	Horizontal	134	1.70	32.69	38.90	11.68	34.50



5.25-5.35GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


5300MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.2952G	103.03	Inf	-Inf	5.74	3	Vertical	197	2.82	97.29	33.00	6.90	34.16
AV	5.3996G	43.32	54.00	-10.68	5.62	3	Vertical	197	2.82	37.70	32.90	6.89	34.17
PK	5.2948G	116.25	Inf	-Inf	5.74	3	Vertical	197	2.82	110.51	33.00	6.90	34.16
PK	5.3604G	56.86	74.00	-17.14	5.63	3	Vertical	197	2.82	51.23	32.90	6.89	34.16

5.25-5.35GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5300MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.2984G	101.26	Inf	-Inf	5.74	3	Horizontal	163	1.03	95.52	33.00	6.90	34.16
AV	5.374G	43.20	54.00	-10.80	5.63	3	Horizontal	163	1.03	37.57	32.90	6.89	34.16
PK	5.2976G	114.74	Inf	-Inf	5.74	3	Horizontal	163	1.03	109.00	33.00	6.90	34.16
PK	5.3796G	56.87	74.00	-17.13	5.62	3	Horizontal	163	1.03	51.25	32.90	6.89	34.17



5.25-5.35GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX


5300MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.60924G	36.80	54.00	-17.20	16.18	3	Vertical	204	2.55	20.62	38.93	11.68	34.43
PK	10.6075G	48.97	74.00	-25.03	16.17	3	Vertical	204	2.55	32.80	38.92	11.68	34.43

5.25-5.35GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX

5300MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.61248G	36.79	54.00	-17.21	16.19	3	Horizontal	135	2.71	20.60	38.94	11.68	34.43
PK	10.60906G	48.92	74.00	-25.08	16.18	3	Horizontal	135	2.71	32.74	38.93	11.68	34.43



5.25-5.35GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX


5320MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.316G	102.64	Inf	-Inf	5.71	3	Vertical	199	2.79	96.93	32.97	6.90	34.16
AV	5.355G	44.26	54.00	-9.74	5.63	3	Vertical	199	2.79	38.63	32.90	6.89	34.16
PK	5.3152G	116.19	Inf	-Inf	5.71	3	Vertical	199	2.79	110.48	32.97	6.90	34.16
PK	5.3562G	57.93	74.00	-16.07	5.63	3	Vertical	199	2.79	52.30	32.90	6.89	34.16

5.25-5.35GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX

5320MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3188G	101.55	Inf	-Inf	5.70	3	Horizontal	164	1.02	95.85	32.96	6.90	34.16
AV	5.3502G	44.53	54.00	-9.47	5.63	3	Horizontal	164	1.02	38.90	32.90	6.89	34.16
PK	5.3182G	115.09	Inf	-Inf	5.70	3	Horizontal	164	1.02	109.39	32.96	6.90	34.16
PK	5.35G	57.41	74.00	-16.59	5.63	3	Horizontal	164	1.02	51.78	32.90	6.89	34.16



5.25-5.35GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX


5320MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.64G	37.04	54.00	-16.96	16.30	3	Vertical	2	2.94	20.74	39.02	11.69	34.41
PK	10.63568G	49.52	74.00	-24.48	16.27	3	Vertical	2	2.94	33.25	39.01	11.68	34.42

5.25-5.35GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX

5320MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.64024G	37.17	54.00	-16.83	16.30	3	Horizontal	245	2.48	20.87	39.02	11.69	34.41
PK	10.64216G	49.51	74.00	-24.49	16.31	3	Horizontal	245	2.48	33.20	39.03	11.69	34.41



5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


5500MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	44.13	54.00	-9.87	5.71	3	Vertical	183	2.76	38.42	32.90	6.99	34.18
AV	5.5014G	103.45	Inf	-Inf	5.77	3	Vertical	183	2.76	97.68	32.90	7.05	34.18
PK	5.4612G	58.56	68.20	-9.64	5.71	3	Vertical	183	2.76	52.85	32.90	6.99	34.18
PK	5.5028G	117.41	Inf	-Inf	5.77	3	Vertical	183	2.76	111.64	32.90	7.05	34.18

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5500MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4548G	44.30	54.00	-9.70	5.71	3	Horizontal	63	2.57	38.59	32.90	6.98	34.17
AV	5.5036G	104.64	Inf	-Inf	5.78	3	Horizontal	63	2.57	98.86	32.90	7.06	34.18
PK	5.4648G	59.34	68.20	-8.86	5.71	3	Horizontal	63	2.57	53.63	32.90	6.99	34.18
PK	5.5026G	118.50	Inf	-Inf	5.77	3	Horizontal	63	2.57	112.73	32.90	7.05	34.18



5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


5500MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.98842G	37.19	54.00	-16.81	16.54	3	Vertical	328	1.67	20.65	39.01	11.70	34.17
PK	11.00624G	48.99	74.00	-25.01	16.54	3	Vertical	328	1.67	32.45	38.99	11.71	34.16

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5500MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.99922G	37.06	54.00	-16.94	16.54	3	Horizontal	104	2.35	20.52	39.00	11.70	34.16
PK	10.99346G	49.32	74.00	-24.68	16.55	3	Horizontal	104	2.35	32.77	39.01	11.70	34.16



5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5580MHz_TX




05/01/2023

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4336G	43.74	54.00	-10.26	5.67	3	Vertical	189	2.96	38.07	32.90	6.94	34.17
AV	5.5776G	104.14	Inf	-Inf	5.94	3	Vertical	189	2.96	98.20	32.96	7.17	34.19
PK	5.4612G	56.06	68.20	-12.14	5.71	3	Vertical	189	2.96	50.35	32.90	6.99	34.18
PK	5.5788G	116.93	Inf	-Inf	5.95	3	Vertical	189	2.96	110.98	32.96	7.18	34.19
PK	5.73G	57.19	68.20	-11.01	6.79	3	Vertical	189	2.96	50.40	33.72	7.27	34.20

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5580MHz_TX




05/01/2023

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.445G	43.49	54.00	-10.51	5.69	3	Horizontal	64	2.75	37.80	32.90	6.96	34.17
AV	5.5782G	104.12	Inf	-Inf	5.95	3	Horizontal	64	2.75	98.17	32.96	7.18	34.19
PK	5.4654G	56.73	68.20	-11.47	5.71	3	Horizontal	64	2.75	51.02	32.90	6.99	34.18
PK	5.5794G	117.22	Inf	-Inf	5.95	3	Horizontal	64	2.75	111.27	32.96	7.18	34.19
PK	5.7252G	57.57	68.20	-10.63	6.77	3	Horizontal	64	2.75	50.80	33.70	7.27	34.20



5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


5580MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.15556G	37.17	54.00	-16.83	16.54	3	Vertical	339	2.35	20.63	38.96	11.71	34.13
PK	11.16906G	50.41	74.00	-23.59	16.55	3	Vertical	339	2.35	33.86	38.97	11.71	34.13

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5580MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.15724G	37.15	54.00	-16.85	16.54	3	Horizontal	162	2.13	20.61	38.96	11.71	34.13
PK	11.15532G	49.97	74.00	-24.03	16.54	3	Horizontal	162	2.13	33.43	38.96	11.71	34.13



5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


5700MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.692G	103.67	Inf	-Inf	6.55	3	Vertical	185	2.98	97.12	33.50	7.25	34.20
PK	5.7024G	116.59	Inf	-Inf	6.67	3	Vertical	185	2.98	109.92	33.61	7.26	34.20
PK	5.73G	59.57	68.20	-8.63	6.79	3	Vertical	185	2.98	52.78	33.72	7.27	34.20

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5700MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.6948G	101.60	Inf	-Inf	6.59	3	Horizontal	314	2.21	95.01	33.54	7.25	34.20
PK	5.6948G	115.08	Inf	-Inf	6.59	3	Horizontal	314	2.21	108.49	33.54	7.25	34.20
PK	5.7252G	62.50	68.20	-5.70	6.77	3	Horizontal	314	2.21	55.73	33.70	7.27	34.20



5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


5700MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.41308G	37.80	54.00	-16.20	16.84	3	Vertical	6	2.77	20.96	39.19	11.73	34.08
PK	11.38902G	50.87	74.00	-23.13	16.84	3	Vertical	6	2.77	34.03	39.19	11.73	34.08

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5700MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.40558G	37.77	54.00	-16.23	16.84	3	Horizontal	26	1.63	20.93	39.19	11.73	34.08
PK	11.40336G	50.64	74.00	-23.36	16.85	3	Horizontal	26	1.63	33.79	39.20	11.73	34.08



5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


5720MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4236G	44.03	54.00	-9.97	5.66	3	Vertical	187	2.96	38.37	32.90	6.93	34.17
AV	5.7176G	104.26	Inf	-Inf	6.73	3	Vertical	187	2.96	97.53	33.67	7.26	34.20
PK	5.4656G	56.96	68.20	-11.24	5.71	3	Vertical	187	2.96	51.25	32.90	6.99	34.18
PK	5.7176G	117.80	Inf	-Inf	6.73	3	Vertical	187	2.96	111.07	33.67	7.26	34.20
PK	5.9672G	59.13	68.20	-9.07	7.43	3	Vertical	187	2.96	51.70	34.17	7.48	34.22

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4236G	43.96	54.00	-10.04	5.66	3	Horizontal	63	2.68	38.30	32.90	6.93	34.17
AV	5.7176G	104.29	Inf	-Inf	6.73	3	Horizontal	63	2.68	97.56	33.67	7.26	34.20
PK	5.468G	57.11	68.20	-11.09	5.72	3	Horizontal	63	2.68	51.39	32.90	7.00	34.18
PK	5.7176G	116.57	Inf	-Inf	6.73	3	Horizontal	63	2.68	109.84	33.67	7.26	34.20
PK	5.924G	59.44	68.20	-8.76	7.48	3	Horizontal	63	2.68	51.96	34.25	7.44	34.21



5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


5720MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.4301G	37.70	54.00	-16.30	16.83	3	Vertical	203	2.78	20.87	39.17	11.73	34.07
PK	11.43154G	50.41	74.00	-23.59	16.83	3	Vertical	203	2.78	33.58	39.17	11.73	34.07

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.44012G	37.68	54.00	-16.32	16.82	3	Horizontal	41	1.27	20.86	39.16	11.73	34.07
PK	11.43958G	51.12	74.00	-22.88	16.82	3	Horizontal	41	1.27	34.30	39.16	11.73	34.07



5.25-5.35GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX


5270MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.268G	101.26	Inf	-Inf	5.75	3	Vertical	213	2.98	95.51	33.00	6.90	34.15
AV	5.3576G	43.43	54.00	-10.57	5.63	3	Vertical	213	2.98	37.80	32.90	6.89	34.16
PK	5.2692G	114.33	Inf	-Inf	5.75	3	Vertical	213	2.98	108.58	33.00	6.90	34.15
PK	5.3652G	57.37	74.00	-16.63	5.63	3	Vertical	213	2.98	51.74	32.90	6.89	34.16

5.25-5.35GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX

5270MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.2744G	102.57	Inf	-Inf	5.75	3	Horizontal	63	2.64	96.82	33.00	6.90	34.15
AV	5.3532G	43.97	54.00	-10.03	5.63	3	Horizontal	63	2.64	38.34	32.90	6.89	34.16
PK	5.2744G	116.62	Inf	-Inf	5.75	3	Horizontal	63	2.64	110.87	33.00	6.90	34.15
PK	5.3612G	57.27	74.00	-16.73	5.63	3	Horizontal	63	2.64	51.64	32.90	6.89	34.16



5.25-5.35GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


5270MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.53304G	49.59	68.20	-18.61	16.09	3	Vertical	346	1.50	33.50	38.90	11.68	34.49

5.25-5.35GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5270MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.54498G	50.39	68.20	-17.81	16.10	3	Horizontal	202	2.16	34.29	38.90	11.68	34.48



5.25-5.35GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX


5310MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3084G	101.07	Inf	-Inf	5.72	3	Vertical	213	2.93	95.35	32.98	6.90	34.16
AV	5.35G	49.40	54.00	-4.60	5.63	3	Vertical	213	2.93	43.77	32.90	6.89	34.16
PK	5.3076G	114.31	Inf	-Inf	5.72	3	Vertical	213	2.93	108.59	32.98	6.90	34.16
PK	5.3504G	63.71	74.00	-10.29	5.63	3	Vertical	213	2.93	58.08	32.90	6.89	34.16

5.25-5.35GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX

5310MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.318G	99.04	Inf	-Inf	5.70	3	Horizontal	162	1.00	93.34	32.96	6.90	34.16
AV	5.35G	48.94	54.00	-5.06	5.63	3	Horizontal	162	1.00	43.31	32.90	6.89	34.16
PK	5.3084G	113.49	Inf	-Inf	5.72	3	Horizontal	162	1.00	107.77	32.98	6.90	34.16
PK	5.35G	64.53	74.00	-9.47	5.63	3	Horizontal	162	1.00	58.90	32.90	6.89	34.16



5.25-5.35GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX


5310MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.63122G	36.94	54.00	-17.06	16.25	3	Vertical	185	1.00	20.69	38.99	11.68	34.42
PK	10.6152G	49.27	74.00	-24.73	16.20	3	Vertical	185	1.00	33.07	38.95	11.68	34.43

5.25-5.35GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX

5310MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.60986G	36.85	54.00	-17.15	16.18	3	Horizontal	208	1.05	20.67	38.93	11.68	34.43
PK	10.6227G	49.83	74.00	-24.17	16.23	3	Horizontal	208	1.05	33.60	38.97	11.68	34.42



5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


5510MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	45.31	54.00	-8.69	5.71	3	Vertical	213	2.75	39.60	32.90	6.99	34.18
AV	5.5028G	99.96	Inf	-Inf	5.77	3	Vertical	213	2.75	94.19	32.90	7.05	34.18
PK	5.4644G	63.75	68.20	-4.45	5.71	3	Vertical	213	2.75	58.04	32.90	6.99	34.18
PK	5.512G	114.47	Inf	-Inf	5.79	3	Vertical	213	2.75	108.68	32.90	7.07	34.18

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5510MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4588G	47.46	54.00	-6.54	5.70	3	Horizontal	64	2.67	41.76	32.90	6.98	34.18
AV	5.508G	102.10	Inf	-Inf	5.78	3	Horizontal	64	2.67	96.32	32.90	7.06	34.18
PK	5.4676G	67.41	68.20	-0.79	5.72	3	Horizontal	64	2.67	61.69	32.90	7.00	34.18
PK	5.498G	115.25	Inf	-Inf	5.77	3	Horizontal	64	2.67	109.48	32.90	7.05	34.18



5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


5510MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.00554G	37.10	54.00	-16.90	16.54	3	Vertical	187	2.06	20.56	38.99	11.71	34.16
PK	11.02414G	50.06	74.00	-23.94	16.53	3	Vertical	187	2.06	33.53	38.98	11.71	34.16

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5510MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.0098G	37.11	54.00	-16.89	16.54	3	Horizontal	194	1.15	20.57	38.99	11.71	34.16
PK	11.02012G	49.03	74.00	-24.97	16.53	3	Horizontal	194	1.15	32.50	38.98	11.71	34.16



5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


5550MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4596G	44.52	54.00	-9.48	5.71	3	Vertical	169	1.36	38.81	32.90	6.99	34.18
AV	5.548G	100.73	Inf	-Inf	5.85	3	Vertical	169	1.36	94.88	32.90	7.13	34.18
PK	5.4684G	57.92	68.20	-10.28	5.72	3	Vertical	169	1.36	52.20	32.90	7.00	34.18
PK	5.5488G	113.89	Inf	-Inf	5.85	3	Vertical	169	1.36	108.04	32.90	7.13	34.18

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5550MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4576G	43.99	54.00	-10.01	5.71	3	Horizontal	249	1.00	38.28	32.90	6.98	34.17
AV	5.5452G	99.98	Inf	-Inf	5.84	3	Horizontal	249	1.00	94.14	32.90	7.12	34.18
PK	5.4672G	57.72	68.20	-10.48	5.72	3	Horizontal	249	1.00	52.00	32.90	7.00	34.18
PK	5.5456G	113.02	Inf	-Inf	5.84	3	Horizontal	249	1.00	107.18	32.90	7.12	34.18



5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


5550MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.10576G	36.97	54.00	-17.03	16.48	3	Vertical	273	2.25	20.49	38.91	11.71	34.14
PK	11.10648G	49.18	74.00	-24.82	16.48	3	Vertical	273	2.25	32.70	38.91	11.71	34.14

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5550MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.1009G	36.91	54.00	-17.09	16.47	3	Horizontal	243	1.83	20.44	38.90	11.71	34.14
PK	11.10648G	49.31	74.00	-24.69	16.48	3	Horizontal	243	1.83	32.83	38.91	11.71	34.14



5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


5670MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.667G	101.34	Inf	-Inf	6.25	3	Vertical	185	3.00	95.09	33.20	7.24	34.19
PK	5.6772G	114.87	Inf	-Inf	6.38	3	Vertical	185	3.00	108.49	33.33	7.24	34.19
PK	5.7276G	61.56	68.20	-6.64	6.78	3	Vertical	185	3.00	54.78	33.71	7.27	34.20

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5670MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.6676G	99.28	Inf	-Inf	6.26	3	Horizontal	66	2.11	93.02	33.21	7.24	34.19
PK	5.676G	112.73	Inf	-Inf	6.36	3	Horizontal	66	2.11	106.37	33.31	7.24	34.19
PK	5.7258G	60.96	68.20	-7.24	6.77	3	Horizontal	66	2.11	54.19	33.70	7.27	34.20



5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


5670MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.32836G	37.34	54.00	-16.66	16.76	3	Vertical	182	1.77	20.58	39.13	11.72	34.09
PK	11.3454G	50.21	74.00	-23.79	16.78	3	Vertical	182	1.77	33.43	39.15	11.72	34.09

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5670MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.33682G	37.44	54.00	-16.56	16.77	3	Horizontal	76	1.23	20.67	39.14	11.72	34.09
PK	11.33016G	49.90	74.00	-24.10	16.76	3	Horizontal	76	1.23	33.14	39.13	11.72	34.09



5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


5710MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4232G	44.08	54.00	-9.92	5.66	3	Vertical	171	1.33	38.42	32.90	6.93	34.17
AV	5.7136G	100.28	Inf	-Inf	6.71	3	Vertical	171	1.33	93.57	33.65	7.26	34.20
PK	5.4652G	57.03	68.20	-11.17	5.71	3	Vertical	171	1.33	51.32	32.90	6.99	34.18
PK	5.7124G	113.31	Inf	-Inf	6.71	3	Vertical	171	1.33	106.60	33.65	7.26	34.20
PK	5.9344G	58.58	68.20	-9.62	7.47	3	Vertical	171	1.33	51.11	34.23	7.45	34.21

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5710MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4232G	43.53	54.00	-10.47	5.66	3	Horizontal	317	2.20	37.87	32.90	6.93	34.17
AV	5.7088G	99.50	Inf	-Inf	6.70	3	Horizontal	317	2.20	92.80	33.64	7.26	34.20
PK	5.47G	56.76	68.20	-11.44	5.72	3	Horizontal	317	2.20	51.04	32.90	7.00	34.18
PK	5.6992G	112.34	Inf	-Inf	6.64	3	Horizontal	317	2.20	105.70	33.59	7.25	34.20
PK	5.9632G	58.64	68.20	-9.56	7.43	3	Horizontal	317	2.20	51.21	34.17	7.48	34.22



5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


5710MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.40554G	37.76	54.00	-16.24	16.84	3	Vertical	150	2.24	20.92	39.19	11.73	34.08
PK	11.4215G	50.33	74.00	-23.67	16.83	3	Vertical	150	2.24	33.50	39.18	11.73	34.08

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5710MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.41094G	37.75	54.00	-16.25	16.84	3	Horizontal	228	1.62	20.91	39.19	11.73	34.08
PK	11.41568G	50.36	74.00	-23.64	16.83	3	Horizontal	228	1.62	33.53	39.18	11.73	34.08



5.25-5.35GHz_802.11ax_HEW80_Nss1,(MCS0)_2TX


5290MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.136G	43.29	54.00	-10.71	5.79	3	Vertical	216	3.00	37.50	33.10	6.83	34.14
AV	5.269G	96.37	Inf	-Inf	5.75	3	Vertical	216	3.00	90.62	33.00	6.90	34.15
AV	5.35G	49.19	54.00	-4.81	5.63	3	Vertical	216	3.00	43.56	32.90	6.89	34.16
PK	5.045G	56.38	74.00	-17.62	5.88	3	Vertical	216	3.00	50.50	33.29	6.72	34.13
PK	5.259G	109.28	Inf	-Inf	5.75	3	Vertical	216	3.00	103.53	33.00	6.90	34.15
PK	5.36G	65.38	74.00	-8.62	5.63	3	Vertical	216	3.00	59.75	32.90	6.89	34.16
PK	5.487G	57.35	68.20	-10.85	5.75	3	Vertical	216	3.00	51.60	32.90	7.03	34.18

5.25-5.35GHz_802.11ax_HEW80_Nss1,(MCS0)_2TX

5290MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.136G	44.17	54.00	-9.83	5.79	3	Horizontal	63	2.65	38.38	33.10	6.83	34.14
AV	5.284G	99.01	Inf	-Inf	5.75	3	Horizontal	63	2.65	93.26	33.00	6.90	34.15
AV	5.355G	51.77	54.00	-2.23	5.63	3	Horizontal	63	2.65	46.14	32.90	6.89	34.16
PK	5.135G	58.11	74.00	-15.89	5.79	3	Horizontal	63	2.65	52.32	33.10	6.83	34.14
PK	5.294G	111.51	Inf	-Inf	5.74	3	Horizontal	63	2.65	105.77	33.00	6.90	34.16
PK	5.356G	68.12	74.00	-5.88	5.63	3	Horizontal	63	2.65	62.49	32.90	6.89	34.16
PK	5.538G	57.92	68.20	-10.28	5.83	3	Horizontal	63	2.65	52.09	32.90	7.11	34.18



5.25-5.35GHz_802.11ax HEW80_Nss1,(MCS0)_2TX


5290MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.5749G	49.38	68.20	-18.82	16.12	3	Vertical	112	2.24	33.26	38.90	11.68	34.46

5.25-5.35GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5290MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.5893G	49.63	68.20	-18.57	16.13	3	Horizontal	118	2.33	33.50	38.90	11.68	34.45



5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX


5530MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.454G	47.44	54.00	-6.56	5.71	3	Vertical	196	3.00	41.73	32.90	6.98	34.17
AV	5.535G	98.44	Inf	-Inf	5.83	3	Vertical	196	3.00	92.61	32.90	7.11	34.18
PK	5.465G	64.41	68.20	-3.79	5.71	3	Vertical	196	3.00	58.70	32.90	6.99	34.18
PK	5.513G	111.57	Inf	-Inf	5.79	3	Vertical	196	3.00	105.78	32.90	7.07	34.18
PK	5.749G	58.69	68.20	-9.51	6.88	3	Vertical	196	3.00	51.81	33.80	7.28	34.20

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5530MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.453G	50.69	54.00	-3.31	5.70	3	Horizontal	324	2.75	44.99	32.90	6.97	34.17
AV	5.533G	98.15	Inf	-Inf	5.82	3	Horizontal	324	2.75	92.33	32.90	7.10	34.18
PK	5.464G	66.61	68.20	-1.59	5.71	3	Horizontal	324	2.75	60.90	32.90	6.99	34.18
PK	5.543G	111.90	Inf	-Inf	5.84	3	Horizontal	324	2.75	106.06	32.90	7.12	34.18
PK	5.771G	58.32	68.20	-9.88	7.02	3	Horizontal	324	2.75	51.30	33.93	7.29	34.20



5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX


5530MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.07272G	36.90	54.00	-17.10	16.49	3	Vertical	238	2.07	20.41	38.93	11.71	34.15
PK	11.06072G	49.52	74.00	-24.48	16.50	3	Vertical	238	2.07	33.02	38.94	11.71	34.15

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5530MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.05304G	37.05	54.00	-16.95	16.51	3	Horizontal	134	1.35	20.54	38.95	11.71	34.15
PK	11.05274G	49.42	74.00	-24.58	16.51	3	Horizontal	134	1.35	32.91	38.95	11.71	34.15



5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX


5610MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.424G	44.69	54.00	-9.31	5.66	3	Vertical	188	2.96	39.03	32.90	6.93	34.17
AV	5.589G	98.25	Inf	-Inf	5.98	3	Vertical	188	2.96	92.27	32.98	7.19	34.19
PK	5.461G	58.24	68.20	-9.96	5.71	3	Vertical	188	2.96	52.53	32.90	6.99	34.18
PK	5.59G	110.85	Inf	-Inf	5.98	3	Vertical	188	2.96	104.87	32.98	7.19	34.19
PK	5.726G	60.40	68.20	-7.80	6.77	3	Vertical	188	2.96	53.63	33.70	7.27	34.20

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5610MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.458G	44.73	54.00	-9.27	5.71	3	Horizontal	64	2.61	39.02	32.90	6.98	34.17
AV	5.598G	98.28	Inf	-Inf	6.02	3	Horizontal	64	2.61	92.26	33.00	7.21	34.19
PK	5.466G	58.62	68.20	-9.58	5.72	3	Horizontal	64	2.61	52.90	32.90	7.00	34.18
PK	5.598G	111.34	Inf	-Inf	6.02	3	Horizontal	64	2.61	105.32	33.00	7.21	34.19
PK	5.728G	59.77	68.20	-8.43	6.78	3	Horizontal	64	2.61	52.99	33.71	7.27	34.20



5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX


5610MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.22012G	37.21	54.00	-16.79	16.62	3	Vertical	51	1.32	20.59	39.02	11.72	34.12
PK	11.22258G	50.55	74.00	-23.45	16.62	3	Vertical	51	1.32	33.93	39.02	11.72	34.12

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5610MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.22114G	37.22	54.00	-16.78	16.62	3	Horizontal	47	2.56	20.60	39.02	11.72	34.12
PK	11.21928G	49.39	74.00	-24.61	16.62	3	Horizontal	47	2.56	32.77	39.02	11.72	34.12



5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX


5690MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4236G	44.04	54.00	-9.96	5.66	3	Vertical	189	3.00	38.38	32.90	6.93	34.17
AV	5.6888G	99.08	Inf	-Inf	6.52	3	Vertical	189	3.00	92.56	33.47	7.25	34.20
PK	5.4656G	56.03	68.20	-12.17	5.71	3	Vertical	189	3.00	50.32	32.90	6.99	34.18
PK	5.6876G	112.50	Inf	-Inf	6.50	3	Vertical	189	3.00	106.00	33.45	7.25	34.20
PK	5.9264G	58.66	68.20	-9.54	7.48	3	Vertical	189	3.00	51.18	34.25	7.44	34.21

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4236G	43.73	54.00	-10.27	5.66	3	Horizontal	316	2.10	38.07	32.90	6.93	34.17
AV	5.6792G	96.64	Inf	-Inf	6.41	3	Horizontal	316	2.10	90.23	33.35	7.25	34.19
PK	5.4644G	57.50	68.20	-10.70	5.71	3	Horizontal	316	2.10	51.79	32.90	6.99	34.18
PK	5.6804G	109.60	Inf	-Inf	6.42	3	Horizontal	316	2.10	103.18	33.36	7.25	34.19
PK	5.9408G	58.86	68.20	-9.34	7.45	3	Horizontal	316	2.10	51.41	34.22	7.45	34.22



5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX


5690MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.38672G	37.64	54.00	-16.36	16.84	3	Vertical	33	1.84	20.80	39.19	11.73	34.08
PK	11.36608G	49.52	74.00	-24.48	16.81	3	Vertical	33	1.84	32.71	39.17	11.73	34.09

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.39116G	37.79	54.00	-16.21	16.84	3	Horizontal	118	2.66	20.95	39.19	11.73	34.08
PK	11.39158G	50.39	74.00	-23.61	16.84	3	Horizontal	118	2.66	33.55	39.19	11.73	34.08



Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX	Pass	AV	5.35G	52.37	54.00	-1.63	3	Horizontal	64	1.36
802.11ax HEW20_Nss1,(MCS0)_2TX	Pass	AV	5.35G	52.33	54.00	-1.67	3	Horizontal	63	1.38
802.11ax HEW40_Nss1,(MCS0)_2TX	Pass	AV	5.35G	52.96	54.00	-1.04	3	Horizontal	64	1.36
802.11ax HEW80_Nss1,(MCS0)_2TX	Pass	AV	5.35G	53.05	54.00	-0.95	3	Horizontal	64	1.33
802.11ax HEW160_Nss1,(MCS0)_2TX	Pass	AV	5.142G	52.99	54.00	-1.01	3	Horizontal	66	1.50
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX	Pass	PK	5.4698G	66.71	68.20	-1.49	3	Horizontal	61	1.32
802.11ax HEW20_Nss1,(MCS0)_2TX	Pass	PK	5.7284G	66.82	68.20	-1.38	3	Vertical	175	1.27
802.11ax HEW40_Nss1,(MCS0)_2TX	Pass	PK	5.4684G	67.22	68.20	-0.98	3	Vertical	174	1.19
802.11ax HEW80_Nss1,(MCS0)_2TX	Pass	PK	5.468G	65.11	68.20	-3.09	3	Vertical	173	1.36
802.11ax HEW160_Nss1,(MCS0)_2TX	Pass	PK	5.4644G	66.36	68.20	-1.84	3	Horizontal	63	1.39



Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11a_Nss1,(6Mbps)_2TX	-	-	-	-	-	-	-	-	-	-
5260MHz	Pass	AV	5.1472G	42.89	54.00	-11.11	3	Vertical	164	1.38
5260MHz	Pass	AV	5.2576G	103.13	Inf	-Inf	3	Vertical	164	1.38
5260MHz	Pass	AV	5.404G	43.77	54.00	-10.23	3	Vertical	164	1.38
5260MHz	Pass	PK	5.1202G	55.97	74.00	-18.03	3	Vertical	164	1.38
5260MHz	Pass	PK	5.2576G	113.32	Inf	-Inf	3	Vertical	164	1.38
5260MHz	Pass	PK	5.3722G	56.87	74.00	-17.13	3	Vertical	164	1.38
5260MHz	Pass	AV	5.1442G	43.09	54.00	-10.91	3	Horizontal	65	1.38
5260MHz	Pass	AV	5.2552G	104.18	Inf	-Inf	3	Horizontal	65	1.38
5260MHz	Pass	AV	5.3752G	43.71	54.00	-10.29	3	Horizontal	65	1.38
5260MHz	Pass	PK	5.1196G	56.41	74.00	-17.59	3	Horizontal	65	1.38
5260MHz	Pass	PK	5.2648G	113.97	Inf	-Inf	3	Horizontal	65	1.38
5260MHz	Pass	PK	5.3536G	57.43	74.00	-16.57	3	Horizontal	65	1.38
5260MHz	Pass	PK	10.51528G	49.57	68.20	-18.63	3	Vertical	167	2.76
5260MHz	Pass	PK	10.51056G	48.99	68.20	-19.21	3	Horizontal	83	1.58
5300MHz	Pass	AV	5.3036G	102.94	Inf	-Inf	3	Vertical	167	1.40
5300MHz	Pass	AV	5.384G	43.53	54.00	-10.47	3	Vertical	167	1.40
5300MHz	Pass	PK	5.298G	112.44	Inf	-Inf	3	Vertical	167	1.40
5300MHz	Pass	PK	5.382G	56.89	74.00	-17.11	3	Vertical	167	1.40
5300MHz	Pass	AV	5.3008G	104.21	Inf	-Inf	3	Horizontal	63	1.29
5300MHz	Pass	AV	5.35G	43.74	54.00	-10.26	3	Horizontal	63	1.29
5300MHz	Pass	PK	5.3008G	114.02	Inf	-Inf	3	Horizontal	63	1.29
5300MHz	Pass	PK	5.3504G	56.69	74.00	-17.31	3	Horizontal	63	1.29
5300MHz	Pass	AV	10.60892G	37.34	54.00	-16.66	3	Vertical	304	2.28
5300MHz	Pass	PK	10.6058G	49.01	74.00	-24.99	3	Vertical	304	2.28
5300MHz	Pass	AV	10.60936G	37.22	54.00	-16.78	3	Horizontal	38	1.85
5300MHz	Pass	PK	10.59144G	49.40	68.20	-18.80	3	Horizontal	38	1.85
5320MHz	Pass	AV	5.3232G	102.56	Inf	-Inf	3	Vertical	165	1.39
5320MHz	Pass	AV	5.3528G	48.49	54.00	-5.51	3	Vertical	165	1.39
5320MHz	Pass	PK	5.3232G	113.37	Inf	-Inf	3	Vertical	165	1.39
5320MHz	Pass	PK	5.353G	63.91	74.00	-10.09	3	Vertical	165	1.39
5320MHz	Pass	AV	5.3154G	103.73	Inf	-Inf	3	Horizontal	64	1.36
5320MHz	Pass	AV	5.35G	52.37	54.00	-1.63	3	Horizontal	64	1.36
5320MHz	Pass	PK	5.3154G	113.29	Inf	-Inf	3	Horizontal	64	1.36
5320MHz	Pass	PK	5.35G	67.99	74.00	-6.01	3	Horizontal	64	1.36
5320MHz	Pass	AV	10.636G	37.56	54.00	-16.44	3	Vertical	258	1.30
5320MHz	Pass	PK	10.6354G	49.97	74.00	-24.03	3	Vertical	258	1.30
5320MHz	Pass	AV	10.64116G	37.78	54.00	-16.22	3	Horizontal	195	2.25
5320MHz	Pass	PK	10.64496G	49.58	74.00	-24.42	3	Horizontal	195	2.25
5500MHz	Pass	AV	5.4586G	44.89	54.00	-9.11	3	Vertical	172	1.41
5500MHz	Pass	AV	5.5034G	103.52	Inf	-Inf	3	Vertical	172	1.41
5500MHz	Pass	PK	5.4692G	65.48	68.20	-2.72	3	Vertical	172	1.41
5500MHz	Pass	PK	5.4992G	113.28	Inf	-Inf	3	Vertical	172	1.41
5500MHz	Pass	AV	5.46G	44.98	54.00	-9.02	3	Horizontal	61	1.32
5500MHz	Pass	AV	5.4948G	102.72	Inf	-Inf	3	Horizontal	61	1.32
5500MHz	Pass	PK	5.4698G	66.71	68.20	-1.49	3	Horizontal	61	1.32
5500MHz	Pass	PK	5.505G	111.95	Inf	-Inf	3	Horizontal	61	1.32
5500MHz	Pass	AV	11.00708G	37.70	54.00	-16.30	3	Vertical	42	2.90
5500MHz	Pass	PK	10.99468G	50.10	74.00	-23.90	3	Vertical	42	2.90
5500MHz	Pass	AV	10.9978G	37.62	54.00	-16.38	3	Horizontal	114	2.23
5500MHz	Pass	PK	10.99368G	49.47	74.00	-24.53	3	Horizontal	114	2.23
5580MHz	Pass	AV	5.4498G	43.65	54.00	-10.35	3	Vertical	172	1.39
5580MHz	Pass	AV	5.5836G	103.52	Inf	-Inf	3	Vertical	172	1.39
5580MHz	Pass	PK	5.4624G	56.28	68.20	-11.92	3	Vertical	172	1.39
5580MHz	Pass	PK	5.5788G	113.33	Inf	-Inf	3	Vertical	172	1.39
5580MHz	Pass	PK	5.7264G	56.73	68.20	-11.47	3	Vertical	172	1.39
5580MHz	Pass	AV	5.4552G	43.72	54.00	-10.28	3	Horizontal	60	1.32
5580MHz	Pass	AV	5.5848G	102.90	Inf	-Inf	3	Horizontal	60	1.32
5580MHz	Pass	PK	5.4606G	56.40	68.20	-11.80	3	Horizontal	60	1.32
5580MHz	Pass	PK	5.5848G	112.45	Inf	-Inf	3	Horizontal	60	1.32
5580MHz	Pass	PK	5.73G	57.59	68.20	-10.61	3	Horizontal	60	1.32



RSE TX above 1GHz_C330E_Radio 3

Appendix D.4

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5580MHz	Pass	AV	11.15964G	37.90	54.00	-16.10	3	Vertical	46	1.88
5580MHz	Pass	PK	11.1622G	49.82	74.00	-24.18	3	Vertical	46	1.88
5580MHz	Pass	AV	11.1562G	37.97	54.00	-16.03	3	Horizontal	38	2.55
5580MHz	Pass	PK	11.15408G	49.41	74.00	-24.59	3	Horizontal	38	2.55
5700MHz	Pass	AV	5.7032G	102.41	Inf	-Inf	3	Vertical	173	1.28
5700MHz	Pass	PK	5.6984G	111.83	Inf	-Inf	3	Vertical	173	1.28
5700MHz	Pass	PK	5.7284G	61.77	68.20	-6.43	3	Vertical	173	1.28
5700MHz	Pass	AV	5.6948G	102.18	Inf	-Inf	3	Horizontal	61	1.23
5700MHz	Pass	PK	5.7044G	111.62	Inf	-Inf	3	Horizontal	61	1.23
5700MHz	Pass	PK	5.7252G	66.00	68.20	-2.20	3	Horizontal	61	1.23
5700MHz	Pass	AV	11.40276G	38.38	54.00	-15.62	3	Vertical	352	1.26
5700MHz	Pass	PK	11.40184G	50.66	74.00	-23.34	3	Vertical	352	1.26
5700MHz	Pass	AV	11.4058G	38.41	54.00	-15.59	3	Horizontal	164	1.51
5700MHz	Pass	PK	11.40844G	50.60	74.00	-23.40	3	Horizontal	164	1.51
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.444G	43.58	54.00	-10.42	3	Vertical	174	1.12
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.7188G	103.44	Inf	-Inf	3	Vertical	174	1.12
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4644G	57.20	68.20	-11.00	3	Vertical	174	1.12
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.714G	112.92	Inf	-Inf	3	Vertical	174	1.12
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.948G	58.65	68.20	-9.55	3	Vertical	174	1.12
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.4332G	43.75	54.00	-10.25	3	Horizontal	60	1.18
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.7152G	103.47	Inf	-Inf	3	Horizontal	60	1.18
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4632G	56.42	68.20	-11.78	3	Horizontal	60	1.18
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.7152G	112.90	Inf	-Inf	3	Horizontal	60	1.18
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.9216G	58.45	68.20	-9.75	3	Horizontal	60	1.18
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.44552G	38.09	54.00	-15.91	3	Vertical	105	1.94
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.43396G	49.65	74.00	-24.35	3	Vertical	105	1.94
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.44164G	38.08	54.00	-15.92	3	Horizontal	313	1.12
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.43884G	49.50	74.00	-24.50	3	Horizontal	313	1.12
802.11ax HEW20_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5260MHz	Pass	AV	5.1484G	42.36	54.00	-11.64	3	Vertical	174	1.39
5260MHz	Pass	AV	5.2582G	103.13	Inf	-Inf	3	Vertical	174	1.39
5260MHz	Pass	AV	5.4052G	43.28	54.00	-10.72	3	Vertical	174	1.39
5260MHz	Pass	PK	5.1196G	56.09	74.00	-17.91	3	Vertical	174	1.39
5260MHz	Pass	PK	5.2588G	116.02	Inf	-Inf	3	Vertical	174	1.39
5260MHz	Pass	PK	5.401G	56.83	74.00	-17.17	3	Vertical	174	1.39
5260MHz	Pass	AV	5.1454G	42.42	54.00	-11.58	3	Horizontal	64	1.43
5260MHz	Pass	AV	5.2612G	104.50	Inf	-Inf	3	Horizontal	64	1.43
5260MHz	Pass	AV	5.3698G	43.25	54.00	-10.75	3	Horizontal	64	1.43
5260MHz	Pass	PK	5.1226G	56.35	74.00	-17.65	3	Horizontal	64	1.43
5260MHz	Pass	PK	5.2606G	117.32	Inf	-Inf	3	Horizontal	64	1.43
5260MHz	Pass	PK	5.3794G	57.29	74.00	-16.71	3	Horizontal	64	1.43
5260MHz	Pass	PK	10.51888G	50.20	68.20	-18.00	3	Vertical	98	2.20
5260MHz	Pass	PK	10.51136G	49.37	68.20	-18.83	3	Horizontal	274	1.84
5300MHz	Pass	AV	5.2988G	102.75	Inf	-Inf	3	Vertical	173	1.40
5300MHz	Pass	AV	5.35G	43.64	54.00	-10.36	3	Vertical	173	1.40
5300MHz	Pass	PK	5.2992G	115.66	Inf	-Inf	3	Vertical	173	1.40
5300MHz	Pass	PK	5.3504G	58.00	74.00	-16.00	3	Vertical	173	1.40
5300MHz	Pass	AV	5.3008G	104.27	Inf	-Inf	3	Horizontal	64	1.29
5300MHz	Pass	AV	5.3504G	44.27	54.00	-9.73	3	Horizontal	64	1.29
5300MHz	Pass	PK	5.3008G	117.73	Inf	-Inf	3	Horizontal	64	1.29
5300MHz	Pass	PK	5.3504G	59.13	74.00	-14.87	3	Horizontal	64	1.29
5300MHz	Pass	AV	10.60892G	36.79	54.00	-17.21	3	Vertical	160	1.61
5300MHz	Pass	PK	10.60336G	48.72	74.00	-25.28	3	Vertical	160	1.61
5300MHz	Pass	AV	10.60968G	37.02	54.00	-16.98	3	Horizontal	240	1.31
5300MHz	Pass	PK	10.59668G	48.61	68.20	-19.59	3	Horizontal	240	1.31
5320MHz	Pass	AV	5.3188G	102.27	Inf	-Inf	3	Vertical	176	1.33
5320MHz	Pass	AV	5.35G	51.45	54.00	-2.55	3	Vertical	176	1.33
5320MHz	Pass	PK	5.319G	115.84	Inf	-Inf	3	Vertical	176	1.33
5320MHz	Pass	PK	5.3502G	69.44	74.00	-4.56	3	Vertical	176	1.33
5320MHz	Pass	AV	5.321G	103.06	Inf	-Inf	3	Horizontal	63	1.38
5320MHz	Pass	AV	5.35G	52.33	54.00	-1.67	3	Horizontal	63	1.38
5320MHz	Pass	PK	5.3218G	116.56	Inf	-Inf	3	Horizontal	63	1.38



RSE TX above 1GHz_C330E_Radio 3

Appendix D.4

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5320MHz	Pass	PK	5.35G	71.82	74.00	-2.18	3	Horizontal	63	1.38
5320MHz	Pass	AV	10.63256G	37.08	54.00	-16.92	3	Vertical	336	1.92
5320MHz	Pass	PK	10.6426G	49.05	74.00	-24.95	3	Vertical	336	1.92
5320MHz	Pass	AV	10.63908G	37.24	54.00	-16.76	3	Horizontal	108	1.53
5320MHz	Pass	PK	10.64276G	50.57	74.00	-23.43	3	Horizontal	108	1.53
5500MHz	Pass	AV	5.4578G	44.14	54.00	-9.86	3	Vertical	172	1.26
5500MHz	Pass	AV	5.4974G	102.71	Inf	-Inf	3	Vertical	172	1.26
5500MHz	Pass	PK	5.4678G	66.22	68.20	-1.98	3	Vertical	172	1.26
5500MHz	Pass	PK	5.4972G	115.50	Inf	-Inf	3	Vertical	172	1.26
5500MHz	Pass	AV	5.4596G	44.26	54.00	-9.74	3	Horizontal	62	1.31
5500MHz	Pass	AV	5.5008G	101.19	Inf	-Inf	3	Horizontal	62	1.31
5500MHz	Pass	PK	5.4698G	66.32	68.20	-1.88	3	Horizontal	62	1.31
5500MHz	Pass	PK	5.501G	114.58	Inf	-Inf	3	Horizontal	62	1.31
5500MHz	Pass	AV	11.00132G	37.18	54.00	-16.82	3	Vertical	253	1.43
5500MHz	Pass	PK	11.0094G	49.67	74.00	-24.33	3	Vertical	253	1.43
5500MHz	Pass	AV	10.991G	37.14	54.00	-16.86	3	Horizontal	304	1.79
5500MHz	Pass	PK	10.99284G	49.75	74.00	-24.25	3	Horizontal	304	1.79
5580MHz	Pass	AV	5.4414G	43.08	54.00	-10.92	3	Vertical	172	1.38
5580MHz	Pass	AV	5.577G	102.88	Inf	-Inf	3	Vertical	172	1.38
5580MHz	Pass	PK	5.4672G	56.41	68.20	-11.79	3	Vertical	172	1.38
5580MHz	Pass	PK	5.5776G	115.71	Inf	-Inf	3	Vertical	172	1.38
5580MHz	Pass	PK	5.7258G	56.92	68.20	-11.28	3	Vertical	172	1.38
5580MHz	Pass	AV	5.4306G	43.23	54.00	-10.77	3	Horizontal	60	1.35
5580MHz	Pass	AV	5.5794G	101.92	Inf	-Inf	3	Horizontal	60	1.35
5580MHz	Pass	PK	5.4642G	56.01	68.20	-12.19	3	Horizontal	60	1.35
5580MHz	Pass	PK	5.5794G	115.07	Inf	-Inf	3	Horizontal	60	1.35
5580MHz	Pass	PK	5.7276G	57.18	68.20	-11.02	3	Horizontal	60	1.35
5580MHz	Pass	AV	11.15444G	37.38	54.00	-16.62	3	Vertical	345	1.68
5580MHz	Pass	PK	11.16508G	50.39	74.00	-23.61	3	Vertical	345	1.68
5580MHz	Pass	AV	11.15172G	37.26	54.00	-16.74	3	Horizontal	184	2.68
5580MHz	Pass	PK	11.15016G	51.65	74.00	-22.35	3	Horizontal	184	2.68
5700MHz	Pass	AV	5.6976G	101.58	Inf	-Inf	3	Vertical	175	1.27
5700MHz	Pass	PK	5.698G	114.77	Inf	-Inf	3	Vertical	175	1.27
5700MHz	Pass	PK	5.7284G	66.82	68.20	-1.38	3	Vertical	175	1.27
5700MHz	Pass	AV	5.6988G	101.44	Inf	-Inf	3	Horizontal	60	1.24
5700MHz	Pass	PK	5.6992G	114.14	Inf	-Inf	3	Horizontal	60	1.24
5700MHz	Pass	PK	5.7296G	66.17	68.20	-2.03	3	Horizontal	60	1.24
5700MHz	Pass	AV	11.4052G	38.03	54.00	-15.97	3	Vertical	266	2.38
5700MHz	Pass	PK	11.40564G	50.38	74.00	-23.62	3	Vertical	266	2.38
5700MHz	Pass	AV	11.39812G	37.98	54.00	-16.02	3	Horizontal	250	1.65
5700MHz	Pass	PK	11.40824G	49.91	74.00	-24.09	3	Horizontal	250	1.65
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.4392G	43.04	54.00	-10.96	3	Vertical	170	1.33
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.7164G	102.93	Inf	-Inf	3	Vertical	170	1.33
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.462G	55.88	68.20	-12.32	3	Vertical	170	1.33
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.7152G	115.20	Inf	-Inf	3	Vertical	170	1.33
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.9408G	58.39	68.20	-9.81	3	Vertical	170	1.33
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.4416G	43.09	54.00	-10.91	3	Horizontal	62	1.16
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.7188G	102.97	Inf	-Inf	3	Horizontal	62	1.16
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4692G	56.50	68.20	-11.70	3	Horizontal	62	1.16
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.7188G	115.41	Inf	-Inf	3	Horizontal	62	1.16
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.9516G	59.18	68.20	-9.02	3	Horizontal	62	1.16
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.43024G	37.81	54.00	-16.19	3	Vertical	203	1.68
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.4456G	49.66	74.00	-24.34	3	Vertical	203	1.68
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.43672G	37.61	54.00	-16.39	3	Horizontal	331	1.77
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.44948G	49.17	74.00	-24.83	3	Horizontal	331	1.77
802.11ax HEW40_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5270MHz	Pass	AV	5.268G	99.19	Inf	-Inf	3	Vertical	171	1.32
5270MHz	Pass	AV	5.3568G	44.37	54.00	-9.63	3	Vertical	171	1.32
5270MHz	Pass	PK	5.2772G	112.68	Inf	-Inf	3	Vertical	171	1.32
5270MHz	Pass	PK	5.3556G	58.59	74.00	-15.41	3	Vertical	171	1.32
5270MHz	Pass	AV	5.2712G	101.05	Inf	-Inf	3	Horizontal	62	1.40
5270MHz	Pass	AV	5.3508G	45.30	54.00	-8.70	3	Horizontal	62	1.40



RSE TX above 1GHz_C330E_Radio 3

Appendix D.4

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5270MHz	Pass	PK	5.272G	114.53	Inf	-Inf	3	Horizontal	62	1.40
5270MHz	Pass	PK	5.35G	59.83	74.00	-14.17	3	Horizontal	62	1.40
5270MHz	Pass	PK	10.53512G	49.48	68.20	-18.72	3	Vertical	344	1.61
5270MHz	Pass	PK	10.54404G	48.47	68.20	-19.73	3	Horizontal	317	2.52
5310MHz	Pass	AV	5.32G	97.72	Inf	-Inf	3	Vertical	178	1.33
5310MHz	Pass	AV	5.35G	51.46	54.00	-2.54	3	Vertical	178	1.33
5310MHz	Pass	PK	5.3204G	110.86	Inf	-Inf	3	Vertical	178	1.33
5310MHz	Pass	PK	5.35G	69.27	74.00	-4.73	3	Vertical	178	1.33
5310MHz	Pass	AV	5.3108G	99.26	Inf	-Inf	3	Horizontal	64	1.36
5310MHz	Pass	AV	5.35G	52.96	54.00	-1.04	3	Horizontal	64	1.36
5310MHz	Pass	PK	5.3008G	112.12	Inf	-Inf	3	Horizontal	64	1.36
5310MHz	Pass	PK	5.35G	70.18	74.00	-3.82	3	Horizontal	64	1.36
5310MHz	Pass	AV	10.61756G	36.92	54.00	-17.08	3	Vertical	232	2.56
5310MHz	Pass	PK	10.61584G	49.12	74.00	-24.88	3	Vertical	232	2.56
5310MHz	Pass	AV	10.62932G	37.02	54.00	-16.98	3	Horizontal	53	1.95
5310MHz	Pass	PK	10.62508G	49.16	74.00	-24.84	3	Horizontal	53	1.95
5510MHz	Pass	AV	5.4588G	45.72	54.00	-8.28	3	Vertical	174	1.19
5510MHz	Pass	AV	5.508G	97.99	Inf	-Inf	3	Vertical	174	1.19
5510MHz	Pass	PK	5.4684G	67.22	68.20	-0.98	3	Vertical	174	1.19
5510MHz	Pass	PK	5.5072G	111.43	Inf	-Inf	3	Vertical	174	1.19
5510MHz	Pass	AV	5.46G	45.90	54.00	-8.10	3	Horizontal	61	1.28
5510MHz	Pass	AV	5.5092G	97.37	Inf	-Inf	3	Horizontal	61	1.28
5510MHz	Pass	PK	5.47G	66.41	68.20	-1.79	3	Horizontal	61	1.28
5510MHz	Pass	PK	5.5G	110.74	Inf	-Inf	3	Horizontal	61	1.28
5510MHz	Pass	AV	11.01028G	37.15	54.00	-16.85	3	Vertical	358	2.32
5510MHz	Pass	PK	11.0254G	49.76	74.00	-24.24	3	Vertical	358	2.32
5510MHz	Pass	AV	11.01136G	37.10	54.00	-16.90	3	Horizontal	191	2.20
5510MHz	Pass	PK	11.01068G	49.26	74.00	-24.74	3	Horizontal	191	2.20
5550MHz	Pass	AV	5.4584G	43.55	54.00	-10.45	3	Vertical	172	1.40
5550MHz	Pass	AV	5.5472G	99.51	Inf	-Inf	3	Vertical	172	1.40
5550MHz	Pass	PK	5.4676G	58.85	68.20	-9.35	3	Vertical	172	1.40
5550MHz	Pass	PK	5.5468G	113.39	Inf	-Inf	3	Vertical	172	1.40
5550MHz	Pass	AV	5.4592G	43.37	54.00	-10.63	3	Horizontal	59	1.25
5550MHz	Pass	AV	5.5492G	98.70	Inf	-Inf	3	Horizontal	59	1.25
5550MHz	Pass	PK	5.4696G	57.24	68.20	-10.96	3	Horizontal	59	1.25
5550MHz	Pass	PK	5.5604G	112.55	Inf	-Inf	3	Horizontal	59	1.25
5550MHz	Pass	AV	11.09656G	37.13	54.00	-16.87	3	Vertical	323	2.31
5550MHz	Pass	PK	11.09024G	49.59	74.00	-24.41	3	Vertical	323	2.31
5550MHz	Pass	AV	11.10224G	37.11	54.00	-16.89	3	Horizontal	194	1.24
5550MHz	Pass	PK	11.10676G	49.40	74.00	-24.60	3	Horizontal	194	1.24
5670MHz	Pass	AV	5.6676G	99.78	Inf	-Inf	3	Vertical	176	1.41
5670MHz	Pass	PK	5.6658G	112.42	Inf	-Inf	3	Vertical	176	1.41
5670MHz	Pass	PK	5.7276G	65.41	68.20	-2.79	3	Vertical	176	1.41
5670MHz	Pass	AV	5.6688G	99.62	Inf	-Inf	3	Horizontal	59	1.25
5670MHz	Pass	PK	5.6688G	113.01	Inf	-Inf	3	Horizontal	59	1.25
5670MHz	Pass	PK	5.7282G	66.14	68.20	-2.06	3	Horizontal	59	1.25
5670MHz	Pass	AV	11.33716G	37.59	54.00	-16.41	3	Vertical	357	2.30
5670MHz	Pass	PK	11.33824G	50.11	74.00	-23.89	3	Vertical	357	2.30
5670MHz	Pass	AV	11.3456G	37.58	54.00	-16.42	3	Horizontal	21	1.85
5670MHz	Pass	PK	11.33684G	50.00	74.00	-24.00	3	Horizontal	21	1.85
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.452G	43.12	54.00	-10.88	3	Vertical	170	1.38
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.7064G	99.53	Inf	-Inf	3	Vertical	170	1.38
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.4664G	56.09	68.20	-12.11	3	Vertical	170	1.38
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.7052G	111.96	Inf	-Inf	3	Vertical	170	1.38
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.9044G	59.00	68.20	-9.20	3	Vertical	170	1.38
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.4544G	43.08	54.00	-10.92	3	Horizontal	60	1.18
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.7088G	99.92	Inf	-Inf	3	Horizontal	60	1.18
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.4688G	55.94	68.20	-12.26	3	Horizontal	60	1.18
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.7088G	112.67	Inf	-Inf	3	Horizontal	60	1.18
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.9716G	59.26	68.20	-8.94	3	Horizontal	60	1.18
5710MHz Straddle 5.47-5.725GHz	Pass	AV	11.41604G	37.93	54.00	-16.07	3	Vertical	279	2.53
5710MHz Straddle 5.47-5.725GHz	Pass	PK	11.42456G	50.20	74.00	-23.80	3	Vertical	279	2.53



RSE TX above 1GHz_C330E_Radio 3

Appendix D.4

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5710MHz Straddle 5.47-5.725GHz	Pass	AV	11.41364G	37.89	54.00	-16.11	3	Horizontal	253	1.29
5710MHz Straddle 5.47-5.725GHz	Pass	PK	11.4214G	49.85	74.00	-24.15	3	Horizontal	253	1.29
802.11ax HEW80_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5290MHz	Pass	AV	5.149G	43.84	54.00	-10.16	3	Vertical	179	1.34
5290MHz	Pass	AV	5.28G	94.73	Inf	-Inf	3	Vertical	179	1.34
5290MHz	Pass	AV	5.35G	52.78	54.00	-1.22	3	Vertical	179	1.34
5290MHz	Pass	PK	5.141G	57.12	74.00	-16.88	3	Vertical	179	1.34
5290MHz	Pass	PK	5.31G	107.66	Inf	-Inf	3	Vertical	179	1.34
5290MHz	Pass	PK	5.35G	70.46	74.00	-3.54	3	Vertical	179	1.34
5290MHz	Pass	AV	5.15G	44.68	54.00	-9.32	3	Horizontal	64	1.33
5290MHz	Pass	AV	5.291G	96.22	Inf	-Inf	3	Horizontal	64	1.33
5290MHz	Pass	AV	5.35G	53.05	54.00	-0.95	3	Horizontal	64	1.33
5290MHz	Pass	PK	5.141G	58.79	74.00	-15.21	3	Horizontal	64	1.33
5290MHz	Pass	PK	5.292G	109.24	Inf	-Inf	3	Horizontal	64	1.33
5290MHz	Pass	PK	5.352G	69.69	74.00	-4.31	3	Horizontal	64	1.33
5290MHz	Pass	PK	10.57816G	49.58	68.20	-18.62	3	Vertical	357	1.30
5290MHz	Pass	PK	10.58016G	49.28	68.20	-18.92	3	Horizontal	2	1.58
5530MHz	Pass	AV	5.457G	49.16	54.00	-4.84	3	Vertical	173	1.36
5530MHz	Pass	AV	5.527G	94.30	Inf	-Inf	3	Vertical	173	1.36
5530MHz	Pass	PK	5.468G	65.11	68.20	-3.09	3	Vertical	173	1.36
5530MHz	Pass	PK	5.527G	108.80	Inf	-Inf	3	Vertical	173	1.36
5530MHz	Pass	PK	5.761G	59.66	68.20	-8.54	3	Vertical	173	1.36
5530MHz	Pass	AV	5.46G	48.71	54.00	-5.29	3	Horizontal	62	1.36
5530MHz	Pass	AV	5.52G	93.14	Inf	-Inf	3	Horizontal	62	1.36
5530MHz	Pass	PK	5.47G	65.00	68.20	-3.20	3	Horizontal	62	1.36
5530MHz	Pass	PK	5.519G	105.48	Inf	-Inf	3	Horizontal	62	1.36
5530MHz	Pass	PK	5.764G	57.88	68.20	-10.32	3	Horizontal	62	1.36
5530MHz	Pass	AV	11.0566G	37.04	54.00	-16.96	3	Vertical	251	2.24
5530MHz	Pass	PK	11.05016G	49.60	74.00	-24.40	3	Vertical	251	2.24
5530MHz	Pass	AV	11.05512G	37.17	54.00	-16.83	3	Horizontal	113	2.91
5530MHz	Pass	PK	11.05984G	51.36	74.00	-22.64	3	Horizontal	113	2.91
5610MHz	Pass	AV	5.459G	45.14	54.00	-8.86	3	Vertical	178	1.32
5610MHz	Pass	AV	5.599G	96.61	Inf	-Inf	3	Vertical	178	1.32
5610MHz	Pass	PK	5.468G	61.45	68.20	-6.75	3	Vertical	178	1.32
5610MHz	Pass	PK	5.599G	109.81	Inf	-Inf	3	Vertical	178	1.32
5610MHz	Pass	PK	5.728G	63.55	68.20	-4.65	3	Vertical	178	1.32
5610MHz	Pass	AV	5.46G	44.98	54.00	-9.02	3	Horizontal	60	1.22
5610MHz	Pass	AV	5.62G	96.62	Inf	-Inf	3	Horizontal	60	1.22
5610MHz	Pass	PK	5.47G	61.16	68.20	-7.04	3	Horizontal	60	1.22
5610MHz	Pass	PK	5.619G	109.57	Inf	-Inf	3	Horizontal	60	1.22
5610MHz	Pass	PK	5.73G	65.08	68.20	-3.12	3	Horizontal	60	1.22
5610MHz	Pass	AV	11.22664G	37.37	54.00	-16.63	3	Vertical	289	1.31
5610MHz	Pass	PK	11.21168G	50.54	74.00	-23.46	3	Vertical	289	1.31
5610MHz	Pass	AV	11.2214G	37.53	54.00	-16.47	3	Horizontal	17	1.22
5610MHz	Pass	PK	11.22772G	49.42	74.00	-24.58	3	Horizontal	17	1.22
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.4464G	43.25	54.00	-10.75	3	Vertical	174	1.34
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.6876G	96.76	Inf	-Inf	3	Vertical	174	1.34
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.462G	56.47	68.20	-11.73	3	Vertical	174	1.34
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.6864G	109.31	Inf	-Inf	3	Vertical	174	1.34
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.9528G	58.92	68.20	-9.28	3	Vertical	174	1.34
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.4476G	43.18	54.00	-10.82	3	Horizontal	60	1.22
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.6888G	96.69	Inf	-Inf	3	Horizontal	60	1.22
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.4668G	56.40	68.20	-11.80	3	Horizontal	60	1.22
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.7092G	109.87	Inf	-Inf	3	Horizontal	60	1.22
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.9168G	59.55	68.20	-8.65	3	Horizontal	60	1.22
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.3718G	37.90	54.00	-16.10	3	Vertical	165	2.03
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.37284G	50.12	74.00	-23.88	3	Vertical	165	2.03
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.38632G	37.99	54.00	-16.01	3	Horizontal	91	1.35
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.37304G	50.45	74.00	-23.55	3	Horizontal	91	1.35
802.11ax HEW160_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.1312G	49.49	54.00	-4.51	3	Vertical	187	1.71
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.2308G	91.57	Inf	-Inf	3	Vertical	187	1.71




Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.352G	50.95	54.00	-3.05	3	Vertical	187	1.71
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.1408G	63.91	74.00	-10.09	3	Vertical	187	1.71
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.2704G	103.70	Inf	-Inf	3	Vertical	187	1.71
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.466G	59.59	68.20	-8.61	3	Vertical	187	1.71
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.142G	52.99	54.00	-1.01	3	Horizontal	66	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.2224G	93.43	Inf	-Inf	3	Horizontal	66	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.3532G	50.68	54.00	-3.32	3	Horizontal	66	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.142G	66.82	74.00	-7.18	3	Horizontal	66	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.2212G	106.15	Inf	-Inf	3	Horizontal	66	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.4648G	60.15	68.20	-8.05	3	Horizontal	66	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	PK	10.51232G	51.34	68.20	-16.86	3	Vertical	338	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	PK	10.52496G	50.35	68.20	-17.85	3	Horizontal	100	3.00
5570MHz	Pass	AV	5.4548G	50.12	54.00	-3.88	3	Vertical	214	1.67
5570MHz	Pass	AV	5.576G	91.46	Inf	-Inf	3	Vertical	214	1.67
5570MHz	Pass	PK	5.4632G	64.68	68.20	-3.52	3	Vertical	214	1.67
5570MHz	Pass	PK	5.546G	103.95	Inf	-Inf	3	Vertical	214	1.67
5570MHz	Pass	PK	5.726G	62.16	68.20	-6.04	3	Vertical	214	1.67
5570MHz	Pass	AV	5.4596G	51.30	54.00	-2.70	3	Horizontal	63	1.39
5570MHz	Pass	AV	5.5904G	91.73	Inf	-Inf	3	Horizontal	63	1.39
5570MHz	Pass	PK	5.4644G	66.36	68.20	-1.84	3	Horizontal	63	1.39
5570MHz	Pass	PK	5.5508G	105.77	Inf	-Inf	3	Horizontal	63	1.39
5570MHz	Pass	PK	5.7296G	62.83	68.20	-5.37	3	Horizontal	63	1.39
5570MHz	Pass	AV	11.13688G	37.24	54.00	-16.76	3	Vertical	113	1.50
5570MHz	Pass	PK	11.13296G	51.56	74.00	-22.44	3	Vertical	113	1.50
5570MHz	Pass	AV	11.13128G	37.19	54.00	-16.81	3	Horizontal	360	1.50
5570MHz	Pass	PK	11.1372G	51.01	74.00	-22.99	3	Horizontal	360	1.50



5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX


5260MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1472G	42.89	54.00	-11.11	5.81	3	Vertical	164	1.38	37.08	33.10	6.85	34.14
AV	5.2576G	103.13	Inf	-Inf	5.75	3	Vertical	164	1.38	97.38	33.00	6.90	34.15
AV	5.404G	43.77	54.00	-10.23	5.63	3	Vertical	164	1.38	38.14	32.90	6.90	34.17
PK	5.1202G	55.97	74.00	-18.03	5.78	3	Vertical	164	1.38	50.19	33.10	6.81	34.13
PK	5.2576G	113.32	Inf	-Inf	5.75	3	Vertical	164	1.38	107.57	33.00	6.90	34.15
PK	5.3722G	56.87	74.00	-17.13	5.63	3	Vertical	164	1.38	51.24	32.90	6.89	34.16

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5260MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1442G	43.09	54.00	-10.91	5.80	3	Horizontal	65	1.38	37.29	33.10	6.84	34.14
AV	5.2552G	104.18	Inf	-Inf	5.75	3	Horizontal	65	1.38	98.43	33.00	6.90	34.15
AV	5.3752G	43.71	54.00	-10.29	5.62	3	Horizontal	65	1.38	38.09	32.90	6.89	34.17
PK	5.1196G	56.41	74.00	-17.59	5.78	3	Horizontal	65	1.38	50.63	33.10	6.81	34.13
PK	5.2648G	113.97	Inf	-Inf	5.75	3	Horizontal	65	1.38	108.22	33.00	6.90	34.15
PK	5.3536G	57.43	74.00	-16.57	5.63	3	Horizontal	65	1.38	51.80	32.90	6.89	34.16



5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX


5260MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.51528G	49.57	68.20	-18.63	16.08	3	Vertical	167	2.76	33.49	38.90	11.68	34.50

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5260MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.51056G	48.99	68.20	-19.21	16.08	3	Horizontal	83	1.58	32.91	38.90	11.68	34.50



5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX


5300MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3036G	102.94	Inf	-Inf	5.73	3	Vertical	167	1.40	97.21	32.99	6.90	34.16
AV	5.384G	43.53	54.00	-10.47	5.62	3	Vertical	167	1.40	37.91	32.90	6.89	34.17
PK	5.298G	112.44	Inf	-Inf	5.74	3	Vertical	167	1.40	106.70	33.00	6.90	34.16
PK	5.382G	56.89	74.00	-17.11	5.62	3	Vertical	167	1.40	51.27	32.90	6.89	34.17

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5300MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3008G	104.21	Inf	-Inf	5.74	3	Horizontal	63	1.29	98.47	33.00	6.90	34.16
AV	5.35G	43.74	54.00	-10.26	5.63	3	Horizontal	63	1.29	38.11	32.90	6.89	34.16
PK	5.3008G	114.02	Inf	-Inf	5.74	3	Horizontal	63	1.29	108.28	33.00	6.90	34.16
PK	5.3504G	56.69	74.00	-17.31	5.63	3	Horizontal	63	1.29	51.06	32.90	6.89	34.16



5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX


5300MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.60892G	37.34	54.00	-16.66	16.18	3	Vertical	304	2.28	21.16	38.93	11.68	34.43
PK	10.6058G	49.01	74.00	-24.99	16.16	3	Vertical	304	2.28	32.85	38.92	11.68	34.44

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5300MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.60936G	37.22	54.00	-16.78	16.18	3	Horizontal	38	1.85	21.04	38.93	11.68	34.43
PK	10.59144G	49.40	68.20	-18.80	16.13	3	Horizontal	38	1.85	33.27	38.90	11.68	34.45



5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX


5320MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3232G	102.56	Inf	-Inf	5.69	3	Vertical	165	1.39	96.87	32.95	6.90	34.16
AV	5.3528G	48.49	54.00	-5.51	5.63	3	Vertical	165	1.39	42.86	32.90	6.89	34.16
PK	5.3232G	113.37	Inf	-Inf	5.69	3	Vertical	165	1.39	107.68	32.95	6.90	34.16
PK	5.353G	63.91	74.00	-10.09	5.63	3	Vertical	165	1.39	58.28	32.90	6.89	34.16

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5320MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3154G	103.73	Inf	-Inf	5.71	3	Horizontal	64	1.36	98.02	32.97	6.90	34.16
AV	5.35G	52.37	54.00	-1.63	5.63	3	Horizontal	64	1.36	46.74	32.90	6.89	34.16
PK	5.3154G	113.29	Inf	-Inf	5.71	3	Horizontal	64	1.36	107.58	32.97	6.90	34.16
PK	5.35G	67.99	74.00	-6.01	5.63	3	Horizontal	64	1.36	62.36	32.90	6.89	34.16



5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX


5320MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.636G	37.56	54.00	-16.44	16.28	3	Vertical	258	1.30	21.28	39.01	11.68	34.41
PK	10.6354G	49.97	74.00	-24.03	16.27	3	Vertical	258	1.30	33.70	39.01	11.68	34.42

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5320MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.64116G	37.78	54.00	-16.22	16.30	3	Horizontal	195	2.25	21.48	39.02	11.69	34.41
PK	10.64496G	49.58	74.00	-24.42	16.31	3	Horizontal	195	2.25	33.27	39.03	11.69	34.41



5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX


5500MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4586G	44.89	54.00	-9.11	5.70	3	Vertical	172	1.41	39.19	32.90	6.98	34.18
AV	5.5034G	103.52	Inf	-Inf	5.78	3	Vertical	172	1.41	97.74	32.90	7.06	34.18
PK	5.4692G	65.48	68.20	-2.72	5.72	3	Vertical	172	1.41	59.76	32.90	7.00	34.18
PK	5.4992G	113.28	Inf	-Inf	5.77	3	Vertical	172	1.41	107.51	32.90	7.05	34.18

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5500MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	44.98	54.00	-9.02	5.71	3	Horizontal	61	1.32	39.27	32.90	6.99	34.18
AV	5.4948G	102.72	Inf	-Inf	5.76	3	Horizontal	61	1.32	96.96	32.90	7.04	34.18
PK	5.4698G	66.71	68.20	-1.49	5.72	3	Horizontal	61	1.32	60.99	32.90	7.00	34.18
PK	5.505G	111.95	Inf	-Inf	5.78	3	Horizontal	61	1.32	106.17	32.90	7.06	34.18



5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX


5500MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.00708G	37.70	54.00	-16.30	16.54	3	Vertical	42	2.90	21.16	38.99	11.71	34.16
PK	10.99468G	50.10	74.00	-23.90	16.55	3	Vertical	42	2.90	33.55	39.01	11.70	34.16

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5500MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.9978G	37.62	54.00	-16.38	16.54	3	Horizontal	114	2.23	21.08	39.00	11.70	34.16
PK	10.99368G	49.47	74.00	-24.53	16.55	3	Horizontal	114	2.23	32.92	39.01	11.70	34.16



5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX


5580MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4498G	43.65	54.00	-10.35	5.70	3	Vertical	172	1.39	37.95	32.90	6.97	34.17
AV	5.5836G	103.52	Inf	-Inf	5.96	3	Vertical	172	1.39	97.56	32.97	7.18	34.19
PK	5.4624G	56.28	68.20	-11.92	5.71	3	Vertical	172	1.39	50.57	32.90	6.99	34.18
PK	5.5788G	113.33	Inf	-Inf	5.95	3	Vertical	172	1.39	107.38	32.96	7.18	34.19
PK	5.7264G	56.73	68.20	-11.47	6.78	3	Vertical	172	1.39	49.95	33.71	7.27	34.20

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5580MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4552G	43.72	54.00	-10.28	5.71	3	Horizontal	60	1.32	38.01	32.90	6.98	34.17
AV	5.5848G	102.90	Inf	-Inf	5.97	3	Horizontal	60	1.32	96.93	32.97	7.19	34.19
PK	5.4606G	56.40	68.20	-11.80	5.71	3	Horizontal	60	1.32	50.69	32.90	6.99	34.18
PK	5.5848G	112.45	Inf	-Inf	5.97	3	Horizontal	60	1.32	106.48	32.97	7.19	34.19
PK	5.73G	57.59	68.20	-10.61	6.79	3	Horizontal	60	1.32	50.80	33.72	7.27	34.20



5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX


5580MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.15964G	37.90	54.00	-16.10	16.54	3	Vertical	46	1.88	21.36	38.96	11.71	34.13
PK	11.1622G	49.82	74.00	-24.18	16.54	3	Vertical	46	1.88	33.28	38.96	11.71	34.13

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5580MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.1562G	37.97	54.00	-16.03	16.54	3	Horizontal	38	2.55	21.43	38.96	11.71	34.13
PK	11.15408G	49.41	74.00	-24.59	16.53	3	Horizontal	38	2.55	32.88	38.95	11.71	34.13



5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX


5700MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7032G	102.41	Inf	-Inf	6.67	3	Vertical	173	1.28	95.74	33.61	7.26	34.20
PK	5.6984G	111.83	Inf	-Inf	6.63	3	Vertical	173	1.28	105.20	33.58	7.25	34.20
PK	5.7284G	61.77	68.20	-6.43	6.78	3	Vertical	173	1.28	54.99	33.71	7.27	34.20

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5700MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.6948G	102.18	Inf	-Inf	6.59	3	Horizontal	61	1.23	95.59	33.54	7.25	34.20
PK	5.7044G	111.62	Inf	-Inf	6.68	3	Horizontal	61	1.23	104.94	33.62	7.26	34.20
PK	5.7252G	66.00	68.20	-2.20	6.77	3	Horizontal	61	1.23	59.23	33.70	7.27	34.20



5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX


5700MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.40276G	38.38	54.00	-15.62	16.85	3	Vertical	352	1.26	21.53	39.20	11.73	34.08
PK	11.40184G	50.66	74.00	-23.34	16.85	3	Vertical	352	1.26	33.81	39.20	11.73	34.08

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5700MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.4058G	38.41	54.00	-15.59	16.84	3	Horizontal	164	1.51	21.57	39.19	11.73	34.08
PK	11.40844G	50.60	74.00	-23.40	16.84	3	Horizontal	164	1.51	33.76	39.19	11.73	34.08



5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX


5720MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.444G	43.58	54.00	-10.42	5.69	3	Vertical	174	1.12	37.89	32.90	6.96	34.17
AV	5.7188G	103.44	Inf	-Inf	6.74	3	Vertical	174	1.12	96.70	33.68	7.26	34.20
PK	5.4644G	57.20	68.20	-11.00	5.71	3	Vertical	174	1.12	51.49	32.90	6.99	34.18
PK	5.714G	112.92	Inf	-Inf	6.72	3	Vertical	174	1.12	106.20	33.66	7.26	34.20
PK	5.948G	58.65	68.20	-9.55	7.44	3	Vertical	174	1.12	51.21	34.20	7.46	34.22

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4332G	43.75	54.00	-10.25	5.67	3	Horizontal	60	1.18	38.08	32.90	6.94	34.17
AV	5.7152G	103.47	Inf	-Inf	6.72	3	Horizontal	60	1.18	96.75	33.66	7.26	34.20
PK	5.4632G	56.42	68.20	-11.78	5.71	3	Horizontal	60	1.18	50.71	32.90	6.99	34.18
PK	5.7152G	112.90	Inf	-Inf	6.72	3	Horizontal	60	1.18	106.18	33.66	7.26	34.20
PK	5.9216G	58.45	68.20	-9.75	7.48	3	Horizontal	60	1.18	50.97	34.26	7.43	34.21



5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX


5720MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.44552G	38.09	54.00	-15.91	16.81	3	Vertical	105	1.94	21.28	39.15	11.73	34.07
PK	11.43396G	49.65	74.00	-24.35	16.83	3	Vertical	105	1.94	32.82	39.17	11.73	34.07

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.44164G	38.08	54.00	-15.92	16.82	3	Horizontal	313	1.12	21.26	39.16	11.73	34.07
PK	11.43884G	49.50	74.00	-24.50	16.82	3	Horizontal	313	1.12	32.68	39.16	11.73	34.07



5.25-5.35GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


5260MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1484G	42.36	54.00	-11.64	5.81	3	Vertical	174	1.39	36.55	33.10	6.85	34.14
AV	5.2582G	103.13	Inf	-Inf	5.75	3	Vertical	174	1.39	97.38	33.00	6.90	34.15
AV	5.4052G	43.28	54.00	-10.72	5.63	3	Vertical	174	1.39	37.65	32.90	6.90	34.17
PK	5.1196G	56.09	74.00	-17.91	5.78	3	Vertical	174	1.39	50.31	33.10	6.81	34.13
PK	5.2588G	116.02	Inf	-Inf	5.75	3	Vertical	174	1.39	110.27	33.00	6.90	34.15
PK	5.401G	56.83	74.00	-17.17	5.62	3	Vertical	174	1.39	51.21	32.90	6.89	34.17

5.25-5.35GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5260MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1454G	42.42	54.00	-11.58	5.80	3	Horizontal	64	1.43	36.62	33.10	6.84	34.14
AV	5.2612G	104.50	Inf	-Inf	5.75	3	Horizontal	64	1.43	98.75	33.00	6.90	34.15
AV	5.3698G	43.25	54.00	-10.75	5.63	3	Horizontal	64	1.43	37.62	32.90	6.89	34.16
PK	5.1226G	56.35	74.00	-17.65	5.79	3	Horizontal	64	1.43	50.56	33.10	6.82	34.13
PK	5.2606G	117.32	Inf	-Inf	5.75	3	Horizontal	64	1.43	111.57	33.00	6.90	34.15
PK	5.3794G	57.29	74.00	-16.71	5.62	3	Horizontal	64	1.43	51.67	32.90	6.89	34.17



5.25-5.35GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


5260MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.51888G	50.20	68.20	-18.00	16.08	3	Vertical	98	2.20	34.12	38.90	11.68	34.50

5.25-5.35GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5260MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.51136G	49.37	68.20	-18.83	16.08	3	Horizontal	274	1.84	33.29	38.90	11.68	34.50



5.25-5.35GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX


5300MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.2988G	102.75	Inf	-Inf	5.74	3	Vertical	173	1.40	97.01	33.00	6.90	34.16
AV	5.35G	43.64	54.00	-10.36	5.63	3	Vertical	173	1.40	38.01	32.90	6.89	34.16
PK	5.2992G	115.66	Inf	-Inf	5.74	3	Vertical	173	1.40	109.92	33.00	6.90	34.16
PK	5.3504G	58.00	74.00	-16.00	5.63	3	Vertical	173	1.40	52.37	32.90	6.89	34.16

5.25-5.35GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX

5300MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3008G	104.27	Inf	-Inf	5.74	3	Horizontal	64	1.29	98.53	33.00	6.90	34.16
AV	5.3504G	44.27	54.00	-9.73	5.63	3	Horizontal	64	1.29	38.64	32.90	6.89	34.16
PK	5.3008G	117.73	Inf	-Inf	5.74	3	Horizontal	64	1.29	111.99	33.00	6.90	34.16
PK	5.3504G	59.13	74.00	-14.87	5.63	3	Horizontal	64	1.29	53.50	32.90	6.89	34.16



5.25-5.35GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX


5300MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.60892G	36.79	54.00	-17.21	16.18	3	Vertical	160	1.61	20.61	38.93	11.68	34.43
PK	10.60336G	48.72	74.00	-25.28	16.15	3	Vertical	160	1.61	32.57	38.91	11.68	34.44

5.25-5.35GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX

5300MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.60968G	37.02	54.00	-16.98	16.18	3	Horizontal	240	1.31	20.84	38.93	11.68	34.43
PK	10.59668G	48.61	68.20	-19.59	16.14	3	Horizontal	240	1.31	32.47	38.90	11.68	34.44



5.25-5.35GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX

5320MHz_TX




06/01/2023

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3188G	102.27	Inf	-Inf	5.70	3	Vertical	176	1.33	96.57	32.96	6.90	34.16
AV	5.35G	51.45	54.00	-2.55	5.63	3	Vertical	176	1.33	45.82	32.90	6.89	34.16
PK	5.319G	115.84	Inf	-Inf	5.70	3	Vertical	176	1.33	110.14	32.96	6.90	34.16
PK	5.3502G	69.44	74.00	-4.56	5.63	3	Vertical	176	1.33	63.81	32.90	6.89	34.16

5.25-5.35GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX

5320MHz_TX




06/01/2023

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.321G	103.06	Inf	-Inf	5.70	3	Horizontal	63	1.38	97.36	32.96	6.90	34.16
AV	5.35G	52.33	54.00	-1.67	5.63	3	Horizontal	63	1.38	46.70	32.90	6.89	34.16
PK	5.3218G	116.56	Inf	-Inf	5.70	3	Horizontal	63	1.38	110.86	32.96	6.90	34.16
PK	5.35G	71.82	74.00	-2.18	5.63	3	Horizontal	63	1.38	66.19	32.90	6.89	34.16



5.25-5.35GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX


5320MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.63256G	37.08	54.00	-16.92	16.26	3	Vertical	336	1.92	20.82	39.00	11.68	34.42
PK	10.6426G	49.05	74.00	-24.95	16.31	3	Vertical	336	1.92	32.74	39.03	11.69	34.41

5.25-5.35GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX

5320MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.63908G	37.24	54.00	-16.76	16.30	3	Horizontal	108	1.53	20.94	39.02	11.69	34.41
PK	10.64276G	50.57	74.00	-23.43	16.31	3	Horizontal	108	1.53	34.26	39.03	11.69	34.41



5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


5500MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4578G	44.14	54.00	-9.86	5.71	3	Vertical	172	1.26	38.43	32.90	6.98	34.17
AV	5.4974G	102.71	Inf	-Inf	5.77	3	Vertical	172	1.26	96.94	32.90	7.05	34.18
PK	5.4678G	66.22	68.20	-1.98	5.72	3	Vertical	172	1.26	60.50	32.90	7.00	34.18
PK	5.4972G	115.50	Inf	-Inf	5.77	3	Vertical	172	1.26	109.73	32.90	7.05	34.18

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5500MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4596G	44.26	54.00	-9.74	5.71	3	Horizontal	62	1.31	38.55	32.90	6.99	34.18
AV	5.5008G	101.19	Inf	-Inf	5.77	3	Horizontal	62	1.31	95.42	32.90	7.05	34.18
PK	5.4698G	66.32	68.20	-1.88	5.72	3	Horizontal	62	1.31	60.60	32.90	7.00	34.18
PK	5.501G	114.58	Inf	-Inf	5.77	3	Horizontal	62	1.31	108.81	32.90	7.05	34.18



5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


5500MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.00132G	37.18	54.00	-16.82	16.55	3	Vertical	253	1.43	20.63	39.00	11.71	34.16
PK	11.0094G	49.67	74.00	-24.33	16.54	3	Vertical	253	1.43	33.13	38.99	11.71	34.16

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5500MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.991G	37.14	54.00	-16.86	16.54	3	Horizontal	304	1.79	20.60	39.01	11.70	34.17
PK	10.99284G	49.75	74.00	-24.25	16.54	3	Horizontal	304	1.79	33.21	39.01	11.70	34.17



5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


5580MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4414G	43.08	54.00	-10.92	5.69	3	Vertical	172	1.38	37.39	32.90	6.96	34.17
AV	5.577G	102.88	Inf	-Inf	5.93	3	Vertical	172	1.38	96.95	32.95	7.17	34.19
PK	5.4672G	56.41	68.20	-11.79	5.72	3	Vertical	172	1.38	50.69	32.90	7.00	34.18
PK	5.5776G	115.71	Inf	-Inf	5.94	3	Vertical	172	1.38	109.77	32.96	7.17	34.19
PK	5.7258G	56.92	68.20	-11.28	6.77	3	Vertical	172	1.38	50.15	33.70	7.27	34.20

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5580MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4306G	43.23	54.00	-10.77	5.67	3	Horizontal	60	1.35	37.56	32.90	6.94	34.17
AV	5.5794G	101.92	Inf	-Inf	5.95	3	Horizontal	60	1.35	95.97	32.96	7.18	34.19
PK	5.4642G	56.01	68.20	-12.19	5.71	3	Horizontal	60	1.35	50.30	32.90	6.99	34.18
PK	5.5794G	115.07	Inf	-Inf	5.95	3	Horizontal	60	1.35	109.12	32.96	7.18	34.19
PK	5.7276G	57.18	68.20	-11.02	6.78	3	Horizontal	60	1.35	50.40	33.71	7.27	34.20



5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


5580MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.15444G	37.38	54.00	-16.62	16.53	3	Vertical	345	1.68	20.85	38.95	11.71	34.13
PK	11.16508G	50.39	74.00	-23.61	16.55	3	Vertical	345	1.68	33.84	38.97	11.71	34.13

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5580MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.15172G	37.26	54.00	-16.74	16.53	3	Horizontal	184	2.68	20.73	38.95	11.71	34.13
PK	11.15016G	51.65	74.00	-22.35	16.53	3	Horizontal	184	2.68	35.12	38.95	11.71	34.13



5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


5700MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.6976G	101.58	Inf	-Inf	6.62	3	Vertical	175	1.27	94.96	33.57	7.25	34.20
PK	5.698G	114.77	Inf	-Inf	6.63	3	Vertical	175	1.27	108.14	33.58	7.25	34.20
PK	5.7284G	66.82	68.20	-1.38	6.78	3	Vertical	175	1.27	60.04	33.71	7.27	34.20

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5700MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.6988G	101.44	Inf	-Inf	6.64	3	Horizontal	60	1.24	94.80	33.59	7.25	34.20
PK	5.6992G	114.14	Inf	-Inf	6.64	3	Horizontal	60	1.24	107.50	33.59	7.25	34.20
PK	5.7296G	66.17	68.20	-2.03	6.79	3	Horizontal	60	1.24	59.38	33.72	7.27	34.20



5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


5700MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.4052G	38.03	54.00	-15.97	16.84	3	Vertical	266	2.38	21.19	39.19	11.73	34.08
PK	11.40564G	50.38	74.00	-23.62	16.84	3	Vertical	266	2.38	33.54	39.19	11.73	34.08

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5700MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.39812G	37.98	54.00	-16.02	16.85	3	Horizontal	250	1.65	21.13	39.20	11.73	34.08
PK	11.40824G	49.91	74.00	-24.09	16.84	3	Horizontal	250	1.65	33.07	39.19	11.73	34.08



5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


5720MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4392G	43.04	54.00	-10.96	5.68	3	Vertical	170	1.33	37.36	32.90	6.95	34.17
AV	5.7164G	102.93	Inf	-Inf	6.73	3	Vertical	170	1.33	96.20	33.67	7.26	34.20
PK	5.462G	55.88	68.20	-12.32	5.71	3	Vertical	170	1.33	50.17	32.90	6.99	34.18
PK	5.7152G	115.20	Inf	-Inf	6.72	3	Vertical	170	1.33	108.48	33.66	7.26	34.20
PK	5.9408G	58.39	68.20	-9.81	7.45	3	Vertical	170	1.33	50.94	34.22	7.45	34.22

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4416G	43.09	54.00	-10.91	5.69	3	Horizontal	62	1.16	37.40	32.90	6.96	34.17
AV	5.7188G	102.97	Inf	-Inf	6.74	3	Horizontal	62	1.16	96.23	33.68	7.26	34.20
PK	5.4692G	56.50	68.20	-11.70	5.72	3	Horizontal	62	1.16	50.78	32.90	7.00	34.18
PK	5.7188G	115.41	Inf	-Inf	6.74	3	Horizontal	62	1.16	108.67	33.68	7.26	34.20
PK	5.9516G	59.18	68.20	-9.02	7.45	3	Horizontal	62	1.16	51.73	34.20	7.47	34.22



5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


5720MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.43024G	37.81	54.00	-16.19	16.83	3	Vertical	203	1.68	20.98	39.17	11.73	34.07
PK	11.4456G	49.66	74.00	-24.34	16.81	3	Vertical	203	1.68	32.85	39.15	11.73	34.07

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.43672G	37.61	54.00	-16.39	16.82	3	Horizontal	331	1.77	20.79	39.16	11.73	34.07
PK	11.44948G	49.17	74.00	-24.83	16.81	3	Horizontal	331	1.77	32.36	39.15	11.73	34.07



5.25-5.35GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX


5270MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.268G	99.19	Inf	-Inf	5.75	3	Vertical	171	1.32	93.44	33.00	6.90	34.15
AV	5.3568G	44.37	54.00	-9.63	5.63	3	Vertical	171	1.32	38.74	32.90	6.89	34.16
PK	5.2772G	112.68	Inf	-Inf	5.75	3	Vertical	171	1.32	106.93	33.00	6.90	34.15
PK	5.3556G	58.59	74.00	-15.41	5.63	3	Vertical	171	1.32	52.96	32.90	6.89	34.16

5.25-5.35GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX

5270MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.2712G	101.05	Inf	-Inf	5.75	3	Horizontal	62	1.40	95.30	33.00	6.90	34.15
AV	5.3508G	45.30	54.00	-8.70	5.63	3	Horizontal	62	1.40	39.67	32.90	6.89	34.16
PK	5.272G	114.53	Inf	-Inf	5.75	3	Horizontal	62	1.40	108.78	33.00	6.90	34.15
PK	5.35G	59.83	74.00	-14.17	5.63	3	Horizontal	62	1.40	54.20	32.90	6.89	34.16



5.25-5.35GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX


5270MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.53512G	49.48	68.20	-18.72	16.09	3	Vertical	344	1.61	33.39	38.90	11.68	34.49

5.25-5.35GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX

5270MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.54404G	48.47	68.20	-19.73	16.10	3	Horizontal	317	2.52	32.37	38.90	11.68	34.48



5.25-5.35GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX


5310MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.32G	97.72	Inf	-Inf	5.70	3	Vertical	178	1.33	92.02	32.96	6.90	34.16
AV	5.35G	51.46	54.00	-2.54	5.63	3	Vertical	178	1.33	45.83	32.90	6.89	34.16
PK	5.3204G	110.86	Inf	-Inf	5.70	3	Vertical	178	1.33	105.16	32.96	6.90	34.16
PK	5.35G	69.27	74.00	-4.73	5.63	3	Vertical	178	1.33	63.64	32.90	6.89	34.16

5.25-5.35GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX

5310MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3108G	99.26	Inf	-Inf	5.72	3	Horizontal	64	1.36	93.54	32.98	6.90	34.16
AV	5.35G	52.96	54.00	-1.04	5.63	3	Horizontal	64	1.36	47.33	32.90	6.89	34.16
PK	5.3008G	112.12	Inf	-Inf	5.74	3	Horizontal	64	1.36	106.38	33.00	6.90	34.16
PK	5.35G	70.18	74.00	-3.82	5.63	3	Horizontal	64	1.36	64.55	32.90	6.89	34.16



5.25-5.35GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX


5310MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.61756G	36.92	54.00	-17.08	16.20	3	Vertical	232	2.56	20.72	38.95	11.68	34.43
PK	10.61584G	49.12	74.00	-24.88	16.20	3	Vertical	232	2.56	32.92	38.95	11.68	34.43

5.25-5.35GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX

5310MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.62932G	37.02	54.00	-16.98	16.25	3	Horizontal	53	1.95	20.77	38.99	11.68	34.42
PK	10.62508G	49.16	74.00	-24.84	16.24	3	Horizontal	53	1.95	32.92	38.98	11.68	34.42



5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


5510MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4588G	45.72	54.00	-8.28	5.70	3	Vertical	174	1.19	40.02	32.90	6.98	34.18
AV	5.508G	97.99	Inf	-Inf	5.78	3	Vertical	174	1.19	92.21	32.90	7.06	34.18
PK	5.4684G	67.22	68.20	-0.98	5.72	3	Vertical	174	1.19	61.50	32.90	7.00	34.18
PK	5.5072G	111.43	Inf	-Inf	5.78	3	Vertical	174	1.19	105.65	32.90	7.06	34.18

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5510MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	45.90	54.00	-8.10	5.71	3	Horizontal	61	1.28	40.19	32.90	6.99	34.18
AV	5.5092G	97.37	Inf	-Inf	5.78	3	Horizontal	61	1.28	91.59	32.90	7.06	34.18
PK	5.47G	66.41	68.20	-1.79	5.72	3	Horizontal	61	1.28	60.69	32.90	7.00	34.18
PK	5.5G	110.74	Inf	-Inf	5.77	3	Horizontal	61	1.28	104.97	32.90	7.05	34.18



5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


5510MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.01028G	37.15	54.00	-16.85	16.54	3	Vertical	358	2.32	20.61	38.99	11.71	34.16
PK	11.0254G	49.76	74.00	-24.24	16.53	3	Vertical	358	2.32	33.23	38.97	11.71	34.15

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5510MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.01136G	37.10	54.00	-16.90	16.54	3	Horizontal	191	2.20	20.56	38.99	11.71	34.16
PK	11.01068G	49.26	74.00	-24.74	16.54	3	Horizontal	191	2.20	32.72	38.99	11.71	34.16



5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


5550MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4584G	43.55	54.00	-10.45	5.70	3	Vertical	172	1.40	37.85	32.90	6.98	34.18
AV	5.5472G	99.51	Inf	-Inf	5.85	3	Vertical	172	1.40	93.66	32.90	7.13	34.18
PK	5.4676G	58.85	68.20	-9.35	5.72	3	Vertical	172	1.40	53.13	32.90	7.00	34.18
PK	5.5468G	113.39	Inf	-Inf	5.84	3	Vertical	172	1.40	107.55	32.90	7.12	34.18

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5550MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4592G	43.37	54.00	-10.63	5.70	3	Horizontal	59	1.25	37.67	32.90	6.98	34.18
AV	5.5492G	98.70	Inf	-Inf	5.85	3	Horizontal	59	1.25	92.85	32.90	7.13	34.18
PK	5.4696G	57.24	68.20	-10.96	5.72	3	Horizontal	59	1.25	51.52	32.90	7.00	34.18
PK	5.5604G	112.55	Inf	-Inf	5.89	3	Horizontal	59	1.25	106.66	32.92	7.15	34.18



5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


5550MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.09656G	37.13	54.00	-16.87	16.47	3	Vertical	323	2.31	20.66	38.90	11.71	34.14
PK	11.09024G	49.59	74.00	-24.41	16.48	3	Vertical	323	2.31	33.11	38.91	11.71	34.14

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5550MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.10224G	37.11	54.00	-16.89	16.47	3	Horizontal	194	1.24	20.64	38.90	11.71	34.14
PK	11.10676G	49.40	74.00	-24.60	16.48	3	Horizontal	194	1.24	32.92	38.91	11.71	34.14



5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


5670MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.6676G	99.78	Inf	-Inf	6.26	3	Vertical	176	1.41	93.52	33.21	7.24	34.19
PK	5.6658G	112.42	Inf	-Inf	6.24	3	Vertical	176	1.41	106.18	33.19	7.24	34.19
PK	5.7276G	65.41	68.20	-2.79	6.78	3	Vertical	176	1.41	58.63	33.71	7.27	34.20

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5670MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.6688G	99.62	Inf	-Inf	6.28	3	Horizontal	59	1.25	93.34	33.23	7.24	34.19
PK	5.6688G	113.01	Inf	-Inf	6.28	3	Horizontal	59	1.25	106.73	33.23	7.24	34.19
PK	5.7282G	66.14	68.20	-2.06	6.78	3	Horizontal	59	1.25	59.36	33.71	7.27	34.20



5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


5670MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.33716G	37.59	54.00	-16.41	16.77	3	Vertical	357	2.30	20.82	39.14	11.72	34.09
PK	11.33824G	50.11	74.00	-23.89	16.77	3	Vertical	357	2.30	33.34	39.14	11.72	34.09

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5670MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.3456G	37.58	54.00	-16.42	16.78	3	Horizontal	21	1.85	20.80	39.15	11.72	34.09
PK	11.3384G	50.00	74.00	-24.00	16.77	3	Horizontal	21	1.85	33.23	39.14	11.72	34.09



5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


5710MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.452G	43.12	54.00	-10.88	5.70	3	Vertical	170	1.38	37.42	32.90	6.97	34.17
AV	5.7064G	99.53	Inf	-Inf	6.69	3	Vertical	170	1.38	92.84	33.63	7.26	34.20
PK	5.4664G	56.09	68.20	-12.11	5.72	3	Vertical	170	1.38	50.37	32.90	7.00	34.18
PK	5.7052G	111.96	Inf	-Inf	6.68	3	Vertical	170	1.38	105.28	33.62	7.26	34.20
PK	5.9044G	59.00	68.20	-9.20	7.49	3	Vertical	170	1.38	51.51	34.29	7.41	34.21

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5710MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4544G	43.08	54.00	-10.92	5.71	3	Horizontal	60	1.18	37.37	32.90	6.98	34.17
AV	5.7088G	99.92	Inf	-Inf	6.70	3	Horizontal	60	1.18	93.22	33.64	7.26	34.20
PK	5.4688G	55.94	68.20	-12.26	5.72	3	Horizontal	60	1.18	50.22	32.90	7.00	34.18
PK	5.7088G	112.67	Inf	-Inf	6.70	3	Horizontal	60	1.18	105.97	33.64	7.26	34.20
PK	5.9716G	59.26	68.20	-8.94	7.43	3	Horizontal	60	1.18	51.83	34.16	7.49	34.22



5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


5710MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.41604G	37.93	54.00	-16.07	16.83	3	Vertical	279	2.53	21.10	39.18	11.73	34.08
PK	11.42456G	50.20	74.00	-23.80	16.83	3	Vertical	279	2.53	33.37	39.18	11.73	34.08

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5710MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.41364G	37.89	54.00	-16.11	16.84	3	Horizontal	253	1.29	21.05	39.19	11.73	34.08
PK	11.4214G	49.85	74.00	-24.15	16.83	3	Horizontal	253	1.29	33.02	39.18	11.73	34.08



5.25-5.35GHz_802.11ax HEW80_Nss1,(MCS0)_2TX


5290MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.149G	43.84	54.00	-10.16	5.81	3	Vertical	179	1.34	38.03	33.10	6.85	34.14
AV	5.28G	94.73	Inf	-Inf	5.75	3	Vertical	179	1.34	88.98	33.00	6.90	34.15
AV	5.35G	52.78	54.00	-1.22	5.63	3	Vertical	179	1.34	47.15	32.90	6.89	34.16
PK	5.141G	57.12	74.00	-16.88	5.80	3	Vertical	179	1.34	51.32	33.10	6.84	34.14
PK	5.31G	107.66	Inf	-Inf	5.72	3	Vertical	179	1.34	101.94	32.98	6.90	34.16
PK	5.35G	70.46	74.00	-3.54	5.63	3	Vertical	179	1.34	64.83	32.90	6.89	34.16

5.25-5.35GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5290MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	44.68	54.00	-9.32	5.81	3	Horizontal	64	1.33	38.87	33.10	6.85	34.14
AV	5.291G	96.22	Inf	-Inf	5.75	3	Horizontal	64	1.33	90.47	33.00	6.90	34.15
AV	5.35G	53.05	54.00	-0.95	5.63	3	Horizontal	64	1.33	47.42	32.90	6.89	34.16
PK	5.141G	58.79	74.00	-15.21	5.80	3	Horizontal	64	1.33	52.99	33.10	6.84	34.14
PK	5.292G	109.24	Inf	-Inf	5.74	3	Horizontal	64	1.33	103.50	33.00	6.90	34.16
PK	5.352G	69.69	74.00	-4.31	5.63	3	Horizontal	64	1.33	64.06	32.90	6.89	34.16



5.25-5.35GHz_802.11ax HEW80_Nss1,(MCS0)_2TX


5290MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.57816G	49.58	68.20	-18.62	16.12	3	Vertical	357	1.30	33.46	38.90	11.68	34.46

5.25-5.35GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5290MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.58016G	49.28	68.20	-18.92	16.13	3	Horizontal	2	1.58	33.15	38.90	11.68	34.45



5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX


5530MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.457G	49.16	54.00	-4.84	5.71	3	Vertical	173	1.36	43.45	32.90	6.98	34.17
AV	5.527G	94.30	Inf	-Inf	5.81	3	Vertical	173	1.36	88.49	32.90	7.09	34.18
PK	5.468G	65.11	68.20	-3.09	5.72	3	Vertical	173	1.36	59.39	32.90	7.00	34.18
PK	5.527G	108.80	Inf	-Inf	5.81	3	Vertical	173	1.36	102.99	32.90	7.09	34.18
PK	5.761G	59.66	68.20	-8.54	6.95	3	Vertical	173	1.36	52.71	33.87	7.28	34.20

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5530MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	48.71	54.00	-5.29	5.71	3	Horizontal	62	1.36	43.00	32.90	6.99	34.18
AV	5.52G	93.14	Inf	-Inf	5.80	3	Horizontal	62	1.36	87.34	32.90	7.08	34.18
PK	5.47G	65.00	68.20	-3.20	5.72	3	Horizontal	62	1.36	59.28	32.90	7.00	34.18
PK	5.519G	105.48	Inf	-Inf	5.80	3	Horizontal	62	1.36	99.68	32.90	7.08	34.18
PK	5.764G	57.88	68.20	-10.32	6.96	3	Horizontal	62	1.36	50.92	33.88	7.28	34.20



5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX


5530MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.0566G	37.04	54.00	-16.96	16.50	3	Vertical	251	2.24	20.54	38.94	11.71	34.15
PK	11.05016G	49.60	74.00	-24.40	16.51	3	Vertical	251	2.24	33.09	38.95	11.71	34.15

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX


5530MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.05512G	37.17	54.00	-16.83	16.50	3	Horizontal	113	2.91	20.67	38.94	11.71	34.15
PK	11.05984G	51.36	74.00	-22.64	16.50	3	Horizontal	113	2.91	34.86	38.94	11.71	34.15

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX


5610MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.459G	45.14	54.00	-8.86	5.70	3	Vertical	178	1.32	39.44	32.90	6.98	34.18
AV	5.599G	96.61	Inf	-Inf	6.02	3	Vertical	178	1.32	90.59	33.00	7.21	34.19
PK	5.468G	61.45	68.20	-6.75	5.72	3	Vertical	178	1.32	55.73	32.90	7.00	34.18
PK	5.599G	109.81	Inf	-Inf	6.02	3	Vertical	178	1.32	103.79	33.00	7.21	34.19
PK	5.728G	63.55	68.20	-4.65	6.78	3	Vertical	178	1.32	56.77	33.71	7.27	34.20

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5610MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	44.98	54.00	-9.02	5.71	3	Horizontal	60	1.22	39.27	32.90	6.99	34.18
AV	5.62G	96.62	Inf	-Inf	6.03	3	Horizontal	60	1.22	90.59	33.00	7.22	34.19
PK	5.47G	61.16	68.20	-7.04	5.72	3	Horizontal	60	1.22	55.44	32.90	7.00	34.18
PK	5.619G	109.57	Inf	-Inf	6.03	3	Horizontal	60	1.22	103.54	33.00	7.22	34.19
PK	5.73G	65.08	68.20	-3.12	6.79	3	Horizontal	60	1.22	58.29	33.72	7.27	34.20



5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX


5610MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.22664G	37.37	54.00	-16.63	16.64	3	Vertical	289	1.31	20.73	39.03	11.72	34.11
PK	11.21168G	50.54	74.00	-23.46	16.61	3	Vertical	289	1.31	33.93	39.01	11.72	34.12

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5610MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.2214G	37.53	54.00	-16.47	16.62	3	Horizontal	17	1.22	20.91	39.02	11.72	34.12
PK	11.22772G	49.42	74.00	-24.58	16.64	3	Horizontal	17	1.22	32.78	39.03	11.72	34.11



5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX


5690MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4464G	43.25	54.00	-10.75	5.69	3	Vertical	174	1.34	37.56	32.90	6.96	34.17
AV	5.6876G	96.76	Inf	-Inf	6.50	3	Vertical	174	1.34	90.26	33.45	7.25	34.20
PK	5.462G	56.47	68.20	-11.73	5.71	3	Vertical	174	1.34	50.76	32.90	6.99	34.18
PK	5.6864G	109.31	Inf	-Inf	6.50	3	Vertical	174	1.34	102.81	33.44	7.25	34.19
PK	5.9528G	58.92	68.20	-9.28	7.44	3	Vertical	174	1.34	51.48	34.19	7.47	34.22

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4476G	43.18	54.00	-10.82	5.70	3	Horizontal	60	1.22	37.48	32.90	6.97	34.17
AV	5.6888G	96.69	Inf	-Inf	6.52	3	Horizontal	60	1.22	90.17	33.47	7.25	34.20
PK	5.4668G	56.40	68.20	-11.80	5.72	3	Horizontal	60	1.22	50.68	32.90	7.00	34.18
PK	5.7092G	109.87	Inf	-Inf	6.70	3	Horizontal	60	1.22	103.17	33.64	7.26	34.20
PK	5.9168G	59.55	68.20	-8.65	7.49	3	Horizontal	60	1.22	52.06	34.27	7.43	34.21



5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX


5690MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.3718G	37.90	54.00	-16.10	16.81	3	Vertical	165	2.03	21.09	39.17	11.73	34.09
PK	11.37284G	50.12	74.00	-23.88	16.81	3	Vertical	165	2.03	33.31	39.17	11.73	34.09

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.38632G	37.99	54.00	-16.01	16.84	3	Horizontal	91	1.35	21.15	39.19	11.73	34.08
PK	11.37304G	50.45	74.00	-23.55	16.81	3	Horizontal	91	1.35	33.64	39.17	11.73	34.09



5.25-5.35GHz_802.11ax HEW160_Nss1,(MCS0)_2TX


5250MHz Straddle 5.25-5.35GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1312G	49.49	54.00	-4.51	5.36	3	Vertical	187	1.71	44.13	33.10	6.40	34.14
AV	5.2308G	91.57	Inf	-Inf	5.36	3	Vertical	187	1.71	86.21	33.04	6.47	34.15
AV	5.352G	50.95	54.00	-3.05	5.30	3	Vertical	187	1.71	45.65	32.90	6.56	34.16
PK	5.1408G	63.91	74.00	-10.09	5.37	3	Vertical	187	1.71	58.54	33.10	6.41	34.14
PK	5.2704G	103.70	Inf	-Inf	5.35	3	Vertical	187	1.71	98.35	33.00	6.50	34.15
PK	5.466G	59.59	68.20	-8.61	5.37	3	Vertical	187	1.71	54.22	32.90	6.65	34.18

5.25-5.35GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

5250MHz Straddle 5.25-5.35GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.142G	52.99	54.00	-1.01	5.37	3	Horizontal	66	1.50	47.62	33.10	6.41	34.14
AV	5.2224G	93.43	Inf	-Inf	5.38	3	Horizontal	66	1.50	88.05	33.06	6.47	34.15
AV	5.3532G	50.68	54.00	-3.32	5.30	3	Horizontal	66	1.50	45.38	32.90	6.56	34.16
PK	5.142G	66.82	74.00	-7.18	5.37	3	Horizontal	66	1.50	61.45	33.10	6.41	34.14
PK	5.2212G	106.15	Inf	-Inf	5.37	3	Horizontal	66	1.50	100.78	33.06	6.46	34.15
PK	5.4648G	60.15	68.20	-8.05	5.37	3	Horizontal	66	1.50	54.78	32.90	6.65	34.18




5.25-5.35GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

5250MHz Straddle 5.25-5.35GHz_TX



5.25-5.35GHz_802.11ax HEW160_Nss1,(MCS0)_2TX


5250MHz Straddle 5.25-5.35GHz_TX





5.47-5.725GHz_802.11ax HEW160_Nss1,(MCS0)_2TX


5570MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4548G	50.12	54.00	-3.88	5.37	3	Vertical	214	1.67	44.75	32.90	6.64	34.17
AV	5.576G	91.46	Inf	-Inf	5.51	3	Vertical	214	1.67	85.95	32.95	6.75	34.19
PK	5.4632G	64.68	68.20	-3.52	5.37	3	Vertical	214	1.67	59.31	32.90	6.65	34.18
PK	5.546G	103.95	Inf	-Inf	5.44	3	Vertical	214	1.67	98.51	32.90	6.72	34.18
PK	5.726G	62.16	68.20	-6.04	6.35	3	Vertical	214	1.67	55.81	33.70	6.85	34.20

5.47-5.725GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

5570MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4596G	51.30	54.00	-2.70	5.36	3	Horizontal	63	1.39	45.94	32.90	6.64	34.18
AV	5.5904G	91.73	Inf	-Inf	5.55	3	Horizontal	63	1.39	86.18	32.98	6.76	34.19
PK	5.4644G	66.36	68.20	-1.84	5.37	3	Horizontal	63	1.39	60.99	32.90	6.65	34.18
PK	5.5508G	105.77	Inf	-Inf	5.45	3	Horizontal	63	1.39	100.32	32.90	6.73	34.18
PK	5.7296G	62.83	68.20	-5.37	6.37	3	Horizontal	63	1.39	56.46	33.72	6.85	34.20



5.47-5.725GHz_802.11ax HEW160_Nss1,(MCS0)_2TX


5570MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.13688G	37.24	54.00	-16.76	16.11	3	Vertical	113	1.50	21.13	38.94	11.30	34.13
PK	11.13296G	51.56	74.00	-22.44	16.10	3	Vertical	113	1.50	35.46	38.93	11.30	34.13

5.47-5.725GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

5570MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.13128G	37.19	54.00	-16.81	16.10	3	Horizontal	360	1.50	21.09	38.93	11.30	34.13
PK	11.1372G	51.01	74.00	-22.99	16.11	3	Horizontal	360	1.50	34.90	38.94	11.30	34.13