


802.11b_Nss1,(1Mbps)_4TX


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.874G	48.37	54.00	-5.63	5.90	3	Horizontal	22	1.24	-	42.47	31.20	8.96	34.26
AV	7.30992G	51.57	54.00	-2.43	12.43	3	Horizontal	74	2.36	-	39.14	36.38	10.62	34.57
PK	4.87392G	52.21	74.00	-21.79	5.90	3	Horizontal	22	1.24	-	46.31	31.20	8.96	34.26
PK	7.31188G	57.55	74.00	-16.45	12.43	3	Horizontal	74	2.36	-	45.12	36.38	10.62	34.57

802.11b_Nss1,(1Mbps)_4TX


2457MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4562G	115.66	Inf	-Inf	34.70	3	Vertical	4	1.50	-	80.96	27.40	7.30	-
AV	2.486G	49.33	54.00	-4.67	34.73	3	Vertical	4	1.50	-	14.60	27.40	7.33	-
PK	2.456G	119.32	Inf	-Inf	34.70	3	Vertical	4	1.50	-	84.62	27.40	7.30	-
PK	2.485G	59.73	74.00	-14.27	34.73	3	Vertical	4	1.50	-	25.00	27.40	7.33	-

802.11b_Nss1,(1Mbps)_4TX

2457MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4562G	116.69	Inf	-Inf	34.70	3	Horizontal	308	2.94	-	81.99	27.40	7.30	-
AV	2.4835G	51.55	54.00	-2.45	34.73	3	Horizontal	308	2.94	-	16.82	27.40	7.33	-
PK	2.456G	120.31	Inf	-Inf	34.70	3	Horizontal	308	2.94	-	85.61	27.40	7.30	-
PK	2.484G	61.76	74.00	-12.24	34.73	3	Horizontal	308	2.94	-	27.03	27.40	7.33	-



802.11b_Nss1,(1Mbps)_4TX


2457MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.91396G	45.63	54.00	-8.37	6.00	3	Vertical	1	1.00	-	39.63	31.26	8.99	34.25
AV	7.37288G	39.24	54.00	-14.76	12.35	3	Vertical	81	1.29	-	26.89	36.25	10.68	34.58
PK	4.91396G	49.70	74.00	-24.30	6.00	3	Vertical	1	1.00	-	43.70	31.26	8.99	34.25
PK	7.37352G	51.66	74.00	-22.34	12.35	3	Vertical	81	1.29	-	39.31	36.25	10.68	34.58

802.11b_Nss1,(1Mbps)_4TX


2457MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.914G	45.54	54.00	-8.46	6.00	3	Horizontal	317	2.74	-	39.54	31.26	8.99	34.25
AV	7.36988G	39.25	54.00	-14.75	12.36	3	Horizontal	330	1.24	-	26.89	36.26	10.68	34.58
PK	4.91404G	49.35	74.00	-24.65	6.00	3	Horizontal	317	2.74	-	43.35	31.26	8.99	34.25
PK	7.3702G	50.84	74.00	-23.16	12.36	3	Horizontal	330	1.24	-	38.48	36.26	10.68	34.58

802.11b_Nss1,(1Mbps)_4TX


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.463G	114.22	Inf	-Inf	34.71	3	Vertical	4	1.01	-	79.51	27.40	7.31	-
AV	2.4835G	50.39	54.00	-3.61	34.73	3	Vertical	4	1.01	-	15.66	27.40	7.33	-
PK	2.463G	117.60	Inf	-Inf	34.71	3	Vertical	4	1.01	-	82.89	27.40	7.31	-
PK	2.4836G	59.91	74.00	-14.09	34.73	3	Vertical	4	1.01	-	25.18	27.40	7.33	-

802.11b_Nss1,(1Mbps)_4TX


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.461G	112.69	Inf	-Inf	34.71	3	Horizontal	290	2.90	-	77.98	27.40	7.31	-
AV	2.4835G	51.56	54.00	-2.44	34.73	3	Horizontal	290	2.90	-	16.83	27.40	7.33	-
PK	2.461G	115.17	Inf	-Inf	34.71	3	Horizontal	290	2.90	-	80.46	27.40	7.31	-
PK	2.4835G	60.46	74.00	-13.54	34.73	3	Horizontal	290	2.90	-	25.73	27.40	7.33	-

802.11b_Nss1,(1Mbps)_4TX


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.924G	42.30	54.00	-11.70	6.04	3	Vertical	0	1.00	-	36.26	31.30	8.99	34.25
AV	7.3796G	38.22	54.00	-15.78	12.35	3	Vertical	111	1.50	-	25.87	36.24	10.69	34.58
PK	4.92396G	48.23	74.00	-25.77	6.04	3	Vertical	0	1.00	-	42.19	31.30	8.99	34.25
PK	7.38G	50.78	74.00	-23.22	12.35	3	Vertical	111	1.50	-	38.43	36.24	10.69	34.58

802.11b_Nss1,(1Mbps)_4TX


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.92404G	41.59	54.00	-12.41	6.04	3	Horizontal	284	2.75	-	35.55	31.30	8.99	34.25
AV	7.38276G	38.23	54.00	-15.77	12.34	3	Horizontal	313	1.55	-	25.89	36.23	10.69	34.58
PK	4.92412G	47.12	74.00	-26.88	6.04	3	Horizontal	284	2.75	-	41.08	31.30	8.99	34.25
PK	7.39516G	50.65	74.00	-23.35	12.33	3	Horizontal	313	1.55	-	38.32	36.21	10.71	34.59

802.11g_Nss1,(6Mbps)_4TX


2412MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3886G	48.54	54.00	-5.46	34.97	3	Vertical	4	1.21	-	13.57	27.72	7.25	-
AV	2.4194G	102.86	Inf	-Inf	34.86	3	Vertical	4	1.21	-	68.00	27.58	7.28	-
PK	2.3884G	60.43	74.00	-13.57	34.97	3	Vertical	4	1.21	-	25.46	27.72	7.25	-
PK	2.4196G	112.01	Inf	-Inf	34.86	3	Vertical	4	1.21	-	77.15	27.58	7.28	-

802.11g_Nss1,(6Mbps)_4TX


2412MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	52.47	54.00	-1.53	34.98	3	Horizontal	301	1.15	-	17.49	27.72	7.26	-
AV	2.4088G	105.90	Inf	-Inf	34.92	3	Horizontal	301	1.15	-	70.98	27.65	7.27	-
PK	2.39G	67.84	74.00	-6.16	34.98	3	Horizontal	301	1.15	-	32.86	27.72	7.26	-
PK	2.4086G	115.52	Inf	-Inf	34.92	3	Horizontal	301	1.15	-	80.60	27.65	7.27	-

802.11g_Nss1,(6Mbps)_4TX


2412MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.82404G	32.22	54.00	-21.78	5.79	3	Vertical	8	2.03	-	26.43	31.15	8.92	34.28
PK	4.82114G	44.82	74.00	-29.18	5.78	3	Vertical	8	2.03	-	39.04	31.14	8.92	34.28

802.11g_Nss1,(6Mbps)_4TX


2412MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.82396G	32.87	54.00	-21.13	5.79	3	Horizontal	333	1.65	-	27.08	31.15	8.92	34.28
PK	4.82886G	44.32	74.00	-29.68	5.80	3	Horizontal	333	1.65	-	38.52	31.16	8.92	34.28

802.11g_Nss1,(6Mbps)_4TX


2417MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3896G	48.16	54.00	-5.84	34.98	3	Vertical	355	1.42	-	13.18	27.72	7.26	-
AV	2.4202G	107.54	Inf	-Inf	34.86	3	Vertical	355	1.42	-	72.68	27.58	7.28	-
PK	2.3888G	61.31	74.00	-12.69	34.97	3	Vertical	355	1.42	-	26.34	27.72	7.25	-
PK	2.4196G	117.36	Inf	-Inf	34.86	3	Vertical	355	1.42	-	82.50	27.58	7.28	-

802.11g_Nss1,(6Mbps)_4TX


2417MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.39G	53.42	54.00	-0.58	34.98	3	Horizontal	63	1.61	-	18.44	27.72	7.26	-
AV	2.411G	107.50	Inf	-Inf	34.90	3	Horizontal	63	1.61	-	72.60	27.63	7.27	-
PK	2.39G	68.68	74.00	-5.32	34.98	3	Horizontal	63	1.61	-	33.70	27.72	7.26	-
PK	2.4106G	117.28	Inf	-Inf	34.91	3	Horizontal	63	1.61	-	82.37	27.64	7.27	-

802.11g_Nss1,(6Mbps)_4TX

2437MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	49.41	54.00	-4.59	34.98	3	Vertical	356	1.62	-	14.43	27.72	7.26	-
AV	2.4398G	111.92	Inf	-Inf	34.75	3	Vertical	356	1.62	-	77.17	27.46	7.29	-
AV	2.4866G	50.89	54.00	-3.11	34.73	3	Vertical	356	1.62	-	16.16	27.40	7.33	-
PK	2.3886G	61.77	74.00	-12.23	34.97	3	Vertical	356	1.62	-	26.80	27.72	7.25	-
PK	2.4402G	121.43	Inf	-Inf	34.75	3	Vertical	356	1.62	-	86.68	27.46	7.29	-
PK	2.4866G	63.67	74.00	-10.33	34.73	3	Vertical	356	1.62	-	28.94	27.40	7.33	-



802.11g_Nss1,(6Mbps)_4TX


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	53.54	54.00	-0.46	34.98	3	Horizontal	62	1.68	-	18.56	27.72	7.26	-
AV	2.4302G	111.85	Inf	-Inf	34.80	3	Horizontal	62	1.68	-	77.05	27.52	7.28	-
AV	2.489G	53.61	54.00	-0.39	34.73	3	Horizontal	62	1.68	-	18.88	27.40	7.33	-
PK	2.3898G	66.93	74.00	-7.07	34.98	3	Horizontal	62	1.68	-	31.95	27.72	7.26	-
PK	2.4306G	122.04	Inf	-Inf	34.80	3	Horizontal	62	1.68	-	87.24	27.52	7.28	-
PK	2.489G	69.34	74.00	-4.66	34.73	3	Horizontal	62	1.68	-	34.61	27.40	7.33	-

802.11g_Nss1,(6Mbps)_4TX


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.87984G	37.92	54.00	-16.08	5.90	3	Vertical	17	1.27	-	32.02	31.20	8.96	34.26
AV	7.31884G	40.95	54.00	-13.05	12.42	3	Vertical	8	2.86	-	28.53	36.36	10.63	34.57
PK	4.87968G	51.13	74.00	-22.87	5.90	3	Vertical	17	1.27	-	45.23	31.20	8.96	34.26
PK	7.31844G	55.47	74.00	-18.53	12.42	3	Vertical	8	2.86	-	43.05	36.36	10.63	34.57

802.11g_Nss1,(6Mbps)_4TX


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.88012G	39.35	54.00	-14.65	5.90	3	Horizontal	328	2.74	-	33.45	31.20	8.96	34.26
AV	7.31288G	43.67	54.00	-10.33	12.42	3	Horizontal	51	1.00	-	31.25	36.37	10.62	34.57
PK	4.8796G	52.10	74.00	-21.90	5.90	3	Horizontal	328	2.74	-	46.20	31.20	8.96	34.26
PK	7.31256G	57.64	74.00	-16.36	12.42	3	Horizontal	51	1.00	-	45.22	36.37	10.62	34.57

802.11g_Nss1,(6Mbps)_4TX


2457MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4596G	108.22	Inf	-Inf	34.71	3	Vertical	356	1.50	-	73.51	27.40	7.31	-
AV	2.4862G	50.90	54.00	-3.10	34.73	3	Vertical	356	1.50	-	16.17	27.40	7.33	-
PK	2.4596G	117.86	Inf	-Inf	34.71	3	Vertical	356	1.50	-	83.15	27.40	7.31	-
PK	2.4864G	65.74	74.00	-8.26	34.73	3	Vertical	356	1.50	-	31.01	27.40	7.33	-

802.11g_Nss1,(6Mbps)_4TX


2457MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4504G	109.31	Inf	-Inf	34.70	3	Horizontal	64	1.34	-	74.61	27.40	7.30	-
AV	2.488G	52.96	54.00	-1.04	34.73	3	Horizontal	64	1.34	-	18.23	27.40	7.33	-
PK	2.4508G	119.05	Inf	-Inf	34.70	3	Horizontal	64	1.34	-	84.35	27.40	7.30	-
PK	2.49G	68.28	74.00	-5.72	34.73	3	Horizontal	64	1.34	-	33.55	27.40	7.33	-

802.11g_Nss1,(6Mbps)_4TX


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4652G	106.62	Inf	-Inf	34.71	3	Vertical	354	1.54	-	71.91	27.40	7.31	-
AV	2.4835G	53.75	54.00	-0.25	34.73	3	Vertical	354	1.54	-	19.02	27.40	7.33	-
PK	2.4646G	116.52	Inf	-Inf	34.71	3	Vertical	354	1.54	-	81.81	27.40	7.31	-
PK	2.4835G	68.33	74.00	-5.67	34.73	3	Vertical	354	1.54	-	33.60	27.40	7.33	-

802.11g_Nss1,(6Mbps)_4TX


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4554G	107.08	Inf	-Inf	34.70	3	Horizontal	65	1.64	-	72.38	27.40	7.30	-
AV	2.4838G	48.60	54.00	-5.40	34.73	3	Horizontal	65	1.64	-	13.87	27.40	7.33	-
PK	2.455G	116.53	Inf	-Inf	34.70	3	Horizontal	65	1.64	-	81.83	27.40	7.30	-
PK	2.4844G	61.36	74.00	-12.64	34.73	3	Horizontal	65	1.64	-	26.63	27.40	7.33	-

802.11g_Nss1,(6Mbps)_4TX


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.924G	33.41	54.00	-20.59	6.04	3	Vertical	305	1.00	-	27.37	31.30	8.99	34.25
AV	7.3802G	37.29	54.00	-16.71	12.35	3	Vertical	328	1.46	-	24.94	36.24	10.69	34.58
PK	4.92404G	45.01	74.00	-28.99	6.04	3	Vertical	305	1.00	-	38.97	31.30	8.99	34.25
PK	7.39456G	50.51	74.00	-23.49	12.32	3	Vertical	328	1.46	-	38.19	36.21	10.70	34.59

802.11g_Nss1,(6Mbps)_4TX


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.92408G	32.01	54.00	-21.99	6.04	3	Horizontal	358	1.50	-	25.97	31.30	8.99	34.25
AV	7.3838G	37.31	54.00	-16.69	12.34	3	Horizontal	11	2.39	-	24.97	36.23	10.69	34.58
PK	4.93032G	43.88	74.00	-30.12	6.08	3	Horizontal	358	1.50	-	37.80	31.32	9.00	34.24
PK	7.38008G	50.67	74.00	-23.33	12.35	3	Horizontal	11	2.39	-	38.32	36.24	10.69	34.58

802.11ax HEW20_Nss1,(MCS0)_4TX


2412MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.39G	52.61	54.00	-1.39	34.98	3	Vertical	360	1.41	-	17.63	27.72	7.26	-
AV	2.4142G	106.90	Inf	-Inf	34.88	3	Vertical	360	1.41	-	72.02	27.61	7.27	-
PK	2.39G	66.68	74.00	-7.32	34.98	3	Vertical	360	1.41	-	31.70	27.72	7.26	-
PK	2.414G	120.10	Inf	-Inf	34.89	3	Vertical	360	1.41	-	85.21	27.62	7.27	-

802.11ax HEW20_Nss1,(MCS0)_4TX


2412MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.39G	53.19	54.00	-0.81	34.98	3	Horizontal	301	3.00	-	18.21	27.72	7.26	-
AV	2.4138G	107.19	Inf	-Inf	34.89	3	Horizontal	301	3.00	-	72.30	27.62	7.27	-
PK	2.3898G	68.43	74.00	-5.57	34.98	3	Horizontal	301	3.00	-	33.45	27.72	7.26	-
PK	2.4146G	120.13	Inf	-Inf	34.88	3	Horizontal	301	3.00	-	85.25	27.61	7.27	-

802.11ax HEW20_Nss1,(MCS0)_4TX


2412MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.82404G	31.18	54.00	-22.82	5.79	3	Vertical	6	2.86	-	25.39	31.15	8.92	34.28
PK	4.8166G	43.93	74.00	-30.07	5.76	3	Vertical	6	2.86	-	38.17	31.13	8.91	34.28

802.11ax HEW20_Nss1,(MCS0)_4TX


2412MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.82396G	32.18	54.00	-21.82	5.79	3	Horizontal	331	1.63	-	26.39	31.15	8.92	34.28
PK	4.83324G	44.50	74.00	-29.50	5.81	3	Horizontal	331	1.63	-	38.69	31.17	8.92	34.28

802.11ax HEW20_Nss1,(MCS0)_4TX


2417MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.39G	52.35	54.00	-1.65	34.98	3	Vertical	360	2.75	-	17.37	27.72	7.26	-
AV	2.4256G	105.49	Inf	-Inf	34.83	3	Vertical	360	2.75	-	70.66	27.55	7.28	-
PK	2.3898G	67.05	74.00	-6.95	34.98	3	Vertical	360	2.75	-	32.07	27.72	7.26	-
PK	2.4248G	117.99	Inf	-Inf	34.83	3	Vertical	360	2.75	-	83.16	27.55	7.28	-

802.11ax HEW20_Nss1,(MCS0)_4TX


2417MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.39G	50.33	54.00	-3.67	34.98	3	Horizontal	299	2.00	-	15.35	27.72	7.26	-
AV	2.4204G	108.97	Inf	-Inf	34.86	3	Horizontal	299	2.00	-	74.11	27.58	7.28	-
PK	2.3898G	65.60	74.00	-8.40	34.98	3	Horizontal	299	2.00	-	30.62	27.72	7.26	-
PK	2.4194G	121.86	Inf	-Inf	34.86	3	Horizontal	299	2.00	-	87.00	27.58	7.28	-

802.11ax HEW20_Nss1,(MCS0)_4TX


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	49.05	54.00	-4.95	34.98	3	Vertical	4	1.12	-	14.07	27.72	7.26	-
AV	2.4322G	108.74	Inf	-Inf	34.80	3	Vertical	4	1.12	-	73.94	27.51	7.29	-
AV	2.4835G	49.43	54.00	-4.57	34.73	3	Vertical	4	1.12	-	14.70	27.40	7.33	-
PK	2.3898G	61.25	74.00	-12.75	34.98	3	Vertical	4	1.12	-	26.27	27.72	7.26	-
PK	2.4322G	122.41	Inf	-Inf	34.80	3	Vertical	4	1.12	-	87.61	27.51	7.29	-
PK	2.4842G	63.86	74.00	-10.14	34.73	3	Vertical	4	1.12	-	29.13	27.40	7.33	-

802.11ax HEW20_Nss1,(MCS0)_4TX


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	48.63	54.00	-5.37	34.98	3	Horizontal	298	2.20	-	13.65	27.72	7.26	-
AV	2.441G	110.80	Inf	-Inf	34.74	3	Horizontal	298	2.20	-	76.06	27.45	7.29	-
AV	2.4835G	52.27	54.00	-1.73	34.73	3	Horizontal	298	2.20	-	17.54	27.40	7.33	-
PK	2.3898G	60.20	74.00	-13.80	34.98	3	Horizontal	298	2.20	-	25.22	27.72	7.26	-
PK	2.4422G	123.38	Inf	-Inf	34.74	3	Horizontal	298	2.20	-	88.64	27.45	7.29	-
PK	2.4838G	67.97	74.00	-6.03	34.73	3	Horizontal	298	2.20	-	33.24	27.40	7.33	-

802.11ax HEW20_Nss1,(MCS0)_4TX


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.8666G	34.89	54.00	-19.11	5.88	3	Vertical	18	1.28	-	29.01	31.20	8.95	34.27
AV	7.31768G	37.71	54.00	-16.29	12.42	3	Vertical	332	1.00	-	25.29	36.36	10.63	34.57
PK	4.86844G	50.54	74.00	-23.46	5.89	3	Vertical	18	1.28	-	44.65	31.20	8.95	34.26
PK	7.31696G	52.94	74.00	-21.06	12.43	3	Vertical	332	1.00	-	40.51	36.37	10.63	34.57

802.11ax HEW20_Nss1,(MCS0)_4TX


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.86782G	34.81	54.00	-19.19	5.89	3	Horizontal	66	1.50	-	28.92	31.20	8.95	34.26
AV	7.31214G	37.91	54.00	-16.09	12.43	3	Horizontal	340	1.33	-	25.48	36.38	10.62	34.57
PK	4.86992G	50.66	74.00	-23.34	5.89	3	Horizontal	66	1.50	-	44.77	31.20	8.95	34.26
PK	7.31448G	52.53	74.00	-21.47	12.42	3	Horizontal	340	1.33	-	40.11	36.37	10.62	34.57

802.11ax HEW20_Nss1,(MCS0)_4TX


2457MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4588G	109.02	Inf	-Inf	34.71	3	Vertical	0	1.50	-	74.31	27.40	7.31	-
AV	2.487G	52.40	54.00	-1.60	34.73	3	Vertical	0	1.50	-	17.67	27.40	7.33	-
PK	2.4594G	122.34	Inf	-Inf	34.71	3	Vertical	0	1.50	-	87.63	27.40	7.31	-
PK	2.4868G	66.71	74.00	-7.29	34.73	3	Vertical	0	1.50	-	31.98	27.40	7.33	-

802.11ax HEW20_Nss1,(MCS0)_4TX


2457MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4536G	110.48	Inf	-Inf	34.70	3	Horizontal	301	1.28	-	75.78	27.40	7.30	-
AV	2.4874G	53.56	54.00	-0.44	34.73	3	Horizontal	301	1.28	-	18.83	27.40	7.33	-
PK	2.4546G	123.48	Inf	-Inf	34.70	3	Horizontal	301	1.28	-	88.78	27.40	7.30	-
PK	2.487G	68.62	74.00	-5.38	34.73	3	Horizontal	301	1.28	-	33.89	27.40	7.33	-

802.11ax HEW20_Nss1,(MCS0)_4TX


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.464G	106.42	Inf	-Inf	34.71	3	Vertical	360	1.50	-	71.71	27.40	7.31	-
AV	2.4835G	53.72	54.00	-0.28	34.73	3	Vertical	360	1.50	-	18.99	27.40	7.33	-
PK	2.4634G	119.86	Inf	-Inf	34.71	3	Vertical	360	1.50	-	85.15	27.40	7.31	-
PK	2.4835G	71.19	74.00	-2.81	34.73	3	Vertical	360	1.50	-	36.46	27.40	7.33	-

802.11ax HEW20_Nss1,(MCS0)_4TX


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4588G	107.06	Inf	-Inf	34.71	3	Horizontal	298	1.46	-	72.35	27.40	7.31	-
AV	2.4856G	49.71	54.00	-4.29	34.73	3	Horizontal	298	1.46	-	14.98	27.40	7.33	-
PK	2.4596G	120.15	Inf	-Inf	34.71	3	Horizontal	298	1.46	-	85.44	27.40	7.31	-
PK	2.4838G	63.20	74.00	-10.80	34.73	3	Horizontal	298	1.46	-	28.47	27.40	7.33	-

802.11ax HEW20_Nss1,(MCS0)_4TX


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.92394G	33.04	54.00	-20.96	6.04	3	Vertical	305	1.00	-	27.00	31.30	8.99	34.25
AV	7.39878G	37.03	54.00	-16.97	12.32	3	Vertical	253	1.50	-	24.71	36.20	10.71	34.59
PK	4.92448G	43.91	74.00	-30.09	6.04	3	Vertical	305	1.00	-	37.87	31.30	8.99	34.25
PK	7.39002G	50.27	74.00	-23.73	12.34	3	Vertical	253	1.50	-	37.93	36.22	10.70	34.58

802.11ax HEW20_Nss1,(MCS0)_4TX


2462MHz_TX



Type	Freq (Hz)	Level (dBUV/m)	Limit (dBUV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBUV)	AF (dB)	CL (dB)	PA (dB)
AV	4.9171G	30.56	54.00	-23.44	6.01	3	Horizontal	108	1.50	-	24.55	31.27	8.99	34.25
AV	7.37814G	36.91	54.00	-17.09	12.35	3	Horizontal	322	1.50	-	24.56	36.24	10.69	34.58
PK	4.91374G	43.89	74.00	-30.11	5.99	3	Horizontal	108	1.50	-	37.90	31.25	8.99	34.25
PK	7.3977G	50.65	74.00	-23.35	12.32	3	Horizontal	322	1.50	-	38.33	36.20	10.71	34.59

802.11ax HEW40_Nss1,(MCS0)_4TX


2422MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.39G	52.41	54.00	-1.59	34.98	3	Vertical	2	1.13	-	17.43	27.72	7.26	-
AV	2.4368G	102.28	Inf	-Inf	34.77	3	Vertical	2	1.13	-	67.51	27.48	7.29	-
AV	2.484G	48.15	54.00	-5.85	34.73	3	Vertical	2	1.13	-	13.42	27.40	7.33	-
PK	2.3896G	68.18	74.00	-5.82	34.98	3	Vertical	2	1.13	-	33.20	27.72	7.26	-
PK	2.438G	114.34	Inf	-Inf	34.76	3	Vertical	2	1.13	-	79.58	27.47	7.29	-
PK	2.4868G	60.03	74.00	-13.97	34.73	3	Vertical	2	1.13	-	25.30	27.40	7.33	-

802.11ax HEW40_Nss1,(MCS0)_4TX


2422MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.39G	53.72	54.00	-0.28	34.98	3	Horizontal	300	3.00	-	18.74	27.72	7.26	-
AV	2.4312G	103.14	Inf	-Inf	34.79	3	Horizontal	300	3.00	-	68.35	27.51	7.28	-
AV	2.4856G	48.40	54.00	-5.60	34.73	3	Horizontal	300	3.00	-	13.67	27.40	7.33	-
PK	2.39G	67.82	74.00	-6.18	34.98	3	Horizontal	300	3.00	-	32.84	27.72	7.26	-
PK	2.4308G	117.33	Inf	-Inf	34.80	3	Horizontal	300	3.00	-	82.53	27.52	7.28	-
PK	2.4908G	60.80	74.00	-13.20	34.73	3	Horizontal	300	3.00	-	26.07	27.40	7.33	-

802.11ax HEW40_Nss1,(MCS0)_4TX


2422MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.84408G	31.62	54.00	-22.38	5.85	3	Vertical	48	3.00	-	25.77	31.19	8.93	34.27
AV	7.25096G	37.09	54.00	-16.91	12.29	3	Vertical	0	2.26	-	24.80	36.30	10.56	34.57
PK	4.82744G	43.87	74.00	-30.13	5.79	3	Vertical	48	3.00	-	38.08	31.15	8.92	34.28
PK	7.26896G	50.91	74.00	-23.09	12.35	3	Vertical	0	2.26	-	38.56	36.34	10.58	34.57

802.11ax HEW40_Nss1,(MCS0)_4TX

2422MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.844G	32.15	54.00	-21.85	5.85	3	Horizontal	329	1.76	-	26.30	31.19	8.93	34.27
AV	7.25142G	36.80	54.00	-17.20	12.29	3	Horizontal	360	1.56	-	24.51	36.30	10.56	34.57
PK	4.84424G	44.05	74.00	-29.95	5.85	3	Horizontal	329	1.76	-	38.20	31.19	8.93	34.27
PK	7.26588G	50.25	74.00	-23.75	12.34	3	Horizontal	360	1.56	-	37.91	36.33	10.58	34.57



802.11ax HEW40_Nss1,(MCS0)_4TX

2427MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	52.37	54.00	-1.63	34.98	3	Vertical	360	1.62	-	17.39	27.72	7.26	-
AV	2.4294G	104.87	Inf	-Inf	34.80	3	Vertical	360	1.62	-	70.07	27.52	7.28	-
AV	2.4878G	48.72	54.00	-5.28	34.73	3	Vertical	360	1.62	-	13.99	27.40	7.33	-
PK	2.3898G	67.09	74.00	-6.91	34.98	3	Vertical	360	1.62	-	32.11	27.72	7.26	-
PK	2.429G	116.83	Inf	-Inf	34.81	3	Vertical	360	1.62	-	82.02	27.53	7.28	-
PK	2.4882G	62.36	74.00	-11.64	34.73	3	Vertical	360	1.62	-	27.63	27.40	7.33	-



802.11ax HEW40_Nss1,(MCS0)_4TX


2427MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	52.54	54.00	-1.46	34.98	3	Horizontal	302	2.74	-	17.56	27.72	7.26	-
AV	2.4298G	105.77	Inf	-Inf	34.80	3	Horizontal	302	2.74	-	70.97	27.52	7.28	-
AV	2.4878G	49.23	54.00	-4.77	34.73	3	Horizontal	302	2.74	-	14.50	27.40	7.33	-
PK	2.3886G	66.82	74.00	-7.18	34.97	3	Horizontal	302	2.74	-	31.85	27.72	7.25	-
PK	2.4294G	118.25	Inf	-Inf	34.80	3	Horizontal	302	2.74	-	83.45	27.52	7.28	-
PK	2.4894G	62.44	74.00	-11.56	34.73	3	Horizontal	302	2.74	-	27.71	27.40	7.33	-

802.11ax HEW40_Nss1,(MCS0)_4TX


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	53.10	54.00	-0.90	34.98	3	Vertical	5	1.11	-	18.12	27.72	7.26	-
AV	2.4318G	103.86	Inf	-Inf	34.80	3	Vertical	5	1.11	-	69.06	27.51	7.29	-
AV	2.4906G	53.19	54.00	-0.81	34.73	3	Vertical	5	1.11	-	18.46	27.40	7.33	-
PK	2.3898G	66.09	74.00	-7.91	34.98	3	Vertical	5	1.11	-	31.11	27.72	7.26	-
PK	2.4314G	117.11	Inf	-Inf	34.80	3	Vertical	5	1.11	-	82.31	27.51	7.29	-
PK	2.4914G	67.36	74.00	-6.64	34.73	3	Vertical	5	1.11	-	32.63	27.40	7.33	-

802.11ax HEW40_Nss1,(MCS0)_4TX


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	48.69	54.00	-5.31	34.98	3	Horizontal	90	1.11	-	13.71	27.72	7.26	-
AV	2.4362G	105.50	Inf	-Inf	34.77	3	Horizontal	90	1.11	-	70.73	27.48	7.29	-
AV	2.4878G	51.44	54.00	-2.56	34.73	3	Horizontal	90	1.11	-	16.71	27.40	7.33	-
PK	2.3898G	61.21	74.00	-12.79	34.98	3	Horizontal	90	1.11	-	26.23	27.72	7.26	-
PK	2.4366G	118.29	Inf	-Inf	34.77	3	Horizontal	90	1.11	-	83.52	27.48	7.29	-
PK	2.487G	64.48	74.00	-9.52	34.73	3	Horizontal	90	1.11	-	29.75	27.40	7.33	-

802.11ax HEW40_Nss1,(MCS0)_4TX

2437MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.874G	32.22	54.00	-21.78	5.90	3	Vertical	43	2.94	-	26.32	31.20	8.96	34.26
AV	7.30932G	36.60	54.00	-17.40	12.43	3	Vertical	182	2.16	-	24.17	36.38	10.62	34.57
PK	4.8599G	43.98	74.00	-30.02	5.87	3	Vertical	43	2.94	-	38.11	31.20	8.94	34.27
PK	7.2975G	50.92	74.00	-23.08	12.43	3	Vertical	182	2.16	-	38.49	36.39	10.61	34.57



802.11ax HEW40_Nss1,(MCS0)_4TX


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.87394G	31.82	54.00	-22.18	5.90	3	Horizontal	328	1.85	-	25.92	31.20	8.96	34.26
AV	7.30872G	36.58	54.00	-17.42	12.43	3	Horizontal	353	1.69	-	24.15	36.38	10.62	34.57
PK	4.87544G	45.16	74.00	-28.84	5.90	3	Horizontal	328	1.85	-	39.26	31.20	8.96	34.26
PK	7.31358G	50.02	74.00	-23.98	12.42	3	Horizontal	353	1.69	-	37.60	36.37	10.62	34.57

802.11ax HEW40_Nss1,(MCS0)_4TX


2447MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	47.70	54.00	-6.30	34.98	3	Vertical	360	1.58	-	12.72	27.72	7.26	-
AV	2.449G	103.74	Inf	-Inf	34.71	3	Vertical	360	1.58	-	69.03	27.41	7.30	-
AV	2.4886G	52.05	54.00	-1.95	34.73	3	Vertical	360	1.58	-	17.32	27.40	7.33	-
PK	2.3474G	59.19	74.00	-14.81	35.05	3	Vertical	360	1.58	-	24.14	27.81	7.24	-
PK	2.449G	116.77	Inf	-Inf	34.71	3	Vertical	360	1.58	-	82.06	27.41	7.30	-
PK	2.4898G	68.10	74.00	-5.90	34.73	3	Vertical	360	1.58	-	33.37	27.40	7.33	-

802.11ax HEW40_Nss1,(MCS0)_4TX


2447MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3486G	47.45	54.00	-6.55	35.04	3	Horizontal	62	1.50	-	12.41	27.80	7.24	-
AV	2.453G	104.75	Inf	-Inf	34.70	3	Horizontal	62	1.50	-	70.05	27.40	7.30	-
AV	2.4906G	50.72	54.00	-3.28	34.73	3	Horizontal	62	1.50	-	15.99	27.40	7.33	-
PK	2.3542G	59.57	74.00	-14.43	35.03	3	Horizontal	62	1.50	-	24.54	27.79	7.24	-
PK	2.4538G	117.84	Inf	-Inf	34.70	3	Horizontal	62	1.50	-	83.14	27.40	7.30	-
PK	2.4835G	65.26	74.00	-8.74	34.73	3	Horizontal	62	1.50	-	30.53	27.40	7.33	-

802.11ax HEW40_Nss1,(MCS0)_4TX

2452MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3528G	47.46	54.00	-6.54	35.03	3	Vertical	360	1.56	-	12.43	27.79	7.24	-
AV	2.454G	102.93	Inf	-Inf	34.70	3	Vertical	360	1.56	-	68.23	27.40	7.30	-
AV	2.4835G	48.55	54.00	-5.45	34.73	3	Vertical	360	1.56	-	13.82	27.40	7.33	-
PK	2.3752G	59.70	74.00	-14.30	35.00	3	Vertical	360	1.56	-	24.70	27.75	7.25	-
PK	2.4548G	115.14	Inf	-Inf	34.70	3	Vertical	360	1.56	-	80.44	27.40	7.30	-
PK	2.4868G	62.17	74.00	-11.83	34.73	3	Vertical	360	1.56	-	27.44	27.40	7.33	-



802.11ax HEW40_Nss1,(MCS0)_4TX

2452MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3532G	47.45	54.00	-6.55	35.03	3	Horizontal	299	1.47	-	12.42	27.79	7.24	-
AV	2.4488G	103.83	Inf	-Inf	34.71	3	Horizontal	299	1.47	-	69.12	27.41	7.30	-
AV	2.4888G	52.01	54.00	-1.99	34.73	3	Horizontal	299	1.47	-	17.28	27.40	7.33	-
PK	2.368G	59.34	74.00	-14.66	35.01	3	Horizontal	299	1.47	-	24.33	27.76	7.25	-
PK	2.4488G	117.36	Inf	-Inf	34.71	3	Horizontal	299	1.47	-	82.65	27.41	7.30	-
PK	2.4872G	70.18	74.00	-3.82	34.73	3	Horizontal	299	1.47	-	35.45	27.40	7.33	-



802.11ax HEW40_Nss1,(MCS0)_4TX


2452MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.904G	31.88	54.00	-22.12	5.95	3	Vertical	307	1.00	-	25.93	31.22	8.98	34.25
AV	7.35552G	36.72	54.00	-17.28	12.38	3	Vertical	243	1.50	-	24.34	36.29	10.67	34.58
PK	4.9118G	43.62	74.00	-30.38	5.98	3	Vertical	307	1.00	-	37.64	31.25	8.98	34.25
PK	7.37082G	50.44	74.00	-23.56	12.36	3	Vertical	243	1.50	-	38.08	36.26	10.68	34.58

802.11ax HEW40_Nss1,(MCS0)_4TX

2452MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.90394G	30.94	54.00	-23.06	5.95	3	Horizontal	0	1.50	-	24.99	31.22	8.98	34.25
AV	7.35828G	36.72	54.00	-17.28	12.37	3	Horizontal	265	1.50	-	24.35	36.28	10.67	34.58
PK	4.90394G	44.07	74.00	-29.93	5.95	3	Horizontal	0	1.50	-	38.12	31.22	8.98	34.25
PK	7.36146G	50.50	74.00	-23.50	12.37	3	Horizontal	265	1.50	-	38.13	36.28	10.67	34.58



Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW40_Nss1,(MCS0)_2TX	Pass	PK	899.12M	36.25	46.00	-9.75	3	Vertical	0	1.00	-




Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
802.11ax HEW40_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-
2437MHz	Pass	PK	173.56M	27.91	43.50	-15.59	3	Vertical	0	1.00	-
2437MHz	Pass	PK	247.28M	28.43	46.00	-17.57	3	Vertical	0	1.00	-
2437MHz	Pass	PK	423.82M	27.36	46.00	-18.64	3	Vertical	0	1.00	-
2437MHz	Pass	PK	580.96M	30.40	46.00	-15.60	3	Vertical	0	1.00	-
2437MHz	Pass	PK	747.8M	32.60	46.00	-13.40	3	Vertical	0	1.00	-
2437MHz	Pass	PK	844.8M	33.36	46.00	-12.64	3	Vertical	0	1.00	-
2437MHz	Pass	PK	183.26M	30.84	43.50	-12.66	3	Horizontal	360	1.00	-
2437MHz	Pass	PK	243.4M	29.30	46.00	-16.70	3	Horizontal	360	1.00	-
2437MHz	Pass	PK	443.22M	28.07	46.00	-17.93	3	Horizontal	360	1.00	-
2437MHz	Pass	PK	604.24M	29.49	46.00	-16.51	3	Horizontal	360	1.00	-
2437MHz	Pass	PK	798.24M	32.75	46.00	-13.25	3	Horizontal	360	1.00	-
2437MHz	Pass	PK	935.98M	33.01	46.00	-12.99	3	Horizontal	360	1.00	-
2437MHz	Pass	PK	177.44M	26.83	43.50	-16.67	3	Vertical	360	1.00	-
2437MHz	Pass	PK	247.28M	28.28	46.00	-17.72	3	Vertical	360	1.00	-
2437MHz	Pass	PK	437.4M	27.28	46.00	-18.72	3	Vertical	360	1.00	-
2437MHz	Pass	PK	549.92M	29.81	46.00	-16.19	3	Vertical	360	1.00	-
2437MHz	Pass	PK	842.86M	32.77	46.00	-13.23	3	Vertical	360	1.00	-
2437MHz	Pass	PK	932.1M	33.54	46.00	-12.46	3	Vertical	360	1.00	-
2437MHz	Pass	PK	183.26M	28.87	43.50	-14.63	3	Horizontal	0	1.00	-
2437MHz	Pass	PK	249.22M	30.21	46.00	-15.79	3	Horizontal	0	1.00	-
2437MHz	Pass	PK	582.9M	30.65	46.00	-15.35	3	Horizontal	0	1.00	-
2437MHz	Pass	PK	705.12M	31.60	46.00	-14.40	3	Horizontal	0	1.00	-
2437MHz	Pass	PK	858.38M	32.61	46.00	-13.39	3	Horizontal	0	1.00	-
2437MHz	Pass	PK	891.36M	33.37	46.00	-12.63	3	Horizontal	0	1.00	-
2437MHz	Pass	PK	185.2M	27.51	43.50	-15.99	3	Vertical	0	1.00	-
2437MHz	Pass	PK	245.34M	28.51	46.00	-17.49	3	Vertical	0	1.00	-
2437MHz	Pass	PK	419.94M	28.17	46.00	-17.83	3	Vertical	0	1.00	-
2437MHz	Pass	PK	629.46M	31.79	46.00	-14.21	3	Vertical	0	1.00	-
2437MHz	Pass	PK	829.28M	33.65	46.00	-12.35	3	Vertical	0	1.00	-
2437MHz	Pass	PK	899.12M	36.25	46.00	-9.75	3	Vertical	0	1.00	-
2437MHz	Pass	PK	183.26M	30.93	43.50	-12.57	3	Horizontal	360	1.00	-
2437MHz	Pass	PK	253.1M	29.63	46.00	-16.37	3	Horizontal	360	1.00	-
2437MHz	Pass	PK	421.88M	27.71	46.00	-18.29	3	Horizontal	360	1.00	-
2437MHz	Pass	PK	559.62M	29.76	46.00	-16.24	3	Horizontal	360	1.00	-
2437MHz	Pass	PK	699.3M	31.96	46.00	-14.04	3	Horizontal	360	1.00	-
2437MHz	Pass	PK	974.78M	33.25	54.00	-20.75	3	Horizontal	360	1.00	-

802.11ax HEW40_Nss1,(MCS0)_2TX


2437MHz_Adapter



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	173.56M	27.91	43.50	-15.59	-10.91	3	Vertical	0	1.00	-	38.82	14.74	1.83	27.48
PK	247.28M	28.43	46.00	-17.57	-7.65	3	Vertical	0	1.00	-	36.08	17.25	2.14	27.04
PK	423.82M	27.36	46.00	-18.64	-3.29	3	Vertical	0	1.00	-	30.65	21.81	2.82	27.92
PK	580.96M	30.40	46.00	-15.60	-1.18	3	Vertical	0	1.00	-	31.58	23.91	3.30	28.39
PK	747.8M	32.60	46.00	-13.40	0.49	3	Vertical	0	1.00	-	32.11	24.87	3.70	28.08
PK	844.8M	33.36	46.00	-12.64	1.81	3	Vertical	0	1.00	-	31.55	25.57	3.98	27.74

802.11ax HEW40_Nss1,(MCS0)_2TX


2437MHz_Adapter



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	183.26M	30.84	43.50	-12.66	-11.18	3	Horizontal	360	1.00	-	42.02	14.38	1.88	27.44
PK	243.4M	29.30	46.00	-16.70	-8.12	3	Horizontal	360	1.00	-	37.42	16.82	2.12	27.06
PK	443.22M	28.07	46.00	-17.93	-3.34	3	Horizontal	360	1.00	-	31.41	21.81	2.88	28.03
PK	604.24M	29.49	46.00	-16.51	-1.08	3	Horizontal	360	1.00	-	30.57	23.95	3.38	28.41
PK	798.24M	32.75	46.00	-13.25	1.03	3	Horizontal	360	1.00	-	31.72	25.05	3.87	27.89
PK	935.98M	33.01	46.00	-12.99	2.75	3	Horizontal	360	1.00	-	30.26	25.93	4.16	27.34

802.11ax HEW40_Nss1,(MCS0)_2TX


2437MHz_PoE1



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	177.44M	26.83	43.50	-16.67	-10.99	3	Vertical	360	1.00	-	37.82	14.63	1.85	27.47
PK	247.28M	28.28	46.00	-17.72	-7.65	3	Vertical	360	1.00	-	35.93	17.25	2.14	27.04
PK	437.4M	27.28	46.00	-18.72	-3.37	3	Vertical	360	1.00	-	30.65	21.77	2.86	28.00
PK	549.92M	29.81	46.00	-16.19	-1.24	3	Vertical	360	1.00	-	31.05	23.89	3.19	28.32
PK	842.86M	32.77	46.00	-13.23	1.77	3	Vertical	360	1.00	-	31.00	25.54	3.97	27.74
PK	932.1M	33.54	46.00	-12.46	2.69	3	Vertical	360	1.00	-	30.85	25.90	4.15	27.36

802.11ax HEW40_Nss1,(MCS0)_2TX


2437MHz_PoE1



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	183.26M	28.87	43.50	-14.63	-11.18	3	Horizontal	0	1.00	-	40.05	14.38	1.88	27.44
PK	249.22M	30.21	46.00	-15.79	-7.40	3	Horizontal	0	1.00	-	37.61	17.47	2.15	27.02
PK	582.9M	30.65	46.00	-15.35	-1.19	3	Horizontal	0	1.00	-	31.84	23.89	3.31	28.39
PK	705.12M	31.60	46.00	-14.40	-0.41	3	Horizontal	0	1.00	-	32.01	24.20	3.61	28.22
PK	858.38M	32.61	46.00	-13.39	1.89	3	Horizontal	0	1.00	-	30.72	25.56	4.01	27.68
PK	891.36M	33.37	46.00	-12.63	2.20	3	Horizontal	0	1.00	-	31.17	25.65	4.09	27.54

802.11ax HEW40_Nss1,(MCS0)_2TX


2437MHz_PoE2



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	185.2M	27.51	43.50	-15.99	-11.19	3	Vertical	0	1.00	-	38.70	14.34	1.89	27.42
PK	245.34M	28.51	46.00	-17.49	-7.89	3	Vertical	0	1.00	-	36.40	17.03	2.13	27.05
PK	419.94M	28.17	46.00	-17.83	-3.30	3	Vertical	0	1.00	-	31.47	21.80	2.80	27.90
PK	629.46M	31.79	46.00	-14.21	-0.54	3	Vertical	0	1.00	-	32.33	24.33	3.42	28.29
PK	829.28M	33.65	46.00	-12.35	1.54	3	Vertical	0	1.00	-	32.11	25.39	3.94	27.79
PK	899.12M	36.25	46.00	-9.75	2.26	3	Vertical	0	1.00	-	33.99	25.65	4.11	27.50

802.11ax HEW40_Nss1,(MCS0)_2TX

2437MHz_PoE2



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	183.26M	30.93	43.50	-12.57	-11.18	3	Horizontal	360	1.00	-	42.11	14.38	1.88	27.44
PK	253.1M	29.63	46.00	-16.37	-6.93	3	Horizontal	360	1.00	-	36.56	17.93	2.16	27.02
PK	421.88M	27.71	46.00	-18.29	-3.30	3	Horizontal	360	1.00	-	31.01	21.80	2.81	27.91
PK	559.62M	29.76	46.00	-16.24	-1.10	3	Horizontal	360	1.00	-	30.86	24.02	3.22	28.34
PK	699.3M	31.96	46.00	-14.04	-0.47	3	Horizontal	360	1.00	-	32.43	24.17	3.60	28.24
PK	974.78M	33.25	54.00	-20.75	3.34	3	Horizontal	360	1.00	-	29.91	26.29	4.25	27.20



Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-	-
802.11b_Nss1,(1Mbps)_2TX	Pass	AV	4.87401G	53.75	54.00	-0.25	3	Horizontal	6	1.57	-
802.11g_Nss1,(6Mbps)_2TX	Pass	AV	2.4835G	53.48	54.00	-0.52	3	Horizontal	312	2.46	-
802.11ax HEW20_Nss1,(MCS0)_2TX	Pass	AV	2.4835G	53.86	54.00	-0.14	3	Horizontal	316	2.35	-
802.11ax HEW40_Nss1,(MCS0)_2TX	Pass	AV	2.4835G	53.78	54.00	-0.22	3	Horizontal	309	2.39	-



Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
802.11b_Nss1,(1Mbps)_2TX	-	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	AV	2.368G	48.23	54.00	-5.77	3	Vertical	36	2.07	-
2412MHz	Pass	AV	2.4112G	105.85	Inf	-Inf	3	Vertical	36	2.07	-
2412MHz	Pass	PK	2.3688G	59.65	74.00	-14.35	3	Vertical	36	2.07	-
2412MHz	Pass	PK	2.413G	109.62	Inf	-Inf	3	Vertical	36	2.07	-
2412MHz	Pass	AV	2.39G	50.85	54.00	-3.15	3	Horizontal	315	2.24	-
2412MHz	Pass	AV	2.4114G	114.88	Inf	-Inf	3	Horizontal	315	2.24	-
2412MHz	Pass	PK	2.39G	60.76	74.00	-13.24	3	Horizontal	315	2.24	-
2412MHz	Pass	PK	2.413G	118.57	Inf	-Inf	3	Horizontal	315	2.24	-
2412MHz	Pass	AV	4.82398G	45.97	54.00	-8.03	3	Vertical	36	2.06	-
2412MHz	Pass	PK	4.82396G	50.15	74.00	-23.85	3	Vertical	36	2.06	-
2412MHz	Pass	AV	4.82396G	50.53	54.00	-3.47	3	Horizontal	9	1.56	-
2412MHz	Pass	PK	4.82405G	53.40	74.00	-20.60	3	Horizontal	9	1.56	-
2417MHz	Pass	AV	2.39G	48.37	54.00	-5.63	3	Vertical	23	2.04	-
2417MHz	Pass	AV	2.4162G	105.49	Inf	-Inf	3	Vertical	23	2.04	-
2417MHz	Pass	PK	2.3688G	58.88	74.00	-15.12	3	Vertical	23	2.04	-
2417MHz	Pass	PK	2.418G	109.12	Inf	-Inf	3	Vertical	23	2.04	-
2417MHz	Pass	AV	2.39G	52.40	54.00	-1.60	3	Horizontal	314	2.25	-
2417MHz	Pass	AV	2.4162G	113.62	Inf	-Inf	3	Horizontal	314	2.25	-
2417MHz	Pass	PK	2.3888G	60.21	74.00	-13.79	3	Horizontal	314	2.25	-
2417MHz	Pass	PK	2.416G	117.19	Inf	-Inf	3	Horizontal	314	2.25	-
2417MHz	Pass	AV	4.83396G	46.76	54.00	-7.24	3	Vertical	354	2.74	-
2417MHz	Pass	AV	7.25002G	42.63	54.00	-11.37	3	Vertical	11	2.97	-
2417MHz	Pass	PK	4.83401G	50.17	74.00	-23.83	3	Vertical	354	2.74	-
2417MHz	Pass	PK	7.25186G	52.63	74.00	-21.37	3	Vertical	11	2.97	-
2417MHz	Pass	AV	4.83398G	52.14	54.00	-1.86	3	Horizontal	6	1.55	-
2417MHz	Pass	AV	7.25006G	51.21	54.00	-2.79	3	Horizontal	78	1.95	-
2417MHz	Pass	PK	4.83402G	54.65	74.00	-19.35	3	Horizontal	6	1.55	-
2417MHz	Pass	PK	7.25194G	57.00	74.00	-17.00	3	Horizontal	78	1.95	-
2437MHz	Pass	AV	2.341G	48.12	54.00	-5.88	3	Vertical	25	2.25	-
2437MHz	Pass	AV	2.4362G	106.68	Inf	-Inf	3	Vertical	25	2.25	-
2437MHz	Pass	AV	2.4986G	47.59	54.00	-6.41	3	Vertical	25	2.25	-
2437MHz	Pass	PK	2.3606G	58.88	74.00	-15.12	3	Vertical	25	2.25	-
2437MHz	Pass	PK	2.4362G	110.24	Inf	-Inf	3	Vertical	25	2.25	-
2437MHz	Pass	PK	2.4898G	58.03	74.00	-15.97	3	Vertical	25	2.25	-
2437MHz	Pass	AV	2.349G	48.22	54.00	-5.78	3	Horizontal	310	2.46	-
2437MHz	Pass	AV	2.4358G	114.95	Inf	-Inf	3	Horizontal	310	2.46	-
2437MHz	Pass	AV	2.485G	48.04	54.00	-5.96	3	Horizontal	310	2.46	-
2437MHz	Pass	PK	2.3586G	59.81	74.00	-14.19	3	Horizontal	310	2.46	-
2437MHz	Pass	PK	2.4362G	117.50	Inf	-Inf	3	Horizontal	310	2.46	-
2437MHz	Pass	PK	2.4842G	58.15	74.00	-15.85	3	Horizontal	310	2.46	-
2437MHz	Pass	AV	4.87398G	47.91	54.00	-6.09	3	Vertical	37	2.01	-
2437MHz	Pass	AV	7.31178G	39.29	54.00	-14.71	3	Vertical	11	2.97	-
2437MHz	Pass	PK	4.87399G	51.59	74.00	-22.41	3	Vertical	37	2.01	-
2437MHz	Pass	PK	7.30778G	50.52	74.00	-23.48	3	Vertical	11	2.97	-
2437MHz	Pass	AV	4.87401G	53.75	54.00	-0.25	3	Horizontal	6	1.57	-
2437MHz	Pass	AV	7.3102G	45.02	54.00	-8.98	3	Horizontal	78	1.87	-
2437MHz	Pass	PK	4.87396G	55.90	74.00	-18.10	3	Horizontal	6	1.57	-
2437MHz	Pass	PK	7.31006G	53.93	74.00	-20.07	3	Horizontal	78	1.87	-
2457MHz	Pass	AV	2.4562G	108.11	Inf	-Inf	3	Vertical	12	2.69	-
2457MHz	Pass	AV	2.4835G	48.41	54.00	-5.59	3	Vertical	12	2.69	-
2457MHz	Pass	PK	2.456G	111.71	Inf	-Inf	3	Vertical	12	2.69	-
2457MHz	Pass	PK	2.4948G	59.37	74.00	-14.63	3	Vertical	12	2.69	-
2457MHz	Pass	AV	2.4562G	114.24	Inf	-Inf	3	Horizontal	309	2.16	-
2457MHz	Pass	AV	2.4838G	51.21	54.00	-2.79	3	Horizontal	309	2.16	-
2457MHz	Pass	PK	2.458G	117.94	Inf	-Inf	3	Horizontal	309	2.16	-
2457MHz	Pass	PK	2.4838G	61.13	74.00	-12.87	3	Horizontal	309	2.16	-
2457MHz	Pass	AV	4.91402G	47.94	54.00	-6.06	3	Vertical	36	2.55	-
2457MHz	Pass	AV	7.3727G	38.69	54.00	-15.31	3	Vertical	12	2.92	-
2457MHz	Pass	PK	4.91387G	51.29	74.00	-22.71	3	Vertical	36	2.55	-
2457MHz	Pass	PK	7.37216G	50.43	74.00	-23.57	3	Vertical	12	2.92	-



RSE TX above 1GHz_Non-Beamforming_Radio4

Appendix F.4

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2457MHz	Pass	AV	4.91399G	53.40	54.00	-0.60	3	Horizontal	360	1.58	-
2457MHz	Pass	AV	7.37166G	41.83	54.00	-12.17	3	Horizontal	299	1.84	-
2457MHz	Pass	PK	4.91398G	55.46	74.00	-18.54	3	Horizontal	360	1.58	-
2457MHz	Pass	PK	7.37142G	52.09	74.00	-21.91	3	Horizontal	299	1.84	-
2462MHz	Pass	AV	2.4612G	107.15	Inf	-Inf	3	Vertical	0	2.93	-
2462MHz	Pass	AV	2.4835G	48.44	54.00	-5.56	3	Vertical	0	2.93	-
2462MHz	Pass	PK	2.463G	110.85	Inf	-Inf	3	Vertical	0	2.93	-
2462MHz	Pass	PK	2.4854G	58.47	74.00	-15.53	3	Vertical	0	2.93	-
2462MHz	Pass	AV	2.4614G	114.29	Inf	-Inf	3	Horizontal	312	2.16	-
2462MHz	Pass	AV	2.4835G	51.91	54.00	-2.09	3	Horizontal	312	2.16	-
2462MHz	Pass	PK	2.461G	117.93	Inf	-Inf	3	Horizontal	312	2.16	-
2462MHz	Pass	PK	2.4836G	61.04	74.00	-12.96	3	Horizontal	312	2.16	-
2462MHz	Pass	AV	4.92399G	47.57	54.00	-6.43	3	Vertical	354	1.00	-
2462MHz	Pass	AV	7.38488G	38.35	54.00	-15.65	3	Vertical	11	3.00	-
2462MHz	Pass	PK	4.92392G	50.71	74.00	-23.29	3	Vertical	354	1.00	-
2462MHz	Pass	PK	7.38656G	51.61	74.00	-22.39	3	Vertical	11	3.00	-
2462MHz	Pass	AV	4.92395G	52.67	54.00	-1.33	3	Horizontal	5	1.23	-
2462MHz	Pass	AV	7.3853G	40.32	54.00	-13.68	3	Horizontal	80	1.89	-
2462MHz	Pass	PK	4.92393G	54.93	74.00	-19.07	3	Horizontal	5	1.23	-
2462MHz	Pass	PK	7.38136G	50.89	74.00	-23.11	3	Horizontal	80	1.89	-
802.11g_Nss1,(6Mbps)_2TX	-	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	AV	2.3896G	52.12	54.00	-1.88	3	Vertical	333	1.65	-
2412MHz	Pass	AV	2.4052G	100.53	Inf	-Inf	3	Vertical	333	1.65	-
2412MHz	Pass	PK	2.39G	65.81	74.00	-8.19	3	Vertical	333	1.65	-
2412MHz	Pass	PK	2.405G	110.07	Inf	-Inf	3	Vertical	333	1.65	-
2412MHz	Pass	AV	2.39G	52.74	54.00	-1.26	3	Horizontal	315	2.77	-
2412MHz	Pass	AV	2.4068G	104.28	Inf	-Inf	3	Horizontal	315	2.77	-
2412MHz	Pass	PK	2.39G	66.07	74.00	-7.93	3	Horizontal	315	2.77	-
2412MHz	Pass	PK	2.4176G	113.77	Inf	-Inf	3	Horizontal	315	2.77	-
2412MHz	Pass	AV	4.82407G	32.87	54.00	-21.13	3	Vertical	43	2.38	-
2412MHz	Pass	PK	4.8239G	45.72	74.00	-28.28	3	Vertical	43	2.38	-
2412MHz	Pass	AV	4.82395G	35.31	54.00	-18.69	3	Horizontal	8	1.29	-
2412MHz	Pass	PK	4.82418G	47.24	74.00	-26.76	3	Horizontal	8	1.29	-
2417MHz	Pass	AV	2.3898G	51.58	54.00	-2.42	3	Vertical	335	1.65	-
2417MHz	Pass	AV	2.4098G	99.56	Inf	-Inf	3	Vertical	335	1.65	-
2417MHz	Pass	AV	2.493G	47.24	54.00	-6.76	3	Vertical	335	1.65	-
2417MHz	Pass	PK	2.3898G	65.29	74.00	-8.71	3	Vertical	335	1.65	-
2417MHz	Pass	PK	2.4102G	109.57	Inf	-Inf	3	Vertical	335	1.65	-
2417MHz	Pass	PK	2.4986G	58.40	74.00	-15.60	3	Vertical	335	1.65	-
2417MHz	Pass	AV	2.3898G	52.79	54.00	-1.21	3	Horizontal	312	2.25	-
2417MHz	Pass	AV	2.4122G	104.87	Inf	-Inf	3	Horizontal	312	2.25	-
2417MHz	Pass	AV	2.4866G	47.53	54.00	-6.47	3	Horizontal	312	2.25	-
2417MHz	Pass	PK	2.3898G	65.12	74.00	-8.88	3	Horizontal	312	2.25	-
2417MHz	Pass	PK	2.4122G	114.01	Inf	-Inf	3	Horizontal	312	2.25	-
2417MHz	Pass	PK	2.4878G	58.81	74.00	-15.19	3	Horizontal	312	2.25	-
2437MHz	Pass	AV	2.3898G	49.11	54.00	-4.89	3	Vertical	336	1.58	-
2437MHz	Pass	AV	2.4298G	101.67	Inf	-Inf	3	Vertical	336	1.58	-
2437MHz	Pass	AV	2.485G	49.71	54.00	-4.29	3	Vertical	336	1.58	-
2437MHz	Pass	PK	2.3894G	60.98	74.00	-13.02	3	Vertical	336	1.58	-
2437MHz	Pass	PK	2.4298G	111.11	Inf	-Inf	3	Vertical	336	1.58	-
2437MHz	Pass	PK	2.4846G	62.55	74.00	-11.45	3	Vertical	336	1.58	-
2437MHz	Pass	AV	2.3878G	49.44	54.00	-4.56	3	Horizontal	312	2.46	-
2437MHz	Pass	AV	2.4318G	105.92	Inf	-Inf	3	Horizontal	312	2.46	-
2437MHz	Pass	AV	2.4835G	53.48	54.00	-0.52	3	Horizontal	312	2.46	-
2437MHz	Pass	PK	2.3866G	61.23	74.00	-12.77	3	Horizontal	312	2.46	-
2437MHz	Pass	PK	2.4422G	115.68	Inf	-Inf	3	Horizontal	312	2.46	-
2437MHz	Pass	PK	2.4835G	69.41	74.00	-4.59	3	Horizontal	312	2.46	-
2437MHz	Pass	AV	4.874G	35.96	54.00	-18.04	3	Vertical	45	3.00	-
2437MHz	Pass	AV	7.30656G	38.17	54.00	-15.83	3	Vertical	9	3.00	-
2437MHz	Pass	PK	4.875G	46.98	74.00	-27.02	3	Vertical	45	3.00	-
2437MHz	Pass	PK	7.31188G	51.27	74.00	-22.73	3	Vertical	9	3.00	-
2437MHz	Pass	AV	4.87408G	39.15	54.00	-14.85	3	Horizontal	6	1.66	-



RSE TX above 1GHz_Non-Beamforming_Radio4

Appendix F.4

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2437MHz	Pass	AV	7.30628G	42.91	54.00	-11.09	3	Horizontal	78	1.92	-
2437MHz	Pass	PK	4.8746G	49.50	74.00	-24.50	3	Horizontal	6	1.66	-
2437MHz	Pass	PK	7.31668G	54.30	74.00	-19.70	3	Horizontal	78	1.92	-
2457MHz	Pass	AV	2.4498G	98.63	Inf	-Inf	3	Vertical	340	1.64	-
2457MHz	Pass	AV	2.4852G	48.84	54.00	-5.16	3	Vertical	340	1.64	-
2457MHz	Pass	PK	2.45G	108.39	Inf	-Inf	3	Vertical	340	1.64	-
2457MHz	Pass	PK	2.4842G	60.46	74.00	-13.54	3	Vertical	340	1.64	-
2457MHz	Pass	AV	2.4622G	104.67	Inf	-Inf	3	Horizontal	313	2.17	-
2457MHz	Pass	AV	2.4835G	52.16	54.00	-1.84	3	Horizontal	313	2.17	-
2457MHz	Pass	PK	2.4626G	114.18	Inf	-Inf	3	Horizontal	313	2.17	-
2457MHz	Pass	PK	2.4836G	66.18	74.00	-7.82	3	Horizontal	313	2.17	-
2462MHz	Pass	AV	2.455G	98.11	Inf	-Inf	3	Vertical	343	1.50	-
2462MHz	Pass	AV	2.485G	48.13	54.00	-5.87	3	Vertical	343	1.50	-
2462MHz	Pass	PK	2.455G	107.90	Inf	-Inf	3	Vertical	343	1.50	-
2462MHz	Pass	PK	2.485G	58.84	74.00	-15.16	3	Vertical	343	1.50	-
2462MHz	Pass	AV	2.457G	104.21	Inf	-Inf	3	Horizontal	313	2.18	-
2462MHz	Pass	AV	2.4835G	52.53	54.00	-1.47	3	Horizontal	313	2.18	-
2462MHz	Pass	PK	2.457G	113.51	Inf	-Inf	3	Horizontal	313	2.18	-
2462MHz	Pass	PK	2.4835G	66.28	74.00	-7.72	3	Horizontal	313	2.18	-
2462MHz	Pass	AV	4.92408G	31.52	54.00	-22.48	3	Vertical	360	1.00	-
2462MHz	Pass	AV	7.38116G	37.11	54.00	-16.89	3	Vertical	92	1.88	-
2462MHz	Pass	PK	4.92399G	44.56	74.00	-29.44	3	Vertical	360	1.00	-
2462MHz	Pass	PK	7.38754G	50.66	74.00	-23.34	3	Vertical	92	1.88	-
2462MHz	Pass	AV	4.92395G	34.67	54.00	-19.33	3	Horizontal	5	1.50	-
2462MHz	Pass	AV	7.381G	37.69	54.00	-16.31	3	Horizontal	77	1.92	-
2462MHz	Pass	PK	4.92459G	47.22	74.00	-26.78	3	Horizontal	5	1.50	-
2462MHz	Pass	PK	7.38212G	51.05	74.00	-22.95	3	Horizontal	77	1.92	-
802.11ax HEW20_Nss1 (MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	AV	2.3894G	48.74	54.00	-5.26	3	Vertical	335	1.64	-
2412MHz	Pass	AV	2.4076G	96.88	Inf	-Inf	3	Vertical	335	1.64	-
2412MHz	Pass	PK	2.3898G	63.86	74.00	-10.14	3	Vertical	335	1.64	-
2412MHz	Pass	PK	2.4078G	110.37	Inf	-Inf	3	Vertical	335	1.64	-
2412MHz	Pass	AV	2.39G	52.37	54.00	-1.63	3	Horizontal	310	2.50	-
2412MHz	Pass	AV	2.4032G	101.39	Inf	-Inf	3	Horizontal	310	2.50	-
2412MHz	Pass	PK	2.3898G	66.43	74.00	-7.57	3	Horizontal	310	2.50	-
2412MHz	Pass	PK	2.4134G	113.53	Inf	-Inf	3	Horizontal	310	2.50	-
2412MHz	Pass	AV	4.824G	32.33	54.00	-21.67	3	Vertical	42	2.78	-
2412MHz	Pass	PK	4.82384G	44.13	74.00	-29.87	3	Vertical	42	2.78	-
2412MHz	Pass	AV	4.824G	34.46	54.00	-19.54	3	Horizontal	12	1.47	-
2412MHz	Pass	PK	4.82372G	46.36	74.00	-27.64	3	Horizontal	12	1.47	-
2417MHz	Pass	AV	2.39G	51.35	54.00	-2.65	3	Vertical	337	1.54	-
2417MHz	Pass	AV	2.4228G	97.04	Inf	-Inf	3	Vertical	337	1.54	-
2417MHz	Pass	PK	2.3898G	65.99	74.00	-8.01	3	Vertical	337	1.54	-
2417MHz	Pass	PK	2.423G	110.08	Inf	-Inf	3	Vertical	337	1.54	-
2417MHz	Pass	AV	2.3894G	52.76	54.00	-1.24	3	Horizontal	307	2.23	-
2417MHz	Pass	AV	2.408G	102.83	Inf	-Inf	3	Horizontal	307	2.23	-
2417MHz	Pass	PK	2.3894G	68.43	74.00	-5.57	3	Horizontal	307	2.23	-
2417MHz	Pass	PK	2.4086G	114.90	Inf	-Inf	3	Horizontal	307	2.23	-
2437MHz	Pass	AV	2.3898G	47.89	54.00	-6.11	3	Vertical	337	1.80	-
2437MHz	Pass	AV	2.4434G	100.51	Inf	-Inf	3	Vertical	337	1.80	-
2437MHz	Pass	AV	2.4835G	50.13	54.00	-3.87	3	Vertical	337	1.80	-
2437MHz	Pass	PK	2.3698G	59.07	74.00	-14.93	3	Vertical	337	1.80	-
2437MHz	Pass	PK	2.4434G	114.71	Inf	-Inf	3	Vertical	337	1.80	-
2437MHz	Pass	PK	2.4838G	63.31	74.00	-10.69	3	Vertical	337	1.80	-
2437MHz	Pass	AV	2.3898G	50.28	54.00	-3.72	3	Horizontal	308	1.21	-
2437MHz	Pass	AV	2.4458G	105.54	Inf	-Inf	3	Horizontal	308	1.21	-
2437MHz	Pass	AV	2.4862G	52.88	54.00	-1.12	3	Horizontal	308	1.21	-
2437MHz	Pass	PK	2.3878G	63.03	74.00	-10.97	3	Horizontal	308	1.21	-
2437MHz	Pass	PK	2.4378G	117.21	Inf	-Inf	3	Horizontal	308	1.21	-
2437MHz	Pass	PK	2.485G	69.56	74.00	-4.44	3	Horizontal	308	1.21	-
2437MHz	Pass	AV	4.87396G	34.64	54.00	-19.36	3	Vertical	357	2.98	-
2437MHz	Pass	AV	7.30304G	37.13	54.00	-16.87	3	Vertical	8	3.00	-



RSE TX above 1GHz_Non-Beamforming_Radio4

Appendix F.4

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2437MHz	Pass	PK	4.8668G	46.76	74.00	-27.24	3	Vertical	357	2.98	-
2437MHz	Pass	PK	7.30448G	50.38	74.00	-23.62	3	Vertical	8	3.00	-
2437MHz	Pass	AV	4.87388G	39.09	54.00	-14.91	3	Horizontal	6	1.50	-
2437MHz	Pass	AV	7.30224G	40.93	54.00	-13.07	3	Horizontal	81	1.97	-
2437MHz	Pass	PK	4.87416G	50.05	74.00	-23.95	3	Horizontal	6	1.50	-
2437MHz	Pass	PK	7.303G	54.33	74.00	-19.67	3	Horizontal	81	1.97	-
2457MHz	Pass	AV	2.4484G	97.32	Inf	-Inf	3	Vertical	339	3.00	-
2457MHz	Pass	AV	2.4835G	48.46	54.00	-5.54	3	Vertical	339	3.00	-
2457MHz	Pass	PK	2.449G	109.90	Inf	-Inf	3	Vertical	339	3.00	-
2457MHz	Pass	PK	2.4874G	60.58	74.00	-13.42	3	Vertical	339	3.00	-
2457MHz	Pass	AV	2.448G	103.10	Inf	-Inf	3	Horizontal	310	2.70	-
2457MHz	Pass	AV	2.4852G	52.60	54.00	-1.40	3	Horizontal	310	2.70	-
2457MHz	Pass	PK	2.449G	115.12	Inf	-Inf	3	Horizontal	310	2.70	-
2457MHz	Pass	PK	2.486G	66.98	74.00	-7.02	3	Horizontal	310	2.70	-
2462MHz	Pass	AV	2.4534G	96.72	Inf	-Inf	3	Vertical	356	3.00	-
2462MHz	Pass	AV	2.4842G	48.64	54.00	-5.36	3	Vertical	356	3.00	-
2462MHz	Pass	PK	2.4538G	109.25	Inf	-Inf	3	Vertical	356	3.00	-
2462MHz	Pass	PK	2.4852G	60.94	74.00	-13.06	3	Vertical	356	3.00	-
2462MHz	Pass	AV	2.4528G	101.86	Inf	-Inf	3	Horizontal	316	2.35	-
2462MHz	Pass	AV	2.4835G	53.86	54.00	-0.14	3	Horizontal	316	2.35	-
2462MHz	Pass	PK	2.4538G	114.10	Inf	-Inf	3	Horizontal	316	2.35	-
2462MHz	Pass	PK	2.4836G	67.20	74.00	-6.80	3	Horizontal	316	2.35	-
2462MHz	Pass	AV	4.92408G	30.81	54.00	-23.19	3	Vertical	356	1.00	-
2462MHz	Pass	AV	7.37748G	36.40	54.00	-17.60	3	Vertical	8	1.65	-
2462MHz	Pass	PK	4.91724G	43.93	74.00	-30.07	3	Vertical	356	1.00	-
2462MHz	Pass	PK	7.3864G	49.94	74.00	-24.06	3	Vertical	8	1.65	-
2462MHz	Pass	AV	4.92396G	33.56	54.00	-20.44	3	Horizontal	360	1.49	-
2462MHz	Pass	AV	7.3798G	37.43	54.00	-16.57	3	Horizontal	293	2.32	-
2462MHz	Pass	PK	4.92428G	45.95	74.00	-28.05	3	Horizontal	360	1.49	-
2462MHz	Pass	PK	7.3794G	51.29	74.00	-22.71	3	Horizontal	293	2.32	-
802.11ax HEW40_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-
2422MHz	Pass	AV	2.3892G	48.68	54.00	-5.32	3	Vertical	335	1.58	-
2422MHz	Pass	AV	2.428G	94.03	Inf	-Inf	3	Vertical	335	1.58	-
2422MHz	Pass	AV	2.49G	47.10	54.00	-6.90	3	Vertical	335	1.58	-
2422MHz	Pass	PK	2.39G	65.37	74.00	-8.63	3	Vertical	335	1.58	-
2422MHz	Pass	PK	2.4288G	107.13	Inf	-Inf	3	Vertical	335	1.58	-
2422MHz	Pass	PK	2.4852G	58.59	74.00	-15.41	3	Vertical	335	1.58	-
2422MHz	Pass	AV	2.39G	52.68	54.00	-1.32	3	Horizontal	312	2.23	-
2422MHz	Pass	AV	2.412G	99.58	Inf	-Inf	3	Horizontal	312	2.23	-
2422MHz	Pass	AV	2.4835G	48.85	54.00	-5.15	3	Horizontal	312	2.23	-
2422MHz	Pass	PK	2.39G	66.96	74.00	-7.04	3	Horizontal	312	2.23	-
2422MHz	Pass	PK	2.4132G	112.29	Inf	-Inf	3	Horizontal	312	2.23	-
2422MHz	Pass	PK	2.4835G	62.86	74.00	-11.14	3	Horizontal	312	2.23	-
2422MHz	Pass	AV	4.84384G	30.81	54.00	-23.19	3	Vertical	329	1.05	-
2422MHz	Pass	PK	4.8452G	43.62	74.00	-30.38	3	Vertical	329	1.05	-
2422MHz	Pass	AV	4.84392G	33.65	54.00	-20.35	3	Horizontal	7	1.50	-
2422MHz	Pass	PK	4.84384G	44.91	74.00	-29.09	3	Horizontal	7	1.50	-
2427MHz	Pass	AV	2.3898G	50.78	54.00	-3.22	3	Vertical	340	1.54	-
2427MHz	Pass	AV	2.4226G	94.36	Inf	-Inf	3	Vertical	340	1.54	-
2427MHz	Pass	AV	2.4835G	49.13	54.00	-4.87	3	Vertical	340	1.54	-
2427MHz	Pass	PK	2.3898G	63.22	74.00	-10.78	3	Vertical	340	1.54	-
2427MHz	Pass	PK	2.4226G	107.29	Inf	-Inf	3	Vertical	340	1.54	-
2427MHz	Pass	PK	2.4854G	60.84	74.00	-13.16	3	Vertical	340	1.54	-
2427MHz	Pass	AV	2.3878G	52.47	54.00	-1.53	3	Horizontal	312	2.25	-
2427MHz	Pass	AV	2.4166G	99.01	Inf	-Inf	3	Horizontal	312	2.25	-
2427MHz	Pass	AV	2.4874G	50.35	54.00	-3.65	3	Horizontal	312	2.25	-
2427MHz	Pass	PK	2.3894G	69.57	74.00	-4.43	3	Horizontal	312	2.25	-
2427MHz	Pass	PK	2.417G	111.60	Inf	-Inf	3	Horizontal	312	2.25	-
2427MHz	Pass	PK	2.4878G	63.68	74.00	-10.32	3	Horizontal	312	2.25	-
2437MHz	Pass	AV	2.3898G	48.79	54.00	-5.21	3	Vertical	340	1.59	-
2437MHz	Pass	AV	2.433G	94.71	Inf	-Inf	3	Vertical	340	1.59	-
2437MHz	Pass	AV	2.4835G	50.05	54.00	-3.95	3	Vertical	340	1.59	-




RSE TX above 1GHz_Non-Beamforming_Radio4

Appendix F.4

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2437MHz	Pass	PK	2.3898G	59.77	74.00	-14.23	3	Vertical	340	1.59	-
2437MHz	Pass	PK	2.4434G	106.81	Inf	-Inf	3	Vertical	340	1.59	-
2437MHz	Pass	PK	2.4842G	63.74	74.00	-10.26	3	Vertical	340	1.59	-
2437MHz	Pass	AV	2.389G	50.75	54.00	-3.25	3	Horizontal	305	1.00	-
2437MHz	Pass	AV	2.427G	99.75	Inf	-Inf	3	Horizontal	305	1.00	-
2437MHz	Pass	AV	2.4862G	52.90	54.00	-1.10	3	Horizontal	305	1.00	-
2437MHz	Pass	PK	2.389G	62.43	74.00	-11.57	3	Horizontal	305	1.00	-
2437MHz	Pass	PK	2.4374G	112.02	Inf	-Inf	3	Horizontal	305	1.00	-
2437MHz	Pass	PK	2.4835G	67.55	74.00	-6.45	3	Horizontal	305	1.00	-
2437MHz	Pass	AV	4.87704G	31.43	54.00	-22.57	3	Vertical	42	3.00	-
2437MHz	Pass	AV	7.29116G	36.40	54.00	-17.60	3	Vertical	126	1.65	-
2437MHz	Pass	PK	4.88736G	45.08	74.00	-28.92	3	Vertical	42	3.00	-
2437MHz	Pass	PK	7.31116G	49.66	74.00	-24.34	3	Vertical	126	1.65	-
2437MHz	Pass	AV	4.87408G	33.64	54.00	-20.36	3	Horizontal	5	1.64	-
2437MHz	Pass	AV	7.32972G	36.43	54.00	-17.57	3	Horizontal	247	2.18	-
2437MHz	Pass	PK	4.87392G	46.22	74.00	-27.78	3	Horizontal	5	1.64	-
2437MHz	Pass	PK	7.32836G	50.04	74.00	-23.96	3	Horizontal	247	2.18	-
2447MHz	Pass	AV	2.3578G	47.41	54.00	-6.59	3	Vertical	339	1.50	-
2447MHz	Pass	AV	2.4522G	93.40	Inf	-Inf	3	Vertical	339	1.50	-
2447MHz	Pass	AV	2.4835G	49.88	54.00	-4.12	3	Vertical	339	1.50	-
2447MHz	Pass	PK	2.3678G	59.50	74.00	-14.50	3	Vertical	339	1.50	-
2447MHz	Pass	PK	2.4522G	106.37	Inf	-Inf	3	Vertical	339	1.50	-
2447MHz	Pass	PK	2.4835G	63.95	74.00	-10.05	3	Vertical	339	1.50	-
2447MHz	Pass	AV	2.389G	47.82	54.00	-6.18	3	Horizontal	312	2.16	-
2447MHz	Pass	AV	2.4574G	99.24	Inf	-Inf	3	Horizontal	312	2.16	-
2447MHz	Pass	AV	2.4858G	52.88	54.00	-1.12	3	Horizontal	312	2.16	-
2447MHz	Pass	PK	2.389G	59.61	74.00	-14.39	3	Horizontal	312	2.16	-
2447MHz	Pass	PK	2.4582G	112.41	Inf	-Inf	3	Horizontal	312	2.16	-
2447MHz	Pass	PK	2.4882G	70.09	74.00	-3.91	3	Horizontal	312	2.16	-
2452MHz	Pass	AV	2.3548G	47.36	54.00	-6.64	3	Vertical	339	3.00	-
2452MHz	Pass	AV	2.4536G	93.55	Inf	-Inf	3	Vertical	339	3.00	-
2452MHz	Pass	AV	2.484G	49.21	54.00	-4.79	3	Vertical	339	3.00	-
2452MHz	Pass	PK	2.3536G	59.11	74.00	-14.89	3	Vertical	339	3.00	-
2452MHz	Pass	PK	2.444G	105.73	Inf	-Inf	3	Vertical	339	3.00	-
2452MHz	Pass	PK	2.4848G	65.25	74.00	-8.75	3	Vertical	339	3.00	-
2452MHz	Pass	AV	2.356G	47.41	54.00	-6.59	3	Horizontal	309	2.39	-
2452MHz	Pass	AV	2.4528G	99.52	Inf	-Inf	3	Horizontal	309	2.39	-
2452MHz	Pass	AV	2.4835G	53.78	54.00	-0.22	3	Horizontal	309	2.39	-
2452MHz	Pass	PK	2.3544G	59.53	74.00	-14.47	3	Horizontal	309	2.39	-
2452MHz	Pass	PK	2.4536G	111.87	Inf	-Inf	3	Horizontal	309	2.39	-
2452MHz	Pass	PK	2.4872G	71.38	74.00	-2.62	3	Horizontal	309	2.39	-
2452MHz	Pass	AV	4.89712G	31.00	54.00	-23.00	3	Vertical	39	2.97	-
2452MHz	Pass	AV	7.37568G	36.52	54.00	-17.48	3	Vertical	218	1.55	-
2452MHz	Pass	PK	4.9064G	44.33	74.00	-29.67	3	Vertical	39	2.97	-
2452MHz	Pass	PK	7.34856G	50.00	74.00	-24.00	3	Vertical	218	1.55	-
2452MHz	Pass	AV	4.90408G	32.89	54.00	-21.11	3	Horizontal	8	1.00	-
2452MHz	Pass	AV	7.3532G	36.56	54.00	-17.44	3	Horizontal	237	1.50	-
2452MHz	Pass	PK	4.90376G	44.76	74.00	-29.24	3	Horizontal	8	1.00	-
2452MHz	Pass	PK	7.33704G	50.28	74.00	-23.72	3	Horizontal	237	1.50	-

802.11b_Nss1,(1Mbps)_2TX


2412MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.368G	48.23	54.00	-5.77	35.01	3	Vertical	36	2.07	-	13.22	27.76	7.25	-
AV	2.4112G	105.85	Inf	-Inf	34.90	3	Vertical	36	2.07	-	70.95	27.63	7.27	-
PK	2.3688G	59.65	74.00	-14.35	35.01	3	Vertical	36	2.07	-	24.64	27.76	7.25	-
PK	2.413G	109.62	Inf	-Inf	34.89	3	Vertical	36	2.07	-	74.73	27.62	7.27	-

802.11b_Nss1,(1Mbps)_2TX


2412MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.39G	50.85	54.00	-3.15	34.98	3	Horizontal	315	2.24	-	15.87	27.72	7.26	-
AV	2.4114G	114.88	Inf	-Inf	34.90	3	Horizontal	315	2.24	-	79.98	27.63	7.27	-
PK	2.39G	60.76	74.00	-13.24	34.98	3	Horizontal	315	2.24	-	25.78	27.72	7.26	-
PK	2.413G	118.57	Inf	-Inf	34.89	3	Horizontal	315	2.24	-	83.68	27.62	7.27	-

802.11b_Nss1,(1Mbps)_2TX


2412MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	4.82398G	45.97	54.00	-8.03	5.79	3	Vertical	36	2.06	-	40.18	31.15	8.92	34.28
PK	4.82396G	50.15	74.00	-23.85	5.79	3	Vertical	36	2.06	-	44.36	31.15	8.92	34.28

802.11b_Nss1,(1Mbps)_2TX


2412MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.82396G	50.53	54.00	-3.47	5.79	3	Horizontal	9	1.56	-	44.74	31.15	8.92	34.28
PK	4.82405G	53.40	74.00	-20.60	5.79	3	Horizontal	9	1.56	-	47.61	31.15	8.92	34.28

802.11b_Nss1,(1Mbps)_2TX


2417MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.39G	48.37	54.00	-5.63	34.98	3	Vertical	23	2.04	-	13.39	27.72	7.26	-
AV	2.4162G	105.49	Inf	-Inf	34.87	3	Vertical	23	2.04	-	70.62	27.60	7.27	-
PK	2.3688G	58.88	74.00	-15.12	35.01	3	Vertical	23	2.04	-	23.87	27.76	7.25	-
PK	2.418G	109.12	Inf	-Inf	34.86	3	Vertical	23	2.04	-	74.26	27.59	7.27	-

802.11b_Nss1,(1Mbps)_2TX


2417MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.39G	52.40	54.00	-1.60	34.98	3	Horizontal	314	2.25	-	17.42	27.72	7.26	-
AV	2.4162G	113.62	Inf	-Inf	34.87	3	Horizontal	314	2.25	-	78.75	27.60	7.27	-
PK	2.3888G	60.21	74.00	-13.79	34.97	3	Horizontal	314	2.25	-	25.24	27.72	7.25	-
PK	2.416G	117.19	Inf	-Inf	34.87	3	Horizontal	314	2.25	-	82.32	27.60	7.27	-

802.11b_Nss1,(1Mbps)_2TX


2417MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.83396G	46.76	54.00	-7.24	5.82	3	Vertical	354	2.74	-	40.94	31.17	8.93	34.28
AV	7.25002G	42.63	54.00	-11.37	12.29	3	Vertical	11	2.97	-	30.34	36.30	10.56	34.57
PK	4.83401G	50.17	74.00	-23.83	5.82	3	Vertical	354	2.74	-	44.35	31.17	8.93	34.28
PK	7.25186G	52.63	74.00	-21.37	12.29	3	Vertical	11	2.97	-	40.34	36.30	10.56	34.57

802.11b_Nss1,(1Mbps)_2TX


2417MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.83398G	52.14	54.00	-1.86	5.82	3	Horizontal	6	1.55	-	46.32	31.17	8.93	34.28
AV	7.25006G	51.21	54.00	-2.79	12.29	3	Horizontal	78	1.95	-	38.92	36.30	10.56	34.57
PK	4.83402G	54.65	74.00	-19.35	5.82	3	Horizontal	6	1.55	-	48.83	31.17	8.93	34.28
PK	7.25194G	57.00	74.00	-17.00	12.29	3	Horizontal	78	1.95	-	44.71	36.30	10.56	34.57

802.11b_Nss1,(1Mbps)_2TX


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.341G	48.12	54.00	-5.88	35.05	3	Vertical	25	2.25	-	13.07	27.82	7.23	-
AV	2.4362G	106.68	Inf	-Inf	34.77	3	Vertical	25	2.25	-	71.91	27.48	7.29	-
AV	2.4986G	47.59	54.00	-6.41	34.74	3	Vertical	25	2.25	-	12.85	27.40	7.34	-
PK	2.3606G	58.88	74.00	-15.12	35.02	3	Vertical	25	2.25	-	23.86	27.78	7.24	-
PK	2.4362G	110.24	Inf	-Inf	34.77	3	Vertical	25	2.25	-	75.47	27.48	7.29	-
PK	2.4898G	58.03	74.00	-15.97	34.73	3	Vertical	25	2.25	-	23.30	27.40	7.33	-

802.11b_Nss1,(1Mbps)_2TX


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.349G	48.22	54.00	-5.78	35.04	3	Horizontal	310	2.46	-	13.18	27.80	7.24	-
AV	2.4358G	114.95	Inf	-Inf	34.78	3	Horizontal	310	2.46	-	80.17	27.49	7.29	-
AV	2.485G	48.04	54.00	-5.96	34.73	3	Horizontal	310	2.46	-	13.31	27.40	7.33	-
PK	2.3586G	59.81	74.00	-14.19	35.02	3	Horizontal	310	2.46	-	24.79	27.78	7.24	-
PK	2.4362G	117.50	Inf	-Inf	34.77	3	Horizontal	310	2.46	-	82.73	27.48	7.29	-
PK	2.4842G	58.15	74.00	-15.85	34.73	3	Horizontal	310	2.46	-	23.42	27.40	7.33	-

802.11b_Nss1,(1Mbps)_2TX


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.87398G	47.91	54.00	-6.09	5.90	3	Vertical	37	2.01	-	42.01	31.20	8.96	34.26
AV	7.31178G	39.29	54.00	-14.71	12.43	3	Vertical	11	2.97	-	26.86	36.38	10.62	34.57
PK	4.87399G	51.59	74.00	-22.41	5.90	3	Vertical	37	2.01	-	45.69	31.20	8.96	34.26
PK	7.30778G	50.52	74.00	-23.48	12.43	3	Vertical	11	2.97	-	38.09	36.38	10.62	34.57

802.11b_Nss1,(1Mbps)_2TX


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.87401G	53.75	54.00	-0.25	5.90	3	Horizontal	6	1.57	-	47.85	31.20	8.96	34.26
AV	7.3102G	45.02	54.00	-8.98	12.43	3	Horizontal	78	1.87	-	32.59	36.38	10.62	34.57
PK	4.87396G	55.90	74.00	-18.10	5.90	3	Horizontal	6	1.57	-	50.00	31.20	8.96	34.26
PK	7.31006G	53.93	74.00	-20.07	12.43	3	Horizontal	78	1.87	-	41.50	36.38	10.62	34.57

802.11b_Nss1,(1Mbps)_2TX


2457MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4562G	108.11	Inf	-Inf	34.70	3	Vertical	12	2.69	-	73.41	27.40	7.30	-
AV	2.4835G	48.41	54.00	-5.59	34.73	3	Vertical	12	2.69	-	13.68	27.40	7.33	-
PK	2.456G	111.71	Inf	-Inf	34.70	3	Vertical	12	2.69	-	77.01	27.40	7.30	-
PK	2.4948G	59.37	74.00	-14.63	34.74	3	Vertical	12	2.69	-	24.63	27.40	7.34	-

802.11b_Nss1,(1Mbps)_2TX


2457MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4562G	114.24	Inf	-Inf	34.70	3	Horizontal	309	2.16	-	79.54	27.40	7.30	-
AV	2.4838G	51.21	54.00	-2.79	34.73	3	Horizontal	309	2.16	-	16.48	27.40	7.33	-
PK	2.458G	117.94	Inf	-Inf	34.71	3	Horizontal	309	2.16	-	83.23	27.40	7.31	-
PK	2.4838G	61.13	74.00	-12.87	34.73	3	Horizontal	309	2.16	-	26.40	27.40	7.33	-

802.11b_Nss1,(1Mbps)_2TX


2457MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.91402G	47.94	54.00	-6.06	6.00	3	Vertical	36	2.55	-	41.94	31.26	8.99	34.25
AV	7.3727G	38.69	54.00	-15.31	12.35	3	Vertical	12	2.92	-	26.34	36.25	10.68	34.58
PK	4.91387G	51.29	74.00	-22.71	6.00	3	Vertical	36	2.55	-	45.29	31.26	8.99	34.25
PK	7.37216G	50.43	74.00	-23.57	12.36	3	Vertical	12	2.92	-	38.07	36.26	10.68	34.58

802.11b_Nss1,(1Mbps)_2TX


2457MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.91399G	53.40	54.00	-0.60	6.00	3	Horizontal	360	1.58	-	47.40	31.26	8.99	34.25
AV	7.37166G	41.83	54.00	-12.17	12.36	3	Horizontal	299	1.84	-	29.47	36.26	10.68	34.58
PK	4.91398G	55.46	74.00	-18.54	6.00	3	Horizontal	360	1.58	-	49.46	31.26	8.99	34.25
PK	7.37142G	52.09	74.00	-21.91	12.36	3	Horizontal	299	1.84	-	39.73	36.26	10.68	34.58

802.11b_Nss1,(1Mbps)_2TX


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4612G	107.15	Inf	-Inf	34.71	3	Vertical	0	2.93	-	72.44	27.40	7.31	-
AV	2.4835G	48.44	54.00	-5.56	34.73	3	Vertical	0	2.93	-	13.71	27.40	7.33	-
PK	2.463G	110.85	Inf	-Inf	34.71	3	Vertical	0	2.93	-	76.14	27.40	7.31	-
PK	2.4854G	58.47	74.00	-15.53	34.73	3	Vertical	0	2.93	-	23.74	27.40	7.33	-

802.11b_Nss1,(1Mbps)_2TX

2462MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4614G	114.29	Inf	-Inf	34.71	3	Horizontal	312	2.16	-	79.58	27.40	7.31	-
AV	2.4835G	51.91	54.00	-2.09	34.73	3	Horizontal	312	2.16	-	17.18	27.40	7.33	-
PK	2.461G	117.93	Inf	-Inf	34.71	3	Horizontal	312	2.16	-	83.22	27.40	7.31	-
PK	2.4836G	61.04	74.00	-12.96	34.73	3	Horizontal	312	2.16	-	26.31	27.40	7.33	-



802.11b_Nss1,(1Mbps)_2TX


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.92399G	47.57	54.00	-6.43	6.04	3	Vertical	354	1.00	-	41.53	31.30	8.99	34.25
AV	7.38488G	38.35	54.00	-15.65	12.34	3	Vertical	11	3.00	-	26.01	36.23	10.69	34.58
PK	4.92392G	50.71	74.00	-23.29	6.04	3	Vertical	354	1.00	-	44.67	31.30	8.99	34.25
PK	7.38656G	51.61	74.00	-22.39	12.35	3	Vertical	11	3.00	-	39.26	36.23	10.70	34.58

802.11b_Nss1,(1Mbps)_2TX


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.92395G	52.67	54.00	-1.33	6.04	3	Horizontal	5	1.23	-	46.63	31.30	8.99	34.25
AV	7.3853G	40.32	54.00	-13.68	12.35	3	Horizontal	80	1.89	-	27.97	36.23	10.70	34.58
PK	4.92393G	54.93	74.00	-19.07	6.04	3	Horizontal	5	1.23	-	48.89	31.30	8.99	34.25
PK	7.38136G	50.89	74.00	-23.11	12.35	3	Horizontal	80	1.89	-	38.54	36.24	10.69	34.58

802.11g_Nss1,(6Mbps)_2TX


2412MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3896G	52.12	54.00	-1.88	34.98	3	Vertical	333	1.65	-	17.14	27.72	7.26	-
AV	2.4052G	100.53	Inf	-Inf	34.93	3	Vertical	333	1.65	-	65.60	27.67	7.26	-
PK	2.39G	65.81	74.00	-8.19	34.98	3	Vertical	333	1.65	-	30.83	27.72	7.26	-
PK	2.405G	110.07	Inf	-Inf	34.93	3	Vertical	333	1.65	-	75.14	27.67	7.26	-

802.11g_Nss1,(6Mbps)_2TX


2412MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.39G	52.74	54.00	-1.26	34.98	3	Horizontal	315	2.77	-	17.76	27.72	7.26	-
AV	2.4068G	104.28	Inf	-Inf	34.93	3	Horizontal	315	2.77	-	69.35	27.66	7.27	-
PK	2.39G	66.07	74.00	-7.93	34.98	3	Horizontal	315	2.77	-	31.09	27.72	7.26	-
PK	2.4176G	113.77	Inf	-Inf	34.86	3	Horizontal	315	2.77	-	78.91	27.59	7.27	-

802.11g_Nss1,(6Mbps)_2TX


2412MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.82407G	32.87	54.00	-21.13	5.79	3	Vertical	43	2.38	-	27.08	31.15	8.92	34.28
PK	4.8239G	45.72	74.00	-28.28	5.79	3	Vertical	43	2.38	-	39.93	31.15	8.92	34.28

802.11g_Nss1,(6Mbps)_2TX


2412MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.82395G	35.31	54.00	-18.69	5.79	3	Horizontal	8	1.29	-	29.52	31.15	8.92	34.28
PK	4.82418G	47.24	74.00	-26.76	5.79	3	Horizontal	8	1.29	-	41.45	31.15	8.92	34.28

802.11g_Nss1,(6Mbps)_2TX


2417MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	51.58	54.00	-2.42	34.98	3	Vertical	335	1.65	-	16.60	27.72	7.26	-
AV	2.4098G	99.56	Inf	-Inf	34.91	3	Vertical	335	1.65	-	64.65	27.64	7.27	-
AV	2.493G	47.24	54.00	-6.76	34.73	3	Vertical	335	1.65	-	12.51	27.40	7.33	-
PK	2.3898G	65.29	74.00	-8.71	34.98	3	Vertical	335	1.65	-	30.31	27.72	7.26	-
PK	2.4102G	109.57	Inf	-Inf	34.91	3	Vertical	335	1.65	-	74.66	27.64	7.27	-
PK	2.4986G	58.40	74.00	-15.60	34.74	3	Vertical	335	1.65	-	23.66	27.40	7.34	-

802.11g_Nss1,(6Mbps)_2TX


2417MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	52.79	54.00	-1.21	34.98	3	Horizontal	312	2.25	-	17.81	27.72	7.26	-
AV	2.4122G	104.87	Inf	-Inf	34.90	3	Horizontal	312	2.25	-	69.97	27.63	7.27	-
AV	2.4866G	47.53	54.00	-6.47	34.73	3	Horizontal	312	2.25	-	12.80	27.40	7.33	-
PK	2.3898G	65.12	74.00	-8.88	34.98	3	Horizontal	312	2.25	-	30.14	27.72	7.26	-
PK	2.4122G	114.01	Inf	-Inf	34.90	3	Horizontal	312	2.25	-	79.11	27.63	7.27	-
PK	2.4878G	58.81	74.00	-15.19	34.73	3	Horizontal	312	2.25	-	24.08	27.40	7.33	-

802.11g_Nss1,(6Mbps)_2TX


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	49.11	54.00	-4.89	34.98	3	Vertical	336	1.58	-	14.13	27.72	7.26	-
AV	2.4298G	101.67	Inf	-Inf	34.80	3	Vertical	336	1.58	-	66.87	27.52	7.28	-
AV	2.485G	49.71	54.00	-4.29	34.73	3	Vertical	336	1.58	-	14.98	27.40	7.33	-
PK	2.3894G	60.98	74.00	-13.02	34.98	3	Vertical	336	1.58	-	26.00	27.72	7.26	-
PK	2.4298G	111.11	Inf	-Inf	34.80	3	Vertical	336	1.58	-	76.31	27.52	7.28	-
PK	2.4846G	62.55	74.00	-11.45	34.73	3	Vertical	336	1.58	-	27.82	27.40	7.33	-

802.11g_Nss1,(6Mbps)_2TX


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3878G	49.44	54.00	-4.56	34.97	3	Horizontal	312	2.46	-	14.47	27.72	7.25	-
AV	2.4318G	105.92	Inf	-Inf	34.80	3	Horizontal	312	2.46	-	71.12	27.51	7.29	-
AV	2.4835G	53.48	54.00	-0.52	34.73	3	Horizontal	312	2.46	-	18.75	27.40	7.33	-
PK	2.3866G	61.23	74.00	-12.77	34.98	3	Horizontal	312	2.46	-	26.25	27.73	7.25	-
PK	2.4422G	115.68	Inf	-Inf	34.74	3	Horizontal	312	2.46	-	80.94	27.45	7.29	-
PK	2.4835G	69.41	74.00	-4.59	34.73	3	Horizontal	312	2.46	-	34.68	27.40	7.33	-

802.11g_Nss1,(6Mbps)_2TX


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.874G	35.96	54.00	-18.04	5.90	3	Vertical	45	3.00	-	30.06	31.20	8.96	34.26
AV	7.30656G	38.17	54.00	-15.83	12.44	3	Vertical	9	3.00	-	25.73	36.39	10.62	34.57
PK	4.875G	46.98	74.00	-27.02	5.90	3	Vertical	45	3.00	-	41.08	31.20	8.96	34.26
PK	7.31188G	51.27	74.00	-22.73	12.43	3	Vertical	9	3.00	-	38.84	36.38	10.62	34.57

802.11g_Nss1,(6Mbps)_2TX

2437MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.87408G	39.15	54.00	-14.85	5.90	3	Horizontal	6	1.66	-	33.25	31.20	8.96	34.26
AV	7.30628G	42.91	54.00	-11.09	12.44	3	Horizontal	78	1.92	-	30.47	36.39	10.62	34.57
PK	4.8746G	49.50	74.00	-24.50	5.90	3	Horizontal	6	1.66	-	43.60	31.20	8.96	34.26
PK	7.31668G	54.30	74.00	-19.70	12.43	3	Horizontal	78	1.92	-	41.87	36.37	10.63	34.57



802.11g_Nss1,(6Mbps)_2TX


2457MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4498G	98.63	Inf	-Inf	34.70	3	Vertical	340	1.64	-	63.93	27.40	7.30	-
AV	2.4852G	48.84	54.00	-5.16	34.73	3	Vertical	340	1.64	-	14.11	27.40	7.33	-
PK	2.45G	108.39	Inf	-Inf	34.70	3	Vertical	340	1.64	-	73.69	27.40	7.30	-
PK	2.4842G	60.46	74.00	-13.54	34.73	3	Vertical	340	1.64	-	25.73	27.40	7.33	-

802.11g_Nss1,(6Mbps)_2TX


2457MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4622G	104.67	Inf	-Inf	34.71	3	Horizontal	313	2.17	-	69.96	27.40	7.31	-
AV	2.4835G	52.16	54.00	-1.84	34.73	3	Horizontal	313	2.17	-	17.43	27.40	7.33	-
PK	2.4626G	114.18	Inf	-Inf	34.71	3	Horizontal	313	2.17	-	79.47	27.40	7.31	-
PK	2.4836G	66.18	74.00	-7.82	34.73	3	Horizontal	313	2.17	-	31.45	27.40	7.33	-

802.11g_Nss1,(6Mbps)_2TX


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.455G	98.11	Inf	-Inf	34.70	3	Vertical	343	1.50	-	63.41	27.40	7.30	-
AV	2.485G	48.13	54.00	-5.87	34.73	3	Vertical	343	1.50	-	13.40	27.40	7.33	-
PK	2.455G	107.90	Inf	-Inf	34.70	3	Vertical	343	1.50	-	73.20	27.40	7.30	-
PK	2.485G	58.84	74.00	-15.16	34.73	3	Vertical	343	1.50	-	24.11	27.40	7.33	-

802.11g_Nss1,(6Mbps)_2TX


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.457G	104.21	Inf	-Inf	34.71	3	Horizontal	313	2.18	-	69.50	27.40	7.31	-
AV	2.4835G	52.53	54.00	-1.47	34.73	3	Horizontal	313	2.18	-	17.80	27.40	7.33	-
PK	2.457G	113.51	Inf	-Inf	34.71	3	Horizontal	313	2.18	-	78.80	27.40	7.31	-
PK	2.4835G	66.28	74.00	-7.72	34.73	3	Horizontal	313	2.18	-	31.55	27.40	7.33	-

802.11g_Nss1,(6Mbps)_2TX


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.92408G	31.52	54.00	-22.48	6.04	3	Vertical	360	1.00	-	25.48	31.30	8.99	34.25
AV	7.38116G	37.11	54.00	-16.89	12.35	3	Vertical	92	1.88	-	24.76	36.24	10.69	34.58
PK	4.92399G	44.56	74.00	-29.44	6.04	3	Vertical	360	1.00	-	38.52	31.30	8.99	34.25
PK	7.38754G	50.66	74.00	-23.34	12.34	3	Vertical	92	1.88	-	38.32	36.22	10.70	34.58

802.11g_Nss1,(6Mbps)_2TX


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.92395G	34.67	54.00	-19.33	6.04	3	Horizontal	5	1.50	-	28.63	31.30	8.99	34.25
AV	7.381G	37.69	54.00	-16.31	12.35	3	Horizontal	77	1.92	-	25.34	36.24	10.69	34.58
PK	4.92459G	47.22	74.00	-26.78	6.04	3	Horizontal	5	1.50	-	41.18	31.30	8.99	34.25
PK	7.38212G	51.05	74.00	-22.95	12.35	3	Horizontal	77	1.92	-	38.70	36.24	10.69	34.58

802.11ax HEW20_Nss1,(MCS0)_2TX


2412MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3894G	48.74	54.00	-5.26	34.98	3	Vertical	335	1.64	-	13.76	27.72	7.26	-
AV	2.4076G	96.88	Inf	-Inf	34.92	3	Vertical	335	1.64	-	61.96	27.65	7.27	-
PK	2.3898G	63.86	74.00	-10.14	34.98	3	Vertical	335	1.64	-	28.88	27.72	7.26	-
PK	2.4078G	110.37	Inf	-Inf	34.92	3	Vertical	335	1.64	-	75.45	27.65	7.27	-

802.11ax HEW20_Nss1,(MCS0)_2TX


2412MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.39G	52.37	54.00	-1.63	34.98	3	Horizontal	310	2.50	-	17.39	27.72	7.26	-
AV	2.4032G	101.39	Inf	-Inf	34.94	3	Horizontal	310	2.50	-	66.45	27.68	7.26	-
PK	2.3898G	66.43	74.00	-7.57	34.98	3	Horizontal	310	2.50	-	31.45	27.72	7.26	-
PK	2.4134G	113.53	Inf	-Inf	34.89	3	Horizontal	310	2.50	-	78.64	27.62	7.27	-

802.11ax HEW20_Nss1,(MCS0)_2TX


2412MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.824G	32.33	54.00	-21.67	5.79	3	Vertical	42	2.78	-	26.54	31.15	8.92	34.28
PK	4.82384G	44.13	74.00	-29.87	5.79	3	Vertical	42	2.78	-	38.34	31.15	8.92	34.28

802.11ax HEW20_Nss1,(MCS0)_2TX


2412MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.824G	34.46	54.00	-19.54	5.79	3	Horizontal	12	1.47	-	28.67	31.15	8.92	34.28
PK	4.82372G	46.36	74.00	-27.64	5.79	3	Horizontal	12	1.47	-	40.57	31.15	8.92	34.28

802.11ax HEW20_Nss1,(MCS0)_2TX


2417MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.39G	51.35	54.00	-2.65	34.98	3	Vertical	337	1.54	-	16.37	27.72	7.26	-
AV	2.4228G	97.04	Inf	-Inf	34.84	3	Vertical	337	1.54	-	62.20	27.56	7.28	-
PK	2.3898G	65.99	74.00	-8.01	34.98	3	Vertical	337	1.54	-	31.01	27.72	7.26	-
PK	2.423G	110.08	Inf	-Inf	34.84	3	Vertical	337	1.54	-	75.24	27.56	7.28	-

802.11ax HEW20_Nss1,(MCS0)_2TX


2417MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3894G	52.76	54.00	-1.24	34.98	3	Horizontal	307	2.23	-	17.78	27.72	7.26	-
AV	2.408G	102.83	Inf	-Inf	34.92	3	Horizontal	307	2.23	-	67.91	27.65	7.27	-
PK	2.3894G	68.43	74.00	-5.57	34.98	3	Horizontal	307	2.23	-	33.45	27.72	7.26	-
PK	2.4086G	114.90	Inf	-Inf	34.92	3	Horizontal	307	2.23	-	79.98	27.65	7.27	-

802.11ax HEW20_Nss1,(MCS0)_2TX


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	47.89	54.00	-6.11	34.98	3	Vertical	337	1.80	-	12.91	27.72	7.26	-
AV	2.4434G	100.51	Inf	-Inf	34.73	3	Vertical	337	1.80	-	65.78	27.44	7.29	-
AV	2.4835G	50.13	54.00	-3.87	34.73	3	Vertical	337	1.80	-	15.40	27.40	7.33	-
PK	2.3698G	59.07	74.00	-14.93	35.01	3	Vertical	337	1.80	-	24.06	27.76	7.25	-
PK	2.4434G	114.71	Inf	-Inf	34.73	3	Vertical	337	1.80	-	79.98	27.44	7.29	-
PK	2.4838G	63.31	74.00	-10.69	34.73	3	Vertical	337	1.80	-	28.58	27.40	7.33	-

802.11ax HEW20_Nss1,(MCS0)_2TX


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	50.28	54.00	-3.72	34.98	3	Horizontal	308	1.21	-	15.30	27.72	7.26	-
AV	2.4458G	105.54	Inf	-Inf	34.73	3	Horizontal	308	1.21	-	70.81	27.43	7.30	-
AV	2.4862G	52.88	54.00	-1.12	34.73	3	Horizontal	308	1.21	-	18.15	27.40	7.33	-
PK	2.3878G	63.03	74.00	-10.97	34.97	3	Horizontal	308	1.21	-	28.06	27.72	7.25	-
PK	2.4378G	117.21	Inf	-Inf	34.76	3	Horizontal	308	1.21	-	82.45	27.47	7.29	-
PK	2.485G	69.56	74.00	-4.44	34.73	3	Horizontal	308	1.21	-	34.83	27.40	7.33	-

802.11ax HEW20_Nss1,(MCS0)_2TX


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.87396G	34.64	54.00	-19.36	5.90	3	Vertical	357	2.98	-	28.74	31.20	8.96	34.26
AV	7.30304G	37.13	54.00	-16.87	12.43	3	Vertical	8	3.00	-	24.70	36.39	10.61	34.57
PK	4.8668G	46.76	74.00	-27.24	5.88	3	Vertical	357	2.98	-	40.88	31.20	8.95	34.27
PK	7.30448G	50.38	74.00	-23.62	12.43	3	Vertical	8	3.00	-	37.95	36.39	10.61	34.57

802.11ax HEW20_Nss1,(MCS0)_2TX


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.87388G	39.09	54.00	-14.91	5.90	3	Horizontal	6	1.50	-	33.19	31.20	8.96	34.26
AV	7.30224G	40.93	54.00	-13.07	12.44	3	Horizontal	81	1.97	-	28.49	36.40	10.61	34.57
PK	4.87416G	50.05	74.00	-23.95	5.90	3	Horizontal	6	1.50	-	44.15	31.20	8.96	34.26
PK	7.303G	54.33	74.00	-19.67	12.43	3	Horizontal	81	1.97	-	41.90	36.39	10.61	34.57

802.11ax HEW20_Nss1,(MCS0)_2TX


2457MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4484G	97.32	Inf	-Inf	34.71	3	Vertical	339	3.00	-	62.61	27.41	7.30	-
AV	2.4835G	48.46	54.00	-5.54	34.73	3	Vertical	339	3.00	-	13.73	27.40	7.33	-
PK	2.449G	109.90	Inf	-Inf	34.71	3	Vertical	339	3.00	-	75.19	27.41	7.30	-
PK	2.4874G	60.58	74.00	-13.42	34.73	3	Vertical	339	3.00	-	25.85	27.40	7.33	-

802.11ax HEW20_Nss1,(MCS0)_2TX


2457MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.448G	103.10	Inf	-Inf	34.71	3	Horizontal	310	2.70	-	68.39	27.41	7.30	-
AV	2.4852G	52.60	54.00	-1.40	34.73	3	Horizontal	310	2.70	-	17.87	27.40	7.33	-
PK	2.449G	115.12	Inf	-Inf	34.71	3	Horizontal	310	2.70	-	80.41	27.41	7.30	-
PK	2.486G	66.98	74.00	-7.02	34.73	3	Horizontal	310	2.70	-	32.25	27.40	7.33	-

802.11ax HEW20_Nss1,(MCS0)_2TX


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4534G	96.72	Inf	-Inf	34.70	3	Vertical	356	3.00	-	62.02	27.40	7.30	-
AV	2.4842G	48.64	54.00	-5.36	34.73	3	Vertical	356	3.00	-	13.91	27.40	7.33	-
PK	2.4538G	109.25	Inf	-Inf	34.70	3	Vertical	356	3.00	-	74.55	27.40	7.30	-
PK	2.4852G	60.94	74.00	-13.06	34.73	3	Vertical	356	3.00	-	26.21	27.40	7.33	-

802.11ax HEW20_Nss1,(MCS0)_2TX


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4528G	101.86	Inf	-Inf	34.70	3	Horizontal	316	2.35	-	67.16	27.40	7.30	-
AV	2.4835G	53.86	54.00	-0.14	34.73	3	Horizontal	316	2.35	-	19.13	27.40	7.33	-
PK	2.4538G	114.10	Inf	-Inf	34.70	3	Horizontal	316	2.35	-	79.40	27.40	7.30	-
PK	2.4836G	67.20	74.00	-6.80	34.73	3	Horizontal	316	2.35	-	32.47	27.40	7.33	-

802.11ax HEW20_Nss1,(MCS0)_2TX


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.92408G	30.81	54.00	-23.19	6.04	3	Vertical	356	1.00	-	24.77	31.30	8.99	34.25
AV	7.37748G	36.40	54.00	-17.60	12.36	3	Vertical	8	1.65	-	24.04	36.25	10.69	34.58
PK	4.91724G	43.93	74.00	-30.07	6.01	3	Vertical	356	1.00	-	37.92	31.27	8.99	34.25
PK	7.3864G	49.94	74.00	-24.06	12.35	3	Vertical	8	1.65	-	37.59	36.23	10.70	34.58

802.11ax HEW20_Nss1,(MCS0)_2TX


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.92396G	33.56	54.00	-20.44	6.04	3	Horizontal	360	1.49	-	27.52	31.30	8.99	34.25
AV	7.3798G	37.43	54.00	-16.57	12.35	3	Horizontal	293	2.32	-	25.08	36.24	10.69	34.58
PK	4.92428G	45.95	74.00	-28.05	6.04	3	Horizontal	360	1.49	-	39.91	31.30	8.99	34.25
PK	7.3794G	51.29	74.00	-22.71	12.35	3	Horizontal	293	2.32	-	38.94	36.24	10.69	34.58

802.11ax HEW40_Nss1,(MCS0)_2TX


2422MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3892G	48.68	54.00	-5.32	34.98	3	Vertical	335	1.58	-	13.70	27.72	7.26	-
AV	2.428G	94.03	Inf	-Inf	34.81	3	Vertical	335	1.58	-	59.22	27.53	7.28	-
AV	2.49G	47.10	54.00	-6.90	34.73	3	Vertical	335	1.58	-	12.37	27.40	7.33	-
PK	2.39G	65.37	74.00	-8.63	34.98	3	Vertical	335	1.58	-	30.39	27.72	7.26	-
PK	2.4288G	107.13	Inf	-Inf	34.81	3	Vertical	335	1.58	-	72.32	27.53	7.28	-
PK	2.4852G	58.59	74.00	-15.41	34.73	3	Vertical	335	1.58	-	23.86	27.40	7.33	-

802.11ax HEW40_Nss1,(MCS0)_2TX


2422MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.39G	52.68	54.00	-1.32	34.98	3	Horizontal	312	2.23	-	17.70	27.72	7.26	-
AV	2.412G	99.58	Inf	-Inf	34.90	3	Horizontal	312	2.23	-	64.68	27.63	7.27	-
AV	2.4835G	48.85	54.00	-5.15	34.73	3	Horizontal	312	2.23	-	14.12	27.40	7.33	-
PK	2.39G	66.96	74.00	-7.04	34.98	3	Horizontal	312	2.23	-	31.98	27.72	7.26	-
PK	2.4132G	112.29	Inf	-Inf	34.89	3	Horizontal	312	2.23	-	77.40	27.62	7.27	-
PK	2.4835G	62.86	74.00	-11.14	34.73	3	Horizontal	312	2.23	-	28.13	27.40	7.33	-

802.11ax HEW40_Nss1,(MCS0)_2TX


2422MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.84384G	30.81	54.00	-23.19	5.85	3	Vertical	329	1.05	-	24.96	31.19	8.93	34.27
PK	4.8452G	43.62	74.00	-30.38	5.85	3	Vertical	329	1.05	-	37.77	31.19	8.93	34.27

802.11ax HEW40_Nss1,(MCS0)_2TX


2422MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.84392G	33.65	54.00	-20.35	5.85	3	Horizontal	7	1.50	-	27.80	31.19	8.93	34.27
PK	4.84384G	44.91	74.00	-29.09	5.85	3	Horizontal	7	1.50	-	39.06	31.19	8.93	34.27

802.11ax HEW40_Nss1,(MCS0)_2TX


2427MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	50.78	54.00	-3.22	34.98	3	Vertical	340	1.54	-	15.80	27.72	7.26	-
AV	2.4226G	94.36	Inf	-Inf	34.84	3	Vertical	340	1.54	-	59.52	27.56	7.28	-
AV	2.4835G	49.13	54.00	-4.87	34.73	3	Vertical	340	1.54	-	14.40	27.40	7.33	-
PK	2.3898G	63.22	74.00	-10.78	34.98	3	Vertical	340	1.54	-	28.24	27.72	7.26	-
PK	2.4226G	107.29	Inf	-Inf	34.84	3	Vertical	340	1.54	-	72.45	27.56	7.28	-
PK	2.4854G	60.84	74.00	-13.16	34.73	3	Vertical	340	1.54	-	26.11	27.40	7.33	-

802.11ax HEW40_Nss1,(MCS0)_2TX


2427MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3878G	52.47	54.00	-1.53	34.97	3	Horizontal	312	2.25	-	17.50	27.72	7.25	-
AV	2.4166G	99.01	Inf	-Inf	34.87	3	Horizontal	312	2.25	-	64.14	27.60	7.27	-
AV	2.4874G	50.35	54.00	-3.65	34.73	3	Horizontal	312	2.25	-	15.62	27.40	7.33	-
PK	2.3894G	69.57	74.00	-4.43	34.98	3	Horizontal	312	2.25	-	34.59	27.72	7.26	-
PK	2.417G	111.60	Inf	-Inf	34.87	3	Horizontal	312	2.25	-	76.73	27.60	7.27	-
PK	2.4878G	63.68	74.00	-10.32	34.73	3	Horizontal	312	2.25	-	28.95	27.40	7.33	-

802.11ax HEW40_Nss1,(MCS0)_2TX


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	48.79	54.00	-5.21	34.98	3	Vertical	340	1.59	-	13.81	27.72	7.26	-
AV	2.433G	94.71	Inf	-Inf	34.79	3	Vertical	340	1.59	-	59.92	27.50	7.29	-
AV	2.4835G	50.05	54.00	-3.95	34.73	3	Vertical	340	1.59	-	15.32	27.40	7.33	-
PK	2.3898G	59.77	74.00	-14.23	34.98	3	Vertical	340	1.59	-	24.79	27.72	7.26	-
PK	2.4434G	106.81	Inf	-Inf	34.73	3	Vertical	340	1.59	-	72.08	27.44	7.29	-
PK	2.4842G	63.74	74.00	-10.26	34.73	3	Vertical	340	1.59	-	29.01	27.40	7.33	-

802.11ax HEW40_Nss1,(MCS0)_2TX


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.389G	50.75	54.00	-3.25	34.98	3	Horizontal	305	1.00	-	15.77	27.72	7.26	-
AV	2.427G	99.75	Inf	-Inf	34.82	3	Horizontal	305	1.00	-	64.93	27.54	7.28	-
AV	2.4862G	52.90	54.00	-1.10	34.73	3	Horizontal	305	1.00	-	18.17	27.40	7.33	-
PK	2.389G	62.43	74.00	-11.57	34.98	3	Horizontal	305	1.00	-	27.45	27.72	7.26	-
PK	2.4374G	112.02	Inf	-Inf	34.77	3	Horizontal	305	1.00	-	77.25	27.48	7.29	-
PK	2.4835G	67.55	74.00	-6.45	34.73	3	Horizontal	305	1.00	-	32.82	27.40	7.33	-

802.11ax HEW40_Nss1,(MCS0)_2TX


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.87704G	31.43	54.00	-22.57	5.90	3	Vertical	42	3.00	-	25.53	31.20	8.96	34.26
AV	7.29116G	36.40	54.00	-17.60	12.41	3	Vertical	126	1.65	-	23.99	36.38	10.60	34.57
PK	4.88736G	45.08	74.00	-28.92	5.91	3	Vertical	42	3.00	-	39.17	31.20	8.97	34.26
PK	7.31116G	49.66	74.00	-24.34	12.43	3	Vertical	126	1.65	-	37.23	36.38	10.62	34.57

802.11ax HEW40_Nss1,(MCS0)_2TX


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.87408G	33.64	54.00	-20.36	5.90	3	Horizontal	5	1.64	-	27.74	31.20	8.96	34.26
AV	7.32972G	36.43	54.00	-17.57	12.40	3	Horizontal	247	2.18	-	24.03	36.34	10.64	34.58
PK	4.87392G	46.22	74.00	-27.78	5.90	3	Horizontal	5	1.64	-	40.32	31.20	8.96	34.26
PK	7.32836G	50.04	74.00	-23.96	12.40	3	Horizontal	247	2.18	-	37.64	36.34	10.64	34.58

802.11ax HEW40_Nss1,(MCS0)_2TX


2447MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3578G	47.41	54.00	-6.59	35.02	3	Vertical	339	1.50	-	12.39	27.78	7.24	-
AV	2.4522G	93.40	Inf	-Inf	34.70	3	Vertical	339	1.50	-	58.70	27.40	7.30	-
AV	2.4835G	49.88	54.00	-4.12	34.73	3	Vertical	339	1.50	-	15.15	27.40	7.33	-
PK	2.3678G	59.50	74.00	-14.50	35.01	3	Vertical	339	1.50	-	24.49	27.76	7.25	-
PK	2.4522G	106.37	Inf	-Inf	34.70	3	Vertical	339	1.50	-	71.67	27.40	7.30	-
PK	2.4835G	63.95	74.00	-10.05	34.73	3	Vertical	339	1.50	-	29.22	27.40	7.33	-

802.11ax HEW40_Nss1,(MCS0)_2TX

2447MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.389G	47.82	54.00	-6.18	34.98	3	Horizontal	312	2.16	-	12.84	27.72	7.26	-
AV	2.4574G	99.24	Inf	-Inf	34.71	3	Horizontal	312	2.16	-	64.53	27.40	7.31	-
AV	2.4858G	52.88	54.00	-1.12	34.73	3	Horizontal	312	2.16	-	18.15	27.40	7.33	-
PK	2.389G	59.61	74.00	-14.39	34.98	3	Horizontal	312	2.16	-	24.63	27.72	7.26	-
PK	2.4582G	112.41	Inf	-Inf	34.71	3	Horizontal	312	2.16	-	77.70	27.40	7.31	-
PK	2.4882G	70.09	74.00	-3.91	34.73	3	Horizontal	312	2.16	-	35.36	27.40	7.33	-



802.11ax HEW40_Nss1,(MCS0)_2TX


2452MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3548G	47.36	54.00	-6.64	35.03	3	Vertical	339	3.00	-	12.33	27.79	7.24	-
AV	2.4536G	93.55	Inf	-Inf	34.70	3	Vertical	339	3.00	-	58.85	27.40	7.30	-
AV	2.484G	49.21	54.00	-4.79	34.73	3	Vertical	339	3.00	-	14.48	27.40	7.33	-
PK	2.3536G	59.11	74.00	-14.89	35.03	3	Vertical	339	3.00	-	24.08	27.79	7.24	-
PK	2.444G	105.73	Inf	-Inf	34.74	3	Vertical	339	3.00	-	70.99	27.44	7.30	-
PK	2.4848G	65.25	74.00	-8.75	34.73	3	Vertical	339	3.00	-	30.52	27.40	7.33	-

802.11ax HEW40_Nss1,(MCS0)_2TX


2452MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.356G	47.41	54.00	-6.59	35.03	3	Horizontal	309	2.39	-	12.38	27.79	7.24	-
AV	2.4528G	99.52	Inf	-Inf	34.70	3	Horizontal	309	2.39	-	64.82	27.40	7.30	-
AV	2.4835G	53.78	54.00	-0.22	34.73	3	Horizontal	309	2.39	-	19.05	27.40	7.33	-
PK	2.3544G	59.53	74.00	-14.47	35.03	3	Horizontal	309	2.39	-	24.50	27.79	7.24	-
PK	2.4536G	111.87	Inf	-Inf	34.70	3	Horizontal	309	2.39	-	77.17	27.40	7.30	-
PK	2.4872G	71.38	74.00	-2.62	34.73	3	Horizontal	309	2.39	-	36.65	27.40	7.33	-

802.11ax HEW40_Nss1,(MCS0)_2TX

2452MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.89712G	31.00	54.00	-23.00	5.92	3	Vertical	39	2.97	-	25.08	31.20	8.97	34.25
AV	7.37568G	36.52	54.00	-17.48	12.36	3	Vertical	218	1.55	-	24.16	36.25	10.69	34.58
PK	4.9064G	44.33	74.00	-29.67	5.96	3	Vertical	39	2.97	-	38.37	31.23	8.98	34.25
PK	7.34856G	50.00	74.00	-24.00	12.38	3	Vertical	218	1.55	-	37.62	36.30	10.66	34.58



802.11ax HEW40_Nss1,(MCS0)_2TX

2452MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.90408G	32.89	54.00	-21.11	5.95	3	Horizontal	8	1.00	-	26.94	31.22	8.98	34.25
AV	7.3532G	36.56	54.00	-17.44	12.37	3	Horizontal	237	1.50	-	24.19	36.29	10.66	34.58
PK	4.90376G	44.76	74.00	-29.24	5.95	3	Horizontal	8	1.00	-	38.81	31.22	8.98	34.25
PK	7.33704G	50.28	74.00	-23.72	12.40	3	Horizontal	237	1.50	-	37.88	36.33	10.65	34.58