



Summary

Mode	PD (dBm/RBW)	EIRP PD (dBm/RBW)
5.925-6.425GHz	-	-
802.11a_Nss1,(6Mbps)_4TX	-2.48	4.80
802.11ax HEW20_Nss1,(MCS0)_4TX	-2.51	4.77
802.11ax HEW40_Nss1,(MCS0)_4TX	-2.50	4.78
802.11ax HEW80_Nss1,(MCS0)_4TX	-2.68	4.60
802.11ax HEW160_Nss1,(MCS0)_4TX	-2.35	4.93
6.425-6.525GHz	-	-
802.11a_Nss1,(6Mbps)_4TX	-1.74	4.73
802.11ax HEW20_Nss1,(MCS0)_4TX	-1.52	4.95
802.11ax HEW40_Nss1,(MCS0)_4TX	-1.67	4.80
802.11ax HEW80_Nss1,(MCS0)_4TX	-2.02	4.45
802.11ax HEW160_Nss1,(MCS0)_4TX	-1.69	4.78
6.525-6.875GHz	-	-
802.11a_Nss1,(6Mbps)_4TX	-1.81	4.87
802.11ax HEW20_Nss1,(MCS0)_4TX	-1.89	4.79
802.11ax HEW40_Nss1,(MCS0)_4TX	-1.96	4.72
802.11ax HEW80_Nss1,(MCS0)_4TX	-1.95	4.73
802.11ax HEW160_Nss1,(MCS0)_4TX	-1.87	4.81
6.875-7.125GHz	-	-
802.11a_Nss1,(6Mbps)_4TX	-3.73	4.71
802.11ax HEW20_Nss1,(MCS0)_4TX	-3.56	4.88
802.11ax HEW40_Nss1,(MCS0)_4TX	-3.63	4.81
802.11ax HEW80_Nss1,(MCS0)_4TX	-3.64	4.80
802.11ax HEW160_Nss1,(MCS0)_4TX	-3.79	4.65

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;

Result

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	Port 3 (dBm/RBW)	Port 4 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
802.11a_Nss1,(6Mbps)_4TX	-	-	-	-	-	-	-	-	-	-
5955MHz	Pass	7.28	-9.11	-8.33	-8.38	-8.79	-2.72	Inf	4.56	5.00
6175MHz	Pass	7.28	-8.12	-8.37	-8.59	-8.38	-2.48	Inf	4.80	5.00
6415MHz	Pass	7.28	-8.76	-8.23	-8.45	-8.40	-2.49	Inf	4.79	5.00
6435MHz	Pass	6.47	-7.65	-8.08	-8.20	-7.98	-2.04	Inf	4.43	5.00
6475MHz	Pass	6.47	-7.52	-7.85	-7.77	-7.55	-1.74	Inf	4.73	5.00
6515MHz	Pass	6.47	-7.53	-8.13	-8.00	-7.91	-1.97	Inf	4.50	5.00
6535MHz	Pass	6.68	-7.62	-7.91	-7.71	-7.65	-1.81	Inf	4.87	5.00
6695MHz	Pass	6.68	-7.93	-7.94	-7.64	-8.06	-1.98	Inf	4.70	5.00
6855MHz	Pass	6.68	-7.71	-7.58	-7.89	-7.79	-1.87	Inf	4.81	5.00
6875MHz	Pass	6.68	-7.80	-7.51	-7.97	-8.09	-1.98	Inf	4.70	5.00
6895MHz	Pass	8.44	-10.00	-9.51	-10.05	-10.28	-4.04	Inf	4.40	5.00
6995MHz	Pass	8.44	-9.43	-9.49	-10.00	-10.07	-3.80	Inf	4.64	5.00
7095MHz	Pass	8.44	-9.14	-9.69	-9.80	-10.08	-3.73	Inf	4.71	5.00
802.11ax HEW20_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5955MHz	Pass	7.28	-8.73	-8.60	-8.83	-9.09	-2.86	Inf	4.42	5.00
6175MHz	Pass	7.28	-8.70	-8.63	-8.92	-8.71	-2.82	Inf	4.46	5.00
6415MHz	Pass	7.28	-8.16	-8.50	-8.77	-8.34	-2.51	Inf	4.77	5.00
6435MHz	Pass	6.47	-8.69	-7.68	-7.96	-7.68	-2.05	Inf	4.42	5.00
6475MHz	Pass	6.47	-7.35	-7.52	-7.62	-7.36	-1.52	Inf	4.95	5.00
6515MHz	Pass	6.47	-7.53	-7.64	-7.82	-7.72	-1.74	Inf	4.73	5.00
6535MHz	Pass	6.68	-8.04	-8.06	-8.20	-8.04	-2.13	Inf	4.55	5.00
6695MHz	Pass	6.68	-8.11	-7.60	-7.68	-7.93	-1.89	Inf	4.79	5.00
6855MHz	Pass	6.68	-7.81	-7.69	-8.01	-8.04	-2.00	Inf	4.68	5.00
6875MHz	Pass	6.68	-8.10	-7.92	-8.27	-7.91	-2.14	Inf	4.54	5.00
6895MHz	Pass	8.44	-9.61	-9.28	-9.64	-9.69	-3.66	Inf	4.78	5.00
6995MHz	Pass	8.44	-9.48	-9.19	-9.66	-9.57	-3.56	Inf	4.88	5.00
7095MHz	Pass	8.44	-9.56	-9.24	-10.11	-10.07	-3.86	Inf	4.58	5.00
802.11ax HEW40_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5965MHz	Pass	7.28	-8.22	-8.30	-8.39	-8.73	-2.50	Inf	4.78	5.00
6165MHz	Pass	7.28	-8.61	-8.80	-8.45	-8.28	-2.63	Inf	4.65	5.00
6405MHz	Pass	7.28	-8.51	-8.85	-8.69	-8.90	-2.80	Inf	4.48	5.00
6445MHz	Pass	6.47	-7.85	-7.87	-7.68	-8.12	-1.95	Inf	4.52	5.00
6485MHz	Pass	6.47	-7.37	-7.56	-7.36	-8.01	-1.67	Inf	4.80	5.00
6525MHz	Pass	6.47	-7.36	-7.41	-7.82	-7.93	-1.74	Inf	4.73	5.00
6565MHz	Pass	6.68	-7.65	-7.51	-8.05	-8.22	-1.96	Inf	4.72	5.00
6685MHz	Pass	6.68	-8.06	-8.02	-8.23	-8.46	-2.31	Inf	4.37	5.00
6845MHz	Pass	6.68	-7.48	-7.84	-7.91	-7.96	-2.04	Inf	4.64	5.00
6885MHz	Pass	6.68	-7.71	-8.15	-8.10	-8.53	-2.24	Inf	4.44	5.00
6925MHz	Pass	8.44	-9.70	-9.77	-9.77	-10.30	-3.99	Inf	4.45	5.00
7005MHz	Pass	8.44	-9.33	-9.43	-9.67	-9.66	-3.63	Inf	4.81	5.00
7085MHz	Pass	8.44	-9.23	-9.78	-9.63	-9.97	-3.69	Inf	4.75	5.00
802.11ax HEW80_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5985MHz	Pass	7.28	-8.06	-8.51	-8.22	-9.41	-2.68	Inf	4.60	5.00
6145MHz	Pass	7.28	-8.53	-8.74	-8.84	-8.66	-2.88	Inf	4.40	5.00
6385MHz	Pass	7.28	-8.37	-8.68	-8.47	-8.91	-2.68	Inf	4.60	5.00
6465MHz	Pass	6.47	-7.65	-7.99	-7.87	-8.22	-2.07	Inf	4.40	5.00
6545MHz	Pass	6.47	-7.65	-7.94	-7.79	-8.18	-2.02	Inf	4.45	5.00
6625MHz	Pass	6.68	-7.80	-7.98	-7.84	-8.41	-2.17	Inf	4.51	5.00
6705MHz	Pass	6.68	-7.97	-7.83	-7.91	-8.34	-2.15	Inf	4.53	5.00
6785MHz	Pass	6.68	-7.92	-7.78	-7.80	-8.23	-2.07	Inf	4.61	5.00
6865MHz	Pass	6.68	-7.41	-7.72	-7.67	-7.93	-1.95	Inf	4.73	5.00
6945MHz	Pass	8.44	-9.43	-9.79	-9.33	-10.04	-3.80	Inf	4.64	5.00
7025MHz	Pass	8.44	-9.20	-9.47	-9.36	-9.84	-3.64	Inf	4.80	5.00
802.11ax HEW160_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-



Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	Port 3 (dBm/RBW)	Port 4 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
6025MHz	Pass	7.28	-8.36	-8.63	-8.50	-9.14	-2.76	Inf	4.52	5.00
6185MHz	Pass	7.28	-8.21	-8.46	-8.30	-8.52	-2.61	Inf	4.67	5.00
6345MHz	Pass	7.28	-8.29	-8.01	-7.99	-8.47	-2.35	Inf	4.93	5.00
6505MHz	Pass	6.47	-7.99	-7.36	-7.41	-7.77	-1.69	Inf	4.78	5.00
6665MHz	Pass	6.68	-7.32	-7.65	-7.79	-8.17	-1.87	Inf	4.81	5.00
6825MHz	Pass	6.68	-7.92	-7.90	-7.80	-8.41	-2.17	Inf	4.51	5.00
6985MHz	Pass	8.44	-9.50	-9.69	-9.59	-9.84	-3.79	Inf	4.65	5.00


DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;  
PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;

### 802.11a\_Nss1,(6Mbps)\_4TX

### PSD

#### 5955MHz

30/09/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-2.72	-2.72	-9.11	-8.33	-8.38	-8.79

### 802.11a\_Nss1,(6Mbps)\_4TX

### PSD

#### 6175MHz

30/09/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-2.48	-2.48	-8.12	-8.37	-8.59	-8.38

### 802.11a\_Nss1,(6Mbps)\_4TX

### PSD

#### 6415MHz

30/09/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-2.49	-2.49	-8.76	-8.23	-8.45	-8.40

### 802.11a\_Nss1,(6Mbps)\_4TX

### PSD

#### 6435MHz

30/09/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-2.04	-2.04	-7.65	-8.08	-8.20	-7.98

### 802.11a\_Nss1,(6Mbps)\_4TX

### PSD

#### 6475MHz

30/09/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-1.74	-1.74	-7.52	-7.85	-7.77	-7.55

### 802.11a\_Nss1,(6Mbps)\_4TX

### PSD

#### 6515MHz

30/09/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-1.97	-1.97	-7.53	-8.13	-8.00	-7.91

### 802.11a\_Nss1,(6Mbps)\_4TX

### PSD

6535MHz

30/09/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-1.81	-1.81	-7.62	-7.91	-7.71	-7.65

### 802.11a\_Nss1,(6Mbps)\_4TX

### PSD

6695MHz

30/09/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-1.98	-1.98	-7.93	-7.94	-7.64	-8.06

### 802.11a\_Nss1,(6Mbps)\_4TX

### PSD

#### 6855MHz

30/09/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-1.87	-1.87	-7.71	-7.58	-7.89	-7.79

### 802.11a\_Nss1,(6Mbps)\_4TX

### PSD

#### 6875MHz

30/09/2021



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-1.98	-1.98	-7.80	-7.51	-7.97	-8.09




### 802.11a\_Nss1,(6Mbps)\_4TX

### PSD

#### 6895MHz

01/10/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-4.04	-4.04	-10.00	-9.51	-10.05	-10.28

### 802.11a\_Nss1,(6Mbps)\_4TX

### PSD

#### 6995MHz

01/10/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-3.80	-3.80	-9.43	-9.49	-10.00	-10.07

### 802.11a\_Nss1,(6Mbps)\_4TX

### PSD

7095MHz

01/10/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-3.73	-3.73	-9.14	-9.69	-9.80	-10.08

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

### PSD

5955MHz

01/10/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-2.86	-2.86	-8.73	-8.60	-8.83	-9.09

802.11ax HEW20\_Nss1,(MCS0)\_4TX

PSD

6175MHz

01/10/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-2.82	-2.82	-8.70	-8.63	-8.92	-8.71

802.11ax HEW20\_Nss1,(MCS0)\_4TX

PSD

6415MHz

01/10/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-2.51	-2.51	-8.16	-8.50	-8.77	-8.34

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

### PSD

#### 6435MHz

01/10/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-2.05	-2.05	-8.69	-7.68	-7.96	-7.68

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

### PSD

#### 6475MHz

01/10/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-1.52	-1.52	-7.35	-7.52	-7.62	-7.36

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

### PSD

#### 6515MHz

01/10/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-1.74	-1.74	-7.53	-7.64	-7.82	-7.72

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

### PSD

#### 6535MHz

01/10/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-2.13	-2.13	-8.04	-8.06	-8.20	-8.04

802.11ax HEW20\_Nss1,(MCS0)\_4TX

PSD

6695MHz

01/10/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-1.89	-1.89	-8.11	-7.60	-7.68	-7.93

802.11ax HEW20\_Nss1,(MCS0)\_4TX

PSD

6855MHz

01/10/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-2.00	-2.00	-7.81	-7.69	-8.01	-8.04

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

### PSD

#### 6875MHz

01/10/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-2.14	-2.14	-8.10	-7.92	-8.27	-7.91

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

### PSD

#### 6895MHz

01/10/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-3.66	-3.66	-9.61	-9.28	-9.64	-9.69

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

### PSD

#### 6995MHz

01/10/2021




### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

### PSD

#### 7095MHz

01/10/2021






### 802.11ax HEW40\_Nss1,(MCS0)\_4TX

PSD

#### 5965MHz

01/10/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-2.50	-2.50	-8.22	-8.30	-8.39	-8.73

### 802.11ax HEW40\_Nss1,(MCS0)\_4TX

PSD

#### 6165MHz

01/10/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-2.63	-2.63	-8.61	-8.80	-8.45	-8.28

### 802.11ax HEW40\_Nss1,(MCS0)\_4TX

### PSD

#### 6405MHz

01/10/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-2.80	-2.80	-8.51	-8.85	-8.69	-8.90

### 802.11ax HEW40\_Nss1,(MCS0)\_4TX

### PSD

#### 6445MHz

01/10/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-1.95	-1.95	-7.85	-7.87	-7.68	-8.12

### 802.11ax HEW40\_Nss1,(MCS0)\_4TX

### PSD

#### 6485MHz

01/10/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-1.67	-1.67	-7.37	-7.56	-7.36	-8.01

### 802.11ax HEW40\_Nss1,(MCS0)\_4TX

### PSD

#### 6525MHz

01/10/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-1.74	-1.74	-7.36	-7.41	-7.82	-7.93

### 802.11ax HEW40\_Nss1,(MCS0)\_4TX

PSD

#### 6565MHz

01/10/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-1.96	-1.96	-7.65	-7.51	-8.05	-8.22

### 802.11ax HEW40\_Nss1,(MCS0)\_4TX

PSD

#### 6685MHz

01/10/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-2.31	-2.31	-8.06	-8.02	-8.23	-8.46

### 802.11ax HEW40\_Nss1,(MCS0)\_4TX

### PSD

#### 6845MHz

01/10/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-2.04	-2.04	-7.48	-7.84	-7.91	-7.96

### 802.11ax HEW40\_Nss1,(MCS0)\_4TX

### PSD

#### 6885MHz

01/10/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-2.24	-2.24	-7.71	-8.15	-8.10	-8.53

### 802.11ax HEW40\_Nss1,(MCS0)\_4TX

### PSD

#### 6925MHz

01/10/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-3.99	-3.99	-9.70	-9.77	-9.77	-10.30

### 802.11ax HEW40\_Nss1,(MCS0)\_4TX

### PSD

#### 7005MHz

01/10/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-3.63	-3.63	-9.33	-9.43	-9.67	-9.66

### 802.11ax HEW40\_Nss1,(MCS0)\_4TX

PSD

7085MHz

01/10/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-3.69	-3.69	-9.23	-9.78	-9.63	-9.97

### 802.11ax HEW80\_Nss1,(MCS0)\_4TX

PSD

5985MHz

01/10/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-2.68	-2.68	-8.06	-8.51	-8.22	-9.41

### 802.11ax HEW80\_Nss1,(MCS0)\_4TX

### PSD

#### 6145MHz

01/10/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-2.88	-2.88	-8.53	-8.74	-8.84	-8.66

### 802.11ax HEW80\_Nss1,(MCS0)\_4TX

### PSD

#### 6385MHz

01/10/2021



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-2.68	-2.68	-8.37	-8.68	-8.47	-8.91




802.11ax HEW80\_Nss1,(MCS0)\_4TX

PSD

6465MHz

01/10/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-2.07	-2.07	-7.65	-7.99	-7.87	-8.22

802.11ax HEW80\_Nss1,(MCS0)\_4TX

PSD

6545MHz

01/10/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-2.02	-2.02	-7.65	-7.94	-7.79	-8.18

### 802.11ax HEW80\_Nss1,(MCS0)\_4TX

### PSD

#### 6625MHz

01/10/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-2.17	-2.17	-7.80	-7.98	-7.84	-8.41

### 802.11ax HEW80\_Nss1,(MCS0)\_4TX

### PSD

#### 6705MHz

01/10/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-2.15	-2.15	-7.97	-7.83	-7.91	-8.34

802.11ax HEW80\_Nss1,(MCS0)\_4TX

PSD

6785MHz

01/10/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-2.07	-2.07	-7.92	-7.78	-7.80	-8.23

802.11ax HEW80\_Nss1,(MCS0)\_4TX

PSD

6865MHz

01/10/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-1.95	-1.95	-7.41	-7.72	-7.67	-7.93

### 802.11ax HEW80\_Nss1,(MCS0)\_4TX

### PSD

#### 6945MHz

01/10/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-3.80	-3.80	-9.43	-9.79	-9.33	-10.04

### 802.11ax HEW80\_Nss1,(MCS0)\_4TX

### PSD

#### 7025MHz

01/10/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-3.64	-3.64	-9.20	-9.47	-9.36	-9.84

802.11ax HEW160\_Nss1,(MCS0)\_4TX

PSD

6025MHz

01/10/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-2.76	-2.76	-8.36	-8.63	-8.50	-9.14

802.11ax HEW160\_Nss1,(MCS0)\_4TX

PSD

6185MHz

01/10/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-2.61	-2.61	-8.21	-8.46	-8.30	-8.52

802.11ax HEW160\_Nss1,(MCS0)\_4TX

PSD

6345MHz

01/10/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-2.35	-2.35	-8.29	-8.01	-7.99	-8.47

802.11ax HEW160\_Nss1,(MCS0)\_4TX

PSD

6505MHz

01/10/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-1.69	-1.69	-7.99	-7.36	-7.41	-7.77

### 802.11ax HEW160\_Nss1,(MCS0)\_4TX

PSD

#### 6665MHz

01/10/2021




### 802.11ax HEW160\_Nss1,(MCS0)\_4TX

PSD

#### 6825MHz

01/10/2021




802.11ax HEW160\_Nss1,(MCS0)\_4TX

PSD

6985MHz

01/10/2021



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-3.79	-3.79	-9.50	-9.69	-9.59	-9.84





Summary

Mode	PD (dBm/RBW)	EIRP PD (dBm/RBW)
5.925-6.425GHz	-	-
802.11a_Nss1,(6Mbps)_2TX	-9.97	-1.19
802.11ax HEW20_Nss1,(MCS0)_2TX	-9.79	-1.01
802.11ax HEW40_Nss1,(MCS0)_2TX	-9.90	-1.12
802.11ax HEW80_Nss1,(MCS0)_2TX	-9.83	-1.05
802.11ax HEW160_Nss1,(MCS0)_2TX	-9.85	-1.07
6.425-6.525GHz	-	-
802.11a_Nss1,(6Mbps)_2TX	-9.83	-1.05
802.11ax HEW20_Nss1,(MCS0)_2TX	-9.79	-1.01
802.11ax HEW40_Nss1,(MCS0)_2TX	-9.87	-1.09
802.11ax HEW80_Nss1,(MCS0)_2TX	-9.79	-1.01
802.11ax HEW160_Nss1,(MCS0)_2TX	-9.79	-1.01
6.525-6.875GHz	-	-
802.11a_Nss1,(6Mbps)_2TX	-9.91	-1.13
802.11ax HEW20_Nss1,(MCS0)_2TX	-9.88	-1.10
802.11ax HEW40_Nss1,(MCS0)_2TX	-9.83	-1.05
802.11ax HEW80_Nss1,(MCS0)_2TX	-9.80	-1.02
802.11ax HEW160_Nss1,(MCS0)_2TX	-10.18	-1.40
6.875-7.125GHz	-	-
802.11a_Nss1,(6Mbps)_2TX	-9.86	-1.08
802.11ax HEW20_Nss1,(MCS0)_2TX	-10.10	-1.32
802.11ax HEW40_Nss1,(MCS0)_2TX	-10.01	-1.23
802.11ax HEW80_Nss1,(MCS0)_2TX	-9.79	-1.01
802.11ax HEW160_Nss1,(MCS0)_2TX	-10.13	-1.35

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;



Result

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
802.11a_Nss1,(6Mbps)_2TX	-	-	-	-	-	-	-	-
5955MHz	Pass	8.78	-13.23	-12.68	-10.03	Inf	-1.25	-1.00
6175MHz	Pass	8.78	-13.26	-12.63	-9.97	Inf	-1.19	-1.00
6415MHz	Pass	8.78	-13.12	-12.96	-10.12	Inf	-1.34	-1.00
6435MHz	Pass	8.78	-13.09	-12.89	-10.10	Inf	-1.32	-1.00
6475MHz	Pass	8.78	-13.09	-12.59	-9.93	Inf	-1.15	-1.00
6515MHz	Pass	8.78	-13.24	-12.37	-9.83	Inf	-1.05	-1.00
6535MHz	Pass	8.78	-13.33	-12.43	-9.91	Inf	-1.13	-1.00
6695MHz	Pass	8.78	-13.64	-12.62	-10.17	Inf	-1.39	-1.00
6855MHz	Pass	8.78	-13.39	-12.70	-10.13	Inf	-1.35	-1.00
6875MHz	Pass	8.78	-13.58	-12.71	-10.14	Inf	-1.36	-1.00
6895MHz	Pass	8.78	-13.51	-12.87	-10.25	Inf	-1.47	-1.00
6995MHz	Pass	8.78	-13.33	-12.41	-9.86	Inf	-1.08	-1.00
7095MHz	Pass	8.78	-13.42	-12.70	-10.08	Inf	-1.30	-1.00
802.11ax HEW20_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5955MHz	Pass	8.78	-13.26	-12.84	-10.11	Inf	-1.33	-1.00
6175MHz	Pass	8.78	-13.12	-12.40	-9.79	Inf	-1.01	-1.00
6415MHz	Pass	8.78	-13.05	-12.78	-9.93	Inf	-1.15	-1.00
6435MHz	Pass	8.78	-13.06	-12.84	-9.97	Inf	-1.19	-1.00
6475MHz	Pass	8.78	-13.05	-12.52	-9.79	Inf	-1.01	-1.00
6515MHz	Pass	8.78	-13.12	-12.31	-9.79	Inf	-1.01	-1.00
6535MHz	Pass	8.78	-13.21	-12.44	-9.88	Inf	-1.10	-1.00
6695MHz	Pass	8.78	-13.61	-12.67	-10.18	Inf	-1.40	-1.00
6855MHz	Pass	8.78	-13.70	-12.68	-10.15	Inf	-1.37	-1.00
6875MHz	Pass	8.78	-13.69	-12.81	-10.24	Inf	-1.46	-1.00
6895MHz	Pass	8.78	-13.42	-12.96	-10.17	Inf	-1.39	-1.00
6995MHz	Pass	8.78	-13.49	-12.77	-10.19	Inf	-1.41	-1.00
7095MHz	Pass	8.78	-13.50	-12.67	-10.10	Inf	-1.32	-1.00
802.11ax HEW40_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5965MHz	Pass	8.78	-13.04	-12.57	-9.90	Inf	-1.12	-1.00
6165MHz	Pass	8.78	-13.09	-12.71	-9.96	Inf	-1.18	-1.00
6405MHz	Pass	8.78	-13.30	-13.14	-10.21	Inf	-1.43	-1.00
6445MHz	Pass	8.78	-13.32	-13.06	-10.21	Inf	-1.43	-1.00
6485MHz	Pass	8.78	-13.10	-12.59	-9.87	Inf	-1.09	-1.00
6525MHz	Pass	8.78	-13.07	-12.71	-10.01	Inf	-1.23	-1.00
6565MHz	Pass	8.78	-13.27	-13.06	-10.26	Inf	-1.48	-1.00
6685MHz	Pass	8.78	-12.89	-12.55	-9.83	Inf	-1.05	-1.00
6845MHz	Pass	8.78	-12.99	-12.83	-9.95	Inf	-1.17	-1.00
6885MHz	Pass	8.78	-13.43	-12.94	-10.21	Inf	-1.43	-1.00
6925MHz	Pass	8.78	-13.43	-13.05	-10.27	Inf	-1.49	-1.00
7005MHz	Pass	8.78	-13.22	-12.60	-10.01	Inf	-1.23	-1.00
7085MHz	Pass	8.78	-13.41	-12.77	-10.15	Inf	-1.37	-1.00
802.11ax HEW80_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5985MHz	Pass	8.78	-13.37	-13.02	-10.20	Inf	-1.42	-1.00
6145MHz	Pass	8.78	-12.90	-12.72	-9.83	Inf	-1.05	-1.00
6385MHz	Pass	8.78	-13.33	-12.72	-10.06	Inf	-1.28	-1.00
6465MHz	Pass	8.78	-13.07	-12.53	-9.79	Inf	-1.01	-1.00
6545MHz	Pass	8.78	-13.23	-12.71	-10.08	Inf	-1.30	-1.00
6625MHz	Pass	8.78	-13.16	-12.96	-10.12	Inf	-1.34	-1.00
6705MHz	Pass	8.78	-13.23	-12.87	-10.06	Inf	-1.28	-1.00
6785MHz	Pass	8.78	-12.94	-12.63	-9.80	Inf	-1.02	-1.00
6865MHz	Pass	8.78	-13.16	-13.06	-10.22	Inf	-1.44	-1.00
6945MHz	Pass	8.78	-12.84	-12.53	-9.79	Inf	-1.01	-1.00
7025MHz	Pass	8.78	-13.24	-12.74	-10.05	Inf	-1.27	-1.00
802.11ax HEW160_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-



Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
6025MHz	Pass	8.78	-12.94	-12.57	-9.85	Inf	-1.07	-1.00
6185MHz	Pass	8.78	-13.40	-12.64	-10.10	Inf	-1.32	-1.00
6345MHz	Pass	8.78	-13.44	-12.68	-10.14	Inf	-1.36	-1.00
6505MHz	Pass	8.78	-12.88	-12.49	-9.79	Inf	-1.01	-1.00
6665MHz	Pass	8.78	-13.37	-13.16	-10.27	Inf	-1.49	-1.00
6825MHz	Pass	8.78	-13.35	-12.91	-10.18	Inf	-1.40	-1.00
6985MHz	Pass	8.78	-13.30	-12.73	-10.13	Inf	-1.35	-1.00

DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;  
PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;


### 802.11a\_Nss1,(6Mbps)\_2TX




### PSD

#### 5955MHz

01/10/2021

CF  
5.955GHz  
Span  
30MHz  
RBW  
1MHz  
VBW  
3MHz  
Sweep Time  
20ms  
Detector Type  
RMS



Sum   
Port 1   
Port 2 

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-10.03	-10.03	-13.23	-12.68


### 802.11a\_Nss1,(6Mbps)\_2TX




### PSD

#### 6175MHz

01/10/2021

CF  
6.175GHz  
Span  
30MHz  
RBW  
1MHz  
VBW  
3MHz  
Sweep Time  
20ms  
Detector Type  
RMS



Sum   
Port 1   
Port 2 

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-9.97	-9.97	-13.26	-12.63

### 802.11a\_Nss1,(6Mbps)\_2TX

### PSD

6415MHz

01/10/2021

CF  
6.415GHz


Span  
30MHz

RBW  
1MHz

VBW  
3MHz

Sweep Time  
20ms

Detector Type  
RMS



Sum

Port 1

Port 2

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-10.12	-10.12	-13.12	-12.96

### 802.11a\_Nss1,(6Mbps)\_2TX

### PSD

6435MHz

01/10/2021

CF  
6.435GHz


Span  
30MHz

RBW  
1MHz

VBW  
3MHz

Sweep Time  
20ms

Detector Type  
RMS





Sum

Port 1

Port 2

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-10.10	-10.10	-13.09	-12.89




802.11a\_Nss1,(6Mbps)\_2TX

PSD

6535MHz

01/10/2021

CF  
6.535GHz  
Span  
30MHz  
RBW  
1MHz  
VBW  
3MHz  
Sweep Time  
20ms  
Detector Type  
RMS



Sum   
Port 1   
Port 2

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-9.91	-9.91	-13.33	-12.43


802.11a\_Nss1,(6Mbps)\_2TX

PSD

6695MHz

01/10/2021

CF  
6.695GHz  
Span  
30MHz  
RBW  
1MHz  
VBW  
3MHz  
Sweep Time  
20ms  
Detector Type  
RMS



Sum   
Port 1   
Port 2


Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-10.17	-10.17	-13.64	-12.62

### 802.11a\_Nss1,(6Mbps)\_2TX

### PSD

#### 6855MHz

01/10/2021




Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-10.13	-10.13	-13.39	-12.70

### 802.11a\_Nss1,(6Mbps)\_2TX

### PSD

#### 6875MHz

01/10/2021



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-10.14	-10.14	-13.58	-12.71




### 802.11a\_Nss1,(6Mbps)\_2TX

### PSD

#### 6895MHz

01/10/2021

CF  
6.895GHz  
Span  
30MHz  
RBW  
1MHz  
VBW  
3MHz  
Sweep Time  
20ms  
Detector Type  
RMS



Sum   
Port 1   
Port 2

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-10.25	-10.25	-13.51	-12.87


### 802.11a\_Nss1,(6Mbps)\_2TX

### PSD

#### 6995MHz

01/10/2021

CF  
6.995GHz  
Span  
30MHz  
RBW  
1MHz  
VBW  
3MHz  
Sweep Time  
20ms  
Detector Type  
RMS



Sum   
Port 1   
Port 2

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-9.86	-9.86	-13.33	-12.41

### 802.11a\_Nss1,(6Mbps)\_2TX

### PSD

7095MHz

01/10/2021

CF  
7.095GHz


Span  
30MHz

RBW  
1MHz

VBW  
3MHz

Sweep Time  
20ms

Detector Type  
RMS



Sum

Port 1

Port 2

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-10.08	-10.08	-13.42	-12.70

### 802.11ax HEW20\_Nss1,(MCS0)\_2TX

### PSD

5955MHz

01/10/2021

CF  
5.955GHz


Span  
30MHz

RBW  
1MHz

VBW  
3MHz

Sweep Time  
20ms

Detector Type  
RMS



Sum

Port 1

Port 2

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-10.11	-10.11	-13.26	-12.84


### 802.11ax HEW20\_Nss1,(MCS0)\_2TX

### PSD

#### 6175MHz

01/10/2021

CF  
6.175GHz  
Span  
30MHz  
RBW  
1MHz  
VBW  
3MHz  
Sweep Time  
20ms  
Detector Type  
RMS



Sum   
Port 1   
Port 2

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-9.79	-9.79	-13.12	-12.40


### 802.11ax HEW20\_Nss1,(MCS0)\_2TX

### PSD

#### 6415MHz

01/10/2021

CF  
6.415GHz  
Span  
30MHz  
RBW  
1MHz  
VBW  
3MHz  
Sweep Time  
20ms  
Detector Type  
RMS



Sum   
Port 1   
Port 2

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-9.93	-9.93	-13.05	-12.78


### 802.11ax HEW20\_Nss1,(MCS0)\_2TX

### PSD

#### 6435MHz

01/10/2021

CF  
6.435GHz  
Span  
30MHz  
RBW  
1MHz  
VBW  
3MHz  
Sweep Time  
20ms  
Detector Type  
RMS



Sum   
Port 1   
Port 2

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-9.97	-9.97	-13.06	-12.84


### 802.11ax HEW20\_Nss1,(MCS0)\_2TX

### PSD

#### 6475MHz

01/10/2021

CF  
6.475GHz  
Span  
30MHz  
RBW  
1MHz  
VBW  
3MHz  
Sweep Time  
20ms  
Detector Type  
RMS



Sum   
Port 1   
Port 2

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-9.79	-9.79	-13.05	-12.52


### 802.11ax HEW20\_Nss1,(MCS0)\_2TX




### PSD

#### 6515MHz

01/10/2021

CF  
6.515GHz  
Span  
30MHz  
RBW  
1MHz  
VBW  
3MHz  
Sweep Time  
20ms  
Detector Type  
RMS



Sum   
Port 1   
Port 2 

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-9.79	-9.79	-13.12	-12.31


### 802.11ax HEW20\_Nss1,(MCS0)\_2TX




### PSD

#### 6535MHz

01/10/2021

CF  
6.535GHz  
Span  
30MHz  
RBW  
1MHz  
VBW  
3MHz  
Sweep Time  
20ms  
Detector Type  
RMS



Sum   
Port 1   
Port 2 

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-9.88	-9.88	-13.21	-12.44


802.11ax HEW20\_Nss1,(MCS0)\_2TX

PSD

6695MHz

01/10/2021

CF  
6.695GHz  
Span  
30MHz  
RBW  
1MHz  
VBW  
3MHz  
Sweep Time  
20ms  
Detector Type  
RMS



Sum   
Port 1   
Port 2

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-10.18	-10.18	-13.61	-12.67


802.11ax HEW20\_Nss1,(MCS0)\_2TX

PSD

6855MHz

01/10/2021

CF  
6.855GHz  
Span  
30MHz  
RBW  
1MHz  
VBW  
3MHz  
Sweep Time  
20ms  
Detector Type  
RMS



Sum   
Port 1   
Port 2

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-10.15	-10.15	-13.70	-12.68

802.11ax HEW20\_Nss1,(MCS0)\_2TX

PSD

6875MHz

01/10/2021

CF  
6.875GHz


Span  
30MHz


RBW  
1MHz


VBW  
3MHz


Sweep Time  
20ms

Detector Type  
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-10.24	-10.24	-13.69	-12.81

802.11ax HEW20\_Nss1,(MCS0)\_2TX

PSD

6895MHz

01/10/2021

CF  
6.895GHz


Span  
30MHz


RBW  
1MHz


VBW  
3MHz


Sweep Time  
20ms

Detector Type  
RMS



Sum 

Port 1 

Port 2 


Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-10.17	-10.17	-13.42	-12.96

802.11ax HEW20\_Nss1,(MCS0)\_2TX

PSD

6995MHz

01/10/2021




Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-10.19	-10.19	-13.49	-12.77

802.11ax HEW20\_Nss1,(MCS0)\_2TX

PSD

7095MHz

01/10/2021



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-10.10	-10.10	-13.50	-12.67




### 802.11ax HEW40\_Nss1,(MCS0)\_2TX

PSD

#### 5965MHz

01/10/2021




Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-9.90	-9.90	-13.04	-12.57

### 802.11ax HEW40\_Nss1,(MCS0)\_2TX



PSD

#### 6165MHz

01/10/2021



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-9.96	-9.96	-13.09	-12.71




802.11ax HEW40\_Nss1,(MCS0)\_2TX

PSD

6485MHz

01/10/2021

CF  
6.485GHz  
Span  
60MHz  
RBW  
1MHz  
VBW  
3MHz  
Sweep Time  
20ms  
Detector Type  
RMS



Sum   
Port 1   
Port 2

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-9.87	-9.87	-13.10	-12.59


802.11ax HEW40\_Nss1,(MCS0)\_2TX

PSD

6525MHz



01/10/2021

CF  
6.525GHz  
Span  
60MHz  
RBW  
1MHz  
VBW  
3MHz  
Sweep Time  
20ms  
Detector Type  
RMS



Sum   
Port 1   
Port 2

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-10.01	-10.01	-13.07	-12.71




802.11ax HEW40\_Nss1,(MCS0)\_2TX

PSD

6845MHz

01/10/2021




Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-9.95	-9.95	-12.99	-12.83

802.11ax HEW40\_Nss1,(MCS0)\_2TX

PSD

6885MHz

01/10/2021



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-10.21	-10.21	-13.43	-12.94


802.11ax HEW40\_Nss1,(MCS0)\_2TX

PSD

6925MHz

01/10/2021

CF  
6.925GHz  
Span  
60MHz  
RBW  
1MHz  
VBW  
3MHz  
Sweep Time  
20ms  
Detector Type  
RMS



Sum   
Port 1   
Port 2

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-10.27	-10.27	-13.43	-13.05


802.11ax HEW40\_Nss1,(MCS0)\_2TX

PSD

7005MHz

01/10/2021

CF  
7.005GHz  
Span  
60MHz  
RBW  
1MHz  
VBW  
3MHz  
Sweep Time  
20ms  
Detector Type  
RMS



Sum   
Port 1   
Port 2


Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-10.01	-10.01	-13.22	-12.60

### 802.11ax HEW40\_Nss1,(MCS0)\_2TX

PSD

7085MHz

01/10/2021




Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-10.15	-10.15	-13.41	-12.77

### 802.11ax HEW80\_Nss1,(MCS0)\_2TX

PSD

5985MHz

01/10/2021




Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-10.20	-10.20	-13.37	-13.02

802.11ax HEW80\_Nss1,(MCS0)\_2TX

PSD

6145MHz

01/10/2021




Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-9.83	-9.83	-12.90	-12.72

802.11ax HEW80\_Nss1,(MCS0)\_2TX

PSD

6385MHz

01/10/2021



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-10.06	-10.06	-13.33	-12.72




802.11ax HEW80\_Nss1,(MCS0)\_2TX




PSD

6465MHz

01/10/2021

CF  
6.465GHz  
Span  
120MHz  
RBW  
1MHz  
VBW  
3MHz  
Sweep Time  
20ms  
Detector Type  
RMS



Sum   
Port 1   
Port 2 

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-9.79	-9.79	-13.07	-12.53


802.11ax HEW80\_Nss1,(MCS0)\_2TX




PSD

6545MHz

01/10/2021

CF  
6.545GHz  
Span  
120MHz  
RBW  
1MHz  
VBW  
3MHz  
Sweep Time  
20ms  
Detector Type  
RMS



Sum   
Port 1   
Port 2 


Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-10.08	-10.08	-13.23	-12.71

### 802.11ax HEW80\_Nss1,(MCS0)\_2TX

PSD

#### 6625MHz

01/10/2021




Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-10.12	-10.12	-13.16	-12.96

### 802.11ax HEW80\_Nss1,(MCS0)\_2TX

PSD

#### 6705MHz

01/10/2021




Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-10.06	-10.06	-13.23	-12.87

802.11ax HEW80\_Nss1,(MCS0)\_2TX

PSD

6785MHz

01/10/2021




Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-9.80	-9.80	-12.94	-12.63

802.11ax HEW80\_Nss1,(MCS0)\_2TX

PSD

6865MHz

01/10/2021



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-10.22	-10.22	-13.16	-13.06


### 802.11ax HEW80\_Nss1,(MCS0)\_2TX

### PSD

#### 6945MHz

01/10/2021

CF  
6.945GHz  
Span  
120MHz  
RBW  
1MHz  
VBW  
3MHz  
Sweep Time  
20ms  
Detector Type  
RMS



Sum   
Port 1   
Port 2

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-9.79	-9.79	-12.84	-12.53


### 802.11ax HEW80\_Nss1,(MCS0)\_2TX

### PSD

#### 7025MHz

01/10/2021

CF  
7.025GHz  
Span  
120MHz  
RBW  
1MHz  
VBW  
3MHz  
Sweep Time  
20ms  
Detector Type  
RMS



Sum   
Port 1   
Port 2


Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-10.05	-10.05	-13.24	-12.74

### 802.11ax HEW160\_Nss1,(MCS0)\_2TX

### PSD

#### 6025MHz

01/10/2021




Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-9.85	-9.85	-12.94	-12.57

### 802.11ax HEW160\_Nss1,(MCS0)\_2TX

### PSD

#### 6185MHz

01/10/2021



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-10.10	-10.10	-13.40	-12.64


### 802.11ax HEW160\_Nss1,(MCS0)\_2TX

PSD

#### 6345MHz

01/10/2021

CF  
6.345GHz  
Span  
240MHz  
RBW  
1MHz  
VBW  
3MHz  
Sweep Time  
20ms  
Detector Type  
RMS



Sum   
Port 1   
Port 2

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-10.14	-10.14	-13.44	-12.68


### 802.11ax HEW160\_Nss1,(MCS0)\_2TX

PSD

#### 6505MHz

01/10/2021

CF  
6.505GHz  
Span  
240MHz  
RBW  
1MHz  
VBW  
3MHz  
Sweep Time  
20ms  
Detector Type  
RMS



Sum   
Port 1   
Port 2

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-9.79	-9.79	-12.88	-12.49


802.11ax HEW160\_Nss1,(MCS0)\_2TX

PSD

6665MHz

01/10/2021

CF  
6.665GHz  
Span  
240MHz  
RBW  
1MHz  
VBW  
3MHz  
Sweep Time  
20ms  
Detector Type  
RMS



Sum   
Port 1   
Port 2

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-10.27	-10.27	-13.37	-13.16


802.11ax HEW160\_Nss1,(MCS0)\_2TX

PSD

6825MHz

01/10/2021

CF  
6.825GHz  
Span  
240MHz  
RBW  
1MHz  
VBW  
3MHz  
Sweep Time  
20ms  
Detector Type  
RMS



Sum   
Port 1   
Port 2


Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-10.18	-10.18	-13.35	-12.91

802.11ax HEW160\_Nss1,(MCS0)\_2TX

PSD

6985MHz

01/10/2021



Sum	PD	Port 1	Port 2
(dBm/1MHz)	(dBm/1MHz)	(dBm/1MHz)	(dBm/1MHz)
-10.13	-10.13	-13.30	-12.73





Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
6.525-6.875GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW160_Nss1,(MCS0)_4TX	Pass	PK	183.26M	31.94	43.50	-11.56	3	Horizontal	0	1.00	-




Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
802.11ax HEW160_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-	-
6665MHz	Pass	PK	125.06M	27.28	43.50	-16.22	3	Vertical	360	1.00	-
6665MHz	Pass	PK	187.14M	27.00	43.50	-16.50	3	Vertical	360	1.00	-
6665MHz	Pass	PK	251.16M	27.72	46.00	-18.28	3	Vertical	360	1.00	-
6665MHz	Pass	PK	410.24M	28.23	46.00	-17.77	3	Vertical	360	1.00	-
6665MHz	Pass	PK	643.04M	30.41	46.00	-15.59	3	Vertical	360	1.00	-
6665MHz	Pass	PK	901.06M	33.69	46.00	-12.31	3	Vertical	360	1.00	-
6665MHz	Pass	PK	123.12M	27.62	43.50	-15.88	3	Horizontal	0	1.00	-
6665MHz	Pass	PK	183.26M	31.94	43.50	-11.56	3	Horizontal	0	1.00	-
6665MHz	Pass	PK	251.16M	30.11	46.00	-15.89	3	Horizontal	0	1.00	-
6665MHz	Pass	PK	429.64M	27.67	46.00	-18.33	3	Horizontal	0	1.00	-
6665MHz	Pass	PK	635.28M	30.06	46.00	-15.94	3	Horizontal	0	1.00	-
6665MHz	Pass	PK	901.06M	34.39	46.00	-11.61	3	Horizontal	0	1.00	-
6665MHz	Pass	PK	187.14M	28.52	43.50	-14.98	3	Vertical	0	1.00	-
6665MHz	Pass	PK	253.1M	27.03	46.00	-18.97	3	Vertical	0	1.00	-
6665MHz	Pass	PK	392.78M	27.56	46.00	-18.44	3	Vertical	0	1.00	-
6665MHz	Pass	PK	567.38M	29.31	46.00	-16.69	3	Vertical	0	1.00	-
6665MHz	Pass	PK	693.48M	30.30	46.00	-15.70	3	Vertical	0	1.00	-
6665MHz	Pass	PK	784.66M	32.75	46.00	-13.25	3	Vertical	0	1.00	-
6665MHz	Pass	PK	183.26M	31.85	43.50	-11.65	3	Horizontal	360	1.00	-
6665MHz	Pass	PK	245.34M	32.64	46.00	-13.36	3	Horizontal	360	1.00	-
6665MHz	Pass	PK	431.58M	27.70	46.00	-18.30	3	Horizontal	360	1.00	-
6665MHz	Pass	PK	643.04M	31.07	46.00	-14.93	3	Horizontal	360	1.00	-
6665MHz	Pass	PK	827.34M	32.14	46.00	-13.86	3	Horizontal	360	1.00	-
6665MHz	Pass	PK	904.94M	33.49	46.00	-12.51	3	Horizontal	360	1.00	-
6665MHz	Pass	PK	183.26M	27.32	43.50	-16.18	3	Vertical	360	1.00	-
6665MHz	Pass	PK	255.04M	26.12	46.00	-19.88	3	Vertical	360	1.00	-
6665MHz	Pass	PK	371.44M	26.84	46.00	-19.16	3	Vertical	360	1.00	-
6665MHz	Pass	PK	590.66M	30.10	46.00	-15.90	3	Vertical	360	1.00	-
6665MHz	Pass	PK	749.74M	31.97	46.00	-14.03	3	Vertical	360	1.00	-
6665MHz	Pass	PK	899.12M	33.09	46.00	-12.91	3	Vertical	360	1.00	-
6665MHz	Pass	PK	183.26M	31.26	43.50	-12.24	3	Horizontal	0	1.00	-
6665MHz	Pass	PK	247.28M	30.90	46.00	-15.10	3	Horizontal	0	1.00	-
6665MHz	Pass	PK	429.64M	27.77	46.00	-18.23	3	Horizontal	0	1.00	-
6665MHz	Pass	PK	588.72M	30.14	46.00	-15.86	3	Horizontal	0	1.00	-
6665MHz	Pass	PK	747.8M	32.06	46.00	-13.94	3	Horizontal	0	1.00	-
6665MHz	Pass	PK	897.18M	32.76	46.00	-13.24	3	Horizontal	0	1.00	-

### 802.11ax HEW160\_Nss1,(MCS0)\_4TX


### 6665MHz\_Adapter



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	125.06M	27.28	43.50	-16.22	-8.85	3	Vertical	360	1.00	-	36.13	17.33	1.57	27.75
PK	187.14M	27.00	43.50	-16.50	-11.21	3	Vertical	360	1.00	-	38.21	14.30	1.90	27.41
PK	251.16M	27.72	46.00	-18.28	-7.17	3	Vertical	360	1.00	-	34.89	17.70	2.15	27.02
PK	410.24M	28.23	46.00	-17.77	-3.52	3	Vertical	360	1.00	-	31.75	21.55	2.77	27.84
PK	643.04M	30.41	46.00	-15.59	-0.54	3	Vertical	360	1.00	-	30.95	24.25	3.44	28.23
PK	901.06M	33.69	46.00	-12.31	2.27	3	Vertical	360	1.00	-	31.42	25.66	4.11	27.50

### 802.11ax HEW160\_Nss1,(MCS0)\_4TX


### 6665MHz\_Adapter



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	123.12M	27.62	43.50	-15.88	-8.86	3	Horizontal	0	1.00	-	36.48	17.35	1.56	27.77
PK	183.26M	31.94	43.50	-11.56	-11.18	3	Horizontal	0	1.00	-	43.12	14.38	1.88	27.44
PK	251.16M	30.11	46.00	-15.89	-7.17	3	Horizontal	0	1.00	-	37.28	17.70	2.15	27.02
PK	429.64M	27.67	46.00	-18.33	-3.37	3	Horizontal	0	1.00	-	31.04	21.75	2.83	27.95
PK	635.28M	30.06	46.00	-15.94	-0.54	3	Horizontal	0	1.00	-	30.60	24.30	3.43	28.27
PK	901.06M	34.39	46.00	-11.61	2.27	3	Horizontal	0	1.00	-	32.12	25.66	4.11	27.50

### 802.11ax HEW160\_Nss1,(MCS0)\_4TX


#### 6665MHz\_PoE 1



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	187.14M	28.52	43.50	-14.98	-11.21	3	Vertical	0	1.00	-	39.73	14.30	1.90	27.41
PK	253.1M	27.03	46.00	-18.97	-6.93	3	Vertical	0	1.00	-	33.96	17.93	2.16	27.02
PK	392.78M	27.56	46.00	-18.44	-4.43	3	Vertical	0	1.00	-	31.99	20.58	2.71	27.72
PK	567.38M	29.31	46.00	-16.69	-1.18	3	Vertical	0	1.00	-	30.49	23.93	3.25	28.36
PK	693.48M	30.30	46.00	-15.70	-0.48	3	Vertical	0	1.00	-	30.78	24.17	3.58	28.23
PK	784.66M	32.75	46.00	-13.25	0.92	3	Vertical	0	1.00	-	31.83	25.04	3.82	27.94

### 802.11ax HEW160\_Nss1,(MCS0)\_4TX


#### 6665MHz\_PoE 1



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	183.26M	31.85	43.50	-11.65	-11.18	3	Horizontal	360	1.00	-	43.03	14.38	1.88	27.44
PK	245.34M	32.64	46.00	-13.36	-7.89	3	Horizontal	360	1.00	-	40.53	17.03	2.13	27.05
PK	431.58M	27.70	46.00	-18.30	-3.37	3	Horizontal	360	1.00	-	31.07	21.75	2.84	27.96
PK	643.04M	31.07	46.00	-14.93	-0.54	3	Horizontal	360	1.00	-	31.61	24.25	3.44	28.23
PK	827.34M	32.14	46.00	-13.86	1.51	3	Horizontal	360	1.00	-	30.63	25.36	3.94	27.79
PK	904.94M	33.49	46.00	-12.51	2.34	3	Horizontal	360	1.00	-	31.15	25.70	4.12	27.48

### 802.11ax HEW160\_Nss1,(MCS0)\_4TX


#### 6665MHz\_PoE 2



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	183.26M	27.32	43.50	-16.18	-11.18	3	Vertical	360	1.00	-	38.50	14.38	1.88	27.44
PK	255.04M	26.12	46.00	-19.88	-6.69	3	Vertical	360	1.00	-	32.81	18.16	2.17	27.02
PK	371.44M	26.84	46.00	-19.16	-4.88	3	Vertical	360	1.00	-	31.72	20.01	2.63	27.52
PK	590.66M	30.10	46.00	-15.90	-1.20	3	Vertical	360	1.00	-	31.30	23.87	3.34	28.41
PK	749.74M	31.97	46.00	-14.03	0.51	3	Vertical	360	1.00	-	31.46	24.88	3.70	28.07
PK	899.12M	33.09	46.00	-12.91	2.26	3	Vertical	360	1.00	-	30.83	25.65	4.11	27.50

802.11ax HEW160\_Nss1,(MCS0)\_4TX

6665MHz\_PoE 2



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	183.26M	31.26	43.50	-12.24	-11.18	3	Horizontal	0	1.00	-	42.44	14.38	1.88	27.44
PK	247.28M	30.90	46.00	-15.10	-7.65	3	Horizontal	0	1.00	-	38.55	17.25	2.14	27.04
PK	429.64M	27.77	46.00	-18.23	-3.37	3	Horizontal	0	1.00	-	31.14	21.75	2.83	27.95
PK	588.72M	30.14	46.00	-15.86	-1.22	3	Horizontal	0	1.00	-	31.36	23.86	3.33	28.41
PK	747.8M	32.06	46.00	-13.94	0.49	3	Horizontal	0	1.00	-	31.57	24.87	3.70	28.08
PK	897.18M	32.76	46.00	-13.24	2.23	3	Horizontal	0	1.00	-	30.53	25.64	4.10	27.51





Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_4TX	Pass	AV	12.3528G	42.46	54.00	-11.54	3	Horizontal	145	1.29	-
802.11ax HEW20_Nss1,(MCS0)_4TX	Pass	AV	12.34712G	41.98	54.00	-12.02	3	Vertical	88	1.33	-
802.11ax HEW40_Nss1,(MCS0)_4TX	Pass	AV	12.33576G	42.80	54.00	-11.20	3	Horizontal	43	2.39	-
802.11ax HEW80_Nss1,(MCS0)_4TX	Pass	AV	12.28646G	42.83	54.00	-11.17	3	Vertical	169	2.68	-
802.11ax HEW160_Nss1,(MCS0)_4TX	Pass	AV	5.915G	55.63	68.20	-12.57	3	Vertical	47	2.88	-
6.425-6.525GHz	-	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_4TX	Pass	AV	7.2094G	50.87	68.20	-17.33	3	Horizontal	52	2.43	-
802.11ax HEW20_Nss1,(MCS0)_4TX	Pass	AV	7.2122G	52.73	68.20	-15.47	3	Horizontal	52	2.46	-
802.11ax HEW40_Nss1,(MCS0)_4TX	Pass	AV	7.2054G	52.75	68.20	-15.45	3	Horizontal	52	2.41	-
802.11ax HEW80_Nss1,(MCS0)_4TX	Pass	AV	7.2086G	53.64	68.20	-14.56	3	Horizontal	54	2.22	-
802.11ax HEW160_Nss1,(MCS0)_4TX	Pass	AV	7.191G	53.46	68.20	-14.74	3	Vertical	64	2.26	-
6.525-6.875GHz	-	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_4TX	Pass	AV	13.38052G	43.78	54.00	-10.22	3	Vertical	266	1.38	-
802.11ax HEW20_Nss1,(MCS0)_4TX	Pass	AV	13.39788G	43.33	54.00	-10.67	3	Horizontal	80	2.68	-
802.11ax HEW40_Nss1,(MCS0)_4TX	Pass	AV	13.36814G	44.74	54.00	-9.26	3	Horizontal	174	1.44	-
802.11ax HEW80_Nss1,(MCS0)_4TX	Pass	AV	13.26458G	44.08	54.00	-9.92	3	Vertical	308	1.55	-
802.11ax HEW160_Nss1,(MCS0)_4TX	Pass	AV	7.201G	53.61	68.20	-14.59	3	Vertical	4	2.29	-
6.875-7.125GHz	-	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_4TX	Pass	AV	7.1976G	50.99	68.20	-17.21	3	Vertical	85	2.21	-
802.11ax HEW20_Nss1,(MCS0)_4TX	Pass	AV	7.194G	52.82	68.20	-15.38	3	Horizontal	54	2.95	-
802.11ax HEW40_Nss1,(MCS0)_4TX	Pass	AV	7.1264G	52.97	68.20	-15.23	3	Vertical	23	2.98	-
802.11ax HEW80_Nss1,(MCS0)_4TX	Pass	AV	7.1386G	53.84	68.20	-14.36	3	Vertical	85	2.18	-
802.11ax HEW160_Nss1,(MCS0)_4TX	Pass	AV	7.137G	55.73	68.20	-12.47	3	Vertical	83	2.48	-



Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
802.11a_Nss1,(6Mbps)_4TX	-	-	-	-	-	-	-	-	-	-	-
5955MHz	Pass	AV	5.904G	46.14	68.20	-22.06	3	Vertical	51	2.59	-
5955MHz	Pass	AV	5.9604G	97.99	Inf	-Inf	3	Vertical	51	2.59	-
5955MHz	Pass	PK	5.904G	58.56	88.20	-29.64	3	Vertical	51	2.59	-
5955MHz	Pass	PK	5.961G	107.60	Inf	-Inf	3	Vertical	51	2.59	-
5955MHz	Pass	AV	5.8794G	46.19	68.20	-22.01	3	Horizontal	49	2.34	-
5955MHz	Pass	AV	5.9478G	87.95	Inf	-Inf	3	Horizontal	49	2.34	-
5955MHz	Pass	PK	5.9142G	58.42	88.20	-29.78	3	Horizontal	49	2.34	-
5955MHz	Pass	PK	5.9478G	97.24	Inf	-Inf	3	Horizontal	49	2.34	-
5955MHz	Pass	AV	11.91176G	41.69	54.00	-12.31	3	Vertical	20	1.50	-
5955MHz	Pass	PK	11.90396G	54.65	74.00	-19.35	3	Vertical	20	1.50	-
5955MHz	Pass	AV	11.91028G	41.65	54.00	-12.35	3	Horizontal	142	1.00	-
5955MHz	Pass	PK	11.91132G	54.92	74.00	-19.08	3	Horizontal	142	1.00	-
6175MHz	Pass	AV	5.855G	45.87	68.20	-22.33	3	Vertical	63	2.34	-
6175MHz	Pass	AV	6.167G	96.96	Inf	-Inf	3	Vertical	63	2.34	-
6175MHz	Pass	PK	5.839G	58.15	88.20	-30.05	3	Vertical	63	2.34	-
6175MHz	Pass	PK	6.1686G	106.26	Inf	-Inf	3	Vertical	63	2.34	-
6175MHz	Pass	AV	5.8982G	46.27	68.20	-21.93	3	Horizontal	51	2.29	-
6175MHz	Pass	AV	6.167G	88.99	Inf	-Inf	3	Horizontal	51	2.29	-
6175MHz	Pass	PK	5.8902G	57.96	88.20	-30.24	3	Horizontal	51	2.29	-
6175MHz	Pass	PK	6.1686G	97.84	Inf	-Inf	3	Horizontal	51	2.29	-
6175MHz	Pass	AV	12.35164G	42.38	54.00	-11.62	3	Vertical	145	2.09	-
6175MHz	Pass	PK	12.34748G	55.42	74.00	-18.58	3	Vertical	145	2.09	-
6175MHz	Pass	AV	12.3528G	42.46	54.00	-11.54	3	Horizontal	145	1.29	-
6175MHz	Pass	PK	12.35124G	55.51	74.00	-18.49	3	Horizontal	145	1.29	-
6415MHz	Pass	AV	5.8678G	45.81	68.20	-22.39	3	Vertical	64	2.37	-
6415MHz	Pass	AV	6.4078G	98.32	Inf	-Inf	3	Vertical	64	2.37	-
6415MHz	Pass	PK	5.911G	57.77	88.20	-30.43	3	Vertical	64	2.37	-
6415MHz	Pass	PK	6.4078G	107.64	Inf	-Inf	3	Vertical	64	2.37	-
6415MHz	Pass	AV	5.9038G	45.84	68.20	-22.36	3	Horizontal	53	2.31	-
6415MHz	Pass	AV	6.4078G	89.82	Inf	-Inf	3	Horizontal	53	2.31	-
6415MHz	Pass	PK	5.839G	57.43	88.20	-30.77	3	Horizontal	53	2.31	-
6415MHz	Pass	PK	6.4078G	98.98	Inf	-Inf	3	Horizontal	53	2.31	-
6415MHz	Pass	AV	12.83172G	42.88	68.20	-25.32	3	Vertical	174	2.06	-
6415MHz	Pass	PK	12.82384G	56.11	88.20	-32.09	3	Vertical	174	2.06	-
6415MHz	Pass	PK	12.82808G	56.43	88.20	-31.77	3	Horizontal	30	2.10	-
6415MHz	Pass	AV	12.82764G	42.93	68.20	-25.27	3	Horizontal	30	2.10	-
6435MHz	Pass	AV	5.9046G	45.78	68.20	-22.42	3	Vertical	64	2.58	-
6435MHz	Pass	AV	6.4278G	98.75	Inf	-Inf	3	Vertical	64	2.58	-
6435MHz	Pass	PK	5.8542G	58.14	88.20	-30.06	3	Vertical	64	2.58	-
6435MHz	Pass	PK	6.4278G	107.51	Inf	-Inf	3	Vertical	64	2.58	-
6435MHz	Pass	AV	5.8734G	45.83	68.20	-22.37	3	Horizontal	54	2.28	-
6435MHz	Pass	AV	6.4278G	89.84	Inf	-Inf	3	Horizontal	54	2.28	-
6435MHz	Pass	PK	5.8998G	57.87	88.20	-30.33	3	Horizontal	54	2.28	-
6435MHz	Pass	PK	6.4302G	99.05	Inf	-Inf	3	Horizontal	54	2.28	-
6435MHz	Pass	AV	12.8786G	42.72	68.20	-25.48	3	Vertical	216	1.53	-
6435MHz	Pass	PK	12.87192G	56.26	88.20	-31.94	3	Vertical	216	1.53	-
6435MHz	Pass	AV	12.87652G	42.72	68.20	-25.48	3	Horizontal	128	1.55	-
6435MHz	Pass	PK	12.87708G	55.78	88.20	-32.42	3	Horizontal	128	1.55	-
6475MHz	Pass	AV	5.9178G	45.93	68.20	-22.27	3	Vertical	64	2.34	-
6475MHz	Pass	AV	6.4666G	99.38	Inf	-Inf	3	Vertical	64	2.34	-
6475MHz	Pass	AV	7.175G	50.49	68.20	-17.71	3	Vertical	64	2.34	-
6475MHz	Pass	PK	5.8842G	57.56	88.20	-30.64	3	Vertical	64	2.34	-
6475MHz	Pass	PK	6.4694G	108.49	Inf	-Inf	3	Vertical	64	2.34	-
6475MHz	Pass	PK	7.161G	61.79	88.20	-26.41	3	Vertical	64	2.34	-
6475MHz	Pass	AV	5.8898G	45.84	68.20	-22.36	3	Horizontal	52	2.44	-
6475MHz	Pass	AV	6.4666G	91.33	Inf	-Inf	3	Horizontal	52	2.44	-
6475MHz	Pass	AV	7.1694G	50.61	68.20	-17.59	3	Horizontal	52	2.44	-
6475MHz	Pass	PK	5.8786G	58.12	88.20	-30.08	3	Horizontal	52	2.44	-
6475MHz	Pass	PK	6.4694G	100.68	Inf	-Inf	3	Horizontal	52	2.44	-
6475MHz	Pass	PK	7.1666G	62.03	88.20	-26.17	3	Horizontal	52	2.44	-



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
6475MHz	Pass	AV	12.95712G	42.68	68.20	-25.52	3	Vertical	152	1.84	-
6475MHz	Pass	PK	12.94036G	56.08	88.20	-32.12	3	Vertical	152	1.84	-
6475MHz	Pass	AV	12.95708G	42.80	68.20	-25.40	3	Horizontal	219	1.42	-
6475MHz	Pass	PK	12.95876G	55.67	88.20	-32.53	3	Horizontal	219	1.42	-
6515MHz	Pass	AV	5.9158G	45.98	68.20	-22.22	3	Vertical	66	2.72	-
6515MHz	Pass	AV	6.5066G	98.49	Inf	-Inf	3	Vertical	66	2.72	-
6515MHz	Pass	AV	7.1954G	50.73	68.20	-17.47	3	Vertical	66	2.72	-
6515MHz	Pass	PK	5.9158G	58.10	88.20	-30.10	3	Vertical	66	2.72	-
6515MHz	Pass	PK	6.5094G	107.76	Inf	-Inf	3	Vertical	66	2.72	-
6515MHz	Pass	PK	7.1842G	62.04	88.20	-26.16	3	Vertical	66	2.72	-
6515MHz	Pass	AV	5.8822G	45.79	68.20	-22.41	3	Horizontal	52	2.43	-
6515MHz	Pass	AV	6.5066G	91.52	Inf	-Inf	3	Horizontal	52	2.43	-
6515MHz	Pass	AV	7.2094G	50.87	68.20	-17.33	3	Horizontal	52	2.43	-
6515MHz	Pass	PK	5.8626G	57.70	88.20	-30.50	3	Horizontal	52	2.43	-
6515MHz	Pass	PK	6.5094G	100.57	Inf	-Inf	3	Horizontal	52	2.43	-
6515MHz	Pass	PK	7.2122G	62.92	88.20	-25.28	3	Horizontal	52	2.43	-
6515MHz	Pass	AV	13.03492G	42.88	68.20	-25.32	3	Vertical	106	2.21	-
6515MHz	Pass	PK	13.03136G	56.14	88.20	-32.06	3	Vertical	106	2.21	-
6515MHz	Pass	AV	13.02292G	42.93	68.20	-25.27	3	Horizontal	210	2.13	-
6515MHz	Pass	PK	13.03444G	55.86	88.20	-32.34	3	Horizontal	210	2.13	-
6535MHz	Pass	AV	5.9022G	45.93	68.20	-22.27	3	Vertical	65	2.41	-
6535MHz	Pass	AV	6.5294G	99.02	Inf	-Inf	3	Vertical	65	2.41	-
6535MHz	Pass	AV	7.2266G	50.65	68.20	-17.55	3	Vertical	65	2.41	-
6535MHz	Pass	PK	5.891G	57.72	88.20	-30.48	3	Vertical	65	2.41	-
6535MHz	Pass	PK	6.5294G	108.12	Inf	-Inf	3	Vertical	65	2.41	-
6535MHz	Pass	PK	7.1986G	62.37	88.20	-25.83	3	Vertical	65	2.41	-
6535MHz	Pass	AV	5.919G	45.80	68.20	-22.40	3	Horizontal	52	2.51	-
6535MHz	Pass	AV	6.5266G	91.88	Inf	-Inf	3	Horizontal	52	2.51	-
6535MHz	Pass	AV	7.2014G	50.68	68.20	-17.52	3	Horizontal	52	2.51	-
6535MHz	Pass	PK	5.863G	57.67	88.20	-30.53	3	Horizontal	52	2.51	-
6535MHz	Pass	PK	6.5294G	100.32	Inf	-Inf	3	Horizontal	52	2.51	-
6535MHz	Pass	PK	7.193G	62.78	88.20	-25.42	3	Horizontal	52	2.51	-
6535MHz	Pass	AV	13.06412G	42.74	68.20	-25.46	3	Vertical	277	2.44	-
6535MHz	Pass	PK	13.064G	55.69	88.20	-32.51	3	Vertical	277	2.44	-
6535MHz	Pass	AV	13.0784G	42.78	68.20	-25.42	3	Horizontal	100	1.02	-
6535MHz	Pass	PK	13.06376G	55.86	88.20	-32.34	3	Horizontal	100	1.02	-
6695MHz	Pass	AV	6.687G	91.21	Inf	-Inf	3	Vertical	52	2.51	-
6695MHz	Pass	AV	7.193G	50.72	68.20	-17.48	3	Vertical	52	2.51	-
6695MHz	Pass	PK	6.687G	100.66	Inf	-Inf	3	Vertical	52	2.51	-
6695MHz	Pass	PK	7.169G	62.85	88.20	-25.35	3	Vertical	52	2.51	-
6695MHz	Pass	AV	6.689G	90.56	Inf	-Inf	3	Horizontal	55	2.55	-
6695MHz	Pass	AV	7.157G	50.64	68.20	-17.56	3	Horizontal	55	2.55	-
6695MHz	Pass	PK	6.689G	100.09	Inf	-Inf	3	Horizontal	55	2.55	-
6695MHz	Pass	PK	7.157G	62.24	88.20	-25.96	3	Horizontal	55	2.55	-
6695MHz	Pass	AV	13.38052G	43.78	54.00	-10.22	3	Vertical	266	1.38	-
6695MHz	Pass	PK	13.39116G	56.71	74.00	-17.29	3	Vertical	266	1.38	-
6695MHz	Pass	AV	13.39604G	43.75	54.00	-10.25	3	Horizontal	172	1.79	-
6695MHz	Pass	PK	13.39824G	56.44	74.00	-17.56	3	Horizontal	172	1.79	-
6855MHz	Pass	AV	6.848G	98.96	Inf	-Inf	3	Vertical	9	2.25	-
6855MHz	Pass	AV	7.1896G	50.74	68.20	-17.46	3	Vertical	9	2.25	-
6855MHz	Pass	PK	6.848G	107.98	Inf	-Inf	3	Vertical	9	2.25	-
6855MHz	Pass	PK	7.1784G	62.51	88.20	-25.69	3	Vertical	9	2.25	-
6855MHz	Pass	AV	6.8466G	87.39	Inf	-Inf	3	Horizontal	333	2.21	-
6855MHz	Pass	AV	7.198G	50.89	68.20	-17.31	3	Horizontal	333	2.21	-
6855MHz	Pass	PK	6.848G	96.34	Inf	-Inf	3	Horizontal	333	2.21	-
6855MHz	Pass	PK	7.1518G	62.84	88.20	-25.36	3	Horizontal	333	2.21	-
6855MHz	Pass	AV	13.70052G	48.70	68.20	-19.50	3	Vertical	307	1.69	-
6855MHz	Pass	PK	13.71612G	63.18	88.20	-25.02	3	Vertical	307	1.69	-
6855MHz	Pass	AV	13.71788G	48.67	68.20	-19.53	3	Horizontal	150	2.42	-
6855MHz	Pass	PK	13.71884G	62.00	88.20	-26.20	3	Horizontal	150	2.42	-
6875MHz Straddle 6.525-6.875GHz	Pass	AV	6.8806G	99.24	Inf	-Inf	3	Vertical	85	2.49	-
6875MHz Straddle 6.525-6.875GHz	Pass	AV	7.218G	51.03	68.20	-17.17	3	Vertical	85	2.49	-



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
6875MHz Straddle 6.525-6.875GHz	Pass	PK	6.8806G	108.62	Inf	-Inf	3	Vertical	85	2.49	-
6875MHz Straddle 6.525-6.875GHz	Pass	PK	7.1872G	62.83	88.20	-25.37	3	Vertical	85	2.49	-
6875MHz Straddle 6.525-6.875GHz	Pass	AV	6.868G	87.22	Inf	-Inf	3	Horizontal	333	2.25	-
6875MHz Straddle 6.525-6.875GHz	Pass	AV	7.211G	50.77	68.20	-17.43	3	Horizontal	333	2.25	-
6875MHz Straddle 6.525-6.875GHz	Pass	PK	6.868G	95.92	Inf	-Inf	3	Horizontal	333	2.25	-
6875MHz Straddle 6.525-6.875GHz	Pass	PK	7.1494G	62.89	88.20	-25.31	3	Horizontal	333	2.25	-
6875MHz Straddle 6.525-6.875GHz	Pass	AV	13.7444G	49.03	68.20	-19.17	3	Vertical	109	1.50	-
6875MHz Straddle 6.525-6.875GHz	Pass	PK	13.74996G	61.88	88.20	-26.32	3	Vertical	109	1.50	-
6875MHz Straddle 6.525-6.875GHz	Pass	AV	13.75884G	49.08	68.20	-19.12	3	Horizontal	336	1.31	-
6875MHz Straddle 6.525-6.875GHz	Pass	PK	13.74196G	62.18	88.20	-26.02	3	Horizontal	336	1.31	-
6895MHz	Pass	AV	6.9006G	97.30	Inf	-Inf	3	Vertical	84	2.41	-
6895MHz	Pass	AV	7.2436G	50.77	68.20	-17.43	3	Vertical	84	2.41	-
6895MHz	Pass	PK	6.9006G	106.75	Inf	-Inf	3	Vertical	84	2.41	-
6895MHz	Pass	PK	7.203G	64.14	88.20	-24.06	3	Vertical	84	2.41	-
6895MHz	Pass	AV	6.8866G	85.83	Inf	-Inf	3	Horizontal	334	2.21	-
6895MHz	Pass	AV	7.196G	50.72	68.20	-17.48	3	Horizontal	334	2.21	-
6895MHz	Pass	PK	6.888G	94.82	Inf	-Inf	3	Horizontal	334	2.21	-
6895MHz	Pass	PK	7.1764G	63.06	88.20	-25.14	3	Horizontal	334	2.21	-
6895MHz	Pass	AV	13.79904G	49.12	68.20	-19.08	3	Vertical	276	1.50	-
6895MHz	Pass	PK	13.78556G	62.59	88.20	-25.61	3	Vertical	276	1.50	-
6895MHz	Pass	AV	13.79912G	49.41	68.20	-18.79	3	Horizontal	106	1.50	-
6895MHz	Pass	PK	13.7942G	62.49	88.20	-25.71	3	Horizontal	106	1.50	-
6995MHz	Pass	AV	7.0014G	97.59	Inf	-Inf	3	Vertical	84	2.16	-
6995MHz	Pass	AV	7.1926G	50.79	68.20	-17.41	3	Vertical	84	2.16	-
6995MHz	Pass	PK	7.0022G	107.30	Inf	-Inf	3	Vertical	84	2.16	-
6995MHz	Pass	PK	7.1718G	63.86	88.20	-24.34	3	Vertical	84	2.16	-
6995MHz	Pass	AV	6.9974G	85.79	Inf	-Inf	3	Horizontal	32	2.23	-
6995MHz	Pass	AV	7.175G	50.74	68.20	-17.46	3	Horizontal	32	2.23	-
6995MHz	Pass	PK	6.9974G	95.24	Inf	-Inf	3	Horizontal	32	2.23	-
6995MHz	Pass	PK	7.1358G	62.62	88.20	-25.58	3	Horizontal	32	2.23	-
6995MHz	Pass	AV	13.9771G	50.31	68.20	-17.89	3	Vertical	161	1.50	-
6995MHz	Pass	PK	13.98208G	63.26	88.20	-24.94	3	Vertical	161	1.50	-
6995MHz	Pass	PK	13.9826G	63.26	88.20	-24.94	3	Horizontal	230	1.50	-
6995MHz	Pass	AV	13.98004G	50.28	68.20	-17.92	3	Horizontal	230	1.50	-
7095MHz	Pass	AV	7.101G	97.57	Inf	-Inf	3	Vertical	85	2.21	-
7095MHz	Pass	AV	7.1976G	50.99	68.20	-17.21	3	Vertical	85	2.21	-
7095MHz	Pass	PK	7.1004G	107.12	Inf	-Inf	3	Vertical	85	2.21	-
7095MHz	Pass	PK	7.1928G	63.64	88.20	-24.56	3	Vertical	85	2.21	-
7095MHz	Pass	AV	7.0884G	87.11	Inf	-Inf	3	Horizontal	57	2.69	-
7095MHz	Pass	AV	7.1958G	50.87	68.20	-17.33	3	Horizontal	57	2.69	-
7095MHz	Pass	PK	7.0878G	96.34	Inf	-Inf	3	Horizontal	57	2.69	-
7095MHz	Pass	PK	7.1802G	63.36	88.20	-24.84	3	Horizontal	57	2.69	-
7095MHz	Pass	AV	14.18608G	49.76	68.20	-18.44	3	Vertical	154	1.50	-
7095MHz	Pass	PK	14.18376G	63.14	88.20	-25.06	3	Vertical	154	1.50	-
7095MHz	Pass	AV	14.18884G	49.75	68.20	-18.45	3	Horizontal	66	1.50	-
7095MHz	Pass	PK	14.1804G	63.06	88.20	-25.14	3	Horizontal	66	1.50	-



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
802.11ax HEW20_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-	-
5955MHz	Pass	AV	5.9244G	46.77	68.20	-21.43	3	Vertical	50	2.92	-
5955MHz	Pass	AV	5.9466G	98.73	Inf	-Inf	3	Vertical	50	2.92	-
5955MHz	Pass	PK	5.8716G	58.96	88.20	-29.24	3	Vertical	50	2.92	-
5955MHz	Pass	PK	5.9466G	109.32	Inf	-Inf	3	Vertical	50	2.92	-
5955MHz	Pass	AV	5.9094G	46.75	68.20	-21.45	3	Horizontal	48	2.25	-
5955MHz	Pass	AV	5.9616G	87.14	Inf	-Inf	3	Horizontal	48	2.25	-
5955MHz	Pass	PK	5.85G	59.65	88.20	-28.55	3	Horizontal	48	2.25	-
5955MHz	Pass	PK	5.9598G	99.12	Inf	-Inf	3	Horizontal	48	2.25	-
5955MHz	Pass	AV	11.9046G	41.04	54.00	-12.96	3	Vertical	31	1.14	-
5955MHz	Pass	PK	11.91212G	55.04	74.00	-18.96	3	Vertical	31	1.14	-
5955MHz	Pass	AV	11.90564G	40.99	54.00	-13.01	3	Horizontal	5	2.45	-
5955MHz	Pass	PK	11.91748G	54.73	74.00	-19.27	3	Horizontal	5	2.45	-
6175MHz	Pass	AV	5.9174G	46.78	68.20	-21.42	3	Vertical	53	2.60	-
6175MHz	Pass	AV	6.167G	97.93	Inf	-Inf	3	Vertical	53	2.60	-
6175MHz	Pass	PK	5.839G	59.36	88.20	-28.84	3	Vertical	53	2.60	-
6175MHz	Pass	PK	6.1686G	108.95	Inf	-Inf	3	Vertical	53	2.60	-
6175MHz	Pass	AV	5.863G	46.72	68.20	-21.48	3	Horizontal	51	2.30	-
6175MHz	Pass	AV	6.1814G	88.96	Inf	-Inf	3	Horizontal	51	2.30	-
6175MHz	Pass	PK	5.799G	58.67	88.20	-29.53	3	Horizontal	51	2.30	-
6175MHz	Pass	PK	6.1798G	99.76	Inf	-Inf	3	Horizontal	51	2.30	-
6175MHz	Pass	AV	12.34712G	41.98	54.00	-12.02	3	Vertical	88	1.33	-
6175MHz	Pass	PK	12.3584G	55.12	74.00	-18.88	3	Vertical	88	1.33	-
6175MHz	Pass	AV	12.35092G	41.96	54.00	-12.04	3	Horizontal	210	1.78	-
6175MHz	Pass	PK	12.34588G	55.45	74.00	-18.55	3	Horizontal	210	1.78	-
6415MHz	Pass	AV	5.8798G	46.69	68.20	-21.51	3	Vertical	65	2.23	-
6415MHz	Pass	AV	6.4198G	98.27	Inf	-Inf	3	Vertical	65	2.23	-
6415MHz	Pass	PK	5.8318G	58.96	88.20	-29.24	3	Vertical	65	2.23	-
6415MHz	Pass	PK	6.4222G	109.31	Inf	-Inf	3	Vertical	65	2.23	-
6415MHz	Pass	AV	5.8654G	46.77	68.20	-21.43	3	Horizontal	51	2.39	-
6415MHz	Pass	AV	6.4198G	90.83	Inf	-Inf	3	Horizontal	51	2.39	-
6415MHz	Pass	PK	5.8486G	58.87	88.20	-29.33	3	Horizontal	51	2.39	-
6415MHz	Pass	PK	6.4222G	101.69	Inf	-Inf	3	Horizontal	51	2.39	-
6415MHz	Pass	AV	12.8372G	42.44	68.20	-25.76	3	Vertical	321	1.92	-
6415MHz	Pass	PK	12.83808G	55.49	88.20	-32.71	3	Vertical	321	1.92	-
6415MHz	Pass	AV	12.8284G	42.40	68.20	-25.80	3	Horizontal	71	2.39	-
6415MHz	Pass	PK	12.83284G	55.87	88.20	-32.33	3	Horizontal	71	2.39	-
6435MHz	Pass	AV	5.8974G	46.72	68.20	-21.48	3	Vertical	64	2.37	-
6435MHz	Pass	AV	6.4422G	98.52	Inf	-Inf	3	Vertical	64	2.37	-
6435MHz	Pass	PK	5.9166G	58.48	88.20	-29.72	3	Vertical	64	2.37	-
6435MHz	Pass	PK	6.4422G	109.54	Inf	-Inf	3	Vertical	64	2.37	-
6435MHz	Pass	AV	5.8806G	46.79	68.20	-21.41	3	Horizontal	51	2.32	-
6435MHz	Pass	AV	6.4398G	90.94	Inf	-Inf	3	Horizontal	51	2.32	-
6435MHz	Pass	PK	5.895G	58.80	88.20	-29.40	3	Horizontal	51	2.32	-
6435MHz	Pass	PK	6.4398G	102.79	Inf	-Inf	3	Horizontal	51	2.32	-
6435MHz	Pass	AV	12.86776G	42.34	68.20	-25.86	3	Vertical	4	1.92	-
6435MHz	Pass	PK	12.86252G	55.26	88.20	-32.94	3	Vertical	4	1.92	-
6435MHz	Pass	AV	12.8748G	42.32	68.20	-25.88	3	Horizontal	60	1.63	-
6435MHz	Pass	PK	12.87312G	55.74	88.20	-32.46	3	Horizontal	60	1.63	-
6475MHz	Pass	AV	5.859G	46.77	68.20	-21.43	3	Vertical	65	2.55	-
6475MHz	Pass	AV	6.4806G	98.65	Inf	-Inf	3	Vertical	65	2.55	-
6475MHz	Pass	AV	7.161G	52.42	68.20	-15.78	3	Vertical	65	2.55	-
6475MHz	Pass	PK	5.8338G	59.49	88.20	-28.71	3	Vertical	65	2.55	-
6475MHz	Pass	PK	6.4834G	109.02	Inf	-Inf	3	Vertical	65	2.55	-
6475MHz	Pass	PK	7.161G	63.88	88.20	-24.32	3	Vertical	65	2.55	-
6475MHz	Pass	AV	5.9066G	46.75	68.20	-21.45	3	Horizontal	52	2.37	-
6475MHz	Pass	AV	6.4806G	90.94	Inf	-Inf	3	Horizontal	52	2.37	-
6475MHz	Pass	AV	7.1694G	52.36	68.20	-15.84	3	Horizontal	52	2.37	-
6475MHz	Pass	PK	5.9206G	58.75	88.20	-29.45	3	Horizontal	52	2.37	-
6475MHz	Pass	PK	6.4834G	101.92	Inf	-Inf	3	Horizontal	52	2.37	-
6475MHz	Pass	PK	7.147G	63.89	88.20	-24.31	3	Horizontal	52	2.37	-
6475MHz	Pass	AV	12.95384G	42.33	68.20	-25.87	3	Vertical	56	1.48	-



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
6475MHz	Pass	PK	12.94428G	55.92	88.20	-32.28	3	Vertical	56	1.48	-
6475MHz	Pass	AV	12.957G	42.29	68.20	-25.91	3	Horizontal	314	1.31	-
6475MHz	Pass	PK	12.94776G	56.14	88.20	-32.06	3	Horizontal	314	1.31	-
6515MHz	Pass	AV	5.9102G	46.74	68.20	-21.46	3	Vertical	64	2.40	-
6515MHz	Pass	AV	6.5206G	99.45	Inf	-Inf	3	Vertical	64	2.40	-
6515MHz	Pass	AV	7.2122G	52.66	68.20	-15.54	3	Vertical	64	2.40	-
6515MHz	Pass	PK	5.8402G	58.55	88.20	-29.65	3	Vertical	64	2.40	-
6515MHz	Pass	PK	6.5206G	109.21	Inf	-Inf	3	Vertical	64	2.40	-
6515MHz	Pass	PK	7.187G	65.05	88.20	-23.15	3	Vertical	64	2.40	-
6515MHz	Pass	AV	5.8766G	46.73	68.20	-21.47	3	Horizontal	52	2.46	-
6515MHz	Pass	AV	6.5206G	91.80	Inf	-Inf	3	Horizontal	52	2.46	-
6515MHz	Pass	AV	7.2122G	52.73	68.20	-15.47	3	Horizontal	52	2.46	-
6515MHz	Pass	PK	5.8542G	59.61	88.20	-28.59	3	Horizontal	52	2.46	-
6515MHz	Pass	PK	6.5206G	101.73	Inf	-Inf	3	Horizontal	52	2.46	-
6515MHz	Pass	PK	7.1506G	65.09	88.20	-23.11	3	Horizontal	52	2.46	-
6515MHz	Pass	AV	13.02988G	42.49	68.20	-25.71	3	Vertical	175	1.11	-
6515MHz	Pass	PK	13.0264G	55.99	88.20	-32.21	3	Vertical	175	1.11	-
6515MHz	Pass	AV	13.02212G	42.54	68.20	-25.66	3	Horizontal	260	1.55	-
6515MHz	Pass	PK	13.0262G	56.00	88.20	-32.20	3	Horizontal	260	1.55	-
6535MHz	Pass	AV	5.8994G	46.80	68.20	-21.40	3	Vertical	66	2.54	-
6535MHz	Pass	AV	6.5406G	98.10	Inf	-Inf	3	Vertical	66	2.54	-
6535MHz	Pass	AV	7.235G	52.59	68.20	-15.61	3	Vertical	66	2.54	-
6535MHz	Pass	PK	5.8854G	60.10	88.20	-28.10	3	Vertical	66	2.54	-
6535MHz	Pass	PK	6.5406G	109.02	Inf	-Inf	3	Vertical	66	2.54	-
6535MHz	Pass	PK	7.179G	65.36	88.20	-22.84	3	Vertical	66	2.54	-
6535MHz	Pass	AV	5.9078G	46.79	68.20	-21.41	3	Horizontal	51	2.43	-
6535MHz	Pass	AV	6.5406G	91.22	Inf	-Inf	3	Horizontal	51	2.43	-
6535MHz	Pass	AV	7.2014G	52.67	68.20	-15.53	3	Horizontal	51	2.43	-
6535MHz	Pass	PK	5.8742G	58.16	88.20	-30.04	3	Horizontal	51	2.43	-
6535MHz	Pass	PK	6.5406G	101.77	Inf	-Inf	3	Horizontal	51	2.43	-
6535MHz	Pass	PK	7.1454G	64.32	88.20	-23.88	3	Horizontal	51	2.43	-
6535MHz	Pass	AV	13.06064G	42.25	68.20	-25.95	3	Vertical	36	1.59	-
6535MHz	Pass	PK	13.0796G	55.82	88.20	-32.38	3	Vertical	36	1.59	-
6535MHz	Pass	AV	13.06284G	42.33	68.20	-25.87	3	Horizontal	33	2.87	-
6535MHz	Pass	PK	13.07384G	55.87	88.20	-32.33	3	Horizontal	33	2.87	-
6695MHz	Pass	AV	6.703G	98.32	Inf	-Inf	3	Vertical	335	2.96	-
6695MHz	Pass	AV	7.191G	52.67	68.20	-15.53	3	Vertical	335	2.96	-
6695MHz	Pass	PK	6.703G	108.59	Inf	-Inf	3	Vertical	335	2.96	-
6695MHz	Pass	PK	7.147G	66.11	88.20	-22.09	3	Vertical	335	2.96	-
6695MHz	Pass	AV	6.701G	90.56	Inf	-Inf	3	Horizontal	53	2.55	-
6695MHz	Pass	AV	7.191G	52.55	68.20	-15.65	3	Horizontal	53	2.55	-
6695MHz	Pass	PK	6.703G	102.33	Inf	-Inf	3	Horizontal	53	2.55	-
6695MHz	Pass	PK	7.159G	64.65	88.20	-23.55	3	Horizontal	53	2.55	-
6695MHz	Pass	AV	13.39056G	43.32	54.00	-10.68	3	Vertical	67	2.25	-
6695MHz	Pass	PK	13.38832G	56.52	74.00	-17.48	3	Vertical	67	2.25	-
6695MHz	Pass	AV	13.39788G	43.33	54.00	-10.67	3	Horizontal	80	2.68	-
6695MHz	Pass	PK	13.386G	56.45	74.00	-17.55	3	Horizontal	80	2.68	-
6855MHz	Pass	AV	6.8466G	97.98	Inf	-Inf	3	Vertical	83	2.94	-
6855MHz	Pass	AV	7.177G	52.60	68.20	-15.60	3	Vertical	83	2.94	-
6855MHz	Pass	PK	6.8466G	110.44	Inf	-Inf	3	Vertical	83	2.94	-
6855MHz	Pass	PK	7.1686G	64.99	88.20	-23.21	3	Vertical	83	2.94	-
6855MHz	Pass	AV	6.8536G	88.82	Inf	-Inf	3	Horizontal	45	2.27	-
6855MHz	Pass	AV	7.2008G	52.69	68.20	-15.51	3	Horizontal	45	2.27	-
6855MHz	Pass	PK	6.8536G	99.57	Inf	-Inf	3	Horizontal	45	2.27	-
6855MHz	Pass	PK	7.1616G	65.23	88.20	-22.97	3	Horizontal	45	2.27	-
6855MHz	Pass	AV	13.71096G	48.24	68.20	-19.96	3	Vertical	286	1.54	-
6855MHz	Pass	PK	13.71476G	62.11	88.20	-26.09	3	Vertical	286	1.54	-
6855MHz	Pass	AV	13.71596G	48.12	68.20	-20.08	3	Horizontal	81	2.20	-
6855MHz	Pass	PK	13.70668G	62.15	88.20	-26.05	3	Horizontal	81	2.20	-
6875MHz Straddle 6.525-6.875GHz	Pass	AV	6.868G	99.43	Inf	-Inf	3	Vertical	84	2.38	-
6875MHz Straddle 6.525-6.875GHz	Pass	AV	7.2026G	52.73	68.20	-15.47	3	Vertical	84	2.38	-
6875MHz Straddle 6.525-6.875GHz	Pass	PK	6.868G	110.89	Inf	-Inf	3	Vertical	84	2.38	-



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
6875MHz Straddle 6.525-6.875GHz	Pass	PK	7.1648G	66.10	88.20	-22.10	3	Vertical	84	2.38	-
6875MHz Straddle 6.525-6.875GHz	Pass	AV	6.8736G	88.50	Inf	-Inf	3	Horizontal	45	2.34	-
6875MHz Straddle 6.525-6.875GHz	Pass	AV	7.2012G	52.73	68.20	-15.47	3	Horizontal	45	2.34	-
6875MHz Straddle 6.525-6.875GHz	Pass	PK	6.8736G	98.78	Inf	-Inf	3	Horizontal	45	2.34	-
6875MHz Straddle 6.525-6.875GHz	Pass	PK	7.1998G	65.02	88.20	-23.18	3	Horizontal	45	2.34	-
6875MHz Straddle 6.525-6.875GHz	Pass	AV	13.75928G	48.46	68.20	-19.74	3	Vertical	233	2.89	-
6875MHz Straddle 6.525-6.875GHz	Pass	PK	13.74384G	61.71	88.20	-26.49	3	Vertical	233	2.89	-
6875MHz Straddle 6.525-6.875GHz	Pass	AV	13.74076G	48.32	68.20	-19.88	3	Horizontal	162	2.56	-
6875MHz Straddle 6.525-6.875GHz	Pass	PK	13.75192G	62.28	88.20	-25.92	3	Horizontal	162	2.56	-
6895MHz	Pass	AV	6.8866G	99.81	Inf	-Inf	3	Vertical	83	2.40	-
6895MHz	Pass	AV	7.2114G	52.72	68.20	-15.48	3	Vertical	83	2.40	-
6895MHz	Pass	PK	6.8866G	111.32	Inf	-Inf	3	Vertical	83	2.40	-
6895MHz	Pass	PK	7.238G	64.81	88.20	-23.39	3	Vertical	83	2.40	-
6895MHz	Pass	AV	6.8936G	89.44	Inf	-Inf	3	Horizontal	45	2.26	-
6895MHz	Pass	AV	7.203G	52.70	68.20	-15.50	3	Horizontal	45	2.26	-
6895MHz	Pass	PK	6.895G	101.00	Inf	-Inf	3	Horizontal	45	2.26	-
6895MHz	Pass	PK	7.2142G	65.10	88.20	-23.10	3	Horizontal	45	2.26	-
6895MHz	Pass	AV	13.79396G	48.69	68.20	-19.51	3	Vertical	188	1.22	-
6895MHz	Pass	PK	13.78972G	61.89	88.20	-26.31	3	Vertical	188	1.22	-
6895MHz	Pass	AV	13.79344G	48.65	68.20	-19.55	3	Horizontal	343	2.02	-
6895MHz	Pass	PK	13.79716G	62.63	88.20	-25.57	3	Horizontal	343	2.02	-
6995MHz	Pass	AV	6.9878G	100.25	Inf	-Inf	3	Vertical	84	2.42	-
6995MHz	Pass	AV	7.1742G	52.63	68.20	-15.57	3	Vertical	84	2.42	-
6995MHz	Pass	PK	6.9878G	112.47	Inf	-Inf	3	Vertical	84	2.42	-
6995MHz	Pass	PK	7.151G	64.90	88.20	-23.30	3	Vertical	84	2.42	-
6995MHz	Pass	AV	7.0038G	88.21	Inf	-Inf	3	Horizontal	5	1.96	-
6995MHz	Pass	AV	7.1734G	52.64	68.20	-15.56	3	Horizontal	5	1.96	-
6995MHz	Pass	PK	7.0038G	99.90	Inf	-Inf	3	Horizontal	5	1.96	-
6995MHz	Pass	PK	7.1798G	65.12	88.20	-23.08	3	Horizontal	5	1.96	-
6995MHz	Pass	AV	13.98176G	49.68	68.20	-18.52	3	Vertical	311	3.00	-
6995MHz	Pass	PK	13.98804G	63.01	88.20	-25.19	3	Vertical	311	3.00	-
6995MHz	Pass	AV	13.98052G	49.65	68.20	-18.55	3	Horizontal	193	2.34	-
6995MHz	Pass	PK	13.98412G	63.73	88.20	-24.47	3	Horizontal	193	2.34	-
7095MHz	Pass	AV	7.0884G	98.71	Inf	-Inf	3	Vertical	47	2.47	-
7095MHz	Pass	AV	7.1952G	52.81	68.20	-15.39	3	Vertical	47	2.47	-
7095MHz	Pass	PK	7.0866G	110.38	Inf	-Inf	3	Vertical	47	2.47	-
7095MHz	Pass	PK	7.212G	66.35	88.20	-21.85	3	Vertical	47	2.47	-
7095MHz	Pass	AV	7.101G	90.37	Inf	-Inf	3	Horizontal	54	2.95	-
7095MHz	Pass	AV	7.194G	52.82	68.20	-15.38	3	Horizontal	54	2.95	-
7095MHz	Pass	PK	7.101G	101.63	Inf	-Inf	3	Horizontal	54	2.95	-
7095MHz	Pass	PK	7.185G	65.47	88.20	-22.73	3	Horizontal	54	2.95	-
7095MHz	Pass	AV	14.1826G	49.31	68.20	-18.89	3	Vertical	295	1.50	-
7095MHz	Pass	PK	14.1802G	62.85	88.20	-25.35	3	Vertical	295	1.50	-
7095MHz	Pass	AV	14.18568G	49.24	68.20	-18.96	3	Horizontal	342	2.48	-
7095MHz	Pass	PK	14.18196G	62.67	88.20	-25.53	3	Horizontal	342	2.48	-
802.11ax HEW40_Nss1_(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-	-
5965MHz	Pass	AV	5.9248G	46.91	68.20	-21.29	3	Vertical	322	2.32	-
5965MHz	Pass	AV	5.9674G	97.14	Inf	-Inf	3	Vertical	322	2.32	-
5965MHz	Pass	PK	5.8594G	59.09	88.20	-29.11	3	Vertical	322	2.32	-
5965MHz	Pass	PK	5.9674G	110.07	Inf	-Inf	3	Vertical	322	2.32	-
5965MHz	Pass	AV	5.884G	46.69	68.20	-21.51	3	Horizontal	47	2.16	-
5965MHz	Pass	AV	5.9704G	87.79	Inf	-Inf	3	Horizontal	47	2.16	-
5965MHz	Pass	PK	5.9224G	59.26	88.20	-28.94	3	Horizontal	47	2.16	-
5965MHz	Pass	PK	5.9716G	98.95	Inf	-Inf	3	Horizontal	47	2.16	-
5965MHz	Pass	AV	11.93984G	42.25	54.00	-11.75	3	Vertical	117	1.50	-
5965MHz	Pass	PK	11.9354G	55.52	74.00	-18.48	3	Vertical	117	1.50	-
5965MHz	Pass	AV	11.94182G	42.18	54.00	-11.82	3	Horizontal	153	1.50	-
5965MHz	Pass	PK	11.92328G	55.85	74.00	-18.15	3	Horizontal	153	1.50	-
6165MHz	Pass	AV	5.8806G	46.76	68.20	-21.44	3	Vertical	52	2.63	-
6165MHz	Pass	AV	6.1566G	98.09	Inf	-Inf	3	Vertical	52	2.63	-
6165MHz	Pass	PK	5.907G	59.43	88.20	-28.77	3	Vertical	52	2.63	-
6165MHz	Pass	PK	6.177G	109.14	Inf	-Inf	3	Vertical	52	2.63	-



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
6165MHz	Pass	AV	5.9058G	46.72	68.20	-21.48	3	Horizontal	51	2.33	-
6165MHz	Pass	AV	6.1698G	89.18	Inf	-Inf	3	Horizontal	51	2.33	-
6165MHz	Pass	PK	5.8878G	58.76	88.20	-29.44	3	Horizontal	51	2.33	-
6165MHz	Pass	PK	6.1506G	99.91	Inf	-Inf	3	Horizontal	51	2.33	-
6165MHz	Pass	AV	12.33582G	42.74	54.00	-11.26	3	Vertical	295	1.50	-
6165MHz	Pass	PK	12.34398G	56.90	74.00	-17.10	3	Vertical	295	1.50	-
6165MHz	Pass	AV	12.33576G	42.80	54.00	-11.20	3	Horizontal	43	2.39	-
6165MHz	Pass	PK	12.32958G	56.22	74.00	-17.78	3	Horizontal	43	2.39	-
6405MHz	Pass	AV	5.925G	46.73	68.20	-21.47	3	Vertical	64	2.33	-
6405MHz	Pass	AV	6.4122G	98.53	Inf	-Inf	3	Vertical	64	2.33	-
6405MHz	Pass	PK	5.8578G	60.42	88.20	-27.78	3	Vertical	64	2.33	-
6405MHz	Pass	PK	6.4122G	110.33	Inf	-Inf	3	Vertical	64	2.33	-
6405MHz	Pass	AV	5.9202G	46.75	68.20	-21.45	3	Horizontal	51	2.13	-
6405MHz	Pass	AV	6.4098G	90.36	Inf	-Inf	3	Horizontal	51	2.13	-
6405MHz	Pass	PK	5.8362G	58.98	88.20	-29.22	3	Horizontal	51	2.13	-
6405MHz	Pass	PK	6.4098G	101.45	Inf	-Inf	3	Horizontal	51	2.13	-
6405MHz	Pass	AV	12.81828G	43.34	68.20	-24.86	3	Vertical	76	2.30	-
6405MHz	Pass	PK	12.81528G	57.08	88.20	-31.12	3	Vertical	76	2.30	-
6405MHz	Pass	AV	12.82224G	43.37	68.20	-24.83	3	Horizontal	298	1.50	-
6405MHz	Pass	PK	12.82314G	56.55	88.20	-31.65	3	Horizontal	298	1.50	-
6445MHz	Pass	AV	5.905G	46.73	68.20	-21.47	3	Vertical	64	2.39	-
6445MHz	Pass	AV	6.4522G	98.38	Inf	-Inf	3	Vertical	64	2.39	-
6445MHz	Pass	PK	5.9074G	58.78	88.20	-29.42	3	Vertical	64	2.39	-
6445MHz	Pass	PK	6.4306G	108.84	Inf	-Inf	3	Vertical	64	2.39	-
6445MHz	Pass	AV	5.9074G	46.70	68.20	-21.50	3	Horizontal	51	2.38	-
6445MHz	Pass	AV	6.4498G	91.21	Inf	-Inf	3	Horizontal	51	2.38	-
6445MHz	Pass	PK	5.857G	59.34	88.20	-28.86	3	Horizontal	51	2.38	-
6445MHz	Pass	PK	6.4498G	103.36	Inf	-Inf	3	Horizontal	51	2.38	-
6445MHz	Pass	AV	12.87764G	43.26	68.20	-24.94	3	Vertical	53	1.05	-
6445MHz	Pass	PK	12.88382G	56.52	88.20	-31.68	3	Vertical	53	1.05	-
6445MHz	Pass	AV	12.8903G	43.34	68.20	-24.86	3	Horizontal	279	1.50	-
6445MHz	Pass	PK	12.87902G	56.52	88.20	-31.68	3	Horizontal	279	1.50	-
6485MHz	Pass	AV	5.9082G	46.70	68.20	-21.50	3	Vertical	53	2.37	-
6485MHz	Pass	AV	6.485G	98.68	Inf	-Inf	3	Vertical	53	2.37	-
6485MHz	Pass	AV	7.171G	52.57	68.20	-15.63	3	Vertical	53	2.37	-
6485MHz	Pass	PK	5.8102G	58.46	88.20	-29.74	3	Vertical	53	2.37	-
6485MHz	Pass	PK	6.485G	108.73	Inf	-Inf	3	Vertical	53	2.37	-
6485MHz	Pass	PK	7.1458G	64.65	88.20	-23.55	3	Vertical	53	2.37	-
6485MHz	Pass	AV	5.883G	46.69	68.20	-21.51	3	Horizontal	52	2.37	-
6485MHz	Pass	AV	6.4906G	91.61	Inf	-Inf	3	Horizontal	52	2.37	-
6485MHz	Pass	AV	7.1822G	52.56	68.20	-15.64	3	Horizontal	52	2.37	-
6485MHz	Pass	PK	5.8438G	58.49	88.20	-29.71	3	Horizontal	52	2.37	-
6485MHz	Pass	PK	6.4906G	105.76	Inf	-Inf	3	Horizontal	52	2.37	-
6485MHz	Pass	PK	7.1598G	64.61	88.20	-23.59	3	Horizontal	52	2.37	-
6485MHz	Pass	AV	12.98242G	43.58	68.20	-24.62	3	Vertical	19	1.61	-
6485MHz	Pass	PK	12.97144G	56.93	88.20	-31.27	3	Vertical	19	1.61	-
6485MHz	Pass	AV	12.97684G	43.67	68.20	-24.53	3	Horizontal	53	1.50	-
6485MHz	Pass	PK	12.96436G	57.37	88.20	-30.83	3	Horizontal	53	1.50	-
6525MHz	Pass	AV	5.9062G	46.72	68.20	-21.48	3	Vertical	52	2.35	-
6525MHz	Pass	AV	6.525G	99.33	Inf	-Inf	3	Vertical	52	2.35	-
6525MHz	Pass	AV	7.2026G	52.71	68.20	-15.49	3	Vertical	52	2.35	-
6525MHz	Pass	PK	5.8782G	58.62	88.20	-29.58	3	Vertical	52	2.35	-
6525MHz	Pass	PK	6.525G	110.56	Inf	-Inf	3	Vertical	52	2.35	-
6525MHz	Pass	PK	7.1522G	64.50	88.20	-23.70	3	Vertical	52	2.35	-
6525MHz	Pass	AV	5.9062G	46.74	68.20	-21.46	3	Horizontal	52	2.41	-
6525MHz	Pass	AV	6.5306G	92.11	Inf	-Inf	3	Horizontal	52	2.41	-
6525MHz	Pass	AV	7.2054G	52.75	68.20	-15.45	3	Horizontal	52	2.41	-
6525MHz	Pass	PK	5.9062G	58.73	88.20	-29.47	3	Horizontal	52	2.41	-
6525MHz	Pass	PK	6.5306G	102.10	Inf	-Inf	3	Horizontal	52	2.41	-
6525MHz	Pass	PK	7.1746G	64.51	88.20	-23.69	3	Horizontal	52	2.41	-
6525MHz	Pass	AV	13.04154G	43.85	68.20	-24.35	3	Vertical	242	1.50	-
6525MHz	Pass	PK	13.0431G	57.36	88.20	-30.84	3	Vertical	242	1.50	-





Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
6525MHz	Pass	AV	13.0398G	43.75	68.20	-24.45	3	Horizontal	117	2.52	-
6525MHz	Pass	PK	13.05978G	57.88	88.20	-30.32	3	Horizontal	117	2.52	-
6565MHz	Pass	AV	6.5698G	98.44	Inf	-Inf	3	Vertical	64	2.83	-
6565MHz	Pass	AV	7.1602G	52.42	68.20	-15.78	3	Vertical	64	2.83	-
6565MHz	Pass	PK	6.5722G	109.56	Inf	-Inf	3	Vertical	64	2.83	-
6565MHz	Pass	PK	7.153G	64.79	88.20	-23.41	3	Vertical	64	2.83	-
6565MHz	Pass	AV	6.5698G	91.42	Inf	-Inf	3	Horizontal	52	2.52	-
6565MHz	Pass	AV	7.165G	52.50	68.20	-15.70	3	Horizontal	52	2.52	-
6565MHz	Pass	PK	6.5722G	103.34	Inf	-Inf	3	Horizontal	52	2.52	-
6565MHz	Pass	PK	7.1602G	64.00	88.20	-24.20	3	Horizontal	52	2.52	-
6565MHz	Pass	AV	13.13576G	43.72	68.20	-24.48	3	Vertical	338	2.18	-
6565MHz	Pass	PK	13.12988G	57.17	88.20	-31.03	3	Vertical	338	2.18	-
6565MHz	Pass	AV	13.12118G	43.74	68.20	-24.46	3	Horizontal	156	2.58	-
6565MHz	Pass	PK	13.13906G	57.85	88.20	-30.35	3	Horizontal	156	2.58	-
6685MHz	Pass	AV	6.689G	98.75	Inf	-Inf	3	Vertical	43	2.96	-
6685MHz	Pass	AV	7.181G	52.58	68.20	-15.62	3	Vertical	43	2.96	-
6685MHz	Pass	PK	6.691G	108.58	Inf	-Inf	3	Vertical	43	2.96	-
6685MHz	Pass	PK	7.147G	64.67	88.20	-23.53	3	Vertical	43	2.96	-
6685MHz	Pass	AV	6.683G	91.36	Inf	-Inf	3	Horizontal	332	2.55	-
6685MHz	Pass	AV	7.169G	52.63	68.20	-15.57	3	Horizontal	332	2.55	-
6685MHz	Pass	PK	6.685G	103.60	Inf	-Inf	3	Horizontal	332	2.55	-
6685MHz	Pass	PK	7.177G	65.99	88.20	-22.21	3	Horizontal	332	2.55	-
6685MHz	Pass	AV	13.37996G	44.66	54.00	-9.34	3	Vertical	158	1.50	-
6685MHz	Pass	PK	13.3748G	57.98	74.00	-16.02	3	Vertical	158	1.50	-
6685MHz	Pass	AV	13.36814G	44.74	54.00	-9.26	3	Horizontal	174	1.44	-
6685MHz	Pass	PK	13.3712G	58.64	74.00	-15.36	3	Horizontal	174	1.44	-
6845MHz	Pass	AV	6.8492G	99.98	Inf	-Inf	3	Vertical	7	2.51	-
6845MHz	Pass	AV	7.1908G	52.70	68.20	-15.50	3	Vertical	7	2.51	-
6845MHz	Pass	PK	6.8506G	110.98	Inf	-Inf	3	Vertical	7	2.51	-
6845MHz	Pass	PK	7.1726G	65.40	88.20	-22.80	3	Vertical	7	2.51	-
6845MHz	Pass	AV	6.8436G	90.44	Inf	-Inf	3	Horizontal	44	2.27	-
6845MHz	Pass	AV	7.1908G	52.66	68.20	-15.54	3	Horizontal	44	2.27	-
6845MHz	Pass	PK	6.8422G	102.49	Inf	-Inf	3	Horizontal	44	2.27	-
6845MHz	Pass	PK	7.1712G	64.61	88.20	-23.59	3	Horizontal	44	2.27	-
6845MHz	Pass	AV	13.6957G	49.20	68.20	-19.00	3	Vertical	220	1.07	-
6845MHz	Pass	PK	13.70482G	63.06	88.20	-25.14	3	Vertical	220	1.07	-
6845MHz	Pass	AV	13.70158G	49.12	68.20	-19.08	3	Horizontal	289	1.50	-
6845MHz	Pass	PK	13.69396G	62.98	88.20	-25.22	3	Horizontal	289	1.50	-
6885MHz Straddle 6.525-6.875GHz	Pass	AV	6.8766G	101.39	Inf	-Inf	3	Vertical	84	2.37	-
6885MHz Straddle 6.525-6.875GHz	Pass	AV	7.1972G	52.72	68.20	-15.48	3	Vertical	84	2.37	-
6885MHz Straddle 6.525-6.875GHz	Pass	PK	6.878G	113.58	Inf	-Inf	3	Vertical	84	2.37	-
6885MHz Straddle 6.525-6.875GHz	Pass	PK	7.186G	65.19	88.20	-23.01	3	Vertical	84	2.37	-
6885MHz Straddle 6.525-6.875GHz	Pass	AV	6.8836G	92.18	Inf	-Inf	3	Horizontal	45	2.38	-
6885MHz Straddle 6.525-6.875GHz	Pass	AV	7.2196G	52.71	68.20	-15.49	3	Horizontal	45	2.38	-
6885MHz Straddle 6.525-6.875GHz	Pass	PK	6.8822G	103.16	Inf	-Inf	3	Horizontal	45	2.38	-
6885MHz Straddle 6.525-6.875GHz	Pass	PK	7.2308G	65.80	88.20	-22.40	3	Horizontal	45	2.38	-
6885MHz Straddle 6.525-6.875GHz	Pass	AV	13.78362G	49.59	68.20	-18.61	3	Vertical	179	2.24	-
6885MHz Straddle 6.525-6.875GHz	Pass	PK	13.76724G	63.62	88.20	-24.58	3	Vertical	179	2.24	-
6885MHz Straddle 6.525-6.875GHz	Pass	AV	13.77822G	49.54	68.20	-18.66	3	Horizontal	113	1.50	-
6885MHz Straddle 6.525-6.875GHz	Pass	PK	13.77258G	63.12	88.20	-25.08	3	Horizontal	113	1.50	-
6925MHz	Pass	AV	6.9238G	98.35	Inf	-Inf	3	Vertical	57	3.00	-
6925MHz	Pass	AV	7.2238G	52.87	68.20	-15.33	3	Vertical	57	3.00	-
6925MHz	Pass	PK	6.9262G	109.45	Inf	-Inf	3	Vertical	57	3.00	-
6925MHz	Pass	PK	7.1482G	65.18	88.20	-23.02	3	Vertical	57	3.00	-
6925MHz	Pass	AV	6.9238G	90.20	Inf	-Inf	3	Horizontal	44	2.26	-
6925MHz	Pass	AV	7.1926G	52.77	68.20	-15.43	3	Horizontal	44	2.26	-
6925MHz	Pass	PK	6.9238G	102.45	Inf	-Inf	3	Horizontal	44	2.26	-
6925MHz	Pass	PK	7.2154G	65.15	88.20	-23.05	3	Horizontal	44	2.26	-
6925MHz	Pass	AV	13.86056G	50.55	68.20	-17.65	3	Vertical	60	1.00	-
6925MHz	Pass	PK	13.85642G	64.01	88.20	-24.19	3	Vertical	60	1.00	-
6925MHz	Pass	AV	13.84706G	50.55	68.20	-17.65	3	Horizontal	283	1.44	-
6925MHz	Pass	PK	13.83716G	63.66	88.20	-24.54	3	Horizontal	283	1.44	-



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
7005MHz	Pass	AV	6.9978G	100.31	Inf	-Inf	3	Vertical	83	2.25	-
7005MHz	Pass	AV	7.1454G	52.54	68.20	-15.66	3	Vertical	83	2.25	-
7005MHz	Pass	PK	6.9972G	112.87	Inf	-Inf	3	Vertical	83	2.25	-
7005MHz	Pass	PK	7.1454G	64.82	88.20	-23.38	3	Vertical	83	2.25	-
7005MHz	Pass	AV	7.0038G	90.84	Inf	-Inf	3	Horizontal	45	2.33	-
7005MHz	Pass	AV	7.149G	52.55	68.20	-15.65	3	Horizontal	45	2.33	-
7005MHz	Pass	PK	7.0038G	103.38	Inf	-Inf	3	Horizontal	45	2.33	-
7005MHz	Pass	PK	7.131G	65.45	88.20	-22.75	3	Horizontal	45	2.33	-
7005MHz	Pass	AV	14.00406G	50.64	68.20	-17.56	3	Vertical	294	1.49	-
7005MHz	Pass	PK	14.01978G	63.90	88.20	-24.30	3	Vertical	294	1.49	-
7005MHz	Pass	AV	14.00124G	50.65	68.20	-17.55	3	Horizontal	153	3.00	-
7005MHz	Pass	PK	14.01G	64.57	88.20	-23.63	3	Horizontal	153	3.00	-
7085MHz	Pass	AV	7.0862G	100.72	Inf	-Inf	3	Vertical	23	2.98	-
7085MHz	Pass	AV	7.1264G	52.97	68.20	-15.23	3	Vertical	23	2.98	-
7085MHz	Pass	PK	7.0862G	111.90	Inf	-Inf	3	Vertical	23	2.98	-
7085MHz	Pass	PK	7.1966G	65.26	88.20	-22.94	3	Vertical	23	2.98	-
7085MHz	Pass	AV	7.0868G	91.00	Inf	-Inf	3	Horizontal	61	2.93	-
7085MHz	Pass	AV	7.2212G	52.84	68.20	-15.36	3	Horizontal	61	2.93	-
7085MHz	Pass	PK	7.088G	103.46	Inf	-Inf	3	Horizontal	61	2.93	-
7085MHz	Pass	PK	7.1528G	66.27	88.20	-21.93	3	Horizontal	61	2.93	-
7085MHz	Pass	AV	14.16286G	50.20	68.20	-18.00	3	Vertical	258	1.50	-
7085MHz	Pass	PK	14.1556G	63.64	88.20	-24.56	3	Vertical	258	1.50	-
7085MHz	Pass	AV	14.16802G	50.21	68.20	-17.99	3	Horizontal	317	1.00	-
7085MHz	Pass	PK	14.155G	63.34	88.20	-24.86	3	Horizontal	317	1.00	-
802.11ax HEW80_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-	-
5985MHz	Pass	AV	5.915G	52.03	68.20	-16.17	3	Vertical	53	2.92	-
5985MHz	Pass	AV	5.996G	101.30	Inf	-Inf	3	Vertical	53	2.92	-
5985MHz	Pass	PK	5.917G	65.69	88.20	-22.51	3	Vertical	53	2.92	-
5985MHz	Pass	PK	5.997G	113.14	Inf	-Inf	3	Vertical	53	2.92	-
5985MHz	Pass	AV	5.91G	47.93	68.20	-20.27	3	Horizontal	51	1.00	-
5985MHz	Pass	AV	5.99G	89.23	Inf	-Inf	3	Horizontal	51	1.00	-
5985MHz	Pass	PK	5.855G	60.27	88.20	-27.93	3	Horizontal	51	1.00	-
5985MHz	Pass	PK	5.991G	100.21	Inf	-Inf	3	Horizontal	51	1.00	-
5985MHz	Pass	AV	11.98038G	42.67	54.00	-11.33	3	Vertical	172	1.50	-
5985MHz	Pass	PK	11.95644G	56.58	74.00	-17.42	3	Vertical	172	1.50	-
5985MHz	Pass	AV	11.98428G	42.68	54.00	-11.32	3	Horizontal	6	1.05	-
5985MHz	Pass	PK	11.96304G	56.47	74.00	-17.53	3	Horizontal	6	1.05	-
6145MHz	Pass	AV	5.9014G	47.54	68.20	-20.66	3	Vertical	42	2.50	-
6145MHz	Pass	AV	6.1486G	100.01	Inf	-Inf	3	Vertical	42	2.50	-
6145MHz	Pass	PK	5.8762G	60.23	88.20	-27.97	3	Vertical	42	2.50	-
6145MHz	Pass	PK	6.1486G	111.24	Inf	-Inf	3	Vertical	42	2.50	-
6145MHz	Pass	AV	5.9002G	47.47	68.20	-20.73	3	Horizontal	55	1.20	-
6145MHz	Pass	AV	6.151G	90.53	Inf	-Inf	3	Horizontal	55	1.20	-
6145MHz	Pass	PK	5.9026G	59.79	88.20	-28.41	3	Horizontal	55	1.20	-
6145MHz	Pass	PK	6.151G	102.06	Inf	-Inf	3	Horizontal	55	1.20	-
6145MHz	Pass	AV	12.28646G	42.83	54.00	-11.17	3	Vertical	169	2.68	-
6145MHz	Pass	PK	12.29642G	56.43	74.00	-17.57	3	Vertical	169	2.68	-
6145MHz	Pass	AV	12.29024G	42.82	54.00	-11.18	3	Horizontal	193	1.50	-
6145MHz	Pass	PK	12.2837G	56.37	74.00	-17.63	3	Horizontal	193	1.50	-
6385MHz	Pass	AV	5.9242G	47.51	68.20	-20.69	3	Vertical	56	2.96	-
6385MHz	Pass	AV	6.3754G	100.16	Inf	-Inf	3	Vertical	56	2.96	-
6385MHz	Pass	PK	5.9026G	59.72	88.20	-28.48	3	Vertical	56	2.96	-
6385MHz	Pass	PK	6.397G	111.13	Inf	-Inf	3	Vertical	56	2.96	-
6385MHz	Pass	AV	5.9146G	47.48	68.20	-20.72	3	Horizontal	55	2.23	-
6385MHz	Pass	AV	6.3922G	91.00	Inf	-Inf	3	Horizontal	55	2.23	-
6385MHz	Pass	PK	5.9074G	59.83	88.20	-28.37	3	Horizontal	55	2.23	-
6385MHz	Pass	PK	6.3898G	102.10	Inf	-Inf	3	Horizontal	55	2.23	-
6385MHz	Pass	AV	12.78344G	43.14	68.20	-25.06	3	Vertical	196	2.44	-
6385MHz	Pass	PK	12.77654G	56.49	88.20	-31.71	3	Vertical	196	2.44	-
6385MHz	Pass	AV	12.7829G	43.14	68.20	-25.06	3	Horizontal	135	2.08	-
6385MHz	Pass	PK	12.76466G	56.52	88.20	-31.68	3	Horizontal	135	2.08	-
6465MHz	Pass	AV	5.9106G	47.49	68.20	-20.71	3	Vertical	68	2.24	-



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
6465MHz	Pass	AV	6.4706G	99.22	Inf	-Inf	3	Vertical	68	2.24	-
6465MHz	Pass	AV	7.165G	53.34	68.20	-14.86	3	Vertical	68	2.24	-
6465MHz	Pass	PK	5.8266G	60.03	88.20	-28.17	3	Vertical	68	2.24	-
6465MHz	Pass	PK	6.4734G	112.20	Inf	-Inf	3	Vertical	68	2.24	-
6465MHz	Pass	PK	7.151G	64.84	88.20	-23.36	3	Vertical	68	2.24	-
6465MHz	Pass	AV	5.9134G	47.44	68.20	-20.76	3	Horizontal	54	2.19	-
6465MHz	Pass	AV	6.4706G	91.46	Inf	-Inf	3	Horizontal	54	2.19	-
6465MHz	Pass	AV	7.1594G	53.23	68.20	-14.97	3	Horizontal	54	2.19	-
6465MHz	Pass	PK	5.8658G	59.20	88.20	-29.00	3	Horizontal	54	2.19	-
6465MHz	Pass	PK	6.4706G	101.98	Inf	-Inf	3	Horizontal	54	2.19	-
6465MHz	Pass	PK	7.1454G	65.18	88.20	-23.02	3	Horizontal	54	2.19	-
6465MHz	Pass	AV	12.94356G	43.40	68.20	-24.80	3	Vertical	336	2.16	-
6465MHz	Pass	PK	12.94002G	57.59	88.20	-30.61	3	Vertical	336	2.16	-
6465MHz	Pass	AV	12.94176G	43.46	68.20	-24.74	3	Horizontal	255	1.68	-
6465MHz	Pass	PK	12.9354G	56.82	88.20	-31.38	3	Horizontal	255	1.68	-
6545MHz	Pass	AV	5.9122G	47.45	68.20	-20.75	3	Vertical	67	2.43	-
6545MHz	Pass	AV	6.5506G	100.38	Inf	-Inf	3	Vertical	67	2.43	-
6545MHz	Pass	AV	7.2002G	53.54	68.20	-14.66	3	Vertical	67	2.43	-
6545MHz	Pass	PK	5.901G	58.74	88.20	-29.46	3	Vertical	67	2.43	-
6545MHz	Pass	PK	6.5506G	111.67	Inf	-Inf	3	Vertical	67	2.43	-
6545MHz	Pass	PK	7.175G	65.42	88.20	-22.78	3	Vertical	67	2.43	-
6545MHz	Pass	AV	5.8814G	47.50	68.20	-20.70	3	Horizontal	54	2.22	-
6545MHz	Pass	AV	6.5506G	92.75	Inf	-Inf	3	Horizontal	54	2.22	-
6545MHz	Pass	AV	7.2086G	53.64	68.20	-14.56	3	Horizontal	54	2.22	-
6545MHz	Pass	PK	5.8618G	59.44	88.20	-28.76	3	Horizontal	54	2.22	-
6545MHz	Pass	PK	6.573G	103.19	Inf	-Inf	3	Horizontal	54	2.22	-
6545MHz	Pass	PK	7.2198G	65.70	88.20	-22.50	3	Horizontal	54	2.22	-
6545MHz	Pass	AV	13.09942G	43.85	68.20	-24.35	3	Vertical	83	1.94	-
6545MHz	Pass	PK	13.10152G	57.26	88.20	-30.94	3	Vertical	83	1.94	-
6545MHz	Pass	AV	13.1011G	43.82	68.20	-24.38	3	Horizontal	322	1.49	-
6545MHz	Pass	PK	13.10092G	57.65	88.20	-30.55	3	Horizontal	322	1.49	-
6625MHz	Pass	AV	6.625G	99.98	Inf	-Inf	3	Vertical	23	2.38	-
6625MHz	Pass	AV	7.201G	53.53	68.20	-14.67	3	Vertical	23	2.38	-
6625MHz	Pass	PK	6.6274G	111.84	Inf	-Inf	3	Vertical	23	2.38	-
6625MHz	Pass	PK	7.177G	65.46	88.20	-22.74	3	Vertical	23	2.38	-
6625MHz	Pass	AV	6.6298G	91.99	Inf	-Inf	3	Horizontal	55	2.36	-
6625MHz	Pass	AV	7.2082G	53.55	68.20	-14.65	3	Horizontal	55	2.36	-
6625MHz	Pass	PK	6.613G	102.73	Inf	-Inf	3	Horizontal	55	2.36	-
6625MHz	Pass	PK	7.1578G	65.00	88.20	-23.20	3	Horizontal	55	2.36	-
6625MHz	Pass	AV	13.26458G	44.08	54.00	-9.92	3	Vertical	308	1.55	-
6625MHz	Pass	PK	13.23992G	57.30	88.20	-30.90	3	Vertical	308	1.55	-
6625MHz	Pass	AV	13.2623G	44.04	54.00	-9.96	3	Horizontal	96	1.70	-
6625MHz	Pass	PK	13.24148G	57.85	88.20	-30.35	3	Horizontal	96	1.70	-
6705MHz	Pass	AV	6.711G	100.29	Inf	-Inf	3	Vertical	69	2.92	-
6705MHz	Pass	AV	7.191G	53.61	68.20	-14.59	3	Vertical	69	2.92	-
6705MHz	Pass	PK	6.713G	111.40	Inf	-Inf	3	Vertical	69	2.92	-
6705MHz	Pass	PK	7.195G	65.51	88.20	-22.69	3	Vertical	69	2.92	-
6705MHz	Pass	AV	6.711G	92.19	Inf	-Inf	3	Horizontal	56	2.57	-
6705MHz	Pass	AV	7.201G	53.47	68.20	-14.73	3	Horizontal	56	2.57	-
6705MHz	Pass	PK	6.711G	103.38	Inf	-Inf	3	Horizontal	56	2.57	-
6705MHz	Pass	PK	7.163G	65.71	88.20	-22.49	3	Horizontal	56	2.57	-
6705MHz	Pass	AV	13.40016G	44.63	68.20	-23.57	3	Vertical	187	1.47	-
6705MHz	Pass	PK	13.4016G	58.44	88.20	-29.76	3	Vertical	187	1.47	-
6705MHz	Pass	AV	13.40082G	44.74	68.20	-23.46	3	Horizontal	228	1.18	-
6705MHz	Pass	PK	13.40526G	57.93	88.20	-30.27	3	Horizontal	228	1.18	-
6785MHz	Pass	AV	6.7834G	101.07	Inf	-Inf	3	Vertical	57	3.00	-
6785MHz	Pass	AV	7.1834G	53.44	68.20	-14.76	3	Vertical	57	3.00	-
6785MHz	Pass	PK	6.785G	112.89	Inf	-Inf	3	Vertical	57	3.00	-
6785MHz	Pass	PK	7.1706G	66.04	88.20	-22.16	3	Vertical	57	3.00	-
6785MHz	Pass	AV	6.7834G	92.51	Inf	-Inf	3	Horizontal	49	2.19	-
6785MHz	Pass	AV	7.1818G	53.34	68.20	-14.86	3	Horizontal	49	2.19	-
6785MHz	Pass	PK	6.8026G	104.17	Inf	-Inf	3	Horizontal	49	2.19	-



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
6785MHz	Pass	PK	7.137G	65.22	88.20	-22.98	3	Horizontal	49	2.19	-
6785MHz	Pass	AV	13.5844G	44.76	68.20	-23.44	3	Vertical	53	2.48	-
6785MHz	Pass	PK	13.5817G	58.29	88.20	-29.91	3	Vertical	53	2.48	-
6785MHz	Pass	AV	13.5793G	44.78	68.20	-23.42	3	Horizontal	160	2.12	-
6785MHz	Pass	PK	13.57006G	58.41	88.20	-29.79	3	Horizontal	160	2.12	-
6865MHz Straddle 6.525-6.875GHz	Pass	AV	6.8698G	101.53	Inf	-Inf	3	Vertical	9	2.41	-
6865MHz Straddle 6.525-6.875GHz	Pass	AV	7.1578G	53.31	68.20	-14.89	3	Vertical	9	2.41	-
6865MHz Straddle 6.525-6.875GHz	Pass	PK	6.8698G	113.34	Inf	-Inf	3	Vertical	9	2.41	-
6865MHz Straddle 6.525-6.875GHz	Pass	PK	7.1338G	65.81	88.20	-22.39	3	Vertical	9	2.41	-
6865MHz Straddle 6.525-6.875GHz	Pass	AV	6.8626G	92.18	Inf	-Inf	3	Horizontal	49	2.24	-
6865MHz Straddle 6.525-6.875GHz	Pass	AV	7.1566G	53.25	68.20	-14.95	3	Horizontal	49	2.24	-
6865MHz Straddle 6.525-6.875GHz	Pass	PK	6.8626G	104.44	Inf	-Inf	3	Horizontal	49	2.24	-
6865MHz Straddle 6.525-6.875GHz	Pass	PK	7.1638G	65.47	88.20	-22.73	3	Horizontal	49	2.24	-
6865MHz Straddle 6.525-6.875GHz	Pass	AV	13.74344G	49.26	68.20	-18.94	3	Vertical	128	1.08	-
6865MHz Straddle 6.525-6.875GHz	Pass	PK	13.72856G	62.81	88.20	-25.39	3	Vertical	128	1.08	-
6865MHz Straddle 6.525-6.875GHz	Pass	AV	13.74212G	49.24	68.20	-18.96	3	Horizontal	278	1.51	-
6865MHz Straddle 6.525-6.875GHz	Pass	PK	13.72778G	62.18	88.20	-26.02	3	Horizontal	278	1.51	-
6945MHz	Pass	AV	6.957G	100.37	Inf	-Inf	3	Vertical	87	3.00	-
6945MHz	Pass	AV	7.2102G	53.57	68.20	-14.63	3	Vertical	87	3.00	-
6945MHz	Pass	PK	6.9366G	112.56	Inf	-Inf	3	Vertical	87	3.00	-
6945MHz	Pass	PK	7.245G	66.09	88.20	-22.11	3	Vertical	87	3.00	-
6945MHz	Pass	AV	6.9438G	91.59	Inf	-Inf	3	Horizontal	51	2.36	-
6945MHz	Pass	AV	7.2318G	53.65	68.20	-14.55	3	Horizontal	51	2.36	-
6945MHz	Pass	PK	6.9654G	102.70	Inf	-Inf	3	Horizontal	51	2.36	-
6945MHz	Pass	PK	7.1598G	66.13	88.20	-22.07	3	Horizontal	51	2.36	-
6945MHz	Pass	AV	13.90266G	50.44	68.20	-17.76	3	Vertical	201	1.54	-
6945MHz	Pass	PK	13.88694G	64.20	88.20	-24.00	3	Vertical	201	1.54	-
6945MHz	Pass	AV	13.88856G	50.48	68.20	-17.72	3	Horizontal	290	1.56	-
6945MHz	Pass	PK	13.8774G	64.09	88.20	-24.11	3	Horizontal	290	1.56	-
7025MHz	Pass	AV	7.017G	102.92	Inf	-Inf	3	Vertical	85	2.18	-
7025MHz	Pass	AV	7.1386G	53.84	68.20	-14.36	3	Vertical	85	2.18	-
7025MHz	Pass	PK	7.0378G	115.42	Inf	-Inf	3	Vertical	85	2.18	-
7025MHz	Pass	PK	7.1786G	65.92	88.20	-22.28	3	Vertical	85	2.18	-
7025MHz	Pass	AV	7.0226G	92.93	Inf	-Inf	3	Horizontal	50	2.43	-
7025MHz	Pass	AV	7.2018G	53.64	68.20	-14.56	3	Horizontal	50	2.43	-
7025MHz	Pass	PK	7.0226G	105.36	Inf	-Inf	3	Horizontal	50	2.43	-
7025MHz	Pass	PK	7.1994G	66.64	88.20	-21.56	3	Horizontal	50	2.43	-
7025MHz	Pass	AV	14.03644G	50.36	68.20	-17.84	3	Vertical	144	2.30	-
7025MHz	Pass	PK	14.04382G	63.64	88.20	-24.56	3	Vertical	144	2.30	-
7025MHz	Pass	AV	14.035G	50.39	68.20	-17.81	3	Horizontal	51	2.19	-
7025MHz	Pass	PK	14.04484G	63.65	88.20	-24.55	3	Horizontal	51	2.19	-
802.11ax HEW160_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-	-
6025MHz	Pass	AV	5.915G	55.63	68.20	-12.57	3	Vertical	47	2.88	-
6025MHz	Pass	AV	6.036G	100.82	Inf	-Inf	3	Vertical	47	2.88	-
6025MHz	Pass	PK	5.915G	67.70	88.20	-20.50	3	Vertical	47	2.88	-
6025MHz	Pass	PK	6.035G	112.15	Inf	-Inf	3	Vertical	47	2.88	-
6025MHz	Pass	AV	5.923G	48.42	68.20	-19.78	3	Horizontal	46	2.42	-
6025MHz	Pass	AV	6.011G	88.86	Inf	-Inf	3	Horizontal	46	2.42	-
6025MHz	Pass	PK	5.923G	60.09	88.20	-28.11	3	Horizontal	46	2.42	-
6025MHz	Pass	PK	6.011G	100.51	Inf	-Inf	3	Horizontal	46	2.42	-
6025MHz	Pass	AV	12.0852G	34.80	54.00	-19.20	3	Vertical	175	1.76	-
6025MHz	Pass	PK	12.0852G	47.15	74.00	-26.85	3	Vertical	175	1.76	-
6025MHz	Pass	AV	12.0804G	34.87	54.00	-19.13	3	Horizontal	269	2.20	-
6025MHz	Pass	PK	12.06792G	47.77	74.00	-26.23	3	Horizontal	269	2.20	-
6185MHz	Pass	AV	5.9194G	47.60	68.20	-20.60	3	Vertical	40	2.32	-
6185MHz	Pass	AV	6.1898G	99.08	Inf	-Inf	3	Vertical	40	2.32	-
6185MHz	Pass	PK	5.9034G	60.07	88.20	-28.13	3	Vertical	40	2.32	-
6185MHz	Pass	PK	6.169G	111.70	Inf	-Inf	3	Vertical	40	2.32	-
6185MHz	Pass	AV	5.913G	47.43	68.20	-20.77	3	Horizontal	50	2.25	-
6185MHz	Pass	AV	6.1914G	90.44	Inf	-Inf	3	Horizontal	50	2.25	-
6185MHz	Pass	PK	5.9146G	59.83	88.20	-28.37	3	Horizontal	50	2.25	-
6185MHz	Pass	PK	6.1914G	102.27	Inf	-Inf	3	Horizontal	50	2.25	-




Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
6185MHz	Pass	AV	12.32424G	35.41	54.00	-18.59	3	Vertical	171	2.27	-
6185MHz	Pass	PK	12.29864G	47.80	74.00	-26.20	3	Vertical	171	2.27	-
6185MHz	Pass	AV	12.32072G	35.43	54.00	-18.57	3	Horizontal	197	2.26	-
6185MHz	Pass	PK	12.29064G	47.96	74.00	-26.04	3	Horizontal	197	2.26	-
6345MHz	Pass	AV	5.8746G	47.40	68.20	-20.80	3	Vertical	61	2.25	-
6345MHz	Pass	AV	6.3714G	100.11	Inf	-Inf	3	Vertical	61	2.25	-
6345MHz	Pass	PK	5.8458G	60.06	88.20	-28.14	3	Vertical	61	2.25	-
6345MHz	Pass	PK	6.333G	111.74	Inf	-Inf	3	Vertical	61	2.25	-
6345MHz	Pass	AV	5.8794G	47.44	68.20	-20.76	3	Horizontal	53	1.00	-
6345MHz	Pass	AV	6.3714G	90.06	Inf	-Inf	3	Horizontal	53	1.00	-
6345MHz	Pass	PK	5.8914G	59.32	88.20	-28.88	3	Horizontal	53	1.00	-
6345MHz	Pass	PK	6.4122G	100.96	Inf	-Inf	3	Horizontal	53	1.00	-
6345MHz	Pass	AV	12.76936G	36.41	68.20	-31.79	3	Vertical	178	1.67	-
6345MHz	Pass	PK	12.77G	48.56	88.20	-39.64	3	Vertical	178	1.67	-
6345MHz	Pass	AV	12.76392G	36.34	68.20	-31.86	3	Horizontal	316	2.01	-
6345MHz	Pass	PK	12.71144G	48.81	88.20	-39.39	3	Horizontal	316	2.01	-
6505MHz	Pass	AV	5.9114G	47.46	68.20	-20.74	3	Vertical	64	2.26	-
6505MHz	Pass	AV	6.533G	100.27	Inf	-Inf	3	Vertical	64	2.26	-
6505MHz	Pass	AV	7.191G	53.46	68.20	-14.74	3	Vertical	64	2.26	-
6505MHz	Pass	PK	5.8834G	59.12	88.20	-29.08	3	Vertical	64	2.26	-
6505MHz	Pass	PK	6.5302G	110.56	Inf	-Inf	3	Vertical	64	2.26	-
6505MHz	Pass	PK	7.191G	66.24	88.20	-21.96	3	Vertical	64	2.26	-
6505MHz	Pass	AV	5.8806G	47.42	68.20	-20.78	3	Horizontal	50	2.35	-
6505MHz	Pass	AV	6.5302G	92.69	Inf	-Inf	3	Horizontal	50	2.35	-
6505MHz	Pass	AV	7.2022G	53.42	68.20	-14.78	3	Horizontal	50	2.35	-
6505MHz	Pass	PK	5.8778G	59.22	88.20	-28.98	3	Horizontal	50	2.35	-
6505MHz	Pass	PK	6.533G	103.36	Inf	-Inf	3	Horizontal	50	2.35	-
6505MHz	Pass	PK	7.149G	64.99	88.20	-23.21	3	Horizontal	50	2.35	-
6505MHz	Pass	AV	12.9828G	37.18	68.20	-31.02	3	Vertical	301	1.79	-
6505MHz	Pass	PK	13.00552G	49.67	88.20	-38.53	3	Vertical	301	1.79	-
6505MHz	Pass	AV	13.01384G	37.20	68.20	-31.00	3	Horizontal	89	1.34	-
6505MHz	Pass	PK	13.00008G	50.20	88.20	-38.00	3	Horizontal	89	1.34	-
6665MHz	Pass	AV	6.687G	100.93	Inf	-Inf	3	Vertical	19	2.34	-
6665MHz	Pass	AV	7.1996G	53.45	68.20	-14.75	3	Vertical	19	2.34	-
6665MHz	Pass	PK	6.6848G	111.62	Inf	-Inf	3	Vertical	19	2.34	-
6665MHz	Pass	PK	7.1468G	65.43	88.20	-22.77	3	Vertical	19	2.34	-
6665MHz	Pass	AV	6.6826G	92.35	Inf	-Inf	3	Horizontal	330	2.54	-
6665MHz	Pass	AV	7.1996G	53.40	68.20	-14.80	3	Horizontal	330	2.54	-
6665MHz	Pass	PK	6.643G	103.99	Inf	-Inf	3	Horizontal	330	2.54	-
6665MHz	Pass	PK	7.1424G	64.91	88.20	-23.29	3	Horizontal	330	2.54	-
6665MHz	Pass	AV	13.38472G	39.12	54.00	-14.88	3	Vertical	327	1.62	-
6665MHz	Pass	PK	13.39176G	51.95	74.00	-22.05	3	Vertical	327	1.62	-
6665MHz	Pass	AV	13.37512G	39.16	54.00	-14.84	3	Horizontal	48	1.51	-
6665MHz	Pass	PK	13.37992G	52.70	74.00	-21.30	3	Horizontal	48	1.51	-
6825MHz Straddle 6.525-6.875GHz	Pass	AV	6.7898G	101.29	Inf	-Inf	3	Vertical	4	2.29	-
6825MHz Straddle 6.525-6.875GHz	Pass	AV	7.201G	53.61	68.20	-14.59	3	Vertical	4	2.29	-
6825MHz Straddle 6.525-6.875GHz	Pass	PK	6.7882G	112.98	Inf	-Inf	3	Vertical	4	2.29	-
6825MHz Straddle 6.525-6.875GHz	Pass	PK	7.1802G	66.02	88.20	-22.18	3	Vertical	4	2.29	-
6825MHz Straddle 6.525-6.875GHz	Pass	AV	6.7898G	90.03	Inf	-Inf	3	Horizontal	54	2.29	-
6825MHz Straddle 6.525-6.875GHz	Pass	AV	7.209G	53.45	68.20	-14.75	3	Horizontal	54	2.29	-
6825MHz Straddle 6.525-6.875GHz	Pass	PK	6.8714G	101.89	Inf	-Inf	3	Horizontal	54	2.29	-
6825MHz Straddle 6.525-6.875GHz	Pass	PK	7.1818G	65.28	88.20	-22.92	3	Horizontal	54	2.29	-
6825MHz Straddle 6.525-6.875GHz	Pass	AV	13.72872G	47.81	68.20	-20.39	3	Vertical	0	2.14	-
6825MHz Straddle 6.525-6.875GHz	Pass	PK	13.71432G	61.03	88.20	-27.17	3	Vertical	0	2.14	-
6825MHz Straddle 6.525-6.875GHz	Pass	AV	13.72872G	47.90	68.20	-20.30	3	Horizontal	345	2.65	-
6825MHz Straddle 6.525-6.875GHz	Pass	PK	13.69512G	61.04	88.20	-27.16	3	Horizontal	345	2.65	-
6985MHz	Pass	AV	7.017G	101.22	Inf	-Inf	3	Vertical	83	2.48	-
6985MHz	Pass	AV	7.137G	55.73	68.20	-12.47	3	Vertical	83	2.48	-
6985MHz	Pass	PK	6.957G	114.01	Inf	-Inf	3	Vertical	83	2.48	-
6985MHz	Pass	PK	7.156G	67.53	88.20	-20.67	3	Vertical	83	2.48	-
6985MHz	Pass	AV	6.963G	91.34	Inf	-Inf	3	Horizontal	43	2.11	-
6985MHz	Pass	AV	7.191G	53.66	68.20	-14.54	3	Horizontal	43	2.11	-



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
6985MHz	Pass	PK	6.962G	103.84	Inf	-Inf	3	Horizontal	43	2.11	-
6985MHz	Pass	PK	7.235G	66.27	88.20	-21.93	3	Horizontal	43	2.11	-
6985MHz	Pass	AV	13.94888G	49.75	68.20	-18.45	3	Vertical	242	1.50	-
6985MHz	Pass	PK	13.92296G	62.60	88.20	-25.60	3	Vertical	242	1.50	-
6985MHz	Pass	AV	13.95016G	49.78	68.20	-18.42	3	Horizontal	319	1.50	-
6985MHz	Pass	PK	13.94248G	63.37	88.20	-24.83	3	Horizontal	319	1.50	-

### 802.11a\_Nss1,(6Mbps)\_4TX


### 5955MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.904G	46.14	68.20	-22.06	7.80	3	Vertical	51	2.59	-	38.34	32.50	9.60	34.30
AV	5.9604G	97.99	Inf	-Inf	7.84	3	Vertical	51	2.59	-	90.15	32.50	9.65	34.31
PK	5.904G	58.56	88.20	-29.64	7.80	3	Vertical	51	2.59	-	50.76	32.50	9.60	34.30
PK	5.961G	107.60	Inf	-Inf	7.84	3	Vertical	51	2.59	-	99.76	32.50	9.65	34.31

### 802.11a\_Nss1,(6Mbps)\_4TX

### 5955MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8794G	46.19	68.20	-22.01	7.70	3	Horizontal	49	2.34	-	38.49	32.42	9.58	34.30
AV	5.9478G	87.95	Inf	-Inf	7.84	3	Horizontal	49	2.34	-	80.11	32.50	9.64	34.30
PK	5.9142G	58.42	88.20	-29.78	7.81	3	Horizontal	49	2.34	-	50.61	32.50	9.61	34.30
PK	5.9478G	97.24	Inf	-Inf	7.84	3	Horizontal	49	2.34	-	89.40	32.50	9.64	34.30



### 802.11a\_Nss1,(6Mbps)\_4TX


### 5955MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.91176G	41.69	54.00	-12.31	17.37	3	Vertical	20	1.50	-	24.32	38.72	13.01	34.36
PK	11.90396G	54.65	74.00	-19.35	17.37	3	Vertical	20	1.50	-	37.28	38.71	13.01	34.35

### 802.11a\_Nss1,(6Mbps)\_4TX


### 5955MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.91028G	41.65	54.00	-12.35	17.37	3	Horizontal	142	1.00	-	24.28	38.72	13.01	34.36
PK	11.91132G	54.92	74.00	-19.08	17.37	3	Horizontal	142	1.00	-	37.55	38.72	13.01	34.36

### 802.11a\_Nss1,(6Mbps)\_4TX


### 6175MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.855G	45.87	68.20	-22.33	7.58	3	Vertical	63	2.34	-	38.29	32.32	9.56	34.30
AV	6.167G	96.96	Inf	-Inf	8.19	3	Vertical	63	2.34	-	88.77	32.70	9.81	34.32
PK	5.839G	58.15	88.20	-30.05	7.52	3	Vertical	63	2.34	-	50.63	32.26	9.55	34.29
PK	6.1686G	106.26	Inf	-Inf	8.20	3	Vertical	63	2.34	-	98.06	32.71	9.81	34.32

802.11a\_Nss1,(6Mbps)\_4TX


6175MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8982G	46.27	68.20	-21.93	7.79	3	Horizontal	51	2.29	-	38.48	32.49	9.60	34.30
AV	6.167G	88.99	Inf	-Inf	8.19	3	Horizontal	51	2.29	-	80.80	32.70	9.81	34.32
PK	5.8902G	57.96	88.20	-30.24	7.75	3	Horizontal	51	2.29	-	50.21	32.46	9.59	34.30
PK	6.1686G	97.84	Inf	-Inf	8.20	3	Horizontal	51	2.29	-	89.64	32.71	9.81	34.32

802.11a\_Nss1,(6Mbps)\_4TX


6175MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.35164G	42.38	54.00	-11.62	17.74	3	Vertical	145	2.09	-	24.64	38.69	13.27	34.22
PK	12.34748G	55.42	74.00	-18.58	17.75	3	Vertical	145	2.09	-	37.67	38.71	13.27	34.23

### 802.11a\_Nss1,(6Mbps)\_4TX


### 6175MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.3528G	42.46	54.00	-11.54	17.74	3	Horizontal	145	1.29	-	24.72	38.69	13.27	34.22
PK	12.35124G	55.51	74.00	-18.49	17.75	3	Horizontal	145	1.29	-	37.76	38.70	13.27	34.22

802.11a\_Nss1,(6Mbps)\_4TX


6415MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8678G	45.81	68.20	-22.39	7.64	3	Vertical	64	2.37	-	38.17	32.37	9.57	34.30
AV	6.4078G	98.32	Inf	-Inf	9.29	3	Vertical	64	2.37	-	89.03	33.53	10.10	34.34
PK	5.911G	57.77	88.20	-30.43	7.81	3	Vertical	64	2.37	-	49.96	32.50	9.61	34.30
PK	6.4078G	107.64	Inf	-Inf	9.29	3	Vertical	64	2.37	-	98.35	33.53	10.10	34.34

### 802.11a\_Nss1,(6Mbps)\_4TX

### 6415MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9038G	45.84	68.20	-22.36	7.80	3	Horizontal	53	2.31	-	38.04	32.50	9.60	34.30
AV	6.4078G	89.82	Inf	-Inf	9.29	3	Horizontal	53	2.31	-	80.53	33.53	10.10	34.34
PK	5.839G	57.43	88.20	-30.77	7.52	3	Horizontal	53	2.31	-	49.91	32.26	9.55	34.29
PK	6.4078G	98.98	Inf	-Inf	9.29	3	Horizontal	53	2.31	-	89.69	33.53	10.10	34.34



### 802.11a\_Nss1,(6Mbps)\_4TX


### 6415MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.83172G	42.88	68.20	-25.32	18.95	3	Vertical	174	2.06	-	23.93	38.90	13.58	33.53
PK	12.82384G	56.11	88.20	-32.09	18.93	3	Vertical	174	2.06	-	37.18	38.90	13.57	33.54

### 802.11a\_Nss1,(6Mbps)\_4TX


### 6415MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	12.82808G	56.43	88.20	-31.77	18.95	3	Horizontal	30	2.10	-	37.48	38.90	13.58	33.53
AV	12.82764G	42.93	68.20	-25.27	18.95	3	Horizontal	30	2.10	-	23.98	38.90	13.58	33.53

### 802.11a\_Nss1,(6Mbps)\_4TX


### 6435MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9046G	45.78	68.20	-22.42	7.80	3	Vertical	64	2.58	-	37.98	32.50	9.60	34.30
AV	6.4278G	98.75	Inf	-Inf	9.38	3	Vertical	64	2.58	-	89.37	33.61	10.11	34.34
PK	5.8542G	58.14	88.20	-30.06	7.58	3	Vertical	64	2.58	-	50.56	32.32	9.56	34.30
PK	6.4278G	107.51	Inf	-Inf	9.38	3	Vertical	64	2.58	-	98.13	33.61	10.11	34.34

### 802.11a\_Nss1,(6Mbps)\_4TX


### 6435MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8734G	45.83	68.20	-22.37	7.67	3	Horizontal	54	2.28	-	38.16	32.39	9.58	34.30
AV	6.4278G	89.84	Inf	-Inf	9.38	3	Horizontal	54	2.28	-	80.46	33.61	10.11	34.34
PK	5.8998G	57.87	88.20	-30.33	7.80	3	Horizontal	54	2.28	-	50.07	32.50	9.60	34.30
PK	6.4302G	99.05	Inf	-Inf	9.39	3	Horizontal	54	2.28	-	89.66	33.62	10.11	34.34

### 802.11a\_Nss1,(6Mbps)\_4TX


### 6435MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.8786G	42.72	68.20	-25.48	19.07	3	Vertical	216	1.53	-	23.65	38.90	13.61	33.44
PK	12.87192G	56.26	88.20	-31.94	19.05	3	Vertical	216	1.53	-	37.21	38.90	13.60	33.45

### 802.11a\_Nss1,(6Mbps)\_4TX


### 6435MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.87652G	42.72	68.20	-25.48	19.07	3	Horizontal	128	1.55	-	23.65	38.90	13.61	33.44
PK	12.87708G	55.78	88.20	-32.42	19.07	3	Horizontal	128	1.55	-	36.71	38.90	13.61	33.44

### 802.11a\_Nss1,(6Mbps)\_4TX


### 6475MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9178G	45.93	68.20	-22.27	7.81	3	Vertical	64	2.34	-	38.12	32.50	9.61	34.30
AV	6.4666G	99.38	Inf	-Inf	9.55	3	Vertical	64	2.34	-	89.83	33.77	10.13	34.35
AV	7.175G	50.49	68.20	-17.71	12.01	3	Vertical	64	2.34	-	38.48	36.05	10.51	34.55
PK	5.8842G	57.56	88.20	-30.64	7.73	3	Vertical	64	2.34	-	49.83	32.44	9.59	34.30
PK	6.4694G	108.49	Inf	-Inf	9.56	3	Vertical	64	2.34	-	98.93	33.78	10.13	34.35
PK	7.161G	61.79	88.20	-26.41	11.93	3	Vertical	64	2.34	-	49.86	35.97	10.51	34.55

### 802.11a\_Nss1,(6Mbps)\_4TX

### 6475MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8898G	45.84	68.20	-22.36	7.75	3	Horizontal	52	2.44	-	38.09	32.46	9.59	34.30
AV	6.4666G	91.33	Inf	-Inf	9.55	3	Horizontal	52	2.44	-	81.78	33.77	10.13	34.35
AV	7.1694G	50.61	68.20	-17.59	11.98	3	Horizontal	52	2.44	-	38.63	36.02	10.51	34.55
PK	5.8786G	58.12	88.20	-30.08	7.69	3	Horizontal	52	2.44	-	50.43	32.41	9.58	34.30
PK	6.4694G	100.68	Inf	-Inf	9.56	3	Horizontal	52	2.44	-	91.12	33.78	10.13	34.35
PK	7.1666G	62.03	88.20	-26.17	11.96	3	Horizontal	52	2.44	-	50.07	36.00	10.51	34.55



802.11a\_Nss1,(6Mbps)\_4TX


6475MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.95712G	42.68	68.20	-25.52	19.27	3	Vertical	152	1.84	-	23.41	38.90	13.66	33.29
PK	12.94036G	56.08	88.20	-32.12	19.23	3	Vertical	152	1.84	-	36.85	38.90	13.65	33.32

### 802.11a\_Nss1,(6Mbps)\_4TX


### 6475MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.95708G	42.80	68.20	-25.40	19.27	3	Horizontal	219	1.42	-	23.53	38.90	13.66	33.29
PK	12.95876G	55.67	88.20	-32.53	19.27	3	Horizontal	219	1.42	-	36.40	38.90	13.66	33.29

### 802.11a\_Nss1,(6Mbps)\_4TX


### 6515MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9158G	45.98	68.20	-22.22	7.81	3	Vertical	66	2.72	-	38.17	32.50	9.61	34.30
AV	6.5066G	98.49	Inf	-Inf	9.73	3	Vertical	66	2.72	-	88.76	33.94	10.14	34.35
AV	7.1954G	50.73	68.20	-17.47	12.12	3	Vertical	66	2.72	-	38.61	36.17	10.51	34.56
PK	5.9158G	58.10	88.20	-30.10	7.81	3	Vertical	66	2.72	-	50.29	32.50	9.61	34.30
PK	6.5094G	107.76	Inf	-Inf	9.75	3	Vertical	66	2.72	-	98.01	33.96	10.14	34.35
PK	7.1842G	62.04	88.20	-26.16	12.06	3	Vertical	66	2.72	-	49.98	36.11	10.51	34.56

### 802.11a\_Nss1,(6Mbps)\_4TX


### 6515MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8822G	45.79	68.20	-22.41	7.72	3	Horizontal	52	2.43	-	38.07	32.43	9.59	34.30
AV	6.5066G	91.52	Inf	-Inf	9.73	3	Horizontal	52	2.43	-	81.79	33.94	10.14	34.35
AV	7.2094G	50.87	68.20	-17.33	12.18	3	Horizontal	52	2.43	-	38.69	36.22	10.52	34.56
PK	5.8626G	57.70	88.20	-30.50	7.62	3	Horizontal	52	2.43	-	50.08	32.35	9.57	34.30
PK	6.5094G	100.57	Inf	-Inf	9.75	3	Horizontal	52	2.43	-	90.82	33.96	10.14	34.35
PK	7.2122G	62.92	88.20	-25.28	12.18	3	Horizontal	52	2.43	-	50.74	36.22	10.52	34.56

### 802.11a\_Nss1,(6Mbps)\_4TX


### 6515MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.03492G	42.88	68.20	-25.32	19.43	3	Vertical	106	2.21	-	23.45	38.87	13.71	33.15
PK	13.03136G	56.14	88.20	-32.06	19.41	3	Vertical	106	2.21	-	36.73	38.87	13.70	33.16

802.11a\_Nss1,(6Mbps)\_4TX


6515MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.02292G	42.93	68.20	-25.27	19.41	3	Horizontal	210	2.13	-	23.52	38.88	13.70	33.17
PK	13.03444G	55.86	88.20	-32.34	19.43	3	Horizontal	210	2.13	-	36.43	38.87	13.71	33.15

### 802.11a\_Nss1,(6Mbps)\_4TX


### 6535MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9022G	45.93	68.20	-22.27	7.80	3	Vertical	65	2.41	-	38.13	32.50	9.60	34.30
AV	6.5294G	99.02	Inf	-Inf	9.87	3	Vertical	65	2.41	-	89.15	34.08	10.15	34.36
AV	7.2266G	50.65	68.20	-17.55	12.23	3	Vertical	65	2.41	-	38.42	36.25	10.54	34.56
PK	5.891G	57.72	88.20	-30.48	7.75	3	Vertical	65	2.41	-	49.97	32.46	9.59	34.30
PK	6.5294G	108.12	Inf	-Inf	9.87	3	Vertical	65	2.41	-	98.25	34.08	10.15	34.36
PK	7.1986G	62.37	88.20	-25.83	12.14	3	Vertical	65	2.41	-	50.23	36.19	10.51	34.56

### 802.11a\_Nss1,(6Mbps)\_4TX

### 6535MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.919G	45.80	68.20	-22.40	7.82	3	Horizontal	52	2.51	-	37.98	32.50	9.62	34.30
AV	6.5266G	91.88	Inf	-Inf	9.85	3	Horizontal	52	2.51	-	82.03	34.06	10.15	34.36
AV	7.2014G	50.68	68.20	-17.52	12.15	3	Horizontal	52	2.51	-	38.53	36.20	10.51	34.56
PK	5.863G	57.67	88.20	-30.53	7.62	3	Horizontal	52	2.51	-	50.05	32.35	9.57	34.30
PK	6.5294G	100.32	Inf	-Inf	9.87	3	Horizontal	52	2.51	-	90.45	34.08	10.15	34.36
PK	7.193G	62.78	88.20	-25.42	12.11	3	Horizontal	52	2.51	-	50.67	36.16	10.51	34.56



### 802.11a\_Nss1,(6Mbps)\_4TX


### 6535MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.06412G	42.74	68.20	-25.46	19.47	3	Vertical	277	2.44	-	23.27	38.84	13.73	33.10
PK	13.064G	55.69	88.20	-32.51	19.46	3	Vertical	277	2.44	-	36.23	38.84	13.73	33.11

802.11a\_Nss1,(6Mbps)\_4TX


6535MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.0784G	42.78	68.20	-25.42	19.47	3	Horizontal	100	1.02	-	23.31	38.82	13.73	33.08
PK	13.06376G	55.86	88.20	-32.34	19.46	3	Horizontal	100	1.02	-	36.40	38.84	13.73	33.11

802.11a\_Nss1,(6Mbps)\_4TX


6695MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.687G	91.21	Inf	-Inf	9.95	3	Vertical	52	2.51	-	81.26	34.23	10.14	34.42
AV	7.193G	50.72	68.20	-17.48	12.11	3	Vertical	52	2.51	-	38.61	36.16	10.51	34.56
PK	6.687G	100.66	Inf	-Inf	9.95	3	Vertical	52	2.51	-	90.71	34.23	10.14	34.42
PK	7.169G	62.85	88.20	-25.35	11.97	3	Vertical	52	2.51	-	50.88	36.01	10.51	34.55

802.11a\_Nss1,(6Mbps)\_4TX


6695MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.689G	90.56	Inf	-Inf	9.94	3	Horizontal	55	2.55	-	80.62	34.22	10.14	34.42
AV	7.157G	50.64	68.20	-17.56	11.90	3	Horizontal	55	2.55	-	38.74	35.94	10.51	34.55
PK	6.689G	100.09	Inf	-Inf	9.94	3	Horizontal	55	2.55	-	90.15	34.22	10.14	34.42
PK	7.157G	62.24	88.20	-25.96	11.90	3	Horizontal	55	2.55	-	50.34	35.94	10.51	34.55

### 802.11a\_Nss1,(6Mbps)\_4TX


### 6695MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.38052G	43.78	54.00	-10.22	20.74	3	Vertical	266	1.38	-	23.04	39.40	13.93	32.59
PK	13.39116G	56.71	74.00	-17.29	20.82	3	Vertical	266	1.38	-	35.89	39.46	13.93	32.57

### 802.11a\_Nss1,(6Mbps)\_4TX


### 6695MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.39604G	43.75	54.00	-10.25	20.86	3	Horizontal	172	1.79	-	22.89	39.48	13.94	32.56
PK	13.39824G	56.44	74.00	-17.56	20.87	3	Horizontal	172	1.79	-	35.57	39.49	13.94	32.56

802.11a\_Nss1,(6Mbps)\_4TX


6855MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.848G	98.96	Inf	-Inf	10.19	3	Vertical	9	2.25	-	88.77	34.49	10.18	34.48
AV	7.1896G	50.74	68.20	-17.46	12.09	3	Vertical	9	2.25	-	38.65	36.14	10.51	34.56
PK	6.848G	107.98	Inf	-Inf	10.19	3	Vertical	9	2.25	-	97.79	34.49	10.18	34.48
PK	7.1784G	62.51	88.20	-25.69	12.03	3	Vertical	9	2.25	-	50.48	36.07	10.51	34.55

### 802.11a\_Nss1,(6Mbps)\_4TX

### 6855MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.8466G	87.39	Inf	-Inf	10.20	3	Horizontal	333	2.21	-	77.19	34.49	10.18	34.47
AV	7.198G	50.89	68.20	-17.31	12.14	3	Horizontal	333	2.21	-	38.75	36.19	10.51	34.56
PK	6.848G	96.34	Inf	-Inf	10.19	3	Horizontal	333	2.21	-	86.15	34.49	10.18	34.48
PK	7.1518G	62.84	88.20	-25.36	11.87	3	Horizontal	333	2.21	-	50.97	35.91	10.51	34.55



### 802.11a\_Nss1,(6Mbps)\_4TX


### 6855MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.70052G	48.70	68.20	-19.50	21.38	3	Vertical	307	1.69	-	27.32	39.70	14.13	32.45
PK	13.71612G	63.18	88.20	-25.02	21.40	3	Vertical	307	1.69	-	41.78	39.72	14.14	32.46

802.11a\_Nss1,(6Mbps)\_4TX


6855MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.71788G	48.67	68.20	-19.53	21.40	3	Horizontal	150	2.42	-	27.27	39.72	14.14	32.46
PK	13.71884G	62.00	88.20	-26.20	21.40	3	Horizontal	150	2.42	-	40.60	39.72	14.14	32.46

802.11a\_Nss1,(6Mbps)\_4TX


6875MHz Straddle 6.525-6.875GHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.8806G	99.24	Inf	-Inf	10.44	3	Vertical	85	2.49	-	88.80	34.68	10.25	34.49
AV	7.218G	51.03	68.20	-17.17	12.21	3	Vertical	85	2.49	-	38.82	36.24	10.53	34.56
PK	6.8806G	108.62	Inf	-Inf	10.44	3	Vertical	85	2.49	-	98.18	34.68	10.25	34.49
PK	7.1872G	62.83	88.20	-25.37	12.07	3	Vertical	85	2.49	-	50.76	36.12	10.51	34.56

802.11a\_Nss1,(6Mbps)\_4TX


6875MHz Straddle 6.525-6.875GHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.868G	87.22	Inf	-Inf	10.35	3	Horizontal	333	2.25	-	76.87	34.61	10.22	34.48
AV	7.211G	50.77	68.20	-17.43	12.18	3	Horizontal	333	2.25	-	38.59	36.22	10.52	34.56
PK	6.868G	95.92	Inf	-Inf	10.35	3	Horizontal	333	2.25	-	85.57	34.61	10.22	34.48
PK	7.1494G	62.89	88.20	-25.31	11.86	3	Horizontal	333	2.25	-	51.03	35.90	10.51	34.55

**802.11a\_Nss1,(6Mbps)\_4TX**


**6875MHz Straddle 6.525-6.875GHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.7444G	49.03	68.20	-19.17	21.43	3	Vertical	109	1.50	-	27.60	39.74	14.16	32.47
PK	13.74996G	61.88	88.20	-26.32	21.44	3	Vertical	109	1.50	-	40.44	39.75	14.16	32.47

802.11a\_Nss1,(6Mbps)\_4TX


6875MHz Straddle 6.525-6.875GHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.75884G	49.08	68.20	-19.12	21.46	3	Horizontal	336	1.31	-	27.62	39.76	14.17	32.47
PK	13.74196G	62.18	88.20	-26.02	21.43	3	Horizontal	336	1.31	-	40.75	39.74	14.16	32.47

802.11a\_Nss1,(6Mbps)\_4TX


6895MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.9006G	97.30	Inf	-Inf	10.60	3	Vertical	84	2.41	-	86.70	34.80	10.29	34.49
AV	7.2436G	50.77	68.20	-17.43	12.28	3	Vertical	84	2.41	-	38.49	36.29	10.55	34.56
PK	6.9006G	106.75	Inf	-Inf	10.60	3	Vertical	84	2.41	-	96.15	34.80	10.29	34.49
PK	7.203G	64.14	88.20	-24.06	12.16	3	Vertical	84	2.41	-	51.98	36.21	10.51	34.56

802.11a\_Nss1,(6Mbps)\_4TX

6895MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.8866G	85.83	Inf	-Inf	10.49	3	Horizontal	334	2.21	-	75.34	34.72	10.26	34.49
AV	7.196G	50.72	68.20	-17.48	12.13	3	Horizontal	334	2.21	-	38.59	36.18	10.51	34.56
PK	6.888G	94.82	Inf	-Inf	10.50	3	Horizontal	334	2.21	-	84.32	34.73	10.26	34.49
PK	7.1764G	63.06	88.20	-25.14	12.02	3	Horizontal	334	2.21	-	51.04	36.06	10.51	34.55



802.11a\_Nss1,(6Mbps)\_4TX


6895MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.79904G	49.12	68.20	-19.08	21.50	3	Vertical	276	1.50	-	27.62	39.80	14.19	32.49
PK	13.78556G	62.59	88.20	-25.61	21.49	3	Vertical	276	1.50	-	41.10	39.79	14.18	32.48

### 802.11a\_Nss1,(6Mbps)\_4TX


### 6895MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.79912G	49.41	68.20	-18.79	21.50	3	Horizontal	106	1.50	-	27.91	39.80	14.19	32.49
PK	13.7942G	62.49	88.20	-25.71	21.50	3	Horizontal	106	1.50	-	40.99	39.79	14.19	32.48

802.11a\_Nss1,(6Mbps)\_4TX


6995MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.0014G	97.59	Inf	-Inf	11.08	3	Vertical	84	2.16	-	86.51	35.11	10.50	34.53
AV	7.1926G	50.79	68.20	-17.41	12.11	3	Vertical	84	2.16	-	38.68	36.16	10.51	34.56
PK	7.0022G	107.30	Inf	-Inf	11.08	3	Vertical	84	2.16	-	96.22	35.11	10.50	34.53
PK	7.1718G	63.86	88.20	-24.34	11.99	3	Vertical	84	2.16	-	51.87	36.03	10.51	34.55

802.11a\_Nss1,(6Mbps)\_4TX


6995MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.9974G	85.79	Inf	-Inf	11.05	3	Horizontal	32	2.23	-	74.74	35.09	10.49	34.53
AV	7.175G	50.74	68.20	-17.46	12.01	3	Horizontal	32	2.23	-	38.73	36.05	10.51	34.55
PK	6.9974G	95.24	Inf	-Inf	11.05	3	Horizontal	32	2.23	-	84.19	35.09	10.49	34.53
PK	7.1358G	62.62	88.20	-25.58	11.80	3	Horizontal	32	2.23	-	50.82	35.84	10.51	34.55

802.11a\_Nss1,(6Mbps)\_4TX


6995MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.9771G	50.31	68.20	-17.89	22.10	3	Vertical	161	1.50	-	28.21	40.33	14.31	32.54
PK	13.98208G	63.26	88.20	-24.94	22.12	3	Vertical	161	1.50	-	41.14	40.35	14.31	32.54

### 802.11a\_Nss1,(6Mbps)\_4TX


### 6995MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	13.9826G	63.26	88.20	-24.94	22.12	3	Horizontal	230	1.50	-	41.14	40.35	14.31	32.54
AV	13.98004G	50.28	68.20	-17.92	22.11	3	Horizontal	230	1.50	-	28.17	40.34	14.31	32.54

802.11a\_Nss1,(6Mbps)\_4TX


7095MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.101G	97.57	Inf	-Inf	11.67	3	Vertical	85	2.21	-	85.90	35.70	10.51	34.54
AV	7.1976G	50.99	68.20	-17.21	12.14	3	Vertical	85	2.21	-	38.85	36.19	10.51	34.56
PK	7.1004G	107.12	Inf	-Inf	11.67	3	Vertical	85	2.21	-	95.45	35.70	10.51	34.54
PK	7.1928G	63.64	88.20	-24.56	12.11	3	Vertical	85	2.21	-	51.53	36.16	10.51	34.56

### 802.11a\_Nss1,(6Mbps)\_4TX

### 7095MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.0884G	87.11	Inf	-Inf	11.59	3	Horizontal	57	2.69	-	75.52	35.63	10.50	34.54
AV	7.1958G	50.87	68.20	-17.33	12.12	3	Horizontal	57	2.69	-	38.75	36.17	10.51	34.56
PK	7.0878G	96.34	Inf	-Inf	11.59	3	Horizontal	57	2.69	-	84.75	35.63	10.50	34.54
PK	7.1802G	63.36	88.20	-24.84	12.03	3	Horizontal	57	2.69	-	51.33	36.08	10.51	34.56



802.11a\_Nss1,(6Mbps)\_4TX


7095MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.18608G	49.76	68.20	-18.44	22.46	3	Vertical	154	1.50	-	27.30	40.86	14.38	32.78
PK	14.18376G	63.14	88.20	-25.06	22.46	3	Vertical	154	1.50	-	40.68	40.85	14.38	32.77

### 802.11a\_Nss1,(6Mbps)\_4TX


### 7095MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.18884G	49.75	68.20	-18.45	22.47	3	Horizontal	66	1.50	-	27.28	40.87	14.38	32.78
PK	14.1804G	63.06	88.20	-25.14	22.45	3	Horizontal	66	1.50	-	40.61	40.84	14.38	32.77

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX


### 5955MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9244G	46.77	68.20	-21.43	7.82	3	Vertical	50	2.92	-	38.95	32.50	9.62	34.30
AV	5.9466G	98.73	Inf	-Inf	7.84	3	Vertical	50	2.92	-	90.89	32.50	9.64	34.30
PK	5.8716G	58.96	88.20	-29.24	7.67	3	Vertical	50	2.92	-	51.29	32.39	9.58	34.30
PK	5.9466G	109.32	Inf	-Inf	7.84	3	Vertical	50	2.92	-	101.48	32.50	9.64	34.30

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX


### 5955MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9094G	46.75	68.20	-21.45	7.81	3	Horizontal	48	2.25	-	38.94	32.50	9.61	34.30
AV	5.9616G	87.14	Inf	-Inf	7.84	3	Horizontal	48	2.25	-	79.30	32.50	9.65	34.31
PK	5.85G	59.65	88.20	-28.55	7.56	3	Horizontal	48	2.25	-	52.09	32.30	9.56	34.30
PK	5.9598G	99.12	Inf	-Inf	7.84	3	Horizontal	48	2.25	-	91.28	32.50	9.65	34.31

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX


### 5955MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.9046G	41.04	54.00	-12.96	17.37	3	Vertical	31	1.14	-	23.67	38.71	13.01	34.35
PK	11.91212G	55.04	74.00	-18.96	17.37	3	Vertical	31	1.14	-	37.67	38.72	13.01	34.36

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX


### 5955MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.90564G	40.99	54.00	-13.01	17.37	3	Horizontal	5	2.45	-	23.62	38.71	13.01	34.35
PK	11.91748G	54.73	74.00	-19.27	17.39	3	Horizontal	5	2.45	-	37.34	38.73	13.02	34.36

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX


### 6175MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9174G	46.78	68.20	-21.42	7.81	3	Vertical	53	2.60	-	38.97	32.50	9.61	34.30
AV	6.167G	97.93	Inf	-Inf	8.19	3	Vertical	53	2.60	-	89.74	32.70	9.81	34.32
PK	5.839G	59.36	88.20	-28.84	7.52	3	Vertical	53	2.60	-	51.84	32.26	9.55	34.29
PK	6.1686G	108.95	Inf	-Inf	8.20	3	Vertical	53	2.60	-	100.75	32.71	9.81	34.32

802.11ax HEW20\_Nss1,(MCS0)\_4TX

6175MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.863G	46.72	68.20	-21.48	7.62	3	Horizontal	51	2.30	-	39.10	32.35	9.57	34.30
AV	6.1814G	88.96	Inf	-Inf	8.30	3	Horizontal	51	2.30	-	80.66	32.79	9.83	34.32
PK	5.799G	58.67	88.20	-29.53	7.33	3	Horizontal	51	2.30	-	51.34	32.10	9.52	34.29
PK	6.1798G	99.76	Inf	-Inf	8.28	3	Horizontal	51	2.30	-	91.48	32.78	9.82	34.32



### 802.11ax HEW20\_Nss1,(MCS0)\_4TX


### 6175MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.34712G	41.98	54.00	-12.02	17.75	3	Vertical	88	1.33	-	24.23	38.71	13.27	34.23
PK	12.3584G	55.12	74.00	-18.88	17.73	3	Vertical	88	1.33	-	37.39	38.67	13.28	34.22

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX


### 6175MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.35092G	41.96	54.00	-12.04	17.75	3	Horizontal	210	1.78	-	24.21	38.70	13.27	34.22
PK	12.34588G	55.45	74.00	-18.55	17.76	3	Horizontal	210	1.78	-	37.69	38.72	13.27	34.23

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX


### 6415MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8798G	46.69	68.20	-21.51	7.70	3	Vertical	65	2.23	-	38.99	32.42	9.58	34.30
AV	6.4198G	98.27	Inf	-Inf	9.35	3	Vertical	65	2.23	-	88.92	33.58	10.11	34.34
PK	5.8318G	58.96	88.20	-29.24	7.49	3	Vertical	65	2.23	-	51.47	32.23	9.55	34.29
PK	6.4222G	109.31	Inf	-Inf	9.36	3	Vertical	65	2.23	-	99.95	33.59	10.11	34.34

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX


### 6415MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8654G	46.77	68.20	-21.43	7.63	3	Horizontal	51	2.39	-	39.14	32.36	9.57	34.30
AV	6.4198G	90.83	Inf	-Inf	9.35	3	Horizontal	51	2.39	-	81.48	33.58	10.11	34.34
PK	5.8486G	58.87	88.20	-29.33	7.56	3	Horizontal	51	2.39	-	51.31	32.29	9.56	34.29
PK	6.4222G	101.69	Inf	-Inf	9.36	3	Horizontal	51	2.39	-	92.33	33.59	10.11	34.34

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX


### 6415MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.8372G	42.44	68.20	-25.76	18.96	3	Vertical	321	1.92	-	23.48	38.90	13.58	33.52
PK	12.83808G	55.49	88.20	-32.71	18.97	3	Vertical	321	1.92	-	36.52	38.90	13.58	33.51

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX


### 6415MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.8284G	42.40	68.20	-25.80	18.95	3	Horizontal	71	2.39	-	23.45	38.90	13.58	33.53
PK	12.83284G	55.87	88.20	-32.33	18.96	3	Horizontal	71	2.39	-	36.91	38.90	13.58	33.52

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX


### 6435MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8974G	46.72	68.20	-21.48	7.79	3	Vertical	64	2.37	-	38.93	32.49	9.60	34.30
AV	6.4422G	98.52	Inf	-Inf	9.44	3	Vertical	64	2.37	-	89.08	33.67	10.12	34.35
PK	5.9166G	58.48	88.20	-29.72	7.81	3	Vertical	64	2.37	-	50.67	32.50	9.61	34.30
PK	6.4422G	109.54	Inf	-Inf	9.44	3	Vertical	64	2.37	-	100.10	33.67	10.12	34.35

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

### 6435MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8806G	46.79	68.20	-21.41	7.70	3	Horizontal	51	2.32	-	39.09	32.42	9.58	34.30
AV	6.4398G	90.94	Inf	-Inf	9.43	3	Horizontal	51	2.32	-	81.51	33.66	10.12	34.35
PK	5.895G	58.80	88.20	-29.40	7.78	3	Horizontal	51	2.32	-	51.02	32.48	9.60	34.30
PK	6.4398G	102.79	Inf	-Inf	9.43	3	Horizontal	51	2.32	-	93.36	33.66	10.12	34.35



### 802.11ax HEW20\_Nss1,(MCS0)\_4TX


### 6435MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.86776G	42.34	68.20	-25.86	19.04	3	Vertical	4	1.92	-	23.30	38.90	13.60	33.46
PK	12.86252G	55.26	88.20	-32.94	19.03	3	Vertical	4	1.92	-	36.23	38.90	13.60	33.47

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX


### 6435MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.8748G	42.32	68.20	-25.88	19.06	3	Horizontal	60	1.63	-	23.26	38.90	13.61	33.45
PK	12.87312G	55.74	88.20	-32.46	19.05	3	Horizontal	60	1.63	-	36.69	38.90	13.60	33.45

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX


### 6475MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.859G	46.77	68.20	-21.43	7.61	3	Vertical	65	2.55	-	39.16	32.34	9.57	34.30
AV	6.4806G	98.65	Inf	-Inf	9.60	3	Vertical	65	2.55	-	89.05	33.82	10.13	34.35
AV	7.161G	52.42	68.20	-15.78	11.93	3	Vertical	65	2.55	-	40.49	35.97	10.51	34.55
PK	5.8338G	59.49	88.20	-28.71	7.50	3	Vertical	65	2.55	-	51.99	32.24	9.55	34.29
PK	6.4834G	109.02	Inf	-Inf	9.61	3	Vertical	65	2.55	-	99.41	33.83	10.13	34.35
PK	7.161G	63.88	88.20	-24.32	11.93	3	Vertical	65	2.55	-	51.95	35.97	10.51	34.55

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX


### 6475MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9066G	46.75	68.20	-21.45	7.81	3	Horizontal	52	2.37	-	38.94	32.50	9.61	34.30
AV	6.4806G	90.94	Inf	-Inf	9.60	3	Horizontal	52	2.37	-	81.34	33.82	10.13	34.35
AV	7.1694G	52.36	68.20	-15.84	11.98	3	Horizontal	52	2.37	-	40.38	36.02	10.51	34.55
PK	5.9206G	58.75	88.20	-29.45	7.82	3	Horizontal	52	2.37	-	50.93	32.50	9.62	34.30
PK	6.4834G	101.92	Inf	-Inf	9.61	3	Horizontal	52	2.37	-	92.31	33.83	10.13	34.35
PK	7.147G	63.89	88.20	-24.31	11.85	3	Horizontal	52	2.37	-	52.04	35.89	10.51	34.55

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX


### 6475MHz\_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	12.95384G	42.33	68.20	-25.87	19.26	3	Vertical	56	1.48	-	23.07	38.90	13.66	33.30
PK	12.94428G	55.92	88.20	-32.28	19.24	3	Vertical	56	1.48	-	36.68	38.90	13.65	33.31

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX


### 6475MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.957G	42.29	68.20	-25.91	19.27	3	Horizontal	314	1.31	-	23.02	38.90	13.66	33.29
PK	12.94776G	56.14	88.20	-32.06	19.24	3	Horizontal	314	1.31	-	36.90	38.90	13.65	33.31

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX


### 6515MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9102G	46.74	68.20	-21.46	7.81	3	Vertical	64	2.40	-	38.93	32.50	9.61	34.30
AV	6.5206G	99.45	Inf	-Inf	9.81	3	Vertical	64	2.40	-	89.64	34.02	10.15	34.36
AV	7.2122G	52.66	68.20	-15.54	12.18	3	Vertical	64	2.40	-	40.48	36.22	10.52	34.56
PK	5.8402G	58.55	88.20	-29.65	7.52	3	Vertical	64	2.40	-	51.03	32.26	9.55	34.29
PK	6.5206G	109.21	Inf	-Inf	9.81	3	Vertical	64	2.40	-	99.40	34.02	10.15	34.36
PK	7.187G	65.05	88.20	-23.15	12.07	3	Vertical	64	2.40	-	52.98	36.12	10.51	34.56

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

### 6515MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8766G	46.73	68.20	-21.47	7.69	3	Horizontal	52	2.46	-	39.04	32.41	9.58	34.30
AV	6.5206G	91.80	Inf	-Inf	9.81	3	Horizontal	52	2.46	-	81.99	34.02	10.15	34.36
AV	7.2122G	52.73	68.20	-15.47	12.18	3	Horizontal	52	2.46	-	40.55	36.22	10.52	34.56
PK	5.8542G	59.61	88.20	-28.59	7.58	3	Horizontal	52	2.46	-	52.03	32.32	9.56	34.30
PK	6.5206G	101.73	Inf	-Inf	9.81	3	Horizontal	52	2.46	-	91.92	34.02	10.15	34.36
PK	7.1506G	65.09	88.20	-23.11	11.86	3	Horizontal	52	2.46	-	53.23	35.90	10.51	34.55



802.11ax HEW20\_Nss1,(MCS0)\_4TX


6515MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.02988G	42.49	68.20	-25.71	19.41	3	Vertical	175	1.11	-	23.08	38.87	13.70	33.16
PK	13.0264G	55.99	88.20	-32.21	19.40	3	Vertical	175	1.11	-	36.59	38.87	13.70	33.17

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX


### 6515MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.02212G	42.54	68.20	-25.66	19.41	3	Horizontal	260	1.55	-	23.13	38.88	13.70	33.17
PK	13.0262G	56.00	88.20	-32.20	19.40	3	Horizontal	260	1.55	-	36.60	38.87	13.70	33.17

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX


### 6535MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8994G	46.80	68.20	-21.40	7.80	3	Vertical	66	2.54	-	39.00	32.50	9.60	34.30
AV	6.5406G	98.10	Inf	-Inf	9.94	3	Vertical	66	2.54	-	88.16	34.14	10.16	34.36
AV	7.235G	52.59	68.20	-15.61	12.25	3	Vertical	66	2.54	-	40.34	36.27	10.54	34.56
PK	5.8854G	60.10	88.20	-28.10	7.73	3	Vertical	66	2.54	-	52.37	32.44	9.59	34.30
PK	6.5406G	109.02	Inf	-Inf	9.94	3	Vertical	66	2.54	-	99.08	34.14	10.16	34.36
PK	7.179G	65.36	88.20	-22.84	12.02	3	Vertical	66	2.54	-	53.34	36.07	10.51	34.56

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX


### 6535MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9078G	46.79	68.20	-21.41	7.81	3	Horizontal	51	2.43	-	38.98	32.50	9.61	34.30
AV	6.5406G	91.22	Inf	-Inf	9.94	3	Horizontal	51	2.43	-	81.28	34.14	10.16	34.36
AV	7.2014G	52.67	68.20	-15.53	12.15	3	Horizontal	51	2.43	-	40.52	36.20	10.51	34.56
PK	5.8742G	58.16	88.20	-30.04	7.68	3	Horizontal	51	2.43	-	50.48	32.40	9.58	34.30
PK	6.5406G	101.77	Inf	-Inf	9.94	3	Horizontal	51	2.43	-	91.83	34.14	10.16	34.36
PK	7.1454G	64.32	88.20	-23.88	11.84	3	Horizontal	51	2.43	-	52.48	35.88	10.51	34.55

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX


### 6535MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.06064G	42.25	68.20	-25.95	19.45	3	Vertical	36	1.59	-	22.80	38.84	13.72	33.11
PK	13.0796G	55.82	88.20	-32.38	19.48	3	Vertical	36	1.59	-	36.34	38.82	13.74	33.08

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX


### 6535MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.06284G	42.33	68.20	-25.87	19.45	3	Horizontal	33	2.87	-	22.88	38.84	13.72	33.11
PK	13.07384G	55.87	88.20	-32.33	19.47	3	Horizontal	33	2.87	-	36.40	38.83	13.73	33.09

802.11ax HEW20\_Nss1,(MCS0)\_4TX


6695MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.703G	98.32	Inf	-Inf	9.92	3	Vertical	335	2.96	-	88.40	34.21	10.13	34.42
AV	7.191G	52.67	68.20	-15.53	12.10	3	Vertical	335	2.96	-	40.57	36.15	10.51	34.56
PK	6.703G	108.59	Inf	-Inf	9.92	3	Vertical	335	2.96	-	98.67	34.21	10.13	34.42
PK	7.147G	66.11	88.20	-22.09	11.85	3	Vertical	335	2.96	-	54.26	35.89	10.51	34.55

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

### 6695MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.701G	90.56	Inf	-Inf	9.91	3	Horizontal	53	2.55	-	80.65	34.20	10.13	34.42
AV	7.191G	52.55	68.20	-15.65	12.10	3	Horizontal	53	2.55	-	40.45	36.15	10.51	34.56
PK	6.703G	102.33	Inf	-Inf	9.92	3	Horizontal	53	2.55	-	92.41	34.21	10.13	34.42
PK	7.159G	64.65	88.20	-23.55	11.91	3	Horizontal	53	2.55	-	52.74	35.95	10.51	34.55



### 802.11ax HEW20\_Nss1,(MCS0)\_4TX


### 6695MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.39056G	43.32	54.00	-10.68	20.81	3	Vertical	67	2.25	-	22.51	39.45	13.93	32.57
PK	13.38832G	56.52	74.00	-17.48	20.80	3	Vertical	67	2.25	-	35.72	39.44	13.93	32.57

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX


### 6695MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.39788G	43.33	54.00	-10.67	20.87	3	Horizontal	80	2.68	-	22.46	39.49	13.94	32.56
PK	13.386G	56.45	74.00	-17.55	20.78	3	Horizontal	80	2.68	-	35.67	39.43	13.93	32.58

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX


### 6855MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.8466G	97.98	Inf	-Inf	10.20	3	Vertical	83	2.94	-	87.78	34.49	10.18	34.47
AV	7.177G	52.60	68.20	-15.60	12.02	3	Vertical	83	2.94	-	40.58	36.06	10.51	34.55
PK	6.8466G	110.44	Inf	-Inf	10.20	3	Vertical	83	2.94	-	100.24	34.49	10.18	34.47
PK	7.1686G	64.99	88.20	-23.21	11.97	3	Vertical	83	2.94	-	53.02	36.01	10.51	34.55

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX


### 6855MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.8536G	88.82	Inf	-Inf	10.23	3	Horizontal	45	2.27	-	78.59	34.52	10.19	34.48
AV	7.2008G	52.69	68.20	-15.51	12.15	3	Horizontal	45	2.27	-	40.54	36.20	10.51	34.56
PK	6.8536G	99.57	Inf	-Inf	10.23	3	Horizontal	45	2.27	-	89.34	34.52	10.19	34.48
PK	7.1616G	65.23	88.20	-22.97	11.93	3	Horizontal	45	2.27	-	53.30	35.97	10.51	34.55

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX


### 6855MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.71096G	48.24	68.20	-19.96	21.39	3	Vertical	286	1.54	-	26.85	39.71	14.14	32.46
PK	13.71476G	62.11	88.20	-26.09	21.39	3	Vertical	286	1.54	-	40.72	39.71	14.14	32.46


### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

### 6855MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.71596G	48.12	68.20	-20.08	21.40	3	Horizontal	81	2.20	-	26.72	39.72	14.14	32.46
PK	13.70668G	62.15	88.20	-26.05	21.38	3	Horizontal	81	2.20	-	40.77	39.71	14.13	32.46

**802.11ax HEW20\_Nss1,(MCS0)\_4TX**  
**6875MHz Straddle 6.525-6.875GHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.868G	99.43	Inf	-Inf	10.35	3	Vertical	84	2.38	-	89.08	34.61	10.22	34.48
AV	7.2026G	52.73	68.20	-15.47	12.16	3	Vertical	84	2.38	-	40.57	36.21	10.51	34.56
PK	6.868G	110.89	Inf	-Inf	10.35	3	Vertical	84	2.38	-	100.54	34.61	10.22	34.48
PK	7.1648G	66.10	88.20	-22.10	11.95	3	Vertical	84	2.38	-	54.15	35.99	10.51	34.55


**802.11ax HEW20\_Nss1,(MCS0)\_4TX**  
**6875MHz Straddle 6.525-6.875GHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.8736G	88.50	Inf	-Inf	10.39	3	Horizontal	45	2.34	-	78.11	34.64	10.23	34.48
AV	7.2012G	52.73	68.20	-15.47	12.15	3	Horizontal	45	2.34	-	40.58	36.20	10.51	34.56
PK	6.8736G	98.78	Inf	-Inf	10.39	3	Horizontal	45	2.34	-	88.39	34.64	10.23	34.48
PK	7.1998G	65.02	88.20	-23.18	12.15	3	Horizontal	45	2.34	-	52.87	36.20	10.51	34.56




**802.11ax HEW20\_Nss1,(MCS0)\_4TX**  
**6875MHz Straddle 6.525-6.875GHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.75928G	48.46	68.20	-19.74	21.46	3	Vertical	233	2.89	-	27.00	39.76	14.17	32.47
PK	13.74384G	61.71	88.20	-26.49	21.43	3	Vertical	233	2.89	-	40.28	39.74	14.16	32.47


**802.11ax HEW20\_Nss1,(MCS0)\_4TX**  
**6875MHz Straddle 6.525-6.875GHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.74076G	48.32	68.20	-19.88	21.43	3	Horizontal	162	2.56	-	26.89	39.74	14.16	32.47
PK	13.75192G	62.28	88.20	-25.92	21.44	3	Horizontal	162	2.56	-	40.84	39.75	14.16	32.47

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX


### 6895MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.8866G	99.81	Inf	-Inf	10.49	3	Vertical	83	2.40	-	89.32	34.72	10.26	34.49
AV	7.2114G	52.72	68.20	-15.48	12.18	3	Vertical	83	2.40	-	40.54	36.22	10.52	34.56
PK	6.8866G	111.32	Inf	-Inf	10.49	3	Vertical	83	2.40	-	100.83	34.72	10.26	34.49
PK	7.238G	64.81	88.20	-23.39	12.27	3	Vertical	83	2.40	-	52.54	36.28	10.55	34.56

802.11ax HEW20\_Nss1,(MCS0)\_4TX

6895MHz\_TX




02/10/2021

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.8936G	89.44	Inf	-Inf	10.55	3	Horizontal	45	2.26	-	78.89	34.76	10.28	34.49
AV	7.203G	52.70	68.20	-15.50	12.16	3	Horizontal	45	2.26	-	40.54	36.21	10.51	34.56
PK	6.895G	101.00	Inf	-Inf	10.56	3	Horizontal	45	2.26	-	90.44	34.77	10.28	34.49
PK	7.2142G	65.10	88.20	-23.10	12.19	3	Horizontal	45	2.26	-	52.91	36.23	10.52	34.56

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX


### 6895MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.79396G	48.69	68.20	-19.51	21.50	3	Vertical	188	1.22	-	27.19	39.79	14.19	32.48
PK	13.78972G	61.89	88.20	-26.31	21.50	3	Vertical	188	1.22	-	40.39	39.79	14.19	32.48

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX


### 6895MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.79344G	48.65	68.20	-19.55	21.50	3	Horizontal	343	2.02	-	27.15	39.79	14.19	32.48
PK	13.79716G	62.63	88.20	-25.57	21.50	3	Horizontal	343	2.02	-	41.13	39.80	14.19	32.49

802.11ax HEW20\_Nss1,(MCS0)\_4TX

6995MHz\_TX




02/10/2021

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.9878G	100.25	Inf	-Inf	10.99	3	Vertical	84	2.42	-	89.26	35.05	10.47	34.53
AV	7.1742G	52.63	68.20	-15.57	12.01	3	Vertical	84	2.42	-	40.62	36.05	10.51	34.55
PK	6.9878G	112.47	Inf	-Inf	10.99	3	Vertical	84	2.42	-	101.48	35.05	10.47	34.53
PK	7.151G	64.90	88.20	-23.30	11.87	3	Vertical	84	2.42	-	53.03	35.91	10.51	34.55

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

### 6995MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.0038G	88.21	Inf	-Inf	11.09	3	Horizontal	5	1.96	-	77.12	35.12	10.50	34.53
AV	7.1734G	52.64	68.20	-15.56	12.00	3	Horizontal	5	1.96	-	40.64	36.04	10.51	34.55
PK	7.0038G	99.90	Inf	-Inf	11.09	3	Horizontal	5	1.96	-	88.81	35.12	10.50	34.53
PK	7.1798G	65.12	88.20	-23.08	12.03	3	Horizontal	5	1.96	-	53.09	36.08	10.51	34.56



### 802.11ax HEW20\_Nss1,(MCS0)\_4TX


### 6995MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.98176G	49.68	68.20	-18.52	22.12	3	Vertical	311	3.00	-	27.56	40.35	14.31	32.54
PK	13.98804G	63.01	88.20	-25.19	22.12	3	Vertical	311	3.00	-	40.89	40.36	14.31	32.55

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX


### 6995MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.98052G	49.65	68.20	-18.55	22.11	3	Horizontal	193	2.34	-	27.54	40.34	14.31	32.54
PK	13.98412G	63.73	88.20	-24.47	22.12	3	Horizontal	193	2.34	-	41.61	40.35	14.31	32.54

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX


### 7095MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.0884G	98.71	Inf	-Inf	11.59	3	Vertical	47	2.47	-	87.12	35.63	10.50	34.54
AV	7.1952G	52.81	68.20	-15.39	12.12	3	Vertical	47	2.47	-	40.69	36.17	10.51	34.56
PK	7.0866G	110.38	Inf	-Inf	11.58	3	Vertical	47	2.47	-	98.80	35.62	10.50	34.54
PK	7.212G	66.35	88.20	-21.85	12.18	3	Vertical	47	2.47	-	54.17	36.22	10.52	34.56

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX


### 7095MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.101G	90.37	Inf	-Inf	11.67	3	Horizontal	54	2.95	-	78.70	35.70	10.51	34.54
AV	7.194G	52.82	68.20	-15.38	12.11	3	Horizontal	54	2.95	-	40.71	36.16	10.51	34.56
PK	7.101G	101.63	Inf	-Inf	11.67	3	Horizontal	54	2.95	-	89.96	35.70	10.51	34.54
PK	7.185G	65.47	88.20	-22.73	12.06	3	Horizontal	54	2.95	-	53.41	36.11	10.51	34.56

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

### 7095MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.1826G	49.31	68.20	-18.89	22.46	3	Vertical	295	1.50	-	26.85	40.85	14.38	32.77
PK	14.1802G	62.85	88.20	-25.35	22.45	3	Vertical	295	1.50	-	40.40	40.84	14.38	32.77