


802.11ax HEW20_Nss1,(MCS0)_4TX


7095MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.18568G	49.24	68.20	-18.96	22.46	3	Horizontal	342	2.48	-	26.78	40.86	14.38	32.78
PK	14.18196G	62.67	88.20	-25.53	22.46	3	Horizontal	342	2.48	-	40.21	40.85	14.38	32.77

802.11ax HEW40_Nss1,(MCS0)_4TX


5965MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9248G	46.91	68.20	-21.29	7.82	3	Vertical	322	2.32	-	39.09	32.50	9.62	34.30
AV	5.9674G	97.14	Inf	-Inf	7.84	3	Vertical	322	2.32	-	89.30	32.50	9.65	34.31
PK	5.8594G	59.09	88.20	-29.11	7.61	3	Vertical	322	2.32	-	51.48	32.34	9.57	34.30
PK	5.9674G	110.07	Inf	-Inf	7.84	3	Vertical	322	2.32	-	102.23	32.50	9.65	34.31

802.11ax HEW40_Nss1,(MCS0)_4TX


5965MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.884G	46.69	68.20	-21.51	7.73	3	Horizontal	47	2.16	-	38.96	32.44	9.59	34.30
AV	5.9704G	87.79	Inf	-Inf	7.85	3	Horizontal	47	2.16	-	79.94	32.50	9.66	34.31
PK	5.9224G	59.26	88.20	-28.94	7.82	3	Horizontal	47	2.16	-	51.44	32.50	9.62	34.30
PK	5.9716G	98.95	Inf	-Inf	7.85	3	Horizontal	47	2.16	-	91.10	32.50	9.66	34.31

802.11ax HEW40_Nss1,(MCS0)_4TX


5965MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.93984G	42.25	54.00	-11.75	17.43	3	Vertical	117	1.50	-	24.82	38.78	13.02	34.37
PK	11.9354G	55.52	74.00	-18.48	17.42	3	Vertical	117	1.50	-	38.10	38.77	13.02	34.37

802.11ax HEW40_Nss1,(MCS0)_4TX


5965MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.94182G	42.18	54.00	-11.82	17.44	3	Horizontal	153	1.50	-	24.74	38.78	13.03	34.37
PK	11.92328G	55.85	74.00	-18.15	17.41	3	Horizontal	153	1.50	-	38.44	38.75	13.02	34.36

802.11ax HEW40_Nss1,(MCS0)_4TX


6165MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8806G	46.76	68.20	-21.44	7.70	3	Vertical	52	2.63	-	39.06	32.42	9.58	34.30
AV	6.1566G	98.09	Inf	-Inf	8.13	3	Vertical	52	2.63	-	89.96	32.64	9.81	34.32
PK	5.907G	59.43	88.20	-28.77	7.81	3	Vertical	52	2.63	-	51.62	32.50	9.61	34.30
PK	6.177G	109.14	Inf	-Inf	8.26	3	Vertical	52	2.63	-	100.88	32.76	9.82	34.32

802.11ax HEW40_Nss1,(MCS0)_4TX


6165MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9058G	46.72	68.20	-21.48	7.80	3	Horizontal	51	2.33	-	38.92	32.50	9.60	34.30
AV	6.1698G	89.18	Inf	-Inf	8.22	3	Horizontal	51	2.33	-	80.96	32.72	9.82	34.32
PK	5.8878G	58.76	88.20	-29.44	7.74	3	Horizontal	51	2.33	-	51.02	32.45	9.59	34.30
PK	6.1506G	99.91	Inf	-Inf	8.08	3	Horizontal	51	2.33	-	91.83	32.60	9.80	34.32

802.11ax HEW40_Nss1,(MCS0)_4TX


6165MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.33582G	42.74	54.00	-11.26	17.79	3	Vertical	295	1.50	-	24.95	38.76	13.26	34.23
PK	12.34398G	56.90	74.00	-17.10	17.76	3	Vertical	295	1.50	-	39.14	38.72	13.27	34.23

802.11ax HEW40_Nss1,(MCS0)_4TX

6165MHz_TX




04/10/2021

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.33576G	42.80	54.00	-11.20	17.79	3	Horizontal	43	2.39	-	25.01	38.76	13.26	34.23
PK	12.32958G	56.22	74.00	-17.78	17.80	3	Horizontal	43	2.39	-	38.42	38.78	13.26	34.24

802.11ax HEW40_Nss1,(MCS0)_4TX


6405MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.925G	46.73	68.20	-21.47	7.82	3	Vertical	64	2.33	-	38.91	32.50	9.62	34.30
AV	6.4122G	98.53	Inf	-Inf	9.31	3	Vertical	64	2.33	-	89.22	33.55	10.10	34.34
PK	5.8578G	60.42	88.20	-27.78	7.60	3	Vertical	64	2.33	-	52.82	32.33	9.57	34.30
PK	6.4122G	110.33	Inf	-Inf	9.31	3	Vertical	64	2.33	-	101.02	33.55	10.10	34.34

802.11ax HEW40_Nss1,(MCS0)_4TX


6405MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9202G	46.75	68.20	-21.45	7.82	3	Horizontal	51	2.13	-	38.93	32.50	9.62	34.30
AV	6.4098G	90.36	Inf	-Inf	9.30	3	Horizontal	51	2.13	-	81.06	33.54	10.10	34.34
PK	5.8362G	58.98	88.20	-29.22	7.50	3	Horizontal	51	2.13	-	51.48	32.24	9.55	34.29
PK	6.4098G	101.45	Inf	-Inf	9.30	3	Horizontal	51	2.13	-	92.15	33.54	10.10	34.34

802.11ax HEW40_Nss1,(MCS0)_4TX


6405MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.81828G	43.34	68.20	-24.86	18.92	3	Vertical	76	2.30	-	24.42	38.90	13.57	33.55
PK	12.81528G	57.08	88.20	-31.12	18.91	3	Vertical	76	2.30	-	38.17	38.90	13.57	33.56

802.11ax HEW40_Nss1,(MCS0)_4TX


6405MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.82224G	43.37	68.20	-24.83	18.93	3	Horizontal	298	1.50	-	24.44	38.90	13.57	33.54
PK	12.82314G	56.55	88.20	-31.65	18.93	3	Horizontal	298	1.50	-	37.62	38.90	13.57	33.54

802.11ax HEW40_Nss1,(MCS0)_4TX


6445MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.905G	46.73	68.20	-21.47	7.80	3	Vertical	64	2.39	-	38.93	32.50	9.60	34.30
AV	6.4522G	98.38	Inf	-Inf	9.48	3	Vertical	64	2.39	-	88.90	33.71	10.12	34.35
PK	5.9074G	58.78	88.20	-29.42	7.81	3	Vertical	64	2.39	-	50.97	32.50	9.61	34.30
PK	6.4306G	108.84	Inf	-Inf	9.39	3	Vertical	64	2.39	-	99.45	33.62	10.11	34.34

802.11ax HEW40_Nss1,(MCS0)_4TX


6445MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9074G	46.70	68.20	-21.50	7.81	3	Horizontal	51	2.38	-	38.89	32.50	9.61	34.30
AV	6.4498G	91.21	Inf	-Inf	9.47	3	Horizontal	51	2.38	-	81.74	33.70	10.12	34.35
PK	5.857G	59.34	88.20	-28.86	7.60	3	Horizontal	51	2.38	-	51.74	32.33	9.57	34.30
PK	6.4498G	103.36	Inf	-Inf	9.47	3	Horizontal	51	2.38	-	93.89	33.70	10.12	34.35

802.11ax HEW40_Nss1,(MCS0)_4TX


6445MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.87764G	43.26	68.20	-24.94	19.07	3	Vertical	53	1.05	-	24.19	38.90	13.61	33.44
PK	12.88382G	56.52	88.20	-31.68	19.08	3	Vertical	53	1.05	-	37.44	38.90	13.61	33.43

802.11ax HEW40_Nss1,(MCS0)_4TX


6445MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.8903G	43.34	68.20	-24.86	19.10	3	Horizontal	279	1.50	-	24.24	38.90	13.62	33.42
PK	12.87902G	56.52	88.20	-31.68	19.07	3	Horizontal	279	1.50	-	37.45	38.90	13.61	33.44

802.11ax HEW40_Nss1,(MCS0)_4TX


6485MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9082G	46.70	68.20	-21.50	7.81	3	Vertical	53	2.37	-	38.89	32.50	9.61	34.30
AV	6.485G	98.68	Inf	-Inf	9.62	3	Vertical	53	2.37	-	89.06	33.84	10.13	34.35
AV	7.171G	52.57	68.20	-15.63	11.99	3	Vertical	53	2.37	-	40.58	36.03	10.51	34.55
PK	5.8102G	58.46	88.20	-29.74	7.38	3	Vertical	53	2.37	-	51.08	32.14	9.53	34.29
PK	6.485G	108.73	Inf	-Inf	9.62	3	Vertical	53	2.37	-	99.11	33.84	10.13	34.35
PK	7.1458G	64.65	88.20	-23.55	11.84	3	Vertical	53	2.37	-	52.81	35.88	10.51	34.55

802.11ax HEW40_Nss1,(MCS0)_4TX


6485MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.883G	46.69	68.20	-21.51	7.72	3	Horizontal	52	2.37	-	38.97	32.43	9.59	34.30
AV	6.4906G	91.61	Inf	-Inf	9.65	3	Horizontal	52	2.37	-	81.96	33.86	10.14	34.35
AV	7.1822G	52.56	68.20	-15.64	12.04	3	Horizontal	52	2.37	-	40.52	36.09	10.51	34.56
PK	5.8438G	58.49	88.20	-29.71	7.55	3	Horizontal	52	2.37	-	50.94	32.28	9.56	34.29
PK	6.4906G	105.76	Inf	-Inf	9.65	3	Horizontal	52	2.37	-	96.11	33.86	10.14	34.35
PK	7.1598G	64.61	88.20	-23.59	11.92	3	Horizontal	52	2.37	-	52.69	35.96	10.51	34.55

802.11ax HEW40_Nss1,(MCS0)_4TX


6485MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.98242G	43.58	68.20	-24.62	19.33	3	Vertical	19	1.61	-	24.25	38.90	13.67	33.24
PK	12.97144G	56.93	88.20	-31.27	19.31	3	Vertical	19	1.61	-	37.62	38.90	13.67	33.26

802.11ax HEW40_Nss1,(MCS0)_4TX


6485MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.97684G	43.67	68.20	-24.53	19.32	3	Horizontal	53	1.50	-	24.35	38.90	13.67	33.25
PK	12.96436G	57.37	88.20	-30.83	19.28	3	Horizontal	53	1.50	-	38.09	38.90	13.66	33.28

802.11ax HEW40_Nss1,(MCS0)_4TX


6525MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9062G	46.72	68.20	-21.48	7.80	3	Vertical	52	2.35	-	38.92	32.50	9.60	34.30
AV	6.525G	99.33	Inf	-Inf	9.84	3	Vertical	52	2.35	-	89.49	34.05	10.15	34.36
AV	7.2026G	52.71	68.20	-15.49	12.16	3	Vertical	52	2.35	-	40.55	36.21	10.51	34.56
PK	5.8782G	58.62	88.20	-29.58	7.69	3	Vertical	52	2.35	-	50.93	32.41	9.58	34.30
PK	6.525G	110.56	Inf	-Inf	9.84	3	Vertical	52	2.35	-	100.72	34.05	10.15	34.36
PK	7.1522G	64.50	88.20	-23.70	11.87	3	Vertical	52	2.35	-	52.63	35.91	10.51	34.55

802.11ax HEW40_Nss1,(MCS0)_4TX


6525MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9062G	46.74	68.20	-21.46	7.80	3	Horizontal	52	2.41	-	38.94	32.50	9.60	34.30
AV	6.5306G	92.11	Inf	-Inf	9.87	3	Horizontal	52	2.41	-	82.24	34.08	10.15	34.36
AV	7.2054G	52.75	68.20	-15.45	12.17	3	Horizontal	52	2.41	-	40.58	36.21	10.52	34.56
PK	5.9062G	58.73	88.20	-29.47	7.80	3	Horizontal	52	2.41	-	50.93	32.50	9.60	34.30
PK	6.5306G	102.10	Inf	-Inf	9.87	3	Horizontal	52	2.41	-	92.23	34.08	10.15	34.36
PK	7.1746G	64.51	88.20	-23.69	12.01	3	Horizontal	52	2.41	-	52.50	36.05	10.51	34.55

802.11ax HEW40_Nss1,(MCS0)_4TX


6525MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.04154G	43.85	68.20	-24.35	19.43	3	Vertical	242	1.50	-	24.42	38.86	13.71	33.14
PK	13.0431G	57.36	88.20	-30.84	19.43	3	Vertical	242	1.50	-	37.93	38.86	13.71	33.14

802.11ax HEW40_Nss1,(MCS0)_4TX


6525MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.0398G	43.75	68.20	-24.45	19.43	3	Horizontal	117	2.52	-	24.32	38.86	13.71	33.14
PK	13.05978G	57.88	88.20	-30.32	19.45	3	Horizontal	117	2.52	-	38.43	38.84	13.72	33.11

802.11ax HEW40_Nss1,(MCS0)_4TX


6565MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.5698G	98.44	Inf	-Inf	9.99	3	Vertical	64	2.83	-	88.45	34.20	10.17	34.38
AV	7.1602G	52.42	68.20	-15.78	11.92	3	Vertical	64	2.83	-	40.50	35.96	10.51	34.55
PK	6.5722G	109.56	Inf	-Inf	9.99	3	Vertical	64	2.83	-	99.57	34.20	10.17	34.38
PK	7.153G	64.79	88.20	-23.41	11.88	3	Vertical	64	2.83	-	52.91	35.92	10.51	34.55

802.11ax HEW40_Nss1,(MCS0)_4TX


6565MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.5698G	91.42	Inf	-Inf	9.99	3	Horizontal	52	2.52	-	81.43	34.20	10.17	34.38
AV	7.165G	52.50	68.20	-15.70	11.95	3	Horizontal	52	2.52	-	40.55	35.99	10.51	34.55
PK	6.5722G	103.34	Inf	-Inf	9.99	3	Horizontal	52	2.52	-	93.35	34.20	10.17	34.38
PK	7.1602G	64.00	88.20	-24.20	11.92	3	Horizontal	52	2.52	-	52.08	35.96	10.51	34.55

802.11ax HEW40_Nss1,(MCS0)_4TX


6565MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.13576G	43.72	68.20	-24.48	19.58	3	Vertical	338	2.18	-	24.14	38.80	13.77	32.99
PK	13.12988G	57.17	88.20	-31.03	19.57	3	Vertical	338	2.18	-	37.60	38.80	13.77	33.00

802.11ax HEW40_Nss1,(MCS0)_4TX


6565MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.12118G	43.74	68.20	-24.46	19.55	3	Horizontal	156	2.58	-	24.19	38.80	13.76	33.01
PK	13.13906G	57.85	88.20	-30.35	19.59	3	Horizontal	156	2.58	-	38.26	38.80	13.77	32.98

802.11ax HEW40_Nss1,(MCS0)_4TX


6685MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.689G	98.75	Inf	-Inf	9.94	3	Vertical	43	2.96	-	88.81	34.22	10.14	34.42
AV	7.181G	52.58	68.20	-15.62	12.04	3	Vertical	43	2.96	-	40.54	36.09	10.51	34.56
PK	6.691G	108.58	Inf	-Inf	9.93	3	Vertical	43	2.96	-	98.65	34.22	10.13	34.42
PK	7.147G	64.67	88.20	-23.53	11.85	3	Vertical	43	2.96	-	52.82	35.89	10.51	34.55

802.11ax HEW40_Nss1,(MCS0)_4TX


6685MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.683G	91.36	Inf	-Inf	9.95	3	Horizontal	332	2.55	-	81.41	34.23	10.14	34.42
AV	7.169G	52.63	68.20	-15.57	11.97	3	Horizontal	332	2.55	-	40.66	36.01	10.51	34.55
PK	6.685G	103.60	Inf	-Inf	9.95	3	Horizontal	332	2.55	-	93.65	34.23	10.14	34.42
PK	7.177G	65.99	88.20	-22.21	12.02	3	Horizontal	332	2.55	-	53.97	36.06	10.51	34.55

802.11ax HEW40_Nss1,(MCS0)_4TX


6685MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.37996G	44.66	54.00	-9.34	20.74	3	Vertical	158	1.50	-	23.92	39.40	13.93	32.59
PK	13.3748G	57.98	74.00	-16.02	20.69	3	Vertical	158	1.50	-	37.29	39.37	13.92	32.60

802.11ax HEW40_Nss1,(MCS0)_4TX


6685MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.36814G	44.74	54.00	-9.26	20.65	3	Horizontal	174	1.44	-	24.09	39.34	13.92	32.61
PK	13.3712G	58.64	74.00	-15.36	20.68	3	Horizontal	174	1.44	-	37.96	39.36	13.92	32.60

802.11ax HEW40_Nss1,(MCS0)_4TX


6845MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.8492G	99.98	Inf	-Inf	10.20	3	Vertical	7	2.51	-	89.78	34.50	10.18	34.48
AV	7.1908G	52.70	68.20	-15.50	12.09	3	Vertical	7	2.51	-	40.61	36.14	10.51	34.56
PK	6.8506G	110.98	Inf	-Inf	10.21	3	Vertical	7	2.51	-	100.77	34.50	10.19	34.48
PK	7.1726G	65.40	88.20	-22.80	12.00	3	Vertical	7	2.51	-	53.40	36.04	10.51	34.55

802.11ax HEW40_Nss1,(MCS0)_4TX


6845MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.8436G	90.44	Inf	-Inf	10.17	3	Horizontal	44	2.27	-	80.27	34.47	10.17	34.47
AV	7.1908G	52.66	68.20	-15.54	12.09	3	Horizontal	44	2.27	-	40.57	36.14	10.51	34.56
PK	6.8422G	102.49	Inf	-Inf	10.17	3	Horizontal	44	2.27	-	92.32	34.47	10.17	34.47
PK	7.1712G	64.61	88.20	-23.59	11.99	3	Horizontal	44	2.27	-	52.62	36.03	10.51	34.55

802.11ax HEW40_Nss1,(MCS0)_4TX


6845MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.6957G	49.20	68.20	-19.00	21.38	3	Vertical	220	1.07	-	27.82	39.70	14.13	32.45
PK	13.70482G	63.06	88.20	-25.14	21.37	3	Vertical	220	1.07	-	41.69	39.70	14.13	32.46


802.11ax HEW40_Nss1,(MCS0)_4TX

6845MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.70158G	49.12	68.20	-19.08	21.38	3	Horizontal	289	1.50	-	27.74	39.70	14.13	32.45
PK	13.69396G	62.98	88.20	-25.22	21.38	3	Horizontal	289	1.50	-	41.60	39.70	14.13	32.45

802.11ax HEW40_Nss1,(MCS0)_4TX
6885MHz Straddle 6.525-6.875GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.8766G	101.39	Inf	-Inf	10.41	3	Vertical	84	2.37	-	90.98	34.66	10.24	34.49
AV	7.1972G	52.72	68.20	-15.48	12.13	3	Vertical	84	2.37	-	40.59	36.18	10.51	34.56
PK	6.878G	113.58	Inf	-Inf	10.42	3	Vertical	84	2.37	-	103.16	34.67	10.24	34.49
PK	7.186G	65.19	88.20	-23.01	12.07	3	Vertical	84	2.37	-	53.12	36.12	10.51	34.56

802.11ax HEW40_Nss1,(MCS0)_4TX
6885MHz Straddle 6.525-6.875GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.8836G	92.18	Inf	-Inf	10.47	3	Horizontal	45	2.38	-	81.71	34.70	10.26	34.49
AV	7.2196G	52.71	68.20	-15.49	12.21	3	Horizontal	45	2.38	-	40.50	36.24	10.53	34.56
PK	6.8822G	103.16	Inf	-Inf	10.45	3	Horizontal	45	2.38	-	92.71	34.69	10.25	34.49
PK	7.2308G	65.80	88.20	-22.40	12.24	3	Horizontal	45	2.38	-	53.56	36.26	10.54	34.56

802.11ax HEW40_Nss1,(MCS0)_4TX
6885MHz Straddle 6.525-6.875GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.78362G	49.59	68.20	-18.61	21.48	3	Vertical	179	2.24	-	28.11	39.78	14.18	32.48
PK	13.76724G	63.62	88.20	-24.58	21.46	3	Vertical	179	2.24	-	42.16	39.77	14.17	32.48


802.11ax HEW40_Nss1,(MCS0)_4TX
6885MHz Straddle 6.525-6.875GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.77822G	49.54	68.20	-18.66	21.48	3	Horizontal	113	1.50	-	28.06	39.78	14.18	32.48
PK	13.77258G	63.12	88.20	-25.08	21.47	3	Horizontal	113	1.50	-	41.65	39.77	14.18	32.48

802.11ax HEW40_Nss1,(MCS0)_4TX


6925MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.9238G	98.35	Inf	-Inf	10.69	3	Vertical	57	3.00	-	87.66	34.85	10.34	34.50
AV	7.2238G	52.87	68.20	-15.33	12.22	3	Vertical	57	3.00	-	40.65	36.25	10.53	34.56
PK	6.9262G	109.45	Inf	-Inf	10.70	3	Vertical	57	3.00	-	98.75	34.85	10.35	34.50
PK	7.1482G	65.18	88.20	-23.02	11.85	3	Vertical	57	3.00	-	53.33	35.89	10.51	34.55

802.11ax HEW40_Nss1,(MCS0)_4TX


6925MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.9238G	90.20	Inf	-Inf	10.69	3	Horizontal	44	2.26	-	79.51	34.85	10.34	34.50
AV	7.1926G	52.77	68.20	-15.43	12.11	3	Horizontal	44	2.26	-	40.66	36.16	10.51	34.56
PK	6.9238G	102.45	Inf	-Inf	10.69	3	Horizontal	44	2.26	-	91.76	34.85	10.34	34.50
PK	7.2154G	65.15	88.20	-23.05	12.20	3	Horizontal	44	2.26	-	52.95	36.23	10.53	34.56

802.11ax HEW40_Nss1,(MCS0)_4TX


6925MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.86056G	50.55	68.20	-17.65	21.70	3	Vertical	60	1.00	-	28.85	39.98	14.23	32.51
PK	13.85642G	64.01	88.20	-24.19	21.70	3	Vertical	60	1.00	-	42.31	39.97	14.23	32.50

802.11ax HEW40_Nss1,(MCS0)_4TX


6925MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.84706G	50.55	68.20	-17.65	21.66	3	Horizontal	283	1.44	-	28.89	39.94	14.22	32.50
PK	13.83716G	63.66	88.20	-24.54	21.63	3	Horizontal	283	1.44	-	42.03	39.91	14.22	32.50

802.11ax HEW40_Nss1,(MCS0)_4TX


7005MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.9978G	100.31	Inf	-Inf	11.06	3	Vertical	83	2.25	-	89.25	35.09	10.50	34.53
AV	7.1454G	52.54	68.20	-15.66	11.84	3	Vertical	83	2.25	-	40.70	35.88	10.51	34.55
PK	6.9972G	112.87	Inf	-Inf	11.05	3	Vertical	83	2.25	-	101.82	35.09	10.49	34.53
PK	7.1454G	64.82	88.20	-23.38	11.84	3	Vertical	83	2.25	-	52.98	35.88	10.51	34.55

802.11ax HEW40_Nss1,(MCS0)_4TX


7005MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.0038G	90.84	Inf	-Inf	11.09	3	Horizontal	45	2.33	-	79.75	35.12	10.50	34.53
AV	7.149G	52.55	68.20	-15.65	11.86	3	Horizontal	45	2.33	-	40.69	35.90	10.51	34.55
PK	7.0038G	103.38	Inf	-Inf	11.09	3	Horizontal	45	2.33	-	92.29	35.12	10.50	34.53
PK	7.131G	65.45	88.20	-22.75	11.78	3	Horizontal	45	2.33	-	53.67	35.82	10.51	34.55

802.11ax HEW40_Nss1,(MCS0)_4TX


7005MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.00406G	50.64	68.20	-17.56	22.18	3	Vertical	294	1.49	-	28.46	40.41	14.32	32.55
PK	14.01978G	63.90	88.20	-24.30	22.20	3	Vertical	294	1.49	-	41.70	40.44	14.33	32.57

802.11ax HEW40_Nss1,(MCS0)_4TX


7005MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.00124G	50.65	68.20	-17.55	22.17	3	Horizontal	153	3.00	-	28.48	40.40	14.32	32.55
PK	14.01G	64.57	88.20	-23.63	22.18	3	Horizontal	153	3.00	-	42.39	40.42	14.32	32.56

802.11ax HEW40_Nss1,(MCS0)_4TX


7085MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.0862G	100.72	Inf	-Inf	11.58	3	Vertical	23	2.98	-	89.14	35.62	10.50	34.54
AV	7.1264G	52.97	68.20	-15.23	11.77	3	Vertical	23	2.98	-	41.20	35.81	10.51	34.55
PK	7.0862G	111.90	Inf	-Inf	11.58	3	Vertical	23	2.98	-	100.32	35.62	10.50	34.54
PK	7.1966G	65.26	88.20	-22.94	12.13	3	Vertical	23	2.98	-	53.13	36.18	10.51	34.56

802.11ax HEW40_Nss1,(MCS0)_4TX


7085MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.0868G	91.00	Inf	-Inf	11.58	3	Horizontal	61	2.93	-	79.42	35.62	10.50	34.54
AV	7.2212G	52.84	68.20	-15.36	12.21	3	Horizontal	61	2.93	-	40.63	36.24	10.53	34.56
PK	7.088G	103.46	Inf	-Inf	11.59	3	Horizontal	61	2.93	-	91.87	35.63	10.50	34.54
PK	7.1528G	66.27	88.20	-21.93	11.88	3	Horizontal	61	2.93	-	54.39	35.92	10.51	34.55

802.11ax HEW40_Nss1,(MCS0)_4TX


7085MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.16286G	50.20	68.20	-18.00	22.41	3	Vertical	258	1.50	-	27.79	40.79	14.37	32.75
PK	14.1556G	63.64	88.20	-24.56	22.40	3	Vertical	258	1.50	-	41.24	40.77	14.37	32.74

802.11ax HEW40_Nss1,(MCS0)_4TX


7085MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.16802G	50.21	68.20	-17.99	22.42	3	Horizontal	317	1.00	-	27.79	40.80	14.37	32.75
PK	14.155G	63.34	88.20	-24.86	22.40	3	Horizontal	317	1.00	-	40.94	40.77	14.37	32.74

802.11ax HEW80_Nss1,(MCS0)_4TX

5985MHz_TX




04/10/2021

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.915G	52.03	68.20	-16.17	7.81	3	Vertical	53	2.92	-	44.22	32.50	9.61	34.30
AV	5.996G	101.30	Inf	-Inf	7.87	3	Vertical	53	2.92	-	93.43	32.50	9.68	34.31
PK	5.917G	65.69	88.20	-22.51	7.81	3	Vertical	53	2.92	-	57.88	32.50	9.61	34.30
PK	5.997G	113.14	Inf	-Inf	7.87	3	Vertical	53	2.92	-	105.27	32.50	9.68	34.31

802.11ax HEW80_Nss1,(MCS0)_4TX


5985MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.91G	47.93	68.20	-20.27	7.81	3	Horizontal	51	1.00	-	40.12	32.50	9.61	34.30
AV	5.99G	89.23	Inf	-Inf	7.86	3	Horizontal	51	1.00	-	81.37	32.50	9.67	34.31
PK	5.855G	60.27	88.20	-27.93	7.58	3	Horizontal	51	1.00	-	52.69	32.32	9.56	34.30
PK	5.991G	100.21	Inf	-Inf	7.86	3	Horizontal	51	1.00	-	92.35	32.50	9.67	34.31

802.11ax HEW80_Nss1,(MCS0)_4TX


5985MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.98038G	42.67	54.00	-11.33	17.51	3	Vertical	172	1.50	-	25.16	38.86	13.04	34.39
PK	11.95644G	56.58	74.00	-17.42	17.46	3	Vertical	172	1.50	-	39.12	38.81	13.03	34.38

802.11ax HEW80_Nss1,(MCS0)_4TX


5985MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.98428G	42.68	54.00	-11.32	17.52	3	Horizontal	6	1.05	-	25.16	38.87	13.04	34.39
PK	11.96304G	56.47	74.00	-17.53	17.48	3	Horizontal	6	1.05	-	38.99	38.83	13.03	34.38

802.11ax HEW80_Nss1,(MCS0)_4TX


6145MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9014G	47.54	68.20	-20.66	7.80	3	Vertical	42	2.50	-	39.74	32.50	9.60	34.30
AV	6.1486G	100.01	Inf	-Inf	8.07	3	Vertical	42	2.50	-	91.94	32.59	9.80	34.32
PK	5.8762G	60.23	88.20	-27.97	7.68	3	Vertical	42	2.50	-	52.55	32.40	9.58	34.30
PK	6.1486G	111.24	Inf	-Inf	8.07	3	Vertical	42	2.50	-	103.17	32.59	9.80	34.32

802.11ax HEW80_Nss1,(MCS0)_4TX


6145MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9002G	47.47	68.20	-20.73	7.80	3	Horizontal	55	1.20	-	39.67	32.50	9.60	34.30
AV	6.151G	90.53	Inf	-Inf	8.09	3	Horizontal	55	1.20	-	82.44	32.61	9.80	34.32
PK	5.9026G	59.79	88.20	-28.41	7.80	3	Horizontal	55	1.20	-	51.99	32.50	9.60	34.30
PK	6.151G	102.06	Inf	-Inf	8.09	3	Horizontal	55	1.20	-	93.97	32.61	9.80	34.32

802.11ax HEW80_Nss1,(MCS0)_4TX


6145MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.28646G	42.83	54.00	-11.17	17.87	3	Vertical	169	2.68	-	24.96	38.90	13.23	34.26
PK	12.29642G	56.43	74.00	-17.57	17.89	3	Vertical	169	2.68	-	38.54	38.90	13.24	34.25

802.11ax HEW80_Nss1,(MCS0)_4TX


6145MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.29024G	42.82	54.00	-11.18	17.88	3	Horizontal	193	1.50	-	24.94	38.90	13.23	34.25
PK	12.2837G	56.37	74.00	-17.63	17.87	3	Horizontal	193	1.50	-	38.50	38.90	13.23	34.26

802.11ax HEW80_Nss1,(MCS0)_4TX


6385MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9242G	47.51	68.20	-20.69	7.82	3	Vertical	56	2.96	-	39.69	32.50	9.62	34.30
AV	6.3754G	100.16	Inf	-Inf	9.18	3	Vertical	56	2.96	-	90.98	33.45	10.07	34.34
PK	5.9026G	59.72	88.20	-28.48	7.80	3	Vertical	56	2.96	-	51.92	32.50	9.60	34.30
PK	6.397G	111.13	Inf	-Inf	9.25	3	Vertical	56	2.96	-	101.88	33.49	10.10	34.34

802.11ax HEW80_Nss1,(MCS0)_4TX


6385MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9146G	47.48	68.20	-20.72	7.81	3	Horizontal	55	2.23	-	39.67	32.50	9.61	34.30
AV	6.3922G	91.00	Inf	-Inf	9.23	3	Horizontal	55	2.23	-	81.77	33.48	10.09	34.34
PK	5.9074G	59.83	88.20	-28.37	7.81	3	Horizontal	55	2.23	-	52.02	32.50	9.61	34.30
PK	6.3898G	102.10	Inf	-Inf	9.23	3	Horizontal	55	2.23	-	92.87	33.48	10.09	34.34

802.11ax HEW80_Nss1,(MCS0)_4TX


6385MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.78344G	43.14	68.20	-25.06	18.75	3	Vertical	196	2.44	-	24.39	38.82	13.55	33.62
PK	12.77654G	56.49	88.20	-31.71	18.69	3	Vertical	196	2.44	-	37.80	38.78	13.54	33.63

802.11ax HEW80_Nss1,(MCS0)_4TX


6385MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.7829G	43.14	68.20	-25.06	18.74	3	Horizontal	135	2.08	-	24.40	38.81	13.55	33.62
PK	12.76466G	56.52	88.20	-31.68	18.61	3	Horizontal	135	2.08	-	37.91	38.72	13.54	33.65

802.11ax HEW80_Nss1,(MCS0)_4TX


6465MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9106G	47.49	68.20	-20.71	7.81	3	Vertical	68	2.24	-	39.68	32.50	9.61	34.30
AV	6.4706G	99.22	Inf	-Inf	9.56	3	Vertical	68	2.24	-	89.66	33.78	10.13	34.35
AV	7.165G	53.34	68.20	-14.86	11.95	3	Vertical	68	2.24	-	41.39	35.99	10.51	34.55
PK	5.8266G	60.03	88.20	-28.17	7.46	3	Vertical	68	2.24	-	52.57	32.21	9.54	34.29
PK	6.4734G	112.20	Inf	-Inf	9.57	3	Vertical	68	2.24	-	102.63	33.79	10.13	34.35
PK	7.151G	64.84	88.20	-23.36	11.87	3	Vertical	68	2.24	-	52.97	35.91	10.51	34.55

802.11ax HEW80_Nss1,(MCS0)_4TX


6465MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9134G	47.44	68.20	-20.76	7.81	3	Horizontal	54	2.19	-	39.63	32.50	9.61	34.30
AV	6.4706G	91.46	Inf	-Inf	9.56	3	Horizontal	54	2.19	-	81.90	33.78	10.13	34.35
AV	7.1594G	53.23	68.20	-14.97	11.92	3	Horizontal	54	2.19	-	41.31	35.96	10.51	34.55
PK	5.8658G	59.20	88.20	-29.00	7.63	3	Horizontal	54	2.19	-	51.57	32.36	9.57	34.30
PK	6.4706G	101.98	Inf	-Inf	9.56	3	Horizontal	54	2.19	-	92.42	33.78	10.13	34.35
PK	7.1454G	65.18	88.20	-23.02	11.84	3	Horizontal	54	2.19	-	53.34	35.88	10.51	34.55

802.11ax HEW80_Nss1,(MCS0)_4TX


6465MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.94356G	43.40	68.20	-24.80	19.23	3	Vertical	336	2.16	-	24.17	38.90	13.65	33.32
PK	12.94002G	57.59	88.20	-30.61	19.23	3	Vertical	336	2.16	-	38.36	38.90	13.65	33.32

802.11ax HEW80_Nss1,(MCS0)_4TX


6465MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.94176G	43.46	68.20	-24.74	19.23	3	Horizontal	255	1.68	-	24.23	38.90	13.65	33.32
PK	12.9354G	56.82	88.20	-31.38	19.21	3	Horizontal	255	1.68	-	37.61	38.90	13.64	33.33

802.11ax HEW80_Nss1,(MCS0)_4TX


6545MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9122G	47.45	68.20	-20.75	7.81	3	Vertical	67	2.43	-	39.64	32.50	9.61	34.30
AV	6.5506G	100.38	Inf	-Inf	9.99	3	Vertical	67	2.43	-	90.39	34.20	10.16	34.37
AV	7.2002G	53.54	68.20	-14.66	12.15	3	Vertical	67	2.43	-	41.39	36.20	10.51	34.56
PK	5.901G	58.74	88.20	-29.46	7.80	3	Vertical	67	2.43	-	50.94	32.50	9.60	34.30
PK	6.5506G	111.67	Inf	-Inf	9.99	3	Vertical	67	2.43	-	101.68	34.20	10.16	34.37
PK	7.175G	65.42	88.20	-22.78	12.01	3	Vertical	67	2.43	-	53.41	36.05	10.51	34.55

802.11ax HEW80_Nss1,(MCS0)_4TX


6545MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8814G	47.50	68.20	-20.70	7.72	3	Horizontal	54	2.22	-	39.78	32.43	9.59	34.30
AV	6.5506G	92.75	Inf	-Inf	9.99	3	Horizontal	54	2.22	-	82.76	34.20	10.16	34.37
AV	7.2086G	53.64	68.20	-14.56	12.18	3	Horizontal	54	2.22	-	41.46	36.22	10.52	34.56
PK	5.8618G	59.44	88.20	-28.76	7.62	3	Horizontal	54	2.22	-	51.82	32.35	9.57	34.30
PK	6.573G	103.19	Inf	-Inf	9.99	3	Horizontal	54	2.22	-	93.20	34.20	10.17	34.38
PK	7.2198G	65.70	88.20	-22.50	12.21	3	Horizontal	54	2.22	-	53.49	36.24	10.53	34.56

802.11ax HEW80_Nss1,(MCS0)_4TX


6545MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.09942G	43.85	68.20	-24.35	19.50	3	Vertical	83	1.94	-	24.35	38.80	13.75	33.05
PK	13.10152G	57.26	88.20	-30.94	19.51	3	Vertical	83	1.94	-	37.75	38.80	13.75	33.04

802.11ax HEW80_Nss1,(MCS0)_4TX


6545MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.1011G	43.82	68.20	-24.38	19.51	3	Horizontal	322	1.49	-	24.31	38.80	13.75	33.04
PK	13.10092G	57.65	88.20	-30.55	19.51	3	Horizontal	322	1.49	-	38.14	38.80	13.75	33.04

802.11ax HEW80_Nss1,(MCS0)_4TX


6625MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.625G	99.98	Inf	-Inf	10.02	3	Vertical	23	2.38	-	89.96	34.25	10.17	34.40
AV	7.201G	53.53	68.20	-14.67	12.15	3	Vertical	23	2.38	-	41.38	36.20	10.51	34.56
PK	6.6274G	111.84	Inf	-Inf	10.02	3	Vertical	23	2.38	-	101.82	34.25	10.17	34.40
PK	7.177G	65.46	88.20	-22.74	12.02	3	Vertical	23	2.38	-	53.44	36.06	10.51	34.55

802.11ax HEW80_Nss1,(MCS0)_4TX


6625MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.6298G	91.99	Inf	-Inf	10.03	3	Horizontal	55	2.36	-	81.96	34.26	10.17	34.40
AV	7.2082G	53.55	68.20	-14.65	12.18	3	Horizontal	55	2.36	-	41.37	36.22	10.52	34.56
PK	6.613G	102.73	Inf	-Inf	10.01	3	Horizontal	55	2.36	-	92.72	34.23	10.17	34.39
PK	7.1578G	65.00	88.20	-23.20	11.91	3	Horizontal	55	2.36	-	53.09	35.95	10.51	34.55

802.11ax HEW80_Nss1,(MCS0)_4TX


6625MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.26458G	44.08	54.00	-9.92	20.00	3	Vertical	308	1.55	-	24.08	38.93	13.85	32.78
PK	13.23992G	57.30	88.20	-30.90	19.90	3	Vertical	308	1.55	-	37.40	38.88	13.84	32.82

802.11ax HEW80_Nss1,(MCS0)_4TX


6625MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.2623G	44.04	54.00	-9.96	19.99	3	Horizontal	96	1.70	-	24.05	38.92	13.85	32.78
PK	13.24148G	57.85	88.20	-30.35	19.91	3	Horizontal	96	1.70	-	37.94	38.88	13.84	32.81

802.11ax HEW80_Nss1,(MCS0)_4TX


6705MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.711G	100.29	Inf	-Inf	9.91	3	Vertical	69	2.92	-	90.38	34.22	10.12	34.43
AV	7.191G	53.61	68.20	-14.59	12.10	3	Vertical	69	2.92	-	41.51	36.15	10.51	34.56
PK	6.713G	111.40	Inf	-Inf	9.92	3	Vertical	69	2.92	-	101.48	34.23	10.12	34.43
PK	7.195G	65.51	88.20	-22.69	12.12	3	Vertical	69	2.92	-	53.39	36.17	10.51	34.56

802.11ax HEW80_Nss1,(MCS0)_4TX


6705MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.711G	92.19	Inf	-Inf	9.91	3	Horizontal	56	2.57	-	82.28	34.22	10.12	34.43
AV	7.201G	53.47	68.20	-14.73	12.15	3	Horizontal	56	2.57	-	41.32	36.20	10.51	34.56
PK	6.711G	103.38	Inf	-Inf	9.91	3	Horizontal	56	2.57	-	93.47	34.22	10.12	34.43
PK	7.163G	65.71	88.20	-22.49	11.94	3	Horizontal	56	2.57	-	53.77	35.98	10.51	34.55

802.11ax HEW80_Nss1,(MCS0)_4TX


6705MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.40016G	44.63	68.20	-23.57	20.89	3	Vertical	187	1.47	-	23.74	39.50	13.94	32.55
PK	13.4016G	58.44	88.20	-29.76	20.89	3	Vertical	187	1.47	-	37.55	39.50	13.94	32.55

802.11ax HEW80_Nss1,(MCS0)_4TX


6705MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.40082G	44.74	68.20	-23.46	20.89	3	Horizontal	228	1.18	-	23.85	39.50	13.94	32.55
PK	13.40526G	57.93	88.20	-30.27	20.89	3	Horizontal	228	1.18	-	37.04	39.50	13.94	32.55

802.11ax HEW80_Nss1,(MCS0)_4TX


6785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.7834G	101.07	Inf	-Inf	9.94	3	Vertical	57	3.00	-	91.13	34.30	10.09	34.45
AV	7.1834G	53.44	68.20	-14.76	12.05	3	Vertical	57	3.00	-	41.39	36.10	10.51	34.56
PK	6.785G	112.89	Inf	-Inf	9.94	3	Vertical	57	3.00	-	102.95	34.30	10.09	34.45
PK	7.1706G	66.04	88.20	-22.16	11.98	3	Vertical	57	3.00	-	54.06	36.02	10.51	34.55

802.11ax HEW80_Nss1,(MCS0)_4TX


6785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.7834G	92.51	Inf	-Inf	9.94	3	Horizontal	49	2.19	-	82.57	34.30	10.09	34.45
AV	7.1818G	53.34	68.20	-14.86	12.04	3	Horizontal	49	2.19	-	41.30	36.09	10.51	34.56
PK	6.8026G	104.17	Inf	-Inf	9.94	3	Horizontal	49	2.19	-	94.23	34.31	10.09	34.46
PK	7.137G	65.22	88.20	-22.98	11.81	3	Horizontal	49	2.19	-	53.41	35.85	10.51	34.55

802.11ax HEW80_Nss1,(MCS0)_4TX


6785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.5844G	44.76	68.20	-23.44	21.31	3	Vertical	53	2.48	-	23.45	39.67	14.06	32.42
PK	13.5817G	58.29	88.20	-29.91	21.29	3	Vertical	53	2.48	-	37.00	39.66	14.05	32.42


802.11ax HEW80_Nss1,(MCS0)_4TX

6785MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.5793G	44.78	68.20	-23.42	21.29	3	Horizontal	160	2.12	-	23.49	39.66	14.05	32.42
PK	13.57006G	58.41	88.20	-29.79	21.28	3	Horizontal	160	2.12	-	37.13	39.64	14.05	32.41

802.11ax HEW80_Nss1,(MCS0)_4TX
6865MHz Straddle 6.525-6.875GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.8698G	101.53	Inf	-Inf	10.37	3	Vertical	9	2.41	-	91.16	34.62	10.23	34.48
AV	7.1578G	53.31	68.20	-14.89	11.91	3	Vertical	9	2.41	-	41.40	35.95	10.51	34.55
PK	6.8698G	113.34	Inf	-Inf	10.37	3	Vertical	9	2.41	-	102.97	34.62	10.23	34.48
PK	7.1338G	65.81	88.20	-22.39	11.80	3	Vertical	9	2.41	-	54.01	35.84	10.51	34.55

802.11ax HEW80_Nss1,(MCS0)_4TX
6865MHz Straddle 6.525-6.875GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.8626G	92.18	Inf	-Inf	10.31	3	Horizontal	49	2.24	-	81.87	34.58	10.21	34.48
AV	7.1566G	53.25	68.20	-14.95	11.90	3	Horizontal	49	2.24	-	41.35	35.94	10.51	34.55
PK	6.8626G	104.44	Inf	-Inf	10.31	3	Horizontal	49	2.24	-	94.13	34.58	10.21	34.48
PK	7.1638G	65.47	88.20	-22.73	11.94	3	Horizontal	49	2.24	-	53.53	35.98	10.51	34.55

802.11ax HEW80_Nss1,(MCS0)_4TX
6865MHz Straddle 6.525-6.875GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.74344G	49.26	68.20	-18.94	21.43	3	Vertical	128	1.08	-	27.83	39.74	14.16	32.47
PK	13.72856G	62.81	88.20	-25.39	21.42	3	Vertical	128	1.08	-	41.39	39.73	14.15	32.46


802.11ax HEW80_Nss1,(MCS0)_4TX
6865MHz Straddle 6.525-6.875GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.74212G	49.24	68.20	-18.96	21.43	3	Horizontal	278	1.51	-	27.81	39.74	14.16	32.47
PK	13.72778G	62.18	88.20	-26.02	21.42	3	Horizontal	278	1.51	-	40.76	39.73	14.15	32.46

802.11ax HEW80_Nss1,(MCS0)_4TX


6945MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.957G	100.37	Inf	-Inf	10.83	3	Vertical	87	3.00	-	89.54	34.93	10.41	34.51
AV	7.2102G	53.57	68.20	-14.63	12.18	3	Vertical	87	3.00	-	41.39	36.22	10.52	34.56
PK	6.9366G	112.56	Inf	-Inf	10.73	3	Vertical	87	3.00	-	101.83	34.87	10.37	34.51
PK	7.245G	66.09	88.20	-22.11	12.28	3	Vertical	87	3.00	-	53.81	36.29	10.55	34.56

802.11ax HEW80_Nss1,(MCS0)_4TX


6945MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.9438G	91.59	Inf	-Inf	10.76	3	Horizontal	51	2.36	-	80.83	34.89	10.38	34.51
AV	7.2318G	53.65	68.20	-14.55	12.24	3	Horizontal	51	2.36	-	41.41	36.26	10.54	34.56
PK	6.9654G	102.70	Inf	-Inf	10.87	3	Horizontal	51	2.36	-	91.83	34.96	10.43	34.52
PK	7.1598G	66.13	88.20	-22.07	11.92	3	Horizontal	51	2.36	-	54.21	35.96	10.51	34.55

802.11ax HEW80_Nss1,(MCS0)_4TX


6945MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.90266G	50.44	68.20	-17.76	21.85	3	Vertical	201	1.54	-	28.59	40.11	14.26	32.52
PK	13.88694G	64.20	88.20	-24.00	21.80	3	Vertical	201	1.54	-	42.40	40.06	14.25	32.51

802.11ax HEW80_Nss1,(MCS0)_4TX


6945MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.88856G	50.48	68.20	-17.72	21.81	3	Horizontal	290	1.56	-	28.67	40.07	14.25	32.51
PK	13.8774G	64.09	88.20	-24.11	21.76	3	Horizontal	290	1.56	-	42.33	40.03	14.24	32.51

802.11ax HEW80_Nss1,(MCS0)_4TX


7025MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.017G	102.92	Inf	-Inf	11.17	3	Vertical	85	2.18	-	91.75	35.20	10.50	34.53
AV	7.1386G	53.84	68.20	-14.36	11.81	3	Vertical	85	2.18	-	42.03	35.85	10.51	34.55
PK	7.0378G	115.42	Inf	-Inf	11.29	3	Vertical	85	2.18	-	104.13	35.33	10.50	34.54
PK	7.1786G	65.92	88.20	-22.28	12.02	3	Vertical	85	2.18	-	53.90	36.07	10.51	34.56

802.11ax HEW80_Nss1,(MCS0)_4TX


7025MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.0226G	92.93	Inf	-Inf	11.21	3	Horizontal	50	2.43	-	81.72	35.24	10.50	34.53
AV	7.2018G	53.64	68.20	-14.56	12.15	3	Horizontal	50	2.43	-	41.49	36.20	10.51	34.56
PK	7.0226G	105.36	Inf	-Inf	11.21	3	Horizontal	50	2.43	-	94.15	35.24	10.50	34.53
PK	7.1994G	66.64	88.20	-21.56	12.15	3	Horizontal	50	2.43	-	54.49	36.20	10.51	34.56

802.11ax HEW80_Nss1,(MCS0)_4TX


7025MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.03644G	50.36	68.20	-17.84	22.21	3	Vertical	144	2.30	-	28.15	40.47	14.33	32.59
PK	14.04382G	63.64	88.20	-24.56	22.22	3	Vertical	144	2.30	-	41.42	40.49	14.33	32.60

802.11ax HEW80_Nss1,(MCS0)_4TX


7025MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.035G	50.39	68.20	-17.81	22.21	3	Horizontal	51	2.19	-	28.18	40.47	14.33	32.59
PK	14.04484G	63.65	88.20	-24.55	22.22	3	Horizontal	51	2.19	-	41.43	40.49	14.33	32.60

802.11ax HEW160_Nss1,(MCS0)_4TX


6025MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.915G	55.63	68.20	-12.57	7.81	3	Vertical	47	2.88	-	47.82	32.50	9.61	34.30
AV	6.036G	100.82	Inf	-Inf	7.90	3	Vertical	47	2.88	-	92.92	32.50	9.71	34.31
PK	5.915G	67.70	88.20	-20.50	7.81	3	Vertical	47	2.88	-	59.89	32.50	9.61	34.30
PK	6.035G	112.15	Inf	-Inf	7.90	3	Vertical	47	2.88	-	104.25	32.50	9.71	34.31

802.11ax HEW160_Nss1,(MCS0)_4TX


6025MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.923G	48.42	68.20	-19.78	7.82	3	Horizontal	46	2.42	-	40.60	32.50	9.62	34.30
AV	6.011G	88.86	Inf	-Inf	7.88	3	Horizontal	46	2.42	-	80.98	32.50	9.69	34.31
PK	5.923G	60.09	88.20	-28.11	7.82	3	Horizontal	46	2.42	-	52.27	32.50	9.62	34.30
PK	6.011G	100.51	Inf	-Inf	7.88	3	Horizontal	46	2.42	-	92.63	32.50	9.69	34.31

802.11ax HEW160_Nss1,(MCS0)_4TX


6025MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.0852G	34.80	54.00	-19.20	17.81	3	Vertical	175	1.76	-	16.99	39.07	13.10	34.36
PK	12.0852G	47.15	74.00	-26.85	17.81	3	Vertical	175	1.76	-	29.34	39.07	13.10	34.36

802.11ax HEW160_Nss1,(MCS0)_4TX

6025MHz_TX




04/10/2021

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.0804G	34.87	54.00	-19.13	17.80	3	Horizontal	269	2.20	-	17.07	39.06	13.10	34.36
PK	12.06792G	47.77	74.00	-26.23	17.76	3	Horizontal	269	2.20	-	30.01	39.04	13.09	34.37

802.11ax HEW160_Nss1,(MCS0)_4TX


6185MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9194G	47.60	68.20	-20.60	7.82	3	Vertical	40	2.32	-	39.78	32.50	9.62	34.30
AV	6.1898G	99.08	Inf	-Inf	8.34	3	Vertical	40	2.32	-	90.74	32.84	9.83	34.33
PK	5.9034G	60.07	88.20	-28.13	7.80	3	Vertical	40	2.32	-	52.27	32.50	9.60	34.30
PK	6.169G	111.70	Inf	-Inf	8.21	3	Vertical	40	2.32	-	103.49	32.71	9.82	34.32

802.11ax HEW160_Nss1,(MCS0)_4TX


6185MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.913G	47.43	68.20	-20.77	7.81	3	Horizontal	50	2.25	-	39.62	32.50	9.61	34.30
AV	6.1914G	90.44	Inf	-Inf	8.35	3	Horizontal	50	2.25	-	82.09	32.85	9.83	34.33
PK	5.9146G	59.83	88.20	-28.37	7.81	3	Horizontal	50	2.25	-	52.02	32.50	9.61	34.30
PK	6.1914G	102.27	Inf	-Inf	8.35	3	Horizontal	50	2.25	-	93.92	32.85	9.83	34.33

802.11ax HEW160_Nss1,(MCS0)_4TX


6185MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.32424G	35.41	54.00	-18.59	17.82	3	Vertical	171	2.27	-	17.59	38.80	13.26	34.24
PK	12.29864G	47.80	74.00	-26.20	17.89	3	Vertical	171	2.27	-	29.91	38.90	13.24	34.25

802.11ax HEW160_Nss1,(MCS0)_4TX


6185MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.32072G	35.43	54.00	-18.57	17.83	3	Horizontal	197	2.26	-	17.60	38.82	13.25	34.24
PK	12.29064G	47.96	74.00	-26.04	17.88	3	Horizontal	197	2.26	-	30.08	38.90	13.23	34.25

802.11ax HEW160_Nss1,(MCS0)_4TX


6345MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8746G	47.40	68.20	-20.80	7.68	3	Vertical	61	2.25	-	39.72	32.40	9.58	34.30
AV	6.3714G	100.11	Inf	-Inf	9.16	3	Vertical	61	2.25	-	90.95	33.44	10.06	34.34
PK	5.8458G	60.06	88.20	-28.14	7.55	3	Vertical	61	2.25	-	52.51	32.28	9.56	34.29
PK	6.333G	111.74	Inf	-Inf	8.97	3	Vertical	61	2.25	-	102.77	33.30	10.01	34.34

802.11ax HEW160_Nss1,(MCS0)_4TX


6345MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8794G	47.44	68.20	-20.76	7.70	3	Horizontal	53	1.00	-	39.74	32.42	9.58	34.30
AV	6.3714G	90.06	Inf	-Inf	9.16	3	Horizontal	53	1.00	-	80.90	33.44	10.06	34.34
PK	5.8914G	59.32	88.20	-28.88	7.76	3	Horizontal	53	1.00	-	51.56	32.47	9.59	34.30
PK	6.4122G	100.96	Inf	-Inf	9.31	3	Horizontal	53	1.00	-	91.65	33.55	10.10	34.34

802.11ax HEW160_Nss1,(MCS0)_4TX


6345MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.76936G	36.41	68.20	-31.79	18.65	3	Vertical	178	1.67	-	17.76	38.75	13.54	33.64
PK	12.77G	48.56	88.20	-39.64	18.65	3	Vertical	178	1.67	-	29.91	38.75	13.54	33.64

802.11ax HEW160_Nss1,(MCS0)_4TX


6345MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.76392G	36.34	68.20	-31.86	18.61	3	Horizontal	316	2.01	-	17.73	38.72	13.54	33.65
PK	12.71144G	48.81	88.20	-39.39	18.21	3	Horizontal	316	2.01	-	30.60	38.46	13.50	33.75

802.11ax HEW160_Nss1,(MCS0)_4TX


6505MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9114G	47.46	68.20	-20.74	7.81	3	Vertical	64	2.26	-	39.65	32.50	9.61	34.30
AV	6.533G	100.27	Inf	-Inf	9.89	3	Vertical	64	2.26	-	90.38	34.10	10.15	34.36
AV	7.191G	53.46	68.20	-14.74	12.10	3	Vertical	64	2.26	-	41.36	36.15	10.51	34.56
PK	5.8834G	59.12	88.20	-29.08	7.72	3	Vertical	64	2.26	-	51.40	32.43	9.59	34.30
PK	6.5302G	110.56	Inf	-Inf	9.87	3	Vertical	64	2.26	-	100.69	34.08	10.15	34.36
PK	7.191G	66.24	88.20	-21.96	12.10	3	Vertical	64	2.26	-	54.14	36.15	10.51	34.56

802.11ax HEW160_Nss1,(MCS0)_4TX


6505MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8806G	47.42	68.20	-20.78	7.70	3	Horizontal	50	2.35	-	39.72	32.42	9.58	34.30
AV	6.5302G	92.69	Inf	-Inf	9.87	3	Horizontal	50	2.35	-	82.82	34.08	10.15	34.36
AV	7.2022G	53.42	68.20	-14.78	12.15	3	Horizontal	50	2.35	-	41.27	36.20	10.51	34.56
PK	5.8778G	59.22	88.20	-28.98	7.69	3	Horizontal	50	2.35	-	51.53	32.41	9.58	34.30
PK	6.533G	103.36	Inf	-Inf	9.89	3	Horizontal	50	2.35	-	93.47	34.10	10.15	34.36
PK	7.149G	64.99	88.20	-23.21	11.86	3	Horizontal	50	2.35	-	53.13	35.90	10.51	34.55

802.11ax HEW160_Nss1,(MCS0)_4TX


6505MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.9828G	37.18	68.20	-31.02	19.33	3	Vertical	301	1.79	-	17.85	38.90	13.67	33.24
PK	13.00552G	49.67	88.20	-38.53	19.38	3	Vertical	301	1.79	-	30.29	38.89	13.69	33.20

802.11ax HEW160_Nss1,(MCS0)_4TX


6505MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.01384G	37.20	68.20	-31.00	19.39	3	Horizontal	89	1.34	-	17.81	38.89	13.69	33.19
PK	13.00008G	50.20	88.20	-38.00	19.38	3	Horizontal	89	1.34	-	30.82	38.90	13.69	33.21

802.11ax HEW160_Nss1,(MCS0)_4TX


6665MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.687G	100.93	Inf	-Inf	9.95	3	Vertical	19	2.34	-	90.98	34.23	10.14	34.42
AV	7.1996G	53.45	68.20	-14.75	12.15	3	Vertical	19	2.34	-	41.30	36.20	10.51	34.56
PK	6.6848G	111.62	Inf	-Inf	9.95	3	Vertical	19	2.34	-	101.67	34.23	10.14	34.42
PK	7.1468G	65.43	88.20	-22.77	11.85	3	Vertical	19	2.34	-	53.58	35.89	10.51	34.55

802.11ax HEW160_Nss1,(MCS0)_4TX


6665MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.6826G	92.35	Inf	-Inf	9.95	3	Horizontal	330	2.54	-	82.40	34.23	10.14	34.42
AV	7.1996G	53.40	68.20	-14.80	12.15	3	Horizontal	330	2.54	-	41.25	36.20	10.51	34.56
PK	6.643G	103.99	Inf	-Inf	10.05	3	Horizontal	330	2.54	-	93.94	34.29	10.16	34.40
PK	7.1424G	64.91	88.20	-23.29	11.83	3	Horizontal	330	2.54	-	53.08	35.87	10.51	34.55

802.11ax HEW160_Nss1,(MCS0)_4TX


6665MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.38472G	39.12	54.00	-14.88	20.77	3	Vertical	327	1.62	-	18.35	39.42	13.93	32.58
PK	13.39176G	51.95	74.00	-22.05	20.82	3	Vertical	327	1.62	-	31.13	39.46	13.93	32.57


802.11ax HEW160_Nss1,(MCS0)_4TX

6665MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.37512G	39.16	54.00	-14.84	20.71	3	Horizontal	48	1.51	-	18.45	39.38	13.92	32.59
PK	13.37992G	52.70	74.00	-21.30	20.74	3	Horizontal	48	1.51	-	31.96	39.40	13.93	32.59

802.11ax HEW160_Nss1,(MCS0)_4TX
6825MHz Straddle 6.525-6.875GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.7898G	101.29	Inf	-Inf	9.94	3	Vertical	4	2.29	-	91.35	34.30	10.09	34.45
AV	7.201G	53.61	68.20	-14.59	12.15	3	Vertical	4	2.29	-	41.46	36.20	10.51	34.56
PK	6.7882G	112.98	Inf	-Inf	9.94	3	Vertical	4	2.29	-	103.04	34.30	10.09	34.45
PK	7.1802G	66.02	88.20	-22.18	12.03	3	Vertical	4	2.29	-	53.99	36.08	10.51	34.56

802.11ax HEW160_Nss1,(MCS0)_4TX
6825MHz Straddle 6.525-6.875GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.7898G	90.03	Inf	-Inf	9.94	3	Horizontal	54	2.29	-	80.09	34.30	10.09	34.45
AV	7.209G	53.45	68.20	-14.75	12.18	3	Horizontal	54	2.29	-	41.27	36.22	10.52	34.56
PK	6.8714G	101.89	Inf	-Inf	10.38	3	Horizontal	54	2.29	-	91.51	34.63	10.23	34.48
PK	7.1818G	65.28	88.20	-22.92	12.04	3	Horizontal	54	2.29	-	53.24	36.09	10.51	34.56

802.11ax HEW160_Nss1,(MCS0)_4TX
6825MHz Straddle 6.525-6.875GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.72872G	47.81	68.20	-20.39	21.42	3	Vertical	0	2.14	-	26.39	39.73	14.15	32.46
PK	13.71432G	61.03	88.20	-27.17	21.39	3	Vertical	0	2.14	-	39.64	39.71	14.14	32.46


802.11ax HEW160_Nss1,(MCS0)_4TX
6825MHz Straddle 6.525-6.875GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.72872G	47.90	68.20	-20.30	21.42	3	Horizontal	345	2.65	-	26.48	39.73	14.15	32.46
PK	13.69512G	61.04	88.20	-27.16	21.38	3	Horizontal	345	2.65	-	39.66	39.70	14.13	32.45

802.11ax HEW160_Nss1,(MCS0)_4TX


6985MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.017G	101.22	Inf	-Inf	11.17	3	Vertical	83	2.48	-	90.05	35.20	10.50	34.53
AV	7.137G	55.73	68.20	-12.47	11.81	3	Vertical	83	2.48	-	43.92	35.85	10.51	34.55
PK	6.957G	114.01	Inf	-Inf	10.83	3	Vertical	83	2.48	-	103.18	34.93	10.41	34.51
PK	7.156G	67.53	88.20	-20.67	11.90	3	Vertical	83	2.48	-	55.63	35.94	10.51	34.55

802.11ax HEW160_Nss1,(MCS0)_4TX


6985MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.963G	91.34	Inf	-Inf	10.85	3	Horizontal	43	2.11	-	80.49	34.95	10.42	34.52
AV	7.191G	53.66	68.20	-14.54	12.10	3	Horizontal	43	2.11	-	41.56	36.15	10.51	34.56
PK	6.962G	103.84	Inf	-Inf	10.85	3	Horizontal	43	2.11	-	92.99	34.95	10.42	34.52
PK	7.235G	66.27	88.20	-21.93	12.25	3	Horizontal	43	2.11	-	54.02	36.27	10.54	34.56

802.11ax HEW160_Nss1,(MCS0)_4TX


6985MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.94888G	49.75	68.20	-18.45	22.01	3	Vertical	242	1.50	-	27.74	40.25	14.29	32.53
PK	13.92296G	62.60	88.20	-25.60	21.91	3	Vertical	242	1.50	-	40.69	40.17	14.27	32.53

802.11ax HEW160_Nss1,(MCS0)_4TX

6985MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.95016G	49.78	68.20	-18.42	22.01	3	Horizontal	319	1.50	-	27.77	40.25	14.29	32.53
PK	13.94248G	63.37	88.20	-24.83	21.98	3	Horizontal	319	1.50	-	41.39	40.23	14.28	32.53



Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
6.525-6.875GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW160_Nss1,(MCS0)_4TX	Pass	PK	187.14M	32.14	43.50	-11.36	3	Horizontal	0	1.00	-




Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
802.11ax HEW160_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-	-
6665MHz	Pass	PK	125.06M	27.19	43.50	-16.31	3	Vertical	360	1.00	-
6665MHz	Pass	PK	183.26M	26.89	43.50	-16.61	3	Vertical	360	1.00	-
6665MHz	Pass	PK	255.04M	28.46	46.00	-17.54	3	Vertical	360	1.00	-
6665MHz	Pass	PK	410.24M	27.74	46.00	-18.26	3	Vertical	360	1.00	-
6665MHz	Pass	PK	530.52M	29.83	46.00	-16.17	3	Vertical	360	1.00	-
6665MHz	Pass	PK	897.18M	33.35	46.00	-12.65	3	Vertical	360	1.00	-
6665MHz	Pass	PK	187.14M	32.14	43.50	-11.36	3	Horizontal	0	1.00	-
6665MHz	Pass	PK	251.16M	31.85	46.00	-14.15	3	Horizontal	0	1.00	-
6665MHz	Pass	PK	423.82M	27.82	46.00	-18.18	3	Horizontal	0	1.00	-
6665MHz	Pass	PK	563.5M	29.69	46.00	-16.31	3	Horizontal	0	1.00	-
6665MHz	Pass	PK	736.16M	30.77	46.00	-15.23	3	Horizontal	0	1.00	-
6665MHz	Pass	PK	897.18M	33.55	46.00	-12.45	3	Horizontal	0	1.00	-
6665MHz	Pass	PK	121.18M	27.31	43.50	-16.19	3	Vertical	0	1.00	-
6665MHz	Pass	PK	183.26M	26.66	43.50	-16.84	3	Vertical	0	1.00	-
6665MHz	Pass	PK	260.86M	29.03	46.00	-16.97	3	Vertical	0	1.00	-
6665MHz	Pass	PK	542.16M	29.55	46.00	-16.45	3	Vertical	0	1.00	-
6665MHz	Pass	PK	668.26M	30.64	46.00	-15.36	3	Vertical	0	1.00	-
6665MHz	Pass	PK	899.12M	33.45	46.00	-12.55	3	Vertical	0	1.00	-
6665MHz	Pass	PK	179.38M	31.20	43.50	-12.30	3	Horizontal	360	1.00	-
6665MHz	Pass	PK	253.1M	31.89	46.00	-14.11	3	Horizontal	360	1.00	-
6665MHz	Pass	PK	476.2M	28.60	46.00	-17.40	3	Horizontal	360	1.00	-
6665MHz	Pass	PK	646.92M	30.61	46.00	-15.39	3	Horizontal	360	1.00	-
6665MHz	Pass	PK	755.56M	31.46	46.00	-14.54	3	Horizontal	360	1.00	-
6665MHz	Pass	PK	955.38M	34.28	46.00	-11.72	3	Horizontal	360	1.00	-
6665MHz	Pass	PK	123.12M	26.86	43.50	-16.64	3	Vertical	360	1.00	-
6665MHz	Pass	PK	183.26M	26.50	43.50	-17.00	3	Vertical	360	1.00	-
6665MHz	Pass	PK	249.22M	28.08	46.00	-17.92	3	Vertical	360	1.00	-
6665MHz	Pass	PK	423.82M	27.58	46.00	-18.42	3	Vertical	360	1.00	-
6665MHz	Pass	PK	586.78M	30.08	46.00	-15.92	3	Vertical	360	1.00	-
6665MHz	Pass	PK	901.06M	34.15	46.00	-11.85	3	Vertical	360	1.00	-
6665MHz	Pass	PK	185.2M	30.78	43.50	-12.72	3	Horizontal	0	1.00	-
6665MHz	Pass	PK	247.28M	32.77	46.00	-13.23	3	Horizontal	0	1.00	-
6665MHz	Pass	PK	410.24M	27.59	46.00	-18.41	3	Horizontal	0	1.00	-
6665MHz	Pass	PK	608.12M	29.69	46.00	-16.31	3	Horizontal	0	1.00	-
6665MHz	Pass	PK	757.5M	31.34	46.00	-14.66	3	Horizontal	0	1.00	-
6665MHz	Pass	PK	897.18M	33.13	46.00	-12.87	3	Horizontal	0	1.00	-

802.11ax HEW160_Nss1,(MCS0)_4TX


6665MHz_Adapter



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	125.06M	27.19	43.50	-16.31	-8.85	3	Vertical	360	1.00	-	36.04	17.33	1.57	27.75
PK	183.26M	26.89	43.50	-16.61	-11.18	3	Vertical	360	1.00	-	38.07	14.38	1.88	27.44
PK	255.04M	28.46	46.00	-17.54	-6.69	3	Vertical	360	1.00	-	35.15	18.16	2.17	27.02
PK	410.24M	27.74	46.00	-18.26	-3.52	3	Vertical	360	1.00	-	31.26	21.55	2.77	27.84
PK	530.52M	29.83	46.00	-16.17	-2.35	3	Vertical	360	1.00	-	32.18	22.83	3.15	28.33
PK	897.18M	33.35	46.00	-12.65	2.23	3	Vertical	360	1.00	-	31.12	25.64	4.10	27.51

802.11ax HEW160_Nss1,(MCS0)_4TX


6665MHz_Adapter



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	187.14M	32.14	43.50	-11.36	-11.21	3	Horizontal	0	1.00	-	43.35	14.30	1.90	27.41
PK	251.16M	31.85	46.00	-14.15	-7.17	3	Horizontal	0	1.00	-	39.02	17.70	2.15	27.02
PK	423.82M	27.82	46.00	-18.18	-3.29	3	Horizontal	0	1.00	-	31.11	21.81	2.82	27.92
PK	563.5M	29.69	46.00	-16.31	-1.14	3	Horizontal	0	1.00	-	30.83	23.97	3.24	28.35
PK	736.16M	30.77	46.00	-15.23	0.34	3	Horizontal	0	1.00	-	30.43	24.79	3.67	28.12
PK	897.18M	33.55	46.00	-12.45	2.23	3	Horizontal	0	1.00	-	31.32	25.64	4.10	27.51

802.11ax HEW160_Nss1,(MCS0)_4TX


6665MHz_PoE 1



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	121.18M	27.31	43.50	-16.19	-8.77	3	Vertical	0	1.00	-	36.08	17.47	1.55	27.79
PK	183.26M	26.66	43.50	-16.84	-11.18	3	Vertical	0	1.00	-	37.84	14.38	1.88	27.44
PK	260.86M	29.03	46.00	-16.97	-6.08	3	Vertical	0	1.00	-	35.11	18.75	2.20	27.03
PK	542.16M	29.55	46.00	-16.45	-1.77	3	Vertical	0	1.00	-	31.32	23.38	3.17	28.32
PK	668.26M	30.64	46.00	-15.36	-0.53	3	Vertical	0	1.00	-	31.17	24.18	3.50	28.21
PK	899.12M	33.45	46.00	-12.55	2.26	3	Vertical	0	1.00	-	31.19	25.65	4.11	27.50

802.11ax HEW160_Nss1,(MCS0)_4TX


6665MHz_PoE 1



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	179.38M	31.20	43.50	-12.30	-11.09	3	Horizontal	360	1.00	-	42.29	14.51	1.86	27.46
PK	253.1M	31.89	46.00	-14.11	-6.93	3	Horizontal	360	1.00	-	38.82	17.93	2.16	27.02
PK	476.2M	28.60	46.00	-17.40	-2.62	3	Horizontal	360	1.00	-	31.22	22.61	2.99	28.22
PK	646.92M	30.61	46.00	-15.39	-0.54	3	Horizontal	360	1.00	-	31.15	24.22	3.45	28.21
PK	755.56M	31.46	46.00	-14.54	0.59	3	Horizontal	360	1.00	-	30.87	24.92	3.72	28.05
PK	955.38M	34.28	46.00	-11.72	3.08	3	Horizontal	360	1.00	-	31.20	26.14	4.20	27.26

802.11ax HEW160_Nss1,(MCS0)_4TX


6665MHz_PoE 2



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	123.12M	26.86	43.50	-16.64	-8.86	3	Vertical	360	1.00	-	35.72	17.35	1.56	27.77
PK	183.26M	26.50	43.50	-17.00	-11.18	3	Vertical	360	1.00	-	37.68	14.38	1.88	27.44
PK	249.22M	28.08	46.00	-17.92	-7.40	3	Vertical	360	1.00	-	35.48	17.47	2.15	27.02
PK	423.82M	27.58	46.00	-18.42	-3.29	3	Vertical	360	1.00	-	30.87	21.81	2.82	27.92
PK	586.78M	30.08	46.00	-15.92	-1.21	3	Vertical	360	1.00	-	31.29	23.87	3.32	28.40
PK	901.06M	34.15	46.00	-11.85	2.27	3	Vertical	360	1.00	-	31.88	25.66	4.11	27.50

802.11ax HEW160_Nss1,(MCS0)_4TX

6665MHz_PoE 2



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	185.2M	30.78	43.50	-12.72	-11.19	3	Horizontal	0	1.00	-	41.97	14.34	1.89	27.42
PK	247.28M	32.77	46.00	-13.23	-7.65	3	Horizontal	0	1.00	-	40.42	17.25	2.14	27.04
PK	410.24M	27.59	46.00	-18.41	-3.52	3	Horizontal	0	1.00	-	31.11	21.55	2.77	27.84
PK	608.12M	29.69	46.00	-16.31	-0.99	3	Horizontal	0	1.00	-	30.68	24.02	3.38	28.39
PK	757.5M	31.34	46.00	-14.66	0.63	3	Horizontal	0	1.00	-	30.71	24.94	3.73	28.04
PK	897.18M	33.13	46.00	-12.87	2.23	3	Horizontal	0	1.00	-	30.90	25.64	4.10	27.51



Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX	Pass	AV	12.34904G	43.29	54.00	-10.71	3	Vertical	22	2.41	-
802.11ax HEW20_Nss1,(MCS0)_2TX	Pass	AV	12.34168G	42.72	54.00	-11.28	3	Vertical	87	1.82	-
802.11ax HEW40_Nss1,(MCS0)_2TX	Pass	AV	12.3356G	42.69	54.00	-11.31	3	Horizontal	280	1.46	-
802.11ax HEW80_Nss1,(MCS0)_2TX	Pass	AV	12.2862G	42.63	54.00	-11.37	3	Vertical	242	1.67	-
802.11ax HEW160_Nss1,(MCS0)_2TX	Pass	AV	12.3454G	43.08	54.00	-10.92	3	Horizontal	106	1.29	-
6.425-6.525GHz	-	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX	Pass	AV	7.2094G	51.27	68.20	-16.93	3	Horizontal	242	2.19	-
802.11ax HEW20_Nss1,(MCS0)_2TX	Pass	AV	7.215G	51.15	68.20	-17.05	3	Vertical	186	2.19	-
802.11ax HEW40_Nss1,(MCS0)_2TX	Pass	AV	7.171G	51.12	68.20	-17.08	3	Vertical	136	2.95	-
802.11ax HEW80_Nss1,(MCS0)_2TX	Pass	AV	7.203G	50.96	68.20	-17.24	3	Horizontal	252	2.74	-
802.11ax HEW160_Nss1,(MCS0)_2TX	Pass	AV	7.205G	51.04	68.20	-17.16	3	Vertical	187	1.50	-
6.525-6.875GHz	-	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX	Pass	AV	13.38048G	44.97	54.00	-9.03	3	Vertical	96	1.50	-
802.11ax HEW20_Nss1,(MCS0)_2TX	Pass	AV	13.39852G	44.40	54.00	-9.60	3	Vertical	75	2.27	-
802.11ax HEW40_Nss1,(MCS0)_2TX	Pass	AV	13.37724G	44.53	54.00	-9.47	3	Vertical	321	1.17	-
802.11ax HEW80_Nss1,(MCS0)_2TX	Pass	AV	13.25448G	43.85	54.00	-10.15	3	Horizontal	220	1.07	-
802.11ax HEW160_Nss1,(MCS0)_2TX	Pass	AV	13.3517G	44.42	54.00	-9.58	3	Vertical	194	1.45	-
6.875-7.125GHz	-	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX	Pass	AV	7.1868G	51.47	68.20	-16.73	3	Vertical	145	2.27	-
802.11ax HEW20_Nss1,(MCS0)_2TX	Pass	AV	7.203G	51.34	68.20	-16.86	3	Vertical	140	2.35	-
802.11ax HEW40_Nss1,(MCS0)_2TX	Pass	AV	7.2212G	51.26	68.20	-16.94	3	Vertical	143	2.34	-
802.11ax HEW80_Nss1,(MCS0)_2TX	Pass	AV	7.2366G	51.21	68.20	-16.99	3	Horizontal	245	2.77	-
802.11ax HEW160_Nss1,(MCS0)_2TX	Pass	AV	7.211G	51.26	68.20	-16.94	3	Vertical	141	2.53	-



Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
802.11a_Nss1,(6Mbps)_2TX	-	-	-	-	-	-	-	-	-	-	-
5955MHz	Pass	AV	5.907G	46.66	68.20	-21.54	3	Vertical	232	2.93	-
5955MHz	Pass	AV	5.9604G	89.39	Inf	-Inf	3	Vertical	232	2.93	-
5955MHz	Pass	PK	5.9166G	58.98	88.20	-29.22	3	Vertical	232	2.93	-
5955MHz	Pass	PK	5.961G	99.06	Inf	-Inf	3	Vertical	232	2.93	-
5955MHz	Pass	AV	5.9238G	46.78	68.20	-21.42	3	Horizontal	78	2.94	-
5955MHz	Pass	AV	5.9622G	85.74	Inf	-Inf	3	Horizontal	78	2.94	-
5955MHz	Pass	PK	5.8452G	58.67	88.20	-29.53	3	Horizontal	78	2.94	-
5955MHz	Pass	PK	5.9628G	94.57	Inf	-Inf	3	Horizontal	78	2.94	-
5955MHz	Pass	AV	11.91236G	42.49	54.00	-11.51	3	Vertical	343	2.67	-
5955MHz	Pass	PK	11.92G	55.37	74.00	-18.63	3	Vertical	343	2.67	-
5955MHz	Pass	AV	11.91024G	42.45	54.00	-11.55	3	Horizontal	199	1.30	-
5955MHz	Pass	PK	11.9084G	55.74	74.00	-18.26	3	Horizontal	199	1.30	-
6175MHz	Pass	AV	5.871G	46.46	68.20	-21.74	3	Vertical	157	2.45	-
6175MHz	Pass	AV	6.1814G	86.28	Inf	-Inf	3	Vertical	157	2.45	-
6175MHz	Pass	PK	5.8886G	58.33	88.20	-29.87	3	Vertical	157	2.45	-
6175MHz	Pass	PK	6.183G	95.65	Inf	-Inf	3	Vertical	157	2.45	-
6175MHz	Pass	AV	5.8534G	46.44	68.20	-21.76	3	Horizontal	75	2.18	-
6175MHz	Pass	AV	6.1686G	83.26	Inf	-Inf	3	Horizontal	75	2.18	-
6175MHz	Pass	PK	5.8582G	58.82	88.20	-29.38	3	Horizontal	75	2.18	-
6175MHz	Pass	PK	6.1686G	92.77	Inf	-Inf	3	Horizontal	75	2.18	-
6175MHz	Pass	AV	12.34904G	43.29	54.00	-10.71	3	Vertical	22	2.41	-
6175MHz	Pass	PK	12.353G	56.35	74.00	-17.65	3	Vertical	22	2.41	-
6175MHz	Pass	AV	12.3576G	43.23	54.00	-10.77	3	Horizontal	290	1.50	-
6175MHz	Pass	PK	12.35716G	56.35	74.00	-17.65	3	Horizontal	290	1.50	-
6415MHz	Pass	AV	5.887G	46.48	68.20	-21.72	3	Vertical	140	2.90	-
6415MHz	Pass	AV	6.4078G	88.18	Inf	-Inf	3	Vertical	140	2.90	-
6415MHz	Pass	PK	5.9014G	58.12	88.20	-30.08	3	Vertical	140	2.90	-
6415MHz	Pass	PK	6.4198G	97.38	Inf	-Inf	3	Vertical	140	2.90	-
6415MHz	Pass	AV	5.8702G	46.42	68.20	-21.78	3	Horizontal	71	2.26	-
6415MHz	Pass	AV	6.4078G	84.33	Inf	-Inf	3	Horizontal	71	2.26	-
6415MHz	Pass	PK	5.9206G	58.28	88.20	-29.92	3	Horizontal	71	2.26	-
6415MHz	Pass	PK	6.4102G	94.02	Inf	-Inf	3	Horizontal	71	2.26	-
6415MHz	Pass	AV	12.82464G	43.79	68.20	-24.41	3	Vertical	360	1.50	-
6415MHz	Pass	PK	12.82304G	56.62	88.20	-31.58	3	Vertical	360	1.50	-
6415MHz	Pass	AV	12.83732G	43.82	68.20	-24.38	3	Horizontal	19	1.50	-
6415MHz	Pass	PK	12.83052G	57.65	88.20	-30.55	3	Horizontal	19	1.50	-
6435MHz	Pass	AV	5.8734G	46.46	68.20	-21.74	3	Vertical	140	2.76	-
6435MHz	Pass	AV	6.4278G	88.43	Inf	-Inf	3	Vertical	140	2.76	-
6435MHz	Pass	PK	5.8782G	58.44	88.20	-29.76	3	Vertical	140	2.76	-
6435MHz	Pass	PK	6.4302G	98.76	Inf	-Inf	3	Vertical	140	2.76	-
6435MHz	Pass	AV	5.8878G	46.41	68.20	-21.79	3	Horizontal	263	2.95	-
6435MHz	Pass	AV	6.4278G	83.79	Inf	-Inf	3	Horizontal	263	2.95	-
6435MHz	Pass	PK	5.9094G	58.85	88.20	-29.35	3	Horizontal	263	2.95	-
6435MHz	Pass	PK	6.4278G	92.51	Inf	-Inf	3	Horizontal	263	2.95	-
6435MHz	Pass	AV	12.87336G	43.64	68.20	-24.56	3	Vertical	84	1.50	-
6435MHz	Pass	PK	12.87036G	56.59	88.20	-31.61	3	Vertical	84	1.50	-
6435MHz	Pass	AV	12.86904G	43.65	68.20	-24.55	3	Horizontal	293	1.47	-
6435MHz	Pass	PK	12.87964G	57.37	88.20	-30.83	3	Horizontal	293	1.47	-
6475MHz	Pass	AV	5.8618G	46.45	68.20	-21.75	3	Vertical	136	2.94	-
6475MHz	Pass	AV	6.4694G	88.16	Inf	-Inf	3	Vertical	136	2.94	-
6475MHz	Pass	AV	7.1722G	51.01	68.20	-17.19	3	Vertical	136	2.94	-
6475MHz	Pass	PK	5.8898G	57.94	88.20	-30.26	3	Vertical	136	2.94	-
6475MHz	Pass	PK	6.4694G	97.06	Inf	-Inf	3	Vertical	136	2.94	-
6475MHz	Pass	PK	7.1386G	62.77	88.20	-25.43	3	Vertical	136	2.94	-
6475MHz	Pass	AV	5.8814G	46.49	68.20	-21.71	3	Horizontal	243	2.24	-
6475MHz	Pass	AV	6.4694G	85.13	Inf	-Inf	3	Horizontal	243	2.24	-
6475MHz	Pass	AV	7.1526G	51.08	68.20	-17.12	3	Horizontal	243	2.24	-
6475MHz	Pass	PK	5.8366G	57.77	88.20	-30.43	3	Horizontal	243	2.24	-
6475MHz	Pass	PK	6.4694G	93.72	Inf	-Inf	3	Horizontal	243	2.24	-
6475MHz	Pass	PK	7.1302G	62.51	88.20	-25.69	3	Horizontal	243	2.24	-



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
6475MHz	Pass	AV	12.95544G	43.62	68.20	-24.58	3	Vertical	273	1.50	-
6475MHz	Pass	PK	12.95716G	56.56	88.20	-31.64	3	Vertical	273	1.50	-
6475MHz	Pass	AV	12.94752G	43.62	68.20	-24.58	3	Horizontal	360	1.11	-
6475MHz	Pass	PK	12.95448G	56.72	88.20	-31.48	3	Horizontal	360	1.11	-
6515MHz	Pass	AV	5.899G	46.58	68.20	-21.62	3	Vertical	130	2.53	-
6515MHz	Pass	AV	6.5094G	89.29	Inf	-Inf	3	Vertical	130	2.53	-
6515MHz	Pass	AV	7.201G	51.25	68.20	-16.95	3	Vertical	130	2.53	-
6515MHz	Pass	PK	5.8906G	59.29	88.20	-28.91	3	Vertical	130	2.53	-
6515MHz	Pass	PK	6.5094G	97.98	Inf	-Inf	3	Vertical	130	2.53	-
6515MHz	Pass	PK	7.1982G	62.73	88.20	-25.47	3	Vertical	130	2.53	-
6515MHz	Pass	AV	5.9046G	46.50	68.20	-21.70	3	Horizontal	242	2.19	-
6515MHz	Pass	AV	6.5094G	85.87	Inf	-Inf	3	Horizontal	242	2.19	-
6515MHz	Pass	AV	7.2094G	51.27	68.20	-16.93	3	Horizontal	242	2.19	-
6515MHz	Pass	PK	5.8878G	57.48	88.20	-30.72	3	Horizontal	242	2.19	-
6515MHz	Pass	PK	6.5094G	94.79	Inf	-Inf	3	Horizontal	242	2.19	-
6515MHz	Pass	PK	7.2066G	63.04	88.20	-25.16	3	Horizontal	242	2.19	-
6515MHz	Pass	AV	13.02404G	43.86	68.20	-24.34	3	Vertical	153	2.12	-
6515MHz	Pass	PK	13.0244G	56.51	88.20	-31.69	3	Vertical	153	2.12	-
6515MHz	Pass	AV	13.03988G	43.87	68.20	-24.33	3	Horizontal	0	1.02	-
6515MHz	Pass	PK	13.02896G	57.01	88.20	-31.19	3	Horizontal	0	1.02	-
6535MHz	Pass	AV	5.9218G	46.47	68.20	-21.73	3	Vertical	190	2.18	-
6535MHz	Pass	AV	6.5294G	88.04	Inf	-Inf	3	Vertical	190	2.18	-
6535MHz	Pass	AV	7.2042G	51.36	68.20	-16.84	3	Vertical	190	2.18	-
6535MHz	Pass	PK	5.8574G	58.30	88.20	-29.90	3	Vertical	190	2.18	-
6535MHz	Pass	PK	6.5378G	97.23	Inf	-Inf	3	Vertical	190	2.18	-
6535MHz	Pass	PK	7.1454G	62.50	88.20	-25.70	3	Vertical	190	2.18	-
6535MHz	Pass	AV	5.9246G	46.49	68.20	-21.71	3	Horizontal	86	2.45	-
6535MHz	Pass	AV	6.5294G	84.49	Inf	-Inf	3	Horizontal	86	2.45	-
6535MHz	Pass	AV	7.207G	51.20	68.20	-17.00	3	Horizontal	86	2.45	-
6535MHz	Pass	PK	5.9022G	57.74	88.20	-30.46	3	Horizontal	86	2.45	-
6535MHz	Pass	PK	6.5294G	93.44	Inf	-Inf	3	Horizontal	86	2.45	-
6535MHz	Pass	PK	7.2238G	62.77	88.20	-25.43	3	Horizontal	86	2.45	-
6535MHz	Pass	AV	13.07648G	43.46	68.20	-24.74	3	Vertical	222	1.50	-
6535MHz	Pass	PK	13.07692G	56.30	88.20	-31.90	3	Vertical	222	1.50	-
6535MHz	Pass	AV	13.06512G	43.46	68.20	-24.74	3	Horizontal	242	1.50	-
6535MHz	Pass	PK	13.07548G	56.44	88.20	-31.76	3	Horizontal	242	1.50	-
6695MHz	Pass	AV	6.689G	88.96	Inf	-Inf	3	Vertical	190	2.49	-
6695MHz	Pass	AV	7.163G	51.25	68.20	-16.95	3	Vertical	190	2.49	-
6695MHz	Pass	PK	6.689G	98.06	Inf	-Inf	3	Vertical	190	2.49	-
6695MHz	Pass	PK	7.149G	62.43	88.20	-25.77	3	Vertical	190	2.49	-
6695MHz	Pass	AV	6.689G	85.17	Inf	-Inf	3	Horizontal	87	2.34	-
6695MHz	Pass	AV	7.189G	51.17	68.20	-17.03	3	Horizontal	87	2.34	-
6695MHz	Pass	PK	6.689G	94.35	Inf	-Inf	3	Horizontal	87	2.34	-
6695MHz	Pass	PK	7.189G	63.74	88.20	-24.46	3	Horizontal	87	2.34	-
6695MHz	Pass	AV	13.38048G	44.97	54.00	-9.03	3	Vertical	96	1.50	-
6695MHz	Pass	PK	13.38548G	57.67	74.00	-16.33	3	Vertical	96	1.50	-
6695MHz	Pass	AV	13.38288G	44.76	54.00	-9.24	3	Horizontal	230	1.06	-
6695MHz	Pass	PK	13.38176G	58.39	74.00	-15.61	3	Horizontal	230	1.06	-
6855MHz	Pass	AV	6.862G	87.65	Inf	-Inf	3	Vertical	46	2.34	-
6855MHz	Pass	AV	7.2036G	51.39	68.20	-16.81	3	Vertical	46	2.34	-
6855MHz	Pass	PK	6.862G	96.89	Inf	-Inf	3	Vertical	46	2.34	-
6855MHz	Pass	PK	7.1896G	63.04	88.20	-25.16	3	Vertical	46	2.34	-
6855MHz	Pass	AV	6.848G	82.30	Inf	-Inf	3	Horizontal	248	2.74	-
6855MHz	Pass	AV	7.1784G	51.48	68.20	-16.72	3	Horizontal	248	2.74	-
6855MHz	Pass	PK	6.8494G	91.64	Inf	-Inf	3	Horizontal	248	2.74	-
6855MHz	Pass	PK	7.1952G	63.26	88.20	-24.94	3	Horizontal	248	2.74	-
6855MHz	Pass	AV	13.7156G	49.41	68.20	-18.79	3	Vertical	196	1.91	-
6855MHz	Pass	PK	13.7016G	63.25	88.20	-24.95	3	Vertical	196	1.91	-
6855MHz	Pass	AV	13.71996G	49.46	68.20	-18.74	3	Horizontal	9	2.68	-
6855MHz	Pass	PK	13.70716G	62.20	88.20	-26.00	3	Horizontal	9	2.68	-
6875MHz Straddle 6.525-6.875GHz	Pass	AV	6.868G	87.16	Inf	-Inf	3	Vertical	197	2.50	-
6875MHz Straddle 6.525-6.875GHz	Pass	AV	7.2208G	51.38	68.20	-16.82	3	Vertical	197	2.50	-



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
6875MHz Straddle 6.525-6.875GHz	Pass	PK	6.8778G	96.53	Inf	-Inf	3	Vertical	197	2.50	-
6875MHz Straddle 6.525-6.875GHz	Pass	PK	7.1592G	63.64	88.20	-24.56	3	Vertical	197	2.50	-
6875MHz Straddle 6.525-6.875GHz	Pass	AV	6.8694G	82.99	Inf	-Inf	3	Horizontal	249	2.75	-
6875MHz Straddle 6.525-6.875GHz	Pass	AV	7.1942G	51.27	68.20	-16.93	3	Horizontal	249	2.75	-
6875MHz Straddle 6.525-6.875GHz	Pass	PK	6.868G	91.50	Inf	-Inf	3	Horizontal	249	2.75	-
6875MHz Straddle 6.525-6.875GHz	Pass	PK	7.162G	63.52	88.20	-24.68	3	Horizontal	249	2.75	-
6875MHz Straddle 6.525-6.875GHz	Pass	AV	13.74528G	49.55	68.20	-18.65	3	Vertical	140	1.00	-
6875MHz Straddle 6.525-6.875GHz	Pass	PK	13.74392G	63.12	88.20	-25.08	3	Vertical	140	1.00	-
6875MHz Straddle 6.525-6.875GHz	Pass	AV	13.75G	49.73	68.20	-18.47	3	Horizontal	0	2.52	-
6875MHz Straddle 6.525-6.875GHz	Pass	PK	13.74884G	62.78	88.20	-25.42	3	Horizontal	0	2.52	-
6895MHz	Pass	AV	6.8894G	84.44	Inf	-Inf	3	Vertical	10	1.50	-
6895MHz	Pass	AV	7.2198G	51.41	68.20	-16.79	3	Vertical	10	1.50	-
6895MHz	Pass	PK	6.8894G	93.28	Inf	-Inf	3	Vertical	10	1.50	-
6895MHz	Pass	PK	7.203G	63.17	88.20	-25.03	3	Vertical	10	1.50	-
6895MHz	Pass	AV	6.8894G	82.44	Inf	-Inf	3	Horizontal	247	2.74	-
6895MHz	Pass	AV	7.2226G	51.35	68.20	-16.85	3	Horizontal	247	2.74	-
6895MHz	Pass	PK	6.8894G	92.46	Inf	-Inf	3	Horizontal	247	2.74	-
6895MHz	Pass	PK	7.2282G	62.97	88.20	-25.23	3	Horizontal	247	2.74	-
6895MHz	Pass	AV	13.79908G	49.98	68.20	-18.22	3	Vertical	133	1.18	-
6895MHz	Pass	PK	13.79612G	63.02	88.20	-25.18	3	Vertical	133	1.18	-
6895MHz	Pass	AV	13.79528G	49.95	68.20	-18.25	3	Horizontal	112	2.53	-
6895MHz	Pass	PK	13.79088G	63.86	88.20	-24.34	3	Horizontal	112	2.53	-
6995MHz	Pass	AV	6.9886G	89.22	Inf	-Inf	3	Vertical	194	2.34	-
6995MHz	Pass	AV	7.1942G	51.29	68.20	-16.91	3	Vertical	194	2.34	-
6995MHz	Pass	PK	6.9886G	99.20	Inf	-Inf	3	Vertical	194	2.34	-
6995MHz	Pass	PK	7.183G	63.63	88.20	-24.57	3	Vertical	194	2.34	-
6995MHz	Pass	AV	6.9902G	82.06	Inf	-Inf	3	Horizontal	55	2.10	-
6995MHz	Pass	AV	7.1934G	51.44	68.20	-16.76	3	Horizontal	55	2.10	-
6995MHz	Pass	PK	6.9902G	91.12	Inf	-Inf	3	Horizontal	55	2.10	-
6995MHz	Pass	PK	7.1622G	64.10	88.20	-24.10	3	Horizontal	55	2.10	-
6995MHz	Pass	AV	13.99604G	51.01	68.20	-17.19	3	Vertical	251	1.19	-
6995MHz	Pass	PK	13.99308G	63.82	88.20	-24.38	3	Vertical	251	1.19	-
6995MHz	Pass	AV	13.98064G	50.90	68.20	-17.30	3	Horizontal	275	1.50	-
6995MHz	Pass	PK	13.99048G	64.16	88.20	-24.04	3	Horizontal	275	1.50	-
7095MHz	Pass	AV	7.0902G	90.32	Inf	-Inf	3	Vertical	145	2.27	-
7095MHz	Pass	AV	7.1868G	51.47	68.20	-16.73	3	Vertical	145	2.27	-
7095MHz	Pass	PK	7.0896G	99.35	Inf	-Inf	3	Vertical	145	2.27	-
7095MHz	Pass	PK	7.2018G	63.73	88.20	-24.47	3	Vertical	145	2.27	-
7095MHz	Pass	AV	7.1016G	84.79	Inf	-Inf	3	Horizontal	67	2.15	-
7095MHz	Pass	AV	7.2192G	51.47	68.20	-16.73	3	Horizontal	67	2.15	-
7095MHz	Pass	PK	7.1016G	94.08	Inf	-Inf	3	Horizontal	67	2.15	-
7095MHz	Pass	PK	7.1532G	63.53	88.20	-24.67	3	Horizontal	67	2.15	-
7095MHz	Pass	AV	14.18112G	50.35	68.20	-17.85	3	Vertical	1	2.97	-
7095MHz	Pass	PK	14.1966G	63.53	88.20	-24.67	3	Vertical	1	2.97	-
7095MHz	Pass	AV	14.1918G	50.42	68.20	-17.78	3	Horizontal	356	1.03	-
7095MHz	Pass	PK	14.19224G	63.56	88.20	-24.64	3	Horizontal	356	1.03	-
802.11ax HEW20_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-
5955MHz	Pass	AV	5.8812G	46.33	68.20	-21.87	3	Vertical	31	2.54	-
5955MHz	Pass	AV	5.9634G	89.05	Inf	-Inf	3	Vertical	31	2.54	-
5955MHz	Pass	PK	5.9184G	59.17	88.20	-29.03	3	Vertical	31	2.54	-
5955MHz	Pass	PK	5.964G	100.55	Inf	-Inf	3	Vertical	31	2.54	-
5955MHz	Pass	AV	5.9238G	46.28	68.20	-21.92	3	Horizontal	80	2.94	-
5955MHz	Pass	AV	5.9598G	85.10	Inf	-Inf	3	Horizontal	80	2.94	-
5955MHz	Pass	PK	5.8896G	59.18	88.20	-29.02	3	Horizontal	80	2.94	-
5955MHz	Pass	PK	5.9598G	98.18	Inf	-Inf	3	Horizontal	80	2.94	-
5955MHz	Pass	AV	11.90544G	41.90	54.00	-12.10	3	Vertical	145	1.07	-
5955MHz	Pass	PK	11.91056G	55.33	74.00	-18.67	3	Vertical	145	1.07	-
5955MHz	Pass	AV	11.91532G	42.05	54.00	-11.95	3	Horizontal	152	1.46	-
5955MHz	Pass	PK	11.91664G	55.08	74.00	-18.92	3	Horizontal	152	1.46	-
6175MHz	Pass	AV	5.8758G	46.17	68.20	-22.03	3	Vertical	243	2.65	-
6175MHz	Pass	AV	6.1654G	87.41	Inf	-Inf	3	Vertical	243	2.65	-
6175MHz	Pass	PK	5.8502G	58.51	88.20	-29.69	3	Vertical	243	2.65	-



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
6175MHz	Pass	PK	6.167G	99.39	Inf	-Inf	3	Vertical	243	2.65	-
6175MHz	Pass	AV	5.9206G	46.27	68.20	-21.93	3	Horizontal	75	2.24	-
6175MHz	Pass	AV	6.1814G	84.32	Inf	-Inf	3	Horizontal	75	2.24	-
6175MHz	Pass	PK	5.9094G	58.42	88.20	-29.78	3	Horizontal	75	2.24	-
6175MHz	Pass	PK	6.183G	94.89	Inf	-Inf	3	Horizontal	75	2.24	-
6175MHz	Pass	AV	12.34168G	42.72	54.00	-11.28	3	Vertical	87	1.82	-
6175MHz	Pass	PK	12.34416G	56.66	74.00	-17.34	3	Vertical	87	1.82	-
6175MHz	Pass	AV	12.3472G	42.70	54.00	-11.30	3	Horizontal	267	1.02	-
6175MHz	Pass	PK	12.35268G	57.17	74.00	-16.83	3	Horizontal	267	1.02	-
6415MHz	Pass	AV	5.8798G	46.25	68.20	-21.95	3	Vertical	274	2.69	-
6415MHz	Pass	AV	6.4078G	88.18	Inf	-Inf	3	Vertical	274	2.69	-
6415MHz	Pass	PK	5.8702G	58.43	88.20	-29.77	3	Vertical	274	2.69	-
6415MHz	Pass	PK	6.4078G	99.27	Inf	-Inf	3	Vertical	274	2.69	-
6415MHz	Pass	AV	5.9134G	46.22	68.20	-21.98	3	Horizontal	70	2.31	-
6415MHz	Pass	AV	6.4222G	84.93	Inf	-Inf	3	Horizontal	70	2.31	-
6415MHz	Pass	PK	5.8846G	58.26	88.20	-29.94	3	Horizontal	70	2.31	-
6415MHz	Pass	PK	6.4126G	96.19	Inf	-Inf	3	Horizontal	70	2.31	-
6415MHz	Pass	AV	12.82708G	43.36	68.20	-24.84	3	Vertical	86	2.46	-
6415MHz	Pass	PK	12.8354G	56.91	88.20	-31.29	3	Vertical	86	2.46	-
6415MHz	Pass	AV	12.82656G	43.23	68.20	-24.97	3	Horizontal	125	1.54	-
6415MHz	Pass	PK	12.8378G	57.20	88.20	-31.00	3	Horizontal	125	1.54	-
6435MHz	Pass	AV	5.8926G	46.21	68.20	-21.99	3	Vertical	138	2.90	-
6435MHz	Pass	AV	6.4422G	88.91	Inf	-Inf	3	Vertical	138	2.90	-
6435MHz	Pass	PK	5.9046G	58.33	88.20	-29.87	3	Vertical	138	2.90	-
6435MHz	Pass	PK	6.4422G	99.80	Inf	-Inf	3	Vertical	138	2.90	-
6435MHz	Pass	AV	5.8806G	46.28	68.20	-21.92	3	Horizontal	71	2.18	-
6435MHz	Pass	AV	6.4446G	85.11	Inf	-Inf	3	Horizontal	71	2.18	-
6435MHz	Pass	PK	5.919G	59.24	88.20	-28.96	3	Horizontal	71	2.18	-
6435MHz	Pass	PK	6.4422G	95.01	Inf	-Inf	3	Horizontal	71	2.18	-
6435MHz	Pass	AV	12.87144G	43.20	68.20	-25.00	3	Vertical	145	1.85	-
6435MHz	Pass	PK	12.86648G	56.66	88.20	-31.54	3	Vertical	145	1.85	-
6435MHz	Pass	AV	12.8616G	43.15	68.20	-25.05	3	Horizontal	162	1.65	-
6435MHz	Pass	PK	12.87904G	57.04	88.20	-31.16	3	Horizontal	162	1.65	-
6475MHz	Pass	AV	5.8842G	46.20	68.20	-22.00	3	Vertical	130	2.54	-
6475MHz	Pass	AV	6.4834G	89.16	Inf	-Inf	3	Vertical	130	2.54	-
6475MHz	Pass	AV	7.175G	50.90	68.20	-17.30	3	Vertical	130	2.54	-
6475MHz	Pass	PK	5.8814G	59.44	88.20	-28.76	3	Vertical	130	2.54	-
6475MHz	Pass	PK	6.4834G	100.51	Inf	-Inf	3	Vertical	130	2.54	-
6475MHz	Pass	PK	7.133G	62.52	88.20	-25.68	3	Vertical	130	2.54	-
6475MHz	Pass	AV	5.8814G	46.28	68.20	-21.92	3	Horizontal	240	2.22	-
6475MHz	Pass	AV	6.4834G	85.87	Inf	-Inf	3	Horizontal	240	2.22	-
6475MHz	Pass	AV	7.1638G	50.86	68.20	-17.34	3	Horizontal	240	2.22	-
6475MHz	Pass	PK	5.8506G	57.85	88.20	-30.35	3	Horizontal	240	2.22	-
6475MHz	Pass	PK	6.4834G	97.17	Inf	-Inf	3	Horizontal	240	2.22	-
6475MHz	Pass	PK	7.175G	62.38	88.20	-25.82	3	Horizontal	240	2.22	-
6475MHz	Pass	AV	12.95952G	43.15	68.20	-25.05	3	Vertical	191	1.43	-
6475MHz	Pass	PK	12.95832G	57.11	88.20	-31.09	3	Vertical	191	1.43	-
6475MHz	Pass	AV	12.94952G	43.20	68.20	-25.00	3	Horizontal	275	1.87	-
6475MHz	Pass	PK	12.95708G	57.00	88.20	-31.20	3	Horizontal	275	1.87	-
6515MHz	Pass	AV	5.8878G	46.23	68.20	-21.97	3	Vertical	186	2.19	-
6515MHz	Pass	AV	6.5234G	89.01	Inf	-Inf	3	Vertical	186	2.19	-
6515MHz	Pass	AV	7.215G	51.15	68.20	-17.05	3	Vertical	186	2.19	-
6515MHz	Pass	PK	5.9214G	58.22	88.20	-29.98	3	Vertical	186	2.19	-
6515MHz	Pass	PK	6.5234G	100.14	Inf	-Inf	3	Vertical	186	2.19	-
6515MHz	Pass	PK	7.1758G	63.21	88.20	-24.99	3	Vertical	186	2.19	-
6515MHz	Pass	AV	5.8822G	46.27	68.20	-21.93	3	Horizontal	242	2.34	-
6515MHz	Pass	AV	6.5234G	86.23	Inf	-Inf	3	Horizontal	242	2.34	-
6515MHz	Pass	AV	7.201G	51.08	68.20	-17.12	3	Horizontal	242	2.34	-
6515MHz	Pass	PK	5.8682G	58.19	88.20	-30.01	3	Horizontal	242	2.34	-
6515MHz	Pass	PK	6.5234G	96.85	Inf	-Inf	3	Horizontal	242	2.34	-
6515MHz	Pass	PK	7.2066G	63.96	88.20	-24.24	3	Horizontal	242	2.34	-
6515MHz	Pass	AV	13.02492G	43.59	68.20	-24.61	3	Vertical	42	1.45	-



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
6515MHz	Pass	PK	13.02252G	57.88	88.20	-30.32	3	Vertical	42	1.45	-
6515MHz	Pass	AV	13.02716G	43.54	68.20	-24.66	3	Horizontal	68	2.14	-
6515MHz	Pass	PK	13.02904G	57.31	88.20	-30.89	3	Horizontal	68	2.14	-
6535MHz	Pass	AV	5.9218G	46.24	68.20	-21.96	3	Vertical	184	2.34	-
6535MHz	Pass	AV	6.5434G	89.43	Inf	-Inf	3	Vertical	184	2.34	-
6535MHz	Pass	AV	7.2014G	51.18	68.20	-17.02	3	Vertical	184	2.34	-
6535MHz	Pass	PK	5.8714G	58.64	88.20	-29.56	3	Vertical	184	2.34	-
6535MHz	Pass	PK	6.5434G	100.77	Inf	-Inf	3	Vertical	184	2.34	-
6535MHz	Pass	PK	7.207G	63.06	88.20	-25.14	3	Vertical	184	2.34	-
6535MHz	Pass	AV	5.8826G	46.26	68.20	-21.94	3	Horizontal	249	2.42	-
6535MHz	Pass	AV	6.5434G	86.08	Inf	-Inf	3	Horizontal	249	2.42	-
6535MHz	Pass	AV	7.1986G	51.10	68.20	-17.10	3	Horizontal	249	2.42	-
6535MHz	Pass	PK	5.891G	59.29	88.20	-28.91	3	Horizontal	249	2.42	-
6535MHz	Pass	PK	6.5434G	96.93	Inf	-Inf	3	Horizontal	249	2.42	-
6535MHz	Pass	PK	7.1678G	63.45	88.20	-24.75	3	Horizontal	249	2.42	-
6535MHz	Pass	AV	13.07424G	43.43	68.20	-24.77	3	Vertical	352	1.28	-
6535MHz	Pass	PK	13.07764G	56.85	88.20	-31.35	3	Vertical	352	1.28	-
6535MHz	Pass	AV	13.06016G	43.36	68.20	-24.84	3	Horizontal	276	1.81	-
6535MHz	Pass	PK	13.07916G	56.70	88.20	-31.50	3	Horizontal	276	1.81	-
6695MHz	Pass	AV	6.703G	89.56	Inf	-Inf	3	Vertical	191	2.50	-
6695MHz	Pass	AV	7.195G	51.11	68.20	-17.09	3	Vertical	191	2.50	-
6695MHz	Pass	PK	6.703G	101.00	Inf	-Inf	3	Vertical	191	2.50	-
6695MHz	Pass	PK	7.157G	62.95	88.20	-25.25	3	Vertical	191	2.50	-
6695MHz	Pass	AV	6.703G	85.52	Inf	-Inf	3	Horizontal	83	2.31	-
6695MHz	Pass	AV	7.191G	51.20	68.20	-17.00	3	Horizontal	83	2.31	-
6695MHz	Pass	PK	6.703G	96.94	Inf	-Inf	3	Horizontal	83	2.31	-
6695MHz	Pass	PK	7.195G	63.55	88.20	-24.65	3	Horizontal	83	2.31	-
6695MHz	Pass	AV	13.39852G	44.40	54.00	-9.60	3	Vertical	75	2.27	-
6695MHz	Pass	PK	13.39184G	58.23	74.00	-15.77	3	Vertical	75	2.27	-
6695MHz	Pass	AV	13.3904G	44.36	54.00	-9.64	3	Horizontal	134	1.23	-
6695MHz	Pass	PK	13.38332G	57.92	74.00	-16.08	3	Horizontal	134	1.23	-
6855MHz	Pass	AV	6.8634G	87.80	Inf	-Inf	3	Vertical	9	2.41	-
6855MHz	Pass	AV	7.2036G	51.16	68.20	-17.04	3	Vertical	9	2.41	-
6855MHz	Pass	PK	6.862G	99.51	Inf	-Inf	3	Vertical	9	2.41	-
6855MHz	Pass	PK	7.1896G	63.55	88.20	-24.65	3	Vertical	9	2.41	-
6855MHz	Pass	AV	6.862G	83.77	Inf	-Inf	3	Horizontal	246	2.76	-
6855MHz	Pass	AV	7.1994G	51.12	68.20	-17.08	3	Horizontal	246	2.76	-
6855MHz	Pass	PK	6.862G	95.13	Inf	-Inf	3	Horizontal	246	2.76	-
6855MHz	Pass	PK	7.1966G	63.19	88.20	-25.01	3	Horizontal	246	2.76	-
6855MHz	Pass	AV	13.7064G	48.96	68.20	-19.24	3	Vertical	23	2.20	-
6855MHz	Pass	PK	13.70352G	62.40	88.20	-25.80	3	Vertical	23	2.20	-
6855MHz	Pass	AV	13.71812G	49.00	68.20	-19.20	3	Horizontal	293	1.06	-
6855MHz	Pass	PK	13.7118G	62.90	88.20	-25.30	3	Horizontal	293	1.06	-
6875MHz Straddle 6.525-6.875GHz	Pass	AV	6.8834G	87.79	Inf	-Inf	3	Vertical	10	2.39	-
6875MHz Straddle 6.525-6.875GHz	Pass	AV	7.2208G	51.10	68.20	-17.10	3	Vertical	10	2.39	-
6875MHz Straddle 6.525-6.875GHz	Pass	PK	6.8834G	99.30	Inf	-Inf	3	Vertical	10	2.39	-
6875MHz Straddle 6.525-6.875GHz	Pass	PK	7.1578G	63.86	88.20	-24.34	3	Vertical	10	2.39	-
6875MHz Straddle 6.525-6.875GHz	Pass	AV	6.8666G	83.98	Inf	-Inf	3	Horizontal	82	2.60	-
6875MHz Straddle 6.525-6.875GHz	Pass	AV	7.2194G	51.24	68.20	-16.96	3	Horizontal	82	2.60	-
6875MHz Straddle 6.525-6.875GHz	Pass	PK	6.8666G	94.58	Inf	-Inf	3	Horizontal	82	2.60	-
6875MHz Straddle 6.525-6.875GHz	Pass	PK	7.197G	64.64	88.20	-23.56	3	Horizontal	82	2.60	-
6875MHz Straddle 6.525-6.875GHz	Pass	AV	13.75952G	49.23	68.20	-18.97	3	Vertical	295	1.31	-
6875MHz Straddle 6.525-6.875GHz	Pass	PK	13.75496G	63.06	88.20	-25.14	3	Vertical	295	1.31	-
6875MHz Straddle 6.525-6.875GHz	Pass	AV	13.75116G	49.22	68.20	-18.98	3	Horizontal	302	1.97	-
6875MHz Straddle 6.525-6.875GHz	Pass	PK	13.74236G	63.00	88.20	-25.20	3	Horizontal	302	1.97	-
6895MHz	Pass	AV	6.9034G	88.53	Inf	-Inf	3	Vertical	198	2.48	-
6895MHz	Pass	AV	7.2086G	51.12	68.20	-17.08	3	Vertical	198	2.48	-
6895MHz	Pass	PK	6.9034G	99.19	Inf	-Inf	3	Vertical	198	2.48	-
6895MHz	Pass	PK	7.196G	63.64	88.20	-24.56	3	Vertical	198	2.48	-
6895MHz	Pass	AV	6.9034G	82.93	Inf	-Inf	3	Horizontal	245	2.71	-
6895MHz	Pass	AV	7.2156G	51.14	68.20	-17.06	3	Horizontal	245	2.71	-
6895MHz	Pass	PK	6.902G	93.00	Inf	-Inf	3	Horizontal	245	2.71	-



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
6895MHz	Pass	PK	7.147G	63.06	88.20	-25.14	3	Horizontal	245	2.71	-
6895MHz	Pass	AV	13.79908G	49.48	68.20	-18.72	3	Vertical	146	1.29	-
6895MHz	Pass	PK	13.79824G	63.17	88.20	-25.03	3	Vertical	146	1.29	-
6895MHz	Pass	AV	13.79928G	49.59	68.20	-18.61	3	Horizontal	230	1.98	-
6895MHz	Pass	PK	13.7954G	63.47	88.20	-24.73	3	Horizontal	230	1.98	-
6995MHz	Pass	AV	7.0022G	89.58	Inf	-Inf	3	Vertical	195	2.27	-
6995MHz	Pass	AV	7.195G	51.27	68.20	-16.93	3	Vertical	195	2.27	-
6995MHz	Pass	PK	7.0022G	100.66	Inf	-Inf	3	Vertical	195	2.27	-
6995MHz	Pass	PK	7.195G	64.22	88.20	-23.98	3	Vertical	195	2.27	-
6995MHz	Pass	AV	6.9862G	81.83	Inf	-Inf	3	Horizontal	59	2.27	-
6995MHz	Pass	AV	7.1926G	51.10	68.20	-17.10	3	Horizontal	59	2.27	-
6995MHz	Pass	PK	6.987G	93.84	Inf	-Inf	3	Horizontal	59	2.27	-
6995MHz	Pass	PK	7.127G	63.45	88.20	-24.75	3	Horizontal	59	2.27	-
6995MHz	Pass	AV	13.9824G	50.56	68.20	-17.64	3	Vertical	57	1.22	-
6995MHz	Pass	PK	13.98496G	63.90	88.20	-24.30	3	Vertical	57	1.22	-
6995MHz	Pass	AV	13.9882G	50.51	68.20	-17.69	3	Horizontal	103	1.95	-
6995MHz	Pass	PK	13.98848G	64.41	88.20	-23.79	3	Horizontal	103	1.95	-
7095MHz	Pass	AV	7.0866G	90.45	Inf	-Inf	3	Vertical	140	2.35	-
7095MHz	Pass	AV	7.203G	51.34	68.20	-16.86	3	Vertical	140	2.35	-
7095MHz	Pass	PK	7.0866G	102.91	Inf	-Inf	3	Vertical	140	2.35	-
7095MHz	Pass	PK	7.173G	64.24	88.20	-23.96	3	Vertical	140	2.35	-
7095MHz	Pass	AV	7.0866G	85.54	Inf	-Inf	3	Horizontal	54	2.17	-
7095MHz	Pass	AV	7.2126G	51.19	68.20	-17.01	3	Horizontal	54	2.17	-
7095MHz	Pass	PK	7.0866G	97.68	Inf	-Inf	3	Horizontal	54	2.17	-
7095MHz	Pass	PK	7.1706G	64.04	88.20	-24.16	3	Horizontal	54	2.17	-
7095MHz	Pass	AV	14.18168G	50.01	68.20	-18.19	3	Vertical	257	2.28	-
7095MHz	Pass	PK	14.18144G	63.89	88.20	-24.31	3	Vertical	257	2.28	-
7095MHz	Pass	AV	14.18396G	49.84	68.20	-18.36	3	Horizontal	232	1.33	-
7095MHz	Pass	PK	14.19292G	63.96	88.20	-24.24	3	Horizontal	232	1.33	-
802.11ax HEW40_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-
5965MHz	Pass	AV	5.8804G	46.11	68.20	-22.09	3	Vertical	29	2.53	-
5965MHz	Pass	AV	5.9632G	89.63	Inf	-Inf	3	Vertical	29	2.53	-
5965MHz	Pass	PK	5.8738G	58.56	88.20	-29.64	3	Vertical	29	2.53	-
5965MHz	Pass	PK	5.9632G	102.40	Inf	-Inf	3	Vertical	29	2.53	-
5965MHz	Pass	AV	5.8726G	46.20	68.20	-22.00	3	Horizontal	78	2.95	-
5965MHz	Pass	AV	5.9596G	85.84	Inf	-Inf	3	Horizontal	78	2.95	-
5965MHz	Pass	PK	5.8474G	58.85	88.20	-29.35	3	Horizontal	78	2.95	-
5965MHz	Pass	PK	5.959G	98.31	Inf	-Inf	3	Horizontal	78	2.95	-
5965MHz	Pass	AV	11.93936G	42.05	54.00	-11.95	3	Vertical	269	2.07	-
5965MHz	Pass	PK	11.92824G	55.87	74.00	-18.13	3	Vertical	269	2.07	-
5965MHz	Pass	AV	11.92612G	42.03	54.00	-11.97	3	Horizontal	43	2.34	-
5965MHz	Pass	PK	11.92492G	55.81	74.00	-18.19	3	Horizontal	43	2.34	-
6165MHz	Pass	AV	5.8878G	46.16	68.20	-22.04	3	Vertical	318	2.62	-
6165MHz	Pass	AV	6.1614G	87.97	Inf	-Inf	3	Vertical	318	2.62	-
6165MHz	Pass	PK	5.9178G	58.52	88.20	-29.68	3	Vertical	318	2.62	-
6165MHz	Pass	PK	6.171G	99.67	Inf	-Inf	3	Vertical	318	2.62	-
6165MHz	Pass	AV	5.877G	46.15	68.20	-22.05	3	Horizontal	75	2.30	-
6165MHz	Pass	AV	6.1614G	84.48	Inf	-Inf	3	Horizontal	75	2.30	-
6165MHz	Pass	PK	5.9046G	58.69	88.20	-29.51	3	Horizontal	75	2.30	-
6165MHz	Pass	PK	6.153G	95.75	Inf	-Inf	3	Horizontal	75	2.30	-
6165MHz	Pass	AV	12.3332G	42.59	54.00	-11.41	3	Vertical	111	1.35	-
6165MHz	Pass	PK	12.32284G	55.99	74.00	-18.01	3	Vertical	111	1.35	-
6165MHz	Pass	AV	12.3356G	42.69	54.00	-11.31	3	Horizontal	280	1.46	-
6165MHz	Pass	PK	12.33176G	56.10	74.00	-17.90	3	Horizontal	280	1.46	-
6405MHz	Pass	AV	5.9082G	46.20	68.20	-22.00	3	Vertical	194	2.48	-
6405MHz	Pass	AV	6.4098G	87.97	Inf	-Inf	3	Vertical	194	2.48	-
6405MHz	Pass	PK	5.8626G	58.15	88.20	-30.05	3	Vertical	194	2.48	-
6405MHz	Pass	PK	6.4026G	98.62	Inf	-Inf	3	Vertical	194	2.48	-
6405MHz	Pass	AV	5.865G	46.12	68.20	-22.08	3	Horizontal	69	2.61	-
6405MHz	Pass	AV	6.4026G	85.10	Inf	-Inf	3	Horizontal	69	2.61	-
6405MHz	Pass	PK	5.829G	58.15	88.20	-30.05	3	Horizontal	69	2.61	-
6405MHz	Pass	PK	6.4026G	96.09	Inf	-Inf	3	Horizontal	69	2.61	-



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
6405MHz	Pass	AV	12.81992G	43.20	68.20	-25.00	3	Vertical	275	1.43	-
6405MHz	Pass	PK	12.80036G	56.79	88.20	-31.41	3	Vertical	275	1.43	-
6405MHz	Pass	AV	12.8164G	43.22	68.20	-24.98	3	Horizontal	228	1.34	-
6405MHz	Pass	PK	12.80128G	56.63	88.20	-31.57	3	Horizontal	228	1.34	-
6445MHz	Pass	AV	5.8714G	46.23	68.20	-21.97	3	Vertical	139	2.34	-
6445MHz	Pass	AV	6.4426G	89.02	Inf	-Inf	3	Vertical	139	2.34	-
6445MHz	Pass	PK	5.9122G	59.08	88.20	-29.12	3	Vertical	139	2.34	-
6445MHz	Pass	PK	6.445G	100.19	Inf	-Inf	3	Vertical	139	2.34	-
6445MHz	Pass	AV	5.8666G	46.30	68.20	-21.90	3	Horizontal	70	2.09	-
6445MHz	Pass	AV	6.4426G	84.57	Inf	-Inf	3	Horizontal	70	2.09	-
6445MHz	Pass	PK	5.893G	57.86	88.20	-30.34	3	Horizontal	70	2.09	-
6445MHz	Pass	PK	6.4546G	95.71	Inf	-Inf	3	Horizontal	70	2.09	-
6445MHz	Pass	AV	12.88976G	43.22	68.20	-24.98	3	Vertical	175	2.19	-
6445MHz	Pass	PK	12.89588G	56.84	88.20	-31.36	3	Vertical	175	2.19	-
6445MHz	Pass	AV	12.8838G	43.15	68.20	-25.05	3	Horizontal	63	1.45	-
6445MHz	Pass	PK	12.89056G	56.49	88.20	-31.71	3	Horizontal	63	1.45	-
6485MHz	Pass	AV	5.883G	46.33	68.20	-21.87	3	Vertical	136	2.95	-
6485MHz	Pass	AV	6.4822G	88.97	Inf	-Inf	3	Vertical	136	2.95	-
6485MHz	Pass	AV	7.171G	51.12	68.20	-17.08	3	Vertical	136	2.95	-
6485MHz	Pass	PK	5.827G	57.91	88.20	-30.29	3	Vertical	136	2.95	-
6485MHz	Pass	PK	6.4934G	99.38	Inf	-Inf	3	Vertical	136	2.95	-
6485MHz	Pass	PK	7.129G	62.77	88.20	-25.43	3	Vertical	136	2.95	-
6485MHz	Pass	AV	5.8774G	46.12	68.20	-22.08	3	Horizontal	240	2.27	-
6485MHz	Pass	AV	6.4822G	85.70	Inf	-Inf	3	Horizontal	240	2.27	-
6485MHz	Pass	AV	7.185G	50.96	68.20	-17.24	3	Horizontal	240	2.27	-
6485MHz	Pass	PK	5.8914G	58.81	88.20	-29.39	3	Horizontal	240	2.27	-
6485MHz	Pass	PK	6.4962G	96.56	Inf	-Inf	3	Horizontal	240	2.27	-
6485MHz	Pass	PK	7.1738G	62.66	88.20	-25.54	3	Horizontal	240	2.27	-
6485MHz	Pass	AV	12.97904G	43.34	68.20	-24.86	3	Vertical	317	1.08	-
6485MHz	Pass	PK	12.97396G	56.86	88.20	-31.34	3	Vertical	317	1.08	-
6485MHz	Pass	AV	12.97836G	43.30	68.20	-24.90	3	Horizontal	240	1.04	-
6485MHz	Pass	PK	12.96688G	57.00	88.20	-31.20	3	Horizontal	240	1.04	-
6525MHz	Pass	AV	5.8866G	46.12	68.20	-22.08	3	Vertical	184	2.18	-
6525MHz	Pass	AV	6.525G	88.77	Inf	-Inf	3	Vertical	184	2.18	-
6525MHz	Pass	AV	7.197G	51.06	68.20	-17.14	3	Vertical	184	2.18	-
6525MHz	Pass	PK	5.8278G	58.10	88.20	-30.10	3	Vertical	184	2.18	-
6525MHz	Pass	PK	6.5334G	99.37	Inf	-Inf	3	Vertical	184	2.18	-
6525MHz	Pass	PK	7.1914G	63.38	88.20	-24.82	3	Vertical	184	2.18	-
6525MHz	Pass	AV	5.9174G	46.24	68.20	-21.96	3	Horizontal	90	2.66	-
6525MHz	Pass	AV	6.525G	84.74	Inf	-Inf	3	Horizontal	90	2.66	-
6525MHz	Pass	AV	7.2082G	51.07	68.20	-17.13	3	Horizontal	90	2.66	-
6525MHz	Pass	PK	5.839G	58.00	88.20	-30.20	3	Horizontal	90	2.66	-
6525MHz	Pass	PK	6.5222G	95.05	Inf	-Inf	3	Horizontal	90	2.66	-
6525MHz	Pass	PK	7.1662G	62.77	88.20	-25.43	3	Horizontal	90	2.66	-
6525MHz	Pass	AV	13.04192G	43.47	68.20	-24.73	3	Vertical	127	2.12	-
6525MHz	Pass	PK	13.05056G	56.55	88.20	-31.65	3	Vertical	127	2.12	-
6525MHz	Pass	AV	13.04232G	43.48	68.20	-24.72	3	Horizontal	306	1.09	-
6525MHz	Pass	PK	13.05816G	56.98	88.20	-31.22	3	Horizontal	306	1.09	-
6565MHz	Pass	AV	6.5698G	88.91	Inf	-Inf	3	Vertical	150	2.63	-
6565MHz	Pass	AV	7.165G	50.90	68.20	-17.30	3	Vertical	150	2.63	-
6565MHz	Pass	PK	6.5602G	100.94	Inf	-Inf	3	Vertical	150	2.63	-
6565MHz	Pass	PK	7.1626G	63.65	88.20	-24.55	3	Vertical	150	2.63	-
6565MHz	Pass	AV	6.5626G	85.26	Inf	-Inf	3	Horizontal	253	2.76	-
6565MHz	Pass	AV	7.1602G	50.95	68.20	-17.25	3	Horizontal	253	2.76	-
6565MHz	Pass	PK	6.5626G	95.76	Inf	-Inf	3	Horizontal	253	2.76	-
6565MHz	Pass	PK	7.1338G	62.44	88.20	-25.76	3	Horizontal	253	2.76	-
6565MHz	Pass	AV	13.125G	43.50	68.20	-24.70	3	Vertical	139	2.01	-
6565MHz	Pass	PK	13.12588G	57.13	88.20	-31.07	3	Vertical	139	2.01	-
6565MHz	Pass	AV	13.13596G	43.51	68.20	-24.69	3	Horizontal	230	1.48	-
6565MHz	Pass	PK	13.12964G	57.67	88.20	-30.53	3	Horizontal	230	1.48	-
6685MHz	Pass	AV	6.683G	89.90	Inf	-Inf	3	Vertical	190	2.35	-
6685MHz	Pass	AV	7.179G	51.05	68.20	-17.15	3	Vertical	190	2.35	-



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
6685MHz	Pass	PK	6.683G	102.19	Inf	-Inf	3	Vertical	190	2.35	-
6685MHz	Pass	PK	7.169G	63.16	88.20	-25.04	3	Vertical	190	2.35	-
6685MHz	Pass	AV	6.683G	85.74	Inf	-Inf	3	Horizontal	86	2.35	-
6685MHz	Pass	AV	7.173G	51.10	68.20	-17.10	3	Horizontal	86	2.35	-
6685MHz	Pass	PK	6.675G	97.59	Inf	-Inf	3	Horizontal	86	2.35	-
6685MHz	Pass	PK	7.143G	63.42	88.20	-24.78	3	Horizontal	86	2.35	-
6685MHz	Pass	AV	13.37724G	44.53	54.00	-9.47	3	Vertical	321	1.17	-
6685MHz	Pass	PK	13.374G	57.86	74.00	-16.14	3	Vertical	321	1.17	-
6685MHz	Pass	AV	13.37972G	44.40	54.00	-9.60	3	Horizontal	292	1.23	-
6685MHz	Pass	PK	13.36492G	58.17	74.00	-15.83	3	Horizontal	292	1.23	-
6845MHz	Pass	AV	6.8436G	85.43	Inf	-Inf	3	Vertical	10	1.50	-
6845MHz	Pass	AV	7.1922G	51.00	68.20	-17.20	3	Vertical	10	1.50	-
6845MHz	Pass	PK	6.8436G	97.32	Inf	-Inf	3	Vertical	10	1.50	-
6845MHz	Pass	PK	7.146G	63.09	88.20	-25.11	3	Vertical	10	1.50	-
6845MHz	Pass	AV	6.8436G	83.43	Inf	-Inf	3	Horizontal	247	2.78	-
6845MHz	Pass	AV	7.1908G	51.07	68.20	-17.13	3	Horizontal	247	2.78	-
6845MHz	Pass	PK	6.8324G	96.74	Inf	-Inf	3	Horizontal	247	2.78	-
6845MHz	Pass	PK	7.1446G	63.52	88.20	-24.68	3	Horizontal	247	2.78	-
6845MHz	Pass	AV	13.69696G	49.00	68.20	-19.20	3	Vertical	255	1.89	-
6845MHz	Pass	PK	13.6928G	62.81	88.20	-25.39	3	Vertical	255	1.89	-
6845MHz	Pass	AV	13.69908G	48.99	68.20	-19.21	3	Horizontal	263	1.99	-
6845MHz	Pass	PK	13.68348G	62.17	88.20	-26.03	3	Horizontal	263	1.99	-
6885MHz Straddle 6.525-6.875GHz	Pass	AV	6.8822G	87.97	Inf	-Inf	3	Vertical	198	2.33	-
6885MHz Straddle 6.525-6.875GHz	Pass	AV	7.1986G	51.08	68.20	-17.12	3	Vertical	198	2.33	-
6885MHz Straddle 6.525-6.875GHz	Pass	PK	6.8808G	98.56	Inf	-Inf	3	Vertical	198	2.33	-
6885MHz Straddle 6.525-6.875GHz	Pass	PK	7.1482G	63.49	88.20	-24.71	3	Vertical	198	2.33	-
6885MHz Straddle 6.525-6.875GHz	Pass	AV	6.8836G	83.21	Inf	-Inf	3	Horizontal	245	2.73	-
6885MHz Straddle 6.525-6.875GHz	Pass	AV	7.2028G	51.08	68.20	-17.12	3	Horizontal	245	2.73	-
6885MHz Straddle 6.525-6.875GHz	Pass	PK	6.8934G	95.07	Inf	-Inf	3	Horizontal	245	2.73	-
6885MHz Straddle 6.525-6.875GHz	Pass	PK	7.1342G	63.04	88.20	-25.16	3	Horizontal	245	2.73	-
6885MHz Straddle 6.525-6.875GHz	Pass	AV	13.7788G	49.39	68.20	-18.81	3	Vertical	289	1.03	-
6885MHz Straddle 6.525-6.875GHz	Pass	PK	13.76008G	62.97	88.20	-25.23	3	Vertical	289	1.03	-
6885MHz Straddle 6.525-6.875GHz	Pass	AV	13.77464G	49.37	68.20	-18.83	3	Horizontal	212	2.27	-
6885MHz Straddle 6.525-6.875GHz	Pass	PK	13.77964G	62.48	88.20	-25.72	3	Horizontal	212	2.27	-
6925MHz	Pass	AV	6.9226G	88.79	Inf	-Inf	3	Vertical	198	2.47	-
6925MHz	Pass	AV	7.1986G	51.20	68.20	-17.00	3	Vertical	198	2.47	-
6925MHz	Pass	PK	6.931G	99.78	Inf	-Inf	3	Vertical	198	2.47	-
6925MHz	Pass	PK	7.1338G	63.94	88.20	-24.26	3	Vertical	198	2.47	-
6925MHz	Pass	AV	6.9262G	84.45	Inf	-Inf	3	Horizontal	81	2.26	-
6925MHz	Pass	AV	7.213G	51.16	68.20	-17.04	3	Horizontal	81	2.26	-
6925MHz	Pass	PK	6.919G	95.78	Inf	-Inf	3	Horizontal	81	2.26	-
6925MHz	Pass	PK	7.195G	63.36	88.20	-24.84	3	Horizontal	81	2.26	-
6925MHz	Pass	AV	13.85288G	50.43	68.20	-17.77	3	Vertical	158	1.39	-
6925MHz	Pass	PK	13.8576G	65.00	88.20	-23.20	3	Vertical	158	1.39	-
6925MHz	Pass	AV	13.85268G	50.38	68.20	-17.82	3	Horizontal	306	1.76	-
6925MHz	Pass	PK	13.846G	64.64	88.20	-23.56	3	Horizontal	306	1.76	-
7005MHz	Pass	AV	7.0026G	90.47	Inf	-Inf	3	Vertical	197	2.62	-
7005MHz	Pass	AV	7.155G	50.90	68.20	-17.30	3	Vertical	197	2.62	-
7005MHz	Pass	PK	7.0128G	104.03	Inf	-Inf	3	Vertical	197	2.62	-
7005MHz	Pass	PK	7.155G	63.35	88.20	-24.85	3	Vertical	197	2.62	-
7005MHz	Pass	AV	7.0158G	83.24	Inf	-Inf	3	Horizontal	55	2.16	-
7005MHz	Pass	AV	7.1508G	50.89	68.20	-17.31	3	Horizontal	55	2.16	-
7005MHz	Pass	PK	7.0068G	94.90	Inf	-Inf	3	Horizontal	55	2.16	-
7005MHz	Pass	PK	7.1478G	62.82	88.20	-25.38	3	Horizontal	55	2.16	-
7005MHz	Pass	AV	14.0024G	50.42	68.20	-17.78	3	Vertical	352	1.41	-
7005MHz	Pass	PK	14.00308G	63.86	88.20	-24.34	3	Vertical	352	1.41	-
7005MHz	Pass	AV	14.00368G	50.45	68.20	-17.75	3	Horizontal	266	1.03	-
7005MHz	Pass	PK	14.0038G	63.80	88.20	-24.40	3	Horizontal	266	1.03	-
7085MHz	Pass	AV	7.0844G	90.93	Inf	-Inf	3	Vertical	143	2.34	-
7085MHz	Pass	AV	7.2212G	51.26	68.20	-16.94	3	Vertical	143	2.34	-
7085MHz	Pass	PK	7.0766G	103.00	Inf	-Inf	3	Vertical	143	2.34	-
7085MHz	Pass	PK	7.1876G	63.25	88.20	-24.95	3	Vertical	143	2.34	-



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
7085MHz	Pass	AV	7.0874G	85.40	Inf	-Inf	3	Horizontal	68	2.21	-
7085MHz	Pass	AV	7.2056G	51.14	68.20	-17.06	3	Horizontal	68	2.21	-
7085MHz	Pass	PK	7.088G	98.96	Inf	-Inf	3	Horizontal	68	2.21	-
7085MHz	Pass	PK	7.1666G	64.26	88.20	-23.94	3	Horizontal	68	2.21	-
7085MHz	Pass	AV	14.16132G	49.95	68.20	-18.25	3	Vertical	91	1.73	-
7085MHz	Pass	PK	14.17136G	63.48	88.20	-24.72	3	Vertical	91	1.73	-
7085MHz	Pass	AV	14.17G	49.96	68.20	-18.24	3	Horizontal	263	1.49	-
7085MHz	Pass	PK	14.17264G	64.05	88.20	-24.15	3	Horizontal	263	1.49	-
802.11ax HEW80_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-
5985MHz	Pass	AV	5.882G	46.24	68.20	-21.96	3	Vertical	30	2.58	-
5985MHz	Pass	AV	5.973G	88.20	Inf	-Inf	3	Vertical	30	2.58	-
5985MHz	Pass	PK	5.871G	59.14	88.20	-29.06	3	Vertical	30	2.58	-
5985MHz	Pass	PK	5.993G	100.16	Inf	-Inf	3	Vertical	30	2.58	-
5985MHz	Pass	AV	5.91G	46.27	68.20	-21.93	3	Horizontal	77	2.96	-
5985MHz	Pass	AV	5.97G	85.11	Inf	-Inf	3	Horizontal	77	2.96	-
5985MHz	Pass	PK	5.819G	58.55	88.20	-29.65	3	Horizontal	77	2.96	-
5985MHz	Pass	PK	5.961G	96.07	Inf	-Inf	3	Horizontal	77	2.96	-
5985MHz	Pass	AV	11.96424G	42.42	54.00	-11.58	3	Vertical	330	1.35	-
5985MHz	Pass	PK	11.9658G	56.56	74.00	-17.44	3	Vertical	330	1.35	-
5985MHz	Pass	AV	11.96428G	42.39	54.00	-11.61	3	Horizontal	130	2.13	-
5985MHz	Pass	PK	11.97888G	56.26	74.00	-17.74	3	Horizontal	130	2.13	-
6145MHz	Pass	AV	5.8714G	46.18	68.20	-22.02	3	Vertical	61	2.76	-
6145MHz	Pass	AV	6.1474G	87.84	Inf	-Inf	3	Vertical	61	2.76	-
6145MHz	Pass	PK	5.8858G	59.31	88.20	-28.89	3	Vertical	61	2.76	-
6145MHz	Pass	PK	6.1474G	100.89	Inf	-Inf	3	Vertical	61	2.76	-
6145MHz	Pass	AV	5.899G	46.15	68.20	-22.05	3	Horizontal	75	2.28	-
6145MHz	Pass	AV	6.1522G	83.92	Inf	-Inf	3	Horizontal	75	2.28	-
6145MHz	Pass	PK	5.8774G	58.76	88.20	-29.44	3	Horizontal	75	2.28	-
6145MHz	Pass	PK	6.1522G	95.52	Inf	-Inf	3	Horizontal	75	2.28	-
6145MHz	Pass	AV	12.2862G	42.63	54.00	-11.37	3	Vertical	242	1.67	-
6145MHz	Pass	PK	12.29424G	55.89	74.00	-18.11	3	Vertical	242	1.67	-
6145MHz	Pass	AV	12.29608G	42.59	54.00	-11.41	3	Horizontal	256	1.02	-
6145MHz	Pass	PK	12.2836G	56.01	74.00	-17.99	3	Horizontal	256	1.02	-
6385MHz	Pass	AV	5.917G	46.18	68.20	-22.02	3	Vertical	191	2.61	-
6385MHz	Pass	AV	6.3826G	88.32	Inf	-Inf	3	Vertical	191	2.61	-
6385MHz	Pass	PK	5.8378G	57.99	88.20	-30.21	3	Vertical	191	2.61	-
6385MHz	Pass	PK	6.3994G	99.59	Inf	-Inf	3	Vertical	191	2.61	-
6385MHz	Pass	AV	5.8714G	46.14	68.20	-22.06	3	Horizontal	70	2.49	-
6385MHz	Pass	AV	6.373G	84.64	Inf	-Inf	3	Horizontal	70	2.49	-
6385MHz	Pass	PK	5.917G	58.20	88.20	-30.00	3	Horizontal	70	2.49	-
6385MHz	Pass	PK	6.373G	96.74	Inf	-Inf	3	Horizontal	70	2.49	-
6385MHz	Pass	AV	12.77976G	42.80	68.20	-25.40	3	Vertical	212	2.35	-
6385MHz	Pass	PK	12.77416G	56.60	88.20	-31.60	3	Vertical	212	2.35	-
6385MHz	Pass	AV	12.77464G	42.78	68.20	-25.42	3	Horizontal	184	1.99	-
6385MHz	Pass	PK	12.77972G	57.18	88.20	-31.02	3	Horizontal	184	1.99	-
6465MHz	Pass	AV	5.8854G	46.17	68.20	-22.03	3	Vertical	195	2.55	-
6465MHz	Pass	AV	6.4622G	88.27	Inf	-Inf	3	Vertical	195	2.55	-
6465MHz	Pass	AV	7.1622G	50.80	68.20	-17.40	3	Vertical	195	2.55	-
6465MHz	Pass	PK	5.9078G	58.23	88.20	-29.97	3	Vertical	195	2.55	-
6465MHz	Pass	PK	6.4706G	98.81	Inf	-Inf	3	Vertical	195	2.55	-
6465MHz	Pass	PK	7.1342G	62.27	88.20	-25.93	3	Vertical	195	2.55	-
6465MHz	Pass	AV	5.8826G	46.19	68.20	-22.01	3	Horizontal	72	2.26	-
6465MHz	Pass	AV	6.4538G	84.21	Inf	-Inf	3	Horizontal	72	2.26	-
6465MHz	Pass	AV	7.165G	50.77	68.20	-17.43	3	Horizontal	72	2.26	-
6465MHz	Pass	PK	5.8966G	58.27	88.20	-29.93	3	Horizontal	72	2.26	-
6465MHz	Pass	PK	6.4622G	94.95	Inf	-Inf	3	Horizontal	72	2.26	-
6465MHz	Pass	PK	7.1454G	62.18	88.20	-26.02	3	Horizontal	72	2.26	-
6465MHz	Pass	AV	12.93728G	43.12	68.20	-25.08	3	Vertical	124	1.94	-
6465MHz	Pass	PK	12.93704G	56.36	88.20	-31.84	3	Vertical	124	1.94	-
6465MHz	Pass	AV	12.9368G	43.12	68.20	-25.08	3	Horizontal	265	1.17	-
6465MHz	Pass	PK	12.93616G	56.74	88.20	-31.46	3	Horizontal	265	1.17	-
6545MHz	Pass	AV	5.887G	46.17	68.20	-22.03	3	Vertical	123	2.47	-



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
6545MHz	Pass	AV	6.545G	88.70	Inf	-Inf	3	Vertical	123	2.47	-
6545MHz	Pass	AV	7.2086G	50.92	68.20	-17.28	3	Vertical	123	2.47	-
6545MHz	Pass	PK	5.901G	57.97	88.20	-30.23	3	Vertical	123	2.47	-
6545MHz	Pass	PK	6.5254G	99.98	Inf	-Inf	3	Vertical	123	2.47	-
6545MHz	Pass	PK	7.1274G	62.47	88.20	-25.73	3	Vertical	123	2.47	-
6545MHz	Pass	AV	5.8758G	46.13	68.20	-22.07	3	Horizontal	252	2.74	-
6545MHz	Pass	AV	6.5506G	85.31	Inf	-Inf	3	Horizontal	252	2.74	-
6545MHz	Pass	AV	7.203G	50.96	68.20	-17.24	3	Horizontal	252	2.74	-
6545MHz	Pass	PK	5.9234G	58.12	88.20	-30.08	3	Horizontal	252	2.74	-
6545MHz	Pass	PK	6.5618G	96.52	Inf	-Inf	3	Horizontal	252	2.74	-
6545MHz	Pass	PK	7.1666G	62.78	88.20	-25.42	3	Horizontal	252	2.74	-
6545MHz	Pass	AV	13.0956G	43.50	68.20	-24.70	3	Vertical	162	1.11	-
6545MHz	Pass	PK	13.08104G	56.69	88.20	-31.51	3	Vertical	162	1.11	-
6545MHz	Pass	AV	13.09352G	43.46	68.20	-24.74	3	Horizontal	345	1.08	-
6545MHz	Pass	PK	13.0972G	57.90	88.20	-30.30	3	Horizontal	345	1.08	-
6625MHz	Pass	AV	6.6322G	88.95	Inf	-Inf	3	Vertical	187	2.33	-
6625MHz	Pass	AV	7.1986G	50.99	68.20	-17.21	3	Vertical	187	2.33	-
6625MHz	Pass	PK	6.6346G	102.17	Inf	-Inf	3	Vertical	187	2.33	-
6625MHz	Pass	PK	7.2034G	63.39	88.20	-24.81	3	Vertical	187	2.33	-
6625MHz	Pass	AV	6.6346G	85.03	Inf	-Inf	3	Horizontal	84	2.29	-
6625MHz	Pass	AV	7.1962G	50.97	68.20	-17.23	3	Horizontal	84	2.29	-
6625MHz	Pass	PK	6.6346G	96.86	Inf	-Inf	3	Horizontal	84	2.29	-
6625MHz	Pass	PK	7.177G	63.09	88.20	-25.11	3	Horizontal	84	2.29	-
6625MHz	Pass	AV	13.247G	43.88	68.20	-24.32	3	Vertical	311	1.52	-
6625MHz	Pass	PK	13.24696G	57.35	88.20	-30.85	3	Vertical	311	1.52	-
6625MHz	Pass	AV	13.25448G	43.85	54.00	-10.15	3	Horizontal	220	1.07	-
6625MHz	Pass	PK	13.25256G	57.67	74.00	-16.33	3	Horizontal	220	1.07	-
6705MHz	Pass	AV	6.703G	89.60	Inf	-Inf	3	Vertical	189	2.51	-
6705MHz	Pass	AV	7.193G	50.92	68.20	-17.28	3	Vertical	189	2.51	-
6705MHz	Pass	PK	6.713G	102.01	Inf	-Inf	3	Vertical	189	2.51	-
6705MHz	Pass	PK	7.203G	63.17	88.20	-25.03	3	Vertical	189	2.51	-
6705MHz	Pass	AV	6.695G	85.69	Inf	-Inf	3	Horizontal	84	2.25	-
6705MHz	Pass	AV	7.205G	51.00	68.20	-17.20	3	Horizontal	84	2.25	-
6705MHz	Pass	PK	6.687G	96.74	Inf	-Inf	3	Horizontal	84	2.25	-
6705MHz	Pass	PK	7.181G	62.93	88.20	-25.27	3	Horizontal	84	2.25	-
6705MHz	Pass	AV	13.40104G	44.36	68.20	-23.84	3	Vertical	190	2.04	-
6705MHz	Pass	PK	13.40156G	57.66	88.20	-30.54	3	Vertical	190	2.04	-
6705MHz	Pass	AV	13.40144G	44.26	68.20	-23.94	3	Horizontal	192	2.05	-
6705MHz	Pass	PK	13.40544G	57.72	88.20	-30.48	3	Horizontal	192	2.05	-
6785MHz	Pass	AV	6.7754G	88.74	Inf	-Inf	3	Vertical	115	2.48	-
6785MHz	Pass	AV	7.1706G	50.91	68.20	-17.29	3	Vertical	115	2.48	-
6785MHz	Pass	PK	6.785G	100.45	Inf	-Inf	3	Vertical	115	2.48	-
6785MHz	Pass	PK	7.1578G	63.91	88.20	-24.29	3	Vertical	115	2.48	-
6785MHz	Pass	AV	6.7818G	83.52	Inf	-Inf	3	Horizontal	261	2.71	-
6785MHz	Pass	AV	7.1722G	50.84	68.20	-17.36	3	Horizontal	261	2.71	-
6785MHz	Pass	PK	6.7722G	95.06	Inf	-Inf	3	Horizontal	261	2.71	-
6785MHz	Pass	PK	7.1402G	62.85	88.20	-25.35	3	Horizontal	261	2.71	-
6785MHz	Pass	AV	13.58452G	44.66	68.20	-23.54	3	Vertical	321	1.17	-
6785MHz	Pass	PK	13.55794G	58.87	88.20	-29.33	3	Vertical	321	1.17	-
6785MHz	Pass	AV	13.5733G	44.63	68.20	-23.57	3	Horizontal	109	2.19	-
6785MHz	Pass	PK	13.57936G	58.14	88.20	-30.06	3	Horizontal	109	2.19	-
6865MHz Straddle 6.525-6.875GHz	Pass	AV	6.8746G	87.99	Inf	-Inf	3	Vertical	9	2.50	-
6865MHz Straddle 6.525-6.875GHz	Pass	AV	7.1614G	50.81	68.20	-17.39	3	Vertical	9	2.50	-
6865MHz Straddle 6.525-6.875GHz	Pass	PK	6.8446G	100.92	Inf	-Inf	3	Vertical	9	2.50	-
6865MHz Straddle 6.525-6.875GHz	Pass	PK	7.1326G	63.01	88.20	-25.19	3	Vertical	9	2.50	-
6865MHz Straddle 6.525-6.875GHz	Pass	AV	6.8722G	83.20	Inf	-Inf	3	Horizontal	246	2.72	-
6865MHz Straddle 6.525-6.875GHz	Pass	AV	7.1626G	50.83	68.20	-17.37	3	Horizontal	246	2.72	-
6865MHz Straddle 6.525-6.875GHz	Pass	PK	6.8638G	95.67	Inf	-Inf	3	Horizontal	246	2.72	-
6865MHz Straddle 6.525-6.875GHz	Pass	PK	7.153G	64.19	88.20	-24.01	3	Horizontal	246	2.72	-
6865MHz Straddle 6.525-6.875GHz	Pass	AV	13.72832G	49.29	68.20	-18.91	3	Vertical	128	1.66	-
6865MHz Straddle 6.525-6.875GHz	Pass	PK	13.7435G	62.78	88.20	-25.42	3	Vertical	128	1.66	-
6865MHz Straddle 6.525-6.875GHz	Pass	AV	13.72868G	49.23	68.20	-18.97	3	Horizontal	47	1.07	-




Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
6865MHz Straddle 6.525-6.875GHz	Pass	PK	13.72466G	63.26	88.20	-24.94	3	Horizontal	47	1.07	-
6945MHz	Pass	AV	6.9522G	90.10	Inf	-Inf	3	Vertical	196	2.47	-
6945MHz	Pass	AV	7.2066G	51.09	68.20	-17.11	3	Vertical	196	2.47	-
6945MHz	Pass	PK	6.9726G	102.75	Inf	-Inf	3	Vertical	196	2.47	-
6945MHz	Pass	PK	7.2318G	62.96	88.20	-25.24	3	Vertical	196	2.47	-
6945MHz	Pass	AV	6.933G	83.35	Inf	-Inf	3	Horizontal	245	2.77	-
6945MHz	Pass	AV	7.2366G	51.21	68.20	-16.99	3	Horizontal	245	2.77	-
6945MHz	Pass	PK	6.9522G	95.28	Inf	-Inf	3	Horizontal	245	2.77	-
6945MHz	Pass	PK	7.1838G	63.69	88.20	-24.51	3	Horizontal	245	2.77	-
6945MHz	Pass	AV	13.89462G	50.43	68.20	-17.77	3	Vertical	283	2.31	-
6945MHz	Pass	PK	13.89354G	63.95	88.20	-24.25	3	Vertical	283	2.31	-
6945MHz	Pass	AV	13.8765G	50.49	68.20	-17.71	3	Horizontal	31	2.37	-
6945MHz	Pass	PK	13.89426G	63.88	88.20	-24.32	3	Horizontal	31	2.37	-
7025MHz	Pass	AV	7.0354G	89.70	Inf	-Inf	3	Vertical	142	2.44	-
7025MHz	Pass	AV	7.217G	51.15	68.20	-17.05	3	Vertical	142	2.44	-
7025MHz	Pass	PK	7.0362G	101.85	Inf	-Inf	3	Vertical	142	2.44	-
7025MHz	Pass	PK	7.1946G	63.09	88.20	-25.11	3	Vertical	142	2.44	-
7025MHz	Pass	AV	7.0154G	83.97	Inf	-Inf	3	Horizontal	54	2.16	-
7025MHz	Pass	AV	7.2058G	51.19	68.20	-17.01	3	Horizontal	54	2.16	-
7025MHz	Pass	PK	7.0266G	95.63	Inf	-Inf	3	Horizontal	54	2.16	-
7025MHz	Pass	PK	7.2018G	64.01	88.20	-24.19	3	Horizontal	54	2.16	-
7025MHz	Pass	AV	14.03584G	50.35	68.20	-17.85	3	Vertical	223	1.07	-
7025MHz	Pass	PK	14.0506G	64.27	88.20	-23.93	3	Vertical	223	1.07	-
7025MHz	Pass	AV	14.0518G	50.28	68.20	-17.92	3	Horizontal	186	1.22	-
7025MHz	Pass	PK	14.04958G	63.56	88.20	-24.64	3	Horizontal	186	1.22	-
802.11ax HEW160_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-
6025MHz	Pass	AV	5.925G	46.52	68.20	-21.68	3	Vertical	30	2.50	-
6025MHz	Pass	AV	5.993G	88.84	Inf	-Inf	3	Vertical	30	2.50	-
6025MHz	Pass	PK	5.922G	58.90	88.20	-29.30	3	Vertical	30	2.50	-
6025MHz	Pass	PK	5.993G	101.24	Inf	-Inf	3	Vertical	30	2.50	-
6025MHz	Pass	AV	5.92G	46.39	68.20	-21.81	3	Horizontal	76	2.80	-
6025MHz	Pass	AV	5.98G	84.77	Inf	-Inf	3	Horizontal	76	2.80	-
6025MHz	Pass	PK	5.882G	59.05	88.20	-29.15	3	Horizontal	76	2.80	-
6025MHz	Pass	PK	5.96G	97.55	Inf	-Inf	3	Horizontal	76	2.80	-
6025MHz	Pass	AV	12.0255G	42.84	54.00	-11.16	3	Vertical	335	2.08	-
6025MHz	Pass	PK	12.0654G	55.61	74.00	-18.39	3	Vertical	335	2.08	-
6025MHz	Pass	AV	12.038G	42.78	54.00	-11.22	3	Horizontal	62	1.64	-
6025MHz	Pass	PK	12.0648G	56.80	74.00	-17.20	3	Horizontal	62	1.64	-
6185MHz	Pass	AV	5.8586G	46.32	68.20	-21.88	3	Vertical	318	2.65	-
6185MHz	Pass	AV	6.201G	87.48	Inf	-Inf	3	Vertical	318	2.65	-
6185MHz	Pass	PK	5.7994G	58.28	88.20	-29.92	3	Vertical	318	2.65	-
6185MHz	Pass	PK	6.201G	100.52	Inf	-Inf	3	Vertical	318	2.65	-
6185MHz	Pass	AV	5.9034G	46.40	68.20	-21.80	3	Horizontal	76	2.19	-
6185MHz	Pass	AV	6.1722G	83.96	Inf	-Inf	3	Horizontal	76	2.19	-
6185MHz	Pass	PK	5.8442G	59.29	88.20	-28.91	3	Horizontal	76	2.19	-
6185MHz	Pass	PK	6.1738G	96.34	Inf	-Inf	3	Horizontal	76	2.19	-
6185MHz	Pass	AV	12.3588G	42.91	54.00	-11.09	3	Vertical	60	1.76	-
6185MHz	Pass	PK	12.3713G	56.68	74.00	-17.32	3	Vertical	60	1.76	-
6185MHz	Pass	AV	12.3454G	43.08	54.00	-10.92	3	Horizontal	106	1.29	-
6185MHz	Pass	PK	12.3533G	56.23	74.00	-17.77	3	Horizontal	106	1.29	-
6345MHz	Pass	AV	5.925G	46.30	68.20	-21.90	3	Vertical	188	2.42	-
6345MHz	Pass	AV	6.3522G	88.68	Inf	-Inf	3	Vertical	188	2.42	-
6345MHz	Pass	PK	5.925G	58.69	88.20	-29.51	3	Vertical	188	2.42	-
6345MHz	Pass	PK	6.3114G	101.19	Inf	-Inf	3	Vertical	188	2.42	-
6345MHz	Pass	AV	5.8818G	46.32	68.20	-21.88	3	Horizontal	68	2.49	-
6345MHz	Pass	AV	6.3714G	85.31	Inf	-Inf	3	Horizontal	68	2.49	-
6345MHz	Pass	PK	5.865G	58.47	88.20	-29.73	3	Horizontal	68	2.49	-
6345MHz	Pass	PK	6.3618G	97.22	Inf	-Inf	3	Horizontal	68	2.49	-
6345MHz	Pass	AV	12.6747G	42.54	54.00	-11.46	3	Vertical	315	1.82	-
6345MHz	Pass	PK	12.7089G	55.63	88.20	-32.57	3	Vertical	315	1.82	-
6345MHz	Pass	AV	12.6747G	42.64	54.00	-11.36	3	Horizontal	227	2.10	-
6345MHz	Pass	PK	12.6909G	56.03	74.00	-17.97	3	Horizontal	227	2.10	-



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
6505MHz	Pass	AV	5.8974G	46.27	68.20	-21.93	3	Vertical	187	1.50	-
6505MHz	Pass	AV	6.533G	86.59	Inf	-Inf	3	Vertical	187	1.50	-
6505MHz	Pass	AV	7.205G	51.04	68.20	-17.16	3	Vertical	187	1.50	-
6505MHz	Pass	PK	5.8806G	58.70	88.20	-29.50	3	Vertical	187	1.50	-
6505MHz	Pass	PK	6.533G	98.77	Inf	-Inf	3	Vertical	187	1.50	-
6505MHz	Pass	PK	7.1742G	63.25	88.20	-24.95	3	Vertical	187	1.50	-
6505MHz	Pass	AV	5.8834G	46.28	68.20	-21.92	3	Horizontal	240	2.41	-
6505MHz	Pass	AV	6.5022G	86.23	Inf	-Inf	3	Horizontal	240	2.41	-
6505MHz	Pass	AV	7.191G	51.02	68.20	-17.18	3	Horizontal	240	2.41	-
6505MHz	Pass	PK	5.875G	57.88	88.20	-30.32	3	Horizontal	240	2.41	-
6505MHz	Pass	PK	6.4742G	98.28	Inf	-Inf	3	Horizontal	240	2.41	-
6505MHz	Pass	PK	7.1854G	63.15	88.20	-25.05	3	Horizontal	240	2.41	-
6505MHz	Pass	AV	13.01G	43.85	68.20	-24.35	3	Vertical	30	2.11	-
6505MHz	Pass	PK	13.0192G	57.87	88.20	-30.33	3	Vertical	30	2.11	-
6505MHz	Pass	AV	12.9903G	43.83	68.20	-24.37	3	Horizontal	205	1.73	-
6505MHz	Pass	PK	13.0229G	57.45	88.20	-30.75	3	Horizontal	205	1.73	-
6665MHz	Pass	AV	6.6518G	89.46	Inf	-Inf	3	Vertical	190	2.36	-
6665MHz	Pass	AV	7.1974G	51.06	68.20	-17.14	3	Vertical	190	2.36	-
6665MHz	Pass	PK	6.654G	101.72	Inf	-Inf	3	Vertical	190	2.36	-
6665MHz	Pass	PK	7.1688G	62.38	88.20	-25.82	3	Vertical	190	2.36	-
6665MHz	Pass	AV	6.6848G	85.58	Inf	-Inf	3	Horizontal	86	2.20	-
6665MHz	Pass	AV	7.2084G	51.06	68.20	-17.14	3	Horizontal	86	2.20	-
6665MHz	Pass	PK	6.687G	98.62	Inf	-Inf	3	Horizontal	86	2.20	-
6665MHz	Pass	PK	7.1512G	63.40	88.20	-24.80	3	Horizontal	86	2.20	-
6665MHz	Pass	AV	13.3517G	44.42	54.00	-9.58	3	Vertical	194	1.45	-
6665MHz	Pass	PK	13.3497G	57.77	74.00	-16.23	3	Vertical	194	1.45	-
6665MHz	Pass	AV	13.3095G	44.36	54.00	-9.64	3	Horizontal	312	1.20	-
6665MHz	Pass	PK	13.3368G	58.61	74.00	-15.39	3	Horizontal	312	1.20	-
6825MHz Straddle 6.525-6.875GHz	Pass	AV	6.7866G	87.60	Inf	-Inf	3	Vertical	116	2.36	-
6825MHz Straddle 6.525-6.875GHz	Pass	AV	7.2042G	51.14	68.20	-17.06	3	Vertical	116	2.36	-
6825MHz Straddle 6.525-6.875GHz	Pass	PK	6.8058G	100.67	Inf	-Inf	3	Vertical	116	2.36	-
6825MHz Straddle 6.525-6.875GHz	Pass	PK	7.2026G	62.90	88.20	-25.30	3	Vertical	116	2.36	-
6825MHz Straddle 6.525-6.875GHz	Pass	AV	6.793G	82.92	Inf	-Inf	3	Horizontal	259	2.71	-
6825MHz Straddle 6.525-6.875GHz	Pass	AV	7.2026G	51.08	68.20	-17.12	3	Horizontal	259	2.71	-
6825MHz Straddle 6.525-6.875GHz	Pass	PK	6.7706G	94.50	Inf	-Inf	3	Horizontal	259	2.71	-
6825MHz Straddle 6.525-6.875GHz	Pass	PK	7.2234G	63.08	88.20	-25.12	3	Horizontal	259	2.71	-
6825MHz Straddle 6.525-6.875GHz	Pass	AV	13.675G	49.02	68.20	-19.18	3	Vertical	150	1.76	-
6825MHz Straddle 6.525-6.875GHz	Pass	PK	13.6444G	63.29	88.20	-24.91	3	Vertical	150	1.76	-
6825MHz Straddle 6.525-6.875GHz	Pass	AV	13.6747G	49.00	68.20	-19.20	3	Horizontal	311	2.07	-
6825MHz Straddle 6.525-6.875GHz	Pass	PK	13.6708G	63.03	88.20	-25.17	3	Horizontal	311	2.07	-
6985MHz	Pass	AV	7.015G	89.41	Inf	-Inf	3	Vertical	141	2.53	-
6985MHz	Pass	AV	7.211G	51.26	68.20	-16.94	3	Vertical	141	2.53	-
6985MHz	Pass	PK	7.017G	101.62	Inf	-Inf	3	Vertical	141	2.53	-
6985MHz	Pass	PK	7.194G	63.28	88.20	-24.92	3	Vertical	141	2.53	-
6985MHz	Pass	AV	7.016G	83.69	Inf	-Inf	3	Horizontal	55	2.17	-
6985MHz	Pass	AV	7.218G	51.18	68.20	-17.02	3	Horizontal	55	2.17	-
6985MHz	Pass	PK	7.017G	95.28	Inf	-Inf	3	Horizontal	55	2.17	-
6985MHz	Pass	PK	7.232G	64.30	88.20	-23.90	3	Horizontal	55	2.17	-
6985MHz	Pass	AV	13.9452G	50.86	68.20	-17.34	3	Vertical	340	2.18	-
6985MHz	Pass	PK	13.9546G	64.55	88.20	-23.65	3	Vertical	340	2.18	-
6985MHz	Pass	AV	13.9497G	50.89	68.20	-17.31	3	Horizontal	25	1.91	-
6985MHz	Pass	PK	13.949G	64.53	88.20	-23.67	3	Horizontal	25	1.91	-

802.11a_Nss1,(6Mbps)_2TX


5955MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.907G	46.66	68.20	-21.54	7.81	3	Vertical	232	2.93	-	38.85	32.50	9.61	34.30
AV	5.9604G	89.39	Inf	-Inf	7.84	3	Vertical	232	2.93	-	81.55	32.50	9.65	34.31
PK	5.9166G	58.98	88.20	-29.22	7.81	3	Vertical	232	2.93	-	51.17	32.50	9.61	34.30
PK	5.961G	99.06	Inf	-Inf	7.84	3	Vertical	232	2.93	-	91.22	32.50	9.65	34.31

802.11a_Nss1,(6Mbps)_2TX


5955MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9238G	46.78	68.20	-21.42	7.82	3	Horizontal	78	2.94	-	38.96	32.50	9.62	34.30
AV	5.9622G	85.74	Inf	-Inf	7.84	3	Horizontal	78	2.94	-	77.90	32.50	9.65	34.31
PK	5.8452G	58.67	88.20	-29.53	7.55	3	Horizontal	78	2.94	-	51.12	32.28	9.56	34.29
PK	5.9628G	94.57	Inf	-Inf	7.84	3	Horizontal	78	2.94	-	86.73	32.50	9.65	34.31

802.11a_Nss1,(6Mbps)_2TX


5955MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.91236G	42.49	54.00	-11.51	17.37	3	Vertical	343	2.67	-	25.12	38.72	13.01	34.36
PK	11.92G	55.37	74.00	-18.63	17.40	3	Vertical	343	2.67	-	37.97	38.74	13.02	34.36

802.11a_Nss1,(6Mbps)_2TX


5955MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.91024G	42.45	54.00	-11.55	17.37	3	Horizontal	199	1.30	-	25.08	38.72	13.01	34.36
PK	11.9084G	55.74	74.00	-18.26	17.37	3	Horizontal	199	1.30	-	38.37	38.72	13.01	34.36

802.11a_Nss1,(6Mbps)_2TX


6175MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.871G	46.46	68.20	-21.74	7.66	3	Vertical	157	2.45	-	38.80	32.38	9.58	34.30
AV	6.1814G	86.28	Inf	-Inf	8.30	3	Vertical	157	2.45	-	77.98	32.79	9.83	34.32
PK	5.8886G	58.33	88.20	-29.87	7.74	3	Vertical	157	2.45	-	50.59	32.45	9.59	34.30
PK	6.183G	95.65	Inf	-Inf	8.31	3	Vertical	157	2.45	-	87.34	32.80	9.83	34.32

802.11a_Nss1,(6Mbps)_2TX


6175MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8534G	46.44	68.20	-21.76	7.57	3	Horizontal	75	2.18	-	38.87	32.31	9.56	34.30
AV	6.1686G	83.26	Inf	-Inf	8.20	3	Horizontal	75	2.18	-	75.06	32.71	9.81	34.32
PK	5.8582G	58.82	88.20	-29.38	7.60	3	Horizontal	75	2.18	-	51.22	32.33	9.57	34.30
PK	6.1686G	92.77	Inf	-Inf	8.20	3	Horizontal	75	2.18	-	84.57	32.71	9.81	34.32

802.11a_Nss1,(6Mbps)_2TX


6175MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.34904G	43.29	54.00	-10.71	17.74	3	Vertical	22	2.41	-	25.55	38.70	13.27	34.23
PK	12.353G	56.35	74.00	-17.65	17.74	3	Vertical	22	2.41	-	38.61	38.69	13.27	34.22

802.11a_Nss1,(6Mbps)_2TX


6175MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.3576G	43.23	54.00	-10.77	17.73	3	Horizontal	290	1.50	-	25.50	38.67	13.28	34.22
PK	12.35716G	56.35	74.00	-17.65	17.73	3	Horizontal	290	1.50	-	38.62	38.67	13.28	34.22

802.11a_Nss1,(6Mbps)_2TX


6415MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.887G	46.48	68.20	-21.72	7.74	3	Vertical	140	2.90	-	38.74	32.45	9.59	34.30
AV	6.4078G	88.18	Inf	-Inf	9.29	3	Vertical	140	2.90	-	78.89	33.53	10.10	34.34
PK	5.9014G	58.12	88.20	-30.08	7.80	3	Vertical	140	2.90	-	50.32	32.50	9.60	34.30
PK	6.4198G	97.38	Inf	-Inf	9.35	3	Vertical	140	2.90	-	88.03	33.58	10.11	34.34

802.11a_Nss1,(6Mbps)_2TX


6415MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8702G	46.42	68.20	-21.78	7.66	3	Horizontal	71	2.26	-	38.76	32.38	9.58	34.30
AV	6.4078G	84.33	Inf	-Inf	9.29	3	Horizontal	71	2.26	-	75.04	33.53	10.10	34.34
PK	5.9206G	58.28	88.20	-29.92	7.82	3	Horizontal	71	2.26	-	50.46	32.50	9.62	34.30
PK	6.4102G	94.02	Inf	-Inf	9.30	3	Horizontal	71	2.26	-	84.72	33.54	10.10	34.34

802.11a_Nss1,(6Mbps)_2TX


6415MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.82464G	43.79	68.20	-24.41	18.93	3	Vertical	360	1.50	-	24.86	38.90	13.57	33.54
PK	12.82304G	56.62	88.20	-31.58	18.93	3	Vertical	360	1.50	-	37.69	38.90	13.57	33.54

802.11a_Nss1,(6Mbps)_2TX


6415MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.83732G	43.82	68.20	-24.38	18.96	3	Horizontal	19	1.50	-	24.86	38.90	13.58	33.52
PK	12.83052G	57.65	88.20	-30.55	18.95	3	Horizontal	19	1.50	-	38.70	38.90	13.58	33.53

802.11a_Nss1,(6Mbps)_2TX


6435MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8734G	46.46	68.20	-21.74	7.67	3	Vertical	140	2.76	-	38.79	32.39	9.58	34.30
AV	6.4278G	88.43	Inf	-Inf	9.38	3	Vertical	140	2.76	-	79.05	33.61	10.11	34.34
PK	5.8782G	58.44	88.20	-29.76	7.69	3	Vertical	140	2.76	-	50.75	32.41	9.58	34.30
PK	6.4302G	98.76	Inf	-Inf	9.39	3	Vertical	140	2.76	-	89.37	33.62	10.11	34.34

802.11a_Nss1,(6Mbps)_2TX


6435MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8878G	46.41	68.20	-21.79	7.74	3	Horizontal	263	2.95	-	38.67	32.45	9.59	34.30
AV	6.4278G	83.79	Inf	-Inf	9.38	3	Horizontal	263	2.95	-	74.41	33.61	10.11	34.34
PK	5.9094G	58.85	88.20	-29.35	7.81	3	Horizontal	263	2.95	-	51.04	32.50	9.61	34.30
PK	6.4278G	92.51	Inf	-Inf	9.38	3	Horizontal	263	2.95	-	83.13	33.61	10.11	34.34

802.11a_Nss1,(6Mbps)_2TX


6435MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.87336G	43.64	68.20	-24.56	19.05	3	Vertical	84	1.50	-	24.59	38.90	13.60	33.45
PK	12.87036G	56.59	88.20	-31.61	19.05	3	Vertical	84	1.50	-	37.54	38.90	13.60	33.45

802.11a_Nss1,(6Mbps)_2TX


6435MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.86904G	43.65	68.20	-24.55	19.04	3	Horizontal	293	1.47	-	24.61	38.90	13.60	33.46
PK	12.87964G	57.37	88.20	-30.83	19.07	3	Horizontal	293	1.47	-	38.30	38.90	13.61	33.44

802.11a_Nss1,(6Mbps)_2TX


6475MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8618G	46.45	68.20	-21.75	7.62	3	Vertical	136	2.94	-	38.83	32.35	9.57	34.30
AV	6.4694G	88.16	Inf	-Inf	9.56	3	Vertical	136	2.94	-	78.60	33.78	10.13	34.35
AV	7.1722G	51.01	68.20	-17.19	11.99	3	Vertical	136	2.94	-	39.02	36.03	10.51	34.55
PK	5.8898G	57.94	88.20	-30.26	7.75	3	Vertical	136	2.94	-	50.19	32.46	9.59	34.30
PK	6.4694G	97.06	Inf	-Inf	9.56	3	Vertical	136	2.94	-	87.50	33.78	10.13	34.35
PK	7.1386G	62.77	88.20	-25.43	11.81	3	Vertical	136	2.94	-	50.96	35.85	10.51	34.55

802.11a_Nss1,(6Mbps)_2TX


6475MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8814G	46.49	68.20	-21.71	7.72	3	Horizontal	243	2.24	-	38.77	32.43	9.59	34.30
AV	6.4694G	85.13	Inf	-Inf	9.56	3	Horizontal	243	2.24	-	75.57	33.78	10.13	34.35
AV	7.1526G	51.08	68.20	-17.12	11.88	3	Horizontal	243	2.24	-	39.20	35.92	10.51	34.55
PK	5.8366G	57.77	88.20	-30.43	7.51	3	Horizontal	243	2.24	-	50.26	32.25	9.55	34.29
PK	6.4694G	93.72	Inf	-Inf	9.56	3	Horizontal	243	2.24	-	84.16	33.78	10.13	34.35
PK	7.1302G	62.51	88.20	-25.69	11.78	3	Horizontal	243	2.24	-	50.73	35.82	10.51	34.55

802.11a_Nss1,(6Mbps)_2TX


6475MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.95544G	43.62	68.20	-24.58	19.27	3	Vertical	273	1.50	-	24.35	38.90	13.66	33.29
PK	12.95716G	56.56	88.20	-31.64	19.27	3	Vertical	273	1.50	-	37.29	38.90	13.66	33.29

802.11a_Nss1,(6Mbps)_2TX


6475MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.94752G	43.62	68.20	-24.58	19.24	3	Horizontal	360	1.11	-	24.38	38.90	13.65	33.31
PK	12.95448G	56.72	88.20	-31.48	19.26	3	Horizontal	360	1.11	-	37.46	38.90	13.66	33.30

802.11a_Nss1,(6Mbps)_2TX


6515MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.899G	46.58	68.20	-21.62	7.80	3	Vertical	130	2.53	-	38.78	32.50	9.60	34.30
AV	6.5094G	89.29	Inf	-Inf	9.75	3	Vertical	130	2.53	-	79.54	33.96	10.14	34.35
AV	7.201G	51.25	68.20	-16.95	12.15	3	Vertical	130	2.53	-	39.10	36.20	10.51	34.56
PK	5.8906G	59.29	88.20	-28.91	7.75	3	Vertical	130	2.53	-	51.54	32.46	9.59	34.30
PK	6.5094G	97.98	Inf	-Inf	9.75	3	Vertical	130	2.53	-	88.23	33.96	10.14	34.35
PK	7.1982G	62.73	88.20	-25.47	12.14	3	Vertical	130	2.53	-	50.59	36.19	10.51	34.56

802.11a_Nss1,(6Mbps)_2TX


6515MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9046G	46.50	68.20	-21.70	7.80	3	Horizontal	242	2.19	-	38.70	32.50	9.60	34.30
AV	6.5094G	85.87	Inf	-Inf	9.75	3	Horizontal	242	2.19	-	76.12	33.96	10.14	34.35
AV	7.2094G	51.27	68.20	-16.93	12.18	3	Horizontal	242	2.19	-	39.09	36.22	10.52	34.56
PK	5.8878G	57.48	88.20	-30.72	7.74	3	Horizontal	242	2.19	-	49.74	32.45	9.59	34.30
PK	6.5094G	94.79	Inf	-Inf	9.75	3	Horizontal	242	2.19	-	85.04	33.96	10.14	34.35
PK	7.2066G	63.04	88.20	-25.16	12.17	3	Horizontal	242	2.19	-	50.87	36.21	10.52	34.56

802.11a_Nss1,(6Mbps)_2TX


6515MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.02404G	43.86	68.20	-24.34	19.41	3	Vertical	153	2.12	-	24.45	38.88	13.70	33.17
PK	13.0244G	56.51	88.20	-31.69	19.41	3	Vertical	153	2.12	-	37.10	38.88	13.70	33.17

802.11a_Nss1,(6Mbps)_2TX


6515MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.03988G	43.87	68.20	-24.33	19.43	3	Horizontal	0	1.02	-	24.44	38.86	13.71	33.14
PK	13.02896G	57.01	88.20	-31.19	19.41	3	Horizontal	0	1.02	-	37.60	38.87	13.70	33.16

802.11a_Nss1,(6Mbps)_2TX


6535MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9218G	46.47	68.20	-21.73	7.82	3	Vertical	190	2.18	-	38.65	32.50	9.62	34.30
AV	6.5294G	88.04	Inf	-Inf	9.87	3	Vertical	190	2.18	-	78.17	34.08	10.15	34.36
AV	7.2042G	51.36	68.20	-16.84	12.16	3	Vertical	190	2.18	-	39.20	36.21	10.51	34.56
PK	5.8574G	58.30	88.20	-29.90	7.60	3	Vertical	190	2.18	-	50.70	32.33	9.57	34.30
PK	6.5378G	97.23	Inf	-Inf	9.93	3	Vertical	190	2.18	-	87.30	34.13	10.16	34.36
PK	7.1454G	62.50	88.20	-25.70	11.84	3	Vertical	190	2.18	-	50.66	35.88	10.51	34.55

802.11a_Nss1,(6Mbps)_2TX


6535MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9246G	46.49	68.20	-21.71	7.82	3	Horizontal	86	2.45	-	38.67	32.50	9.62	34.30
AV	6.5294G	84.49	Inf	-Inf	9.87	3	Horizontal	86	2.45	-	74.62	34.08	10.15	34.36
AV	7.207G	51.20	68.20	-17.00	12.17	3	Horizontal	86	2.45	-	39.03	36.21	10.52	34.56
PK	5.9022G	57.74	88.20	-30.46	7.80	3	Horizontal	86	2.45	-	49.94	32.50	9.60	34.30
PK	6.5294G	93.44	Inf	-Inf	9.87	3	Horizontal	86	2.45	-	83.57	34.08	10.15	34.36
PK	7.2238G	62.77	88.20	-25.43	12.22	3	Horizontal	86	2.45	-	50.55	36.25	10.53	34.56

802.11a_Nss1,(6Mbps)_2TX


6535MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.07648G	43.46	68.20	-24.74	19.47	3	Vertical	222	1.50	-	23.99	38.82	13.73	33.08
PK	13.07692G	56.30	88.20	-31.90	19.47	3	Vertical	222	1.50	-	36.83	38.82	13.73	33.08

802.11a_Nss1,(6Mbps)_2TX


6535MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.06512G	43.46	68.20	-24.74	19.46	3	Horizontal	242	1.50	-	24.00	38.83	13.73	33.10
PK	13.07548G	56.44	88.20	-31.76	19.46	3	Horizontal	242	1.50	-	36.98	38.82	13.73	33.09

802.11a_Nss1,(6Mbps)_2TX


6695MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.689G	88.96	Inf	-Inf	9.94	3	Vertical	190	2.49	-	79.02	34.22	10.14	34.42
AV	7.163G	51.25	68.20	-16.95	11.94	3	Vertical	190	2.49	-	39.31	35.98	10.51	34.55
PK	6.689G	98.06	Inf	-Inf	9.94	3	Vertical	190	2.49	-	88.12	34.22	10.14	34.42
PK	7.149G	62.43	88.20	-25.77	11.86	3	Vertical	190	2.49	-	50.57	35.90	10.51	34.55

802.11a_Nss1,(6Mbps)_2TX


6695MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.689G	85.17	Inf	-Inf	9.94	3	Horizontal	87	2.34	-	75.23	34.22	10.14	34.42
AV	7.189G	51.17	68.20	-17.03	12.08	3	Horizontal	87	2.34	-	39.09	36.13	10.51	34.56
PK	6.689G	94.35	Inf	-Inf	9.94	3	Horizontal	87	2.34	-	84.41	34.22	10.14	34.42
PK	7.189G	63.74	88.20	-24.46	12.08	3	Horizontal	87	2.34	-	51.66	36.13	10.51	34.56

802.11a_Nss1,(6Mbps)_2TX


6695MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.38048G	44.97	54.00	-9.03	20.74	3	Vertical	96	1.50	-	24.23	39.40	13.93	32.59
PK	13.38548G	57.67	74.00	-16.33	20.78	3	Vertical	96	1.50	-	36.89	39.43	13.93	32.58

802.11a_Nss1,(6Mbps)_2TX


6695MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.38288G	44.76	54.00	-9.24	20.76	3	Horizontal	230	1.06	-	24.00	39.41	13.93	32.58
PK	13.38176G	58.39	74.00	-15.61	20.76	3	Horizontal	230	1.06	-	37.63	39.41	13.93	32.58

802.11a_Nss1,(6Mbps)_2TX


6855MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.862G	87.65	Inf	-Inf	10.30	3	Vertical	46	2.34	-	77.35	34.57	10.21	34.48
AV	7.2036G	51.39	68.20	-16.81	12.16	3	Vertical	46	2.34	-	39.23	36.21	10.51	34.56
PK	6.862G	96.89	Inf	-Inf	10.30	3	Vertical	46	2.34	-	86.59	34.57	10.21	34.48
PK	7.1896G	63.04	88.20	-25.16	12.09	3	Vertical	46	2.34	-	50.95	36.14	10.51	34.56

802.11a_Nss1,(6Mbps)_2TX


6855MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.848G	82.30	Inf	-Inf	10.19	3	Horizontal	248	2.74	-	72.11	34.49	10.18	34.48
AV	7.1784G	51.48	68.20	-16.72	12.03	3	Horizontal	248	2.74	-	39.45	36.07	10.51	34.55
PK	6.8494G	91.64	Inf	-Inf	10.20	3	Horizontal	248	2.74	-	81.44	34.50	10.18	34.48
PK	7.1952G	63.26	88.20	-24.94	12.12	3	Horizontal	248	2.74	-	51.14	36.17	10.51	34.56

802.11a_Nss1,(6Mbps)_2TX


6855MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.7156G	49.41	68.20	-18.79	21.40	3	Vertical	196	1.91	-	28.01	39.72	14.14	32.46
PK	13.7016G	63.25	88.20	-24.95	21.38	3	Vertical	196	1.91	-	41.87	39.70	14.13	32.45

802.11a_Nss1,(6Mbps)_2TX


6855MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.71996G	49.46	68.20	-18.74	21.40	3	Horizontal	9	2.68	-	28.06	39.72	14.14	32.46
PK	13.70716G	62.20	88.20	-26.00	21.38	3	Horizontal	9	2.68	-	40.82	39.71	14.13	32.46

802.11a_Nss1,(6Mbps)_2TX


6875MHz Straddle 6.525-6.875GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.868G	87.16	Inf	-Inf	10.35	3	Vertical	197	2.50	-	76.81	34.61	10.22	34.48
AV	7.2208G	51.38	68.20	-16.82	12.21	3	Vertical	197	2.50	-	39.17	36.24	10.53	34.56
PK	6.8778G	96.53	Inf	-Inf	10.42	3	Vertical	197	2.50	-	86.11	34.67	10.24	34.49
PK	7.1592G	63.64	88.20	-24.56	11.92	3	Vertical	197	2.50	-	51.72	35.96	10.51	34.55

802.11a_Nss1,(6Mbps)_2TX


6875MHz Straddle 6.525-6.875GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.8694G	82.99	Inf	-Inf	10.37	3	Horizontal	249	2.75	-	72.62	34.62	10.23	34.48
AV	7.1942G	51.27	68.20	-16.93	12.12	3	Horizontal	249	2.75	-	39.15	36.17	10.51	34.56
PK	6.868G	91.50	Inf	-Inf	10.35	3	Horizontal	249	2.75	-	81.15	34.61	10.22	34.48
PK	7.162G	63.52	88.20	-24.68	11.93	3	Horizontal	249	2.75	-	51.59	35.97	10.51	34.55

802.11a_Nss1,(6Mbps)_2TX


6875MHz Straddle 6.525-6.875GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.74528G	49.55	68.20	-18.65	21.44	3	Vertical	140	1.00	-	28.11	39.75	14.16	32.47
PK	13.74392G	63.12	88.20	-25.08	21.43	3	Vertical	140	1.00	-	41.69	39.74	14.16	32.47

802.11a_Nss1,(6Mbps)_2TX


6875MHz Straddle 6.525-6.875GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.75G	49.73	68.20	-18.47	21.44	3	Horizontal	0	2.52	-	28.29	39.75	14.16	32.47
PK	13.74884G	62.78	88.20	-25.42	21.44	3	Horizontal	0	2.52	-	41.34	39.75	14.16	32.47

802.11a_Nss1,(6Mbps)_2TX


6895MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.8894G	84.44	Inf	-Inf	10.52	3	Vertical	10	1.50	-	73.92	34.74	10.27	34.49
AV	7.2198G	51.41	68.20	-16.79	12.21	3	Vertical	10	1.50	-	39.20	36.24	10.53	34.56
PK	6.8894G	93.28	Inf	-Inf	10.52	3	Vertical	10	1.50	-	82.76	34.74	10.27	34.49
PK	7.203G	63.17	88.20	-25.03	12.16	3	Vertical	10	1.50	-	51.01	36.21	10.51	34.56

802.11a_Nss1,(6Mbps)_2TX


6895MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.8894G	82.44	Inf	-Inf	10.52	3	Horizontal	247	2.74	-	71.92	34.74	10.27	34.49
AV	7.2226G	51.35	68.20	-16.85	12.22	3	Horizontal	247	2.74	-	39.13	36.25	10.53	34.56
PK	6.8894G	92.46	Inf	-Inf	10.52	3	Horizontal	247	2.74	-	81.94	34.74	10.27	34.49
PK	7.2282G	62.97	88.20	-25.23	12.24	3	Horizontal	247	2.74	-	50.73	36.26	10.54	34.56

802.11a_Nss1,(6Mbps)_2TX


6895MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.79908G	49.98	68.20	-18.22	21.50	3	Vertical	133	1.18	-	28.48	39.80	14.19	32.49
PK	13.79612G	63.02	88.20	-25.18	21.51	3	Vertical	133	1.18	-	41.51	39.80	14.19	32.48

802.11a_Nss1,(6Mbps)_2TX


6895MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.79528G	49.95	68.20	-18.25	21.51	3	Horizontal	112	2.53	-	28.44	39.80	14.19	32.48
PK	13.79088G	63.86	88.20	-24.34	21.50	3	Horizontal	112	2.53	-	42.36	39.79	14.19	32.48

802.11a_Nss1,(6Mbps)_2TX


6995MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.9886G	89.22	Inf	-Inf	11.00	3	Vertical	194	2.34	-	78.22	35.05	10.48	34.53
AV	7.1942G	51.29	68.20	-16.91	12.12	3	Vertical	194	2.34	-	39.17	36.17	10.51	34.56
PK	6.9886G	99.20	Inf	-Inf	11.00	3	Vertical	194	2.34	-	88.20	35.05	10.48	34.53
PK	7.183G	63.63	88.20	-24.57	12.05	3	Vertical	194	2.34	-	51.58	36.10	10.51	34.56

802.11a_Nss1,(6Mbps)_2TX


6995MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.9902G	82.06	Inf	-Inf	11.01	3	Horizontal	55	2.10	-	71.05	35.06	10.48	34.53
AV	7.1934G	51.44	68.20	-16.76	12.11	3	Horizontal	55	2.10	-	39.33	36.16	10.51	34.56
PK	6.9902G	91.12	Inf	-Inf	11.01	3	Horizontal	55	2.10	-	80.11	35.06	10.48	34.53
PK	7.1622G	64.10	88.20	-24.10	11.93	3	Horizontal	55	2.10	-	52.17	35.97	10.51	34.55

802.11a_Nss1,(6Mbps)_2TX


6995MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.99604G	51.01	68.20	-17.19	22.16	3	Vertical	251	1.19	-	28.85	40.39	14.32	32.55
PK	13.99308G	63.82	88.20	-24.38	22.15	3	Vertical	251	1.19	-	41.67	40.38	14.32	32.55

802.11a_Nss1,(6Mbps)_2TX


6995MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.98064G	50.90	68.20	-17.30	22.11	3	Horizontal	275	1.50	-	28.79	40.34	14.31	32.54
PK	13.99048G	64.16	88.20	-24.04	22.13	3	Horizontal	275	1.50	-	42.03	40.37	14.31	32.55

802.11a_Nss1,(6Mbps)_2TX


7095MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.0902G	90.32	Inf	-Inf	11.60	3	Vertical	145	2.27	-	78.72	35.64	10.50	34.54
AV	7.1868G	51.47	68.20	-16.73	12.07	3	Vertical	145	2.27	-	39.40	36.12	10.51	34.56
PK	7.0896G	99.35	Inf	-Inf	11.60	3	Vertical	145	2.27	-	87.75	35.64	10.50	34.54
PK	7.2018G	63.73	88.20	-24.47	12.15	3	Vertical	145	2.27	-	51.58	36.20	10.51	34.56

802.11a_Nss1,(6Mbps)_2TX


7095MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.1016G	84.79	Inf	-Inf	11.68	3	Horizontal	67	2.15	-	73.11	35.71	10.51	34.54
AV	7.2192G	51.47	68.20	-16.73	12.21	3	Horizontal	67	2.15	-	39.26	36.24	10.53	34.56
PK	7.1016G	94.08	Inf	-Inf	11.68	3	Horizontal	67	2.15	-	82.40	35.71	10.51	34.54
PK	7.1532G	63.53	88.20	-24.67	11.88	3	Horizontal	67	2.15	-	51.65	35.92	10.51	34.55

802.11a_Nss1,(6Mbps)_2TX


7095MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.18112G	50.35	68.20	-17.85	22.45	3	Vertical	1	2.97	-	27.90	40.84	14.38	32.77
PK	14.1966G	63.53	88.20	-24.67	22.48	3	Vertical	1	2.97	-	41.05	40.89	14.38	32.79

802.11a_Nss1,(6Mbps)_2TX


7095MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.1918G	50.42	68.20	-17.78	22.48	3	Horizontal	356	1.03	-	27.94	40.88	14.38	32.78
PK	14.19224G	63.56	88.20	-24.64	22.48	3	Horizontal	356	1.03	-	41.08	40.88	14.38	32.78

802.11ax HEW20_Nss1,(MCS0)_2TX


5955MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8812G	46.33	68.20	-21.87	7.70	3	Vertical	31	2.54	-	38.63	32.42	9.58	34.30
AV	5.9634G	89.05	Inf	-Inf	7.84	3	Vertical	31	2.54	-	81.21	32.50	9.65	34.31
PK	5.9184G	59.17	88.20	-29.03	7.81	3	Vertical	31	2.54	-	51.36	32.50	9.61	34.30
PK	5.964G	100.55	Inf	-Inf	7.84	3	Vertical	31	2.54	-	92.71	32.50	9.65	34.31

802.11ax HEW20_Nss1,(MCS0)_2TX


5955MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9238G	46.28	68.20	-21.92	7.82	3	Horizontal	80	2.94	-	38.46	32.50	9.62	34.30
AV	5.9598G	85.10	Inf	-Inf	7.84	3	Horizontal	80	2.94	-	77.26	32.50	9.65	34.31
PK	5.8896G	59.18	88.20	-29.02	7.75	3	Horizontal	80	2.94	-	51.43	32.46	9.59	34.30
PK	5.9598G	98.18	Inf	-Inf	7.84	3	Horizontal	80	2.94	-	90.34	32.50	9.65	34.31

802.11ax HEW20_Nss1,(MCS0)_2TX


5955MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.90544G	41.90	54.00	-12.10	17.37	3	Vertical	145	1.07	-	24.53	38.71	13.01	34.35
PK	11.91056G	55.33	74.00	-18.67	17.37	3	Vertical	145	1.07	-	37.96	38.72	13.01	34.36

802.11ax HEW20_Nss1,(MCS0)_2TX


5955MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.91532G	42.05	54.00	-11.95	17.38	3	Horizontal	152	1.46	-	24.67	38.73	13.01	34.36
PK	11.91664G	55.08	74.00	-18.92	17.38	3	Horizontal	152	1.46	-	37.70	38.73	13.01	34.36

802.11ax HEW20_Nss1,(MCS0)_2TX


6175MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8758G	46.17	68.20	-22.03	7.68	3	Vertical	243	2.65	-	38.49	32.40	9.58	34.30
AV	6.1654G	87.41	Inf	-Inf	8.18	3	Vertical	243	2.65	-	79.23	32.69	9.81	34.32
PK	5.8502G	58.51	88.20	-29.69	7.56	3	Vertical	243	2.65	-	50.95	32.30	9.56	34.30
PK	6.167G	99.39	Inf	-Inf	8.19	3	Vertical	243	2.65	-	91.20	32.70	9.81	34.32

802.11ax HEW20_Nss1,(MCS0)_2TX


6175MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9206G	46.27	68.20	-21.93	7.82	3	Horizontal	75	2.24	-	38.45	32.50	9.62	34.30
AV	6.1814G	84.32	Inf	-Inf	8.30	3	Horizontal	75	2.24	-	76.02	32.79	9.83	34.32
PK	5.9094G	58.42	88.20	-29.78	7.81	3	Horizontal	75	2.24	-	50.61	32.50	9.61	34.30
PK	6.183G	94.89	Inf	-Inf	8.31	3	Horizontal	75	2.24	-	86.58	32.80	9.83	34.32

802.11ax HEW20_Nss1,(MCS0)_2TX


6175MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.34168G	42.72	54.00	-11.28	17.77	3	Vertical	87	1.82	-	24.95	38.73	13.27	34.23
PK	12.34416G	56.66	74.00	-17.34	17.76	3	Vertical	87	1.82	-	38.90	38.72	13.27	34.23

802.11ax HEW20_Nss1,(MCS0)_2TX


6175MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.3472G	42.70	54.00	-11.30	17.75	3	Horizontal	267	1.02	-	24.95	38.71	13.27	34.23
PK	12.35268G	57.17	74.00	-16.83	17.74	3	Horizontal	267	1.02	-	39.43	38.69	13.27	34.22

802.11ax HEW20_Nss1,(MCS0)_2TX


6415MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8798G	46.25	68.20	-21.95	7.70	3	Vertical	274	2.69	-	38.55	32.42	9.58	34.30
AV	6.4078G	88.18	Inf	-Inf	9.29	3	Vertical	274	2.69	-	78.89	33.53	10.10	34.34
PK	5.8702G	58.43	88.20	-29.77	7.66	3	Vertical	274	2.69	-	50.77	32.38	9.58	34.30
PK	6.4078G	99.27	Inf	-Inf	9.29	3	Vertical	274	2.69	-	89.98	33.53	10.10	34.34

802.11ax HEW20_Nss1,(MCS0)_2TX


6415MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9134G	46.22	68.20	-21.98	7.81	3	Horizontal	70	2.31	-	38.41	32.50	9.61	34.30
AV	6.4222G	84.93	Inf	-Inf	9.36	3	Horizontal	70	2.31	-	75.57	33.59	10.11	34.34
PK	5.8846G	58.26	88.20	-29.94	7.73	3	Horizontal	70	2.31	-	50.53	32.44	9.59	34.30
PK	6.4126G	96.19	Inf	-Inf	9.32	3	Horizontal	70	2.31	-	86.87	33.55	10.11	34.34

802.11ax HEW20_Nss1,(MCS0)_2TX


6415MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.82708G	43.36	68.20	-24.84	18.94	3	Vertical	86	2.46	-	24.42	38.90	13.58	33.54
PK	12.8354G	56.91	88.20	-31.29	18.96	3	Vertical	86	2.46	-	37.95	38.90	13.58	33.52

802.11ax HEW20_Nss1,(MCS0)_2TX


6415MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.82656G	43.23	68.20	-24.97	18.93	3	Horizontal	125	1.54	-	24.30	38.90	13.57	33.54
PK	12.8378G	57.20	88.20	-31.00	18.97	3	Horizontal	125	1.54	-	38.23	38.90	13.58	33.51

802.11ax HEW20_Nss1,(MCS0)_2TX


6435MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8926G	46.21	68.20	-21.99	7.76	3	Vertical	138	2.90	-	38.45	32.47	9.59	34.30
AV	6.4422G	88.91	Inf	-Inf	9.44	3	Vertical	138	2.90	-	79.47	33.67	10.12	34.35
PK	5.9046G	58.33	88.20	-29.87	7.80	3	Vertical	138	2.90	-	50.53	32.50	9.60	34.30
PK	6.4422G	99.80	Inf	-Inf	9.44	3	Vertical	138	2.90	-	90.36	33.67	10.12	34.35

802.11ax HEW20_Nss1,(MCS0)_2TX


6435MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8806G	46.28	68.20	-21.92	7.70	3	Horizontal	71	2.18	-	38.58	32.42	9.58	34.30
AV	6.4446G	85.11	Inf	-Inf	9.45	3	Horizontal	71	2.18	-	75.66	33.68	10.12	34.35
PK	5.919G	59.24	88.20	-28.96	7.82	3	Horizontal	71	2.18	-	51.42	32.50	9.62	34.30
PK	6.4422G	95.01	Inf	-Inf	9.44	3	Horizontal	71	2.18	-	85.57	33.67	10.12	34.35

802.11ax HEW20_Nss1,(MCS0)_2TX


6435MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.87144G	43.20	68.20	-25.00	19.05	3	Vertical	145	1.85	-	24.15	38.90	13.60	33.45
PK	12.86648G	56.66	88.20	-31.54	19.04	3	Vertical	145	1.85	-	37.62	38.90	13.60	33.46

802.11ax HEW20_Nss1,(MCS0)_2TX


6435MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.8616G	43.15	68.20	-25.05	19.03	3	Horizontal	162	1.65	-	24.12	38.90	13.60	33.47
PK	12.87904G	57.04	88.20	-31.16	19.07	3	Horizontal	162	1.65	-	37.97	38.90	13.61	33.44

802.11ax HEW20_Nss1,(MCS0)_2TX


6475MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8842G	46.20	68.20	-22.00	7.73	3	Vertical	130	2.54	-	38.47	32.44	9.59	34.30
AV	6.4834G	89.16	Inf	-Inf	9.61	3	Vertical	130	2.54	-	79.55	33.83	10.13	34.35
AV	7.175G	50.90	68.20	-17.30	12.01	3	Vertical	130	2.54	-	38.89	36.05	10.51	34.55
PK	5.8814G	59.44	88.20	-28.76	7.72	3	Vertical	130	2.54	-	51.72	32.43	9.59	34.30
PK	6.4834G	100.51	Inf	-Inf	9.61	3	Vertical	130	2.54	-	90.90	33.83	10.13	34.35
PK	7.133G	62.52	88.20	-25.68	11.79	3	Vertical	130	2.54	-	50.73	35.83	10.51	34.55

802.11ax HEW20_Nss1,(MCS0)_2TX


6475MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8814G	46.28	68.20	-21.92	7.72	3	Horizontal	240	2.22	-	38.56	32.43	9.59	34.30
AV	6.4834G	85.87	Inf	-Inf	9.61	3	Horizontal	240	2.22	-	76.26	33.83	10.13	34.35
AV	7.1638G	50.86	68.20	-17.34	11.94	3	Horizontal	240	2.22	-	38.92	35.98	10.51	34.55
PK	5.8506G	57.85	88.20	-30.35	7.56	3	Horizontal	240	2.22	-	50.29	32.30	9.56	34.30
PK	6.4834G	97.17	Inf	-Inf	9.61	3	Horizontal	240	2.22	-	87.56	33.83	10.13	34.35
PK	7.175G	62.38	88.20	-25.82	12.01	3	Horizontal	240	2.22	-	50.37	36.05	10.51	34.55

802.11ax HEW20_Nss1,(MCS0)_2TX


6475MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.95952G	43.15	68.20	-25.05	19.27	3	Vertical	191	1.43	-	23.88	38.90	13.66	33.29
PK	12.95832G	57.11	88.20	-31.09	19.27	3	Vertical	191	1.43	-	37.84	38.90	13.66	33.29

802.11ax HEW20_Nss1,(MCS0)_2TX


6475MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.94952G	43.20	68.20	-25.00	19.25	3	Horizontal	275	1.87	-	23.95	38.90	13.65	33.30
PK	12.95708G	57.00	88.20	-31.20	19.27	3	Horizontal	275	1.87	-	37.73	38.90	13.66	33.29

802.11ax HEW20_Nss1,(MCS0)_2TX


6515MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8878G	46.23	68.20	-21.97	7.74	3	Vertical	186	2.19	-	38.49	32.45	9.59	34.30
AV	6.5234G	89.01	Inf	-Inf	9.83	3	Vertical	186	2.19	-	79.18	34.04	10.15	34.36
AV	7.215G	51.15	68.20	-17.05	12.20	3	Vertical	186	2.19	-	38.95	36.23	10.53	34.56
PK	5.9214G	58.22	88.20	-29.98	7.82	3	Vertical	186	2.19	-	50.40	32.50	9.62	34.30
PK	6.5234G	100.14	Inf	-Inf	9.83	3	Vertical	186	2.19	-	90.31	34.04	10.15	34.36
PK	7.1758G	63.21	88.20	-24.99	12.01	3	Vertical	186	2.19	-	51.20	36.05	10.51	34.55

802.11ax HEW20_Nss1,(MCS0)_2TX


6515MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8822G	46.27	68.20	-21.93	7.72	3	Horizontal	242	2.34	-	38.55	32.43	9.59	34.30
AV	6.5234G	86.23	Inf	-Inf	9.83	3	Horizontal	242	2.34	-	76.40	34.04	10.15	34.36
AV	7.201G	51.08	68.20	-17.12	12.15	3	Horizontal	242	2.34	-	38.93	36.20	10.51	34.56
PK	5.8682G	58.19	88.20	-30.01	7.64	3	Horizontal	242	2.34	-	50.55	32.37	9.57	34.30
PK	6.5234G	96.85	Inf	-Inf	9.83	3	Horizontal	242	2.34	-	87.02	34.04	10.15	34.36
PK	7.2066G	63.96	88.20	-24.24	12.17	3	Horizontal	242	2.34	-	51.79	36.21	10.52	34.56

802.11ax HEW20_Nss1,(MCS0)_2TX


6515MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.02492G	43.59	68.20	-24.61	19.41	3	Vertical	42	1.45	-	24.18	38.88	13.70	33.17
PK	13.02252G	57.88	88.20	-30.32	19.41	3	Vertical	42	1.45	-	38.47	38.88	13.70	33.17

802.11ax HEW20_Nss1,(MCS0)_2TX


6515MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.02716G	43.54	68.20	-24.66	19.40	3	Horizontal	68	2.14	-	24.14	38.87	13.70	33.17
PK	13.02904G	57.31	88.20	-30.89	19.41	3	Horizontal	68	2.14	-	37.90	38.87	13.70	33.16

802.11ax HEW20_Nss1,(MCS0)_2TX


6535MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9218G	46.24	68.20	-21.96	7.82	3	Vertical	184	2.34	-	38.42	32.50	9.62	34.30
AV	6.5434G	89.43	Inf	-Inf	9.95	3	Vertical	184	2.34	-	79.48	34.16	10.16	34.37
AV	7.2014G	51.18	68.20	-17.02	12.15	3	Vertical	184	2.34	-	39.03	36.20	10.51	34.56
PK	5.8714G	58.64	88.20	-29.56	7.67	3	Vertical	184	2.34	-	50.97	32.39	9.58	34.30
PK	6.5434G	100.77	Inf	-Inf	9.95	3	Vertical	184	2.34	-	90.82	34.16	10.16	34.37
PK	7.207G	63.06	88.20	-25.14	12.17	3	Vertical	184	2.34	-	50.89	36.21	10.52	34.56

802.11ax HEW20_Nss1,(MCS0)_2TX


6535MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8826G	46.26	68.20	-21.94	7.72	3	Horizontal	249	2.42	-	38.54	32.43	9.59	34.30
AV	6.5434G	86.08	Inf	-Inf	9.95	3	Horizontal	249	2.42	-	76.13	34.16	10.16	34.37
AV	7.1986G	51.10	68.20	-17.10	12.14	3	Horizontal	249	2.42	-	38.96	36.19	10.51	34.56
PK	5.891G	59.29	88.20	-28.91	7.75	3	Horizontal	249	2.42	-	51.54	32.46	9.59	34.30
PK	6.5434G	96.93	Inf	-Inf	9.95	3	Horizontal	249	2.42	-	86.98	34.16	10.16	34.37
PK	7.1678G	63.45	88.20	-24.75	11.97	3	Horizontal	249	2.42	-	51.48	36.01	10.51	34.55

802.11ax HEW20_Nss1,(MCS0)_2TX


6535MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.07424G	43.43	68.20	-24.77	19.47	3	Vertical	352	1.28	-	23.96	38.83	13.73	33.09
PK	13.07764G	56.85	88.20	-31.35	19.47	3	Vertical	352	1.28	-	37.38	38.82	13.73	33.08

802.11ax HEW20_Nss1,(MCS0)_2TX


6535MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.06016G	43.36	68.20	-24.84	19.45	3	Horizontal	276	1.81	-	23.91	38.84	13.72	33.11
PK	13.07916G	56.70	88.20	-31.50	19.48	3	Horizontal	276	1.81	-	37.22	38.82	13.74	33.08

802.11ax HEW20_Nss1,(MCS0)_2TX


6695MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.703G	89.56	Inf	-Inf	9.92	3	Vertical	191	2.50	-	79.64	34.21	10.13	34.42
AV	7.195G	51.11	68.20	-17.09	12.12	3	Vertical	191	2.50	-	38.99	36.17	10.51	34.56
PK	6.703G	101.00	Inf	-Inf	9.92	3	Vertical	191	2.50	-	91.08	34.21	10.13	34.42
PK	7.157G	62.95	88.20	-25.25	11.90	3	Vertical	191	2.50	-	51.05	35.94	10.51	34.55

802.11ax HEW20_Nss1,(MCS0)_2TX


6695MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.703G	85.52	Inf	-Inf	9.92	3	Horizontal	83	2.31	-	75.60	34.21	10.13	34.42
AV	7.191G	51.20	68.20	-17.00	12.10	3	Horizontal	83	2.31	-	39.10	36.15	10.51	34.56
PK	6.703G	96.94	Inf	-Inf	9.92	3	Horizontal	83	2.31	-	87.02	34.21	10.13	34.42
PK	7.195G	63.55	88.20	-24.65	12.12	3	Horizontal	83	2.31	-	51.43	36.17	10.51	34.56

802.11ax HEW20_Nss1,(MCS0)_2TX


6695MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.39852G	44.40	54.00	-9.60	20.87	3	Vertical	75	2.27	-	23.53	39.49	13.94	32.56
PK	13.39184G	58.23	74.00	-15.77	20.82	3	Vertical	75	2.27	-	37.41	39.46	13.93	32.57

802.11ax HEW20_Nss1,(MCS0)_2TX


6695MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.3904G	44.36	54.00	-9.64	20.81	3	Horizontal	134	1.23	-	23.55	39.45	13.93	32.57
PK	13.38332G	57.92	74.00	-16.08	20.77	3	Horizontal	134	1.23	-	37.15	39.42	13.93	32.58

802.11ax HEW20_Nss1,(MCS0)_2TX


6855MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.8634G	87.80	Inf	-Inf	10.31	3	Vertical	9	2.41	-	77.49	34.58	10.21	34.48
AV	7.2036G	51.16	68.20	-17.04	12.16	3	Vertical	9	2.41	-	39.00	36.21	10.51	34.56
PK	6.862G	99.51	Inf	-Inf	10.30	3	Vertical	9	2.41	-	89.21	34.57	10.21	34.48
PK	7.1896G	63.55	88.20	-24.65	12.09	3	Vertical	9	2.41	-	51.46	36.14	10.51	34.56

802.11ax HEW20_Nss1,(MCS0)_2TX


6855MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.862G	83.77	Inf	-Inf	10.30	3	Horizontal	246	2.76	-	73.47	34.57	10.21	34.48
AV	7.1994G	51.12	68.20	-17.08	12.15	3	Horizontal	246	2.76	-	38.97	36.20	10.51	34.56
PK	6.862G	95.13	Inf	-Inf	10.30	3	Horizontal	246	2.76	-	84.83	34.57	10.21	34.48
PK	7.1966G	63.19	88.20	-25.01	12.13	3	Horizontal	246	2.76	-	51.06	36.18	10.51	34.56

802.11ax HEW20_Nss1,(MCS0)_2TX


6855MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.7064G	48.96	68.20	-19.24	21.38	3	Vertical	23	2.20	-	27.58	39.71	14.13	32.46
PK	13.70352G	62.40	88.20	-25.80	21.37	3	Vertical	23	2.20	-	41.03	39.70	14.13	32.46


802.11ax HEW20_Nss1,(MCS0)_2TX

6855MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.71812G	49.00	68.20	-19.20	21.40	3	Horizontal	293	1.06	-	27.60	39.72	14.14	32.46
PK	13.7118G	62.90	88.20	-25.30	21.39	3	Horizontal	293	1.06	-	41.51	39.71	14.14	32.46

802.11ax HEW20_Nss1,(MCS0)_2TX
6875MHz Straddle 6.525-6.875GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.8834G	87.79	Inf	-Inf	10.47	3	Vertical	10	2.39	-	77.32	34.70	10.26	34.49
AV	7.2208G	51.10	68.20	-17.10	12.21	3	Vertical	10	2.39	-	38.89	36.24	10.53	34.56
PK	6.8834G	99.30	Inf	-Inf	10.47	3	Vertical	10	2.39	-	88.83	34.70	10.26	34.49
PK	7.1578G	63.86	88.20	-24.34	11.91	3	Vertical	10	2.39	-	51.95	35.95	10.51	34.55

802.11ax HEW20_Nss1,(MCS0)_2TX
6875MHz Straddle 6.525-6.875GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.8666G	83.98	Inf	-Inf	10.34	3	Horizontal	82	2.60	-	73.64	34.60	10.22	34.48
AV	7.2194G	51.24	68.20	-16.96	12.21	3	Horizontal	82	2.60	-	39.03	36.24	10.53	34.56
PK	6.8666G	94.58	Inf	-Inf	10.34	3	Horizontal	82	2.60	-	84.24	34.60	10.22	34.48
PK	7.197G	64.64	88.20	-23.56	12.13	3	Horizontal	82	2.60	-	52.51	36.18	10.51	34.56

802.11ax HEW20_Nss1,(MCS0)_2TX
6875MHz Straddle 6.525-6.875GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.75952G	49.23	68.20	-18.97	21.46	3	Vertical	295	1.31	-	27.77	39.76	14.17	32.47
PK	13.75496G	63.06	88.20	-25.14	21.44	3	Vertical	295	1.31	-	41.62	39.75	14.16	32.47


802.11ax HEW20_Nss1,(MCS0)_2TX
6875MHz Straddle 6.525-6.875GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.75116G	49.22	68.20	-18.98	21.44	3	Horizontal	302	1.97	-	27.78	39.75	14.16	32.47
PK	13.74236G	63.00	88.20	-25.20	21.43	3	Horizontal	302	1.97	-	41.57	39.74	14.16	32.47

802.11ax HEW20_Nss1,(MCS0)_2TX


6895MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.9034G	88.53	Inf	-Inf	10.61	3	Vertical	198	2.48	-	77.92	34.81	10.30	34.50
AV	7.2086G	51.12	68.20	-17.08	12.18	3	Vertical	198	2.48	-	38.94	36.22	10.52	34.56
PK	6.9034G	99.19	Inf	-Inf	10.61	3	Vertical	198	2.48	-	88.58	34.81	10.30	34.50
PK	7.196G	63.64	88.20	-24.56	12.13	3	Vertical	198	2.48	-	51.51	36.18	10.51	34.56

802.11ax HEW20_Nss1,(MCS0)_2TX

6895MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.9034G	82.93	Inf	-Inf	10.61	3	Horizontal	245	2.71	-	72.32	34.81	10.30	34.50
AV	7.2156G	51.14	68.20	-17.06	12.20	3	Horizontal	245	2.71	-	38.94	36.23	10.53	34.56
PK	6.902G	93.00	Inf	-Inf	10.60	3	Horizontal	245	2.71	-	82.40	34.80	10.29	34.49
PK	7.147G	63.06	88.20	-25.14	11.85	3	Horizontal	245	2.71	-	51.21	35.89	10.51	34.55