


802.11ax HEW20_Nss1,(MCS0)_2TX


6895MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.79908G	49.48	68.20	-18.72	21.50	3	Vertical	146	1.29	-	27.98	39.80	14.19	32.49
PK	13.79824G	63.17	88.20	-25.03	21.50	3	Vertical	146	1.29	-	41.67	39.80	14.19	32.49

802.11ax HEW20_Nss1,(MCS0)_2TX


6895MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.79928G	49.59	68.20	-18.61	21.50	3	Horizontal	230	1.98	-	28.09	39.80	14.19	32.49
PK	13.7954G	63.47	88.20	-24.73	21.51	3	Horizontal	230	1.98	-	41.96	39.80	14.19	32.48

802.11ax HEW20_Nss1,(MCS0)_2TX


6995MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.0022G	89.58	Inf	-Inf	11.08	3	Vertical	195	2.27	-	78.50	35.11	10.50	34.53
AV	7.195G	51.27	68.20	-16.93	12.12	3	Vertical	195	2.27	-	39.15	36.17	10.51	34.56
PK	7.0022G	100.66	Inf	-Inf	11.08	3	Vertical	195	2.27	-	89.58	35.11	10.50	34.53
PK	7.195G	64.22	88.20	-23.98	12.12	3	Vertical	195	2.27	-	52.10	36.17	10.51	34.56

802.11ax HEW20_Nss1,(MCS0)_2TX


6995MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.9862G	81.83	Inf	-Inf	10.98	3	Horizontal	59	2.27	-	70.85	35.04	10.47	34.53
AV	7.1926G	51.10	68.20	-17.10	12.11	3	Horizontal	59	2.27	-	38.99	36.16	10.51	34.56
PK	6.987G	93.84	Inf	-Inf	10.99	3	Horizontal	59	2.27	-	82.85	35.05	10.47	34.53
PK	7.127G	63.45	88.20	-24.75	11.77	3	Horizontal	59	2.27	-	51.68	35.81	10.51	34.55

802.11ax HEW20_Nss1,(MCS0)_2TX


6995MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.9824G	50.56	68.20	-17.64	22.12	3	Vertical	57	1.22	-	28.44	40.35	14.31	32.54
PK	13.98496G	63.90	88.20	-24.30	22.11	3	Vertical	57	1.22	-	41.79	40.35	14.31	32.55

802.11ax HEW20_Nss1,(MCS0)_2TX


6995MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	13.9882G	50.51	68.20	-17.69	22.12	3	Horizontal	103	1.95	-	28.39	40.36	14.31	32.55
PK	13.98848G	64.41	88.20	-23.79	22.13	3	Horizontal	103	1.95	-	42.28	40.37	14.31	32.55

802.11ax HEW20_Nss1,(MCS0)_2TX


7095MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.0866G	90.45	Inf	-Inf	11.58	3	Vertical	140	2.35	-	78.87	35.62	10.50	34.54
AV	7.203G	51.34	68.20	-16.86	12.16	3	Vertical	140	2.35	-	39.18	36.21	10.51	34.56
PK	7.0866G	102.91	Inf	-Inf	11.58	3	Vertical	140	2.35	-	91.33	35.62	10.50	34.54
PK	7.173G	64.24	88.20	-23.96	12.00	3	Vertical	140	2.35	-	52.24	36.04	10.51	34.55

802.11ax HEW20_Nss1,(MCS0)_2TX


7095MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.0866G	85.54	Inf	-Inf	11.58	3	Horizontal	54	2.17	-	73.96	35.62	10.50	34.54
AV	7.2126G	51.19	68.20	-17.01	12.19	3	Horizontal	54	2.17	-	39.00	36.23	10.52	34.56
PK	7.0866G	97.68	Inf	-Inf	11.58	3	Horizontal	54	2.17	-	86.10	35.62	10.50	34.54
PK	7.1706G	64.04	88.20	-24.16	11.98	3	Horizontal	54	2.17	-	52.06	36.02	10.51	34.55

802.11ax HEW20_Nss1,(MCS0)_2TX


7095MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.18168G	50.01	68.20	-18.19	22.46	3	Vertical	257	2.28	-	27.55	40.85	14.38	32.77
PK	14.18144G	63.89	88.20	-24.31	22.45	3	Vertical	257	2.28	-	41.44	40.84	14.38	32.77

802.11ax HEW20_Nss1,(MCS0)_2TX


7095MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.18396G	49.84	68.20	-18.36	22.46	3	Horizontal	232	1.33	-	27.38	40.85	14.38	32.77
PK	14.19292G	63.96	88.20	-24.24	22.47	3	Horizontal	232	1.33	-	41.49	40.88	14.38	32.79

802.11ax HEW40_Nss1,(MCS0)_2TX


5965MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8804G	46.11	68.20	-22.09	7.70	3	Vertical	29	2.53	-	38.41	32.42	9.58	34.30
AV	5.9632G	89.63	Inf	-Inf	7.84	3	Vertical	29	2.53	-	81.79	32.50	9.65	34.31
PK	5.8738G	58.56	88.20	-29.64	7.68	3	Vertical	29	2.53	-	50.88	32.40	9.58	34.30
PK	5.9632G	102.40	Inf	-Inf	7.84	3	Vertical	29	2.53	-	94.56	32.50	9.65	34.31

802.11ax HEW40_Nss1,(MCS0)_2TX


5965MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8726G	46.20	68.20	-22.00	7.67	3	Horizontal	78	2.95	-	38.53	32.39	9.58	34.30
AV	5.9596G	85.84	Inf	-Inf	7.84	3	Horizontal	78	2.95	-	78.00	32.50	9.65	34.31
PK	5.8474G	58.85	88.20	-29.35	7.56	3	Horizontal	78	2.95	-	51.29	32.29	9.56	34.29
PK	5.959G	98.31	Inf	-Inf	7.84	3	Horizontal	78	2.95	-	90.47	32.50	9.65	34.31

802.11ax HEW40_Nss1,(MCS0)_2TX


5965MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.93936G	42.05	54.00	-11.95	17.43	3	Vertical	269	2.07	-	24.62	38.78	13.02	34.37
PK	11.92824G	55.87	74.00	-18.13	17.41	3	Vertical	269	2.07	-	38.46	38.76	13.02	34.37

802.11ax HEW40_Nss1,(MCS0)_2TX


5965MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.92612G	42.03	54.00	-11.97	17.41	3	Horizontal	43	2.34	-	24.62	38.75	13.02	34.36
PK	11.92492G	55.81	74.00	-18.19	17.41	3	Horizontal	43	2.34	-	38.40	38.75	13.02	34.36

802.11ax HEW40_Nss1,(MCS0)_2TX


6165MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8878G	46.16	68.20	-22.04	7.74	3	Vertical	318	2.62	-	38.42	32.45	9.59	34.30
AV	6.1614G	87.97	Inf	-Inf	8.16	3	Vertical	318	2.62	-	79.81	32.67	9.81	34.32
PK	5.9178G	58.52	88.20	-29.68	7.81	3	Vertical	318	2.62	-	50.71	32.50	9.61	34.30
PK	6.171G	99.67	Inf	-Inf	8.23	3	Vertical	318	2.62	-	91.44	32.73	9.82	34.32

802.11ax HEW40_Nss1,(MCS0)_2TX


6165MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.877G	46.15	68.20	-22.05	7.69	3	Horizontal	75	2.30	-	38.46	32.41	9.58	34.30
AV	6.1614G	84.48	Inf	-Inf	8.16	3	Horizontal	75	2.30	-	76.32	32.67	9.81	34.32
PK	5.9046G	58.69	88.20	-29.51	7.80	3	Horizontal	75	2.30	-	50.89	32.50	9.60	34.30
PK	6.153G	95.75	Inf	-Inf	8.10	3	Horizontal	75	2.30	-	87.65	32.62	9.80	34.32

802.11ax HEW40_Nss1,(MCS0)_2TX


6165MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.3332G	42.59	54.00	-11.41	17.80	3	Vertical	111	1.35	-	24.79	38.77	13.26	34.23
PK	12.32284G	55.99	74.00	-18.01	17.83	3	Vertical	111	1.35	-	38.16	38.81	13.26	34.24

802.11ax HEW40_Nss1,(MCS0)_2TX


6165MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.3356G	42.69	54.00	-11.31	17.79	3	Horizontal	280	1.46	-	24.90	38.76	13.26	34.23
PK	12.33176G	56.10	74.00	-17.90	17.80	3	Horizontal	280	1.46	-	38.30	38.77	13.26	34.23

802.11ax HEW40_Nss1,(MCS0)_2TX


6405MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9082G	46.20	68.20	-22.00	7.81	3	Vertical	194	2.48	-	38.39	32.50	9.61	34.30
AV	6.4098G	87.97	Inf	-Inf	9.30	3	Vertical	194	2.48	-	78.67	33.54	10.10	34.34
PK	5.8626G	58.15	88.20	-30.05	7.62	3	Vertical	194	2.48	-	50.53	32.35	9.57	34.30
PK	6.4026G	98.62	Inf	-Inf	9.27	3	Vertical	194	2.48	-	89.35	33.51	10.10	34.34

802.11ax HEW40_Nss1,(MCS0)_2TX


6405MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.865G	46.12	68.20	-22.08	7.63	3	Horizontal	69	2.61	-	38.49	32.36	9.57	34.30
AV	6.4026G	85.10	Inf	-Inf	9.27	3	Horizontal	69	2.61	-	75.83	33.51	10.10	34.34
PK	5.829G	58.15	88.20	-30.05	7.47	3	Horizontal	69	2.61	-	50.68	32.22	9.54	34.29
PK	6.4026G	96.09	Inf	-Inf	9.27	3	Horizontal	69	2.61	-	86.82	33.51	10.10	34.34

802.11ax HEW40_Nss1,(MCS0)_2TX


6405MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.81992G	43.20	68.20	-25.00	18.92	3	Vertical	275	1.43	-	24.28	38.90	13.57	33.55
PK	12.80036G	56.79	88.20	-31.41	18.87	3	Vertical	275	1.43	-	37.92	38.90	13.56	33.59

802.11ax HEW40_Nss1,(MCS0)_2TX


6405MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.8164G	43.22	68.20	-24.98	18.91	3	Horizontal	228	1.34	-	24.31	38.90	13.57	33.56
PK	12.80128G	56.63	88.20	-31.57	18.88	3	Horizontal	228	1.34	-	37.75	38.90	13.56	33.58

802.11ax HEW40_Nss1,(MCS0)_2TX


6445MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8714G	46.23	68.20	-21.97	7.67	3	Vertical	139	2.34	-	38.56	32.39	9.58	34.30
AV	6.4426G	89.02	Inf	-Inf	9.44	3	Vertical	139	2.34	-	79.58	33.67	10.12	34.35
PK	5.9122G	59.08	88.20	-29.12	7.81	3	Vertical	139	2.34	-	51.27	32.50	9.61	34.30
PK	6.445G	100.19	Inf	-Inf	9.45	3	Vertical	139	2.34	-	90.74	33.68	10.12	34.35

802.11ax HEW40_Nss1,(MCS0)_2TX


6445MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8666G	46.30	68.20	-21.90	7.64	3	Horizontal	70	2.09	-	38.66	32.37	9.57	34.30
AV	6.4426G	84.57	Inf	-Inf	9.44	3	Horizontal	70	2.09	-	75.13	33.67	10.12	34.35
PK	5.893G	57.86	88.20	-30.34	7.76	3	Horizontal	70	2.09	-	50.10	32.47	9.59	34.30
PK	6.4546G	95.71	Inf	-Inf	9.49	3	Horizontal	70	2.09	-	86.22	33.72	10.12	34.35

802.11ax HEW40_Nss1,(MCS0)_2TX


6445MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.88976G	43.22	68.20	-24.98	19.09	3	Vertical	175	2.19	-	24.13	38.90	13.61	33.42
PK	12.89588G	56.84	88.20	-31.36	19.11	3	Vertical	175	2.19	-	37.73	38.90	13.62	33.41

802.11ax HEW40_Nss1,(MCS0)_2TX


6445MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.8838G	43.15	68.20	-25.05	19.08	3	Horizontal	63	1.45	-	24.07	38.90	13.61	33.43
PK	12.89056G	56.49	88.20	-31.71	19.10	3	Horizontal	63	1.45	-	37.39	38.90	13.62	33.42

802.11ax HEW40_Nss1,(MCS0)_2TX


6485MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.883G	46.33	68.20	-21.87	7.72	3	Vertical	136	2.95	-	38.61	32.43	9.59	34.30
AV	6.4822G	88.97	Inf	-Inf	9.61	3	Vertical	136	2.95	-	79.36	33.83	10.13	34.35
AV	7.171G	51.12	68.20	-17.08	11.99	3	Vertical	136	2.95	-	39.13	36.03	10.51	34.55
PK	5.827G	57.91	88.20	-30.29	7.46	3	Vertical	136	2.95	-	50.45	32.21	9.54	34.29
PK	6.4934G	99.38	Inf	-Inf	9.66	3	Vertical	136	2.95	-	89.72	33.87	10.14	34.35
PK	7.129G	62.77	88.20	-25.43	11.78	3	Vertical	136	2.95	-	50.99	35.82	10.51	34.55

802.11ax HEW40_Nss1,(MCS0)_2TX


6485MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8774G	46.12	68.20	-22.08	7.69	3	Horizontal	240	2.27	-	38.43	32.41	9.58	34.30
AV	6.4822G	85.70	Inf	-Inf	9.61	3	Horizontal	240	2.27	-	76.09	33.83	10.13	34.35
AV	7.185G	50.96	68.20	-17.24	12.06	3	Horizontal	240	2.27	-	38.90	36.11	10.51	34.56
PK	5.8914G	58.81	88.20	-29.39	7.76	3	Horizontal	240	2.27	-	51.05	32.47	9.59	34.30
PK	6.4962G	96.56	Inf	-Inf	9.67	3	Horizontal	240	2.27	-	86.89	33.88	10.14	34.35
PK	7.1738G	62.66	88.20	-25.54	12.00	3	Horizontal	240	2.27	-	50.66	36.04	10.51	34.55

802.11ax HEW40_Nss1,(MCS0)_2TX


6485MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	12.97904G	43.34	68.20	-24.86	19.32	3	Vertical	317	1.08	-	24.02	38.90	13.67	33.25
PK	12.97396G	56.86	88.20	-31.34	19.31	3	Vertical	317	1.08	-	37.55	38.90	13.67	33.26

802.11ax HEW40_Nss1,(MCS0)_2TX


6485MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.97836G	43.30	68.20	-24.90	19.32	3	Horizontal	240	1.04	-	23.98	38.90	13.67	33.25
PK	12.96688G	57.00	88.20	-31.20	19.29	3	Horizontal	240	1.04	-	37.71	38.90	13.66	33.27

802.11ax HEW40_Nss1,(MCS0)_2TX


6525MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8866G	46.12	68.20	-22.08	7.74	3	Vertical	184	2.18	-	38.38	32.45	9.59	34.30
AV	6.525G	88.77	Inf	-Inf	9.84	3	Vertical	184	2.18	-	78.93	34.05	10.15	34.36
AV	7.197G	51.06	68.20	-17.14	12.13	3	Vertical	184	2.18	-	38.93	36.18	10.51	34.56
PK	5.8278G	58.10	88.20	-30.10	7.46	3	Vertical	184	2.18	-	50.64	32.21	9.54	34.29
PK	6.5334G	99.37	Inf	-Inf	9.89	3	Vertical	184	2.18	-	89.48	34.10	10.15	34.36
PK	7.1914G	63.38	88.20	-24.82	12.10	3	Vertical	184	2.18	-	51.28	36.15	10.51	34.56

802.11ax HEW40_Nss1,(MCS0)_2TX


6525MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9174G	46.24	68.20	-21.96	7.81	3	Horizontal	90	2.66	-	38.43	32.50	9.61	34.30
AV	6.525G	84.74	Inf	-Inf	9.84	3	Horizontal	90	2.66	-	74.90	34.05	10.15	34.36
AV	7.2082G	51.07	68.20	-17.13	12.18	3	Horizontal	90	2.66	-	38.89	36.22	10.52	34.56
PK	5.839G	58.00	88.20	-30.20	7.52	3	Horizontal	90	2.66	-	50.48	32.26	9.55	34.29
PK	6.5222G	95.05	Inf	-Inf	9.82	3	Horizontal	90	2.66	-	85.23	34.03	10.15	34.36
PK	7.1662G	62.77	88.20	-25.43	11.96	3	Horizontal	90	2.66	-	50.81	36.00	10.51	34.55

802.11ax HEW40_Nss1,(MCS0)_2TX


6525MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.04192G	43.47	68.20	-24.73	19.43	3	Vertical	127	2.12	-	24.04	38.86	13.71	33.14
PK	13.05056G	56.55	88.20	-31.65	19.44	3	Vertical	127	2.12	-	37.11	38.85	13.72	33.13

802.11ax HEW40_Nss1,(MCS0)_2TX


6525MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.04232G	43.48	68.20	-24.72	19.43	3	Horizontal	306	1.09	-	24.05	38.86	13.71	33.14
PK	13.05816G	56.98	88.20	-31.22	19.45	3	Horizontal	306	1.09	-	37.53	38.84	13.72	33.11

802.11ax HEW40_Nss1,(MCS0)_2TX


6565MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.5698G	88.91	Inf	-Inf	9.99	3	Vertical	150	2.63	-	78.92	34.20	10.17	34.38
AV	7.165G	50.90	68.20	-17.30	11.95	3	Vertical	150	2.63	-	38.95	35.99	10.51	34.55
PK	6.5602G	100.94	Inf	-Inf	9.99	3	Vertical	150	2.63	-	90.95	34.20	10.16	34.37
PK	7.1626G	63.65	88.20	-24.55	11.94	3	Vertical	150	2.63	-	51.71	35.98	10.51	34.55

802.11ax HEW40_Nss1,(MCS0)_2TX


6565MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.5626G	85.26	Inf	-Inf	10.00	3	Horizontal	253	2.76	-	75.26	34.20	10.17	34.37
AV	7.1602G	50.95	68.20	-17.25	11.92	3	Horizontal	253	2.76	-	39.03	35.96	10.51	34.55
PK	6.5626G	95.76	Inf	-Inf	10.00	3	Horizontal	253	2.76	-	85.76	34.20	10.17	34.37
PK	7.1338G	62.44	88.20	-25.76	11.80	3	Horizontal	253	2.76	-	50.64	35.84	10.51	34.55

802.11ax HEW40_Nss1,(MCS0)_2TX


6565MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.125G	43.50	68.20	-24.70	19.55	3	Vertical	139	2.01	-	23.95	38.80	13.76	33.01
PK	13.12588G	57.13	88.20	-31.07	19.56	3	Vertical	139	2.01	-	37.57	38.80	13.76	33.00

802.11ax HEW40_Nss1,(MCS0)_2TX


6565MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.13596G	43.51	68.20	-24.69	19.58	3	Horizontal	230	1.48	-	23.93	38.80	13.77	32.99
PK	13.12964G	57.67	88.20	-30.53	19.57	3	Horizontal	230	1.48	-	38.10	38.80	13.77	33.00

802.11ax HEW40_Nss1,(MCS0)_2TX


6685MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.683G	89.90	Inf	-Inf	9.95	3	Vertical	190	2.35	-	79.95	34.23	10.14	34.42
AV	7.179G	51.05	68.20	-17.15	12.02	3	Vertical	190	2.35	-	39.03	36.07	10.51	34.56
PK	6.683G	102.19	Inf	-Inf	9.95	3	Vertical	190	2.35	-	92.24	34.23	10.14	34.42
PK	7.169G	63.16	88.20	-25.04	11.97	3	Vertical	190	2.35	-	51.19	36.01	10.51	34.55

802.11ax HEW40_Nss1,(MCS0)_2TX


6685MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.683G	85.74	Inf	-Inf	9.95	3	Horizontal	86	2.35	-	75.79	34.23	10.14	34.42
AV	7.173G	51.10	68.20	-17.10	12.00	3	Horizontal	86	2.35	-	39.10	36.04	10.51	34.55
PK	6.675G	97.59	Inf	-Inf	9.98	3	Horizontal	86	2.35	-	87.61	34.25	10.14	34.41
PK	7.143G	63.42	88.20	-24.78	11.83	3	Horizontal	86	2.35	-	51.59	35.87	10.51	34.55

802.11ax HEW40_Nss1,(MCS0)_2TX


6685MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.37724G	44.53	54.00	-9.47	20.72	3	Vertical	321	1.17	-	23.81	39.39	13.92	32.59
PK	13.374G	57.86	74.00	-16.14	20.69	3	Vertical	321	1.17	-	37.17	39.37	13.92	32.60

802.11ax HEW40_Nss1,(MCS0)_2TX


6685MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.37972G	44.40	54.00	-9.60	20.74	3	Horizontal	292	1.23	-	23.66	39.40	13.93	32.59
PK	13.36492G	58.17	74.00	-15.83	20.63	3	Horizontal	292	1.23	-	37.54	39.32	13.92	32.61

802.11ax HEW40_Nss1,(MCS0)_2TX


6845MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.8436G	85.43	Inf	-Inf	10.17	3	Vertical	10	1.50	-	75.26	34.47	10.17	34.47
AV	7.1922G	51.00	68.20	-17.20	12.10	3	Vertical	10	1.50	-	38.90	36.15	10.51	34.56
PK	6.8436G	97.32	Inf	-Inf	10.17	3	Vertical	10	1.50	-	87.15	34.47	10.17	34.47
PK	7.146G	63.09	88.20	-25.11	11.84	3	Vertical	10	1.50	-	51.25	35.88	10.51	34.55

802.11ax HEW40_Nss1,(MCS0)_2TX


6845MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.8436G	83.43	Inf	-Inf	10.17	3	Horizontal	247	2.78	-	73.26	34.47	10.17	34.47
AV	7.1908G	51.07	68.20	-17.13	12.09	3	Horizontal	247	2.78	-	38.98	36.14	10.51	34.56
PK	6.8324G	96.74	Inf	-Inf	10.11	3	Horizontal	247	2.78	-	86.63	34.43	10.15	34.47
PK	7.1446G	63.52	88.20	-24.68	11.84	3	Horizontal	247	2.78	-	51.68	35.88	10.51	34.55

802.11ax HEW40_Nss1,(MCS0)_2TX


6845MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.69696G	49.00	68.20	-19.20	21.38	3	Vertical	255	1.89	-	27.62	39.70	14.13	32.45
PK	13.6928G	62.81	88.20	-25.39	21.37	3	Vertical	255	1.89	-	41.44	39.70	14.12	32.45


802.11ax HEW40_Nss1,(MCS0)_2TX

6845MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.69908G	48.99	68.20	-19.21	21.38	3	Horizontal	263	1.99	-	27.61	39.70	14.13	32.45
PK	13.68348G	62.17	88.20	-26.03	21.37	3	Horizontal	263	1.99	-	40.80	39.70	14.12	32.45

802.11ax HEW40_Nss1,(MCS0)_2TX
6885MHz Straddle 6.525-6.875GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.8822G	87.97	Inf	-Inf	10.45	3	Vertical	198	2.33	-	77.52	34.69	10.25	34.49
AV	7.1986G	51.08	68.20	-17.12	12.14	3	Vertical	198	2.33	-	38.94	36.19	10.51	34.56
PK	6.8808G	98.56	Inf	-Inf	10.44	3	Vertical	198	2.33	-	88.12	34.68	10.25	34.49
PK	7.1482G	63.49	88.20	-24.71	11.85	3	Vertical	198	2.33	-	51.64	35.89	10.51	34.55

802.11ax HEW40_Nss1,(MCS0)_2TX
6885MHz Straddle 6.525-6.875GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.8836G	83.21	Inf	-Inf	10.47	3	Horizontal	245	2.73	-	72.74	34.70	10.26	34.49
AV	7.2028G	51.08	68.20	-17.12	12.16	3	Horizontal	245	2.73	-	38.92	36.21	10.51	34.56
PK	6.8934G	95.07	Inf	-Inf	10.55	3	Horizontal	245	2.73	-	84.52	34.76	10.28	34.49
PK	7.1342G	63.04	88.20	-25.16	11.80	3	Horizontal	245	2.73	-	51.24	35.84	10.51	34.55

802.11ax HEW40_Nss1,(MCS0)_2TX
6885MHz Straddle 6.525-6.875GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.7788G	49.39	68.20	-18.81	21.48	3	Vertical	289	1.03	-	27.91	39.78	14.18	32.48
PK	13.76008G	62.97	88.20	-25.23	21.46	3	Vertical	289	1.03	-	41.51	39.76	14.17	32.47


802.11ax HEW40_Nss1,(MCS0)_2TX
6885MHz Straddle 6.525-6.875GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.77464G	49.37	68.20	-18.83	21.47	3	Horizontal	212	2.27	-	27.90	39.77	14.18	32.48
PK	13.77964G	62.48	88.20	-25.72	21.48	3	Horizontal	212	2.27	-	41.00	39.78	14.18	32.48

802.11ax HEW40_Nss1,(MCS0)_2TX


6925MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.9226G	88.79	Inf	-Inf	10.69	3	Vertical	198	2.47	-	78.10	34.85	10.34	34.50
AV	7.1986G	51.20	68.20	-17.00	12.14	3	Vertical	198	2.47	-	39.06	36.19	10.51	34.56
PK	6.931G	99.78	Inf	-Inf	10.71	3	Vertical	198	2.47	-	89.07	34.86	10.36	34.51
PK	7.1338G	63.94	88.20	-24.26	11.80	3	Vertical	198	2.47	-	52.14	35.84	10.51	34.55

802.11ax HEW40_Nss1,(MCS0)_2TX


6925MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.9262G	84.45	Inf	-Inf	10.70	3	Horizontal	81	2.26	-	73.75	34.85	10.35	34.50
AV	7.213G	51.16	68.20	-17.04	12.19	3	Horizontal	81	2.26	-	38.97	36.23	10.52	34.56
PK	6.919G	95.78	Inf	-Inf	10.67	3	Horizontal	81	2.26	-	85.11	34.84	10.33	34.50
PK	7.195G	63.36	88.20	-24.84	12.12	3	Horizontal	81	2.26	-	51.24	36.17	10.51	34.56

802.11ax HEW40_Nss1,(MCS0)_2TX


6925MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.85288G	50.43	68.20	-17.77	21.69	3	Vertical	158	1.39	-	28.74	39.96	14.23	32.50
PK	13.8576G	65.00	88.20	-23.20	21.70	3	Vertical	158	1.39	-	43.30	39.97	14.23	32.50

802.11ax HEW40_Nss1,(MCS0)_2TX


6925MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.85268G	50.38	68.20	-17.82	21.69	3	Horizontal	306	1.76	-	28.69	39.96	14.23	32.50
PK	13.846G	64.64	88.20	-23.56	21.66	3	Horizontal	306	1.76	-	42.98	39.94	14.22	32.50

802.11ax HEW40_Nss1,(MCS0)_2TX


7005MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.0026G	90.47	Inf	-Inf	11.09	3	Vertical	197	2.62	-	79.38	35.12	10.50	34.53
AV	7.155G	50.90	68.20	-17.30	11.89	3	Vertical	197	2.62	-	39.01	35.93	10.51	34.55
PK	7.0128G	104.03	Inf	-Inf	11.15	3	Vertical	197	2.62	-	92.88	35.18	10.50	34.53
PK	7.155G	63.35	88.20	-24.85	11.89	3	Vertical	197	2.62	-	51.46	35.93	10.51	34.55

802.11ax HEW40_Nss1,(MCS0)_2TX


7005MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.0158G	83.24	Inf	-Inf	11.16	3	Horizontal	55	2.16	-	72.08	35.19	10.50	34.53
AV	7.1508G	50.89	68.20	-17.31	11.86	3	Horizontal	55	2.16	-	39.03	35.90	10.51	34.55
PK	7.0068G	94.90	Inf	-Inf	11.11	3	Horizontal	55	2.16	-	83.79	35.14	10.50	34.53
PK	7.1478G	62.82	88.20	-25.38	11.85	3	Horizontal	55	2.16	-	50.97	35.89	10.51	34.55

802.11ax HEW40_Nss1,(MCS0)_2TX


7005MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.0024G	50.42	68.20	-17.78	22.17	3	Vertical	352	1.41	-	28.25	40.40	14.32	32.55
PK	14.00308G	63.86	88.20	-24.34	22.18	3	Vertical	352	1.41	-	41.68	40.41	14.32	32.55

802.11ax HEW40_Nss1,(MCS0)_2TX


7005MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.00368G	50.45	68.20	-17.75	22.18	3	Horizontal	266	1.03	-	28.27	40.41	14.32	32.55
PK	14.0038G	63.80	88.20	-24.40	22.18	3	Horizontal	266	1.03	-	41.62	40.41	14.32	32.55

802.11ax HEW40_Nss1,(MCS0)_2TX


7085MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.0844G	90.93	Inf	-Inf	11.57	3	Vertical	143	2.34	-	79.36	35.61	10.50	34.54
AV	7.2212G	51.26	68.20	-16.94	12.21	3	Vertical	143	2.34	-	39.05	36.24	10.53	34.56
PK	7.0766G	103.00	Inf	-Inf	11.52	3	Vertical	143	2.34	-	91.48	35.56	10.50	34.54
PK	7.1876G	63.25	88.20	-24.95	12.08	3	Vertical	143	2.34	-	51.17	36.13	10.51	34.56

802.11ax HEW40_Nss1,(MCS0)_2TX


7085MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.0874G	85.40	Inf	-Inf	11.58	3	Horizontal	68	2.21	-	73.82	35.62	10.50	34.54
AV	7.2056G	51.14	68.20	-17.06	12.17	3	Horizontal	68	2.21	-	38.97	36.21	10.52	34.56
PK	7.088G	98.96	Inf	-Inf	11.59	3	Horizontal	68	2.21	-	87.37	35.63	10.50	34.54
PK	7.1666G	64.26	88.20	-23.94	11.96	3	Horizontal	68	2.21	-	52.30	36.00	10.51	34.55

802.11ax HEW40_Nss1,(MCS0)_2TX


7085MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.16132G	49.95	68.20	-18.25	22.40	3	Vertical	91	1.73	-	27.55	40.78	14.37	32.75
PK	14.17136G	63.48	88.20	-24.72	22.42	3	Vertical	91	1.73	-	41.06	40.81	14.37	32.76

802.11ax HEW40_Nss1,(MCS0)_2TX


7085MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.17G	49.96	68.20	-18.24	22.42	3	Horizontal	263	1.49	-	27.54	40.81	14.37	32.76
PK	14.17264G	64.05	88.20	-24.15	22.43	3	Horizontal	263	1.49	-	41.62	40.82	14.37	32.76

802.11ax HEW80_Nss1,(MCS0)_2TX


5985MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.882G	46.24	68.20	-21.96	7.72	3	Vertical	30	2.58	-	38.52	32.43	9.59	34.30
AV	5.973G	88.20	Inf	-Inf	7.85	3	Vertical	30	2.58	-	80.35	32.50	9.66	34.31
PK	5.871G	59.14	88.20	-29.06	7.66	3	Vertical	30	2.58	-	51.48	32.38	9.58	34.30
PK	5.993G	100.16	Inf	-Inf	7.86	3	Vertical	30	2.58	-	92.30	32.50	9.67	34.31

802.11ax HEW80_Nss1,(MCS0)_2TX


5985MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.91G	46.27	68.20	-21.93	7.81	3	Horizontal	77	2.96	-	38.46	32.50	9.61	34.30
AV	5.97G	85.11	Inf	-Inf	7.85	3	Horizontal	77	2.96	-	77.26	32.50	9.66	34.31
PK	5.819G	58.55	88.20	-29.65	7.43	3	Horizontal	77	2.96	-	51.12	32.18	9.54	34.29
PK	5.961G	96.07	Inf	-Inf	7.84	3	Horizontal	77	2.96	-	88.23	32.50	9.65	34.31

802.11ax HEW80_Nss1,(MCS0)_2TX


5985MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.96424G	42.42	54.00	-11.58	17.48	3	Vertical	330	1.35	-	24.94	38.83	13.03	34.38
PK	11.9658G	56.56	74.00	-17.44	17.49	3	Vertical	330	1.35	-	39.07	38.83	13.04	34.38

802.11ax HEW80_Nss1,(MCS0)_2TX


5985MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.96428G	42.39	54.00	-11.61	17.48	3	Horizontal	130	2.13	-	24.91	38.83	13.03	34.38
PK	11.97888G	56.26	74.00	-17.74	17.51	3	Horizontal	130	2.13	-	38.75	38.86	13.04	34.39

802.11ax HEW80_Nss1,(MCS0)_2TX


6145MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8714G	46.18	68.20	-22.02	7.67	3	Vertical	61	2.76	-	38.51	32.39	9.58	34.30
AV	6.1474G	87.84	Inf	-Inf	8.07	3	Vertical	61	2.76	-	79.77	32.59	9.80	34.32
PK	5.8858G	59.31	88.20	-28.89	7.73	3	Vertical	61	2.76	-	51.58	32.44	9.59	34.30
PK	6.1474G	100.92	Inf	-Inf	8.07	3	Vertical	61	2.76	-	92.82	32.59	9.80	34.32

802.11ax HEW80_Nss1,(MCS0)_2TX


6145MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.899G	46.15	68.20	-22.05	7.80	3	Horizontal	75	2.28	-	38.35	32.50	9.60	34.30
AV	6.1522G	83.92	Inf	-Inf	8.09	3	Horizontal	75	2.28	-	75.83	32.61	9.80	34.32
PK	5.8774G	58.76	88.20	-29.44	7.69	3	Horizontal	75	2.28	-	51.07	32.41	9.58	34.30
PK	6.1522G	95.52	Inf	-Inf	8.09	3	Horizontal	75	2.28	-	87.43	32.61	9.80	34.32

802.11ax HEW80_Nss1,(MCS0)_2TX


6145MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.2862G	42.63	54.00	-11.37	17.87	3	Vertical	242	1.67	-	24.76	38.90	13.23	34.26
PK	12.29424G	55.89	74.00	-18.11	17.89	3	Vertical	242	1.67	-	38.00	38.90	13.24	34.25

802.11ax HEW80_Nss1,(MCS0)_2TX


6145MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.29608G	42.59	54.00	-11.41	17.89	3	Horizontal	256	1.02	-	24.70	38.90	13.24	34.25
PK	12.2836G	56.01	74.00	-17.99	17.87	3	Horizontal	256	1.02	-	38.14	38.90	13.23	34.26

802.11ax HEW80_Nss1,(MCS0)_2TX


6385MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.917G	46.18	68.20	-22.02	7.81	3	Vertical	191	2.61	-	38.37	32.50	9.61	34.30
AV	6.3826G	88.32	Inf	-Inf	9.21	3	Vertical	191	2.61	-	79.11	33.47	10.08	34.34
PK	5.8378G	57.99	88.20	-30.21	7.51	3	Vertical	191	2.61	-	50.48	32.25	9.55	34.29
PK	6.3994G	99.59	Inf	-Inf	9.26	3	Vertical	191	2.61	-	90.33	33.50	10.10	34.34

802.11ax HEW80_Nss1,(MCS0)_2TX


6385MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8714G	46.14	68.20	-22.06	7.67	3	Horizontal	70	2.49	-	38.47	32.39	9.58	34.30
AV	6.373G	84.64	Inf	-Inf	9.17	3	Horizontal	70	2.49	-	75.47	33.45	10.06	34.34
PK	5.917G	58.20	88.20	-30.00	7.81	3	Horizontal	70	2.49	-	50.39	32.50	9.61	34.30
PK	6.373G	96.74	Inf	-Inf	9.17	3	Horizontal	70	2.49	-	87.57	33.45	10.06	34.34

802.11ax HEW80_Nss1,(MCS0)_2TX


6385MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.77976G	42.80	68.20	-25.40	18.73	3	Vertical	212	2.35	-	24.07	38.80	13.55	33.62
PK	12.77416G	56.60	88.20	-31.60	18.68	3	Vertical	212	2.35	-	37.92	38.77	13.54	33.63

802.11ax HEW80_Nss1,(MCS0)_2TX


6385MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.77464G	42.78	68.20	-25.42	18.68	3	Horizontal	184	1.99	-	24.10	38.77	13.54	33.63
PK	12.77972G	57.18	88.20	-31.02	18.73	3	Horizontal	184	1.99	-	38.45	38.80	13.55	33.62

802.11ax HEW80_Nss1,(MCS0)_2TX


6465MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8854G	46.17	68.20	-22.03	7.73	3	Vertical	195	2.55	-	38.44	32.44	9.59	34.30
AV	6.4622G	88.27	Inf	-Inf	9.52	3	Vertical	195	2.55	-	78.75	33.75	10.12	34.35
AV	7.1622G	50.80	68.20	-17.40	11.93	3	Vertical	195	2.55	-	38.87	35.97	10.51	34.55
PK	5.9078G	58.23	88.20	-29.97	7.81	3	Vertical	195	2.55	-	50.42	32.50	9.61	34.30
PK	6.4706G	98.81	Inf	-Inf	9.56	3	Vertical	195	2.55	-	89.25	33.78	10.13	34.35
PK	7.1342G	62.27	88.20	-25.93	11.80	3	Vertical	195	2.55	-	50.47	35.84	10.51	34.55

802.11ax HEW80_Nss1,(MCS0)_2TX


6465MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8826G	46.19	68.20	-22.01	7.72	3	Horizontal	72	2.26	-	38.47	32.43	9.59	34.30
AV	6.4538G	84.21	Inf	-Inf	9.49	3	Horizontal	72	2.26	-	74.72	33.72	10.12	34.35
AV	7.165G	50.77	68.20	-17.43	11.95	3	Horizontal	72	2.26	-	38.82	35.99	10.51	34.55
PK	5.8966G	58.27	88.20	-29.93	7.79	3	Horizontal	72	2.26	-	50.48	32.49	9.60	34.30
PK	6.4622G	94.95	Inf	-Inf	9.52	3	Horizontal	72	2.26	-	85.43	33.75	10.12	34.35
PK	7.1454G	62.18	88.20	-26.02	11.84	3	Horizontal	72	2.26	-	50.34	35.88	10.51	34.55

802.11ax HEW80_Nss1,(MCS0)_2TX


6465MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.93728G	43.12	68.20	-25.08	19.22	3	Vertical	124	1.94	-	23.90	38.90	13.65	33.33
PK	12.93704G	56.36	88.20	-31.84	19.22	3	Vertical	124	1.94	-	37.14	38.90	13.65	33.33

802.11ax HEW80_Nss1,(MCS0)_2TX


6465MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.9368G	43.12	68.20	-25.08	19.21	3	Horizontal	265	1.17	-	23.91	38.90	13.64	33.33
PK	12.93616G	56.74	88.20	-31.46	19.21	3	Horizontal	265	1.17	-	37.53	38.90	13.64	33.33

802.11ax HEW80_Nss1,(MCS0)_2TX


6545MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.887G	46.17	68.20	-22.03	7.74	3	Vertical	123	2.47	-	38.43	32.45	9.59	34.30
AV	6.545G	88.70	Inf	-Inf	9.96	3	Vertical	123	2.47	-	78.74	34.17	10.16	34.37
AV	7.2086G	50.92	68.20	-17.28	12.18	3	Vertical	123	2.47	-	38.74	36.22	10.52	34.56
PK	5.901G	57.97	88.20	-30.23	7.80	3	Vertical	123	2.47	-	50.17	32.50	9.60	34.30
PK	6.5254G	99.98	Inf	-Inf	9.84	3	Vertical	123	2.47	-	90.14	34.05	10.15	34.36
PK	7.1274G	62.47	88.20	-25.73	11.77	3	Vertical	123	2.47	-	50.70	35.81	10.51	34.55

802.11ax HEW80_Nss1,(MCS0)_2TX


6545MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8758G	46.13	68.20	-22.07	7.68	3	Horizontal	252	2.74	-	38.45	32.40	9.58	34.30
AV	6.5506G	85.31	Inf	-Inf	9.99	3	Horizontal	252	2.74	-	75.32	34.20	10.16	34.37
AV	7.203G	50.96	68.20	-17.24	12.16	3	Horizontal	252	2.74	-	38.80	36.21	10.51	34.56
PK	5.9234G	58.12	88.20	-30.08	7.82	3	Horizontal	252	2.74	-	50.30	32.50	9.62	34.30
PK	6.5618G	96.52	Inf	-Inf	9.99	3	Horizontal	252	2.74	-	86.53	34.20	10.16	34.37
PK	7.1666G	62.78	88.20	-25.42	11.96	3	Horizontal	252	2.74	-	50.82	36.00	10.51	34.55

802.11ax HEW80_Nss1,(MCS0)_2TX


6545MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.0956G	43.50	68.20	-24.70	19.50	3	Vertical	162	1.11	-	24.00	38.80	13.75	33.05
PK	13.08104G	56.69	88.20	-31.51	19.48	3	Vertical	162	1.11	-	37.21	38.82	13.74	33.08

802.11ax HEW80_Nss1,(MCS0)_2TX


6545MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.09352G	43.46	68.20	-24.74	19.49	3	Horizontal	345	1.08	-	23.97	38.81	13.74	33.06
PK	13.0972G	57.90	88.20	-30.30	19.50	3	Horizontal	345	1.08	-	38.40	38.80	13.75	33.05

802.11ax HEW80_Nss1,(MCS0)_2TX


6625MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.6322G	88.95	Inf	-Inf	10.02	3	Vertical	187	2.33	-	78.93	34.26	10.16	34.40
AV	7.1986G	50.99	68.20	-17.21	12.14	3	Vertical	187	2.33	-	38.85	36.19	10.51	34.56
PK	6.6346G	102.17	Inf	-Inf	10.03	3	Vertical	187	2.33	-	92.14	34.27	10.16	34.40
PK	7.2034G	63.39	88.20	-24.81	12.16	3	Vertical	187	2.33	-	51.23	36.21	10.51	34.56

802.11ax HEW80_Nss1,(MCS0)_2TX


6625MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.6346G	85.03	Inf	-Inf	10.03	3	Horizontal	84	2.29	-	75.00	34.27	10.16	34.40
AV	7.1962G	50.97	68.20	-17.23	12.13	3	Horizontal	84	2.29	-	38.84	36.18	10.51	34.56
PK	6.6346G	96.86	Inf	-Inf	10.03	3	Horizontal	84	2.29	-	86.83	34.27	10.16	34.40
PK	7.177G	63.09	88.20	-25.11	12.02	3	Horizontal	84	2.29	-	51.07	36.06	10.51	34.55

802.11ax HEW80_Nss1,(MCS0)_2TX


6625MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.247G	43.88	68.20	-24.32	19.93	3	Vertical	311	1.52	-	23.95	38.89	13.84	32.80
PK	13.24696G	57.35	88.20	-30.85	19.93	3	Vertical	311	1.52	-	37.42	38.89	13.84	32.80

802.11ax HEW80_Nss1,(MCS0)_2TX


6625MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.25448G	43.85	54.00	-10.15	19.97	3	Horizontal	220	1.07	-	23.88	38.91	13.85	32.79
PK	13.25256G	57.67	74.00	-16.33	19.96	3	Horizontal	220	1.07	-	37.71	38.91	13.85	32.80

802.11ax HEW80_Nss1,(MCS0)_2TX


6705MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.703G	89.60	Inf	-Inf	9.92	3	Vertical	189	2.51	-	79.68	34.21	10.13	34.42
AV	7.193G	50.92	68.20	-17.28	12.11	3	Vertical	189	2.51	-	38.81	36.16	10.51	34.56
PK	6.713G	102.01	Inf	-Inf	9.92	3	Vertical	189	2.51	-	92.09	34.23	10.12	34.43
PK	7.203G	63.17	88.20	-25.03	12.16	3	Vertical	189	2.51	-	51.01	36.21	10.51	34.56

802.11ax HEW80_Nss1,(MCS0)_2TX


6705MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.695G	85.69	Inf	-Inf	9.92	3	Horizontal	84	2.25	-	75.77	34.21	10.13	34.42
AV	7.205G	51.00	68.20	-17.20	12.16	3	Horizontal	84	2.25	-	38.84	36.21	10.51	34.56
PK	6.687G	96.74	Inf	-Inf	9.95	3	Horizontal	84	2.25	-	86.79	34.23	10.14	34.42
PK	7.181G	62.93	88.20	-25.27	12.04	3	Horizontal	84	2.25	-	50.89	36.09	10.51	34.56

802.11ax HEW80_Nss1,(MCS0)_2TX


6705MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.40104G	44.36	68.20	-23.84	20.89	3	Vertical	190	2.04	-	23.47	39.50	13.94	32.55
PK	13.40156G	57.66	88.20	-30.54	20.89	3	Vertical	190	2.04	-	36.77	39.50	13.94	32.55

802.11ax HEW80_Nss1,(MCS0)_2TX


6705MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.40144G	44.26	68.20	-23.94	20.89	3	Horizontal	192	2.05	-	23.37	39.50	13.94	32.55
PK	13.40544G	57.72	88.20	-30.48	20.89	3	Horizontal	192	2.05	-	36.83	39.50	13.94	32.55

802.11ax HEW80_Nss1,(MCS0)_2TX


6785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.7754G	88.74	Inf	-Inf	9.94	3	Vertical	115	2.48	-	78.80	34.30	10.09	34.45
AV	7.1706G	50.91	68.20	-17.29	11.98	3	Vertical	115	2.48	-	38.93	36.02	10.51	34.55
PK	6.785G	100.45	Inf	-Inf	9.94	3	Vertical	115	2.48	-	90.51	34.30	10.09	34.45
PK	7.1578G	63.91	88.20	-24.29	11.91	3	Vertical	115	2.48	-	52.00	35.95	10.51	34.55

802.11ax HEW80_Nss1,(MCS0)_2TX


6785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.7818G	83.52	Inf	-Inf	9.94	3	Horizontal	261	2.71	-	73.58	34.30	10.09	34.45
AV	7.1722G	50.84	68.20	-17.36	11.99	3	Horizontal	261	2.71	-	38.85	36.03	10.51	34.55
PK	6.7722G	95.06	Inf	-Inf	9.94	3	Horizontal	261	2.71	-	85.12	34.30	10.09	34.45
PK	7.1402G	62.85	88.20	-25.35	11.82	3	Horizontal	261	2.71	-	51.03	35.86	10.51	34.55

802.11ax HEW80_Nss1,(MCS0)_2TX


6785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.58452G	44.66	68.20	-23.54	21.31	3	Vertical	321	1.17	-	23.35	39.67	14.06	32.42
PK	13.55794G	58.87	88.20	-29.33	21.25	3	Vertical	321	1.17	-	37.62	39.62	14.04	32.41


802.11ax HEW80_Nss1,(MCS0)_2TX

6785MHz_TX




Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	13.5733G	44.63	68.20	-23.57	21.29	3	Horizontal	109	2.19	-	23.34	39.65	14.05	32.41
PK	13.57936G	58.14	88.20	-30.06	21.29	3	Horizontal	109	2.19	-	36.85	39.66	14.05	32.42

802.11ax HEW80_Nss1,(MCS0)_2TX
6865MHz Straddle 6.525-6.875GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.8746G	87.99	Inf	-Inf	10.41	3	Vertical	9	2.50	-	77.58	34.65	10.24	34.48
AV	7.1614G	50.81	68.20	-17.39	11.93	3	Vertical	9	2.50	-	38.88	35.97	10.51	34.55
PK	6.8446G	100.92	Inf	-Inf	10.18	3	Vertical	9	2.50	-	90.74	34.48	10.17	34.47
PK	7.1326G	63.01	88.20	-25.19	11.79	3	Vertical	9	2.50	-	51.22	35.83	10.51	34.55

802.11ax HEW80_Nss1,(MCS0)_2TX
6865MHz Straddle 6.525-6.875GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.8722G	83.20	Inf	-Inf	10.38	3	Horizontal	246	2.72	-	72.82	34.63	10.23	34.48
AV	7.1626G	50.83	68.20	-17.37	11.94	3	Horizontal	246	2.72	-	38.89	35.98	10.51	34.55
PK	6.8638G	95.67	Inf	-Inf	10.31	3	Horizontal	246	2.72	-	85.36	34.58	10.21	34.48
PK	7.153G	64.19	88.20	-24.01	11.88	3	Horizontal	246	2.72	-	52.31	35.92	10.51	34.55

802.11ax HEW80_Nss1,(MCS0)_2TX
6865MHz Straddle 6.525-6.875GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.72832G	49.29	68.20	-18.91	21.42	3	Vertical	128	1.66	-	27.87	39.73	14.15	32.46
PK	13.7435G	62.78	88.20	-25.42	21.43	3	Vertical	128	1.66	-	41.35	39.74	14.16	32.47


802.11ax HEW80_Nss1,(MCS0)_2TX
6865MHz Straddle 6.525-6.875GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.72868G	49.23	68.20	-18.97	21.42	3	Horizontal	47	1.07	-	27.81	39.73	14.15	32.46
PK	13.72466G	63.26	88.20	-24.94	21.41	3	Horizontal	47	1.07	-	41.85	39.72	14.15	32.46

802.11ax HEW80_Nss1,(MCS0)_2TX


6945MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.9522G	90.10	Inf	-Inf	10.80	3	Vertical	196	2.47	-	79.30	34.91	10.40	34.51
AV	7.2066G	51.09	68.20	-17.11	12.17	3	Vertical	196	2.47	-	38.92	36.21	10.52	34.56
PK	6.9726G	102.75	Inf	-Inf	10.91	3	Vertical	196	2.47	-	91.84	34.99	10.44	34.52
PK	7.2318G	62.96	88.20	-25.24	12.24	3	Vertical	196	2.47	-	50.72	36.26	10.54	34.56

802.11ax HEW80_Nss1,(MCS0)_2TX


6945MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.933G	83.35	Inf	-Inf	10.72	3	Horizontal	245	2.77	-	72.63	34.87	10.36	34.51
AV	7.2366G	51.21	68.20	-16.99	12.26	3	Horizontal	245	2.77	-	38.95	36.27	10.55	34.56
PK	6.9522G	95.28	Inf	-Inf	10.80	3	Horizontal	245	2.77	-	84.48	34.91	10.40	34.51
PK	7.1838G	63.69	88.20	-24.51	12.05	3	Horizontal	245	2.77	-	51.64	36.10	10.51	34.56

802.11ax HEW80_Nss1,(MCS0)_2TX


6945MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.89462G	50.43	68.20	-17.77	21.81	3	Vertical	283	2.31	-	28.62	40.08	14.25	32.52
PK	13.89354G	63.95	88.20	-24.25	21.81	3	Vertical	283	2.31	-	42.14	40.08	14.25	32.52

802.11ax HEW80_Nss1,(MCS0)_2TX


6945MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.8765G	50.49	68.20	-17.71	21.76	3	Horizontal	31	2.37	-	28.73	40.03	14.24	32.51
PK	13.89426G	63.88	88.20	-24.32	21.81	3	Horizontal	31	2.37	-	42.07	40.08	14.25	32.52

802.11ax HEW80_Nss1,(MCS0)_2TX


7025MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.0354G	89.70	Inf	-Inf	11.28	3	Vertical	142	2.44	-	78.42	35.31	10.50	34.53
AV	7.217G	51.15	68.20	-17.05	12.20	3	Vertical	142	2.44	-	38.95	36.23	10.53	34.56
PK	7.0362G	101.85	Inf	-Inf	11.28	3	Vertical	142	2.44	-	90.57	35.32	10.50	34.54
PK	7.1946G	63.09	88.20	-25.11	12.12	3	Vertical	142	2.44	-	50.97	36.17	10.51	34.56

802.11ax HEW80_Nss1,(MCS0)_2TX


7025MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.0154G	83.97	Inf	-Inf	11.16	3	Horizontal	54	2.16	-	72.81	35.19	10.50	34.53
AV	7.2058G	51.19	68.20	-17.01	12.17	3	Horizontal	54	2.16	-	39.02	36.21	10.52	34.56
PK	7.0266G	95.63	Inf	-Inf	11.23	3	Horizontal	54	2.16	-	84.40	35.26	10.50	34.53
PK	7.2018G	64.01	88.20	-24.19	12.15	3	Horizontal	54	2.16	-	51.86	36.20	10.51	34.56

802.11ax HEW80_Nss1,(MCS0)_2TX


7025MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.03584G	50.35	68.20	-17.85	22.21	3	Vertical	223	1.07	-	28.14	40.47	14.33	32.59
PK	14.0506G	64.27	88.20	-23.93	22.23	3	Vertical	223	1.07	-	42.04	40.50	14.34	32.61

802.11ax HEW80_Nss1,(MCS0)_2TX


7025MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.0518G	50.28	68.20	-17.92	22.23	3	Horizontal	186	1.22	-	28.05	40.50	14.34	32.61
PK	14.04958G	63.56	88.20	-24.64	22.23	3	Horizontal	186	1.22	-	41.33	40.50	14.34	32.61

802.11ax HEW160_Nss1,(MCS0)_2TX


6025MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.925G	46.52	68.20	-21.68	7.82	3	Vertical	30	2.50	-	38.70	32.50	9.62	34.30
AV	5.993G	88.84	Inf	-Inf	7.86	3	Vertical	30	2.50	-	80.98	32.50	9.67	34.31
PK	5.922G	58.90	88.20	-29.30	7.82	3	Vertical	30	2.50	-	51.08	32.50	9.62	34.30
PK	5.993G	101.24	Inf	-Inf	7.86	3	Vertical	30	2.50	-	93.38	32.50	9.67	34.31

802.11ax HEW160_Nss1,(MCS0)_2TX


6025MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.92G	46.39	68.20	-21.81	7.82	3	Horizontal	76	2.80	-	38.57	32.50	9.62	34.30
AV	5.98G	84.77	Inf	-Inf	7.85	3	Horizontal	76	2.80	-	76.92	32.50	9.66	34.31
PK	5.882G	59.05	88.20	-29.15	7.72	3	Horizontal	76	2.80	-	51.33	32.43	9.59	34.30
PK	5.96G	97.55	Inf	-Inf	7.84	3	Horizontal	76	2.80	-	89.71	32.50	9.65	34.31

802.11ax HEW160_Nss1,(MCS0)_2TX


6025MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.0255G	42.84	54.00	-11.16	17.63	3	Vertical	335	2.08	-	25.21	38.95	13.07	34.39
PK	12.0654G	55.61	74.00	-18.39	17.75	3	Vertical	335	2.08	-	37.86	39.03	13.09	34.37

802.11ax HEW160_Nss1,(MCS0)_2TX


6025MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.038G	42.78	54.00	-11.22	17.67	3	Horizontal	62	1.64	-	25.11	38.98	13.07	34.38
PK	12.0648G	56.80	74.00	-17.20	17.75	3	Horizontal	62	1.64	-	39.05	39.03	13.09	34.37

802.11ax HEW160_Nss1,(MCS0)_2TX


6185MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8586G	46.32	68.20	-21.88	7.60	3	Vertical	318	2.65	-	38.72	32.33	9.57	34.30
AV	6.201G	87.48	Inf	-Inf	8.41	3	Vertical	318	2.65	-	79.07	32.90	9.84	34.33
PK	5.7994G	58.28	88.20	-29.92	7.33	3	Vertical	318	2.65	-	50.95	32.10	9.52	34.29
PK	6.201G	100.52	Inf	-Inf	8.41	3	Vertical	318	2.65	-	92.11	32.90	9.84	34.33

802.11ax HEW160_Nss1,(MCS0)_2TX


6185MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9034G	46.40	68.20	-21.80	7.80	3	Horizontal	76	2.19	-	38.60	32.50	9.60	34.30
AV	6.1722G	83.96	Inf	-Inf	8.23	3	Horizontal	76	2.19	-	75.73	32.73	9.82	34.32
PK	5.8442G	59.29	88.20	-28.91	7.55	3	Horizontal	76	2.19	-	51.74	32.28	9.56	34.29
PK	6.1738G	96.34	Inf	-Inf	8.24	3	Horizontal	76	2.19	-	88.10	32.74	9.82	34.32

802.11ax HEW160_Nss1,(MCS0)_2TX


6185MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.3588G	42.91	54.00	-11.09	17.72	3	Vertical	60	1.76	-	25.19	38.66	13.28	34.22
PK	12.3713G	56.68	74.00	-17.32	17.69	3	Vertical	60	1.76	-	38.99	38.61	13.29	34.21

802.11ax HEW160_Nss1,(MCS0)_2TX

6185MHz_TX




05/10/2021

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.3454G	43.08	54.00	-10.92	17.76	3	Horizontal	106	1.29	-	25.32	38.72	13.27	34.23
PK	12.3533G	56.23	74.00	-17.77	17.74	3	Horizontal	106	1.29	-	38.49	38.69	13.27	34.22

802.11ax HEW160_Nss1,(MCS0)_2TX


6345MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.925G	46.30	68.20	-21.90	7.82	3	Vertical	188	2.42	-	38.48	32.50	9.62	34.30
AV	6.3522G	88.68	Inf	-Inf	9.10	3	Vertical	188	2.42	-	79.58	33.40	10.04	34.34
PK	5.925G	58.69	88.20	-29.51	7.82	3	Vertical	188	2.42	-	50.87	32.50	9.62	34.30
PK	6.3114G	101.19	Inf	-Inf	8.82	3	Vertical	188	2.42	-	92.37	33.17	9.98	34.33

802.11ax HEW160_Nss1,(MCS0)_2TX


6345MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8818G	46.32	68.20	-21.88	7.72	3	Horizontal	68	2.49	-	38.60	32.43	9.59	34.30
AV	6.3714G	85.31	Inf	-Inf	9.16	3	Horizontal	68	2.49	-	76.15	33.44	10.06	34.34
PK	5.865G	58.47	88.20	-29.73	7.63	3	Horizontal	68	2.49	-	50.84	32.36	9.57	34.30
PK	6.3618G	97.22	Inf	-Inf	9.13	3	Horizontal	68	2.49	-	88.09	33.42	10.05	34.34

802.11ax HEW160_Nss1,(MCS0)_2TX


6345MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.6747G	42.54	54.00	-11.46	18.09	3	Vertical	315	1.82	-	24.45	38.43	13.48	33.82
PK	12.7089G	55.63	88.20	-32.57	18.18	3	Vertical	315	1.82	-	37.45	38.44	13.50	33.76

802.11ax HEW160_Nss1,(MCS0)_2TX


6345MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.6747G	42.64	54.00	-11.36	18.09	3	Horizontal	227	2.10	-	24.55	38.43	13.48	33.82
PK	12.6909G	56.03	74.00	-17.97	18.11	3	Horizontal	227	2.10	-	37.92	38.41	13.49	33.79

802.11ax HEW160_Nss1,(MCS0)_2TX


6505MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8974G	46.27	68.20	-21.93	7.79	3	Vertical	187	1.50	-	38.48	32.49	9.60	34.30
AV	6.533G	86.59	Inf	-Inf	9.89	3	Vertical	187	1.50	-	76.70	34.10	10.15	34.36
AV	7.205G	51.04	68.20	-17.16	12.16	3	Vertical	187	1.50	-	38.88	36.21	10.51	34.56
PK	5.8806G	58.70	88.20	-29.50	7.70	3	Vertical	187	1.50	-	51.00	32.42	9.58	34.30
PK	6.533G	98.77	Inf	-Inf	9.89	3	Vertical	187	1.50	-	88.88	34.10	10.15	34.36
PK	7.1742G	63.25	88.20	-24.95	12.01	3	Vertical	187	1.50	-	51.24	36.05	10.51	34.55

802.11ax HEW160_Nss1,(MCS0)_2TX


6505MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8834G	46.28	68.20	-21.92	7.72	3	Horizontal	240	2.41	-	38.56	32.43	9.59	34.30
AV	6.5022G	86.23	Inf	-Inf	9.70	3	Horizontal	240	2.41	-	76.53	33.91	10.14	34.35
AV	7.191G	51.02	68.20	-17.18	12.10	3	Horizontal	240	2.41	-	38.92	36.15	10.51	34.56
PK	5.875G	57.88	88.20	-30.32	7.68	3	Horizontal	240	2.41	-	50.20	32.40	9.58	34.30
PK	6.4742G	98.28	Inf	-Inf	9.58	3	Horizontal	240	2.41	-	88.70	33.80	10.13	34.35
PK	7.1854G	63.15	88.20	-25.05	12.06	3	Horizontal	240	2.41	-	51.09	36.11	10.51	34.56

802.11ax HEW160_Nss1,(MCS0)_2TX


6505MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.01G	43.85	68.20	-24.35	19.39	3	Vertical	30	2.11	-	24.46	38.89	13.69	33.19
PK	13.0192G	57.87	88.20	-30.33	19.40	3	Vertical	30	2.11	-	38.47	38.88	13.70	33.18

802.11ax HEW160_Nss1,(MCS0)_2TX


6505MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.9903G	43.83	68.20	-24.37	19.35	3	Horizontal	205	1.73	-	24.48	38.90	13.68	33.23
PK	13.0229G	57.45	88.20	-30.75	19.41	3	Horizontal	205	1.73	-	38.04	38.88	13.70	33.17

802.11ax HEW160_Nss1,(MCS0)_2TX


6665MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.6518G	89.46	Inf	-Inf	10.05	3	Vertical	190	2.36	-	79.41	34.30	10.15	34.40
AV	7.1974G	51.06	68.20	-17.14	12.13	3	Vertical	190	2.36	-	38.93	36.18	10.51	34.56
PK	6.654G	101.72	Inf	-Inf	10.03	3	Vertical	190	2.36	-	91.69	34.29	10.15	34.41
PK	7.1688G	62.38	88.20	-25.82	11.97	3	Vertical	190	2.36	-	50.41	36.01	10.51	34.55

802.11ax HEW160_Nss1,(MCS0)_2TX


6665MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.6848G	85.58	Inf	-Inf	9.95	3	Horizontal	86	2.20	-	75.63	34.23	10.14	34.42
AV	7.2084G	51.06	68.20	-17.14	12.18	3	Horizontal	86	2.20	-	38.88	36.22	10.52	34.56
PK	6.687G	98.62	Inf	-Inf	9.95	3	Horizontal	86	2.20	-	88.67	34.23	10.14	34.42
PK	7.1512G	63.40	88.20	-24.80	11.87	3	Horizontal	86	2.20	-	51.53	35.91	10.51	34.55

802.11ax HEW160_Nss1,(MCS0)_2TX


6665MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.3517G	44.42	54.00	-9.58	20.54	3	Vertical	194	1.45	-	23.88	39.26	13.91	32.63
PK	13.3497G	57.77	74.00	-16.23	20.52	3	Vertical	194	1.45	-	37.25	39.25	13.91	32.64


802.11ax HEW160_Nss1,(MCS0)_2TX

6665MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.3095G	44.36	54.00	-9.64	20.23	3	Horizontal	312	1.20	-	24.13	39.05	13.88	32.70
PK	13.3368G	58.61	74.00	-15.39	20.42	3	Horizontal	312	1.20	-	38.19	39.18	13.90	32.66

**802.11ax HEW160_Nss1,(MCS0)_2TX
6825MHz Straddle 6.525-6.875GHz_TX**




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.7866G	87.60	Inf	-Inf	9.94	3	Vertical	116	2.36	-	77.66	34.30	10.09	34.45
AV	7.2042G	51.14	68.20	-17.06	12.16	3	Vertical	116	2.36	-	38.98	36.21	10.51	34.56
PK	6.8058G	100.67	Inf	-Inf	9.95	3	Vertical	116	2.36	-	90.72	34.32	10.09	34.46
PK	7.2026G	62.90	88.20	-25.30	12.16	3	Vertical	116	2.36	-	50.74	36.21	10.51	34.56

**802.11ax HEW160_Nss1,(MCS0)_2TX
6825MHz Straddle 6.525-6.875GHz_TX**




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.793G	82.92	Inf	-Inf	9.92	3	Horizontal	259	2.71	-	73.00	34.30	10.08	34.46
AV	7.2026G	51.08	68.20	-17.12	12.16	3	Horizontal	259	2.71	-	38.92	36.21	10.51	34.56
PK	6.7706G	94.50	Inf	-Inf	9.94	3	Horizontal	259	2.71	-	84.56	34.30	10.09	34.45
PK	7.2234G	63.08	88.20	-25.12	12.22	3	Horizontal	259	2.71	-	50.86	36.25	10.53	34.56

802.11ax HEW160_Nss1,(MCS0)_2TX
6825MHz Straddle 6.525-6.875GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.675G	49.02	68.20	-19.18	21.36	3	Vertical	150	1.76	-	27.66	39.70	14.11	32.45
PK	13.6444G	63.29	88.20	-24.91	21.35	3	Vertical	150	1.76	-	41.94	39.70	14.09	32.44


802.11ax HEW160_Nss1,(MCS0)_2TX
6825MHz Straddle 6.525-6.875GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.6747G	49.00	68.20	-19.20	21.36	3	Horizontal	311	2.07	-	27.64	39.70	14.11	32.45
PK	13.6708G	63.03	88.20	-25.17	21.37	3	Horizontal	311	2.07	-	41.66	39.70	14.11	32.44

802.11ax HEW160_Nss1,(MCS0)_2TX

6985MHz_TX




05/10/2021

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.015G	89.41	Inf	-Inf	11.16	3	Vertical	141	2.53	-	78.25	35.19	10.50	34.53
AV	7.211G	51.26	68.20	-16.94	12.18	3	Vertical	141	2.53	-	39.08	36.22	10.52	34.56
PK	7.017G	101.62	Inf	-Inf	11.17	3	Vertical	141	2.53	-	90.45	35.20	10.50	34.53
PK	7.194G	63.28	88.20	-24.92	12.11	3	Vertical	141	2.53	-	51.17	36.16	10.51	34.56

802.11ax HEW160_Nss1,(MCS0)_2TX


6985MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.016G	83.69	Inf	-Inf	11.17	3	Horizontal	55	2.17	-	72.52	35.20	10.50	34.53
AV	7.218G	51.18	68.20	-17.02	12.21	3	Horizontal	55	2.17	-	38.97	36.24	10.53	34.56
PK	7.017G	95.28	Inf	-Inf	11.17	3	Horizontal	55	2.17	-	84.11	35.20	10.50	34.53
PK	7.232G	64.30	88.20	-23.90	12.24	3	Horizontal	55	2.17	-	52.06	36.26	10.54	34.56

802.11ax HEW160_Nss1,(MCS0)_2TX


6985MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.9452G	50.86	68.20	-17.34	22.00	3	Vertical	340	2.18	-	28.86	40.24	14.29	32.53
PK	13.9546G	64.55	88.20	-23.65	22.01	3	Vertical	340	2.18	-	42.54	40.26	14.29	32.54

802.11ax HEW160_Nss1,(MCS0)_2TX

6985MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.9497G	50.89	68.20	-17.31	22.01	3	Horizontal	25	1.91	-	28.88	40.25	14.29	32.53
PK	13.949G	64.53	88.20	-23.67	22.01	3	Horizontal	25	1.91	-	42.52	40.25	14.29	32.53



Summary

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
5.925-6.425GHz	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_4TX	Pass	6.16791G	-12.53	6.2109G	-62.19	-52.53	-9.66	4
802.11ax HEW20_Nss1,(MCS0)_4TX	Pass	6.16591G	-12.78	6.212G	-61.62	-52.78	-8.84	4
802.11ax HEW40_Nss1,(MCS0)_4TX	Pass	6.407G	-10.51	6.3442G	-59.26	-50.51	-8.75	2
802.11ax HEW80_Nss1,(MCS0)_4TX	Pass	6.3814G	-8.92	6.5614G	-57.49	-48.92	-8.57	4
802.11ax HEW160_Nss1,(MCS0)_4TX	Pass	6.36978G	-4.19	6.5938G	-53.45	-44.19	-9.26	4
6.425-6.525GHz	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_4TX	Pass	6.52189G	-12.29	6.5534G	-62.04	-52.29	-9.75	4
802.11ax HEW20_Nss1,(MCS0)_4TX	Pass	6.52349G	-12.08	6.5611G	-61.52	-52.08	-9.44	3
802.11ax HEW40_Nss1,(MCS0)_4TX	Pass	6.49359G	-10.20	6.5464G	-59.28	-50.20	-9.08	4
802.11ax HEW80_Nss1,(MCS0)_4TX	Pass	6.45981G	-8.45	6.5894G	-57.33	-48.45	-8.88	4
802.11ax HEW160_Nss1,(MCS0)_4TX	Pass	6.54096G	-3.83	6.7522G	-53.18	-43.83	-9.35	3
6.525-6.875GHz	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_4TX	Pass	6.86751G	-12.23	6.835G	-61.41	-52.23	-9.18	3
802.11ax HEW20_Nss1,(MCS0)_4TX	Pass	6.86591G	-12.23	6.8313G	-60.93	-52.23	-8.70	3
802.11ax HEW40_Nss1,(MCS0)_4TX	Pass	6.8832G	-10.46	6.9718G	-57.61	-50.46	-7.15	4
802.11ax HEW80_Nss1,(MCS0)_4TX	Pass	6.85861G	-8.30	6.9898G	-55.76	-48.30	-7.46	4
802.11ax HEW160_Nss1,(MCS0)_4TX	Pass	6.84098G	-3.40	6.577G	-51.05	-43.40	-7.65	3
6.875-7.125GHz	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_4TX	Pass	6.90159G	-14.08	6.9449G	-60.76	-54.08	-6.68	4
802.11ax HEW20_Nss1,(MCS0)_4TX	Pass	6.98581G	-13.46	6.9599G	-59.71	-53.46	-6.25	4
802.11ax HEW40_Nss1,(MCS0)_4TX	Pass	6.9224G	-11.95	6.9896G	-57.50	-51.95	-5.55	4
802.11ax HEW80_Nss1,(MCS0)_4TX	Pass	6.93861G	-10.47	6.8162G	-56.96	-50.47	-6.49	4
802.11ax HEW160_Nss1,(MCS0)_4TX	Pass	6.95543G	-5.56	6.7378G	-53.72	-45.56	-8.16	4



Result

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
802.11a_Nss1,(6Mbps)_4TX	-	-	-	-	-	-	-	-
5955MHz	Pass	5.96259G	-12.19	6.0011G	-63.02	-52.19	-10.83	1
5955MHz	Pass	5.96229G	-12.19	5.9881G	-63.15	-52.19	-10.96	2
5955MHz	Pass	5.96289G	-12.40	5.993G	-63.23	-52.40	-10.83	3
5955MHz	Pass	5.96249G	-12.52	5.9971G	-63.24	-52.52	-10.72	4
6175MHz	Pass	6.18249G	-11.94	6.2238G	-62.08	-51.94	-10.14	1
6175MHz	Pass	6.18249G	-11.94	6.2097G	-62.23	-51.94	-10.29	2
6175MHz	Pass	6.18189G	-12.51	6.2119G	-62.30	-52.51	-9.79	3
6175MHz	Pass	6.16791G	-12.53	6.2109G	-62.19	-52.53	-9.66	4
6415MHz	Pass	6.40751G	-11.49	6.3754G	-61.88	-51.49	-10.39	1
6415MHz	Pass	6.42249G	-12.11	6.3651G	-62.17	-52.11	-10.06	2
6415MHz	Pass	6.42259G	-12.18	6.3674G	-62.09	-52.18	-9.91	3
6415MHz	Pass	6.42279G	-12.11	6.3721G	-62.05	-52.11	-9.94	4
6435MHz	Pass	6.42791G	-11.52	6.4012G	-61.91	-51.52	-10.39	1
6435MHz	Pass	6.44249G	-11.96	6.3858G	-62.12	-51.96	-10.16	2
6435MHz	Pass	6.42811G	-11.98	6.3927G	-62.27	-51.98	-10.29	3
6435MHz	Pass	6.42791G	-12.00	6.3983G	-62.17	-52.00	-10.17	4
6475MHz	Pass	6.46791G	-11.46	6.4432G	-62.09	-51.46	-10.63	1
6475MHz	Pass	6.48279G	-11.76	6.4346G	-62.36	-51.76	-10.60	2
6475MHz	Pass	6.46781G	-11.88	6.4336G	-62.46	-51.88	-10.58	3
6475MHz	Pass	6.48239G	-11.98	6.4307G	-62.32	-51.98	-10.34	4
6515MHz	Pass	6.52279G	-11.70	6.5575G	-61.96	-51.70	-10.26	1
6515MHz	Pass	6.52219G	-12.06	6.5583G	-61.98	-52.06	-9.92	2
6515MHz	Pass	6.52259G	-12.17	6.5622G	-62.07	-52.17	-9.90	3
6515MHz	Pass	6.52189G	-12.29	6.5534G	-62.04	-52.29	-9.75	4
6535MHz	Pass	6.54279G	-11.63	6.5734G	-61.88	-51.63	-10.25	1
6535MHz	Pass	6.54209G	-11.89	6.5664G	-62.09	-51.89	-10.20	2
6535MHz	Pass	6.54239G	-11.86	6.5715G	-62.17	-51.86	-10.31	3
6535MHz	Pass	6.54209G	-12.09	6.5741G	-62.11	-52.09	-10.02	4
6695MHz	Pass	6.68751G	-12.34	6.7388G	-62.01	-52.34	-9.67	1
6695MHz	Pass	6.68781G	-12.38	6.7431G	-62.17	-52.38	-9.79	2
6695MHz	Pass	6.68791G	-12.23	6.7413G	-62.17	-52.23	-9.94	3
6695MHz	Pass	6.70269G	-12.79	6.7431G	-62.09	-52.79	-9.30	4
6855MHz	Pass	6.84791G	-11.16	6.8219G	-61.36	-51.16	-10.20	1
6855MHz	Pass	6.84851G	-11.35	6.8062G	-61.48	-51.35	-10.13	2
6855MHz	Pass	6.86229G	-11.75	6.8161G	-61.53	-51.75	-9.78	3
6855MHz	Pass	6.84751G	-12.01	6.8107G	-61.36	-52.01	-9.35	4
6875MHz	Pass	6.86751G	-11.22	6.9241G	-61.27	-51.22	-10.05	1
6875MHz	Pass	6.86791G	-11.62	6.9216G	-61.30	-51.62	-9.68	2
6875MHz	Pass	6.86751G	-12.23	6.835G	-61.41	-52.23	-9.18	3
6875MHz	Pass	6.86761G	-12.23	6.925G	-61.49	-52.23	-9.26	4
6895MHz	Pass	6.90249G	-13.42	6.9439G	-60.74	-53.42	-7.32	1
6895MHz	Pass	6.90259G	-13.58	6.9423G	-60.82	-53.58	-7.24	2
6895MHz	Pass	6.90249G	-14.19	6.9444G	-60.88	-54.19	-6.69	3
6895MHz	Pass	6.90159G	-14.08	6.9449G	-60.76	-54.08	-6.68	4
6995MHz	Pass	6.98761G	-12.92	6.9621G	-60.28	-52.92	-7.36	1
6995MHz	Pass	6.98821G	-12.84	6.9632G	-60.27	-52.84	-7.43	2
6995MHz	Pass	6.98751G	-13.59	6.9575G	-60.39	-53.59	-6.80	3
6995MHz	Pass	6.98751G	-13.67	6.9633G	-60.36	-53.67	-6.69	4
7095MHz	Pass	7.08721G	-12.45	7.0487G	-61.78	-52.45	-9.33	1
7095MHz	Pass	7.08751G	-12.96	7.0485G	-61.93	-52.96	-8.97	2
7095MHz	Pass	7.08811G	-12.97	7.0451G	-61.94	-52.97	-8.97	3
7095MHz	Pass	7.08821G	-13.49	7.0482G	-61.93	-53.49	-8.44	4
802.11ax HEW20_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-
5955MHz	Pass	5.94671G	-12.18	5.9911G	-62.61	-52.18	-10.43	1



Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
5955MHz	Pass	5.94621G	-12.17	5.9958G	-62.74	-52.17	-10.57	2
5955MHz	Pass	5.96419G	-12.11	5.9973G	-62.82	-52.11	-10.71	3
5955MHz	Pass	5.96419G	-12.24	5.9882G	-62.74	-52.24	-10.50	4
6175MHz	Pass	6.18399G	-12.32	6.2208G	-61.49	-52.32	-9.17	1
6175MHz	Pass	6.16651G	-11.86	6.2094G	-61.69	-51.86	-9.83	2
6175MHz	Pass	6.18429G	-11.98	6.2204G	-61.69	-51.98	-9.71	3
6175MHz	Pass	6.16591G	-12.78	6.212G	-61.62	-52.78	-8.84	4
6415MHz	Pass	6.42239G	-12.19	6.3727G	-61.25	-52.19	-9.06	1
6415MHz	Pass	6.42379G	-12.40	6.365G	-61.35	-52.40	-8.95	2
6415MHz	Pass	6.42379G	-12.45	6.3804G	-61.41	-52.45	-8.96	3
6415MHz	Pass	6.42409G	-12.36	6.3731G	-61.43	-52.36	-9.07	4
6435MHz	Pass	6.44309G	-11.54	6.3857G	-61.38	-51.54	-9.84	1
6435MHz	Pass	6.42651G	-11.67	6.3922G	-61.42	-51.67	-9.75	2
6435MHz	Pass	6.44409G	-11.76	6.3896G	-61.64	-51.76	-9.88	3
6435MHz	Pass	6.44409G	-11.58	6.3937G	-61.58	-51.58	-10.00	4
6475MHz	Pass	6.48269G	-11.36	6.4326G	-61.51	-51.36	-10.15	1
6475MHz	Pass	6.46651G	-11.71	6.4392G	-61.70	-51.71	-9.99	2
6475MHz	Pass	6.48379G	-11.69	6.4284G	-61.67	-51.69	-9.98	3
6475MHz	Pass	6.46651G	-11.71	6.4385G	-61.69	-51.71	-9.98	4
6515MHz	Pass	6.52339G	-11.51	6.5492G	-61.22	-51.51	-9.71	1
6515MHz	Pass	6.52379G	-11.61	6.5521G	-61.44	-51.61	-9.83	2
6515MHz	Pass	6.52349G	-12.08	6.5611G	-61.52	-52.08	-9.44	3
6515MHz	Pass	6.52429G	-12.00	6.5624G	-61.49	-52.00	-9.49	4
6535MHz	Pass	6.54249G	-11.96	6.5701G	-61.34	-51.96	-9.38	1
6535MHz	Pass	6.54389G	-11.99	6.5683G	-61.49	-51.99	-9.50	2
6535MHz	Pass	6.54369G	-12.07	6.5676G	-61.48	-52.07	-9.41	3
6535MHz	Pass	6.54349G	-12.26	6.5794G	-61.52	-52.26	-9.26	4
6695MHz	Pass	6.68671G	-11.89	6.7437G	-61.37	-51.89	-9.48	1
6695MHz	Pass	6.68631G	-12.04	6.7385G	-61.53	-52.04	-9.49	2
6695MHz	Pass	6.68581G	-12.06	6.7434G	-61.63	-52.06	-9.57	3
6695MHz	Pass	6.68681G	-12.64	6.7445G	-61.56	-52.64	-8.92	4
6855MHz	Pass	6.84611G	-11.70	6.8203G	-60.69	-51.70	-8.99	1
6855MHz	Pass	6.84611G	-11.51	6.8214G	-60.75	-51.49	-9.26	2
6855MHz	Pass	6.84621G	-11.97	6.8161G	-60.90	-51.97	-8.93	3
6855MHz	Pass	6.84631G	-12.07	6.8216G	-60.91	-52.07	-8.84	4
6875MHz	Pass	6.86581G	-11.73	6.921G	-60.63	-51.73	-8.90	1
6875MHz	Pass	6.86651G	-11.75	6.9216G	-60.77	-51.75	-9.02	2
6875MHz	Pass	6.86591G	-12.23	6.8313G	-60.93	-52.23	-8.70	3
6875MHz	Pass	6.86621G	-11.99	6.835G	-60.79	-51.99	-8.80	4
6895MHz	Pass	6.90409G	-13.06	6.9407G	-59.90	-53.06	-6.84	1
6895MHz	Pass	6.90419G	-13.11	6.9411G	-60.22	-53.11	-7.11	2
6895MHz	Pass	6.90369G	-13.84	6.9429G	-60.34	-53.84	-6.50	3
6895MHz	Pass	6.88601G	-13.51	6.943G	-60.16	-53.51	-6.65	4
6995MHz	Pass	6.98651G	-12.77	6.9621G	-59.57	-52.77	-6.80	1
6995MHz	Pass	6.98631G	-12.71	6.9596G	-59.82	-52.71	-7.11	2
6995MHz	Pass	6.98631G	-13.33	6.9615G	-59.80	-53.33	-6.47	3
6995MHz	Pass	6.98581G	-13.46	6.9599G	-59.71	-53.46	-6.25	4
7095MHz	Pass	7.08601G	-12.90	7.0475G	-61.12	-52.90	-8.22	1
7095MHz	Pass	7.08591G	-13.00	7.0455G	-61.17	-53.00	-8.17	2
7095MHz	Pass	7.08751G	-13.61	7.0474G	-61.26	-53.61	-7.65	3
7095MHz	Pass	7.08611G	-13.60	7.0458G	-61.30	-53.60	-7.70	4
802.11ax HEW40_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-
5965MHz	Pass	5.9688G	-9.82	6.0288G	-59.95	-49.82	-10.13	1
5965MHz	Pass	5.9676G	-9.66	6.0612G	-60.05	-49.66	-10.39	2
5965MHz	Pass	5.963G	-10.02	6.026G	-60.05	-50.02	-10.03	3
5965MHz	Pass	5.966G	-10.19	6.0274G	-60.02	-50.19	-9.83	4



Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
6165MHz	Pass	6.1626G	-10.00	6.2402G	-59.32	-50.00	-9.32	1
6165MHz	Pass	6.15781G	-10.35	6.2296G	-59.51	-50.35	-9.16	2
6165MHz	Pass	6.1622G	-10.08	6.2302G	-59.43	-50.08	-9.35	3
6165MHz	Pass	6.1688G	-10.48	6.2338G	-59.48	-50.48	-9.00	4
6405MHz	Pass	6.4016G	-9.87	6.3424G	-59.11	-49.87	-9.24	1
6405MHz	Pass	6.407G	-10.51	6.3442G	-59.26	-50.51	-8.75	2
6405MHz	Pass	6.4066G	-10.32	6.3438G	-59.27	-50.32	-8.95	3
6405MHz	Pass	6.4072G	-10.57	6.343G	-59.41	-50.57	-8.84	4
6445MHz	Pass	6.4404G	-9.43	6.3766G	-59.16	-49.43	-9.73	1
6445MHz	Pass	6.4472G	-9.59	6.3836G	-59.19	-49.59	-9.60	2
6445MHz	Pass	6.4472G	-9.48	6.3842G	-59.23	-49.48	-9.75	3
6445MHz	Pass	6.4422G	-10.08	6.3692G	-59.22	-50.08	-9.14	4
6485MHz	Pass	6.49139G	-9.34	6.5464G	-59.13	-49.34	-9.79	1
6485MHz	Pass	6.486G	-9.45	6.546G	-59.27	-49.45	-9.82	2
6485MHz	Pass	6.488G	-9.46	6.5456G	-59.20	-49.37	-9.83	3
6485MHz	Pass	6.49359G	-10.20	6.5464G	-59.28	-50.20	-9.08	4
6525MHz	Pass	6.5224G	-9.09	6.586G	-59.18	-49.09	-10.09	1
6525MHz	Pass	6.5262G	-9.59	6.586G	-59.33	-49.59	-9.74	2
6525MHz	Pass	6.53039G	-9.97	6.5888G	-59.43	-49.97	-9.46	3
6525MHz	Pass	6.5274G	-9.96	6.5854G	-59.40	-49.96	-9.44	4
6565MHz	Pass	6.5612G	-9.54	6.6284G	-59.48	-49.54	-9.94	1
6565MHz	Pass	6.567G	-9.63	6.626G	-59.53	-49.63	-9.90	2
6565MHz	Pass	6.5688G	-10.03	6.6262G	-59.66	-50.03	-9.63	3
6565MHz	Pass	6.5672G	-10.15	6.628G	-59.70	-50.15	-9.55	4
6685MHz	Pass	6.6822G	-9.93	6.785G	-58.84	-49.93	-8.91	1
6685MHz	Pass	6.6858G	-10.12	6.7824G	-59.04	-50.12	-8.92	2
6685MHz	Pass	6.67381G	-10.66	6.7822G	-59.06	-50.66	-8.40	3
6685MHz	Pass	6.6872G	-10.74	6.7812G	-59.06	-50.74	-8.32	4
6845MHz	Pass	6.8492G	-9.12	6.9442G	-58.05	-49.12	-8.93	1
6845MHz	Pass	6.8438G	-9.53	6.944G	-58.11	-49.53	-8.58	2
6845MHz	Pass	6.8422G	-9.50	6.9418G	-58.15	-49.50	-8.65	3
6845MHz	Pass	6.8462G	-9.99	6.9448G	-58.06	-49.99	-8.07	4
6885MHz	Pass	6.8822G	-9.35	6.9782G	-57.30	-49.35	-7.95	1
6885MHz	Pass	6.882G	-9.86	6.9822G	-57.54	-49.86	-7.68	2
6885MHz	Pass	6.8824G	-9.97	6.9794G	-57.60	-49.97	-7.63	3
6885MHz	Pass	6.8832G	-10.46	6.9718G	-57.61	-50.46	-7.15	4
6925MHz	Pass	6.9218G	-11.24	6.9866G	-57.40	-51.24	-6.16	1
6925MHz	Pass	6.91921G	-11.40	6.9896G	-57.43	-51.40	-6.03	2
6925MHz	Pass	6.9228G	-11.50	6.9946G	-57.64	-51.50	-6.14	3
6925MHz	Pass	6.9224G	-11.95	6.9896G	-57.50	-51.95	-5.55	4
7005MHz	Pass	7.0036G	-10.92	6.944G	-57.78	-50.91	-6.87	1
7005MHz	Pass	7.0074G	-11.11	6.9444G	-58.08	-51.11	-6.97	2
7005MHz	Pass	7.0074G	-11.35	6.9432G	-58.04	-51.35	-6.69	3
7005MHz	Pass	7.0074G	-11.69	6.9424G	-58.07	-51.69	-6.38	4
7085MHz	Pass	7.0816G	-10.13	6.9868G	-58.07	-50.13	-7.94	1
7085MHz	Pass	7.0868G	-10.58	6.987G	-58.24	-50.58	-7.66	2
7085MHz	Pass	7.0882G	-10.70	6.9894G	-58.32	-50.70	-7.62	3
7085MHz	Pass	7.07781G	-10.97	6.9972G	-58.29	-50.97	-7.32	4
802.11ax HEW80_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-
5985MHz	Pass	5.989G	-8.24	6.1446G	-58.20	-48.24	-9.96	1
5985MHz	Pass	5.97621G	-9.08	6.1738G	-58.25	-49.08	-9.17	2
5985MHz	Pass	5.9822G	-8.83	6.1266G	-58.20	-48.83	-9.37	3
5985MHz	Pass	5.99579G	-9.59	6.1242G	-58.22	-49.59	-8.63	4
6145MHz	Pass	6.1482G	-8.73	6.2682G	-57.67	-48.73	-8.94	1
6145MHz	Pass	6.1406G	-8.89	6.2706G	-57.74	-48.89	-8.85	2
6145MHz	Pass	6.1426G	-8.88	6.3326G	-57.68	-48.88	-8.80	3



Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
6145MHz	Pass	6.143G	-8.83	6.2746G	-57.78	-48.83	-8.95	4
6385MHz	Pass	6.381G	-8.50	6.5606G	-57.45	-48.50	-8.95	1
6385MHz	Pass	6.39059G	-8.87	6.253G	-57.71	-48.87	-8.84	2
6385MHz	Pass	6.39099G	-8.50	6.5514G	-57.62	-48.50	-9.12	3
6385MHz	Pass	6.3814G	-8.92	6.5614G	-57.49	-48.92	-8.57	4
6465MHz	Pass	6.4602G	-7.92	6.5894G	-57.38	-47.92	-9.46	1
6465MHz	Pass	6.45661G	-8.15	6.5882G	-57.19	-48.07	-9.12	2
6465MHz	Pass	6.469G	-8.16	6.5938G	-57.28	-48.16	-9.12	3
6465MHz	Pass	6.45981G	-8.45	6.5894G	-57.33	-48.45	-8.88	4
6545MHz	Pass	6.541G	-7.89	6.4082G	-57.54	-47.89	-9.65	1
6545MHz	Pass	6.5474G	-8.10	6.6666G	-57.57	-48.08	-9.49	2
6545MHz	Pass	6.5486G	-7.94	6.669G	-57.50	-47.94	-9.56	3
6545MHz	Pass	6.55099G	-8.39	6.6722G	-57.47	-48.39	-9.08	4
6625MHz	Pass	6.6214G	-7.83	6.8038G	-57.20	-47.83	-9.37	1
6625MHz	Pass	6.6262G	-8.15	6.8162G	-57.24	-48.15	-9.09	2
6625MHz	Pass	6.6294G	-8.11	6.7994G	-57.29	-48.11	-9.18	3
6625MHz	Pass	6.63019G	-8.53	6.815G	-57.27	-48.53	-8.74	4
6705MHz	Pass	6.69381G	-8.18	6.8294G	-56.87	-48.18	-8.69	1
6705MHz	Pass	6.71259G	-8.11	6.8314G	-56.80	-48.11	-8.69	2
6705MHz	Pass	6.69381G	-8.23	6.8318G	-56.82	-48.23	-8.59	3
6705MHz	Pass	6.7062G	-8.39	6.829G	-56.97	-48.39	-8.58	4
6785MHz	Pass	6.80178G	-7.87	6.9706G	-55.91	-47.87	-8.04	1
6785MHz	Pass	6.79219G	-7.84	6.9782G	-55.92	-47.84	-8.08	2
6785MHz	Pass	6.79539G	-7.92	6.9698G	-55.91	-47.92	-7.99	3
6785MHz	Pass	6.80498G	-8.44	6.965G	-55.95	-48.44	-7.51	4
6865MHz	Pass	6.87179G	-7.67	6.9886G	-55.62	-47.65	-7.97	1
6865MHz	Pass	6.87139G	-7.99	6.9882G	-55.55	-47.99	-7.56	2
6865MHz	Pass	6.85821G	-7.80	6.999G	-55.63	-47.80	-7.83	3
6865MHz	Pass	6.85861G	-8.30	6.9898G	-55.76	-48.30	-7.46	4
6945MHz	Pass	6.9414G	-9.86	6.8162G	-56.89	-49.86	-7.03	1
6945MHz	Pass	6.93821G	-10.05	6.8158G	-56.94	-50.05	-6.89	2
6945MHz	Pass	6.9426G	-9.78	6.817G	-57.01	-49.78	-7.23	3
6945MHz	Pass	6.93861G	-10.47	6.8162G	-56.96	-50.47	-6.49	4
7025MHz	Pass	7.01941G	-9.44	6.8378G	-57.07	-49.44	-7.63	1
7025MHz	Pass	7.01501G	-9.50	6.9026G	-56.83	-49.50	-7.33	2
7025MHz	Pass	7.01821G	-9.34	6.8414G	-57.03	-49.34	-7.69	3
7025MHz	Pass	7.00622G	-10.10	6.8422G	-57.05	-50.10	-6.95	4
802.11ax HEW160_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-
6025MHz	Pass	6.04098G	-3.89	6.2722G	-53.56	-43.89	-9.67	1
6025MHz	Pass	6.05697G	-4.19	6.273G	-54.02	-44.19	-9.83	2
6025MHz	Pass	6.05137G	-4.26	6.2738G	-53.81	-44.26	-9.55	3
6025MHz	Pass	6.05617G	-4.63	6.2802G	-54.06	-44.63	-9.43	4
6185MHz	Pass	6.16022G	-3.71	6.4322G	-53.56	-43.71	-9.85	1
6185MHz	Pass	6.15623G	-3.94	6.4354G	-53.79	-43.94	-9.85	2
6185MHz	Pass	6.20498G	-3.90	6.4314G	-53.76	-43.90	-9.86	3
6185MHz	Pass	6.20738G	-4.50	6.441G	-54.03	-44.50	-9.53	4
6345MHz	Pass	6.37137G	-3.93	6.593G	-53.42	-43.93	-9.49	1
6345MHz	Pass	6.35539G	-3.61	6.5906G	-52.91	-43.57	-9.34	2
6345MHz	Pass	6.36738G	-3.57	6.5954G	-52.90	-43.57	-9.33	3
6345MHz	Pass	6.36978G	-4.19	6.5938G	-53.45	-44.19	-9.26	4
6505MHz	Pass	6.52098G	-3.69	6.8178G	-53.34	-43.69	-9.65	1
6505MHz	Pass	6.53617G	-3.22	6.753G	-53.06	-43.22	-9.84	2
6505MHz	Pass	6.54096G	-3.83	6.7522G	-53.18	-43.83	-9.35	3
6505MHz	Pass	6.53297G	-3.95	6.8106G	-53.41	-43.95	-9.46	4
6665MHz	Pass	6.63143G	-3.12	6.9122G	-51.49	-43.12	-8.37	1
6665MHz	Pass	6.64582G	-3.77	6.973G	-52.03	-43.77	-8.26	2



Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
6665MHz	Pass	6.65221G	-3.71	6.9682G	-52.07	-43.71	-8.36	3
6665MHz	Pass	6.63863G	-4.42	6.9746G	-52.23	-44.42	-7.81	4
6825MHz	Pass	6.85137G	-3.44	6.5786G	-51.72	-43.41	-8.31	1
6825MHz	Pass	6.83379G	-3.42	6.5746G	-51.52	-43.42	-8.10	2
6825MHz	Pass	6.84098G	-3.40	6.577G	-51.05	-43.40	-7.65	3
6825MHz	Pass	6.83459G	-4.19	6.5794G	-52.67	-44.15	-8.52	4
6985MHz	Pass	6.96182G	-5.16	6.7362G	-53.77	-45.16	-8.61	1
6985MHz	Pass	6.95543G	-5.19	6.7394G	-53.60	-45.15	-8.45	2
6985MHz	Pass	6.96182G	-5.58	6.7354G	-53.80	-45.58	-8.22	3
6985MHz	Pass	6.95543G	-5.56	6.7378G	-53.72	-45.56	-8.16	4

802.11a_Nss1,(6Mbps)_4TX

MASK

5955MHz_TnomVnom

14/12/2021

CF Freq
5.955GHz


Span
100MHz


RBW
300kHz


VBW
1MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.96259G	-12.19	6.0011G	-63.02	-52.19	-10.83	1
5.96229G	-12.19	5.9881G	-63.15	-52.19	-10.96	2
5.96289G	-12.40	5.993G	-63.23	-52.40	-10.83	3
5.96249G	-12.52	5.9971G	-63.24	-52.52	-10.72	4

802.11a_Nss1,(6Mbps)_4TX

MASK

6175MHz_TnomVnom

14/12/2021

CF Freq
6.175GHz


Span
100MHz


RBW
300kHz


VBW
1MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.18249G	-11.94	6.2238G	-62.08	-51.94	-10.14	1
6.18249G	-11.94	6.2097G	-62.23	-51.94	-10.29	2
6.18189G	-12.51	6.2119G	-62.30	-52.51	-9.79	3
6.16791G	-12.53	6.2109G	-62.19	-52.53	-9.66	4

802.11a_Nss1,(6Mbps)_4TX

MASK

6415MHz_TnomVnom

14/12/2021

CF Freq
6.415GHz


Span
100MHz


RBW
300kHz


VBW
1MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.40751G	-11.49	6.3754G	-61.88	-51.49	-10.39	1
6.42249G	-12.11	6.3651G	-62.17	-52.11	-10.06	2
6.42259G	-12.18	6.3674G	-62.09	-52.18	-9.91	3
6.42279G	-12.11	6.3721G	-62.05	-52.11	-9.94	4

802.11a_Nss1,(6Mbps)_4TX

MASK

6435MHz_TnomVnom

14/12/2021

CF Freq
6.435GHz


Span
100MHz


RBW
300kHz


VBW
1MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.42791G	-11.52	6.4012G	-61.91	-51.52	-10.39	1
6.44249G	-11.96	6.3858G	-62.12	-51.96	-10.16	2
6.42811G	-11.98	6.3927G	-62.27	-51.98	-10.29	3
6.42791G	-12.00	6.3983G	-62.17	-52.00	-10.17	4

802.11a_Nss1,(6Mbps)_4TX

MASK

6475MHz_TnomVnom

14/12/2021

CF Freq
6.475GHz


Span
100MHz


RBW
300kHz


VBW
1MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.46791G	-11.46	6.4432G	-62.09	-51.46	-10.63	1
6.48279G	-11.76	6.4346G	-62.36	-51.76	-10.60	2
6.46781G	-11.88	6.4336G	-62.46	-51.88	-10.58	3
6.48239G	-11.98	6.4307G	-62.32	-51.98	-10.34	4

802.11a_Nss1,(6Mbps)_4TX

MASK

6515MHz_TnomVnom

14/12/2021

CF Freq
6.515GHz


Span
100MHz


RBW
300kHz


VBW
1MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.52279G	-11.70	6.5575G	-61.96	-51.70	-10.26	1
6.52219G	-12.06	6.5583G	-61.98	-52.06	-9.92	2
6.52259G	-12.17	6.5622G	-62.07	-52.17	-9.90	3
6.52189G	-12.29	6.5534G	-62.04	-52.29	-9.75	4

802.11a_Nss1,(6Mbps)_4TX

MASK

6535MHz_TnomVnom

14/12/2021

CF Freq
6.535GHz


Span
100MHz


RBW
300kHz


VBW
1MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.54279G	-11.63	6.5734G	-61.88	-51.63	-10.25	1
6.54209G	-11.89	6.5664G	-62.09	-51.89	-10.20	2
6.54239G	-11.86	6.5715G	-62.17	-51.86	-10.31	3
6.54209G	-12.09	6.5741G	-62.11	-52.09	-10.02	4

802.11a_Nss1,(6Mbps)_4TX

MASK

6695MHz_TnomVnom

14/12/2021

CF Freq
6.695GHz


Span
100MHz


RBW
300kHz


VBW
1MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.68751G	-12.34	6.7388G	-62.01	-52.34	-9.67	1
6.68781G	-12.38	6.7431G	-62.17	-52.38	-9.79	2
6.68791G	-12.23	6.7413G	-62.17	-52.23	-9.94	3
6.70269G	-12.79	6.7431G	-62.09	-52.79	-9.30	4

802.11a_Nss1,(6Mbps)_4TX

MASK

6855MHz_TnomVnom

14/12/2021

CF Freq
6.855GHz


Span
100MHz


RBW
300kHz


VBW
1MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.84791G	-11.16	6.8219G	-61.36	-51.16	-10.20	1
6.84851G	-11.35	6.8062G	-61.48	-51.35	-10.13	2
6.86229G	-11.75	6.8161G	-61.53	-51.75	-9.78	3
6.84751G	-12.01	6.8107G	-61.36	-52.01	-9.35	4

802.11a_Nss1,(6Mbps)_4TX

MASK

6875MHz_TnomVnom

14/12/2021

CF Freq
6.875GHz


Span
100MHz


RBW
300kHz


VBW
1MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.86751G	-11.22	6.9241G	-61.27	-51.22	-10.05	1
6.86791G	-11.62	6.9216G	-61.30	-51.62	-9.68	2
6.86751G	-12.23	6.835G	-61.41	-52.23	-9.18	3
6.86761G	-12.23	6.925G	-61.49	-52.23	-9.26	4

802.11a_Nss1,(6Mbps)_4TX

MASK

6895MHz_TnomVnom

14/12/2021

CF Freq
6.895GHz


Span
100MHz


RBW
300kHz


VBW
1MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.90249G	-13.42	6.9439G	-60.74	-53.42	-7.32	1
6.90259G	-13.58	6.9423G	-60.82	-53.58	-7.24	2
6.90249G	-14.19	6.9444G	-60.88	-54.19	-6.69	3
6.90159G	-14.08	6.9449G	-60.76	-54.08	-6.68	4

802.11a_Nss1,(6Mbps)_4TX

MASK

6995MHz_TnomVnom

14/12/2021

CF Freq
6.995GHz


Span
100MHz


RBW
300kHz


VBW
1MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.98761G	-12.92	6.9621G	-60.28	-52.92	-7.36	1
6.98821G	-12.84	6.9632G	-60.27	-52.84	-7.43	2
6.98751G	-13.59	6.9575G	-60.39	-53.59	-6.80	3
6.98751G	-13.67	6.9633G	-60.36	-53.67	-6.69	4

802.11a_Nss1,(6Mbps)_4TX

MASK

7095MHz_TnomVnom

14/12/2021

CF Freq
7.095GHz


Span
100MHz


RBW
300kHz


VBW
1MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.08721G	-12.45	7.0487G	-61.78	-52.45	-9.33	1
7.08751G	-12.96	7.0485G	-61.93	-52.96	-8.97	2
7.08811G	-12.97	7.0451G	-61.94	-52.97	-8.97	3
7.08821G	-13.49	7.0482G	-61.93	-53.49	-8.44	4

802.11ax HEW20_Nss1,(MCS0)_4TX

MASK

5955MHz_TnomVnom

14/12/2021

CF Freq
5.955GHz


Span
100MHz


RBW
300kHz


VBW
1MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.94671G	-12.18	5.9911G	-62.61	-52.18	-10.43	1
5.94621G	-12.17	5.9958G	-62.74	-52.17	-10.57	2
5.96419G	-12.11	5.9973G	-62.82	-52.11	-10.71	3
5.96419G	-12.24	5.9882G	-62.74	-52.24	-10.50	4

802.11ax HEW20_Nss1,(MCS0)_4TX

MASK

6175MHz_TnomVnom

14/12/2021

CF Freq
6.175GHz


Span
100MHz


RBW
300kHz


VBW
1MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.18399G	-12.32	6.2208G	-61.49	-52.32	-9.17	1
6.16651G	-11.86	6.2094G	-61.69	-51.86	-9.83	2
6.18429G	-11.98	6.2204G	-61.69	-51.98	-9.71	3
6.16591G	-12.78	6.212G	-61.62	-52.78	-8.84	4

802.11ax HEW20_Nss1,(MCS0)_4TX

MASK

6415MHz_TnomVnom

14/12/2021

CF Freq
6.415GHz


Span
100MHz


RBW
300kHz


VBW
1MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.42239G	-12.19	6.3727G	-61.25	-52.19	-9.06	1
6.42379G	-12.40	6.365G	-61.35	-52.40	-8.95	2
6.42379G	-12.45	6.3804G	-61.41	-52.45	-8.96	3
6.42409G	-12.36	6.3731G	-61.43	-52.36	-9.07	4

802.11ax HEW20_Nss1,(MCS0)_4TX

MASK

6435MHz_TnomVnom

14/12/2021

CF Freq
6.435GHz


Span
100MHz


RBW
300kHz


VBW
1MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.44309G	-11.54	6.3857G	-61.38	-51.54	-9.84	1
6.42651G	-11.67	6.3922G	-61.42	-51.67	-9.75	2
6.44409G	-11.76	6.3896G	-61.64	-51.76	-9.88	3
6.44409G	-11.58	6.3937G	-61.58	-51.58	-10.00	4

802.11ax HEW20_Nss1,(MCS0)_4TX

MASK

6475MHz_TnomVnom

14/12/2021

CF Freq
6.475GHz


Span
100MHz


RBW
300kHz


VBW
1MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.48269G	-11.36	6.4326G	-61.51	-51.36	-10.15	1
6.46651G	-11.71	6.4392G	-61.70	-51.71	-9.99	2
6.48379G	-11.69	6.4284G	-61.67	-51.69	-9.98	3
6.46651G	-11.71	6.4385G	-61.69	-51.71	-9.98	4

802.11ax HEW20_Nss1,(MCS0)_4TX

MASK

6515MHz_TnomVnom

14/12/2021

CF Freq
6.515GHz


Span
100MHz


RBW
300kHz


VBW
1MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.52339G	-11.51	6.5492G	-61.22	-51.51	-9.71	1
6.52379G	-11.61	6.5521G	-61.44	-51.61	-9.83	2
6.52349G	-12.08	6.5611G	-61.52	-52.08	-9.44	3
6.52429G	-12.00	6.5624G	-61.49	-52.00	-9.49	4

802.11ax HEW20_Nss1,(MCS0)_4TX

MASK

6535MHz_TnomVnom

14/12/2021

CF Freq
6.535GHz


Span
100MHz


RBW
300kHz


VBW
1MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.54249G	-11.96	6.5701G	-61.34	-51.96	-9.38	1
6.54389G	-11.99	6.5683G	-61.49	-51.99	-9.50	2
6.54369G	-12.07	6.5676G	-61.48	-52.07	-9.41	3
6.54349G	-12.26	6.5794G	-61.52	-52.26	-9.26	4

802.11ax HEW20_Nss1,(MCS0)_4TX

MASK

6695MHz_TnomVnom

14/12/2021

CF Freq
6.695GHz


Span
100MHz


RBW
300kHz


VBW
1MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.68671G	-11.89	6.7437G	-61.37	-51.89	-9.48	1
6.68631G	-12.04	6.7385G	-61.53	-52.04	-9.49	2
6.68581G	-12.06	6.7434G	-61.63	-52.06	-9.57	3
6.68681G	-12.64	6.7445G	-61.56	-52.64	-8.92	4

802.11ax HEW20_Nss1,(MCS0)_4TX

MASK

6855MHz_TnomVnom

14/12/2021

CF Freq
6.855GHz


Span
100MHz


RBW
300kHz


VBW
1MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.84611G	-11.70	6.8203G	-60.69	-51.70	-8.99	1
6.84611G	-11.51	6.8214G	-60.75	-51.49	-9.26	2
6.84621G	-11.97	6.8161G	-60.90	-51.97	-8.93	3
6.84631G	-12.07	6.8216G	-60.91	-52.07	-8.84	4

802.11ax HEW20_Nss1,(MCS0)_4TX

MASK

6875MHz_TnomVnom

14/12/2021

CF Freq
6.875GHz


Span
100MHz


RBW
300kHz


VBW
1MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.86581G	-11.73	6.921G	-60.63	-51.73	-8.90	1
6.86651G	-11.75	6.9216G	-60.77	-51.75	-9.02	2
6.86591G	-12.23	6.8313G	-60.93	-52.23	-8.70	3
6.86621G	-11.99	6.835G	-60.79	-51.99	-8.80	4

802.11ax HEW20_Nss1,(MCS0)_4TX

MASK

6895MHz_TnomVnom

14/12/2021

CF Freq
6.895GHz


Span
100MHz


RBW
300kHz


VBW
1MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.90409G	-13.06	6.9407G	-59.90	-53.06	-6.84	1
6.90419G	-13.11	6.9411G	-60.22	-53.11	-7.11	2
6.90369G	-13.84	6.9429G	-60.34	-53.84	-6.50	3
6.88601G	-13.51	6.943G	-60.16	-53.51	-6.65	4

802.11ax HEW20_Nss1,(MCS0)_4TX

MASK

6995MHz_TnomVnom

14/12/2021




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.98651G	-12.77	6.9621G	-59.57	-52.77	-6.80	1
6.98631G	-12.71	6.9596G	-59.82	-52.71	-7.11	2
6.98631G	-13.33	6.9615G	-59.80	-53.33	-6.47	3
6.98581G	-13.46	6.9599G	-59.71	-53.46	-6.25	4

802.11ax HEW20_Nss1,(MCS0)_4TX

MASK

7095MHz_TnomVnom

14/12/2021



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.08601G	-12.90	7.0475G	-61.12	-52.90	-8.22	1
7.08591G	-13.00	7.0455G	-61.17	-53.00	-8.17	2
7.08751G	-13.61	7.0474G	-61.26	-53.61	-7.65	3
7.08611G	-13.60	7.0458G	-61.30	-53.60	-7.70	4

802.11ax HEW40_Nss1,(MCS0)_4TX

MASK

5965MHz_TnomVnom

14/12/2021

CF Freq
5.965GHz


Span
200MHz


RBW
500kHz


VBW
2MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.9688G	-9.82	6.0288G	-59.95	-49.82	-10.13	1
5.9676G	-9.66	6.0612G	-60.05	-49.66	-10.39	2
5.963G	-10.02	6.026G	-60.05	-50.02	-10.03	3
5.966G	-10.19	6.0274G	-60.02	-50.19	-9.83	4

802.11ax HEW40_Nss1,(MCS0)_4TX

MASK

6165MHz_TnomVnom

14/12/2021

CF Freq
6.165GHz


Span
200MHz


RBW
500kHz


VBW
2MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.1626G	-10.00	6.2402G	-59.32	-50.00	-9.32	1
6.15781G	-10.35	6.2296G	-59.51	-50.35	-9.16	2
6.1622G	-10.08	6.2302G	-59.43	-50.08	-9.35	3
6.1688G	-10.48	6.2338G	-59.48	-50.48	-9.00	4

802.11ax HEW40_Nss1,(MCS0)_4TX

MASK

6405MHz_TnomVnom

14/12/2021

CF Freq
6.405GHz


Span
200MHz


RBW
500kHz


VBW
2MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.4016G	-9.87	6.3424G	-59.11	-49.87	-9.24	1
6.407G	-10.51	6.3442G	-59.26	-50.51	-8.75	2
6.4066G	-10.32	6.3438G	-59.27	-50.32	-8.95	3
6.4072G	-10.57	6.343G	-59.41	-50.57	-8.84	4

802.11ax HEW40_Nss1,(MCS0)_4TX

MASK

6445MHz_TnomVnom

14/12/2021

CF Freq
6.445GHz


Span
200MHz


RBW
500kHz


VBW
2MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.4404G	-9.43	6.3766G	-59.16	-49.43	-9.73	1
6.4472G	-9.59	6.3836G	-59.19	-49.59	-9.60	2
6.4472G	-9.48	6.3842G	-59.23	-49.48	-9.75	3
6.4422G	-10.08	6.3692G	-59.22	-50.08	-9.14	4

802.11ax HEW40_Nss1,(MCS0)_4TX

MASK

6485MHz_TnomVnom

14/12/2021

CF Freq
6.485GHz


Span
200MHz


RBW
500kHz


VBW
2MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.49139G	-9.34	6.5464G	-59.13	-49.34	-9.79	1
6.486G	-9.45	6.546G	-59.27	-49.45	-9.82	2
6.488G	-9.46	6.5456G	-59.20	-49.37	-9.83	3
6.49359G	-10.20	6.5464G	-59.28	-50.20	-9.08	4

802.11ax HEW40_Nss1,(MCS0)_4TX

MASK

6525MHz_TnomVnom

14/12/2021

CF Freq
6.525GHz


Span
200MHz


RBW
500kHz


VBW
2MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.5224G	-9.09	6.586G	-59.18	-49.09	-10.09	1
6.5262G	-9.59	6.586G	-59.33	-49.59	-9.74	2
6.53039G	-9.97	6.5888G	-59.43	-49.97	-9.46	3
6.5274G	-9.96	6.5854G	-59.40	-49.96	-9.44	4

802.11ax HEW40_Nss1,(MCS0)_4TX

MASK

6565MHz_TnomVnom

14/12/2021

CF Freq
6.565GHz


Span
200MHz


RBW
500kHz


VBW
2MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.5612G	-9.54	6.6284G	-59.48	-49.54	-9.94	1
6.567G	-9.63	6.626G	-59.53	-49.63	-9.90	2
6.5688G	-10.03	6.6262G	-59.66	-50.03	-9.63	3
6.5672G	-10.15	6.628G	-59.70	-50.15	-9.55	4

802.11ax HEW40_Nss1,(MCS0)_4TX

MASK

6685MHz_TnomVnom

14/12/2021

CF Freq
6.685GHz


Span
200MHz


RBW
500kHz


VBW
2MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.6822G	-9.93	6.785G	-58.84	-49.93	-8.91	1
6.6858G	-10.12	6.7824G	-59.04	-50.12	-8.92	2
6.67381G	-10.66	6.7822G	-59.06	-50.66	-8.40	3
6.6872G	-10.74	6.7812G	-59.06	-50.74	-8.32	4

802.11ax HEW40_Nss1,(MCS0)_4TX

MASK

6845MHz_TnomVnom

14/12/2021

CF Freq
6.845GHz


Span
200MHz


RBW
500kHz


VBW
2MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.8492G	-9.12	6.9442G	-58.05	-49.12	-8.93	1
6.8438G	-9.53	6.944G	-58.11	-49.53	-8.58	2
6.8422G	-9.50	6.9418G	-58.15	-49.50	-8.65	3
6.8462G	-9.99	6.9448G	-58.06	-49.99	-8.07	4

802.11ax HEW40_Nss1,(MCS0)_4TX

MASK

6885MHz_TnomVnom

14/12/2021

CF Freq
6.885GHz


Span
200MHz


RBW
500kHz


VBW
2MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.8822G	-9.35	6.9782G	-57.30	-49.35	-7.95	1
6.882G	-9.86	6.9822G	-57.54	-49.86	-7.68	2
6.8824G	-9.97	6.9794G	-57.60	-49.97	-7.63	3
6.8832G	-10.46	6.9718G	-57.61	-50.46	-7.15	4

802.11ax HEW40_Nss1,(MCS0)_4TX

MASK

6925MHz_TnomVnom

14/12/2021

CF Freq
6.925GHz


Span
200MHz


RBW
500kHz


VBW
2MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.9218G	-11.24	6.9866G	-57.40	-51.24	-6.16	1
6.91921G	-11.40	6.9896G	-57.43	-51.40	-6.03	2
6.9228G	-11.50	6.9946G	-57.64	-51.50	-6.14	3
6.9224G	-11.95	6.9896G	-57.50	-51.95	-5.55	4

802.11ax HEW40_Nss1,(MCS0)_4TX

MASK

7005MHz_TnomVnom

14/12/2021

CF Freq
7.005GHz


Span
200MHz


RBW
500kHz


VBW
2MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.0036G	-10.92	6.944G	-57.78	-50.91	-6.87	1
7.0074G	-11.11	6.9444G	-58.08	-51.11	-6.97	2
7.0074G	-11.35	6.9432G	-58.04	-51.35	-6.69	3
7.0074G	-11.69	6.9424G	-58.07	-51.69	-6.38	4

802.11ax HEW40_Nss1,(MCS0)_4TX

MASK

7085MHz_TnomVnom

14/12/2021

CF Freq
7.085GHz


Span
200MHz


RBW
500kHz


VBW
2MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.0816G	-10.13	6.9868G	-58.07	-50.13	-7.94	1
7.0868G	-10.58	6.987G	-58.24	-50.58	-7.66	2
7.0882G	-10.70	6.9894G	-58.32	-50.70	-7.62	3
7.07781G	-10.97	6.9972G	-58.29	-50.97	-7.32	4

802.11ax HEW80_Nss1,(MCS0)_4TX

MASK

5985MHz_TnomVnom

01/10/2021

CF Freq
5.985GHz


Span
400MHz


RBW
1MHz


VBW
3MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.989G	-8.24	6.1446G	-58.20	-48.24	-9.96	1
5.97621G	-9.08	6.1738G	-58.25	-49.08	-9.17	2
5.9822G	-8.83	6.1266G	-58.20	-48.83	-9.37	3
5.99579G	-9.59	6.1242G	-58.22	-49.59	-8.63	4

802.11ax HEW80_Nss1,(MCS0)_4TX

MASK

6145MHz_TnomVnom

01/10/2021

CF Freq
6.145GHz


Span
400MHz


RBW
1MHz


VBW
3MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.1482G	-8.73	6.2682G	-57.67	-48.73	-8.94	1
6.1406G	-8.89	6.2706G	-57.74	-48.89	-8.85	2
6.1426G	-8.88	6.3326G	-57.68	-48.88	-8.80	3
6.143G	-8.83	6.2746G	-57.78	-48.83	-8.95	4

802.11ax HEW80_Nss1,(MCS0)_4TX

MASK

6385MHz_TnomVnom

01/10/2021

CF Freq
6.385GHz


Span
400MHz


RBW
1MHz


VBW
3MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.381G	-8.50	6.5606G	-57.45	-48.50	-8.95	1
6.39059G	-8.87	6.253G	-57.71	-48.87	-8.84	2
6.39099G	-8.50	6.5514G	-57.62	-48.50	-9.12	3
6.3814G	-8.92	6.5614G	-57.49	-48.92	-8.57	4

802.11ax HEW80_Nss1,(MCS0)_4TX

MASK

6465MHz_TnomVnom

01/10/2021

CF Freq
6.465GHz


Span
400MHz


RBW
1MHz


VBW
3MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.4602G	-7.92	6.5894G	-57.38	-47.92	-9.46	1
6.45661G	-8.15	6.5882G	-57.19	-48.07	-9.12	2
6.469G	-8.16	6.5938G	-57.28	-48.16	-9.12	3
6.45981G	-8.45	6.5894G	-57.33	-48.45	-8.88	4

802.11ax HEW80_Nss1,(MCS0)_4TX

MASK

6545MHz_TnomVnom

01/10/2021

CF Freq
6.545GHz


Span
400MHz


RBW
1MHz


VBW
3MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.541G	-7.89	6.4082G	-57.54	-47.89	-9.65	1
6.5474G	-8.10	6.6666G	-57.57	-48.08	-9.49	2
6.5486G	-7.94	6.669G	-57.50	-47.94	-9.56	3
6.55099G	-8.39	6.6722G	-57.47	-48.39	-9.08	4

802.11ax HEW80_Nss1,(MCS0)_4TX

MASK

6625MHz_TnomVnom

01/10/2021

CF Freq
6.625GHz


Span
400MHz


RBW
1MHz


VBW
3MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.6214G	-7.83	6.8038G	-57.20	-47.83	-9.37	1
6.6262G	-8.15	6.8162G	-57.24	-48.15	-9.09	2
6.6294G	-8.11	6.7994G	-57.29	-48.11	-9.18	3
6.63019G	-8.53	6.815G	-57.27	-48.53	-8.74	4

802.11ax HEW80_Nss1,(MCS0)_4TX

MASK

6705MHz_TnomVnom

01/10/2021

CF Freq
6.705GHz


Span
400MHz


RBW
1MHz


VBW
3MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.69381G	-8.18	6.8294G	-56.87	-48.18	-8.69	1
6.71259G	-8.11	6.8314G	-56.80	-48.11	-8.69	2
6.69381G	-8.23	6.8318G	-56.82	-48.23	-8.59	3
6.7062G	-8.39	6.829G	-56.97	-48.39	-8.58	4

802.11ax HEW80_Nss1,(MCS0)_4TX

MASK

6785MHz_TnomVnom

01/10/2021

CF Freq
6.785GHz


Span
400MHz


RBW
1MHz


VBW
3MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.80178G	-7.87	6.9706G	-55.91	-47.87	-8.04	1
6.79219G	-7.84	6.9782G	-55.92	-47.84	-8.08	2
6.79539G	-7.92	6.9698G	-55.91	-47.92	-7.99	3
6.80498G	-8.44	6.965G	-55.95	-48.44	-7.51	4

802.11ax HEW80_Nss1,(MCS0)_4TX

MASK

6865MHz_TnomVnom

01/10/2021

CF Freq
6.865GHz


Span
400MHz


RBW
1MHz


VBW
3MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.87179G	-7.67	6.9886G	-55.62	-47.65	-7.97	1
6.87139G	-7.99	6.9882G	-55.55	-47.99	-7.56	2
6.85821G	-7.80	6.999G	-55.63	-47.80	-7.83	3
6.85861G	-8.30	6.9898G	-55.76	-48.30	-7.46	4

802.11ax HEW80_Nss1,(MCS0)_4TX

MASK

6945MHz_TnomVnom

01/10/2021

CF Freq
6.945GHz


Span
400MHz


RBW
1MHz


VBW
3MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.9414G	-9.86	6.8162G	-56.89	-49.86	-7.03	1
6.93821G	-10.05	6.8158G	-56.94	-50.05	-6.89	2
6.9426G	-9.78	6.817G	-57.01	-49.78	-7.23	3
6.93861G	-10.47	6.8162G	-56.96	-50.47	-6.49	4

802.11ax HEW80_Nss1,(MCS0)_4TX

MASK

7025MHz_TnomVnom

01/10/2021

CF Freq
7.025GHz


Span
400MHz


RBW
1MHz


VBW
3MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.01941G	-9.44	6.8378G	-57.07	-49.44	-7.63	1
7.01501G	-9.50	6.9026G	-56.83	-49.50	-7.33	2
7.01821G	-9.34	6.8414G	-57.03	-49.34	-7.69	3
7.00622G	-10.10	6.8422G	-57.05	-50.10	-6.95	4

802.11ax HEW160_Nss1,(MCS0)_4TX

MASK

6025MHz_TnomVnom

14/12/2021

CF Freq
6.025GHz


Span
800MHz


RBW
2MHz


VBW
10MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.04098G	-3.89	6.2722G	-53.56	-43.89	-9.67	1
6.05697G	-4.19	6.273G	-54.02	-44.19	-9.83	2
6.05137G	-4.26	6.2738G	-53.81	-44.26	-9.55	3
6.05617G	-4.63	6.2802G	-54.06	-44.63	-9.43	4

802.11ax HEW160_Nss1,(MCS0)_4TX

MASK

6185MHz_TnomVnom

14/12/2021

CF Freq
6.185GHz


Span
800MHz


RBW
2MHz


VBW
10MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.16022G	-3.71	6.4322G	-53.56	-43.71	-9.85	1
6.15623G	-3.94	6.4354G	-53.79	-43.94	-9.85	2
6.20498G	-3.90	6.4314G	-53.76	-43.90	-9.86	3
6.20738G	-4.50	6.441G	-54.03	-44.50	-9.53	4

802.11ax HEW160_Nss1,(MCS0)_4TX

MASK

6345MHz_TnomVnom

14/12/2021

CF Freq
6.345GHz


Span
800MHz


RBW
2MHz


VBW
10MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.37137G	-3.93	6.593G	-53.42	-43.93	-9.49	1
6.35539G	-3.61	6.5906G	-52.91	-43.57	-9.34	2
6.36738G	-3.57	6.5954G	-52.90	-43.57	-9.33	3
6.36978G	-4.19	6.5938G	-53.45	-44.19	-9.26	4

802.11ax HEW160_Nss1,(MCS0)_4TX

MASK

6505MHz_TnomVnom

14/12/2021

CF Freq
6.505GHz


Span
800MHz


RBW
2MHz


VBW
10MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.52098G	-3.69	6.8178G	-53.34	-43.69	-9.65	1
6.53617G	-3.22	6.753G	-53.06	-43.22	-9.84	2
6.54096G	-3.83	6.7522G	-53.18	-43.83	-9.35	3
6.53297G	-3.95	6.8106G	-53.41	-43.95	-9.46	4

802.11ax HEW160_Nss1,(MCS0)_4TX

MASK

6665MHz_TnomVnom

14/12/2021

CF Freq
6.665GHz


Span
800MHz


RBW
2MHz


VBW
10MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.63143G	-3.12	6.9122G	-51.49	-43.12	-8.37	1
6.64582G	-3.77	6.973G	-52.03	-43.77	-8.26	2
6.65221G	-3.71	6.9682G	-52.07	-43.71	-8.36	3
6.63863G	-4.42	6.9746G	-52.23	-44.42	-7.81	4

802.11ax HEW160_Nss1,(MCS0)_4TX

MASK

6825MHz_TnomVnom

14/12/2021

CF Freq
6.825GHz


Span
800MHz


RBW
2MHz


VBW
10MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.85137G	-3.44	6.5786G	-51.72	-43.41	-8.31	1
6.83379G	-3.42	6.5746G	-51.52	-43.42	-8.10	2
6.84098G	-3.40	6.577G	-51.05	-43.40	-7.65	3
6.83459G	-4.19	6.5794G	-52.67	-44.15	-8.52	4

802.11ax HEW160_Nss1,(MCS0)_4TX

MASK

6985MHz_TnomVnom

14/12/2021

CF Freq
6.985GHz


Span
800MHz


RBW
2MHz


VBW
10MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.96182G	-5.16	6.7362G	-53.77	-45.16	-8.61	1
6.95543G	-5.19	6.7394G	-53.60	-45.15	-8.45	2
6.96182G	-5.58	6.7354G	-53.80	-45.58	-8.22	3
6.95543G	-5.56	6.7378G	-53.72	-45.56	-8.16	4



Summary

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
5.925-6.425GHz	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX	Pass	6.40811G	-16.76	6.3679G	-62.05	-56.76	-5.29	1
802.11ax HEW20_Nss1,(MCS0)_2TX	Pass	6.40641G	-16.69	6.3688G	-61.93	-56.69	-5.24	1
802.11ax HEW40_Nss1,(MCS0)_2TX	Pass	6.4086G	-15.82	6.3438G	-59.86	-55.82	-4.04	1
802.11ax HEW80_Nss1,(MCS0)_2TX	Pass	6.3822G	-13.63	6.5538G	-59.36	-53.63	-5.73	1
802.11ax HEW160_Nss1,(MCS0)_2TX	Pass	6.05537G	-9.06	6.3706G	-54.33	-49.06	-5.27	1
6.425-6.525GHz	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX	Pass	6.44249G	-16.87	6.39G	-62.02	-56.87	-5.15	1
802.11ax HEW20_Nss1,(MCS0)_2TX	Pass	6.44369G	-16.84	6.3874G	-62.01	-56.84	-5.17	1
802.11ax HEW40_Nss1,(MCS0)_2TX	Pass	6.4434G	-15.87	6.358G	-59.78	-55.87	-3.91	1
802.11ax HEW80_Nss1,(MCS0)_2TX	Pass	6.53581G	-13.31	6.3862G	-59.60	-53.31	-6.29	1
802.11ax HEW160_Nss1,(MCS0)_2TX	Pass	6.48422G	-8.92	6.8202G	-53.86	-48.92	-4.94	1
6.525-6.875GHz	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX	Pass	6.68741G	-17.68	6.7441G	-62.04	-57.68	-4.36	1
802.11ax HEW20_Nss1,(MCS0)_2TX	Pass	6.68591G	-17.59	6.7374G	-61.99	-57.59	-4.40	1
802.11ax HEW40_Nss1,(MCS0)_2TX	Pass	6.8888G	-15.49	6.9782G	-58.16	-55.49	-2.67	2
802.11ax HEW80_Nss1,(MCS0)_2TX	Pass	6.85701G	-13.32	6.9918G	-59.01	-53.32	-5.69	1
802.11ax HEW160_Nss1,(MCS0)_2TX	Pass	6.63463G	-9.63	6.9802G	-52.41	-49.63	-2.78	1
6.875-7.125GHz	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX	Pass	6.98821G	-17.35	6.9635G	-60.18	-57.35	-2.83	1
802.11ax HEW20_Nss1,(MCS0)_2TX	Pass	6.98621G	-17.71	6.9623G	-60.18	-57.71	-2.47	1
802.11ax HEW40_Nss1,(MCS0)_2TX	Pass	6.91921G	-15.97	6.9888G	-57.96	-55.97	-1.99	2
802.11ax HEW80_Nss1,(MCS0)_2TX	Pass	7.01941G	-13.53	6.8298G	-59.89	-53.53	-6.36	1
802.11ax HEW160_Nss1,(MCS0)_2TX	Pass	6.99939G	-9.79	7.353G	-53.93	-49.79	-4.14	1



Result

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
802.11a_Nss1,(6Mbps)_2TX	-	-	-	-	-	-	-	-
5955MHz	Pass	5.94771G	-16.79	5.9155G	-63.10	-56.79	-6.31	1
5955MHz	Pass	5.96189G	-16.32	5.9112G	-63.30	-56.32	-6.98	2
6175MHz	Pass	6.16751G	-16.63	6.2195G	-62.19	-56.63	-5.56	1
6175MHz	Pass	6.16751G	-16.04	6.2129G	-62.29	-56.04	-6.25	2
6415MHz	Pass	6.40811G	-16.76	6.3679G	-62.05	-56.76	-5.29	1
6415MHz	Pass	6.42249G	-16.65	6.3704G	-62.03	-56.65	-5.38	2
6435MHz	Pass	6.44249G	-16.87	6.39G	-62.02	-56.87	-5.15	1
6435MHz	Pass	6.42751G	-16.67	6.388G	-62.25	-56.67	-5.58	2
6475MHz	Pass	6.46751G	-16.99	6.4301G	-62.15	-56.99	-5.16	1
6475MHz	Pass	6.48279G	-16.55	6.4379G	-62.43	-56.55	-5.88	2
6515MHz	Pass	6.52249G	-16.54	6.5524G	-62.03	-56.54	-5.49	1
6515MHz	Pass	6.50781G	-16.01	6.5536G	-62.18	-56.01	-6.17	2
6535MHz	Pass	6.52721G	-16.65	6.5753G	-62.00	-56.65	-5.35	1
6535MHz	Pass	6.52811G	-16.26	6.5663G	-62.09	-56.26	-5.83	2
6695MHz	Pass	6.68741G	-17.68	6.7441G	-62.04	-57.68	-4.36	1
6695MHz	Pass	6.68751G	-17.35	6.7437G	-62.26	-57.35	-4.91	2
6855MHz	Pass	6.86249G	-17.08	6.8062G	-61.45	-57.08	-4.37	1
6855MHz	Pass	6.86179G	-16.86	6.823G	-61.53	-56.86	-4.67	2
6875MHz	Pass	6.88249G	-16.74	6.9236G	-61.27	-56.74	-4.53	1
6875MHz	Pass	6.86751G	-16.72	6.9199G	-61.53	-56.72	-4.81	2
6895MHz	Pass	6.88781G	-17.18	6.9446G	-60.67	-57.18	-3.49	1
6895MHz	Pass	6.90249G	-16.84	6.942G	-60.90	-56.84	-4.06	2
6995MHz	Pass	6.98821G	-17.35	6.9635G	-60.18	-57.35	-2.83	1
6995MHz	Pass	6.98721G	-16.79	6.9571G	-60.44	-56.79	-3.65	2
7095MHz	Pass	7.08711G	-17.32	7.05G	-61.85	-57.32	-4.53	1
7095MHz	Pass	7.08731G	-16.90	7.0455G	-61.98	-56.90	-5.08	2
802.11ax HEW20_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5955MHz	Pass	5.96419G	-16.71	5.9959G	-63.00	-56.71	-6.29	1
5955MHz	Pass	5.94661G	-16.54	5.9936G	-63.16	-56.54	-6.62	2
6175MHz	Pass	6.18379G	-16.72	6.2097G	-62.04	-56.72	-5.32	1
6175MHz	Pass	6.18369G	-15.87	6.2144G	-62.24	-55.87	-6.37	2
6415MHz	Pass	6.40641G	-16.69	6.3688G	-61.93	-56.69	-5.24	1
6415MHz	Pass	6.40741G	-16.58	6.3738G	-62.02	-56.58	-5.44	2
6435MHz	Pass	6.44369G	-16.84	6.3874G	-62.01	-56.84	-5.17	1
6435MHz	Pass	6.44409G	-16.52	6.3918G	-61.96	-56.52	-5.44	2
6475MHz	Pass	6.46591G	-16.79	6.4303G	-62.31	-56.79	-5.52	1
6475MHz	Pass	6.48379G	-16.15	6.4259G	-62.33	-56.15	-6.18	2
6515MHz	Pass	6.50591G	-16.46	6.5502G	-61.96	-56.46	-5.50	1
6515MHz	Pass	6.50631G	-15.95	6.5603G	-62.04	-55.95	-6.09	2
6535MHz	Pass	6.52621G	-16.48	6.5719G	-62.01	-56.48	-5.53	1
6535MHz	Pass	6.52661G	-16.05	6.5688G	-62.00	-56.05	-5.95	2
6695MHz	Pass	6.68591G	-17.59	6.7374G	-61.99	-57.59	-4.40	1
6695MHz	Pass	6.68781G	-17.26	6.7443G	-62.19	-57.26	-4.93	2
6855MHz	Pass	6.86399G	-16.96	6.81G	-61.43	-56.96	-4.47	1
6855MHz	Pass	6.86389G	-16.91	6.8169G	-61.47	-56.91	-4.56	2
6875MHz	Pass	6.88409G	-16.79	6.9215G	-61.31	-56.79	-4.52	1
6875MHz	Pass	6.86621G	-16.77	6.9235G	-61.43	-56.77	-4.66	2
6895MHz	Pass	6.90259G	-17.11	6.9432G	-60.70	-57.11	-3.59	1
6895MHz	Pass	6.88631G	-16.56	6.9426G	-60.85	-56.56	-4.29	2
6995MHz	Pass	6.98621G	-17.71	6.9623G	-60.18	-57.71	-2.47	1
6995MHz	Pass	7.00399G	-17.11	6.958G	-60.38	-57.11	-3.27	2
7095MHz	Pass	7.08761G	-17.01	7.0472G	-61.75	-57.01	-4.74	1
7095MHz	Pass	7.08611G	-16.43	7.0464G	-61.76	-56.43	-5.33	2
802.11ax HEW40_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
5965MHz	Pass	5.966G	-15.46	6.0278G	-60.70	-55.46	-5.24	1
5965MHz	Pass	5.9678G	-15.27	6.0562G	-60.87	-55.27	-5.60	2
6165MHz	Pass	6.1612G	-14.35	6.233G	-60.03	-54.35	-5.68	1
6165MHz	Pass	6.1676G	-13.78	6.2256G	-60.16	-53.78	-6.38	2
6405MHz	Pass	6.4086G	-15.82	6.3438G	-59.86	-55.82	-4.04	1
6405MHz	Pass	6.4028G	-15.18	6.3438G	-60.10	-55.18	-4.92	2
6445MHz	Pass	6.4434G	-15.87	6.358G	-59.78	-55.87	-3.91	1
6445MHz	Pass	6.4486G	-15.10	6.3744G	-59.85	-55.10	-4.75	2
6485MHz	Pass	6.4812G	-14.60	6.561G	-59.90	-54.60	-5.30	1
6485MHz	Pass	6.4882G	-14.81	6.5606G	-60.01	-54.81	-5.20	2
6525MHz	Pass	6.521G	-14.78	6.5878G	-59.94	-54.78	-5.16	1
6525MHz	Pass	6.529G	-14.88	6.5918G	-60.19	-54.88	-5.31	2
6565MHz	Pass	6.5672G	-15.01	6.6352G	-60.19	-55.01	-5.18	1
6565MHz	Pass	6.5668G	-14.96	6.465G	-60.39	-54.96	-5.43	2
6685MHz	Pass	6.6824G	-15.14	6.7812G	-59.58	-55.14	-4.44	1
6685MHz	Pass	6.6826G	-14.95	6.775G	-59.60	-54.95	-4.65	2
6845MHz	Pass	6.844G	-14.85	6.9426G	-58.63	-54.85	-3.78	1
6845MHz	Pass	6.848G	-14.79	6.9444G	-58.59	-54.79	-3.80	2
6885MHz	Pass	6.884G	-14.85	6.9818G	-57.92	-54.85	-3.07	1
6885MHz	Pass	6.8888G	-15.49	6.9782G	-58.16	-55.49	-2.67	2
6925MHz	Pass	6.9226G	-15.21	6.986G	-57.97	-55.21	-2.76	1
6925MHz	Pass	6.91921G	-15.97	6.9888G	-57.96	-55.97	-1.99	2
7005MHz	Pass	7.0096G	-15.71	6.9432G	-58.62	-55.71	-2.91	1
7005MHz	Pass	7.009G	-16.04	6.9424G	-58.73	-56.04	-2.69	2
7085MHz	Pass	7.07981G	-14.36	6.988G	-58.74	-54.36	-4.38	1
7085MHz	Pass	7.0858G	-13.99	6.994G	-58.81	-53.99	-4.82	2
802.11ax HEW80_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5985MHz	Pass	5.9838G	-13.51	6.1826G	-60.40	-53.51	-6.89	1
5985MHz	Pass	5.9886G	-13.17	6.1786G	-60.38	-53.17	-7.21	2
6145MHz	Pass	6.13941G	-13.10	6.3362G	-59.79	-53.10	-6.69	1
6145MHz	Pass	6.1474G	-12.66	6.3446G	-60.03	-52.66	-7.37	2
6385MHz	Pass	6.3822G	-13.63	6.5538G	-59.36	-53.63	-5.73	1
6385MHz	Pass	6.389G	-12.92	6.5594G	-59.28	-52.92	-6.36	2
6465MHz	Pass	6.467G	-13.23	6.5934G	-59.71	-53.23	-6.48	1
6465MHz	Pass	6.47219G	-12.67	6.5882G	-59.60	-52.67	-6.93	2
6545MHz	Pass	6.53581G	-13.31	6.3862G	-59.60	-53.31	-6.29	1
6545MHz	Pass	6.5422G	-12.90	6.3834G	-59.55	-52.90	-6.65	2
6625MHz	Pass	6.61621G	-13.30	6.779G	-59.78	-53.30	-6.48	1
6625MHz	Pass	6.61821G	-13.04	6.763G	-59.76	-53.04	-6.72	2
6705MHz	Pass	6.69741G	-13.20	6.5634G	-59.32	-53.20	-6.12	1
6705MHz	Pass	6.69421G	-12.79	6.5662G	-59.34	-52.79	-6.55	2
6785MHz	Pass	6.789G	-13.03	6.9826G	-58.95	-53.03	-5.92	1
6785MHz	Pass	6.7866G	-12.77	6.9762G	-58.92	-52.77	-6.15	2
6865MHz	Pass	6.85701G	-13.32	6.9918G	-59.01	-53.32	-5.69	1
6865MHz	Pass	6.87019G	-13.07	6.989G	-58.90	-53.07	-5.83	2
6945MHz	Pass	6.93701G	-12.87	6.7766G	-59.77	-52.87	-6.90	1
6945MHz	Pass	6.949G	-12.51	6.7594G	-59.76	-52.51	-7.25	2
7025MHz	Pass	7.01941G	-13.53	6.8298G	-59.89	-53.53	-6.36	1
7025MHz	Pass	7.01381G	-13.01	6.8306G	-60.00	-53.01	-6.99	2
802.11ax HEW160_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
6025MHz	Pass	6.05537G	-9.06	6.3706G	-54.33	-49.06	-5.27	1
6025MHz	Pass	6.05377G	-8.74	6.3642G	-54.44	-48.74	-5.70	2
6185MHz	Pass	6.17141G	-9.03	6.5634G	-54.41	-49.03	-5.38	1
6185MHz	Pass	6.189G	-8.57	6.5666G	-54.56	-48.57	-5.99	2
6345MHz	Pass	6.35859G	-9.10	6.745G	-54.55	-49.10	-5.45	1
6345MHz	Pass	6.35139G	-8.82	6.5922G	-54.60	-48.75	-5.85	2



Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
6505MHz	Pass	6.48422G	-8.92	6.8202G	-53.86	-48.92	-4.94	1
6505MHz	Pass	6.52818G	-8.55	6.821G	-53.95	-48.55	-5.40	2
6665MHz	Pass	6.63463G	-9.63	6.9802G	-52.41	-49.63	-2.78	1
6665MHz	Pass	6.63383G	-9.13	6.9794G	-52.57	-49.13	-3.44	2
6825MHz	Pass	6.84338G	-9.73	6.5546G	-54.29	-49.73	-4.56	1
6825MHz	Pass	6.81781G	-9.34	6.557G	-54.39	-49.34	-5.05	2
6985MHz	Pass	6.99939G	-9.79	7.353G	-53.93	-49.79	-4.14	1
6985MHz	Pass	6.97861G	-9.09	7.3698G	-54.09	-49.09	-5.00	2

802.11a_Nss1,(6Mbps)_2TX
5955MHz_TnomVnom

MASK

14/12/2021

CF Freq
5.955GHz


Span
100MHz


RBW
300kHz


VBW
1MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.94771G	-16.79	5.9155G	-63.10	-56.79	-6.31	1
5.96189G	-16.32	5.9112G	-63.30	-56.32	-6.98	2

802.11a_Nss1,(6Mbps)_2TX
6175MHz_TnomVnom

MASK

14/12/2021

CF Freq
6.175GHz


Span
100MHz


RBW
300kHz


VBW
1MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.16751G	-16.63	6.2195G	-62.19	-56.63	-5.56	1
6.16751G	-16.04	6.2129G	-62.29	-56.04	-6.25	2

802.11a_Nss1,(6Mbps)_2TX

MASK

6415MHz_TnomVnom

14/12/2021

CF Freq
6.415GHz


Span
100MHz


RBW
300kHz


VBW
1MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.40811G	-16.76	6.3679G	-62.05	-56.76	-5.29	1
6.42249G	-16.65	6.3704G	-62.03	-56.65	-5.38	2

802.11a_Nss1,(6Mbps)_2TX

MASK

6435MHz_TnomVnom

14/12/2021

CF Freq
6.435GHz


Span
100MHz


RBW
300kHz


VBW
1MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.44249G	-16.87	6.39G	-62.02	-56.87	-5.15	1
6.42751G	-16.67	6.388G	-62.25	-56.67	-5.58	2

802.11a_Nss1,(6Mbps)_2TX

MASK

6475MHz_TnomVnom

14/12/2021

CF Freq
6.475GHz


Span
100MHz


RBW
300kHz


VBW
1MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.46751G	-16.99	6.4301G	-62.15	-56.99	-5.16	1
6.48279G	-16.55	6.4379G	-62.43	-56.55	-5.88	2

802.11a_Nss1,(6Mbps)_2TX

MASK

6515MHz_TnomVnom

14/12/2021

CF Freq
6.515GHz


Span
100MHz


RBW
300kHz


VBW
1MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.52249G	-16.54	6.5524G	-62.03	-56.54	-5.49	1
6.50781G	-16.01	6.5536G	-62.18	-56.01	-6.17	2

802.11a_Nss1,(6Mbps)_2TX

MASK

6535MHz_TnomVnom

14/12/2021

CF Freq
6.535GHz


Span
100MHz


RBW
300kHz


VBW
1MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.52721G	-16.65	6.5753G	-62.00	-56.65	-5.35	1
6.52811G	-16.26	6.5663G	-62.09	-56.26	-5.83	2

802.11a_Nss1,(6Mbps)_2TX

MASK

6695MHz_TnomVnom

14/12/2021

CF Freq
6.695GHz


Span
100MHz


RBW
300kHz


VBW
1MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.68741G	-17.68	6.7441G	-62.04	-57.68	-4.36	1
6.68751G	-17.35	6.7437G	-62.26	-57.35	-4.91	2

802.11a_Nss1,(6Mbps)_2TX

MASK

6855MHz_TnomVnom

14/12/2021

CF Freq
6.855GHz


Span
100MHz


RBW
300kHz


VBW
1MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.86249G	-17.08	6.8062G	-61.45	-57.08	-4.37	1
6.86179G	-16.86	6.823G	-61.53	-56.86	-4.67	2

802.11a_Nss1,(6Mbps)_2TX

MASK

6875MHz_TnomVnom

14/12/2021

CF Freq
6.875GHz


Span
100MHz


RBW
300kHz


VBW
1MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.88249G	-16.74	6.9236G	-61.27	-56.74	-4.53	1
6.86751G	-16.72	6.9199G	-61.53	-56.72	-4.81	2

802.11a_Nss1,(6Mbps)_2TX

MASK

6895MHz_TnomVnom

14/12/2021

CF Freq
6.895GHz


Span
100MHz


RBW
300kHz


VBW
1MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.88781G	-17.18	6.9446G	-60.67	-57.18	-3.49	1
6.90249G	-16.84	6.942G	-60.90	-56.84	-4.06	2

802.11a_Nss1,(6Mbps)_2TX

MASK

6995MHz_TnomVnom

14/12/2021

CF Freq
6.995GHz


Span
100MHz


RBW
300kHz


VBW
1MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.98821G	-17.35	6.9635G	-60.18	-57.35	-2.83	1
6.98721G	-16.79	6.9571G	-60.44	-56.79	-3.65	2

802.11a_Nss1,(6Mbps)_2TX

MASK

7095MHz_TnomVnom

14/12/2021

CF Freq
7.095GHz


Span
100MHz


RBW
300kHz


VBW
1MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.08711G	-17.32	7.05G	-61.85	-57.32	-4.53	1
7.08731G	-16.90	7.0455G	-61.98	-56.90	-5.08	2

802.11ax HEW20_Nss1,(MCS0)_2TX

MASK

5955MHz_TnomVnom

14/12/2021

CF Freq
5.955GHz


Span
100MHz


RBW
300kHz


VBW
1MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.96419G	-16.71	5.9959G	-63.00	-56.71	-6.29	1
5.94661G	-16.54	5.9936G	-63.16	-56.54	-6.62	2

802.11ax HEW20_Nss1,(MCS0)_2TX

MASK

6175MHz_TnomVnom

14/12/2021

CF Freq
6.175GHz


Span
100MHz


RBW
300kHz


VBW
1MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.18379G	-16.72	6.2097G	-62.04	-56.72	-5.32	1
6.18369G	-15.87	6.2144G	-62.24	-55.87	-6.37	2

802.11ax HEW20_Nss1,(MCS0)_2TX

MASK

6415MHz_TnomVnom

14/12/2021

CF Freq
6.415GHz


Span
100MHz


RBW
300kHz


VBW
1MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.40641G	-16.69	6.3688G	-61.93	-56.69	-5.24	1
6.40741G	-16.58	6.3738G	-62.02	-56.58	-5.44	2

802.11ax HEW20_Nss1,(MCS0)_2TX

MASK

6435MHz_TnomVnom

14/12/2021

CF Freq
6.435GHz


Span
100MHz


RBW
300kHz


VBW
1MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.44369G	-16.84	6.3874G	-62.01	-56.84	-5.17	1
6.44409G	-16.52	6.3918G	-61.96	-56.52	-5.44	2

802.11ax HEW20_Nss1,(MCS0)_2TX

MASK

6475MHz_TnomVnom

14/12/2021

CF Freq
6.475GHz


Span
100MHz


RBW
300kHz


VBW
1MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.46591G	-16.79	6.4303G	-62.31	-56.79	-5.52	1
6.48379G	-16.15	6.4259G	-62.33	-56.15	-6.18	2

802.11ax HEW20_Nss1,(MCS0)_2TX

MASK

6515MHz_TnomVnom

14/12/2021

CF Freq
6.515GHz


Span
100MHz


RBW
300kHz


VBW
1MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.50591G	-16.46	6.5502G	-61.96	-56.46	-5.50	1
6.50631G	-15.95	6.5603G	-62.04	-55.95	-6.09	2

802.11ax HEW20_Nss1,(MCS0)_2TX

MASK

6535MHz_TnomVnom

14/12/2021

CF Freq
6.535GHz


Span
100MHz


RBW
300kHz


VBW
1MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.52621G	-16.48	6.5719G	-62.01	-56.48	-5.53	1
6.52661G	-16.05	6.5688G	-62.00	-56.05	-5.95	2

802.11ax HEW20_Nss1,(MCS0)_2TX

MASK

6695MHz_TnomVnom

14/12/2021

CF Freq
6.695GHz


Span
100MHz


RBW
300kHz


VBW
1MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.68591G	-17.59	6.7374G	-61.99	-57.59	-4.40	1
6.68781G	-17.26	6.7443G	-62.19	-57.26	-4.93	2

802.11ax HEW20_Nss1,(MCS0)_2TX

MASK

6855MHz_TnomVnom

14/12/2021

CF Freq
6.855GHz


Span
100MHz


RBW
300kHz


VBW
1MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.86399G	-16.96	6.81G	-61.43	-56.96	-4.47	1
6.86389G	-16.91	6.8169G	-61.47	-56.91	-4.56	2

802.11ax HEW20_Nss1,(MCS0)_2TX

MASK

6875MHz_TnomVnom

14/12/2021

CF Freq
6.875GHz


Span
100MHz


RBW
300kHz


VBW
1MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.88409G	-16.79	6.9215G	-61.31	-56.79	-4.52	1
6.86621G	-16.77	6.9235G	-61.43	-56.77	-4.66	2

802.11ax HEW20_Nss1,(MCS0)_2TX

MASK

6895MHz_TnomVnom

14/12/2021

CF Freq
6.895GHz


Span
100MHz


RBW
300kHz


VBW
1MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.90259G	-17.11	6.9432G	-60.70	-57.11	-3.59	1
6.88631G	-16.56	6.9426G	-60.85	-56.56	-4.29	2

802.11ax HEW20_Nss1,(MCS0)_2TX

MASK

6995MHz_TnomVnom

14/12/2021

CF Freq
6.995GHz


Span
100MHz


RBW
300kHz


VBW
1MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.98621G	-17.71	6.9623G	-60.18	-57.71	-2.47	1
7.00399G	-17.11	6.958G	-60.38	-57.11	-3.27	2

802.11ax HEW20_Nss1,(MCS0)_2TX

MASK

7095MHz_TnomVnom

14/12/2021

CF Freq
7.095GHz


Span
100MHz


RBW
300kHz


VBW
1MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.08761G	-17.01	7.0472G	-61.75	-57.01	-4.74	1
7.08611G	-16.43	7.0464G	-61.76	-56.43	-5.33	2

802.11ax HEW40_Nss1,(MCS0)_2TX

MASK

5965MHz_TnomVnom

14/12/2021

CF Freq
5.965GHz


Span
200MHz


RBW
500kHz


VBW
2MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.966G	-15.46	6.0278G	-60.70	-55.46	-5.24	1
5.9678G	-15.27	6.0562G	-60.87	-55.27	-5.60	2

802.11ax HEW40_Nss1,(MCS0)_2TX

MASK

6165MHz_TnomVnom

14/12/2021

CF Freq
6.165GHz


Span
200MHz


RBW
500kHz


VBW
2MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.1612G	-14.35	6.233G	-60.03	-54.35	-5.68	1
6.1676G	-13.78	6.2256G	-60.16	-53.78	-6.38	2

802.11ax HEW40_Nss1,(MCS0)_2TX

MASK

6405MHz_TnomVnom

14/12/2021

CF Freq
6.405GHz


Span
200MHz


RBW
500kHz


VBW
2MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.4086G	-15.82	6.3438G	-59.86	-55.82	-4.04	1
6.4028G	-15.18	6.3438G	-60.10	-55.18	-4.92	2

802.11ax HEW40_Nss1,(MCS0)_2TX

MASK

6445MHz_TnomVnom

14/12/2021

CF Freq
6.445GHz


Span
200MHz


RBW
500kHz


VBW
2MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.4434G	-15.87	6.358G	-59.78	-55.87	-3.91	1
6.4486G	-15.10	6.3744G	-59.85	-55.10	-4.75	2

802.11ax HEW40_Nss1,(MCS0)_2TX

MASK

6485MHz_TnomVnom

14/12/2021




802.11ax HEW40_Nss1,(MCS0)_2TX

MASK

6525MHz_TnomVnom

14/12/2021




802.11ax HEW40_Nss1,(MCS0)_2TX

MASK

6565MHz_TnomVnom

14/12/2021




802.11ax HEW40_Nss1,(MCS0)_2TX

MASK

6685MHz_TnomVnom

14/12/2021




802.11ax HEW40_Nss1,(MCS0)_2TX

MASK

6845MHz_TnomVnom

14/12/2021




802.11ax HEW40_Nss1,(MCS0)_2TX

MASK

6885MHz_TnomVnom

14/12/2021




802.11ax HEW40_Nss1,(MCS0)_2TX

MASK

6925MHz_TnomVnom

14/12/2021




802.11ax HEW40_Nss1,(MCS0)_2TX

MASK

7005MHz_TnomVnom

14/12/2021



802.11ax HEW40_Nss1,(MCS0)_2TX

MASK

7085MHz_TnomVnom

14/12/2021

CF Freq
7.085GHz


Span
200MHz


RBW
500kHz


VBW
2MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.07981G	-14.36	6.988G	-58.74	-54.36	-4.38	1
7.0858G	-13.99	6.994G	-58.81	-53.99	-4.82	2

802.11ax HEW80_Nss1,(MCS0)_2TX

MASK

5985MHz_TnomVnom

01/10/2021

CF Freq
5.985GHz


Span
400MHz


RBW
1MHz


VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.9838G	-13.51	6.1826G	-60.40	-53.51	-6.89	1
5.9886G	-13.17	6.1786G	-60.38	-53.17	-7.21	2

802.11ax HEW80_Nss1,(MCS0)_2TX

MASK

6145MHz_TnomVnom

01/10/2021




802.11ax HEW80_Nss1,(MCS0)_2TX

MASK

6385MHz_TnomVnom

01/10/2021



802.11ax HEW80_Nss1,(MCS0)_2TX

MASK

6465MHz_TnomVnom

01/10/2021

CF Freq
6.465GHz


Span
400MHz

RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Port 1

Port 2

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.467G	-13.23	6.5934G	-59.71	-53.23	-6.48	1
6.47219G	-12.67	6.5882G	-59.60	-52.67	-6.93	2

802.11ax HEW80_Nss1,(MCS0)_2TX

MASK

6545MHz_TnomVnom

01/10/2021

CF Freq
6.545GHz


Span
400MHz

RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Port 1

Port 2

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.53581G	-13.31	6.3862G	-59.60	-53.31	-6.29	1
6.5422G	-12.90	6.3834G	-59.55	-52.90	-6.65	2

802.11ax HEW80_Nss1,(MCS0)_2TX

MASK

6625MHz_TnomVnom

01/10/2021

CF Freq
6.625GHz


Span
400MHz


RBW
1MHz


VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.61621G	-13.30	6.779G	-59.78	-53.30	-6.48	1
6.61821G	-13.04	6.763G	-59.76	-53.04	-6.72	2

802.11ax HEW80_Nss1,(MCS0)_2TX

MASK

6705MHz_TnomVnom

01/10/2021

CF Freq
6.705GHz


Span
400MHz


RBW
1MHz


VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.69741G	-13.20	6.5634G	-59.32	-53.20	-6.12	1
6.69421G	-12.79	6.5662G	-59.34	-52.79	-6.55	2

802.11ax HEW80_Nss1,(MCS0)_2TX

MASK

6785MHz_TnomVnom

01/10/2021




802.11ax HEW80_Nss1,(MCS0)_2TX

MASK

6865MHz_TnomVnom

01/10/2021




802.11ax HEW80_Nss1,(MCS0)_2TX

MASK

6945MHz_TnomVnom

01/10/2021




802.11ax HEW80_Nss1,(MCS0)_2TX

MASK

7025MHz_TnomVnom

01/10/2021



802.11ax HEW160_Nss1,(MCS0)_2TX

MASK

6025MHz_TnomVnom

14/12/2021

CF Freq
6.025GHz


Span
800MHz


RBW
2MHz


VBW
10MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.05537G	-9.06	6.3706G	-54.33	-49.06	-5.27	1
6.05377G	-8.74	6.3642G	-54.44	-48.74	-5.70	2

802.11ax HEW160_Nss1,(MCS0)_2TX

MASK

6185MHz_TnomVnom

14/12/2021

CF Freq
6.185GHz


Span
800MHz


RBW
2MHz


VBW
10MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.17141G	-9.03	6.5634G	-54.41	-49.03	-5.38	1
6.189G	-8.57	6.5666G	-54.56	-48.57	-5.99	2

802.11ax HEW160_Nss1,(MCS0)_2TX

MASK

6345MHz_TnomVnom

14/12/2021

CF Freq
6.345GHz


Span
800MHz


RBW
2MHz


VBW
10MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.35859G	-9.10	6.745G	-54.55	-49.10	-5.45	1
6.35139G	-8.82	6.5922G	-54.60	-48.75	-5.85	2

802.11ax HEW160_Nss1,(MCS0)_2TX

MASK

6505MHz_TnomVnom

14/12/2021

CF Freq
6.505GHz


Span
800MHz


RBW
2MHz


VBW
10MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.48422G	-8.92	6.8202G	-53.86	-48.92	-4.94	1
6.52818G	-8.55	6.821G	-53.95	-48.55	-5.40	2

802.11ax HEW160_Nss1,(MCS0)_2TX

MASK

6665MHz_TnomVnom

14/12/2021

CF Freq
6.665GHz


Span
800MHz


RBW
2MHz


VBW
10MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.63463G	-9.63	6.9802G	-52.41	-49.63	-2.78	1
6.63383G	-9.13	6.9794G	-52.57	-49.13	-3.44	2

802.11ax HEW160_Nss1,(MCS0)_2TX

MASK

6825MHz_TnomVnom

14/12/2021

CF Freq
6.825GHz


Span
800MHz


RBW
2MHz


VBW
10MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.84338G	-9.73	6.5546G	-54.29	-49.73	-4.56	1
6.81781G	-9.34	6.557G	-54.39	-49.34	-5.05	2

802.11ax HEW160_Nss1,(MCS0)_2TX

MASK

6985MHz_TnomVnom

14/12/2021

CF Freq
6.985GHz


Span
800MHz


RBW
2MHz


VBW
10MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.99939G	-9.79	7.353G	-53.93	-49.79	-4.14	1
6.97861G	-9.09	7.3698G	-54.09	-49.09	-5.00	2