



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5500MHz	Pass	PK	11.00003G	56.79	74.00	-17.21	3	Vertical	21	1.50	-
5500MHz	Pass	AV	11G	43.82	54.00	-10.18	3	Horizontal	355	1.66	-
5500MHz	Pass	PK	10.9999G	56.43	74.00	-17.57	3	Horizontal	355	1.66	-
5580MHz	Pass	AV	5.4498G	45.78	54.00	-8.22	3	Vertical	30	2.94	-
5580MHz	Pass	AV	5.5722G	109.48	Inf	-Inf	3	Vertical	30	2.94	-
5580MHz	Pass	PK	5.4696G	62.89	68.20	-5.31	3	Vertical	30	2.94	-
5580MHz	Pass	PK	5.5716G	121.55	Inf	-Inf	3	Vertical	30	2.94	-
5580MHz	Pass	PK	5.7294G	58.62	68.20	-9.58	3	Vertical	30	2.94	-
5580MHz	Pass	AV	5.4444G	47.26	54.00	-6.74	3	Horizontal	51	2.76	-
5580MHz	Pass	AV	5.5872G	114.05	Inf	-Inf	3	Horizontal	51	2.76	-
5580MHz	Pass	PK	5.4636G	66.97	68.20	-1.23	3	Horizontal	51	2.76	-
5580MHz	Pass	PK	5.5866G	125.21	Inf	-Inf	3	Horizontal	51	2.76	-
5580MHz	Pass	PK	5.7294G	61.05	68.20	-7.15	3	Horizontal	51	2.76	-
5580MHz	Pass	AV	11.15996G	42.76	54.00	-11.24	3	Vertical	3	1.50	-
5580MHz	Pass	PK	11.16012G	55.70	74.00	-18.30	3	Vertical	3	1.50	-
5580MHz	Pass	AV	11.16004G	43.88	54.00	-10.12	3	Horizontal	324	1.54	-
5580MHz	Pass	PK	11.15712G	55.98	74.00	-18.02	3	Horizontal	324	1.54	-
5700MHz	Pass	AV	5.7076G	100.45	Inf	-Inf	3	Vertical	9	2.80	-
5700MHz	Pass	PK	5.7084G	111.79	Inf	-Inf	3	Vertical	9	2.80	-
5700MHz	Pass	PK	5.7268G	59.35	68.20	-8.85	3	Vertical	9	2.80	-
5700MHz	Pass	AV	5.7068G	106.23	Inf	-Inf	3	Horizontal	48	2.63	-
5700MHz	Pass	PK	5.7064G	118.28	Inf	-Inf	3	Horizontal	48	2.63	-
5700MHz	Pass	PK	5.7252G	66.07	68.20	-2.13	3	Horizontal	48	2.63	-
5700MHz	Pass	AV	11.40006G	43.72	54.00	-10.28	3	Vertical	6	3.00	-
5700MHz	Pass	PK	11.39986G	56.78	74.00	-17.22	3	Vertical	6	3.00	-
5700MHz	Pass	AV	11.39994G	44.20	54.00	-9.80	3	Horizontal	354	1.50	-
5700MHz	Pass	PK	11.39976G	56.36	74.00	-17.64	3	Horizontal	354	1.50	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.4368G	44.59	54.00	-9.41	3	Vertical	7	2.57	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.7272G	108.61	Inf	-Inf	3	Vertical	7	2.57	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4692G	56.31	68.20	-11.89	3	Vertical	7	2.57	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.7284G	119.61	Inf	-Inf	3	Vertical	7	2.57	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.8664G	58.46	68.20	-9.74	3	Vertical	7	2.57	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.4476G	44.63	54.00	-9.37	3	Horizontal	61	2.97	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.714G	114.07	Inf	-Inf	3	Horizontal	61	2.97	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4632G	57.00	68.20	-11.20	3	Horizontal	61	2.97	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.714G	124.85	Inf	-Inf	3	Horizontal	61	2.97	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.8544G	65.04	68.20	-3.16	3	Horizontal	61	2.97	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.44008G	44.57	54.00	-9.43	3	Vertical	15	1.41	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.43996G	58.77	74.00	-15.23	3	Vertical	15	1.41	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.4402G	46.57	54.00	-7.43	3	Horizontal	300	1.05	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.44044G	60.13	74.00	-13.87	3	Horizontal	300	1.05	-
802.11ax HEW40_Nss1_(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-	-
5510MHz	Pass	AV	5.46G	48.10	54.00	-5.90	3	Vertical	32	3.00	-
5510MHz	Pass	AV	5.5032G	100.16	Inf	-Inf	3	Vertical	32	3.00	-
5510MHz	Pass	PK	5.4628G	65.50	68.20	-2.70	3	Vertical	32	3.00	-
5510MHz	Pass	PK	5.5036G	112.21	Inf	-Inf	3	Vertical	32	3.00	-
5510MHz	Pass	AV	5.4572G	52.99	54.00	-1.01	3	Horizontal	50	2.65	-
5510MHz	Pass	AV	5.5168G	105.53	Inf	-Inf	3	Horizontal	50	2.65	-
5510MHz	Pass	PK	5.4696G	66.36	68.20	-1.84	3	Horizontal	50	2.65	-
5510MHz	Pass	PK	5.5172G	117.58	Inf	-Inf	3	Horizontal	50	2.65	-
5510MHz	Pass	AV	11.01993G	42.58	54.00	-11.42	3	Vertical	21	1.41	-
5510MHz	Pass	PK	11.02195G	55.93	74.00	-18.07	3	Vertical	21	1.41	-
5510MHz	Pass	AV	11.02007G	43.34	54.00	-10.66	3	Horizontal	314	1.84	-
5510MHz	Pass	PK	11.0198G	55.86	74.00	-18.14	3	Horizontal	314	1.84	-
5550MHz	Pass	AV	5.46G	49.13	54.00	-4.87	3	Vertical	30	2.96	-
5550MHz	Pass	AV	5.5424G	104.06	Inf	-Inf	3	Vertical	30	2.96	-
5550MHz	Pass	PK	5.4636G	64.15	68.20	-4.05	3	Vertical	30	2.96	-
5550MHz	Pass	PK	5.5616G	115.50	Inf	-Inf	3	Vertical	30	2.96	-
5550MHz	Pass	AV	5.4564G	53.64	54.00	-0.36	3	Horizontal	48	2.66	-
5550MHz	Pass	AV	5.5564G	109.27	Inf	-Inf	3	Horizontal	48	2.66	-
5550MHz	Pass	PK	5.47G	65.27	68.20	-2.93	3	Horizontal	48	2.66	-
5550MHz	Pass	PK	5.556G	121.68	Inf	-Inf	3	Horizontal	48	2.66	-




Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5550MHz	Pass	AV	11.10003G	42.26	54.00	-11.74	3	Vertical	20	1.38	-
5550MHz	Pass	PK	11.09984G	55.12	74.00	-18.88	3	Vertical	20	1.38	-
5550MHz	Pass	AV	11.09999G	43.53	54.00	-10.47	3	Horizontal	326	1.64	-
5550MHz	Pass	PK	11.10008G	55.97	74.00	-18.03	3	Horizontal	326	1.64	-
5670MHz	Pass	AV	5.6664G	101.34	Inf	-Inf	3	Vertical	13	2.98	-
5670MHz	Pass	PK	5.667G	113.11	Inf	-Inf	3	Vertical	13	2.98	-
5670MHz	Pass	PK	5.7276G	61.05	68.20	-7.15	3	Vertical	13	2.98	-
5670MHz	Pass	AV	5.6766G	105.09	Inf	-Inf	3	Horizontal	48	2.68	-
5670MHz	Pass	PK	5.6754G	117.02	Inf	-Inf	3	Horizontal	48	2.68	-
5670MHz	Pass	PK	5.7258G	67.93	68.20	-0.27	3	Horizontal	48	2.68	-
5670MHz	Pass	AV	11.34001G	42.95	54.00	-11.05	3	Vertical	352	1.50	-
5670MHz	Pass	PK	11.34026G	55.76	74.00	-18.24	3	Vertical	352	1.50	-
5670MHz	Pass	AV	11.34003G	44.28	54.00	-9.72	3	Horizontal	355	1.68	-
5670MHz	Pass	PK	11.33994G	56.16	74.00	-17.84	3	Horizontal	355	1.68	-
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.416G	44.71	54.00	-9.29	3	Vertical	13	2.94	-
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.7064G	106.67	Inf	-Inf	3	Vertical	13	2.94	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.4652G	56.37	68.20	-11.83	3	Vertical	13	2.94	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.7076G	117.88	Inf	-Inf	3	Vertical	13	2.94	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.8504G	61.18	68.20	-7.02	3	Vertical	13	2.94	-
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.4532G	45.12	54.00	-8.88	3	Horizontal	46	2.76	-
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.7172G	110.79	Inf	-Inf	3	Horizontal	46	2.76	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.4676G	56.81	68.20	-11.39	3	Horizontal	46	2.76	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.716G	122.19	Inf	-Inf	3	Horizontal	46	2.76	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.8576G	67.35	68.20	-0.85	3	Horizontal	46	2.76	-
5710MHz Straddle 5.47-5.725GHz	Pass	AV	11.42003G	43.80	54.00	-10.20	3	Vertical	0	1.96	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	11.41973G	56.53	74.00	-17.47	3	Vertical	0	1.96	-
5710MHz Straddle 5.47-5.725GHz	Pass	AV	11.41988G	43.89	54.00	-10.11	3	Horizontal	354	1.50	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	11.41989G	55.96	74.00	-18.04	3	Horizontal	354	1.50	-
802.11ax HEW80_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-	-
5530MHz	Pass	AV	5.45G	45.91	54.00	-8.09	3	Vertical	296	1.35	-
5530MHz	Pass	AV	5.55G	91.06	Inf	-Inf	3	Vertical	296	1.35	-
5530MHz	Pass	PK	5.47G	61.56	68.20	-6.64	3	Vertical	296	1.35	-
5530MHz	Pass	PK	5.55G	101.99	Inf	-Inf	3	Vertical	296	1.35	-
5530MHz	Pass	PK	5.772G	58.90	68.20	-9.30	3	Vertical	296	1.35	-
5530MHz	Pass	AV	5.457G	53.66	54.00	-0.34	3	Horizontal	51	2.66	-
5530MHz	Pass	AV	5.537G	101.77	Inf	-Inf	3	Horizontal	51	2.66	-
5530MHz	Pass	PK	5.465G	64.24	68.20	-3.96	3	Horizontal	51	2.66	-
5530MHz	Pass	PK	5.537G	114.62	Inf	-Inf	3	Horizontal	51	2.66	-
5530MHz	Pass	PK	5.759G	57.75	68.20	-10.45	3	Horizontal	51	2.66	-
5530MHz	Pass	AV	11.02832G	42.60	54.00	-11.40	3	Vertical	226	1.71	-
5530MHz	Pass	PK	11.02416G	55.81	74.00	-18.19	3	Vertical	226	1.71	-
5530MHz	Pass	AV	11.06016G	43.33	54.00	-10.67	3	Horizontal	324	1.62	-
5530MHz	Pass	PK	11.03136G	55.83	74.00	-18.17	3	Horizontal	324	1.62	-
5610MHz	Pass	AV	5.46G	45.51	54.00	-8.49	3	Vertical	11	3.00	-
5610MHz	Pass	AV	5.627G	98.25	Inf	-Inf	3	Vertical	11	3.00	-
5610MHz	Pass	PK	5.466G	58.48	68.20	-9.72	3	Vertical	11	3.00	-
5610MHz	Pass	PK	5.627G	109.68	Inf	-Inf	3	Vertical	11	3.00	-
5610MHz	Pass	PK	5.725G	61.86	68.20	-6.34	3	Vertical	11	3.00	-
5610MHz	Pass	AV	5.456G	48.18	54.00	-5.82	3	Horizontal	48	2.60	-
5610MHz	Pass	AV	5.597G	104.04	Inf	-Inf	3	Horizontal	48	2.60	-
5610MHz	Pass	PK	5.469G	58.94	68.20	-9.26	3	Horizontal	48	2.60	-
5610MHz	Pass	PK	5.617G	115.90	Inf	-Inf	3	Horizontal	48	2.60	-
5610MHz	Pass	PK	5.736G	67.55	68.20	-0.65	3	Horizontal	48	2.60	-
5610MHz	Pass	AV	11.18416G	42.56	54.00	-11.44	3	Vertical	120	1.50	-
5610MHz	Pass	PK	11.23136G	56.47	74.00	-17.53	3	Vertical	120	1.50	-
5610MHz	Pass	AV	11.22016G	43.89	54.00	-10.11	3	Horizontal	347	1.40	-
5610MHz	Pass	PK	11.18784G	56.12	74.00	-17.88	3	Horizontal	347	1.40	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.3996G	45.24	54.00	-8.76	3	Vertical	300	1.50	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.6888G	96.49	Inf	-Inf	3	Vertical	300	1.50	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.46G	57.49	68.20	-10.71	3	Vertical	300	1.50	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.6888G	108.13	Inf	-Inf	3	Vertical	300	1.50	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.8508G	60.91	68.20	-7.29	3	Vertical	300	1.50	-



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.4596G	48.60	54.00	-5.40	3	Horizontal	49	1.78	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.6996G	105.67	Inf	-Inf	3	Horizontal	49	1.78	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.4608G	60.34	68.20	-7.86	3	Horizontal	49	1.78	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.6996G	119.17	Inf	-Inf	3	Horizontal	49	1.78	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.8592G	67.66	68.20	-0.54	3	Horizontal	49	1.78	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.38G	43.43	54.00	-10.57	3	Vertical	354	1.50	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.37952G	56.69	74.00	-17.31	3	Vertical	354	1.50	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.38G	44.38	54.00	-9.62	3	Horizontal	322	1.63	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.40816G	56.45	74.00	-17.55	3	Horizontal	322	1.63	-
802.11ax HEW160_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-	-
5570MHz	Pass	AV	5.4428G	48.47	54.00	-5.53	3	Vertical	29	2.94	-
5570MHz	Pass	AV	5.5628G	94.96	Inf	-Inf	3	Vertical	29	2.94	-
5570MHz	Pass	PK	5.4632G	62.03	68.20	-6.17	3	Vertical	29	2.94	-
5570MHz	Pass	PK	5.5628G	106.83	Inf	-Inf	3	Vertical	29	2.94	-
5570MHz	Pass	PK	5.726G	59.26	68.20	-8.94	3	Vertical	29	2.94	-
5570MHz	Pass	AV	5.456G	53.41	54.00	-0.59	3	Horizontal	48	2.62	-
5570MHz	Pass	AV	5.5568G	99.49	Inf	-Inf	3	Horizontal	48	2.62	-
5570MHz	Pass	PK	5.4632G	60.66	68.20	-7.54	3	Horizontal	48	2.62	-
5570MHz	Pass	PK	5.5772G	111.88	Inf	-Inf	3	Horizontal	48	2.62	-
5570MHz	Pass	PK	5.7368G	62.32	68.20	-5.88	3	Horizontal	48	2.62	-
5570MHz	Pass	AV	11.14006G	42.85	54.00	-11.15	3	Vertical	4	1.67	-
5570MHz	Pass	PK	11.14732G	55.58	74.00	-18.42	3	Vertical	4	1.67	-
5570MHz	Pass	AV	11.13994G	43.50	54.00	-10.50	3	Horizontal	328	1.64	-
5570MHz	Pass	PK	11.14984G	56.25	74.00	-17.75	3	Horizontal	328	1.64	-

### 802.11a\_Nss1,(6Mbps)\_4TX


### 5500MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	45.42	54.00	-8.58	6.81	3	Vertical	302	1.49	-	38.61	31.72	9.35	34.26
AV	5.501G	98.01	Inf	-Inf	6.92	3	Vertical	302	1.49	-	91.09	31.80	9.38	34.26
PK	5.461G	57.73	68.20	-10.47	6.81	3	Vertical	302	1.49	-	50.92	31.72	9.35	34.26
PK	5.5008G	107.26	Inf	-Inf	6.92	3	Vertical	302	1.49	-	100.34	31.80	9.38	34.26

802.11a\_Nss1,(6Mbps)\_4TX


5500MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4542G	47.02	54.00	-6.98	6.79	3	Horizontal	50	2.56	-	40.23	31.71	9.34	34.26
AV	5.4926G	110.44	Inf	-Inf	6.90	3	Horizontal	50	2.56	-	103.54	31.79	9.37	34.26
PK	5.47G	67.63	68.20	-0.57	6.84	3	Horizontal	50	2.56	-	60.79	31.74	9.36	34.26
PK	5.4932G	120.00	Inf	-Inf	6.90	3	Horizontal	50	2.56	-	113.10	31.79	9.37	34.26

802.11a\_Nss1,(6Mbps)\_4TX


5500MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.00007G	43.69	54.00	-10.31	18.74	3	Vertical	21	1.50	-	24.95	40.30	12.63	34.19
PK	11.0012G	56.69	74.00	-17.31	18.74	3	Vertical	21	1.50	-	37.95	40.30	12.63	34.19

802.11a\_Nss1,(6Mbps)\_4TX


5500MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.00002G	43.76	54.00	-10.24	18.74	3	Horizontal	327	1.60	-	25.02	40.30	12.63	34.19
PK	10.99907G	57.08	74.00	-16.92	18.74	3	Horizontal	327	1.60	-	38.34	40.30	12.63	34.19

802.11a\_Nss1,(6Mbps)\_4TX

5580MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.457G	48.13	54.00	-5.87	6.80	3	Vertical	13	2.91	-	41.33	31.71	9.35	34.26
AV	5.577G	110.55	Inf	-Inf	6.92	3	Vertical	13	2.91	-	103.63	31.75	9.44	34.27
PK	5.469G	63.11	68.20	-5.09	6.84	3	Vertical	13	2.91	-	56.27	31.74	9.36	34.26
PK	5.577G	120.69	Inf	-Inf	6.92	3	Vertical	13	2.91	-	113.77	31.75	9.44	34.27
PK	5.7282G	57.46	68.20	-10.74	7.18	3	Vertical	13	2.91	-	50.28	31.96	9.50	34.28



802.11a\_Nss1,(6Mbps)\_4TX


5580MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.454G	50.31	54.00	-3.69	6.79	3	Horizontal	48	2.72	-	43.52	31.71	9.34	34.26
AV	5.5728G	115.31	Inf	-Inf	6.92	3	Horizontal	48	2.72	-	108.39	31.75	9.44	34.27
PK	5.4696G	64.15	68.20	-4.05	6.84	3	Horizontal	48	2.72	-	57.31	31.74	9.36	34.26
PK	5.574G	125.63	Inf	-Inf	6.92	3	Horizontal	48	2.72	-	118.71	31.75	9.44	34.27
PK	5.7264G	61.31	68.20	-6.89	7.17	3	Horizontal	48	2.72	-	54.14	31.95	9.50	34.28

802.11a\_Nss1,(6Mbps)\_4TX


5580MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.16002G	43.59	54.00	-10.41	18.18	3	Vertical	3	1.38	-	25.41	39.66	12.70	34.18
PK	11.16G	56.86	74.00	-17.14	18.18	3	Vertical	3	1.38	-	38.68	39.66	12.70	34.18

802.11a\_Nss1,(6Mbps)\_4TX


5580MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.16G	45.83	54.00	-8.17	18.18	3	Horizontal	307	2.10	-	27.65	39.66	12.70	34.18
PK	11.16058G	58.37	74.00	-15.63	18.18	3	Horizontal	307	2.10	-	40.19	39.66	12.70	34.18

802.11a\_Nss1,(6Mbps)\_4TX


5700MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.6968G	103.49	Inf	-Inf	7.09	3	Vertical	10	2.94	-	96.40	31.88	9.49	34.28
PK	5.6968G	113.59	Inf	-Inf	7.09	3	Vertical	10	2.94	-	106.50	31.88	9.49	34.28
PK	5.7384G	59.15	68.20	-9.05	7.20	3	Vertical	10	2.94	-	51.95	31.98	9.50	34.28

802.11a\_Nss1,(6Mbps)\_4TX


5700MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.6934G	108.15	Inf	-Inf	7.07	3	Horizontal	49	2.64	-	101.08	31.86	9.49	34.28
PK	5.6938G	117.89	Inf	-Inf	7.07	3	Horizontal	49	2.64	-	110.82	31.86	9.49	34.28
PK	5.7262G	65.91	68.20	-2.29	7.17	3	Horizontal	49	2.64	-	58.74	31.95	9.50	34.28

802.11a\_Nss1,(6Mbps)\_4TX


5700MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.40001G	43.81	54.00	-10.19	18.53	3	Vertical	17	1.53	-	25.28	39.90	12.80	34.17
PK	11.40023G	56.94	74.00	-17.06	18.53	3	Vertical	17	1.53	-	38.41	39.90	12.80	34.17

802.11a\_Nss1,(6Mbps)\_4TX


5700MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.39997G	45.28	54.00	-8.72	18.53	3	Horizontal	354	1.66	-	26.75	39.90	12.80	34.17
PK	11.40032G	56.37	74.00	-17.63	18.53	3	Horizontal	354	1.66	-	37.84	39.90	12.80	34.17

### 802.11a\_Nss1,(6Mbps)\_4TX

### 5720MHz Straddle 5.47-5.725GHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4368G	44.80	54.00	-9.20	6.78	3	Vertical	297	1.60	-	38.02	31.70	9.33	34.25
AV	5.7188G	103.86	Inf	-Inf	7.16	3	Vertical	297	1.60	-	96.70	31.94	9.50	34.28
PK	5.4656G	56.02	68.20	-12.18	6.82	3	Vertical	297	1.60	-	49.20	31.73	9.35	34.26
PK	5.7188G	113.78	Inf	-Inf	7.16	3	Vertical	297	1.60	-	106.62	31.94	9.50	34.28
PK	5.942G	57.68	68.20	-10.52	7.83	3	Vertical	297	1.60	-	49.85	32.50	9.63	34.30



802.11a\_Nss1,(6Mbps)\_4TX


5720MHz Straddle 5.47-5.725GHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.456G	44.81	54.00	-9.19	6.79	3	Horizontal	293	1.82	-	38.02	31.71	9.34	34.26
AV	5.7272G	113.28	Inf	-Inf	7.17	3	Horizontal	293	1.82	-	106.11	31.95	9.50	34.28
PK	5.468G	55.94	68.20	-12.26	6.83	3	Horizontal	293	1.82	-	49.11	31.74	9.35	34.26
PK	5.7272G	124.48	Inf	-Inf	7.17	3	Horizontal	293	1.82	-	117.31	31.95	9.50	34.28
PK	5.8508G	60.29	68.20	-7.91	7.56	3	Horizontal	293	1.82	-	52.73	32.30	9.56	34.30

802.11a\_Nss1,(6Mbps)\_4TX


5720MHz Straddle 5.47-5.725GHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.44024G	45.23	54.00	-8.77	18.63	3	Vertical	16	1.34	-	26.60	39.98	12.81	34.16
PK	11.43998G	58.51	74.00	-15.49	18.63	3	Vertical	16	1.34	-	39.88	39.98	12.81	34.16

802.11a\_Nss1,(6Mbps)\_4TX


5720MHz Straddle 5.47-5.725GHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.4402G	47.41	54.00	-6.59	18.63	3	Horizontal	301	1.03	-	28.78	39.98	12.81	34.16
PK	11.4404G	60.34	74.00	-13.66	18.63	3	Horizontal	301	1.03	-	41.71	39.98	12.81	34.16

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX


### 5500MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4514G	44.73	54.00	-9.27	6.78	3	Vertical	37	2.98	-	37.95	31.70	9.34	34.26
AV	5.4928G	101.84	Inf	-Inf	6.90	3	Vertical	37	2.98	-	94.94	31.79	9.37	34.26
PK	5.47G	59.28	68.20	-8.92	6.84	3	Vertical	37	2.98	-	52.44	31.74	9.36	34.26
PK	5.4928G	114.30	Inf	-Inf	6.90	3	Vertical	37	2.98	-	107.40	31.79	9.37	34.26

802.11ax HEW20\_Nss1,(MCS0)\_4TX


5500MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	44.90	54.00	-9.10	6.81	3	Horizontal	51	2.66	-	38.09	31.72	9.35	34.26
AV	5.507G	107.49	Inf	-Inf	6.93	3	Horizontal	51	2.66	-	100.56	31.80	9.39	34.26
PK	5.4678G	67.52	68.20	-0.68	6.83	3	Horizontal	51	2.66	-	60.69	31.74	9.35	34.26
PK	5.5064G	119.63	Inf	-Inf	6.93	3	Horizontal	51	2.66	-	112.70	31.80	9.39	34.26

802.11ax HEW20\_Nss1,(MCS0)\_4TX


5500MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.99998G	43.29	54.00	-10.71	18.74	3	Vertical	21	1.50	-	24.55	40.30	12.63	34.19
PK	11.00003G	56.79	74.00	-17.21	18.74	3	Vertical	21	1.50	-	38.05	40.30	12.63	34.19

802.11ax HEW20\_Nss1,(MCS0)\_4TX


5500MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11G	43.82	54.00	-10.18	18.74	3	Horizontal	355	1.66	-	25.08	40.30	12.63	34.19
PK	10.9999G	56.43	74.00	-17.57	18.74	3	Horizontal	355	1.66	-	37.69	40.30	12.63	34.19

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

### 5580MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4498G	45.78	54.00	-8.22	6.78	3	Vertical	30	2.94	-	39.00	31.70	9.34	34.26
AV	5.5722G	109.48	Inf	-Inf	6.93	3	Vertical	30	2.94	-	102.55	31.76	9.44	34.27
PK	5.4696G	62.89	68.20	-5.31	6.84	3	Vertical	30	2.94	-	56.05	31.74	9.36	34.26
PK	5.5716G	121.55	Inf	-Inf	6.93	3	Vertical	30	2.94	-	114.62	31.76	9.44	34.27
PK	5.7294G	58.62	68.20	-9.58	7.18	3	Vertical	30	2.94	-	51.44	31.96	9.50	34.28



802.11ax HEW20\_Nss1,(MCS0)\_4TX


5580MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4444G	47.26	54.00	-6.74	6.78	3	Horizontal	51	2.76	-	40.48	31.70	9.34	34.26
AV	5.5872G	114.05	Inf	-Inf	6.91	3	Horizontal	51	2.76	-	107.14	31.73	9.45	34.27
PK	5.4636G	66.97	68.20	-1.23	6.82	3	Horizontal	51	2.76	-	60.15	31.73	9.35	34.26
PK	5.5866G	125.21	Inf	-Inf	6.91	3	Horizontal	51	2.76	-	118.30	31.73	9.45	34.27
PK	5.7294G	61.05	68.20	-7.15	7.18	3	Horizontal	51	2.76	-	53.87	31.96	9.50	34.28

802.11ax HEW20\_Nss1,(MCS0)\_4TX


5580MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.15996G	42.76	54.00	-11.24	18.18	3	Vertical	3	1.50	-	24.58	39.66	12.70	34.18
PK	11.16012G	55.70	74.00	-18.30	18.18	3	Vertical	3	1.50	-	37.52	39.66	12.70	34.18

802.11ax HEW20\_Nss1,(MCS0)\_4TX


5580MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.16004G	43.88	54.00	-10.12	18.18	3	Horizontal	324	1.54	-	25.70	39.66	12.70	34.18
PK	11.15712G	55.98	74.00	-18.02	18.19	3	Horizontal	324	1.54	-	37.79	39.67	12.70	34.18

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX


### 5700MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7076G	100.45	Inf	-Inf	7.13	3	Vertical	9	2.80	-	93.32	31.92	9.49	34.28
PK	5.7084G	111.79	Inf	-Inf	7.13	3	Vertical	9	2.80	-	104.66	31.92	9.49	34.28
PK	5.7268G	59.35	68.20	-8.85	7.17	3	Vertical	9	2.80	-	52.18	31.95	9.50	34.28

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX


### 5700MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7068G	106.23	Inf	-Inf	7.12	3	Horizontal	48	2.63	-	99.11	31.91	9.49	34.28
PK	5.7064G	118.28	Inf	-Inf	7.12	3	Horizontal	48	2.63	-	111.16	31.91	9.49	34.28
PK	5.7252G	66.07	68.20	-2.13	7.17	3	Horizontal	48	2.63	-	58.90	31.95	9.50	34.28

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX


### 5700MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.40006G	43.72	54.00	-10.28	18.53	3	Vertical	6	3.00	-	25.19	39.90	12.80	34.17
PK	11.39986G	56.78	74.00	-17.22	18.53	3	Vertical	6	3.00	-	38.25	39.90	12.80	34.17


802.11ax HEW20\_Nss1,(MCS0)\_4TX

5700MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.39994G	44.20	54.00	-9.80	18.53	3	Horizontal	354	1.50	-	25.67	39.90	12.80	34.17
PK	11.39976G	56.36	74.00	-17.64	18.53	3	Horizontal	354	1.50	-	37.83	39.90	12.80	34.17


**802.11ax HEW20\_Nss1,(MCS0)\_4TX**  
**5720MHz Straddle 5.47-5.725GHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4368G	44.59	54.00	-9.41	6.78	3	Vertical	7	2.57	-	37.81	31.70	9.33	34.25
AV	5.7272G	108.61	Inf	-Inf	7.17	3	Vertical	7	2.57	-	101.44	31.95	9.50	34.28
PK	5.4692G	56.31	68.20	-11.89	6.84	3	Vertical	7	2.57	-	49.47	31.74	9.36	34.26
PK	5.7284G	119.61	Inf	-Inf	7.18	3	Vertical	7	2.57	-	112.43	31.96	9.50	34.28
PK	5.8664G	58.46	68.20	-9.74	7.64	3	Vertical	7	2.57	-	50.82	32.37	9.57	34.30




**802.11ax HEW20\_Nss1,(MCS0)\_4TX**  
**5720MHz Straddle 5.47-5.725GHz\_TX**




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4476G	44.63	54.00	-9.37	6.78	3	Horizontal	61	2.97	-	37.85	31.70	9.34	34.26
AV	5.714G	114.07	Inf	-Inf	7.14	3	Horizontal	61	2.97	-	106.93	31.93	9.49	34.28
PK	5.4632G	57.00	68.20	-11.20	6.82	3	Horizontal	61	2.97	-	50.18	31.73	9.35	34.26
PK	5.714G	124.85	Inf	-Inf	7.14	3	Horizontal	61	2.97	-	117.71	31.93	9.49	34.28
PK	5.8544G	65.04	68.20	-3.16	7.58	3	Horizontal	61	2.97	-	57.46	32.32	9.56	34.30

**802.11ax HEW20\_Nss1,(MCS0)\_4TX**  
**5720MHz Straddle 5.47-5.725GHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.44008G	44.57	54.00	-9.43	18.63	3	Vertical	15	1.41	-	25.94	39.98	12.81	34.16
PK	11.43996G	58.77	74.00	-15.23	18.63	3	Vertical	15	1.41	-	40.14	39.98	12.81	34.16


**802.11ax HEW20\_Nss1,(MCS0)\_4TX**  
**5720MHz Straddle 5.47-5.725GHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.4402G	46.57	54.00	-7.43	18.63	3	Horizontal	300	1.05	-	27.94	39.98	12.81	34.16
PK	11.44044G	60.13	74.00	-13.87	18.63	3	Horizontal	300	1.05	-	41.50	39.98	12.81	34.16

### 802.11ax HEW40\_Nss1,(MCS0)\_4TX


### 5510MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	48.10	54.00	-5.90	6.81	3	Vertical	32	3.00	-	41.29	31.72	9.35	34.26
AV	5.5032G	100.16	Inf	-Inf	6.92	3	Vertical	32	3.00	-	93.24	31.80	9.38	34.26
PK	5.4628G	65.50	68.20	-2.70	6.82	3	Vertical	32	3.00	-	58.68	31.73	9.35	34.26
PK	5.5036G	112.21	Inf	-Inf	6.92	3	Vertical	32	3.00	-	105.29	31.80	9.38	34.26

802.11ax HEW40\_Nss1,(MCS0)\_4TX


5510MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4572G	52.99	54.00	-1.01	6.80	3	Horizontal	50	2.65	-	46.19	31.71	9.35	34.26
AV	5.5168G	105.53	Inf	-Inf	6.93	3	Horizontal	50	2.65	-	98.60	31.80	9.39	34.26
PK	5.4696G	66.36	68.20	-1.84	6.84	3	Horizontal	50	2.65	-	59.52	31.74	9.36	34.26
PK	5.5172G	117.58	Inf	-Inf	6.93	3	Horizontal	50	2.65	-	110.65	31.80	9.39	34.26

802.11ax HEW40\_Nss1,(MCS0)\_4TX


5510MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.01993G	42.58	54.00	-11.42	18.67	3	Vertical	21	1.41	-	23.91	40.22	12.64	34.19
PK	11.02195G	55.93	74.00	-18.07	18.66	3	Vertical	21	1.41	-	37.27	40.21	12.64	34.19

802.11ax HEW40\_Nss1,(MCS0)\_4TX


5510MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.02007G	43.34	54.00	-10.66	18.67	3	Horizontal	314	1.84	-	24.67	40.22	12.64	34.19
PK	11.0198G	55.86	74.00	-18.14	18.67	3	Horizontal	314	1.84	-	37.19	40.22	12.64	34.19

### 802.11ax HEW40\_Nss1,(MCS0)\_4TX

### 5550MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	49.13	54.00	-4.87	6.81	3	Vertical	30	2.96	-	42.32	31.72	9.35	34.26
AV	5.5424G	104.06	Inf	-Inf	6.95	3	Vertical	30	2.96	-	97.11	31.80	9.41	34.26
PK	5.4636G	64.15	68.20	-4.05	6.82	3	Vertical	30	2.96	-	57.33	31.73	9.35	34.26
PK	5.5616G	115.50	Inf	-Inf	6.94	3	Vertical	30	2.96	-	108.56	31.78	9.43	34.27



### 802.11ax HEW40\_Nss1,(MCS0)\_4TX


### 5550MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4564G	53.64	54.00	-0.36	6.80	3	Horizontal	48	2.66	-	46.84	31.71	9.35	34.26
AV	5.5564G	109.27	Inf	-Inf	6.95	3	Horizontal	48	2.66	-	102.32	31.79	9.43	34.27
PK	5.47G	65.27	68.20	-2.93	6.84	3	Horizontal	48	2.66	-	58.43	31.74	9.36	34.26
PK	5.556G	121.68	Inf	-Inf	6.94	3	Horizontal	48	2.66	-	114.74	31.79	9.42	34.27

802.11ax HEW40\_Nss1,(MCS0)\_4TX


5550MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.10003G	42.26	54.00	-11.74	18.39	3	Vertical	20	1.38	-	23.87	39.90	12.67	34.18
PK	11.09984G	55.12	74.00	-18.88	18.39	3	Vertical	20	1.38	-	36.73	39.90	12.67	34.18

802.11ax HEW40\_Nss1,(MCS0)\_4TX


5550MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.09999G	43.53	54.00	-10.47	18.39	3	Horizontal	326	1.64	-	25.14	39.90	12.67	34.18
PK	11.10008G	55.97	74.00	-18.03	18.39	3	Horizontal	326	1.64	-	37.58	39.90	12.67	34.18

### 802.11ax HEW40\_Nss1,(MCS0)\_4TX


### 5670MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.6664G	101.34	Inf	-Inf	6.90	3	Vertical	13	2.98	-	94.44	31.70	9.48	34.28
PK	5.667G	113.11	Inf	-Inf	6.90	3	Vertical	13	2.98	-	106.21	31.70	9.48	34.28
PK	5.7276G	61.05	68.20	-7.15	7.18	3	Vertical	13	2.98	-	53.87	31.96	9.50	34.28

802.11ax HEW40\_Nss1,(MCS0)\_4TX


5670MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.6766G	105.09	Inf	-Inf	6.96	3	Horizontal	48	2.68	-	98.13	31.76	9.48	34.28
PK	5.6754G	117.02	Inf	-Inf	6.95	3	Horizontal	48	2.68	-	110.07	31.75	9.48	34.28
PK	5.7258G	67.93	68.20	-0.27	7.17	3	Horizontal	48	2.68	-	60.76	31.95	9.50	34.28

802.11ax HEW40\_Nss1,(MCS0)\_4TX


5670MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.34001G	42.95	54.00	-11.05	18.32	3	Vertical	352	1.50	-	24.63	39.72	12.77	34.17
PK	11.34026G	55.76	74.00	-18.24	18.32	3	Vertical	352	1.50	-	37.44	39.72	12.77	34.17

### 802.11ax HEW40\_Nss1,(MCS0)\_4TX


### 5670MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.34003G	44.28	54.00	-9.72	18.32	3	Horizontal	355	1.68	-	25.96	39.72	12.77	34.17
PK	11.33994G	56.16	74.00	-17.84	18.32	3	Horizontal	355	1.68	-	37.84	39.72	12.77	34.17

### 802.11ax HEW40\_Nss1,(MCS0)\_4TX


### 5710MHz Straddle 5.47-5.725GHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.416G	44.71	54.00	-9.29	6.76	3	Vertical	13	2.94	-	37.95	31.70	9.31	34.25
AV	5.7064G	106.67	Inf	-Inf	7.12	3	Vertical	13	2.94	-	99.55	31.91	9.49	34.28
PK	5.4652G	56.37	68.20	-11.83	6.82	3	Vertical	13	2.94	-	49.55	31.73	9.35	34.26
PK	5.7076G	117.88	Inf	-Inf	7.13	3	Vertical	13	2.94	-	110.75	31.92	9.49	34.28
PK	5.8504G	61.18	68.20	-7.02	7.56	3	Vertical	13	2.94	-	53.62	32.30	9.56	34.30




**802.11ax HEW40\_Nss1,(MCS0)\_4TX**  
**5710MHz Straddle 5.47-5.725GHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4532G	45.12	54.00	-8.88	6.79	3	Horizontal	46	2.76	-	38.33	31.71	9.34	34.26
AV	5.7172G	110.79	Inf	-Inf	7.15	3	Horizontal	46	2.76	-	103.64	31.93	9.50	34.28
PK	5.4676G	56.81	68.20	-11.39	6.83	3	Horizontal	46	2.76	-	49.98	31.74	9.35	34.26
PK	5.716G	122.19	Inf	-Inf	7.14	3	Horizontal	46	2.76	-	115.05	31.93	9.49	34.28
PK	5.8576G	67.35	68.20	-0.85	7.60	3	Horizontal	46	2.76	-	59.75	32.33	9.57	34.30


802.11ax HEW40\_Nss1,(MCS0)\_4TX

5710MHz Straddle 5.47-5.725GHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.42003G	43.80	54.00	-10.20	18.59	3	Vertical	0	1.96	-	25.21	39.94	12.81	34.16
PK	11.41973G	56.53	74.00	-17.47	18.59	3	Vertical	0	1.96	-	37.94	39.94	12.81	34.16


**802.11ax HEW40\_Nss1,(MCS0)\_4TX**  
**5710MHz Straddle 5.47-5.725GHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.41998G	43.89	54.00	-10.11	18.59	3	Horizontal	354	1.50	-	25.30	39.94	12.81	34.16
PK	11.41989G	55.96	74.00	-18.04	18.59	3	Horizontal	354	1.50	-	37.37	39.94	12.81	34.16

### 802.11ax HEW80\_Nss1,(MCS0)\_4TX


### 5530MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.45G	45.91	54.00	-8.09	6.78	3	Vertical	296	1.35	-	39.13	31.70	9.34	34.26
AV	5.55G	91.06	Inf	-Inf	6.95	3	Vertical	296	1.35	-	84.11	31.80	9.42	34.27
PK	5.47G	61.56	68.20	-6.64	6.84	3	Vertical	296	1.35	-	54.72	31.74	9.36	34.26
PK	5.55G	101.99	Inf	-Inf	6.95	3	Vertical	296	1.35	-	95.04	31.80	9.42	34.27
PK	5.772G	58.90	68.20	-9.30	7.26	3	Vertical	296	1.35	-	51.64	32.04	9.51	34.29

### 802.11ax HEW80\_Nss1,(MCS0)\_4TX


### 5530MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.457G	53.66	54.00	-0.34	6.80	3	Horizontal	51	2.66	-	46.86	31.71	9.35	34.26
AV	5.537G	101.77	Inf	-Inf	6.95	3	Horizontal	51	2.66	-	94.82	31.80	9.41	34.26
PK	5.465G	64.24	68.20	-3.96	6.82	3	Horizontal	51	2.66	-	57.42	31.73	9.35	34.26
PK	5.537G	114.62	Inf	-Inf	6.95	3	Horizontal	51	2.66	-	107.67	31.80	9.41	34.26
PK	5.759G	57.75	68.20	-10.45	7.24	3	Horizontal	51	2.66	-	50.51	32.02	9.51	34.29

802.11ax HEW80\_Nss1,(MCS0)\_4TX


5530MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.02832G	42.60	54.00	-11.40	18.64	3	Vertical	226	1.71	-	23.96	40.19	12.64	34.19
PK	11.02416G	55.81	74.00	-18.19	18.65	3	Vertical	226	1.71	-	37.16	40.20	12.64	34.19

802.11ax HEW80\_Nss1,(MCS0)\_4TX


5530MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.06016G	43.33	54.00	-10.67	18.53	3	Horizontal	324	1.62	-	24.80	40.06	12.66	34.19
PK	11.03136G	55.83	74.00	-18.17	18.62	3	Horizontal	324	1.62	-	37.21	40.17	12.64	34.19

### 802.11ax HEW80\_Nss1,(MCS0)\_4TX

#### 5610MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	45.51	54.00	-8.49	6.81	3	Vertical	11	3.00	-	38.70	31.72	9.35	34.26
AV	5.627G	98.25	Inf	-Inf	6.85	3	Vertical	11	3.00	-	91.40	31.65	9.47	34.27
PK	5.466G	58.48	68.20	-9.72	6.82	3	Vertical	11	3.00	-	51.66	31.73	9.35	34.26
PK	5.627G	109.68	Inf	-Inf	6.85	3	Vertical	11	3.00	-	102.83	31.65	9.47	34.27
PK	5.725G	61.86	68.20	-6.34	7.17	3	Vertical	11	3.00	-	54.69	31.95	9.50	34.28



### 802.11ax HEW80\_Nss1,(MCS0)\_4TX


### 5610MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.456G	48.18	54.00	-5.82	6.79	3	Horizontal	48	2.60	-	41.39	31.71	9.34	34.26
AV	5.597G	104.04	Inf	-Inf	6.90	3	Horizontal	48	2.60	-	97.14	31.71	9.46	34.27
PK	5.469G	58.94	68.20	-9.26	6.84	3	Horizontal	48	2.60	-	52.10	31.74	9.36	34.26
PK	5.617G	115.90	Inf	-Inf	6.87	3	Horizontal	48	2.60	-	109.03	31.67	9.47	34.27
PK	5.736G	67.55	68.20	-0.65	7.19	3	Horizontal	48	2.60	-	60.36	31.97	9.50	34.28

802.11ax HEW80\_Nss1,(MCS0)\_4TX


5610MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.18416G	42.56	54.00	-11.44	18.09	3	Vertical	120	1.50	-	24.47	39.56	12.71	34.18
PK	11.23136G	56.47	74.00	-17.53	18.08	3	Vertical	120	1.50	-	38.39	39.53	12.73	34.18

802.11ax HEW80\_Nss1,(MCS0)\_4TX


5610MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.22016G	43.89	54.00	-10.11	18.06	3	Horizontal	347	1.40	-	25.83	39.52	12.72	34.18
PK	11.18784G	56.12	74.00	-17.88	18.08	3	Horizontal	347	1.40	-	38.04	39.55	12.71	34.18

802.11ax HEW80\_Nss1,(MCS0)\_4TX


5690MHz Straddle 5.47-5.725GHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3996G	45.24	54.00	-8.76	6.75	3	Vertical	300	1.50	-	38.49	31.70	9.30	34.25
AV	5.6888G	96.49	Inf	-Inf	7.04	3	Vertical	300	1.50	-	89.45	31.83	9.49	34.28
PK	5.46G	57.49	68.20	-10.71	6.81	3	Vertical	300	1.50	-	50.68	31.72	9.35	34.26
PK	5.6888G	108.13	Inf	-Inf	7.04	3	Vertical	300	1.50	-	101.09	31.83	9.49	34.28
PK	5.8508G	60.91	68.20	-7.29	7.56	3	Vertical	300	1.50	-	53.35	32.30	9.56	34.30


802.11ax HEW80\_Nss1,(MCS0)\_4TX

5690MHz Straddle 5.47-5.725GHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4596G	48.60	54.00	-5.40	6.81	3	Horizontal	49	1.78	-	41.79	31.72	9.35	34.26
AV	5.6996G	105.67	Inf	-Inf	7.11	3	Horizontal	49	1.78	-	98.56	31.90	9.49	34.28
PK	5.4608G	60.34	68.20	-7.86	6.81	3	Horizontal	49	1.78	-	53.53	31.72	9.35	34.26
PK	5.6996G	119.17	Inf	-Inf	7.11	3	Horizontal	49	1.78	-	112.06	31.90	9.49	34.28
PK	5.8592G	67.66	68.20	-0.54	7.61	3	Horizontal	49	1.78	-	60.05	32.34	9.57	34.30

**802.11ax HEW80\_Nss1,(MCS0)\_4TX**  
**5690MHz Straddle 5.47-5.725GHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.38G	43.43	54.00	-10.57	18.46	3	Vertical	354	1.50	-	24.97	39.84	12.79	34.17
PK	11.37952G	56.69	74.00	-17.31	18.46	3	Vertical	354	1.50	-	38.23	39.84	12.79	34.17


**802.11ax HEW80\_Nss1,(MCS0)\_4TX**  
**5690MHz Straddle 5.47-5.725GHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.38G	44.38	54.00	-9.62	18.46	3	Horizontal	322	1.63	-	25.92	39.84	12.79	34.17
PK	11.40816G	56.45	74.00	-17.55	18.55	3	Horizontal	322	1.63	-	37.90	39.92	12.80	34.17

802.11ax HEW160\_Nss1,(MCS0)\_4TX

5570MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4428G	48.47	54.00	-5.53	6.77	3	Vertical	29	2.94	-	41.70	31.70	9.33	34.26
AV	5.5628G	94.96	Inf	-Inf	6.93	3	Vertical	29	2.94	-	88.03	31.77	9.43	34.27
PK	5.4632G	62.03	68.20	-6.17	6.82	3	Vertical	29	2.94	-	55.21	31.73	9.35	34.26
PK	5.5628G	106.83	Inf	-Inf	6.93	3	Vertical	29	2.94	-	99.90	31.77	9.43	34.27
PK	5.726G	59.26	68.20	-8.94	7.17	3	Vertical	29	2.94	-	52.09	31.95	9.50	34.28



802.11ax HEW160\_Nss1,(MCS0)\_4TX


5570MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.456G	53.41	54.00	-0.59	6.79	3	Horizontal	48	2.62	-	46.62	31.71	9.34	34.26
AV	5.5568G	99.49	Inf	-Inf	6.95	3	Horizontal	48	2.62	-	92.54	31.79	9.43	34.27
PK	5.4632G	60.66	68.20	-7.54	6.82	3	Horizontal	48	2.62	-	53.84	31.73	9.35	34.26
PK	5.5772G	111.88	Inf	-Inf	6.92	3	Horizontal	48	2.62	-	104.96	31.75	9.44	34.27
PK	5.7368G	62.32	68.20	-5.88	7.19	3	Horizontal	48	2.62	-	55.13	31.97	9.50	34.28

802.11ax HEW160\_Nss1,(MCS0)\_4TX


5570MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.14006G	42.85	54.00	-11.15	18.25	3	Vertical	4	1.67	-	24.60	39.74	12.69	34.18
PK	11.14732G	55.58	74.00	-18.42	18.22	3	Vertical	4	1.67	-	37.36	39.71	12.69	34.18

802.11ax HEW160\_Nss1,(MCS0)\_4TX

5570MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.13994G	43.50	54.00	-10.50	18.25	3	Horizontal	328	1.64	-	25.25	39.74	12.69	34.18
PK	11.14984G	56.25	74.00	-17.75	18.21	3	Horizontal	328	1.64	-	38.04	39.70	12.69	34.18



Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX	Pass	AV	5.353G	53.79	54.00	-0.21	3	Vertical	123	2.34	-
802.11ax HEW20_Nss1,(MCS0)_2TX	Pass	AV	5.36G	53.77	54.00	-0.23	3	Vertical	75	3.00	-
802.11ax HEW40_Nss1,(MCS0)_2TX	Pass	AV	5.3564G	52.84	54.00	-1.16	3	Vertical	343	2.60	-
802.11ax HEW80_Nss1,(MCS0)_2TX	Pass	AV	5.357G	53.33	54.00	-0.67	3	Vertical	68	2.94	-
802.11ax HEW160_Nss1,(MCS0)_2TX	Pass	AV	5.1468G	53.82	54.00	-0.18	3	Vertical	67	3.00	-
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX	Pass	PK	5.726G	67.46	68.20	-0.74	3	Vertical	64	2.52	-
802.11ax HEW20_Nss1,(MCS0)_2TX	Pass	PK	5.7256G	67.77	68.20	-0.43	3	Horizontal	74	3.00	-
802.11ax HEW40_Nss1,(MCS0)_2TX	Pass	PK	5.4668G	67.94	68.20	-0.26	3	Vertical	65	2.76	-
802.11ax HEW80_Nss1,(MCS0)_2TX	Pass	PK	5.47G	67.88	68.20	-0.32	3	Vertical	225	3.00	-
802.11ax HEW160_Nss1,(MCS0)_2TX	Pass	AV	5.4524G	53.19	54.00	-0.81	3	Vertical	224	2.74	-



Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
802.11a_Nss1,(6Mbps)_2TX	-	-	-	-	-	-	-	-	-	-	-
5260MHz	Pass	AV	5.1478G	48.57	54.00	-5.43	3	Vertical	123	2.34	-
5260MHz	Pass	AV	5.2672G	110.12	Inf	-Inf	3	Vertical	123	2.34	-
5260MHz	Pass	AV	5.353G	53.79	54.00	-0.21	3	Vertical	123	2.34	-
5260MHz	Pass	PK	5.1484G	61.56	74.00	-12.44	3	Vertical	123	2.34	-
5260MHz	Pass	PK	5.2672G	121.51	Inf	-Inf	3	Vertical	123	2.34	-
5260MHz	Pass	PK	5.3524G	68.77	74.00	-5.23	3	Vertical	123	2.34	-
5260MHz	Pass	AV	5.1484G	47.35	54.00	-6.65	3	Horizontal	230	2.90	-
5260MHz	Pass	AV	5.2534G	105.67	Inf	-Inf	3	Horizontal	230	2.90	-
5260MHz	Pass	AV	5.3536G	50.11	54.00	-3.89	3	Horizontal	230	2.90	-
5260MHz	Pass	PK	5.1478G	60.20	74.00	-13.80	3	Horizontal	230	2.90	-
5260MHz	Pass	PK	5.2534G	115.99	Inf	-Inf	3	Horizontal	230	2.90	-
5260MHz	Pass	PK	5.353G	64.57	74.00	-9.43	3	Horizontal	230	2.90	-
5260MHz	Pass	PK	10.51672G	54.79	68.20	-13.41	3	Vertical	44	2.04	-
5260MHz	Pass	PK	10.51548G	55.26	68.20	-12.94	3	Horizontal	164	2.01	-
5300MHz	Pass	AV	5.2936G	106.99	Inf	-Inf	3	Vertical	71	2.81	-
5300MHz	Pass	AV	5.35G	50.37	54.00	-3.63	3	Vertical	71	2.81	-
5300MHz	Pass	PK	5.2936G	117.51	Inf	-Inf	3	Vertical	71	2.81	-
5300MHz	Pass	PK	5.35G	65.24	74.00	-8.76	3	Vertical	71	2.81	-
5300MHz	Pass	AV	5.3064G	103.49	Inf	-Inf	3	Horizontal	77	2.88	-
5300MHz	Pass	AV	5.3516G	49.22	54.00	-4.78	3	Horizontal	77	2.88	-
5300MHz	Pass	PK	5.3068G	113.20	Inf	-Inf	3	Horizontal	77	2.88	-
5300MHz	Pass	PK	5.3572G	61.93	74.00	-12.07	3	Horizontal	77	2.88	-
5300MHz	Pass	AV	10.60596G	41.88	54.00	-12.12	3	Vertical	213	1.49	-
5300MHz	Pass	PK	10.59184G	55.16	68.20	-13.04	3	Vertical	213	1.49	-
5300MHz	Pass	AV	10.60872G	42.07	54.00	-11.93	3	Horizontal	261	1.96	-
5300MHz	Pass	PK	10.60436G	54.78	74.00	-19.22	3	Horizontal	261	1.96	-
5320MHz	Pass	AV	5.3274G	105.16	Inf	-Inf	3	Vertical	121	2.92	-
5320MHz	Pass	AV	5.3522G	51.47	54.00	-2.53	3	Vertical	121	2.92	-
5320MHz	Pass	PK	5.3274G	114.76	Inf	-Inf	3	Vertical	121	2.92	-
5320MHz	Pass	PK	5.3518G	66.54	74.00	-7.46	3	Vertical	121	2.92	-
5320MHz	Pass	AV	5.3266G	101.25	Inf	-Inf	3	Horizontal	79	3.00	-
5320MHz	Pass	AV	5.3512G	49.93	54.00	-4.07	3	Horizontal	79	3.00	-
5320MHz	Pass	PK	5.3268G	111.19	Inf	-Inf	3	Horizontal	79	3.00	-
5320MHz	Pass	PK	5.3518G	65.05	74.00	-8.95	3	Horizontal	79	3.00	-
5320MHz	Pass	AV	10.64612G	42.28	54.00	-11.72	3	Vertical	116	1.28	-
5320MHz	Pass	PK	10.6364G	55.70	74.00	-18.30	3	Vertical	116	1.28	-
5320MHz	Pass	AV	10.64836G	42.37	54.00	-11.63	3	Horizontal	274	1.50	-
5320MHz	Pass	PK	10.64252G	55.33	74.00	-18.67	3	Horizontal	274	1.50	-
5500MHz	Pass	AV	5.458G	46.62	54.00	-7.38	3	Vertical	117	2.41	-
5500MHz	Pass	AV	5.4932G	105.60	Inf	-Inf	3	Vertical	117	2.41	-
5500MHz	Pass	PK	5.4686G	66.32	68.20	-1.88	3	Vertical	117	2.41	-
5500MHz	Pass	PK	5.493G	115.26	Inf	-Inf	3	Vertical	117	2.41	-
5500MHz	Pass	AV	5.457G	46.02	54.00	-7.98	3	Horizontal	76	3.00	-
5500MHz	Pass	AV	5.5066G	100.80	Inf	-Inf	3	Horizontal	76	3.00	-
5500MHz	Pass	PK	5.47G	61.44	68.20	-6.76	3	Horizontal	76	3.00	-
5500MHz	Pass	PK	5.507G	111.11	Inf	-Inf	3	Horizontal	76	3.00	-
5500MHz	Pass	AV	10.993G	42.78	54.00	-11.22	3	Vertical	72	1.58	-
5500MHz	Pass	PK	11.00272G	56.46	74.00	-17.54	3	Vertical	72	1.58	-
5500MHz	Pass	AV	10.99972G	42.85	54.00	-11.15	3	Horizontal	146	1.50	-
5500MHz	Pass	PK	10.9998G	55.60	74.00	-18.40	3	Horizontal	146	1.50	-
5580MHz	Pass	AV	5.4588G	46.69	54.00	-7.31	3	Vertical	64	2.63	-
5580MHz	Pass	AV	5.5746G	111.52	Inf	-Inf	3	Vertical	64	2.63	-
5580MHz	Pass	PK	5.4696G	60.54	68.20	-7.66	3	Vertical	64	2.63	-
5580MHz	Pass	PK	5.5746G	121.49	Inf	-Inf	3	Vertical	64	2.63	-
5580MHz	Pass	PK	5.7264G	58.23	68.20	-9.97	3	Vertical	64	2.63	-
5580MHz	Pass	AV	5.4564G	45.53	54.00	-8.47	3	Horizontal	80	3.00	-
5580MHz	Pass	AV	5.5866G	106.60	Inf	-Inf	3	Horizontal	80	3.00	-
5580MHz	Pass	PK	5.4606G	57.86	68.20	-10.34	3	Horizontal	80	3.00	-
5580MHz	Pass	PK	5.5872G	116.98	Inf	-Inf	3	Horizontal	80	3.00	-
5580MHz	Pass	PK	5.7258G	57.23	68.20	-10.97	3	Horizontal	80	3.00	-



RSE TX above 1GHz\_Non-Beamforming\_Radio4

Appendix D.3

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5580MHz	Pass	AV	11.168G	42.37	54.00	-11.63	3	Vertical	62	1.50	-
5580MHz	Pass	PK	11.16052G	55.55	74.00	-18.45	3	Vertical	62	1.50	-
5580MHz	Pass	AV	11.15452G	42.56	54.00	-11.44	3	Horizontal	61	2.06	-
5580MHz	Pass	PK	11.16456G	56.56	74.00	-17.44	3	Horizontal	61	2.06	-
5700MHz	Pass	AV	5.7052G	105.48	Inf	-Inf	3	Vertical	64	2.52	-
5700MHz	Pass	PK	5.7044G	115.31	Inf	-Inf	3	Vertical	64	2.52	-
5700MHz	Pass	PK	5.726G	67.46	68.20	-0.74	3	Vertical	64	2.52	-
5700MHz	Pass	AV	5.6924G	101.87	Inf	-Inf	3	Horizontal	74	2.96	-
5700MHz	Pass	PK	5.7076G	111.19	Inf	-Inf	3	Horizontal	74	2.96	-
5700MHz	Pass	PK	5.7276G	62.48	68.20	-5.72	3	Horizontal	74	2.96	-
5700MHz	Pass	AV	11.3926G	42.59	54.00	-11.41	3	Vertical	298	1.42	-
5700MHz	Pass	PK	11.39736G	55.27	74.00	-18.73	3	Vertical	298	1.42	-
5700MHz	Pass	AV	11.39052G	42.58	54.00	-11.42	3	Horizontal	26	2.30	-
5700MHz	Pass	PK	11.40264G	55.60	74.00	-18.40	3	Horizontal	26	2.30	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.4452G	45.31	54.00	-8.69	3	Vertical	64	2.62	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.7152G	111.41	Inf	-Inf	3	Vertical	64	2.62	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4644G	56.53	68.20	-11.67	3	Vertical	64	2.62	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.7152G	121.35	Inf	-Inf	3	Vertical	64	2.62	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.8988G	60.14	68.20	-8.06	3	Vertical	64	2.62	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.4356G	45.05	54.00	-8.95	3	Horizontal	75	2.94	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.7272G	106.87	Inf	-Inf	3	Horizontal	75	2.94	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4692G	56.60	68.20	-11.60	3	Horizontal	75	2.94	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.7284G	117.23	Inf	-Inf	3	Horizontal	75	2.94	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.852G	59.32	68.20	-8.88	3	Horizontal	75	2.94	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.44184G	42.70	54.00	-11.30	3	Vertical	183	1.77	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.43816G	55.66	74.00	-18.34	3	Vertical	183	1.77	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.44588G	42.58	54.00	-11.42	3	Horizontal	202	2.08	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.44216G	56.64	74.00	-17.36	3	Horizontal	202	2.08	-
802.11ax HEW20_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-
5260MHz	Pass	AV	5.1472G	49.08	54.00	-4.92	3	Vertical	67	2.62	-
5260MHz	Pass	AV	5.2672G	108.59	Inf	-Inf	3	Vertical	67	2.62	-
5260MHz	Pass	AV	5.35G	53.36	54.00	-0.64	3	Vertical	67	2.62	-
5260MHz	Pass	PK	5.1466G	62.97	74.00	-11.03	3	Vertical	67	2.62	-
5260MHz	Pass	PK	5.266G	121.04	Inf	-Inf	3	Vertical	67	2.62	-
5260MHz	Pass	PK	5.3566G	68.43	74.00	-5.57	3	Vertical	67	2.62	-
5260MHz	Pass	AV	5.15G	47.31	54.00	-6.69	3	Horizontal	83	3.00	-
5260MHz	Pass	AV	5.2528G	105.26	Inf	-Inf	3	Horizontal	83	3.00	-
5260MHz	Pass	AV	5.353G	50.72	54.00	-3.28	3	Horizontal	83	3.00	-
5260MHz	Pass	PK	5.15G	60.00	74.00	-14.00	3	Horizontal	83	3.00	-
5260MHz	Pass	PK	5.2516G	117.34	Inf	-Inf	3	Horizontal	83	3.00	-
5260MHz	Pass	PK	5.3536G	68.50	74.00	-5.50	3	Horizontal	83	3.00	-
5260MHz	Pass	PK	10.52348G	55.13	68.20	-13.07	3	Vertical	360	1.50	-
5260MHz	Pass	PK	10.52868G	55.35	68.20	-12.85	3	Horizontal	28	1.50	-
5300MHz	Pass	AV	5.3068G	106.30	Inf	-Inf	3	Vertical	75	3.00	-
5300MHz	Pass	AV	5.35G	53.77	54.00	-0.23	3	Vertical	75	3.00	-
5300MHz	Pass	PK	5.3068G	118.32	Inf	-Inf	3	Vertical	75	3.00	-
5300MHz	Pass	PK	5.35G	69.24	74.00	-4.76	3	Vertical	75	3.00	-
5300MHz	Pass	AV	5.292G	103.20	Inf	-Inf	3	Horizontal	83	3.00	-
5300MHz	Pass	AV	5.3524G	51.44	54.00	-2.56	3	Horizontal	83	3.00	-
5300MHz	Pass	PK	5.292G	116.07	Inf	-Inf	3	Horizontal	83	3.00	-
5300MHz	Pass	PK	5.3504G	66.05	74.00	-7.95	3	Horizontal	83	3.00	-
5300MHz	Pass	AV	10.6062G	41.76	54.00	-12.24	3	Vertical	0	2.48	-
5300MHz	Pass	PK	10.59332G	55.13	68.20	-13.07	3	Vertical	0	2.48	-
5300MHz	Pass	AV	10.60404G	41.67	54.00	-12.33	3	Horizontal	307	1.50	-
5300MHz	Pass	PK	10.60084G	55.29	74.00	-18.71	3	Horizontal	307	1.50	-
5320MHz	Pass	AV	5.3252G	104.03	Inf	-Inf	3	Vertical	119	2.93	-
5320MHz	Pass	AV	5.354G	52.72	54.00	-1.28	3	Vertical	119	2.93	-
5320MHz	Pass	PK	5.3254G	117.27	Inf	-Inf	3	Vertical	119	2.93	-
5320MHz	Pass	PK	5.3538G	70.84	74.00	-3.16	3	Vertical	119	2.93	-
5320MHz	Pass	AV	5.312G	100.32	Inf	-Inf	3	Horizontal	76	2.94	-
5320MHz	Pass	AV	5.352G	50.66	54.00	-3.34	3	Horizontal	76	2.94	-
5320MHz	Pass	PK	5.312G	112.51	Inf	-Inf	3	Horizontal	76	2.94	-



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5320MHz	Pass	PK	5.3526G	67.54	74.00	-6.46	3	Horizontal	76	2.94	-
5320MHz	Pass	AV	10.644G	41.92	54.00	-12.08	3	Vertical	352	1.30	-
5320MHz	Pass	PK	10.6348G	55.15	74.00	-18.85	3	Vertical	352	1.30	-
5320MHz	Pass	AV	10.64908G	41.90	54.00	-12.10	3	Horizontal	4	3.00	-
5320MHz	Pass	PK	10.63884G	56.10	74.00	-17.90	3	Horizontal	4	3.00	-
5500MHz	Pass	AV	5.4578G	46.73	54.00	-7.27	3	Vertical	64	2.59	-
5500MHz	Pass	AV	5.5082G	104.63	Inf	-Inf	3	Vertical	64	2.59	-
5500MHz	Pass	PK	5.468G	64.78	68.20	-3.42	3	Vertical	64	2.59	-
5500MHz	Pass	PK	5.5086G	116.29	Inf	-Inf	3	Vertical	64	2.59	-
5500MHz	Pass	AV	5.454G	45.35	54.00	-8.65	3	Horizontal	76	3.00	-
5500MHz	Pass	AV	5.4934G	99.83	Inf	-Inf	3	Horizontal	76	3.00	-
5500MHz	Pass	PK	5.4636G	60.00	68.20	-8.20	3	Horizontal	76	3.00	-
5500MHz	Pass	PK	5.4938G	113.14	Inf	-Inf	3	Horizontal	76	3.00	-
5500MHz	Pass	AV	10.99888G	42.55	54.00	-11.45	3	Vertical	256	1.50	-
5500MHz	Pass	PK	11.00608G	56.10	74.00	-17.90	3	Vertical	256	1.50	-
5500MHz	Pass	AV	11.00048G	42.47	54.00	-11.53	3	Horizontal	12	1.50	-
5500MHz	Pass	PK	10.9904G	55.90	74.00	-18.10	3	Horizontal	12	1.50	-
5580MHz	Pass	AV	5.46G	47.41	54.00	-6.59	3	Vertical	225	2.74	-
5580MHz	Pass	AV	5.5716G	111.39	Inf	-Inf	3	Vertical	225	2.74	-
5580MHz	Pass	PK	5.469G	62.03	68.20	-6.17	3	Vertical	225	2.74	-
5580MHz	Pass	PK	5.5722G	123.77	Inf	-Inf	3	Vertical	225	2.74	-
5580MHz	Pass	PK	5.7258G	58.82	68.20	-9.38	3	Vertical	225	2.74	-
5580MHz	Pass	AV	5.4528G	46.00	54.00	-8.00	3	Horizontal	78	3.00	-
5580MHz	Pass	AV	5.5734G	105.63	Inf	-Inf	3	Horizontal	78	3.00	-
5580MHz	Pass	PK	5.4612G	59.31	68.20	-8.89	3	Horizontal	78	3.00	-
5580MHz	Pass	PK	5.5746G	118.12	Inf	-Inf	3	Horizontal	78	3.00	-
5580MHz	Pass	PK	5.7252G	58.26	68.20	-9.94	3	Horizontal	78	3.00	-
5580MHz	Pass	AV	11.15788G	42.90	54.00	-11.10	3	Vertical	75	2.49	-
5580MHz	Pass	PK	11.1658G	56.41	74.00	-17.59	3	Vertical	75	2.49	-
5580MHz	Pass	AV	11.16856G	42.08	54.00	-11.92	3	Horizontal	0	1.59	-
5580MHz	Pass	PK	11.16656G	55.36	74.00	-18.64	3	Horizontal	0	1.59	-
5700MHz	Pass	AV	5.6916G	105.33	Inf	-Inf	3	Vertical	226	2.88	-
5700MHz	Pass	PK	5.6908G	116.60	Inf	-Inf	3	Vertical	226	2.88	-
5700MHz	Pass	PK	5.7256G	67.44	68.20	-0.76	3	Vertical	226	2.88	-
5700MHz	Pass	AV	5.694G	100.94	Inf	-Inf	3	Horizontal	74	3.00	-
5700MHz	Pass	PK	5.6936G	113.04	Inf	-Inf	3	Horizontal	74	3.00	-
5700MHz	Pass	PK	5.7256G	67.77	68.20	-0.43	3	Horizontal	74	3.00	-
5700MHz	Pass	AV	11.39048G	42.19	54.00	-11.81	3	Vertical	46	1.49	-
5700MHz	Pass	PK	11.3982G	56.01	74.00	-17.99	3	Vertical	46	1.49	-
5700MHz	Pass	AV	11.3964G	42.18	54.00	-11.82	3	Horizontal	243	1.50	-
5700MHz	Pass	PK	11.39084G	55.36	74.00	-18.64	3	Horizontal	243	1.50	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.438G	45.10	54.00	-8.90	3	Vertical	66	2.53	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.7296G	109.79	Inf	-Inf	3	Vertical	66	2.53	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.46G	56.52	68.20	-11.68	3	Vertical	66	2.53	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.7284G	119.79	Inf	-Inf	3	Vertical	66	2.53	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.8532G	62.12	68.20	-6.08	3	Vertical	66	2.53	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.4284G	45.02	54.00	-8.98	3	Horizontal	75	3.00	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.714G	105.99	Inf	-Inf	3	Horizontal	75	3.00	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4692G	56.64	68.20	-11.56	3	Horizontal	75	3.00	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.714G	118.49	Inf	-Inf	3	Horizontal	75	3.00	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.876G	59.34	68.20	-8.86	3	Horizontal	75	3.00	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.44064G	42.19	54.00	-11.81	3	Vertical	110	1.50	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.43756G	56.82	74.00	-17.18	3	Vertical	110	1.50	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.44264G	42.29	54.00	-11.71	3	Horizontal	180	1.50	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.44776G	56.20	74.00	-17.80	3	Horizontal	180	1.50	-
802.11ax HEW40_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-
5270MHz	Pass	AV	5.2668G	102.45	Inf	-Inf	3	Vertical	343	2.60	-
5270MHz	Pass	AV	5.3564G	52.84	54.00	-1.16	3	Vertical	343	2.60	-
5270MHz	Pass	PK	5.2668G	115.06	Inf	-Inf	3	Vertical	343	2.60	-
5270MHz	Pass	PK	5.3568G	66.98	74.00	-7.02	3	Vertical	343	2.60	-
5270MHz	Pass	AV	5.272G	100.57	Inf	-Inf	3	Horizontal	81	2.96	-
5270MHz	Pass	AV	5.3528G	52.44	54.00	-1.56	3	Horizontal	81	2.96	-



RSE TX above 1GHz\_Non-Beamforming\_Radio4

Appendix D.3

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5270MHz	Pass	PK	5.2628G	112.46	Inf	-Inf	3	Horizontal	81	2.96	-
5270MHz	Pass	PK	5.3548G	66.92	74.00	-7.08	3	Horizontal	81	2.96	-
5270MHz	Pass	PK	10.52848G	55.34	68.20	-12.86	3	Vertical	224	1.50	-
5270MHz	Pass	PK	10.54344G	55.39	68.20	-12.81	3	Horizontal	195	2.90	-
5310MHz	Pass	AV	5.3048G	100.37	Inf	-Inf	3	Vertical	119	2.92	-
5310MHz	Pass	AV	5.3552G	51.66	54.00	-2.34	3	Vertical	119	2.92	-
5310MHz	Pass	PK	5.3144G	112.48	Inf	-Inf	3	Vertical	119	2.92	-
5310MHz	Pass	PK	5.3544G	69.15	74.00	-4.85	3	Vertical	119	2.92	-
5310MHz	Pass	AV	5.3124G	96.47	Inf	-Inf	3	Horizontal	75	2.93	-
5310MHz	Pass	AV	5.3524G	49.83	54.00	-4.17	3	Horizontal	75	2.93	-
5310MHz	Pass	PK	5.312G	109.14	Inf	-Inf	3	Horizontal	75	2.93	-
5310MHz	Pass	PK	5.3616G	66.74	74.00	-7.26	3	Horizontal	75	2.93	-
5310MHz	Pass	AV	10.63792G	42.03	54.00	-11.97	3	Vertical	192	1.50	-
5310MHz	Pass	PK	10.61752G	55.73	74.00	-18.27	3	Vertical	192	1.50	-
5310MHz	Pass	AV	10.63912G	42.01	54.00	-11.99	3	Horizontal	240	2.74	-
5310MHz	Pass	PK	10.62816G	55.35	74.00	-18.65	3	Horizontal	240	2.74	-
5510MHz	Pass	AV	5.4584G	49.19	54.00	-4.81	3	Vertical	65	2.76	-
5510MHz	Pass	AV	5.508G	100.82	Inf	-Inf	3	Vertical	65	2.76	-
5510MHz	Pass	PK	5.4668G	67.94	68.20	-0.26	3	Vertical	65	2.76	-
5510MHz	Pass	PK	5.5096G	113.63	Inf	-Inf	3	Vertical	65	2.76	-
5510MHz	Pass	AV	5.4536G	46.21	54.00	-7.79	3	Horizontal	77	3.00	-
5510MHz	Pass	AV	5.5132G	95.64	Inf	-Inf	3	Horizontal	77	3.00	-
5510MHz	Pass	PK	5.462G	64.16	68.20	-4.04	3	Horizontal	77	3.00	-
5510MHz	Pass	PK	5.514G	108.89	Inf	-Inf	3	Horizontal	77	3.00	-
5510MHz	Pass	AV	11.00408G	42.57	54.00	-11.43	3	Vertical	129	1.50	-
5510MHz	Pass	PK	11.01192G	56.41	74.00	-17.59	3	Vertical	129	1.50	-
5510MHz	Pass	AV	11.00208G	42.50	54.00	-11.50	3	Horizontal	360	1.50	-
5510MHz	Pass	PK	11.01824G	55.42	74.00	-18.58	3	Horizontal	360	1.50	-
5550MHz	Pass	AV	5.46G	49.93	54.00	-4.07	3	Vertical	224	3.00	-
5550MHz	Pass	AV	5.5516G	105.48	Inf	-Inf	3	Vertical	224	3.00	-
5550MHz	Pass	PK	5.4696G	67.45	68.20	-0.75	3	Vertical	224	3.00	-
5550MHz	Pass	PK	5.5516G	118.27	Inf	-Inf	3	Vertical	224	3.00	-
5550MHz	Pass	AV	5.454G	47.22	54.00	-6.78	3	Horizontal	75	2.97	-
5550MHz	Pass	AV	5.5436G	100.11	Inf	-Inf	3	Horizontal	75	2.97	-
5550MHz	Pass	PK	5.4636G	63.96	68.20	-4.24	3	Horizontal	75	2.97	-
5550MHz	Pass	PK	5.5536G	113.11	Inf	-Inf	3	Horizontal	75	2.97	-
5550MHz	Pass	AV	11.10736G	42.29	54.00	-11.71	3	Vertical	86	2.41	-
5550MHz	Pass	PK	11.10176G	55.79	74.00	-18.21	3	Vertical	86	2.41	-
5550MHz	Pass	AV	11.08168G	42.07	54.00	-11.93	3	Horizontal	360	1.00	-
5550MHz	Pass	PK	11.084G	56.14	74.00	-17.86	3	Horizontal	360	1.00	-
5670MHz	Pass	AV	5.6688G	103.22	Inf	-Inf	3	Vertical	63	2.86	-
5670MHz	Pass	PK	5.6598G	115.18	Inf	-Inf	3	Vertical	63	2.86	-
5670MHz	Pass	PK	5.7288G	67.71	68.20	-0.49	3	Vertical	63	2.86	-
5670MHz	Pass	AV	5.6742G	98.69	Inf	-Inf	3	Horizontal	74	2.98	-
5670MHz	Pass	PK	5.664G	111.65	Inf	-Inf	3	Horizontal	74	2.98	-
5670MHz	Pass	PK	5.7258G	64.83	68.20	-3.37	3	Horizontal	74	2.98	-
5670MHz	Pass	AV	11.33208G	42.46	54.00	-11.54	3	Vertical	0	1.48	-
5670MHz	Pass	PK	11.32552G	56.12	74.00	-17.88	3	Vertical	0	1.48	-
5670MHz	Pass	AV	11.3336G	42.47	54.00	-11.53	3	Horizontal	214	1.50	-
5670MHz	Pass	PK	11.33928G	55.87	74.00	-18.13	3	Horizontal	214	1.50	-
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.452G	45.51	54.00	-8.49	3	Vertical	13	2.55	-
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.7052G	107.22	Inf	-Inf	3	Vertical	13	2.55	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.46G	56.98	68.20	-11.22	3	Vertical	13	2.55	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.7064G	118.86	Inf	-Inf	3	Vertical	13	2.55	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.8576G	67.29	68.20	-0.91	3	Vertical	13	2.55	-
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.452G	45.42	54.00	-8.58	3	Horizontal	74	3.00	-
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.704G	103.49	Inf	-Inf	3	Horizontal	74	3.00	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.4616G	56.63	68.20	-11.57	3	Horizontal	74	3.00	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.7148G	114.86	Inf	-Inf	3	Horizontal	74	3.00	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.8564G	65.57	68.20	-2.63	3	Horizontal	74	3.00	-
5710MHz Straddle 5.47-5.725GHz	Pass	AV	11.4024G	42.40	54.00	-11.60	3	Vertical	89	2.78	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	11.41128G	56.54	74.00	-17.46	3	Vertical	89	2.78	-





RSE TX above 1GHz\_Non-Beamforming\_Radio4

Appendix D.3

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5710MHz Straddle 5.47-5.725GHz	Pass	AV	11.40552G	42.41	54.00	-11.59	3	Horizontal	82	1.50	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	11.40664G	56.62	74.00	-17.38	3	Horizontal	82	1.50	-
802.11ax HEW80_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-
5290MHz	Pass	AV	5.147G	47.33	54.00	-6.67	3	Vertical	68	2.94	-
5290MHz	Pass	AV	5.287G	97.48	Inf	-Inf	3	Vertical	68	2.94	-
5290MHz	Pass	AV	5.357G	53.33	54.00	-0.67	3	Vertical	68	2.94	-
5290MHz	Pass	PK	5.148G	60.03	74.00	-13.97	3	Vertical	68	2.94	-
5290MHz	Pass	PK	5.317G	109.84	Inf	-Inf	3	Vertical	68	2.94	-
5290MHz	Pass	PK	5.357G	69.31	74.00	-4.69	3	Vertical	68	2.94	-
5290MHz	Pass	AV	5.15G	46.10	54.00	-7.90	3	Horizontal	79	3.00	-
5290MHz	Pass	AV	5.282G	94.31	Inf	-Inf	3	Horizontal	79	3.00	-
5290MHz	Pass	AV	5.353G	51.96	54.00	-2.04	3	Horizontal	79	3.00	-
5290MHz	Pass	PK	5.15G	58.12	74.00	-15.88	3	Horizontal	79	3.00	-
5290MHz	Pass	PK	5.302G	107.26	Inf	-Inf	3	Horizontal	79	3.00	-
5290MHz	Pass	PK	5.353G	68.05	74.00	-5.95	3	Horizontal	79	3.00	-
5290MHz	Pass	PK	10.59008G	55.38	68.20	-12.82	3	Vertical	46	3.00	-
5290MHz	Pass	PK	10.58954G	55.60	68.20	-12.60	3	Horizontal	122	1.50	-
5530MHz	Pass	AV	5.46G	53.36	54.00	-0.64	3	Vertical	225	3.00	-
5530MHz	Pass	AV	5.542G	98.71	Inf	-Inf	3	Vertical	225	3.00	-
5530MHz	Pass	PK	5.47G	67.88	68.20	-0.32	3	Vertical	225	3.00	-
5530MHz	Pass	PK	5.521G	111.32	Inf	-Inf	3	Vertical	225	3.00	-
5530MHz	Pass	PK	5.733G	57.48	68.20	-10.72	3	Vertical	225	3.00	-
5530MHz	Pass	AV	5.453G	50.77	54.00	-3.23	3	Horizontal	74	3.00	-
5530MHz	Pass	AV	5.524G	93.76	Inf	-Inf	3	Horizontal	74	3.00	-
5530MHz	Pass	PK	5.462G	66.43	68.20	-1.77	3	Horizontal	74	3.00	-
5530MHz	Pass	PK	5.544G	105.75	Inf	-Inf	3	Horizontal	74	3.00	-
5530MHz	Pass	PK	5.729G	58.03	68.20	-10.17	3	Horizontal	74	3.00	-
5530MHz	Pass	AV	11.04656G	42.22	54.00	-11.78	3	Vertical	188	1.50	-
5530MHz	Pass	PK	11.06168G	56.25	74.00	-17.75	3	Vertical	188	1.50	-
5530MHz	Pass	AV	11.0561G	42.20	54.00	-11.80	3	Horizontal	263	1.50	-
5530MHz	Pass	PK	11.04716G	55.66	74.00	-18.34	3	Horizontal	263	1.50	-
5610MHz	Pass	AV	5.458G	47.98	54.00	-6.02	3	Vertical	64	2.74	-
5610MHz	Pass	AV	5.629G	100.50	Inf	-Inf	3	Vertical	64	2.74	-
5610MHz	Pass	PK	5.467G	63.15	68.20	-5.05	3	Vertical	64	2.74	-
5610MHz	Pass	PK	5.599G	114.11	Inf	-Inf	3	Vertical	64	2.74	-
5610MHz	Pass	PK	5.729G	67.09	68.20	-1.11	3	Vertical	64	2.74	-
5610MHz	Pass	AV	5.453G	46.41	54.00	-7.59	3	Horizontal	75	3.00	-
5610MHz	Pass	AV	5.614G	95.69	Inf	-Inf	3	Horizontal	75	3.00	-
5610MHz	Pass	PK	5.463G	59.15	68.20	-9.05	3	Horizontal	75	3.00	-
5610MHz	Pass	PK	5.594G	107.57	Inf	-Inf	3	Horizontal	75	3.00	-
5610MHz	Pass	PK	5.726G	63.45	68.20	-4.75	3	Horizontal	75	3.00	-
5610MHz	Pass	AV	11.20512G	42.20	54.00	-11.80	3	Vertical	2	3.00	-
5610MHz	Pass	PK	11.22132G	56.22	74.00	-17.78	3	Vertical	2	3.00	-
5610MHz	Pass	AV	11.23116G	42.28	54.00	-11.72	3	Horizontal	176	1.34	-
5610MHz	Pass	PK	11.20722G	56.31	74.00	-17.69	3	Horizontal	176	1.34	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.4584G	46.89	54.00	-7.11	3	Vertical	62	2.81	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.6996G	102.51	Inf	-Inf	3	Vertical	62	2.81	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.4656G	59.01	68.20	-9.19	3	Vertical	62	2.81	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.678G	113.84	Inf	-Inf	3	Vertical	62	2.81	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.852G	67.07	68.20	-1.13	3	Vertical	62	2.81	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.4524G	45.80	54.00	-8.20	3	Horizontal	74	3.00	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.6936G	98.39	Inf	-Inf	3	Horizontal	74	3.00	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.4632G	58.58	68.20	-9.62	3	Horizontal	74	3.00	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.6936G	110.86	Inf	-Inf	3	Horizontal	74	3.00	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.8544G	64.16	68.20	-4.04	3	Horizontal	74	3.00	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.36584G	42.41	54.00	-11.59	3	Vertical	0	2.56	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.38954G	56.04	74.00	-17.96	3	Vertical	0	2.56	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.39308G	42.33	54.00	-11.67	3	Horizontal	144	1.50	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.37382G	55.68	74.00	-18.32	3	Horizontal	144	1.50	-
802.11ax HEW160_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.1468G	53.82	54.00	-0.18	3	Vertical	67	3.00	-
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.2368G	95.49	Inf	-Inf	3	Vertical	67	3.00	-




RSE TX above 1GHz\_Non-Beamforming\_Radio4

Appendix D.3

Mode	Result	Type	Freq (Hz)	Level (dBUV/m)	Limit (dBUV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.358G	52.14	54.00	-1.86	3	Vertical	67	3.00	-
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.1456G	67.23	74.00	-6.77	3	Vertical	67	3.00	-
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.2272G	107.94	Inf	-Inf	3	Vertical	67	3.00	-
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.4636G	63.11	68.20	-5.09	3	Vertical	67	3.00	-
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.15G	51.05	54.00	-2.95	3	Horizontal	82	3.00	-
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.2128G	91.91	Inf	-Inf	3	Horizontal	82	3.00	-
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.3544G	49.90	54.00	-4.10	3	Horizontal	82	3.00	-
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.1408G	64.04	74.00	-9.96	3	Horizontal	82	3.00	-
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.2824G	104.45	Inf	-Inf	3	Horizontal	82	3.00	-
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.472G	59.18	68.20	-9.02	3	Horizontal	82	3.00	-
5250MHz Straddle 5.25-5.35GHz	Pass	PK	10.497G	55.98	68.20	-12.22	3	Vertical	265	1.50	-
5250MHz Straddle 5.25-5.35GHz	Pass	PK	10.50804G	55.22	68.20	-12.98	3	Horizontal	0	1.90	-
5570MHz	Pass	AV	5.4524G	53.19	54.00	-0.81	3	Vertical	224	2.74	-
5570MHz	Pass	AV	5.5508G	96.36	Inf	-Inf	3	Vertical	224	2.74	-
5570MHz	Pass	PK	5.462G	64.60	68.20	-3.60	3	Vertical	224	2.74	-
5570MHz	Pass	PK	5.5316G	108.88	Inf	-Inf	3	Vertical	224	2.74	-
5570MHz	Pass	PK	5.726G	62.08	68.20	-6.12	3	Vertical	224	2.74	-
5570MHz	Pass	AV	5.4536G	50.68	54.00	-3.32	3	Horizontal	73	3.00	-
5570MHz	Pass	AV	5.5436G	91.02	Inf	-Inf	3	Horizontal	73	3.00	-
5570MHz	Pass	PK	5.4644G	63.31	68.20	-4.89	3	Horizontal	73	3.00	-
5570MHz	Pass	PK	5.5136G	103.34	Inf	-Inf	3	Horizontal	73	3.00	-
5570MHz	Pass	PK	5.7548G	60.64	68.20	-7.56	3	Horizontal	73	3.00	-
5570MHz	Pass	AV	11.12746G	41.99	54.00	-12.01	3	Vertical	176	1.50	-
5570MHz	Pass	PK	11.1292G	55.52	74.00	-18.48	3	Vertical	176	1.50	-
5570MHz	Pass	AV	11.146G	42.05	54.00	-11.95	3	Horizontal	153	1.50	-
5570MHz	Pass	PK	11.1364G	56.11	74.00	-17.89	3	Horizontal	153	1.50	-

### 802.11a\_Nss1,(6Mbps)\_2TX


### 5260MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1478G	48.57	54.00	-5.43	6.74	3	Vertical	123	2.34	-	41.83	31.90	9.07	34.23
AV	5.2672G	110.12	Inf	-Inf	6.28	3	Vertical	123	2.34	-	103.84	31.37	9.15	34.24
AV	5.353G	53.79	54.00	-0.21	6.32	3	Vertical	123	2.34	-	47.47	31.32	9.25	34.25
PK	5.1484G	61.56	74.00	-12.44	6.74	3	Vertical	123	2.34	-	54.82	31.90	9.07	34.23
PK	5.2672G	121.51	Inf	-Inf	6.28	3	Vertical	123	2.34	-	115.23	31.37	9.15	34.24
PK	5.3524G	68.77	74.00	-5.23	6.32	3	Vertical	123	2.34	-	62.45	31.32	9.25	34.25

### 802.11a\_Nss1,(6Mbps)\_2TX


### 5260MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1484G	47.35	54.00	-6.65	6.74	3	Horizontal	230	2.90	-	40.61	31.90	9.07	34.23
AV	5.2534G	105.67	Inf	-Inf	6.29	3	Horizontal	230	2.90	-	99.38	31.39	9.14	34.24
AV	5.3536G	50.11	54.00	-3.89	6.33	3	Horizontal	230	2.90	-	43.78	31.33	9.25	34.25
PK	5.1478G	60.20	74.00	-13.80	6.74	3	Horizontal	230	2.90	-	53.46	31.90	9.07	34.23
PK	5.2534G	115.99	Inf	-Inf	6.29	3	Horizontal	230	2.90	-	109.70	31.39	9.14	34.24
PK	5.353G	64.57	74.00	-9.43	6.32	3	Horizontal	230	2.90	-	58.25	31.32	9.25	34.25

802.11a\_Nss1,(6Mbps)\_2TX


5260MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.51672G	54.79	68.20	-13.41	17.57	3	Vertical	44	2.04	-	37.22	39.70	12.43	34.56

802.11a\_Nss1,(6Mbps)\_2TX


5260MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (*)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.51548G	55.26	68.20	-12.94	17.57	3	Horizontal	164	2.01	-	37.69	39.70	12.43	34.56

802.11a\_Nss1,(6Mbps)\_2TX


5300MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.2936G	106.99	Inf	-Inf	6.25	3	Vertical	71	2.81	-	100.74	31.31	9.18	34.24
AV	5.35G	50.37	54.00	-3.63	6.30	3	Vertical	71	2.81	-	44.07	31.30	9.25	34.25
PK	5.2936G	117.51	Inf	-Inf	6.25	3	Vertical	71	2.81	-	111.26	31.31	9.18	34.24
PK	5.35G	65.24	74.00	-8.76	6.30	3	Vertical	71	2.81	-	58.94	31.30	9.25	34.25

### 802.11a\_Nss1,(6Mbps)\_2TX

### 5300MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3064G	103.49	Inf	-Inf	6.26	3	Horizontal	77	2.88	-	97.23	31.30	9.20	34.24
AV	5.3516G	49.22	54.00	-4.78	6.31	3	Horizontal	77	2.88	-	42.91	31.31	9.25	34.25
PK	5.3068G	113.20	Inf	-Inf	6.26	3	Horizontal	77	2.88	-	106.94	31.30	9.20	34.24
PK	5.3572G	61.93	74.00	-12.07	6.36	3	Horizontal	77	2.88	-	55.57	31.36	9.25	34.25



802.11a\_Nss1,(6Mbps)\_2TX


5300MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.60596G	41.88	54.00	-12.12	17.67	3	Vertical	213	1.49	-	24.21	39.70	12.46	34.49
PK	10.59184G	55.16	68.20	-13.04	17.66	3	Vertical	213	1.49	-	37.50	39.70	12.46	34.50

802.11a\_Nss1,(6Mbps)\_2TX


5300MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.60872G	42.07	54.00	-11.93	17.68	3	Horizontal	261	1.96	-	24.39	39.70	12.47	34.49
PK	10.60436G	54.78	74.00	-19.22	17.67	3	Horizontal	261	1.96	-	37.11	39.70	12.46	34.49

802.11a\_Nss1,(6Mbps)\_2TX


5320MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3274G	105.16	Inf	-Inf	6.27	3	Vertical	121	2.92	-	98.89	31.30	9.22	34.25
AV	5.3522G	51.47	54.00	-2.53	6.32	3	Vertical	121	2.92	-	45.15	31.32	9.25	34.25
PK	5.3274G	114.76	Inf	-Inf	6.27	3	Vertical	121	2.92	-	108.49	31.30	9.22	34.25
PK	5.3518G	66.54	74.00	-7.46	6.31	3	Vertical	121	2.92	-	60.23	31.31	9.25	34.25

802.11a\_Nss1,(6Mbps)\_2TX


5320MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3266G	101.25	Inf	-Inf	6.27	3	Horizontal	79	3.00	-	94.98	31.30	9.22	34.25
AV	5.3512G	49.93	54.00	-4.07	6.31	3	Horizontal	79	3.00	-	43.62	31.31	9.25	34.25
PK	5.3268G	111.19	Inf	-Inf	6.27	3	Horizontal	79	3.00	-	104.92	31.30	9.22	34.25
PK	5.3518G	65.05	74.00	-8.95	6.31	3	Horizontal	79	3.00	-	58.74	31.31	9.25	34.25

802.11a\_Nss1,(6Mbps)\_2TX


5320MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.64612G	42.28	54.00	-11.72	17.72	3	Vertical	116	1.28	-	24.56	39.70	12.48	34.46
PK	10.6364G	55.70	74.00	-18.30	17.71	3	Vertical	116	1.28	-	37.99	39.70	12.48	34.47

802.11a\_Nss1,(6Mbps)\_2TX


5320MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.64836G	42.37	54.00	-11.63	17.72	3	Horizontal	274	1.50	-	24.65	39.70	12.48	34.46
PK	10.64252G	55.33	74.00	-18.67	17.72	3	Horizontal	274	1.50	-	37.61	39.70	12.48	34.46

### 802.11a\_Nss1,(6Mbps)\_2TX


### 5500MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.458G	46.62	54.00	-7.38	6.81	3	Vertical	117	2.41	-	39.81	31.72	9.35	34.26
AV	5.4932G	105.60	Inf	-Inf	6.90	3	Vertical	117	2.41	-	98.70	31.79	9.37	34.26
PK	5.4686G	66.32	68.20	-1.88	6.83	3	Vertical	117	2.41	-	59.49	31.74	9.35	34.26
PK	5.493G	115.26	Inf	-Inf	6.90	3	Vertical	117	2.41	-	108.36	31.79	9.37	34.26

### 802.11a\_Nss1,(6Mbps)\_2TX

### 5500MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.457G	46.02	54.00	-7.98	6.80	3	Horizontal	76	3.00	-	39.22	31.71	9.35	34.26
AV	5.5066G	100.80	Inf	-Inf	6.93	3	Horizontal	76	3.00	-	93.87	31.80	9.39	34.26
PK	5.47G	61.44	68.20	-6.76	6.84	3	Horizontal	76	3.00	-	54.60	31.74	9.36	34.26
PK	5.507G	111.11	Inf	-Inf	6.93	3	Horizontal	76	3.00	-	104.18	31.80	9.39	34.26



802.11a\_Nss1,(6Mbps)\_2TX


5500MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.993G	42.78	54.00	-11.22	18.72	3	Vertical	72	1.58	-	24.06	40.29	12.63	34.20
PK	11.00272G	56.46	74.00	-17.54	18.73	3	Vertical	72	1.58	-	37.73	40.29	12.63	34.19

### 802.11a\_Nss1,(6Mbps)\_2TX


### 5500MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.99972G	42.85	54.00	-11.15	18.74	3	Horizontal	146	1.50	-	24.11	40.30	12.63	34.19
PK	10.9998G	55.60	74.00	-18.40	18.74	3	Horizontal	146	1.50	-	36.86	40.30	12.63	34.19

802.11a\_Nss1,(6Mbps)\_2TX


5580MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4588G	46.69	54.00	-7.31	6.81	3	Vertical	64	2.63	-	39.88	31.72	9.35	34.26
AV	5.5746G	111.52	Inf	-Inf	6.92	3	Vertical	64	2.63	-	104.60	31.75	9.44	34.27
PK	5.4696G	60.54	68.20	-7.66	6.84	3	Vertical	64	2.63	-	53.70	31.74	9.36	34.26
PK	5.5746G	121.49	Inf	-Inf	6.92	3	Vertical	64	2.63	-	114.57	31.75	9.44	34.27
PK	5.7264G	58.23	68.20	-9.97	7.17	3	Vertical	64	2.63	-	51.06	31.95	9.50	34.28

802.11a\_Nss1,(6Mbps)\_2TX


5580MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4564G	45.53	54.00	-8.47	6.80	3	Horizontal	80	3.00	-	38.73	31.71	9.35	34.26
AV	5.5866G	106.60	Inf	-Inf	6.91	3	Horizontal	80	3.00	-	99.69	31.73	9.45	34.27
PK	5.4606G	57.86	68.20	-10.34	6.81	3	Horizontal	80	3.00	-	51.05	31.72	9.35	34.26
PK	5.5872G	116.98	Inf	-Inf	6.91	3	Horizontal	80	3.00	-	110.07	31.73	9.45	34.27
PK	5.7258G	57.23	68.20	-10.97	7.17	3	Horizontal	80	3.00	-	50.06	31.95	9.50	34.28

802.11a\_Nss1,(6Mbps)\_2TX


5580MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.168G	42.37	54.00	-11.63	18.15	3	Vertical	62	1.50	-	24.22	39.63	12.70	34.18
PK	11.16052G	55.55	74.00	-18.45	18.18	3	Vertical	62	1.50	-	37.37	39.66	12.70	34.18

802.11a\_Nss1,(6Mbps)\_2TX


5580MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.15452G	42.56	54.00	-11.44	18.19	3	Horizontal	61	2.06	-	24.37	39.68	12.69	34.18
PK	11.16456G	56.56	74.00	-17.44	18.16	3	Horizontal	61	2.06	-	38.40	39.64	12.70	34.18

802.11a\_Nss1,(6Mbps)\_2TX


5700MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7052G	105.48	Inf	-Inf	7.12	3	Vertical	64	2.52	-	98.36	31.91	9.49	34.28
PK	5.7044G	115.31	Inf	-Inf	7.12	3	Vertical	64	2.52	-	108.19	31.91	9.49	34.28
PK	5.726G	67.46	68.20	-0.74	7.17	3	Vertical	64	2.52	-	60.29	31.95	9.50	34.28

802.11a\_Nss1,(6Mbps)\_2TX

5700MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.6924G	101.87	Inf	-Inf	7.06	3	Horizontal	74	2.96	-	94.81	31.85	9.49	34.28
PK	5.7076G	111.19	Inf	-Inf	7.13	3	Horizontal	74	2.96	-	104.06	31.92	9.49	34.28
PK	5.7276G	62.48	68.20	-5.72	7.18	3	Horizontal	74	2.96	-	55.30	31.96	9.50	34.28



802.11a\_Nss1,(6Mbps)\_2TX


5700MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.3926G	42.59	54.00	-11.41	18.50	3	Vertical	298	1.42	-	24.09	39.88	12.79	34.17
PK	11.39736G	55.27	74.00	-18.73	18.52	3	Vertical	298	1.42	-	36.75	39.89	12.80	34.17

802.11a\_Nss1,(6Mbps)\_2TX


5700MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.39052G	42.58	54.00	-11.42	18.49	3	Horizontal	26	2.30	-	24.09	39.87	12.79	34.17
PK	11.40264G	55.60	74.00	-18.40	18.54	3	Horizontal	26	2.30	-	37.06	39.91	12.80	34.17

### 802.11a\_Nss1,(6Mbps)\_2TX


### 5720MHz Straddle 5.47-5.725GHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4452G	45.31	54.00	-8.69	6.78	3	Vertical	64	2.62	-	38.53	31.70	9.34	34.26
AV	5.7152G	111.41	Inf	-Inf	7.14	3	Vertical	64	2.62	-	104.27	31.93	9.49	34.28
PK	5.4644G	56.53	68.20	-11.67	6.82	3	Vertical	64	2.62	-	49.71	31.73	9.35	34.26
PK	5.7152G	121.35	Inf	-Inf	7.14	3	Vertical	64	2.62	-	114.21	31.93	9.49	34.28
PK	5.8988G	60.14	68.20	-8.06	7.80	3	Vertical	64	2.62	-	52.34	32.50	9.60	34.30

### 802.11a\_Nss1,(6Mbps)\_2TX


### 5720MHz Straddle 5.47-5.725GHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4356G	45.05	54.00	-8.95	6.78	3	Horizontal	75	2.94	-	38.27	31.70	9.33	34.25
AV	5.7272G	106.87	Inf	-Inf	7.17	3	Horizontal	75	2.94	-	99.70	31.95	9.50	34.28
PK	5.4692G	56.60	68.20	-11.60	6.84	3	Horizontal	75	2.94	-	49.76	31.74	9.36	34.26
PK	5.7284G	117.23	Inf	-Inf	7.18	3	Horizontal	75	2.94	-	110.05	31.96	9.50	34.28
PK	5.852G	59.32	68.20	-8.88	7.57	3	Horizontal	75	2.94	-	51.75	32.31	9.56	34.30

802.11a\_Nss1,(6Mbps)\_2TX


5720MHz Straddle 5.47-5.725GHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.44184G	42.70	54.00	-11.30	18.64	3	Vertical	183	1.77	-	24.06	39.98	12.82	34.16
PK	11.43816G	55.66	74.00	-18.34	18.63	3	Vertical	183	1.77	-	37.03	39.98	12.81	34.16

802.11a\_Nss1,(6Mbps)\_2TX


5720MHz Straddle 5.47-5.725GHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.44588G	42.58	54.00	-11.42	18.65	3	Horizontal	202	2.08	-	23.93	39.99	12.82	34.16
PK	11.44216G	56.64	74.00	-17.36	18.64	3	Horizontal	202	2.08	-	38.00	39.98	12.82	34.16

### 802.11ax HEW20\_Nss1,(MCS0)\_2TX


### 5260MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1472G	49.08	54.00	-4.92	6.74	3	Vertical	67	2.62	-	42.34	31.90	9.07	34.23
AV	5.2672G	108.59	Inf	-Inf	6.28	3	Vertical	67	2.62	-	102.31	31.37	9.15	34.24
AV	5.35G	53.36	54.00	-0.64	6.30	3	Vertical	67	2.62	-	47.06	31.30	9.25	34.25
PK	5.1466G	62.97	74.00	-11.03	6.74	3	Vertical	67	2.62	-	56.23	31.90	9.07	34.23
PK	5.266G	121.04	Inf	-Inf	6.28	3	Vertical	67	2.62	-	114.76	31.37	9.15	34.24
PK	5.3566G	68.43	74.00	-5.57	6.35	3	Vertical	67	2.62	-	62.08	31.35	9.25	34.25

### 802.11ax HEW20\_Nss1,(MCS0)\_2TX

### 5260MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	47.31	54.00	-6.69	6.74	3	Horizontal	83	3.00	-	40.57	31.90	9.07	34.23
AV	5.2528G	105.26	Inf	-Inf	6.29	3	Horizontal	83	3.00	-	98.97	31.39	9.14	34.24
AV	5.353G	50.72	54.00	-3.28	6.32	3	Horizontal	83	3.00	-	44.40	31.32	9.25	34.25
PK	5.15G	60.00	74.00	-14.00	6.74	3	Horizontal	83	3.00	-	53.26	31.90	9.07	34.23
PK	5.2516G	117.34	Inf	-Inf	6.30	3	Horizontal	83	3.00	-	111.04	31.40	9.14	34.24
PK	5.3536G	68.50	74.00	-5.50	6.33	3	Horizontal	83	3.00	-	62.17	31.33	9.25	34.25



802.11ax HEW20\_Nss1,(MCS0)\_2TX


5260MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.52348G	55.13	68.20	-13.07	17.58	3	Vertical	360	1.50	-	37.55	39.70	12.43	34.55

### 802.11ax HEW20\_Nss1,(MCS0)\_2TX


### 5260MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.52868G	55.35	68.20	-12.85	17.58	3	Horizontal	28	1.50	-	37.77	39.70	12.43	34.55

### 802.11ax HEW20\_Nss1,(MCS0)\_2TX


### 5300MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3068G	106.30	Inf	-Inf	6.26	3	Vertical	75	3.00	-	100.04	31.30	9.20	34.24
AV	5.35G	53.77	54.00	-0.23	6.30	3	Vertical	75	3.00	-	47.47	31.30	9.25	34.25
PK	5.3068G	118.32	Inf	-Inf	6.26	3	Vertical	75	3.00	-	112.06	31.30	9.20	34.24
PK	5.35G	69.24	74.00	-4.76	6.30	3	Vertical	75	3.00	-	62.94	31.30	9.25	34.25

802.11ax HEW20\_Nss1,(MCS0)\_2TX


5300MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.292G	103.20	Inf	-Inf	6.26	3	Horizontal	83	3.00	-	96.94	31.32	9.18	34.24
AV	5.3524G	51.44	54.00	-2.56	6.32	3	Horizontal	83	3.00	-	45.12	31.32	9.25	34.25
PK	5.292G	116.07	Inf	-Inf	6.26	3	Horizontal	83	3.00	-	109.81	31.32	9.18	34.24
PK	5.3504G	66.05	74.00	-7.95	6.30	3	Horizontal	83	3.00	-	59.75	31.30	9.25	34.25

### 802.11ax HEW20\_Nss1,(MCS0)\_2TX


### 5300MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.6062G	41.76	54.00	-12.24	17.67	3	Vertical	0	2.48	-	24.09	39.70	12.46	34.49
PK	10.59332G	55.13	68.20	-13.07	17.66	3	Vertical	0	2.48	-	37.47	39.70	12.46	34.50

802.11ax HEW20\_Nss1,(MCS0)\_2TX


5300MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.60404G	41.67	54.00	-12.33	17.67	3	Horizontal	307	1.50	-	24.00	39.70	12.46	34.49
PK	10.60084G	55.29	74.00	-18.71	17.67	3	Horizontal	307	1.50	-	37.62	39.70	12.46	34.49

### 802.11ax HEW20\_Nss1,(MCS0)\_2TX


### 5320MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3252G	104.03	Inf	-Inf	6.27	3	Vertical	119	2.93	-	97.76	31.30	9.22	34.25
AV	5.354G	52.72	54.00	-1.28	6.33	3	Vertical	119	2.93	-	46.39	31.33	9.25	34.25
PK	5.3254G	117.27	Inf	-Inf	6.27	3	Vertical	119	2.93	-	111.00	31.30	9.22	34.25
PK	5.3538G	70.84	74.00	-3.16	6.33	3	Vertical	119	2.93	-	64.51	31.33	9.25	34.25

### 802.11ax HEW20\_Nss1,(MCS0)\_2TX

### 5320MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.312G	100.32	Inf	-Inf	6.26	3	Horizontal	76	2.94	-	94.06	31.30	9.20	34.24
AV	5.352G	50.66	54.00	-3.34	6.32	3	Horizontal	76	2.94	-	44.34	31.32	9.25	34.25
PK	5.312G	112.51	Inf	-Inf	6.26	3	Horizontal	76	2.94	-	106.25	31.30	9.20	34.24
PK	5.3526G	67.54	74.00	-6.46	6.32	3	Horizontal	76	2.94	-	61.22	31.32	9.25	34.25



### 802.11ax HEW20\_Nss1,(MCS0)\_2TX


### 5320MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.644G	41.92	54.00	-12.08	17.72	3	Vertical	352	1.30	-	24.20	39.70	12.48	34.46
PK	10.6348G	55.15	74.00	-18.85	17.71	3	Vertical	352	1.30	-	37.44	39.70	12.48	34.47

### 802.11ax HEW20\_Nss1,(MCS0)\_2TX


### 5320MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.64908G	41.90	54.00	-12.10	17.72	3	Horizontal	4	3.00	-	24.18	39.70	12.48	34.46
PK	10.63884G	56.10	74.00	-17.90	17.72	3	Horizontal	4	3.00	-	38.38	39.70	12.48	34.46

### 802.11ax HEW20\_Nss1,(MCS0)\_2TX


### 5500MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4578G	46.73	54.00	-7.27	6.81	3	Vertical	64	2.59	-	39.92	31.72	9.35	34.26
AV	5.5082G	104.63	Inf	-Inf	6.93	3	Vertical	64	2.59	-	97.70	31.80	9.39	34.26
PK	5.468G	64.78	68.20	-3.42	6.83	3	Vertical	64	2.59	-	57.95	31.74	9.35	34.26
PK	5.5086G	116.29	Inf	-Inf	6.93	3	Vertical	64	2.59	-	109.36	31.80	9.39	34.26

### 802.11ax HEW20\_Nss1,(MCS0)\_2TX


### 5500MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.454G	45.35	54.00	-8.65	6.79	3	Horizontal	76	3.00	-	38.56	31.71	9.34	34.26
AV	5.4934G	99.83	Inf	-Inf	6.90	3	Horizontal	76	3.00	-	92.93	31.79	9.37	34.26
PK	5.4636G	60.00	68.20	-8.20	6.82	3	Horizontal	76	3.00	-	53.18	31.73	9.35	34.26
PK	5.4938G	113.14	Inf	-Inf	6.91	3	Horizontal	76	3.00	-	106.23	31.79	9.38	34.26

802.11ax HEW20\_Nss1,(MCS0)\_2TX


5500MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.99888G	42.55	54.00	-11.45	18.74	3	Vertical	256	1.50	-	23.81	40.30	12.63	34.19
PK	11.00608G	56.10	74.00	-17.90	18.72	3	Vertical	256	1.50	-	37.38	40.28	12.63	34.19

802.11ax HEW20\_Nss1,(MCS0)\_2TX


5500MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.00048G	42.47	54.00	-11.53	18.74	3	Horizontal	12	1.50	-	23.73	40.30	12.63	34.19
PK	10.9904G	55.90	74.00	-18.10	18.71	3	Horizontal	12	1.50	-	37.19	40.28	12.63	34.20

### 802.11ax HEW20\_Nss1,(MCS0)\_2TX


### 5580MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	47.41	54.00	-6.59	6.81	3	Vertical	225	2.74	-	40.60	31.72	9.35	34.26
AV	5.5716G	111.39	Inf	-Inf	6.93	3	Vertical	225	2.74	-	104.46	31.76	9.44	34.27
PK	5.469G	62.03	68.20	-6.17	6.84	3	Vertical	225	2.74	-	55.19	31.74	9.36	34.26
PK	5.5722G	123.77	Inf	-Inf	6.93	3	Vertical	225	2.74	-	116.84	31.76	9.44	34.27
PK	5.7258G	58.82	68.20	-9.38	7.17	3	Vertical	225	2.74	-	51.65	31.95	9.50	34.28

### 802.11ax HEW20\_Nss1,(MCS0)\_2TX

### 5580MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4528G	46.00	54.00	-8.00	6.79	3	Horizontal	78	3.00	-	39.21	31.71	9.34	34.26
AV	5.5734G	105.63	Inf	-Inf	6.92	3	Horizontal	78	3.00	-	98.71	31.75	9.44	34.27
PK	5.4612G	59.31	68.20	-8.89	6.81	3	Horizontal	78	3.00	-	52.50	31.72	9.35	34.26
PK	5.5746G	118.12	Inf	-Inf	6.92	3	Horizontal	78	3.00	-	111.20	31.75	9.44	34.27
PK	5.7252G	58.26	68.20	-9.94	7.17	3	Horizontal	78	3.00	-	51.09	31.95	9.50	34.28



802.11ax HEW20\_Nss1,(MCS0)\_2TX


5580MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.15788G	42.90	54.00	-11.10	18.19	3	Vertical	75	2.49	-	24.71	39.67	12.70	34.18
PK	11.1658G	56.41	74.00	-17.59	18.16	3	Vertical	75	2.49	-	38.25	39.64	12.70	34.18

802.11ax HEW20\_Nss1,(MCS0)\_2TX


5580MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.16856G	42.08	54.00	-11.92	18.15	3	Horizontal	0	1.59	-	23.93	39.63	12.70	34.18
PK	11.16656G	55.36	74.00	-18.64	18.15	3	Horizontal	0	1.59	-	37.21	39.63	12.70	34.18

### 802.11ax HEW20\_Nss1,(MCS0)\_2TX


### 5700MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.6916G	105.33	Inf	-Inf	7.06	3	Vertical	226	2.88	-	98.27	31.85	9.49	34.28
PK	5.6908G	116.60	Inf	-Inf	7.05	3	Vertical	226	2.88	-	109.55	31.84	9.49	34.28
PK	5.7256G	67.44	68.20	-0.76	7.17	3	Vertical	226	2.88	-	60.27	31.95	9.50	34.28

802.11ax HEW20\_Nss1,(MCS0)\_2TX


5700MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.694G	100.94	Inf	-Inf	7.07	3	Horizontal	74	3.00	-	93.87	31.86	9.49	34.28
PK	5.6936G	113.04	Inf	-Inf	7.07	3	Horizontal	74	3.00	-	105.97	31.86	9.49	34.28
PK	5.7256G	67.77	68.20	-0.43	7.17	3	Horizontal	74	3.00	-	60.60	31.95	9.50	34.28

802.11ax HEW20\_Nss1,(MCS0)\_2TX


5700MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.39048G	42.19	54.00	-11.81	18.49	3	Vertical	46	1.49	-	23.70	39.87	12.79	34.17
PK	11.3982G	56.01	74.00	-17.99	18.52	3	Vertical	46	1.49	-	37.49	39.89	12.80	34.17


802.11ax HEW20\_Nss1,(MCS0)\_2TX

5700MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.3964G	42.18	54.00	-11.82	18.52	3	Horizontal	243	1.50	-	23.66	39.89	12.80	34.17
PK	11.39084G	55.36	74.00	-18.64	18.49	3	Horizontal	243	1.50	-	36.87	39.87	12.79	34.17

**802.11ax HEW20\_Nss1,(MCS0)\_2TX**  
**5720MHz Straddle 5.47-5.725GHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.438G	45.10	54.00	-8.90	6.77	3	Vertical	66	2.53	-	38.33	31.70	9.33	34.26
AV	5.7296G	109.79	Inf	-Inf	7.18	3	Vertical	66	2.53	-	102.61	31.96	9.50	34.28
PK	5.46G	56.52	68.20	-11.68	6.81	3	Vertical	66	2.53	-	49.71	31.72	9.35	34.26
PK	5.7284G	119.79	Inf	-Inf	7.18	3	Vertical	66	2.53	-	112.61	31.96	9.50	34.28
PK	5.8532G	62.12	68.20	-6.08	7.57	3	Vertical	66	2.53	-	54.55	32.31	9.56	34.30


**802.11ax HEW20\_Nss1,(MCS0)\_2TX**  
**5720MHz Straddle 5.47-5.725GHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4284G	45.02	54.00	-8.98	6.77	3	Horizontal	75	3.00	-	38.25	31.70	9.32	34.25
AV	5.714G	105.99	Inf	-Inf	7.14	3	Horizontal	75	3.00	-	98.85	31.93	9.49	34.28
PK	5.4692G	56.64	68.20	-11.56	6.84	3	Horizontal	75	3.00	-	49.80	31.74	9.36	34.26
PK	5.714G	118.49	Inf	-Inf	7.14	3	Horizontal	75	3.00	-	111.35	31.93	9.49	34.28
PK	5.876G	59.34	68.20	-8.86	7.68	3	Horizontal	75	3.00	-	51.66	32.40	9.58	34.30




**802.11ax HEW20\_Nss1,(MCS0)\_2TX**  
**5720MHz Straddle 5.47-5.725GHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.44064G	42.19	54.00	-11.81	18.64	3	Vertical	110	1.50	-	23.55	39.98	12.82	34.16
PK	11.43756G	56.82	74.00	-17.18	18.63	3	Vertical	110	1.50	-	38.19	39.98	12.81	34.16


**802.11ax HEW20\_Nss1,(MCS0)\_2TX**  
**5720MHz Straddle 5.47-5.725GHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.44264G	42.29	54.00	-11.71	18.65	3	Horizontal	180	1.50	-	23.64	39.99	12.82	34.16
PK	11.44776G	56.20	74.00	-17.80	18.66	3	Horizontal	180	1.50	-	37.54	40.00	12.82	34.16

### 802.11ax HEW40\_Nss1,(MCS0)\_2TX


### 5270MHz\_TX



Type	Freq (Hz)	Level (dBUV/m)	Limit (dBUV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBUV)	AF (dB)	CL (dB)	PA (dB)
AV	5.2668G	102.45	Inf	-Inf	6.28	3	Vertical	343	2.60	-	96.17	31.37	9.15	34.24
AV	5.3564G	52.84	54.00	-1.16	6.35	3	Vertical	343	2.60	-	46.49	31.35	9.25	34.25
PK	5.2668G	115.06	Inf	-Inf	6.28	3	Vertical	343	2.60	-	108.78	31.37	9.15	34.24
PK	5.3568G	66.98	74.00	-7.02	6.35	3	Vertical	343	2.60	-	60.63	31.35	9.25	34.25

### 802.11ax HEW40\_Nss1,(MCS0)\_2TX


### 5270MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.272G	100.57	Inf	-Inf	6.28	3	Horizontal	81	2.96	-	94.29	31.36	9.16	34.24
AV	5.3528G	52.44	54.00	-1.56	6.32	3	Horizontal	81	2.96	-	46.12	31.32	9.25	34.25
PK	5.2628G	112.46	Inf	-Inf	6.28	3	Horizontal	81	2.96	-	106.18	31.37	9.15	34.24
PK	5.3548G	66.92	74.00	-7.08	6.34	3	Horizontal	81	2.96	-	60.58	31.34	9.25	34.25

802.11ax HEW40\_Nss1,(MCS0)\_2TX


5270MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.52848G	55.34	68.20	-12.86	17.58	3	Vertical	224	1.50	-	37.76	39.70	12.43	34.55

### 802.11ax HEW40\_Nss1,(MCS0)\_2TX


### 5270MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.54344G	55.39	68.20	-12.81	17.60	3	Horizontal	195	2.90	-	37.79	39.70	12.44	34.54

802.11ax HEW40\_Nss1,(MCS0)\_2TX


5310MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3048G	100.37	Inf	-Inf	6.26	3	Vertical	119	2.92	-	94.11	31.30	9.20	34.24
AV	5.3552G	51.66	54.00	-2.34	6.34	3	Vertical	119	2.92	-	45.32	31.34	9.25	34.25
PK	5.3144G	112.48	Inf	-Inf	6.26	3	Vertical	119	2.92	-	106.22	31.30	9.21	34.25
PK	5.3544G	69.15	74.00	-4.85	6.34	3	Vertical	119	2.92	-	62.81	31.34	9.25	34.25

802.11ax HEW40\_Nss1,(MCS0)\_2TX

5310MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3124G	96.47	Inf	-Inf	6.26	3	Horizontal	75	2.93	-	90.21	31.30	9.20	34.24
AV	5.3524G	49.83	54.00	-4.17	6.32	3	Horizontal	75	2.93	-	43.51	31.32	9.25	34.25
PK	5.312G	109.14	Inf	-Inf	6.26	3	Horizontal	75	2.93	-	102.88	31.30	9.20	34.24
PK	5.3616G	66.74	74.00	-7.26	6.40	3	Horizontal	75	2.93	-	60.34	31.39	9.26	34.25



### 802.11ax HEW40\_Nss1,(MCS0)\_2TX


### 5310MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.63792G	42.03	54.00	-11.97	17.71	3	Vertical	192	1.50	-	24.32	39.70	12.48	34.47
PK	10.61752G	55.73	74.00	-18.27	17.69	3	Vertical	192	1.50	-	38.04	39.70	12.47	34.48

802.11ax HEW40\_Nss1,(MCS0)\_2TX


5310MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.63912G	42.01	54.00	-11.99	17.72	3	Horizontal	240	2.74	-	24.29	39.70	12.48	34.46
PK	10.62816G	55.35	74.00	-18.65	17.70	3	Horizontal	240	2.74	-	37.65	39.70	12.47	34.47

### 802.11ax HEW40\_Nss1,(MCS0)\_2TX


### 5510MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4584G	49.19	54.00	-4.81	6.81	3	Vertical	65	2.76	-	42.38	31.72	9.35	34.26
AV	5.508G	100.82	Inf	-Inf	6.93	3	Vertical	65	2.76	-	93.89	31.80	9.39	34.26
PK	5.4668G	67.94	68.20	-0.26	6.82	3	Vertical	65	2.76	-	61.12	31.73	9.35	34.26
PK	5.5096G	113.63	Inf	-Inf	6.93	3	Vertical	65	2.76	-	106.70	31.80	9.39	34.26

### 802.11ax HEW40\_Nss1,(MCS0)\_2TX


### 5510MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4536G	46.21	54.00	-7.79	6.79	3	Horizontal	77	3.00	-	39.42	31.71	9.34	34.26
AV	5.5132G	95.64	Inf	-Inf	6.93	3	Horizontal	77	3.00	-	88.71	31.80	9.39	34.26
PK	5.462G	64.16	68.20	-4.04	6.81	3	Horizontal	77	3.00	-	57.35	31.72	9.35	34.26
PK	5.514G	108.89	Inf	-Inf	6.93	3	Horizontal	77	3.00	-	101.96	31.80	9.39	34.26

802.11ax HEW40\_Nss1,(MCS0)\_2TX


5510MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.00408G	42.57	54.00	-11.43	18.72	3	Vertical	129	1.50	-	23.85	40.28	12.63	34.19
PK	11.01192G	56.41	74.00	-17.59	18.70	3	Vertical	129	1.50	-	37.71	40.25	12.64	34.19

802.11ax HEW40\_Nss1,(MCS0)\_2TX


5510MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.00208G	42.50	54.00	-11.50	18.73	3	Horizontal	360	1.50	-	23.77	40.29	12.63	34.19
PK	11.01824G	55.42	74.00	-18.58	18.68	3	Horizontal	360	1.50	-	36.74	40.23	12.64	34.19

### 802.11ax HEW40\_Nss1,(MCS0)\_2TX


### 5550MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	49.93	54.00	-4.07	6.81	3	Vertical	224	3.00	-	43.12	31.72	9.35	34.26
AV	5.5516G	105.48	Inf	-Inf	6.95	3	Vertical	224	3.00	-	98.53	31.80	9.42	34.27
PK	5.4696G	67.45	68.20	-0.75	6.84	3	Vertical	224	3.00	-	60.61	31.74	9.36	34.26
PK	5.5516G	118.27	Inf	-Inf	6.95	3	Vertical	224	3.00	-	111.32	31.80	9.42	34.27

### 802.11ax HEW40\_Nss1,(MCS0)\_2TX

### 5550MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.454G	47.22	54.00	-6.78	6.79	3	Horizontal	75	2.97	-	40.43	31.71	9.34	34.26
AV	5.5436G	100.11	Inf	-Inf	6.95	3	Horizontal	75	2.97	-	93.16	31.80	9.41	34.26
PK	5.4636G	63.96	68.20	-4.24	6.82	3	Horizontal	75	2.97	-	57.14	31.73	9.35	34.26
PK	5.5536G	113.11	Inf	-Inf	6.94	3	Horizontal	75	2.97	-	106.17	31.79	9.42	34.27



802.11ax HEW40\_Nss1,(MCS0)\_2TX


5550MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.10736G	42.29	54.00	-11.71	18.37	3	Vertical	86	2.41	-	23.92	39.87	12.68	34.18
PK	11.10176G	55.79	74.00	-18.21	18.38	3	Vertical	86	2.41	-	37.41	39.89	12.67	34.18

802.11ax HEW40\_Nss1,(MCS0)\_2TX


5550MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.08168G	42.07	54.00	-11.93	18.44	3	Horizontal	360	1.00	-	23.63	39.97	12.66	34.19
PK	11.084G	56.14	74.00	-17.86	18.45	3	Horizontal	360	1.00	-	37.69	39.96	12.67	34.18

### 802.11ax HEW40\_Nss1,(MCS0)\_2TX


### 5670MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.6688G	103.22	Inf	-Inf	6.91	3	Vertical	63	2.86	-	96.31	31.71	9.48	34.28
PK	5.6598G	115.18	Inf	-Inf	6.86	3	Vertical	63	2.86	-	108.32	31.66	9.48	34.28
PK	5.7288G	67.71	68.20	-0.49	7.18	3	Vertical	63	2.86	-	60.53	31.96	9.50	34.28

802.11ax HEW40\_Nss1,(MCS0)\_2TX


5670MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.6742G	98.69	Inf	-Inf	6.95	3	Horizontal	74	2.98	-	91.74	31.75	9.48	34.28
PK	5.664G	111.65	Inf	-Inf	6.88	3	Horizontal	74	2.98	-	104.77	31.68	9.48	34.28
PK	5.7258G	64.83	68.20	-3.37	7.17	3	Horizontal	74	2.98	-	57.66	31.95	9.50	34.28

802.11ax HEW40\_Nss1,(MCS0)\_2TX


5670MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.33208G	42.46	54.00	-11.54	18.30	3	Vertical	0	1.48	-	24.16	39.70	12.77	34.17
PK	11.32552G	56.12	74.00	-17.88	18.28	3	Vertical	0	1.48	-	37.84	39.68	12.77	34.17

802.11ax HEW40\_Nss1,(MCS0)\_2TX


5670MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.3336G	42.47	54.00	-11.53	18.30	3	Horizontal	214	1.50	-	24.17	39.70	12.77	34.17
PK	11.33928G	55.87	74.00	-18.13	18.32	3	Horizontal	214	1.50	-	37.55	39.72	12.77	34.17


802.11ax HEW40\_Nss1,(MCS0)\_2TX

5710MHz Straddle 5.47-5.725GHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.452G	45.51	54.00	-8.49	6.78	3	Vertical	13	2.55	-	38.73	31.70	9.34	34.26
AV	5.7052G	107.22	Inf	-Inf	7.12	3	Vertical	13	2.55	-	100.10	31.91	9.49	34.28
PK	5.46G	56.98	68.20	-11.22	6.81	3	Vertical	13	2.55	-	50.17	31.72	9.35	34.26
PK	5.7064G	118.86	Inf	-Inf	7.12	3	Vertical	13	2.55	-	111.74	31.91	9.49	34.28
PK	5.8576G	67.29	68.20	-0.91	7.60	3	Vertical	13	2.55	-	59.69	32.33	9.57	34.30


**802.11ax HEW40\_Nss1,(MCS0)\_2TX**  
**5710MHz Straddle 5.47-5.725GHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.452G	45.42	54.00	-8.58	6.78	3	Horizontal	74	3.00	-	38.64	31.70	9.34	34.26
AV	5.704G	103.49	Inf	-Inf	7.12	3	Horizontal	74	3.00	-	96.37	31.91	9.49	34.28
PK	5.4616G	56.63	68.20	-11.57	6.81	3	Horizontal	74	3.00	-	49.82	31.72	9.35	34.26
PK	5.7148G	114.86	Inf	-Inf	7.14	3	Horizontal	74	3.00	-	107.72	31.93	9.49	34.28
PK	5.8564G	65.57	68.20	-2.63	7.60	3	Horizontal	74	3.00	-	57.97	32.33	9.57	34.30




**802.11ax HEW40\_Nss1,(MCS0)\_2TX**  
**5710MHz Straddle 5.47-5.725GHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.4024G	42.40	54.00	-11.60	18.53	3	Vertical	89	2.78	-	23.87	39.90	12.80	34.17
PK	11.41128G	56.54	74.00	-17.46	18.55	3	Vertical	89	2.78	-	37.99	39.92	12.80	34.17

802.11ax HEW40\_Nss1,(MCS0)\_2TX


5710MHz Straddle 5.47-5.725GHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.40552G	42.41	54.00	-11.59	18.54	3	Horizontal	82	1.50	-	23.87	39.91	12.80	34.17
PK	11.40664G	56.62	74.00	-17.38	18.54	3	Horizontal	82	1.50	-	38.08	39.91	12.80	34.17

### 802.11ax HEW80\_Nss1,(MCS0)\_2TX


#### 5290MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.147G	47.33	54.00	-6.67	6.74	3	Vertical	68	2.94	-	40.59	31.90	9.07	34.23
AV	5.287G	97.48	Inf	-Inf	6.27	3	Vertical	68	2.94	-	91.21	31.33	9.18	34.24
AV	5.357G	53.33	54.00	-0.67	6.36	3	Vertical	68	2.94	-	46.97	31.36	9.25	34.25
PK	5.148G	60.03	74.00	-13.97	6.74	3	Vertical	68	2.94	-	53.29	31.90	9.07	34.23
PK	5.317G	109.84	Inf	-Inf	6.26	3	Vertical	68	2.94	-	103.58	31.30	9.21	34.25
PK	5.357G	69.31	74.00	-4.69	6.36	3	Vertical	68	2.94	-	62.95	31.36	9.25	34.25

### 802.11ax HEW80\_Nss1,(MCS0)\_2TX


### 5290MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	46.10	54.00	-7.90	6.74	3	Horizontal	79	3.00	-	39.36	31.90	9.07	34.23
AV	5.282G	94.31	Inf	-Inf	6.27	3	Horizontal	79	3.00	-	88.04	31.34	9.17	34.24
AV	5.353G	51.96	54.00	-2.04	6.32	3	Horizontal	79	3.00	-	45.64	31.32	9.25	34.25
PK	5.15G	58.12	74.00	-15.88	6.74	3	Horizontal	79	3.00	-	51.38	31.90	9.07	34.23
PK	5.302G	107.26	Inf	-Inf	6.25	3	Horizontal	79	3.00	-	101.01	31.30	9.19	34.24
PK	5.353G	68.05	74.00	-5.95	6.32	3	Horizontal	79	3.00	-	61.73	31.32	9.25	34.25

802.11ax HEW80\_Nss1,(MCS0)\_2TX


5290MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.59008G	55.38	68.20	-12.82	17.66	3	Vertical	46	3.00	-	37.72	39.70	12.46	34.50

### 802.11ax HEW80\_Nss1,(MCS0)\_2TX


#### 5290MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.58954G	55.60	68.20	-12.60	17.66	3	Horizontal	122	1.50	-	37.94	39.70	12.46	34.50

### 802.11ax HEW80\_Nss1,(MCS0)\_2TX


### 5530MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	53.36	54.00	-0.64	6.81	3	Vertical	225	3.00	-	46.55	31.72	9.35	34.26
AV	5.542G	98.71	Inf	-Inf	6.95	3	Vertical	225	3.00	-	91.76	31.80	9.41	34.26
PK	5.47G	67.88	68.20	-0.32	6.84	3	Vertical	225	3.00	-	61.04	31.74	9.36	34.26
PK	5.521G	111.32	Inf	-Inf	6.94	3	Vertical	225	3.00	-	104.38	31.80	9.40	34.26
PK	5.733G	57.48	68.20	-10.72	7.19	3	Vertical	225	3.00	-	50.29	31.97	9.50	34.28

### 802.11ax HEW80\_Nss1,(MCS0)\_2TX

### 5530MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.453G	50.77	54.00	-3.23	6.79	3	Horizontal	74	3.00	-	43.98	31.71	9.34	34.26
AV	5.524G	93.76	Inf	-Inf	6.94	3	Horizontal	74	3.00	-	86.82	31.80	9.40	34.26
PK	5.462G	66.43	68.20	-1.77	6.81	3	Horizontal	74	3.00	-	59.62	31.72	9.35	34.26
PK	5.544G	105.75	Inf	-Inf	6.96	3	Horizontal	74	3.00	-	98.79	31.80	9.42	34.26
PK	5.729G	58.03	68.20	-10.17	7.18	3	Horizontal	74	3.00	-	50.85	31.96	9.50	34.28



802.11ax HEW80\_Nss1,(MCS0)\_2TX


5530MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.04656G	42.22	54.00	-11.78	18.57	3	Vertical	188	1.50	-	23.65	40.11	12.65	34.19
PK	11.06168G	56.25	74.00	-17.75	18.52	3	Vertical	188	1.50	-	37.73	40.05	12.66	34.19

802.11ax HEW80\_Nss1,(MCS0)\_2TX


5530MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.0561G	42.20	54.00	-11.80	18.54	3	Horizontal	263	1.50	-	23.66	40.08	12.65	34.19
PK	11.04716G	55.66	74.00	-18.34	18.57	3	Horizontal	263	1.50	-	37.09	40.11	12.65	34.19

802.11ax HEW80\_Nss1,(MCS0)\_2TX


5610MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.458G	47.98	54.00	-6.02	6.81	3	Vertical	64	2.74	-	41.17	31.72	9.35	34.26
AV	5.629G	100.50	Inf	-Inf	6.84	3	Vertical	64	2.74	-	93.66	31.64	9.47	34.27
PK	5.467G	63.15	68.20	-5.05	6.82	3	Vertical	64	2.74	-	56.33	31.73	9.35	34.26
PK	5.599G	114.11	Inf	-Inf	6.89	3	Vertical	64	2.74	-	107.22	31.70	9.46	34.27
PK	5.729G	67.09	68.20	-1.11	7.18	3	Vertical	64	2.74	-	59.91	31.96	9.50	34.28

### 802.11ax HEW80\_Nss1,(MCS0)\_2TX


### 5610MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.453G	46.41	54.00	-7.59	6.79	3	Horizontal	75	3.00	-	39.62	31.71	9.34	34.26
AV	5.614G	95.69	Inf	-Inf	6.86	3	Horizontal	75	3.00	-	88.83	31.67	9.46	34.27
PK	5.463G	59.15	68.20	-9.05	6.82	3	Horizontal	75	3.00	-	52.33	31.73	9.35	34.26
PK	5.594G	107.57	Inf	-Inf	6.90	3	Horizontal	75	3.00	-	100.67	31.71	9.46	34.27
PK	5.726G	63.45	68.20	-4.75	7.17	3	Horizontal	75	3.00	-	56.28	31.95	9.50	34.28

802.11ax HEW80\_Nss1,(MCS0)\_2TX


5610MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.20512G	42.20	54.00	-11.80	18.05	3	Vertical	2	3.00	-	24.15	39.51	12.72	34.18
PK	11.22132G	56.22	74.00	-17.78	18.06	3	Vertical	2	3.00	-	38.16	39.52	12.72	34.18

802.11ax HEW80\_Nss1,(MCS0)\_2TX


5610MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.23116G	42.28	54.00	-11.72	18.08	3	Horizontal	176	1.34	-	24.20	39.53	12.73	34.18
PK	11.20722G	56.31	74.00	-17.69	18.05	3	Horizontal	176	1.34	-	38.26	39.51	12.72	34.18


802.11ax HEW80\_Nss1,(MCS0)\_2TX

5690MHz Straddle 5.47-5.725GHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4584G	46.89	54.00	-7.11	6.81	3	Vertical	62	2.81	-	40.08	31.72	9.35	34.26
AV	5.6996G	102.51	Inf	-Inf	7.11	3	Vertical	62	2.81	-	95.40	31.90	9.49	34.28
PK	5.4656G	59.01	68.20	-9.19	6.82	3	Vertical	62	2.81	-	52.19	31.73	9.35	34.26
PK	5.678G	113.84	Inf	-Inf	6.97	3	Vertical	62	2.81	-	106.87	31.77	9.48	34.28
PK	5.852G	67.07	68.20	-1.13	7.57	3	Vertical	62	2.81	-	59.50	32.31	9.56	34.30


**802.11ax HEW80\_Nss1,(MCS0)\_2TX**  
**5690MHz Straddle 5.47-5.725GHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4524G	45.80	54.00	-8.20	6.78	3	Horizontal	74	3.00	-	39.02	31.70	9.34	34.26
AV	5.6936G	98.39	Inf	-Inf	7.07	3	Horizontal	74	3.00	-	91.32	31.86	9.49	34.28
PK	5.4632G	58.58	68.20	-9.62	6.82	3	Horizontal	74	3.00	-	51.76	31.73	9.35	34.26
PK	5.6936G	110.86	Inf	-Inf	7.07	3	Horizontal	74	3.00	-	103.79	31.86	9.49	34.28
PK	5.8544G	64.16	68.20	-4.04	7.58	3	Horizontal	74	3.00	-	56.58	32.32	9.56	34.30




**802.11ax HEW80\_Nss1,(MCS0)\_2TX**  
**5690MHz Straddle 5.47-5.725GHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.36584G	42.41	54.00	-11.59	18.41	3	Vertical	0	2.56	-	24.00	39.80	12.78	34.17
PK	11.38954G	56.04	74.00	-17.96	18.49	3	Vertical	0	2.56	-	37.55	39.87	12.79	34.17

802.11ax HEW80\_Nss1,(MCS0)\_2TX


5690MHz Straddle 5.47-5.725GHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.39308G	42.33	54.00	-11.67	18.51	3	Horizontal	144	1.50	-	23.82	39.88	12.80	34.17
PK	11.37382G	55.68	74.00	-18.32	18.44	3	Horizontal	144	1.50	-	37.24	39.82	12.79	34.17

**802.11ax HEW160\_Nss1,(MCS0)\_2TX**


**5250MHz Straddle 5.25-5.35GHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1468G	53.82	54.00	-0.18	6.74	3	Vertical	67	3.00	-	47.08	31.90	9.07	34.23
AV	5.2368G	95.49	Inf	-Inf	6.36	3	Vertical	67	3.00	-	89.13	31.48	9.12	34.24
AV	5.358G	52.14	54.00	-1.86	6.36	3	Vertical	67	3.00	-	45.78	31.36	9.25	34.25
PK	5.1456G	67.23	74.00	-6.77	6.74	3	Vertical	67	3.00	-	60.49	31.90	9.07	34.23
PK	5.2272G	107.94	Inf	-Inf	6.41	3	Vertical	67	3.00	-	101.53	31.54	9.11	34.24
PK	5.4636G	63.11	68.20	-5.09	6.82	3	Vertical	67	3.00	-	56.29	31.73	9.35	34.26

802.11ax HEW160\_Nss1,(MCS0)\_2TX


5250MHz Straddle 5.25-5.35GHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	51.05	54.00	-2.95	6.74	3	Horizontal	82	3.00	-	44.31	31.90	9.07	34.23
AV	5.2128G	91.91	Inf	-Inf	6.47	3	Horizontal	82	3.00	-	85.44	31.62	9.09	34.24
AV	5.3544G	49.90	54.00	-4.10	6.34	3	Horizontal	82	3.00	-	43.56	31.34	9.25	34.25
PK	5.1408G	64.04	74.00	-9.96	6.74	3	Horizontal	82	3.00	-	57.30	31.90	9.07	34.23
PK	5.2824G	104.45	Inf	-Inf	6.27	3	Horizontal	82	3.00	-	98.18	31.34	9.17	34.24
PK	5.472G	59.18	68.20	-9.02	6.84	3	Horizontal	82	3.00	-	52.34	31.74	9.36	34.26

802.11ax HEW160\_Nss1,(MCS0)\_2TX


5250MHz Straddle 5.25-5.35GHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.497G	55.98	68.20	-12.22	17.54	3	Vertical	265	1.50	-	38.44	39.69	12.42	34.57

**802.11ax HEW160\_Nss1,(MCS0)\_2TX**


**5250MHz Straddle 5.25-5.35GHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.50804G	55.22	68.20	-12.98	17.56	3	Horizontal	0	1.90	-	37.66	39.70	12.42	34.56

802.11ax HEW160\_Nss1,(MCS0)\_2TX


5570MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4524G	53.19	54.00	-0.81	6.78	3	Vertical	224	2.74	-	46.41	31.70	9.34	34.26
AV	5.5508G	96.36	Inf	-Inf	6.95	3	Vertical	224	2.74	-	89.41	31.80	9.42	34.27
PK	5.462G	64.60	68.20	-3.60	6.81	3	Vertical	224	2.74	-	57.79	31.72	9.35	34.26
PK	5.5316G	108.88	Inf	-Inf	6.95	3	Vertical	224	2.74	-	101.93	31.80	9.41	34.26
PK	5.726G	62.08	68.20	-6.12	7.17	3	Vertical	224	2.74	-	54.91	31.95	9.50	34.28

### 802.11ax HEW160\_Nss1,(MCS0)\_2TX

### 5570MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4536G	50.68	54.00	-3.32	6.79	3	Horizontal	73	3.00	-	43.89	31.71	9.34	34.26
AV	5.5436G	91.02	Inf	-Inf	6.95	3	Horizontal	73	3.00	-	84.07	31.80	9.41	34.26
PK	5.4644G	63.31	68.20	-4.89	6.82	3	Horizontal	73	3.00	-	56.49	31.73	9.35	34.26
PK	5.5136G	103.34	Inf	-Inf	6.93	3	Horizontal	73	3.00	-	96.41	31.80	9.39	34.26
PK	5.7548G	60.64	68.20	-7.56	7.23	3	Horizontal	73	3.00	-	53.41	32.01	9.51	34.29



802.11ax HEW160\_Nss1,(MCS0)\_2TX


5570MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.12746G	41.99	54.00	-12.01	18.29	3	Vertical	176	1.50	-	23.70	39.79	12.68	34.18
PK	11.1292G	55.52	74.00	-18.48	18.28	3	Vertical	176	1.50	-	37.24	39.78	12.68	34.18

802.11ax HEW160\_Nss1,(MCS0)\_2TX

5570MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.146G	42.05	54.00	-11.95	18.23	3	Horizontal	153	1.50	-	23.82	39.72	12.69	34.18
PK	11.1364G	56.11	74.00	-17.89	18.26	3	Horizontal	153	1.50	-	37.85	39.75	12.69	34.18