


5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS0),3xRU996+RU484 CP 7\_4TX

CSE Bandedge [PK]

6105MHz

26/01/2024



- Limit.PK
- ERP.PK
- Sum.PK
- Port 1
- Port 2
- Port 3
- Port 4


| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | Psum(dBm) | P1(dBm) | P2(dBm) | P3(dBm) | P4(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|-----------|---------|---------|---------|---------|
| 5.285G      | 7.765G     | 1M      | PK   | 5.3842G  | -39.21    | -21.20     | -18.01     | 7.81   | -47.02    | -54.15  | -52.94  | -52.94  | -52.32  |
| 5.285G      | 7.765G     | 1M      | PK   | 7.70548G | -36.34    | -21.20     | -15.14     | 7.81   | -44.15    | -50.49  | -48.68  | -51.37  | -50.63  |

5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS0),3xRU996+RU484 CP 7\_4TX

CSE Bandedge [AV]

6105MHz

26/01/2024



- Limit.AV
- ERP.AV
- Sum.AV
- Port 1
- Port 2
- Port 3
- Port 4


| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | Psum(dBm) | P1(dBm) | P2(dBm) | P3(dBm) | P4(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|-----------|---------|---------|---------|---------|
| 5.285G      | 7.765G     | 1M      | AV   | 5.36684G | -49.34    | -41.20     | -8.14      | 7.81   | -57.15    | -63.35  | -63.11  | -63.11  | -63.11  |
| 5.285G      | 7.765G     | 1M      | AV   | 7.6038G  | -46.35    | -41.20     | -5.15      | 7.81   | -54.16    | -60.18  | -60.40  | -59.97  | -60.18  |

5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS0),3xRU996+RU484 CP 8\_4TX

CSE Bandedge [PK]

6105MHz

26/01/2024




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | Psum(dBm) | P1(dBm) | P2(dBm) | P3(dBm) | P4(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|-----------|---------|---------|---------|---------|
| 5.285G      | 7.765G     | 1M      | PK   | 5.44372G | -38.95    | -21.20     | -17.75     | 7.81   | -46.76    | -52.29  | -52.96  | -53.92  | -52.17  |
| 5.285G      | 7.765G     | 1M      | PK   | 7.62736G | -36.45    | -21.20     | -15.25     | 7.81   | -44.26    | -52.04  | -49.46  | -49.52  | -50.58  |

5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS0),3xRU996+RU484 CP 8\_4TX

CSE Bandedge [AV]

6105MHz

26/01/2024




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | Psum(dBm) | P1(dBm) | P2(dBm) | P3(dBm) | P4(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|-----------|---------|---------|---------|---------|
| 5.285G      | 7.765G     | 1M      | AV   | 5.39908G | -49.39    | -41.20     | -8.19      | 7.81   | -57.20    | -63.11  | -63.34  | -63.34  | -63.11  |
| 5.285G      | 7.765G     | 1M      | AV   | 7.6038G  | -46.40    | -41.20     | -5.20      | 7.81   | -54.21    | -60.18  | -60.40  | -60.18  | -60.18  |

5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS0),3xRU996 CP 3\_4TX

CSE Bandedge [PK]

6105MHz

26/01/2024




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | Psum(dBm) | P1(dBm) | P2(dBm) | P3(dBm) | P4(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|-----------|---------|---------|---------|---------|
| 5.285G      | 7.765G     | 1M      | PK   | 5.39784G | -39.15    | -21.20     | -17.95     | 7.81   | -46.96    | -53.91  | -51.94  | -53.16  | -53.16  |
| 5.285G      | 7.765G     | 1M      | PK   | 7.63232G | -36.24    | -21.20     | -15.04     | 7.81   | -44.05    | -49.74  | -48.94  | -51.82  | -50.26  |

5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS0),3xRU996 CP 3\_4TX

CSE Bandedge [AV]

6105MHz

26/01/2024




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | Psum(dBm) | P1(dBm) | P2(dBm) | P3(dBm) | P4(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|-----------|---------|---------|---------|---------|
| 5.285G      | 7.765G     | 1M      | AV   | 5.38048G | -49.39    | -41.20     | -8.19      | 7.81   | -57.20    | -63.10  | -63.10  | -63.34  | -63.34  |
| 5.285G      | 7.765G     | 1M      | AV   | 7.59264G | -46.60    | -41.20     | -5.40      | 7.81   | -54.41    | -60.43  | -60.43  | -60.43  | -60.43  |

5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS0),3xRU996 CP 4\_4TX

CSE Bandedge [PK]

6105MHz

26/01/2024



- Limit.PK
- EIRP.PK
- Sum.PK
- Port 1
- Port 2
- Port 3
- Port 4


| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | Psum(dBm) | P1(dBm) | P2(dBm) | P3(dBm) | P4(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|-----------|---------|---------|---------|---------|
| 5.285G      | 7.765G     | 1M      | PK   | 5.37676G | -38.83    | -21.20     | -17.63     | 7.81   | -46.64    | -52.33  | -52.73  | -51.45  | -54.74  |
| 5.285G      | 7.765G     | 1M      | PK   | 7.35332G | -35.62    | -21.20     | -14.42     | 7.81   | -43.43    | -47.96  | -51.19  | -50.44  | -48.94  |

5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS0),3xRU996 CP 4\_4TX

CSE Bandedge [AV]

6105MHz

26/01/2024



- Limit.AV
- EIRP.AV
- Sum.AV
- Port 1
- Port 2
- Port 3
- Port 4


| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | Psum(dBm) | P1(dBm) | P2(dBm) | P3(dBm) | P4(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|-----------|---------|---------|---------|---------|
| 5.285G      | 7.765G     | 1M      | AV   | 5.38792G | -49.33    | -41.20     | -8.13      | 7.81   | -57.14    | -62.88  | -63.10  | -63.34  | -63.34  |
| 5.285G      | 7.765G     | 1M      | AV   | 7.60008G | -46.54    | -41.20     | -5.34      | 7.81   | -54.35    | -60.37  | -60.37  | -60.37  | -60.37  |

5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS0),2xRU996+RU484 CP 2\_4TX

CSE Bandedge [PK]

6105MHz

26/01/2024




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | Psum(dBm) | P1(dBm) | P2(dBm) | P3(dBm) | P4(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|-----------|---------|---------|---------|---------|
| 5.285G      | 7.765G     | 1M      | PK   | 5.37428G | -39.05    | -21.20     | -17.85     | 7.81   | -46.86    | -50.61  | -52.26  | -55.10  | -55.37  |
| 5.285G      | 7.765G     | 1M      | PK   | 7.32108G | -36.41    | -21.20     | -15.21     | 7.81   | -44.22    | -51.63  | -50.35  | -49.52  | -49.75  |

5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS0),2xRU996+RU484 CP 2\_4TX

CSE Bandedge [AV]

6105MHz

26/01/2024




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | Psum(dBm) | P1(dBm) | P2(dBm) | P3(dBm) | P4(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|-----------|---------|---------|---------|---------|
| 5.285G      | 7.765G     | 1M      | AV   | 5.3966G  | -49.28    | -41.20     | -8.08      | 7.81   | -57.09    | -63.11  | -63.11  | -63.11  | -63.11  |
| 5.285G      | 7.765G     | 1M      | AV   | 7.60504G | -46.57    | -41.20     | -5.37      | 7.81   | -54.38    | -60.40  | -60.40  | -60.40  | -60.40  |

5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS0),2xRU996+RU484 CP 3\_4TX

CSE Bandedge [PK]

6105MHz

26/01/2024




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | Psum(dBm) | P1(dBm) | P2(dBm) | P3(dBm) | P4(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|-----------|---------|---------|---------|---------|
| 5.285G      | 7.765G     | 1M      | PK   | 5.36312G | -39.29    | -21.20     | -18.09     | 7.81   | -47.10    | -52.88  | -53.77  | -53.84  | -52.21  |
| 5.285G      | 7.765G     | 1M      | PK   | 7.60132G | -36.39    | -21.20     | -15.19     | 7.81   | -44.20    | -49.96  | -49.83  | -50.03  | -51.18  |

5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS0),2xRU996+RU484 CP 3\_4TX

CSE Bandedge [AV]

6105MHz

26/01/2024




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | Psum(dBm) | P1(dBm) | P2(dBm) | P3(dBm) | P4(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|-----------|---------|---------|---------|---------|
| 5.285G      | 7.765G     | 1M      | AV   | 5.38792G | -49.33    | -41.20     | -8.13      | 7.81   | -57.14    | -63.10  | -63.10  | -63.10  | -63.34  |
| 5.285G      | 7.765G     | 1M      | AV   | 7.61868G | -46.58    | -41.20     | -5.38      | 7.81   | -54.39    | -60.25  | -60.47  | -60.70  | -60.25  |

5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS0),2xRU996+RU484 CP 4\_4TX

CSE Bandedge [PK]

6105MHz

26/01/2024



- Limit.PK
- EIRP.PK
- Sum.PK
- Port 1
- Port 2
- Port 3
- Port 4


| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | Psum(dBm) | P1(dBm) | P2(dBm) | P3(dBm) | P4(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|-----------|---------|---------|---------|---------|
| 5.285G      | 7.765G     | 1M      | PK   | 5.45116G | -39.01    | -21.20     | -17.81     | 7.81   | -46.82    | -51.51  | -53.33  | -53.85  | -53.05  |
| 5.285G      | 7.765G     | 1M      | PK   | 7.66952G | -36.18    | -21.20     | -14.98     | 7.81   | -43.99    | -49.74  | -50.74  | -49.12  | -50.67  |

5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS0),2xRU996+RU484 CP 4\_4TX

CSE Bandedge [AV]

6105MHz

26/01/2024



- Limit.AV
- EIRP.AV
- Sum.AV
- Port 1
- Port 2
- Port 3
- Port 4

| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | Psum(dBm) | P1(dBm) | P2(dBm) | P3(dBm) | P4(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|-----------|---------|---------|---------|---------|
| 5.285G      | 7.765G     | 1M      | AV   | 5.38544G | -49.27    | -41.20     | -8.07      | 7.81   | -57.08    | -63.33  | -63.10  | -62.88  | -63.10  |
| 5.285G      | 7.765G     | 1M      | AV   | 7.60628G | -46.58    | -41.20     | -5.38      | 7.81   | -54.39    | -60.41  | -60.41  | -60.41  | -60.41  |




5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS0),2xRU996+RU484 CP 5\_4TX

CSE Bandedge [PK]

6105MHz

26/01/2024



- Limit.PK
- EIRP.PK
- Sum.PK
- Port 1
- Port 2
- Port 3
- Port 4


| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | Psum(dBm) | P1(dBm) | P2(dBm) | P3(dBm) | P4(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|-----------|---------|---------|---------|---------|
| 5.285G      | 7.765G     | 1M      | PK   | 5.38666G | -39.06    | -21.20     | -17.86     | 7.81   | -46.87    | -53.83  | -52.46  | -52.66  | -52.73  |
| 5.285G      | 7.765G     | 1M      | PK   | 7.57156G | -36.48    | -21.20     | -15.28     | 7.81   | -44.29    | -50.46  | -51.03  | -50.12  | -49.73  |

5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS0),2xRU996+RU484 CP 5\_4TX

CSE Bandedge [AV]

6105MHz

26/01/2024



- Limit.AV
- EIRP.AV
- Sum.AV
- Port 1
- Port 2
- Port 3
- Port 4


| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | Psum(dBm) | P1(dBm) | P2(dBm) | P3(dBm) | P4(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|-----------|---------|---------|---------|---------|
| 5.285G      | 7.765G     | 1M      | AV   | 5.41272G | -49.37    | -41.20     | -8.17      | 7.81   | -57.18    | -63.38  | -63.14  | -63.14  | -63.14  |
| 5.285G      | 7.765G     | 1M      | AV   | 7.6038G  | -46.51    | -41.20     | -5.31      | 7.81   | -54.32    | -60.18  | -60.40  | -60.63  | -60.18  |

5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS0),2xRU996+RU484 CP 6\_4TX

CSE Bandedge [PK]

6105MHz

26/01/2024




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | Psum(dBm) | P1(dBm) | P2(dBm) | P3(dBm) | P4(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|-----------|---------|---------|---------|---------|
| 5.285G      | 7.765G     | 1M      | PK   | 5.35444G | -39.01    | -21.20     | -17.81     | 7.81   | -46.82    | -54.18  | -53.26  | -52.97  | -51.42  |
| 5.285G      | 7.765G     | 1M      | PK   | 7.34836G | -36.33    | -21.20     | -15.13     | 7.81   | -44.14    | -51.62  | -51.62  | -49.27  | -48.88  |

5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS0),2xRU996+RU484 CP 6\_4TX


CSE Bandedge [AV]

6105MHz

26/01/2024



| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | Psum(dBm) | P1(dBm) | P2(dBm) | P3(dBm) | P4(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|-----------|---------|---------|---------|---------|
| 5.285G      | 7.765G     | 1M      | AV   | 5.38048G | -49.33    | -41.20     | -8.13      | 7.81   | -57.14    | -63.34  | -63.10  | -63.10  | -63.10  |
| 5.285G      | 7.765G     | 1M      | AV   | 7.60008G | -46.60    | -41.20     | -5.40      | 7.81   | -54.41    | -60.37  | -60.60  | -60.37  | -60.37  |




6.525-6.875GHz\_802.11be EHT320\_Nss1,(MCS0),3xRU996+RU484 CP 2\_4TX

CSE Bandedge [PK]

6905MHz

26/01/2024




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | Psum(dBm) | P1(dBm) | P2(dBm) | P3(dBm) | P4(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|-----------|---------|---------|---------|---------|
| 5.285G      | 7.765G     | 1M      | PK   | 5.37552G | -39.95    | -21.20     | -18.75     | 6.82   | -46.77    | -54.40  | -52.07  | -52.80  | -52.26  |
| 5.285G      | 7.765G     | 1M      | PK   | 7.25908G | -31.38    | -21.20     | -10.18     | 6.82   | -38.20    | -44.15  | -43.58  | -44.92  | -44.33  |

6.525-6.875GHz\_802.11be EHT320\_Nss1,(MCS0),3xRU996+RU484 CP 2\_4TX

CSE Bandedge [AV]

6905MHz

26/01/2024




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | Psum(dBm) | P1(dBm) | P2(dBm) | P3(dBm) | P4(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|-----------|---------|---------|---------|---------|
| 5.285G      | 7.765G     | 1M      | AV   | 5.37056G | -50.33    | -41.20     | -9.13      | 6.82   | -57.15    | -63.11  | -63.11  | -63.34  | -63.11  |
| 5.285G      | 7.765G     | 1M      | AV   | 7.2504G  | -41.27    | -41.20     | -0.07      | 6.82   | -48.09    | -54.28  | -53.55  | -54.37  | -54.28  |

6.525-6.875GHz\_802.11be EHT320\_Nss1,(MCS0),3xRU996+RU484 CP 3\_4TX

CSE Bandedge [PK]

6905MHz

26/01/2024




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | Psum(dBm) | P1(dBm) | P2(dBm) | P3(dBm) | P4(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|-----------|---------|---------|---------|---------|
| 5.285G      | 7.765G     | 1M      | PK   | 5.38048G | -40.15    | -21.20     | -18.95     | 6.82   | -46.97    | -51.69  | -53.68  | -53.60  | -53.30  |
| 5.285G      | 7.765G     | 1M      | PK   | 7.25536G | -31.31    | -21.20     | -10.11     | 6.82   | -38.13    | -43.78  | -43.28  | -44.71  | -45.09  |

6.525-6.875GHz\_802.11be EHT320\_Nss1,(MCS0),3xRU996+RU484 CP 3\_4TX

CSE Bandedge [AV]

6905MHz

26/01/2024




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | Psum(dBm) | P1(dBm) | P2(dBm) | P3(dBm) | P4(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|-----------|---------|---------|---------|---------|
| 5.285G      | 7.765G     | 1M      | AV   | 5.3966G  | -50.33    | -41.20     | -9.13      | 6.82   | -57.15    | -63.34  | -63.11  | -63.11  | -63.11  |
| 5.285G      | 7.765G     | 1M      | AV   | 7.2504G  | -41.36    | -41.20     | -0.16      | 6.82   | -48.18    | -54.37  | -53.81  | -54.57  | -54.09  |

6.525-6.875GHz\_802.11be EHT320\_Nss1,(MCS0),3xRU996+RU484 CP 4\_4TX

CSE Bandedge [PK]

6905MHz

26/01/2024




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | Psum(dBm) | P1(dBm) | P2(dBm) | P3(dBm) | P4(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|-----------|---------|---------|---------|---------|
| 5.285G      | 7.765G     | 1M      | PK   | 5.35692G | -40.09    | -21.20     | -18.89     | 6.82   | -46.91    | -52.41  | -54.25  | -53.40  | -52.02  |
| 5.285G      | 7.765G     | 1M      | PK   | 7.25908G | -32.20    | -21.20     | -11.00     | 6.82   | -39.02    | -46.68  | -45.46  | -44.54  | -43.94  |

6.525-6.875GHz\_802.11be EHT320\_Nss1,(MCS0),3xRU996+RU484 CP 4\_4TX

CSE Bandedge [AV]

6905MHz

26/01/2024




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | Psum(dBm) | P1(dBm) | P2(dBm) | P3(dBm) | P4(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|-----------|---------|---------|---------|---------|
| 5.285G      | 7.765G     | 1M      | AV   | 5.378G   | -50.33    | -41.20     | -9.13      | 6.82   | -57.15    | -63.11  | -63.11  | -63.11  | -63.34  |
| 5.285G      | 7.765G     | 1M      | AV   | 7.2504G  | -42.10    | -41.20     | -0.90      | 6.82   | -48.92    | -55.08  | -54.67  | -55.40  | -54.67  |

6.525-6.875GHz\_802.11be EHT320\_Nss1,(MCS0),3xRU996+RU484 CP\_5\_4TX

CSE Bandedge [PK]

6905MHz

26/01/2024



- Limit.PK
- ERP.PK
- Sum.PK
- Port 1
- Port 2
- Port 3
- Port 4


| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | Psum(dBm) | P1(dBm) | P2(dBm) | P3(dBm) | P4(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|-----------|---------|---------|---------|---------|
| 5.285G      | 7.765G     | 1M      | PK   | 5.41396G | -39.65    | -21.20     | -18.45     | 6.82   | -46.47    | -52.98  | -52.77  | -52.71  | -51.62  |
| 5.285G      | 7.765G     | 1M      | PK   | 7.26528G | -32.23    | -21.20     | -11.03     | 6.82   | -39.05    | -46.40  | -44.64  | -44.92  | -44.57  |

6.525-6.875GHz\_802.11be EHT320\_Nss1,(MCS0),3xRU996+RU484 CP\_5\_4TX

CSE Bandedge [AV]

6905MHz

26/01/2024



- Limit.AV
- ERP.AV
- Sum.AV
- Port 1
- Port 2
- Port 3
- Port 4


| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | Psum(dBm) | P1(dBm) | P2(dBm) | P3(dBm) | P4(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|-----------|---------|---------|---------|---------|
| 5.285G      | 7.765G     | 1M      | AV   | 5.3904G  | -50.33    | -41.20     | -9.13      | 6.82   | -57.15    | -63.11  | -63.34  | -63.11  | -63.11  |
| 5.285G      | 7.765G     | 1M      | AV   | 7.25288G | -42.02    | -41.20     | -0.82      | 6.82   | -48.84    | -55.19  | -54.67  | -55.40  | -54.28  |

6.525-6.875GHz\_802.11be EHT320\_Nss1,(MCS0),3xRU996+RU484 CP 6\_4TX

CSE Bandedge [PK]

6905MHz

26/01/2024



- Limit\_LPK
- ERP\_LPK
- Sum\_LPK
- Port 1
- Port 2
- Port 3
- Port 4


| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | Psum(dBm) | P1(dBm) | P2(dBm) | P3(dBm) | P4(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|-----------|---------|---------|---------|---------|
| 5.285G      | 7.765G     | 1M      | PK   | 5.4452G  | -39.84    | -21.20     | -18.64     | 6.82   | -46.66    | -54.40  | -50.88  | -52.63  | -53.62  |
| 5.285G      | 7.765G     | 1M      | PK   | 7.25412G | -31.51    | -21.20     | -10.31     | 6.82   | -38.33    | -43.69  | -44.89  | -43.63  | -45.50  |

6.525-6.875GHz\_802.11be EHT320\_Nss1,(MCS0),3xRU996+RU484 CP 6\_4TX

CSE Bandedge [AV]

6905MHz

26/01/2024



- Limit\_AV
- ERP\_AV
- Sum\_AV
- Port 1
- Port 2
- Port 3
- Port 4

| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | Psum(dBm) | P1(dBm) | P2(dBm) | P3(dBm) | P4(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|-----------|---------|---------|---------|---------|
| 5.285G      | 7.765G     | 1M      | AV   | 5.36932G | -50.27    | -41.20     | -9.07      | 6.82   | -57.09    | -63.11  | -63.34  | -63.11  | -62.89  |
| 5.285G      | 7.765G     | 1M      | AV   | 7.2504G  | -41.92    | -41.20     | -0.72      | 6.82   | -48.74    | -55.08  | -54.67  | -55.08  | -54.28  |




6.525-6.875GHz\_802.11be EHT320\_Nss1,(MCS0),3xRU996+RU484 CP 7\_4TX

CSE Bandedge [PK]

6905MHz

26/01/2024



- Limit.PK
- ERP.PK
- Sum.PK
- Port 1
- Port 2
- Port 3
- Port 4


| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | Psum(dBm) | P1(dBm) | P2(dBm) | P3(dBm) | P4(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|-----------|---------|---------|---------|---------|
| 5.285G      | 7.765G     | 1M      | PK   | 5.36684G | -40.05    | -21.20     | -18.85     | 6.82   | -46.87    | -52.60  | -52.81  | -52.74  | -53.46  |
| 5.285G      | 7.765G     | 1M      | PK   | 7.2566G  | -31.07    | -21.20     | -9.87      | 6.82   | -37.89    | -42.71  | -43.72  | -44.93  | -44.64  |

6.525-6.875GHz\_802.11be EHT320\_Nss1,(MCS0),3xRU996+RU484 CP 7\_4TX

CSE Bandedge [AV]

6905MHz

26/01/2024



- Limit.AV
- ERP.AV
- Sum.AV
- Port 1
- Port 2
- Port 3
- Port 4


| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | Psum(dBm) | P1(dBm) | P2(dBm) | P3(dBm) | P4(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|-----------|---------|---------|---------|---------|
| 5.285G      | 7.765G     | 1M      | AV   | 5.38172G | -50.32    | -41.20     | -9.12      | 6.82   | -57.14    | -63.34  | -63.10  | -63.10  | -63.10  |
| 5.285G      | 7.765G     | 1M      | AV   | 7.2504G  | -41.48    | -41.20     | -0.28      | 6.82   | -48.30    | -54.67  | -54.18  | -54.57  | -53.90  |

6.525-6.875GHz\_802.11be EHT320\_Nss1,(MCS0),3xRU996 CP 1\_4TX

CSE Bandedge [PK]

6905MHz

26/01/2024




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | Psum(dBm) | P1(dBm) | P2(dBm) | P3(dBm) | P4(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|-----------|---------|---------|---------|---------|
| 5.285G      | 7.765G     | 1M      | PK   | 5.4452G  | -40.16    | -21.20     | -18.96     | 6.82   | -46.98    | -54.00  | -51.98  | -54.24  | -52.24  |
| 5.285G      | 7.765G     | 1M      | PK   | 7.26776G | -30.46    | -21.20     | -9.26      | 6.82   | -37.28    | -43.08  | -46.55  | -45.91  | -40.45  |

6.525-6.875GHz\_802.11be EHT320\_Nss1,(MCS0),3xRU996 CP 1\_4TX

CSE Bandedge [AV]

6905MHz

26/01/2024




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | Psum(dBm) | P1(dBm) | P2(dBm) | P3(dBm) | P4(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|-----------|---------|---------|---------|---------|
| 5.285G      | 7.765G     | 1M      | AV   | 5.37924G | -50.33    | -41.20     | -9.13      | 6.82   | -57.15    | -63.11  | -63.11  | -63.11  | -63.34  |
| 5.285G      | 7.765G     | 1M      | AV   | 7.2504G  | -41.60    | -41.20     | -0.40      | 6.82   | -48.42    | -54.28  | -54.18  | -54.87  | -54.47  |

6.525-6.875GHz\_802.11be EHT320\_Nss1,(MCS0),3xRU996 CP 2\_4TX

CSE Bandedge [PK]

6905MHz

26/01/2024




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | Psum(dBm) | P1(dBm) | P2(dBm) | P3(dBm) | P4(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|-----------|---------|---------|---------|---------|
| 5.285G      | 7.765G     | 1M      | PK   | 5.39784G | -39.92    | -21.20     | -18.72     | 6.82   | -46.74    | -53.30  | -53.23  | -53.01  | -51.69  |
| 5.285G      | 7.765G     | 1M      | PK   | 7.269G   | -32.28    | -21.20     | -11.08     | 6.82   | -39.10    | -46.02  | -43.94  | -47.04  | -44.23  |

6.525-6.875GHz\_802.11be EHT320\_Nss1,(MCS0),3xRU996 CP 2\_4TX

CSE Bandedge [AV]

6905MHz

26/01/2024




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | Psum(dBm) | P1(dBm) | P2(dBm) | P3(dBm) | P4(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|-----------|---------|---------|---------|---------|
| 5.285G      | 7.765G     | 1M      | AV   | 5.38048G | -50.38    | -41.20     | -9.18      | 6.82   | -57.20    | -63.10  | -63.34  | -63.34  | -63.10  |
| 5.285G      | 7.765G     | 1M      | AV   | 7.2504G  | -42.33    | -41.20     | -1.13      | 6.82   | -49.15    | -55.51  | -54.67  | -55.73  | -54.87  |

6.525-6.875GHz\_802.11be EHT320\_Nss1,(MCS0),3xRU996 CP 3\_4TX

CSE Bandedge [PK]

6905MHz

26/01/2024




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | Psum(dBm) | P1(dBm) | P2(dBm) | P3(dBm) | P4(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|-----------|---------|---------|---------|---------|
| 5.285G      | 7.765G     | 1M      | PK   | 5.36808G | -40.05    | -21.20     | -18.85     | 6.82   | -46.87    | -54.49  | -51.34  | -52.53  | -53.92  |
| 5.285G      | 7.765G     | 1M      | PK   | 7.27768G | -31.30    | -21.20     | -10.10     | 6.82   | -38.12    | -44.88  | -43.84  | -44.98  | -43.13  |

6.525-6.875GHz\_802.11be EHT320\_Nss1,(MCS0),3xRU996 CP 3\_4TX

CSE Bandedge [AV]

6905MHz

26/01/2024




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | Psum(dBm) | P1(dBm) | P2(dBm) | P3(dBm) | P4(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|-----------|---------|---------|---------|---------|
| 5.285G      | 7.765G     | 1M      | AV   | 5.38172G | -50.38    | -41.20     | -9.18      | 6.82   | -57.20    | -63.34  | -63.10  | -63.10  | -63.34  |
| 5.285G      | 7.765G     | 1M      | AV   | 7.25288G | -41.74    | -41.20     | -0.54      | 6.82   | -48.56    | -54.09  | -54.87  | -55.19  | -54.28  |

6.525-6.875GHz\_802.11be EHT320\_Nss1,(MCS0),3xRU996 CP 4\_4TX

CSE Bandedge [PK]

6905MHz

26/01/2024




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | Psum(dBm) | P1(dBm) | P2(dBm) | P3(dBm) | P4(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|-----------|---------|---------|---------|---------|
| 5.285G      | 7.765G     | 1M      | PK   | 5.44G    | -40.09    | -21.20     | -18.89     | 6.82   | -46.91    | -53.91  | -51.78  | -53.16  | -53.16  |
| 5.285G      | 7.765G     | 1M      | PK   | 7.2814G  | -33.86    | -21.20     | -12.66     | 6.82   | -40.68    | -49.61  | -44.34  | -48.66  | -46.16  |

6.525-6.875GHz\_802.11be EHT320\_Nss1,(MCS0),3xRU996 CP 4\_4TX

CSE Bandedge [AV]

6905MHz

26/01/2024




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | Psum(dBm) | P1(dBm) | P2(dBm) | P3(dBm) | P4(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|-----------|---------|---------|---------|---------|
| 5.285G      | 7.765G     | 1M      | AV   | 5.36932G | -50.33    | -41.20     | -9.13      | 6.82   | -57.15    | -63.11  | -63.34  | -63.11  | -63.11  |
| 5.285G      | 7.765G     | 1M      | AV   | 7.27272G | -45.40    | -41.20     | -4.20      | 6.82   | -52.22    | -58.63  | -58.32  | -58.48  | -57.59  |

6.525-6.875GHz\_802.11be EHT320\_Nss1,(MCS0),2xRU996+RU484 CP 7\_4TX

CSE Bandedge [PK]

6905MHz

26/01/2024




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | Psum(dBm) | P1(dBm) | P2(dBm) | P3(dBm) | P4(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|-----------|---------|---------|---------|---------|
| 5.285G      | 7.765G     | 1M      | PK   | 5.4214G  | -40.07    | -21.20     | -18.87     | 6.82   | -46.89    | -54.48  | -52.54  | -53.23  | -51.83  |
| 5.285G      | 7.765G     | 1M      | PK   | 7.25164G | -32.76    | -21.20     | -11.56     | 6.82   | -39.58    | -45.37  | -43.98  | -45.61  | -48.64  |

6.525-6.875GHz\_802.11be EHT320\_Nss1,(MCS0),2xRU996+RU484 CP 7\_4TX

CSE Bandedge [AV]

6905MHz

26/01/2024




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | Psum(dBm) | P1(dBm) | P2(dBm) | P3(dBm) | P4(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|-----------|---------|---------|---------|---------|
| 5.285G      | 7.765G     | 1M      | AV   | 5.38296G | -50.37    | -41.20     | -9.17      | 6.82   | -57.19    | -63.10  | -63.33  | -63.10  | -63.33  |
| 5.285G      | 7.765G     | 1M      | AV   | 7.2504G  | -45.05    | -41.20     | -3.85      | 6.82   | -51.87    | -57.61  | -58.04  | -58.04  | -57.89  |

6.525-6.875GHz\_802.11be EHT320\_Nss1,(MCS0),2xRU996+RU484 CP 8\_4TX

CSE Bandedge [PK]

6905MHz

26/01/2024




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | Psum(dBm) | P1(dBm) | P2(dBm) | P3(dBm) | P4(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|-----------|---------|---------|---------|---------|
| 5.285G      | 7.765G     | 1M      | PK   | 5.37056G | -40.25    | -21.20     | -19.06     | 6.82   | -47.08    | -53.68  | -53.16  | -52.60  | -53.02  |
| 5.285G      | 7.765G     | 1M      | PK   | 7.25288G | -31.70    | -21.20     | -10.50     | 6.82   | -38.52    | -45.37  | -43.67  | -45.47  | -43.96  |

6.525-6.875GHz\_802.11be EHT320\_Nss1,(MCS0),2xRU996+RU484 CP 8\_4TX

CSE Bandedge [AV]

6905MHz

26/01/2024




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | Psum(dBm) | P1(dBm) | P2(dBm) | P3(dBm) | P4(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|-----------|---------|---------|---------|---------|
| 5.285G      | 7.765G     | 1M      | AV   | 5.37676G | -50.38    | -41.20     | -9.18      | 6.82   | -57.20    | -62.88  | -63.34  | -63.34  | -63.34  |
| 5.285G      | 7.765G     | 1M      | AV   | 7.2504G  | -42.03    | -41.20     | -0.83      | 6.82   | -48.85    | -54.97  | -54.67  | -55.08  | -54.77  |

6.525-6.875GHz\_802.11be EHT320\_Nss1,(MCS0),2xRU996+RU484 CP 9\_4TX

CSE Bandedge [PK]

6905MHz

26/01/2024




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | Psum(dBm) | P1(dBm) | P2(dBm) | P3(dBm) | P4(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|-----------|---------|---------|---------|---------|
| 5.285G      | 7.765G     | 1M      | PK   | 5.41644G | -40.05    | -21.20     | -18.85     | 6.82   | -46.87    | -54.21  | -53.50  | -51.33  | -53.07  |
| 5.285G      | 7.765G     | 1M      | PK   | 7.25412G | -31.68    | -21.20     | -10.48     | 6.82   | -38.50    | -44.86  | -44.77  | -44.52  | -43.98  |

6.525-6.875GHz\_802.11be EHT320\_Nss1,(MCS0),2xRU996+RU484 CP 9\_4TX

CSE Bandedge [AV]

6905MHz

26/01/2024



| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | Psum(dBm) | P1(dBm) | P2(dBm) | P3(dBm) | P4(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|-----------|---------|---------|---------|---------|
| 5.285G      | 7.765G     | 1M      | AV   | 5.38668G | -50.38    | -41.20     | -9.18      | 6.82   | -57.20    | -63.10  | -63.34  | -63.34  | -63.10  |
| 5.285G      | 7.765G     | 1M      | AV   | 7.2504G  | -41.80    | -41.20     | -0.60      | 6.82   | -48.62    | -54.67  | -54.37  | -54.87  | -54.67  |




6.525-6.875GHz\_802.11be EHT320\_Nss1,(MCS0),2xRU996+RU484 CP 10\_4TX

CSE Bandedge [PK]

6905MHz

26/01/2024




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | Psum(dBm) | P1(dBm) | P2(dBm) | P3(dBm) | P4(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|-----------|---------|---------|---------|---------|
| 5.285G      | 7.765G     | 1M      | PK   | 5.44744G | -40.10    | -21.20     | -18.90     | 6.82   | -46.92    | -52.37  | -53.77  | -52.77  | -52.97  |
| 5.285G      | 7.765G     | 1M      | PK   | 7.25412G | -31.02    | -21.20     | -9.82      | 6.82   | -37.84    | -44.99  | -42.73  | -44.27  | -43.75  |

6.525-6.875GHz\_802.11be EHT320\_Nss1,(MCS0),2xRU996+RU484 CP 10\_4TX

CSE Bandedge [AV]

6905MHz

26/01/2024




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | Psum(dBm) | P1(dBm) | P2(dBm) | P3(dBm) | P4(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|-----------|---------|---------|---------|---------|
| 5.285G      | 7.765G     | 1M      | AV   | 5.3718G  | -50.33    | -41.20     | -9.13      | 6.82   | -57.15    | -63.11  | -63.11  | -63.11  | -63.34  |
| 5.285G      | 7.765G     | 1M      | AV   | 7.2504G  | -41.72    | -41.20     | -0.52      | 6.82   | -48.54    | -54.67  | -54.09  | -54.87  | -54.67  |

6.525-6.875GHz\_802.11be EHT320\_Nss1,(MCS0),2xRU996+RU484 CP 11\_4TX

CSE Bandedge [PK]

6905MHz

26/01/2024




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | Psum(dBm) | P1(dBm) | P2(dBm) | P3(dBm) | P4(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|-----------|---------|---------|---------|---------|
| 5.285G      | 7.765G     | 1M      | PK   | 5.38666G | -40.16    | -21.20     | -18.96     | 6.82   | -46.98    | -53.45  | -52.52  | -52.94  | -53.15  |
| 5.285G      | 7.765G     | 1M      | PK   | 7.27396G | -31.21    | -21.20     | -10.01     | 6.82   | -38.03    | -40.49  | -46.47  | -46.95  | -45.98  |

6.525-6.875GHz\_802.11be EHT320\_Nss1,(MCS0),2xRU996+RU484 CP 11\_4TX

CSE Bandedge [AV]

6905MHz

26/01/2024



| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | Psum(dBm) | P1(dBm) | P2(dBm) | P3(dBm) | P4(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|-----------|---------|---------|---------|---------|
| 5.285G      | 7.765G     | 1M      | AV   | 5.39288G | -50.33    | -41.20     | -9.13      | 6.82   | -57.15    | -63.11  | -63.34  | -63.11  | -63.11  |
| 5.285G      | 7.765G     | 1M      | AV   | 7.2504G  | -41.43    | -41.20     | -0.23      | 6.82   | -48.25    | -54.77  | -54.00  | -54.28  | -54.09  |



## RSE TX above 1GHz\_Non-Beamforming\_Radio 2\_Channel Puncturing Appendix E.12

### Summary

| Mode   | Result | Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Dist (m) | Condition  | Azimuth (°) | Height (m) |
|--|--------|------|-----------|----------------|----------------|-------------|----------|------------|-------------|------------|
| 5.925-6.425GHz   | -      | -    | -         | -              | -              | -           | -        | -          | -           | -          |
| 802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 8_4TX | Pass   | AV   | 12.03048G | 52.10          | 54.00          | -1.90       | 3        | Horizontal | 347         | 1.83       |
| 802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 8_4TX     | Pass   | AV   | 12.174G   | 53.17          | 54.00          | -0.83       | 3        | Vertical   | 12          | 1.88       |
| 6.525-6.875GHz   | -      | -    | -         | -              | -              | -           | -        | -          | -           | -          |
| 802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 9_4TX     | Pass   | AV   | 7.25G     | 51.05          | 54.00          | -2.95       | 3        | Horizontal | 0           | 1.50       |
| 6.875-7.125GHz   | -      | -    | -         | -              | -              | -           | -        | -          | -           | -          |
| 802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 4_4TX        | Pass   | AV   | 7.175G    | 48.53          | 68.20          | -19.67      | 3        | Horizontal | 360         | 1.57       |
| 802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 1_4TX | Pass   | PK   | 7.128G    | 80.28          | 88.20          | -7.92       | 3        | Horizontal | 360         | 1.50       |



## RSE TX above 1GHz\_Non-Beamforming\_Radio 2\_Channel Puncturing Appendix E.12

### Result

| Mode   | Result | Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Dist (m) | Condition  | Azimuth (°) | Height (m) |
|--|--------|------|-----------|----------------|----------------|-------------|----------|------------|-------------|------------|
| 802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 1_4TX        | -      | -    | -         | -              | -              | -           | -        | -          | -           | -          |
| 7025MHz  | Pass   | AV   | 7.0088G   | 97.29          | Inf            | -Inf        | 3        | Vertical   | 12          | 2.20       |
| 7025MHz  | Pass   | AV   | 7.172G    | 48.21          | 68.20          | -19.99      | 3        | Vertical   | 12          | 2.20       |
| 7025MHz  | Pass   | PK   | 7.0088G   | 111.22         | Inf            | -Inf        | 3        | Vertical   | 12          | 2.20       |
| 7025MHz  | Pass   | PK   | 7.1642G   | 62.28          | 88.20          | -25.92      | 3        | Vertical   | 12          | 2.20       |
| 7025MHz  | Pass   | AV   | 7.049G    | 98.80          | Inf            | -Inf        | 3        | Horizontal | 358         | 1.50       |
| 7025MHz  | Pass   | AV   | 7.1738G   | 48.42          | 68.20          | -19.78      | 3        | Horizontal | 358         | 1.50       |
| 7025MHz  | Pass   | PK   | 7.0478G   | 111.96         | Inf            | -Inf        | 3        | Horizontal | 358         | 1.50       |
| 7025MHz  | Pass   | PK   | 7.1552G   | 62.04          | 88.20          | -26.16      | 3        | Horizontal | 358         | 1.50       |
| 7025MHz  | Pass   | AV   | 14.0706G  | 45.97          | 68.20          | -22.23      | 3        | Vertical   | 320         | 1.41       |
| 7025MHz  | Pass   | PK   | 14.0502G  | 61.40          | 88.20          | -26.80      | 3        | Vertical   | 320         | 1.41       |
| 7025MHz  | Pass   | AV   | 14.06984G | 44.12          | 68.20          | -24.08      | 3        | Horizontal | 38          | 2.76       |
| 7025MHz  | Pass   | PK   | 14.05032G | 57.32          | 88.20          | -30.88      | 3        | Horizontal | 38          | 2.76       |
| 802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_4TX        | -      | -    | -         | -              | -              | -           | -        | -          | -           | -          |
| 7025MHz  | Pass   | AV   | 7.0316G   | 97.51          | Inf            | -Inf        | 3        | Vertical   | 3           | 2.16       |
| 7025MHz  | Pass   | AV   | 7.1744G   | 48.26          | 68.20          | -19.94      | 3        | Vertical   | 3           | 2.16       |
| 7025MHz  | Pass   | PK   | 7.0514G   | 110.72         | Inf            | -Inf        | 3        | Vertical   | 3           | 2.16       |
| 7025MHz  | Pass   | PK   | 7.1504G   | 61.69          | 88.20          | -26.51      | 3        | Vertical   | 3           | 2.16       |
| 7025MHz  | Pass   | AV   | 6.989G    | 98.75          | Inf            | -Inf        | 3        | Horizontal | 356         | 1.43       |
| 7025MHz  | Pass   | AV   | 7.1744G   | 48.41          | 68.20          | -19.79      | 3        | Horizontal | 356         | 1.43       |
| 7025MHz  | Pass   | PK   | 6.989G    | 112.08         | Inf            | -Inf        | 3        | Horizontal | 356         | 1.43       |
| 7025MHz  | Pass   | PK   | 7.1462G   | 62.35          | 88.20          | -25.85      | 3        | Horizontal | 356         | 1.43       |
| 7025MHz  | Pass   | AV   | 14.03688G | 45.68          | 68.20          | -22.52      | 3        | Vertical   | 320         | 1.27       |
| 7025MHz  | Pass   | PK   | 14.04968G | 58.62          | 88.20          | -29.58      | 3        | Vertical   | 320         | 1.27       |
| 7025MHz  | Pass   | AV   | 14.03672G | 43.10          | 68.20          | -25.10      | 3        | Horizontal | 41          | 2.49       |
| 7025MHz  | Pass   | PK   | 14.03784G | 55.92          | 88.20          | -32.28      | 3        | Horizontal | 41          | 2.49       |
| 802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_4TX        | -      | -    | -         | -              | -              | -           | -        | -          | -           | -          |
| 7025MHz  | Pass   | AV   | 7.0124G   | 97.88          | Inf            | -Inf        | 3        | Vertical   | 3           | 2.08       |
| 7025MHz  | Pass   | AV   | 7.1726G   | 48.22          | 68.20          | -19.98      | 3        | Vertical   | 3           | 2.08       |
| 7025MHz  | Pass   | PK   | 7.052G    | 111.35         | Inf            | -Inf        | 3        | Vertical   | 3           | 2.08       |
| 7025MHz  | Pass   | PK   | 7.1294G   | 62.94          | 88.20          | -25.26      | 3        | Vertical   | 3           | 2.08       |
| 7025MHz  | Pass   | AV   | 6.9878G   | 98.41          | Inf            | -Inf        | 3        | Horizontal | 360         | 1.45       |
| 7025MHz  | Pass   | AV   | 7.175G    | 48.45          | 68.20          | -19.75      | 3        | Horizontal | 360         | 1.45       |
| 7025MHz  | Pass   | PK   | 7.0478G   | 111.53         | Inf            | -Inf        | 3        | Horizontal | 360         | 1.45       |
| 7025MHz  | Pass   | PK   | 7.166G    | 62.60          | 88.20          | -25.60      | 3        | Horizontal | 360         | 1.45       |
| 7025MHz  | Pass   | AV   | 14.01G    | 46.05          | 68.20          | -22.15      | 3        | Vertical   | 319         | 1.37       |
| 7025MHz  | Pass   | PK   | 14.01368G | 60.06          | 88.20          | -28.14      | 3        | Vertical   | 319         | 1.37       |
| 7025MHz  | Pass   | AV   | 14.00936G | 44.06          | 68.20          | -24.14      | 3        | Horizontal | 38          | 2.73       |
| 7025MHz  | Pass   | PK   | 14.05016G | 59.73          | 88.20          | -28.47      | 3        | Horizontal | 38          | 2.73       |
| 802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 4_4TX        | -      | -    | -         | -              | -              | -           | -        | -          | -           | -          |
| 7025MHz  | Pass   | AV   | 6.998G    | 96.88          | Inf            | -Inf        | 3        | Vertical   | 13          | 1.45       |
| 7025MHz  | Pass   | AV   | 7.1744G   | 48.22          | 68.20          | -19.98      | 3        | Vertical   | 13          | 1.45       |
| 7025MHz  | Pass   | PK   | 7.0184G   | 110.61         | Inf            | -Inf        | 3        | Vertical   | 13          | 1.45       |
| 7025MHz  | Pass   | PK   | 7.1684G   | 62.03          | 88.20          | -26.17      | 3        | Vertical   | 13          | 1.45       |
| 7025MHz  | Pass   | AV   | 6.9878G   | 98.49          | Inf            | -Inf        | 3        | Horizontal | 360         | 1.57       |
| 7025MHz  | Pass   | AV   | 7.175G    | 48.53          | 68.20          | -19.67      | 3        | Horizontal | 360         | 1.57       |
| 7025MHz  | Pass   | PK   | 6.9878G   | 111.60         | Inf            | -Inf        | 3        | Horizontal | 360         | 1.57       |
| 7025MHz  | Pass   | PK   | 7.1606G   | 63.12          | 88.20          | -25.08      | 3        | Horizontal | 360         | 1.57       |
| 7025MHz  | Pass   | AV   | 14.03672G | 46.66          | 68.20          | -21.54      | 3        | Vertical   | 321         | 1.30       |
| 7025MHz  | Pass   | PK   | 14.03784G | 61.57          | 88.20          | -26.63      | 3        | Vertical   | 321         | 1.30       |
| 7025MHz  | Pass   | AV   | 14.03G    | 44.97          | 68.20          | -23.23      | 3        | Horizontal | 38          | 2.71       |
| 7025MHz  | Pass   | PK   | 14.05016G | 58.25          | 88.20          | -29.95      | 3        | Horizontal | 38          | 2.71       |
| 802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 8_4TX | -      | -    | -         | -              | -              | -           | -        | -          | -           | -          |
| 6025MHz  | Pass   | AV   | 5.916G    | 54.03          | 68.20          | -14.17      | 3        | Vertical   | 20          | 1.54       |
| 6025MHz  | Pass   | AV   | 6.073G    | 96.25          | Inf            | -Inf        | 3        | Vertical   | 20          | 1.54       |
| 6025MHz  | Pass   | PK   | 5.916G    | 72.37          | 88.20          | -15.83      | 3        | Vertical   | 20          | 1.54       |
| 6025MHz  | Pass   | PK   | 6.073G    | 109.79         | Inf            | -Inf        | 3        | Vertical   | 20          | 1.54       |
| 6025MHz  | Pass   | AV   | 5.912G    | 54.56          | 68.20          | -13.64      | 3        | Horizontal | 339         | 2.41       |
| 6025MHz  | Pass   | AV   | 5.972G    | 96.35          | Inf            | -Inf        | 3        | Horizontal | 339         | 2.41       |
| 6025MHz  | Pass   | PK   | 5.911G    | 74.37          | 88.20          | -13.83      | 3        | Horizontal | 339         | 2.41       |
| 6025MHz  | Pass   | PK   | 5.991G    | 109.55         | Inf            | -Inf        | 3        | Horizontal | 339         | 2.41       |



**RSE TX above 1GHz\_Non-Beamforming\_Radio 2\_Channel Puncturing Appendix E.12**

| Mode   | Result | Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Dist (m) | Condition  | Azimuth (°) | Height (m) |
|--|--------|------|-----------|----------------|----------------|-------------|----------|------------|-------------|------------|
| 6025MHz  | Pass   | AV   | 12.01832G | 50.84          | 54.00          | -3.16       | 3        | Vertical   | 20          | 1.60       |
| 6025MHz  | Pass   | PK   | 11.99848G | 66.86          | 74.00          | -7.14       | 3        | Vertical   | 20          | 1.60       |
| 6025MHz  | Pass   | AV   | 12.03048G | 52.10          | 54.00          | -1.90       | 3        | Horizontal | 347         | 1.83       |
| 6025MHz  | Pass   | PK   | 11.99112G | 65.93          | 74.00          | -8.07       | 3        | Horizontal | 347         | 1.83       |
| 802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 4_4TX       | -      | -    | -         | -              | -              | -           | -        | -          | -           | -          |
| 6025MHz  | Pass   | AV   | 5.915G    | 51.86          | 68.20          | -16.34      | 3        | Vertical   | 19          | 1.40       |
| 6025MHz  | Pass   | AV   | 6.054G    | 95.86          | Inf            | -Inf        | 3        | Vertical   | 19          | 1.40       |
| 6025MHz  | Pass   | PK   | 5.921G    | 66.93          | 88.20          | -21.27      | 3        | Vertical   | 19          | 1.40       |
| 6025MHz  | Pass   | PK   | 6.033G    | 109.23         | Inf            | -Inf        | 3        | Vertical   | 19          | 1.40       |
| 6025MHz  | Pass   | AV   | 5.914G    | 51.60          | 68.20          | -16.60      | 3        | Horizontal | 336         | 2.42       |
| 6025MHz  | Pass   | AV   | 6.053G    | 95.85          | Inf            | -Inf        | 3        | Horizontal | 336         | 2.42       |
| 6025MHz  | Pass   | PK   | 5.911G    | 68.31          | 88.20          | -19.89      | 3        | Horizontal | 336         | 2.42       |
| 6025MHz  | Pass   | PK   | 5.994G    | 109.11         | Inf            | -Inf        | 3        | Horizontal | 336         | 2.42       |
| 6025MHz  | Pass   | AV   | 12.00872G | 50.67          | 54.00          | -3.33       | 3        | Vertical   | 350         | 1.89       |
| 6025MHz  | Pass   | PK   | 11.98824G | 65.92          | 74.00          | -8.08       | 3        | Vertical   | 350         | 1.89       |
| 6025MHz  | Pass   | AV   | 12.01064G | 50.98          | 54.00          | -3.02       | 3        | Horizontal | 347         | 2.65       |
| 6025MHz  | Pass   | PK   | 11.99048G | 65.24          | 74.00          | -8.76       | 3        | Horizontal | 347         | 2.65       |
| 802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 1_4TX | -      | -    | -         | -              | -              | -           | -        | -          | -           | -          |
| 6985MHz  | Pass   | AV   | 6.95G     | 97.35          | Inf            | -Inf        | 3        | Vertical   | 11          | 2.09       |
| 6985MHz  | Pass   | AV   | 7.128G    | 51.28          | 68.20          | -16.92      | 3        | Vertical   | 11          | 2.09       |
| 6985MHz  | Pass   | PK   | 6.95G     | 110.31         | Inf            | -Inf        | 3        | Vertical   | 11          | 2.09       |
| 6985MHz  | Pass   | PK   | 7.128G    | 76.82          | 88.20          | -11.38      | 3        | Vertical   | 11          | 2.09       |
| 6985MHz  | Pass   | AV   | 6.948G    | 97.88          | Inf            | -Inf        | 3        | Horizontal | 360         | 1.50       |
| 6985MHz  | Pass   | AV   | 7.127G    | 53.62          | 68.20          | -14.58      | 3        | Horizontal | 360         | 1.50       |
| 6985MHz  | Pass   | PK   | 6.928G    | 111.94         | Inf            | -Inf        | 3        | Horizontal | 360         | 1.50       |
| 6985MHz  | Pass   | PK   | 7.128G    | 80.28          | 88.20          | -7.92       | 3        | Horizontal | 360         | 1.50       |
| 6985MHz  | Pass   | AV   | 13.99016G | 48.05          | 68.20          | -20.15      | 3        | Vertical   | 320         | 1.45       |
| 6985MHz  | Pass   | PK   | 13.99016G | 65.50          | 88.20          | -22.70      | 3        | Vertical   | 320         | 1.45       |
| 6985MHz  | Pass   | AV   | 13.99016G | 46.22          | 68.20          | -21.98      | 3        | Horizontal | 38          | 2.66       |
| 6985MHz  | Pass   | PK   | 13.98888G | 62.42          | 88.20          | -25.78      | 3        | Horizontal | 38          | 2.66       |
| 802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 2_4TX | -      | -    | -         | -              | -              | -           | -        | -          | -           | -          |
| 6985MHz  | Pass   | AV   | 6.91G     | 97.27          | Inf            | -Inf        | 3        | Vertical   | 11          | 2.09       |
| 6985MHz  | Pass   | AV   | 7.128G    | 51.76          | 68.20          | -16.44      | 3        | Vertical   | 11          | 2.09       |
| 6985MHz  | Pass   | PK   | 6.91G     | 111.18         | Inf            | -Inf        | 3        | Vertical   | 11          | 2.09       |
| 6985MHz  | Pass   | PK   | 7.127G    | 71.52          | 88.20          | -16.68      | 3        | Vertical   | 11          | 2.09       |
| 6985MHz  | Pass   | AV   | 6.908G    | 98.10          | Inf            | -Inf        | 3        | Horizontal | 0           | 1.50       |
| 6985MHz  | Pass   | AV   | 7.127G    | 53.89          | 68.20          | -14.31      | 3        | Horizontal | 0           | 1.50       |
| 6985MHz  | Pass   | PK   | 6.948G    | 112.08         | Inf            | -Inf        | 3        | Horizontal | 0           | 1.50       |
| 6985MHz  | Pass   | PK   | 7.127G    | 75.86          | 88.20          | -12.34      | 3        | Horizontal | 0           | 1.50       |
| 6985MHz  | Pass   | AV   | 13.97128G | 48.04          | 68.20          | -20.16      | 3        | Vertical   | 320         | 1.36       |
| 6985MHz  | Pass   | PK   | 13.98856G | 62.01          | 88.20          | -26.19      | 3        | Vertical   | 320         | 1.36       |
| 6985MHz  | Pass   | AV   | 13.97064G | 47.12          | 68.20          | -21.08      | 3        | Horizontal | 38          | 2.70       |
| 6985MHz  | Pass   | PK   | 13.98856G | 61.96          | 88.20          | -26.24      | 3        | Horizontal | 38          | 2.70       |
| 802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 3_4TX | -      | -    | -         | -              | -              | -           | -        | -          | -           | -          |
| 6985MHz  | Pass   | AV   | 6.93G     | 97.52          | Inf            | -Inf        | 3        | Vertical   | 11          | 2.05       |
| 6985MHz  | Pass   | AV   | 7.128G    | 52.13          | 68.20          | -16.07      | 3        | Vertical   | 11          | 2.05       |
| 6985MHz  | Pass   | PK   | 6.91G     | 111.10         | Inf            | -Inf        | 3        | Vertical   | 11          | 2.05       |
| 6985MHz  | Pass   | PK   | 7.129G    | 74.01          | 88.20          | -14.19      | 3        | Vertical   | 11          | 2.05       |
| 6985MHz  | Pass   | AV   | 6.908G    | 98.21          | Inf            | -Inf        | 3        | Horizontal | 1           | 1.56       |
| 6985MHz  | Pass   | AV   | 7.126G    | 54.37          | 68.20          | -13.83      | 3        | Horizontal | 1           | 1.56       |
| 6985MHz  | Pass   | PK   | 6.908G    | 111.50         | Inf            | -Inf        | 3        | Horizontal | 1           | 1.56       |
| 6985MHz  | Pass   | PK   | 7.128G    | 76.81          | 88.20          | -11.39      | 3        | Horizontal | 1           | 1.56       |
| 6985MHz  | Pass   | AV   | 13.9716G  | 47.74          | 68.20          | -20.46      | 3        | Vertical   | 319         | 1.31       |
| 6985MHz  | Pass   | PK   | 13.99912G | 61.39          | 88.20          | -26.81      | 3        | Vertical   | 319         | 1.31       |
| 6985MHz  | Pass   | AV   | 13.97064G | 47.03          | 68.20          | -21.17      | 3        | Horizontal | 38          | 2.66       |
| 6985MHz  | Pass   | PK   | 13.91144G | 61.35          | 88.20          | -26.85      | 3        | Horizontal | 38          | 2.66       |
| 802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 4_4TX | -      | -    | -         | -              | -              | -           | -        | -          | -           | -          |
| 6985MHz  | Pass   | AV   | 6.909G    | 97.07          | Inf            | -Inf        | 3        | Vertical   | 13          | 2.11       |
| 6985MHz  | Pass   | AV   | 7.127G    | 52.38          | 68.20          | -15.82      | 3        | Vertical   | 13          | 2.11       |
| 6985MHz  | Pass   | PK   | 6.929G    | 110.31         | Inf            | -Inf        | 3        | Vertical   | 13          | 2.11       |
| 6985MHz  | Pass   | PK   | 7.13G     | 73.59          | 88.20          | -14.61      | 3        | Vertical   | 13          | 2.11       |
| 6985MHz  | Pass   | AV   | 6.908G    | 98.20          | Inf            | -Inf        | 3        | Horizontal | 0           | 1.49       |



## RSE TX above 1GHz\_Non-Beamforming\_Radio 2\_Channel Puncturing Appendix E.12

| Mode   | Result | Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Dist (m) | Condition  | Azimuth (°) | Height (m) |
|--|--------|------|-----------|----------------|----------------|-------------|----------|------------|-------------|------------|
| 6985MHz  | Pass   | AV   | 7.127G    | 54.48          | 68.20          | -13.72      | 3        | Horizontal | 0           | 1.49       |
| 6985MHz  | Pass   | PK   | 6.948G    | 111.68         | Inf            | -Inf        | 3        | Horizontal | 0           | 1.49       |
| 6985MHz  | Pass   | PK   | 7.128G    | 73.14          | 88.20          | -15.06      | 3        | Horizontal | 0           | 1.49       |
| 6985MHz  | Pass   | AV   | 13.96296G | 47.47          | 68.20          | -20.73      | 3        | Vertical   | 38          | 1.93       |
| 6985MHz  | Pass   | PK   | 13.962G   | 60.14          | 88.20          | -28.06      | 3        | Vertical   | 38          | 1.93       |
| 6985MHz  | Pass   | AV   | 13.94984G | 47.21          | 68.20          | -20.99      | 3        | Horizontal | 38          | 2.68       |
| 6985MHz  | Pass   | PK   | 13.9492G  | 60.43          | 88.20          | -27.77      | 3        | Horizontal | 38          | 2.68       |
| 802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 5_4TX | -      | -    | -         | -              | -              | -           | -        | -          | -           | -          |
| 6985MHz  | Pass   | AV   | 6.933G    | 97.13          | Inf            | -Inf        | 3        | Vertical   | 0           | 1.99       |
| 6985MHz  | Pass   | AV   | 7.132G    | 52.74          | 68.20          | -15.46      | 3        | Vertical   | 0           | 1.99       |
| 6985MHz  | Pass   | PK   | 6.933G    | 110.55         | Inf            | -Inf        | 3        | Vertical   | 0           | 1.99       |
| 6985MHz  | Pass   | PK   | 7.153G    | 69.04          | 88.20          | -19.16      | 3        | Vertical   | 0           | 1.99       |
| 6985MHz  | Pass   | AV   | 6.909G    | 98.03          | Inf            | -Inf        | 3        | Horizontal | 0           | 1.41       |
| 6985MHz  | Pass   | AV   | 7.127G    | 54.27          | 68.20          | -13.93      | 3        | Horizontal | 0           | 1.41       |
| 6985MHz  | Pass   | PK   | 6.907G    | 111.11         | Inf            | -Inf        | 3        | Horizontal | 0           | 1.41       |
| 6985MHz  | Pass   | PK   | 7.128G    | 78.21          | 88.20          | -9.99       | 3        | Horizontal | 0           | 1.41       |
| 6985MHz  | Pass   | AV   | 13.99016G | 47.52          | 68.20          | -20.68      | 3        | Vertical   | 320         | 1.45       |
| 6985MHz  | Pass   | PK   | 13.98984G | 62.24          | 88.20          | -25.96      | 3        | Vertical   | 320         | 1.45       |
| 6985MHz  | Pass   | AV   | 13.97032G | 45.79          | 68.20          | -22.41      | 3        | Horizontal | 38          | 2.70       |
| 6985MHz  | Pass   | PK   | 13.88872G | 59.90          | 88.20          | -28.30      | 3        | Horizontal | 38          | 2.70       |
| 802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 6_4TX | -      | -    | -         | -              | -              | -           | -        | -          | -           | -          |
| 6985MHz  | Pass   | AV   | 6.91G     | 97.34          | Inf            | -Inf        | 3        | Vertical   | 11          | 2.09       |
| 6985MHz  | Pass   | AV   | 7.128G    | 51.33          | 68.20          | -16.87      | 3        | Vertical   | 11          | 2.09       |
| 6985MHz  | Pass   | PK   | 6.95G     | 111.58         | Inf            | -Inf        | 3        | Vertical   | 11          | 2.09       |
| 6985MHz  | Pass   | PK   | 7.129G    | 75.87          | 88.20          | -12.33      | 3        | Vertical   | 11          | 2.09       |
| 6985MHz  | Pass   | AV   | 6.908G    | 98.13          | Inf            | -Inf        | 3        | Horizontal | 0           | 1.48       |
| 6985MHz  | Pass   | AV   | 7.128G    | 53.33          | 68.20          | -14.87      | 3        | Horizontal | 0           | 1.48       |
| 6985MHz  | Pass   | PK   | 6.969G    | 111.12         | Inf            | -Inf        | 3        | Horizontal | 0           | 1.48       |
| 6985MHz  | Pass   | PK   | 7.128G    | 78.11          | 88.20          | -10.09      | 3        | Horizontal | 0           | 1.48       |
| 6985MHz  | Pass   | AV   | 13.97128G | 47.27          | 68.20          | -20.93      | 3        | Vertical   | 320         | 1.29       |
| 6985MHz  | Pass   | PK   | 13.9972G  | 61.62          | 88.20          | -26.58      | 3        | Vertical   | 320         | 1.29       |
| 6985MHz  | Pass   | AV   | 13.91016G | 45.63          | 68.20          | -22.57      | 3        | Horizontal | 38          | 2.69       |
| 6985MHz  | Pass   | PK   | 13.90856G | 60.01          | 88.20          | -28.19      | 3        | Horizontal | 38          | 2.69       |
| 802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 7_4TX | -      | -    | -         | -              | -              | -           | -        | -          | -           | -          |
| 6985MHz  | Pass   | AV   | 6.952G    | 97.42          | Inf            | -Inf        | 3        | Vertical   | 3           | 2.04       |
| 6985MHz  | Pass   | AV   | 7.132G    | 51.75          | 68.20          | -16.45      | 3        | Vertical   | 3           | 2.04       |
| 6985MHz  | Pass   | PK   | 6.932G    | 110.89         | Inf            | -Inf        | 3        | Vertical   | 3           | 2.04       |
| 6985MHz  | Pass   | PK   | 7.132G    | 76.95          | 88.20          | -11.25      | 3        | Vertical   | 3           | 2.04       |
| 6985MHz  | Pass   | AV   | 6.908G    | 98.11          | Inf            | -Inf        | 3        | Horizontal | 0           | 1.50       |
| 6985MHz  | Pass   | AV   | 7.127G    | 52.88          | 68.20          | -15.32      | 3        | Horizontal | 0           | 1.50       |
| 6985MHz  | Pass   | PK   | 6.968G    | 111.57         | Inf            | -Inf        | 3        | Horizontal | 0           | 1.50       |
| 6985MHz  | Pass   | PK   | 7.129G    | 77.95          | 88.20          | -10.25      | 3        | Horizontal | 0           | 1.50       |
| 6985MHz  | Pass   | AV   | 13.92328G | 47.00          | 68.20          | -21.20      | 3        | Vertical   | 331         | 2.41       |
| 6985MHz  | Pass   | PK   | 13.92136G | 60.28          | 88.20          | -27.92      | 3        | Vertical   | 331         | 2.41       |
| 6985MHz  | Pass   | AV   | 13.93928G | 45.64          | 68.20          | -22.56      | 3        | Horizontal | 35          | 2.37       |
| 6985MHz  | Pass   | PK   | 13.9412G  | 59.44          | 88.20          | -28.76      | 3        | Horizontal | 35          | 2.37       |
| 802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 1_4TX       | -      | -    | -         | -              | -              | -           | -        | -          | -           | -          |
| 6985MHz  | Pass   | AV   | 6.958G    | 96.26          | Inf            | -Inf        | 3        | Vertical   | 13          | 1.50       |
| 6985MHz  | Pass   | AV   | 7.136G    | 49.29          | 68.20          | -18.91      | 3        | Vertical   | 13          | 1.50       |
| 6985MHz  | Pass   | PK   | 6.978G    | 110.10         | Inf            | -Inf        | 3        | Vertical   | 13          | 1.50       |
| 6985MHz  | Pass   | PK   | 7.134G    | 66.36          | 88.20          | -21.84      | 3        | Vertical   | 13          | 1.50       |
| 6985MHz  | Pass   | AV   | 6.948G    | 97.53          | Inf            | -Inf        | 3        | Horizontal | 360         | 1.50       |
| 6985MHz  | Pass   | AV   | 7.127G    | 51.25          | 68.20          | -16.95      | 3        | Horizontal | 360         | 1.50       |
| 6985MHz  | Pass   | PK   | 6.988G    | 111.30         | Inf            | -Inf        | 3        | Horizontal | 360         | 1.50       |
| 6985MHz  | Pass   | PK   | 7.127G    | 73.17          | 88.20          | -15.03      | 3        | Horizontal | 360         | 1.50       |
| 6985MHz  | Pass   | AV   | 13.99144G | 47.10          | 68.20          | -21.10      | 3        | Vertical   | 320         | 1.33       |
| 6985MHz  | Pass   | PK   | 13.97032G | 63.87          | 88.20          | -24.33      | 3        | Vertical   | 320         | 1.33       |
| 6985MHz  | Pass   | AV   | 13.99016G | 44.86          | 68.20          | -23.34      | 3        | Horizontal | 39          | 2.68       |
| 6985MHz  | Pass   | PK   | 13.97G    | 62.13          | 88.20          | -26.07      | 3        | Horizontal | 39          | 2.68       |
| 802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 2_4TX       | -      | -    | -         | -              | -              | -           | -        | -          | -           | -          |
| 6985MHz  | Pass   | AV   | 6.91G     | 96.89          | Inf            | -Inf        | 3        | Vertical   | 12          | 2.17       |
| 6985MHz  | Pass   | AV   | 7.128G    | 51.49          | 68.20          | -16.71      | 3        | Vertical   | 12          | 2.17       |



**RSE TX above 1GHz\_Non-Beamforming\_Radio 2\_Channel Puncturing Appendix E.12**

| Mode   | Result | Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Dist (m) | Condition  | Azimuth (°) | Height (m) |
|--|--------|------|-----------|----------------|----------------|-------------|----------|------------|-------------|------------|
| 6985MHz  | Pass   | PK   | 6.93G     | 110.18         | Inf            | -Inf        | 3        | Vertical   | 12          | 2.17       |
| 6985MHz  | Pass   | PK   | 7.129G    | 69.96          | 88.20          | -18.24      | 3        | Vertical   | 12          | 2.17       |
| 6985MHz  | Pass   | AV   | 6.908G    | 97.89          | Inf            | -Inf        | 3        | Horizontal | 0           | 1.49       |
| 6985MHz  | Pass   | AV   | 7.128G    | 53.14          | 68.20          | -15.06      | 3        | Horizontal | 0           | 1.49       |
| 6985MHz  | Pass   | PK   | 6.908G    | 111.76         | Inf            | -Inf        | 3        | Horizontal | 0           | 1.49       |
| 6985MHz  | Pass   | PK   | 7.168G    | 73.18          | 88.20          | -15.02      | 3        | Horizontal | 0           | 1.49       |
| 6985MHz  | Pass   | AV   | 13.97064G | 45.13          | 68.20          | -23.07      | 3        | Vertical   | 319         | 1.50       |
| 6985MHz  | Pass   | PK   | 13.96968G | 62.40          | 88.20          | -25.80      | 3        | Vertical   | 319         | 1.50       |
| 6985MHz  | Pass   | AV   | 13.93G    | 44.19          | 68.20          | -24.01      | 3        | Horizontal | 39          | 2.68       |
| 6985MHz  | Pass   | PK   | 13.97032G | 59.33          | 88.20          | -28.87      | 3        | Horizontal | 39          | 2.68       |
| 802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 3_4TX   | -      | -    | -         | -              | -              | -           | -        | -          | -           | -          |
| 6985MHz  | Pass   | AV   | 6.932G    | 97.20          | Inf            | -Inf        | 3        | Vertical   | 3           | 2.00       |
| 6985MHz  | Pass   | AV   | 7.151G    | 51.09          | 68.20          | -17.11      | 3        | Vertical   | 3           | 2.00       |
| 6985MHz  | Pass   | PK   | 7.032G    | 110.52         | Inf            | -Inf        | 3        | Vertical   | 3           | 2.00       |
| 6985MHz  | Pass   | PK   | 7.131G    | 73.45          | 88.20          | -14.75      | 3        | Vertical   | 3           | 2.00       |
| 6985MHz  | Pass   | AV   | 6.908G    | 97.75          | Inf            | -Inf        | 3        | Horizontal | 360         | 1.50       |
| 6985MHz  | Pass   | AV   | 7.127G    | 51.79          | 68.20          | -16.41      | 3        | Horizontal | 360         | 1.50       |
| 6985MHz  | Pass   | PK   | 6.908G    | 110.54         | Inf            | -Inf        | 3        | Horizontal | 360         | 1.50       |
| 6985MHz  | Pass   | PK   | 7.127G    | 75.27          | 88.20          | -12.93      | 3        | Horizontal | 360         | 1.50       |
| 6985MHz  | Pass   | AV   | 13.99112G | 45.90          | 68.20          | -22.30      | 3        | Vertical   | 320         | 1.34       |
| 6985MHz  | Pass   | PK   | 13.97G    | 64.99          | 88.20          | -23.21      | 3        | Vertical   | 320         | 1.34       |
| 6985MHz  | Pass   | AV   | 13.89064G | 44.91          | 68.20          | -23.29      | 3        | Horizontal | 38          | 2.67       |
| 6985MHz  | Pass   | PK   | 13.99016G | 58.55          | 88.20          | -29.65      | 3        | Horizontal | 38          | 2.67       |
| 802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 8_4TX | -      | -    | -         | -              | -              | -           | -        | -          | -           | -          |
| 6105MHz  | Pass   | AV   | 5.913G    | 57.50          | 68.20          | -10.70      | 3        | Vertical   | 23          | 1.70       |
| 6105MHz  | Pass   | AV   | 6.151G    | 96.42          | Inf            | -Inf        | 3        | Vertical   | 23          | 1.70       |
| 6105MHz  | Pass   | PK   | 5.925G    | 72.52          | 88.20          | -15.68      | 3        | Vertical   | 23          | 1.70       |
| 6105MHz  | Pass   | PK   | 6.191G    | 109.58         | Inf            | -Inf        | 3        | Vertical   | 23          | 1.70       |
| 6105MHz  | Pass   | AV   | 5.925G    | 59.04          | 68.20          | -9.16       | 3        | Horizontal | 338         | 2.60       |
| 6105MHz  | Pass   | AV   | 6.151G    | 97.02          | Inf            | -Inf        | 3        | Horizontal | 338         | 2.60       |
| 6105MHz  | Pass   | PK   | 5.911G    | 75.68          | 88.20          | -12.52      | 3        | Horizontal | 338         | 2.60       |
| 6105MHz  | Pass   | PK   | 6.151G    | 109.73         | Inf            | -Inf        | 3        | Horizontal | 338         | 2.60       |
| 6105MHz  | Pass   | AV   | 12.174G   | 53.17          | 54.00          | -0.83       | 3        | Vertical   | 12          | 1.88       |
| 6105MHz  | Pass   | PK   | 12.15624G | 68.58          | 74.00          | -5.42       | 3        | Vertical   | 12          | 1.88       |
| 6105MHz  | Pass   | AV   | 12.22728G | 52.57          | 54.00          | -1.43       | 3        | Horizontal | 350         | 1.94       |
| 6105MHz  | Pass   | PK   | 12.22632G | 68.65          | 74.00          | -5.35       | 3        | Horizontal | 350         | 1.94       |
| 802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 2_4TX | -      | -    | -         | -              | -              | -           | -        | -          | -           | -          |
| 6105MHz  | Pass   | AV   | 5.915G    | 50.58          | 68.20          | -17.62      | 3        | Vertical   | 21          | 1.50       |
| 6105MHz  | Pass   | AV   | 6.133G    | 94.99          | Inf            | -Inf        | 3        | Vertical   | 21          | 1.50       |
| 6105MHz  | Pass   | PK   | 5.911G    | 68.64          | 88.20          | -19.56      | 3        | Vertical   | 21          | 1.50       |
| 6105MHz  | Pass   | PK   | 6.131G    | 109.08         | Inf            | -Inf        | 3        | Vertical   | 21          | 1.50       |
| 6105MHz  | Pass   | AV   | 5.913G    | 50.14          | 68.20          | -18.06      | 3        | Horizontal | 338         | 2.54       |
| 6105MHz  | Pass   | AV   | 6.151G    | 94.96          | Inf            | -Inf        | 3        | Horizontal | 338         | 2.54       |
| 6105MHz  | Pass   | PK   | 5.909G    | 69.12          | 88.20          | -19.08      | 3        | Horizontal | 338         | 2.54       |
| 6105MHz  | Pass   | PK   | 6.171G    | 108.18         | Inf            | -Inf        | 3        | Horizontal | 338         | 2.54       |
| 6105MHz  | Pass   | AV   | 12.22216G | 50.71          | 54.00          | -3.29       | 3        | Vertical   | 14          | 1.41       |
| 6105MHz  | Pass   | PK   | 12.2452G  | 64.22          | 74.00          | -9.78       | 3        | Vertical   | 14          | 1.41       |
| 6105MHz  | Pass   | AV   | 12.22152G | 49.06          | 54.00          | -4.94       | 3        | Horizontal | 13          | 1.50       |
| 6105MHz  | Pass   | PK   | 12.24008G | 63.33          | 74.00          | -10.67      | 3        | Horizontal | 13          | 1.50       |
| 802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 3_4TX | -      | -    | -         | -              | -              | -           | -        | -          | -           | -          |
| 6105MHz  | Pass   | AV   | 5.913G    | 50.97          | 68.20          | -17.23      | 3        | Vertical   | 21          | 1.50       |
| 6105MHz  | Pass   | AV   | 6.133G    | 94.99          | Inf            | -Inf        | 3        | Vertical   | 21          | 1.50       |
| 6105MHz  | Pass   | PK   | 5.909G    | 68.70          | 88.20          | -19.50      | 3        | Vertical   | 21          | 1.50       |
| 6105MHz  | Pass   | PK   | 6.173G    | 107.89         | Inf            | -Inf        | 3        | Vertical   | 21          | 1.50       |
| 6105MHz  | Pass   | AV   | 5.913G    | 51.12          | 68.20          | -17.08      | 3        | Horizontal | 340         | 2.43       |
| 6105MHz  | Pass   | AV   | 6.151G    | 94.83          | Inf            | -Inf        | 3        | Horizontal | 340         | 2.43       |
| 6105MHz  | Pass   | PK   | 5.911G    | 71.99          | 88.20          | -16.21      | 3        | Horizontal | 340         | 2.43       |
| 6105MHz  | Pass   | PK   | 6.153G    | 108.36         | Inf            | -Inf        | 3        | Horizontal | 340         | 2.43       |
| 6105MHz  | Pass   | AV   | 12.25896G | 49.31          | 54.00          | -4.69       | 3        | Vertical   | 339         | 1.80       |
| 6105MHz  | Pass   | PK   | 12.25656G | 66.28          | 74.00          | -7.72       | 3        | Vertical   | 339         | 1.80       |
| 6105MHz  | Pass   | AV   | 12.25368G | 50.85          | 54.00          | -3.15       | 3        | Horizontal | 339         | 1.71       |
| 6105MHz  | Pass   | PK   | 12.2532G  | 63.85          | 74.00          | -10.15      | 3        | Horizontal | 339         | 1.71       |



## RSE TX above 1GHz\_Non-Beamforming\_Radio 2\_Channel Puncturing Appendix E.12

| Mode   | Result | Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Dist (m) | Condition  | Azimuth (°) | Height (m) |
|--|--------|------|-----------|----------------|----------------|-------------|----------|------------|-------------|------------|
| 802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 4_4TX | -      | -    | -         | -              | -              | -           | -        | -          | -           | -          |
| 6105MHz  | Pass   | AV   | 5.915G    | 50.53          | 68.20          | -17.67      | 3        | Vertical   | 21          | 1.61       |
| 6105MHz  | Pass   | AV   | 6.173G    | 94.77          | Inf            | -Inf        | 3        | Vertical   | 21          | 1.61       |
| 6105MHz  | Pass   | PK   | 5.813G    | 67.92          | 88.20          | -20.28      | 3        | Vertical   | 21          | 1.61       |
| 6105MHz  | Pass   | PK   | 6.173G    | 108.09         | Inf            | -Inf        | 3        | Vertical   | 21          | 1.61       |
| 6105MHz  | Pass   | AV   | 5.913G    | 50.36          | 68.20          | -17.84      | 3        | Horizontal | 339         | 2.58       |
| 6105MHz  | Pass   | AV   | 6.151G    | 94.85          | Inf            | -Inf        | 3        | Horizontal | 339         | 2.58       |
| 6105MHz  | Pass   | PK   | 5.811G    | 67.05          | 88.20          | -21.15      | 3        | Horizontal | 339         | 2.58       |
| 6105MHz  | Pass   | PK   | 6.131G    | 107.67         | Inf            | -Inf        | 3        | Horizontal | 339         | 2.58       |
| 6105MHz  | Pass   | AV   | 12.174G   | 50.76          | 54.00          | -3.24       | 3        | Vertical   | 12          | 1.86       |
| 6105MHz  | Pass   | PK   | 12.15624G | 70.79          | 74.00          | -3.21       | 3        | Vertical   | 12          | 1.86       |
| 6105MHz  | Pass   | AV   | 12.12648G | 50.05          | 54.00          | -3.95       | 3        | Horizontal | 354         | 1.80       |
| 6105MHz  | Pass   | PK   | 12.14616G | 68.78          | 74.00          | -5.22       | 3        | Horizontal | 354         | 1.80       |
| 802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 5_4TX | -      | -    | -         | -              | -              | -           | -        | -          | -           | -          |
| 6105MHz  | Pass   | AV   | 5.913G    | 51.20          | 68.20          | -17.00      | 3        | Vertical   | 21          | 1.57       |
| 6105MHz  | Pass   | AV   | 6.153G    | 94.87          | Inf            | -Inf        | 3        | Vertical   | 21          | 1.57       |
| 6105MHz  | Pass   | PK   | 5.913G    | 68.38          | 88.20          | -19.82      | 3        | Vertical   | 21          | 1.57       |
| 6105MHz  | Pass   | PK   | 6.153G    | 108.14         | Inf            | -Inf        | 3        | Vertical   | 21          | 1.57       |
| 6105MHz  | Pass   | AV   | 5.913G    | 50.97          | 68.20          | -17.23      | 3        | Horizontal | 339         | 2.50       |
| 6105MHz  | Pass   | AV   | 6.151G    | 94.98          | Inf            | -Inf        | 3        | Horizontal | 339         | 2.50       |
| 6105MHz  | Pass   | PK   | 5.911G    | 68.61          | 88.20          | -19.59      | 3        | Horizontal | 339         | 2.50       |
| 6105MHz  | Pass   | PK   | 6.171G    | 107.97         | Inf            | -Inf        | 3        | Horizontal | 339         | 2.50       |
| 6105MHz  | Pass   | AV   | 12.14232G | 51.11          | 54.00          | -2.89       | 3        | Vertical   | 14          | 1.49       |
| 6105MHz  | Pass   | PK   | 12.24312G | 64.78          | 74.00          | -9.22       | 3        | Vertical   | 14          | 1.49       |
| 6105MHz  | Pass   | AV   | 12.1452G  | 51.62          | 54.00          | -2.38       | 3        | Horizontal | 337         | 1.00       |
| 6105MHz  | Pass   | PK   | 12.18456G | 64.87          | 74.00          | -9.13       | 3        | Horizontal | 337         | 1.00       |
| 802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 6_4TX | -      | -    | -         | -              | -              | -           | -        | -          | -           | -          |
| 6105MHz  | Pass   | AV   | 5.915G    | 51.60          | 68.20          | -16.60      | 3        | Vertical   | 21          | 1.49       |
| 6105MHz  | Pass   | AV   | 6.133G    | 94.92          | Inf            | -Inf        | 3        | Vertical   | 21          | 1.49       |
| 6105MHz  | Pass   | PK   | 5.851G    | 68.82          | 88.20          | -19.38      | 3        | Vertical   | 21          | 1.49       |
| 6105MHz  | Pass   | PK   | 6.033G    | 107.79         | Inf            | -Inf        | 3        | Vertical   | 21          | 1.49       |
| 6105MHz  | Pass   | AV   | 5.911G    | 51.18          | 68.20          | -17.02      | 3        | Horizontal | 339         | 2.49       |
| 6105MHz  | Pass   | AV   | 6.131G    | 94.81          | Inf            | -Inf        | 3        | Horizontal | 339         | 2.49       |
| 6105MHz  | Pass   | PK   | 5.893G    | 66.38          | 88.20          | -21.82      | 3        | Horizontal | 339         | 2.49       |
| 6105MHz  | Pass   | PK   | 6.131G    | 107.34         | Inf            | -Inf        | 3        | Horizontal | 339         | 2.49       |
| 6105MHz  | Pass   | AV   | 12.0924G  | 50.72          | 54.00          | -3.28       | 3        | Vertical   | 13          | 1.90       |
| 6105MHz  | Pass   | PK   | 12.09672G | 65.85          | 74.00          | -8.15       | 3        | Vertical   | 13          | 1.90       |
| 6105MHz  | Pass   | AV   | 12.10488G | 50.79          | 54.00          | -3.21       | 3        | Horizontal | 355         | 1.97       |
| 6105MHz  | Pass   | PK   | 12.1668G  | 65.23          | 74.00          | -8.77       | 3        | Horizontal | 355         | 1.97       |
| 802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 1_4TX | -      | -    | -         | -              | -              | -           | -        | -          | -           | -          |
| 6905MHz  | Pass   | AV   | 6.909G    | 93.30          | Inf            | -Inf        | 3        | Vertical   | 12          | 2.10       |
| 6905MHz  | Pass   | AV   | 7.25G     | 50.97          | 54.00          | -3.03       | 3        | Vertical   | 12          | 2.10       |
| 6905MHz  | Pass   | PK   | 6.929G    | 107.25         | Inf            | -Inf        | 3        | Vertical   | 12          | 2.10       |
| 6905MHz  | Pass   | PK   | 7.25G     | 63.74          | 74.00          | -10.26      | 3        | Vertical   | 12          | 2.10       |
| 6905MHz  | Pass   | AV   | 6.787G    | 94.72          | Inf            | -Inf        | 3        | Horizontal | 8           | 1.65       |
| 6905MHz  | Pass   | AV   | 7.251G    | 50.57          | 54.00          | -3.43       | 3        | Horizontal | 8           | 1.65       |
| 6905MHz  | Pass   | PK   | 6.847G    | 108.06         | Inf            | -Inf        | 3        | Horizontal | 8           | 1.65       |
| 6905MHz  | Pass   | PK   | 7.275G    | 64.13          | 74.00          | -9.87       | 3        | Horizontal | 8           | 1.65       |
| 6905MHz  | Pass   | AV   | 13.7476G  | 45.42          | 68.20          | -22.78      | 3        | Vertical   | 37          | 2.52       |
| 6905MHz  | Pass   | PK   | 13.82872G | 60.59          | 88.20          | -27.61      | 3        | Vertical   | 37          | 2.52       |
| 6905MHz  | Pass   | AV   | 13.77592G | 42.99          | 68.20          | -25.21      | 3        | Horizontal | 35          | 2.53       |
| 6905MHz  | Pass   | PK   | 13.83736G | 58.92          | 88.20          | -29.28      | 3        | Horizontal | 35          | 2.53       |
| 802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 2_4TX | -      | -    | -         | -              | -              | -           | -        | -          | -           | -          |
| 6905MHz  | Pass   | AV   | 6.891G    | 92.39          | Inf            | -Inf        | 3        | Vertical   | 11          | 2.03       |
| 6905MHz  | Pass   | AV   | 7.25G     | 50.51          | 54.00          | -3.49       | 3        | Vertical   | 11          | 2.03       |
| 6905MHz  | Pass   | PK   | 6.951G    | 105.70         | Inf            | -Inf        | 3        | Vertical   | 11          | 2.03       |
| 6905MHz  | Pass   | PK   | 7.25G     | 64.07          | 74.00          | -9.93       | 3        | Vertical   | 11          | 2.03       |
| 6905MHz  | Pass   | AV   | 6.767G    | 94.26          | Inf            | -Inf        | 3        | Horizontal | 7           | 1.60       |
| 6905MHz  | Pass   | AV   | 7.253G    | 50.25          | 54.00          | -3.75       | 3        | Horizontal | 7           | 1.60       |
| 6905MHz  | Pass   | PK   | 6.767G    | 107.19         | Inf            | -Inf        | 3        | Horizontal | 7           | 1.60       |
| 6905MHz  | Pass   | PK   | 7.277G    | 64.06          | 74.00          | -9.94       | 3        | Horizontal | 7           | 1.60       |
| 6905MHz  | Pass   | AV   | 13.77496G | 43.98          | 68.20          | -24.22      | 3        | Vertical   | 39          | 1.62       |





**RSE TX above 1GHz\_Non-Beamforming\_Radio 2\_Channel Puncturing Appendix E.12**

| Mode   | Result | Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Dist (m) | Condition  | Azimuth (°) | Height (m) |
|--|--------|------|-----------|----------------|----------------|-------------|----------|------------|-------------|------------|
| 6905MHz  | Pass   | PK   | 13.774G   | 58.87          | 88.20          | -29.33      | 3        | Vertical   | 39          | 1.62       |
| 6905MHz  | Pass   | AV   | 13.74904G | 42.50          | 68.20          | -25.70      | 3        | Horizontal | 330         | 2.04       |
| 6905MHz  | Pass   | PK   | 13.76872G | 58.90          | 88.20          | -29.30      | 3        | Horizontal | 330         | 2.04       |
| 802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 3_4TX | -      | -    | -         | -              | -              | -           | -        | -          | -           | -          |
| 6905MHz  | Pass   | AV   | 6.871G    | 91.34          | Inf            | -Inf        | 3        | Vertical   | 11          | 2.15       |
| 6905MHz  | Pass   | AV   | 7.25G     | 50.27          | 54.00          | -3.73       | 3        | Vertical   | 11          | 2.15       |
| 6905MHz  | Pass   | PK   | 6.871G    | 103.94         | Inf            | -Inf        | 3        | Vertical   | 11          | 2.15       |
| 6905MHz  | Pass   | PK   | 7.287G    | 63.82          | 74.00          | -10.18      | 3        | Vertical   | 11          | 2.15       |
| 6905MHz  | Pass   | AV   | 6.767G    | 93.12          | Inf            | -Inf        | 3        | Horizontal | 6           | 1.54       |
| 6905MHz  | Pass   | AV   | 7.279G    | 50.07          | 54.00          | -3.93       | 3        | Horizontal | 6           | 1.54       |
| 6905MHz  | Pass   | PK   | 6.747G    | 106.16         | Inf            | -Inf        | 3        | Horizontal | 6           | 1.54       |
| 6905MHz  | Pass   | PK   | 7.253G    | 63.05          | 74.00          | -10.95      | 3        | Horizontal | 6           | 1.54       |
| 6905MHz  | Pass   | AV   | 13.69672G | 43.62          | 68.20          | -24.58      | 3        | Vertical   | 37          | 2.20       |
| 6905MHz  | Pass   | PK   | 13.8556G  | 58.20          | 88.20          | -30.00      | 3        | Vertical   | 37          | 2.20       |
| 6905MHz  | Pass   | AV   | 13.68808G | 40.58          | 68.20          | -27.62      | 3        | Horizontal | 43          | 1.50       |
| 6905MHz  | Pass   | PK   | 13.68856G | 54.87          | 88.20          | -33.33      | 3        | Horizontal | 43          | 1.50       |
| 802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 4_4TX | -      | -    | -         | -              | -              | -           | -        | -          | -           | -          |
| 6905MHz  | Pass   | AV   | 6.909G    | 91.23          | Inf            | -Inf        | 3        | Vertical   | 11          | 2.11       |
| 6905MHz  | Pass   | AV   | 7.25G     | 50.24          | 54.00          | -3.76       | 3        | Vertical   | 11          | 2.11       |
| 6905MHz  | Pass   | PK   | 6.909G    | 104.06         | Inf            | -Inf        | 3        | Vertical   | 11          | 2.11       |
| 6905MHz  | Pass   | PK   | 7.265G    | 64.28          | 74.00          | -9.72       | 3        | Vertical   | 11          | 2.11       |
| 6905MHz  | Pass   | AV   | 6.767G    | 92.98          | Inf            | -Inf        | 3        | Horizontal | 5           | 1.50       |
| 6905MHz  | Pass   | AV   | 7.253G    | 50.13          | 54.00          | -3.87       | 3        | Horizontal | 5           | 1.50       |
| 6905MHz  | Pass   | PK   | 6.769G    | 106.03         | Inf            | -Inf        | 3        | Horizontal | 5           | 1.50       |
| 6905MHz  | Pass   | PK   | 7.293G    | 64.16          | 74.00          | -9.84       | 3        | Horizontal | 5           | 1.50       |
| 6905MHz  | Pass   | AV   | 13.75096G | 43.01          | 68.20          | -25.19      | 3        | Vertical   | 321         | 2.40       |
| 6905MHz  | Pass   | PK   | 13.74856G | 59.40          | 88.20          | -28.80      | 3        | Vertical   | 321         | 2.40       |
| 6905MHz  | Pass   | AV   | 13.74808G | 41.20          | 68.20          | -27.00      | 3        | Horizontal | 329         | 2.17       |
| 6905MHz  | Pass   | PK   | 13.7284G  | 54.40          | 88.20          | -33.80      | 3        | Horizontal | 329         | 2.17       |
| 802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 5_4TX | -      | -    | -         | -              | -              | -           | -        | -          | -           | -          |
| 6905MHz  | Pass   | AV   | 6.891G    | 91.38          | Inf            | -Inf        | 3        | Vertical   | 10          | 2.00       |
| 6905MHz  | Pass   | AV   | 7.25G     | 50.05          | 54.00          | -3.95       | 3        | Vertical   | 10          | 2.00       |
| 6905MHz  | Pass   | PK   | 6.889G    | 104.90         | Inf            | -Inf        | 3        | Vertical   | 10          | 2.00       |
| 6905MHz  | Pass   | PK   | 7.287G    | 62.95          | 74.00          | -11.05      | 3        | Vertical   | 10          | 2.00       |
| 6905MHz  | Pass   | AV   | 6.747G    | 93.07          | Inf            | -Inf        | 3        | Horizontal | 7           | 1.55       |
| 6905MHz  | Pass   | AV   | 7.253G    | 50.11          | 54.00          | -3.89       | 3        | Horizontal | 7           | 1.55       |
| 6905MHz  | Pass   | PK   | 6.747G    | 105.75         | Inf            | -Inf        | 3        | Horizontal | 7           | 1.55       |
| 6905MHz  | Pass   | PK   | 7.251G    | 63.59          | 74.00          | -10.41      | 3        | Horizontal | 7           | 1.55       |
| 6905MHz  | Pass   | AV   | 13.64776G | 43.18          | 68.20          | -25.02      | 3        | Vertical   | 35          | 1.85       |
| 6905MHz  | Pass   | PK   | 13.8268G  | 62.00          | 88.20          | -26.20      | 3        | Vertical   | 35          | 1.85       |
| 6905MHz  | Pass   | AV   | 13.77592G | 41.74          | 68.20          | -26.46      | 3        | Horizontal | 34          | 1.77       |
| 6905MHz  | Pass   | PK   | 13.8364G  | 55.92          | 88.20          | -32.28      | 3        | Horizontal | 34          | 1.77       |
| 802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 6_4TX | -      | -    | -         | -              | -              | -           | -        | -          | -           | -          |
| 6905MHz  | Pass   | AV   | 6.91G     | 91.22          | Inf            | -Inf        | 3        | Vertical   | 11          | 2.12       |
| 6905MHz  | Pass   | AV   | 7.268G    | 47.29          | 54.00          | -6.71       | 3        | Vertical   | 11          | 2.12       |
| 6905MHz  | Pass   | PK   | 6.87G     | 104.79         | Inf            | -Inf        | 3        | Vertical   | 11          | 2.12       |
| 6905MHz  | Pass   | PK   | 7.268G    | 59.85          | 74.00          | -14.15      | 3        | Vertical   | 11          | 2.12       |
| 6905MHz  | Pass   | AV   | 6.767G    | 93.28          | Inf            | -Inf        | 3        | Horizontal | 7           | 1.61       |
| 6905MHz  | Pass   | AV   | 7.253G    | 47.40          | 54.00          | -6.60       | 3        | Horizontal | 7           | 1.61       |
| 6905MHz  | Pass   | PK   | 6.768G    | 105.88         | Inf            | -Inf        | 3        | Horizontal | 7           | 1.61       |
| 6905MHz  | Pass   | PK   | 7.285G    | 59.30          | 74.00          | -14.70      | 3        | Horizontal | 7           | 1.61       |
| 6905MHz  | Pass   | AV   | 13.69672G | 44.32          | 68.20          | -23.88      | 3        | Vertical   | 37          | 2.27       |
| 6905MHz  | Pass   | PK   | 13.75816G | 57.97          | 88.20          | -30.23      | 3        | Vertical   | 37          | 2.27       |
| 6905MHz  | Pass   | AV   | 13.64968G | 42.15          | 68.20          | -26.05      | 3        | Horizontal | 33          | 2.90       |
| 6905MHz  | Pass   | PK   | 13.58824G | 55.74          | 88.20          | -32.46      | 3        | Horizontal | 33          | 2.90       |
| 802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 7_4TX | -      | -    | -         | -              | -              | -           | -        | -          | -           | -          |
| 6905MHz  | Pass   | AV   | 6.911G    | 93.21          | Inf            | -Inf        | 3        | Vertical   | 11          | 2.10       |
| 6905MHz  | Pass   | AV   | 7.25G     | 50.95          | 54.00          | -3.05       | 3        | Vertical   | 11          | 2.10       |
| 6905MHz  | Pass   | PK   | 6.929G    | 106.65         | Inf            | -Inf        | 3        | Vertical   | 11          | 2.10       |
| 6905MHz  | Pass   | PK   | 7.265G    | 63.78          | 74.00          | -10.22      | 3        | Vertical   | 11          | 2.10       |
| 6905MHz  | Pass   | AV   | 6.747G    | 94.94          | Inf            | -Inf        | 3        | Horizontal | 6           | 1.57       |
| 6905MHz  | Pass   | AV   | 7.253G    | 50.58          | 54.00          | -3.42       | 3        | Horizontal | 6           | 1.57       |



## RSE TX above 1GHz\_Non-Beamforming\_Radio 2\_Channel Puncturing Appendix E.12

| Mode   | Result | Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Dist (m) | Condition  | Azimuth (°) | Height (m) |
|--|--------|------|-----------|----------------|----------------|-------------|----------|------------|-------------|------------|
| 6905MHz  | Pass   | PK   | 6.887G    | 107.93         | Inf            | -Inf        | 3        | Horizontal | 6           | 1.57       |
| 6905MHz  | Pass   | PK   | 7.341G    | 64.10          | 74.00          | -9.90       | 3        | Horizontal | 6           | 1.57       |
| 6905MHz  | Pass   | AV   | 13.7284G  | 46.25          | 68.20          | -21.95      | 3        | Vertical   | 36          | 2.44       |
| 6905MHz  | Pass   | PK   | 13.7476G  | 59.73          | 88.20          | -28.47      | 3        | Vertical   | 36          | 2.44       |
| 6905MHz  | Pass   | AV   | 13.68232G | 44.71          | 68.20          | -23.49      | 3        | Horizontal | 35          | 2.42       |
| 6905MHz  | Pass   | PK   | 13.70296G | 57.97          | 88.20          | -30.23      | 3        | Horizontal | 35          | 2.42       |
| 802.11be EHT320_Nss1,(MCS0),3xRU996 CP 1_4TX       | -      | -    | -         | -              | -              | -           | -        | -          | -           | -          |
| 6905MHz  | Pass   | AV   | 6.869G    | 93.73          | Inf            | -Inf        | 3        | Vertical   | 12          | 2.07       |
| 6905MHz  | Pass   | AV   | 7.25G     | 49.91          | 54.00          | -4.09       | 3        | Vertical   | 12          | 2.07       |
| 6905MHz  | Pass   | PK   | 6.851G    | 107.94         | Inf            | -Inf        | 3        | Vertical   | 12          | 2.07       |
| 6905MHz  | Pass   | PK   | 7.267G    | 63.44          | 74.00          | -10.56      | 3        | Vertical   | 12          | 2.07       |
| 6905MHz  | Pass   | AV   | 6.827G    | 94.95          | Inf            | -Inf        | 3        | Horizontal | 5           | 1.50       |
| 6905MHz  | Pass   | AV   | 7.253G    | 49.84          | 54.00          | -4.16       | 3        | Horizontal | 5           | 1.50       |
| 6905MHz  | Pass   | PK   | 6.847G    | 108.13         | Inf            | -Inf        | 3        | Horizontal | 5           | 1.50       |
| 6905MHz  | Pass   | PK   | 7.273G    | 63.20          | 74.00          | -10.80      | 3        | Horizontal | 5           | 1.50       |
| 6905MHz  | Pass   | AV   | 13.82776G | 45.34          | 68.20          | -22.86      | 3        | Vertical   | 34          | 1.80       |
| 6905MHz  | Pass   | PK   | 13.82872G | 59.90          | 88.20          | -28.30      | 3        | Vertical   | 34          | 1.80       |
| 6905MHz  | Pass   | AV   | 13.81288G | 42.03          | 68.20          | -26.17      | 3        | Horizontal | 319         | 1.56       |
| 6905MHz  | Pass   | PK   | 13.83112G | 56.07          | 88.20          | -32.13      | 3        | Horizontal | 319         | 1.56       |
| 802.11be EHT320_Nss1,(MCS0),3xRU996 CP 2_4TX       | -      | -    | -         | -              | -              | -           | -        | -          | -           | -          |
| 6905MHz  | Pass   | AV   | 6.909G    | 91.76          | Inf            | -Inf        | 3        | Vertical   | 12          | 2.03       |
| 6905MHz  | Pass   | AV   | 7.25G     | 50.57          | 54.00          | -3.43       | 3        | Vertical   | 12          | 2.03       |
| 6905MHz  | Pass   | PK   | 6.909G    | 104.50         | Inf            | -Inf        | 3        | Vertical   | 12          | 2.03       |
| 6905MHz  | Pass   | PK   | 7.267G    | 64.03          | 74.00          | -9.97       | 3        | Vertical   | 12          | 2.03       |
| 6905MHz  | Pass   | AV   | 6.767G    | 93.81          | Inf            | -Inf        | 3        | Horizontal | 5           | 1.60       |
| 6905MHz  | Pass   | AV   | 7.265G    | 50.54          | 54.00          | -3.46       | 3        | Horizontal | 5           | 1.60       |
| 6905MHz  | Pass   | PK   | 6.787G    | 107.37         | Inf            | -Inf        | 3        | Horizontal | 5           | 1.60       |
| 6905MHz  | Pass   | PK   | 7.299G    | 64.18          | 74.00          | -9.82       | 3        | Horizontal | 5           | 1.60       |
| 6905MHz  | Pass   | AV   | 13.73032G | 44.04          | 68.20          | -24.16      | 3        | Vertical   | 323         | 1.72       |
| 6905MHz  | Pass   | PK   | 13.74856G | 58.83          | 88.20          | -29.37      | 3        | Vertical   | 323         | 1.72       |
| 6905MHz  | Pass   | AV   | 13.72888G | 41.73          | 68.20          | -26.47      | 3        | Horizontal | 329         | 2.11       |
| 6905MHz  | Pass   | PK   | 13.74856G | 54.37          | 88.20          | -33.83      | 3        | Horizontal | 329         | 2.11       |
| 802.11be EHT320_Nss1,(MCS0),3xRU996 CP 3_4TX       | -      | -    | -         | -              | -              | -           | -        | -          | -           | -          |
| 6905MHz  | Pass   | AV   | 6.871G    | 91.86          | Inf            | -Inf        | 3        | Vertical   | 12          | 2.06       |
| 6905MHz  | Pass   | AV   | 7.267G    | 50.33          | 54.00          | -3.67       | 3        | Vertical   | 12          | 2.06       |
| 6905MHz  | Pass   | PK   | 6.889G    | 105.10         | Inf            | -Inf        | 3        | Vertical   | 12          | 2.06       |
| 6905MHz  | Pass   | PK   | 7.289G    | 63.53          | 74.00          | -10.47      | 3        | Vertical   | 12          | 2.06       |
| 6905MHz  | Pass   | AV   | 6.767G    | 93.67          | Inf            | -Inf        | 3        | Horizontal | 7           | 1.50       |
| 6905MHz  | Pass   | AV   | 7.273G    | 50.43          | 54.00          | -3.57       | 3        | Horizontal | 7           | 1.50       |
| 6905MHz  | Pass   | PK   | 6.767G    | 106.82         | Inf            | -Inf        | 3        | Horizontal | 7           | 1.50       |
| 6905MHz  | Pass   | PK   | 7.279G    | 63.45          | 74.00          | -10.55      | 3        | Horizontal | 7           | 1.50       |
| 6905MHz  | Pass   | AV   | 13.64632G | 45.28          | 68.20          | -22.92      | 3        | Vertical   | 327         | 2.49       |
| 6905MHz  | Pass   | PK   | 13.66648G | 62.45          | 88.20          | -25.75      | 3        | Vertical   | 327         | 2.49       |
| 6905MHz  | Pass   | AV   | 13.66504G | 42.06          | 68.20          | -26.14      | 3        | Horizontal | 32          | 2.29       |
| 6905MHz  | Pass   | PK   | 13.666G   | 56.50          | 88.20          | -31.70      | 3        | Horizontal | 32          | 2.29       |
| 802.11be EHT320_Nss1,(MCS0),3xRU996 CP 4_4TX       | -      | -    | -         | -              | -              | -           | -        | -          | -           | -          |
| 6905MHz  | Pass   | AV   | 6.897G    | 92.91          | Inf            | -Inf        | 3        | Vertical   | 50          | 1.54       |
| 6905MHz  | Pass   | AV   | 7.25G     | 48.82          | 54.00          | -5.18       | 3        | Vertical   | 50          | 1.54       |
| 6905MHz  | Pass   | PK   | 6.917G    | 106.40         | Inf            | -Inf        | 3        | Vertical   | 50          | 1.54       |
| 6905MHz  | Pass   | PK   | 7.365G    | 62.70          | 74.00          | -11.30      | 3        | Vertical   | 50          | 1.54       |
| 6905MHz  | Pass   | AV   | 6.767G    | 95.50          | Inf            | -Inf        | 3        | Horizontal | 6           | 1.50       |
| 6905MHz  | Pass   | AV   | 7.253G    | 49.21          | 54.00          | -4.79       | 3        | Horizontal | 6           | 1.50       |
| 6905MHz  | Pass   | PK   | 6.767G    | 108.18         | Inf            | -Inf        | 3        | Horizontal | 6           | 1.50       |
| 6905MHz  | Pass   | PK   | 7.275G    | 62.66          | 74.00          | -11.34      | 3        | Horizontal | 6           | 1.50       |
| 6905MHz  | Pass   | AV   | 13.68472G | 48.70          | 68.20          | -19.50      | 3        | Vertical   | 329         | 2.59       |
| 6905MHz  | Pass   | PK   | 13.58632G | 62.71          | 88.20          | -25.49      | 3        | Vertical   | 329         | 2.59       |
| 6905MHz  | Pass   | AV   | 13.64776G | 43.35          | 68.20          | -24.85      | 3        | Horizontal | 36          | 2.87       |
| 6905MHz  | Pass   | PK   | 13.58584G | 58.26          | 88.20          | -29.94      | 3        | Horizontal | 36          | 2.87       |
| 802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 7_4TX | -      | -    | -         | -              | -              | -           | -        | -          | -           | -          |
| 6905MHz  | Pass   | AV   | 6.889G    | 94.72          | Inf            | -Inf        | 3        | Vertical   | 12          | 2.03       |
| 6905MHz  | Pass   | AV   | 7.25G     | 49.12          | 54.00          | -4.88       | 3        | Vertical   | 12          | 2.03       |
| 6905MHz  | Pass   | PK   | 6.891G    | 107.27         | Inf            | -Inf        | 3        | Vertical   | 12          | 2.03       |




## RSE TX above 1GHz\_Non-Beamforming\_Radio 2\_Channel Puncturing Appendix E.12

| Mode  | Result | Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Dist (m) | Condition  | Azimuth (°) | Height (m) |
|---|--------|------|-----------|----------------|----------------|-------------|----------|------------|-------------|------------|
| 6905MHz   | Pass   | PK   | 7.305G    | 63.01          | 74.00          | -10.99      | 3        | Vertical   | 12          | 2.03       |
| 6905MHz   | Pass   | AV   | 6.909G    | 95.55          | Inf            | -Inf        | 3        | Horizontal | 0           | 1.50       |
| 6905MHz   | Pass   | AV   | 7.25G     | 49.35          | 54.00          | -4.65       | 3        | Horizontal | 0           | 1.50       |
| 6905MHz   | Pass   | PK   | 6.909G    | 108.55         | Inf            | -Inf        | 3        | Horizontal | 0           | 1.50       |
| 6905MHz   | Pass   | PK   | 7.261G    | 63.18          | 74.00          | -10.82      | 3        | Horizontal | 0           | 1.50       |
| 6905MHz   | Pass   | AV   | 13.82728G | 44.39          | 68.20          | -23.81      | 3        | Vertical   | 36          | 2.48       |
| 6905MHz   | Pass   | PK   | 13.84648G | 59.79          | 88.20          | -28.41      | 3        | Vertical   | 36          | 2.48       |
| 6905MHz   | Pass   | AV   | 13.84696G | 42.55          | 68.20          | -25.65      | 3        | Horizontal | 329         | 1.58       |
| 6905MHz   | Pass   | PK   | 13.92712G | 56.15          | 88.20          | -32.05      | 3        | Horizontal | 329         | 1.58       |
| 802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 8_4TX  | -      | -    | -         | -              | -              | -           | -        | -          | -           | -          |
| 6905MHz   | Pass   | AV   | 6.911G    | 94.71          | Inf            | -Inf        | 3        | Vertical   | 12          | 2.09       |
| 6905MHz   | Pass   | AV   | 7.25G     | 50.47          | 54.00          | -3.53       | 3        | Vertical   | 12          | 2.09       |
| 6905MHz   | Pass   | PK   | 6.849G    | 107.36         | Inf            | -Inf        | 3        | Vertical   | 12          | 2.09       |
| 6905MHz   | Pass   | PK   | 7.267G    | 63.80          | 74.00          | -10.20      | 3        | Vertical   | 12          | 2.09       |
| 6905MHz   | Pass   | AV   | 6.849G    | 95.42          | Inf            | -Inf        | 3        | Horizontal | 0           | 1.54       |
| 6905MHz   | Pass   | AV   | 7.25G     | 50.99          | 54.00          | -3.01       | 3        | Horizontal | 0           | 1.54       |
| 6905MHz   | Pass   | PK   | 6.829G    | 108.85         | Inf            | -Inf        | 3        | Horizontal | 0           | 1.54       |
| 6905MHz   | Pass   | PK   | 7.267G    | 63.87          | 74.00          | -10.13      | 3        | Horizontal | 0           | 1.54       |
| 6905MHz   | Pass   | AV   | 13.97128G | 43.73          | 68.20          | -24.47      | 3        | Vertical   | 321         | 1.45       |
| 6905MHz   | Pass   | PK   | 13.99G    | 62.88          | 88.20          | -25.32      | 3        | Vertical   | 321         | 1.45       |
| 6905MHz   | Pass   | AV   | 13.76872G | 42.71          | 68.20          | -25.49      | 3        | Horizontal | 323         | 1.78       |
| 6905MHz   | Pass   | PK   | 13.76968G | 59.07          | 88.20          | -29.13      | 3        | Horizontal | 323         | 1.78       |
| 802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 9_4TX  | -      | -    | -         | -              | -              | -           | -        | -          | -           | -          |
| 6905MHz   | Pass   | AV   | 6.869G    | 94.49          | Inf            | -Inf        | 3        | Vertical   | 12          | 2.16       |
| 6905MHz   | Pass   | AV   | 7.25G     | 50.69          | 54.00          | -3.31       | 3        | Vertical   | 12          | 2.16       |
| 6905MHz   | Pass   | PK   | 6.891G    | 108.28         | Inf            | -Inf        | 3        | Vertical   | 12          | 2.16       |
| 6905MHz   | Pass   | PK   | 7.263G    | 63.68          | 74.00          | -10.32      | 3        | Vertical   | 12          | 2.16       |
| 6905MHz   | Pass   | AV   | 6.889G    | 95.49          | Inf            | -Inf        | 3        | Horizontal | 0           | 1.50       |
| 6905MHz   | Pass   | AV   | 7.25G     | 51.05          | 54.00          | -2.95       | 3        | Horizontal | 0           | 1.50       |
| 6905MHz   | Pass   | PK   | 6.887G    | 108.30         | Inf            | -Inf        | 3        | Horizontal | 0           | 1.50       |
| 6905MHz   | Pass   | PK   | 7.261G    | 63.67          | 74.00          | -10.33      | 3        | Horizontal | 0           | 1.50       |
| 6905MHz   | Pass   | AV   | 13.73032G | 45.54          | 68.20          | -22.66      | 3        | Vertical   | 321         | 2.41       |
| 6905MHz   | Pass   | PK   | 13.83016G | 59.91          | 88.20          | -28.29      | 3        | Vertical   | 321         | 2.41       |
| 6905MHz   | Pass   | AV   | 13.72888G | 43.64          | 68.20          | -24.56      | 3        | Horizontal | 331         | 2.05       |
| 6905MHz   | Pass   | PK   | 13.82392G | 56.60          | 88.20          | -31.60      | 3        | Horizontal | 331         | 2.05       |
| 802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 10_4TX | -      | -    | -         | -              | -              | -           | -        | -          | -           | -          |
| 6905MHz   | Pass   | AV   | 6.891G    | 94.57          | Inf            | -Inf        | 3        | Vertical   | 10          | 1.97       |
| 6905MHz   | Pass   | AV   | 7.25G     | 50.27          | 54.00          | -3.73       | 3        | Vertical   | 10          | 1.97       |
| 6905MHz   | Pass   | PK   | 6.931G    | 107.70         | Inf            | -Inf        | 3        | Vertical   | 10          | 1.97       |
| 6905MHz   | Pass   | PK   | 7.25G     | 63.58          | 74.00          | -10.42      | 3        | Vertical   | 10          | 1.97       |
| 6905MHz   | Pass   | AV   | 6.827G    | 95.68          | Inf            | -Inf        | 3        | Horizontal | 5           | 1.50       |
| 6905MHz   | Pass   | AV   | 7.253G    | 50.36          | 54.00          | -3.64       | 3        | Horizontal | 5           | 1.50       |
| 6905MHz   | Pass   | PK   | 6.847G    | 108.82         | Inf            | -Inf        | 3        | Horizontal | 5           | 1.50       |
| 6905MHz   | Pass   | PK   | 7.253G    | 64.00          | 74.00          | -10.00      | 3        | Horizontal | 5           | 1.50       |
| 6905MHz   | Pass   | AV   | 13.7692G  | 46.83          | 68.20          | -21.37      | 3        | Vertical   | 324         | 1.72       |
| 6905MHz   | Pass   | PK   | 13.76872G | 61.08          | 88.20          | -27.12      | 3        | Vertical   | 324         | 1.72       |
| 6905MHz   | Pass   | AV   | 13.762G   | 43.93          | 68.20          | -24.27      | 3        | Horizontal | 36          | 2.40       |
| 6905MHz   | Pass   | PK   | 13.77736G | 58.24          | 88.20          | -29.96      | 3        | Horizontal | 36          | 2.40       |
| 802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 11_4TX | -      | -    | -         | -              | -              | -           | -        | -          | -           | -          |
| 6905MHz   | Pass   | AV   | 6.891G    | 94.50          | Inf            | -Inf        | 3        | Vertical   | 10          | 1.96       |
| 6905MHz   | Pass   | AV   | 7.25G     | 49.97          | 54.00          | -4.03       | 3        | Vertical   | 10          | 1.96       |
| 6905MHz   | Pass   | PK   | 6.889G    | 108.00         | Inf            | -Inf        | 3        | Vertical   | 10          | 1.96       |
| 6905MHz   | Pass   | PK   | 7.25G     | 63.41          | 74.00          | -10.59      | 3        | Vertical   | 10          | 1.96       |
| 6905MHz   | Pass   | AV   | 6.827G    | 95.65          | Inf            | -Inf        | 3        | Horizontal | 6           | 1.50       |
| 6905MHz   | Pass   | AV   | 7.253G    | 50.16          | 54.00          | -3.84       | 3        | Horizontal | 6           | 1.50       |
| 6905MHz   | Pass   | PK   | 6.847G    | 109.26         | Inf            | -Inf        | 3        | Horizontal | 6           | 1.50       |
| 6905MHz   | Pass   | PK   | 7.279G    | 64.66          | 74.00          | -9.34       | 3        | Horizontal | 6           | 1.50       |
| 6905MHz   | Pass   | AV   | 13.77592G | 46.07          | 68.20          | -22.13      | 3        | Vertical   | 36          | 2.37       |
| 6905MHz   | Pass   | PK   | 13.77688G | 60.76          | 88.20          | -27.44      | 3        | Vertical   | 36          | 2.37       |
| 6905MHz   | Pass   | AV   | 13.80616G | 44.03          | 68.20          | -24.17      | 3        | Horizontal | 329         | 1.76       |
| 6905MHz   | Pass   | PK   | 13.84648G | 57.79          | 88.20          | -30.41      | 3        | Horizontal | 329         | 1.76       |



5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0),RU996+RU484+RU242 CP 8\_4TX


6025MHz\_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Dist (m) | Condition | Azimuth (*) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|----------|-----------|-------------|------------|------------|---------|---------|---------|
| AV   | 5.916G    | 54.03          | 68.20          | -14.17      | 3        | Vertical  | 20          | 1.54       | 58.06      | 34.60   | 5.54    | 44.17   |
| AV   | 6.073G    | 96.25          | Inf            | -Inf        | 3        | Vertical  | 20          | 1.54       | 100.41     | 34.40   | 5.61    | 44.17   |
| PK   | 5.916G    | 72.37          | 88.20          | -15.83      | 3        | Vertical  | 20          | 1.54       | 76.40      | 34.60   | 5.54    | 44.17   |
| PK   | 6.073G    | 109.79         | Inf            | -Inf        | 3        | Vertical  | 20          | 1.54       | 113.95     | 34.40   | 5.61    | 44.17   |

5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0),RU996+RU484+RU242 CP 8\_4TX

6025MHz\_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Dist (m) | Condition  | Azimuth (*) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|----------|------------|-------------|------------|------------|---------|---------|---------|
| AV   | 5.912G    | 54.56          | 68.20          | -13.64      | 3        | Horizontal | 339         | 2.41       | 58.59      | 34.60   | 5.54    | 44.17   |
| AV   | 5.972G    | 96.35          | Inf            | -Inf        | 3        | Horizontal | 339         | 2.41       | 100.37     | 34.60   | 5.56    | 44.18   |
| PK   | 5.911G    | 74.37          | 88.20          | -13.83      | 3        | Horizontal | 339         | 2.41       | 78.40      | 34.60   | 5.54    | 44.17   |
| PK   | 5.991G    | 109.55         | Inf            | -Inf        | 3        | Horizontal | 339         | 2.41       | 113.56     | 34.60   | 5.57    | 44.18   |



5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0),RU996+RU484+RU242 CP 8\_4TX


6025MHz\_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|----------|-----------|-------------|------------|------------|---------|---------|---------|
| AV   | 12.01832G | 50.84          | 54.00          | -3.16       | 3        | Vertical  | 20          | 1.60       | 45.08      | 39.30   | 8.58    | 42.12   |
| PK   | 11.99848G | 66.86          | 74.00          | -7.14       | 3        | Vertical  | 20          | 1.60       | 61.13      | 39.29   | 8.57    | 42.13   |

5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0),RU996+RU484+RU242 CP 8\_4TX

6025MHz\_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Dist (m) | Condition  | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|----------|------------|-------------|------------|------------|---------|---------|---------|
| AV   | 12.03048G | 52.10          | 54.00          | -1.90       | 3        | Horizontal | 347         | 1.83       | 46.34      | 39.30   | 8.58    | 42.12   |
| PK   | 11.99112G | 65.93          | 74.00          | -8.07       | 3        | Horizontal | 347         | 1.83       | 60.23      | 39.26   | 8.57    | 42.13   |



5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS0),3xRU996+RU484 CP 8\_4TX


6105MHz\_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|----------|-----------|-------------|------------|------------|---------|---------|---------|
| AV   | 5.913G    | 57.50          | 68.20          | -10.70      | 3        | Vertical  | 23          | 1.70       | 61.53      | 34.60   | 5.54    | 44.17   |
| AV   | 6.151G    | 96.42          | Inf            | -Inf        | 3        | Vertical  | 23          | 1.70       | 100.43     | 34.50   | 5.65    | 44.16   |
| PK   | 5.925G    | 72.52          | 88.20          | -15.68      | 3        | Vertical  | 23          | 1.70       | 76.55      | 34.60   | 5.54    | 44.17   |
| PK   | 6.191G    | 109.58         | Inf            | -Inf        | 3        | Vertical  | 23          | 1.70       | 113.56     | 34.50   | 5.68    | 44.16   |

5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS0),3xRU996+RU484 CP 8\_4TX

6105MHz\_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Dist (m) | Condition  | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|----------|------------|-------------|------------|------------|---------|---------|---------|
| AV   | 5.925G    | 59.04          | 68.20          | -9.16       | 3        | Horizontal | 338         | 2.60       | 63.07      | 34.60   | 5.54    | 44.17   |
| AV   | 6.151G    | 97.02          | Inf            | -Inf        | 3        | Horizontal | 338         | 2.60       | 101.03     | 34.50   | 5.65    | 44.16   |
| PK   | 5.911G    | 75.68          | 88.20          | -12.52      | 3        | Horizontal | 338         | 2.60       | 79.71      | 34.60   | 5.54    | 44.17   |
| PK   | 6.151G    | 109.73         | Inf            | -Inf        | 3        | Horizontal | 338         | 2.60       | 113.74     | 34.50   | 5.65    | 44.16   |



5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS0),3xRU996+RU484 CP 8\_4TX


6105MHz\_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|----------|-----------|-------------|------------|------------|---------|---------|---------|
| AV   | 12.174G   | 53.17          | 54.00          | -0.83       | 3        | Vertical  | 12          | 1.88       | 47.21      | 39.40   | 8.63    | 42.07   |
| PK   | 12.15624G | 68.58          | 74.00          | -5.42       | 3        | Vertical  | 12          | 1.88       | 62.64      | 39.40   | 8.62    | 42.08   |

5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS0),3xRU996+RU484 CP 8\_4TX

6105MHz\_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Dist (m) | Condition  | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|----------|------------|-------------|------------|------------|---------|---------|---------|
| AV   | 12.22728G | 52.57          | 54.00          | -1.43       | 3        | Horizontal | 350         | 1.94       | 46.63      | 39.35   | 8.64    | 42.05   |
| PK   | 12.22632G | 68.65          | 74.00          | -5.35       | 3        | Horizontal | 350         | 1.94       | 62.71      | 39.35   | 8.64    | 42.05   |



6.525-6.875GHz\_802.11be EHT320\_Nss1,(MCS0),2xRU996+RU484 CP 9\_4TX


6905MHz\_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|----------|-----------|-------------|------------|------------|---------|---------|---------|
| AV   | 6.869G    | 94.49          | Inf            | -Inf        | 3        | Vertical  | 12          | 2.16       | 96.43      | 36.20   | 5.97    | 44.11   |
| AV   | 7.25G     | 50.69          | 54.00          | -3.31       | 3        | Vertical  | 12          | 2.16       | 51.15      | 37.30   | 6.18    | 43.94   |
| PK   | 6.891G    | 108.28         | Inf            | -Inf        | 3        | Vertical  | 12          | 2.16       | 110.21     | 36.20   | 5.98    | 44.11   |
| PK   | 7.263G    | 63.68          | 74.00          | -10.32      | 3        | Vertical  | 12          | 2.16       | 64.15      | 37.27   | 6.19    | 43.93   |

6.525-6.875GHz\_802.11be EHT320\_Nss1,(MCS0),2xRU996+RU484 CP 9\_4TX

6905MHz\_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Dist (m) | Condition  | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|----------|------------|-------------|------------|------------|---------|---------|---------|
| AV   | 6.889G    | 95.49          | Inf            | -Inf        | 3        | Horizontal | 0           | 1.50       | 97.42      | 36.20   | 5.98    | 44.11   |
| AV   | 7.25G     | 51.05          | 54.00          | -2.95       | 3        | Horizontal | 0           | 1.50       | 51.51      | 37.30   | 6.18    | 43.94   |
| PK   | 6.887G    | 108.30         | Inf            | -Inf        | 3        | Horizontal | 0           | 1.50       | 110.23     | 36.20   | 5.98    | 44.11   |
| PK   | 7.261G    | 63.67          | 74.00          | -10.33      | 3        | Horizontal | 0           | 1.50       | 64.13      | 37.28   | 6.19    | 43.93   |





6.525-6.875GHz\_802.11be EHT320\_Nss1,(MCS0),2xRU996+RU484 CP 9\_4TX


6905MHz\_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|----------|-----------|-------------|------------|------------|---------|---------|---------|
| AV   | 13.73032G | 45.54          | 68.20          | -22.66      | 3        | Vertical  | 321         | 2.41       | 39.00      | 39.90   | 9.12    | 42.48   |
| PK   | 13.83016G | 59.91          | 88.20          | -28.29      | 3        | Vertical  | 321         | 2.41       | 53.61      | 39.76   | 9.16    | 42.62   |

6.525-6.875GHz\_802.11be EHT320\_Nss1,(MCS0),2xRU996+RU484 CP 9\_4TX

6905MHz\_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Dist (m) | Condition  | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|----------|------------|-------------|------------|------------|---------|---------|---------|
| AV   | 13.72888G | 43.64          | 68.20          | -24.56      | 3        | Horizontal | 331         | 2.05       | 37.10      | 39.90   | 9.12    | 42.48   |
| PK   | 13.82392G | 56.60          | 88.20          | -31.60      | 3        | Horizontal | 331         | 2.05       | 50.31      | 39.75   | 9.15    | 42.61   |



6.875-7.125GHz\_802.11be EHT80\_Nss1,(MCS0),RU484+RU242 CP 4\_4TX


7025MHz\_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|----------|-----------|-------------|------------|------------|---------|---------|---------|
| AV   | 6.998G    | 96.88          | Inf            | -Inf        | 3        | Vertical  | 13          | 1.45       | 98.83      | 36.10   | 6.05    | 44.10   |
| AV   | 7.1744G   | 48.22          | 68.20          | -19.98      | 3        | Vertical  | 13          | 1.45       | 49.12      | 36.95   | 6.14    | 43.99   |
| PK   | 7.0184G   | 110.61         | Inf            | -Inf        | 3        | Vertical  | 13          | 1.45       | 112.43     | 36.21   | 6.06    | 44.09   |
| PK   | 7.1684G   | 62.03          | 88.20          | -26.17      | 3        | Vertical  | 13          | 1.45       | 62.98      | 36.91   | 6.13    | 43.99   |

6.875-7.125GHz\_802.11be EHT80\_Nss1,(MCS0),RU484+RU242 CP 4\_4TX

7025MHz\_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Dist (m) | Condition  | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|----------|------------|-------------|------------|------------|---------|---------|---------|
| AV   | 6.9878G   | 98.49          | Inf            | -Inf        | 3        | Horizontal | 360         | 1.57       | 100.45     | 36.10   | 6.04    | 44.10   |
| AV   | 7.175G    | 48.53          | 68.20          | -19.67      | 3        | Horizontal | 360         | 1.57       | 49.43      | 36.95   | 6.14    | 43.99   |
| PK   | 6.9878G   | 111.60         | Inf            | -Inf        | 3        | Horizontal | 360         | 1.57       | 113.56     | 36.10   | 6.04    | 44.10   |
| PK   | 7.1606G   | 63.12          | 88.20          | -25.08      | 3        | Horizontal | 360         | 1.57       | 64.13      | 36.86   | 6.13    | 44.00   |



6.875-7.125GHz\_802.11be EHT80\_Nss1,(MCS0),RU484+RU242 CP 4\_4TX


7025MHz\_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|----------|-----------|-------------|------------|------------|---------|---------|---------|
| AV   | 14.03672G | 46.66          | 68.20          | -21.54      | 3        | Vertical  | 321         | 1.30       | 40.06      | 40.20   | 9.25    | 42.85   |
| PK   | 14.03784G | 61.57          | 88.20          | -26.63      | 3        | Vertical  | 321         | 1.30       | 54.97      | 40.20   | 9.25    | 42.85   |

6.875-7.125GHz\_802.11be EHT80\_Nss1,(MCS0),RU484+RU242 CP 4\_4TX

7025MHz\_TX





| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Dist (m) | Condition  | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|----------|------------|-------------|------------|------------|---------|---------|---------|
| AV   | 14.03G    | 44.97          | 68.20          | -23.23      | 3        | Horizontal | 38          | 2.71       | 38.38      | 40.20   | 9.24    | 42.85   |
| PK   | 14.05016G | 58.25          | 88.20          | -29.95      | 3        | Horizontal | 38          | 2.71       | 51.64      | 40.20   | 9.26    | 42.85   |



6.875-7.125GHz\_802.11be EHT160\_Nss1,(MCS0),RU996+RU484+RU242 CP 1\_4TX

6985MHz\_TX





01/02/2024

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|----------|-----------|-------------|------------|------------|---------|---------|---------|
| AV   | 6.95G     | 97.35          | Inf            | -Inf        | 3        | Vertical  | 11          | 2.09       | 99.33      | 36.10   | 6.02    | 44.10   |
| AV   | 7.128G    | 51.28          | 68.20          | -16.92      | 3        | Vertical  | 11          | 2.09       | 52.48      | 36.71   | 6.11    | 44.02   |
| PK   | 6.95G     | 110.31         | Inf            | -Inf        | 3        | Vertical  | 11          | 2.09       | 112.29     | 36.10   | 6.02    | 44.10   |
| PK   | 7.128G    | 76.82          | 88.20          | -11.38      | 3        | Vertical  | 11          | 2.09       | 78.02      | 36.71   | 6.11    | 44.02   |

6.875-7.125GHz\_802.11be EHT160\_Nss1,(MCS0),RU996+RU484+RU242 CP 1\_4TX

6985MHz\_TX




01/02/2024

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Dist (m) | Condition  | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|----------|------------|-------------|------------|------------|---------|---------|---------|
| AV   | 6.948G    | 97.88          | Inf            | -Inf        | 3        | Horizontal | 360         | 1.50       | 99.86      | 36.10   | 6.02    | 44.10   |
| AV   | 7.127G    | 53.62          | 68.20          | -14.58      | 3        | Horizontal | 360         | 1.50       | 54.82      | 36.71   | 6.11    | 44.02   |
| PK   | 6.928G    | 111.94         | Inf            | -Inf        | 3        | Horizontal | 360         | 1.50       | 113.89     | 36.14   | 6.01    | 44.10   |
| PK   | 7.128G    | 80.28          | 88.20          | -7.92       | 3        | Horizontal | 360         | 1.50       | 81.48      | 36.71   | 6.11    | 44.02   |



6.875-7.125GHz\_802.11be EHT160\_Nss1,(MCS0),RU996+RU484+RU242 CP 1\_4TX


6985MHz\_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|----------|-----------|-------------|------------|------------|---------|---------|---------|
| AV   | 13.99016G | 48.05          | 68.20          | -20.15      | 3        | Vertical  | 320         | 1.45       | 41.50      | 40.18   | 9.21    | 42.84   |
| PK   | 13.99016G | 65.50          | 88.20          | -22.70      | 3        | Vertical  | 320         | 1.45       | 58.95      | 40.18   | 9.21    | 42.84   |

6.875-7.125GHz\_802.11be EHT160\_Nss1,(MCS0),RU996+RU484+RU242 CP 1\_4TX

6985MHz\_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Dist (m) | Condition  | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|----------|------------|-------------|------------|------------|---------|---------|---------|
| AV   | 13.99016G | 46.22          | 68.20          | -21.98      | 3        | Horizontal | 38          | 2.66       | 39.67      | 40.18   | 9.21    | 42.84   |
| PK   | 13.98888G | 62.42          | 88.20          | -25.78      | 3        | Horizontal | 38          | 2.66       | 55.86      | 40.18   | 9.21    | 42.83   |



| Antenna Gain(dBi) |       |       |       |
|-------------------|-------|-------|-------|
| UNII5             | UNII6 | UNII7 | UNII8 |
| 6.4               | 6.4   | 6.4   | 6.4   |

| Contention Based protocol (802.11ax HEW20) |              |                 |                 |                             |      |                            |            |                                      |                           |           |             |
|--|--------------|-----------------|-----------------|-----------------------------|------|----------------------------|------------|--------------------------------------|---------------------------|-----------|-------------|
| UNII Band                                  | Test Channel | Bandwidth (MHz) | Frequency (MHz) | Inteference frequency (MHz) |      | AWGN Threshold Level (dBm) | EUT Status | Number of Detected (out of 10 times) | Detection Probability (%) | Limit (%) | Test Result |
| 5  | 53           | 20              | 6215            | Center                      | 6215 | -72.40                     | OFF        | 10                                   | 100                       | 90        | Pass        |
| 6  | 101          | 20              | 6455            | Center                      | 6455 | -70.40                     | OFF        | 10                                   | 100                       | 90        | Pass        |
| 7  | 149          | 20              | 6695            | Center                      | 6695 | -71.40                     | OFF        | 10                                   | 100                       | 90        | Pass        |
| 8  | 213          | 20              | 7015            | Center                      | 7015 | -66.40                     | OFF        | 10                                   | 100                       | 90        | Pass        |

| Contention Based protocol (802.11ax HEW160) |              |                 |                 |                             |      |                            |            |                                      |                           |           |             |
|---|--------------|-----------------|-----------------|-----------------------------|------|----------------------------|------------|--------------------------------------|---------------------------|-----------|-------------|
| UNII Band                                   | Test Channel | Bandwidth (MHz) | Frequency (MHz) | Inteference frequency (MHz) |      | AWGN Threshold Level (dBm) | EUT Status | Number of Detected (out of 10 times) | Detection Probability (%) | Limit (%) | Test Result |
| 5   | 47           | 160             | 6185            | Low edge                    | 6110 | -71.40                     | OFF        | 10                                   | 100                       | 90        | Pass        |
|   |              |                 |                 | Center                      | 6185 | -68.40                     | OFF        | 10                                   | 100                       | 90        | Pass        |
|   |              |                 |                 | High edge                   | 6260 | -70.40                     | OFF        | 10                                   | 100                       | 90        | Pass        |
| 6   | 111          | 160             | 6505            | Low edge                    | 6430 | -73.40                     | OFF        | 10                                   | 100                       | 90        | Pass        |
|   |              |                 |                 | Center                      | 6505 | -68.40                     | OFF        | 10                                   | 100                       | 90        | Pass        |
|   |              |                 |                 | High edge                   | 6580 | -70.40                     | OFF        | 10                                   | 100                       | 90        | Pass        |
| 7   | 143          | 160             | 6665            | Low edge                    | 6590 | -70.40                     | OFF        | 10                                   | 100                       | 90        | Pass        |
|   |              |                 |                 | Center                      | 6665 | -69.40                     | OFF        | 10                                   | 100                       | 90        | Pass        |
|   |              |                 |                 | High edge                   | 6740 | -69.40                     | OFF        | 10                                   | 100                       | 90        | Pass        |
| 8   | 207          | 160             | 6985            | Low edge                    | 6910 | -73.40                     | OFF        | 10                                   | 100                       | 90        | Pass        |
|   |              |                 |                 | Center                      | 6985 | -66.40                     | OFF        | 10                                   | 100                       | 90        | Pass        |
|   |              |                 |                 | High edge                   | 7060 | -66.40                     | OFF        | 10                                   | 100                       | 90        | Pass        |




| Contention Based Protocol Threshold Level (802.11ax HEW20) |              |                 |                 |                              |      |            |                           |                |                      |                       |
|--|--------------|-----------------|-----------------|------------------------------|------|------------|---------------------------|----------------|----------------------|-----------------------|
| UNII Band  | Test Channel | Bandwidth (MHz) | Frequency (MHz) | Intefference frequency (MHz) |      | EUT Status | Injected AWGN Power (dBm) | Ant Gain (dBi) | Detection Power(dBm) | Detection Limit (dBm) |
| 5  | 53           | 20              | 6215            | Center                       | 6215 | OFF        | -66.00                    | 6.40           | -72.40               | ≤ -62                 |
|  |              |                 |                 |                              |      | Minimal    | -67.00                    | 6.40           | -73.40               | ≤ -62                 |
|  |              |                 |                 |                              |      | ON         | -68.00                    | 6.40           | -74.40               | ≤ -62                 |
| 6  | 101          | 20              | 6455            | Center                       | 6455 | OFF        | -64.00                    | 6.40           | -70.40               | ≤ -62                 |
|  |              |                 |                 |                              |      | Minimal    | -65.00                    | 6.40           | -71.40               | ≤ -62                 |
|  |              |                 |                 |                              |      | ON         | -66.00                    | 6.40           | -72.40               | ≤ -62                 |
| 7  | 149          | 20              | 6695            | Center                       | 6695 | OFF        | -65.00                    | 6.40           | -71.40               | ≤ -62                 |
|  |              |                 |                 |                              |      | Minimal    | -66.00                    | 6.40           | -72.40               | ≤ -62                 |
|  |              |                 |                 |                              |      | ON         | -67.00                    | 6.40           | -73.40               | ≤ -62                 |
| 8  | 213          | 20              | 7015            | Center                       | 7015 | OFF        | -60.00                    | 6.40           | -66.40               | ≤ -62                 |
|  |              |                 |                 |                              |      | Minimal    | -61.00                    | 6.40           | -67.40               | ≤ -62                 |
|  |              |                 |                 |                              |      | ON         | -62.00                    | 6.40           | -68.40               | ≤ -62                 |




| Contention Based Protocol Threshold Level (802.11ax HEW160) |              |                 |                 |                              |      |            |                           |                |                      |                       |
|---|--------------|-----------------|-----------------|------------------------------|------|------------|---------------------------|----------------|----------------------|-----------------------|
| UNII Band   | Test Channel | Bandwidth (MHz) | Frequency (MHz) | Intetference frequency (MHz) |      | EUT Status | Injected AWGN Power (dBm) | Ant Gain (dBi) | Detection Power(dBm) | Detection Limit (dBm) |
| 5   | 47           | 160             | 6185            | Low edge                     | 6110 | OFF        | -65.00                    | 6.40           | -71.40               | ≤ -62                 |
|   |              |                 |                 |                              |      | Minimal    | -66.00                    | 6.40           | -72.40               |                       |
|   |              |                 |                 |                              |      | ON         | -67.00                    | 6.40           | -73.40               |                       |
|   |              |                 |                 | Center                       | 6185 | OFF        | -62.00                    | 6.40           | -68.40               | ≤ -62                 |
|   |              |                 |                 |                              |      | Minimal    | -63.00                    | 6.40           | -69.40               |                       |
|   |              |                 |                 |                              |      | ON         | -64.00                    | 6.40           | -70.40               |                       |
|   |              |                 |                 | High edge                    | 6260 | OFF        | -64.00                    | 6.40           | -70.40               | ≤ -62                 |
|   |              |                 |                 |                              |      | Minimal    | -65.00                    | 6.40           | -71.40               |                       |
|   |              |                 |                 |                              |      | ON         | -66.00                    | 6.40           | -72.40               |                       |
| 6   | 111          | 160             | 6505            | Low edge                     | 6430 | OFF        | -67.00                    | 6.40           | -73.40               | ≤ -62                 |
|   |              |                 |                 |                              |      | Minimal    | -68.00                    | 6.40           | -74.40               |                       |
|   |              |                 |                 |                              |      | ON         | -69.00                    | 6.40           | -75.40               |                       |
|   |              |                 |                 | Center                       | 6505 | OFF        | -62.00                    | 6.40           | -68.40               | ≤ -62                 |
|   |              |                 |                 |                              |      | Minimal    | -63.00                    | 6.40           | -69.40               |                       |
|   |              |                 |                 |                              |      | ON         | -64.00                    | 6.40           | -70.40               |                       |
|   |              |                 |                 | High edge                    | 6580 | OFF        | -64.00                    | 6.40           | -70.40               | ≤ -62                 |
|   |              |                 |                 |                              |      | Minimal    | -65.00                    | 6.40           | -71.40               |                       |
|   |              |                 |                 |                              |      | ON         | -66.00                    | 6.40           | -72.40               |                       |
| 7   | 143          | 160             | 6665            | Low edge                     | 6590 | OFF        | -64.00                    | 6.40           | -70.40               | ≤ -62                 |
|   |              |                 |                 |                              |      | Minimal    | -65.00                    | 6.40           | -71.40               |                       |
|   |              |                 |                 |                              |      | ON         | -66.00                    | 6.40           | -72.40               |                       |
|   |              |                 |                 | Center                       | 6665 | OFF        | -63.00                    | 6.40           | -69.40               | ≤ -62                 |
|   |              |                 |                 |                              |      | Minimal    | -64.00                    | 6.40           | -70.40               |                       |
|   |              |                 |                 |                              |      | ON         | -65.00                    | 6.40           | -71.40               |                       |
|   |              |                 |                 | High edge                    | 6740 | OFF        | -63.00                    | 6.40           | -69.40               | ≤ -62                 |
|   |              |                 |                 |                              |      | Minimal    | -64.00                    | 6.40           | -70.40               |                       |
|   |              |                 |                 |                              |      | ON         | -65.00                    | 6.40           | -71.40               |                       |
| 8   | 207          | 160             | 6985            | Low edge                     | 6910 | OFF        | -67.00                    | 6.40           | -73.40               | ≤ -62                 |
|   |              |                 |                 |                              |      | Minimal    | -68.00                    | 6.40           | -74.40               |                       |
|   |              |                 |                 |                              |      | ON         | -69.00                    | 6.40           | -75.40               |                       |
|   |              |                 |                 | Center                       | 6985 | OFF        | -60.00                    | 6.40           | -66.40               | ≤ -62                 |
|   |              |                 |                 |                              |      | Minimal    | -61.00                    | 6.40           | -67.40               |                       |
|   |              |                 |                 |                              |      | ON         | -62.00                    | 6.40           | -68.40               |                       |
|   |              |                 |                 | High edge                    | 7060 | OFF        | -60.00                    | 6.40           | -66.40               | ≤ -62                 |
|   |              |                 |                 |                              |      | Minimal    | -61.00                    | 6.40           | -67.40               |                       |
|   |              |                 |                 |                              |      | ON         | -62.00                    | 6.40           | -68.40               |                       |



Bandwidth 20MHz: Traffic Loading Plot - 6215MHz



Bandwidth 20MHz: Traffic Loading Plot - 6455MHz






### Bandwidth 20MHz: Traffic Loading Plot - 6695MHz

Time Analysis

Main



Sample Time

12.5us

All TX Time

89.6375ms

All TX Sample

7171

Duty Cycle

0.896263

T1[s] T2[s]

NaNs NaNs


T3[s] T4[s]

NaNs NaNs

### Bandwidth 20MHz: Traffic Loading Plot - 7015MHz

Time Analysis

Main



Sample Time

12.5us

All TX Time

88.5875ms

All TX Sample

7087

Duty Cycle

0.885764

T1[s] T2[s]

NaNs NaNs

T3[s] T4[s]


NaNs NaNs



### Bandwidth 160MHz: Traffic Loading Plot - 6185MHz

Time Analysis

Main



Sample Time

12.5us

All TX Time

72.1ms

All TX Sample

5768

Duty Cycle

0.72091

T1[s] T2[s]

NaNs NaNs


T3[s] T4[s]

NaNs NaNs

### Bandwidth 160MHz: Traffic Loading Plot - 6505MHz

Time Analysis

Main



Sample Time

12.5us

All TX Time

77.275ms

All TX Sample

6182

Duty Cycle

0.772653

T1[s] T2[s]

NaNs NaNs

T3[s] T4[s]


NaNs NaNs



### Bandwidth 160MHz: Traffic Loading Plot - 6665MHz

Time Analysis

Main



Sample Time

12.5us

All TX Time

79.4875ms

All TX Sample

6359

Duty Cycle

0.794776

T1[s] T2[s]

NaNs NaNs


T3[s] T4[s]

NaNs NaNs

### Bandwidth 160MHz: Traffic Loading Plot - 6985MHz

Time Analysis

Main



Sample Time

12.5us

All TX Time

72.9125ms

All TX Sample

5833

Duty Cycle

0.729034


T1[s] T2[s]



NaNs NaNs

T3[s] T4[s]

NaNs NaNs


# 1. Incumbent signal (AWGN) Plot





802.11ax HEW160


Frequency (MHz): 6110 MHz



Date: 18.JAN.2024 08:43:42



AWGN Bandwidth: 10MHz

Frequency (MHz): 6185 MHz







Date: 18.JAN.2024 08:45:14



AWGN Bandwidth: 10MHz
















## 2. Contention-Based Protocol Plot




Note: M1: Inject AWGN signal; M2: Remove AWGN signal.



Note: M1: Inject AWGN signal; M2: Remove AWGN signal.

Test CH 149 ; Incumbent signal 6695 MHz


Time Analysis




Note: M1: Inject AWGN signal; M2: Remove AWGN signal.

Test CH 213 ; Incumbent signal 7015 MHz


Time Analysis



Note: M1: Inject AWGN signal; M2: Remove AWGN signal.




**Note: M1: Inject AWGN signal; M2: Remove AWGN signal.**



**Note: M1: Inject AWGN signal; M2: Remove AWGN signal.**

Test CH 47 ; Incumbent signal 6260 MHz


Time Analysis



Note: M1: Inject AWGN signal; M2: Remove AWGN signal.

Test CH 111 ; Incumbent signal 6430 MHz

Time Analysis




Note: M1: Inject AWGN signal; M2: Remove AWGN signal.



Test CH 111 ; Incumbent signal 6505 MHz


Time Analysis



Note: M1: Inject AWGN signal; M2: Remove AWGN signal.

Test CH 111 ; Incumbent signal 6580 MHz


Time Analysis



Note: M1: Inject AWGN signal; M2: Remove AWGN signal.

Test CH 143 ; Incumbent signal 6590 MHz

Time Analysis




|               |           |
|---------------|-----------|
| Sample Time   | 1us       |
| All TX Time   | 849.272ms |
| All TX Sample | 849272    |
| Duty Cycle    | 0.849271  |
| T1[s]         | T2[s]     |
| 0s            | 0s        |
| T3[s]         | T4[s]     |
| NaNs          | NaNs      |

Note: M1: Inject AWGN signal; M2: Remove AWGN signal.

Test CH 143 ; Incumbent signal 6665 MHz

Time Analysis




|               |           |
|---------------|-----------|
| Sample Time   | 1us       |
| All TX Time   | 644.398ms |
| All TX Sample | 644398    |
| Duty Cycle    | 0.644397  |
| T1[s]         | T2[s]     |
| 0s            | 0s        |
| T3[s]         | T4[s]     |
| NaNs          | NaNs      |

Note: M1: Inject AWGN signal; M2: Remove AWGN signal.

Test CH 143 ; Incumbent signal 6740 MHz


Time Analysis



Note: M1: Inject AWGN signal; M2: Remove AWGN signal.

Test CH 207 ; Incumbent signal 6910 MHz


Time Analysis



Note: M1: Inject AWGN signal; M2: Remove AWGN signal.

Test CH 207 ; Incumbent signal 6985 MHz


Time Analysis



Note: M1: Inject AWGN signal; M2: Remove AWGN signal.

Test CH 207 ; Incumbent signal 7060 MHz

Time Analysis




Note: M1: Inject AWGN signal; M2: Remove AWGN signal.

### 3. Contention Based Protocol Threshold Level Verify Plot



Frequency (MHz): 6215 MHz (Threshold Level: -68 dBm)

Time Analysis




|               |           |
|---------------|-----------|
| Sample Time   | 1us       |
| All TX Time   | 888.389ms |
| All TX Sample | 888389    |
| Duty Cycle    | 0.888388  |
| T1[s]         | T2[s]     |
| NaNs          | NaNs      |
| T3[s]         | T4[s]     |
| NaNs          | NaNs      |

Bandwidth (MHz): 160

Frequency (MHz): 6110 MHz (Threshold Level: -65dBm)

Time Analysis




|               |           |
|---------------|-----------|
| Sample Time   | 1us       |
| All TX Time   | 901.657ms |
| All TX Sample | 901657    |
| Duty Cycle    | 0.901656  |
| T1[s]         | T2[s]     |
| NaNs          | NaNs      |
| T3[s]         | T4[s]     |
| NaNs          | NaNs      |



Frequency (MHz): 6110 MHz (Threshold Level: -66dBm)


Time Analysis



|               |           |
|---------------|-----------|
| Sample Time   | 1us       |
| All TX Time   | 881.019ms |
| All TX Sample | 881019    |
| Duty Cycle    | 0.881018  |
| T1[s]         | T2[s]     |
| NaNs          | NaNs      |
| T3[s]         | T4[s]     |
| NaNs          | NaNs      |

Frequency (MHz): 6110 MHz (Threshold Level: -67dBm)


Time Analysis



|               |           |
|---------------|-----------|
| Sample Time   | 1us       |
| All TX Time   | 892.544ms |
| All TX Sample | 892544    |
| Duty Cycle    | 0.892543  |
| T1[s]         | T2[s]     |
| NaNs          | NaNs      |
| T3[s]         | T4[s]     |
| NaNs          | NaNs      |

Frequency (MHz): 6185 MHz (Threshold Level: -62dBm)


Time Analysis



|               |           |
|---------------|-----------|
| Sample Time   | 1us       |
| All TX Time   | 760.157ms |
| All TX Sample | 760157    |
| Duty Cycle    | 0.760156  |
| T1[s]         | T2[s]     |
| NaNs          | NaNs      |
| T3[s]         | T4[s]     |
| NaNs          | NaNs      |

Frequency (MHz): 6185 MHz (Threshold Level: -63dBm)

Time Analysis




|               |           |
|---------------|-----------|
| Sample Time   | 1us       |
| All TX Time   | 769.169ms |
| All TX Sample | 769169    |
| Duty Cycle    | 0.769168  |
| T1[s]         | T2[s]     |
| 0s            | 0s        |
| T3[s]         | T4[s]     |
| NaNs          | NaNs      |



Frequency (MHz): 6185 MHz (Threshold Level: -64dBm)


Time Analysis



|               |           |
|---------------|-----------|
| Sample Time   | 1us       |
| All TX Time   | 756.923ms |
| All TX Sample | 756923    |
| Duty Cycle    | 0.756922  |
| T1[s]         | T2[s]     |
| 0s            | 0s        |
| T3[s]         | T4[s]     |
| NaNs          | NaNs      |

Frequency (MHz): 6260 MHz (Threshold Level: -64dBm)


Time Analysis



|               |           |
|---------------|-----------|
| Sample Time   | 1us       |
| All TX Time   | 478.676ms |
| All TX Sample | 478676    |
| Duty Cycle    | 0.478676  |
| T1[s]         | T2[s]     |
| 0s            | 0s        |
| T3[s]         | T4[s]     |
| NaNs          | NaNs      |

Frequency (MHz): 6260 MHz (Threshold Level: -65dBm)


Time Analysis



|               |           |
|---------------|-----------|
| Sample Time   | 1us       |
| All TX Time   | 402.951ms |
| All TX Sample | 402951    |
| Duty Cycle    | 0.402951  |
| T1[s]         | T2[s]     |
| 0s            | 0s        |
| T3[s]         | T4[s]     |
| NaNs          | NaNs      |

Frequency (MHz): 6260 MHz (Threshold Level: -66dBm)

Time Analysis



|               |           |
|---------------|-----------|
| Sample Time   | 1us       |
| All TX Time   | 447.786ms |
| All TX Sample | 447786    |
| Duty Cycle    | 0.447786  |
| T1[s]         | T2[s]     |
| 0s            | 0s        |
| T3[s]         | T4[s]     |
| NaNs          | NaNs      |



| Antenna Gain(dBi) |       |       |       |
|-------------------|-------|-------|-------|
| UNII5             | UNII6 | UNII7 | UNII8 |
| 4.2               | 3.99  | 4.06  | 3.96  |

| Contention Based protocol (802.11be EHT20) |              |                 |                 |                             |      |                            |            |                                      |                           |           |             |
|--|--------------|-----------------|-----------------|-----------------------------|------|----------------------------|------------|--------------------------------------|---------------------------|-----------|-------------|
| UNII Band                                  | Test Channel | Bandwidth (MHz) | Frequency (MHz) | Inteference frequency (MHz) |      | AWGN Threshold Level (dBm) | EUT Status | Number of Detected (out of 10 times) | Detection Probability (%) | Limit (%) | Test Result |
| 5  | 53           | 20              | 6215            | Center                      | 6215 | -73.20                     | OFF        | 10                                   | 100                       | 90        | Pass        |
| 6  | 101          | 20              | 6455            | Center                      | 6455 | -70.99                     | OFF        | 10                                   | 100                       | 90        | Pass        |
| 7  | 149          | 20              | 6695            | Center                      | 6695 | -70.06                     | OFF        | 10                                   | 100                       | 90        | Pass        |
| 8  | 213          | 20              | 7015            | Center                      | 7015 | -68.96                     | OFF        | 10                                   | 100                       | 90        | Pass        |

| Contention Based protocol (802.11be EHT320) |              |                 |                 |                             |      |                            |            |                                      |                           |           |             |
|---|--------------|-----------------|-----------------|-----------------------------|------|----------------------------|------------|--------------------------------------|---------------------------|-----------|-------------|
| UNII Band                                   | Test Channel | Bandwidth (MHz) | Frequency (MHz) | Inteference frequency (MHz) |      | AWGN Threshold Level (dBm) | EUT Status | Number of Detected (out of 10 times) | Detection Probability (%) | Limit (%) | Test Result |
| 5   | 31           | 320             | 6105            | Low edge                    | 5950 | -69.20                     | OFF        | 10                                   | 100                       | 90        | Pass        |
|   |              |                 |                 | Center                      | 6105 | -67.20                     | OFF        | 10                                   | 100                       | 90        | Pass        |
|   |              |                 |                 | High edge                   | 6260 | -67.20                     | OFF        | 10                                   | 100                       | 90        | Pass        |
| 5,6,7                                       | 95           | 320             | 6425            | Low edge                    | 6270 | -73.99                     | OFF        | 10                                   | 100                       | 90        | Pass        |
|   |              |                 |                 | Center                      | 6425 | -62.99                     | OFF        | 10                                   | 100                       | 90        | Pass        |
|   |              |                 |                 | High edge                   | 6580 | -72.99                     | OFF        | 10                                   | 100                       | 90        | Pass        |
| 6,7   | 127          | 320             | 6585            | Low edge                    | 6430 | -73.06                     | OFF        | 10                                   | 100                       | 90        | Pass        |
|   |              |                 |                 | Center                      | 6585 | -68.06                     | OFF        | 10                                   | 100                       | 90        | Pass        |
|   |              |                 |                 | High edge                   | 6740 | -66.06                     | OFF        | 10                                   | 100                       | 90        | Pass        |
| 7,8   | 191          | 320             | 6905            | Low edge                    | 6750 | -72.96                     | OFF        | 10                                   | 100                       | 90        | Pass        |
|   |              |                 |                 | Center                      | 6905 | -71.96                     | OFF        | 10                                   | 100                       | 90        | Pass        |
|   |              |                 |                 | High edge                   | 7060 | -67.96                     | OFF        | 10                                   | 100                       | 90        | Pass        |



| Contention Based Protocol Threshold Level (802.11be EHT20) |              |                 |                 |                              |      |            |                           |                |                      |                       |
|--|--------------|-----------------|-----------------|------------------------------|------|------------|---------------------------|----------------|----------------------|-----------------------|
| UNII Band  | Test Channel | Bandwidth (MHz) | Frequency (MHz) | Intefference frequency (MHz) |      | EUT Status | Injected AWGN Power (dBm) | Ant Gain (dBi) | Detection Power(dBm) | Detection Limit (dBm) |
| 5  | 53           | 20              | 6215            | Center                       | 6215 | OFF        | -69.00                    | 4.20           | -73.20               | ≤ -62                 |
|  |              |                 |                 |                              |      | Minimal    | -70.00                    | 4.20           | -74.20               | ≤ -62                 |
|  |              |                 |                 |                              |      | ON         | -71.00                    | 4.20           | -75.20               | ≤ -62                 |
| 6  | 101          | 20              | 6455            | Center                       | 6455 | OFF        | -67.00                    | 3.99           | -70.99               | ≤ -62                 |
|  |              |                 |                 |                              |      | Minimal    | -68.00                    | 3.99           | -71.99               | ≤ -62                 |
|  |              |                 |                 |                              |      | ON         | -69.00                    | 3.99           | -72.99               | ≤ -62                 |
| 7  | 149          | 20              | 6695            | Center                       | 6695 | OFF        | -66.00                    | 4.06           | -70.06               | ≤ -62                 |
|  |              |                 |                 |                              |      | Minimal    | -67.00                    | 4.06           | -71.06               | ≤ -62                 |
|  |              |                 |                 |                              |      | ON         | -68.00                    | 4.06           | -72.06               | ≤ -62                 |
| 8  | 213          | 20              | 7015            | Center                       | 7015 | OFF        | -65.00                    | 3.96           | -68.96               | ≤ -62                 |
|  |              |                 |                 |                              |      | Minimal    | -66.00                    | 3.96           | -69.96               | ≤ -62                 |
|  |              |                 |                 |                              |      | ON         | -67.00                    | 3.96           | -70.96               | ≤ -62                 |




| Contention Based Protocol Threshold Level (802.11be EHT320) |              |                 |                 |                              |      |            |                           |                |                      |                       |
|---|--------------|-----------------|-----------------|------------------------------|------|------------|---------------------------|----------------|----------------------|-----------------------|
| UNII Band   | Test Channel | Bandwidth (MHz) | Frequency (MHz) | Intetference frequency (MHz) |      | EUT Status | Injected AWGN Power (dBm) | Ant Gain (dBi) | Detection Power(dBm) | Detection Limit (dBm) |
| 5   | 31           | 320             | 6105            | Low edge                     | 5950 | OFF        | -65.00                    | 4.20           | -69.20               | ≤ -62                 |
|   |              |                 |                 |                              |      | Minimal    | -66.00                    | 4.20           | -70.20               |                       |
|   |              |                 |                 |                              |      | ON         | -67.00                    | 4.20           | -71.20               |                       |
|   |              |                 |                 | Center                       | 6105 | OFF        | -63.00                    | 4.20           | -67.20               | ≤ -62                 |
|   |              |                 |                 |                              |      | Minimal    | -64.00                    | 4.20           | -68.20               |                       |
|   |              |                 |                 |                              |      | ON         | -65.00                    | 4.20           | -69.20               |                       |
|   |              |                 |                 | High edge                    | 6260 | OFF        | -63.00                    | 4.20           | -67.20               | ≤ -62                 |
|   |              |                 |                 |                              |      | Minimal    | -64.00                    | 4.20           | -68.20               |                       |
|   |              |                 |                 |                              |      | ON         | -65.00                    | 4.20           | -69.20               |                       |
| 5,6,7   | 95           | 320             | 6425            | Low edge                     | 6270 | OFF        | -70.00                    | 3.99           | -73.99               | ≤ -62                 |
|   |              |                 |                 |                              |      | Minimal    | -71.00                    | 3.99           | -74.99               |                       |
|   |              |                 |                 |                              |      | ON         | -72.00                    | 3.99           | -75.99               |                       |
|   |              |                 |                 | Center                       | 6425 | OFF        | -59.00                    | 3.99           | -62.99               | ≤ -62                 |
|   |              |                 |                 |                              |      | Minimal    | -60.00                    | 3.99           | -63.99               |                       |
|   |              |                 |                 |                              |      | ON         | -61.00                    | 3.99           | -64.99               |                       |
|   |              |                 |                 | High edge                    | 6580 | OFF        | -69.00                    | 3.99           | -72.99               | ≤ -62                 |
|   |              |                 |                 |                              |      | Minimal    | -70.00                    | 3.99           | -73.99               |                       |
|   |              |                 |                 |                              |      | ON         | -71.00                    | 3.99           | -74.99               |                       |
| 6,7   | 127          | 320             | 6585            | Low edge                     | 6430 | OFF        | -69.00                    | 4.06           | -73.06               | ≤ -62                 |
|   |              |                 |                 |                              |      | Minimal    | -70.00                    | 4.06           | -74.06               |                       |
|   |              |                 |                 |                              |      | ON         | -71.00                    | 4.06           | -75.06               |                       |
|   |              |                 |                 | Center                       | 6585 | OFF        | -64.00                    | 4.06           | -68.06               | ≤ -62                 |
|   |              |                 |                 |                              |      | Minimal    | -65.00                    | 4.06           | -69.06               |                       |
|   |              |                 |                 |                              |      | ON         | -66.00                    | 4.06           | -70.06               |                       |
|   |              |                 |                 | High edge                    | 6740 | OFF        | -62.00                    | 4.06           | -66.06               | ≤ -62                 |
|   |              |                 |                 |                              |      | Minimal    | -63.00                    | 4.06           | -67.06               |                       |
|   |              |                 |                 |                              |      | ON         | -64.00                    | 4.06           | -68.06               |                       |
| 7,8   | 191          | 320             | 6905            | Low edge                     | 6750 | OFF        | -69.00                    | 3.96           | -72.96               | ≤ -62                 |
|   |              |                 |                 |                              |      | Minimal    | -70.00                    | 3.96           | -73.96               |                       |
|   |              |                 |                 |                              |      | ON         | -71.00                    | 3.96           | -74.96               |                       |
|   |              |                 |                 | Center                       | 6905 | OFF        | -68.00                    | 3.96           | -71.96               | ≤ -62                 |
|   |              |                 |                 |                              |      | Minimal    | -69.00                    | 3.96           | -72.96               |                       |
|   |              |                 |                 |                              |      | ON         | -70.00                    | 3.96           | -73.96               |                       |
|   |              |                 |                 | High edge                    | 7060 | OFF        | -64.00                    | 3.96           | -67.96               | ≤ -62                 |
|   |              |                 |                 |                              |      | Minimal    | -65.00                    | 3.96           | -68.96               |                       |
|   |              |                 |                 |                              |      | ON         | -66.00                    | 3.96           | -69.96               |                       |



Bandwidth 20MHz: Traffic Loading Plot - 6215MHz

Time Analysis

Main



Sample Time

12.5us

All TX Time

95.4875ms

All TX Sample

7639

Duty Cycle

0.954756

T1[s] T2[s]

NaNs NaNs


T3[s] T4[s]

NaNs NaNs

Bandwidth 20MHz: Traffic Loading Plot - 6455MHz

Time Analysis

Main



Sample Time

12.5us

All TX Time

93.1375ms

All TX Sample

7451

Duty Cycle

0.931259

T1[s] T2[s]


NaNs NaNs

T3[s] T4[s]


NaNs NaNs



Bandwidth 20MHz: Traffic Loading Plot - 6695MHz




Bandwidth 20MHz: Traffic Loading Plot - 7015MHz






### Bandwidth 320MHz: Traffic Loading Plot - 6105MHz




### Bandwidth 320MHz: Traffic Loading Plot - 6425MHz









Bandwidth 320MHz: Traffic Loading Plot - 6585MHz





Bandwidth 320MHz: Traffic Loading Plot - 6905MHz






# 1. Incumbent signal (AWGN) Plot


























## 2. Contention-Based Protocol Plot




Note: M1: Inject AWGN signal; M2: Remove AWGN signal.



Note: M1: Inject AWGN signal; M2: Remove AWGN signal.

Test CH 149 ; Incumbent signal 6695 MHz


Time Analysis




Note: M1: Inject AWGN signal; M2: Remove AWGN signal.

Test CH 213 ; Incumbent signal 7015 MHz


Time Analysis



Note: M1: Inject AWGN signal; M2: Remove AWGN signal.




**Note: M1: Inject AWGN signal; M2: Remove AWGN signal.**



**Note: M1: Inject AWGN signal; M2: Remove AWGN signal.**

Test CH 31 ; Incumbent signal 6260 MHz


Time Analysis



Note: M1: Inject AWGN signal; M2: Remove AWGN signal.

Test CH 95 ; Incumbent signal 6270 MHz


Time Analysis



Note: M1: Inject AWGN signal; M2: Remove AWGN signal.

Test CH 95 ; Incumbent signal 6425 MHz


Time Analysis



Note: M1: Inject AWGN signal; M2: Remove AWGN signal.

Test CH 95 ; Incumbent signal 6580 MHz


Time Analysis



Note: M1: Inject AWGN signal; M2: Remove AWGN signal.

Test CH 127 ; Incumbent signal 6430 MHz


Time Analysis



Note: M1: Inject AWGN signal; M2: Remove AWGN signal.

Test CH 127 ; Incumbent signal 6585 MHz


Time Analysis



Note: M1: Inject AWGN signal; M2: Remove AWGN signal.

Test CH 127 ; Incumbent signal 6740 MHz


Time Analysis



Note: M1: Inject AWGN signal; M2: Remove AWGN signal.

Test CH 191 ; Incumbent signal 6750 MHz

Time Analysis




Note: M1: Inject AWGN signal; M2: Remove AWGN signal.



Test CH 191 ; Incumbent signal 6905 MHz


Time Analysis



Note: M1: Inject AWGN signal; M2: Remove AWGN signal.


Test CH 191 ; Incumbent signal 7060 MHz

Time Analysis




Note: M1: Inject AWGN signal; M2: Remove AWGN signal.

### 3. Contention Based Protocol Threshold Level Verify Plot



Frequency (MHz): 6215 MHz (Threshold Level: -71dBm)

Time Analysis




|               |           |
|---------------|-----------|
| Sample Time   | 1us       |
| All TX Time   | 920.295ms |
| All TX Sample | 920295    |
| Duty Cycle    | 0.920294  |
| T1[s]         | T2[s]     |
| NaNs          | NaNs      |
| T3[s]         | T4[s]     |
| NaNs          | NaNs      |

Bandwidth (MHz): 320

Frequency (MHz): 5950 MHz (Threshold Level: -65dBm)


Time Analysis



|               |          |
|---------------|----------|
| Sample Time   | 1us      |
| All TX Time   | 473.89ms |
| All TX Sample | 473890   |
| Duty Cycle    | 0.47389  |
| T1[s]         | T2[s]    |
| NaNs          | NaNs     |
| T3[s]         | T4[s]    |
| NaNs          | NaNs     |

Frequency (MHz): 5950 MHz (Threshold Level: -67dBm)


Time Analysis



|               |           |
|---------------|-----------|
| Sample Time   | 1us       |
| All TX Time   | 473.316ms |
| All TX Sample | 473316    |
| Duty Cycle    | 0.473316  |
| T1[s]         | T2[s]     |
| NaNs          | NaNs      |
| T3[s]         | T4[s]     |
| NaNs          | NaNs      |

Frequency (MHz): 5950 MHz (Threshold Level: -68dBm)


Time Analysis



|               |           |
|---------------|-----------|
| Sample Time   | 1us       |
| All TX Time   | 472.841ms |
| All TX Sample | 472841    |
| Duty Cycle    | 0.472841  |
| T1[s]         | T2[s]     |
| NaNs          | NaNs      |
| T3[s]         | T4[s]     |
| NaNs          | NaNs      |

Frequency (MHz): 6105 MHz (Threshold Level: -63dBm)


Time Analysis



|               |           |
|---------------|-----------|
| Sample Time   | 1us       |
| All TX Time   | 500.041ms |
| All TX Sample | 500041    |
| Duty Cycle    | 0.50004   |
| T1[s]         | T2[s]     |
| NaNs          | NaNs      |
| T3[s]         | T4[s]     |
| NaNs          | NaNs      |

Frequency (MHz): 6105 MHz (Threshold Level: -64dBm)


Time Analysis



|               |           |
|---------------|-----------|
| Sample Time   | 1us       |
| All TX Time   | 476.151ms |
| All TX Sample | 476151    |
| Duty Cycle    | 0.476151  |
| T1[s]         | T2[s]     |
| NaNs          | NaNs      |
| T3[s]         | T4[s]     |
| NaNs          | NaNs      |

Frequency (MHz): 6105 MHz (Threshold Level: -65 dBm)


Time Analysis



|               |           |
|---------------|-----------|
| Sample Time   | 1us       |
| All TX Time   | 680.208ms |
| All TX Sample | 680208    |
| Duty Cycle    | 0.680207  |
| T1[s]         | T2[s]     |
| NaNs          | NaNs      |
| T3[s]         | T4[s]     |
| NaNs          | NaNs      |

Frequency (MHz): 6260 MHz (Threshold Level: -63dBm)


Time Analysis



|               |           |
|---------------|-----------|
| Sample Time   | 1us       |
| All TX Time   | 478.745ms |
| All TX Sample | 478745    |
| Duty Cycle    | 0.478745  |
| T1[s]         | T2[s]     |
| NaNs          | NaNs      |
| T3[s]         | T4[s]     |
| NaNs          | NaNs      |

Frequency (MHz): 6260 MHz (Threshold Level: -64dBm)


Time Analysis



|               |           |
|---------------|-----------|
| Sample Time   | 1us       |
| All TX Time   | 490.048ms |
| All TX Sample | 490048    |
| Duty Cycle    | 0.490048  |
| T1[s]         | T2[s]     |
| NaNs          | NaNs      |
| T3[s]         | T4[s]     |
| NaNs          | NaNs      |

Frequency (MHz): 6260 MHz (Threshold Level: -65dBm)

Time Analysis



|               |           |
|---------------|-----------|
| Sample Time   | 1us       |
| All TX Time   | 472.685ms |
| All TX Sample | 472685    |
| Duty Cycle    | 0.472685  |
| T1[s]         | T2[s]     |
| NaNs          | NaNs      |
| T3[s]         | T4[s]     |
| NaNs          | NaNs      |



**Summary**

| Mode   | Result | Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Condition  |
|--------|--------|------|-----------|----------------|----------------|-------------|------------|
| Mode 1 | Pass   | AV   | 11.48065G | 43.13          | 54.00          | -10.87      | Horizontal |
| Mode 2 | Pass   | AV   | 11.48685G | 43.43          | 54.00          | -10.57      | Horizontal |
| Mode 3 | Pass   | AV   | 12.35194G | 45.12          | 54.00          | -8.88       | Horizontal |






Result

| Mode   | Result | Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Dist (m) | Condition  | Azimuth (°) | Height (m) |
|--------|--------|------|-----------|----------------|----------------|-------------|----------|------------|-------------|------------|
| Mode 1 | Pass   | AV   | 4.79819G  | 33.99          | 54.00          | -20.01      | 3        | Vertical   | 360         | 1.26       |
| Mode 1 | Pass   | AV   | 4.82545G  | 34.03          | 54.00          | -19.97      | 3        | Vertical   | 0           | 2.02       |
| Mode 1 | Pass   | AV   | 4.87424G  | 33.83          | 54.00          | -20.17      | 3        | Vertical   | 132         | 2.80       |
| Mode 1 | Pass   | AV   | 11.48G    | 43.12          | 54.00          | -10.88      | 3        | Vertical   | 352         | 1.50       |
| Mode 1 | Pass   | AV   | 13.64419G | 53.03          | 68.20          | -15.17      | 3        | Vertical   | 336         | 2.38       |
| Mode 1 | Pass   | PK   | 4.81271G  | 45.98          | 74.00          | -28.02      | 3        | Vertical   | 360         | 1.26       |
| Mode 1 | Pass   | PK   | 4.82239G  | 45.85          | 74.00          | -28.15      | 3        | Vertical   | 0           | 2.02       |
| Mode 1 | Pass   | PK   | 4.86215G  | 44.86          | 74.00          | -29.14      | 3        | Vertical   | 132         | 2.80       |
| Mode 1 | Pass   | PK   | 11.49871G | 55.24          | 74.00          | -18.76      | 3        | Vertical   | 352         | 1.50       |
| Mode 1 | Pass   | PK   | 13.64581G | 65.09          | 88.20          | -23.11      | 3        | Vertical   | 336         | 2.38       |
| Mode 1 | Pass   | AV   | 4.79965G  | 33.79          | 54.00          | -20.21      | 3        | Horizontal | 348         | 1.16       |
| Mode 1 | Pass   | AV   | 4.82368G  | 33.19          | 54.00          | -20.81      | 3        | Horizontal | 155         | 3.00       |
| Mode 1 | Pass   | AV   | 4.88755G  | 33.26          | 54.00          | -20.74      | 3        | Horizontal | 9           | 2.57       |
| Mode 1 | Pass   | AV   | 11.48065G | 43.13          | 54.00          | -10.87      | 3        | Horizontal | 108         | 1.50       |
| Mode 1 | Pass   | AV   | 13.65774G | 50.98          | 68.20          | -17.22      | 3        | Horizontal | 38          | 2.35       |
| Mode 1 | Pass   | PK   | 4.79739G  | 46.22          | 74.00          | -27.78      | 3        | Horizontal | 348         | 1.16       |
| Mode 1 | Pass   | PK   | 4.82626G  | 45.74          | 74.00          | -28.26      | 3        | Horizontal | 155         | 3.00       |
| Mode 1 | Pass   | PK   | 4.874G    | 45.52          | 74.00          | -28.48      | 3        | Horizontal | 9           | 2.57       |
| Mode 1 | Pass   | PK   | 11.49629G | 54.92          | 74.00          | -19.08      | 3        | Horizontal | 108         | 1.50       |
| Mode 1 | Pass   | PK   | 13.67839G | 63.94          | 88.20          | -24.26      | -3       | Horizontal | 38          | 2.35       |
| Mode 2 | Pass   | AV   | 4.79561G  | 33.58          | 54.00          | -20.42      | 3        | Vertical   | 47          | 1.70       |
| Mode 2 | Pass   | AV   | 4.86505G  | 34.86          | 54.00          | -19.14      | 3        | Vertical   | 224         | 2.42       |
| Mode 2 | Pass   | AV   | 11.49726G | 43.27          | 54.00          | -10.73      | 3        | Vertical   | 154         | 2.93       |
| Mode 2 | Pass   | AV   | 11.55766G | 43.27          | 54.00          | -10.73      | 3        | Vertical   | 89          | 2.33       |
| Mode 2 | Pass   | AV   | 13.64742G | 53.61          | 68.20          | -14.59      | 3        | Vertical   | 331         | 2.48       |
| Mode 2 | Pass   | PK   | 4.79868G  | 45.19          | 74.00          | -28.81      | 3        | Vertical   | 47          | 1.70       |
| Mode 2 | Pass   | PK   | 4.87037G  | 46.67          | 74.00          | -27.33      | 3        | Vertical   | 224         | 2.42       |
| Mode 2 | Pass   | PK   | 11.48855G | 54.83          | 74.00          | -19.17      | 3        | Vertical   | 154         | 2.93       |
| Mode 2 | Pass   | PK   | 11.58355G | 55.13          | 74.00          | -18.87      | 3        | Vertical   | 89          | 2.33       |
| Mode 2 | Pass   | PK   | 13.66677G | 68.27          | 88.20          | -19.93      | 3        | Vertical   | 331         | 2.48       |
| Mode 2 | Pass   | AV   | 4.81223G  | 34.23          | 54.00          | -19.77      | 3        | Horizontal | 5           | 2.60       |
| Mode 2 | Pass   | AV   | 4.88827G  | 33.87          | 54.00          | -20.13      | 3        | Horizontal | 287         | 2.64       |
| Mode 2 | Pass   | AV   | 11.48685G | 43.43          | 54.00          | -10.57      | 3        | Horizontal | 238         | 1.50       |
| Mode 2 | Pass   | AV   | 11.5625G  | 43.20          | 54.00          | -10.80      | 3        | Horizontal | 144         | 1.37       |
| Mode 2 | Pass   | AV   | 13.67839G | 50.74          | 68.20          | -17.46      | 3        | Horizontal | 39          | 2.39       |
| Mode 2 | Pass   | PK   | 4.80513G  | 45.58          | 74.00          | -28.42      | 3        | Horizontal | 5           | 2.60       |
| Mode 2 | Pass   | PK   | 4.87255G  | 46.05          | 74.00          | -27.95      | 3        | Horizontal | 287         | 2.64       |
| Mode 2 | Pass   | PK   | 11.47524G | 55.22          | 74.00          | -18.78      | 3        | Horizontal | 238         | 1.50       |
| Mode 2 | Pass   | PK   | 11.55621G | 55.11          | 74.00          | -18.89      | 3        | Horizontal | 144         | 1.37       |
| Mode 2 | Pass   | PK   | 13.65774G | 61.39          | 88.20          | -26.81      | 3        | Horizontal | 39          | 2.39       |
| Mode 3 | Pass   | AV   | 4.794G    | 34.00          | 54.00          | -20.00      | 3        | Vertical   | 1           | 1.50       |
| Mode 3 | Pass   | AV   | 4.87376G  | 34.49          | 54.00          | -19.51      | 3        | Vertical   | 40          | 2.25       |
| Mode 3 | Pass   | AV   | 11.48032G | 43.01          | 54.00          | -10.99      | 3        | Vertical   | 37          | 2.39       |
| Mode 3 | Pass   | AV   | 12.35968G | 45.09          | 54.00          | -8.91       | 3        | Vertical   | 92          | 1.50       |
| Mode 3 | Pass   | AV   | 13.68613G | 52.76          | 68.20          | -15.44      | 3        | Vertical   | 39          | 1.82       |
| Mode 3 | Pass   | PK   | 4.79626G  | 45.90          | 74.00          | -28.10      | 3        | Vertical   | 1           | 1.50       |
| Mode 3 | Pass   | PK   | 4.87739G  | 46.93          | 74.00          | -27.07      | 3        | Vertical   | 40          | 2.25       |
| Mode 3 | Pass   | PK   | 11.49468G | 54.68          | 74.00          | -19.32      | 3        | Vertical   | 37          | 2.39       |
| Mode 3 | Pass   | PK   | 12.34032G | 56.68          | 74.00          | -17.32      | 3        | Vertical   | 92          | 1.50       |
| Mode 3 | Pass   | PK   | 13.66806G | 64.69          | 88.20          | -23.51      | 3        | Vertical   | 39          | 1.82       |



| Mode   | Result | Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Dist (m) | Condition  | Azimuth (°) | Height (m) |
|--------|--------|------|-----------|----------------|----------------|-------------|----------|------------|-------------|------------|
| Mode 3 | Pass   | AV   | 4.79497G  | 33.86          | 54.00          | -20.14      | 3        | Horizontal | 0           | 1.26       |
| Mode 3 | Pass   | AV   | 4.88876G  | 33.81          | 54.00          | -20.19      | 3        | Horizontal | 195         | 1.50       |
| Mode 3 | Pass   | AV   | 11.48G    | 43.12          | 54.00          | -10.88      | 3        | Horizontal | 39          | 2.98       |
| Mode 3 | Pass   | AV   | 12.35194G | 45.12          | 54.00          | -8.88       | 3        | Horizontal | 276         | 2.38       |
| Mode 3 | Pass   | AV   | 13.63839G | 51.29          | 68.20          | -16.91      | 3        | Horizontal | 33          | 2.20       |
| Mode 3 | Pass   | PK   | 4.79497G  | 45.47          | 74.00          | -28.53      | 3        | Horizontal | 0           | 1.26       |
| Mode 3 | Pass   | PK   | 4.86384G  | 46.02          | 74.00          | -27.98      | 3        | Horizontal | 195         | 1.50       |
| Mode 3 | Pass   | PK   | 11.48968G | 55.00          | 74.00          | -19.00      | 3        | Horizontal | 39          | 2.98       |
| Mode 3 | Pass   | PK   | 12.3829G  | 56.67          | 74.00          | -17.33      | 3        | Horizontal | 276         | 2.38       |
| Mode 3 | Pass   | PK   | 13.65774G | 63.12          | 88.20          | -25.08      | 3        | Horizontal | 33          | 2.20       |


Radiated Emissions above 1GHz\_Mode 1



05/03/2024

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB/m) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV/m) | AF (dB/m) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|---------------|----------|-----------|-------------|------------|--------------|-----------|---------|---------|
| AV   | 4.79819G  | 33.99          | 54.00          | -20.01      | 3.87          | 3        | Vertical  | 360         | 1.26       | 30.12        | 32.19     | 6.51    | 34.83   |
| AV   | 4.82545G  | 34.03          | 54.00          | -19.97      | 4.02          | 3        | Vertical  | 0           | 2.02       | 30.01        | 32.30     | 6.54    | 34.82   |
| AV   | 4.87424G  | 33.83          | 54.00          | -20.17      | 4.28          | 3        | Vertical  | 132         | 2.80       | 29.55        | 32.50     | 6.59    | 34.81   |
| AV   | 11.48G    | 43.12          | 54.00          | -10.88      | 15.00         | 3        | Vertical  | 352         | 1.50       | 28.12        | 38.86     | 10.59   | 34.45   |
| AV   | 13.64419G | 53.03          | 68.20          | -15.17      | 18.72         | 3        | Vertical  | 336         | 2.38       | 34.31        | 39.72     | 11.68   | 32.68   |
| PK   | 4.81271G  | 45.98          | 74.00          | -28.02      | 3.94          | 3        | Vertical  | 360         | 1.26       | 42.04        | 32.25     | 6.52    | 34.83   |
| PK   | 4.82239G  | 45.85          | 74.00          | -28.15      | 4.00          | 3        | Vertical  | 0           | 2.02       | 41.85        | 32.29     | 6.53    | 34.82   |
| PK   | 4.86215G  | 44.86          | 74.00          | -29.14      | 4.22          | 3        | Vertical  | 132         | 2.80       | 40.64        | 32.45     | 6.58    | 34.81   |
| PK   | 11.49871G | 55.24          | 74.00          | -18.76      | 15.04         | 3        | Vertical  | 352         | 1.50       | 40.20        | 38.90     | 10.59   | 34.45   |
| PK   | 13.64581G | 65.09          | 88.20          | -23.11      | 18.72         | 3        | Vertical  | 336         | 2.38       | 46.37        | 39.72     | 11.68   | 32.68   |

Radiated Emissions above 1GHz\_Mode 1




05/03/2024

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB/m) | Dist (m) | Condition  | Azimuth (°) | Height (m) | Raw (dBuV/m) | AF (dB/m) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|---------------|----------|------------|-------------|------------|--------------|-----------|---------|---------|
| AV   | 4.79965G  | 33.79          | 54.00          | -20.21      | 3.88          | 3        | Horizontal | 348         | 1.16       | 29.91        | 32.20     | 6.51    | 34.83   |
| AV   | 4.82368G  | 33.19          | 54.00          | -20.81      | 4.00          | 3        | Horizontal | 155         | 3.00       | 29.19        | 32.29     | 6.53    | 34.82   |
| AV   | 4.88755G  | 33.26          | 54.00          | -20.74      | 4.35          | 3        | Horizontal | 9           | 2.57       | 28.91        | 32.55     | 6.60    | 34.80   |
| AV   | 11.48065G | 43.13          | 54.00          | -10.87      | 15.00         | 3        | Horizontal | 108         | 1.50       | 28.13        | 38.86     | 10.59   | 34.45   |
| AV   | 13.65774G | 50.98          | 68.20          | -17.22      | 18.69         | 3        | Horizontal | 38          | 2.35       | 32.29        | 39.68     | 11.69   | 32.68   |
| PK   | 4.79739G  | 46.22          | 74.00          | -27.78      | 3.86          | 3        | Horizontal | 348         | 1.16       | 42.36        | 32.18     | 6.51    | 34.83   |
| PK   | 4.82626G  | 45.74          | 74.00          | -28.26      | 4.03          | 3        | Horizontal | 155         | 3.00       | 41.71        | 32.31     | 6.54    | 34.82   |
| PK   | 4.874G    | 45.52          | 74.00          | -28.48      | 4.28          | 3        | Horizontal | 9           | 2.57       | 41.24        | 32.50     | 6.59    | 34.81   |
| PK   | 11.49629G | 54.92          | 74.00          | -19.08      | 15.03         | 3        | Horizontal | 108         | 1.50       | 39.89        | 38.89     | 10.59   | 34.45   |
| PK   | 13.67839G | 63.94          | 88.20          | -24.26      | 18.66         | -3       | Horizontal | 38          | 2.35       | 45.28        | 39.64     | 11.70   | 32.68   |




Radiated Emissions above 1GHz\_Mode 2



05/03/2024

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB/m) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV/m) | AF (dB/m) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|---------------|----------|-----------|-------------|------------|--------------|-----------|---------|---------|
| AV   | 4.79561G  | 33.58          | 54.00          | -20.42      | 3.85          | 3        | Vertical  | 47          | 1.70       | 29.73        | 32.17     | 6.51    | 34.83   |
| AV   | 4.86505G  | 34.86          | 54.00          | -19.14      | 4.23          | 3        | Vertical  | 224         | 2.42       | 30.63        | 32.46     | 6.58    | 34.81   |
| AV   | 11.49726G | 43.27          | 54.00          | -10.73      | 15.03         | 3        | Vertical  | 154         | 2.93       | 28.24        | 38.89     | 10.59   | 34.45   |
| AV   | 11.55766G | 43.27          | 54.00          | -10.73      | 14.78         | 3        | Vertical  | 89          | 2.33       | 28.49        | 38.65     | 10.61   | 34.48   |
| AV   | 13.64742G | 53.61          | 68.20          | -14.59      | 18.71         | 3        | Vertical  | 331         | 2.48       | 34.90        | 39.71     | 11.68   | 32.68   |
| PK   | 4.79868G  | 45.19          | 74.00          | -28.81      | 3.87          | 3        | Vertical  | 47          | 1.70       | 41.32        | 32.19     | 6.51    | 34.83   |
| PK   | 4.87037G  | 46.67          | 74.00          | -27.33      | 4.25          | 3        | Vertical  | 224         | 2.42       | 42.42        | 32.48     | 6.58    | 34.81   |
| PK   | 11.48855G | 54.83          | 74.00          | -19.17      | 15.02         | 3        | Vertical  | 154         | 2.93       | 39.81        | 38.88     | 10.59   | 34.45   |
| PK   | 11.58355G | 55.13          | 74.00          | -18.87      | 14.62         | 3        | Vertical  | 89          | 2.33       | 40.51        | 38.50     | 10.61   | 34.49   |
| PK   | 13.66677G | 68.27          | 88.20          | -19.93      | 18.68         | 3        | Vertical  | 331         | 2.48       | 49.59        | 39.67     | 11.69   | 32.68   |

Radiated Emissions above 1GHz\_Mode 2




05/03/2024

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB/m) | Dist (m) | Condition  | Azimuth (°) | Height (m) | Raw (dBuV/m) | AF (dB/m) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|---------------|----------|------------|-------------|------------|--------------|-----------|---------|---------|
| AV   | 4.81223G  | 34.23          | 54.00          | -19.77      | 3.94          | 3        | Horizontal | 5           | 2.60       | 30.29        | 32.25     | 6.52    | 34.83   |
| AV   | 4.88827G  | 33.87          | 54.00          | -20.13      | 4.35          | 3        | Horizontal | 287         | 2.64       | 29.52        | 32.55     | 6.60    | 34.80   |
| AV   | 11.48685G | 43.43          | 54.00          | -10.57      | 15.01         | 3        | Horizontal | 238         | 1.50       | 28.42        | 38.87     | 10.59   | 34.45   |
| AV   | 11.5625G  | 43.20          | 54.00          | -10.80      | 14.75         | 3        | Horizontal | 144         | 1.37       | 28.45        | 38.62     | 10.61   | 34.48   |
| AV   | 13.67839G | 50.74          | 68.20          | -17.46      | 18.66         | 3        | Horizontal | 39          | 2.39       | 32.08        | 39.64     | 11.70   | 32.68   |
| PK   | 4.80513G  | 45.58          | 74.00          | -28.42      | 3.91          | 3        | Horizontal | 5           | 2.60       | 41.67        | 32.22     | 6.52    | 34.83   |
| PK   | 4.87255G  | 46.05          | 74.00          | -27.95      | 4.27          | 3        | Horizontal | 287         | 2.64       | 41.78        | 32.49     | 6.59    | 34.81   |
| PK   | 11.47524G | 55.22          | 74.00          | -18.78      | 14.99         | 3        | Horizontal | 238         | 1.50       | 40.23        | 38.85     | 10.59   | 34.45   |
| PK   | 11.55621G | 55.11          | 74.00          | -18.89      | 14.80         | 3        | Horizontal | 144         | 1.37       | 40.31        | 38.66     | 10.61   | 34.47   |
| PK   | 13.65774G | 61.39          | 88.20          | -26.81      | 18.69         | 3        | Horizontal | 39          | 2.39       | 42.70        | 39.68     | 11.69   | 32.68   |




Radiated Emissions above 1GHz\_Mode 3



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB/m) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV/m) | AF (dB/m) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|---------------|----------|-----------|-------------|------------|--------------|-----------|---------|---------|
| AV   | 4.794G    | 34.00          | 54.00          | -20.00      | 3.84          | 3        | Vertical  | 1           | 1.50       | 30.16        | 32.16     | 6.51    | 34.83   |
| AV   | 4.87376G  | 34.49          | 54.00          | -19.51      | 4.28          | 3        | Vertical  | 40          | 2.25       | 30.21        | 32.50     | 6.59    | 34.81   |
| AV   | 11.48032G | 43.01          | 54.00          | -10.99      | 15.00         | 3        | Vertical  | 37          | 2.39       | 28.01        | 38.86     | 10.59   | 34.45   |
| AV   | 12.35968G | 45.09          | 54.00          | -8.91       | 15.32         | 3        | Vertical  | 92          | 1.50       | 29.77        | 38.88     | 10.92   | 34.48   |
| AV   | 13.68613G | 52.76          | 68.20          | -15.44      | 18.65         | 3        | Vertical  | 39          | 1.82       | 34.11        | 39.63     | 11.70   | 32.68   |
| PK   | 4.79626G  | 45.90          | 74.00          | -28.10      | 3.86          | 3        | Vertical  | 1           | 1.50       | 42.04        | 32.18     | 6.51    | 34.83   |
| PK   | 4.87739G  | 46.93          | 74.00          | -27.07      | 4.29          | 3        | Vertical  | 40          | 2.25       | 42.64        | 32.51     | 6.59    | 34.81   |
| PK   | 11.49468G | 54.68          | 74.00          | -19.32      | 15.03         | 3        | Vertical  | 37          | 2.39       | 39.65        | 38.89     | 10.59   | 34.45   |
| PK   | 12.34032G | 56.68          | 74.00          | -17.32      | 15.30         | 3        | Vertical  | 92          | 1.50       | 41.38        | 38.88     | 10.91   | 34.49   |
| PK   | 13.66806G | 64.69          | 88.20          | -23.51      | 18.67         | 3        | Vertical  | 39          | 1.82       | 46.02        | 39.66     | 11.69   | 32.68   |

Radiated Emissions above 1GHz\_Mode 3



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB/m) | Dist (m) | Condition  | Azimuth (°) | Height (m) | Raw (dBuV/m) | AF (dB/m) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|---------------|----------|------------|-------------|------------|--------------|-----------|---------|---------|
| AV   | 4.79497G  | 33.86          | 54.00          | -20.14      | 3.85          | 3        | Horizontal | 0           | 1.26       | 30.01        | 32.17     | 6.51    | 34.83   |
| AV   | 4.88876G  | 33.81          | 54.00          | -20.19      | 4.36          | 3        | Horizontal | 195         | 1.50       | 29.45        | 32.56     | 6.60    | 34.80   |
| AV   | 11.48G    | 43.12          | 54.00          | -10.88      | 15.00         | 3        | Horizontal | 39          | 2.98       | 28.12        | 38.86     | 10.59   | 34.45   |
| AV   | 12.35194G | 45.12          | 54.00          | -8.88       | 15.33         | 3        | Horizontal | 276         | 2.38       | 29.79        | 38.90     | 10.92   | 34.49   |
| AV   | 13.63839G | 51.29          | 68.20          | -16.91      | 18.75         | 3        | Horizontal | 33          | 2.20       | 32.54        | 39.75     | 11.68   | 32.68   |
| PK   | 4.79497G  | 45.47          | 74.00          | -28.53      | 3.85          | 3        | Horizontal | 0           | 1.26       | 41.62        | 32.17     | 6.51    | 34.83   |
| PK   | 4.86384G  | 46.02          | 74.00          | -27.98      | 4.23          | 3        | Horizontal | 195         | 1.50       | 41.79        | 32.46     | 6.58    | 34.81   |
| PK   | 11.48968G | 55.00          | 74.00          | -19.00      | 15.02         | 3        | Horizontal | 39          | 2.98       | 39.98        | 38.88     | 10.59   | 34.45   |
| PK   | 12.3829G  | 56.67          | 74.00          | -17.33      | 15.30         | 3        | Horizontal | 276         | 2.38       | 41.37        | 38.83     | 10.94   | 34.47   |
| PK   | 13.65774G | 63.12          | 88.20          | -25.08      | 18.69         | 3        | Horizontal | 33          | 2.20       | 44.43        | 39.68     | 11.69   | 32.68   |