




6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_4TX


6985MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.929G	98.13	Inf	-Inf	-1.95	3	Vertical	12	2.21	100.08	36.14	6.01	44.10
AV	7.168G	50.76	68.20	-17.44	-0.95	3	Vertical	12	2.21	51.71	36.91	6.13	43.99
PK	6.93G	111.18	Inf	-Inf	-1.95	3	Vertical	12	2.21	113.13	36.14	6.01	44.10
PK	7.129G	65.47	88.20	-22.73	-1.19	3	Vertical	12	2.21	66.66	36.72	6.11	44.02

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_4TX

6985MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.909G	99.13	Inf	-Inf	-1.93	3	Horizontal	0	1.50	101.06	36.18	6.00	44.11
AV	7.168G	52.04	68.20	-16.16	-0.95	3	Horizontal	0	1.50	52.99	36.91	6.13	43.99
PK	6.908G	110.75	Inf	-Inf	-1.94	3	Horizontal	0	1.50	112.69	36.18	5.99	44.11
PK	7.128G	70.90	88.20	-17.30	-1.20	3	Horizontal	0	1.50	72.10	36.71	6.11	44.02



6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_4TX


6985MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.97096G	48.32	68.20	-19.88	6.53	3	Vertical	321	1.37	41.79	40.14	9.20	42.81
PK	13.99272G	61.45	88.20	-26.75	6.56	3	Vertical	321	1.37	54.89	40.19	9.21	42.84

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_4TX

6985MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.9716G	46.82	68.20	-21.38	6.53	3	Horizontal	38	2.69	40.29	40.14	9.20	42.81
PK	13.99112G	59.01	88.20	-29.19	6.55	3	Horizontal	38	2.69	52.46	40.18	9.21	42.84



6.875-7.125GHz_802.11be EHT160_Nss1,(MCS4),RU484+RU484 MRU 1_4TX


6985MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.909G	96.80	Inf	-Inf	-1.93	3	Vertical	13	2.25	98.73	36.18	6.00	44.11
AV	7.165G	49.95	68.20	-18.25	-0.97	3	Vertical	13	2.25	50.92	36.89	6.13	43.99
PK	6.909G	108.94	Inf	-Inf	-1.93	3	Vertical	13	2.25	110.87	36.18	6.00	44.11
PK	7.129G	65.65	88.20	-22.55	-1.19	3	Vertical	13	2.25	66.84	36.72	6.11	44.02

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS4),RU484+RU484 MRU 1_4TX

6985MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.908G	97.81	Inf	-Inf	-1.94	3	Horizontal	0	1.43	99.75	36.18	5.99	44.11
AV	7.167G	51.21	68.20	-16.99	-0.96	3	Horizontal	0	1.43	52.17	36.90	6.13	43.99
PK	6.928G	109.86	Inf	-Inf	-1.95	3	Horizontal	0	1.43	111.81	36.14	6.01	44.10
PK	7.129G	67.29	88.20	-20.91	-1.19	3	Horizontal	0	1.43	68.48	36.72	6.11	44.02



6.875-7.125GHz_802.11be EHT160_Nss1,(MCS4),RU484+RU484 MRU 1_4TX


6985MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.97G	48.43	68.20	-19.77	6.53	3	Vertical	319	1.35	41.90	40.14	9.20	42.81
PK	13.99016G	62.75	88.20	-25.45	6.55	3	Vertical	319	1.35	56.20	40.18	9.21	42.84

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS4),RU484+RU484 MRU 1_4TX

6985MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.97G	45.86	68.20	-22.34	6.53	3	Horizontal	38	2.65	39.33	40.14	9.20	42.81
PK	13.9924G	60.03	88.20	-28.17	6.55	3	Horizontal	38	2.65	53.48	40.18	9.21	42.84



6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 4_4TX


6905MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.909G	95.33	Inf	-Inf	-1.93	3	Vertical	12	2.12	97.26	36.18	6.00	44.11
AV	7.25G	47.45	54.00	-6.55	-0.46	3	Vertical	12	2.12	47.91	37.30	6.18	43.94
PK	6.871G	108.43	Inf	-Inf	-1.94	3	Vertical	12	2.12	110.37	36.20	5.97	44.11
PK	7.363G	64.07	74.00	-9.93	-0.69	3	Vertical	12	2.12	64.76	36.92	6.26	43.87

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 4_4TX

6905MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.747G	96.90	Inf	-Inf	-1.83	3	Horizontal	5	1.56	98.73	36.39	5.90	44.12
AV	7.259G	47.73	54.00	-6.27	-0.46	3	Horizontal	5	1.56	48.19	37.28	6.19	43.93
PK	6.767G	109.09	Inf	-Inf	-1.83	3	Horizontal	5	1.56	110.92	36.37	5.91	44.11
PK	7.359G	66.18	74.00	-7.82	-0.67	3	Horizontal	5	1.56	66.85	36.95	6.25	43.87



6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 4_4TX


6905MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.8102G	47.05	68.20	-21.15	6.28	3	Vertical	324	2.41	40.77	39.72	9.15	42.59
PK	13.81G	59.13	88.20	-29.07	6.28	3	Vertical	324	2.41	52.85	39.72	9.15	42.59

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 4_4TX

6905MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.80496G	45.21	68.20	-22.99	6.28	3	Horizontal	330	1.87	38.93	39.71	9.15	42.58
PK	13.81776G	58.36	88.20	-29.84	6.29	3	Horizontal	330	1.87	52.07	39.74	9.15	42.60



6.525-6.875GHz_802.11be EHT320_Nss1,(MCS4),3xRU996 MRU 4_4TX


6905MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.953G	93.36	Inf	-Inf	-1.98	3	Vertical	3	1.97	95.34	36.10	6.02	44.10
AV	7.291G	46.37	54.00	-7.63	-0.48	3	Vertical	3	1.97	46.85	37.22	6.21	43.91
PK	6.933G	105.02	Inf	-Inf	-1.96	3	Vertical	3	1.97	106.98	36.13	6.01	44.10
PK	7.289G	59.85	74.00	-14.15	-0.49	3	Vertical	3	1.97	60.34	37.22	6.21	43.92

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS4),3xRU996 MRU 4_4TX

6905MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.747G	94.81	Inf	-Inf	-1.83	3	Horizontal	7	1.55	96.64	36.39	5.90	44.12
AV	7.253G	46.48	54.00	-7.52	-0.47	3	Horizontal	7	1.55	46.95	37.29	6.18	43.94
PK	6.847G	106.47	Inf	-Inf	-1.94	3	Horizontal	7	1.55	108.41	36.21	5.96	44.11
PK	7.251G	59.41	74.00	-14.59	-0.46	3	Horizontal	7	1.55	59.87	37.30	6.18	43.94



6.525-6.875GHz_802.11be EHT320_Nss1,(MCS4),3xRU996 MRU 4_4TX


6905MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.81092G	44.46	68.20	-23.74	6.28	3	Vertical	323	2.37	38.18	39.72	9.15	42.59
PK	13.81152G	56.31	88.20	-31.89	6.28	3	Vertical	323	2.37	50.03	39.72	9.15	42.59

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS4),3xRU996 MRU 4_4TX

6905MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.8122G	41.82	68.20	-26.38	6.28	3	Horizontal	320	1.50	35.54	39.72	9.15	42.59
PK	13.81132G	54.86	88.20	-33.34	6.28	3	Horizontal	320	1.50	48.58	39.72	9.15	42.59



6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 8_4TX


6905MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.911G	95.15	Inf	-Inf	-1.93	3	Vertical	12	2.18	97.08	36.18	6.00	44.11
AV	7.25G	49.19	54.00	-4.81	-0.46	3	Vertical	12	2.18	49.65	37.30	6.18	43.94
PK	6.831G	106.85	Inf	-Inf	-1.92	3	Vertical	12	2.18	108.77	36.24	5.95	44.11
PK	7.267G	61.78	74.00	-12.22	-0.47	3	Vertical	12	2.18	62.25	37.27	6.19	43.93

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 8_4TX

6905MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.829G	96.11	Inf	-Inf	-1.92	3	Horizontal	0	1.50	98.03	36.24	5.95	44.11
AV	7.25G	49.87	54.00	-4.13	-0.46	3	Horizontal	0	1.50	50.33	37.30	6.18	43.94
PK	6.927G	108.71	Inf	-Inf	-1.94	3	Horizontal	0	1.50	110.65	36.15	6.01	44.10
PK	7.335G	61.84	74.00	-12.16	-0.59	3	Horizontal	0	1.50	62.43	37.06	6.24	43.89



6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 8_4TX


6905MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.8166G	45.41	68.20	-22.79	6.28	3	Vertical	35	2.26	39.13	39.73	9.15	42.60
PK	13.81764G	58.98	88.20	-29.22	6.29	3	Vertical	35	2.26	52.69	39.74	9.15	42.60

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 8_4TX

6905MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.80564G	43.12	68.20	-25.08	6.27	3	Horizontal	329	1.74	36.85	39.71	9.15	42.59
PK	13.80704G	54.71	88.20	-33.49	6.27	3	Horizontal	329	1.74	48.44	39.71	9.15	42.59



6.525-6.875GHz_802.11be EHT320_Nss1,(MCS4),2xRU996+RU484 MRU 8_4TX


6905MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.909G	93.16	Inf	-Inf	-1.93	3	Vertical	13	2.14	95.09	36.18	6.00	44.11
AV	7.25G	47.59	54.00	-6.41	-0.46	3	Vertical	13	2.14	48.05	37.30	6.18	43.94
PK	6.831G	105.54	Inf	-Inf	-1.92	3	Vertical	13	2.14	107.46	36.24	5.95	44.11
PK	7.269G	60.61	74.00	-13.39	-0.48	3	Vertical	13	2.14	61.09	37.26	6.19	43.93

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS4),2xRU996+RU484 MRU 8_4TX

6905MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.827G	94.35	Inf	-Inf	-1.91	3	Horizontal	3	1.52	96.26	36.25	5.95	44.11
AV	7.255G	47.89	54.00	-6.11	-0.46	3	Horizontal	3	1.52	48.35	37.29	6.19	43.94
PK	6.849G	106.29	Inf	-Inf	-1.95	3	Horizontal	3	1.52	108.24	36.20	5.96	44.11
PK	7.275G	62.66	74.00	-11.34	-0.47	3	Horizontal	3	1.52	63.13	37.25	6.20	43.92



6.525-6.875GHz_802.11be EHT320_Nss1,(MCS4),2xRU996+RU484 MRU 8_4TX


6905MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.81676G	43.81	68.20	-24.39	6.28	3	Vertical	36	2.21	37.53	39.73	9.15	42.60
PK	13.81888G	57.33	88.20	-30.87	6.29	3	Vertical	36	2.21	51.04	39.74	9.15	42.60

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS4),2xRU996+RU484 MRU 8_4TX

6905MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.81256G	41.36	68.20	-26.84	6.28	3	Horizontal	319	1.50	35.08	39.73	9.15	42.60
PK	13.81276G	54.00	88.20	-34.20	6.28	3	Horizontal	319	1.50	47.72	39.73	9.15	42.60



6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 5_4TX


6905MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.953G	94.69	Inf	-Inf	-1.98	3	Vertical	3	1.96	96.67	36.10	6.02	44.10
AV	7.251G	46.75	54.00	-7.25	-0.46	3	Vertical	3	1.96	47.21	37.30	6.18	43.94
PK	6.973G	107.94	Inf	-Inf	-1.97	3	Vertical	3	1.96	109.91	36.10	6.03	44.10
PK	7.251G	61.26	74.00	-12.74	-0.46	3	Vertical	3	1.96	61.72	37.30	6.18	43.94

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 5_4TX

6905MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.767G	96.63	Inf	-Inf	-1.83	3	Horizontal	6	1.54	98.46	36.37	5.91	44.11
AV	7.279G	46.69	54.00	-7.31	-0.48	3	Horizontal	6	1.54	47.17	37.24	6.20	43.92
PK	6.767G	109.55	Inf	-Inf	-1.83	3	Horizontal	6	1.54	111.38	36.37	5.91	44.11
PK	7.379G	61.24	74.00	-12.76	-0.76	3	Horizontal	6	1.54	62.00	36.83	6.27	43.86



6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 5_4TX


6905MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.8162G	44.64	68.20	-23.56	6.28	3	Vertical	36	2.29	38.36	39.73	9.15	42.60
PK	13.81612G	60.37	88.20	-27.83	6.28	3	Vertical	36	2.29	54.09	39.73	9.15	42.60

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 5_4TX

6905MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.81264G	42.09	68.20	-26.11	6.28	3	Horizontal	320	1.53	35.81	39.73	9.15	42.60
PK	13.81316G	53.75	88.20	-34.45	6.28	3	Horizontal	320	1.53	47.47	39.73	9.15	42.60



6.525-6.875GHz_802.11be EHT320_Nss1,(MCS4),2xRU996+RU484 MRU 5_4TX


6905MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.887G	95.50	Inf	-Inf	-1.93	3	Vertical	350	2.24	97.43	36.20	5.98	44.11
AV	7.281G	46.01	54.00	-7.99	-0.48	3	Vertical	350	2.24	46.49	37.24	6.20	43.92
PK	6.887G	107.03	Inf	-Inf	-1.93	3	Vertical	350	2.24	108.96	36.20	5.98	44.11
PK	7.265G	58.87	74.00	-15.13	-0.47	3	Vertical	350	2.24	59.34	37.27	6.19	43.93

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS4),2xRU996+RU484 MRU 5_4TX

6905MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.767G	95.40	Inf	-Inf	-1.83	3	Horizontal	8	1.50	97.23	36.37	5.91	44.11
AV	7.297G	46.43	54.00	-7.57	-0.49	3	Horizontal	8	1.50	46.92	37.21	6.21	43.91
PK	6.767G	107.17	Inf	-Inf	-1.83	3	Horizontal	8	1.50	109.00	36.37	5.91	44.11
PK	7.279G	60.68	74.00	-13.32	-0.48	3	Horizontal	8	1.50	61.16	37.24	6.20	43.92



6.525-6.875GHz_802.11be EHT320_Nss1,(MCS4),2xRU996+RU484 MRU 5_4TX


6905MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.81596G	43.81	68.20	-24.39	6.28	3	Vertical	36	2.24	37.53	39.73	9.15	42.60
PK	13.8164G	57.39	88.20	-30.81	6.28	3	Vertical	36	2.24	51.11	39.73	9.15	42.60

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS4),2xRU996+RU484 MRU 5_4TX

6905MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.80776G	41.59	68.20	-26.61	6.28	3	Horizontal	329	1.56	35.31	39.72	9.15	42.59
PK	13.80708G	54.49	88.20	-33.71	6.27	3	Horizontal	329	1.56	48.22	39.71	9.15	42.59



6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),2xRU996 MRU 1_4TX


6905MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.789G	95.66	Inf	-Inf	-1.87	3	Vertical	350	2.20	97.53	36.32	5.92	44.11
AV	7.267G	52.30	54.00	-1.70	-0.47	3	Vertical	350	2.20	52.77	37.27	6.19	43.93
PK	6.809G	107.87	Inf	-Inf	-1.89	3	Vertical	350	2.20	109.76	36.28	5.94	44.11
PK	7.289G	64.75	74.00	-9.25	-0.49	3	Vertical	350	2.20	65.24	37.22	6.21	43.92

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),2xRU996 MRU 1_4TX

6905MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.767G	96.37	Inf	-Inf	-1.83	3	Horizontal	5	1.49	98.20	36.37	5.91	44.11
AV	7.275G	52.61	54.00	-1.39	-0.47	3	Horizontal	5	1.49	53.08	37.25	6.20	43.92
PK	6.767G	108.81	Inf	-Inf	-1.83	3	Horizontal	5	1.49	110.64	36.37	5.91	44.11
PK	7.293G	64.98	74.00	-9.02	-0.49	3	Horizontal	5	1.49	65.47	37.21	6.21	43.91



6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),2xRU996 MRU 1_4TX


6905MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.81204G	45.46	68.20	-22.74	6.28	3	Vertical	321	2.33	39.18	39.72	9.15	42.59
PK	13.81204G	56.85	88.20	-31.35	6.28	3	Vertical	321	2.33	50.57	39.72	9.15	42.59

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),2xRU996 MRU 1_4TX

6905MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.80688G	43.91	68.20	-24.29	6.27	3	Horizontal	327	1.74	37.64	39.71	9.15	42.59
PK	13.80656G	56.41	88.20	-31.79	6.27	3	Horizontal	327	1.74	50.14	39.71	9.15	42.59



6.525-6.875GHz_802.11be EHT320_Nss1,(MCS4),2xRU996 MRU 1_4TX


6905MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.809G	94.23	Inf	-Inf	-1.89	3	Vertical	349	2.24	96.12	36.28	5.94	44.11
AV	7.267G	49.99	54.00	-4.01	-0.47	3	Vertical	349	2.24	50.46	37.27	6.19	43.93
PK	6.807G	105.88	Inf	-Inf	-1.89	3	Vertical	349	2.24	107.77	36.29	5.93	44.11
PK	7.267G	62.15	74.00	-11.85	-0.47	3	Vertical	349	2.24	62.62	37.27	6.19	43.93

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS4),2xRU996 MRU 1_4TX

6905MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.767G	95.23	Inf	-Inf	-1.83	3	Horizontal	5	1.54	97.06	36.37	5.91	44.11
AV	7.273G	50.70	54.00	-3.30	-0.48	3	Horizontal	5	1.54	51.18	37.25	6.20	43.93
PK	6.787G	107.41	Inf	-Inf	-1.86	3	Horizontal	5	1.54	109.27	36.33	5.92	44.11
PK	7.279G	62.17	74.00	-11.83	-0.48	3	Horizontal	5	1.54	62.65	37.24	6.20	43.92



6.525-6.875GHz_802.11be EHT320_Nss1,(MCS4),2xRU996 MRU 1_4TX


6905MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.81188G	43.39	68.20	-24.81	6.28	3	Vertical	320	1.46	37.11	39.72	9.15	42.59
PK	13.81044G	55.41	88.20	-32.79	6.28	3	Vertical	320	1.46	49.13	39.72	9.15	42.59

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS4),2xRU996 MRU 1_4TX

6905MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.81236G	41.68	68.20	-26.52	6.28	3	Horizontal	319	1.50	35.40	39.72	9.15	42.59
PK	13.81272G	53.23	88.20	-34.97	6.28	3	Horizontal	319	1.50	46.95	39.73	9.15	42.60



Summary

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
5.925-6.425GHz	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0)_4TX	Pass	6.4041G	-1.09	6.3406G	-24.57	-21.36	-3.21	4
802.11be EHT160_Nss1,(MCS0)_4TX	Pass	6.28122G	-5.18	5.9604G	-53.49	-45.18	-8.31	4
802.11be EHT320_Nss1,(MCS0)_4TX	Pass	6.08101G	-3.33	6.2702G	-27.75	-23.33	-4.42	1
6.425-6.525GHz	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0)_4TX	Pass	6.49229G	-7.13	6.421G	-40.13	-27.21	-12.92	2
802.11be EHT160_Nss1,(MCS0)_4TX	Pass	6.43482G	-5.30	6.1192G	-52.60	-45.30	-7.30	4
802.11be EHT320_Nss1,(MCS0)_4TX	Pass	6.43304G	-5.18	6.0702G	-50.41	-45.18	-5.23	4
6.525-6.875GHz	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0)_4TX	Pass	6.89159G	-6.87	6.909G	-37.27	-26.93	-10.34	4
802.11be EHT160_Nss1,(MCS0)_4TX	Pass	6.61261G	-3.95	6.2812G	-51.36	-43.95	-7.41	4
802.11be EHT320_Nss1,(MCS0)_4TX	Pass	6.79343G	-3.78	6.7646G	-28.67	-23.83	-4.84	2
6.875-7.125GHz	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0)_4TX	Pass	6.99161G	-5.98	6.9805G	-36.63	-26.16	-10.47	3
802.11be EHT160_Nss1,(MCS0)_4TX	Pass	6.91622G	-3.77	6.6012G	-52.55	-43.77	-8.78	4



Result

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 1_4TX	-	-	-	-	-	-	-	-
5985MHz	Pass	5.9901G	-7.86	6.1804G	-63.02	-47.86	-15.16	1
5985MHz	Pass	6.01409G	-7.25	6.1742G	-62.45	-47.25	-15.20	2
5985MHz	Pass	6.0018G	-7.15	6.028G	-37.76	-26.75	-11.01	3
5985MHz	Pass	6.00629G	-6.73	6.1758G	-61.25	-46.73	-14.52	4
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_4TX	-	-	-	-	-	-	-	-
5985MHz	Pass	6.0006G	-7.79	6.1214G	-62.82	-47.79	-15.03	1
5985MHz	Pass	5.9995G	-7.41	6.1773G	-62.30	-47.41	-14.89	2
5985MHz	Pass	5.9984G	-7.19	5.9413G	-37.34	-27.19	-10.15	3
5985MHz	Pass	6.0001G	-6.47	5.9411G	-39.40	-26.49	-12.91	4
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_4TX	-	-	-	-	-	-	-	-
5985MHz	Pass	5.95841G	-7.81	6.0288G	-41.52	-27.90	-13.62	1
5985MHz	Pass	6.01119G	-7.46	6.0281G	-39.35	-26.86	-12.49	2
5985MHz	Pass	6.02179G	-7.26	6.1702G	-61.56	-47.26	-14.30	3
5985MHz	Pass	6.01709G	-6.31	6.0288G	-39.23	-26.35	-12.88	4
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 4_4TX	-	-	-	-	-	-	-	-
5985MHz	Pass	5.9768G	-0.56	5.9393G	-30.54	-20.86	-9.68	1
5985MHz	Pass	5.9879G	0.58	5.9395G	-32.60	-19.43	-13.17	2
5985MHz	Pass	5.96211G	-0.25	5.9385G	-29.71	-20.51	-9.20	3
5985MHz	Pass	5.9745G	0.72	5.941G	-25.52	-19.38	-6.14	4
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 1_4TX	-	-	-	-	-	-	-	-
6225MHz	Pass	6.2122G	-1.30	6.2694G	-29.89	-21.31	-8.58	1
6225MHz	Pass	6.2058G	-0.21	6.2694G	-27.01	-20.41	-6.60	2
6225MHz	Pass	6.2232G	-0.59	6.2711G	-29.45	-20.88	-8.57	3
6225MHz	Pass	6.2166G	-0.45	6.2697G	-25.20	-20.54	-4.66	4
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_4TX	-	-	-	-	-	-	-	-
6225MHz	Pass	6.2432G	-7.49	6.0672G	-61.19	-47.49	-13.70	1
6225MHz	Pass	6.2432G	-7.24	6.4138G	-62.30	-47.24	-15.06	2
6225MHz	Pass	6.2392G	-6.85	6.0359G	-61.45	-46.85	-14.60	3
6225MHz	Pass	6.25199G	-7.14	6.0469G	-61.20	-47.14	-14.06	4
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_4TX	-	-	-	-	-	-	-	-
6225MHz	Pass	6.20351G	-7.53	6.3746G	-60.54	-47.53	-13.01	1
6225MHz	Pass	6.26009G	-7.32	6.1803G	-41.14	-27.41	-13.73	2
6225MHz	Pass	6.25729G	-7.16	6.1807G	-41.41	-27.24	-14.17	3
6225MHz	Pass	6.19801G	-7.34	6.3744G	-60.81	-47.34	-13.47	4
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 4_4TX	-	-	-	-	-	-	-	-
6225MHz	Pass	6.2317G	-0.60	6.1807G	-27.79	-19.80	-7.99	1
6225MHz	Pass	6.18931G	-1.04	6.1815G	-26.78	-21.07	-5.71	2
6225MHz	Pass	6.237G	0.06	6.1791G	-25.15	-20.19	-4.96	3
6225MHz	Pass	6.2148G	-0.53	6.1806G	-29.91	-20.56	-9.35	4
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 1_4TX	-	-	-	-	-	-	-	-
6385MHz	Pass	6.3908G	0.15	6.4318G	-31.52	-20.10	-11.42	1
6385MHz	Pass	6.41639G	0.58	6.4341G	-30.44	-20.21	-10.23	2
6385MHz	Pass	6.42069G	1.78	6.4306G	-25.88	-18.50	-7.38	3
6385MHz	Pass	6.41019G	-0.05	6.4284G	-27.73	-20.12	-7.61	4
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_4TX	-	-	-	-	-	-	-	-
6385MHz	Pass	6.402G	-7.08	6.4302G	-41.73	-27.22	-14.51	1
6385MHz	Pass	6.42019G	-6.53	6.4288G	-41.14	-26.55	-14.59	2
6385MHz	Pass	6.36241G	-6.74	6.4281G	-38.39	-26.14	-12.25	3
6385MHz	Pass	6.35331G	-7.22	6.3411G	-40.67	-27.30	-13.37	4
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_4TX	-	-	-	-	-	-	-	-
6385MHz	Pass	6.42149G	-7.94	6.5282G	-62.07	-47.94	-14.13	1
6385MHz	Pass	6.42149G	-7.31	6.5726G	-62.37	-47.31	-15.06	2
6385MHz	Pass	6.41179G	-7.53	6.1934G	-61.36	-47.53	-13.83	3
6385MHz	Pass	6.41759G	-8.36	6.4281G	-40.83	-28.38	-12.45	4



Mask_Non-Beamforming_Radio 2_Channel Puncturing

Appendix E.10

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 4_4TX	-	-	-	-	-	-	-	-
6385MHz	Pass	6.3957G	-0.37	6.3395G	-27.01	-20.38	-6.63	1
6385MHz	Pass	6.4027G	0.87	6.3397G	-27.77	-19.21	-8.56	2
6385MHz	Pass	6.3963G	-0.64	6.3397G	-29.07	-20.86	-8.21	3
6385MHz	Pass	6.4041G	-1.09	6.3406G	-24.57	-21.36	-3.21	4
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 1_4TX	-	-	-	-	-	-	-	-
6465MHz	Pass	6.4467G	-8.28	6.5094G	-42.24	-28.29	-13.95	1
6465MHz	Pass	6.4557G	-7.64	6.5091G	-41.68	-27.72	-13.96	2
6465MHz	Pass	6.4519G	-7.86	6.5086G	-41.17	-27.87	-13.30	3
6465MHz	Pass	6.452G	-8.35	6.2979G	-61.75	-48.35	-13.40	4
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_4TX	-	-	-	-	-	-	-	-
6465MHz	Pass	6.4806G	-7.09	6.6538G	-61.94	-47.09	-14.85	1
6465MHz	Pass	6.49229G	-7.13	6.421G	-40.13	-27.21	-12.92	2
6465MHz	Pass	6.48799G	-7.66	6.2767G	-61.92	-47.66	-14.26	3
6465MHz	Pass	6.48819G	-7.77	6.2776G	-61.04	-47.77	-13.27	4
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_4TX	-	-	-	-	-	-	-	-
6465MHz	Pass	6.48779G	-7.30	6.6405G	-61.94	-47.30	-14.64	1
6465MHz	Pass	6.49459G	-6.84	6.5089G	-40.15	-26.92	-13.23	2
6465MHz	Pass	6.50239G	-7.37	6.2774G	-61.52	-47.37	-14.15	3
6465MHz	Pass	6.4479G	-7.84	6.2877G	-61.15	-47.84	-13.31	4
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 4_4TX	-	-	-	-	-	-	-	-
6465MHz	Pass	6.44231G	-8.07	6.6615G	-62.38	-48.07	-14.31	1
6465MHz	Pass	6.43581G	-7.40	6.4212G	-41.26	-27.42	-13.84	2
6465MHz	Pass	6.42861G	-7.92	6.6369G	-61.79	-47.92	-13.87	3
6465MHz	Pass	6.4488G	-8.22	6.3035G	-62.08	-48.22	-13.86	4
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 1_4TX	-	-	-	-	-	-	-	-
6545MHz	Pass	6.57589G	-7.52	6.6817G	-61.09	-47.52	-13.57	1
6545MHz	Pass	6.57819G	-6.60	6.6945G	-62.92	-46.60	-16.32	2
6545MHz	Pass	6.57169G	-6.81	6.7316G	-61.27	-46.81	-14.46	3
6545MHz	Pass	6.57289G	-7.10	6.3743G	-60.59	-47.10	-13.49	4
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_4TX	-	-	-	-	-	-	-	-
6545MHz	Pass	6.50871G	-6.60	6.6815G	-60.23	-46.60	-13.63	1
6545MHz	Pass	6.51651G	-6.20	6.6794G	-61.56	-46.20	-15.36	2
6545MHz	Pass	6.57199G	-6.30	6.5012G	-40.33	-26.41	-13.92	3
6545MHz	Pass	6.50961G	-6.64	6.3642G	-60.43	-46.64	-13.79	4
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_4TX	-	-	-	-	-	-	-	-
6545MHz	Pass	6.52331G	-6.78	6.6817G	-60.64	-46.78	-13.86	1
6545MHz	Pass	6.5369G	-6.14	6.6912G	-61.92	-46.14	-15.78	2
6545MHz	Pass	6.57039G	-6.11	6.5881G	-39.82	-25.51	-14.31	3
6545MHz	Pass	6.51131G	-6.35	6.3745G	-59.49	-46.35	-13.14	4
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 4_4TX	-	-	-	-	-	-	-	-
6545MHz	Pass	6.5632G	-7.39	6.6818G	-61.32	-47.39	-13.93	1
6545MHz	Pass	6.5587G	-6.26	6.7033G	-62.89	-46.26	-16.63	2
6545MHz	Pass	6.5514G	-7.03	6.6805G	-61.28	-47.03	-14.25	3
6545MHz	Pass	6.5496G	-7.03	6.6817G	-61.02	-47.03	-13.99	4
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 1_4TX	-	-	-	-	-	-	-	-
6625MHz	Pass	6.66089G	-7.00	6.8063G	-61.64	-47.00	-14.64	1
6625MHz	Pass	6.6167G	-6.02	6.6697G	-40.33	-26.15	-14.18	2
6625MHz	Pass	6.6274G	-6.71	6.6699G	-41.07	-26.86	-14.21	3
6625MHz	Pass	6.6149G	-7.28	6.7964G	-61.52	-47.28	-14.24	4
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_4TX	-	-	-	-	-	-	-	-
6625MHz	Pass	6.66239G	-6.93	6.6685G	-38.96	-27.00	-11.96	1
6625MHz	Pass	6.6369G	-5.37	6.6682G	-36.03	-25.45	-10.58	2
6625MHz	Pass	6.6305G	-6.04	6.8121G	-60.27	-46.04	-14.23	3
6625MHz	Pass	6.6415G	-7.05	6.5815G	-38.21	-27.12	-11.09	4
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_4TX	-	-	-	-	-	-	-	-



Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
6625MHz	Pass	6.65289G	-6.57	6.8068G	-60.71	-46.57	-14.14	1
6625MHz	Pass	6.64879G	-5.46	6.6692G	-38.38	-25.52	-12.86	2
6625MHz	Pass	6.65269G	-5.83	6.8025G	-60.25	-45.83	-14.42	3
6625MHz	Pass	6.65599G	-7.10	6.8104G	-60.55	-47.10	-13.45	4
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 4_4TX	-	-	-	-	-	-	-	-
6625MHz	Pass	6.6409G	-6.96	6.7952G	-61.68	-46.96	-14.72	1
6625MHz	Pass	6.59961G	-5.83	6.5796G	-40.81	-26.09	-14.72	2
6625MHz	Pass	6.6305G	-6.39	6.5806G	-40.58	-26.44	-14.14	3
6625MHz	Pass	6.6149G	-7.35	6.7947G	-61.43	-47.35	-14.08	4
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 1_4TX	-	-	-	-	-	-	-	-
6705MHz	Pass	6.73039G	-7.18	6.8355G	-61.33	-46.95	-14.38	1
6705MHz	Pass	6.7016G	-6.36	6.7511G	-41.78	-26.46	-15.32	2
6705MHz	Pass	6.6904G	-6.54	6.7498G	-40.80	-26.67	-14.13	3
6705MHz	Pass	6.6934G	-6.69	6.7499G	-40.25	-26.73	-13.52	4
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_4TX	-	-	-	-	-	-	-	-
6705MHz	Pass	6.74229G	-5.93	6.6609G	-39.43	-25.53	-13.90	1
6705MHz	Pass	6.67701G	-5.53	6.6604G	-40.98	-25.60	-15.38	2
6705MHz	Pass	6.72779G	-6.02	6.7492G	-40.51	-26.10	-14.41	3
6705MHz	Pass	6.73469G	-5.93	6.8352G	-59.37	-45.93	-13.44	4
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_4TX	-	-	-	-	-	-	-	-
6705MHz	Pass	6.73679G	-6.11	6.8351G	-59.90	-45.42	-14.48	1
6705MHz	Pass	6.67101G	-5.70	6.66G	-41.31	-25.78	-15.53	2
6705MHz	Pass	6.73339G	-5.89	6.7493G	-40.62	-25.97	-14.65	3
6705MHz	Pass	6.73769G	-6.02	6.7486G	-38.77	-26.05	-12.72	4
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 4_4TX	-	-	-	-	-	-	-	-
6705MHz	Pass	6.68061G	-7.00	6.8355G	-61.05	-46.77	-14.28	1
6705MHz	Pass	6.68071G	-6.11	6.6594G	-41.70	-26.12	-15.58	2
6705MHz	Pass	6.7103G	-6.64	6.8725G	-60.85	-46.64	-14.21	3
6705MHz	Pass	6.67371G	-6.52	6.8358G	-60.53	-46.46	-14.07	4
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 1_4TX	-	-	-	-	-	-	-	-
6785MHz	Pass	6.80989G	-7.04	6.8299G	-42.52	-27.04	-15.48	1
6785MHz	Pass	6.81889G	-6.75	6.8293G	-40.50	-25.95	-14.55	2
6785MHz	Pass	6.80869G	-6.92	6.6198G	-62.01	-46.92	-15.09	3
6785MHz	Pass	6.81379G	-6.73	6.829G	-40.09	-26.81	-13.28	4
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_4TX	-	-	-	-	-	-	-	-
6785MHz	Pass	6.80989G	-6.26	6.9222G	-61.69	-46.26	-15.43	1
6785MHz	Pass	6.74731G	-6.07	6.7405G	-40.82	-26.10	-14.72	2
6785MHz	Pass	6.75031G	-6.28	6.9646G	-60.90	-46.28	-14.62	3
6785MHz	Pass	6.7981G	-6.10	6.9645G	-59.73	-46.10	-13.63	4
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_4TX	-	-	-	-	-	-	-	-
6785MHz	Pass	6.80659G	-6.26	6.83G	-40.73	-26.43	-14.30	1
6785MHz	Pass	6.7751G	-6.10	6.8292G	-40.31	-26.20	-14.11	2
6785MHz	Pass	6.75291G	-6.32	6.8282G	-38.90	-26.33	-12.57	3
6785MHz	Pass	6.80969G	-6.16	6.7406G	-39.70	-26.26	-13.44	4
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 4_4TX	-	-	-	-	-	-	-	-
6785MHz	Pass	6.8037G	-7.04	6.9162G	-62.31	-46.91	-15.40	1
6785MHz	Pass	6.7754G	-6.73	6.7399G	-41.77	-26.87	-14.90	2
6785MHz	Pass	6.7963G	-6.51	6.6188G	-61.98	-46.51	-15.47	3
6785MHz	Pass	6.7958G	-6.94	6.7414G	-40.46	-26.95	-13.51	4
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 1_4TX	-	-	-	-	-	-	-	-
6865MHz	Pass	6.88629G	-7.32	6.6815G	-61.38	-47.32	-14.06	1
6865MHz	Pass	6.8506G	-6.56	6.9097G	-41.14	-26.61	-14.53	2
6865MHz	Pass	6.8831G	-6.89	6.9097G	-39.92	-26.90	-13.02	3
6865MHz	Pass	6.89159G	-6.87	6.909G	-37.27	-26.93	-10.34	4
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_4TX	-	-	-	-	-	-	-	-
6865MHz	Pass	6.8674G	-6.63	7G	-61.48	-46.63	-14.85	1



Mask_Non-Beamforming_Radio 2_Channel Puncturing

Appendix E.10

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
6865MHz	Pass	6.83721G	-6.06	6.8207G	-36.50	-23.06	-13.44	2
6865MHz	Pass	6.83761G	-6.61	6.82G	-39.03	-26.76	-12.27	3
6865MHz	Pass	6.83661G	-6.39	6.8214G	-39.21	-26.44	-12.77	4
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_4TX	-	-	-	-	-	-	-	-
6865MHz	Pass	6.83251G	-6.84	6.989G	-58.69	-44.83	-13.86	1
6865MHz	Pass	6.83131G	-6.09	6.9082G	-38.13	-25.29	-12.84	2
6865MHz	Pass	6.8573G	-6.53	6.8209G	-40.04	-26.13	-13.91	3
6865MHz	Pass	6.83101G	-6.42	6.9087G	-38.55	-26.42	-12.13	4
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 4_4TX	-	-	-	-	-	-	-	-
6865MHz	Pass	6.8485G	-7.26	6.6816G	-61.80	-47.26	-14.54	1
6865MHz	Pass	6.83411G	-6.46	6.8199G	-40.08	-26.58	-13.50	2
6865MHz	Pass	6.8466G	-6.92	6.6955G	-61.74	-46.92	-14.82	3
6865MHz	Pass	6.8536G	-6.87	6.8211G	-41.07	-26.91	-14.16	4
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 1_4TX	-	-	-	-	-	-	-	-
6945MHz	Pass	6.93G	-6.55	6.9892G	-40.23	-26.63	-13.60	1
6945MHz	Pass	6.9276G	-6.07	6.7884G	-60.80	-46.07	-14.73	2
6945MHz	Pass	6.9262G	-6.64	6.8035G	-60.49	-46.64	-13.85	3
6945MHz	Pass	6.9319G	-6.80	6.9897G	-40.65	-26.85	-13.80	4
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_4TX	-	-	-	-	-	-	-	-
6945MHz	Pass	6.9513G	-6.14	6.9897G	-39.49	-26.15	-13.34	1
6945MHz	Pass	6.91651G	-4.93	6.8147G	-58.82	-44.93	-13.89	2
6945MHz	Pass	6.9548G	-6.02	6.901G	-39.06	-26.15	-12.91	3
6945MHz	Pass	6.91491G	-5.91	6.8036G	-59.68	-45.91	-13.77	4
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_4TX	-	-	-	-	-	-	-	-
6945MHz	Pass	6.96749G	-6.05	6.901G	-38.17	-26.13	-12.04	1
6945MHz	Pass	6.91221G	-4.92	6.8129G	-58.91	-44.92	-13.99	2
6945MHz	Pass	6.90781G	-5.73	6.9014G	-39.86	-25.74	-14.12	3
6945MHz	Pass	6.91591G	-5.95	6.8168G	-59.41	-45.90	-13.51	4
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 4_4TX	-	-	-	-	-	-	-	-
6945MHz	Pass	6.92191G	-6.13	6.9008G	-39.89	-26.21	-13.68	1
6945MHz	Pass	6.91071G	-5.59	6.8011G	-60.56	-45.59	-14.97	2
6945MHz	Pass	6.90771G	-6.42	6.8087G	-60.55	-46.42	-14.13	3
6945MHz	Pass	6.91611G	-6.66	6.8033G	-60.73	-46.66	-14.07	4
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 1_4TX	-	-	-	-	-	-	-	-
7025MHz	Pass	7.0082G	-6.80	6.8353G	-59.48	-46.80	-12.68	1
7025MHz	Pass	7.0063G	-5.76	7.0707G	-40.88	-25.93	-14.95	2
7025MHz	Pass	7.0062G	-6.33	7.0701G	-39.31	-26.45	-12.86	3
7025MHz	Pass	7.0068G	-6.36	6.8949G	-59.87	-46.36	-13.51	4
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_4TX	-	-	-	-	-	-	-	-
7025MHz	Pass	6.99121G	-6.24	6.8351G	-59.77	-46.24	-13.53	1
7025MHz	Pass	6.98871G	-5.56	6.8936G	-59.62	-45.56	-14.06	2
7025MHz	Pass	6.99161G	-5.98	6.9805G	-36.63	-26.16	-10.47	3
7025MHz	Pass	6.99381G	-6.14	6.9818G	-38.05	-26.15	-11.90	4
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_4TX	-	-	-	-	-	-	-	-
7025MHz	Pass	6.99391G	-6.44	6.8351G	-59.78	-46.44	-13.34	1
7025MHz	Pass	6.99661G	-5.54	6.8936G	-58.91	-45.54	-13.37	2
7025MHz	Pass	6.99191G	-6.13	6.8668G	-59.90	-46.13	-13.77	3
7025MHz	Pass	6.99531G	-6.33	6.8945G	-60.04	-46.33	-13.71	4
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 4_4TX	-	-	-	-	-	-	-	-
7025MHz	Pass	6.99461G	-7.25	6.9807G	-41.03	-27.31	-13.72	1
7025MHz	Pass	6.99081G	-6.31	6.8927G	-60.85	-46.31	-14.54	2
7025MHz	Pass	6.99811G	-6.90	6.8443G	-60.94	-46.90	-14.04	3
7025MHz	Pass	6.99331G	-7.25	6.8884G	-60.52	-47.25	-13.27	4
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 1_4TX	-	-	-	-	-	-	-	-
6025MHz	Pass	6.00281G	-5.69	6.1094G	-38.18	-25.69	-12.49	1
6025MHz	Pass	6.09158G	-5.25	6.255G	-54.03	-42.44	-11.59	2



Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
6025MHz	Pass	5.98981G	-4.60	6.2806G	-55.02	-44.60	-10.42	3
6025MHz	Pass	6.07719G	-4.63	6.2736G	-55.33	-44.63	-10.70	4
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 2_4TX	-	-	-	-	-	-	-	-
6025MHz	Pass	6.0104G	-5.10	6.3014G	-57.54	-45.10	-12.44	1
6025MHz	Pass	6.07499G	-4.72	6.3104G	-56.27	-44.72	-11.55	2
6025MHz	Pass	6.06079G	-4.47	6.2962G	-54.33	-44.47	-9.86	3
6025MHz	Pass	6.05559G	-4.07	6.2684G	-53.02	-43.10	-9.92	4
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 3_4TX	-	-	-	-	-	-	-	-
6025MHz	Pass	5.98061G	-5.15	6.2994G	-56.60	-45.15	-11.45	1
6025MHz	Pass	6.07359G	-4.71	6.2884G	-54.61	-44.71	-9.90	2
6025MHz	Pass	6.06199G	-4.45	6.2842G	-53.45	-44.45	-9.00	3
6025MHz	Pass	6.04739G	-4.27	6.277G	-54.04	-44.07	-9.97	4
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 4_4TX	-	-	-	-	-	-	-	-
6025MHz	Pass	5.98181G	-5.68	6.2976G	-56.68	-45.68	-11.00	1
6025MHz	Pass	6.05219G	-4.71	6.2772G	-53.46	-44.71	-8.75	2
6025MHz	Pass	6.0422G	-4.56	6.2876G	-53.50	-44.56	-8.94	3
6025MHz	Pass	6.06759G	-4.27	6.2888G	-53.56	-44.27	-9.29	4
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 5_4TX	-	-	-	-	-	-	-	-
6025MHz	Pass	6.00061G	-5.16	6.2746G	-55.88	-45.16	-10.72	1
6025MHz	Pass	6.07559G	-4.74	6.279G	-54.24	-44.73	-9.51	2
6025MHz	Pass	5.99981G	-4.61	6.29G	-53.33	-44.61	-8.72	3
6025MHz	Pass	6.015G	-4.08	6.2868G	-53.57	-44.08	-9.49	4
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 6_4TX	-	-	-	-	-	-	-	-
6025MHz	Pass	5.98301G	-5.15	6.2968G	-56.29	-45.15	-11.14	1
6025MHz	Pass	6.07339G	-4.91	6.279G	-54.56	-44.91	-9.65	2
6025MHz	Pass	6.0404G	-4.62	6.2982G	-53.65	-44.62	-9.03	3
6025MHz	Pass	6.029G	-4.22	6.2816G	-52.68	-44.22	-8.46	4
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 7_4TX	-	-	-	-	-	-	-	-
6025MHz	Pass	5.98901G	-5.01	6.109G	-36.42	-25.02	-11.40	1
6025MHz	Pass	6.05759G	-4.85	6.2896G	-54.55	-44.85	-9.70	2
6025MHz	Pass	6.00141G	-4.56	6.2788G	-53.79	-44.56	-9.23	3
6025MHz	Pass	6.05079G	-4.15	6.2978G	-54.03	-44.15	-9.88	4
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 8_4TX	-	-	-	-	-	-	-	-
6025MHz	Pass	5.99961G	-5.62	6.2972G	-58.97	-45.62	-13.35	1
6025MHz	Pass	6.07999G	-5.34	6.2794G	-57.42	-45.34	-12.08	2
6025MHz	Pass	5.99661G	-4.52	6.3012G	-55.11	-44.52	-10.59	3
6025MHz	Pass	6.0188G	-4.74	6.2736G	-55.88	-44.74	-11.14	4
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 1_4TX	-	-	-	-	-	-	-	-
6025MHz	Pass	6.00221G	-5.36	6.3752G	-59.15	-45.36	-13.79	1
6025MHz	Pass	6.0112G	-5.18	6.1094G	-37.73	-25.20	-12.53	2
6025MHz	Pass	5.99981G	-4.52	6.3294G	-55.64	-44.52	-11.12	3
6025MHz	Pass	5.99601G	-4.49	6.1092G	-36.72	-24.54	-12.18	4
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 2_4TX	-	-	-	-	-	-	-	-
6025MHz	Pass	5.97981G	-5.69	6.2758G	-58.12	-45.69	-12.43	1
6025MHz	Pass	6.07039G	-5.19	6.2892G	-55.47	-45.19	-10.28	2
6025MHz	Pass	5.98121G	-4.39	6.2754G	-53.89	-44.33	-9.56	3
6025MHz	Pass	6.09198G	-4.63	6.2762G	-53.83	-44.63	-9.20	4
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 3_4TX	-	-	-	-	-	-	-	-
6025MHz	Pass	6.0066G	-5.57	6.2814G	-57.43	-45.57	-11.86	1
6025MHz	Pass	6.07199G	-5.19	6.2842G	-57.04	-45.19	-11.85	2
6025MHz	Pass	5.99601G	-4.80	6.2816G	-54.11	-44.80	-9.31	3
6025MHz	Pass	5.98941G	-4.23	6.2746G	-54.30	-44.23	-10.07	4
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 4_4TX	-	-	-	-	-	-	-	-
6025MHz	Pass	5.98761G	-5.68	6.2976G	-59.15	-45.68	-13.47	1
6025MHz	Pass	6.05319G	-5.27	6.2504G	-53.82	-41.80	-12.02	2
6025MHz	Pass	6.00321G	-4.58	6.2724G	-54.01	-44.09	-9.92	3



Mask_Non-Beamforming_Radio 2_Channel Puncturing

Appendix E.10

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
6025MHz	Pass	5.99781G	-4.68	6.2752G	-54.82	-44.68	-10.14	4
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 1_4TX	-	-	-	-	-	-	-	-
6185MHz	Pass	6.2014G	-5.57	6.4512G	-58.16	-45.57	-12.59	1
6185MHz	Pass	6.201G	-5.04	6.4382G	-56.68	-45.04	-11.64	2
6185MHz	Pass	6.1778G	-4.85	6.448G	-54.98	-44.85	-10.13	3
6185MHz	Pass	6.1946G	-4.74	6.4336G	-56.01	-44.33	-11.68	4
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 2_4TX	-	-	-	-	-	-	-	-
6185MHz	Pass	6.2026G	-4.82	6.4512G	-56.62	-44.82	-11.80	1
6185MHz	Pass	6.23899G	-4.44	6.434G	-55.25	-44.44	-10.81	2
6185MHz	Pass	6.20819G	-4.29	6.4588G	-54.27	-44.29	-9.98	3
6185MHz	Pass	6.22219G	-4.55	6.5688G	-55.44	-44.55	-10.89	4
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 3_4TX	-	-	-	-	-	-	-	-
6185MHz	Pass	6.1734G	-4.73	6.448G	-56.27	-44.73	-11.54	1
6185MHz	Pass	6.26218G	-4.18	6.4566G	-54.84	-44.18	-10.66	2
6185MHz	Pass	6.21039G	-4.17	6.4472G	-54.20	-44.17	-10.03	3
6185MHz	Pass	6.22159G	-4.77	6.5686G	-55.53	-44.77	-10.76	4
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 4_4TX	-	-	-	-	-	-	-	-
6185MHz	Pass	6.21599G	-4.80	6.449G	-56.48	-44.80	-11.68	1
6185MHz	Pass	6.24678G	-4.27	6.4448G	-55.11	-44.27	-10.84	2
6185MHz	Pass	6.21219G	-4.29	6.4478G	-53.82	-44.29	-9.53	3
6185MHz	Pass	6.15661G	-4.79	6.5704G	-55.43	-44.79	-10.64	4
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 5_4TX	-	-	-	-	-	-	-	-
6185MHz	Pass	6.176G	-4.62	6.4512G	-56.35	-44.62	-11.73	1
6185MHz	Pass	6.26058G	-4.21	6.4402G	-54.45	-44.21	-10.24	2
6185MHz	Pass	6.25318G	-4.29	6.4412G	-53.63	-44.29	-9.34	3
6185MHz	Pass	6.11462G	-4.84	6.571G	-55.48	-44.84	-10.64	4
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 6_4TX	-	-	-	-	-	-	-	-
6185MHz	Pass	6.16461G	-4.76	6.4528G	-56.38	-44.76	-11.62	1
6185MHz	Pass	6.25058G	-4.06	6.4416G	-54.79	-43.77	-11.02	2
6185MHz	Pass	6.23119G	-4.35	6.45G	-53.69	-44.35	-9.34	3
6185MHz	Pass	6.2G	-4.82	6.569G	-55.58	-44.82	-10.76	4
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 7_4TX	-	-	-	-	-	-	-	-
6185MHz	Pass	6.14241G	-4.58	6.4464G	-56.49	-44.58	-11.91	1
6185MHz	Pass	6.20799G	-4.16	6.4508G	-55.38	-44.16	-11.22	2
6185MHz	Pass	6.20959G	-4.45	6.4432G	-53.95	-44.45	-9.50	3
6185MHz	Pass	6.12541G	-5.00	6.5694G	-55.64	-45.00	-10.64	4
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 8_4TX	-	-	-	-	-	-	-	-
6185MHz	Pass	6.1818G	-5.45	6.5282G	-58.34	-45.45	-12.89	1
6185MHz	Pass	6.2004G	-4.90	6.533G	-56.40	-44.90	-11.50	2
6185MHz	Pass	6.203G	-4.75	6.5254G	-55.08	-44.75	-10.33	3
6185MHz	Pass	6.1938G	-4.83	6.5804G	-56.36	-44.83	-11.53	4
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 1_4TX	-	-	-	-	-	-	-	-
6185MHz	Pass	6.177G	-5.61	6.5676G	-58.40	-45.61	-12.79	1
6185MHz	Pass	6.1906G	-4.98	6.4142G	-54.25	-41.62	-12.63	2
6185MHz	Pass	6.22039G	-4.65	6.5292G	-55.13	-44.65	-10.48	3
6185MHz	Pass	6.1988G	-4.31	6.5504G	-57.22	-44.31	-12.91	4
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 2_4TX	-	-	-	-	-	-	-	-
6185MHz	Pass	6.2014G	-5.72	6.445G	-57.44	-45.72	-11.72	1
6185MHz	Pass	6.20939G	-4.84	6.439G	-56.09	-44.84	-11.25	2
6185MHz	Pass	6.2004G	-4.50	6.4442G	-53.87	-44.50	-9.37	3
6185MHz	Pass	6.198G	-4.64	6.5692G	-55.17	-44.64	-10.53	4
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 3_4TX	-	-	-	-	-	-	-	-
6185MHz	Pass	6.1794G	-5.74	6.4506G	-58.49	-45.74	-12.75	1
6185MHz	Pass	6.26198G	-5.03	6.4386G	-56.59	-45.03	-11.56	2
6185MHz	Pass	6.1808G	-4.68	6.448G	-54.80	-44.68	-10.12	3
6185MHz	Pass	6.11062G	-4.69	6.432G	-54.74	-44.05	-10.69	4



Mask_Non-Beamforming_Radio 2_Channel Puncturing

Appendix E.10

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 4_4TX	-	-	-	-	-	-	-	-
6185MHz	Pass	6.2008G	-5.47	6.5496G	-58.70	-45.47	-13.23	1
6185MHz	Pass	6.1896G	-4.69	6.4356G	-56.79	-44.38	-12.41	2
6185MHz	Pass	6.21699G	-4.39	6.4394G	-55.39	-44.34	-11.05	3
6185MHz	Pass	6.1812G	-4.69	5.9286G	-56.11	-44.69	-11.42	4
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 1_4TX	-	-	-	-	-	-	-	-
6345MHz	Pass	6.30061G	-5.81	6.6818G	-57.19	-45.81	-11.38	1
6345MHz	Pass	6.41858G	-5.20	6.6004G	-57.04	-45.20	-11.84	2
6345MHz	Pass	6.3288G	-5.15	6.605G	-54.32	-45.15	-9.17	3
6345MHz	Pass	6.31781G	-5.44	6.0026G	-55.05	-45.44	-9.61	4
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 2_4TX	-	-	-	-	-	-	-	-
6345MHz	Pass	6.27962G	-5.07	6.0674G	-55.96	-45.07	-10.89	1
6345MHz	Pass	6.3612G	-4.55	6.6014G	-55.55	-44.55	-11.00	2
6345MHz	Pass	6.3312G	-4.81	6.616G	-54.00	-44.81	-9.19	3
6345MHz	Pass	6.27422G	-5.03	5.962G	-53.61	-45.03	-8.58	4
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 3_4TX	-	-	-	-	-	-	-	-
6345MHz	Pass	6.27682G	-4.96	6.067G	-55.97	-44.96	-11.01	1
6345MHz	Pass	6.40838G	-4.71	6.613G	-55.23	-44.71	-10.52	2
6345MHz	Pass	6.28901G	-4.58	6.6064G	-53.30	-44.58	-8.72	3
6345MHz	Pass	6.27082G	-5.05	5.961G	-53.56	-45.05	-8.51	4
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 4_4TX	-	-	-	-	-	-	-	-
6345MHz	Pass	6.27862G	-4.95	6.067G	-56.37	-44.95	-11.42	1
6345MHz	Pass	6.39299G	-4.62	6.5952G	-55.19	-44.44	-10.75	2
6345MHz	Pass	6.31301G	-4.72	6.6088G	-53.80	-44.72	-9.08	3
6345MHz	Pass	6.28122G	-5.18	5.9604G	-53.49	-45.18	-8.31	4
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 5_4TX	-	-	-	-	-	-	-	-
6345MHz	Pass	6.30961G	-5.08	6.7298G	-56.55	-45.08	-11.47	1
6345MHz	Pass	6.40219G	-4.67	6.6098G	-54.72	-44.67	-10.05	2
6345MHz	Pass	6.28242G	-4.48	6.6084G	-53.19	-44.48	-8.71	3
6345MHz	Pass	6.27982G	-5.15	5.9608G	-53.66	-45.15	-8.51	4
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 6_4TX	-	-	-	-	-	-	-	-
6345MHz	Pass	6.31941G	-4.88	6.0676G	-56.46	-44.88	-11.58	1
6345MHz	Pass	6.39359G	-4.66	6.6092G	-55.38	-44.66	-10.72	2
6345MHz	Pass	6.28761G	-4.63	6.6074G	-53.54	-44.63	-8.91	3
6345MHz	Pass	6.29181G	-5.03	5.9616G	-53.69	-45.03	-8.66	4
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 7_4TX	-	-	-	-	-	-	-	-
6345MHz	Pass	6.27822G	-4.97	6.0674G	-56.36	-44.97	-11.39	1
6345MHz	Pass	6.349G	-4.67	6.5968G	-54.87	-44.67	-10.20	2
6345MHz	Pass	6.37279G	-4.68	6.6152G	-53.70	-44.68	-9.02	3
6345MHz	Pass	6.29241G	-5.15	5.9618G	-53.73	-45.15	-8.58	4
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 8_4TX	-	-	-	-	-	-	-	-
6345MHz	Pass	6.28262G	-5.61	6.6812G	-57.20	-45.61	-11.59	1
6345MHz	Pass	6.31921G	-4.94	6.5994G	-57.58	-44.94	-12.64	2
6345MHz	Pass	6.29821G	-5.06	6.6098G	-54.59	-45.06	-9.53	3
6345MHz	Pass	6.30941G	-5.74	6.0142G	-55.60	-45.74	-9.86	4
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 1_4TX	-	-	-	-	-	-	-	-
6345MHz	Pass	6.32281G	-5.92	6.6818G	-57.58	-45.92	-11.66	1
6345MHz	Pass	6.41918G	-5.14	6.6922G	-58.46	-45.14	-13.32	2
6345MHz	Pass	6.31781G	-4.99	6.6682G	-55.28	-44.99	-10.29	3
6345MHz	Pass	6.31141G	-5.25	6.008G	-55.42	-45.25	-10.17	4
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 2_4TX	-	-	-	-	-	-	-	-
6345MHz	Pass	6.30241G	-5.85	6.6822G	-57.55	-45.85	-11.70	1
6345MHz	Pass	6.41438G	-4.92	6.599G	-56.47	-44.92	-11.55	2
6345MHz	Pass	6.30141G	-5.03	6.6084G	-53.83	-45.03	-8.80	3
6345MHz	Pass	6.29621G	-5.49	5.9596G	-54.18	-45.49	-8.69	4
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 3_4TX	-	-	-	-	-	-	-	-



Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
6345MHz	Pass	6.32161G	-5.72	6.6814G	-57.51	-45.72	-11.79	1
6345MHz	Pass	6.40319G	-4.91	6.6002G	-56.89	-44.91	-11.98	2
6345MHz	Pass	6.29441G	-4.94	6.6022G	-54.81	-44.94	-9.87	3
6345MHz	Pass	6.29401G	-5.38	5.9618G	-54.13	-45.38	-8.75	4
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 4_4TX	-	-	-	-	-	-	-	-
6345MHz	Pass	6.29821G	-5.78	6.6818G	-57.15	-45.78	-11.37	1
6345MHz	Pass	6.31741G	-5.07	6.5896G	-56.31	-43.81	-12.50	2
6345MHz	Pass	6.31941G	-5.04	6.6066G	-55.01	-45.04	-9.97	3
6345MHz	Pass	6.3348G	-5.55	5.9876G	-55.32	-45.55	-9.77	4
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 1_4TX	-	-	-	-	-	-	-	-
6505MHz	Pass	6.56159G	-4.74	6.8356G	-56.18	-44.74	-11.44	1
6505MHz	Pass	6.55999G	-3.92	6.7566G	-57.10	-43.66	-13.44	2
6505MHz	Pass	6.55079G	-4.84	6.8356G	-54.25	-44.84	-9.41	3
6505MHz	Pass	6.44861G	-5.29	6.118G	-53.89	-45.29	-8.60	4
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 2_4TX	-	-	-	-	-	-	-	-
6505MHz	Pass	6.58018G	-4.77	6.7558G	-55.61	-44.21	-11.40	1
6505MHz	Pass	6.53359G	-3.92	6.7672G	-55.55	-43.92	-11.63	2
6505MHz	Pass	6.54959G	-4.79	6.7748G	-54.26	-44.79	-9.47	3
6505MHz	Pass	6.43482G	-5.30	6.1192G	-52.60	-45.30	-7.30	4
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 3_4TX	-	-	-	-	-	-	-	-
6505MHz	Pass	6.55299G	-4.82	6.7738G	-55.73	-44.82	-10.91	1
6505MHz	Pass	6.53779G	-4.02	6.7602G	-55.02	-44.02	-11.00	2
6505MHz	Pass	6.56838G	-4.80	6.769G	-53.71	-44.80	-8.91	3
6505MHz	Pass	6.45141G	-5.30	6.1198G	-52.73	-45.30	-7.43	4
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 4_4TX	-	-	-	-	-	-	-	-
6505MHz	Pass	6.56658G	-4.78	6.7696G	-56.09	-44.78	-11.31	1
6505MHz	Pass	6.53899G	-3.98	6.7636G	-55.65	-43.98	-11.67	2
6505MHz	Pass	6.54879G	-4.72	6.7608G	-53.37	-44.72	-8.65	3
6505MHz	Pass	6.47101G	-5.33	6.1212G	-52.85	-45.33	-7.52	4
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 5_4TX	-	-	-	-	-	-	-	-
6505MHz	Pass	6.56778G	-4.84	6.7678G	-55.85	-44.84	-11.01	1
6505MHz	Pass	6.55939G	-3.87	6.767G	-55.69	-43.87	-11.82	2
6505MHz	Pass	6.56978G	-4.74	6.7678G	-53.62	-44.74	-8.88	3
6505MHz	Pass	6.44761G	-5.22	6.1194G	-52.56	-45.22	-7.34	4
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 6_4TX	-	-	-	-	-	-	-	-
6505MHz	Pass	6.56958G	-4.82	6.7606G	-55.45	-44.82	-10.63	1
6505MHz	Pass	6.55759G	-3.95	6.76G	-55.89	-43.95	-11.94	2
6505MHz	Pass	6.56878G	-4.77	6.7658G	-53.49	-44.77	-8.72	3
6505MHz	Pass	6.43582G	-5.08	6.1218G	-52.61	-45.08	-7.53	4
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 7_4TX	-	-	-	-	-	-	-	-
6505MHz	Pass	6.58238G	-4.73	6.8352G	-56.06	-44.73	-11.33	1
6505MHz	Pass	6.53839G	-3.93	6.7198G	-49.15	-38.44	-10.71	2
6505MHz	Pass	6.56918G	-4.65	6.759G	-53.42	-44.65	-8.77	3
6505MHz	Pass	6.43222G	-5.00	6.121G	-52.64	-45.00	-7.64	4
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 8_4TX	-	-	-	-	-	-	-	-
6505MHz	Pass	6.55059G	-4.86	6.835G	-56.09	-44.86	-11.23	1
6505MHz	Pass	6.55659G	-3.75	6.7602G	-57.67	-43.75	-13.92	2
6505MHz	Pass	6.54879G	-4.92	6.7584G	-54.30	-44.92	-9.38	3
6505MHz	Pass	6.44761G	-5.28	6.1788G	-54.70	-45.28	-9.42	4
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 1_4TX	-	-	-	-	-	-	-	-
6505MHz	Pass	6.4894G	-4.17	6.8352G	-55.02	-44.17	-10.85	1
6505MHz	Pass	6.53459G	-3.45	6.7594G	-56.77	-43.40	-13.37	2
6505MHz	Pass	6.52819G	-4.16	6.8364G	-53.54	-44.16	-9.38	3
6505MHz	Pass	6.51G	-4.61	6.1138G	-53.45	-44.61	-8.84	4
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 2_4TX	-	-	-	-	-	-	-	-
6505MHz	Pass	6.5112G	-4.01	6.7756G	-54.92	-44.01	-10.91	1



Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
6505MHz	Pass	6.52559G	-3.40	6.7568G	-54.63	-43.40	-11.23	2
6505MHz	Pass	6.53219G	-4.25	6.7646G	-52.22	-44.25	-7.97	3
6505MHz	Pass	6.52719G	-4.65	6.1208G	-52.13	-44.65	-7.48	4
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 3_4TX	-	-	-	-	-	-	-	-
6505MHz	Pass	6.495G	-3.94	6.7702G	-54.11	-43.94	-10.17	1
6505MHz	Pass	6.55899G	-3.36	6.7598G	-54.48	-43.36	-11.12	2
6505MHz	Pass	6.56918G	-4.22	6.7606G	-52.62	-44.22	-8.40	3
6505MHz	Pass	6.43642G	-4.80	6.1212G	-52.42	-44.80	-7.62	4
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 4_4TX	-	-	-	-	-	-	-	-
6505MHz	Pass	6.53139G	-5.22	6.835G	-56.28	-45.22	-11.06	1
6505MHz	Pass	6.53659G	-4.23	6.7546G	-56.33	-43.68	-12.65	2
6505MHz	Pass	6.53379G	-5.09	6.8258G	-54.38	-45.09	-9.29	3
6505MHz	Pass	6.45481G	-5.45	6.1816G	-55.05	-45.45	-9.60	4
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 1_4TX	-	-	-	-	-	-	-	-
6665MHz	Pass	6.73018G	-4.38	6.9194G	-56.08	-44.24	-11.84	1
6665MHz	Pass	6.63801G	-3.36	6.907G	-54.35	-41.47	-12.88	2
6665MHz	Pass	6.6498G	-3.98	6.9184G	-53.43	-43.98	-9.45	3
6665MHz	Pass	6.69259G	-4.43	6.275G	-53.46	-44.43	-9.03	4
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 2_4TX	-	-	-	-	-	-	-	-
6665MHz	Pass	6.71679G	-3.39	6.9434G	-54.96	-43.39	-11.57	1
6665MHz	Pass	6.64181G	-3.11	6.9142G	-54.44	-42.79	-11.65	2
6665MHz	Pass	6.69079G	-3.49	6.935G	-52.72	-43.49	-9.23	3
6665MHz	Pass	6.73598G	-3.66	6.281G	-51.36	-43.66	-7.70	4
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 3_4TX	-	-	-	-	-	-	-	-
6665MHz	Pass	6.72518G	-3.32	6.9414G	-54.46	-43.32	-11.14	1
6665MHz	Pass	6.6516G	-3.13	6.4124G	-54.79	-43.01	-11.78	2
6665MHz	Pass	6.74258G	-3.45	6.9236G	-52.32	-43.25	-9.07	3
6665MHz	Pass	6.61261G	-3.95	6.2812G	-51.36	-43.95	-7.41	4
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 4_4TX	-	-	-	-	-	-	-	-
6665MHz	Pass	6.72878G	-3.28	6.9264G	-54.40	-43.28	-11.12	1
6665MHz	Pass	6.64061G	-3.04	6.9228G	-54.39	-43.04	-11.35	2
6665MHz	Pass	6.72938G	-3.29	6.9164G	-51.47	-42.72	-8.75	3
6665MHz	Pass	6.73878G	-3.77	6.2818G	-51.37	-43.77	-7.60	4
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 5_4TX	-	-	-	-	-	-	-	-
6665MHz	Pass	6.73878G	-3.33	6.926G	-54.08	-43.33	-10.75	1
6665MHz	Pass	6.63001G	-3.13	6.9304G	-54.50	-43.13	-11.37	2
6665MHz	Pass	6.73058G	-3.42	6.9238G	-52.22	-43.42	-8.80	3
6665MHz	Pass	6.73898G	-3.91	6.2804G	-51.51	-43.91	-7.60	4
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 6_4TX	-	-	-	-	-	-	-	-
6665MHz	Pass	6.73838G	-3.21	6.924G	-53.83	-43.21	-10.62	1
6665MHz	Pass	6.64161G	-2.89	6.3986G	-54.84	-42.89	-11.95	2
6665MHz	Pass	6.73818G	-3.47	6.9214G	-51.84	-43.47	-8.37	3
6665MHz	Pass	6.73278G	-3.99	6.281G	-51.55	-43.99	-7.56	4
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 7_4TX	-	-	-	-	-	-	-	-
6665MHz	Pass	6.74138G	-3.21	6.9224G	-54.71	-43.21	-11.50	1
6665MHz	Pass	6.63081G	-2.93	6.3986G	-55.02	-42.93	-12.09	2
6665MHz	Pass	6.72718G	-3.49	6.923G	-52.41	-43.49	-8.92	3
6665MHz	Pass	6.73618G	-3.85	6.2818G	-51.45	-43.85	-7.60	4
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 8_4TX	-	-	-	-	-	-	-	-
6665MHz	Pass	6.72139G	-4.08	6.9206G	-56.20	-44.08	-12.12	1
6665MHz	Pass	6.60921G	-3.57	6.407G	-56.33	-43.57	-12.76	2
6665MHz	Pass	6.68679G	-3.97	6.9168G	-54.02	-43.97	-10.05	3
6665MHz	Pass	6.6746G	-4.41	6.333G	-53.94	-44.41	-9.53	4
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 1_4TX	-	-	-	-	-	-	-	-
6665MHz	Pass	6.72718G	-4.40	6.9892G	-57.50	-44.40	-13.10	1
6665MHz	Pass	6.64101G	-3.46	6.41G	-57.48	-43.40	-14.08	2



Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
6665MHz	Pass	6.62801G	-3.98	6.9912G	-54.74	-43.98	-10.76	3
6665MHz	Pass	6.6802G	-4.35	6.2752G	-53.83	-44.35	-9.48	4
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 2_4TX	-	-	-	-	-	-	-	-
6665MHz	Pass	6.71059G	-3.41	6.9236G	-54.88	-43.39	-11.49	1
6665MHz	Pass	6.62141G	-2.96	6.3968G	-54.78	-42.96	-11.82	2
6665MHz	Pass	6.68719G	-3.30	6.9288G	-52.71	-43.30	-9.41	3
6665MHz	Pass	6.73638G	-3.56	6.2804G	-51.61	-43.56	-8.05	4
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 3_4TX	-	-	-	-	-	-	-	-
6665MHz	Pass	6.72798G	-3.65	6.9242G	-55.49	-43.65	-11.84	1
6665MHz	Pass	6.62061G	-3.18	6.395G	-54.98	-43.18	-11.80	2
6665MHz	Pass	6.6486G	-3.87	6.9204G	-53.27	-43.87	-9.40	3
6665MHz	Pass	6.73718G	-4.14	6.281G	-51.56	-44.14	-7.42	4
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 4_4TX	-	-	-	-	-	-	-	-
6665MHz	Pass	6.6478G	-3.89	6.9892G	-56.89	-43.89	-13.00	1
6665MHz	Pass	6.60102G	-3.43	6.402G	-57.59	-43.43	-14.16	2
6665MHz	Pass	6.68739G	-3.63	6.9258G	-54.26	-43.63	-10.63	3
6665MHz	Pass	6.69819G	-4.15	6.3018G	-54.24	-44.15	-10.09	4
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 1_4TX	-	-	-	-	-	-	-	-
6825MHz	Pass	6.84859G	-4.24	7.061G	-53.70	-41.76	-11.94	1
6825MHz	Pass	6.78101G	-3.33	6.5626G	-55.33	-43.33	-12.00	2
6825MHz	Pass	6.84559G	-3.60	7.0828G	-54.70	-43.60	-11.10	3
6825MHz	Pass	6.89278G	-3.70	6.4362G	-53.80	-43.70	-10.10	4
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 2_4TX	-	-	-	-	-	-	-	-
6825MHz	Pass	6.8412G	-3.49	7.08G	-55.98	-43.49	-12.49	1
6825MHz	Pass	6.75622G	-2.44	6.561G	-53.35	-42.44	-10.91	2
6825MHz	Pass	6.84579G	-3.43	6.546G	-54.45	-43.43	-11.02	3
6825MHz	Pass	6.87739G	-3.10	6.441G	-52.39	-43.10	-9.29	4
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 3_4TX	-	-	-	-	-	-	-	-
6825MHz	Pass	6.845G	-3.42	7.0908G	-54.56	-43.42	-11.14	1
6825MHz	Pass	6.78201G	-2.40	6.5716G	-51.62	-42.02	-9.60	2
6825MHz	Pass	6.8096G	-3.39	6.5468G	-54.13	-43.39	-10.74	3
6825MHz	Pass	6.89398G	-3.34	6.4412G	-52.40	-43.34	-9.06	4
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 4_4TX	-	-	-	-	-	-	-	-
6825MHz	Pass	6.85039G	-3.20	7.0838G	-55.23	-43.20	-12.03	1
6825MHz	Pass	6.75682G	-2.57	6.559G	-52.61	-42.57	-10.04	2
6825MHz	Pass	6.84639G	-3.30	6.5474G	-54.24	-43.30	-10.94	3
6825MHz	Pass	6.87539G	-3.27	6.4416G	-52.13	-43.27	-8.86	4
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 5_4TX	-	-	-	-	-	-	-	-
6825MHz	Pass	6.76621G	-3.35	7.083G	-54.79	-43.35	-11.44	1
6825MHz	Pass	6.75962G	-2.72	6.5636G	-52.80	-42.72	-10.08	2
6825MHz	Pass	6.86819G	-3.35	7.0854G	-54.09	-43.35	-10.74	3
6825MHz	Pass	6.87679G	-3.29	6.4418G	-52.25	-43.29	-8.96	4
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 6_4TX	-	-	-	-	-	-	-	-
6825MHz	Pass	6.8402G	-3.37	7.0794G	-54.76	-42.77	-11.99	1
6825MHz	Pass	6.80221G	-2.60	6.554G	-52.96	-42.60	-10.36	2
6825MHz	Pass	6.86799G	-3.30	6.5628G	-54.44	-43.30	-11.14	3
6825MHz	Pass	6.8384G	-3.21	6.4398G	-52.30	-43.21	-9.09	4
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 7_4TX	-	-	-	-	-	-	-	-
6825MHz	Pass	6.84979G	-3.28	7.0914G	-56.16	-43.28	-12.88	1
6825MHz	Pass	6.77561G	-2.74	6.558G	-53.11	-42.74	-10.37	2
6825MHz	Pass	6.8072G	-3.22	6.549G	-54.70	-43.22	-11.48	3
6825MHz	Pass	6.85499G	-3.19	6.4408G	-52.06	-43.19	-8.87	4
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 8_4TX	-	-	-	-	-	-	-	-
6825MHz	Pass	6.8326G	-4.16	6.5654G	-57.60	-44.16	-13.44	1
6825MHz	Pass	6.77521G	-3.17	6.5666G	-55.00	-43.17	-11.83	2
6825MHz	Pass	6.85299G	-3.88	6.5672G	-55.31	-43.88	-11.43	3



Mask_Non-Beamforming_Radio 2_Channel Puncturing

Appendix E.10

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
6825MHz	Pass	6.8334G	-3.68	6.5714G	-54.39	-43.68	-10.71	4
802.11be EHT160_Nss1,(MCSO),RU996+RU484 CP 1_4TX	-	-	-	-	-	-	-	-
6825MHz	Pass	6.8298G	-3.99	6.9106G	-36.96	-24.00	-12.96	1
6825MHz	Pass	6.80201G	-2.99	6.5558G	-55.52	-42.99	-12.53	2
6825MHz	Pass	6.84599G	-3.41	6.564G	-55.43	-43.41	-12.02	3
6825MHz	Pass	6.86839G	-3.38	6.4386G	-53.93	-43.38	-10.55	4
802.11be EHT160_Nss1,(MCSO),RU996+RU484 CP 2_4TX	-	-	-	-	-	-	-	-
6825MHz	Pass	6.85919G	-3.56	7.0898G	-57.04	-43.56	-13.48	1
6825MHz	Pass	6.76142G	-2.73	6.55G	-53.62	-42.73	-10.89	2
6825MHz	Pass	6.85639G	-3.69	6.549G	-54.88	-43.69	-11.19	3
6825MHz	Pass	6.85899G	-3.47	6.4414G	-52.67	-43.47	-9.20	4
802.11be EHT160_Nss1,(MCSO),RU996+RU484 CP 3_4TX	-	-	-	-	-	-	-	-
6825MHz	Pass	6.809G	-3.71	7.0944G	-56.39	-43.71	-12.68	1
6825MHz	Pass	6.75722G	-2.85	6.5512G	-53.47	-42.85	-10.62	2
6825MHz	Pass	6.8072G	-3.61	6.5672G	-54.72	-43.61	-11.11	3
6825MHz	Pass	6.806G	-3.58	6.4406G	-52.77	-43.58	-9.19	4
802.11be EHT160_Nss1,(MCSO),RU996+RU484 CP 4_4TX	-	-	-	-	-	-	-	-
6825MHz	Pass	6.8286G	-4.42	6.5544G	-58.55	-44.42	-14.13	1
6825MHz	Pass	6.8056G	-3.65	6.5682G	-55.21	-43.65	-11.56	2
6825MHz	Pass	6.808G	-4.06	6.5686G	-55.08	-44.01	-11.07	3
6825MHz	Pass	6.85699G	-4.18	6.451G	-55.17	-44.18	-10.99	4
802.11be EHT160_Nss1,(MCSO),RU996+RU484+RU242 CP 1_4TX	-	-	-	-	-	-	-	-
6985MHz	Pass	6.9978G	-3.74	7.228G	-54.78	-41.81	-12.97	1
6985MHz	Pass	6.93161G	-2.62	6.6578G	-53.44	-42.62	-10.82	2
6985MHz	Pass	6.92821G	-3.50	6.7338G	-54.10	-43.37	-10.73	3
6985MHz	Pass	6.95121G	-3.75	6.597G	-54.23	-43.75	-10.48	4
802.11be EHT160_Nss1,(MCSO),RU996+RU484+RU242 CP 2_4TX	-	-	-	-	-	-	-	-
6985MHz	Pass	6.9908G	-3.77	7.1952G	-48.97	-37.86	-11.11	1
6985MHz	Pass	6.91542G	-2.55	6.7314G	-53.33	-42.55	-10.78	2
6985MHz	Pass	6.9696G	-3.45	6.7278G	-53.76	-43.45	-10.31	3
6985MHz	Pass	6.9946G	-3.63	6.6008G	-52.89	-43.63	-9.26	4
802.11be EHT160_Nss1,(MCSO),RU996+RU484+RU242 CP 3_4TX	-	-	-	-	-	-	-	-
6985MHz	Pass	6.9962G	-3.78	7.2376G	-54.78	-43.66	-11.12	1
6985MHz	Pass	6.91162G	-2.35	6.7288G	-52.66	-42.18	-10.48	2
6985MHz	Pass	6.92901G	-3.37	7.2408G	-53.31	-43.37	-9.94	3
6985MHz	Pass	6.91622G	-3.77	6.6012G	-52.55	-43.77	-8.78	4
802.11be EHT160_Nss1,(MCSO),RU996+RU484+RU242 CP 4_4TX	-	-	-	-	-	-	-	-
6985MHz	Pass	6.9912G	-3.95	7.241G	-54.75	-43.95	-10.80	1
6985MHz	Pass	6.90842G	-2.34	6.7238G	-52.88	-42.34	-10.54	2
6985MHz	Pass	6.95101G	-3.46	7.2464G	-53.52	-43.46	-10.06	3
6985MHz	Pass	6.95501G	-3.71	6.602G	-52.61	-43.71	-8.90	4
802.11be EHT160_Nss1,(MCSO),RU996+RU484+RU242 CP 5_4TX	-	-	-	-	-	-	-	-
6985MHz	Pass	6.9712G	-3.87	7.2508G	-55.65	-43.87	-11.78	1
6985MHz	Pass	6.91422G	-2.43	6.7336G	-52.51	-42.43	-10.08	2
6985MHz	Pass	6.95101G	-3.51	7.2408G	-53.42	-43.51	-9.91	3
6985MHz	Pass	6.95821G	-3.60	6.602G	-52.62	-43.60	-9.02	4
802.11be EHT160_Nss1,(MCSO),RU996+RU484+RU242 CP 6_4TX	-	-	-	-	-	-	-	-
6985MHz	Pass	6.95301G	-3.89	7.2296G	-53.92	-42.19	-11.73	1
6985MHz	Pass	6.92601G	-2.59	6.7098G	-52.49	-42.59	-9.90	2
6985MHz	Pass	6.973G	-3.41	6.7304G	-53.35	-43.41	-9.94	3
6985MHz	Pass	6.999G	-3.73	6.6004G	-52.62	-43.73	-8.89	4
802.11be EHT160_Nss1,(MCSO),RU996+RU484+RU242 CP 7_4TX	-	-	-	-	-	-	-	-
6985MHz	Pass	6.9976G	-3.94	7.201G	-50.04	-38.62	-11.42	1
6985MHz	Pass	6.93201G	-2.60	6.7128G	-53.26	-42.60	-10.66	2
6985MHz	Pass	6.92581G	-3.50	6.6958G	-54.18	-43.50	-10.68	3
6985MHz	Pass	6.9936G	-3.69	6.6G	-52.66	-43.69	-8.97	4



Mask_Non-Beamforming_Radio 2_Channel Puncturing

Appendix E.10

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
802.11be EHT160_Nss1,(MCSO),RU996+RU484+RU242 CP 8_4TX	-	-	-	-	-	-	-	-
6985MHz	Pass	6.91222G	-4.38	6.7274G	-57.37	-44.38	-12.99	1
6985MHz	Pass	6.91082G	-3.08	6.6138G	-54.14	-43.08	-11.06	2
6985MHz	Pass	6.91202G	-4.07	6.7272G	-54.89	-44.07	-10.82	3
6985MHz	Pass	6.91602G	-4.49	6.7204G	-54.40	-44.49	-9.91	4
802.11be EHT160_Nss1,(MCSO),RU996+RU484 CP 1_4TX	-	-	-	-	-	-	-	-
6985MHz	Pass	6.95581G	-4.48	6.6812G	-57.52	-44.48	-13.04	1
6985MHz	Pass	6.95021G	-3.84	6.7272G	-54.88	-43.84	-11.04	2
6985MHz	Pass	7.0042G	-4.01	6.7206G	-55.23	-44.01	-11.22	3
6985MHz	Pass	6.991G	-4.48	6.598G	-54.40	-44.48	-9.92	4
802.11be EHT160_Nss1,(MCSO),RU996+RU484 CP 2_4TX	-	-	-	-	-	-	-	-
6985MHz	Pass	6.9904G	-3.63	7.1784G	-45.89	-35.17	-10.72	1
6985MHz	Pass	6.91102G	-2.34	6.724G	-52.25	-42.34	-9.91	2
6985MHz	Pass	6.93761G	-3.34	7.2488G	-52.82	-43.34	-9.48	3
6985MHz	Pass	6.9956G	-3.48	6.601G	-52.82	-43.48	-9.34	4
802.11be EHT160_Nss1,(MCSO),RU996+RU484 CP 3_4TX	-	-	-	-	-	-	-	-
6985MHz	Pass	6.95241G	-3.65	6.727G	-55.35	-43.65	-11.70	1
6985MHz	Pass	6.93641G	-2.38	6.728G	-51.38	-42.38	-9.00	2
6985MHz	Pass	6.92482G	-3.05	6.7292G	-53.87	-43.05	-10.82	3
6985MHz	Pass	6.95061G	-3.73	6.7284G	-52.81	-43.73	-9.08	4
802.11be EHT160_Nss1,(MCSO),RU996+RU484 CP 4_4TX	-	-	-	-	-	-	-	-
6985MHz	Pass	6.90802G	-4.28	6.6814G	-57.68	-44.28	-13.40	1
6985MHz	Pass	6.91102G	-3.18	6.6628G	-55.68	-43.18	-12.50	2
6985MHz	Pass	7.0024G	-3.73	6.645G	-55.31	-43.73	-11.58	3
6985MHz	Pass	6.91122G	-4.14	7.2318G	-53.95	-43.20	-10.75	4
802.11be EHT320_Nss1,(MCSO),3xRU996+RU484 CP 1_4TX	-	-	-	-	-	-	-	-
6105MHz	Pass	6.0966G	-3.04	6.2702G	-27.80	-23.04	-4.76	1
6105MHz	Pass	6.20058G	-2.29	6.6122G	-50.64	-42.29	-8.35	2
6105MHz	Pass	5.99423G	-2.43	6.6242G	-51.02	-42.43	-8.59	3
6105MHz	Pass	6.097G	-2.45	6.6066G	-51.04	-42.45	-8.59	4
802.11be EHT320_Nss1,(MCSO),3xRU996+RU484 CP 2_4TX	-	-	-	-	-	-	-	-
6105MHz	Pass	6.1206G	-4.82	6.5214G	-47.55	-39.10	-8.45	1
6105MHz	Pass	6.22177G	-4.11	6.5182G	-45.33	-37.84	-7.49	2
6105MHz	Pass	6.05821G	-4.39	6.5874G	-50.33	-43.01	-7.32	3
6105MHz	Pass	6.05621G	-4.42	6.5718G	-50.39	-42.28	-8.11	4
802.11be EHT320_Nss1,(MCSO),3xRU996+RU484 CP 3_4TX	-	-	-	-	-	-	-	-
6105MHz	Pass	6.13859G	-4.70	6.5426G	-47.73	-40.27	-7.46	1
6105MHz	Pass	6.24696G	-4.01	6.5522G	-46.46	-40.88	-5.58	2
6105MHz	Pass	6.07781G	-4.45	6.611G	-51.07	-44.45	-6.62	3
6105MHz	Pass	6.07781G	-4.28	6.5294G	-45.86	-39.23	-6.63	4
802.11be EHT320_Nss1,(MCSO),3xRU996+RU484 CP 4_4TX	-	-	-	-	-	-	-	-
6105MHz	Pass	5.97143G	-4.64	6.6638G	-52.20	-44.64	-7.56	1
6105MHz	Pass	6.24776G	-4.02	6.6514G	-48.62	-44.02	-4.60	2
6105MHz	Pass	6.25136G	-4.35	6.6302G	-51.81	-44.35	-7.46	3
6105MHz	Pass	6.05861G	-4.48	6.5086G	-45.06	-38.23	-6.83	4
802.11be EHT320_Nss1,(MCSO),3xRU996+RU484 CP 5_4TX	-	-	-	-	-	-	-	-
6105MHz	Pass	5.97703G	-4.54	6.6482G	-53.68	-44.54	-9.14	1
6105MHz	Pass	6.25656G	-4.06	6.5106G	-44.43	-37.48	-6.95	2
6105MHz	Pass	6.05981G	-4.39	6.5082G	-44.62	-37.33	-7.29	3
6105MHz	Pass	6.03902G	-4.26	6.661G	-51.52	-44.26	-7.26	4
802.11be EHT320_Nss1,(MCSO),3xRU996+RU484 CP 6_4TX	-	-	-	-	-	-	-	-
6105MHz	Pass	5.97063G	-4.39	6.5102G	-46.80	-37.70	-9.10	1
6105MHz	Pass	6.24217G	-3.72	6.5042G	-43.60	-36.91	-6.69	2
6105MHz	Pass	6.23577G	-4.22	6.5098G	-44.82	-37.43	-7.39	3
6105MHz	Pass	6.0958G	-4.35	6.6006G	-51.95	-44.35	-7.60	4
802.11be EHT320_Nss1,(MCSO),3xRU996+RU484 CP 7_4TX	-	-	-	-	-	-	-	-



Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
6105MHz	Pass	5.98903G	-4.56	6.5394G	-50.54	-40.24	-10.30	1
6105MHz	Pass	6.24896G	-3.74	6.5402G	-46.95	-39.39	-7.56	2
6105MHz	Pass	6.25176G	-4.29	6.5622G	-48.40	-41.19	-7.21	3
6105MHz	Pass	6.05461G	-4.25	6.5822G	-51.40	-43.42	-7.98	4
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 8_4TX	-	-	-	-	-	-	-	-
6105MHz	Pass	6.01062G	-3.18	5.9398G	-31.03	-23.18	-7.85	1
6105MHz	Pass	6.21937G	-2.17	6.6094G	-50.13	-42.17	-7.96	2
6105MHz	Pass	6.0966G	-2.53	6.6138G	-50.42	-42.53	-7.89	3
6105MHz	Pass	6.095G	-2.66	6.6186G	-50.79	-42.66	-8.13	4
802.11be EHT320_Nss1,(MCS0),3xRU996 CP 1_4TX	-	-	-	-	-	-	-	-
6105MHz	Pass	6.0886G	-3.09	6.2702G	-28.17	-23.09	-5.08	1
6105MHz	Pass	6.20418G	-2.35	6.6042G	-51.87	-42.35	-9.52	2
6105MHz	Pass	6.0962G	-2.55	6.611G	-51.61	-42.55	-9.06	3
6105MHz	Pass	6.0894G	-2.35	6.6822G	-51.82	-42.35	-9.47	4
802.11be EHT320_Nss1,(MCS0),3xRU996 CP 2_4TX	-	-	-	-	-	-	-	-
6105MHz	Pass	5.98023G	-4.59	6.6546G	-53.13	-44.59	-8.54	1
6105MHz	Pass	6.24656G	-3.86	6.4926G	-42.28	-35.75	-6.53	2
6105MHz	Pass	6.23057G	-4.32	6.5034G	-44.95	-36.91	-8.04	3
6105MHz	Pass	6.13739G	-4.34	6.6366G	-51.36	-44.34	-7.02	4
802.11be EHT320_Nss1,(MCS0),3xRU996 CP 3_4TX	-	-	-	-	-	-	-	-
6105MHz	Pass	5.98783G	-4.67	6.5002G	-45.83	-36.96	-8.87	1
6105MHz	Pass	6.24337G	-3.61	6.5058G	-42.89	-36.15	-6.74	2
6105MHz	Pass	6.03902G	-4.32	6.5066G	-44.86	-37.30	-7.56	3
6105MHz	Pass	6.05581G	-4.27	6.5154G	-45.43	-38.04	-7.39	4
802.11be EHT320_Nss1,(MCS0),3xRU996 CP 4_4TX	-	-	-	-	-	-	-	-
6105MHz	Pass	6.00782G	-3.12	5.9398G	-31.29	-23.12	-8.17	1
6105MHz	Pass	6.17978G	-2.27	6.6042G	-52.03	-42.27	-9.76	2
6105MHz	Pass	5.99863G	-2.54	6.613G	-52.37	-42.54	-9.83	3
6105MHz	Pass	6.0954G	-2.62	6.6094G	-52.09	-42.62	-9.47	4
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 1_4TX	-	-	-	-	-	-	-	-
6105MHz	Pass	6.13259G	-4.89	5.9602G	-31.46	-24.94	-6.52	1
6105MHz	Pass	6.16618G	-4.16	6.2542G	-33.06	-24.18	-8.88	2
6105MHz	Pass	6.05981G	-4.39	5.955G	-33.13	-24.41	-8.72	3
6105MHz	Pass	6.07581G	-4.39	5.961G	-30.93	-24.47	-6.46	4
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 2_4TX	-	-	-	-	-	-	-	-
6105MHz	Pass	6.08261G	-3.64	5.9398G	-31.32	-23.64	-7.68	1
6105MHz	Pass	6.17618G	-2.44	6.6134G	-53.67	-42.44	-11.23	2
6105MHz	Pass	6.08181G	-2.61	6.6082G	-54.00	-42.61	-11.39	3
6105MHz	Pass	6.1118G	-2.64	6.5974G	-51.96	-42.07	-9.89	4
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 3_4TX	-	-	-	-	-	-	-	-
6105MHz	Pass	6.00223G	-3.42	5.9398G	-31.77	-23.42	-8.35	1
6105MHz	Pass	6.17538G	-2.32	6.605G	-53.60	-42.32	-11.28	2
6105MHz	Pass	6.07861G	-2.49	6.611G	-54.15	-42.49	-11.66	3
6105MHz	Pass	6.0922G	-2.60	6.617G	-52.18	-42.60	-9.58	4
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 4_4TX	-	-	-	-	-	-	-	-
6105MHz	Pass	5.99623G	-3.51	5.9398G	-31.81	-23.51	-8.30	1
6105MHz	Pass	6.18018G	-2.19	6.6002G	-53.60	-42.11	-11.49	2
6105MHz	Pass	6.00103G	-2.41	6.6062G	-54.08	-42.38	-11.70	3
6105MHz	Pass	6.1142G	-2.69	6.6118G	-52.16	-42.69	-9.47	4
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 5_4TX	-	-	-	-	-	-	-	-
6105MHz	Pass	5.98863G	-3.46	5.9398G	-30.63	-23.46	-7.17	1
6105MHz	Pass	6.17418G	-2.33	6.621G	-53.83	-42.33	-11.50	2
6105MHz	Pass	6.08101G	-2.49	6.6142G	-54.21	-42.49	-11.72	3
6105MHz	Pass	6.07501G	-2.80	6.6206G	-52.31	-42.80	-9.51	4
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 6_4TX	-	-	-	-	-	-	-	-
6105MHz	Pass	6.00782G	-3.44	5.9398G	-31.21	-23.44	-7.77	1



Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
6105MHz	Pass	6.0906G	-2.45	6.603G	-53.58	-42.45	-11.13	2
6105MHz	Pass	6.00183G	-2.45	6.6082G	-54.72	-42.45	-12.27	3
6105MHz	Pass	6.0962G	-2.72	6.6002G	-52.37	-42.35	-10.02	4
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 7_4TX	-	-	-	-	-	-	-	-
6105MHz	Pass	6.08101G	-3.33	6.2702G	-27.75	-23.33	-4.42	1
6105MHz	Pass	6.25816G	-2.42	6.2714G	-32.42	-21.62	-10.80	2
6105MHz	Pass	6.07741G	-2.40	6.609G	-53.31	-42.40	-10.91	3
6105MHz	Pass	6.0898G	-2.36	6.6842G	-52.08	-42.36	-9.72	4
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 8_4TX	-	-	-	-	-	-	-	-
6105MHz	Pass	6.03702G	-3.66	6.2702G	-28.19	-23.66	-4.53	1
6105MHz	Pass	6.20178G	-2.50	6.2714G	-31.58	-21.70	-9.88	2
6105MHz	Pass	6.20098G	-2.62	6.6074G	-53.26	-42.62	-10.64	3
6105MHz	Pass	6.1146G	-2.61	6.6598G	-51.89	-42.61	-9.28	4
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 9_4TX	-	-	-	-	-	-	-	-
6105MHz	Pass	6.0882G	-3.42	6.2702G	-28.12	-23.42	-4.70	1
6105MHz	Pass	6.25816G	-2.50	6.2714G	-32.33	-21.70	-10.63	2
6105MHz	Pass	6.0974G	-2.47	6.6162G	-53.38	-42.47	-10.91	3
6105MHz	Pass	6.07621G	-2.52	6.6774G	-51.77	-42.52	-9.25	4
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 10_4TX	-	-	-	-	-	-	-	-
6105MHz	Pass	6.0886G	-3.49	6.2702G	-28.87	-23.49	-5.38	1
6105MHz	Pass	6.25856G	-2.51	6.2718G	-32.92	-22.53	-10.39	2
6105MHz	Pass	6.07941G	-2.60	6.6034G	-53.53	-42.37	-11.16	3
6105MHz	Pass	6.0958G	-2.37	6.6702G	-51.90	-42.37	-9.53	4
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 11_4TX	-	-	-	-	-	-	-	-
6105MHz	Pass	6.08421G	-3.49	6.2702G	-28.03	-23.49	-4.54	1
6105MHz	Pass	6.25736G	-2.35	6.5974G	-53.25	-42.07	-11.18	2
6105MHz	Pass	6.07941G	-2.66	6.6074G	-53.68	-42.66	-11.02	3
6105MHz	Pass	6.0938G	-2.55	6.6938G	-52.19	-42.55	-9.64	4
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 12_4TX	-	-	-	-	-	-	-	-
6105MHz	Pass	6.13539G	-4.99	6.2506G	-31.47	-25.03	-6.44	1
6105MHz	Pass	6.22057G	-4.15	6.2474G	-29.28	-24.18	-5.10	2
6105MHz	Pass	6.04222G	-4.34	6.253G	-31.47	-24.39	-7.08	3
6105MHz	Pass	6.05661G	-4.45	6.2538G	-31.92	-24.64	-7.28	4
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 1_4TX	-	-	-	-	-	-	-	-
6265MHz	Pass	6.2846G	-3.42	6.7918G	-51.57	-43.42	-8.15	1
6265MHz	Pass	6.31819G	-2.60	6.7938G	-52.37	-42.60	-9.77	2
6265MHz	Pass	6.28779G	-2.75	6.765G	-51.16	-42.75	-8.41	3
6265MHz	Pass	6.19182G	-2.87	6.7954G	-51.09	-42.87	-8.22	4
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 2_4TX	-	-	-	-	-	-	-	-
6265MHz	Pass	6.2466G	-4.82	6.7746G	-53.13	-44.82	-8.31	1
6265MHz	Pass	6.40776G	-4.65	6.741G	-51.21	-42.99	-8.22	2
6265MHz	Pass	6.2814G	-4.30	6.765G	-52.73	-44.28	-8.45	3
6265MHz	Pass	6.23741G	-4.58	6.803G	-52.80	-44.58	-8.22	4
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 3_4TX	-	-	-	-	-	-	-	-
6265MHz	Pass	6.23661G	-4.79	6.7726G	-52.73	-44.79	-7.94	1
6265MHz	Pass	6.40337G	-4.57	6.6518G	-44.43	-36.33	-8.10	2
6265MHz	Pass	6.2522G	-4.36	6.7678G	-52.09	-44.26	-7.83	3
6265MHz	Pass	6.2598G	-4.67	6.767G	-52.41	-44.67	-7.74	4
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 4_4TX	-	-	-	-	-	-	-	-
6265MHz	Pass	6.2822G	-4.86	6.8166G	-51.11	-44.86	-6.25	1
6265MHz	Pass	6.39817G	-4.51	6.649G	-44.16	-36.14	-8.02	2
6265MHz	Pass	6.2834G	-4.36	6.7578G	-51.60	-43.73	-7.87	3
6265MHz	Pass	6.21581G	-4.93	6.773G	-52.39	-44.93	-7.46	4
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 5_4TX	-	-	-	-	-	-	-	-
6265MHz	Pass	6.24221G	-4.49	6.7898G	-52.37	-44.49	-7.88	1
6265MHz	Pass	6.40377G	-4.32	6.6622G	-45.00	-36.90	-8.10	2



Mask_Non-Beamforming_Radio 2_Channel Puncturing

Appendix E.10

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
6265MHz	Pass	6.2498G	-4.21	6.7898G	-51.99	-44.21	-7.78	3
6265MHz	Pass	6.23981G	-4.67	6.7738G	-52.30	-44.67	-7.63	4
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 6_4TX	-	-	-	-	-	-	-	-
6265MHz	Pass	6.2778G	-4.72	6.7946G	-52.17	-44.72	-7.45	1
6265MHz	Pass	6.41656G	-4.36	6.7722G	-52.20	-44.36	-7.84	2
6265MHz	Pass	6.247G	-4.28	6.7746G	-51.62	-44.28	-7.34	3
6265MHz	Pass	6.2582G	-4.74	6.8182G	-52.68	-44.74	-7.94	4
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 7_4TX	-	-	-	-	-	-	-	-
6265MHz	Pass	6.23821G	-4.64	6.7594G	-52.37	-44.60	-7.77	1
6265MHz	Pass	6.42136G	-4.25	6.7382G	-50.67	-42.48	-8.19	2
6265MHz	Pass	6.29299G	-4.26	6.7678G	-52.37	-44.06	-8.31	3
6265MHz	Pass	6.2578G	-4.74	6.7902G	-52.59	-44.74	-7.85	4
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 8_4TX	-	-	-	-	-	-	-	-
6265MHz	Pass	6.2842G	-3.46	6.769G	-51.51	-43.46	-8.05	1
6265MHz	Pass	6.29899G	-2.29	6.7734G	-53.10	-42.29	-10.81	2
6265MHz	Pass	6.29379G	-2.65	6.7666G	-50.96	-42.65	-8.31	3
6265MHz	Pass	6.18982G	-3.09	6.7718G	-51.40	-43.09	-8.31	4
802.11be EHT320_Nss1,(MCS0),3xRU996 CP 1_4TX	-	-	-	-	-	-	-	-
6265MHz	Pass	6.20422G	-3.40	6.7834G	-51.89	-43.40	-8.49	1
6265MHz	Pass	6.29899G	-2.56	6.775G	-53.33	-42.56	-10.77	2
6265MHz	Pass	6.29019G	-2.47	6.7654G	-51.69	-42.47	-9.22	3
6265MHz	Pass	6.19902G	-2.84	6.8358G	-51.32	-42.84	-8.48	4
802.11be EHT320_Nss1,(MCS0),3xRU996 CP 2_4TX	-	-	-	-	-	-	-	-
6265MHz	Pass	6.2798G	-4.56	6.8118G	-51.31	-44.56	-6.75	1
6265MHz	Pass	6.2834G	-4.31	6.6614G	-45.35	-36.61	-8.74	2
6265MHz	Pass	6.28619G	-4.18	6.773G	-51.84	-44.18	-7.66	3
6265MHz	Pass	6.2754G	-4.80	6.7682G	-52.41	-44.80	-7.61	4
802.11be EHT320_Nss1,(MCS0),3xRU996 CP 3_4TX	-	-	-	-	-	-	-	-
6265MHz	Pass	6.23661G	-4.55	6.8098G	-53.80	-44.55	-9.25	1
6265MHz	Pass	6.40576G	-4.24	6.6602G	-44.33	-36.75	-7.58	2
6265MHz	Pass	6.24461G	-4.18	6.777G	-52.20	-44.18	-8.02	3
6265MHz	Pass	6.2606G	-4.72	6.8194G	-52.73	-44.72	-8.01	4
802.11be EHT320_Nss1,(MCS0),3xRU996 CP 4_4TX	-	-	-	-	-	-	-	-
6265MHz	Pass	6.30059G	-3.25	6.7726G	-52.20	-43.25	-8.95	1
6265MHz	Pass	6.31659G	-2.23	6.779G	-53.41	-42.23	-11.18	2
6265MHz	Pass	6.29179G	-2.45	6.761G	-51.94	-42.24	-9.70	3
6265MHz	Pass	6.19102G	-3.18	6.7938G	-51.91	-43.18	-8.73	4
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 1_4TX	-	-	-	-	-	-	-	-
6265MHz	Pass	6.2562G	-4.66	6.121G	-31.38	-24.66	-6.72	1
6265MHz	Pass	6.2698G	-4.31	6.4118G	-32.58	-24.34	-8.24	2
6265MHz	Pass	6.2738G	-4.27	6.1186G	-31.75	-24.36	-7.39	3
6265MHz	Pass	6.2526G	-4.81	6.119G	-32.23	-24.82	-7.41	4
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 2_4TX	-	-	-	-	-	-	-	-
6265MHz	Pass	6.2818G	-3.48	6.7698G	-53.62	-43.48	-10.14	1
6265MHz	Pass	6.30059G	-2.40	6.7838G	-55.36	-42.40	-12.96	2
6265MHz	Pass	6.28899G	-2.69	6.7666G	-54.16	-42.69	-11.47	3
6265MHz	Pass	6.11344G	-3.30	6.8014G	-52.61	-43.30	-9.31	4
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 3_4TX	-	-	-	-	-	-	-	-
6265MHz	Pass	6.2822G	-3.42	6.791G	-53.62	-43.42	-10.20	1
6265MHz	Pass	6.29939G	-2.27	6.793G	-55.26	-42.27	-12.99	2
6265MHz	Pass	6.31259G	-2.62	6.7706G	-54.04	-42.62	-11.42	3
6265MHz	Pass	6.11144G	-3.32	6.7874G	-52.04	-43.32	-8.72	4
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 4_4TX	-	-	-	-	-	-	-	-
6265MHz	Pass	6.2834G	-3.53	6.835G	-53.66	-43.53	-10.13	1
6265MHz	Pass	6.29939G	-2.08	6.7738G	-55.33	-42.08	-13.25	2
6265MHz	Pass	6.29339G	-2.57	6.765G	-54.01	-42.57	-11.44	3



Mask_Non-Beamforming_Radio 2_Channel Puncturing

Appendix E.10

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
6265MHz	Pass	6.11624G	-3.34	6.7902G	-52.07	-43.34	-8.73	4
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 5_4TX	-	-	-	-	-	-	-	-
6265MHz	Pass	6.20422G	-3.39	6.787G	-53.83	-43.39	-10.44	1
6265MHz	Pass	6.31979G	-2.17	6.7742G	-55.13	-42.17	-12.96	2
6265MHz	Pass	6.31139G	-2.65	6.7878G	-54.31	-42.65	-11.66	3
6265MHz	Pass	6.11224G	-3.39	6.7966G	-52.29	-43.39	-8.90	4
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 6_4TX	-	-	-	-	-	-	-	-
6265MHz	Pass	6.20182G	-3.40	6.7666G	-53.88	-43.40	-10.48	1
6265MHz	Pass	6.30059G	-2.13	6.7774G	-55.35	-42.13	-13.22	2
6265MHz	Pass	6.29219G	-2.60	6.7618G	-54.33	-42.44	-11.89	3
6265MHz	Pass	6.11224G	-3.34	6.7614G	-52.60	-42.69	-9.91	4
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 7_4TX	-	-	-	-	-	-	-	-
6265MHz	Pass	6.2838G	-3.46	6.8366G	-53.24	-43.46	-9.78	1
6265MHz	Pass	6.31899G	-2.59	6.7726G	-55.01	-42.55	-12.46	2
6265MHz	Pass	6.28659G	-2.66	6.7918G	-53.15	-42.66	-10.49	3
6265MHz	Pass	6.29739G	-3.04	6.8514G	-51.40	-43.04	-8.36	4
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 8_4TX	-	-	-	-	-	-	-	-
6265MHz	Pass	6.20142G	-3.41	6.7994G	-53.31	-43.41	-9.90	1
6265MHz	Pass	6.41816G	-2.64	6.7726G	-54.99	-42.60	-12.39	2
6265MHz	Pass	6.29179G	-2.64	6.779G	-53.18	-42.64	-10.54	3
6265MHz	Pass	6.19782G	-2.72	6.8182G	-51.22	-42.72	-8.50	4
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 9_4TX	-	-	-	-	-	-	-	-
6265MHz	Pass	6.19782G	-3.54	6.7914G	-53.37	-43.54	-9.83	1
6265MHz	Pass	6.32139G	-2.63	6.7762G	-55.03	-42.63	-12.40	2
6265MHz	Pass	6.31219G	-2.72	6.7802G	-53.38	-42.72	-10.66	3
6265MHz	Pass	6.19742G	-2.88	6.8374G	-51.36	-42.88	-8.48	4
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 10_4TX	-	-	-	-	-	-	-	-
6265MHz	Pass	6.19982G	-3.52	6.8346G	-53.37	-43.52	-9.85	1
6265MHz	Pass	6.41736G	-2.66	6.7746G	-55.09	-42.66	-12.43	2
6265MHz	Pass	6.29299G	-2.61	6.8178G	-53.65	-42.61	-11.04	3
6265MHz	Pass	6.20861G	-2.97	6.8174G	-51.36	-42.97	-8.39	4
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 11_4TX	-	-	-	-	-	-	-	-
6265MHz	Pass	6.285G	-3.36	6.835G	-53.44	-43.36	-10.08	1
6265MHz	Pass	6.30059G	-2.62	6.7734G	-55.01	-42.62	-12.39	2
6265MHz	Pass	6.29219G	-2.66	6.7746G	-53.46	-42.66	-10.80	3
6265MHz	Pass	6.19742G	-2.95	6.8574G	-51.65	-42.95	-8.70	4
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 12_4TX	-	-	-	-	-	-	-	-
6265MHz	Pass	6.2774G	-4.65	6.4086G	-31.17	-24.65	-6.52	1
6265MHz	Pass	6.34938G	-4.49	6.407G	-29.77	-24.53	-5.24	2
6265MHz	Pass	6.245G	-4.38	6.4122G	-31.80	-24.39	-7.41	3
6265MHz	Pass	6.2546G	-4.45	6.4082G	-32.25	-24.56	-7.69	4
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 1_4TX	-	-	-	-	-	-	-	-
6425MHz	Pass	6.56896G	-3.03	6.9538G	-51.51	-43.03	-8.48	1
6425MHz	Pass	6.4382G	-2.54	6.7962G	-44.14	-33.32	-10.82	2
6425MHz	Pass	6.54977G	-3.11	6.9302G	-51.61	-43.08	-8.53	3
6425MHz	Pass	6.31303G	-3.11	6.9314G	-50.58	-43.11	-7.47	4
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 2_4TX	-	-	-	-	-	-	-	-
6425MHz	Pass	6.54017G	-5.03	6.9702G	-53.16	-45.03	-8.13	1
6425MHz	Pass	6.55777G	-4.65	6.843G	-47.75	-38.49	-9.26	2
6425MHz	Pass	6.54937G	-5.01	6.9234G	-53.09	-44.97	-8.12	3
6425MHz	Pass	6.26984G	-4.53	6.9714G	-52.35	-44.53	-7.82	4
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 3_4TX	-	-	-	-	-	-	-	-
6425MHz	Pass	6.50898G	-4.78	6.9598G	-52.50	-44.78	-7.72	1
6425MHz	Pass	6.55657G	-4.66	6.8122G	-44.15	-36.30	-7.85	2
6425MHz	Pass	6.54937G	-4.93	6.9502G	-52.75	-44.93	-7.82	3
6425MHz	Pass	6.27464G	-4.54	6.9302G	-52.02	-44.51	-7.51	4



Mask_Non-Beamforming_Radio 2_Channel Puncturing

Appendix E.10

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 4_4TX	-	-	-	-	-	-	-	-
6425MHz	Pass	6.27744G	-4.80	6.9562G	-52.39	-44.80	-7.59	1
6425MHz	Pass	6.56696G	-4.50	6.813G	-43.97	-36.27	-7.70	2
6425MHz	Pass	6.56736G	-5.09	6.9722G	-52.03	-45.09	-6.94	3
6425MHz	Pass	6.27424G	-4.63	6.9682G	-51.68	-44.63	-7.05	4
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 5_4TX	-	-	-	-	-	-	-	-
6425MHz	Pass	6.28623G	-4.74	6.9662G	-52.29	-44.74	-7.55	1
6425MHz	Pass	6.57976G	-4.35	6.8222G	-45.27	-36.93	-8.34	2
6425MHz	Pass	6.39021G	-5.00	6.9734G	-53.81	-45.00	-8.81	3
6425MHz	Pass	6.27544G	-4.75	6.9734G	-51.42	-44.75	-6.67	4
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 6_4TX	-	-	-	-	-	-	-	-
6425MHz	Pass	6.28224G	-4.56	6.9466G	-51.94	-44.56	-7.38	1
6425MHz	Pass	6.56776G	-4.44	6.8118G	-44.72	-35.98	-8.74	2
6425MHz	Pass	6.56936G	-4.91	6.9422G	-53.77	-44.91	-8.86	3
6425MHz	Pass	6.27704G	-4.61	6.9962G	-51.93	-44.61	-7.32	4
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 7_4TX	-	-	-	-	-	-	-	-
6425MHz	Pass	6.29663G	-4.70	6.969G	-52.57	-44.70	-7.87	1
6425MHz	Pass	6.55817G	-4.25	5.9914G	-48.79	-39.53	-9.26	2
6425MHz	Pass	6.56736G	-4.91	6.9338G	-54.31	-44.91	-9.40	3
6425MHz	Pass	6.27224G	-4.67	6.913G	-51.33	-44.26	-7.07	4
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 8_4TX	-	-	-	-	-	-	-	-
6425MHz	Pass	6.4054G	-3.03	6.9322G	-51.44	-42.87	-8.57	1
6425MHz	Pass	6.53817G	-2.48	6.9126G	-52.84	-41.66	-11.18	2
6425MHz	Pass	6.4054G	-3.14	6.9266G	-51.64	-42.86	-8.78	3
6425MHz	Pass	6.31503G	-3.30	6.9426G	-50.78	-43.30	-7.48	4
802.11be EHT320_Nss1,(MCS0),3xRU996 CP 1_4TX	-	-	-	-	-	-	-	-
6425MHz	Pass	6.56776G	-2.96	6.9338G	-52.01	-42.91	-9.10	1
6425MHz	Pass	6.4398G	-2.61	6.9258G	-55.74	-42.61	-13.13	2
6425MHz	Pass	6.56497G	-3.24	6.9334G	-53.43	-43.24	-10.19	3
6425MHz	Pass	6.4138G	-3.22	6.9342G	-50.97	-43.22	-7.75	4
802.11be EHT320_Nss1,(MCS0),3xRU996 CP 2_4TX	-	-	-	-	-	-	-	-
6425MHz	Pass	6.50058G	-4.77	6.9774G	-52.31	-44.77	-7.54	1
6425MHz	Pass	6.58096G	-4.38	6.8206G	-44.73	-36.70	-8.03	2
6425MHz	Pass	6.56656G	-4.98	6.9682G	-52.86	-44.98	-7.88	3
6425MHz	Pass	6.27424G	-4.44	6.933G	-51.64	-44.44	-7.20	4
802.11be EHT320_Nss1,(MCS0),3xRU996 CP 3_4TX	-	-	-	-	-	-	-	-
6425MHz	Pass	6.27424G	-4.64	6.9518G	-52.07	-44.64	-7.43	1
6425MHz	Pass	6.57816G	-4.23	6.8182G	-44.54	-36.23	-8.31	2
6425MHz	Pass	6.55017G	-5.01	6.9358G	-54.38	-45.01	-9.37	3
6425MHz	Pass	6.27984G	-4.53	6.9702G	-52.28	-44.53	-7.75	4
802.11be EHT320_Nss1,(MCS0),3xRU996 CP 4_4TX	-	-	-	-	-	-	-	-
6425MHz	Pass	6.44619G	-2.87	6.933G	-52.09	-42.76	-9.33	1
6425MHz	Pass	6.419G	-2.19	6.9286G	-54.57	-42.19	-12.38	2
6425MHz	Pass	6.4434G	-3.00	6.9314G	-52.56	-43.00	-9.56	3
6425MHz	Pass	6.29503G	-3.29	6.9302G	-50.94	-43.26	-7.68	4
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 1_4TX	-	-	-	-	-	-	-	-
6425MHz	Pass	6.44659G	-4.84	6.275G	-33.19	-24.86	-8.33	1
6425MHz	Pass	6.4318G	-4.12	6.2754G	-33.36	-24.16	-9.20	2
6425MHz	Pass	6.40221G	-4.90	6.281G	-31.06	-24.98	-6.08	3
6425MHz	Pass	6.31383G	-4.88	6.279G	-31.49	-24.92	-6.57	4
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 2_4TX	-	-	-	-	-	-	-	-
6425MHz	Pass	6.4302G	-2.99	6.935G	-53.74	-42.99	-10.75	1
6425MHz	Pass	6.4402G	-2.19	6.925G	-56.22	-42.19	-14.03	2
6425MHz	Pass	6.4094G	-3.14	6.9306G	-54.46	-43.14	-11.32	3
6425MHz	Pass	6.27464G	-3.23	6.9326G	-51.90	-43.23	-8.67	4
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 3_4TX	-	-	-	-	-	-	-	-



Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
6425MHz	Pass	6.44739G	-3.05	6.943G	-53.69	-43.05	-10.64	1
6425MHz	Pass	6.4162G	-2.18	6.9238G	-56.37	-42.17	-14.20	2
6425MHz	Pass	6.4102G	-3.10	6.9342G	-54.33	-43.10	-11.23	3
6425MHz	Pass	6.31303G	-3.30	6.9306G	-51.08	-43.30	-7.78	4
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 4_4TX	-	-	-	-	-	-	-	-
6425MHz	Pass	6.44699G	-3.07	6.9338G	-53.58	-43.02	-10.56	1
6425MHz	Pass	6.4418G	-2.18	6.927G	-56.31	-42.18	-14.13	2
6425MHz	Pass	6.445G	-3.14	6.931G	-54.40	-43.14	-11.26	3
6425MHz	Pass	6.29383G	-3.30	6.9302G	-51.20	-43.27	-7.93	4
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 5_4TX	-	-	-	-	-	-	-	-
6425MHz	Pass	6.4098G	-3.00	6.933G	-53.74	-42.89	-10.85	1
6425MHz	Pass	6.40381G	-2.11	6.9298G	-56.37	-42.11	-14.26	2
6425MHz	Pass	6.4082G	-2.87	6.933G	-54.31	-42.87	-11.44	3
6425MHz	Pass	6.29583G	-3.32	6.9386G	-51.42	-43.32	-8.10	4
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 6_4TX	-	-	-	-	-	-	-	-
6425MHz	Pass	6.407G	-3.30	6.9402G	-54.03	-43.30	-10.73	1
6425MHz	Pass	6.4366G	-2.44	6.9214G	-56.36	-42.26	-14.10	2
6425MHz	Pass	6.4086G	-3.45	6.9242G	-54.64	-43.00	-11.64	3
6425MHz	Pass	6.29343G	-3.84	6.9202G	-51.61	-43.10	-8.51	4
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 7_4TX	-	-	-	-	-	-	-	-
6425MHz	Pass	6.56936G	-3.19	6.937G	-53.42	-43.19	-10.23	1
6425MHz	Pass	6.4122G	-2.72	6.5926G	-35.37	-22.73	-12.64	2
6425MHz	Pass	6.56896G	-3.39	6.9318G	-53.64	-43.39	-10.25	3
6425MHz	Pass	6.4114G	-3.14	6.9318G	-51.26	-43.14	-8.12	4
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 8_4TX	-	-	-	-	-	-	-	-
6425MHz	Pass	6.56856G	-3.26	6.989G	-53.40	-43.26	-10.14	1
6425MHz	Pass	6.55897G	-2.71	6.9242G	-56.18	-42.71	-13.47	2
6425MHz	Pass	6.56696G	-3.44	6.9306G	-53.69	-43.44	-10.25	3
6425MHz	Pass	6.4366G	-3.43	6.991G	-50.94	-43.43	-7.51	4
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 9_4TX	-	-	-	-	-	-	-	-
6425MHz	Pass	6.56776G	-3.10	6.9342G	-53.47	-43.08	-10.39	1
6425MHz	Pass	6.417G	-2.68	6.9278G	-56.13	-42.68	-13.45	2
6425MHz	Pass	6.4102G	-3.43	6.933G	-53.87	-43.43	-10.44	3
6425MHz	Pass	6.415G	-3.29	6.9898G	-51.09	-43.29	-7.80	4
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 10_4TX	-	-	-	-	-	-	-	-
6425MHz	Pass	6.57336G	-3.23	6.9394G	-53.64	-43.23	-10.41	1
6425MHz	Pass	6.55777G	-2.57	6.9214G	-56.03	-42.39	-13.64	2
6425MHz	Pass	6.56816G	-3.23	6.9342G	-54.05	-43.23	-10.82	3
6425MHz	Pass	6.4134G	-3.32	6.977G	-51.08	-43.32	-7.76	4
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 11_4TX	-	-	-	-	-	-	-	-
6425MHz	Pass	6.57216G	-3.20	6.9358G	-53.44	-43.20	-10.24	1
6425MHz	Pass	6.419G	-2.48	6.925G	-56.05	-42.48	-13.57	2
6425MHz	Pass	6.55017G	-3.25	6.9298G	-53.96	-43.20	-10.76	3
6425MHz	Pass	6.4154G	-3.41	6.9606G	-51.52	-43.41	-8.11	4
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 12_4TX	-	-	-	-	-	-	-	-
6425MHz	Pass	6.47099G	-4.87	6.5722G	-31.69	-24.88	-6.81	1
6425MHz	Pass	6.4178G	-4.40	6.5702G	-30.86	-24.42	-6.44	2
6425MHz	Pass	6.4066G	-5.03	6.5734G	-32.49	-25.05	-7.44	3
6425MHz	Pass	6.39541G	-5.12	6.9958G	-52.08	-45.12	-6.96	4
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 1_4TX	-	-	-	-	-	-	-	-
6585MHz	Pass	6.72856G	-2.91	6.0666G	-53.91	-42.91	-11.00	1
6585MHz	Pass	6.55821G	-1.91	6.8838G	-38.92	-28.20	-10.72	2
6585MHz	Pass	6.60619G	-3.07	6.0682G	-52.91	-43.07	-9.84	3
6585MHz	Pass	6.5734G	-3.48	6.0754G	-49.01	-43.48	-5.53	4
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 2_4TX	-	-	-	-	-	-	-	-
6585MHz	Pass	6.73216G	-4.15	6.995G	-46.35	-37.42	-8.93	1



Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
6585MHz	Pass	6.6006G	-3.61	6.9874G	-45.34	-36.57	-8.77	2
6585MHz	Pass	6.72816G	-4.38	6.9938G	-46.72	-37.57	-9.15	3
6585MHz	Pass	6.43224G	-4.98	6.067G	-50.97	-44.98	-5.99	4
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 3_4TX	-	-	-	-	-	-	-	-
6585MHz	Pass	6.73936G	-4.16	6.9902G	-45.07	-37.24	-7.83	1
6585MHz	Pass	6.64019G	-3.49	6.9742G	-43.53	-35.65	-7.88	2
6585MHz	Pass	6.72896G	-4.50	6.9934G	-46.01	-37.21	-8.80	3
6585MHz	Pass	6.72936G	-5.12	6.0378G	-51.12	-45.12	-6.00	4
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 4_4TX	-	-	-	-	-	-	-	-
6585MHz	Pass	6.72856G	-4.07	6.997G	-45.60	-37.48	-8.12	1
6585MHz	Pass	6.5998G	-3.49	6.9546G	-41.95	-33.74	-8.21	2
6585MHz	Pass	6.72896G	-4.12	6.9722G	-44.39	-35.98	-8.41	3
6585MHz	Pass	6.44863G	-5.17	6.0298G	-50.72	-45.17	-5.55	4
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 5_4TX	-	-	-	-	-	-	-	-
6585MHz	Pass	6.73616G	-4.17	6.9894G	-45.00	-37.04	-7.96	1
6585MHz	Pass	6.5814G	-3.65	6.0598G	-51.26	-43.65	-7.61	2
6585MHz	Pass	6.72896G	-4.25	6.9694G	-44.16	-36.13	-8.03	3
6585MHz	Pass	6.43304G	-5.18	6.0702G	-50.41	-45.18	-5.23	4
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 6_4TX	-	-	-	-	-	-	-	-
6585MHz	Pass	6.72417G	-3.04	6.9958G	-44.52	-36.45	-8.07	1
6585MHz	Pass	6.55861G	-2.33	6.9742G	-42.52	-34.26	-8.26	2
6585MHz	Pass	6.70937G	-3.41	6.9902G	-44.59	-36.26	-8.33	3
6585MHz	Pass	6.55301G	-3.83	6.077G	-49.49	-43.83	-5.66	4
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 7_4TX	-	-	-	-	-	-	-	-
6585MHz	Pass	6.72896G	-3.03	6.9998G	-45.78	-36.72	-9.06	1
6585MHz	Pass	6.5734G	-2.27	6.1518G	-46.60	-37.36	-9.24	2
6585MHz	Pass	6.60739G	-3.26	6.0582G	-52.36	-43.26	-9.10	3
6585MHz	Pass	6.5718G	-3.82	5.995G	-50.04	-43.82	-6.22	4
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 8_4TX	-	-	-	-	-	-	-	-
6585MHz	Pass	6.69017G	-2.64	7.0866G	-52.91	-42.55	-10.36	1
6585MHz	Pass	6.5798G	-1.88	7.0906G	-52.09	-41.88	-10.21	2
6585MHz	Pass	6.64898G	-2.80	6.075G	-52.35	-42.80	-9.55	3
6585MHz	Pass	6.43464G	-3.26	6.0798G	-48.71	-43.26	-5.45	4
802.11be EHT320_Nss1,(MCS0),3xRU996 CP 1_4TX	-	-	-	-	-	-	-	-
6585MHz	Pass	6.73016G	-3.08	6.0666G	-54.31	-43.08	-11.23	1
6585MHz	Pass	6.5958G	-2.12	6.0742G	-54.28	-42.12	-12.16	2
6585MHz	Pass	6.72856G	-3.13	6.0698G	-53.34	-43.13	-10.21	3
6585MHz	Pass	6.5734G	-3.30	6.0774G	-49.69	-43.30	-6.39	4
802.11be EHT320_Nss1,(MCS0),3xRU996 CP 2_4TX	-	-	-	-	-	-	-	-
6585MHz	Pass	6.72337G	-4.15	6.993G	-45.24	-37.36	-7.88	1
6585MHz	Pass	6.61819G	-3.57	6.9718G	-43.24	-35.40	-7.84	2
6585MHz	Pass	6.72776G	-4.40	6.9942G	-45.79	-37.31	-8.48	3
6585MHz	Pass	6.45423G	-5.19	6.0334G	-51.27	-45.19	-6.08	4
802.11be EHT320_Nss1,(MCS0),3xRU996 CP 3_4TX	-	-	-	-	-	-	-	-
6585MHz	Pass	6.72736G	-3.02	6.995G	-44.26	-36.37	-7.89	1
6585MHz	Pass	6.55781G	-2.30	6.9862G	-43.51	-35.09	-8.42	2
6585MHz	Pass	6.56221G	-3.29	6.9934G	-44.43	-36.37	-8.06	3
6585MHz	Pass	6.45023G	-3.63	6.0754G	-49.65	-43.63	-6.02	4
802.11be EHT320_Nss1,(MCS0),3xRU996 CP 4_4TX	-	-	-	-	-	-	-	-
6585MHz	Pass	6.64658G	-3.13	6.067G	-54.00	-43.13	-10.87	1
6585MHz	Pass	6.56421G	-2.07	6.0834G	-55.50	-42.07	-13.43	2
6585MHz	Pass	6.5686G	-3.02	6.0798G	-53.05	-42.99	-10.06	3
6585MHz	Pass	6.5918G	-3.60	6.0158G	-50.01	-43.60	-6.41	4
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 1_4TX	-	-	-	-	-	-	-	-
6585MHz	Pass	6.62819G	-4.61	6.731G	-31.91	-24.62	-7.29	1
6585MHz	Pass	6.61179G	-3.59	6.4378G	-31.16	-23.65	-7.51	2



Mask_Non-Beamforming_Radio 2_Channel Puncturing

Appendix E.10

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
6585MHz	Pass	6.60859G	-4.36	6.1122G	-55.37	-44.36	-11.01	3
6585MHz	Pass	6.52941G	-4.93	6.0318G	-51.32	-44.93	-6.39	4
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 2_4TX	-	-	-	-	-	-	-	-
6585MHz	Pass	6.64658G	-3.44	6.0678G	-55.54	-43.44	-12.10	1
6585MHz	Pass	6.5938G	-2.27	6.0806G	-56.14	-42.27	-13.87	2
6585MHz	Pass	6.5682G	-3.20	6.079G	-54.41	-43.20	-11.21	3
6585MHz	Pass	6.43264G	-3.58	5.9878G	-50.20	-43.58	-6.62	4
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 3_4TX	-	-	-	-	-	-	-	-
6585MHz	Pass	6.65698G	-3.24	6.0678G	-55.71	-43.24	-12.47	1
6585MHz	Pass	6.579G	-2.08	6.0838G	-56.15	-42.05	-14.10	2
6585MHz	Pass	6.60659G	-3.11	6.0046G	-54.26	-43.11	-11.15	3
6585MHz	Pass	6.43424G	-3.55	5.9942G	-50.16	-43.55	-6.61	4
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 4_4TX	-	-	-	-	-	-	-	-
6585MHz	Pass	6.6014G	-3.23	6.067G	-55.37	-43.23	-12.14	1
6585MHz	Pass	6.5978G	-2.28	6.0818G	-55.88	-42.28	-13.60	2
6585MHz	Pass	6.60619G	-3.20	6.029G	-54.18	-43.20	-10.98	3
6585MHz	Pass	6.43224G	-3.49	6.0266G	-50.16	-43.49	-6.67	4
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 5_4TX	-	-	-	-	-	-	-	-
6585MHz	Pass	6.5694G	-3.21	6.0674G	-55.42	-43.21	-12.21	1
6585MHz	Pass	6.5782G	-2.13	6.083G	-55.80	-42.13	-13.67	2
6585MHz	Pass	6.56461G	-2.99	6.0778G	-53.88	-42.99	-10.89	3
6585MHz	Pass	6.571G	-3.53	6.021G	-50.13	-43.53	-6.60	4
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 6_4TX	-	-	-	-	-	-	-	-
6585MHz	Pass	6.61099G	-2.98	6.067G	-55.20	-42.98	-12.22	1
6585MHz	Pass	6.55861G	-1.91	6.0814G	-55.82	-41.91	-13.91	2
6585MHz	Pass	6.5654G	-2.98	6.0782G	-53.92	-42.98	-10.94	3
6585MHz	Pass	6.43184G	-3.53	5.997G	-49.97	-43.53	-6.44	4
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 7_4TX	-	-	-	-	-	-	-	-
6585MHz	Pass	6.72976G	-3.49	7.0862G	-56.06	-43.37	-12.69	1
6585MHz	Pass	6.55981G	-2.11	6.0866G	-56.31	-41.88	-14.43	2
6585MHz	Pass	6.60619G	-3.33	6.0866G	-54.82	-42.82	-12.00	3
6585MHz	Pass	6.55461G	-3.27	6.0886G	-50.17	-42.90	-7.27	4
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 8_4TX	-	-	-	-	-	-	-	-
6585MHz	Pass	6.73376G	-3.30	6.0674G	-56.03	-43.30	-12.73	1
6585MHz	Pass	6.5978G	-2.19	6.0706G	-56.21	-42.19	-14.02	2
6585MHz	Pass	6.73136G	-3.29	6.071G	-54.69	-43.29	-11.40	3
6585MHz	Pass	6.5938G	-3.39	6.0766G	-49.88	-43.39	-6.49	4
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 9_4TX	-	-	-	-	-	-	-	-
6585MHz	Pass	6.72656G	-3.21	6.0674G	-55.88	-43.21	-12.67	1
6585MHz	Pass	6.55901G	-2.00	6.8874G	-42.40	-28.46	-13.94	2
6585MHz	Pass	6.5686G	-3.23	6.0782G	-54.61	-43.23	-11.38	3
6585MHz	Pass	6.575G	-3.34	6.071G	-49.89	-43.34	-6.55	4
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 10_4TX	-	-	-	-	-	-	-	-
6585MHz	Pass	6.72976G	-3.11	6.0686G	-55.65	-43.11	-12.54	1
6585MHz	Pass	6.5978G	-2.00	6.8934G	-42.64	-28.75	-13.89	2
6585MHz	Pass	6.72856G	-3.22	6.0722G	-54.57	-43.22	-11.35	3
6585MHz	Pass	6.55341G	-3.33	6.0798G	-49.76	-43.33	-6.43	4
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 11_4TX	-	-	-	-	-	-	-	-
6585MHz	Pass	6.72776G	-3.17	6.0682G	-55.92	-43.17	-12.75	1
6585MHz	Pass	6.5958G	-2.10	6.0834G	-56.15	-42.10	-14.05	2
6585MHz	Pass	6.60859G	-3.12	6.0786G	-54.74	-43.12	-11.62	3
6585MHz	Pass	6.5718G	-3.25	6.0934G	-49.75	-42.53	-7.22	4
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 12_4TX	-	-	-	-	-	-	-	-
6585MHz	Pass	6.69537G	-4.85	6.7322G	-31.05	-24.88	-6.17	1
6585MHz	Pass	6.61939G	-3.65	6.7342G	-31.66	-23.77	-7.89	2
6585MHz	Pass	6.62859G	-4.72	6.7338G	-31.92	-24.74	-7.18	3



Mask_Non-Beamforming_Radio 2_Channel Puncturing

Appendix E.10

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
6585MHz	Pass	6.52741G	-5.09	6.0806G	-51.31	-45.09	-6.22	4
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 1_4TX	-	-	-	-	-	-	-	-
6745MHz	Pass	6.80818G	-2.71	7.099G	-43.91	-31.85	-12.06	1
6745MHz	Pass	6.65862G	-1.86	6.2326G	-52.23	-41.86	-10.37	2
6745MHz	Pass	6.88856G	-2.60	6.2314G	-52.45	-42.60	-9.85	3
6745MHz	Pass	6.89576G	-2.45	6.1918G	-48.78	-42.45	-6.33	4
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 2_4TX	-	-	-	-	-	-	-	-
6745MHz	Pass	6.84338G	-4.01	7.163G	-48.51	-38.33	-10.18	1
6745MHz	Pass	6.60144G	-3.51	6.2214G	-51.41	-43.51	-7.90	2
6745MHz	Pass	6.76699G	-4.20	6.2342G	-54.09	-44.20	-9.89	3
6745MHz	Pass	6.7554G	-4.03	6.2382G	-50.35	-44.03	-6.32	4
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 3_4TX	-	-	-	-	-	-	-	-
6745MHz	Pass	6.84697G	-3.91	7.1402G	-45.44	-36.35	-9.09	1
6745MHz	Pass	6.59584G	-3.46	6.239G	-52.04	-43.46	-8.58	2
6745MHz	Pass	6.80538G	-4.02	7.1406G	-46.15	-36.49	-9.66	3
6745MHz	Pass	6.87617G	-3.98	6.2482G	-50.08	-43.98	-6.10	4
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 4_4TX	-	-	-	-	-	-	-	-
6745MHz	Pass	6.80778G	-3.86	7.1422G	-45.60	-36.37	-9.23	1
6745MHz	Pass	6.59864G	-3.42	6.2162G	-52.04	-43.42	-8.62	2
6745MHz	Pass	6.76979G	-4.01	7.1422G	-46.18	-36.59	-9.59	3
6745MHz	Pass	6.86017G	-4.06	6.231G	-50.14	-44.06	-6.08	4
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 5_4TX	-	-	-	-	-	-	-	-
6745MHz	Pass	6.86817G	-3.81	7.099G	-42.29	-33.15	-9.14	1
6745MHz	Pass	6.59904G	-3.57	6.2094G	-50.77	-43.57	-7.20	2
6745MHz	Pass	6.79099G	-4.18	6.2074G	-52.33	-44.18	-8.15	3
6745MHz	Pass	6.79179G	-4.10	6.207G	-49.90	-44.10	-5.80	4
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 6_4TX	-	-	-	-	-	-	-	-
6745MHz	Pass	6.84817G	-3.67	7.1322G	-44.31	-35.61	-8.70	1
6745MHz	Pass	6.59944G	-3.46	6.2506G	-50.40	-43.23	-7.17	2
6745MHz	Pass	6.76899G	-3.98	6.2506G	-52.67	-43.65	-9.02	3
6745MHz	Pass	6.77179G	-3.90	6.2334G	-49.71	-43.90	-5.81	4
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 7_4TX	-	-	-	-	-	-	-	-
6745MHz	Pass	6.80778G	-3.59	7.173G	-48.22	-38.15	-10.07	1
6745MHz	Pass	6.63983G	-3.47	6.2166G	-52.70	-43.47	-9.23	2
6745MHz	Pass	6.76939G	-3.66	6.2354G	-54.00	-43.66	-10.34	3
6745MHz	Pass	6.77619G	-3.93	6.2094G	-50.35	-43.93	-6.42	4
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 8_4TX	-	-	-	-	-	-	-	-
6745MHz	Pass	6.80978G	-2.41	6.185G	-53.56	-42.41	-11.15	1
6745MHz	Pass	6.59304G	-1.67	6.2518G	-51.07	-40.97	-10.10	2
6745MHz	Pass	6.78899G	-2.46	6.1902G	-51.90	-42.46	-9.44	3
6745MHz	Pass	6.83258G	-2.64	6.1934G	-48.29	-42.64	-5.65	4
802.11be EHT320_Nss1,(MCS0),3xRU996 CP 1_4TX	-	-	-	-	-	-	-	-
6745MHz	Pass	6.87177G	-2.90	6.2218G	-55.88	-42.90	-12.98	1
6745MHz	Pass	6.67742G	-1.93	6.2422G	-53.06	-41.92	-11.14	2
6745MHz	Pass	6.88696G	-2.68	6.2362G	-54.21	-42.68	-11.53	3
6745MHz	Pass	6.89576G	-2.55	6.2174G	-49.37	-42.55	-6.82	4
802.11be EHT320_Nss1,(MCS0),3xRU996 CP 2_4TX	-	-	-	-	-	-	-	-
6745MHz	Pass	6.763G	-3.86	7.1334G	-44.69	-35.52	-9.17	1
6745MHz	Pass	6.62143G	-3.14	6.3422G	-44.02	-35.82	-8.20	2
6745MHz	Pass	6.76699G	-3.95	7.1382G	-45.14	-36.17	-8.97	3
6745MHz	Pass	6.77699G	-3.74	6.1978G	-50.52	-43.74	-6.78	4
802.11be EHT320_Nss1,(MCS0),3xRU996 CP 3_4TX	-	-	-	-	-	-	-	-
6745MHz	Pass	6.82898G	-3.81	7.1354G	-44.15	-35.98	-8.17	1
6745MHz	Pass	6.61823G	-3.36	6.347G	-43.70	-35.70	-8.00	2
6745MHz	Pass	6.85097G	-3.98	7.1434G	-45.06	-36.72	-8.34	3
6745MHz	Pass	6.86937G	-3.80	6.221G	-49.39	-43.80	-5.59	4



Mask_Non-Beamforming_Radio 2_Channel Puncturing

Appendix E.10

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
802.11be EHT320_Nss1,(MCS0),3xRU996 CP 4_4TX	-	-	-	-	-	-	-	-
6745MHz	Pass	6.81098G	-2.56	6.2206G	-55.66	-42.56	-13.10	1
6745MHz	Pass	6.61903G	-2.34	6.2218G	-54.63	-42.34	-12.29	2
6745MHz	Pass	6.80459G	-2.84	6.2086G	-53.57	-42.84	-10.73	3
6745MHz	Pass	6.81458G	-3.14	6.1914G	-49.15	-43.14	-6.01	4
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 1_4TX	-	-	-	-	-	-	-	-
6745MHz	Pass	6.80978G	-3.76	6.6026G	-31.42	-23.77	-7.65	1
6745MHz	Pass	6.64183G	-3.66	6.597G	-31.02	-23.66	-7.36	2
6745MHz	Pass	6.76579G	-4.01	6.5986G	-32.57	-24.05	-8.52	3
6745MHz	Pass	6.78139G	-3.93	6.2074G	-51.32	-43.93	-7.39	4
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 2_4TX	-	-	-	-	-	-	-	-
6745MHz	Pass	6.80978G	-2.21	6.2174G	-55.83	-42.21	-13.62	1
6745MHz	Pass	6.59424G	-1.85	6.2418G	-54.83	-41.85	-12.98	2
6745MHz	Pass	6.76739G	-2.62	6.2074G	-53.89	-42.62	-11.27	3
6745MHz	Pass	6.81218G	-2.65	6.1378G	-49.66	-42.65	-7.01	4
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 3_4TX	-	-	-	-	-	-	-	-
6745MHz	Pass	6.81298G	-2.32	6.2006G	-55.75	-42.32	-13.43	1
6745MHz	Pass	6.59504G	-1.92	6.197G	-54.94	-41.92	-13.02	2
6745MHz	Pass	6.80698G	-2.47	6.191G	-53.73	-42.47	-11.26	3
6745MHz	Pass	6.81098G	-2.64	6.193G	-48.99	-42.64	-6.35	4
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 4_4TX	-	-	-	-	-	-	-	-
6745MHz	Pass	6.81058G	-2.14	6.221G	-55.55	-42.14	-13.41	1
6745MHz	Pass	6.59304G	-1.93	6.2342G	-54.61	-41.93	-12.68	2
6745MHz	Pass	6.78899G	-2.52	6.189G	-53.58	-42.52	-11.06	3
6745MHz	Pass	6.81698G	-2.53	6.1882G	-48.95	-42.53	-6.42	4
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 5_4TX	-	-	-	-	-	-	-	-
6745MHz	Pass	6.80978G	-2.11	6.2214G	-55.50	-42.11	-13.39	1
6745MHz	Pass	6.59864G	-1.91	6.2446G	-54.42	-41.73	-12.69	2
6745MHz	Pass	6.79099G	-2.41	6.1954G	-53.35	-42.41	-10.94	3
6745MHz	Pass	6.79339G	-2.56	6.1962G	-48.84	-42.56	-6.28	4
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 6_4TX	-	-	-	-	-	-	-	-
6745MHz	Pass	6.77219G	-2.53	6.2218G	-55.67	-42.53	-13.14	1
6745MHz	Pass	6.59464G	-2.31	6.2318G	-55.01	-42.31	-12.70	2
6745MHz	Pass	6.77059G	-2.92	6.2246G	-53.80	-42.92	-10.88	3
6745MHz	Pass	6.77619G	-3.09	6.135G	-49.78	-43.09	-6.69	4
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 7_4TX	-	-	-	-	-	-	-	-
6745MHz	Pass	6.88816G	-3.07	6.2206G	-56.68	-43.07	-13.61	1
6745MHz	Pass	6.71541G	-2.04	6.241G	-55.35	-42.04	-13.31	2
6745MHz	Pass	6.88816G	-2.88	6.2502G	-54.62	-42.30	-12.32	3
6745MHz	Pass	6.88736G	-2.70	6.2494G	-50.39	-42.36	-8.03	4
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 8_4TX	-	-	-	-	-	-	-	-
6745MHz	Pass	6.79099G	-3.00	6.2214G	-56.25	-43.00	-13.25	1
6745MHz	Pass	6.67622G	-1.87	6.241G	-55.15	-41.87	-13.28	2
6745MHz	Pass	6.88696G	-2.85	6.2286G	-54.57	-42.85	-11.72	3
6745MHz	Pass	6.89136G	-2.70	6.2162G	-49.93	-42.70	-7.23	4
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 9_4TX	-	-	-	-	-	-	-	-
6745MHz	Pass	6.88976G	-2.88	6.2174G	-56.21	-42.88	-13.33	1
6745MHz	Pass	6.67542G	-1.88	6.239G	-55.06	-41.88	-13.18	2
6745MHz	Pass	6.88536G	-2.63	6.2302G	-54.30	-42.63	-11.67	3
6745MHz	Pass	6.89176G	-2.55	6.2154G	-49.80	-42.55	-7.25	4
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 10_4TX	-	-	-	-	-	-	-	-
6745MHz	Pass	6.88936G	-2.96	6.2218G	-56.07	-42.96	-13.11	1
6745MHz	Pass	6.68022G	-1.92	6.2438G	-54.86	-41.80	-13.06	2
6745MHz	Pass	6.88576G	-2.82	6.2314G	-54.22	-42.82	-11.40	3
6745MHz	Pass	6.89256G	-2.53	6.2198G	-49.68	-42.53	-7.15	4
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 11_4TX	-	-	-	-	-	-	-	-



Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
6745MHz	Pass	6.80578G	-2.96	6.2214G	-55.92	-42.96	-12.96	1
6745MHz	Pass	6.67822G	-2.00	6.2378G	-55.07	-42.00	-13.07	2
6745MHz	Pass	6.88017G	-2.90	6.2082G	-54.54	-42.90	-11.64	3
6745MHz	Pass	6.89096G	-2.65	6.2086G	-50.20	-42.65	-7.55	4
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 12_4TX	-	-	-	-	-	-	-	-
6745MHz	Pass	6.78939G	-4.13	6.885G	-29.60	-24.18	-5.42	1
6745MHz	Pass	6.67742G	-3.73	6.8902G	-31.67	-23.75	-7.92	2
6745MHz	Pass	6.76659G	-4.44	6.8954G	-32.72	-24.48	-8.24	3
6745MHz	Pass	6.83338G	-4.04	6.8922G	-31.10	-24.07	-7.03	4
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 1_4TX	-	-	-	-	-	-	-	-
6905MHz	Pass	6.893G	-4.92	6.3742G	-56.93	-44.92	-12.01	1
6905MHz	Pass	6.79863G	-3.81	6.4102G	-53.05	-43.81	-9.24	2
6905MHz	Pass	6.8902G	-4.74	6.4082G	-54.35	-44.58	-9.77	3
6905MHz	Pass	6.8926G	-4.86	6.3342G	-52.14	-44.86	-7.28	4
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 2_4TX	-	-	-	-	-	-	-	-
6905MHz	Pass	6.84901G	-6.92	6.3746G	-58.77	-46.92	-11.85	1
6905MHz	Pass	6.76024G	-5.67	6.3998G	-55.24	-45.67	-9.57	2
6905MHz	Pass	6.885G	-6.78	6.3946G	-56.77	-46.78	-9.99	3
6905MHz	Pass	6.8938G	-6.89	6.4006G	-54.13	-46.89	-7.24	4
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 3_4TX	-	-	-	-	-	-	-	-
6905MHz	Pass	6.81542G	-7.53	6.3742G	-58.54	-47.53	-11.01	1
6905MHz	Pass	6.75944G	-6.24	6.3918G	-55.35	-46.24	-9.11	2
6905MHz	Pass	6.9234G	-7.43	6.4086G	-56.78	-47.15	-9.63	3
6905MHz	Pass	6.87541G	-7.24	6.299G	-54.53	-47.24	-7.29	4
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 4_4TX	-	-	-	-	-	-	-	-
6905MHz	Pass	6.82942G	-7.89	6.3742G	-58.47	-47.89	-10.58	1
6905MHz	Pass	6.75384G	-6.56	6.3662G	-55.47	-46.56	-8.91	2
6905MHz	Pass	6.92659G	-8.05	6.393G	-57.17	-48.05	-9.12	3
6905MHz	Pass	6.9154G	-7.90	6.2986G	-54.76	-47.90	-6.86	4
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 5_4TX	-	-	-	-	-	-	-	-
6905MHz	Pass	6.84981G	-7.84	6.3738G	-58.78	-47.84	-10.94	1
6905MHz	Pass	6.75184G	-6.69	6.397G	-55.49	-46.69	-8.80	2
6905MHz	Pass	6.8862G	-7.99	6.4094G	-56.75	-47.99	-8.76	3
6905MHz	Pass	6.86821G	-7.87	6.3742G	-54.64	-47.87	-6.77	4
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 6_4TX	-	-	-	-	-	-	-	-
6905MHz	Pass	6.84541G	-7.33	6.3742G	-58.44	-47.33	-11.11	1
6905MHz	Pass	6.75024G	-6.22	6.407G	-55.55	-46.22	-9.33	2
6905MHz	Pass	6.885G	-7.24	6.3942G	-56.66	-47.24	-9.42	3
6905MHz	Pass	6.9138G	-7.32	6.3758G	-54.30	-47.32	-6.98	4
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 7_4TX	-	-	-	-	-	-	-	-
6905MHz	Pass	6.84661G	-6.54	6.375G	-58.24	-46.54	-11.70	1
6905MHz	Pass	6.75424G	-5.35	6.4718G	-49.72	-40.61	-9.11	2
6905MHz	Pass	6.92739G	-6.43	6.3982G	-56.47	-46.43	-10.04	3
6905MHz	Pass	6.8914G	-6.37	6.2966G	-53.69	-46.37	-7.32	4
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 8_4TX	-	-	-	-	-	-	-	-
6905MHz	Pass	6.8902G	-2.94	6.4038G	-53.58	-42.94	-10.64	1
6905MHz	Pass	6.75704G	-1.78	6.4102G	-49.25	-41.78	-7.47	2
6905MHz	Pass	6.8858G	-2.47	6.409G	-52.11	-42.26	-9.85	3
6905MHz	Pass	6.8906G	-2.87	6.3262G	-50.14	-42.87	-7.27	4
802.11be EHT320_Nss1,(MCS0),3xRU996 CP 1_4TX	-	-	-	-	-	-	-	-
6905MHz	Pass	6.8874G	-3.53	6.4046G	-56.83	-43.53	-13.30	1
6905MHz	Pass	6.83302G	-2.37	7.0706G	-32.62	-22.37	-10.25	2
6905MHz	Pass	6.8854G	-3.11	6.401G	-54.13	-43.11	-11.02	3
6905MHz	Pass	6.8962G	-3.32	6.3934G	-51.37	-43.32	-8.05	4
802.11be EHT320_Nss1,(MCS0),3xRU996 CP 2_4TX	-	-	-	-	-	-	-	-
6905MHz	Pass	6.80942G	-7.87	6.3734G	-59.34	-47.87	-11.47	1



Mask_Non-Beamforming_Radio 2_Channel Puncturing

Appendix E.10

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
6905MHz	Pass	6.75904G	-6.41	6.4958G	-50.15	-39.93	-10.22	2
6905MHz	Pass	6.9246G	-7.85	6.3574G	-58.32	-47.85	-10.47	3
6905MHz	Pass	6.9154G	-7.78	6.2938G	-54.68	-47.78	-6.90	4
802.11be EHT320_Nss1,(MCS0),3xRU996 CP 3_4TX	-	-	-	-	-	-	-	-
6905MHz	Pass	6.84621G	-7.28	6.3746G	-58.82	-47.28	-11.54	1
6905MHz	Pass	6.75264G	-5.98	6.4962G	-49.00	-39.63	-9.37	2
6905MHz	Pass	6.8962G	-7.21	6.3914G	-56.74	-47.21	-9.53	3
6905MHz	Pass	6.86821G	-7.30	6.3754G	-54.40	-47.30	-7.10	4
802.11be EHT320_Nss1,(MCS0),3xRU996 CP 4_4TX	-	-	-	-	-	-	-	-
6905MHz	Pass	6.8886G	-3.36	6.3738G	-56.37	-43.36	-13.01	1
6905MHz	Pass	6.77943G	-2.48	6.7394G	-31.09	-22.48	-8.61	2
6905MHz	Pass	6.8862G	-3.00	6.4062G	-53.69	-42.99	-10.70	3
6905MHz	Pass	6.893G	-3.21	6.3378G	-50.69	-43.21	-7.48	4
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 1_4TX	-	-	-	-	-	-	-	-
6905MHz	Pass	6.887G	-4.81	6.7618G	-30.26	-24.81	-5.45	1
6905MHz	Pass	6.79343G	-3.78	6.7646G	-28.67	-23.83	-4.84	2
6905MHz	Pass	6.8858G	-4.38	6.7658G	-29.41	-24.38	-5.03	3
6905MHz	Pass	6.85901G	-4.49	6.3394G	-52.53	-44.49	-8.04	4
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 2_4TX	-	-	-	-	-	-	-	-
6905MHz	Pass	6.8914G	-3.02	6.401G	-56.71	-43.02	-13.69	1
6905MHz	Pass	6.75464G	-1.85	6.7394G	-30.26	-21.85	-8.41	2
6905MHz	Pass	6.88421G	-2.60	6.4058G	-53.98	-42.60	-11.38	3
6905MHz	Pass	6.895G	-2.88	6.2966G	-50.60	-42.88	-7.72	4
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 3_4TX	-	-	-	-	-	-	-	-
6905MHz	Pass	6.8926G	-3.06	6.3758G	-56.77	-43.06	-13.71	1
6905MHz	Pass	6.77183G	-1.91	6.7394G	-30.80	-21.91	-8.89	2
6905MHz	Pass	6.8878G	-2.71	6.4098G	-53.61	-42.44	-11.17	3
6905MHz	Pass	6.911G	-2.80	6.3194G	-50.53	-42.80	-7.73	4
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 4_4TX	-	-	-	-	-	-	-	-
6905MHz	Pass	6.917G	-3.16	6.3738G	-56.59	-43.16	-13.43	1
6905MHz	Pass	6.75344G	-1.97	6.7394G	-31.18	-21.97	-9.21	2
6905MHz	Pass	6.9118G	-2.79	6.3998G	-53.83	-42.79	-11.04	3
6905MHz	Pass	6.9106G	-2.82	6.311G	-50.45	-42.82	-7.63	4
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 5_4TX	-	-	-	-	-	-	-	-
6905MHz	Pass	6.8894G	-2.92	6.4038G	-56.65	-42.92	-13.73	1
6905MHz	Pass	6.76064G	-2.00	6.7394G	-30.22	-22.00	-8.22	2
6905MHz	Pass	6.87661G	-2.41	6.4058G	-53.56	-42.41	-11.15	3
6905MHz	Pass	6.8958G	-2.73	6.3402G	-50.51	-42.73	-7.78	4
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 6_4TX	-	-	-	-	-	-	-	-
6905MHz	Pass	6.8874G	-2.98	6.375G	-56.56	-42.98	-13.58	1
6905MHz	Pass	6.76144G	-2.02	6.7394G	-30.36	-22.02	-8.34	2
6905MHz	Pass	6.8854G	-2.47	6.4038G	-53.49	-42.47	-11.02	3
6905MHz	Pass	6.9142G	-2.73	6.3062G	-50.33	-42.73	-7.60	4
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 7_4TX	-	-	-	-	-	-	-	-
6905MHz	Pass	6.8898G	-2.96	6.3734G	-57.06	-42.96	-14.10	1
6905MHz	Pass	6.893G	-1.81	7.0706G	-31.77	-21.81	-9.96	2
6905MHz	Pass	6.889G	-2.76	6.4086G	-54.22	-42.58	-11.64	3
6905MHz	Pass	6.8926G	-2.92	6.4098G	-51.29	-41.91	-9.38	4
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 8_4TX	-	-	-	-	-	-	-	-
6905MHz	Pass	6.9102G	-3.52	6.3746G	-57.05	-43.52	-13.53	1
6905MHz	Pass	6.83262G	-2.30	7.0706G	-33.16	-22.30	-10.86	2
6905MHz	Pass	6.9138G	-3.46	6.399G	-54.46	-43.46	-11.00	3
6905MHz	Pass	6.913G	-3.40	6.3958G	-51.64	-43.38	-8.26	4
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 9_4TX	-	-	-	-	-	-	-	-
6905MHz	Pass	6.8918G	-3.43	6.3754G	-56.82	-43.43	-13.39	1
6905MHz	Pass	6.83102G	-2.36	7.0706G	-32.60	-22.36	-10.24	2



Mask_Non-Beamforming_Radio 2_Channel Puncturing

Appendix E.10

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
6905MHz	Pass	6.8866G	-2.95	6.409G	-54.12	-42.74	-11.38	3
6905MHz	Pass	6.8934G	-3.33	6.389G	-51.45	-43.33	-8.12	4
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 10_4TX	-	-	-	-	-	-	-	-
6905MHz	Pass	6.8914G	-3.48	6.3754G	-56.82	-43.48	-13.34	1
6905MHz	Pass	6.83702G	-2.42	6.407G	-53.08	-42.42	-10.66	2
6905MHz	Pass	6.8886G	-3.03	6.4066G	-54.23	-42.99	-11.24	3
6905MHz	Pass	6.8922G	-3.31	6.3934G	-51.39	-43.31	-8.08	4
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 11_4TX	-	-	-	-	-	-	-	-
6905MHz	Pass	6.889G	-3.07	6.3726G	-56.89	-43.07	-13.82	1
6905MHz	Pass	6.83702G	-1.95	7.0706G	-32.56	-21.95	-10.61	2
6905MHz	Pass	6.8858G	-2.63	6.4146G	-53.72	-42.01	-11.71	3
6905MHz	Pass	6.8926G	-2.88	6.3666G	-51.82	-42.88	-8.94	4
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 12_4TX	-	-	-	-	-	-	-	-
6905MHz	Pass	6.84661G	-4.61	6.7598G	-32.98	-24.68	-8.30	1
6905MHz	Pass	6.87341G	-3.86	6.7658G	-29.52	-23.89	-5.63	2
6905MHz	Pass	6.88021G	-4.68	6.7598G	-33.12	-24.70	-8.42	3
6905MHz	Pass	6.8894G	-4.65	6.3838G	-52.85	-44.65	-8.20	4

