



Summary

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
5.925-6.425GHz	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1,(MCS0)_2TX	Pass	5.954175G	-18.71	5.9661G	-52.85	-38.72	-14.13	2
802.11ax HEW40_Nss1,(MCS0)_2TX	Pass	6.407699G	-16.86	6.336G	-70.08	-56.86	-13.22	1
802.11ax HEW80_Nss1,(MCS0)_2TX	Pass	6.2216G	-11.71	6.4242G	-66.69	-51.71	-14.98	1
802.11ax HEW160_Nss1,(MCS0)_2TX	Pass	6.3536G	-8.87	6.4272G	-42.63	-28.87	-13.76	1
6.425-6.525GHz	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1,(MCS0)_2TX	Pass	6.472626G	-19.36	6.5213G	-73.68	-59.36	-14.32	1
802.11ax HEW40_Nss1,(MCS0)_2TX	Pass	6.448099G	-17.11	6.3486G	-71.80	-57.11	-14.69	1
802.11ax HEW80_Nss1,(MCS0)_2TX	Pass	6.5433G	-11.90	6.7201G	-65.42	-51.90	-13.52	1
802.11ax HEW160_Nss1,(MCS0)_2TX	Pass	6.47441G	-8.34	6.5868G	-40.19	-28.35	-11.84	2
6.525-6.875GHz	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1,(MCS0)_2TX	Pass	6.8731G	-18.07	6.912025G	-70.32	-58.07	-12.25	1
802.11ax HEW40_Nss1,(MCS0)_2TX	Pass	6.8866G	-16.66	6.97045G	-70.76	-56.66	-14.10	2
802.11ax HEW80_Nss1,(MCS0)_2TX	Pass	6.6421G	-10.95	6.6667G	-44.25	-30.97	-13.28	1
802.11ax HEW160_Nss1,(MCS0)_2TX	Pass	6.63601G	-8.74	6.9122G	-62.20	-48.74	-13.46	1
6.875-7.125GHz	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1,(MCS0)_2TX	Pass	6.996225G	-18.54	6.9599G	-72.55	-58.54	-14.01	2
802.11ax HEW40_Nss1,(MCS0)_2TX	Pass	6.999701G	-16.54	6.912G	-69.50	-56.54	-12.96	1
802.11ax HEW80_Nss1,(MCS0)_2TX	Pass	7.0107G	-11.84	6.8446G	-66.03	-51.84	-14.19	2
802.11ax HEW160_Nss1,(MCS0)_2TX	Pass	6.95521G	-8.52	6.6964G	-63.19	-48.52	-14.67	2



Result

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
802.11ax HEW20_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5955MHz	Pass	5.958074G	-17.89	5.966325G	-53.52	-37.95	-15.57	1
5955MHz	Pass	5.954175G	-18.71	5.9661G	-52.85	-38.72	-14.13	2
6195MHz	Pass	6.192751G	-18.61	6.226625G	-73.98	-58.61	-15.37	1
6195MHz	Pass	6.197174G	-18.37	6.206175G	-53.83	-38.44	-15.39	2
6415MHz	Pass	6.4163G	-18.63	6.426G	-53.22	-38.65	-14.57	1
6415MHz	Pass	6.413775G	-18.28	6.4262G	-53.45	-38.30	-15.15	2
6435MHz	Pass	6.433025G	-18.87	6.4018G	-73.84	-58.87	-14.97	1
6435MHz	Pass	6.438124G	-18.46	6.446275G	-53.59	-38.47	-15.12	2
6475MHz	Pass	6.472626G	-19.36	6.5213G	-73.68	-59.36	-14.32	1
6475MHz	Pass	6.477799G	-17.97	6.425125G	-73.48	-57.97	-15.51	2
6515MHz	Pass	6.513425G	-18.64	6.503725G	-53.39	-38.78	-14.61	1
6515MHz	Pass	6.5161G	-18.02	6.5489G	-73.82	-58.02	-15.80	2
6535MHz	Pass	6.538149G	-18.82	6.49775G	-74.05	-58.82	-15.23	1
6535MHz	Pass	6.534075G	-18.91	6.493875G	-73.56	-58.91	-14.65	2
6695MHz	Pass	6.694025G	-18.70	6.706075G	-52.00	-38.71	-13.29	1
6695MHz	Pass	6.692426G	-18.60	6.683975G	-53.22	-38.40	-14.82	2
6875MHz	Pass	6.8731G	-18.07	6.912025G	-70.32	-58.07	-12.25	1
6875MHz	Pass	6.87435G	-18.47	6.917275G	-73.16	-58.47	-14.69	2
6895MHz	Pass	6.892251G	-17.90	6.931225G	-73.19	-57.90	-15.29	1
6895MHz	Pass	6.896425G	-18.64	6.94345G	-73.08	-58.64	-14.44	2
6995MHz	Pass	6.991176G	-18.51	6.95865G	-72.97	-58.51	-14.46	1
6995MHz	Pass	6.996225G	-18.54	6.9599G	-72.55	-58.54	-14.01	2
7095MHz	Pass	7.091651G	-18.71	7.045G	-73.46	-58.71	-14.75	1
7095MHz	Pass	7.094G	-18.75	7.045475G	-73.29	-58.75	-14.54	2
802.11ax HEW40_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5965MHz	Pass	5.973798G	-15.73	6.0624G	-71.94	-55.73	-16.21	1
5965MHz	Pass	5.9665G	-16.86	6.05885G	-72.10	-56.86	-15.24	2
6205MHz	Pass	6.2031G	-16.41	6.28495G	-72.06	-56.41	-15.65	1
6205MHz	Pass	6.208749G	-16.29	6.18455G	-51.31	-36.31	-15.00	2
6405MHz	Pass	6.407699G	-16.86	6.336G	-70.08	-56.86	-13.22	1
6405MHz	Pass	6.407649G	-16.60	6.4747G	-71.67	-56.60	-15.07	2
6445MHz	Pass	6.448099G	-17.11	6.3486G	-71.80	-57.11	-14.69	1
6445MHz	Pass	6.448799G	-16.48	6.352G	-71.58	-56.48	-15.10	2
6485MHz	Pass	6.4836G	-16.95	6.3927G	-71.84	-56.95	-14.89	1
6485MHz	Pass	6.477452G	-16.30	6.40195G	-71.48	-56.30	-15.18	2
6525MHz	Pass	6.530199G	-16.33	6.59455G	-71.80	-56.33	-15.47	1
6525MHz	Pass	6.517802G	-16.17	6.4283G	-71.86	-56.17	-15.69	2
6565MHz	Pass	6.568599G	-16.83	6.6413G	-71.68	-56.83	-14.85	1
6565MHz	Pass	6.559401G	-16.87	6.49565G	-71.60	-56.87	-14.73	2
6685MHz	Pass	6.690649G	-16.73	6.60935G	-71.26	-56.73	-14.53	1
6685MHz	Pass	6.679701G	-16.73	6.62145G	-71.67	-56.73	-14.94	2
6885MHz	Pass	6.879651G	-15.83	6.816G	-69.98	-55.83	-14.15	1
6885MHz	Pass	6.8866G	-16.66	6.97045G	-70.76	-56.66	-14.10	2
6925MHz	Pass	6.932848G	-16.00	6.98535G	-70.67	-56.00	-14.67	1
6925MHz	Pass	6.9239G	-16.18	7.0029G	-70.66	-56.18	-14.48	2
7005MHz	Pass	6.999701G	-16.54	6.912G	-69.50	-56.54	-12.96	1
7005MHz	Pass	6.999301G	-16.79	6.9333G	-70.93	-56.79	-14.14	2
7085MHz	Pass	7.081201G	-16.78	7.00805G	-70.39	-56.78	-13.61	1
7085MHz	Pass	7.081501G	-16.31	6.98825G	-70.24	-56.31	-13.93	2
802.11ax HEW80_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5985MHz	Pass	5.9816G	-10.99	6.1716G	-66.89	-50.99	-15.90	1
5985MHz	Pass	5.9944G	-11.39	6.1728G	-66.73	-51.39	-15.34	2
6225MHz	Pass	6.2216G	-11.71	6.4242G	-66.69	-51.71	-14.98	1
6225MHz	Pass	6.2207G	-10.90	6.3961G	-66.47	-50.90	-15.57	2



Mask_Non-Beamforming_Radio 0

Appendix E.1

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
6385MHz	Pass	6.3813G	-11.41	6.4264G	-46.59	-31.42	-15.17	1
6385MHz	Pass	6.374G	-11.20	6.4266G	-46.27	-31.20	-15.07	2
6465MHz	Pass	6.4625G	-11.97	6.3359G	-65.72	-51.97	-13.75	1
6465MHz	Pass	6.4579G	-11.00	6.5063G	-45.26	-31.03	-14.23	2
6545MHz	Pass	6.5433G	-11.90	6.7201G	-65.42	-51.90	-13.52	1
6545MHz	Pass	6.5379G	-11.90	6.415G	-66.53	-51.90	-14.63	2
6625MHz	Pass	6.6421G	-10.95	6.6667G	-44.25	-30.97	-13.28	1
6625MHz	Pass	6.6173G	-11.63	6.4332G	-66.44	-51.63	-14.81	2
6705MHz	Pass	6.6925G	-11.12	6.8843G	-66.09	-51.12	-14.97	1
6705MHz	Pass	6.7023G	-11.60	6.897G	-66.07	-51.60	-14.47	2
6785MHz	Pass	6.7954G	-11.04	6.9117G	-65.37	-51.04	-14.33	1
6785MHz	Pass	6.7812G	-11.26	6.9745G	-65.52	-51.26	-14.26	2
6865MHz	Pass	6.8669G	-11.12	6.9926G	-65.34	-51.12	-14.22	1
6865MHz	Pass	6.8662G	-10.91	6.9988G	-65.04	-50.91	-14.13	2
6945MHz	Pass	6.9332G	-11.71	6.8162G	-66.10	-51.71	-14.39	1
6945MHz	Pass	6.9427G	-11.47	6.8G	-66.17	-51.47	-14.70	2
7025MHz	Pass	6.99601G	-11.24	6.8565G	-65.69	-51.24	-14.45	1
7025MHz	Pass	7.0107G	-11.84	6.8446G	-66.03	-51.84	-14.19	2
802.11ax HEW160_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
6025MHz	Pass	6.05839G	-9.15	6.3366G	-63.37	-49.15	-14.22	1
6025MHz	Pass	6.04699G	-9.24	6.3986G	-63.54	-49.24	-14.30	2
6185MHz	Pass	6.15481G	-8.73	6.432G	-63.56	-48.73	-14.83	1
6185MHz	Pass	6.22119G	-8.62	5.786G	-62.59	-48.62	-13.97	2
6345MHz	Pass	6.3536G	-8.87	6.4272G	-42.63	-28.87	-13.76	1
6345MHz	Pass	6.37679G	-8.76	6.4274G	-42.65	-28.76	-13.89	2
6505MHz	Pass	6.53699G	-8.80	6.766G	-62.73	-48.80	-13.93	1
6505MHz	Pass	6.47441G	-8.34	6.5868G	-40.19	-28.35	-11.84	2
6665MHz	Pass	6.63601G	-8.74	6.9122G	-62.20	-48.74	-13.46	1
6665MHz	Pass	6.68759G	-8.65	6.9934G	-62.38	-48.65	-13.73	2
6825MHz	Pass	6.8082G	-8.39	6.5776G	-63.32	-48.39	-14.93	1
6825MHz	Pass	6.85459G	-8.93	6.5736G	-62.84	-48.93	-13.91	2
6985MHz	Pass	6.95281G	-8.28	6.7318G	-63.33	-48.28	-15.05	1
6985MHz	Pass	6.95521G	-8.52	6.6964G	-63.19	-48.52	-14.67	2



5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

MASK

5955MHz_TX

17/01/2024

CF (Hz)
5.955G


Span (Hz)
100M

RBW (Hz)
200k

VBW (Hz)
1M

Sweep Time (s)
4.01m

Detector Type
RMS



Port 1

Port 2

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.958074G	-17.89	5.966325G	-53.52	-37.95	-15.57	1
5.954175G	-18.71	5.9661G	-52.85	-38.72	-14.13	2

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

MASK

6195MHz_TX

17/01/2024

CF (Hz)
6.195G


Span (Hz)
100M

RBW (Hz)
200k

VBW (Hz)
1M

Sweep Time (s)
4.01m

Detector Type
RMS



Port 1

Port 2

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.192751G	-18.61	6.226625G	-73.98	-58.61	-15.37	1
6.197174G	-18.37	6.206175G	-53.83	-38.44	-15.39	2



5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

MASK

6415MHz_TX

17/01/2024

CF (Hz)
6.415G


Span (Hz)
100M

RBW (Hz)
200k

VBW (Hz)
1M

Sweep Time (s)
4.01m

Detector Type
RMS



Port 1

Port 2

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.4163G	-18.63	6.426G	-53.22	-38.65	-14.57	1
6.413775G	-18.28	6.4262G	-53.45	-38.30	-15.15	2

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

MASK

6435MHz_TX

17/01/2024

CF (Hz)
6.435G


Span (Hz)
100M

RBW (Hz)
200k

VBW (Hz)
1M

Sweep Time (s)
4.01m


Detector Type
RMS



Port 1

Port 2

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.433025G	-18.87	6.4018G	-73.84	-58.87	-14.97	1
6.438124G	-18.46	6.446275G	-53.59	-38.47	-15.12	2



6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

MASK

6515MHz_TX

CF (Hz)
6.515G

Span (Hz)
100M

RBW (Hz)
200k

VBW (Hz)
1M

Sweep Time (s)
4.01m


Detector Type
RMS

17/01/2024

Port 1

Port 2

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.513425G	-18.64	6.503725G	-53.39	-38.78	-14.61	1
6.5161G	-18.02	6.5489G	-73.82	-58.02	-15.80	2





6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

MASK

6875MHz_TX

17/01/2024

CF (Hz)
6.875G


Span (Hz)
100M

RBW (Hz)
200k

VBW (Hz)
1M

Sweep Time (s)
4.01m

Detector Type
RMS



Port 1

Port 2

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.8731G	-18.07	6.912025G	-70.32	-58.07	-12.25	1
6.87435G	-18.47	6.917275G	-73.16	-58.47	-14.69	2

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

MASK

6895MHz_TX

17/01/2024

CF (Hz)
6.895G


Span (Hz)
100M

RBW (Hz)
200k

VBW (Hz)
1M

Sweep Time (s)
4.01m


Detector Type
RMS




Port 1

Port 2

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.892251G	-17.90	6.931225G	-73.19	-57.90	-15.29	1
6.896425G	-18.64	6.94345G	-73.08	-58.64	-14.44	2







5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

MASK

6405MHz_TX

17/01/2024

CF (Hz)
6.405G


Span (Hz)
200M

RBW (Hz)
300k

VBW (Hz)
1M

Sweep Time (s)
4.01m

Detector Type
RMS



Port 1

Port 2

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.407699G	-16.86	6.336G	-70.08	-56.86	-13.22	1
6.407649G	-16.60	6.4747G	-71.67	-56.60	-15.07	2

6.425-6.525GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

MASK

6445MHz_TX

17/01/2024

CF (Hz)
6.445G


Span (Hz)
200M

RBW (Hz)
300k

VBW (Hz)
1M

Sweep Time (s)
4.01m


Detector Type
RMS





Port 1

Port 2

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.448099G	-17.11	6.3486G	-71.80	-57.11	-14.69	1
6.448799G	-16.48	6.352G	-71.58	-56.48	-15.10	2







6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

MASK

6885MHz_TX

17/01/2024

CF (Hz)
6.885G


Span (Hz)
200M

RBW (Hz)
300k

VBW (Hz)
1M

Sweep Time (s)
4.01m

Detector Type
RMS



Port 1

Port 2

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.879651G	-15.83	6.816G	-69.98	-55.83	-14.15	1
6.8866G	-16.66	6.97045G	-70.76	-56.66	-14.10	2

6.875-7.125GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

MASK

6925MHz_TX

17/01/2024

CF (Hz)
6.925G


Span (Hz)
200M

RBW (Hz)
300k

VBW (Hz)
1M

Sweep Time (s)
4.01m



Detector Type
RMS




Port 1

Port 2

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.932848G	-16.00	6.98535G	-70.67	-56.00	-14.67	1
6.9239G	-16.18	7.0029G	-70.66	-56.18	-14.48	2







5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

MASK

6385MHz_TX

17/01/2024

CF (Hz)
6.385G


Span (Hz)
400M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
4.01m

Detector Type
RMS



Port 1

Port 2

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.3813G	-11.41	6.4264G	-46.59	-31.42	-15.17	1
6.374G	-11.20	6.4266G	-46.27	-31.20	-15.07	2

6.425-6.525GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

MASK

6465MHz_TX

17/01/2024

CF (Hz)
6.465G


Span (Hz)
400M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
4.01m

Detector Type
RMS



Port 1

Port 2

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.4625G	-11.97	6.3359G	-65.72	-51.97	-13.75	1
6.4579G	-11.00	6.5063G	-45.26	-31.03	-14.23	2



6.425-6.525GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

MASK

6545MHz_TX

17/01/2024

CF (Hz)
6.545G


Span (Hz)
400M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
4.01m

Detector Type
RMS



Port 1

Port 2

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.5433G	-11.90	6.7201G	-65.42	-51.90	-13.52	1
6.5379G	-11.90	6.415G	-66.53	-51.90	-14.63	2

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

MASK

6625MHz_TX

17/01/2024

CF (Hz)
6.625G


Span (Hz)
400M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
4.01m



Detector Type
RMS



Port 1

Port 2

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.6421G	-10.95	6.6667G	-44.25	-30.97	-13.28	1
6.6173G	-11.63	6.4332G	-66.44	-51.63	-14.81	2





6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

MASK

6865MHz_TX

17/01/2024

CF (Hz)
6.865G


Span (Hz)
400M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
4.01m

Detector Type
RMS



Port 1

Port 2

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.8669G	-11.12	6.9926G	-65.34	-51.12	-14.22	1
6.8662G	-10.91	6.9988G	-65.04	-50.91	-14.13	2

6.875-7.125GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

MASK

6945MHz_TX

17/01/2024

CF (Hz)
6.945G


Span (Hz)
400M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
4.01m


Detector Type
RMS





Port 1


Port 2

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.9332G	-11.71	6.8162G	-66.10	-51.71	-14.39	1
6.9427G	-11.47	6.8G	-66.17	-51.47	-14.70	2











Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-
802.11ax HEW160_Nss1,(MCS0)_2TX	Pass	PK	49.4M	33.92	40.00	-6.08	3	Vertical	0	1.00




Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11ax HEW160_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
6185MHz	Pass	PK	31.94M	29.14	40.00	-10.86	3	Vertical	0	1.00
6185MHz	Pass	PK	41.64M	27.39	40.00	-12.61	3	Vertical	0	1.00
6185MHz	Pass	PK	70.74M	25.09	40.00	-14.91	3	Vertical	0	1.00
6185MHz	Pass	PK	148.34M	31.17	43.50	-12.33	3	Vertical	0	1.00
6185MHz	Pass	PK	192.96M	28.09	43.50	-15.41	3	Vertical	0	1.00
6185MHz	Pass	PK	1G	35.32	54.00	-18.68	3	Vertical	0	1.00
6185MHz	Pass	PK	105.66M	28.94	43.50	-14.56	3	Horizontal	360	1.00
6185MHz	Pass	PK	148.34M	30.82	43.50	-12.68	3	Horizontal	360	1.00
6185MHz	Pass	PK	194.9M	28.64	43.50	-14.86	3	Horizontal	360	1.00
6185MHz	Pass	PK	301.6M	26.22	46.00	-19.78	3	Horizontal	360	1.00
6185MHz	Pass	PK	916.58M	32.31	46.00	-13.69	3	Horizontal	360	1.00
6185MHz	Pass	PK	1G	33.69	54.00	-20.31	3	Horizontal	360	1.00
6185MHz	Pass	PK	49.4M	33.92	40.00	-6.08	3	Vertical	0	1.00
6185MHz	Pass	PK	165.8M	27.62	43.50	-15.88	3	Vertical	0	1.00
6185MHz	Pass	PK	189.08M	27.42	43.50	-16.08	3	Vertical	0	1.00
6185MHz	Pass	PK	497.54M	32.87	46.00	-13.13	3	Vertical	0	1.00
6185MHz	Pass	PK	889.42M	36.68	46.00	-9.32	3	Vertical	0	1.00
6185MHz	Pass	QP	31.94M	33.37	40.00	-6.63	3	Vertical	129	1.00
6185MHz	Pass	PK	103.72M	30.90	43.50	-12.60	3	Horizontal	360	1.00
6185MHz	Pass	PK	132.82M	33.42	43.50	-10.08	3	Horizontal	360	1.00
6185MHz	Pass	PK	340.4M	24.80	46.00	-21.20	3	Horizontal	360	1.00
6185MHz	Pass	PK	489.78M	29.00	46.00	-17.00	3	Horizontal	360	1.00
6185MHz	Pass	PK	515M	29.19	46.00	-16.81	3	Horizontal	360	1.00
6185MHz	Pass	PK	1G	39.75	54.00	-14.25	3	Horizontal	360	1.00



5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_2TX


6185MHz_Adapter



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	31.94M	29.14	40.00	-10.86	-4.38	3	Vertical	0	1.00	33.52	22.61	0.43	27.42
PK	41.64M	27.39	40.00	-12.61	-9.47	3	Vertical	0	1.00	36.86	17.44	0.49	27.40
PK	70.74M	25.09	40.00	-14.91	-15.27	3	Vertical	0	1.00	40.36	11.49	0.63	27.39
PK	148.34M	31.17	43.50	-12.33	-10.41	3	Vertical	0	1.00	41.58	15.84	0.90	27.15
PK	192.96M	28.09	43.50	-15.41	-11.71	3	Vertical	0	1.00	39.80	14.17	1.03	26.91
PK	1G	35.32	54.00	-18.68	1.39	3	Vertical	0	1.00	33.93	26.39	2.33	27.33

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

6185MHz_Adapter




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	105.66M	28.94	43.50	-14.56	-10.16	3	Horizontal	360	1.00	39.10	16.36	0.77	27.29
PK	148.34M	30.82	43.50	-12.68	-10.41	3	Horizontal	360	1.00	41.23	15.84	0.90	27.15
PK	194.9M	28.64	43.50	-14.86	-11.60	3	Horizontal	360	1.00	40.24	14.27	1.03	26.90
PK	301.6M	26.22	46.00	-19.78	-7.13	3	Horizontal	360	1.00	33.35	18.35	1.28	26.76
PK	916.58M	32.31	46.00	-13.69	-0.07	3	Horizontal	360	1.00	32.38	25.56	2.22	27.85
PK	1G	33.69	54.00	-20.31	1.39	3	Horizontal	360	1.00	32.30	26.39	2.33	27.33



5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_2TX


6185MHz_PoE



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	49.4M	33.92	40.00	-6.08	-13.38	3	Vertical	0	1.00	47.30	13.48	0.54	27.40
PK	165.8M	27.62	43.50	-15.88	-11.12	3	Vertical	0	1.00	38.74	15.00	0.95	27.07
PK	189.08M	27.42	43.50	-16.08	-11.82	3	Vertical	0	1.00	39.24	14.10	1.02	26.94
PK	497.54M	32.87	46.00	-13.13	-4.07	3	Vertical	0	1.00	36.94	22.44	1.65	28.16
PK	889.42M	36.68	46.00	-9.32	-0.24	3	Vertical	0	1.00	36.92	25.53	2.19	27.96
QP	31.94M	33.37	40.00	-6.63	-4.38	3	Vertical	129	1.00	37.75	22.61	0.43	27.42

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

6185MHz_PoE



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	103.72M	30.90	43.50	-12.60	-10.28	3	Horizontal	360	1.00	41.18	16.26	0.76	27.30
PK	132.82M	33.42	43.50	-10.08	-9.69	3	Horizontal	360	1.00	43.11	16.65	0.86	27.20
PK	340.4M	24.80	46.00	-21.20	-6.60	3	Horizontal	360	1.00	31.40	19.04	1.36	27.00
PK	489.78M	29.00	46.00	-17.00	-4.05	3	Horizontal	360	1.00	33.05	22.46	1.63	28.14
PK	515M	29.19	46.00	-16.81	-4.00	3	Horizontal	360	1.00	33.19	22.55	1.67	28.22
PK	1G	39.75	54.00	-14.25	1.39	3	Horizontal	360	1.00	38.36	26.39	2.33	27.33



Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1,(MCS0)_2TX	Pass	AV	12.39388G	38.49	54.00	-15.51	3	Vertical	250	1.50
802.11ax HEW40_Nss1,(MCS0)_2TX	Pass	AV	11.92884G	38.74	54.00	-15.26	3	Horizontal	151	2.79
802.11ax HEW80_Nss1,(MCS0)_2TX	Pass	AV	11.97972G	38.84	54.00	-15.16	3	Vertical	9	1.49
802.11ax HEW160_Nss1,(MCS0)_2TX	Pass	AV	12.68972G	39.17	54.00	-14.83	3	Vertical	343	2.00
6.425-6.525GHz	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1,(MCS0)_2TX	Pass	AV	12.94036G	39.57	68.20	-28.63	3	Horizontal	0	1.50
802.11ax HEW40_Nss1,(MCS0)_2TX	Pass	AV	12.88612G	39.83	68.20	-28.37	3	Horizontal	76	2.29
802.11ax HEW80_Nss1,(MCS0)_2TX	Pass	AV	12.92588G	39.89	68.20	-28.31	3	Vertical	103	1.50
802.11ax HEW160_Nss1,(MCS0)_2TX	Pass	AV	13.0096G	39.46	68.20	-28.74	3	Horizontal	2	1.37
6.525-6.875GHz	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1,(MCS0)_2TX	Pass	AV	13.38756G	40.11	54.00	-13.89	3	Horizontal	0	1.82
802.11ax HEW40_Nss1,(MCS0)_2TX	Pass	AV	13.36292G	40.34	54.00	-13.66	3	Horizontal	214	1.50
802.11ax HEW80_Nss1,(MCS0)_2TX	Pass	AV	13.25836G	40.06	54.00	-13.94	3	Horizontal	210	1.50
802.11ax HEW160_Nss1,(MCS0)_2TX	Pass	AV	13.32922G	40.46	54.00	-13.54	3	Horizontal	14	1.68
6.875-7.125GHz	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1,(MCS0)_2TX	Pass	AV	7.2438G	49.09	68.20	-19.11	3	Vertical	28	2.62
802.11ax HEW40_Nss1,(MCS0)_2TX	Pass	AV	7.232G	49.01	68.20	-19.19	3	Vertical	28	2.50
802.11ax HEW80_Nss1,(MCS0)_2TX	Pass	AV	7.1732G	48.60	68.20	-19.60	3	Vertical	26	2.54
802.11ax HEW160_Nss1,(MCS0)_2TX	Pass	AV	7.221G	48.98	68.20	-19.22	3	Vertical	23	2.46



Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11ax HEW20_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5955MHz	Pass	AV	5.91G	44.41	68.20	-23.79	3	Vertical	37	2.24
5955MHz	Pass	AV	5.9538G	85.83	Inf	-Inf	3	Vertical	37	2.24
5955MHz	Pass	PK	5.8824G	58.00	88.20	-30.20	3	Vertical	37	2.24
5955MHz	Pass	PK	5.9526G	99.16	Inf	-Inf	3	Vertical	37	2.24
5955MHz	Pass	AV	5.9196G	44.36	68.20	-23.84	3	Horizontal	11	2.71
5955MHz	Pass	AV	5.9568G	84.51	Inf	-Inf	3	Horizontal	11	2.71
5955MHz	Pass	PK	5.8542G	57.86	88.20	-30.34	3	Horizontal	11	2.71
5955MHz	Pass	PK	5.9568G	96.50	Inf	-Inf	3	Horizontal	11	2.71
5955MHz	Pass	AV	11.91488G	38.28	54.00	-15.72	3	Vertical	333	2.56
5955MHz	Pass	PK	11.91004G	51.49	74.00	-22.51	3	Vertical	333	2.56
5955MHz	Pass	AV	11.91416G	38.27	54.00	-15.73	3	Horizontal	227	2.21
5955MHz	Pass	PK	11.913G	51.60	74.00	-22.40	3	Horizontal	227	2.21
6195MHz	Pass	AV	12.39388G	38.49	54.00	-15.51	3	Vertical	250	1.50
6195MHz	Pass	PK	12.39512G	51.05	74.00	-22.95	3	Vertical	250	1.50
6195MHz	Pass	AV	12.39568G	38.47	54.00	-15.53	3	Horizontal	309	1.50
6195MHz	Pass	PK	12.38296G	51.98	74.00	-22.02	3	Horizontal	309	1.50
6415MHz	Pass	AV	12.8396G	39.32	68.20	-28.88	3	Vertical	146	1.86
6415MHz	Pass	PK	12.83968G	53.20	88.20	-35.00	3	Vertical	146	1.86
6415MHz	Pass	AV	12.83976G	39.28	68.20	-28.92	3	Horizontal	137	1.54
6415MHz	Pass	PK	12.83264G	52.22	88.20	-35.98	3	Horizontal	137	1.54
6435MHz	Pass	AV	12.8798G	39.30	68.20	-28.90	3	Vertical	213	2.56
6435MHz	Pass	PK	12.87948G	52.35	88.20	-35.85	3	Vertical	213	2.56
6435MHz	Pass	AV	12.87752G	39.45	68.20	-28.75	3	Horizontal	209	1.84
6435MHz	Pass	PK	12.879G	52.10	88.20	-36.10	3	Horizontal	209	1.84
6475MHz	Pass	AV	12.95112G	39.51	68.20	-28.69	3	Vertical	360	1.50
6475MHz	Pass	PK	12.95556G	52.97	88.20	-35.23	3	Vertical	360	1.50
6475MHz	Pass	AV	12.94036G	39.57	68.20	-28.63	3	Horizontal	0	1.50
6475MHz	Pass	PK	12.94676G	52.60	88.20	-35.60	3	Horizontal	0	1.50
6515MHz	Pass	AV	13.02224G	39.04	68.20	-29.16	3	Vertical	29	1.50
6515MHz	Pass	PK	13.0256G	52.68	88.20	-35.52	3	Vertical	29	1.50
6515MHz	Pass	AV	13.023G	39.05	68.20	-29.15	3	Horizontal	261	1.50
6515MHz	Pass	PK	13.02764G	51.54	88.20	-36.66	3	Horizontal	261	1.50
6535MHz	Pass	AV	13.06396G	39.20	68.20	-29.00	3	Vertical	303	2.66
6535MHz	Pass	PK	13.06952G	51.97	88.20	-36.23	3	Vertical	303	2.66
6535MHz	Pass	AV	13.06384G	39.27	68.20	-28.93	3	Horizontal	330	1.70
6535MHz	Pass	PK	13.06748G	52.47	88.20	-35.73	3	Horizontal	330	1.70
6695MHz	Pass	AV	13.38396G	40.08	54.00	-13.92	3	Vertical	115	1.96
6695MHz	Pass	PK	13.38304G	52.84	74.00	-21.16	3	Vertical	115	1.96
6695MHz	Pass	AV	13.38756G	40.11	54.00	-13.89	3	Horizontal	0	1.82
6695MHz	Pass	PK	13.38012G	52.94	74.00	-21.06	3	Horizontal	0	1.82
6875MHz	Pass	AV	13.75908G	40.43	68.20	-27.77	3	Vertical	82	1.50
6875MHz	Pass	PK	13.75884G	53.32	88.20	-34.88	3	Vertical	82	1.50
6875MHz	Pass	AV	13.75896G	40.44	68.20	-27.76	3	Horizontal	0	1.00
6875MHz	Pass	PK	13.75664G	53.27	88.20	-34.93	3	Horizontal	0	1.00
6895MHz	Pass	AV	13.79732G	40.29	68.20	-27.91	3	Vertical	175	1.06
6895MHz	Pass	PK	13.7952G	53.25	88.20	-34.95	3	Vertical	175	1.06
6895MHz	Pass	AV	13.79528G	40.25	68.20	-27.95	3	Horizontal	332	1.50
6895MHz	Pass	PK	13.7996G	53.05	88.20	-35.15	3	Horizontal	332	1.50
6995MHz	Pass	AV	13.98448G	40.95	68.20	-27.25	3	Vertical	129	1.50
6995MHz	Pass	PK	13.99388G	53.41	88.20	-34.79	3	Vertical	129	1.50
6995MHz	Pass	AV	13.98556G	40.97	68.20	-27.23	3	Horizontal	360	1.50
6995MHz	Pass	PK	13.99992G	53.78	88.20	-34.42	3	Horizontal	360	1.50
7095MHz	Pass	AV	7.0932G	88.12	Inf	-Inf	3	Vertical	28	2.62
7095MHz	Pass	AV	7.2438G	49.09	68.20	-19.11	3	Vertical	28	2.62
7095MHz	Pass	PK	7.0938G	100.30	Inf	-Inf	3	Vertical	28	2.62
7095MHz	Pass	PK	7.245G	61.89	88.20	-26.31	3	Vertical	28	2.62
7095MHz	Pass	AV	7.0962G	84.87	Inf	-Inf	3	Horizontal	244	2.08
7095MHz	Pass	AV	7.2432G	49.05	68.20	-19.15	3	Horizontal	244	2.08
7095MHz	Pass	PK	7.098G	96.95	Inf	-Inf	3	Horizontal	244	2.08
7095MHz	Pass	PK	7.2372G	63.11	88.20	-25.09	3	Horizontal	244	2.08



RSE TX above 1GHz_Non-Beamforming_Radio 0

Appendix E.3

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
7095MHz	Pass	AV	14.18996G	41.60	68.20	-26.60	3	Vertical	327	1.38
7095MHz	Pass	PK	14.18136G	55.79	88.20	-32.41	3	Vertical	327	1.38
7095MHz	Pass	AV	14.18488G	41.54	68.20	-26.66	3	Horizontal	360	1.50
7095MHz	Pass	PK	14.19764G	54.01	88.20	-34.19	3	Horizontal	360	1.50
802.11ax HEW40_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5965MHz	Pass	AV	5.9038G	44.39	68.20	-23.81	3	Vertical	36	2.10
5965MHz	Pass	AV	5.9638G	85.69	Inf	-Inf	3	Vertical	36	2.10
5965MHz	Pass	PK	5.9182G	58.18	88.20	-30.02	3	Vertical	36	2.10
5965MHz	Pass	PK	5.9752G	98.03	Inf	-Inf	3	Vertical	36	2.10
5965MHz	Pass	AV	5.9038G	44.35	68.20	-23.85	3	Horizontal	12	2.62
5965MHz	Pass	AV	5.968G	83.90	Inf	-Inf	3	Horizontal	12	2.62
5965MHz	Pass	PK	5.9056G	58.52	88.20	-29.68	3	Horizontal	12	2.62
5965MHz	Pass	PK	5.9572G	96.27	Inf	-Inf	3	Horizontal	12	2.62
5965MHz	Pass	AV	11.9286G	38.57	54.00	-15.43	3	Vertical	136	1.82
5965MHz	Pass	PK	11.923G	51.65	74.00	-22.35	3	Vertical	136	1.82
5965MHz	Pass	AV	11.92884G	38.74	54.00	-15.26	3	Horizontal	151	2.79
5965MHz	Pass	PK	11.92668G	50.83	74.00	-23.17	3	Horizontal	151	2.79
6205MHz	Pass	AV	12.41672G	38.70	54.00	-15.30	3	Vertical	292	1.50
6205MHz	Pass	PK	12.4002G	51.04	74.00	-22.96	3	Vertical	292	1.50
6205MHz	Pass	AV	12.41688G	38.69	54.00	-15.31	3	Horizontal	65	1.50
6205MHz	Pass	PK	12.41732G	52.11	74.00	-21.89	3	Horizontal	65	1.50
6405MHz	Pass	AV	12.8076G	39.43	68.20	-28.77	3	Vertical	151	2.15
6405MHz	Pass	PK	12.80984G	51.33	88.20	-36.87	3	Vertical	151	2.15
6405MHz	Pass	AV	12.803G	39.41	68.20	-28.79	3	Horizontal	360	1.50
6405MHz	Pass	PK	12.81844G	52.65	88.20	-35.55	3	Horizontal	360	1.50
6445MHz	Pass	AV	12.88792G	39.69	68.20	-28.51	3	Vertical	110	2.82
6445MHz	Pass	PK	12.89876G	52.83	88.20	-35.37	3	Vertical	110	2.82
6445MHz	Pass	AV	12.88612G	39.83	68.20	-28.37	3	Horizontal	76	2.29
6445MHz	Pass	PK	12.89684G	52.89	88.20	-35.31	3	Horizontal	76	2.29
6485MHz	Pass	AV	12.96488G	39.59	68.20	-28.61	3	Vertical	275	2.85
6485MHz	Pass	PK	12.96904G	53.09	88.20	-35.11	3	Vertical	275	2.85
6485MHz	Pass	AV	12.96652G	39.61	68.20	-28.59	3	Horizontal	271	2.57
6485MHz	Pass	PK	12.96932G	51.95	88.20	-36.25	3	Horizontal	271	2.57
6525MHz	Pass	AV	13.05708G	39.31	68.20	-28.89	3	Vertical	0	1.50
6525MHz	Pass	PK	13.04908G	52.35	88.20	-35.85	3	Vertical	0	1.50
6525MHz	Pass	AV	13.05952G	39.34	68.20	-28.86	3	Horizontal	107	1.50
6525MHz	Pass	PK	13.05508G	51.57	88.20	-36.63	3	Horizontal	107	1.50
6565MHz	Pass	AV	13.1258G	39.56	68.20	-28.64	3	Vertical	205	1.44
6565MHz	Pass	PK	13.13872G	52.22	88.20	-35.98	3	Vertical	205	1.44
6565MHz	Pass	AV	13.13724G	39.56	68.20	-28.64	3	Horizontal	146	2.23
6565MHz	Pass	PK	13.12896G	53.77	88.20	-34.43	3	Horizontal	146	2.23
6685MHz	Pass	AV	13.36712G	40.25	54.00	-13.75	3	Vertical	310	1.50
6685MHz	Pass	PK	13.36736G	52.94	74.00	-21.06	3	Vertical	310	1.50
6685MHz	Pass	AV	13.36292G	40.34	54.00	-13.66	3	Horizontal	214	1.50
6685MHz	Pass	PK	13.37324G	52.62	74.00	-21.38	3	Horizontal	214	1.50
6885MHz	Pass	AV	13.7618G	40.44	68.20	-27.76	3	Vertical	260	1.00
6885MHz	Pass	PK	13.76748G	54.68	88.20	-33.52	3	Vertical	260	1.00
6885MHz	Pass	AV	13.76056G	40.43	68.20	-27.77	3	Horizontal	343	1.50
6885MHz	Pass	PK	13.76388G	53.32	88.20	-34.88	3	Horizontal	343	1.50
6925MHz	Pass	AV	13.84824G	40.83	68.20	-27.37	3	Vertical	247	1.50
6925MHz	Pass	PK	13.84664G	52.98	88.20	-35.22	3	Vertical	247	1.50
6925MHz	Pass	AV	13.84416G	40.65	68.20	-27.55	3	Horizontal	292	3.00
6925MHz	Pass	PK	13.8402G	53.27	88.20	-34.93	3	Horizontal	292	3.00
7005MHz	Pass	AV	14.0194G	41.16	68.20	-27.04	3	Vertical	232	1.50
7005MHz	Pass	PK	14.0162G	53.61	88.20	-34.59	3	Vertical	232	1.50
7005MHz	Pass	AV	14.01692G	41.10	68.20	-27.10	3	Horizontal	314	1.13
7005MHz	Pass	PK	14.01292G	54.05	88.20	-34.15	3	Horizontal	314	1.13
7085MHz	Pass	AV	7.0838G	87.84	Inf	-Inf	3	Vertical	28	2.50
7085MHz	Pass	AV	7.232G	49.01	68.20	-19.19	3	Vertical	28	2.50
7085MHz	Pass	PK	7.0832G	100.69	Inf	-Inf	3	Vertical	28	2.50
7085MHz	Pass	PK	7.1504G	62.09	88.20	-26.11	3	Vertical	28	2.50
7085MHz	Pass	AV	7.0772G	84.93	Inf	-Inf	3	Horizontal	244	2.33



RSE TX above 1GHz_Non-Beamforming_Radio 0

Appendix E.3

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
7085MHz	Pass	AV	7.232G	48.92	68.20	-19.28	3	Horizontal	244	2.33
7085MHz	Pass	PK	7.0874G	97.35	Inf	-Inf	3	Horizontal	244	2.33
7085MHz	Pass	PK	7.1762G	63.06	88.20	-25.14	3	Horizontal	244	2.33
7085MHz	Pass	AV	14.16048G	41.77	68.20	-26.43	3	Vertical	104	1.50
7085MHz	Pass	PK	14.17796G	55.03	88.20	-33.17	3	Vertical	104	1.50
7085MHz	Pass	AV	14.17884G	41.70	68.20	-26.50	3	Horizontal	139	1.50
7085MHz	Pass	PK	14.17468G	54.72	88.20	-33.48	3	Horizontal	139	1.50
802.11ax HEW80_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5985MHz	Pass	AV	5.907G	44.68	68.20	-23.52	3	Vertical	31	2.01
5985MHz	Pass	AV	5.994G	85.49	Inf	-Inf	3	Vertical	31	2.01
5985MHz	Pass	PK	5.91G	57.99	88.20	-30.21	3	Vertical	31	2.01
5985MHz	Pass	PK	5.974G	99.16	Inf	-Inf	3	Vertical	31	2.01
5985MHz	Pass	AV	5.916G	44.64	68.20	-23.56	3	Horizontal	195	2.92
5985MHz	Pass	AV	5.998G	82.80	Inf	-Inf	3	Horizontal	195	2.92
5985MHz	Pass	PK	5.742G	58.13	88.20	-30.07	3	Horizontal	195	2.92
5985MHz	Pass	PK	5.999G	95.83	Inf	-Inf	3	Horizontal	195	2.92
5985MHz	Pass	AV	11.97972G	38.84	54.00	-15.16	3	Vertical	9	1.49
5985MHz	Pass	PK	11.97592G	51.20	74.00	-22.80	3	Vertical	9	1.49
5985MHz	Pass	AV	11.97804G	38.75	54.00	-15.25	3	Horizontal	224	1.24
5985MHz	Pass	PK	11.96408G	51.97	74.00	-22.03	3	Horizontal	224	1.24
6225MHz	Pass	AV	12.44696G	38.72	54.00	-15.28	3	Vertical	350	2.59
6225MHz	Pass	PK	12.45144G	50.97	74.00	-23.03	3	Vertical	350	2.59
6225MHz	Pass	AV	12.4492G	38.52	54.00	-15.48	3	Horizontal	360	2.79
6225MHz	Pass	PK	12.44712G	52.24	74.00	-21.76	3	Horizontal	360	2.79
6385MHz	Pass	AV	12.77588G	39.43	68.20	-28.77	3	Vertical	79	2.99
6385MHz	Pass	PK	12.76372G	52.88	88.20	-35.32	3	Vertical	79	2.99
6385MHz	Pass	AV	12.7638G	39.44	68.20	-28.76	3	Horizontal	214	1.50
6385MHz	Pass	PK	12.7756G	52.20	88.20	-36.00	3	Horizontal	214	1.50
6465MHz	Pass	AV	12.92588G	39.89	68.20	-28.31	3	Vertical	103	1.50
6465MHz	Pass	PK	12.92548G	52.75	88.20	-35.45	3	Vertical	103	1.50
6465MHz	Pass	AV	12.92544G	39.88	68.20	-28.32	3	Horizontal	0	2.66
6465MHz	Pass	PK	12.93424G	52.65	88.20	-35.55	3	Horizontal	0	2.66
6545MHz	Pass	AV	13.09744G	39.21	68.20	-28.99	3	Vertical	0	3.00
6545MHz	Pass	PK	13.0914G	51.48	88.20	-36.72	3	Vertical	0	3.00
6545MHz	Pass	AV	13.09816G	39.13	68.20	-29.07	3	Horizontal	298	1.50
6545MHz	Pass	PK	13.09892G	51.63	88.20	-36.57	3	Horizontal	298	1.50
6625MHz	Pass	AV	13.25896G	39.97	54.00	-14.03	3	Vertical	0	1.50
6625MHz	Pass	PK	13.2556G	54.41	74.00	-19.59	3	Vertical	0	1.50
6625MHz	Pass	AV	13.25836G	40.06	54.00	-13.94	3	Horizontal	210	1.50
6625MHz	Pass	PK	13.24636G	52.34	88.20	-35.86	3	Horizontal	210	1.50
6705MHz	Pass	AV	13.40096G	40.06	68.20	-28.14	3	Vertical	25	1.50
6705MHz	Pass	PK	13.40076G	52.14	88.20	-36.06	3	Vertical	25	1.50
6705MHz	Pass	AV	13.4192G	40.08	68.20	-28.12	3	Horizontal	280	1.50
6705MHz	Pass	PK	13.40844G	53.30	88.20	-34.90	3	Horizontal	280	1.50
6785MHz	Pass	AV	13.579G	40.53	68.20	-27.67	3	Vertical	0	1.50
6785MHz	Pass	PK	13.56576G	53.47	88.20	-34.73	3	Vertical	0	1.50
6785MHz	Pass	AV	13.57928G	40.49	68.20	-27.71	3	Horizontal	179	1.50
6785MHz	Pass	PK	13.5736G	53.33	88.20	-34.87	3	Horizontal	179	1.50
6865MHz	Pass	AV	13.72168G	40.49	68.20	-27.71	3	Vertical	347	1.50
6865MHz	Pass	PK	13.72248G	52.74	88.20	-35.46	3	Vertical	347	1.50
6865MHz	Pass	AV	13.72008G	40.44	68.20	-27.76	3	Horizontal	50	1.28
6865MHz	Pass	PK	13.7364G	53.70	88.20	-34.50	3	Horizontal	50	1.28
6945MHz	Pass	AV	13.89972G	40.86	68.20	-27.34	3	Vertical	226	2.69
6945MHz	Pass	PK	13.881G	53.40	88.20	-34.80	3	Vertical	226	2.69
6945MHz	Pass	AV	13.89832G	40.81	68.20	-27.39	3	Horizontal	61	1.50
6945MHz	Pass	PK	13.88656G	53.56	88.20	-34.64	3	Horizontal	61	1.50
7025MHz	Pass	AV	7.0118G	87.35	Inf	-Inf	3	Vertical	26	2.54
7025MHz	Pass	AV	7.1732G	48.60	68.20	-19.60	3	Vertical	26	2.54
7025MHz	Pass	PK	7.0112G	100.25	Inf	-Inf	3	Vertical	26	2.54
7025MHz	Pass	PK	7.1672G	61.81	88.20	-26.39	3	Vertical	26	2.54
7025MHz	Pass	AV	7.0166G	83.83	Inf	-Inf	3	Horizontal	245	2.10
7025MHz	Pass	AV	7.1666G	48.42	68.20	-19.78	3	Horizontal	245	2.10



RSE TX above 1GHz_Non-Beamforming_Radio 0


Appendix E.3

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
7025MHz	Pass	PK	7.0166G	96.38	Inf	-Inf	3	Horizontal	245	2.10
7025MHz	Pass	PK	7.1384G	62.07	88.20	-26.13	3	Horizontal	245	2.10
7025MHz	Pass	AV	14.058G	41.19	68.20	-27.01	3	Vertical	112	1.50
7025MHz	Pass	PK	14.05988G	54.00	88.20	-34.20	3	Vertical	112	1.50
7025MHz	Pass	AV	14.05572G	41.14	68.20	-27.06	3	Horizontal	180	1.50
7025MHz	Pass	PK	14.05484G	54.02	88.20	-34.18	3	Horizontal	180	1.50
802.11ax HEW160_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
6025MHz	Pass	AV	5.923G	44.74	68.20	-23.46	3	Vertical	34	2.09
6025MHz	Pass	AV	6.056G	86.14	Inf	-Inf	3	Vertical	34	2.09
6025MHz	Pass	PK	5.835G	57.63	88.20	-30.57	3	Vertical	34	2.09
6025MHz	Pass	PK	6.046G	98.32	Inf	-Inf	3	Vertical	34	2.09
6025MHz	Pass	AV	5.919G	44.72	68.20	-23.48	3	Horizontal	195	2.93
6025MHz	Pass	AV	5.998G	82.83	Inf	-Inf	3	Horizontal	195	2.93
6025MHz	Pass	PK	5.923G	58.11	88.20	-30.09	3	Horizontal	195	2.93
6025MHz	Pass	PK	6.047G	95.01	Inf	-Inf	3	Horizontal	195	2.93
6025MHz	Pass	AV	12.04928G	38.59	54.00	-15.41	3	Vertical	133	2.87
6025MHz	Pass	PK	12.05042G	52.37	74.00	-21.63	3	Vertical	133	2.87
6025MHz	Pass	AV	12.0496G	38.55	54.00	-15.45	3	Horizontal	211	1.85
6025MHz	Pass	PK	12.05076G	52.27	74.00	-21.73	3	Horizontal	211	1.85
6185MHz	Pass	AV	12.36988G	38.55	54.00	-15.45	3	Vertical	292	1.34
6185MHz	Pass	PK	12.36947G	51.19	74.00	-22.81	3	Vertical	292	1.34
6185MHz	Pass	AV	12.37052G	38.59	54.00	-15.41	3	Horizontal	192	1.83
6185MHz	Pass	PK	12.3699G	51.08	74.00	-22.92	3	Horizontal	192	1.83
6345MHz	Pass	AV	12.68972G	39.17	54.00	-14.83	3	Vertical	343	2.00
6345MHz	Pass	PK	12.68902G	51.62	74.00	-22.38	3	Vertical	343	2.00
6345MHz	Pass	AV	12.69014G	39.13	54.00	-14.87	3	Horizontal	257	1.25
6345MHz	Pass	PK	12.69015G	52.05	74.00	-21.95	3	Horizontal	257	1.25
6505MHz	Pass	AV	13.00924G	39.42	68.20	-28.78	3	Vertical	355	2.58
6505MHz	Pass	PK	13.01073G	52.12	88.20	-36.08	3	Vertical	355	2.58
6505MHz	Pass	AV	13.0096G	39.46	68.20	-28.74	3	Horizontal	2	1.37
6505MHz	Pass	PK	13.01032G	51.53	88.20	-36.67	3	Horizontal	2	1.37
6665MHz	Pass	AV	13.32944G	40.39	54.00	-13.61	3	Vertical	74	1.89
6665MHz	Pass	PK	13.33014G	52.78	74.00	-21.22	3	Vertical	74	1.89
6665MHz	Pass	AV	13.32922G	40.46	54.00	-13.54	3	Horizontal	14	1.68
6665MHz	Pass	PK	13.32901G	52.85	74.00	-21.15	3	Horizontal	14	1.68
6825MHz	Pass	AV	13.64966G	40.76	68.20	-27.44	3	Vertical	339	2.45
6825MHz	Pass	PK	13.64951G	53.48	88.20	-34.72	3	Vertical	339	2.45
6825MHz	Pass	AV	13.65039G	40.84	68.20	-27.36	3	Horizontal	137	2.11
6825MHz	Pass	PK	13.65084G	53.02	88.20	-35.18	3	Horizontal	137	2.11
6985MHz	Pass	AV	6.95G	87.24	Inf	-Inf	3	Vertical	23	2.46
6985MHz	Pass	AV	7.221G	48.98	68.20	-19.22	3	Vertical	23	2.46
6985MHz	Pass	PK	6.928G	99.68	Inf	-Inf	3	Vertical	23	2.46
6985MHz	Pass	PK	7.22G	62.60	88.20	-25.60	3	Vertical	23	2.46
6985MHz	Pass	AV	6.947G	83.64	Inf	-Inf	3	Horizontal	243	2.44
6985MHz	Pass	AV	7.221G	48.95	68.20	-19.25	3	Horizontal	243	2.44
6985MHz	Pass	PK	6.948G	95.79	Inf	-Inf	3	Horizontal	243	2.44
6985MHz	Pass	PK	7.189G	61.71	88.20	-26.49	3	Horizontal	243	2.44
6985MHz	Pass	AV	13.9693G	41.09	68.20	-27.11	3	Vertical	287	1.47
6985MHz	Pass	PK	13.97092G	53.81	88.20	-34.39	3	Vertical	287	1.47
6985MHz	Pass	AV	13.96907G	41.09	68.20	-27.11	3	Horizontal	21	2.56
6985MHz	Pass	PK	13.97048G	54.31	88.20	-33.89	3	Horizontal	21	2.56



5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


6195MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.39388G	38.49	54.00	-15.51	9.82	3	Vertical	250	1.50	28.67	39.02	8.94	38.14
PK	12.39512G	51.05	74.00	-22.95	9.81	3	Vertical	250	1.50	41.24	39.02	8.94	38.15

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

6195MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.39568G	38.47	54.00	-15.53	9.81	3	Horizontal	309	1.50	28.66	39.02	8.94	38.15
PK	12.38296G	51.98	74.00	-22.02	9.86	3	Horizontal	309	1.50	42.12	39.07	8.93	38.14



5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


5965MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9038G	44.39	68.20	-23.81	3.33	3	Vertical	36	2.10	41.06	34.50	5.87	37.04
AV	5.9638G	85.69	Inf	-Inf	3.40	3	Vertical	36	2.10	82.29	34.50	5.90	37.00
PK	5.9182G	58.18	88.20	-30.02	3.35	3	Vertical	36	2.10	54.83	34.50	5.88	37.03
PK	5.9752G	98.03	Inf	-Inf	3.42	3	Vertical	36	2.10	94.61	34.50	5.91	36.99

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5965MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9038G	44.35	68.20	-23.85	3.33	3	Horizontal	12	2.62	41.02	34.50	5.87	37.04
AV	5.968G	83.90	Inf	-Inf	3.41	3	Horizontal	12	2.62	80.49	34.50	5.90	36.99
PK	5.9056G	58.52	88.20	-29.68	3.33	3	Horizontal	12	2.62	55.19	34.50	5.87	37.04
PK	5.9572G	96.27	Inf	-Inf	3.40	3	Horizontal	12	2.62	92.87	34.50	5.90	37.00



5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


5965MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.9286G	38.57	54.00	-15.43	10.10	3	Vertical	136	1.82	28.47	39.26	8.78	37.94
PK	11.923G	51.65	74.00	-22.35	10.08	3	Vertical	136	1.82	41.57	39.25	8.77	37.94

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5965MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.92884G	38.74	54.00	-15.26	10.10	3	Horizontal	151	2.79	28.64	39.26	8.78	37.94
PK	11.92668G	50.83	74.00	-23.17	10.09	3	Horizontal	151	2.79	40.74	39.25	8.78	37.94



5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_2TX


5985MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.907G	44.68	68.20	-23.52	3.33	3	Vertical	31	2.01	41.35	34.50	5.87	37.04
AV	5.994G	85.49	Inf	-Inf	3.45	3	Vertical	31	2.01	82.04	34.50	5.92	36.97
PK	5.91G	57.99	88.20	-30.21	3.33	3	Vertical	31	2.01	54.66	34.50	5.87	37.04
PK	5.974G	99.16	Inf	-Inf	3.42	3	Vertical	31	2.01	95.74	34.50	5.91	36.99

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5985MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.916G	44.64	68.20	-23.56	3.34	3	Horizontal	195	2.92	41.30	34.50	5.87	37.03
AV	5.998G	82.80	Inf	-Inf	3.45	3	Horizontal	195	2.92	79.35	34.50	5.92	36.97
PK	5.742G	58.13	88.20	-30.07	2.59	3	Horizontal	195	2.92	55.54	33.97	5.78	37.16
PK	5.999G	95.83	Inf	-Inf	3.45	3	Horizontal	195	2.92	92.38	34.50	5.92	36.97



5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_2TX


5985MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.97972G	38.84	54.00	-15.16	10.16	3	Vertical	9	1.49	28.68	39.30	8.80	37.94
PK	11.97592G	51.20	74.00	-22.80	10.16	3	Vertical	9	1.49	41.04	39.30	8.80	37.94

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5985MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.97804G	38.75	54.00	-15.25	10.16	3	Horizontal	224	1.24	28.59	39.30	8.80	37.94
PK	11.96408G	51.97	74.00	-22.03	10.15	3	Horizontal	224	1.24	41.82	39.30	8.79	37.94



5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_2TX


6345MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.68972G	39.17	54.00	-14.83	10.09	3	Vertical	343	2.00	29.08	39.40	9.03	38.34
PK	12.68902G	51.62	74.00	-22.38	10.09	3	Vertical	343	2.00	41.53	39.40	9.03	38.34

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

6345MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.69014G	39.13	54.00	-14.87	10.09	3	Horizontal	257	1.25	29.04	39.40	9.03	38.34
PK	12.69015G	52.05	74.00	-21.95	10.09	3	Horizontal	257	1.25	41.96	39.40	9.03	38.34



6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


6475MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.95112G	39.51	68.20	-28.69	10.47	3	Vertical	360	1.50	29.04	39.90	9.11	38.54
PK	12.95556G	52.97	88.20	-35.23	10.45	3	Vertical	360	1.50	42.52	39.88	9.12	38.55

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

6475MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.94036G	39.57	68.20	-28.63	10.50	3	Horizontal	0	1.50	29.07	39.92	9.11	38.53
PK	12.94676G	52.60	88.20	-35.60	10.48	3	Horizontal	0	1.50	42.12	39.91	9.11	38.54



6.425-6.525GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


6445MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.88792G	39.69	68.20	-28.51	10.58	3	Vertical	110	2.82	29.11	39.98	9.09	38.49
PK	12.89876G	52.83	88.20	-35.37	10.60	3	Vertical	110	2.82	42.23	40.00	9.10	38.50

6.425-6.525GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

6445MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.88612G	39.83	68.20	-28.37	10.57	3	Horizontal	76	2.29	29.26	39.97	9.09	38.49
PK	12.89684G	52.89	88.20	-35.31	10.59	3	Horizontal	76	2.29	42.30	39.99	9.10	38.50



6.425-6.525GHz_802.11ax HEW80_Nss1,(MCS0)_2TX


6465MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.92588G	39.89	68.20	-28.31	10.54	3	Vertical	103	1.50	29.35	39.95	9.11	38.52
PK	12.92548G	52.75	88.20	-35.45	10.54	3	Vertical	103	1.50	42.21	39.95	9.11	38.52

6.425-6.525GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

6465MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.92544G	39.88	68.20	-28.32	10.54	3	Horizontal	0	2.66	29.34	39.95	9.11	38.52
PK	12.93424G	52.65	88.20	-35.55	10.51	3	Horizontal	0	2.66	42.14	39.93	9.11	38.53



6.425-6.525GHz_802.11ax HEW160_Nss1,(MCS0)_2TX


6505MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.00924G	39.42	68.20	-28.78	10.23	3	Vertical	355	2.58	29.19	39.68	9.13	38.58
PK	13.01073G	52.12	88.20	-36.08	10.23	3	Vertical	355	2.58	41.89	39.68	9.13	38.58

6.425-6.525GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

6505MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.0096G	39.46	68.20	-28.74	10.23	3	Horizontal	2	1.37	29.23	39.68	9.13	38.58
PK	13.01032G	51.53	88.20	-36.67	10.23	3	Horizontal	2	1.37	41.30	39.68	9.13	38.58



6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


6695MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.38396G	40.08	54.00	-13.92	10.89	3	Vertical	115	1.96	29.19	40.17	9.25	38.53
PK	13.38304G	52.84	74.00	-21.16	10.89	3	Vertical	115	1.96	41.95	40.17	9.25	38.53

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

6695MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.38756G	40.11	54.00	-13.89	10.90	3	Horizontal	0	1.82	29.21	40.18	9.25	38.53
PK	13.38012G	52.94	74.00	-21.06	10.88	3	Horizontal	0	1.82	42.06	40.16	9.25	38.53



6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


6685MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.36712G	40.25	54.00	-13.75	10.85	3	Vertical	310	1.50	29.40	40.13	9.25	38.53
PK	13.36736G	52.94	74.00	-21.06	10.85	3	Vertical	310	1.50	42.09	40.13	9.25	38.53

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

6685MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.36292G	40.34	54.00	-13.66	10.85	3	Horizontal	214	1.50	29.49	40.13	9.25	38.53
PK	13.37324G	52.62	74.00	-21.38	10.87	3	Horizontal	214	1.50	41.75	40.15	9.25	38.53



6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_2TX


6625MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.25896G	39.97	54.00	-14.03	10.59	3	Vertical	0	1.50	29.38	39.92	9.21	38.54
PK	13.2556G	54.41	74.00	-19.59	10.58	3	Vertical	0	1.50	43.83	39.91	9.21	38.54

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

6625MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.25836G	40.06	54.00	-13.94	10.59	3	Horizontal	210	1.50	29.47	39.92	9.21	38.54
PK	13.24636G	52.34	88.20	-35.86	10.55	3	Horizontal	210	1.50	41.79	39.89	9.21	38.55



6.525-6.875GHz_802.11ax HEW160_Nss1,(MCS0)_2TX


6665MHz_TX



Type	Freq (Hz)	Level (dBUV/m)	Limit (dBUV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBUV)	AF (dB)	CL (dB)	PA (dB)
AV	13.32944G	40.39	54.00	-13.61	10.77	3	Vertical	74	1.89	29.62	40.06	9.24	38.53
PK	13.33014G	52.78	74.00	-21.22	10.77	3	Vertical	74	1.89	42.01	40.06	9.24	38.53

6.525-6.875GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

6665MHz_TX




Type	Freq (Hz)	Level (dBUV/m)	Limit (dBUV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBUV)	AF (dB)	CL (dB)	PA (dB)
AV	13.32922G	40.46	54.00	-13.54	10.77	3	Horizontal	14	1.68	29.69	40.06	9.24	38.53
PK	13.32901G	52.85	74.00	-21.15	10.77	3	Horizontal	14	1.68	42.08	40.06	9.24	38.53



6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


7095MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.0932G	88.12	Inf	-Inf	6.55	3	Vertical	28	2.62	81.57	36.67	6.48	36.60
AV	7.2438G	49.09	68.20	-19.11	7.27	3	Vertical	28	2.62	41.82	37.28	6.55	36.56
PK	7.0938G	100.30	Inf	-Inf	6.56	3	Vertical	28	2.62	93.74	36.68	6.48	36.60
PK	7.245G	61.89	88.20	-26.31	7.27	3	Vertical	28	2.62	54.62	37.28	6.55	36.56

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

7095MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.0962G	84.87	Inf	-Inf	6.56	3	Horizontal	244	2.08	78.31	36.68	6.48	36.60
AV	7.2432G	49.05	68.20	-19.15	7.26	3	Horizontal	244	2.08	41.79	37.27	6.55	36.56
PK	7.098G	96.95	Inf	-Inf	6.57	3	Horizontal	244	2.08	90.38	36.69	6.48	36.60
PK	7.2372G	63.11	88.20	-25.09	7.24	3	Horizontal	244	2.08	55.87	37.25	6.55	36.56



6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


7095MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.18996G	41.60	68.20	-26.60	12.14	3	Vertical	327	1.38	29.46	40.74	9.52	38.12
PK	14.18136G	55.79	88.20	-32.41	12.17	3	Vertical	327	1.38	43.62	40.77	9.52	38.12

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

7095MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.18488G	41.54	68.20	-26.66	12.16	3	Horizontal	360	1.50	29.38	40.76	9.52	38.12
PK	14.19764G	54.01	88.20	-34.19	12.12	3	Horizontal	360	1.50	41.89	40.71	9.53	38.12



6.875-7.125GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


7085MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.0838G	87.84	Inf	-Inf	6.50	3	Vertical	28	2.50	81.34	36.64	6.47	36.61
AV	7.232G	49.01	68.20	-19.19	7.21	3	Vertical	28	2.50	41.80	37.23	6.55	36.57
PK	7.0832G	100.69	Inf	-Inf	6.49	3	Vertical	28	2.50	94.20	36.63	6.47	36.61
PK	7.1504G	62.09	88.20	-26.11	6.92	3	Vertical	28	2.50	55.17	37.00	6.51	36.59

6.875-7.125GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

7085MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.0772G	84.93	Inf	-Inf	6.47	3	Horizontal	244	2.33	78.46	36.61	6.47	36.61
AV	7.232G	48.92	68.20	-19.28	7.21	3	Horizontal	244	2.33	41.71	37.23	6.55	36.57
PK	7.0874G	97.35	Inf	-Inf	6.51	3	Horizontal	244	2.33	90.84	36.65	6.47	36.61
PK	7.1762G	63.06	88.20	-25.14	6.99	3	Horizontal	244	2.33	56.07	37.05	6.52	36.58



6.875-7.125GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


7085MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.16048G	41.77	68.20	-26.43	12.24	3	Vertical	104	1.50	29.53	40.86	9.51	38.13
PK	14.17796G	55.03	88.20	-33.17	12.19	3	Vertical	104	1.50	42.84	40.79	9.52	38.12

6.875-7.125GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

7085MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.17884G	41.70	68.20	-26.50	12.18	3	Horizontal	139	1.50	29.52	40.78	9.52	38.12
PK	14.17468G	54.72	88.20	-33.48	12.20	3	Horizontal	139	1.50	42.52	40.80	9.52	38.12



6.875-7.125GHz_802.11ax HEW80_Nss1,(MCS0)_2TX


7025MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.0118G	87.35	Inf	-Inf	6.08	3	Vertical	26	2.54	81.27	36.27	6.44	36.63
AV	7.1732G	48.60	68.20	-19.60	6.99	3	Vertical	26	2.54	41.61	37.05	6.52	36.58
PK	7.0112G	100.25	Inf	-Inf	6.08	3	Vertical	26	2.54	94.17	36.27	6.44	36.63
PK	7.1672G	61.81	88.20	-26.39	6.96	3	Vertical	26	2.54	54.85	37.03	6.51	36.58

6.875-7.125GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

7025MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.0166G	83.83	Inf	-Inf	6.11	3	Horizontal	245	2.10	77.72	36.30	6.44	36.63
AV	7.1666G	48.42	68.20	-19.78	6.96	3	Horizontal	245	2.10	41.46	37.03	6.51	36.58
PK	7.0166G	96.38	Inf	-Inf	6.11	3	Horizontal	245	2.10	90.27	36.30	6.44	36.63
PK	7.1384G	62.07	88.20	-26.13	6.84	3	Horizontal	245	2.10	55.23	36.93	6.50	36.59



6.875-7.125GHz_802.11ax HEW80_Nss1,(MCS0)_2TX


7025MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.058G	41.19	68.20	-27.01	11.95	3	Vertical	112	1.50	29.24	40.63	9.47	38.15
PK	14.05988G	54.00	88.20	-34.20	11.96	3	Vertical	112	1.50	42.04	40.64	9.47	38.15

6.875-7.125GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

7025MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.05572G	41.14	68.20	-27.06	11.93	3	Horizontal	180	1.50	29.21	40.62	9.47	38.16
PK	14.05484G	54.02	88.20	-34.18	11.93	3	Horizontal	180	1.50	42.09	40.62	9.47	38.16



6.875-7.125GHz_802.11ax HEW160_Nss1,(MCS0)_2TX


6985MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.95G	87.24	Inf	-Inf	5.87	3	Vertical	23	2.46	81.37	36.10	6.41	36.64
AV	7.221G	48.98	68.20	-19.22	7.15	3	Vertical	23	2.46	41.83	37.18	6.54	36.57
PK	6.928G	99.68	Inf	-Inf	5.89	3	Vertical	23	2.46	93.79	36.14	6.40	36.65
PK	7.22G	62.60	88.20	-25.60	7.15	3	Vertical	23	2.46	55.45	37.18	6.54	36.57

6.875-7.125GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

6985MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.947G	83.64	Inf	-Inf	5.88	3	Horizontal	243	2.44	77.76	36.11	6.41	36.64
AV	7.221G	48.95	68.20	-19.25	7.15	3	Horizontal	243	2.44	41.80	37.18	6.54	36.57
PK	6.948G	95.79	Inf	-Inf	5.87	3	Horizontal	243	2.44	89.92	36.10	6.41	36.64
PK	7.189G	61.71	88.20	-26.49	7.02	3	Horizontal	243	2.44	54.69	37.08	6.52	36.58



6.875-7.125GHz_802.11ax HEW160_Nss1,(MCS0)_2TX


6985MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.9693G	41.09	68.20	-27.11	11.69	3	Vertical	287	1.47	29.40	40.44	9.44	38.19
PK	13.97092G	53.81	88.20	-34.39	11.69	3	Vertical	287	1.47	42.12	40.44	9.44	38.19

6.875-7.125GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

6985MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.96907G	41.09	68.20	-27.11	11.69	3	Horizontal	21	2.56	29.40	40.44	9.44	38.19
PK	13.97048G	54.31	88.20	-33.89	11.69	3	Horizontal	21	2.56	42.62	40.44	9.44	38.19



Summary

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
5.925-6.425GHz	-	-	-	-	-	-	-	-
802.11be EHT20_Nss1,(MCS0)_4TX	Pass	5.963723G	-13.74	5.9667G	-44.13	-33.24	-10.89	3
802.11be EHT40_Nss1,(MCS0)_4TX	Pass	6.199551G	-9.77	6.183G	-38.83	-29.81	-9.02	4
802.11be EHT80_Nss1,(MCS0)_4TX	Pass	6.40959G	-6.72	6.4287G	-33.71	-26.77	-6.94	2
802.11be EHT160_Nss1,(MCS0)_4TX	Pass	6.27602G	-4.42	5.96G	-53.53	-44.42	-9.11	4
802.11be EHT320_Nss1,(MCS0)_4TX	Pass	6.12939G	-4.21	6.6038G	-50.49	-44.20	-6.29	1
6.425-6.525GHz	-	-	-	-	-	-	-	-
802.11be EHT20_Nss1,(MCS0)_4TX	Pass	6.470726G	-13.23	6.4868G	-44.67	-33.25	-11.42	2
802.11be EHT40_Nss1,(MCS0)_4TX	Pass	6.437702G	-9.65	6.4672G	-39.50	-29.70	-9.80	1
802.11be EHT80_Nss1,(MCS0)_4TX	Pass	6.50169G	-6.53	6.5086G	-32.88	-26.58	-6.30	2
802.11be EHT160_Nss1,(MCS0)_4TX	Pass	6.43062G	-4.85	6.1208G	-52.11	-44.85	-7.26	4
802.11be EHT320_Nss1,(MCS0)_4TX	Pass	6.53501G	-4.71	6.073G	-50.21	-44.71	-5.50	1
6.525-6.875GHz	-	-	-	-	-	-	-	-
802.11be EHT20_Nss1,(MCS0)_4TX	Pass	6.692476G	-12.55	6.7067G	-43.73	-32.55	-11.18	2
802.11be EHT40_Nss1,(MCS0)_4TX	Pass	6.668804G	-8.63	6.70695G	-38.62	-28.67	-9.95	2
802.11be EHT80_Nss1,(MCS0)_4TX	Pass	6.7984G	-6.16	6.8293G	-33.52	-26.26	-7.26	3
802.11be EHT160_Nss1,(MCS0)_4TX	Pass	6.73238G	-3.65	6.28G	-51.53	-43.65	-7.88	4
802.11be EHT320_Nss1,(MCS0)_4TX	Pass	6.78939G	-3.67	6.2358G	-48.62	-43.67	-4.95	1
6.875-7.125GHz	-	-	-	-	-	-	-	-
802.11be EHT20_Nss1,(MCS0)_4TX	Pass	6.903798G	-12.53	6.90655G	-42.14	-32.57	-9.57	3
802.11be EHT40_Nss1,(MCS0)_4TX	Pass	6.907104G	-9.36	6.9473G	-39.15	-29.37	-9.78	1
802.11be EHT80_Nss1,(MCS0)_4TX	Pass	6.97709G	-5.61	6.9888G	-32.79	-25.63	-7.16	4
802.11be EHT160_Nss1,(MCS0)_4TX	Pass	6.9944G	-3.56	6.5998G	-52.79	-43.56	-9.23	4



Result

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
802.11be EHT20_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-
5955MHz	Pass	5.963898G	-14.39	5.967125G	-47.15	-34.19	-12.96	1
5955MHz	Pass	5.963748G	-14.05	5.9668G	-44.29	-31.65	-12.64	2
5955MHz	Pass	5.963723G	-13.74	5.9667G	-44.13	-33.24	-10.89	3
5955MHz	Pass	5.963848G	-13.08	5.9672G	-45.35	-33.15	-12.20	4
6195MHz	Pass	6.192526G	-13.75	6.20705G	-46.86	-33.95	-12.91	1
6195MHz	Pass	6.203423G	-13.77	6.20675G	-45.27	-33.77	-11.50	2
6195MHz	Pass	6.202023G	-13.78	6.207275G	-48.65	-33.78	-14.87	3
6195MHz	Pass	6.188777G	-14.00	6.2075G	-48.67	-34.15	-14.52	4
6415MHz	Pass	6.419924G	-14.03	6.3744G	-65.63	-54.03	-11.60	1
6415MHz	Pass	6.407427G	-13.58	6.4268G	-45.10	-33.48	-11.62	2
6415MHz	Pass	6.407352G	-14.20	6.40335G	-45.43	-34.23	-11.20	3
6415MHz	Pass	6.406977G	-14.10	6.3744G	-65.63	-54.10	-11.53	4
6435MHz	Pass	6.441298G	-14.02	6.4229G	-47.54	-33.82	-13.72	1
6435MHz	Pass	6.426802G	-13.73	6.4471G	-47.07	-33.53	-13.54	2
6435MHz	Pass	6.431426G	-13.89	6.446825G	-46.42	-33.69	-12.73	3
6435MHz	Pass	6.426977G	-13.93	6.422675G	-48.41	-34.01	-14.40	4
6475MHz	Pass	6.481948G	-13.54	6.48715G	-46.30	-33.60	-12.70	1
6475MHz	Pass	6.470726G	-13.23	6.4868G	-44.67	-33.25	-11.42	2
6475MHz	Pass	6.480299G	-13.88	6.486875G	-46.53	-33.89	-12.64	3
6475MHz	Pass	6.467877G	-14.16	6.4871G	-46.67	-34.20	-12.47	4
6515MHz	Pass	6.510076G	-14.32	6.502675G	-49.05	-34.34	-14.71	1
6515MHz	Pass	6.517449G	-13.28	6.526925G	-45.98	-33.28	-12.70	2
6515MHz	Pass	6.520974G	-13.91	6.52695G	-46.19	-34.00	-12.19	3
6515MHz	Pass	6.510251G	-14.01	6.527175G	-48.28	-34.02	-14.26	4
6535MHz	Pass	6.529226G	-13.33	6.52315G	-45.05	-33.41	-11.64	1
6535MHz	Pass	6.525677G	-12.19	6.547125G	-46.44	-31.99	-14.45	2
6535MHz	Pass	6.541598G	-13.06	6.54685G	-44.68	-33.07	-11.61	3
6535MHz	Pass	6.527952G	-13.20	6.54725G	-46.31	-33.27	-13.04	4
6695MHz	Pass	6.703348G	-13.33	6.707025G	-45.96	-33.33	-12.63	1
6695MHz	Pass	6.692476G	-12.55	6.7067G	-43.73	-32.55	-11.18	2
6695MHz	Pass	6.687652G	-13.03	6.707125G	-45.11	-33.11	-12.00	3
6695MHz	Pass	6.688427G	-12.79	6.707675G	-48.69	-32.59	-16.10	4
6875MHz	Pass	6.879949G	-13.65	6.886925G	-45.50	-33.25	-12.25	1
6875MHz	Pass	6.865727G	-12.92	6.86245G	-50.21	-32.92	-17.29	2
6875MHz	Pass	6.875625G	-13.30	6.886925G	-44.85	-33.44	-11.41	3
6875MHz	Pass	6.881623G	-12.97	6.88715G	-46.03	-33.07	-12.96	4
6895MHz	Pass	6.897424G	-13.41	6.906775G	-43.72	-33.31	-10.41	1
6895MHz	Pass	6.886952G	-12.65	6.906675G	-43.44	-32.65	-10.79	2
6895MHz	Pass	6.903798G	-12.53	6.90655G	-42.14	-32.57	-9.57	3
6895MHz	Pass	6.904448G	-12.65	6.907175G	-46.24	-32.66	-13.58	4
6995MHz	Pass	6.991601G	-13.10	6.983075G	-45.42	-33.13	-12.29	1
6995MHz	Pass	6.991626G	-12.45	7.007375G	-47.08	-32.62	-14.46	2
6995MHz	Pass	6.996825G	-13.15	7.006675G	-44.91	-33.15	-11.76	3
6995MHz	Pass	6.986527G	-12.94	7.0072G	-47.17	-32.99	-14.18	4
7095MHz	Pass	7.089501G	-12.91	7.107275G	-47.24	-32.93	-14.31	1
7095MHz	Pass	7.086277G	-12.90	7.0831G	-45.67	-32.50	-13.17	2
7095MHz	Pass	7.089776G	-13.05	7.106925G	-44.71	-33.05	-11.66	3
7095MHz	Pass	7.103173G	-12.58	7.107125G	-45.41	-32.38	-13.03	4
802.11be EHT40_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-
5965MHz	Pass	5.979296G	-10.33	5.9872G	-40.76	-29.73	-11.03	1
5965MHz	Pass	5.976197G	-10.44	5.98765G	-42.27	-30.45	-11.82	2
5965MHz	Pass	5.981696G	-9.76	5.9876G	-41.31	-29.80	-11.51	3
5965MHz	Pass	5.971448G	-9.53	5.98765G	-41.29	-29.57	-11.72	4
6205MHz	Pass	6.219796G	-10.09	6.2277G	-41.90	-30.17	-11.73	1



Mask_Non-Beamforming_Radio 2_Full RU

Appendix E.4

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
6205MHz	Pass	6.20635G	-9.90	6.2275G	-40.80	-29.92	-10.88	2
6205MHz	Pass	6.207999G	-9.75	6.22715G	-39.77	-29.25	-10.52	3
6205MHz	Pass	6.199551G	-9.77	6.183G	-38.83	-29.81	-9.02	4
6405MHz	Pass	6.410299G	-9.83	6.4271G	-40.20	-29.43	-10.77	1
6405MHz	Pass	6.419946G	-9.29	6.38245G	-41.26	-29.31	-11.95	2
6405MHz	Pass	6.408599G	-9.61	6.42755G	-42.01	-29.63	-12.38	3
6405MHz	Pass	6.408099G	-9.84	6.42745G	-42.52	-29.84	-12.68	4
6445MHz	Pass	6.437702G	-9.65	6.4672G	-39.50	-29.70	-9.80	1
6445MHz	Pass	6.455997G	-9.30	6.46725G	-39.78	-28.60	-11.18	2
6445MHz	Pass	6.44385G	-9.84	6.46745G	-41.03	-29.88	-11.15	3
6445MHz	Pass	6.426705G	-10.01	6.4674G	-41.79	-30.03	-11.76	4
6485MHz	Pass	6.489049G	-9.09	6.5083G	-44.04	-29.10	-14.94	1
6485MHz	Pass	6.500796G	-8.82	6.5075G	-39.77	-28.72	-11.05	2
6485MHz	Pass	6.488749G	-9.16	6.5077G	-41.31	-29.17	-12.14	3
6485MHz	Pass	6.495847G	-9.97	6.4623G	-41.73	-29.98	-11.75	4
6525MHz	Pass	6.507954G	-9.87	6.548G	-42.52	-29.91	-12.61	1
6525MHz	Pass	6.520451G	-8.77	6.50285G	-39.36	-28.80	-10.56	2
6525MHz	Pass	6.507954G	-9.56	6.5483G	-42.92	-29.61	-13.31	3
6525MHz	Pass	6.509904G	-9.80	6.5024G	-42.12	-29.82	-12.30	4
6565MHz	Pass	6.547204G	-9.15	6.58805G	-42.25	-29.23	-13.02	1
6565MHz	Pass	6.562851G	-8.19	6.58745G	-39.70	-28.21	-11.49	2
6565MHz	Pass	6.546405G	-8.33	6.58735G	-39.71	-28.36	-11.35	3
6565MHz	Pass	6.580596G	-9.32	6.5429G	-39.73	-28.92	-10.81	4
6685MHz	Pass	6.692248G	-9.47	6.70815G	-43.10	-29.17	-13.93	1
6685MHz	Pass	6.668804G	-8.63	6.70695G	-38.62	-28.67	-9.95	2
6685MHz	Pass	6.6868G	-8.51	6.7078G	-40.95	-28.58	-12.37	3
6685MHz	Pass	6.696247G	-9.46	6.70815G	-41.78	-29.54	-12.24	4
6885MHz	Pass	6.871603G	-9.09	6.9074G	-41.36	-29.09	-12.27	1
6885MHz	Pass	6.868154G	-8.46	6.9077G	-40.44	-28.49	-11.95	2
6885MHz	Pass	6.867254G	-8.74	6.9076G	-40.32	-28.82	-11.50	3
6885MHz	Pass	6.872103G	-8.61	6.90775G	-39.93	-28.77	-11.16	4
6925MHz	Pass	6.907104G	-9.36	6.9473G	-39.15	-29.37	-9.78	1
6925MHz	Pass	6.910204G	-9.01	6.94715G	-39.03	-29.02	-10.01	2
6925MHz	Pass	6.92625G	-8.83	6.9475G	-40.44	-28.89	-11.55	3
6925MHz	Pass	6.920601G	-8.91	6.94795G	-41.65	-29.04	-12.61	4
7005MHz	Pass	6.995702G	-9.17	7.0278G	-41.59	-29.22	-12.37	1
7005MHz	Pass	6.988104G	-8.52	6.98265G	-40.03	-28.52	-11.51	2
7005MHz	Pass	6.992903G	-9.08	6.98305G	-39.45	-28.98	-10.47	3
7005MHz	Pass	6.990454G	-9.06	6.98255G	-40.96	-29.06	-11.90	4
7085MHz	Pass	7.080751G	-8.93	7.10725G	-39.55	-28.23	-11.32	1
7085MHz	Pass	7.068604G	-8.75	7.10775G	-40.93	-28.76	-12.17	2
7085MHz	Pass	7.081551G	-9.04	7.1075G	-39.42	-29.08	-10.34	3
7085MHz	Pass	7.072603G	-8.56	7.1077G	-40.58	-28.59	-11.99	4
802.11be EHT80_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-
5985MHz	Pass	5.9869G	-7.61	6.0307G	-38.27	-27.62	-10.65	1
5985MHz	Pass	5.9929G	-7.72	6.0283G	-34.76	-27.73	-7.03	2
5985MHz	Pass	5.9811G	-6.94	6.0308G	-37.36	-26.99	-10.37	3
5985MHz	Pass	5.9985G	-6.41	6.029G	-34.62	-26.21	-8.41	4
6225MHz	Pass	6.2305G	-7.71	6.2689G	-34.86	-27.73	-7.13	1
6225MHz	Pass	6.25949G	-7.31	6.2699G	-36.81	-27.33	-9.48	2
6225MHz	Pass	6.25429G	-6.78	6.27G	-36.17	-26.80	-9.37	3
6225MHz	Pass	6.2194G	-6.75	6.27G	-35.81	-26.79	-9.02	4
6385MHz	Pass	6.40769G	-7.08	6.3401G	-35.72	-27.10	-8.62	1
6385MHz	Pass	6.40959G	-6.72	6.4287G	-33.71	-26.77	-6.94	2
6385MHz	Pass	6.3655G	-6.55	6.3402G	-35.54	-26.55	-8.99	3
6385MHz	Pass	6.35411G	-6.86	6.43G	-35.85	-26.88	-8.97	4



Mask_Non-Beamforming_Radio 2_Full RU

Appendix E.4



Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
6465MHz	Pass	6.49339G	-6.91	6.5086G	-34.07	-26.96	-7.11	1
6465MHz	Pass	6.50169G	-6.53	6.5086G	-32.88	-26.58	-6.30	2
6465MHz	Pass	6.4691G	-7.12	6.5102G	-36.10	-27.24	-8.86	3
6465MHz	Pass	6.43541G	-7.36	6.4199G	-36.16	-27.40	-8.76	4
6545MHz	Pass	6.5329G	-7.02	6.5894G	-35.69	-27.09	-8.60	1
6545MHz	Pass	6.5309G	-5.92	6.5917G	-37.60	-25.99	-11.61	2
6545MHz	Pass	6.5474G	-6.53	6.5896G	-35.10	-26.58	-8.52	3
6545MHz	Pass	6.52171G	-6.65	6.5009G	-34.95	-26.75	-8.20	4
6625MHz	Pass	6.6413G	-6.33	6.6695G	-34.80	-26.34	-8.46	1
6625MHz	Pass	6.6206G	-5.63	6.6709G	-35.60	-25.67	-9.93	2
6625MHz	Pass	6.64619G	-5.84	6.6704G	-35.80	-25.85	-9.95	3
6625MHz	Pass	6.6386G	-6.42	6.6696G	-35.23	-26.43	-8.80	4
6705MHz	Pass	6.7157G	-5.93	6.7496G	-34.73	-25.94	-8.79	1
6705MHz	Pass	6.73039G	-5.73	6.7495G	-33.53	-25.89	-7.64	2
6705MHz	Pass	6.7199G	-6.04	6.7493G	-34.47	-26.07	-8.40	3
6705MHz	Pass	6.695G	-5.85	6.7491G	-33.65	-25.45	-8.20	4
6785MHz	Pass	6.8048G	-6.02	6.8296G	-34.66	-26.03	-8.63	1
6785MHz	Pass	6.7706G	-5.17	6.8294G	-34.43	-25.18	-9.25	2
6785MHz	Pass	6.7984G	-6.16	6.8293G	-33.52	-26.26	-7.26	3
6785MHz	Pass	6.7935G	-5.86	6.8303G	-35.74	-25.90	-9.84	4
6865MHz	Pass	6.8525G	-6.69	6.9093G	-34.74	-26.81	-7.93	1
6865MHz	Pass	6.8489G	-6.08	6.911G	-37.68	-26.08	-11.60	2
6865MHz	Pass	6.8675G	-6.47	6.9103G	-35.49	-26.53	-8.96	3
6865MHz	Pass	6.84311G	-6.40	6.911G	-36.22	-26.48	-9.74	4
6945MHz	Pass	6.91021G	-6.08	6.9899G	-34.51	-26.10	-8.41	1
6945MHz	Pass	6.91211G	-5.52	6.991G	-35.03	-25.52	-9.51	2
6945MHz	Pass	6.90981G	-5.61	6.9918G	-36.22	-25.66	-10.56	3
6945MHz	Pass	6.97709G	-5.61	6.9888G	-32.79	-25.63	-7.16	4
7025MHz	Pass	6.99261G	-6.60	6.9809G	-34.88	-26.66	-8.22	1
7025MHz	Pass	6.99231G	-5.60	6.9803G	-35.16	-25.63	-9.53	2
7025MHz	Pass	6.99421G	-6.32	6.9806G	-35.55	-26.33	-9.22	3
7025MHz	Pass	6.99541G	-6.20	7.0687G	-34.72	-26.20	-8.52	4
802.11be EHT160_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-
6025MHz	Pass	6.0112G	-5.00	5.9404G	-37.43	-25.00	-12.43	1
6025MHz	Pass	6.08638G	-4.71	6.2822G	-56.86	-44.71	-12.15	2
6025MHz	Pass	5.98101G	-4.61	6.2864G	-53.98	-44.61	-9.37	3
6025MHz	Pass	6.039G	-4.05	6.2824G	-54.25	-44.05	-10.20	4
6185MHz	Pass	6.20659G	-4.63	6.5094G	-56.72	-44.63	-12.09	1
6185MHz	Pass	6.26258G	-3.91	6.503G	-55.80	-43.91	-11.89	2
6185MHz	Pass	6.20799G	-4.47	6.519G	-54.19	-44.47	-9.72	3
6185MHz	Pass	6.21899G	-4.27	6.569G	-54.84	-44.27	-10.57	4
6345MHz	Pass	6.28422G	-5.17	6.7398G	-55.79	-45.17	-10.62	1
6345MHz	Pass	6.41418G	-4.81	6.618G	-56.21	-44.81	-11.40	2
6345MHz	Pass	6.32201G	-3.15	6.6114G	-52.65	-43.15	-9.50	3
6345MHz	Pass	6.27602G	-4.42	5.96G	-53.53	-44.42	-9.11	4
6505MHz	Pass	6.501G	-4.42	6.8258G	-54.73	-44.42	-10.31	1
6505MHz	Pass	6.5016G	-3.50	6.7676G	-55.71	-43.50	-12.21	2
6505MHz	Pass	6.5098G	-3.97	6.7898G	-53.25	-43.97	-9.28	3
6505MHz	Pass	6.43062G	-4.85	6.1208G	-52.11	-44.85	-7.26	4
6665MHz	Pass	6.74258G	-3.28	6.9348G	-54.97	-43.28	-11.69	1
6665MHz	Pass	6.63201G	-3.32	6.8554G	-46.30	-33.75	-12.55	2
6665MHz	Pass	6.73078G	-3.53	6.9268G	-52.88	-43.53	-9.35	3
6665MHz	Pass	6.73238G	-3.65	6.28G	-51.53	-43.65	-7.88	4
6825MHz	Pass	6.8288G	-3.40	7.0174G	-45.52	-34.80	-10.72	1
6825MHz	Pass	6.75062G	-2.62	7.006G	-43.53	-32.26	-11.27	2
6825MHz	Pass	6.86779G	-3.40	7.0134G	-45.08	-34.37	-10.71	3







Mask_Non-Beamforming_Radio 2_Full RU



Appendix E.4

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
6825MHz	Pass	6.85059G	-2.95	6.44G	-52.55	-42.95	-9.60	4
6985MHz	Pass	6.9894G	-3.84	7.17G	-44.95	-33.65	-11.30	1
6985MHz	Pass	6.91022G	-3.10	6.7312G	-53.64	-43.10	-10.54	2
6985MHz	Pass	6.90822G	-3.31	7.2404G	-54.09	-43.31	-10.78	3
6985MHz	Pass	6.9944G	-3.56	6.5998G	-52.79	-43.56	-9.23	4
802.11be EHT320_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-
6105MHz	Pass	6.12939G	-4.21	6.6038G	-50.49	-44.20	-6.29	1
6105MHz	Pass	6.21777G	-4.02	6.607G	-50.45	-44.02	-6.43	2
6105MHz	Pass	6.24896G	-3.39	6.6098G	-50.38	-43.39	-6.99	3
6105MHz	Pass	5.97263G	-4.25	6.6094G	-51.55	-44.25	-7.30	4
6265MHz	Pass	6.21981G	-4.41	6.7718G	-51.64	-44.41	-7.23	1
6265MHz	Pass	6.23741G	-4.05	6.7702G	-51.29	-44.05	-7.24	2
6265MHz	Pass	6.40137G	-4.24	6.6526G	-44.58	-36.28	-8.30	3
6265MHz	Pass	6.2598G	-4.46	6.7954G	-51.93	-44.46	-7.47	4
6425MHz	Pass	6.27944G	-4.62	6.9394G	-52.25	-44.62	-7.63	1
6425MHz	Pass	6.48179G	-4.76	6.9246G	-52.43	-44.52	-7.91	2
6425MHz	Pass	6.54217G	-3.98	6.8394G	-46.18	-37.49	-8.69	3
6425MHz	Pass	6.27944G	-4.36	6.9334G	-51.40	-44.36	-7.04	4
6585MHz	Pass	6.53501G	-4.71	6.073G	-50.21	-44.71	-5.50	1
6585MHz	Pass	6.73216G	-4.38	7.0022G	-46.52	-38.09	-8.43	2
6585MHz	Pass	6.62019G	-3.54	6.0746G	-52.06	-43.54	-8.52	3
6585MHz	Pass	6.72497G	-3.97	7.0002G	-45.84	-38.17	-7.67	4
6745MHz	Pass	6.78939G	-3.67	6.2358G	-48.62	-43.67	-4.95	1
6745MHz	Pass	6.7502G	-3.97	6.2374G	-52.03	-43.97	-8.06	2
6745MHz	Pass	6.60384G	-3.45	6.2386G	-50.94	-43.45	-7.49	3
6745MHz	Pass	6.76859G	-3.68	7.0918G	-41.25	-32.57	-8.68	4
6905MHz	Pass	6.83382G	-4.49	6.4006G	-50.91	-44.49	-6.42	1
6905MHz	Pass	6.76703G	-4.50	6.401G	-52.54	-44.50	-8.04	2
6905MHz	Pass	6.75704G	-3.06	6.5006G	-42.90	-36.31	-6.59	3
6905MHz	Pass	6.8886G	-4.27	7.277G	-42.90	-34.55	-8.35	4











6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

MASK

6875MHz_TX

17/01/2024

CF (Hz)
6.875G


Span (Hz)
100M

RBW (Hz)
200k

VBW (Hz)
1M

Sweep Time (s)
4.01m

Detector Type
RMS



Port 1

Port 2

Port 3

Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.879949G	-13.65	6.886925G	-45.50	-33.25	-12.25	1
6.865727G	-12.92	6.86245G	-50.21	-32.92	-17.29	2
6.875625G	-13.30	6.886925G	-44.85	-33.44	-11.41	3
6.881623G	-12.97	6.88715G	-46.03	-33.07	-12.96	4

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_4TX

MASK

6895MHz_TX

17/01/2024

CF (Hz)
6.895G


Span (Hz)
100M

RBW (Hz)
200k

VBW (Hz)
1M

Sweep Time (s)
4.01m

Detector Type
RMS





Port 1


Port 2


Port 3



Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.897424G	-13.41	6.906775G	-43.72	-33.31	-10.41	1
6.886952G	-12.65	6.906675G	-43.44	-32.65	-10.79	2
6.903798G	-12.53	6.90655G	-42.14	-32.57	-9.57	3
6.904448G	-12.65	6.907175G	-46.24	-32.66	-13.58	4











6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

MASK

6565MHz_TX

17/01/2024

CF (Hz)
6.565G


Span (Hz)
200M

RBW (Hz)
500k

VBW (Hz)
2M

Sweep Time (s)
4.01m

Detector Type
RMS



Port 1

Port 2

Port 3

Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.547204G	-9.15	6.58805G	-42.25	-29.23	-13.02	1
6.562851G	-8.19	6.58745G	-39.70	-28.21	-11.49	2
6.546405G	-8.33	6.58735G	-39.71	-28.36	-11.35	3
6.580596G	-9.32	6.5429G	-39.73	-28.92	-10.81	4

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

MASK

6685MHz_TX

17/01/2024

CF (Hz)
6.685G


Span (Hz)
200M

RBW (Hz)
500k

VBW (Hz)
2M

Sweep Time (s)
4.01m

Detector Type
RMS



Port 1

Port 2

Port 3

Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.692248G	-9.47	6.70815G	-43.10	-29.17	-13.93	1
6.668804G	-8.63	6.70695G	-38.62	-28.67	-9.95	2
6.6868G	-8.51	6.7078G	-40.95	-28.58	-12.37	3
6.696247G	-9.46	6.70815G	-41.78	-29.54	-12.24	4



6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

MASK

6885MHz_TX

17/01/2024

CF (Hz)
6.885G


Span (Hz)
200M

RBW (Hz)
500k

VBW (Hz)
2M

Sweep Time (s)
4.01m

Detector Type
RMS



Port 1

Port 2

Port 3

Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.871603G	-9.09	6.9074G	-41.36	-29.09	-12.27	1
6.868154G	-8.46	6.9077G	-40.44	-28.49	-11.95	2
6.867254G	-8.74	6.9076G	-40.32	-28.82	-11.50	3
6.872103G	-8.61	6.90775G	-39.93	-28.77	-11.16	4

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_4TX

MASK

6925MHz_TX

17/01/2024

CF (Hz)
6.925G


Span (Hz)
200M

RBW (Hz)
500k

VBW (Hz)
2M

Sweep Time (s)
4.01m

Detector Type
RMS





Port 1


Port 2


Port 3


Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.907104G	-9.36	6.9473G	-39.15	-29.37	-9.78	1
6.910204G	-9.01	6.94715G	-39.03	-29.02	-10.01	2
6.92625G	-8.83	6.9475G	-40.44	-28.89	-11.55	3
6.920601G	-8.91	6.94795G	-41.65	-29.04	-12.61	4











6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

MASK

6705MHz_TX

17/01/2024

CF (Hz)
6.705G


Span (Hz)
400M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
4.01m

Detector Type
RMS



Port 1

Port 2

Port 3

Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.7157G	-5.93	6.7496G	-34.73	-25.94	-8.79	1
6.73039G	-5.73	6.7495G	-33.53	-25.89	-7.64	2
6.7199G	-6.04	6.7493G	-34.47	-26.07	-8.40	3
6.695G	-5.85	6.7491G	-33.65	-25.45	-8.20	4

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

MASK

6785MHz_TX

17/01/2024

CF (Hz)
6.785G


Span (Hz)
400M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
4.01m

Detector Type
RMS




Port 1



Port 2



Port 3


Port 4


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.8048G	-6.02	6.8296G	-34.66	-26.03	-8.63	1
6.7706G	-5.17	6.8294G	-34.43	-25.18	-9.25	2
6.7984G	-6.16	6.8293G	-33.52	-26.26	-7.26	3
6.7935G	-5.86	6.8303G	-35.74	-25.90	-9.84	4

























Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6.525-6.875GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT320_Nss1,(MCS0)_4TX	Pass	PK	823.46M	42.67	46.00	-3.33	3	Horizontal	360	1.00




Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11be EHT320_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
6905MHz	Pass	PK	47.46M	34.31	40.00	-5.69	3	Vertical	360	1.00
6905MHz	Pass	PK	148.34M	31.90	43.50	-11.60	3	Vertical	360	1.00
6905MHz	Pass	PK	495.6M	27.58	46.00	-18.42	3	Vertical	360	1.00
6905MHz	Pass	PK	912.7M	33.24	46.00	-12.76	3	Vertical	360	1.00
6905MHz	Pass	PK	1G	37.29	54.00	-16.71	3	Vertical	360	1.00
6905MHz	Pass	OP	33.88M	32.90	40.00	-7.10	3	Vertical	163	1.00
6905MHz	Pass	PK	99.84M	31.47	43.50	-12.03	3	Horizontal	0	1.00
6905MHz	Pass	PK	148.34M	32.85	43.50	-10.65	3	Horizontal	0	1.00
6905MHz	Pass	PK	198.78M	31.24	43.50	-12.26	3	Horizontal	0	1.00
6905MHz	Pass	PK	495.6M	29.14	46.00	-16.86	3	Horizontal	0	1.00
6905MHz	Pass	PK	885.54M	35.97	46.00	-10.03	3	Horizontal	0	1.00
6905MHz	Pass	PK	1G	37.80	54.00	-16.20	3	Horizontal	0	1.00
6905MHz	Pass	PK	41.64M	36.23	40.00	-3.77	3	Vertical	0	1.00
6905MHz	Pass	PK	165.8M	29.21	43.50	-14.29	3	Vertical	0	1.00
6905MHz	Pass	PK	837.04M	35.82	46.00	-10.18	3	Vertical	0	1.00
6905MHz	Pass	PK	893.3M	33.52	46.00	-12.48	3	Vertical	0	1.00
6905MHz	Pass	PK	1G	42.38	54.00	-11.62	3	Vertical	0	1.00
6905MHz	Pass	OP	31.94M	35.42	40.00	-4.58	3	Vertical	121	1.00
6905MHz	Pass	PK	99.84M	32.68	43.50	-10.82	3	Horizontal	360	1.00
6905MHz	Pass	PK	167.74M	28.83	43.50	-14.67	3	Horizontal	360	1.00
6905MHz	Pass	PK	284.14M	26.84	46.00	-19.16	3	Horizontal	360	1.00
6905MHz	Pass	PK	357.86M	26.12	46.00	-19.88	3	Horizontal	360	1.00
6905MHz	Pass	PK	427.7M	25.86	46.00	-20.14	3	Horizontal	360	1.00
6905MHz	Pass	PK	823.46M	42.67	46.00	-3.33	3	Horizontal	360	1.00



6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_4TX


6905MHz_Adapter



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	47.46M	34.31	40.00	-5.69	-12.54	3	Vertical	360	1.00	46.85	14.33	0.52	27.39
PK	148.34M	31.90	43.50	-11.60	-10.41	3	Vertical	360	1.00	42.31	15.84	0.90	27.15
PK	495.6M	27.58	46.00	-18.42	-4.07	3	Vertical	360	1.00	31.65	22.45	1.64	28.16
PK	912.7M	33.24	46.00	-12.76	-0.09	3	Vertical	360	1.00	33.33	25.56	2.22	27.87
PK	1G	37.29	54.00	-16.71	1.39	3	Vertical	360	1.00	35.90	26.39	2.33	27.33
QP	33.88M	32.90	40.00	-7.10	-5.39	3	Vertical	163	1.00	38.29	21.58	0.44	27.41

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_4TX

6905MHz_Adapter




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	99.84M	31.47	43.50	-12.03	-10.77	3	Horizontal	0	1.00	42.24	15.79	0.75	27.31
PK	148.34M	32.85	43.50	-10.65	-10.41	3	Horizontal	0	1.00	43.26	15.84	0.90	27.15
PK	198.78M	31.24	43.50	-12.26	-11.48	3	Horizontal	0	1.00	42.72	14.34	1.05	26.87
PK	495.6M	29.14	46.00	-16.86	-4.07	3	Horizontal	0	1.00	33.21	22.45	1.64	28.16
PK	885.54M	35.97	46.00	-10.03	-0.28	3	Horizontal	0	1.00	36.25	25.49	2.19	27.96
PK	1G	37.80	54.00	-16.20	1.39	3	Horizontal	0	1.00	36.41	26.39	2.33	27.33



6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_4TX


6905MHz_PoE



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	41.64M	36.23	40.00	-3.77	-9.47	3	Vertical	0	1.00	45.70	17.44	0.49	27.40
PK	165.8M	29.21	43.50	-14.29	-11.12	3	Vertical	0	1.00	40.33	15.00	0.95	27.07
PK	837.04M	35.82	46.00	-10.18	-0.71	3	Vertical	0	1.00	36.53	25.24	2.13	28.08
PK	893.3M	33.52	46.00	-12.48	-0.26	3	Vertical	0	1.00	33.78	25.51	2.19	27.96
PK	1G	42.38	54.00	-11.62	1.39	3	Vertical	0	1.00	40.99	26.39	2.33	27.33
QP	31.94M	35.42	40.00	-4.58	-4.38	3	Vertical	121	1.00	39.80	22.61	0.43	27.42

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_4TX

6905MHz_PoE



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	99.84M	32.68	43.50	-10.82	-10.77	3	Horizontal	360	1.00	43.45	15.79	0.75	27.31
PK	167.74M	28.83	43.50	-14.67	-11.17	3	Horizontal	360	1.00	40.00	14.95	0.95	27.07
PK	284.14M	26.84	46.00	-19.16	-7.49	3	Horizontal	360	1.00	34.33	18.01	1.24	26.74
PK	357.86M	26.12	46.00	-19.88	-6.03	3	Horizontal	360	1.00	32.15	19.71	1.39	27.13
PK	427.7M	25.86	46.00	-20.14	-4.61	3	Horizontal	360	1.00	30.47	21.64	1.53	27.78
PK	823.46M	42.67	46.00	-3.33	-1.01	3	Horizontal	360	1.00	43.68	25.04	2.11	28.16



Summary

Mode	Result	Type	Freq (Hz)	Level (dBUV/m)	Limit (dBUV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20_Nss1,(MCS0)_4TX	Pass	AV	12.39256G	47.21	54.00	-6.79	3	Horizontal	338	1.83
802.11be EHT40_Nss1,(MCS0)_4TX	Pass	AV	12.41288G	48.99	54.00	-5.01	3	Horizontal	340	1.71
802.11be EHT80_Nss1,(MCS0)_4TX	Pass	AV	12.45192G	51.73	54.00	-2.27	3	Horizontal	340	1.81
802.11be EHT160_Nss1,(MCS0)_4TX	Pass	AV	12.37116G	53.77	54.00	-0.23	3	Vertical	13	1.86
802.11be EHT320_Nss1,(MCS0)_4TX	Pass	AV	12.2326G	53.54	54.00	-0.46	3	Vertical	14	1.84
6.425-6.525GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20_Nss1,(MCS0)_4TX	Pass	AV	12.87064G	44.66	68.20	-23.54	3	Vertical	330	2.35
802.11be EHT40_Nss1,(MCS0)_4TX	Pass	AV	12.8912G	47.56	68.20	-20.64	3	Vertical	330	2.20
802.11be EHT80_Nss1,(MCS0)_4TX	Pass	AV	12.92076G	49.52	68.20	-18.68	3	Vertical	29	1.41
802.11be EHT160_Nss1,(MCS0)_4TX	Pass	AV	13.00088G	49.53	68.20	-18.67	3	Vertical	29	1.37
802.11be EHT320_Nss1,(MCS0)_4TX	Pass	AV	13.17696G	47.98	68.20	-20.22	3	Vertical	31	1.50
6.525-6.875GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20_Nss1,(MCS0)_4TX	Pass	AV	13.39176G	46.13	54.00	-7.87	3	Vertical	323	1.61
802.11be EHT40_Nss1,(MCS0)_4TX	Pass	AV	13.3716G	47.61	54.00	-6.39	3	Vertical	324	1.55
802.11be EHT80_Nss1,(MCS0)_4TX	Pass	AV	13.25188G	50.21	54.00	-3.79	3	Vertical	323	2.19
802.11be EHT160_Nss1,(MCS0)_4TX	Pass	AV	13.33188G	51.30	54.00	-2.70	3	Vertical	324	1.55
802.11be EHT320_Nss1,(MCS0)_4TX	Pass	AV	7.1275G	65.12	68.20	-3.08	3	Horizontal	0	1.50
6.875-7.125GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20_Nss1,(MCS0)_4TX	Pass	AV	7.2432G	48.98	68.20	-19.22	3	Horizontal	360	1.75
802.11be EHT40_Nss1,(MCS0)_4TX	Pass	AV	7.1282G	56.34	68.20	-11.86	3	Horizontal	355	1.50
802.11be EHT80_Nss1,(MCS0)_4TX	Pass	AV	7.1288G	51.24	68.20	-16.96	3	Horizontal	354	1.50
802.11be EHT160_Nss1,(MCS0)_4TX	Pass	AV	7.128G	61.13	68.20	-7.07	3	Horizontal	357	1.59



Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11be EHT20_Nss1.(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5955MHz	Pass	AV	5.9196G	44.17	68.20	-24.03	3	Vertical	25	1.59
5955MHz	Pass	AV	5.964G	94.46	Inf	-Inf	3	Vertical	25	1.59
5955MHz	Pass	PK	5.8944G	57.64	88.20	-30.56	3	Vertical	25	1.59
5955MHz	Pass	PK	5.964G	106.83	Inf	-Inf	3	Vertical	25	1.59
5955MHz	Pass	AV	5.9088G	44.18	68.20	-24.02	3	Horizontal	340	2.53
5955MHz	Pass	AV	5.9622G	95.18	Inf	-Inf	3	Horizontal	340	2.53
5955MHz	Pass	PK	5.8854G	57.59	88.20	-30.61	3	Horizontal	340	2.53
5955MHz	Pass	PK	5.9616G	106.72	Inf	-Inf	3	Horizontal	340	2.53
5955MHz	Pass	AV	11.90648G	43.02	54.00	-10.98	3	Vertical	338	2.04
5955MHz	Pass	PK	11.90592G	55.47	74.00	-18.53	3	Vertical	338	2.04
5955MHz	Pass	AV	11.91432G	41.93	54.00	-12.07	3	Horizontal	339	1.58
5955MHz	Pass	PK	11.91372G	54.24	74.00	-19.76	3	Horizontal	339	1.58
6195MHz	Pass	AV	12.38948G	47.06	54.00	-6.94	3	Vertical	337	2.33
6195MHz	Pass	PK	12.3886G	58.51	74.00	-15.49	3	Vertical	337	2.33
6195MHz	Pass	AV	12.39256G	47.21	54.00	-6.79	3	Horizontal	338	1.83
6195MHz	Pass	PK	12.3934G	59.14	74.00	-14.86	3	Horizontal	338	1.83
6415MHz	Pass	AV	12.82988G	45.12	68.20	-23.08	3	Vertical	331	2.33
6415MHz	Pass	PK	12.83072G	59.65	88.20	-28.55	3	Vertical	331	2.33
6415MHz	Pass	AV	12.83204G	43.74	68.20	-24.46	3	Horizontal	20	2.03
6415MHz	Pass	PK	12.83144G	55.88	88.20	-32.32	3	Horizontal	20	2.03
6435MHz	Pass	AV	12.87064G	44.66	68.20	-23.54	3	Vertical	330	2.35
6435MHz	Pass	PK	12.87016G	56.88	88.20	-31.32	3	Vertical	330	2.35
6435MHz	Pass	AV	12.87008G	43.44	68.20	-24.76	3	Horizontal	23	2.09
6435MHz	Pass	PK	12.86868G	55.76	88.20	-32.44	3	Horizontal	23	2.09
6475MHz	Pass	AV	12.95048G	44.29	68.20	-23.91	3	Vertical	26	1.83
6475MHz	Pass	PK	12.94996G	56.88	88.20	-31.32	3	Vertical	26	1.83
6475MHz	Pass	AV	12.95116G	42.93	68.20	-25.27	3	Horizontal	334	1.21
6475MHz	Pass	PK	12.95096G	54.85	88.20	-33.35	3	Horizontal	334	1.21
6515MHz	Pass	AV	13.03052G	42.55	68.20	-25.65	3	Vertical	26	1.82
6515MHz	Pass	PK	13.03268G	54.47	88.20	-33.73	3	Vertical	26	1.82
6515MHz	Pass	AV	13.02492G	41.19	68.20	-27.01	3	Horizontal	328	1.50
6515MHz	Pass	PK	13.02504G	53.32	88.20	-34.88	3	Horizontal	328	1.50
6535MHz	Pass	AV	13.06988G	43.58	68.20	-24.62	3	Vertical	26	1.79
6535MHz	Pass	PK	13.07004G	56.58	88.20	-31.62	3	Vertical	26	1.79
6535MHz	Pass	AV	13.06972G	42.79	68.20	-25.41	3	Horizontal	336	1.30
6535MHz	Pass	PK	13.0678G	55.49	88.20	-32.71	3	Horizontal	336	1.30
6695MHz	Pass	AV	13.39176G	46.13	54.00	-7.87	3	Vertical	323	1.61
6695MHz	Pass	PK	13.39228G	58.63	74.00	-15.37	3	Vertical	323	1.61
6695MHz	Pass	AV	13.38888G	42.28	54.00	-11.72	3	Horizontal	19	2.15
6695MHz	Pass	PK	13.39468G	54.28	74.00	-19.72	3	Horizontal	19	2.15
6875MHz	Pass	AV	13.75084G	45.86	68.20	-22.34	3	Vertical	320	2.34
6875MHz	Pass	PK	13.75016G	57.73	88.20	-30.47	3	Vertical	320	2.34
6875MHz	Pass	AV	13.74992G	43.44	68.20	-24.76	3	Horizontal	319	1.73
6875MHz	Pass	PK	13.7516G	55.08	88.20	-33.12	3	Horizontal	319	1.73
6895MHz	Pass	AV	13.78924G	46.09	68.20	-22.11	3	Vertical	323	1.72
6895MHz	Pass	PK	13.79012G	58.83	88.20	-29.37	3	Vertical	323	1.72
6895MHz	Pass	AV	13.78776G	43.23	68.20	-24.97	3	Horizontal	326	1.64
6895MHz	Pass	PK	13.78964G	55.14	88.20	-33.06	3	Horizontal	326	1.64
6995MHz	Pass	AV	13.9906G	45.60	68.20	-22.60	3	Vertical	317	1.45
6995MHz	Pass	PK	13.98936G	58.07	88.20	-30.13	3	Vertical	317	1.45
6995MHz	Pass	AV	13.98692G	43.42	68.20	-24.78	3	Horizontal	38	2.86
6995MHz	Pass	PK	13.98788G	56.93	88.20	-31.27	3	Horizontal	38	2.86
7095MHz	Pass	AV	7.1028G	98.73	Inf	-Inf	3	Vertical	0	2.01
7095MHz	Pass	AV	7.242G	48.91	68.20	-19.29	3	Vertical	0	2.01
7095MHz	Pass	PK	7.1034G	110.49	Inf	-Inf	3	Vertical	0	2.01
7095MHz	Pass	PK	7.2402G	63.06	88.20	-25.14	3	Vertical	0	2.01
7095MHz	Pass	AV	7.0974G	100.64	Inf	-Inf	3	Horizontal	360	1.75
7095MHz	Pass	AV	7.2432G	48.98	68.20	-19.22	3	Horizontal	360	1.75
7095MHz	Pass	PK	7.098G	113.05	Inf	-Inf	3	Horizontal	360	1.75
7095MHz	Pass	PK	7.2012G	62.90	88.20	-25.30	3	Horizontal	360	1.75



RSE TX above 1GHz_Non-Beamforming_Radio 2_Full RU

Appendix E.6

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
7095MHz	Pass	AV	14.18948G	43.93	68.20	-24.27	3	Vertical	318	1.50
7095MHz	Pass	PK	14.18932G	56.22	88.20	-31.98	3	Vertical	318	1.50
7095MHz	Pass	AV	14.19076G	42.63	68.20	-25.57	3	Horizontal	325	1.00
7095MHz	Pass	PK	14.18204G	54.95	88.20	-33.25	3	Horizontal	325	1.00
802.11be EHT40_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5965MHz	Pass	AV	5.9188G	44.31	68.20	-23.89	3	Vertical	22	1.52
5965MHz	Pass	AV	5.9734G	93.83	Inf	-Inf	3	Vertical	22	1.52
5965MHz	Pass	PK	5.9128G	57.55	88.20	-30.65	3	Vertical	22	1.52
5965MHz	Pass	PK	5.9542G	106.01	Inf	-Inf	3	Vertical	22	1.52
5965MHz	Pass	AV	5.9236G	45.57	68.20	-22.63	3	Horizontal	337	1.67
5965MHz	Pass	AV	5.9632G	94.69	Inf	-Inf	3	Horizontal	337	1.67
5965MHz	Pass	PK	5.923G	59.11	88.20	-29.09	3	Horizontal	337	1.67
5965MHz	Pass	PK	5.9824G	107.30	Inf	-Inf	3	Horizontal	337	1.67
5965MHz	Pass	AV	11.93672G	45.67	54.00	-8.33	3	Vertical	353	1.50
5965MHz	Pass	PK	11.9382G	57.19	74.00	-16.81	3	Vertical	353	1.50
5965MHz	Pass	AV	11.9278G	45.67	54.00	-8.33	3	Horizontal	353	1.91
5965MHz	Pass	PK	11.92824G	58.88	74.00	-15.12	3	Horizontal	353	1.91
6205MHz	Pass	AV	12.4174G	48.27	54.00	-5.73	3	Vertical	20	1.74
6205MHz	Pass	PK	12.41708G	60.50	74.00	-13.50	3	Vertical	20	1.74
6205MHz	Pass	AV	12.41288G	48.99	54.00	-5.01	3	Horizontal	340	1.71
6205MHz	Pass	PK	12.41284G	60.27	74.00	-13.73	3	Horizontal	340	1.71
6405MHz	Pass	AV	12.80456G	48.97	68.20	-19.23	3	Vertical	25	1.90
6405MHz	Pass	PK	12.80356G	60.78	88.20	-27.42	3	Vertical	25	1.90
6405MHz	Pass	AV	12.81052G	46.96	68.20	-21.24	3	Horizontal	24	1.92
6405MHz	Pass	PK	12.81144G	58.29	88.20	-29.91	3	Horizontal	24	1.92
6445MHz	Pass	AV	12.8912G	47.56	68.20	-20.64	3	Vertical	330	2.20
6445MHz	Pass	PK	12.89192G	58.82	88.20	-29.38	3	Vertical	330	2.20
6445MHz	Pass	AV	12.893G	44.87	68.20	-23.33	3	Horizontal	333	1.08
6445MHz	Pass	PK	12.89264G	57.71	88.20	-30.49	3	Horizontal	333	1.08
6485MHz	Pass	AV	12.96116G	46.05	68.20	-22.15	3	Vertical	28	1.42
6485MHz	Pass	PK	12.96244G	58.48	88.20	-29.72	3	Vertical	28	1.42
6485MHz	Pass	AV	12.9712G	44.99	68.20	-23.21	3	Horizontal	334	1.20
6485MHz	Pass	PK	12.97084G	57.74	88.20	-30.46	3	Horizontal	334	1.20
6525MHz	Pass	AV	13.05952G	43.98	68.20	-24.22	3	Vertical	29	1.36
6525MHz	Pass	PK	13.05944G	57.03	88.20	-31.17	3	Vertical	29	1.36
6525MHz	Pass	AV	13.05068G	43.62	68.20	-24.58	3	Horizontal	335	1.87
6525MHz	Pass	PK	13.05052G	55.67	88.20	-32.53	3	Horizontal	335	1.87
6565MHz	Pass	AV	13.12892G	46.20	68.20	-22.00	3	Vertical	28	1.76
6565MHz	Pass	PK	13.12988G	58.42	88.20	-29.78	3	Vertical	28	1.76
6565MHz	Pass	AV	13.13388G	44.70	68.20	-23.50	3	Horizontal	328	1.83
6565MHz	Pass	PK	13.13432G	56.78	88.20	-31.42	3	Horizontal	328	1.83
6685MHz	Pass	AV	13.3716G	47.61	54.00	-6.39	3	Vertical	324	1.55
6685MHz	Pass	PK	13.37308G	59.90	74.00	-14.10	3	Vertical	324	1.55
6685MHz	Pass	AV	13.3684G	46.70	54.00	-7.30	3	Horizontal	36	2.18
6685MHz	Pass	PK	13.36964G	58.62	74.00	-15.38	3	Horizontal	36	2.18
6885MHz	Pass	AV	13.77064G	48.21	68.20	-19.99	3	Vertical	322	2.35
6885MHz	Pass	PK	13.77116G	60.33	88.20	-27.87	3	Vertical	322	2.35
6885MHz	Pass	AV	13.7676G	45.64	68.20	-22.56	3	Horizontal	328	1.59
6885MHz	Pass	PK	13.76656G	57.13	88.20	-31.07	3	Horizontal	328	1.59
6925MHz	Pass	AV	13.8496G	46.22	68.20	-21.98	3	Vertical	323	2.41
6925MHz	Pass	PK	13.849G	58.78	88.20	-29.42	3	Vertical	323	2.41
6925MHz	Pass	AV	13.85248G	43.45	68.20	-24.75	3	Horizontal	318	1.50
6925MHz	Pass	PK	13.8528G	55.54	88.20	-32.66	3	Horizontal	318	1.50
7005MHz	Pass	AV	14.0098G	46.83	68.20	-21.37	3	Vertical	317	1.50
7005MHz	Pass	PK	14.01104G	58.95	88.20	-29.25	3	Vertical	317	1.50
7005MHz	Pass	AV	14.0064G	44.54	68.20	-23.66	3	Horizontal	38	2.85
7005MHz	Pass	PK	14.00544G	57.60	88.20	-30.60	3	Horizontal	38	2.85
7085MHz	Pass	AV	7.073G	97.94	Inf	-Inf	3	Vertical	0	2.09
7085MHz	Pass	AV	7.1312G	50.83	68.20	-17.37	3	Vertical	0	2.09
7085MHz	Pass	PK	7.0934G	110.33	Inf	-Inf	3	Vertical	0	2.09
7085MHz	Pass	PK	7.1318G	63.91	88.20	-24.29	3	Vertical	0	2.09
7085MHz	Pass	AV	7.0694G	101.45	Inf	-Inf	3	Horizontal	355	1.50



RSE TX above 1GHz_Non-Beamforming_Radio 2_Full RU

Appendix E.6

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
7085MHz	Pass	AV	7.1282G	56.34	68.20	-11.86	3	Horizontal	355	1.50
7085MHz	Pass	PK	7.0898G	113.62	Inf	-Inf	3	Horizontal	355	1.50
7085MHz	Pass	PK	7.1288G	70.86	88.20	-17.34	3	Horizontal	355	1.50
7085MHz	Pass	AV	14.169G	45.17	68.20	-23.03	3	Vertical	319	1.50
7085MHz	Pass	PK	14.16996G	58.11	88.20	-30.09	3	Vertical	319	1.50
7085MHz	Pass	AV	14.16932G	43.08	68.20	-25.12	3	Horizontal	40	2.67
7085MHz	Pass	PK	14.1684G	55.80	88.20	-32.40	3	Horizontal	40	2.67
802.11be EHT80_Nss1,(MCSO)_4TX	-	-	-	-	-	-	-	-	-	-
5985MHz	Pass	AV	5.914G	47.22	68.20	-20.98	3	Vertical	21	1.45
5985MHz	Pass	AV	6.014G	94.65	Inf	-Inf	3	Vertical	21	1.45
5985MHz	Pass	PK	5.913G	60.52	88.20	-27.68	3	Vertical	21	1.45
5985MHz	Pass	PK	5.993G	106.60	Inf	-Inf	3	Vertical	21	1.45
5985MHz	Pass	AV	5.913G	47.66	68.20	-20.54	3	Horizontal	337	2.45
5985MHz	Pass	AV	6.013G	95.26	Inf	-Inf	3	Horizontal	337	2.45
5985MHz	Pass	PK	5.914G	59.96	88.20	-28.24	3	Horizontal	337	2.45
5985MHz	Pass	PK	6.013G	107.33	Inf	-Inf	3	Horizontal	337	2.45
5985MHz	Pass	AV	11.96916G	48.84	54.00	-5.16	3	Vertical	350	1.90
5985MHz	Pass	PK	11.96772G	62.38	74.00	-11.62	3	Vertical	350	1.90
5985MHz	Pass	AV	11.9626G	47.12	54.00	-6.88	3	Horizontal	360	2.09
5985MHz	Pass	PK	11.96096G	59.43	74.00	-14.57	3	Horizontal	360	2.09
6225MHz	Pass	AV	12.45372G	50.05	54.00	-3.95	3	Vertical	29	1.50
6225MHz	Pass	PK	12.45332G	61.87	74.00	-12.13	3	Vertical	29	1.50
6225MHz	Pass	AV	12.45192G	51.73	54.00	-2.27	3	Horizontal	340	1.81
6225MHz	Pass	PK	12.45168G	64.77	74.00	-9.23	3	Horizontal	340	1.81
6385MHz	Pass	AV	12.76424G	51.41	68.20	-16.79	3	Vertical	25	1.91
6385MHz	Pass	PK	12.74624G	63.06	88.20	-25.14	3	Vertical	25	1.91
6385MHz	Pass	AV	12.77108G	49.86	68.20	-18.34	3	Horizontal	24	1.90
6385MHz	Pass	PK	12.77108G	62.48	88.20	-25.72	3	Horizontal	24	1.90
6465MHz	Pass	AV	12.92076G	49.52	68.20	-18.68	3	Vertical	29	1.41
6465MHz	Pass	PK	12.9208G	61.14	88.20	-27.06	3	Vertical	29	1.41
6465MHz	Pass	AV	12.93216G	47.36	68.20	-20.84	3	Horizontal	334	1.08
6465MHz	Pass	PK	12.93096G	59.40	88.20	-28.80	3	Horizontal	334	1.08
6545MHz	Pass	AV	13.09876G	46.59	68.20	-21.61	3	Vertical	30	2.12
6545MHz	Pass	PK	13.08016G	58.45	88.20	-29.75	3	Vertical	30	2.12
6545MHz	Pass	AV	13.08236G	45.36	68.20	-22.84	3	Horizontal	332	1.50
6545MHz	Pass	PK	13.08208G	57.04	88.20	-31.16	3	Horizontal	332	1.50
6625MHz	Pass	AV	13.25188G	50.21	54.00	-3.79	3	Vertical	323	2.19
6625MHz	Pass	PK	13.25152G	62.00	74.00	-12.00	3	Vertical	323	2.19
6625MHz	Pass	AV	13.25336G	49.13	54.00	-4.87	3	Horizontal	27	2.02
6625MHz	Pass	PK	13.25436G	62.16	74.00	-11.84	3	Horizontal	27	2.02
6705MHz	Pass	AV	13.41092G	50.46	68.20	-17.74	3	Vertical	326	1.57
6705MHz	Pass	PK	13.41052G	62.61	88.20	-25.59	3	Vertical	326	1.57
6705MHz	Pass	AV	13.41108G	48.41	68.20	-19.79	3	Horizontal	330	1.97
6705MHz	Pass	PK	13.41136G	59.71	88.20	-28.49	3	Horizontal	330	1.97
6785MHz	Pass	AV	13.57036G	52.22	68.20	-15.98	3	Vertical	324	1.50
6785MHz	Pass	PK	13.57008G	64.73	88.20	-23.47	3	Vertical	324	1.50
6785MHz	Pass	AV	13.57164G	47.86	68.20	-20.34	3	Horizontal	321	1.59
6785MHz	Pass	PK	13.57124G	59.45	88.20	-28.75	3	Horizontal	321	1.59
6865MHz	Pass	AV	13.73108G	50.54	68.20	-17.66	3	Vertical	322	1.65
6865MHz	Pass	PK	13.73148G	62.32	88.20	-25.88	3	Vertical	322	1.65
6865MHz	Pass	AV	13.73244G	46.45	68.20	-21.75	3	Horizontal	319	1.50
6865MHz	Pass	PK	13.73244G	58.03	88.20	-30.17	3	Horizontal	319	1.50
6945MHz	Pass	AV	13.8894G	48.59	68.20	-19.61	3	Vertical	323	1.58
6945MHz	Pass	PK	13.88896G	60.47	88.20	-27.73	3	Vertical	323	1.58
6945MHz	Pass	AV	13.89548G	45.95	68.20	-22.25	3	Horizontal	36	2.47
6945MHz	Pass	PK	13.89328G	58.18	88.20	-30.02	3	Horizontal	36	2.47
7025MHz	Pass	AV	6.9872G	97.43	Inf	-Inf	3	Vertical	348	2.35
7025MHz	Pass	AV	7.1258G	50.82	68.20	-17.38	3	Vertical	348	2.35
7025MHz	Pass	PK	7.0076G	110.88	Inf	-Inf	3	Vertical	348	2.35
7025MHz	Pass	PK	7.1252G	64.02	88.20	-24.18	3	Vertical	348	2.35
7025MHz	Pass	AV	7.049G	98.25	Inf	-Inf	3	Horizontal	354	1.50
7025MHz	Pass	AV	7.1288G	51.24	68.20	-16.96	3	Horizontal	354	1.50



RSE TX above 1GHz_Non-Beamforming_Radio 2_Full RU

Appendix E.6

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
7025MHz	Pass	PK	7.0304G	109.85	Inf	-Inf	3	Horizontal	354	1.50
7025MHz	Pass	PK	7.1288G	64.44	88.20	-23.76	3	Horizontal	354	1.50
7025MHz	Pass	AV	14.04952G	48.50	68.20	-19.70	3	Vertical	318	1.50
7025MHz	Pass	PK	14.049G	60.13	88.20	-28.07	3	Vertical	318	1.50
7025MHz	Pass	AV	14.0404G	44.98	68.20	-23.22	3	Horizontal	40	1.55
7025MHz	Pass	PK	14.04176G	56.88	88.20	-31.32	3	Horizontal	40	1.55
802.11be EHT160_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
6025MHz	Pass	AV	5.914G	49.40	68.20	-18.80	3	Vertical	23	1.50
6025MHz	Pass	AV	6.093G	94.88	Inf	-Inf	3	Vertical	23	1.50
6025MHz	Pass	PK	5.915G	62.24	88.20	-25.96	3	Vertical	23	1.50
6025MHz	Pass	PK	6.093G	108.01	Inf	-Inf	3	Vertical	23	1.50
6025MHz	Pass	AV	5.913G	49.49	68.20	-18.71	3	Horizontal	338	2.49
6025MHz	Pass	AV	6.092G	95.50	Inf	-Inf	3	Horizontal	338	2.49
6025MHz	Pass	PK	5.913G	61.87	88.20	-26.33	3	Horizontal	338	2.49
6025MHz	Pass	PK	6.093G	107.97	Inf	-Inf	3	Horizontal	338	2.49
6025MHz	Pass	AV	12.04816G	50.22	54.00	-3.78	3	Vertical	349	1.91
6025MHz	Pass	PK	12.04872G	64.44	74.00	-9.56	3	Vertical	349	1.91
6025MHz	Pass	AV	12.0468G	50.14	54.00	-3.86	3	Horizontal	353	1.84
6025MHz	Pass	PK	12.06664G	67.45	74.00	-6.55	3	Horizontal	353	1.84
6185MHz	Pass	AV	12.37116G	53.77	54.00	-0.23	3	Vertical	13	1.86
6185MHz	Pass	PK	12.39112G	69.23	74.00	-4.77	3	Vertical	13	1.86
6185MHz	Pass	AV	12.37448G	53.73	54.00	-0.27	3	Horizontal	336	1.72
6185MHz	Pass	PK	12.35464G	67.29	74.00	-6.71	3	Horizontal	336	1.72
6345MHz	Pass	AV	12.685G	53.15	54.00	-0.85	3	Vertical	25	1.86
6345MHz	Pass	PK	12.6844G	65.54	74.00	-8.46	3	Vertical	25	1.86
6345MHz	Pass	AV	12.69168G	52.19	54.00	-1.81	3	Horizontal	338	1.84
6345MHz	Pass	PK	12.69264G	65.24	74.00	-8.76	3	Horizontal	338	1.84
6505MHz	Pass	AV	13.00088G	49.53	68.20	-18.67	3	Vertical	29	1.37
6505MHz	Pass	PK	13.00136G	62.19	88.20	-26.01	3	Vertical	29	1.37
6505MHz	Pass	AV	13.01132G	48.18	68.20	-20.02	3	Horizontal	334	1.15
6505MHz	Pass	PK	13.01228G	60.53	88.20	-27.67	3	Horizontal	334	1.15
6665MHz	Pass	AV	13.33188G	51.30	54.00	-2.70	3	Vertical	324	1.55
6665MHz	Pass	PK	13.331G	64.14	74.00	-9.86	3	Vertical	324	1.55
6665MHz	Pass	AV	13.3214G	49.11	54.00	-4.89	3	Horizontal	330	1.68
6665MHz	Pass	PK	13.3212G	62.12	74.00	-11.88	3	Horizontal	330	1.68
6825MHz	Pass	AV	13.65028G	53.81	68.20	-14.39	3	Vertical	323	1.60
6825MHz	Pass	PK	13.6492G	65.24	88.20	-22.96	3	Vertical	323	1.60
6825MHz	Pass	AV	13.64644G	50.65	68.20	-17.55	3	Horizontal	32	2.17
6825MHz	Pass	PK	13.64624G	63.60	88.20	-24.60	3	Horizontal	32	2.17
6985MHz	Pass	AV	6.91G	96.52	Inf	-Inf	3	Vertical	11	2.22
6985MHz	Pass	AV	7.129G	57.91	68.20	-10.29	3	Vertical	11	2.22
6985MHz	Pass	PK	6.91G	109.10	Inf	-Inf	3	Vertical	11	2.22
6985MHz	Pass	PK	7.128G	70.53	88.20	-17.67	3	Vertical	11	2.22
6985MHz	Pass	AV	7.048G	98.06	Inf	-Inf	3	Horizontal	357	1.59
6985MHz	Pass	AV	7.128G	61.13	68.20	-7.07	3	Horizontal	357	1.59
6985MHz	Pass	PK	7.049G	110.42	Inf	-Inf	3	Horizontal	357	1.59
6985MHz	Pass	PK	7.129G	73.37	88.20	-14.83	3	Horizontal	357	1.59
6985MHz	Pass	AV	13.96992G	48.76	68.20	-19.44	3	Vertical	320	1.50
6985MHz	Pass	PK	13.96768G	62.09	88.20	-26.11	3	Vertical	320	1.50
6985MHz	Pass	AV	13.96428G	46.54	68.20	-21.66	3	Horizontal	37	2.87
6985MHz	Pass	PK	13.96444G	59.60	88.20	-28.60	3	Horizontal	37	2.87
802.11be EHT320_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
6105MHz	Pass	AV	5.913G	51.26	68.20	-16.94	3	Vertical	23	1.68
6105MHz	Pass	AV	6.1326G	94.74	Inf	-Inf	3	Vertical	23	1.68
6105MHz	Pass	PK	5.913G	63.68	88.20	-24.52	3	Vertical	23	1.68
6105MHz	Pass	PK	6.1314G	107.09	Inf	-Inf	3	Vertical	23	1.68
6105MHz	Pass	AV	5.9118G	51.50	68.20	-16.70	3	Horizontal	337	2.64
6105MHz	Pass	AV	6.1314G	95.18	Inf	-Inf	3	Horizontal	337	2.64
6105MHz	Pass	PK	5.919G	63.75	88.20	-24.45	3	Horizontal	337	2.64
6105MHz	Pass	PK	6.1302G	107.43	Inf	-Inf	3	Horizontal	337	2.64
6105MHz	Pass	AV	12.2326G	53.54	54.00	-0.46	3	Vertical	14	1.84
6105MHz	Pass	PK	12.2314G	71.40	74.00	-2.60	3	Vertical	14	1.84




Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6105MHz	Pass	AV	12.2262G	52.17	54.00	-1.83	3	Horizontal	351	1.93
6105MHz	Pass	PK	12.2268G	70.47	74.00	-3.53	3	Horizontal	351	1.93
6265MHz	Pass	AV	12.52592G	51.43	54.00	-2.57	3	Vertical	27	1.88
6265MHz	Pass	PK	12.52756G	64.76	74.00	-9.24	3	Vertical	27	1.88
6265MHz	Pass	AV	12.53104G	51.57	54.00	-2.43	3	Horizontal	340	1.81
6265MHz	Pass	PK	12.5318G	63.29	74.00	-10.71	3	Horizontal	340	1.81
6425MHz	Pass	AV	12.849G	50.66	68.20	-17.54	3	Vertical	333	2.24
6425MHz	Pass	PK	12.84964G	62.70	88.20	-25.50	3	Vertical	333	2.24
6425MHz	Pass	AV	12.84984G	49.26	68.20	-18.94	3	Horizontal	24	1.97
6425MHz	Pass	PK	12.8506G	62.54	88.20	-25.66	3	Horizontal	24	1.97
6585MHz	Pass	AV	13.17696G	47.98	68.20	-20.22	3	Vertical	31	1.50
6585MHz	Pass	PK	13.17776G	60.94	88.20	-27.26	3	Vertical	31	1.50
6585MHz	Pass	AV	13.16048G	46.49	68.20	-21.71	3	Horizontal	335	1.50
6585MHz	Pass	PK	13.1786G	58.93	88.20	-29.27	3	Horizontal	335	1.50
6745MHz	Pass	AV	13.49256G	50.93	68.20	-17.27	3	Vertical	322	1.50
6745MHz	Pass	PK	13.4936G	62.77	88.20	-25.43	3	Vertical	322	1.50
6745MHz	Pass	AV	13.48772G	48.12	68.20	-20.08	3	Horizontal	331	1.50
6745MHz	Pass	PK	13.48752G	59.88	88.20	-28.32	3	Horizontal	331	1.50
6905MHz	Pass	AV	6.8775G	97.46	Inf	-Inf	3	Vertical	49	1.57
6905MHz	Pass	AV	7.1535G	60.11	68.20	-8.09	3	Vertical	49	1.57
6905MHz	Pass	PK	6.8175G	106.04	Inf	-Inf	3	Vertical	49	1.57
6905MHz	Pass	PK	7.1545G	71.66	88.20	-16.54	3	Vertical	49	1.57
6905MHz	Pass	AV	6.7885G	99.81	Inf	-Inf	3	Horizontal	0	1.50
6905MHz	Pass	AV	7.1275G	65.12	68.20	-3.08	3	Horizontal	0	1.50
6905MHz	Pass	PK	6.8285G	108.50	Inf	-Inf	3	Horizontal	0	1.50
6905MHz	Pass	PK	7.1265G	75.80	88.20	-12.40	3	Horizontal	0	1.50
6905MHz	Pass	AV	13.80876G	49.13	68.20	-19.07	3	Vertical	324	1.62
6905MHz	Pass	PK	13.80944G	60.57	88.20	-27.63	3	Vertical	324	1.62
6905MHz	Pass	AV	13.80656G	46.84	68.20	-21.36	3	Horizontal	329	1.63
6905MHz	Pass	PK	13.80632G	58.23	88.20	-29.97	3	Horizontal	329	1.63



5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX


6195MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.38948G	47.06	54.00	-6.94	9.83	3	Vertical	337	2.33	37.23	39.04	8.93	38.14
PK	12.3886G	58.51	74.00	-15.49	9.84	3	Vertical	337	2.33	48.67	39.05	8.93	38.14

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6195MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.39256G	47.21	54.00	-6.79	9.83	3	Horizontal	338	1.83	37.38	39.03	8.94	38.14
PK	12.3934G	59.14	74.00	-14.86	9.83	3	Horizontal	338	1.83	49.31	39.03	8.94	38.14



5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX


6205MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.4174G	48.27	54.00	-5.73	9.81	3	Vertical	20	1.74	38.46	39.03	8.94	38.16
PK	12.41708G	60.50	74.00	-13.50	9.81	3	Vertical	20	1.74	50.69	39.03	8.94	38.16

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6205MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.41288G	48.99	54.00	-5.01	9.82	3	Horizontal	340	1.71	39.17	39.03	8.94	38.15
PK	12.41284G	60.27	74.00	-13.73	9.82	3	Horizontal	340	1.71	50.45	39.03	8.94	38.15



5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX


6225MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.45372G	50.05	54.00	-3.95	9.89	3	Vertical	29	1.50	40.16	39.11	8.96	38.18
PK	12.45332G	61.87	74.00	-12.13	9.89	3	Vertical	29	1.50	51.98	39.11	8.96	38.18

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6225MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.45192G	51.73	54.00	-2.27	9.88	3	Horizontal	340	1.81	41.85	39.10	8.95	38.17
PK	12.45168G	64.77	74.00	-9.23	9.88	3	Horizontal	340	1.81	54.89	39.10	8.95	38.17



5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX


6185MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.37116G	53.77	54.00	-0.23	9.92	3	Vertical	13	1.86	43.85	39.12	8.93	38.13
PK	12.39112G	69.23	74.00	-4.77	9.84	3	Vertical	13	1.86	59.39	39.04	8.94	38.14

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6185MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.37448G	53.73	54.00	-0.27	9.90	3	Horizontal	336	1.72	43.83	39.10	8.93	38.13
PK	12.35464G	67.29	74.00	-6.71	9.98	3	Horizontal	336	1.72	57.31	39.18	8.92	38.12



5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_4TX


6105MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.913G	51.26	68.20	-16.94	3.34	3	Vertical	23	1.68	47.92	34.50	5.87	37.03
AV	6.1326G	94.74	Inf	-Inf	3.46	3	Vertical	23	1.68	91.28	34.40	5.98	36.92
PK	5.913G	63.68	88.20	-24.52	3.34	3	Vertical	23	1.68	60.34	34.50	5.87	37.03
PK	6.1314G	107.09	Inf	-Inf	3.46	3	Vertical	23	1.68	103.63	34.40	5.98	36.92

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_4TX

6105MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9118G	51.50	68.20	-16.70	3.33	3	Horizontal	337	2.64	48.17	34.50	5.87	37.04
AV	6.1314G	95.18	Inf	-Inf	3.46	3	Horizontal	337	2.64	91.72	34.40	5.98	36.92
PK	5.919G	63.75	88.20	-24.45	3.35	3	Horizontal	337	2.64	60.40	34.50	5.88	37.03
PK	6.1302G	107.43	Inf	-Inf	3.46	3	Horizontal	337	2.64	103.97	34.40	5.98	36.92



5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_4TX


6105MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.2326G	53.54	54.00	-0.46	10.15	3	Vertical	14	1.84	43.39	39.33	8.88	38.06
PK	12.2314G	71.40	74.00	-2.60	10.16	3	Vertical	14	1.84	61.24	39.34	8.88	38.06

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_4TX

6105MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.2262G	52.17	54.00	-1.83	10.17	3	Horizontal	351	1.93	42.00	39.35	8.88	38.06
PK	12.2268G	70.47	74.00	-3.53	10.17	3	Horizontal	351	1.93	60.30	39.35	8.88	38.06



6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_4TX


6435MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.87064G	44.66	68.20	-23.54	10.55	3	Vertical	330	2.35	34.11	39.94	9.09	38.48
PK	12.87016G	56.88	88.20	-31.32	10.55	3	Vertical	330	2.35	46.33	39.94	9.09	38.48

6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6435MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.87008G	43.44	68.20	-24.76	10.55	3	Horizontal	23	2.09	32.89	39.94	9.09	38.48
PK	12.86868G	55.76	88.20	-32.44	10.55	3	Horizontal	23	2.09	45.21	39.94	9.09	38.48



6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_4TX


6445MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.8912G	47.56	68.20	-20.64	10.58	3	Vertical	330	2.20	36.98	39.98	9.10	38.50
PK	12.89192G	58.82	88.20	-29.38	10.58	3	Vertical	330	2.20	48.24	39.98	9.10	38.50

6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6445MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.893G	44.87	68.20	-23.33	10.59	3	Horizontal	333	1.08	34.28	39.99	9.10	38.50
PK	12.89264G	57.71	88.20	-30.49	10.59	3	Horizontal	333	1.08	47.12	39.99	9.10	38.50



6.425-6.525GHz_802.11be EHT80_Nss1,(MCS0)_4TX


6465MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.92076G	49.52	68.20	-18.68	10.54	3	Vertical	29	1.41	38.98	39.96	9.10	38.52
PK	12.9208G	61.14	88.20	-27.06	10.54	3	Vertical	29	1.41	50.60	39.96	9.10	38.52

6.425-6.525GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6465MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.93216G	47.36	68.20	-20.84	10.52	3	Horizontal	334	1.08	36.84	39.94	9.11	38.53
PK	12.93096G	59.40	88.20	-28.80	10.52	3	Horizontal	334	1.08	48.88	39.94	9.11	38.53



6.425-6.525GHz_802.11be EHT160_Nss1,(MCS0)_4TX


6505MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.00088G	49.53	68.20	-18.67	10.25	3	Vertical	29	1.37	39.28	39.70	9.13	38.58
PK	13.00136G	62.19	88.20	-26.01	10.25	3	Vertical	29	1.37	51.94	39.70	9.13	38.58

6.425-6.525GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6505MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.01132G	48.18	68.20	-20.02	10.23	3	Horizontal	334	1.15	37.95	39.68	9.13	38.58
PK	13.01228G	60.53	88.20	-27.67	10.23	3	Horizontal	334	1.15	50.30	39.68	9.13	38.58



6.425-6.525GHz_802.11be EHT320_Nss1,(MCS0)_4TX


6585MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.17696G	47.98	68.20	-20.22	10.48	3	Vertical	31	1.50	37.50	39.85	9.19	38.56
PK	13.17776G	60.94	88.20	-27.26	10.47	3	Vertical	31	1.50	50.47	39.84	9.19	38.56

6.425-6.525GHz_802.11be EHT320_Nss1,(MCS0)_4TX

6585MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.16048G	46.49	68.20	-21.71	10.50	3	Horizontal	335	1.50	35.99	39.88	9.18	38.56
PK	13.1786G	58.93	88.20	-29.27	10.48	3	Horizontal	335	1.50	48.45	39.84	9.19	38.55



6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX


6695MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.39176G	46.13	54.00	-7.87	10.91	3	Vertical	323	1.61	35.22	40.18	9.26	38.53
PK	13.39228G	58.63	74.00	-15.37	10.91	3	Vertical	323	1.61	47.72	40.18	9.26	38.53

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6695MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.38888G	42.28	54.00	-11.72	10.90	3	Horizontal	19	2.15	31.38	40.18	9.25	38.53
PK	13.39468G	54.28	74.00	-19.72	10.93	3	Horizontal	19	2.15	43.35	40.19	9.26	38.52



6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX


6685MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.3716G	47.61	54.00	-6.39	10.86	3	Vertical	324	1.55	36.75	40.14	9.25	38.53
PK	13.37308G	59.90	74.00	-14.10	10.87	3	Vertical	324	1.55	49.03	40.15	9.25	38.53

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6685MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.3684G	46.70	54.00	-7.30	10.86	3	Horizontal	36	2.18	35.84	40.14	9.25	38.53
PK	13.36964G	58.62	74.00	-15.38	10.86	3	Horizontal	36	2.18	47.76	40.14	9.25	38.53



6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX


6625MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.25188G	50.21	54.00	-3.79	10.57	3	Vertical	323	2.19	39.64	39.90	9.21	38.54
PK	13.25152G	62.00	74.00	-12.00	10.57	3	Vertical	323	2.19	51.43	39.90	9.21	38.54

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6625MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.25336G	49.13	54.00	-4.87	10.58	3	Horizontal	27	2.02	38.55	39.91	9.21	38.54
PK	13.25436G	62.16	74.00	-11.84	10.58	3	Horizontal	27	2.02	51.58	39.91	9.21	38.54



6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_4TX


6665MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.33188G	51.30	54.00	-2.70	10.77	3	Vertical	324	1.55	40.53	40.06	9.24	38.53
PK	13.331G	64.14	74.00	-9.86	10.77	3	Vertical	324	1.55	53.37	40.06	9.24	38.53

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6665MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.3214G	49.11	54.00	-4.89	10.73	3	Horizontal	330	1.68	38.38	40.04	9.23	38.54
PK	13.3212G	62.12	74.00	-11.88	10.73	3	Horizontal	330	1.68	51.39	40.04	9.23	38.54



6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_4TX


6905MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.8775G	97.46	Inf	-Inf	5.92	3	Vertical	49	1.57	91.54	36.20	6.38	36.66
AV	7.1535G	60.11	68.20	-8.09	6.93	3	Vertical	49	1.57	53.18	37.01	6.51	36.59
PK	6.8175G	106.04	Inf	-Inf	6.01	3	Vertical	49	1.57	100.03	36.33	6.36	36.68
PK	7.1545G	71.66	88.20	-16.54	6.93	3	Vertical	49	1.57	64.73	37.01	6.51	36.59

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_4TX

6905MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.7885G	99.81	Inf	-Inf	6.03	3	Horizontal	0	1.50	93.78	36.38	6.34	36.69
AV	7.1275G	65.12	68.20	-3.08	6.77	3	Horizontal	0	1.50	58.35	36.87	6.49	36.59
PK	6.8285G	108.50	Inf	-Inf	5.97	3	Horizontal	0	1.50	102.53	36.29	6.36	36.68
PK	7.1265G	75.80	88.20	-12.40	6.76	3	Horizontal	0	1.50	69.04	36.86	6.49	36.59



6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_4TX


6905MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.80876G	49.13	68.20	-19.07	11.21	3	Vertical	324	1.62	37.92	40.12	9.39	38.30
PK	13.80944G	60.57	88.20	-27.63	11.21	3	Vertical	324	1.62	49.36	40.12	9.39	38.30

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_4TX

6905MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.80656G	46.84	68.20	-21.36	11.20	3	Horizontal	329	1.63	35.64	40.11	9.39	38.30
PK	13.80632G	58.23	88.20	-29.97	11.20	3	Horizontal	329	1.63	47.03	40.11	9.39	38.30



6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_4TX


7095MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.1028G	98.73	Inf	-Inf	6.60	3	Vertical	0	2.01	92.13	36.72	6.48	36.60
AV	7.242G	48.91	68.20	-19.29	7.26	3	Vertical	0	2.01	41.65	37.27	6.55	36.56
PK	7.1034G	110.49	Inf	-Inf	6.60	3	Vertical	0	2.01	103.89	36.72	6.48	36.60
PK	7.2402G	63.06	88.20	-25.14	7.25	3	Vertical	0	2.01	55.81	37.26	6.55	36.56

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_4TX

7095MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.0974G	100.64	Inf	-Inf	6.57	3	Horizontal	360	1.75	94.07	36.69	6.48	36.60
AV	7.2432G	48.98	68.20	-19.22	7.26	3	Horizontal	360	1.75	41.72	37.27	6.55	36.56
PK	7.098G	113.05	Inf	-Inf	6.57	3	Horizontal	360	1.75	106.48	36.69	6.48	36.60
PK	7.2012G	62.90	88.20	-25.30	7.06	3	Horizontal	360	1.75	55.84	37.10	6.53	36.57



6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_4TX


7095MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.18948G	43.93	68.20	-24.27	12.14	3	Vertical	318	1.50	31.79	40.74	9.52	38.12
PK	14.18932G	56.22	88.20	-31.98	12.14	3	Vertical	318	1.50	44.08	40.74	9.52	38.12

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_4TX

7095MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.19076G	42.63	68.20	-25.57	12.14	3	Horizontal	325	1.00	30.49	40.74	9.52	38.12
PK	14.18204G	54.95	88.20	-33.25	12.17	3	Horizontal	325	1.00	42.78	40.77	9.52	38.12



6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_4TX

7085MHz_TX




18/01/2024

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.073G	97.94	Inf	-Inf	6.45	3	Vertical	0	2.09	91.49	36.59	6.47	36.61
AV	7.1312G	50.83	68.20	-17.37	6.80	3	Vertical	0	2.09	44.03	36.89	6.50	36.59
PK	7.0934G	110.33	Inf	-Inf	6.55	3	Vertical	0	2.09	103.78	36.67	6.48	36.60
PK	7.1318G	63.91	88.20	-24.29	6.80	3	Vertical	0	2.09	57.11	36.89	6.50	36.59

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_4TX

7085MHz_TX




18/01/2024

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.0694G	101.45	Inf	-Inf	6.43	3	Horizontal	355	1.50	95.02	36.58	6.46	36.61
AV	7.1282G	56.34	68.20	-11.86	6.77	3	Horizontal	355	1.50	49.57	36.87	6.49	36.59
PK	7.0898G	113.62	Inf	-Inf	6.53	3	Horizontal	355	1.50	107.09	36.66	6.47	36.60
PK	7.1288G	70.86	88.20	-17.34	6.77	3	Horizontal	355	1.50	64.09	36.87	6.49	36.59



6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_4TX


7085MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.169G	45.17	68.20	-23.03	12.20	3	Vertical	319	1.50	32.97	40.82	9.51	38.13
PK	14.16996G	58.11	88.20	-30.09	12.20	3	Vertical	319	1.50	45.91	40.82	9.51	38.13

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_4TX

7085MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.16932G	43.08	68.20	-25.12	12.20	3	Horizontal	40	2.67	30.88	40.82	9.51	38.13
PK	14.1684G	55.80	88.20	-32.40	12.21	3	Horizontal	40	2.67	43.59	40.83	9.51	38.13



6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_4TX


7025MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.9872G	97.43	Inf	-Inf	5.96	3	Vertical	348	2.35	91.47	36.17	6.42	36.63
AV	7.1258G	50.82	68.20	-17.38	6.75	3	Vertical	348	2.35	44.07	36.85	6.49	36.59
PK	7.0076G	110.88	Inf	-Inf	6.05	3	Vertical	348	2.35	104.83	36.25	6.43	36.63
PK	7.1252G	64.02	88.20	-24.18	6.75	3	Vertical	348	2.35	57.27	36.85	6.49	36.59

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_4TX

7025MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.049G	98.25	Inf	-Inf	6.32	3	Horizontal	354	1.50	91.93	36.49	6.45	36.62
AV	7.1288G	51.24	68.20	-16.96	6.77	3	Horizontal	354	1.50	44.47	36.87	6.49	36.59
PK	7.0304G	109.85	Inf	-Inf	6.21	3	Horizontal	354	1.50	103.64	36.38	6.45	36.62
PK	7.1288G	64.44	88.20	-23.76	6.77	3	Horizontal	354	1.50	57.67	36.87	6.49	36.59



6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_4TX


7025MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.04952G	48.50	68.20	-19.70	11.91	3	Vertical	318	1.50	36.59	40.60	9.47	38.16
PK	14.049G	60.13	88.20	-28.07	11.91	3	Vertical	318	1.50	48.22	40.60	9.47	38.16

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_4TX

7025MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.0404G	44.98	68.20	-23.22	11.89	3	Horizontal	40	1.55	33.09	40.58	9.47	38.16
PK	14.04176G	56.88	88.20	-31.32	11.89	3	Horizontal	40	1.55	44.99	40.58	9.47	38.16



6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6985MHz_TX




18/01/2024

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.91G	96.52	Inf	-Inf	5.91	3	Vertical	11	2.22	90.61	36.18	6.39	36.66
AV	7.129G	57.91	68.20	-10.29	6.77	3	Vertical	11	2.22	51.14	36.87	6.49	36.59
PK	6.91G	109.10	Inf	-Inf	5.91	3	Vertical	11	2.22	103.19	36.18	6.39	36.66
PK	7.128G	70.53	88.20	-17.67	6.77	3	Vertical	11	2.22	63.76	36.87	6.49	36.59

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6985MHz_TX




18/01/2024

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.048G	98.06	Inf	-Inf	6.32	3	Horizontal	357	1.59	91.74	36.49	6.45	36.62
AV	7.128G	61.13	68.20	-7.07	6.77	3	Horizontal	357	1.59	54.36	36.87	6.49	36.59
PK	7.049G	110.42	Inf	-Inf	6.32	3	Horizontal	357	1.59	104.10	36.49	6.45	36.62
PK	7.129G	73.37	88.20	-14.83	6.77	3	Horizontal	357	1.59	66.60	36.87	6.49	36.59



6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0)_4TX


6985MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.96992G	48.76	68.20	-19.44	11.69	3	Vertical	320	1.50	37.07	40.44	9.44	38.19
PK	13.96768G	62.09	88.20	-26.11	11.69	3	Vertical	320	1.50	50.40	40.44	9.44	38.19

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6985MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.96428G	46.54	68.20	-21.66	11.68	3	Horizontal	37	2.87	34.86	40.43	9.44	38.19
PK	13.96444G	59.60	88.20	-28.60	11.68	3	Horizontal	37	2.87	47.92	40.43	9.44	38.19



Summary

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
5.925-6.425GHz	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0)_4TX	Pass	6.01239G	-5.54	6.0259G	-31.46	-25.56	-5.90	4
802.11be EHT80_Nss1,(MCS4)_4TX	Pass	6.01859G	-8.36	6.0267G	-36.44	-28.47	-7.97	2
802.11be EHT160_Nss1,(MCS0)_4TX	Pass	6.351G	-4.44	6.6054G	-52.93	-44.44	-8.49	3
802.11be EHT160_Nss1,(MCS4)_4TX	Pass	5.99201G	-5.09	6.292G	-52.99	-45.09	-7.90	2
802.11be EHT320_Nss1,(MCS0)_4TX	Pass	6.27464G	-6.26	6.9318G	-53.40	-46.25	-7.15	4
802.11be EHT320_Nss1,(MCS4)_4TX	Pass	6.29703G	-7.80	6.9378G	-53.56	-47.80	-5.76	4
6.425-6.525GHz	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0)_4TX	Pass	6.49669G	-7.01	6.3173G	-59.00	-47.01	-11.99	4
802.11be EHT80_Nss1,(MCS4)_4TX	Pass	6.57049G	-7.30	6.6818G	-58.53	-47.30	-11.23	1
802.11be EHT160_Nss1,(MCS0)_4TX	Pass	6.5096G	-4.80	6.1224G	-52.18	-44.80	-7.38	4
802.11be EHT160_Nss1,(MCS4)_4TX	Pass	6.45441G	-5.07	6.1206G	-52.80	-45.07	-7.73	4
802.11be EHT320_Nss1,(MCS0)_4TX	Pass	6.42984G	-4.87	6.0818G	-50.90	-44.87	-6.03	4
802.11be EHT320_Nss1,(MCS4)_4TX	Pass	6.53141G	-7.01	6.0478G	-52.11	-47.01	-5.10	4
6.525-6.875GHz	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0)_4TX	Pass	6.66259G	-6.84	6.7959G	-58.89	-46.84	-12.05	1
802.11be EHT80_Nss1,(MCS4)_4TX	Pass	6.6136G	-6.81	6.7751G	-58.53	-46.81	-11.72	4
802.11be EHT160_Nss1,(MCS0)_4TX	Pass	6.73298G	-4.18	6.2804G	-51.47	-44.18	-7.29	4
802.11be EHT160_Nss1,(MCS4)_4TX	Pass	6.73258G	-6.96	6.28G	-54.54	-46.96	-7.58	4
802.11be EHT320_Nss1,(MCS0)_4TX	Pass	6.755G	-4.60	6.2078G	-50.43	-44.60	-5.83	4
802.11be EHT320_Nss1,(MCS4)_4TX	Pass	6.81418G	-5.62	6.1854G	-50.95	-45.62	-5.33	4
6.875-7.125GHz	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0)_4TX	Pass	6.99331G	-6.70	6.9834G	-35.22	-26.79	-8.43	3
802.11be EHT80_Nss1,(MCS4)_4TX	Pass	6.98711G	-5.85	6.9839G	-32.75	-25.88	-6.87	3
802.11be EHT160_Nss1,(MCS0)_4TX	Pass	6.91222G	-2.81	6.7074G	-50.48	-42.81	-7.67	2
802.11be EHT160_Nss1,(MCS4)_4TX	Pass	6.93681G	-5.37	7.066G	-25.08	-23.77	-1.31	3



Result

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX	-	-	-	-	-	-	-	-
5985MHz	Pass	5.9818G	-6.56	6.026G	-34.35	-26.60	-7.75	1
5985MHz	Pass	5.9752G	-6.74	6.026G	-34.07	-25.94	-8.13	2
5985MHz	Pass	5.9821G	-5.97	6.0263G	-35.54	-25.98	-9.56	3
5985MHz	Pass	6.01239G	-5.54	6.0259G	-31.46	-25.56	-5.90	4
802.11be EHT80_Nss1,(MCS4),RU484+RU242 MRU 3_4TX	-	-	-	-	-	-	-	-
5985MHz	Pass	5.9804G	-8.56	6.0269G	-38.08	-28.62	-9.46	1
5985MHz	Pass	6.01859G	-8.36	6.0267G	-36.44	-28.47	-7.97	2
5985MHz	Pass	5.9831G	-7.86	6.0267G	-36.63	-27.95	-8.68	3
5985MHz	Pass	6.02319G	-7.73	6.0265G	-36.59	-27.80	-8.79	4
802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_4TX	-	-	-	-	-	-	-	-
5985MHz	Pass	6.00949G	-6.83	6.0291G	-41.62	-26.85	-14.77	1
5985MHz	Pass	6.01509G	-6.82	6.1814G	-61.82	-46.82	-15.00	2
5985MHz	Pass	6.01719G	-6.24	6.1207G	-59.50	-46.24	-13.26	3
5985MHz	Pass	6.01569G	-5.76	6.1645G	-60.80	-45.76	-15.04	4
802.11be EHT80_Nss1,(MCS4),RU242+RU242 MRU 1_4TX	-	-	-	-	-	-	-	-
5985MHz	Pass	6.00769G	-7.00	6.1656G	-61.49	-47.00	-14.49	1
5985MHz	Pass	6.00769G	-6.73	6.1693G	-60.38	-46.73	-13.65	2
5985MHz	Pass	5.95781G	-6.39	6.1692G	-61.15	-46.39	-14.76	3
5985MHz	Pass	6.00959G	-5.55	6.171G	-59.79	-45.55	-14.24	4
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX	-	-	-	-	-	-	-	-
6225MHz	Pass	6.18921G	-7.31	6.0674G	-60.32	-47.31	-13.01	1
6225MHz	Pass	6.25809G	-6.77	6.4038G	-61.47	-46.77	-14.70	2
6225MHz	Pass	6.20201G	-7.25	6.0336G	-60.47	-47.25	-13.22	3
6225MHz	Pass	6.18901G	-7.05	6.0669G	-60.41	-47.05	-13.36	4
802.11be EHT80_Nss1,(MCS4),RU484+RU242 MRU 3_4TX	-	-	-	-	-	-	-	-
6225MHz	Pass	6.24729G	-8.12	6.0673G	-58.39	-48.12	-10.27	1
6225MHz	Pass	6.25799G	-7.21	6.359G	-59.36	-47.21	-12.15	2
6225MHz	Pass	6.20031G	-7.46	6.3703G	-59.00	-47.46	-11.54	3
6225MHz	Pass	6.2163G	-7.56	6.0673G	-59.14	-47.56	-11.58	4
802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_4TX	-	-	-	-	-	-	-	-
6225MHz	Pass	6.24679G	-7.46	6.3746G	-60.32	-47.46	-12.86	1
6225MHz	Pass	6.25029G	-7.27	6.3757G	-60.74	-47.27	-13.47	2
6225MHz	Pass	6.25039G	-6.92	6.4072G	-61.10	-46.92	-14.18	3
6225MHz	Pass	6.18851G	-7.37	6.0381G	-60.81	-47.37	-13.44	4
802.11be EHT80_Nss1,(MCS4),RU242+RU242 MRU 1_4TX	-	-	-	-	-	-	-	-
6225MHz	Pass	6.25769G	-7.67	6.1802G	-40.76	-27.76	-13.00	1
6225MHz	Pass	6.25759G	-7.30	6.3865G	-60.13	-47.30	-12.83	2
6225MHz	Pass	6.25129G	-7.55	6.0926G	-59.83	-47.30	-12.53	3
6225MHz	Pass	6.18761G	-7.69	6.037G	-61.19	-47.69	-13.50	4
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX	-	-	-	-	-	-	-	-
6385MHz	Pass	6.36391G	-7.40	6.221G	-60.93	-47.40	-13.53	1
6385MHz	Pass	6.40699G	-6.43	6.5504G	-61.15	-46.43	-14.72	2
6385MHz	Pass	6.3784G	-7.13	6.2153G	-61.17	-47.13	-14.04	3
6385MHz	Pass	6.35401G	-7.05	6.2044G	-59.90	-47.05	-12.85	4
802.11be EHT80_Nss1,(MCS4),RU484+RU242 MRU 3_4TX	-	-	-	-	-	-	-	-
6385MHz	Pass	6.40759G	-8.20	6.2243G	-59.92	-48.20	-11.72	1
6385MHz	Pass	6.40659G	-6.84	6.522G	-59.51	-46.84	-12.67	2
6385MHz	Pass	6.35501G	-7.39	6.2137G	-59.65	-47.39	-12.26	3
6385MHz	Pass	6.35221G	-7.84	6.2204G	-58.72	-47.84	-10.88	4
802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_4TX	-	-	-	-	-	-	-	-
6385MHz	Pass	6.41519G	-7.17	6.5346G	-61.67	-47.17	-14.50	1
6385MHz	Pass	6.41859G	-6.33	6.5459G	-60.68	-46.33	-14.35	2
6385MHz	Pass	6.35111G	-6.96	6.2559G	-61.44	-46.89	-14.55	3
6385MHz	Pass	6.35531G	-7.49	6.2049G	-60.92	-47.49	-13.43	4



Mask_Non-Beamforming_Radio 2_Multi-RU

Appendix E.7

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
802.11be EHT80_Nss1,(MCS4),RU242+RU242 MRU 1_4TX	-	-	-	-	-	-	-	-
6385MHz	Pass	6.42339G	-7.75	6.5193G	-60.24	-47.75	-12.49	1
6385MHz	Pass	6.41999G	-6.97	6.5258G	-59.29	-46.97	-12.32	2
6385MHz	Pass	6.35901G	-7.38	6.5599G	-60.46	-47.38	-13.08	3
6385MHz	Pass	6.41159G	-8.19	6.2004G	-60.09	-48.19	-11.90	4
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX	-	-	-	-	-	-	-	-
6465MHz	Pass	6.50209G	-6.77	6.6375G	-61.18	-46.77	-14.41	1
6465MHz	Pass	6.49979G	-6.91	6.638G	-61.42	-46.91	-14.51	2
6465MHz	Pass	6.42831G	-7.73	6.3058G	-61.32	-47.73	-13.59	3
6465MHz	Pass	6.49889G	-7.67	6.2977G	-60.34	-47.67	-12.67	4
802.11be EHT80_Nss1,(MCS4),RU484+RU242 MRU 3_4TX	-	-	-	-	-	-	-	-
6465MHz	Pass	6.4601G	-7.08	6.6073G	-59.39	-47.08	-12.31	1
6465MHz	Pass	6.50179G	-6.95	6.6384G	-59.09	-46.95	-12.14	2
6465MHz	Pass	6.49089G	-7.23	6.3322G	-59.73	-47.23	-12.50	3
6465MHz	Pass	6.43151G	-7.52	6.2884G	-59.26	-47.52	-11.74	4
802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_4TX	-	-	-	-	-	-	-	-
6465MHz	Pass	6.49789G	-6.91	6.6516G	-61.58	-46.91	-14.67	1
6465MHz	Pass	6.44231G	-6.52	6.6301G	-61.68	-46.52	-15.16	2
6465MHz	Pass	6.50129G	-7.15	6.6459G	-61.58	-47.15	-14.43	3
6465MHz	Pass	6.49669G	-7.01	6.3173G	-59.00	-47.01	-11.99	4
802.11be EHT80_Nss1,(MCS4),RU242+RU242 MRU 1_4TX	-	-	-	-	-	-	-	-
6465MHz	Pass	6.50279G	-6.00	6.6207G	-59.92	-46.00	-13.92	1
6465MHz	Pass	6.50259G	-6.67	6.6534G	-59.67	-46.67	-13.00	2
6465MHz	Pass	6.49949G	-6.87	6.2866G	-60.10	-46.87	-13.23	3
6465MHz	Pass	6.50009G	-7.21	6.2873G	-58.90	-47.21	-11.69	4
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX	-	-	-	-	-	-	-	-
6545MHz	Pass	6.50791G	-6.76	6.6819G	-59.92	-46.76	-13.16	1
6545MHz	Pass	6.57729G	-6.45	6.6814G	-61.69	-46.45	-15.24	2
6545MHz	Pass	6.5289G	-6.81	6.733G	-61.12	-46.81	-14.31	3
6545MHz	Pass	6.51061G	-6.95	6.3743G	-59.91	-46.95	-12.96	4
802.11be EHT80_Nss1,(MCS4),RU484+RU242 MRU 3_4TX	-	-	-	-	-	-	-	-
6545MHz	Pass	6.57049G	-7.30	6.6818G	-58.53	-47.30	-11.23	1
6545MHz	Pass	6.57259G	-6.29	6.4025G	-59.94	-46.29	-13.65	2
6545MHz	Pass	6.5304G	-6.59	6.7235G	-58.93	-46.59	-12.34	3
6545MHz	Pass	6.51211G	-7.22	6.3745G	-59.01	-47.22	-11.79	4
802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_4TX	-	-	-	-	-	-	-	-
6545MHz	Pass	6.50761G	-6.58	6.3743G	-60.56	-46.58	-13.98	1
6545MHz	Pass	6.57829G	-6.20	6.3863G	-59.93	-46.20	-13.73	2
6545MHz	Pass	6.56819G	-6.64	6.7292G	-61.27	-46.64	-14.63	3
6545MHz	Pass	6.51101G	-6.88	6.3579G	-60.84	-46.88	-13.96	4
802.11be EHT80_Nss1,(MCS4),RU242+RU242 MRU 1_4TX	-	-	-	-	-	-	-	-
6545MHz	Pass	6.51031G	-6.88	6.6814G	-59.24	-46.88	-12.36	1
6545MHz	Pass	6.52321G	-5.90	6.4129G	-60.06	-45.84	-14.22	2
6545MHz	Pass	6.50751G	-6.26	6.7317G	-60.13	-46.26	-13.87	3
6545MHz	Pass	6.51751G	-7.14	6.413G	-60.13	-47.14	-12.99	4
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX	-	-	-	-	-	-	-	-
6625MHz	Pass	6.66259G	-6.84	6.7959G	-58.89	-46.84	-12.05	1
6625MHz	Pass	6.6161G	-5.15	6.758G	-61.34	-45.15	-16.19	2
6625MHz	Pass	6.64779G	-5.98	6.7713G	-58.53	-45.98	-12.55	3
6625MHz	Pass	6.65159G	-7.06	6.7637G	-59.29	-47.06	-12.23	4
802.11be EHT80_Nss1,(MCS4),RU484+RU242 MRU 3_4TX	-	-	-	-	-	-	-	-
6625MHz	Pass	6.66259G	-6.49	6.7664G	-59.20	-46.49	-12.71	1
6625MHz	Pass	6.6223G	-4.84	6.7811G	-59.15	-44.84	-14.31	2
6625MHz	Pass	6.6074G	-6.07	6.8041G	-58.90	-46.07	-12.83	3
6625MHz	Pass	6.6136G	-6.81	6.7751G	-58.53	-46.81	-11.72	4
802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_4TX	-	-	-	-	-	-	-	-



Mask_Non-Beamforming_Radio 2_Multi-RU

Appendix E.7

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
6625MHz	Pass	6.64739G	-6.57	6.8106G	-61.00	-46.57	-14.43	1
6625MHz	Pass	6.59141G	-5.76	6.7733G	-58.64	-45.76	-12.88	2
6625MHz	Pass	6.58951G	-6.39	6.815G	-61.16	-46.39	-14.77	3
6625MHz	Pass	6.65889G	-6.95	6.8151G	-60.88	-46.95	-13.93	4
802.11be EHT80_Nss1,(MCS4),RU242+RU242 MRU 1_4TX	-	-	-	-	-	-	-	-
6625MHz	Pass	6.65399G	-6.24	6.7886G	-58.72	-46.24	-12.48	1
6625MHz	Pass	6.65249G	-5.37	6.6698G	-38.69	-25.56	-13.13	2
6625MHz	Pass	6.64729G	-6.15	6.8081G	-60.27	-46.15	-14.12	3
6625MHz	Pass	6.64639G	-6.83	6.8G	-59.53	-46.83	-12.70	4
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX	-	-	-	-	-	-	-	-
6705MHz	Pass	6.74149G	-6.16	6.8352G	-60.10	-46.16	-13.94	1
6705MHz	Pass	6.67061G	-5.73	6.5386G	-61.20	-45.73	-15.47	2
6705MHz	Pass	6.73789G	-5.58	6.8861G	-60.05	-45.58	-14.47	3
6705MHz	Pass	6.72949G	-6.09	6.8354G	-58.62	-46.09	-12.53	4
802.11be EHT80_Nss1,(MCS4),RU484+RU242 MRU 3_4TX	-	-	-	-	-	-	-	-
6705MHz	Pass	6.72979G	-5.80	6.8354G	-57.94	-45.72	-12.22	1
6705MHz	Pass	6.68011G	-5.57	6.5478G	-59.66	-45.57	-14.09	2
6705MHz	Pass	6.72799G	-5.69	6.8433G	-59.00	-45.69	-13.31	3
6705MHz	Pass	6.73129G	-6.15	6.8464G	-58.78	-46.15	-12.63	4
802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_4TX	-	-	-	-	-	-	-	-
6705MHz	Pass	6.74009G	-6.27	6.8352G	-60.04	-46.23	-13.81	1
6705MHz	Pass	6.67061G	-5.57	6.5452G	-60.12	-45.57	-14.55	2
6705MHz	Pass	6.72889G	-6.15	6.5527G	-59.86	-46.15	-13.71	3
6705MHz	Pass	6.73819G	-6.68	6.8953G	-60.65	-46.68	-13.97	4
802.11be EHT80_Nss1,(MCS4),RU242+RU242 MRU 1_4TX	-	-	-	-	-	-	-	-
6705MHz	Pass	6.73249G	-5.99	6.8354G	-58.74	-45.82	-12.92	1
6705MHz	Pass	6.67901G	-5.91	6.562G	-59.37	-45.91	-13.46	2
6705MHz	Pass	6.72849G	-5.84	6.8465G	-60.10	-45.84	-14.26	3
6705MHz	Pass	6.74079G	-5.98	6.8361G	-59.61	-45.98	-13.63	4
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX	-	-	-	-	-	-	-	-
6785MHz	Pass	6.7785G	-6.43	6.9366G	-61.56	-46.43	-15.13	1
6785MHz	Pass	6.7728G	-6.17	6.6172G	-61.18	-46.17	-15.01	2
6785MHz	Pass	6.75841G	-6.27	6.9321G	-60.77	-46.27	-14.50	3
6785MHz	Pass	6.75701G	-6.08	6.9221G	-59.11	-46.08	-13.03	4
802.11be EHT80_Nss1,(MCS4),RU484+RU242 MRU 3_4TX	-	-	-	-	-	-	-	-
6785MHz	Pass	6.82329G	-6.16	6.9446G	-59.93	-46.16	-13.77	1
6785MHz	Pass	6.76021G	-6.14	6.6503G	-58.36	-46.14	-12.22	2
6785MHz	Pass	6.81379G	-6.28	6.9698G	-59.58	-46.28	-13.30	3
6785MHz	Pass	6.81049G	-6.09	6.9699G	-59.14	-46.09	-13.05	4
802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_4TX	-	-	-	-	-	-	-	-
6785MHz	Pass	6.82279G	-6.01	6.8297G	-40.53	-26.04	-14.49	1
6785MHz	Pass	6.75651G	-5.46	6.6398G	-57.87	-45.46	-12.41	2
6785MHz	Pass	6.80769G	-6.12	6.9753G	-61.04	-46.12	-14.92	3
6785MHz	Pass	6.75701G	-5.63	6.918G	-60.37	-45.63	-14.74	4
802.11be EHT80_Nss1,(MCS4),RU242+RU242 MRU 1_4TX	-	-	-	-	-	-	-	-
6785MHz	Pass	6.81139G	-6.48	6.9648G	-59.84	-46.48	-13.36	1
6785MHz	Pass	6.74731G	-6.39	6.6461G	-59.64	-46.39	-13.25	2
6785MHz	Pass	6.80789G	-6.44	6.9623G	-60.15	-46.44	-13.71	3
6785MHz	Pass	6.76301G	-6.12	6.9594G	-59.59	-46.12	-13.47	4
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX	-	-	-	-	-	-	-	-
6865MHz	Pass	6.82681G	-6.92	6.9889G	-58.49	-45.49	-13.00	1
6865MHz	Pass	6.89369G	-6.12	6.7321G	-59.59	-46.12	-13.47	2
6865MHz	Pass	6.89049G	-6.66	6.8214G	-40.60	-26.75	-13.85	3
6865MHz	Pass	6.89649G	-6.33	6.996G	-60.21	-46.33	-13.88	4
802.11be EHT80_Nss1,(MCS4),RU484+RU242 MRU 3_4TX	-	-	-	-	-	-	-	-
6865MHz	Pass	6.83021G	-6.82	6.9955G	-59.89	-46.68	-13.21	1



Mask_Non-Beamforming_Radio 2_Multi-RU

Appendix E.7

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
6865MHz	Pass	6.83641G	-5.86	6.7283G	-58.61	-45.86	-12.75	2
6865MHz	Pass	6.89829G	-6.37	6.6988G	-59.97	-46.37	-13.60	3
6865MHz	Pass	6.8513G	-5.88	6.9976G	-59.13	-45.88	-13.25	4
802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_4TX	-	-	-	-	-	-	-	-
6865MHz	Pass	6.83071G	-6.59	6.996G	-62.36	-46.59	-15.77	1
6865MHz	Pass	6.89309G	-6.14	6.7325G	-61.26	-46.14	-15.12	2
6865MHz	Pass	6.82701G	-6.36	6.6818G	-61.29	-46.36	-14.93	3
6865MHz	Pass	6.83001G	-6.62	6.9957G	-59.05	-46.62	-12.43	4
802.11be EHT80_Nss1,(MCS4),RU242+RU242 MRU 1_4TX	-	-	-	-	-	-	-	-
6865MHz	Pass	6.83241G	-6.77	6.999G	-60.48	-46.77	-13.71	1
6865MHz	Pass	6.83851G	-5.76	6.6702G	-59.62	-45.76	-13.86	2
6865MHz	Pass	6.83231G	-6.78	6.6893G	-60.30	-46.78	-13.52	3
6865MHz	Pass	6.84191G	-6.46	6.9966G	-59.84	-46.44	-13.40	4
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX	-	-	-	-	-	-	-	-
6945MHz	Pass	6.9313G	-6.11	6.8086G	-60.41	-46.11	-14.30	1
6945MHz	Pass	6.91631G	-4.93	6.8145G	-59.97	-44.93	-15.04	2
6945MHz	Pass	6.9261G	-5.72	6.7668G	-59.72	-45.72	-14.00	3
6945MHz	Pass	6.91731G	-6.12	6.768G	-58.93	-46.12	-12.81	4
802.11be EHT80_Nss1,(MCS4),RU484+RU242 MRU 3_4TX	-	-	-	-	-	-	-	-
6945MHz	Pass	6.96949G	-5.82	6.809G	-57.56	-45.82	-11.74	1
6945MHz	Pass	6.91621G	-4.77	6.7464G	-57.44	-44.77	-12.67	2
6945MHz	Pass	6.92241G	-5.84	6.7726G	-58.64	-45.84	-12.80	3
6945MHz	Pass	6.97079G	-6.26	6.7586G	-58.96	-46.26	-12.70	4
802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_4TX	-	-	-	-	-	-	-	-
6945MHz	Pass	6.90951G	-5.84	6.9907G	-41.48	-26.08	-15.40	1
6945MHz	Pass	6.91411G	-5.22	6.7523G	-60.45	-45.22	-15.23	2
6945MHz	Pass	6.91691G	-5.98	6.7704G	-60.78	-45.98	-14.80	3
6945MHz	Pass	6.97139G	-6.17	6.7607G	-60.52	-46.17	-14.35	4
802.11be EHT80_Nss1,(MCS4),RU242+RU242 MRU 1_4TX	-	-	-	-	-	-	-	-
6945MHz	Pass	6.91161G	-6.05	6.7654G	-60.75	-46.05	-14.70	1
6945MHz	Pass	6.91001G	-5.11	6.9893G	-34.65	-22.11	-12.54	2
6945MHz	Pass	6.90821G	-5.93	6.7673G	-60.25	-45.93	-14.32	3
6945MHz	Pass	6.92401G	-6.14	6.8138G	-60.11	-46.10	-14.01	4
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX	-	-	-	-	-	-	-	-
7025MHz	Pass	6.98781G	-7.09	7.0662G	-36.08	-27.10	-8.98	1
7025MHz	Pass	6.99681G	-6.21	6.9838G	-34.69	-26.22	-8.47	2
7025MHz	Pass	6.99331G	-6.70	6.9834G	-35.22	-26.79	-8.43	3
7025MHz	Pass	6.99341G	-7.00	6.9827G	-38.11	-27.26	-10.85	4
802.11be EHT80_Nss1,(MCS4),RU484+RU242 MRU 3_4TX	-	-	-	-	-	-	-	-
7025MHz	Pass	6.99481G	-6.26	6.9838G	-35.14	-26.29	-8.85	1
7025MHz	Pass	6.99001G	-5.14	6.9842G	-33.53	-24.74	-8.79	2
7025MHz	Pass	6.98711G	-5.85	6.9839G	-32.75	-25.88	-6.87	3
7025MHz	Pass	6.99591G	-5.94	6.9838G	-35.23	-25.97	-9.26	4
802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_4TX	-	-	-	-	-	-	-	-
7025MHz	Pass	6.99011G	-4.00	6.8348G	-59.41	-44.00	-15.41	1
7025MHz	Pass	6.98771G	-3.47	6.8938G	-58.53	-43.47	-15.06	2
7025MHz	Pass	6.99541G	-4.06	6.8356G	-58.21	-44.06	-14.15	3
7025MHz	Pass	6.99481G	-4.29	6.838G	-58.56	-44.29	-14.27	4
802.11be EHT80_Nss1,(MCS4),RU242+RU242 MRU 1_4TX	-	-	-	-	-	-	-	-
7025MHz	Pass	6.99121G	-6.86	6.8353G	-58.95	-46.86	-12.09	1
7025MHz	Pass	6.99221G	-5.90	6.8589G	-58.93	-45.90	-13.03	2
7025MHz	Pass	7.00271G	-6.39	6.8476G	-59.33	-46.39	-12.94	3
7025MHz	Pass	6.99491G	-5.70	6.8351G	-59.94	-45.70	-14.24	4
802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_4TX	-	-	-	-	-	-	-	-
6025MHz	Pass	6.0284G	-4.98	6.286G	-55.76	-44.98	-10.78	1
6025MHz	Pass	6.07199G	-4.10	6.3016G	-53.90	-44.10	-9.80	2



Mask_Non-Beamforming_Radio 2_Multi-RU

Appendix E.7

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
6025MHz	Pass	5.97881G	-4.12	6.2884G	-52.77	-44.12	-8.65	3
6025MHz	Pass	6.0336G	-4.04	6.2874G	-53.42	-44.04	-9.38	4
802.11be EHT160_Nss1,(MCS4),RU996+RU484 MRU 2_4TX	-	-	-	-	-	-	-	-
6025MHz	Pass	5.98141G	-7.11	6.3002G	-58.41	-47.11	-11.30	1
6025MHz	Pass	6.08918G	-6.35	6.2838G	-55.03	-46.35	-8.68	2
6025MHz	Pass	5.97881G	-6.03	6.2884G	-54.84	-46.03	-8.81	3
6025MHz	Pass	6.07319G	-5.69	6.2836G	-55.27	-45.69	-9.58	4
802.11be EHT160_Nss1,(MCS0),RU726+RU242+RU242 MRU 1_4TX	-	-	-	-	-	-	-	-
6025MHz	Pass	5.98881G	-5.22	6.2984G	-58.19	-45.22	-12.97	1
6025MHz	Pass	6.09198G	-4.99	6.2884G	-54.81	-44.99	-9.82	2
6025MHz	Pass	6.00261G	-4.31	6.2868G	-54.05	-44.31	-9.74	3
6025MHz	Pass	6.0406G	-4.55	6.2842G	-54.71	-44.55	-10.16	4
802.11be EHT160_Nss1,(MCS4),RU726+RU242+RU242 MRU 1_4TX	-	-	-	-	-	-	-	-
6025MHz	Pass	6.00081G	-5.23	6.2982G	-56.55	-45.23	-11.32	1
6025MHz	Pass	5.99201G	-5.09	6.292G	-52.99	-45.09	-7.90	2
6025MHz	Pass	5.99701G	-4.41	6.3054G	-53.49	-44.41	-9.08	3
6025MHz	Pass	5.98981G	-4.24	6.2816G	-53.76	-44.24	-9.52	4
802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_4TX	-	-	-	-	-	-	-	-
6025MHz	Pass	5.98241G	-4.81	6.2988G	-57.38	-44.81	-12.57	1
6025MHz	Pass	6.08738G	-4.26	6.3002G	-54.27	-44.26	-10.01	2
6025MHz	Pass	6.07999G	-3.95	6.2884G	-53.08	-43.95	-9.13	3
6025MHz	Pass	5.97681G	-3.75	6.2896G	-54.25	-43.75	-10.50	4
802.11be EHT160_Nss1,(MCS4),RU484+RU484 MRU 1_4TX	-	-	-	-	-	-	-	-
6025MHz	Pass	6.06799G	-5.24	6.299G	-55.71	-45.24	-10.47	1
6025MHz	Pass	6.07919G	-4.00	6.2926G	-53.20	-44.00	-9.20	2
6025MHz	Pass	5.97401G	-3.82	6.289G	-53.41	-43.82	-9.59	3
6025MHz	Pass	6.07679G	-3.37	6.4086G	-54.56	-43.37	-11.19	4
802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_4TX	-	-	-	-	-	-	-	-
6185MHz	Pass	6.12841G	-5.08	6.4436G	-56.62	-45.08	-11.54	1
6185MHz	Pass	6.23479G	-4.42	6.468G	-54.80	-44.42	-10.38	2
6185MHz	Pass	6.1992G	-4.35	6.4444G	-53.79	-44.35	-9.44	3
6185MHz	Pass	6.23479G	-4.33	6.5686G	-55.20	-44.33	-10.87	4
802.11be EHT160_Nss1,(MCS4),RU996+RU484 MRU 2_4TX	-	-	-	-	-	-	-	-
6185MHz	Pass	6.1878G	-6.92	6.4596G	-56.88	-46.92	-9.96	1
6185MHz	Pass	6.24838G	-7.03	6.4446G	-55.38	-46.97	-8.41	2
6185MHz	Pass	6.22279G	-6.36	6.4466G	-55.61	-46.36	-9.25	3
6185MHz	Pass	6.1884G	-6.26	6.5692G	-56.99	-46.26	-10.73	4
802.11be EHT160_Nss1,(MCS0),RU726+RU242+RU242 MRU 1_4TX	-	-	-	-	-	-	-	-
6185MHz	Pass	6.14141G	-5.06	6.458G	-56.85	-45.06	-11.79	1
6185MHz	Pass	6.25038G	-4.79	6.4498G	-55.54	-44.79	-10.75	2
6185MHz	Pass	6.202G	-4.52	6.4464G	-53.82	-44.52	-9.30	3
6185MHz	Pass	6.15481G	-4.53	6.5694G	-55.56	-44.53	-11.03	4
802.11be EHT160_Nss1,(MCS4),RU726+RU242+RU242 MRU 1_4TX	-	-	-	-	-	-	-	-
6185MHz	Pass	6.15001G	-5.62	6.4514G	-56.66	-45.62	-11.04	1
6185MHz	Pass	6.25838G	-5.45	6.4464G	-55.01	-45.45	-9.56	2
6185MHz	Pass	6.25978G	-5.21	6.4626G	-54.36	-45.21	-9.15	3
6185MHz	Pass	6.15661G	-4.75	6.5694G	-56.12	-44.75	-11.37	4
802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_4TX	-	-	-	-	-	-	-	-
6185MHz	Pass	6.13101G	-5.06	6.4654G	-57.58	-45.06	-12.52	1
6185MHz	Pass	6.24379G	-4.79	6.4464G	-56.78	-44.79	-11.99	2
6185MHz	Pass	6.25318G	-4.45	6.4408G	-54.97	-44.45	-10.52	3
6185MHz	Pass	6.13521G	-4.36	6.5686G	-56.17	-44.36	-11.81	4
802.11be EHT160_Nss1,(MCS4),RU484+RU484 MRU 1_4TX	-	-	-	-	-	-	-	-
6185MHz	Pass	6.10902G	-5.73	6.451G	-55.74	-45.73	-10.01	1
6185MHz	Pass	6.25198G	-4.91	6.4614G	-55.17	-44.91	-10.26	2
6185MHz	Pass	6.12122G	-5.38	6.4472G	-54.60	-45.38	-9.22	3



Mask_Non-Beamforming_Radio 2_Multi-RU

Appendix E.7

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
6185MHz	Pass	6.22899G	-5.27	6.5706G	-56.32	-45.27	-11.05	4
802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_4TX	-	-	-	-	-	-	-	-
6345MHz	Pass	6.29821G	-4.52	6.068G	-55.84	-44.52	-11.32	1
6345MHz	Pass	6.28881G	-4.08	6.6G	-54.99	-43.93	-11.06	2
6345MHz	Pass	6.351G	-4.44	6.6054G	-52.93	-44.44	-8.49	3
6345MHz	Pass	6.27562G	-4.35	5.9604G	-53.15	-44.35	-8.80	4
802.11be EHT160_Nss1,(MCS4),RU996+RU484 MRU 2_4TX	-	-	-	-	-	-	-	-
6345MHz	Pass	6.29301G	-7.29	6.7292G	-56.74	-47.29	-9.45	1
6345MHz	Pass	6.41878G	-6.91	6.619G	-55.92	-46.91	-9.01	2
6345MHz	Pass	6.38059G	-6.90	6.6056G	-55.56	-46.90	-8.66	3
6345MHz	Pass	6.29841G	-7.29	5.9612G	-55.47	-47.29	-8.18	4
802.11be EHT160_Nss1,(MCS0),RU726+RU242+RU242 MRU 1_4TX	-	-	-	-	-	-	-	-
6345MHz	Pass	6.31621G	-5.11	6.0672G	-56.69	-45.11	-11.58	1
6345MHz	Pass	6.3618G	-4.51	6.6096G	-54.92	-44.51	-10.41	2
6345MHz	Pass	6.31041G	-4.14	6.621G	-53.52	-44.14	-9.38	3
6345MHz	Pass	6.27122G	-4.60	5.9602G	-53.39	-44.60	-8.79	4
802.11be EHT160_Nss1,(MCS4),RU726+RU242+RU242 MRU 1_4TX	-	-	-	-	-	-	-	-
6345MHz	Pass	6.29861G	-5.89	6.611G	-55.90	-45.89	-10.01	1
6345MHz	Pass	6.40998G	-5.54	6.6178G	-56.00	-45.54	-10.46	2
6345MHz	Pass	6.32061G	-5.14	6.6064G	-54.32	-45.14	-9.18	3
6345MHz	Pass	6.29181G	-5.36	5.9606G	-54.17	-45.36	-8.81	4
802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_4TX	-	-	-	-	-	-	-	-
6345MHz	Pass	6.29741G	-4.81	6.0676G	-56.53	-44.81	-11.72	1
6345MHz	Pass	6.41618G	-4.62	6.613G	-56.13	-44.62	-11.51	2
6345MHz	Pass	6.28921G	-4.73	6.6066G	-54.35	-44.73	-9.62	3
6345MHz	Pass	6.27822G	-4.92	5.9614G	-53.77	-44.92	-8.85	4
802.11be EHT160_Nss1,(MCS4),RU484+RU484 MRU 1_4TX	-	-	-	-	-	-	-	-
6345MHz	Pass	6.29801G	-5.58	6.6184G	-56.40	-45.58	-10.82	1
6345MHz	Pass	6.39459G	-5.25	6.6156G	-54.33	-45.25	-9.08	2
6345MHz	Pass	6.28861G	-4.97	6.6094G	-54.29	-44.97	-9.32	3
6345MHz	Pass	6.29421G	-5.24	5.961G	-54.51	-45.24	-9.27	4
802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_4TX	-	-	-	-	-	-	-	-
6505MHz	Pass	6.5082G	-4.00	6.7672G	-54.38	-44.00	-10.38	1
6505MHz	Pass	6.55679G	-3.21	6.7692G	-55.00	-43.21	-11.79	2
6505MHz	Pass	6.54199G	-4.35	6.764G	-52.71	-44.35	-8.36	3
6505MHz	Pass	6.5096G	-4.80	6.1224G	-52.18	-44.80	-7.38	4
802.11be EHT160_Nss1,(MCS4),RU996+RU484 MRU 2_4TX	-	-	-	-	-	-	-	-
6505MHz	Pass	6.55079G	-6.49	6.782G	-55.42	-46.49	-8.93	1
6505MHz	Pass	6.53859G	-5.63	6.7636G	-56.19	-45.63	-10.56	2
6505MHz	Pass	6.52879G	-5.73	6.7656G	-54.35	-45.73	-8.62	3
6505MHz	Pass	6.55039G	-6.41	6.1196G	-54.51	-46.41	-8.10	4
802.11be EHT160_Nss1,(MCS0),RU726+RU242+RU242 MRU 1_4TX	-	-	-	-	-	-	-	-
6505MHz	Pass	6.5102G	-4.50	6.7694G	-55.65	-44.50	-11.15	1
6505MHz	Pass	6.5178G	-3.42	6.769G	-56.02	-43.42	-12.60	2
6505MHz	Pass	6.5088G	-4.31	6.7748G	-53.43	-44.31	-9.12	3
6505MHz	Pass	6.5134G	-4.06	6.122G	-52.62	-44.06	-8.56	4
802.11be EHT160_Nss1,(MCS4),RU726+RU242+RU242 MRU 1_4TX	-	-	-	-	-	-	-	-
6505MHz	Pass	6.5088G	-4.66	6.7714G	-54.71	-44.66	-10.05	1
6505MHz	Pass	6.5208G	-4.23	6.7678G	-55.83	-44.23	-11.60	2
6505MHz	Pass	6.5216G	-4.69	6.769G	-53.02	-44.69	-8.33	3
6505MHz	Pass	6.5112G	-4.85	6.1198G	-52.77	-44.85	-7.92	4
802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_4TX	-	-	-	-	-	-	-	-
6505MHz	Pass	6.56738G	-4.48	6.7856G	-56.03	-44.48	-11.55	1
6505MHz	Pass	6.43282G	-4.74	6.7714G	-57.34	-44.74	-12.60	2
6505MHz	Pass	6.45901G	-4.69	6.7676G	-53.76	-44.69	-9.07	3
6505MHz	Pass	6.55279G	-4.84	6.119G	-52.84	-44.84	-8.00	4



Mask_Non-Beamforming_Radio 2_Multi-RU

Appendix E.7

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
802.11be EHT160_Nss1,(MCS4),RU484+RU484 MRU 1_4TX	-	-	-	-	-	-	-	-
6505MHz	Pass	6.56878G	-5.00	6.7692G	-55.27	-45.00	-10.27	1
6505MHz	Pass	6.57718G	-3.76	6.7734G	-55.24	-43.76	-11.48	2
6505MHz	Pass	6.44142G	-4.42	6.7696G	-53.65	-44.42	-9.23	3
6505MHz	Pass	6.45441G	-5.07	6.1206G	-52.80	-45.07	-7.73	4
802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_4TX	-	-	-	-	-	-	-	-
6665MHz	Pass	6.72419G	-3.35	6.924G	-54.36	-43.35	-11.01	1
6665MHz	Pass	6.59362G	-3.27	6.403G	-51.88	-43.27	-8.61	2
6665MHz	Pass	6.73078G	-3.45	6.9288G	-52.06	-43.45	-8.61	3
6665MHz	Pass	6.73838G	-3.83	6.2796G	-51.72	-43.83	-7.89	4
802.11be EHT160_Nss1,(MCS4),RU996+RU484 MRU 2_4TX	-	-	-	-	-	-	-	-
6665MHz	Pass	6.72299G	-6.48	6.9892G	-56.55	-46.48	-10.07	1
6665MHz	Pass	6.61141G	-6.04	6.4058G	-56.52	-46.04	-10.48	2
6665MHz	Pass	6.72758G	-6.22	6.9216G	-54.96	-46.22	-8.74	3
6665MHz	Pass	6.73258G	-6.96	6.28G	-54.54	-46.96	-7.58	4
802.11be EHT160_Nss1,(MCS0),RU726+RU242+RU242 MRU 1_4TX	-	-	-	-	-	-	-	-
6665MHz	Pass	6.74198G	-3.52	6.9306G	-55.42	-43.52	-11.90	1
6665MHz	Pass	6.6778G	-2.82	6.4006G	-55.06	-42.82	-12.24	2
6665MHz	Pass	6.72898G	-3.36	6.938G	-53.13	-43.36	-9.77	3
6665MHz	Pass	6.73298G	-4.18	6.2804G	-51.47	-44.18	-7.29	4
802.11be EHT160_Nss1,(MCS4),RU726+RU242+RU242 MRU 1_4TX	-	-	-	-	-	-	-	-
6665MHz	Pass	6.73438G	-5.39	6.9888G	-55.92	-45.39	-10.53	1
6665MHz	Pass	6.64121G	-4.43	6.4004G	-55.81	-44.43	-11.38	2
6665MHz	Pass	6.72838G	-4.85	6.9266G	-54.08	-44.85	-9.23	3
6665MHz	Pass	6.73398G	-5.35	6.2816G	-53.25	-45.35	-7.90	4
802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_4TX	-	-	-	-	-	-	-	-
6665MHz	Pass	6.73058G	-4.73	6.931G	-56.52	-44.73	-11.79	1
6665MHz	Pass	6.59702G	-3.11	6.399G	-55.20	-43.11	-12.09	2
6665MHz	Pass	6.73498G	-3.39	6.926G	-53.20	-43.39	-9.81	3
6665MHz	Pass	6.73838G	-4.04	6.28G	-52.42	-44.04	-8.38	4
802.11be EHT160_Nss1,(MCS4),RU484+RU484 MRU 1_4TX	-	-	-	-	-	-	-	-
6665MHz	Pass	6.74078G	-5.07	6.9528G	-55.61	-45.07	-10.54	1
6665MHz	Pass	6.61481G	-4.04	6.3914G	-55.59	-44.04	-11.55	2
6665MHz	Pass	6.71599G	-4.61	6.9192G	-54.44	-44.44	-10.00	3
6665MHz	Pass	6.71799G	-5.12	6.2808G	-53.16	-45.12	-8.04	4
802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_4TX	-	-	-	-	-	-	-	-
6825MHz	Pass	6.8424G	-3.28	7.0904G	-54.64	-43.28	-11.36	1
6825MHz	Pass	6.76821G	-2.48	6.5392G	-52.36	-42.48	-9.88	2
6825MHz	Pass	6.84799G	-2.84	6.5716G	-53.18	-42.46	-10.72	3
6825MHz	Pass	6.87279G	-3.01	6.5634G	-52.13	-43.01	-9.12	4
802.11be EHT160_Nss1,(MCS4),RU996+RU484 MRU 2_4TX	-	-	-	-	-	-	-	-
6825MHz	Pass	6.84659G	-6.12	7.093G	-58.32	-46.12	-12.20	1
6825MHz	Pass	6.77081G	-6.22	6.561G	-55.95	-46.22	-9.73	2
6825MHz	Pass	6.88598G	-6.14	6.5452G	-56.69	-46.14	-10.55	3
6825MHz	Pass	6.77441G	-5.90	6.5486G	-55.61	-45.90	-9.71	4
802.11be EHT160_Nss1,(MCS0),RU726+RU242+RU242 MRU 1_4TX	-	-	-	-	-	-	-	-
6825MHz	Pass	6.78881G	-3.29	7.0958G	-56.31	-43.29	-13.02	1
6825MHz	Pass	6.77401G	-2.76	6.562G	-52.75	-42.76	-9.99	2
6825MHz	Pass	6.79001G	-3.56	7.083G	-54.83	-43.56	-11.27	3
6825MHz	Pass	6.80041G	-3.23	6.4412G	-52.53	-43.23	-9.30	4
802.11be EHT160_Nss1,(MCS4),RU726+RU242+RU242 MRU 1_4TX	-	-	-	-	-	-	-	-
6825MHz	Pass	6.80321G	-4.98	7.0872G	-57.47	-44.98	-12.49	1
6825MHz	Pass	6.79701G	-4.18	6.5564G	-54.48	-44.18	-10.30	2
6825MHz	Pass	6.88838G	-5.00	7.0978G	-56.42	-45.00	-11.42	3
6825MHz	Pass	6.89038G	-4.73	6.4422G	-54.11	-44.73	-9.38	4
802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_4TX	-	-	-	-	-	-	-	-



Mask_Non-Beamforming_Radio 2_Multi-RU

Appendix E.7

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
6825MHz	Pass	6.78221G	-3.40	7.0976G	-56.50	-43.40	-13.10	1
6825MHz	Pass	6.75322G	-2.60	6.562G	-53.28	-42.60	-10.68	2
6825MHz	Pass	6.76801G	-3.74	6.5626G	-54.74	-43.74	-11.00	3
6825MHz	Pass	6.78081G	-3.64	6.4398G	-52.74	-43.64	-9.10	4
802.11be EHT160_Nss1,(MCS4),RU484+RU484 MRU 1_4TX	-	-	-	-	-	-	-	-
6825MHz	Pass	6.78261G	-4.80	7.0916G	-57.16	-44.80	-12.36	1
6825MHz	Pass	6.77061G	-3.73	6.5534G	-53.36	-43.73	-9.63	2
6825MHz	Pass	6.87539G	-4.61	6.5602G	-55.75	-44.61	-11.14	3
6825MHz	Pass	6.89378G	-4.73	6.4408G	-54.64	-44.73	-9.91	4
802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_4TX	-	-	-	-	-	-	-	-
6985MHz	Pass	7.00979G	-2.98	7.2508G	-53.55	-42.98	-10.57	1
6985MHz	Pass	6.91522G	-2.18	6.7184G	-50.16	-42.18	-7.98	2
6985MHz	Pass	7.0032G	-2.82	6.7166G	-52.11	-42.82	-9.29	3
6985MHz	Pass	7.01059G	-3.17	6.6004G	-52.46	-43.17	-9.29	4
802.11be EHT160_Nss1,(MCS4),RU996+RU484 MRU 2_4TX	-	-	-	-	-	-	-	-
6985MHz	Pass	6.93161G	-6.78	7.0664G	-29.53	-24.38	-5.15	1
6985MHz	Pass	6.91342G	-5.56	6.7126G	-53.91	-45.56	-8.35	2
6985MHz	Pass	6.9908G	-6.58	7.066G	-26.50	-24.98	-1.52	3
6985MHz	Pass	6.91322G	-6.79	7.0666G	-34.26	-26.80	-7.46	4
802.11be EHT160_Nss1,(MCS0),RU726+RU242+RU242 MRU 1_4TX	-	-	-	-	-	-	-	-
6985MHz	Pass	6.90922G	-3.30	6.7244G	-54.79	-43.30	-11.49	1
6985MHz	Pass	6.91042G	-2.68	6.7182G	-51.42	-42.68	-8.74	2
6985MHz	Pass	7.0028G	-3.28	6.715G	-53.94	-43.28	-10.66	3
6985MHz	Pass	7.002G	-3.90	6.5998G	-52.86	-43.90	-8.96	4
802.11be EHT160_Nss1,(MCS4),RU726+RU242+RU242 MRU 1_4TX	-	-	-	-	-	-	-	-
6985MHz	Pass	6.92901G	-5.61	6.9034G	-30.76	-25.62	-5.14	1
6985MHz	Pass	6.91642G	-4.98	6.7178G	-53.64	-44.98	-8.66	2
6985MHz	Pass	6.93681G	-5.37	7.066G	-25.08	-23.77	-1.31	3
6985MHz	Pass	6.95261G	-5.70	7.0666G	-31.62	-25.71	-5.91	4
802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_4TX	-	-	-	-	-	-	-	-
6985MHz	Pass	6.93201G	-3.57	6.7108G	-53.20	-43.57	-9.63	1
6985MHz	Pass	6.91222G	-2.81	6.7074G	-50.48	-42.81	-7.67	2
6985MHz	Pass	6.91302G	-3.20	6.722G	-53.08	-43.20	-9.88	3
6985MHz	Pass	6.91662G	-3.58	6.601G	-52.51	-43.58	-8.93	4
802.11be EHT160_Nss1,(MCS4),RU484+RU484 MRU 1_4TX	-	-	-	-	-	-	-	-
6985MHz	Pass	6.92062G	-5.35	6.7096G	-55.12	-45.35	-9.77	1
6985MHz	Pass	6.91422G	-3.96	6.7092G	-52.08	-43.96	-8.12	2
6985MHz	Pass	6.93381G	-4.77	6.7078G	-54.14	-44.77	-9.37	3
6985MHz	Pass	6.91482G	-5.02	6.6008G	-54.76	-45.02	-9.74	4
802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 4_4TX	-	-	-	-	-	-	-	-
6105MHz	Pass	6.1106G	-4.80	6.6478G	-56.01	-44.80	-11.21	1
6105MHz	Pass	6.17578G	-4.66	6.6382G	-52.15	-44.66	-7.49	2
6105MHz	Pass	5.98063G	-4.92	6.641G	-54.52	-44.92	-9.60	3
6105MHz	Pass	6.07821G	-5.54	6.595G	-52.28	-44.34	-7.94	4
802.11be EHT320_Nss1,(MCS4),3xRU996 MRU 4_4TX	-	-	-	-	-	-	-	-
6105MHz	Pass	5.99143G	-7.04	6.8366G	-54.37	-47.04	-7.33	1
6105MHz	Pass	6.17018G	-7.00	6.6034G	-54.08	-47.00	-7.08	2
6105MHz	Pass	6.18098G	-6.78	6.613G	-54.50	-46.78	-7.72	3
6105MHz	Pass	6.093G	-6.75	6.621G	-54.76	-46.75	-8.01	4
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 8_4TX	-	-	-	-	-	-	-	-
6105MHz	Pass	6.19098G	-4.85	6.683G	-55.19	-44.85	-10.34	1
6105MHz	Pass	6.19898G	-3.28	6.6634G	-53.10	-43.28	-9.82	2
6105MHz	Pass	6.20218G	-3.95	6.623G	-54.25	-43.95	-10.30	3
6105MHz	Pass	6.1086G	-4.30	6.6522G	-53.11	-44.30	-8.81	4
802.11be EHT320_Nss1,(MCS4),2xRU996+RU484 MRU 8_4TX	-	-	-	-	-	-	-	-
6105MHz	Pass	6.19058G	-7.76	6.6818G	-57.02	-47.76	-9.26	1



Mask_Non-Beamforming_Radio 2_Multi-RU

Appendix E.7

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
6105MHz	Pass	6.26216G	-7.67	6.6002G	-54.63	-47.49	-7.14	2
6105MHz	Pass	6.18018G	-7.02	6.6162G	-54.61	-47.02	-7.59	3
6105MHz	Pass	6.05341G	-7.90	6.6742G	-56.11	-47.90	-8.21	4
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 5_4TX	-	-	-	-	-	-	-	-
6105MHz	Pass	5.98983G	-4.71	6.6402G	-55.92	-44.71	-11.21	1
6105MHz	Pass	6.0938G	-4.12	6.641G	-54.39	-44.12	-10.27	2
6105MHz	Pass	6.18058G	-4.20	6.6526G	-54.66	-44.20	-10.46	3
6105MHz	Pass	6.0914G	-4.93	6.6326G	-53.77	-44.93	-8.84	4
802.11be EHT320_Nss1,(MCS4),2xRU996+RU484 MRU 5_4TX	-	-	-	-	-	-	-	-
6105MHz	Pass	6.00782G	-6.53	6.8354G	-56.19	-46.53	-9.66	1
6105MHz	Pass	6.17978G	-6.12	6.6034G	-53.75	-46.12	-7.63	2
6105MHz	Pass	6.15979G	-5.66	6.619G	-54.27	-45.66	-8.61	3
6105MHz	Pass	6.07301G	-5.98	6.6338G	-54.90	-45.98	-8.92	4
802.11be EHT320_Nss1,(MCS0),2xRU996 MRU 1_4TX	-	-	-	-	-	-	-	-
6105MHz	Pass	5.99023G	-4.79	6.8358G	-55.20	-44.79	-10.41	1
6105MHz	Pass	6.26016G	-4.32	6.5262G	-48.67	-38.39	-10.28	2
6105MHz	Pass	6.22897G	-4.36	6.5298G	-49.07	-38.61	-10.46	3
6105MHz	Pass	6.01622G	-4.52	6.661G	-54.50	-44.52	-9.98	4
802.11be EHT320_Nss1,(MCS4),2xRU996 MRU 1_4TX	-	-	-	-	-	-	-	-
6105MHz	Pass	5.98903G	-4.73	6.8358G	-55.80	-44.73	-11.07	1
6105MHz	Pass	6.24097G	-4.03	6.5266G	-47.83	-38.53	-9.30	2
6105MHz	Pass	6.25296G	-4.21	6.5082G	-46.15	-36.85	-9.30	3
6105MHz	Pass	5.97823G	-4.66	6.5182G	-47.37	-38.01	-9.36	4
802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 4_4TX	-	-	-	-	-	-	-	-
6265MHz	Pass	6.22101G	-4.77	6.7734G	-54.87	-44.77	-10.10	1
6265MHz	Pass	6.2814G	-4.46	6.7894G	-54.33	-44.46	-9.87	2
6265MHz	Pass	6.2762G	-4.23	6.7678G	-53.42	-44.23	-9.19	3
6265MHz	Pass	6.2578G	-4.79	6.7898G	-53.20	-44.79	-8.41	4
802.11be EHT320_Nss1,(MCS4),3xRU996 MRU 4_4TX	-	-	-	-	-	-	-	-
6265MHz	Pass	6.19662G	-7.65	6.8038G	-53.86	-47.65	-6.21	1
6265MHz	Pass	6.31939G	-6.97	6.7694G	-54.99	-46.97	-8.02	2
6265MHz	Pass	6.2698G	-6.74	6.7666G	-54.24	-46.65	-7.59	3
6265MHz	Pass	6.257G	-7.15	6.771G	-54.75	-47.15	-7.60	4
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 8_4TX	-	-	-	-	-	-	-	-
6265MHz	Pass	6.31699G	-6.56	6.8362G	-55.01	-46.56	-8.45	1
6265MHz	Pass	6.41736G	-5.17	6.8122G	-56.30	-45.17	-11.13	2
6265MHz	Pass	6.30939G	-5.46	6.7918G	-55.33	-45.46	-9.87	3
6265MHz	Pass	6.18862G	-6.14	6.8354G	-53.69	-46.14	-7.55	4
802.11be EHT320_Nss1,(MCS4),2xRU996+RU484 MRU 8_4TX	-	-	-	-	-	-	-	-
6265MHz	Pass	6.21141G	-8.11	6.767G	-54.59	-48.11	-6.48	1
6265MHz	Pass	6.33738G	-6.92	6.765G	-55.59	-46.92	-8.67	2
6265MHz	Pass	6.2814G	-6.94	6.789G	-54.78	-46.94	-7.84	3
6265MHz	Pass	6.21621G	-6.74	6.8334G	-54.54	-46.74	-7.80	4
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 5_4TX	-	-	-	-	-	-	-	-
6265MHz	Pass	6.24301G	-5.47	6.7898G	-54.76	-45.47	-9.29	1
6265MHz	Pass	6.32219G	-4.77	6.8162G	-56.48	-44.77	-11.71	2
6265MHz	Pass	6.23861G	-4.29	6.8026G	-55.62	-44.29	-11.33	3
6265MHz	Pass	6.2594G	-4.92	6.7902G	-53.21	-44.92	-8.29	4
802.11be EHT320_Nss1,(MCS4),2xRU996+RU484 MRU 5_4TX	-	-	-	-	-	-	-	-
6265MHz	Pass	6.20821G	-6.87	6.8354G	-55.19	-46.87	-8.32	1
6265MHz	Pass	6.32059G	-6.02	6.7766G	-54.91	-46.02	-8.89	2
6265MHz	Pass	6.17902G	-5.82	6.789G	-54.22	-45.82	-8.40	3
6265MHz	Pass	6.19902G	-6.60	6.7922G	-54.37	-46.60	-7.77	4
802.11be EHT320_Nss1,(MCS0),2xRU996 MRU 1_4TX	-	-	-	-	-	-	-	-
6265MHz	Pass	6.12903G	-5.02	6.8358G	-54.37	-45.02	-9.35	1
6265MHz	Pass	6.41896G	-4.14	6.6842G	-49.16	-38.15	-11.01	2



Mask_Non-Beamforming_Radio 2_Multi-RU

Appendix E.7

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
6265MHz	Pass	6.36098G	-3.87	6.795G	-54.98	-43.87	-11.11	3
6265MHz	Pass	6.11504G	-4.65	6.879G	-53.57	-44.65	-8.92	4
802.11be EHT320_Nss1,(MCS4),2xRU996 MRU 1_4TX	-	-	-	-	-	-	-	-
6265MHz	Pass	6.16662G	-5.37	6.7786G	-53.33	-45.37	-7.96	1
6265MHz	Pass	6.41576G	-4.78	6.7678G	-54.77	-44.77	-10.00	2
6265MHz	Pass	6.36098G	-4.74	6.7718G	-53.73	-44.74	-8.99	3
6265MHz	Pass	6.18102G	-4.98	6.8318G	-53.98	-44.98	-9.00	4
802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 4_4TX	-	-	-	-	-	-	-	-
6425MHz	Pass	6.28264G	-5.21	6.9686G	-53.31	-45.21	-8.10	1
6425MHz	Pass	6.49858G	-4.69	6.9482G	-55.65	-44.69	-10.96	2
6425MHz	Pass	6.4194G	-5.96	6.9226G	-55.17	-45.96	-9.21	3
6425MHz	Pass	6.28064G	-4.99	6.9554G	-52.98	-44.99	-7.99	4
802.11be EHT320_Nss1,(MCS4),3xRU996 MRU 4_4TX	-	-	-	-	-	-	-	-
6425MHz	Pass	6.4286G	-7.59	6.9278G	-54.04	-47.58	-6.46	1
6425MHz	Pass	6.4186G	-6.99	6.9378G	-58.59	-46.99	-11.60	2
6425MHz	Pass	6.4118G	-7.58	6.931G	-54.55	-47.58	-6.97	3
6425MHz	Pass	6.29703G	-7.80	6.9378G	-53.56	-47.80	-5.76	4
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 8_4TX	-	-	-	-	-	-	-	-
6425MHz	Pass	6.52737G	-4.83	6.9254G	-54.64	-44.83	-9.81	1
6425MHz	Pass	6.55657G	-4.18	6.9746G	-55.66	-44.18	-11.48	2
6425MHz	Pass	6.4426G	-5.20	6.9298G	-54.70	-45.20	-9.50	3
6425MHz	Pass	6.37581G	-5.53	6.9778G	-52.77	-45.53	-7.24	4
802.11be EHT320_Nss1,(MCS4),2xRU996+RU484 MRU 8_4TX	-	-	-	-	-	-	-	-
6425MHz	Pass	6.50978G	-8.20	6.9198G	-54.32	-48.20	-6.12	1
6425MHz	Pass	6.44659G	-7.30	6.935G	-58.57	-47.30	-11.27	2
6425MHz	Pass	6.52058G	-6.98	6.9222G	-54.82	-46.98	-7.84	3
6425MHz	Pass	6.37301G	-8.01	6.9506G	-54.33	-48.01	-6.32	4
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 5_4TX	-	-	-	-	-	-	-	-
6425MHz	Pass	6.405G	-6.24	6.9222G	-54.70	-46.11	-8.59	1
6425MHz	Pass	6.4178G	-5.72	6.929G	-57.96	-45.61	-12.35	2
6425MHz	Pass	6.4094G	-6.40	6.9314G	-56.50	-46.40	-10.10	3
6425MHz	Pass	6.27464G	-6.26	6.9318G	-53.40	-46.25	-7.15	4
802.11be EHT320_Nss1,(MCS4),2xRU996+RU484 MRU 5_4TX	-	-	-	-	-	-	-	-
6425MHz	Pass	6.28264G	-6.43	6.9894G	-53.81	-46.43	-7.38	1
6425MHz	Pass	6.4102G	-5.93	6.9534G	-57.85	-45.93	-11.92	2
6425MHz	Pass	6.38221G	-6.31	6.9274G	-53.96	-46.18	-7.78	3
6425MHz	Pass	6.31303G	-6.11	6.9298G	-52.89	-46.11	-6.78	4
802.11be EHT320_Nss1,(MCS0),2xRU996 MRU 1_4TX	-	-	-	-	-	-	-	-
6425MHz	Pass	6.28304G	-5.25	6.989G	-54.63	-45.25	-9.38	1
6425MHz	Pass	6.55697G	-4.76	6.0094G	-49.13	-38.35	-10.78	2
6425MHz	Pass	6.52058G	-4.93	6.933G	-55.79	-44.93	-10.86	3
6425MHz	Pass	6.27904G	-4.83	6.989G	-53.59	-44.83	-8.76	4
802.11be EHT320_Nss1,(MCS4),2xRU996 MRU 1_4TX	-	-	-	-	-	-	-	-
6425MHz	Pass	6.52897G	-5.35	6.9906G	-53.45	-45.35	-8.10	1
6425MHz	Pass	6.57496G	-5.00	6.0302G	-47.53	-37.04	-10.49	2
6425MHz	Pass	6.31983G	-5.20	6.9694G	-53.85	-45.20	-8.65	3
6425MHz	Pass	6.27144G	-4.52	6.9706G	-53.10	-44.52	-8.58	4
802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 4_4TX	-	-	-	-	-	-	-	-
6585MHz	Pass	6.63219G	-4.24	6.0578G	-54.63	-44.24	-10.39	1
6585MHz	Pass	6.56021G	-2.70	6.079G	-52.97	-42.70	-10.27	2
6585MHz	Pass	6.64818G	-4.28	6.0394G	-54.23	-44.28	-9.95	3
6585MHz	Pass	6.42984G	-4.87	6.0818G	-50.90	-44.87	-6.03	4
802.11be EHT320_Nss1,(MCS4),3xRU996 MRU 4_4TX	-	-	-	-	-	-	-	-
6585MHz	Pass	6.66138G	-7.37	6.0666G	-56.09	-47.37	-8.72	1
6585MHz	Pass	6.61699G	-6.14	6.0618G	-56.17	-46.14	-10.03	2
6585MHz	Pass	6.62899G	-7.09	6.0346G	-55.76	-47.09	-8.67	3



Mask_Non-Beamforming_Radio 2_Multi-RU

Appendix E.7

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
6585MHz	Pass	6.53141G	-7.01	6.0478G	-52.11	-47.01	-5.10	4
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 8_4TX	-	-	-	-	-	-	-	-
6585MHz	Pass	6.72896G	-4.43	7.0894G	-56.34	-44.43	-11.91	1
6585MHz	Pass	6.63739G	-3.37	6.0722G	-55.70	-43.37	-12.33	2
6585MHz	Pass	6.72936G	-4.73	6.0486G	-55.56	-44.73	-10.83	3
6585MHz	Pass	6.53501G	-5.14	6.0482G	-51.42	-45.14	-6.28	4
802.11be EHT320_Nss1,(MCS4),2xRU996+RU484 MRU 8_4TX	-	-	-	-	-	-	-	-
6585MHz	Pass	6.74096G	-7.32	6.0678G	-56.46	-47.32	-9.14	1
6585MHz	Pass	6.54181G	-6.17	6.0578G	-56.76	-46.17	-10.59	2
6585MHz	Pass	6.72656G	-6.81	6.0614G	-56.10	-46.81	-9.29	3
6585MHz	Pass	6.53181G	-7.48	6.0566G	-53.09	-47.48	-5.61	4
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 5_4TX	-	-	-	-	-	-	-	-
6585MHz	Pass	6.63059G	-4.68	6.067G	-56.06	-44.68	-11.38	1
6585MHz	Pass	6.579G	-3.31	6.4194G	-35.37	-23.36	-12.01	2
6585MHz	Pass	6.56141G	-4.62	6.0386G	-54.80	-44.62	-10.18	3
6585MHz	Pass	6.51142G	-4.44	6.0398G	-50.81	-44.44	-6.37	4
802.11be EHT320_Nss1,(MCS4),2xRU996+RU484 MRU 5_4TX	-	-	-	-	-	-	-	-
6585MHz	Pass	6.66058G	-6.21	6.0678G	-55.34	-46.21	-9.13	1
6585MHz	Pass	6.52142G	-4.84	6.0622G	-55.77	-44.84	-10.93	2
6585MHz	Pass	6.64898G	-5.66	6.061G	-55.14	-45.66	-9.48	3
6585MHz	Pass	6.53461G	-5.69	6.0402G	-51.23	-45.69	-5.54	4
802.11be EHT320_Nss1,(MCS0),2xRU996 MRU 1_4TX	-	-	-	-	-	-	-	-
6585MHz	Pass	6.74176G	-3.94	7.0002G	-48.29	-37.43	-10.86	1
6585MHz	Pass	6.67898G	-3.88	6.1782G	-45.92	-36.92	-9.00	2
6585MHz	Pass	6.72856G	-4.41	7.0074G	-49.57	-38.65	-10.92	3
6585MHz	Pass	6.43384G	-4.76	6.0402G	-52.24	-44.76	-7.48	4
802.11be EHT320_Nss1,(MCS4),2xRU996 MRU 1_4TX	-	-	-	-	-	-	-	-
6585MHz	Pass	6.73056G	-4.05	7.0054G	-47.44	-37.99	-9.45	1
6585MHz	Pass	6.67978G	-3.87	6.1786G	-44.83	-36.58	-8.25	2
6585MHz	Pass	6.73016G	-4.54	7.0158G	-49.02	-39.30	-9.72	3
6585MHz	Pass	6.49542G	-4.85	6.0378G	-51.38	-44.85	-6.53	4
802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 4_4TX	-	-	-	-	-	-	-	-
6745MHz	Pass	6.79059G	-4.35	6.2398G	-55.94	-44.35	-11.59	1
6745MHz	Pass	6.63823G	-3.76	6.2294G	-53.08	-43.76	-9.32	2
6745MHz	Pass	6.7294G	-4.83	6.2278G	-54.17	-44.83	-9.34	3
6745MHz	Pass	6.755G	-4.60	6.2078G	-50.43	-44.60	-5.83	4
802.11be EHT320_Nss1,(MCS4),3xRU996 MRU 4_4TX	-	-	-	-	-	-	-	-
6745MHz	Pass	6.78979G	-6.48	6.2554G	-57.63	-46.48	-11.15	1
6745MHz	Pass	6.61503G	-5.93	6.2478G	-54.86	-45.93	-8.93	2
6745MHz	Pass	6.80858G	-6.54	6.2354G	-55.29	-46.54	-8.75	3
6745MHz	Pass	6.81298G	-6.26	6.2566G	-52.04	-46.26	-5.78	4
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 8_4TX	-	-	-	-	-	-	-	-
6745MHz	Pass	6.76779G	-4.38	6.909G	-34.48	-24.41	-10.07	1
6745MHz	Pass	6.7586G	-3.90	6.9078G	-28.71	-21.50	-7.21	2
6745MHz	Pass	6.77019G	-4.95	6.2294G	-55.82	-44.95	-10.87	3
6745MHz	Pass	6.78899G	-4.44	6.219G	-51.36	-44.44	-6.92	4
802.11be EHT320_Nss1,(MCS4),2xRU996+RU484 MRU 8_4TX	-	-	-	-	-	-	-	-
6745MHz	Pass	6.81098G	-6.72	6.2218G	-58.34	-46.72	-11.62	1
6745MHz	Pass	6.67822G	-6.15	6.253G	-55.73	-46.15	-9.58	2
6745MHz	Pass	6.84617G	-6.76	6.2338G	-56.74	-46.76	-9.98	3
6745MHz	Pass	6.755G	-6.51	6.2094G	-52.38	-46.51	-5.87	4
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 5_4TX	-	-	-	-	-	-	-	-
6745MHz	Pass	6.79059G	-4.41	6.2202G	-56.83	-44.41	-12.42	1
6745MHz	Pass	6.61583G	-3.37	6.2286G	-55.26	-43.37	-11.89	2
6745MHz	Pass	6.79179G	-4.38	6.207G	-54.99	-44.38	-10.61	3
6745MHz	Pass	6.79059G	-4.26	6.1954G	-50.97	-44.26	-6.71	4



Mask_Non-Beamforming_Radio 2_Multi-RU

Appendix E.7

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
802.11be EHT320_Nss1,(MCS4),2xRU996+RU484 MRU 5_4TX	-	-	-	-	-	-	-	-
6745MHz	Pass	6.82018G	-5.07	6.2206G	-57.25	-45.07	-12.18	1
6745MHz	Pass	6.63783G	-4.59	6.2278G	-54.77	-44.59	-10.18	2
6745MHz	Pass	6.80698G	-5.38	6.2074G	-54.94	-45.38	-9.56	3
6745MHz	Pass	6.81418G	-5.62	6.1854G	-50.95	-45.62	-5.33	4
802.11be EHT320_Nss1,(MCS0),2xRU996 MRU 1_4TX	-	-	-	-	-	-	-	-
6745MHz	Pass	6.84218G	-4.02	7.1702G	-48.85	-38.54	-10.31	1
6745MHz	Pass	6.61463G	-3.64	6.3278G	-46.02	-37.58	-8.44	2
6745MHz	Pass	6.87497G	-4.60	6.3122G	-50.38	-39.58	-10.80	3
6745MHz	Pass	6.87217G	-3.83	6.1974G	-51.95	-43.83	-8.12	4
802.11be EHT320_Nss1,(MCS4),2xRU996 MRU 1_4TX	-	-	-	-	-	-	-	-
6745MHz	Pass	6.84937G	-4.04	7.1514G	-47.29	-37.05	-10.24	1
6745MHz	Pass	6.61903G	-3.45	6.3342G	-44.38	-36.93	-7.45	2
6745MHz	Pass	6.84977G	-4.51	6.3314G	-48.14	-38.12	-10.02	3
6745MHz	Pass	6.87137G	-3.93	6.199G	-51.08	-43.93	-7.15	4
802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 4_4TX	-	-	-	-	-	-	-	-
6905MHz	Pass	6.86901G	-4.91	6.3922G	-57.75	-44.91	-12.84	1
6905MHz	Pass	6.75344G	-3.48	6.3814G	-51.88	-43.48	-8.40	2
6905MHz	Pass	6.8998G	-4.85	6.3682G	-54.87	-44.85	-10.02	3
6905MHz	Pass	6.87701G	-5.11	6.3526G	-52.26	-45.11	-7.15	4
802.11be EHT320_Nss1,(MCS4),3xRU996 MRU 4_4TX	-	-	-	-	-	-	-	-
6905MHz	Pass	6.88141G	-7.89	6.3738G	-58.76	-47.89	-10.87	1
6905MHz	Pass	6.77623G	-6.60	6.4038G	-55.33	-46.57	-8.76	2
6905MHz	Pass	6.8854G	-7.32	6.3918G	-56.72	-47.32	-9.40	3
6905MHz	Pass	6.9194G	-7.76	6.3174G	-54.80	-47.76	-7.04	4
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 8_4TX	-	-	-	-	-	-	-	-
6905MHz	Pass	6.911G	-4.23	6.3742G	-57.82	-44.23	-13.59	1
6905MHz	Pass	6.83302G	-3.28	6.4022G	-53.06	-43.28	-9.78	2
6905MHz	Pass	6.84981G	-3.94	6.389G	-55.37	-43.94	-11.43	3
6905MHz	Pass	6.9094G	-3.97	6.387G	-52.42	-43.97	-8.45	4
802.11be EHT320_Nss1,(MCS4),2xRU996+RU484 MRU 8_4TX	-	-	-	-	-	-	-	-
6905MHz	Pass	6.84861G	-7.40	6.3994G	-56.90	-47.40	-9.50	1
6905MHz	Pass	6.85901G	-6.67	6.3914G	-54.76	-46.67	-8.09	2
6905MHz	Pass	6.9098G	-7.38	6.3902G	-57.77	-47.38	-10.39	3
6905MHz	Pass	7.00138G	-7.47	6.389G	-54.87	-47.47	-7.40	4
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 5_4TX	-	-	-	-	-	-	-	-
6905MHz	Pass	6.8954G	-4.33	6.3738G	-57.12	-44.33	-12.79	1
6905MHz	Pass	6.77783G	-3.26	6.3714G	-52.70	-43.26	-9.44	2
6905MHz	Pass	6.895G	-4.24	6.3514G	-55.11	-44.24	-10.87	3
6905MHz	Pass	6.8966G	-4.27	6.2882G	-52.48	-44.27	-8.21	4
802.11be EHT320_Nss1,(MCS4),2xRU996+RU484 MRU 5_4TX	-	-	-	-	-	-	-	-
6905MHz	Pass	6.8902G	-5.74	6.389G	-55.73	-45.74	-9.99	1
6905MHz	Pass	6.78023G	-5.09	6.4018G	-53.08	-45.09	-7.99	2
6905MHz	Pass	6.85701G	-5.82	6.4046G	-56.12	-45.82	-10.30	3
6905MHz	Pass	6.8902G	-6.17	6.3358G	-53.01	-46.17	-6.84	4
802.11be EHT320_Nss1,(MCS0),2xRU996 MRU 1_4TX	-	-	-	-	-	-	-	-
6905MHz	Pass	6.80782G	-4.47	7.3106G	-47.95	-37.28	-10.67	1
6905MHz	Pass	6.76104G	-3.07	6.507G	-42.49	-35.63	-6.86	2
6905MHz	Pass	6.76743G	-5.27	6.4898G	-48.66	-39.23	-9.43	3
6905MHz	Pass	6.81702G	-4.78	6.2994G	-52.92	-44.78	-8.14	4
802.11be EHT320_Nss1,(MCS4),2xRU996 MRU 1_4TX	-	-	-	-	-	-	-	-
6905MHz	Pass	6.80063G	-6.33	6.3738G	-58.43	-46.33	-12.10	1
6905MHz	Pass	6.76064G	-4.52	6.5082G	-45.44	-37.00	-8.44	2
6905MHz	Pass	6.80223G	-6.44	6.3478G	-56.96	-46.44	-10.52	3
6905MHz	Pass	6.99778G	-6.26	6.329G	-54.05	-46.26	-7.79	4

