



























































































































Summary

Mode	PD (dBm/RBW)	EIRP PD (dBm/RBW)
5.925-6.425GHz	-	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_4TX	-3.08	4.73
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 2_4TX	-3.43	4.38
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 6_4TX	-4.94	2.87
6.425-6.525GHz	-	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_4TX	-2.81	4.85
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 3_4TX	-3.10	4.56
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 1_4TX	-4.91	2.75
6.525-6.875GHz	-	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_4TX	-2.20	4.62
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 1_4TX	-2.14	4.68
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 5_4TX	-4.37	2.45
6.875-7.125GHz	-	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_4TX	-1.81	4.84
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 2_4TX	-2.24	4.41

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;



Result

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	Port 3 (dBm/RBW)	Port 4 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 1_4TX	-	-	-	-	-	-	-	-	-	-
5985MHz	Pass	7.81	-9.86	-9.45	-9.24	-8.50	-3.36	Inf	4.45	5.00
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_4TX	-	-	-	-	-	-	-	-	-	-
5985MHz	Pass	7.81	-10.03	-9.39	-9.25	-8.55	-3.36	Inf	4.45	5.00
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_4TX	-	-	-	-	-	-	-	-	-	-
5985MHz	Pass	7.81	-10.06	-9.34	-9.27	-8.58	-3.40	Inf	4.41	5.00
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 4_4TX	-	-	-	-	-	-	-	-	-	-
5985MHz	Pass	7.81	-10.01	-9.66	-9.31	-8.70	-3.47	Inf	4.34	5.00
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 1_4TX	-	-	-	-	-	-	-	-	-	-
6225MHz	Pass	7.81	-9.57	-9.48	-9.13	-9.39	-3.44	Inf	4.37	5.00
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_4TX	-	-	-	-	-	-	-	-	-	-
6225MHz	Pass	7.81	-8.08	-9.38	-9.06	-9.36	-3.50	Inf	4.31	5.00
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_4TX	-	-	-	-	-	-	-	-	-	-
6225MHz	Pass	7.81	-9.60	-9.31	-9.22	-9.45	-3.52	Inf	4.29	5.00
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 4_4TX	-	-	-	-	-	-	-	-	-	-
6225MHz	Pass	7.81	-9.49	-9.38	-9.17	-9.48	-3.46	Inf	4.35	5.00
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 1_4TX	-	-	-	-	-	-	-	-	-	-
6385MHz	Pass	7.81	-9.63	-9.05	-9.32	-9.74	-3.52	Inf	4.29	5.00
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_4TX	-	-	-	-	-	-	-	-	-	-
6385MHz	Pass	7.81	-9.25	-8.63	-8.80	-9.23	-3.08	Inf	4.73	5.00
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_4TX	-	-	-	-	-	-	-	-	-	-
6385MHz	Pass	7.81	-9.63	-9.07	-9.24	-9.84	-3.56	Inf	4.25	5.00
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 4_4TX	-	-	-	-	-	-	-	-	-	-
6385MHz	Pass	7.81	-9.64	-9.08	-9.19	-9.76	-3.50	Inf	4.31	5.00
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 1_4TX	-	-	-	-	-	-	-	-	-	-
6465MHz	Pass	7.66	-9.38	-9.10	-9.56	-10.09	-3.64	Inf	4.02	5.00
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_4TX	-	-	-	-	-	-	-	-	-	-
6465MHz	Pass	7.66	-9.33	-9.13	-9.59	-9.97	-3.64	Inf	4.02	5.00
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_4TX	-	-	-	-	-	-	-	-	-	-
6465MHz	Pass	7.66	-9.30	-9.11	-9.52	-10.04	-3.62	Inf	4.04	5.00
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 4_4TX	-	-	-	-	-	-	-	-	-	-
6465MHz	Pass	7.66	-9.29	-9.12	-9.59	-9.97	-3.62	Inf	4.04	5.00
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 1_4TX	-	-	-	-	-	-	-	-	-	-
6545MHz	Pass	7.66	-9.14	-8.35	-8.42	-8.65	-2.82	Inf	4.84	5.00
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_4TX	-	-	-	-	-	-	-	-	-	-
6545MHz	Pass	7.66	-9.10	-8.33	-8.46	-8.65	-2.86	Inf	4.80	5.00
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_4TX	-	-	-	-	-	-	-	-	-	-
6545MHz	Pass	7.66	-9.04	-8.29	-8.36	-8.71	-2.81	Inf	4.85	5.00
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 4_4TX	-	-	-	-	-	-	-	-	-	-
6545MHz	Pass	7.66	-9.01	-8.29	-8.47	-8.72	-2.81	Inf	4.85	5.00
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 1_4TX	-	-	-	-	-	-	-	-	-	-
6625MHz	Pass	6.82	-9.01	-7.67	-8.14	-9.23	-2.55	Inf	4.27	5.00
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_4TX	-	-	-	-	-	-	-	-	-	-
6625MHz	Pass	6.82	-8.96	-7.56	-8.13	-9.22	-2.53	Inf	4.29	5.00
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_4TX	-	-	-	-	-	-	-	-	-	-
6625MHz	Pass	6.82	-8.84	-7.58	-8.02	-9.17	-2.47	Inf	4.35	5.00
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 4_4TX	-	-	-	-	-	-	-	-	-	-
6625MHz	Pass	6.82	-8.85	-7.51	-8.04	-9.12	-2.47	Inf	4.35	5.00
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 1_4TX	-	-	-	-	-	-	-	-	-	-
6705MHz	Pass	6.82	-8.29	-8.04	-8.10	-8.13	-2.26	Inf	4.56	5.00
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_4TX	-	-	-	-	-	-	-	-	-	-
6705MHz	Pass	6.82	-8.24	-7.83	-8.02	-8.09	-2.24	Inf	4.58	5.00
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_4TX	-	-	-	-	-	-	-	-	-	-
6705MHz	Pass	6.82	-8.19	-7.84	-8.01	-8.05	-2.20	Inf	4.62	5.00
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 4_4TX	-	-	-	-	-	-	-	-	-	-





PSD\_Non-Beamforming\_Radio 2\_Channel Puncturing

Appendix D.4

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	Port 3 (dBm/RBW)	Port 4 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
6705MHz	Pass	6.82	-8.33	-7.86	-8.16	-8.21	-2.33	Inf	4.49	5.00
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 1_4TX	-	-	-	-	-	-	-	-	-	-
6785MHz	Pass	6.82	-8.34	-8.24	-8.42	-8.21	-2.49	Inf	4.33	5.00
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_4TX	-	-	-	-	-	-	-	-	-	-
6785MHz	Pass	6.82	-8.32	-8.19	-8.41	-8.29	-2.52	Inf	4.30	5.00
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_4TX	-	-	-	-	-	-	-	-	-	-
6785MHz	Pass	6.82	-8.25	-8.20	-8.46	-8.24	-2.47	Inf	4.35	5.00
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 4_4TX	-	-	-	-	-	-	-	-	-	-
6785MHz	Pass	6.82	-8.27	-8.19	-8.42	-8.26	-2.45	Inf	4.37	5.00
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 1_4TX	-	-	-	-	-	-	-	-	-	-
6865MHz	Pass	6.82	-8.82	-8.14	-8.69	-8.55	-2.64	Inf	4.18	5.00
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_4TX	-	-	-	-	-	-	-	-	-	-
6865MHz	Pass	6.82	-8.80	-8.04	-8.75	-8.60	-2.64	Inf	4.18	5.00
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_4TX	-	-	-	-	-	-	-	-	-	-
6865MHz	Pass	6.82	-8.84	-8.07	-8.68	-8.57	-2.64	Inf	4.18	5.00
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 4_4TX	-	-	-	-	-	-	-	-	-	-
6865MHz	Pass	6.82	-8.81	-8.08	-8.58	-8.49	-2.60	Inf	4.22	5.00
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 1_4TX	-	-	-	-	-	-	-	-	-	-
6945MHz	Pass	6.65	-8.13	-7.21	-7.93	-7.93	-1.91	Inf	4.74	5.00
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_4TX	-	-	-	-	-	-	-	-	-	-
6945MHz	Pass	6.65	-8.07	-6.92	-7.91	-8.00	-1.82	Inf	4.83	5.00
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_4TX	-	-	-	-	-	-	-	-	-	-
6945MHz	Pass	6.65	-8.13	-6.96	-7.86	-7.99	-1.81	Inf	4.84	5.00
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 4_4TX	-	-	-	-	-	-	-	-	-	-
6945MHz	Pass	6.65	-8.09	-6.95	-7.93	-8.08	-1.81	Inf	4.84	5.00
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 1_4TX	-	-	-	-	-	-	-	-	-	-
7025MHz	Pass	6.65	-8.45	-7.71	-8.27	-8.30	-2.26	Inf	4.39	5.00
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_4TX	-	-	-	-	-	-	-	-	-	-
7025MHz	Pass	6.65	-8.39	-7.40	-8.07	-8.14	-2.05	Inf	4.60	5.00
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_4TX	-	-	-	-	-	-	-	-	-	-
7025MHz	Pass	6.65	-8.49	-7.52	-8.10	-8.15	-2.07	Inf	4.58	5.00
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 4_4TX	-	-	-	-	-	-	-	-	-	-
7025MHz	Pass	6.65	-8.57	-7.48	-8.18	-8.22	-2.12	Inf	4.53	5.00
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 1_4TX	-	-	-	-	-	-	-	-	-	-
6025MHz	Pass	7.81	-10.05	-9.79	-9.36	-8.92	-3.71	Inf	4.10	5.00
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 2_4TX	-	-	-	-	-	-	-	-	-	-
6025MHz	Pass	7.81	-9.90	-9.77	-9.19	-9.00	-3.69	Inf	4.12	5.00
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 3_4TX	-	-	-	-	-	-	-	-	-	-
6025MHz	Pass	7.81	-9.94	-9.76	-9.25	-9.13	-3.73	Inf	4.08	5.00
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 4_4TX	-	-	-	-	-	-	-	-	-	-
6025MHz	Pass	7.81	-9.98	-9.73	-9.44	-9.18	-3.79	Inf	4.02	5.00
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 5_4TX	-	-	-	-	-	-	-	-	-	-
6025MHz	Pass	7.81	-10.01	-9.68	-9.34	-9.04	-3.73	Inf	4.08	5.00
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 6_4TX	-	-	-	-	-	-	-	-	-	-
6025MHz	Pass	7.81	-9.98	-9.65	-9.45	-9.04	-3.73	Inf	4.08	5.00
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 7_4TX	-	-	-	-	-	-	-	-	-	-
6025MHz	Pass	7.81	-9.91	-9.63	-9.27	-9.08	-3.66	Inf	4.15	5.00
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 8_4TX	-	-	-	-	-	-	-	-	-	-
6025MHz	Pass	7.81	-10.00	-9.71	-9.38	-9.08	-3.77	Inf	4.04	5.00
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 1_4TX	-	-	-	-	-	-	-	-	-	-



PSD\_Non-Beamforming\_Radio 2\_Channel Puncturing

Appendix D.4

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	Port 3 (dBm/RBW)	Port 4 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
6025MHz	Pass	7.81	-9.74	-9.58	-9.15	-8.91	-3.53	Inf	4.28	5.00
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 2_4TX	-	-	-	-	-	-	-	-	-	-
6025MHz	Pass	7.81	-9.78	-9.51	-9.24	-8.94	-3.57	Inf	4.24	5.00
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 3_4TX	-	-	-	-	-	-	-	-	-	-
6025MHz	Pass	7.81	-9.77	-9.50	-9.20	-8.84	-3.52	Inf	4.29	5.00
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 4_4TX	-	-	-	-	-	-	-	-	-	-
6025MHz	Pass	7.81	-9.89	-9.50	-9.24	-8.83	-3.60	Inf	4.21	5.00
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 1_4TX	-	-	-	-	-	-	-	-	-	-
6185MHz	Pass	7.81	-9.65	-9.30	-9.15	-9.40	-3.50	Inf	4.31	5.00
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 2_4TX	-	-	-	-	-	-	-	-	-	-
6185MHz	Pass	7.81	-9.65	-9.16	-9.23	-9.61	-3.58	Inf	4.23	5.00
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 3_4TX	-	-	-	-	-	-	-	-	-	-
6185MHz	Pass	7.81	-9.56	-9.22	-9.10	-9.62	-3.55	Inf	4.26	5.00
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 4_4TX	-	-	-	-	-	-	-	-	-	-
6185MHz	Pass	7.81	-9.62	-9.21	-9.18	-9.61	-3.53	Inf	4.28	5.00
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 5_4TX	-	-	-	-	-	-	-	-	-	-
6185MHz	Pass	7.81	-9.53	-9.15	-9.20	-9.66	-3.56	Inf	4.25	5.00
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 6_4TX	-	-	-	-	-	-	-	-	-	-
6185MHz	Pass	7.81	-9.59	-9.08	-9.24	-9.64	-3.54	Inf	4.27	5.00
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 7_4TX	-	-	-	-	-	-	-	-	-	-
6185MHz	Pass	7.81	-9.53	-9.15	-9.24	-9.69	-3.55	Inf	4.26	5.00
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 8_4TX	-	-	-	-	-	-	-	-	-	-
6185MHz	Pass	7.81	-9.54	-9.13	-9.29	-9.68	-3.56	Inf	4.25	5.00
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 1_4TX	-	-	-	-	-	-	-	-	-	-
6185MHz	Pass	7.81	-9.72	-9.14	-9.10	-9.30	-3.50	Inf	4.31	5.00
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 2_4TX	-	-	-	-	-	-	-	-	-	-
6185MHz	Pass	7.81	-9.74	-9.00	-9.00	-9.37	-3.43	Inf	4.38	5.00
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 3_4TX	-	-	-	-	-	-	-	-	-	-
6185MHz	Pass	7.81	-9.75	-8.89	-8.99	-9.45	-3.44	Inf	4.37	5.00
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 4_4TX	-	-	-	-	-	-	-	-	-	-
6185MHz	Pass	7.81	-9.77	-9.03	-9.09	-9.58	-3.49	Inf	4.32	5.00
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 1_4TX	-	-	-	-	-	-	-	-	-	-
6345MHz	Pass	7.81	-10.09	-9.71	-9.60	-9.89	-3.97	Inf	3.84	5.00
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 2_4TX	-	-	-	-	-	-	-	-	-	-
6345MHz	Pass	7.81	-9.82	-9.53	-9.64	-9.91	-3.98	Inf	3.83	5.00
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 3_4TX	-	-	-	-	-	-	-	-	-	-
6345MHz	Pass	7.81	-9.91	-9.58	-9.52	-9.97	-3.96	Inf	3.85	5.00
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 4_4TX	-	-	-	-	-	-	-	-	-	-
6345MHz	Pass	7.81	-9.94	-9.56	-9.61	-9.95	-3.97	Inf	3.84	5.00
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 5_4TX	-	-	-	-	-	-	-	-	-	-
6345MHz	Pass	7.81	-9.95	-9.51	-9.49	-9.94	-3.88	Inf	3.93	5.00
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 6_4TX	-	-	-	-	-	-	-	-	-	-
6345MHz	Pass	7.81	-9.89	-9.53	-9.56	-9.93	-3.91	Inf	3.90	5.00
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 7_4TX	-	-	-	-	-	-	-	-	-	-
6345MHz	Pass	7.81	-9.94	-9.62	-9.45	-10.05	-3.97	Inf	3.84	5.00



PSD\_Non-Beamforming\_Radio 2\_Channel Puncturing

Appendix D.4

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	Port 3 (dBm/RBW)	Port 4 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 8_4TX	-	-	-	-	-	-	-	-	-	-
6345MHz	Pass	7.81	-9.93	-9.51	-9.50	-10.03	-3.93	Inf	3.88	5.00
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 1_4TX	-	-	-	-	-	-	-	-	-	-
6345MHz	Pass	7.81	-10.12	-9.56	-9.50	-9.87	-3.88	Inf	3.93	5.00
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 2_4TX	-	-	-	-	-	-	-	-	-	-
6345MHz	Pass	7.81	-9.91	-9.52	-9.54	-9.69	-3.86	Inf	3.95	5.00
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 3_4TX	-	-	-	-	-	-	-	-	-	-
6345MHz	Pass	7.81	-9.99	-9.40	-9.39	-9.63	-3.85	Inf	3.96	5.00
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 4_4TX	-	-	-	-	-	-	-	-	-	-
6345MHz	Pass	7.81	-9.93	-9.43	-9.45	-9.88	-3.91	Inf	3.90	5.00
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 1_4TX	-	-	-	-	-	-	-	-	-	-
6505MHz	Pass	7.66	-9.20	-8.43	-9.32	-9.82	-3.31	Inf	4.35	5.00
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 2_4TX	-	-	-	-	-	-	-	-	-	-
6505MHz	Pass	7.66	-9.14	-8.49	-9.29	-9.87	-3.30	Inf	4.36	5.00
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 3_4TX	-	-	-	-	-	-	-	-	-	-
6505MHz	Pass	7.66	-9.10	-8.35	-9.32	-9.81	-3.25	Inf	4.41	5.00
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 4_4TX	-	-	-	-	-	-	-	-	-	-
6505MHz	Pass	7.66	-9.04	-8.40	-9.16	-9.83	-3.25	Inf	4.41	5.00
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 5_4TX	-	-	-	-	-	-	-	-	-	-
6505MHz	Pass	7.66	-9.11	-8.33	-9.17	-9.84	-3.25	Inf	4.41	5.00
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 6_4TX	-	-	-	-	-	-	-	-	-	-
6505MHz	Pass	7.66	-8.98	-8.38	-9.18	-9.80	-3.26	Inf	4.40	5.00
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 7_4TX	-	-	-	-	-	-	-	-	-	-
6505MHz	Pass	7.66	-9.06	-8.31	-9.19	-9.87	-3.19	Inf	4.47	5.00
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 8_4TX	-	-	-	-	-	-	-	-	-	-
6505MHz	Pass	7.66	-9.07	-8.32	-9.22	-9.91	-3.23	Inf	4.43	5.00
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 1_4TX	-	-	-	-	-	-	-	-	-	-
6505MHz	Pass	7.66	-9.04	-8.39	-9.14	-9.63	-3.14	Inf	4.52	5.00
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 2_4TX	-	-	-	-	-	-	-	-	-	-
6505MHz	Pass	7.66	-8.94	-8.22	-9.08	-9.59	-3.11	Inf	4.55	5.00
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 3_4TX	-	-	-	-	-	-	-	-	-	-
6505MHz	Pass	7.66	-8.92	-8.19	-8.98	-9.67	-3.10	Inf	4.56	5.00
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 4_4TX	-	-	-	-	-	-	-	-	-	-
6505MHz	Pass	7.66	-9.27	-8.45	-9.48	-10.15	-3.44	Inf	4.22	5.00
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 1_4TX	-	-	-	-	-	-	-	-	-	-
6665MHz	Pass	6.82	-8.22	-8.00	-8.24	-8.79	-2.59	Inf	4.23	5.00
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 2_4TX	-	-	-	-	-	-	-	-	-	-
6665MHz	Pass	6.82	-8.24	-8.01	-8.33	-8.82	-2.60	Inf	4.22	5.00
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 3_4TX	-	-	-	-	-	-	-	-	-	-
6665MHz	Pass	6.82	-8.17	-7.96	-8.22	-8.72	-2.52	Inf	4.30	5.00
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 4_4TX	-	-	-	-	-	-	-	-	-	-
6665MHz	Pass	6.82	-8.16	-8.03	-8.22	-8.76	-2.50	Inf	4.32	5.00
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 5_4TX	-	-	-	-	-	-	-	-	-	-
6665MHz	Pass	6.82	-8.09	-7.94	-8.19	-8.81	-2.51	Inf	4.31	5.00
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 6_4TX	-	-	-	-	-	-	-	-	-	-



**PSD Non-Beamforming Radio 2 Channel Puncturing**

**Appendix D.4**

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	Port 3 (dBm/RBW)	Port 4 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
6665MHz	Pass	6.82	-8.03	-7.99	-8.11	-8.77	-2.51	Inf	4.31	5.00
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 7_4TX	-	-	-	-	-	-	-	-	-	-
6665MHz	Pass	6.82	-8.02	-7.98	-8.17	-8.76	-2.49	Inf	4.33	5.00
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 8_4TX	-	-	-	-	-	-	-	-	-	-
6665MHz	Pass	6.82	-8.16	-7.91	-8.24	-8.91	-2.55	Inf	4.27	5.00
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 1_4TX	-	-	-	-	-	-	-	-	-	-
6665MHz	Pass	6.82	-8.30	-7.83	-8.24	-8.69	-2.52	Inf	4.30	5.00
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 2_4TX	-	-	-	-	-	-	-	-	-	-
6665MHz	Pass	6.82	-8.10	-7.79	-8.08	-8.69	-2.40	Inf	4.42	5.00
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 3_4TX	-	-	-	-	-	-	-	-	-	-
6665MHz	Pass	6.82	-8.39	-8.13	-8.57	-9.07	-2.79	Inf	4.03	5.00
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 4_4TX	-	-	-	-	-	-	-	-	-	-
6665MHz	Pass	6.82	-8.38	-7.89	-8.10	-8.86	-2.49	Inf	4.33	5.00
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 1_4TX	-	-	-	-	-	-	-	-	-	-
6825MHz	Pass	6.82	-8.34	-7.54	-8.31	-8.11	-2.32	Inf	4.50	5.00
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 2_4TX	-	-	-	-	-	-	-	-	-	-
6825MHz	Pass	6.82	-8.32	-7.54	-8.26	-8.13	-2.34	Inf	4.48	5.00
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 3_4TX	-	-	-	-	-	-	-	-	-	-
6825MHz	Pass	6.82	-8.24	-7.51	-8.18	-8.13	-2.25	Inf	4.57	5.00
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 4_4TX	-	-	-	-	-	-	-	-	-	-
6825MHz	Pass	6.82	-8.19	-7.56	-8.18	-8.15	-2.28	Inf	4.54	5.00
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 5_4TX	-	-	-	-	-	-	-	-	-	-
6825MHz	Pass	6.82	-8.19	-7.52	-8.22	-8.02	-2.25	Inf	4.57	5.00
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 6_4TX	-	-	-	-	-	-	-	-	-	-
6825MHz	Pass	6.82	-8.19	-7.60	-8.20	-8.05	-2.28	Inf	4.54	5.00
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 7_4TX	-	-	-	-	-	-	-	-	-	-
6825MHz	Pass	6.82	-8.16	-7.65	-8.18	-8.00	-2.23	Inf	4.59	5.00
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 8_4TX	-	-	-	-	-	-	-	-	-	-
6825MHz	Pass	6.82	-8.11	-7.62	-8.22	-8.09	-2.28	Inf	4.54	5.00
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 1_4TX	-	-	-	-	-	-	-	-	-	-
6825MHz	Pass	6.82	-8.21	-7.45	-8.12	-7.98	-2.14	Inf	4.68	5.00
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 2_4TX	-	-	-	-	-	-	-	-	-	-
6825MHz	Pass	6.82	-8.56	-7.74	-8.58	-8.35	-2.58	Inf	4.24	5.00
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 3_4TX	-	-	-	-	-	-	-	-	-	-
6825MHz	Pass	6.82	-8.53	-7.81	-8.53	-8.35	-2.55	Inf	4.27	5.00
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 4_4TX	-	-	-	-	-	-	-	-	-	-
6825MHz	Pass	6.82	-8.57	-8.13	-8.49	-8.40	-2.59	Inf	4.23	5.00
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 1_4TX	-	-	-	-	-	-	-	-	-	-
6985MHz	Pass	6.65	-8.60	-7.49	-8.37	-8.51	-2.40	Inf	4.25	5.00
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 2_4TX	-	-	-	-	-	-	-	-	-	-
6985MHz	Pass	6.65	-8.59	-7.34	-8.33	-8.45	-2.35	Inf	4.30	5.00
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 3_4TX	-	-	-	-	-	-	-	-	-	-
6985MHz	Pass	6.65	-8.64	-7.35	-8.30	-8.49	-2.38	Inf	4.27	5.00
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 4_4TX	-	-	-	-	-	-	-	-	-	-
6985MHz	Pass	6.65	-8.64	-7.38	-8.29	-8.50	-2.38	Inf	4.27	5.00
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP	-	-	-	-	-	-	-	-	-	-



**PSD Non-Beamforming Radio 2 Channel Puncturing**

**Appendix D.4**

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	Port 3 (dBm/RBW)	Port 4 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
5_4TX										
6985MHz	Pass	6.65	-8.81	-7.41	-8.32	-8.69	-2.38	Inf	4.27	5.00
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 6_4TX	-	-	-	-	-	-	-	-	-	-
6985MHz	Pass	6.65	-8.60	-7.48	-8.16	-8.47	-2.37	Inf	4.28	5.00
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 7_4TX	-	-	-	-	-	-	-	-	-	-
6985MHz	Pass	6.65	-8.71	-7.44	-8.33	-8.49	-2.43	Inf	4.22	5.00
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 8_4TX	-	-	-	-	-	-	-	-	-	-
6985MHz	Pass	6.65	-8.71	-7.46	-8.35	-8.60	-2.44	Inf	4.21	5.00
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 1_4TX	-	-	-	-	-	-	-	-	-	-
6985MHz	Pass	6.65	-8.38	-7.69	-8.22	-8.49	-2.33	Inf	4.32	5.00
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 2_4TX	-	-	-	-	-	-	-	-	-	-
6985MHz	Pass	6.65	-8.44	-7.21	-8.13	-8.36	-2.24	Inf	4.41	5.00
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 3_4TX	-	-	-	-	-	-	-	-	-	-
6985MHz	Pass	6.65	-8.67	-7.36	-8.14	-8.57	-2.30	Inf	4.35	5.00
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 4_4TX	-	-	-	-	-	-	-	-	-	-
6985MHz	Pass	6.65	-8.59	-7.45	-8.13	-8.48	-2.38	Inf	4.27	5.00
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 1_4TX	-	-	-	-	-	-	-	-	-	-
6105MHz	Pass	7.81	-11.21	-10.60	-11.04	-10.94	-5.19	Inf	2.62	5.00
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 2_4TX	-	-	-	-	-	-	-	-	-	-
6105MHz	Pass	7.81	-11.30	-10.60	-11.08	-10.95	-5.21	Inf	2.60	5.00
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 3_4TX	-	-	-	-	-	-	-	-	-	-
6105MHz	Pass	7.81	-11.25	-10.51	-11.06	-10.97	-5.19	Inf	2.62	5.00
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 4_4TX	-	-	-	-	-	-	-	-	-	-
6105MHz	Pass	7.81	-11.35	-10.49	-11.15	-11.02	-5.24	Inf	2.57	5.00
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 5_4TX	-	-	-	-	-	-	-	-	-	-
6105MHz	Pass	7.81	-11.20	-10.29	-10.89	-10.89	-5.10	Inf	2.71	5.00
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 6_4TX	-	-	-	-	-	-	-	-	-	-
6105MHz	Pass	7.81	-11.19	-10.20	-10.85	-10.81	-5.05	Inf	2.76	5.00
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 7_4TX	-	-	-	-	-	-	-	-	-	-
6105MHz	Pass	7.81	-11.15	-10.20	-10.84	-10.91	-5.05	Inf	2.76	5.00
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 8_4TX	-	-	-	-	-	-	-	-	-	-
6105MHz	Pass	7.81	-11.15	-10.36	-10.98	-11.04	-5.13	Inf	2.68	5.00
802.11be EHT320_Nss1,(MCS0),3xRU996 CP 1_4TX	-	-	-	-	-	-	-	-	-	-
6105MHz	Pass	7.81	-10.94	-10.34	-10.77	-10.78	-5.02	Inf	2.79	5.00
802.11be EHT320_Nss1,(MCS0),3xRU996 CP 2_4TX	-	-	-	-	-	-	-	-	-	-
6105MHz	Pass	7.81	-11.14	-10.29	-10.88	-10.82	-5.06	Inf	2.75	5.00
802.11be EHT320_Nss1,(MCS0),3xRU996 CP 3_4TX	-	-	-	-	-	-	-	-	-	-
6105MHz	Pass	7.81	-11.19	-10.10	-10.89	-10.78	-5.02	Inf	2.79	5.00
802.11be EHT320_Nss1,(MCS0),3xRU996 CP 4_4TX	-	-	-	-	-	-	-	-	-	-
6105MHz	Pass	7.81	-11.14	-10.57	-10.88	-10.92	-5.10	Inf	2.71	5.00
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 1_4TX	-	-	-	-	-	-	-	-	-	-
6105MHz	Pass	7.81	-11.46	-10.68	-10.97	-11.06	-5.27	Inf	2.54	5.00
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 2_4TX	-	-	-	-	-	-	-	-	-	-
6105MHz	Pass	7.81	-11.52	-10.63	-11.01	-11.09	-5.30	Inf	2.51	5.00
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 3_4TX	-	-	-	-	-	-	-	-	-	-
6105MHz	Pass	7.81	-11.64	-10.67	-11.04	-11.10	-5.31	Inf	2.50	5.00
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 4_4TX	-	-	-	-	-	-	-	-	-	-
6105MHz	Pass	7.81	-11.57	-10.61	-10.98	-11.04	-5.25	Inf	2.56	5.00
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 5_4TX	-	-	-	-	-	-	-	-	-	-
6105MHz	Pass	7.81	-11.65	-10.55	-10.97	-11.00	-5.30	Inf	2.51	5.00
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 6_4TX	-	-	-	-	-	-	-	-	-	-
6105MHz	Pass	7.81	-11.58	-10.75	-10.93	-11.09	-5.19	Inf	2.62	5.00
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 7_4TX	-	-	-	-	-	-	-	-	-	-
6105MHz	Pass	7.81	-11.28	-10.46	-10.85	-10.89	-5.16	Inf	2.65	5.00



Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	Port 3 (dBm/RBW)	Port 4 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
802.11be EHT320_Nss1,(MCSO),2xRU996+RU484 CP 8_4TX	-	-	-	-	-	-	-	-	-	-
6105MHz	Pass	7.81	-11.32	-10.42	-10.91	-10.75	-5.15	Inf	2.66	5.00
802.11be EHT320_Nss1,(MCSO),2xRU996+RU484 CP 9_4TX	-	-	-	-	-	-	-	-	-	-
6105MHz	Pass	7.81	-11.40	-10.34	-10.80	-10.89	-5.15	Inf	2.66	5.00
802.11be EHT320_Nss1,(MCSO),2xRU996+RU484 CP 10_4TX	-	-	-	-	-	-	-	-	-	-
6105MHz	Pass	7.81	-11.39	-10.36	-10.83	-10.85	-5.15	Inf	2.66	5.00
802.11be EHT320_Nss1,(MCSO),2xRU996+RU484 CP 11_4TX	-	-	-	-	-	-	-	-	-	-
6105MHz	Pass	7.81	-11.40	-10.33	-10.87	-10.90	-5.17	Inf	2.64	5.00
802.11be EHT320_Nss1,(MCSO),2xRU996+RU484 CP 12_4TX	-	-	-	-	-	-	-	-	-	-
6105MHz	Pass	7.81	-11.40	-10.51	-10.87	-10.97	-5.21	Inf	2.60	5.00
802.11be EHT320_Nss1,(MCSO),3xRU996+RU484 CP 1_4TX	-	-	-	-	-	-	-	-	-	-
6265MHz	Pass	7.81	-11.35	-11.11	-10.90	-11.08	-5.20	Inf	2.61	5.00
802.11be EHT320_Nss1,(MCSO),3xRU996+RU484 CP 2_4TX	-	-	-	-	-	-	-	-	-	-
6265MHz	Pass	7.81	-11.27	-11.07	-10.92	-11.11	-5.22	Inf	2.59	5.00
802.11be EHT320_Nss1,(MCSO),3xRU996+RU484 CP 3_4TX	-	-	-	-	-	-	-	-	-	-
6265MHz	Pass	7.81	-11.32	-11.00	-10.77	-11.13	-5.17	Inf	2.64	5.00
802.11be EHT320_Nss1,(MCSO),3xRU996+RU484 CP 4_4TX	-	-	-	-	-	-	-	-	-	-
6265MHz	Pass	7.81	-11.32	-10.88	-10.86	-11.28	-5.20	Inf	2.61	5.00
802.11be EHT320_Nss1,(MCSO),3xRU996+RU484 CP 5_4TX	-	-	-	-	-	-	-	-	-	-
6265MHz	Pass	7.81	-11.10	-10.73	-10.75	-11.11	-5.05	Inf	2.76	5.00
802.11be EHT320_Nss1,(MCSO),3xRU996+RU484 CP 6_4TX	-	-	-	-	-	-	-	-	-	-
6265MHz	Pass	7.81	-11.09	-10.70	-10.65	-11.12	-5.05	Inf	2.76	5.00
802.11be EHT320_Nss1,(MCSO),3xRU996+RU484 CP 7_4TX	-	-	-	-	-	-	-	-	-	-
6265MHz	Pass	7.81	-11.14	-10.68	-10.63	-11.18	-5.05	Inf	2.76	5.00
802.11be EHT320_Nss1,(MCSO),3xRU996+RU484 CP 8_4TX	-	-	-	-	-	-	-	-	-	-
6265MHz	Pass	7.81	-11.15	-10.75	-10.73	-11.28	-5.10	Inf	2.71	5.00
802.11be EHT320_Nss1,(MCSO),3xRU996 CP 1_4TX	-	-	-	-	-	-	-	-	-	-
6265MHz	Pass	7.81	-11.01	-10.96	-10.68	-10.88	-5.02	Inf	2.79	5.00
802.11be EHT320_Nss1,(MCSO),3xRU996 CP 2_4TX	-	-	-	-	-	-	-	-	-	-
6265MHz	Pass	7.81	-11.06	-10.75	-10.63	-11.07	-4.99	Inf	2.82	5.00
802.11be EHT320_Nss1,(MCSO),3xRU996 CP 3_4TX	-	-	-	-	-	-	-	-	-	-
6265MHz	Pass	7.81	-10.96	-10.60	-10.58	-11.20	-4.96	Inf	2.85	5.00
802.11be EHT320_Nss1,(MCSO),3xRU996 CP 4_4TX	-	-	-	-	-	-	-	-	-	-
6265MHz	Pass	7.81	-11.04	-10.53	-10.55	-11.43	-5.00	Inf	2.81	5.00
802.11be EHT320_Nss1,(MCSO),2xRU996+RU484 CP 1_4TX	-	-	-	-	-	-	-	-	-	-
6265MHz	Pass	7.81	-11.18	-10.68	-10.74	-11.32	-5.09	Inf	2.72	5.00
802.11be EHT320_Nss1,(MCSO),2xRU996+RU484 CP 2_4TX	-	-	-	-	-	-	-	-	-	-
6265MHz	Pass	7.81	-11.23	-10.61	-10.69	-11.36	-5.08	Inf	2.73	5.00
802.11be EHT320_Nss1,(MCSO),2xRU996+RU484 CP 3_4TX	-	-	-	-	-	-	-	-	-	-
6265MHz	Pass	7.81	-11.20	-10.55	-10.66	-11.37	-5.08	Inf	2.73	5.00
802.11be EHT320_Nss1,(MCSO),2xRU996+RU484 CP 4_4TX	-	-	-	-	-	-	-	-	-	-
6265MHz	Pass	7.81	-11.24	-10.52	-10.67	-11.53	-5.07	Inf	2.74	5.00
802.11be EHT320_Nss1,(MCSO),2xRU996+RU484 CP 5_4TX	-	-	-	-	-	-	-	-	-	-
6265MHz	Pass	7.81	-11.13	-10.48	-10.61	-11.51	-5.03	Inf	2.78	5.00
802.11be EHT320_Nss1,(MCSO),2xRU996+RU484 CP 6_4TX	-	-	-	-	-	-	-	-	-	-
6265MHz	Pass	7.81	-11.11	-10.33	-10.60	-11.53	-4.94	Inf	2.87	5.00
802.11be EHT320_Nss1,(MCSO),2xRU996+RU484 CP 7_4TX	-	-	-	-	-	-	-	-	-	-
6265MHz	Pass	7.81	-11.06	-11.05	-10.70	-10.68	-4.98	Inf	2.83	5.00
802.11be EHT320_Nss1,(MCSO),2xRU996+RU484 CP 8_4TX	-	-	-	-	-	-	-	-	-	-
6265MHz	Pass	7.81	-11.08	-10.93	-10.73	-10.90	-5.02	Inf	2.79	5.00
802.11be EHT320_Nss1,(MCSO),2xRU996+RU484 CP 9_4TX	-	-	-	-	-	-	-	-	-	-
6265MHz	Pass	7.81	-11.07	-10.95	-10.77	-10.84	-5.02	Inf	2.79	5.00
802.11be EHT320_Nss1,(MCSO),2xRU996+RU484 CP 10_4TX	-	-	-	-	-	-	-	-	-	-
6265MHz	Pass	7.81	-11.14	-10.93	-10.74	-10.88	-5.05	Inf	2.76	5.00
802.11be EHT320_Nss1,(MCSO),2xRU996+RU484 CP 11_4TX	-	-	-	-	-	-	-	-	-	-
6265MHz	Pass	7.81	-11.11	-10.88	-10.72	-10.98	-5.04	Inf	2.77	5.00



PSD\_Non-Beamforming\_Radio 2\_Channel Puncturing

Appendix D.4

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	Port 3 (dBm/RBW)	Port 4 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
802.11be EHT320_Nss1,(MCSO),2xRU996+RU484 CP 12_4TX	-	-	-	-	-	-	-	-	-	-
6265MHz	Pass	7.81	-11.14	-10.88	-10.74	-11.03	-5.07	Inf	2.74	5.00
802.11be EHT320_Nss1,(MCSO),3xRU996+RU484 CP 1_4TX	-	-	-	-	-	-	-	-	-	-
6425MHz	Pass	7.81	-11.46	-11.15	-11.51	-11.40	-5.64	Inf	2.17	5.00
802.11be EHT320_Nss1,(MCSO),3xRU996+RU484 CP 2_4TX	-	-	-	-	-	-	-	-	-	-
6425MHz	Pass	7.81	-11.50	-11.10	-11.39	-11.02	-5.58	Inf	2.23	5.00
802.11be EHT320_Nss1,(MCSO),3xRU996+RU484 CP 3_4TX	-	-	-	-	-	-	-	-	-	-
6425MHz	Pass	7.81	-11.47	-11.08	-11.39	-10.99	-5.59	Inf	2.22	5.00
802.11be EHT320_Nss1,(MCSO),3xRU996+RU484 CP 4_4TX	-	-	-	-	-	-	-	-	-	-
6425MHz	Pass	7.81	-11.38	-10.92	-11.33	-11.05	-5.55	Inf	2.26	5.00
802.11be EHT320_Nss1,(MCSO),3xRU996+RU484 CP 5_4TX	-	-	-	-	-	-	-	-	-	-
6425MHz	Pass	7.81	-11.21	-10.78	-11.36	-11.06	-5.43	Inf	2.38	5.00
802.11be EHT320_Nss1,(MCSO),3xRU996+RU484 CP 6_4TX	-	-	-	-	-	-	-	-	-	-
6425MHz	Pass	7.81	-11.18	-10.78	-11.31	-11.05	-5.39	Inf	2.42	5.00
802.11be EHT320_Nss1,(MCSO),3xRU996+RU484 CP 7_4TX	-	-	-	-	-	-	-	-	-	-
6425MHz	Pass	7.81	-11.12	-10.68	-11.31	-11.05	-5.39	Inf	2.42	5.00
802.11be EHT320_Nss1,(MCSO),3xRU996+RU484 CP 8_4TX	-	-	-	-	-	-	-	-	-	-
6425MHz	Pass	7.81	-11.10	-10.71	-11.42	-11.17	-5.38	Inf	2.43	5.00
802.11be EHT320_Nss1,(MCSO),3xRU996 CP 1_4TX	-	-	-	-	-	-	-	-	-	-
6425MHz	Pass	7.81	-11.27	-10.94	-11.51	-11.35	-5.43	Inf	2.38	5.00
802.11be EHT320_Nss1,(MCSO),3xRU996 CP 2_4TX	-	-	-	-	-	-	-	-	-	-
6425MHz	Pass	7.81	-11.12	-10.80	-11.34	-10.88	-5.34	Inf	2.47	5.00
802.11be EHT320_Nss1,(MCSO),3xRU996 CP 3_4TX	-	-	-	-	-	-	-	-	-	-
6425MHz	Pass	7.81	-11.07	-10.65	-11.32	-10.96	-5.36	Inf	2.45	5.00
802.11be EHT320_Nss1,(MCSO),3xRU996 CP 4_4TX	-	-	-	-	-	-	-	-	-	-
6425MHz	Pass	7.81	-10.93	-10.50	-11.36	-11.12	-5.27	Inf	2.54	5.00
802.11be EHT320_Nss1,(MCSO),2xRU996+RU484 CP 1_4TX	-	-	-	-	-	-	-	-	-	-
6425MHz	Pass	7.81	-11.19	-10.57	-11.46	-11.37	-5.31	Inf	2.50	5.00
802.11be EHT320_Nss1,(MCSO),2xRU996+RU484 CP 2_4TX	-	-	-	-	-	-	-	-	-	-
6425MHz	Pass	7.81	-11.09	-10.55	-11.38	-11.03	-5.29	Inf	2.52	5.00
802.11be EHT320_Nss1,(MCSO),2xRU996+RU484 CP 3_4TX	-	-	-	-	-	-	-	-	-	-
6425MHz	Pass	7.81	-11.09	-10.51	-11.38	-11.10	-5.29	Inf	2.52	5.00
802.11be EHT320_Nss1,(MCSO),2xRU996+RU484 CP 4_4TX	-	-	-	-	-	-	-	-	-	-
6425MHz	Pass	7.81	-11.06	-10.44	-11.49	-11.11	-5.26	Inf	2.55	5.00
802.11be EHT320_Nss1,(MCSO),2xRU996+RU484 CP 5_4TX	-	-	-	-	-	-	-	-	-	-
6425MHz	Pass	7.81	-11.04	-10.38	-11.40	-11.16	-5.25	Inf	2.56	5.00
802.11be EHT320_Nss1,(MCSO),2xRU996+RU484 CP 6_4TX	-	-	-	-	-	-	-	-	-	-
6425MHz	Pass	7.81	-11.34	-10.82	-11.83	-11.64	-5.65	Inf	2.16	5.00
802.11be EHT320_Nss1,(MCSO),2xRU996+RU484 CP 7_4TX	-	-	-	-	-	-	-	-	-	-
6425MHz	Pass	7.81	-11.45	-10.89	-11.58	-11.31	-5.45	Inf	2.36	5.00
802.11be EHT320_Nss1,(MCSO),2xRU996+RU484 CP 8_4TX	-	-	-	-	-	-	-	-	-	-
6425MHz	Pass	7.81	-11.46	-10.89	-11.57	-11.33	-5.51	Inf	2.30	5.00
802.11be EHT320_Nss1,(MCSO),2xRU996+RU484 CP 9_4TX	-	-	-	-	-	-	-	-	-	-
6425MHz	Pass	7.81	-11.40	-10.89	-11.56	-11.35	-5.46	Inf	2.35	5.00
802.11be EHT320_Nss1,(MCSO),2xRU996+RU484 CP 10_4TX	-	-	-	-	-	-	-	-	-	-
6425MHz	Pass	7.81	-11.30	-10.81	-11.55	-11.38	-5.41	Inf	2.40	5.00
802.11be EHT320_Nss1,(MCSO),2xRU996+RU484 CP 11_4TX	-	-	-	-	-	-	-	-	-	-
6425MHz	Pass	7.81	-11.34	-10.76	-11.45	-11.49	-5.39	Inf	2.42	5.00
802.11be EHT320_Nss1,(MCSO),2xRU996+RU484 CP 12_4TX	-	-	-	-	-	-	-	-	-	-
6425MHz	Pass	7.81	-11.26	-10.75	-11.50	-11.50	-5.32	Inf	2.49	5.00
802.11be EHT320_Nss1,(MCSO),3xRU996+RU484 CP 1_4TX	-	-	-	-	-	-	-	-	-	-
6585MHz	Pass	7.66	-10.50	-10.10	-10.79	-11.49	-5.03	Inf	2.63	5.00
802.11be EHT320_Nss1,(MCSO),3xRU996+RU484 CP 2_4TX	-	-	-	-	-	-	-	-	-	-
6585MHz	Pass	7.66	-10.53	-10.15	-10.77	-11.48	-5.01	Inf	2.65	5.00
802.11be EHT320_Nss1,(MCSO),3xRU996+RU484 CP 3_4TX	-	-	-	-	-	-	-	-	-	-
6585MHz	Pass	7.66	-10.47	-9.97	-10.68	-11.50	-4.94	Inf	2.72	5.00



PSD\_Non-Beamforming\_Radio 2\_Channel Puncturing

Appendix D.4

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	Port 3 (dBm/RBW)	Port 4 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
802.11be EHT320_Nss1,(MCSO),3xRU996+RU484 CP 4_4TX	-	-	-	-	-	-	-	-	-	-
6585MHz	Pass	7.66	-10.52	-9.93	-10.59	-11.51	-4.94	Inf	2.72	5.00
802.11be EHT320_Nss1,(MCSO),3xRU996+RU484 CP 5_4TX	-	-	-	-	-	-	-	-	-	-
6585MHz	Pass	7.66	-10.33	-10.07	-10.68	-11.51	-4.92	Inf	2.74	5.00
802.11be EHT320_Nss1,(MCSO),3xRU996+RU484 CP 6_4TX	-	-	-	-	-	-	-	-	-	-
6585MHz	Pass	7.66	-10.74	-10.49	-10.99	-11.98	-5.32	Inf	2.34	5.00
802.11be EHT320_Nss1,(MCSO),3xRU996+RU484 CP 7_4TX	-	-	-	-	-	-	-	-	-	-
6585MHz	Pass	7.66	-10.65	-10.43	-11.03	-11.98	-5.30	Inf	2.36	5.00
802.11be EHT320_Nss1,(MCSO),3xRU996+RU484 CP 8_4TX	-	-	-	-	-	-	-	-	-	-
6585MHz	Pass	7.66	-10.72	-9.99	-10.70	-11.53	-4.96	Inf	2.70	5.00
802.11be EHT320_Nss1,(MCSO),3xRU996 CP 1_4TX	-	-	-	-	-	-	-	-	-	-
6585MHz	Pass	7.66	-10.81	-10.30	-10.98	-11.47	-5.19	Inf	2.47	5.00
802.11be EHT320_Nss1,(MCSO),3xRU996 CP 2_4TX	-	-	-	-	-	-	-	-	-	-
6585MHz	Pass	7.66	-10.55	-9.93	-10.64	-11.48	-4.95	Inf	2.71	5.00
802.11be EHT320_Nss1,(MCSO),3xRU996 CP 3_4TX	-	-	-	-	-	-	-	-	-	-
6585MHz	Pass	7.66	-10.70	-10.47	-11.05	-11.90	-5.27	Inf	2.39	5.00
802.11be EHT320_Nss1,(MCSO),3xRU996 CP 4_4TX	-	-	-	-	-	-	-	-	-	-
6585MHz	Pass	7.66	-11.21	-10.26	-11.05	-11.80	-5.21	Inf	2.45	5.00
802.11be EHT320_Nss1,(MCSO),2xRU996+RU484 CP 1_4TX	-	-	-	-	-	-	-	-	-	-
6585MHz	Pass	7.66	-10.98	-9.93	-10.82	-11.41	-4.91	Inf	2.75	5.00
802.11be EHT320_Nss1,(MCSO),2xRU996+RU484 CP 2_4TX	-	-	-	-	-	-	-	-	-	-
6585MHz	Pass	7.66	-11.54	-10.36	-11.17	-11.78	-5.33	Inf	2.33	5.00
802.11be EHT320_Nss1,(MCSO),2xRU996+RU484 CP 3_4TX	-	-	-	-	-	-	-	-	-	-
6585MHz	Pass	7.66	-11.51	-10.35	-11.11	-11.91	-5.27	Inf	2.39	5.00
802.11be EHT320_Nss1,(MCSO),2xRU996+RU484 CP 4_4TX	-	-	-	-	-	-	-	-	-	-
6585MHz	Pass	7.66	-11.41	-10.21	-11.04	-11.80	-5.22	Inf	2.44	5.00
802.11be EHT320_Nss1,(MCSO),2xRU996+RU484 CP 5_4TX	-	-	-	-	-	-	-	-	-	-
6585MHz	Pass	7.66	-11.33	-10.36	-10.99	-11.76	-5.24	Inf	2.42	5.00
802.11be EHT320_Nss1,(MCSO),2xRU996+RU484 CP 6_4TX	-	-	-	-	-	-	-	-	-	-
6585MHz	Pass	7.66	-11.31	-10.13	-10.91	-11.72	-5.10	Inf	2.56	5.00
802.11be EHT320_Nss1,(MCSO),2xRU996+RU484 CP 7_4TX	-	-	-	-	-	-	-	-	-	-
6585MHz	Pass	7.66	-11.07	-10.27	-11.10	-11.54	-5.29	Inf	2.37	5.00
802.11be EHT320_Nss1,(MCSO),2xRU996+RU484 CP 8_4TX	-	-	-	-	-	-	-	-	-	-
6585MHz	Pass	7.66	-11.02	-10.27	-11.09	-11.52	-5.26	Inf	2.40	5.00
802.11be EHT320_Nss1,(MCSO),2xRU996+RU484 CP 9_4TX	-	-	-	-	-	-	-	-	-	-
6585MHz	Pass	7.66	-10.90	-10.36	-11.08	-11.52	-5.24	Inf	2.42	5.00
802.11be EHT320_Nss1,(MCSO),2xRU996+RU484 CP 10_4TX	-	-	-	-	-	-	-	-	-	-
6585MHz	Pass	7.66	-10.74	-10.23	-10.96	-11.50	-5.15	Inf	2.51	5.00
802.11be EHT320_Nss1,(MCSO),2xRU996+RU484 CP 11_4TX	-	-	-	-	-	-	-	-	-	-
6585MHz	Pass	7.66	-10.63	-10.20	-10.92	-11.40	-5.09	Inf	2.57	5.00
802.11be EHT320_Nss1,(MCSO),2xRU996+RU484 CP 12_4TX	-	-	-	-	-	-	-	-	-	-
6585MHz	Pass	7.66	-11.10	-10.16	-10.97	-11.46	-5.15	Inf	2.51	5.00
802.11be EHT320_Nss1,(MCSO),3xRU996+RU484 CP 1_4TX	-	-	-	-	-	-	-	-	-	-
6745MHz	Pass	6.82	-10.53	-10.09	-10.72	-10.62	-4.69	Inf	2.13	5.00
802.11be EHT320_Nss1,(MCSO),3xRU996+RU484 CP 2_4TX	-	-	-	-	-	-	-	-	-	-
6745MHz	Pass	6.82	-10.42	-9.95	-10.61	-10.54	-4.61	Inf	2.21	5.00
802.11be EHT320_Nss1,(MCSO),3xRU996+RU484 CP 3_4TX	-	-	-	-	-	-	-	-	-	-
6745MHz	Pass	6.82	-10.32	-9.95	-10.48	-10.52	-4.50	Inf	2.32	5.00
802.11be EHT320_Nss1,(MCSO),3xRU996+RU484 CP 4_4TX	-	-	-	-	-	-	-	-	-	-
6745MHz	Pass	6.82	-10.31	-9.95	-10.45	-10.54	-4.53	Inf	2.29	5.00
802.11be EHT320_Nss1,(MCSO),3xRU996+RU484 CP 5_4TX	-	-	-	-	-	-	-	-	-	-
6745MHz	Pass	6.82	-10.27	-9.93	-10.48	-10.54	-4.58	Inf	2.24	5.00
802.11be EHT320_Nss1,(MCSO),3xRU996+RU484 CP 6_4TX	-	-	-	-	-	-	-	-	-	-
6745MHz	Pass	6.82	-10.15	-9.94	-10.41	-10.39	-4.45	Inf	2.37	5.00
802.11be EHT320_Nss1,(MCSO),3xRU996+RU484 CP 7_4TX	-	-	-	-	-	-	-	-	-	-
6745MHz	Pass	6.82	-10.16	-9.97	-10.35	-10.38	-4.45	Inf	2.37	5.00





Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	Port 3 (dBm/RBW)	Port 4 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 8_4TX	-	-	-	-	-	-	-	-	-	-
6745MHz	Pass	6.82	-10.18	-9.99	-10.46	-10.55	-4.51	Inf	2.31	5.00
802.11be EHT320_Nss1,(MCS0),3xRU996 CP 1_4TX	-	-	-	-	-	-	-	-	-	-
6745MHz	Pass	6.82	-10.67	-10.03	-10.66	-10.56	-4.65	Inf	2.17	5.00
802.11be EHT320_Nss1,(MCS0),3xRU996 CP 2_4TX	-	-	-	-	-	-	-	-	-	-
6745MHz	Pass	6.82	-10.35	-9.68	-10.40	-10.29	-4.39	Inf	2.43	5.00
802.11be EHT320_Nss1,(MCS0),3xRU996 CP 3_4TX	-	-	-	-	-	-	-	-	-	-
6745MHz	Pass	6.82	-10.12	-9.76	-10.41	-10.30	-4.42	Inf	2.40	5.00
802.11be EHT320_Nss1,(MCS0),3xRU996 CP 4_4TX	-	-	-	-	-	-	-	-	-	-
6745MHz	Pass	6.82	-10.46	-10.34	-10.74	-10.76	-4.80	Inf	2.02	5.00
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 1_4TX	-	-	-	-	-	-	-	-	-	-
6745MHz	Pass	6.82	-10.26	-10.01	-10.54	-10.37	-4.50	Inf	2.32	5.00
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 2_4TX	-	-	-	-	-	-	-	-	-	-
6745MHz	Pass	6.82	-10.21	-9.94	-10.52	-10.30	-4.46	Inf	2.36	5.00
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 3_4TX	-	-	-	-	-	-	-	-	-	-
6745MHz	Pass	6.82	-10.07	-9.91	-10.45	-10.31	-4.40	Inf	2.42	5.00
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 4_4TX	-	-	-	-	-	-	-	-	-	-
6745MHz	Pass	6.82	-10.08	-9.91	-10.36	-10.25	-4.38	Inf	2.44	5.00
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 5_4TX	-	-	-	-	-	-	-	-	-	-
6745MHz	Pass	6.82	-9.86	-9.89	-10.42	-10.26	-4.37	Inf	2.45	5.00
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 6_4TX	-	-	-	-	-	-	-	-	-	-
6745MHz	Pass	6.82	-10.25	-10.46	-10.71	-10.63	-4.73	Inf	2.09	5.00
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 7_4TX	-	-	-	-	-	-	-	-	-	-
6745MHz	Pass	6.82	-10.84	-10.09	-11.05	-10.56	-4.77	Inf	2.05	5.00
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 8_4TX	-	-	-	-	-	-	-	-	-	-
6745MHz	Pass	6.82	-10.85	-9.99	-10.99	-10.61	-4.75	Inf	2.07	5.00
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 9_4TX	-	-	-	-	-	-	-	-	-	-
6745MHz	Pass	6.82	-10.89	-10.07	-11.00	-10.63	-4.82	Inf	2.00	5.00
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 10_4TX	-	-	-	-	-	-	-	-	-	-
6745MHz	Pass	6.82	-10.76	-10.02	-10.90	-10.55	-4.73	Inf	2.09	5.00
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 11_4TX	-	-	-	-	-	-	-	-	-	-
6745MHz	Pass	6.82	-10.66	-10.16	-10.80	-10.58	-4.70	Inf	2.12	5.00
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 12_4TX	-	-	-	-	-	-	-	-	-	-
6745MHz	Pass	6.82	-10.72	-10.22	-10.89	-10.53	-4.76	Inf	2.06	5.00
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 1_4TX	-	-	-	-	-	-	-	-	-	-
6905MHz	Pass	6.82	-13.04	-11.96	-12.89	-13.05	-6.85	Inf	-0.03	5.00
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 2_4TX	-	-	-	-	-	-	-	-	-	-
6905MHz	Pass	6.82	-13.31	-12.16	-13.32	-13.40	-7.25	Inf	-0.43	5.00
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 3_4TX	-	-	-	-	-	-	-	-	-	-
6905MHz	Pass	6.82	-13.80	-12.73	-13.71	-13.87	-7.74	Inf	-0.92	5.00
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 4_4TX	-	-	-	-	-	-	-	-	-	-
6905MHz	Pass	6.82	-14.23	-13.16	-14.35	-14.36	-8.26	Inf	-1.44	5.00
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 5_4TX	-	-	-	-	-	-	-	-	-	-
6905MHz	Pass	6.82	-14.32	-13.22	-14.27	-14.34	-8.23	Inf	-1.41	5.00
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 6_4TX	-	-	-	-	-	-	-	-	-	-
6905MHz	Pass	6.82	-13.74	-12.77	-13.70	-13.80	-7.70	Inf	-0.88	5.00
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 7_4TX	-	-	-	-	-	-	-	-	-	-
6905MHz	Pass	6.82	-12.87	-11.86	-12.74	-12.88	-6.81	Inf	0.01	5.00
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 8_4TX	-	-	-	-	-	-	-	-	-	-
6905MHz	Pass	6.82	-10.92	-9.88	-10.75	-10.92	-4.81	Inf	2.01	5.00
802.11be EHT320_Nss1,(MCS0),3xRU996 CP 1_4TX	-	-	-	-	-	-	-	-	-	-
6905MHz	Pass	6.82	-11.45	-10.54	-11.29	-11.39	-5.22	Inf	1.60	5.00
802.11be EHT320_Nss1,(MCS0),3xRU996 CP 2_4TX	-	-	-	-	-	-	-	-	-	-
6905MHz	Pass	6.82	-14.30	-13.01	-14.13	-14.24	-8.17	Inf	-1.35	5.00
802.11be EHT320_Nss1,(MCS0),3xRU996 CP 3_4TX	-	-	-	-	-	-	-	-	-	-
6905MHz	Pass	6.82	-13.69	-12.64	-13.65	-13.68	-7.63	Inf	-0.81	5.00



Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	Port 3 (dBm/RBW)	Port 4 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
802.11be EHT320_Nss1,(MCS0),3xRU996 CP 4_4TX	-	-	-	-	-	-	-	-	-	-
6905MHz	Pass	6.82	-11.24	-10.37	-11.20	-11.20	-5.23	Inf	1.59	5.00
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 1_4TX	-	-	-	-	-	-	-	-	-	-
6905MHz	Pass	6.82	-11.11	-10.16	-10.75	-10.93	-4.89	Inf	1.93	5.00
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 2_4TX	-	-	-	-	-	-	-	-	-	-
6905MHz	Pass	6.82	-11.06	-9.87	-10.79	-10.89	-4.88	Inf	1.94	5.00
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 3_4TX	-	-	-	-	-	-	-	-	-	-
6905MHz	Pass	6.82	-10.94	-9.90	-10.80	-10.81	-4.84	Inf	1.98	5.00
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 4_4TX	-	-	-	-	-	-	-	-	-	-
6905MHz	Pass	6.82	-11.04	-9.92	-10.86	-10.90	-4.93	Inf	1.89	5.00
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 5_4TX	-	-	-	-	-	-	-	-	-	-
6905MHz	Pass	6.82	-10.96	-9.97	-10.65	-10.81	-4.79	Inf	2.03	5.00
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 6_4TX	-	-	-	-	-	-	-	-	-	-
6905MHz	Pass	6.82	-10.95	-9.98	-10.70	-10.72	-4.82	Inf	2.00	5.00
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 7_4TX	-	-	-	-	-	-	-	-	-	-
6905MHz	Pass	6.82	-10.97	-9.91	-10.87	-10.94	-4.77	Inf	2.05	5.00
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 8_4TX	-	-	-	-	-	-	-	-	-	-
6905MHz	Pass	6.82	-11.36	-10.54	-11.45	-11.43	-5.30	Inf	1.52	5.00
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 9_4TX	-	-	-	-	-	-	-	-	-	-
6905MHz	Pass	6.82	-11.45	-10.59	-11.41	-11.44	-5.28	Inf	1.54	5.00
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 10_4TX	-	-	-	-	-	-	-	-	-	-
6905MHz	Pass	6.82	-11.53	-10.70	-11.41	-11.46	-5.30	Inf	1.52	5.00
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 11_4TX	-	-	-	-	-	-	-	-	-	-
6905MHz	Pass	6.82	-11.06	-10.28	-10.95	-10.95	-4.87	Inf	1.95	5.00
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 12_4TX	-	-	-	-	-	-	-	-	-	-
6905MHz	Pass	6.82	-11.15	-10.35	-11.01	-10.95	-4.94	Inf	1.88	5.00

DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;  
 PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;

























































































































































































































