



5.15-5.25GHz\_802.11be EHT160\_Nss1,(MCS0),RU996+RU484+RU242 CP 5\_4TX

5250MHz Straddle 5.15-5.25GHz


CSE Bandedge-AV Band Power [5.10587GHz]



5.15-5.25GHz\_802.11be EHT160\_Nss1,(MCS0),RU996+RU484+RU242 CP 6\_4TX

CSE Bandedge [PK]

5250MHz Straddle 5.15-5.25GHz




5.15-5.25GHz\_802.11be EHT160\_Nss1,(MCS0),RU996+RU484+RU242 CP 6\_4TX

CSE Bandedge [AV]

5250MHz Straddle 5.15-5.25GHz

23/01/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
4.83G	5.67G	1M	AV	5.11224G	-44.00	-41.20	-Inf_BP	7.95	-51.95	-58.31	-58.95	-56.86	-58.05
4.83G	5.67G	1M	AV	5.36172G	-45.53	-41.20	-4.33	7.95	-53.48	-59.87	-58.69	-59.87	-59.70

5.15-5.25GHz\_802.11be EHT160\_Nss1,(MCS0),RU996+RU484+RU242 CP 6\_4TX

5250MHz Straddle 5.15-5.25GHz

CSE Bandedge-AV Band Power [5.11178GHz]

23/01/2024



F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
4.83G	5.67G	100k(BP1M)	AV	5.11178G	-42.79	-41.20	-1.59	7.95	-50.74	-57.14	-57.46	-56.34	-56.24




5.15-5.25GHz\_802.11be EHT160\_Nss1,(MCS0),RU996+RU484+RU242 CP 7\_4TX

CSE Bandedge [PK]

5250MHz Straddle 5.15-5.25GHz

23/01/2024



- Limit.PK
- EIRP.PK
- Sum.PK
- Port 1
- Port 2
- Port 3
- Port 4


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
4.83G	5.67G	1M	PK	5.1429G	-28.92	-21.20	-7.72	7.95	-36.87	-38.33	-51.59	-43.87	-49.74
4.83G	5.67G	1M	PK	5.3571G	-30.25	-21.20	-9.05	7.95	-38.20	-40.52	-48.52	-44.21	-49.66
4.83G	5.67G	1M	PK	5.46294G	-35.99	-27.00	-8.99	7.95	-43.94	-48.98	-51.98	-47.88	-52.91

5.15-5.25GHz\_802.11be EHT160\_Nss1,(MCS0),RU996+RU484+RU242 CP 7\_4TX

CSE Bandedge [AV]

5250MHz Straddle 5.15-5.25GHz

23/01/2024




- Limit.AV
- EIRP.AV
- Sum.AV
- Port 1
- Port 2
- Port 3
- Port 4

F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
4.83G	5.67G	1M	AV	5.11644G	-44.56	-41.20	-Inf_BP	7.95	-52.51	-58.60	-59.93	-57.77	-58.11
4.83G	5.67G	1M	AV	5.3571G	-45.10	-41.20	-3.90	7.95	-53.05	-59.66	-57.89	-58.91	-60.18

5.15-5.25GHz\_802.11be EHT160\_Nss1,(MCS0),RU996+RU484+RU242 CP 7\_4TX

5250MHz Straddle 5.15-5.25GHz


CSE Bandedge-AV Band Power [5.11689GHz]



5.15-5.25GHz\_802.11be EHT160\_Nss1,(MCS0),RU996+RU484+RU242 CP 8\_4TX

5250MHz Straddle 5.15-5.25GHz

CSE Bandedge [PK]




5.15-5.25GHz\_802.11be EHT160\_Nss1,(MCS0),RU996+RU484+RU242 CP 8\_4TX

CSE Bandedge [AV]

5250MHz Straddle 5.15-5.25GHz

23/01/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
4.83G	5.67G	1M	AV	5.12652G	-46.09	-41.20	-4.61	7.95	-54.04	-59.83	-60.78	-59.47	-60.27
4.83G	5.67G	1M	AV	5.35542G	-45.81	-41.20	-4.61	7.95	-53.76	-60.07	-59.67	-59.84	-59.56

5.15-5.25GHz\_802.11be EHT160\_Nss1,(MCS0),RU996+RU484+RU242 CP 8\_4TX

5250MHz Straddle 5.15-5.25GHz

CSE Bandedge-AV Band Power [5.12702GHz]

23/01/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
4.83G	5.67G	100k(BP1M)	AV	5.12702G	-45.05	-41.20	-3.85	7.95	-53.00	-58.85	-59.73	-58.10	-59.59

5.15-5.25GHz\_802.11be EHT160\_Nss1,(MCS0),RU996+RU484 CP 2\_4TX

CSE Bandedge [PK]

5250MHz Straddle 5.15-5.25GHz

23/01/2024



- Limit.PK
- EIRP.PK
- Sum.PK
- Port 1
- Port 2
- Port 3
- Port 4


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
4.83G	5.67G	1M	PK	5.12652G	-29.81	-21.20	-8.61	7.95	-37.76	-42.23	-49.36	-49.12	-40.77
4.83G	5.67G	1M	PK	5.39952G	-33.52	-21.20	-12.32	7.95	-41.47	-47.38	-46.36	-47.61	-49.02
4.83G	5.67G	1M	PK	5.46714G	-36.33	-27.00	-9.33	7.95	-44.28	-50.58	-49.88	-49.91	-50.92

5.15-5.25GHz\_802.11be EHT160\_Nss1,(MCS0),RU996+RU484 CP 2\_4TX

CSE Bandedge [AV]

5250MHz Straddle 5.15-5.25GHz

23/01/2024




- Limit.AV
- EIRP.AV
- Sum.AV
- Port 1
- Port 2
- Port 3
- Port 4

F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
4.83G	5.67G	1M	AV	5.14752G	-45.53	-41.20	-Inf_BP	7.95	-53.48	-59.75	-60.58	-58.99	-58.89
4.83G	5.67G	1M	AV	5.39868G	-44.56	-41.20	-3.36	7.95	-52.51	-58.86	-57.41	-58.86	-59.21

5.15-5.25GHz\_802.11be EHT160\_Nss1,(MCS0),RU996+RU484 CP 2\_4TX

5250MHz Straddle 5.15-5.25GHz


CSE Bandedge-AV Band Power [5.1472GHz]



5.15-5.25GHz\_802.11be EHT160\_Nss1,(MCS0),RU996+RU484 CP 3\_4TX

5250MHz Straddle 5.15-5.25GHz

CSE Bandedge [PK]






5.15-5.25GHz\_802.11be EHT160\_Nss1,(MCS0),RU996+RU484 CP 3\_4TX

CSE Bandedge [AV]

5250MHz Straddle 5.15-5.25GHz

23/01/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
4.83G	5.67G	1M	AV	5.1051G	-43.57	-41.20	-Inf_BP	7.95	-51.52	-57.88	-57.64	-57.28	-57.40
4.83G	5.67G	1M	AV	5.35248G	-45.50	-41.20	-4.30	7.95	-53.45	-60.70	-58.99	-59.58	-58.84

5.15-5.25GHz\_802.11be EHT160\_Nss1,(MCS0),RU996+RU484 CP 3\_4TX

5250MHz Straddle 5.15-5.25GHz

CSE Bandedge-AV Band Power [5.10463GHz]

23/01/2024



F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
4.83G	5.67G	100k(BP1M)	AV	5.10463G	-42.51	-41.20	-1.31	7.95	-50.46	-56.87	-56.57	-56.37	-56.16




5.15-5.25GHz\_802.11be EHT160\_Nss1,(MCS0),RU996+RU484 CP 4\_4TX

CSE Bandedge [PK]

5250MHz Straddle 5.15-5.25GHz

23/01/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
4.83G	5.67G	1M	PK	5.10636G	-32.69	-21.20	-11.49	7.95	-40.64	-52.08	-51.02	-43.52	-45.58
4.83G	5.67G	1M	PK	5.36634G	-35.76	-21.20	-14.56	7.95	-43.71	-51.20	-46.82	-51.63	-51.35
4.83G	5.67G	1M	PK	5.47932G	-39.82	-27.00	-12.82	7.95	-47.77	-54.82	-55.20	-53.17	-52.54

5.15-5.25GHz\_802.11be EHT160\_Nss1,(MCS0),RU996+RU484 CP 4\_4TX

CSE Bandedge [AV]

5250MHz Straddle 5.15-5.25GHz

23/01/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
4.83G	5.67G	1M	AV	5.1282G	-46.77	-41.20	-Inf_BP	7.95	-54.72	-60.89	-61.64	-59.93	-60.66
4.83G	5.67G	1M	AV	5.35122G	-46.69	-41.20	-5.49	7.95	-54.64	-61.36	-59.87	-60.64	-60.90



5.15-5.25GHz\_802.11be EHT160\_Nss1,(MCS0),RU996+RU484 CP 4\_4TX

5250MHz Straddle 5.15-5.25GHz


CSE Bandedge-AV Band Power [5.12825GHz]



5.25-5.35GHz\_802.11be EHT160\_Nss1,(MCS0),RU996+RU484+RU242 CP 2\_4TX

5250MHz Straddle 5.25-5.35GHz

CSE Bandedge [PK]




5.25-5.35GHz\_802.11be EHT160\_Nss1,(MCS0),RU996+RU484+RU242 CP 2\_4TX

CSE Bandedge [AV]

5250MHz Straddle 5.25-5.35GHz

23/01/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
4.83G	5.67G	1M	AV	5.0988G	-46.49	-41.20	-5.29	7.31	-53.80	-60.42	-59.94	-59.18	-59.83
4.83G	5.67G	1M	AV	5.3571G	-45.31	-41.20	-Inf_BP	7.31	-52.62	-58.56	-58.08	-58.96	-59.01

5.25-5.35GHz\_802.11be EHT160\_Nss1,(MCS0),RU996+RU484+RU242 CP 2\_4TX

5250MHz Straddle 5.25-5.35GHz

CSE Bandedge-AV Band Power [5.35726GHz]

23/01/2024





F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
4.83G	5.67G	100k(BP1M)	AV	5.35726G	-43.98	-41.20	-2.78	7.31	-51.29	-57.21	-57.17	-57.25	-57.64

5.25-5.35GHz\_802.11be EHT160\_Nss1,(MCS0),RU996+RU484+RU242 CP 3\_4TX

CSE Bandedge [PK]

5250MHz Straddle 5.25-5.35GHz

23/01/2024





F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
4.83G	5.67G	1M	PK	5.14038G	-30.60	-21.20	-9.40	7.31	-37.91	-39.02	-51.05	-47.64	-49.38
4.83G	5.67G	1M	PK	5.38062G	-29.44	-21.20	-8.24	7.31	-36.75	-37.67	-48.01	-48.28	-50.24
4.83G	5.67G	1M	PK	5.46672G	-31.78	-27.00	-4.78	7.31	-39.09	-39.84	-51.79	-52.21	-51.68

5.25-5.35GHz\_802.11be EHT160\_Nss1,(MCS0),RU996+RU484+RU242 CP 3\_4TX

CSE Bandedge [AV]

5250MHz Straddle 5.25-5.35GHz

23/01/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
4.83G	5.67G	1M	AV	5.1261G	-45.76	-41.20	-4.56	7.31	-53.07	-59.47	-59.57	-57.77	-59.89
4.83G	5.67G	1M	AV	5.3758G	-45.11	-41.20	-Inf_BP	7.31	-52.42	-58.67	-57.77	-58.09	-59.40



5.25-5.35GHz\_802.11be EHT160\_Nss1,(MCS0),RU996+RU484+RU242 CP 3\_4TX

5250MHz Straddle 5.25-5.35GHz


CSE Bandedge-AV Band Power [5.37564GHz]



5.25-5.35GHz\_802.11be EHT160\_Nss1,(MCS0),RU996+RU484+RU242 CP 4\_4TX

5250MHz Straddle 5.25-5.35GHz

CSE Bandedge [PK]




5.25-5.35GHz\_802.11be EHT160\_Nss1,(MCS0),RU996+RU484+RU242 CP 4\_4TX

CSE Bandedge [AV]

5250MHz Straddle 5.25-5.35GHz

23/01/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
4.83G	5.67G	1M	AV	5.103G	-45.79	-41.20	-4.59	7.31	-53.10	-59.30	-59.50	-58.37	-59.40
4.83G	5.67G	1M	AV	5.39028G	-45.47	-41.20	-Inf_BP	7.31	-52.78	-59.53	-57.67	-59.00	-59.26

5.25-5.35GHz\_802.11be EHT160\_Nss1,(MCS0),RU996+RU484+RU242 CP 4\_4TX

5250MHz Straddle 5.25-5.35GHz

CSE Bandedge-AV Band Power [5.38998GHz]

23/01/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
4.83G	5.67G	100k(BP1M)	AV	5.38998G	-44.17	-41.20	-2.97	7.31	-51.48	-57.60	-56.56	-57.58	-58.46

5.25-5.35GHz\_802.11be EHT160\_Nss1,(MCS0),RU996+RU484+RU242 CP 5\_4TX

CSE Bandedge [PK]

5250MHz Straddle 5.25-5.35GHz

23/01/2024



- Limit.PK
- EIR.PK
- Sum.PK
- Port 1
- Port 2
- Port 3
- Port 4


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
4.83G	5.67G	1M	PK	5.09838G	-31.74	-21.20	-10.54	7.31	-39.05	-41.27	-47.59	-47.14	-48.86
4.83G	5.67G	1M	PK	5.3529G	-32.21	-21.20	-11.01	7.31	-39.52	-41.69	-48.86	-47.37	-49.01
4.83G	5.67G	1M	PK	5.46756G	-35.67	-27.00	-8.67	7.31	-42.98	-44.78	-51.32	-53.26	-53.06

5.25-5.35GHz\_802.11be EHT160\_Nss1,(MCS0),RU996+RU484+RU242 CP 5\_4TX

CSE Bandedge [AV]

5250MHz Straddle 5.25-5.35GHz

23/01/2024



- Limit.AV
- EIR.AV
- Sum.AV
- Port 1
- Port 2
- Port 3
- Port 4


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
4.83G	5.67G	1M	AV	5.10342G	-44.78	-41.20	-3.58	7.31	-52.09	-58.15	-59.01	-56.76	-58.91
4.83G	5.67G	1M	AV	5.35416G	-45.40	-41.20	-Inf_BP	7.31	-52.71	-59.57	-58.00	-58.38	-59.14



5.25-5.35GHz\_802.11be EHT160\_Nss1,(MCS0),RU996+RU484+RU242 CP 5\_4TX

5250MHz Straddle 5.25-5.35GHz


CSE Bandedge-AV Band Power [5.35366GHz]



5.25-5.35GHz\_802.11be EHT160\_Nss1,(MCS0),RU996+RU484+RU242 CP 6\_4TX

CSE Bandedge [PK]

5250MHz Straddle 5.25-5.35GHz






5.25-5.35GHz\_802.11be EHT160\_Nss1,(MCS0),RU996+RU484+RU242 CP 6\_4TX

CSE Bandedge [AV]

5250MHz Straddle 5.25-5.35GHz

23/01/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
4.83G	5.67G	1M	AV	5.11644G	-44.46	-41.20	-3.26	7.31	-51.77	-57.73	-57.94	-57.90	-57.61
4.83G	5.67G	1M	AV	5.3739G	-46.18	-41.20	-Inf_BP	7.31	-53.49	-59.90	-58.82	-59.90	-59.51

5.25-5.35GHz\_802.11be EHT160\_Nss1,(MCS0),RU996+RU484+RU242 CP 6\_4TX

5250MHz Straddle 5.25-5.35GHz

CSE Bandedge-AV Band Power [5.37345GHz]

23/01/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
4.83G	5.67G	100k(BP1M)	AV	5.37345G	-44.59	-41.20	-3.39	7.31	-51.90	-58.13	-57.60	-57.78	-58.20

5.25-5.35GHz\_802.11be EHT160\_Nss1,(MCS0),RU996+RU484+RU242 CP 7\_4TX

CSE Bandedge [PK]

5250MHz Straddle 5.25-5.35GHz

23/01/2024



- Limit.PK
- EIRP.PK
- Sum.PK
- Port 1
- Port 2
- Port 3
- Port 4


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
4.83G	5.67G	1M	PK	5.12568G	-30.27	-21.20	-9.07	7.31	-37.58	-48.61	-49.75	-40.57	-42.03
4.83G	5.67G	1M	PK	5.40592G	-30.44	-21.20	-9.24	7.31	-37.75	-40.67	-47.96	-42.62	-49.32
4.83G	5.67G	1M	PK	5.4726G	-37.08	-27.00	-10.08	7.31	-44.39	-47.97	-51.19	-51.78	-52.09

5.25-5.35GHz\_802.11be EHT160\_Nss1,(MCS0),RU996+RU484+RU242 CP 7\_4TX

CSE Bandedge [AV]

5250MHz Straddle 5.25-5.35GHz

23/01/2024




- Limit.AV
- EIRP.AV
- Sum.AV
- Port 1
- Port 2
- Port 3
- Port 4

F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
4.83G	5.67G	1M	AV	5.11728G	-45.06	-41.20	-3.86	7.31	-52.37	-58.64	-59.36	-57.28	-58.55
4.83G	5.67G	1M	AV	5.35416G	-45.75	-41.20	-Inf_BP	7.31	-53.06	-59.68	-58.24	-58.67	-59.96

5.25-5.35GHz\_802.11be EHT160\_Nss1,(MCS0),RU996+RU484+RU242 CP 7\_4TX

5250MHz Straddle 5.25-5.35GHz


CSE Bandedge-AV Band Power [5.35464GHz]



5.25-5.35GHz\_802.11be EHT160\_Nss1,(MCS0),RU996+RU484+RU242 CP 8\_4TX

5250MHz Straddle 5.25-5.35GHz

CSE Bandedge [PK]




5.25-5.35GHz\_802.11be EHT160\_Nss1,(MCS0),RU996+RU484+RU242 CP 8\_4TX

CSE Bandedge [AV]

5250MHz Straddle 5.25-5.35GHz

23/01/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
4.83G	5.67G	1M	AV	5.11098G	-46.72	-41.20	-5.52	7.31	-54.03	-60.29	-60.46	-59.15	-60.46
4.83G	5.67G	1M	AV	5.35248G	-46.48	-41.20	-Inf_BP	7.31	-53.79	-59.75	-59.97	-60.09	-59.47

5.25-5.35GHz\_802.11be EHT160\_Nss1,(MCS0),RU996+RU484+RU242 CP 8\_4TX

5250MHz Straddle 5.25-5.35GHz

CSE Bandedge-AV Band Power [5.35236GHz]

23/01/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
4.83G	5.67G	100k(BP1M)	AV	5.35236G	-45.21	-41.20	-4.01	7.31	-52.52	-58.39	-58.69	-58.75	-58.33

5.25-5.35GHz\_802.11be EHT160\_Nss1,(MCS0),RU996+RU484 CP 2\_4TX

CSE Bandedge [PK]

5250MHz Straddle 5.25-5.35GHz

23/01/2024



- Limit.PK
- EIRP.PK
- Sum.PK
- Port 1
- Port 2
- Port 3
- Port 4


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
4.83G	5.67G	1M	PK	5.12526G	-32.11	-21.20	-10.91	7.31	-39.42	-46.07	-50.07	-49.11	-41.71
4.83G	5.67G	1M	PK	5.42304G	-34.00	-21.20	-12.80	7.31	-41.31	-44.94	-48.55	-48.75	-48.36
4.83G	5.67G	1M	PK	5.46042G	-37.16	-27.00	-10.16	7.31	-44.47	-50.80	-50.67	-51.84	-49.09

5.25-5.35GHz\_802.11be EHT160\_Nss1,(MCS0),RU996+RU484 CP 2\_4TX

CSE Bandedge [AV]

5250MHz Straddle 5.25-5.35GHz

23/01/2024




- Limit.AV
- EIRP.AV
- Sum.AV
- Port 1
- Port 2
- Port 3
- Port 4

F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
4.83G	5.67G	1M	AV	5.14584G	-46.13	-41.20	-4.93	7.31	-53.44	-59.86	-60.41	-59.19	-58.61
4.83G	5.67G	1M	AV	5.40204G	-45.22	-41.20	-Inf_BP	7.31	-52.53	-58.60	-57.78	-58.74	-59.19

5.25-5.35GHz\_802.11be EHT160\_Nss1,(MCS0),RU996+RU484 CP 2\_4TX

5250MHz Straddle 5.25-5.35GHz


CSE Bandedge-AV Band Power [5.40237GHz]



5.25-5.35GHz\_802.11be EHT160\_Nss1,(MCS0),RU996+RU484 CP 3\_4TX

5250MHz Straddle 5.25-5.35GHz

CSE Bandedge [PK]




5.25-5.35GHz\_802.11be EHT160\_Nss1,(MCS0),RU996+RU484 CP 3\_4TX

CSE Bandedge [AV]

5250MHz Straddle 5.25-5.35GHz

23/01/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
4.83G	5.67G	1M	AV	5.0967G	-44.21	-41.20	-3.01	7.31	-51.52	-58.11	-57.61	-57.14	-57.37
4.83G	5.67G	1M	AV	5.35836G	-46.19	-41.20	-Inf_BP	7.31	-53.50	-60.11	-59.27	-59.71	-59.06

5.25-5.35GHz\_802.11be EHT160\_Nss1,(MCS0),RU996+RU484 CP 3\_4TX

5250MHz Straddle 5.25-5.35GHz

CSE Bandedge-AV Band Power [5.35854GHz]

23/01/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
4.83G	5.67G	100k(BP1M)	AV	5.35854G	-44.80	-41.20	-3.60	7.31	-52.11	-58.31	-57.96	-58.39	-57.88

5.25-5.35GHz\_802.11be EHT160\_Nss1,(MCS0),RU996+RU484 CP 4\_4TX

CSE Bandedge [PK]

5250MHz Straddle 5.25-5.35GHz

23/01/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
4.83G	5.67G	1M	PK	5.10678G	-34.75	-21.20	-13.55	7.31	-42.06	-50.86	-51.95	-44.28	-49.87
4.83G	5.67G	1M	PK	5.35794G	-36.67	-21.20	-15.47	7.31	-43.98	-49.93	-48.82	-49.93	-51.86
4.83G	5.67G	1M	PK	5.48394G	-40.53	-27.00	-13.53	7.31	-47.84	-54.38	-55.02	-54.53	-52.12

5.25-5.35GHz\_802.11be EHT160\_Nss1,(MCS0),RU996+RU484 CP 4\_4TX

CSE Bandedge [AV]

5250MHz Straddle 5.25-5.35GHz

23/01/2024



F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
4.83G	5.67G	1M	AV	5.12568G	-47.41	-41.20	-6.21	7.31	-54.72	-61.15	-61.85	-59.89	-60.33
4.83G	5.67G	1M	AV	5.35038G	-47.36	-41.20	-Inf_BP	7.31	-54.67	-61.50	-59.76	-60.77	-60.90






5.25-5.35GHz\_802.11be EHT160\_Nss1,(MCS0),RU996+RU484 CP 4\_4TX

5250MHz Straddle 5.25-5.35GHz


CSE Bandedge-AV Band Power [5.35078GHz]



5.47-5.725GHz\_802.11be EHT160\_Nss1,(MCS0),RU996+RU484+RU242 CP 1\_4TX

CSE Bandedge [PK]

5570MHz




5.47-5.725GHz\_802.11be EHT160\_Nss1,(MCS0),RU996+RU484+RU242 CP 1\_4TX

CSE Bandedge [AV]

5570MHz

23/01/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
5.15G	6.045G	1M	AV	5.15G	-50.55	-41.20	-9.35	8.43	-58.98	-66.31	-65.05	-63.78	-65.25
5.15G	6.045G	1M	AV	5.4364G	-45.22	-41.20	-Inf_BP	8.43	-53.65	-60.20	-61.28	-60.43	-57.68

5.47-5.725GHz\_802.11be EHT160\_Nss1,(MCS0),RU996+RU484+RU242 CP 1\_4TX

5570MHz

CSE Bandedge-AV Band Power [5.43631GHz]

23/01/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
5.15G	6.045G	100k(BP1M)	AV	5.43631G	-44.47	-41.20	-3.27	8.43	-52.90	-58.61	-59.54	-59.35	-58.29

5.47-5.725GHz\_802.11be EHT160\_Nss1,(MCS0),RU996+RU484+RU242 CP 2\_4TX

CSE Bandedge [PK]

5570MHz

23/01/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
5.15G	6.045G	1M	PK	5.34511G	-37.03	-27.00	-10.03	8.43	-45.46	-53.49	-53.73	-49.83	-50.29
5.15G	6.045G	1M	PK	5.42566G	-30.13	-21.20	-8.93	8.43	-38.56	-49.27	-51.82	-39.52	-50.30
5.15G	6.045G	1M	PK	5.46817G	-32.47	-27.00	-5.47	8.43	-40.90	-48.01	-52.38	-42.92	-50.59
5.15G	6.045G	1M	PK	5.73802G	-34.64	-27.00	-7.64	8.43	-43.07	-50.29	-51.06	-48.94	-47.13

5.47-5.725GHz\_802.11be EHT160\_Nss1,(MCS0),RU996+RU484+RU242 CP 2\_4TX

CSE Bandedge [AV]

5570MHz

23/01/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
5.15G	6.045G	1M	AV	5.15G	-50.64	-41.20	-9.44	8.43	-59.07	-66.65	-65.15	-63.70	-65.35
5.15G	6.045G	1M	AV	5.41716G	-44.38	-41.20	-Inf_BP	8.43	-52.81	-59.83	-59.94	-57.01	-59.25



5.47-5.725GHz\_802.11be EHT160\_Nss1,(MCS0),RU996+RU484+RU242 CP 2\_4TX

5570MHz


CSE Bandedge-AV Band Power [5.41724GHz]



5.47-5.725GHz\_802.11be EHT160\_Nss1,(MCS0),RU996+RU484+RU242 CP 3\_4TX

CSE Bandedge [PK]

5570MHz




5.47-5.725GHz\_802.11be EHT160\_Nss1,(MCS0),RU996+RU484+RU242 CP 3\_4TX

CSE Bandedge [AV]

5570MHz

23/01/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
5.15G	6.045G	1M	AV	5.15G	-50.67	-41.20	-9.47	8.43	-59.10	-66.65	-65.05	-63.87	-65.35
5.15G	6.045G	1M	AV	5.44669G	-45.18	-41.20	-Inf_BP	8.43	-53.61	-59.06	-60.89	-60.12	-58.77

5.47-5.725GHz\_802.11be EHT160\_Nss1,(MCS0),RU996+RU484+RU242 CP 3\_4TX

5570MHz

CSE Bandedge-AV Band Power [5.44619GHz]

23/01/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
5.15G	6.045G	100k(BP1M)	AV	5.44619G	-43.76	-41.20	-2.56	8.43	-52.19	-58.07	-59.50	-58.08	-57.44

5.47-5.725GHz\_802.11be EHT160\_Nss1,(MCS0),RU996+RU484+RU242 CP 4\_4TX

CSE Bandedge [PK]

5570MHz

23/01/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
5.15G	6.045G	1M	PK	5.34824G	-37.13	-27.00	-10.13	8.43	-45.56	-53.15	-51.36	-49.82	-52.81
5.15G	6.045G	1M	PK	5.44804G	-32.26	-21.20	-11.06	8.43	-40.69	-47.16	-52.79	-43.25	-48.72
5.15G	6.045G	1M	PK	5.46862G	-34.34	-27.00	-7.34	8.43	-42.77	-49.61	-51.82	-49.35	-46.24
5.15G	6.045G	1M	PK	5.72638G	-33.49	-27.00	-6.49	8.43	-41.92	-49.10	-49.37	-49.74	-45.27

5.47-5.725GHz\_802.11be EHT160\_Nss1,(MCS0),RU996+RU484+RU242 CP 4\_4TX

CSE Bandedge [AV]

5570MHz

23/01/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
5.15G	6.045G	1M	AV	5.15G	-50.58	-41.20	-9.38	8.43	-59.01	-66.31	-65.05	-63.95	-65.15
5.15G	6.045G	1M	AV	5.44356G	-44.89	-41.20	-Inf_BP	8.43	-53.32	-58.69	-61.42	-59.49	-58.37

5.47-5.725GHz\_802.11be EHT160\_Nss1,(MCS0),RU996+RU484+RU242 CP 4\_4TX

5570MHz


CSE Bandedge-AV Band Power [5.4432GHz]



5.47-5.725GHz\_802.11be EHT160\_Nss1,(MCS0),RU996+RU484+RU242 CP 5\_4TX

CSE Bandedge [PK]

5570MHz




5.47-5.725GHz\_802.11be EHT160\_Nss1,(MCS0),RU996+RU484+RU242 CP 5\_4TX

CSE Bandedge [AV]

5570MHz

23/01/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
5.15G	6.045G	1M	AV	5.15G	-50.73	-41.20	-9.53	8.43	-59.16	-66.31	-65.15	-63.95	-65.66
5.15G	6.045G	1M	AV	5.42611G	-44.34	-41.20	-Inf_BP	8.43	-52.77	-58.66	-59.72	-58.66	-58.25

5.47-5.725GHz\_802.11be EHT160\_Nss1,(MCS0),RU996+RU484+RU242 CP 5\_4TX

5570MHz

CSE Bandedge-AV Band Power [5.42648GHz]

23/01/2024



F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
5.15G	6.045G	100k(BP1M)	AV	5.42648G	-42.94	-41.20	-1.74	8.43	-51.37	-57.10	-58.55	-56.76	-57.36






5.47-5.725GHz\_802.11be EHT160\_Nss1,(MCS0),RU996+RU484+RU242 CP 6\_4TX

CSE Bandedge [PK]

5570MHz

23/01/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
5.15G	6.045G	1M	PK	5.34511G	-37.28	-27.00	-10.28	8.43	-45.71	-52.30	-52.76	-50.81	-51.34
5.15G	6.045G	1M	PK	5.44669G	-28.68	-21.20	-7.48	8.43	-37.11	-49.24	-50.56	-40.77	-40.45
5.15G	6.045G	1M	PK	5.46594G	-32.20	-27.00	-5.20	8.43	-40.63	-48.72	-51.45	-49.30	-42.67
5.15G	6.045G	1M	PK	5.72817G	-33.54	-27.00	-6.54	8.43	-41.97	-51.78	-51.81	-48.03	-44.61

5.47-5.725GHz\_802.11be EHT160\_Nss1,(MCS0),RU996+RU484+RU242 CP 6\_4TX

CSE Bandedge [AV]

5570MHz

23/01/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
5.15G	6.045G	1M	AV	5.15G	-50.75	-41.20	-9.55	8.43	-59.18	-66.42	-64.95	-64.04	-65.76
5.15G	6.045G	1M	AV	5.4373G	-43.84	-41.20	-Inf_BP	8.43	-52.27	-58.23	-59.86	-57.38	-58.06

5.47-5.725GHz\_802.11be EHT160\_Nss1,(MCS0),RU996+RU484+RU242 CP 6\_4TX

5570MHz


CSE Bandedge-AV Band Power [5.43744GHz]



5.47-5.725GHz\_802.11be EHT160\_Nss1,(MCS0),RU996+RU484+RU242 CP 7\_4TX

CSE Bandedge [PK]

5570MHz




5.47-5.725GHz\_802.11be EHT160\_Nss1,(MCS0),RU996+RU484+RU242 CP 7\_4TX

CSE Bandedge [AV]

5570MHz

23/01/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
5.15G	6.045G	1M	AV	5.15G	-51.28	-41.20	-10.08	8.43	-59.71	-66.42	-65.25	-64.30	-67.65
5.15G	6.045G	1M	AV	5.4373G	-44.64	-41.20	-Inf_BP	8.43	-53.07	-59.18	-60.72	-59.39	-57.63

5.47-5.725GHz\_802.11be EHT160\_Nss1,(MCS0),RU996+RU484+RU242 CP 7\_4TX

5570MHz

CSE Bandedge-AV Band Power [5.43735GHz]

23/01/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
5.15G	6.045G	100k(BP1M)	AV	5.43735G	-43.06	-41.20	-1.86	8.43	-51.49	-56.40	-58.89	-58.13	-57.04

5.47-5.725GHz\_802.11be EHT160\_Nss1,(MCS0),RU996+RU484 CP 1\_4TX

CSE Bandedge [PK]

5570MHz

23/01/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
5.15G	6.045G	1M	PK	5.30842G	-38.93	-27.00	-11.93	8.43	-47.36	-55.28	-52.97	-52.52	-53.21
5.15G	6.045G	1M	PK	5.45743G	-37.68	-21.20	-16.48	8.43	-46.11	-50.95	-53.79	-51.81	-52.46
5.15G	6.045G	1M	PK	5.46773G	-36.27	-27.00	-9.27	8.43	-44.70	-53.89	-54.37	-52.25	-46.95
5.15G	6.045G	1M	PK	5.72593G	-37.48	-27.00	-10.48	8.43	-45.91	-51.85	-54.54	-52.34	-50.10

5.47-5.725GHz\_802.11be EHT160\_Nss1,(MCS0),RU996+RU484 CP 1\_4TX

CSE Bandedge [AV]

5570MHz

23/01/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
5.15G	6.045G	1M	AV	5.15G	-50.94	-41.20	-9.74	8.43	-59.37	-67.01	-65.35	-64.04	-65.66
5.15G	6.045G	1M	AV	5.45296G	-48.07	-41.20	-Inf_BP	8.43	-56.50	-62.35	-63.35	-62.28	-62.21

5.47-5.725GHz\_802.11be EHT160\_Nss1,(MCS0),RU996+RU484 CP 1\_4TX

5570MHz


CSE Bandedge-AV Band Power [5.45317GHz]



5.47-5.725GHz\_802.11be EHT160\_Nss1,(MCS0),RU996+RU484 CP 2\_4TX

CSE Bandedge [PK]

5570MHz




5.47-5.725GHz\_802.11be EHT160\_Nss1,(MCS0),RU996+RU484 CP 2\_4TX

CSE Bandedge [AV]

5570MHz

23/01/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
5.15G	6.045G	1M	AV	5.15G	-50.80	-41.20	-9.60	8.43	-59.23	-66.65	-65.25	-64.04	-65.45
5.15G	6.045G	1M	AV	5.38449G	-46.12	-41.20	-Inf_BP	8.43	-54.55	-60.10	-61.85	-60.27	-60.27

5.47-5.725GHz\_802.11be EHT160\_Nss1,(MCS0),RU996+RU484 CP 2\_4TX

5570MHz

CSE Bandedge-AV Band Power [5.38422GHz]

23/01/2024



F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
5.15G	6.045G	100k(BP1M)	AV	5.38422G	-44.80	-41.20	-3.60	8.43	-53.23	-58.44	-60.85	-59.07	-58.98




5.47-5.725GHz\_802.11be EHT160\_Nss1,(MCS0),RU996+RU484 CP 3\_4TX

CSE Bandedge [PK]

5570MHz

23/01/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
5.15G	6.045G	1M	PK	5.34064G	-38.22	-27.00	-11.22	8.43	-46.65	-55.32	-52.13	-50.70	-53.91
5.15G	6.045G	1M	PK	5.4458G	-32.59	-21.20	-11.39	8.43	-41.02	-48.93	-44.71	-51.14	-46.07
5.15G	6.045G	1M	PK	5.46952G	-33.36	-27.00	-6.36	8.43	-41.79	-45.76	-51.84	-51.79	-45.76
5.15G	6.045G	1M	PK	5.72683G	-35.32	-27.00	-8.32	8.43	-43.75	-50.56	-46.75	-52.15	-52.13

5.47-5.725GHz\_802.11be EHT160\_Nss1,(MCS0),RU996+RU484 CP 3\_4TX

CSE Bandedge [AV]

5570MHz

23/01/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
5.15G	6.045G	1M	AV	5.15G	-50.90	-41.20	-9.70	8.43	-59.33	-66.77	-65.15	-63.87	-66.20
5.15G	6.045G	1M	AV	5.40731G	-45.09	-41.20	-Inf_BP	8.43	-53.52	-59.30	-61.26	-59.09	-58.89



5.47-5.725GHz\_802.11be EHT160\_Nss1,(MCS0),RU996+RU484 CP 3\_4TX

5570MHz

CSE Bandedge-AV Band Power [5.40735GHz]







Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX	Pass	AV	5.35G	53.27	54.00	-0.73	3	Vertical	215	3.00
802.11ax HEW20_Nss1,(MCS0)_2TX	Pass	AV	5.35G	52.30	54.00	-1.70	3	Vertical	203	2.72
802.11ax HEW40_Nss1,(MCS0)_2TX	Pass	AV	5.3528G	53.42	54.00	-0.58	3	Vertical	37	2.51
802.11ax HEW80_Nss1,(MCS0)_2TX	Pass	AV	5.353G	52.79	54.00	-1.21	3	Vertical	37	2.40
802.11ax HEW160_Nss1,(MCS0)_2TX	Pass	AV	5.35248G	53.34	54.00	-0.66	3	Vertical	33	2.72
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX	Pass	PK	5.4696G	67.32	68.20	-0.88	3	Vertical	36	2.21
802.11ax HEW20_Nss1,(MCS0)_2TX	Pass	PK	5.7252G	67.30	68.20	-0.90	3	Vertical	34	2.38
802.11ax HEW40_Nss1,(MCS0)_2TX	Pass	PK	5.7336G	67.31	68.20	-0.89	3	Vertical	37	2.55
802.11ax HEW80_Nss1,(MCS0)_2TX	Pass	PK	5.468G	67.06	68.20	-1.14	3	Vertical	35	2.39
802.11ax HEW160_Nss1,(MCS0)_2TX	Pass	PK	5.4644G	66.66	68.20	-1.54	3	Vertical	37	2.43



Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11a_Nss1,(6Mbps)_2TX	-	-	-	-	-	-	-	-	-	-
5260MHz	Pass	AV	5.1256G	43.71	54.00	-10.29	3	Vertical	213	2.78
5260MHz	Pass	AV	5.263G	107.20	Inf	-Inf	3	Vertical	213	2.78
5260MHz	Pass	AV	5.3602G	44.28	54.00	-9.72	3	Vertical	213	2.78
5260MHz	Pass	PK	5.1454G	57.30	74.00	-16.70	3	Vertical	213	2.78
5260MHz	Pass	PK	5.263G	116.74	Inf	-Inf	3	Vertical	213	2.78
5260MHz	Pass	PK	5.3548G	57.61	74.00	-16.39	3	Vertical	213	2.78
5260MHz	Pass	AV	5.131G	43.55	54.00	-10.45	3	Horizontal	6	2.62
5260MHz	Pass	AV	5.2624G	102.00	Inf	-Inf	3	Horizontal	6	2.62
5260MHz	Pass	AV	5.3806G	44.21	54.00	-9.79	3	Horizontal	6	2.62
5260MHz	Pass	PK	5.1418G	56.24	74.00	-17.76	3	Horizontal	6	2.62
5260MHz	Pass	PK	5.263G	112.07	Inf	-Inf	3	Horizontal	6	2.62
5260MHz	Pass	PK	5.3716G	58.04	74.00	-15.96	3	Horizontal	6	2.62
5260MHz	Pass	PK	10.5122G	50.02	68.20	-18.18	3	Vertical	258	1.50
5260MHz	Pass	PK	10.51916G	50.54	68.20	-17.66	3	Horizontal	263	2.67
5300MHz	Pass	AV	5.3012G	107.30	Inf	-Inf	3	Vertical	31	2.49
5300MHz	Pass	AV	5.3512G	44.54	54.00	-9.46	3	Vertical	31	2.49
5300MHz	Pass	PK	5.2964G	117.23	Inf	-Inf	3	Vertical	31	2.49
5300MHz	Pass	PK	5.3516G	57.96	74.00	-16.04	3	Vertical	31	2.49
5300MHz	Pass	AV	5.3032G	100.98	Inf	-Inf	3	Horizontal	58	2.37
5300MHz	Pass	AV	5.352G	43.69	54.00	-10.31	3	Horizontal	58	2.37
5300MHz	Pass	PK	5.3028G	110.61	Inf	-Inf	3	Horizontal	58	2.37
5300MHz	Pass	PK	5.3632G	56.90	74.00	-17.10	3	Horizontal	58	2.37
5300MHz	Pass	AV	10.60022G	37.70	54.00	-16.30	3	Vertical	272	1.43
5300MHz	Pass	PK	10.59906G	49.73	68.20	-18.47	3	Vertical	272	1.43
5300MHz	Pass	PK	10.59923G	49.44	68.20	-18.76	3	Horizontal	296	2.82
5320MHz	Pass	AV	5.3232G	106.81	Inf	-Inf	3	Vertical	215	3.00
5320MHz	Pass	AV	5.35G	53.27	54.00	-0.73	3	Vertical	215	3.00
5320MHz	Pass	PK	5.323G	116.25	Inf	-Inf	3	Vertical	215	3.00
5320MHz	Pass	PK	5.35G	68.98	74.00	-5.02	3	Vertical	215	3.00
5320MHz	Pass	AV	5.3234G	101.29	Inf	-Inf	3	Horizontal	57	2.41
5320MHz	Pass	AV	5.35G	50.05	54.00	-3.95	3	Horizontal	57	2.41
5320MHz	Pass	PK	5.3176G	110.74	Inf	-Inf	3	Horizontal	57	2.41
5320MHz	Pass	PK	5.3536G	65.55	74.00	-8.45	3	Horizontal	57	2.41
5320MHz	Pass	AV	10.64099G	37.38	54.00	-16.62	3	Vertical	51	2.59
5320MHz	Pass	PK	10.63952G	50.09	74.00	-23.91	3	Vertical	51	2.59
5320MHz	Pass	AV	10.6406G	37.36	54.00	-16.64	3	Horizontal	33	2.37
5320MHz	Pass	PK	10.63966G	50.40	74.00	-23.60	3	Horizontal	33	2.37
5500MHz	Pass	AV	5.4588G	45.52	54.00	-8.48	3	Vertical	36	2.21
5500MHz	Pass	AV	5.499G	106.80	Inf	-Inf	3	Vertical	36	2.21
5500MHz	Pass	PK	5.4596G	61.04	74.00	-12.96	3	Vertical	36	2.21
5500MHz	Pass	PK	5.4696G	67.32	68.20	-0.88	3	Vertical	36	2.21
5500MHz	Pass	PK	5.4944G	116.65	Inf	-Inf	3	Vertical	36	2.21
5500MHz	Pass	AV	5.4598G	44.62	54.00	-9.38	3	Horizontal	57	2.42
5500MHz	Pass	AV	5.4954G	101.45	Inf	-Inf	3	Horizontal	57	2.42
5500MHz	Pass	PK	5.46G	57.20	74.00	-16.80	3	Horizontal	57	2.42
5500MHz	Pass	PK	5.47G	64.80	68.20	-3.40	3	Horizontal	57	2.42
5500MHz	Pass	PK	5.4954G	110.90	Inf	-Inf	3	Horizontal	57	2.42
5500MHz	Pass	AV	10.9993G	37.50	54.00	-16.50	3	Vertical	347	1.28
5500MHz	Pass	PK	11.0006G	49.83	74.00	-24.17	3	Vertical	347	1.28
5500MHz	Pass	AV	10.99955G	37.45	54.00	-16.55	3	Horizontal	266	2.79
5500MHz	Pass	PK	11.00016G	49.50	74.00	-24.50	3	Horizontal	266	2.79
5580MHz	Pass	AV	5.457G	43.85	54.00	-10.15	3	Vertical	36	2.52
5580MHz	Pass	AV	5.5746G	107.03	Inf	-Inf	3	Vertical	36	2.52
5580MHz	Pass	PK	5.439G	57.33	74.00	-16.67	3	Vertical	36	2.52
5580MHz	Pass	PK	5.4618G	56.79	68.20	-11.41	3	Vertical	36	2.52
5580MHz	Pass	PK	5.5746G	116.22	Inf	-Inf	3	Vertical	36	2.52
5580MHz	Pass	PK	5.7288G	57.05	68.20	-11.15	3	Vertical	36	2.52
5580MHz	Pass	AV	5.4396G	43.62	54.00	-10.38	3	Horizontal	58	2.48
5580MHz	Pass	AV	5.5812G	102.61	Inf	-Inf	3	Horizontal	58	2.48
5580MHz	Pass	PK	5.4312G	57.42	74.00	-16.58	3	Horizontal	58	2.48



RSE TX above 1GHz\_Non-Beamforming\_Radio 0

Appendix D.3

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5580MHz	Pass	PK	5.4642G	56.58	68.20	-11.62	3	Horizontal	58	2.48
5580MHz	Pass	PK	5.5764G	112.03	Inf	-Inf	3	Horizontal	58	2.48
5580MHz	Pass	PK	5.7252G	56.92	68.20	-11.28	3	Horizontal	58	2.48
5580MHz	Pass	AV	11.16066G	37.40	54.00	-16.60	3	Vertical	181	1.05
5580MHz	Pass	PK	11.1609G	49.74	74.00	-24.26	3	Vertical	181	1.05
5580MHz	Pass	AV	11.16006G	37.31	54.00	-16.69	3	Horizontal	68	2.77
5580MHz	Pass	PK	11.15906G	49.70	74.00	-24.30	3	Horizontal	68	2.77
5700MHz	Pass	AV	5.7012G	105.49	Inf	-Inf	3	Vertical	35	2.44
5700MHz	Pass	PK	5.6968G	115.19	Inf	-Inf	3	Vertical	35	2.44
5700MHz	Pass	PK	5.726G	66.79	68.20	-1.41	3	Vertical	35	2.44
5700MHz	Pass	AV	5.6952G	101.40	Inf	-Inf	3	Horizontal	193	2.65
5700MHz	Pass	PK	5.7044G	110.92	Inf	-Inf	3	Horizontal	193	2.65
5700MHz	Pass	PK	5.7252G	63.99	68.20	-4.21	3	Horizontal	193	2.65
5700MHz	Pass	AV	11.40016G	37.98	54.00	-16.02	3	Vertical	272	2.92
5700MHz	Pass	PK	11.40013G	50.53	74.00	-23.47	3	Vertical	272	2.92
5700MHz	Pass	AV	11.40022G	38.14	54.00	-15.86	3	Horizontal	204	2.53
5700MHz	Pass	PK	11.40001G	50.24	74.00	-23.76	3	Horizontal	204	2.53
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.4236G	43.74	54.00	-10.26	3	Vertical	36	2.60
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.7212G	106.23	Inf	-Inf	3	Vertical	36	2.60
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4332G	56.94	74.00	-17.06	3	Vertical	36	2.60
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4656G	56.54	68.20	-11.66	3	Vertical	36	2.60
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.7164G	116.05	Inf	-Inf	3	Vertical	36	2.60
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.942G	58.66	68.20	-9.54	3	Vertical	36	2.60
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.45G	43.59	54.00	-10.41	3	Horizontal	188	2.78
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.7212G	103.32	Inf	-Inf	3	Horizontal	188	2.78
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4236G	56.34	74.00	-17.66	3	Horizontal	188	2.78
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4668G	56.28	68.20	-11.92	3	Horizontal	188	2.78
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.7224G	113.54	Inf	-Inf	3	Horizontal	188	2.78
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.9396G	58.72	68.20	-9.48	3	Horizontal	188	2.78
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.44039G	38.09	54.00	-15.91	3	Vertical	133	2.71
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.4391G	50.10	74.00	-23.90	3	Vertical	133	2.71
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.4407G	38.01	54.00	-15.99	3	Horizontal	203	1.10
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.43979G	50.08	74.00	-23.92	3	Horizontal	203	1.10
802.11ax HEW20_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5260MHz	Pass	AV	5.1292G	43.25	54.00	-10.75	3	Vertical	32	2.71
5260MHz	Pass	AV	5.2612G	107.81	Inf	-Inf	3	Vertical	32	2.71
5260MHz	Pass	AV	5.401G	43.74	54.00	-10.26	3	Vertical	32	2.71
5260MHz	Pass	PK	5.1304G	56.94	74.00	-17.06	3	Vertical	32	2.71
5260MHz	Pass	PK	5.2606G	120.35	Inf	-Inf	3	Vertical	32	2.71
5260MHz	Pass	PK	5.3506G	57.77	74.00	-16.23	3	Vertical	32	2.71
5260MHz	Pass	AV	5.1388G	43.07	54.00	-10.93	3	Horizontal	240	2.82
5260MHz	Pass	AV	5.2558G	101.23	Inf	-Inf	3	Horizontal	240	2.82
5260MHz	Pass	AV	5.3824G	43.67	54.00	-10.33	3	Horizontal	240	2.82
5260MHz	Pass	PK	5.1454G	57.18	74.00	-16.82	3	Horizontal	240	2.82
5260MHz	Pass	PK	5.2558G	113.86	Inf	-Inf	3	Horizontal	240	2.82
5260MHz	Pass	PK	5.3566G	57.54	74.00	-16.46	3	Horizontal	240	2.82
5260MHz	Pass	PK	10.51918G	49.78	68.20	-18.42	3	Vertical	67	2.82
5260MHz	Pass	PK	10.52078G	49.26	68.20	-18.94	3	Horizontal	311	1.90
5300MHz	Pass	AV	5.3028G	106.67	Inf	-Inf	3	Vertical	35	2.49
5300MHz	Pass	AV	5.352G	45.18	54.00	-8.82	3	Vertical	35	2.49
5300MHz	Pass	PK	5.3024G	120.15	Inf	-Inf	3	Vertical	35	2.49
5300MHz	Pass	PK	5.3528G	62.96	74.00	-11.04	3	Vertical	35	2.49
5300MHz	Pass	AV	5.296G	100.71	Inf	-Inf	3	Horizontal	56	2.51
5300MHz	Pass	AV	5.35G	43.98	54.00	-10.02	3	Horizontal	56	2.51
5300MHz	Pass	PK	5.2972G	114.02	Inf	-Inf	3	Horizontal	56	2.51
5300MHz	Pass	PK	5.3572G	59.42	74.00	-14.58	3	Horizontal	56	2.51
5300MHz	Pass	AV	10.60058G	37.05	54.00	-16.95	3	Vertical	248	2.29
5300MHz	Pass	PK	10.59911G	50.26	68.20	-17.94	3	Vertical	248	2.29
5300MHz	Pass	AV	10.60027G	36.91	54.00	-17.09	3	Horizontal	349	1.07
5300MHz	Pass	PK	10.59994G	49.63	68.20	-18.57	3	Horizontal	349	1.07
5320MHz	Pass	AV	5.3186G	105.08	Inf	-Inf	3	Vertical	203	2.72
5320MHz	Pass	AV	5.35G	52.30	54.00	-1.70	3	Vertical	203	2.72



RSE TX above 1GHz\_Non-Beamforming\_Radio 0

Appendix D.3

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5320MHz	Pass	PK	5.3178G	118.14	Inf	-Inf	3	Vertical	203	2.72
5320MHz	Pass	PK	5.3502G	70.15	74.00	-3.85	3	Vertical	203	2.72
5320MHz	Pass	AV	5.3168G	99.44	Inf	-Inf	3	Horizontal	39	2.44
5320MHz	Pass	AV	5.35G	46.32	54.00	-7.68	3	Horizontal	39	2.44
5320MHz	Pass	PK	5.316G	112.98	Inf	-Inf	3	Horizontal	39	2.44
5320MHz	Pass	PK	5.35G	63.63	74.00	-10.37	3	Horizontal	39	2.44
5320MHz	Pass	AV	10.64006G	36.81	54.00	-17.19	3	Vertical	112	2.28
5320MHz	Pass	PK	10.6394G	49.36	74.00	-24.64	3	Vertical	112	2.28
5320MHz	Pass	AV	10.63945G	36.90	54.00	-17.10	3	Horizontal	261	1.33
5320MHz	Pass	PK	10.63954G	49.41	74.00	-24.59	3	Horizontal	261	1.33
5500MHz	Pass	AV	5.4586G	44.64	54.00	-9.36	3	Vertical	37	2.21
5500MHz	Pass	AV	5.4984G	105.39	Inf	-Inf	3	Vertical	37	2.21
5500MHz	Pass	PK	5.4584G	58.50	74.00	-15.50	3	Vertical	37	2.21
5500MHz	Pass	PK	5.468G	65.28	68.20	-2.92	3	Vertical	37	2.21
5500MHz	Pass	PK	5.498G	118.88	Inf	-Inf	3	Vertical	37	2.21
5500MHz	Pass	AV	5.4598G	43.75	54.00	-10.25	3	Horizontal	56	2.42
5500MHz	Pass	AV	5.501G	100.15	Inf	-Inf	3	Horizontal	56	2.42
5500MHz	Pass	PK	5.4598G	57.67	74.00	-16.33	3	Horizontal	56	2.42
5500MHz	Pass	PK	5.4684G	62.75	68.20	-5.45	3	Horizontal	56	2.42
5500MHz	Pass	PK	5.5006G	113.56	Inf	-Inf	3	Horizontal	56	2.42
5500MHz	Pass	AV	11.00087G	37.06	54.00	-16.94	3	Vertical	349	1.73
5500MHz	Pass	PK	10.99953G	49.44	74.00	-24.56	3	Vertical	349	1.73
5500MHz	Pass	AV	10.99914G	36.93	54.00	-17.07	3	Horizontal	335	2.59
5500MHz	Pass	PK	11G	49.43	74.00	-24.57	3	Horizontal	335	2.59
5580MHz	Pass	AV	5.4318G	43.38	54.00	-10.62	3	Vertical	31	2.52
5580MHz	Pass	AV	5.5788G	107.01	Inf	-Inf	3	Vertical	31	2.52
5580MHz	Pass	PK	5.4486G	56.98	74.00	-17.02	3	Vertical	31	2.52
5580MHz	Pass	PK	5.463G	56.33	68.20	-11.87	3	Vertical	31	2.52
5580MHz	Pass	PK	5.5782G	119.96	Inf	-Inf	3	Vertical	31	2.52
5580MHz	Pass	PK	5.7294G	57.39	68.20	-10.81	3	Vertical	31	2.52
5580MHz	Pass	AV	5.448G	43.07	54.00	-10.93	3	Horizontal	190	2.82
5580MHz	Pass	AV	5.5818G	102.86	Inf	-Inf	3	Horizontal	190	2.82
5580MHz	Pass	PK	5.4426G	56.66	74.00	-17.34	3	Horizontal	190	2.82
5580MHz	Pass	PK	5.4612G	56.88	68.20	-11.32	3	Horizontal	190	2.82
5580MHz	Pass	PK	5.5824G	116.06	Inf	-Inf	3	Horizontal	190	2.82
5580MHz	Pass	PK	5.727G	57.09	68.20	-11.11	3	Horizontal	190	2.82
5580MHz	Pass	AV	11.16028G	36.90	54.00	-17.10	3	Vertical	359	2.84
5580MHz	Pass	PK	11.15908G	49.47	74.00	-24.53	3	Vertical	359	2.84
5580MHz	Pass	AV	11.15932G	36.97	54.00	-17.03	3	Horizontal	132	1.29
5580MHz	Pass	PK	11.1607G	49.57	74.00	-24.43	3	Horizontal	132	1.29
5700MHz	Pass	AV	5.702G	104.22	Inf	-Inf	3	Vertical	34	2.38
5700MHz	Pass	PK	5.7012G	117.66	Inf	-Inf	3	Vertical	34	2.38
5700MHz	Pass	PK	5.7252G	67.30	68.20	-0.90	3	Vertical	34	2.38
5700MHz	Pass	AV	5.6968G	100.49	Inf	-Inf	3	Horizontal	11	2.72
5700MHz	Pass	PK	5.6968G	113.10	Inf	-Inf	3	Horizontal	11	2.72
5700MHz	Pass	PK	5.7272G	62.14	68.20	-6.06	3	Horizontal	11	2.72
5700MHz	Pass	AV	11.40029G	37.60	54.00	-16.40	3	Vertical	287	1.48
5700MHz	Pass	PK	11.40031G	50.39	74.00	-23.61	3	Vertical	287	1.48
5700MHz	Pass	AV	11.40062G	37.68	54.00	-16.32	3	Horizontal	86	1.21
5700MHz	Pass	PK	11.40056G	49.91	74.00	-24.09	3	Horizontal	86	1.21
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.438G	43.20	54.00	-10.80	3	Vertical	33	2.61
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.7212G	106.04	Inf	-Inf	3	Vertical	33	2.61
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4476G	56.36	74.00	-17.64	3	Vertical	33	2.61
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4608G	55.76	68.20	-12.44	3	Vertical	33	2.61
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.7224G	118.85	Inf	-Inf	3	Vertical	33	2.61
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.942G	58.93	68.20	-9.27	3	Vertical	33	2.61
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.4452G	43.04	54.00	-10.96	3	Horizontal	11	2.71
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.7176G	102.94	Inf	-Inf	3	Horizontal	11	2.71
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4392G	56.21	74.00	-17.79	3	Horizontal	11	2.71
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4692G	55.82	68.20	-12.38	3	Horizontal	11	2.71
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.7176G	115.34	Inf	-Inf	3	Horizontal	11	2.71
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.966G	60.14	68.20	-8.06	3	Horizontal	11	2.71



RSE TX above 1GHz\_Non-Beamforming\_Radio 0

Appendix D.3

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.4407G	37.60	54.00	-16.40	3	Vertical	107	1.09
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.44062G	50.69	74.00	-23.31	3	Vertical	107	1.09
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.44036G	37.65	54.00	-16.35	3	Horizontal	322	1.69
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.44059G	50.22	74.00	-23.78	3	Horizontal	322	1.69
802.11ax HEW40_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5270MHz	Pass	AV	5.2648G	103.55	Inf	-Inf	3	Vertical	216	2.47
5270MHz	Pass	AV	5.3544G	46.24	54.00	-7.76	3	Vertical	216	2.47
5270MHz	Pass	PK	5.266G	116.00	Inf	-Inf	3	Vertical	216	2.47
5270MHz	Pass	PK	5.3532G	62.04	74.00	-11.96	3	Vertical	216	2.47
5270MHz	Pass	AV	5.2752G	99.42	Inf	-Inf	3	Horizontal	228	2.95
5270MHz	Pass	AV	5.3544G	44.83	54.00	-9.17	3	Horizontal	228	2.95
5270MHz	Pass	PK	5.266G	113.05	Inf	-Inf	3	Horizontal	228	2.95
5270MHz	Pass	PK	5.3564G	58.75	74.00	-15.25	3	Horizontal	228	2.95
5270MHz	Pass	PK	10.54052G	48.75	68.20	-19.45	3	Vertical	15	1.28
5270MHz	Pass	PK	10.53973G	49.44	68.20	-18.76	3	Horizontal	183	1.64
5310MHz	Pass	AV	5.3132G	100.11	Inf	-Inf	3	Vertical	37	2.51
5310MHz	Pass	AV	5.3528G	53.42	54.00	-0.58	3	Vertical	37	2.51
5310MHz	Pass	PK	5.3036G	113.90	Inf	-Inf	3	Vertical	37	2.51
5310MHz	Pass	PK	5.352G	71.81	74.00	-2.19	3	Vertical	37	2.51
5310MHz	Pass	AV	5.3064G	94.52	Inf	-Inf	3	Horizontal	58	2.38
5310MHz	Pass	AV	5.3548G	45.75	54.00	-8.25	3	Horizontal	58	2.38
5310MHz	Pass	PK	5.3052G	108.12	Inf	-Inf	3	Horizontal	58	2.38
5310MHz	Pass	PK	5.35G	62.35	74.00	-11.65	3	Horizontal	58	2.38
5310MHz	Pass	AV	10.61945G	36.92	54.00	-17.08	3	Vertical	246	1.64
5310MHz	Pass	PK	10.62003G	49.79	74.00	-24.21	3	Vertical	246	1.64
5310MHz	Pass	AV	10.61986G	37.04	54.00	-16.96	3	Horizontal	53	1.81
5310MHz	Pass	PK	10.6207G	50.14	74.00	-23.86	3	Horizontal	53	1.81
5510MHz	Pass	AV	5.46G	44.42	54.00	-9.58	3	Vertical	36	2.24
5510MHz	Pass	AV	5.5088G	98.61	Inf	-Inf	3	Vertical	36	2.24
5510MHz	Pass	PK	5.456G	57.84	74.00	-16.16	3	Vertical	36	2.24
5510MHz	Pass	PK	5.4644G	64.85	68.20	-3.35	3	Vertical	36	2.24
5510MHz	Pass	PK	5.5092G	111.81	Inf	-Inf	3	Vertical	36	2.24
5510MHz	Pass	AV	5.4588G	43.32	54.00	-10.68	3	Horizontal	58	2.39
5510MHz	Pass	AV	5.5108G	92.82	Inf	-Inf	3	Horizontal	58	2.39
5510MHz	Pass	PK	5.4208G	57.31	74.00	-16.69	3	Horizontal	58	2.39
5510MHz	Pass	PK	5.47G	57.48	68.20	-10.72	3	Horizontal	58	2.39
5510MHz	Pass	PK	5.5108G	105.61	Inf	-Inf	3	Horizontal	58	2.39
5510MHz	Pass	AV	11.02025G	37.19	54.00	-16.81	3	Vertical	321	1.06
5510MHz	Pass	PK	11.02068G	49.55	74.00	-24.45	3	Vertical	321	1.06
5510MHz	Pass	AV	11.02007G	37.25	54.00	-16.75	3	Horizontal	124	2.04
5510MHz	Pass	PK	11.02G	49.78	74.00	-24.22	3	Horizontal	124	2.04
5550MHz	Pass	AV	5.458G	44.58	54.00	-9.42	3	Vertical	34	2.41
5550MHz	Pass	AV	5.5488G	103.74	Inf	-Inf	3	Vertical	34	2.41
5550MHz	Pass	PK	5.4592G	59.30	74.00	-14.70	3	Vertical	34	2.41
5550MHz	Pass	PK	5.468G	60.54	68.20	-7.66	3	Vertical	34	2.41
5550MHz	Pass	PK	5.5488G	115.86	Inf	-Inf	3	Vertical	34	2.41
5550MHz	Pass	AV	5.4596G	43.69	54.00	-10.31	3	Horizontal	57	2.50
5550MHz	Pass	AV	5.5516G	99.16	Inf	-Inf	3	Horizontal	57	2.50
5550MHz	Pass	PK	5.4584G	57.04	74.00	-16.96	3	Horizontal	57	2.50
5550MHz	Pass	PK	5.4608G	57.99	68.20	-10.21	3	Horizontal	57	2.50
5550MHz	Pass	PK	5.5528G	112.33	Inf	-Inf	3	Horizontal	57	2.50
5550MHz	Pass	AV	11.09967G	37.19	54.00	-16.81	3	Vertical	321	2.01
5550MHz	Pass	PK	11.09918G	50.61	74.00	-23.39	3	Vertical	321	2.01
5550MHz	Pass	AV	11.10048G	37.22	54.00	-16.78	3	Horizontal	16	2.84
5550MHz	Pass	PK	11.09951G	50.00	74.00	-24.00	3	Horizontal	16	2.84
5670MHz	Pass	AV	5.6718G	102.49	Inf	-Inf	3	Vertical	37	2.55
5670MHz	Pass	PK	5.6604G	115.66	Inf	-Inf	3	Vertical	37	2.55
5670MHz	Pass	PK	5.7336G	67.31	68.20	-0.89	3	Vertical	37	2.55
5670MHz	Pass	AV	5.6772G	99.01	Inf	-Inf	3	Horizontal	11	2.69
5670MHz	Pass	PK	5.6676G	112.00	Inf	-Inf	3	Horizontal	11	2.69
5670MHz	Pass	PK	5.73G	66.73	68.20	-1.47	3	Horizontal	11	2.69
5670MHz	Pass	AV	11.34088G	37.42	54.00	-16.58	3	Vertical	201	2.81



RSE TX above 1GHz\_Non-Beamforming\_Radio 0

Appendix D.3

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5670MHz	Pass	PK	11.33987G	50.33	74.00	-23.67	3	Vertical	201	2.81
5670MHz	Pass	AV	11.34062G	37.48	54.00	-16.52	3	Horizontal	325	2.30
5670MHz	Pass	PK	11.34049G	50.48	74.00	-23.52	3	Horizontal	325	2.30
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.4316G	43.28	54.00	-10.72	3	Vertical	33	2.64
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.7124G	102.65	Inf	-Inf	3	Vertical	33	2.64
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.44G	56.91	74.00	-17.09	3	Vertical	33	2.64
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.4676G	56.32	68.20	-11.88	3	Vertical	33	2.64
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.7112G	115.26	Inf	-Inf	3	Vertical	33	2.64
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.9452G	58.89	68.20	-9.31	3	Vertical	33	2.64
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.4568G	43.06	54.00	-10.94	3	Horizontal	10	2.79
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.7064G	99.09	Inf	-Inf	3	Horizontal	10	2.79
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.4112G	56.72	74.00	-17.28	3	Horizontal	10	2.79
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.4604G	55.75	68.20	-12.45	3	Horizontal	10	2.79
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.7076G	111.67	Inf	-Inf	3	Horizontal	10	2.79
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.9788G	59.29	68.20	-8.91	3	Horizontal	10	2.79
5710MHz Straddle 5.47-5.725GHz	Pass	AV	11.41908G	37.07	54.00	-16.93	3	Vertical	212	2.64
5710MHz Straddle 5.47-5.725GHz	Pass	PK	11.42066G	50.07	74.00	-23.93	3	Vertical	212	2.64
5710MHz Straddle 5.47-5.725GHz	Pass	AV	11.41946G	37.10	54.00	-16.90	3	Horizontal	6	1.20
5710MHz Straddle 5.47-5.725GHz	Pass	PK	11.4192G	50.60	74.00	-23.40	3	Horizontal	6	1.20
802.11ax HEW80_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5290MHz	Pass	AV	5.15G	44.15	54.00	-9.85	3	Vertical	37	2.40
5290MHz	Pass	AV	5.293G	95.99	Inf	-Inf	3	Vertical	37	2.40
5290MHz	Pass	AV	5.353G	52.79	54.00	-1.21	3	Vertical	37	2.40
5290MHz	Pass	PK	5.113G	57.82	74.00	-16.18	3	Vertical	37	2.40
5290MHz	Pass	PK	5.284G	108.68	Inf	-Inf	3	Vertical	37	2.40
5290MHz	Pass	PK	5.354G	67.57	74.00	-6.43	3	Vertical	37	2.40
5290MHz	Pass	PK	5.51G	58.73	68.20	-9.47	3	Vertical	37	2.40
5290MHz	Pass	AV	5.145G	43.76	54.00	-10.24	3	Horizontal	248	2.94
5290MHz	Pass	AV	5.298G	92.21	Inf	-Inf	3	Horizontal	248	2.94
5290MHz	Pass	AV	5.356G	47.28	54.00	-6.72	3	Horizontal	248	2.94
5290MHz	Pass	PK	5.113G	57.38	74.00	-16.62	3	Horizontal	248	2.94
5290MHz	Pass	PK	5.267G	105.47	Inf	-Inf	3	Horizontal	248	2.94
5290MHz	Pass	PK	5.358G	60.89	74.00	-13.11	3	Horizontal	248	2.94
5290MHz	Pass	PK	5.54G	58.16	68.20	-10.04	3	Horizontal	248	2.94
5290MHz	Pass	PK	10.57937G	49.06	68.20	-19.14	3	Vertical	82	1.30
5290MHz	Pass	PK	10.58022G	49.58	68.20	-18.62	3	Horizontal	60	1.79
5530MHz	Pass	AV	5.35G	43.18	54.00	-10.82	3	Vertical	35	2.39
5530MHz	Pass	AV	5.46G	51.58	54.00	-2.42	3	Vertical	35	2.39
5530MHz	Pass	AV	5.529G	96.54	Inf	-Inf	3	Vertical	35	2.39
5530MHz	Pass	PK	5.348G	56.90	68.20	-11.30	3	Vertical	35	2.39
5530MHz	Pass	PK	5.459G	65.50	74.00	-8.50	3	Vertical	35	2.39
5530MHz	Pass	PK	5.468G	67.06	68.20	-1.14	3	Vertical	35	2.39
5530MHz	Pass	PK	5.54G	110.60	Inf	-Inf	3	Vertical	35	2.39
5530MHz	Pass	PK	5.77G	58.23	68.20	-9.97	3	Vertical	35	2.39
5530MHz	Pass	AV	5.35G	42.86	54.00	-11.14	3	Horizontal	58	2.27
5530MHz	Pass	AV	5.46G	44.35	54.00	-9.65	3	Horizontal	58	2.27
5530MHz	Pass	AV	5.531G	91.25	Inf	-Inf	3	Horizontal	58	2.27
5530MHz	Pass	PK	5.283G	57.13	68.20	-11.07	3	Horizontal	58	2.27
5530MHz	Pass	PK	5.46G	57.62	74.00	-16.38	3	Horizontal	58	2.27
5530MHz	Pass	PK	5.463G	58.20	68.20	-10.00	3	Horizontal	58	2.27
5530MHz	Pass	PK	5.532G	104.64	Inf	-Inf	3	Horizontal	58	2.27
5530MHz	Pass	PK	5.745G	57.65	68.20	-10.55	3	Horizontal	58	2.27
5530MHz	Pass	AV	11.06082G	37.25	54.00	-16.75	3	Vertical	161	1.92
5530MHz	Pass	PK	11.05955G	49.63	74.00	-24.37	3	Vertical	161	1.92
5530MHz	Pass	AV	11.06012G	37.18	54.00	-16.82	3	Horizontal	263	2.07
5530MHz	Pass	PK	11.06067G	50.08	74.00	-23.92	3	Horizontal	263	2.07
5610MHz	Pass	AV	5.458G	46.54	54.00	-7.46	3	Vertical	32	2.42
5610MHz	Pass	AV	5.6G	100.43	Inf	-Inf	3	Vertical	32	2.42
5610MHz	Pass	PK	5.458G	60.63	74.00	-13.37	3	Vertical	32	2.42
5610MHz	Pass	PK	5.466G	63.45	68.20	-4.75	3	Vertical	32	2.42
5610MHz	Pass	PK	5.63G	112.98	Inf	-Inf	3	Vertical	32	2.42
5610MHz	Pass	PK	5.733G	65.52	68.20	-2.68	3	Vertical	32	2.42



RSE TX above 1GHz\_Non-Beamforming\_Radio 0


Appendix D.3

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5610MHz	Pass	AV	5.451G	43.91	54.00	-10.09	3	Horizontal	11	2.62
5610MHz	Pass	AV	5.616G	95.86	Inf	-Inf	3	Horizontal	11	2.62
5610MHz	Pass	PK	5.453G	57.30	74.00	-16.70	3	Horizontal	11	2.62
5610MHz	Pass	PK	5.47G	57.37	68.20	-10.83	3	Horizontal	11	2.62
5610MHz	Pass	PK	5.606G	108.20	Inf	-Inf	3	Horizontal	11	2.62
5610MHz	Pass	PK	5.728G	63.97	68.20	-4.23	3	Horizontal	11	2.62
5610MHz	Pass	AV	11.2196G	37.10	54.00	-16.90	3	Vertical	124	1.33
5610MHz	Pass	PK	11.21981G	51.39	74.00	-22.61	3	Vertical	124	1.33
5610MHz	Pass	AV	11.2201G	37.06	54.00	-16.94	3	Horizontal	214	2.27
5610MHz	Pass	PK	11.22051G	50.10	74.00	-23.90	3	Horizontal	214	2.27
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.4572G	43.26	54.00	-10.74	3	Vertical	36	2.72
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.6912G	99.59	Inf	-Inf	3	Vertical	36	2.72
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.4248G	56.79	74.00	-17.21	3	Vertical	36	2.72
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.462G	55.69	68.20	-12.51	3	Vertical	36	2.72
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.6708G	111.70	Inf	-Inf	3	Vertical	36	2.72
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.8808G	59.08	68.20	-9.12	3	Vertical	36	2.72
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.4596G	43.15	54.00	-10.85	3	Horizontal	189	2.67
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.6924G	96.36	Inf	-Inf	3	Horizontal	189	2.67
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.45G	56.88	74.00	-17.12	3	Horizontal	189	2.67
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.4608G	56.48	68.20	-11.72	3	Horizontal	189	2.67
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.702G	109.58	Inf	-Inf	3	Horizontal	189	2.67
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.9708G	59.95	68.20	-8.25	3	Horizontal	189	2.67
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.37968G	37.38	54.00	-16.62	3	Vertical	319	2.94
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.37968G	50.01	74.00	-23.99	3	Vertical	319	2.94
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.38054G	37.44	54.00	-16.56	3	Horizontal	135	2.44
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.38G	49.49	74.00	-24.51	3	Horizontal	135	2.44
802.11ax HEW160_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.1492G	52.91	54.00	-1.09	3	Vertical	33	2.72
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.22984G	94.81	Inf	-Inf	3	Vertical	33	2.72
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.35248G	53.34	54.00	-0.66	3	Vertical	33	2.72
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.13408G	67.28	74.00	-6.72	3	Vertical	33	2.72
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.23152G	107.37	Inf	-Inf	3	Vertical	33	2.72
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.35416G	66.74	74.00	-7.26	3	Vertical	33	2.72
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.65992G	57.96	68.20	-10.24	3	Vertical	33	2.72
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.1492G	45.40	54.00	-8.60	3	Horizontal	56	2.20
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.2752G	86.96	Inf	-Inf	3	Horizontal	56	2.20
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.35416G	45.96	54.00	-8.04	3	Horizontal	56	2.20
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.13912G	58.29	74.00	-15.71	3	Horizontal	56	2.20
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.2752G	99.95	Inf	-Inf	3	Horizontal	56	2.20
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.35584G	58.76	74.00	-15.24	3	Horizontal	56	2.20
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.5576G	58.84	68.20	-9.36	3	Horizontal	56	2.20
5250MHz Straddle 5.25-5.35GHz	Pass	PK	10.50992G	49.49	68.20	-18.71	3	Vertical	212	2.03
5250MHz Straddle 5.25-5.35GHz	Pass	PK	10.49152G	50.76	68.20	-17.44	3	Horizontal	222	1.85
5570MHz	Pass	AV	5.4596G	52.13	54.00	-1.87	3	Vertical	37	2.43
5570MHz	Pass	AV	5.5484G	94.24	Inf	-Inf	3	Vertical	37	2.43
5570MHz	Pass	PK	5.2832G	57.45	68.20	-10.75	3	Vertical	37	2.43
5570MHz	Pass	PK	5.4536G	64.94	74.00	-9.06	3	Vertical	37	2.43
5570MHz	Pass	PK	5.4644G	66.66	68.20	-1.54	3	Vertical	37	2.43
5570MHz	Pass	PK	5.5496G	107.30	Inf	-Inf	3	Vertical	37	2.43
5570MHz	Pass	PK	5.732G	61.17	68.20	-7.03	3	Vertical	37	2.43
5570MHz	Pass	AV	5.4512G	45.49	54.00	-8.51	3	Horizontal	57	2.33
5570MHz	Pass	AV	5.5616G	89.32	Inf	-Inf	3	Horizontal	57	2.33
5570MHz	Pass	PK	5.2724G	56.91	68.20	-11.29	3	Horizontal	57	2.33
5570MHz	Pass	PK	5.4488G	58.60	74.00	-15.40	3	Horizontal	57	2.33
5570MHz	Pass	PK	5.4692G	58.65	68.20	-9.55	3	Horizontal	57	2.33
5570MHz	Pass	PK	5.5724G	102.60	Inf	-Inf	3	Horizontal	57	2.33
5570MHz	Pass	PK	5.7584G	58.36	68.20	-9.84	3	Horizontal	57	2.33
5570MHz	Pass	AV	11.13965G	37.20	54.00	-16.80	3	Vertical	17	1.90
5570MHz	Pass	PK	11.13965G	49.62	74.00	-24.38	3	Vertical	17	1.90
5570MHz	Pass	AV	11.14061G	37.10	54.00	-16.90	3	Horizontal	357	1.12
5570MHz	Pass	PK	11.13904G	50.45	74.00	-23.55	3	Horizontal	357	1.12



5.25-5.35GHz\_802.11a\_Nss1,(6Mbps)\_2TX


5320MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3232G	106.81	Inf	-Inf	-5.57	3	Vertical	215	3.00	112.38	33.30	5.23	44.10
AV	5.35G	53.27	54.00	-0.73	-5.56	3	Vertical	215	3.00	58.83	33.30	5.24	44.10
PK	5.323G	116.25	Inf	-Inf	-5.57	3	Vertical	215	3.00	121.82	33.30	5.23	44.10
PK	5.35G	68.98	74.00	-5.02	-5.56	3	Vertical	215	3.00	74.54	33.30	5.24	44.10

5.25-5.35GHz\_802.11a\_Nss1,(6Mbps)\_2TX

5320MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3234G	101.29	Inf	-Inf	-5.57	3	Horizontal	57	2.41	106.86	33.30	5.23	44.10
AV	5.35G	50.05	54.00	-3.95	-5.56	3	Horizontal	57	2.41	55.61	33.30	5.24	44.10
PK	5.3176G	110.74	Inf	-Inf	-5.57	3	Horizontal	57	2.41	116.31	33.30	5.23	44.10
PK	5.3536G	65.55	74.00	-8.45	-5.57	3	Horizontal	57	2.41	71.12	33.29	5.24	44.10





5.25-5.35GHz\_802.11a\_Nss1,(6Mbps)\_2TX


5320MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.64099G	37.38	54.00	-16.62	5.18	3	Vertical	51	2.59	32.20	39.08	8.16	42.06
PK	10.63952G	50.09	74.00	-23.91	5.18	3	Vertical	51	2.59	44.91	39.08	8.16	42.06

5.25-5.35GHz\_802.11a\_Nss1,(6Mbps)\_2TX

5320MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.6406G	37.36	54.00	-16.64	5.18	3	Horizontal	33	2.37	32.18	39.08	8.16	42.06
PK	10.63966G	50.40	74.00	-23.60	5.18	3	Horizontal	33	2.37	45.22	39.08	8.16	42.06



5.25-5.35GHz\_802.11ax\_HEW20\_Nss1,(MCS0)\_2TX


5320MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3186G	105.08	Inf	-Inf	-5.57	3	Vertical	203	2.72	110.65	33.30	5.23	44.10
AV	5.35G	52.30	54.00	-1.70	-5.56	3	Vertical	203	2.72	57.86	33.30	5.24	44.10
PK	5.3178G	118.14	Inf	-Inf	-5.57	3	Vertical	203	2.72	123.71	33.30	5.23	44.10
PK	5.3502G	70.15	74.00	-3.85	-5.56	3	Vertical	203	2.72	75.71	33.30	5.24	44.10

5.25-5.35GHz\_802.11ax\_HEW20\_Nss1,(MCS0)\_2TX

5320MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3168G	99.44	Inf	-Inf	-5.57	3	Horizontal	39	2.44	105.01	33.30	5.23	44.10
AV	5.35G	46.32	54.00	-7.68	-5.56	3	Horizontal	39	2.44	51.88	33.30	5.24	44.10
PK	5.316G	112.98	Inf	-Inf	-5.57	3	Horizontal	39	2.44	118.55	33.30	5.23	44.10
PK	5.35G	63.63	74.00	-10.37	-5.56	3	Horizontal	39	2.44	69.19	33.30	5.24	44.10



5.25-5.35GHz\_802.11ax\_HEW20\_Nss1,(MCS0)\_2TX


5320MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.64006G	36.81	54.00	-17.19	5.18	3	Vertical	112	2.28	31.63	39.08	8.16	42.06
PK	10.6394G	49.36	74.00	-24.64	5.18	3	Vertical	112	2.28	44.18	39.08	8.16	42.06

5.25-5.35GHz\_802.11ax\_HEW20\_Nss1,(MCS0)\_2TX

5320MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.63945G	36.90	54.00	-17.10	5.18	3	Horizontal	261	1.33	31.72	39.08	8.16	42.06
PK	10.63954G	49.41	74.00	-24.59	5.18	3	Horizontal	261	1.33	44.23	39.08	8.16	42.06



5.25-5.35GHz\_802.11ax\_HEW40\_Nss1,(MCS0)\_2TX


5310MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3132G	100.11	Inf	-Inf	-5.57	3	Vertical	37	2.51	105.68	33.30	5.23	44.10
AV	5.3528G	53.42	54.00	-0.58	-5.57	3	Vertical	37	2.51	58.99	33.29	5.24	44.10
PK	5.3036G	113.90	Inf	-Inf	-5.57	3	Vertical	37	2.51	119.47	33.30	5.23	44.10
PK	5.352G	71.81	74.00	-2.19	-5.56	3	Vertical	37	2.51	77.37	33.30	5.24	44.10

5.25-5.35GHz\_802.11ax\_HEW40\_Nss1,(MCS0)\_2TX

5310MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3064G	94.52	Inf	-Inf	-5.57	3	Horizontal	58	2.38	100.09	33.30	5.23	44.10
AV	5.3548G	45.75	54.00	-8.25	-5.57	3	Horizontal	58	2.38	51.32	33.29	5.24	44.10
PK	5.3052G	108.12	Inf	-Inf	-5.57	3	Horizontal	58	2.38	113.69	33.30	5.23	44.10
PK	5.35G	62.35	74.00	-11.65	-5.56	3	Horizontal	58	2.38	67.91	33.30	5.24	44.10



5.25-5.35GHz\_802.11ax\_HEW40\_Nss1,(MCS0)\_2TX


5310MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.61945G	36.92	54.00	-17.08	5.14	3	Vertical	246	1.64	31.78	39.04	8.15	42.05
PK	10.62003G	49.79	74.00	-24.21	5.14	3	Vertical	246	1.64	44.65	39.04	8.15	42.05

5.25-5.35GHz\_802.11ax\_HEW40\_Nss1,(MCS0)\_2TX

5310MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.61986G	37.04	54.00	-16.96	5.14	3	Horizontal	53	1.81	31.90	39.04	8.15	42.05
PK	10.6207G	50.14	74.00	-23.86	5.14	3	Horizontal	53	1.81	45.00	39.04	8.15	42.05



5.25-5.35GHz\_802.11ax\_HEW80\_Nss1,(MCS0)\_2TX


5290MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	44.15	54.00	-9.85	-5.41	3	Vertical	37	2.40	49.56	33.50	5.17	44.08
AV	5.293G	95.99	Inf	-Inf	-5.55	3	Vertical	37	2.40	101.54	33.33	5.22	44.10
AV	5.353G	52.79	54.00	-1.21	-5.57	3	Vertical	37	2.40	58.36	33.29	5.24	44.10
PK	5.113G	57.82	74.00	-16.18	-5.42	3	Vertical	37	2.40	63.24	33.50	5.15	44.07
PK	5.284G	108.68	Inf	-Inf	-5.51	3	Vertical	37	2.40	114.19	33.36	5.22	44.09
PK	5.354G	67.57	74.00	-6.43	-5.57	3	Vertical	37	2.40	73.14	33.29	5.24	44.10
PK	5.51G	58.73	68.20	-9.47	-5.37	3	Vertical	37	2.40	64.10	33.42	5.33	44.12

5.25-5.35GHz\_802.11ax\_HEW80\_Nss1,(MCS0)\_2TX

5290MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.145G	43.76	54.00	-10.24	-5.41	3	Horizontal	248	2.94	49.17	33.50	5.17	44.08
AV	5.298G	92.21	Inf	-Inf	-5.57	3	Horizontal	248	2.94	97.78	33.31	5.22	44.10
AV	5.356G	47.28	54.00	-6.72	-5.57	3	Horizontal	248	2.94	52.85	33.29	5.24	44.10
PK	5.113G	57.38	74.00	-16.62	-5.42	3	Horizontal	248	2.94	62.80	33.50	5.15	44.07
PK	5.267G	105.47	Inf	-Inf	-5.45	3	Horizontal	248	2.94	110.92	33.43	5.21	44.09
PK	5.358G	60.89	74.00	-13.11	-5.57	3	Horizontal	248	2.94	66.46	33.28	5.25	44.10
PK	5.54G	58.16	68.20	-10.04	-5.29	3	Horizontal	248	2.94	63.45	33.48	5.35	44.12



5.25-5.35GHz\_802.11ax\_HEW80\_Nss1,(MCS0)\_2TX


5290MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.57937G	49.06	68.20	-19.14	5.02	3	Vertical	82	1.30	44.04	38.92	8.14	42.04

5.25-5.35GHz\_802.11ax\_HEW80\_Nss1,(MCS0)\_2TX

5290MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.58022G	49.58	68.20	-18.62	5.02	3	Horizontal	60	1.79	44.56	38.92	8.14	42.04



5.25-5.35GHz\_802.11ax HEW160\_Nss1,(MCS0)\_2TX


5250MHz Straddle 5.25-5.35GHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1492G	52.91	54.00	-1.09	-5.41	3	Vertical	33	2.72	58.32	33.50	5.17	44.08
AV	5.22984G	94.81	Inf	-Inf	-5.39	3	Vertical	33	2.72	100.20	33.50	5.20	44.09
AV	5.35248G	53.34	54.00	-0.66	-5.56	3	Vertical	33	2.72	58.90	33.30	5.24	44.10
PK	5.13408G	67.28	74.00	-6.72	-5.42	3	Vertical	33	2.72	72.70	33.50	5.16	44.08
PK	5.23152G	107.37	Inf	-Inf	-5.39	3	Vertical	33	2.72	112.76	33.50	5.20	44.09
PK	5.35416G	66.74	74.00	-7.26	-5.57	3	Vertical	33	2.72	72.31	33.29	5.24	44.10
PK	5.65992G	57.96	68.20	-10.24	-5.16	3	Vertical	33	2.72	63.12	33.56	5.42	44.14

5.25-5.35GHz\_802.11ax HEW160\_Nss1,(MCS0)\_2TX

5250MHz Straddle 5.25-5.35GHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1492G	45.40	54.00	-8.60	-5.41	3	Horizontal	56	2.20	50.81	33.50	5.17	44.08
AV	5.2752G	86.96	Inf	-Inf	-5.47	3	Horizontal	56	2.20	92.43	33.40	5.22	44.09
AV	5.35416G	45.96	54.00	-8.04	-5.57	3	Horizontal	56	2.20	51.53	33.29	5.24	44.10
PK	5.13912G	58.29	74.00	-15.71	-5.42	3	Horizontal	56	2.20	63.71	33.50	5.16	44.08
PK	5.2752G	99.95	Inf	-Inf	-5.47	3	Horizontal	56	2.20	105.42	33.40	5.22	44.09
PK	5.35584G	58.76	74.00	-15.24	-5.57	3	Horizontal	56	2.20	64.33	33.29	5.24	44.10
PK	5.55576G	58.84	68.20	-9.36	-5.28	3	Horizontal	56	2.20	64.12	33.49	5.36	44.13





5.25-5.35GHz\_802.11ax HEW160\_Nss1,(MCS0)\_2TX


5250MHz Straddle 5.25-5.35GHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.50992G	49.49	68.20	-18.71	4.83	3	Vertical	212	2.03	44.66	38.72	8.12	42.01

5.25-5.35GHz\_802.11ax HEW160\_Nss1,(MCS0)\_2TX

5250MHz Straddle 5.25-5.35GHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.49152G	50.76	68.20	-17.44	4.77	3	Horizontal	222	1.85	45.99	38.68	8.11	42.02



5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_2TX


5500MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4588G	45.52	54.00	-8.48	-5.50	3	Vertical	36	2.21	51.02	33.32	5.30	44.12
AV	5.499G	106.80	Inf	-Inf	-5.40	3	Vertical	36	2.21	112.20	33.40	5.32	44.12
PK	5.4596G	61.04	74.00	-12.96	-5.50	3	Vertical	36	2.21	66.54	33.32	5.30	44.12
PK	5.4696G	67.32	68.20	-0.88	-5.47	3	Vertical	36	2.21	72.79	33.34	5.31	44.12
PK	5.4944G	116.65	Inf	-Inf	-5.41	3	Vertical	36	2.21	122.06	33.39	5.32	44.12

5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_2TX

5500MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4598G	44.62	54.00	-9.38	-5.50	3	Horizontal	57	2.42	50.12	33.32	5.30	44.12
AV	5.4954G	101.45	Inf	-Inf	-5.41	3	Horizontal	57	2.42	106.86	33.39	5.32	44.12
PK	5.46G	57.20	74.00	-16.80	-5.50	3	Horizontal	57	2.42	62.70	33.32	5.30	44.12
PK	5.47G	64.80	68.20	-3.40	-5.47	3	Horizontal	57	2.42	70.27	33.34	5.31	44.12
PK	5.4954G	110.90	Inf	-Inf	-5.41	3	Horizontal	57	2.42	116.31	33.39	5.32	44.12



5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_2TX


5500MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.9993G	37.50	54.00	-16.50	4.88	3	Vertical	347	1.28	32.62	38.80	8.26	42.18
PK	11.0006G	49.83	74.00	-24.17	4.89	3	Vertical	347	1.28	44.94	38.80	8.27	42.18

5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_2TX

5500MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.99955G	37.45	54.00	-16.55	4.88	3	Horizontal	266	2.79	32.57	38.80	8.26	42.18
PK	11.00016G	49.50	74.00	-24.50	4.89	3	Horizontal	266	2.79	44.61	38.80	8.27	42.18



5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX


5700MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.702G	104.22	Inf	-Inf	-4.87	3	Vertical	34	2.38	109.09	33.82	5.45	44.14
PK	5.7012G	117.66	Inf	-Inf	-4.88	3	Vertical	34	2.38	122.54	33.81	5.45	44.14
PK	5.7252G	67.30	68.20	-0.90	-4.64	3	Vertical	34	2.38	71.94	34.05	5.46	44.15

5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX

5700MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.6968G	100.49	Inf	-Inf	-4.92	3	Horizontal	11	2.72	105.41	33.78	5.44	44.14
PK	5.6968G	113.10	Inf	-Inf	-4.92	3	Horizontal	11	2.72	118.02	33.78	5.44	44.14
PK	5.7272G	62.14	68.20	-6.06	-4.62	3	Horizontal	11	2.72	66.76	34.07	5.46	44.15



5.47-5.725GHz\_802.11ax\_HEW20\_Nss1,(MCS0)\_2TX


5700MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.40029G	37.60	54.00	-16.40	5.82	3	Vertical	287	1.48	31.78	39.40	8.39	41.97
PK	11.40031G	50.39	74.00	-23.61	5.82	3	Vertical	287	1.48	44.57	39.40	8.39	41.97

5.47-5.725GHz\_802.11ax\_HEW20\_Nss1,(MCS0)\_2TX

5700MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.40062G	37.68	54.00	-16.32	5.82	3	Horizontal	86	1.21	31.86	39.40	8.39	41.97
PK	11.40056G	49.91	74.00	-24.09	5.82	3	Horizontal	86	1.21	44.09	39.40	8.39	41.97



5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX


5670MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.6718G	102.49	Inf	-Inf	-5.08	3	Vertical	37	2.55	107.57	33.63	5.43	44.14
PK	5.6604G	115.66	Inf	-Inf	-5.16	3	Vertical	37	2.55	120.82	33.56	5.42	44.14
PK	5.7336G	67.31	68.20	-0.89	-4.55	3	Vertical	37	2.55	71.86	34.14	5.46	44.15

5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX

5670MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.6772G	99.01	Inf	-Inf	-5.05	3	Horizontal	11	2.69	104.06	33.66	5.43	44.14
PK	5.6676G	112.00	Inf	-Inf	-5.10	3	Horizontal	11	2.69	117.10	33.61	5.43	44.14
PK	5.73G	66.73	68.20	-1.47	-4.59	3	Horizontal	11	2.69	71.32	34.10	5.46	44.15



5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX


5670MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.34088G	37.42	54.00	-16.58	5.67	3	Vertical	201	2.81	31.75	39.30	8.37	42.00
PK	11.33987G	50.33	74.00	-23.67	5.67	3	Vertical	201	2.81	44.66	39.30	8.37	42.00

5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX

5670MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.34062G	37.48	54.00	-16.52	5.67	3	Horizontal	325	2.30	31.81	39.30	8.37	42.00
PK	11.34049G	50.48	74.00	-23.52	5.67	3	Horizontal	325	2.30	44.81	39.30	8.37	42.00



5.47-5.725GHz\_802.11ax\_HEW80\_Nss1,(MCS0)\_2TX


5530MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.35G	43.18	54.00	-10.82	-5.56	3	Vertical	35	2.39	48.74	33.30	5.24	44.10
AV	5.46G	51.58	54.00	-2.42	-5.50	3	Vertical	35	2.39	57.08	33.32	5.30	44.12
AV	5.529G	96.54	Inf	-Inf	-5.32	3	Vertical	35	2.39	101.86	33.46	5.34	44.12
PK	5.348G	56.90	68.20	-11.30	-5.56	3	Vertical	35	2.39	62.46	33.30	5.24	44.10
PK	5.459G	65.50	74.00	-8.50	-5.50	3	Vertical	35	2.39	71.00	33.32	5.30	44.12
PK	5.468G	67.06	68.20	-1.14	-5.48	3	Vertical	35	2.39	72.54	33.34	5.30	44.12
PK	5.54G	110.60	Inf	-Inf	-5.29	3	Vertical	35	2.39	115.89	33.48	5.35	44.12
PK	5.77G	58.23	68.20	-9.97	-4.29	3	Vertical	35	2.39	62.52	34.38	5.48	44.15

5.47-5.725GHz\_802.11ax\_HEW80\_Nss1,(MCS0)\_2TX

5530MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.35G	42.86	54.00	-11.14	-5.56	3	Horizontal	58	2.27	48.42	33.30	5.24	44.10
AV	5.46G	44.35	54.00	-9.65	-5.50	3	Horizontal	58	2.27	49.85	33.32	5.30	44.12
AV	5.531G	91.25	Inf	-Inf	-5.31	3	Horizontal	58	2.27	96.56	33.46	5.35	44.12
PK	5.283G	57.13	68.20	-11.07	-5.50	3	Horizontal	58	2.27	62.63	33.37	5.22	44.09
PK	5.46G	57.62	74.00	-16.38	-5.50	3	Horizontal	58	2.27	63.12	33.32	5.30	44.12
PK	5.463G	58.20	68.20	-10.00	-5.49	3	Horizontal	58	2.27	63.69	33.33	5.30	44.12
PK	5.532G	104.64	Inf	-Inf	-5.31	3	Horizontal	58	2.27	109.95	33.46	5.35	44.12
PK	5.745G	57.65	68.20	-10.55	-4.43	3	Horizontal	58	2.27	62.08	34.25	5.47	44.15





5.47-5.725GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX


5530MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.06082G	37.25	54.00	-16.75	5.03	3	Vertical	161	1.92	32.22	38.90	8.28	42.15
PK	11.05955G	49.63	74.00	-24.37	5.03	3	Vertical	161	1.92	44.60	38.90	8.28	42.15

5.47-5.725GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX

5530MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.06012G	37.18	54.00	-16.82	5.03	3	Horizontal	263	2.07	32.15	38.90	8.28	42.15
PK	11.06067G	50.08	74.00	-23.92	5.03	3	Horizontal	263	2.07	45.05	38.90	8.28	42.15



5.47-5.725GHz\_802.11ax HEW160\_Nss1,(MCS0)\_2TX


5570MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4596G	52.13	54.00	-1.87	-5.50	3	Vertical	37	2.43	57.63	33.32	5.30	44.12
AV	5.5484G	94.24	Inf	-Inf	-5.27	3	Vertical	37	2.43	99.51	33.50	5.36	44.13
PK	5.2832G	57.45	68.20	-10.75	-5.50	3	Vertical	37	2.43	62.95	33.37	5.22	44.09
PK	5.4536G	64.94	74.00	-9.06	-5.51	3	Vertical	37	2.43	70.45	33.31	5.29	44.11
PK	5.4644G	66.66	68.20	-1.54	-5.49	3	Vertical	37	2.43	72.15	33.33	5.30	44.12
PK	5.5496G	107.30	Inf	-Inf	-5.27	3	Vertical	37	2.43	112.57	33.50	5.36	44.13
PK	5.732G	61.17	68.20	-7.03	-4.57	3	Vertical	37	2.43	65.74	34.12	5.46	44.15

5.47-5.725GHz\_802.11ax HEW160\_Nss1,(MCS0)\_2TX

5570MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4512G	45.49	54.00	-8.51	-5.52	3	Horizontal	57	2.33	51.01	33.30	5.29	44.11
AV	5.5616G	89.32	Inf	-Inf	-5.28	3	Horizontal	57	2.33	94.60	33.48	5.37	44.13
PK	5.2724G	56.91	68.20	-11.29	-5.46	3	Horizontal	57	2.33	62.37	33.41	5.22	44.09
PK	5.4488G	58.60	74.00	-15.40	-5.52	3	Horizontal	57	2.33	64.12	33.30	5.29	44.11
PK	5.4692G	58.65	68.20	-9.55	-5.48	3	Horizontal	57	2.33	64.13	33.34	5.30	44.12
PK	5.5724G	102.60	Inf	-Inf	-5.30	3	Horizontal	57	2.33	107.90	33.46	5.37	44.13
PK	5.7584G	58.36	68.20	-9.84	-4.34	3	Horizontal	57	2.33	62.70	34.33	5.48	44.15



5.47-5.725GHz\_802.11ax HEW160\_Nss1,(MCS0)\_2TX


5570MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.13965G	37.20	54.00	-16.80	5.10	3	Vertical	17	1.90	32.10	38.90	8.31	42.11
PK	11.13965G	49.62	74.00	-24.38	5.10	3	Vertical	17	1.90	44.52	38.90	8.31	42.11

5.47-5.725GHz\_802.11ax HEW160\_Nss1,(MCS0)\_2TX

5570MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.14061G	37.10	54.00	-16.90	5.10	3	Horizontal	357	1.12	32.00	38.90	8.31	42.11
PK	11.13904G	50.45	74.00	-23.55	5.10	3	Horizontal	357	1.12	45.35	38.90	8.31	42.11



Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_4TX	Pass	AV	5.3522G	45.15	54.00	-8.85	3	Vertical	25	2.46
802.11be EHT20_Nss1,(MCS0)_4TX	Pass	AV	5.3532G	50.85	54.00	-3.15	3	Horizontal	316	2.63
802.11be EHT40_Nss1,(MCS0)_4TX	Pass	AV	5.35G	53.14	54.00	-0.86	3	Vertical	131	2.50
802.11be EHT80_Nss1,(MCS0)_4TX	Pass	AV	5.362G	53.65	54.00	-0.35	3	Vertical	23	2.51
802.11be EHT160_Nss1,(MCS0)_4TX	Pass	AV	5.3616G	52.95	54.00	-1.05	3	Vertical	22	2.52
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_4TX	Pass	PK	5.7308G	60.36	68.20	-7.84	3	Vertical	314	2.64
802.11be EHT20_Nss1,(MCS0)_4TX	Pass	PK	5.7252G	67.20	68.20	-1.00	3	Vertical	313	2.62
802.11be EHT40_Nss1,(MCS0)_4TX	Pass	PK	5.4696G	67.73	68.20	-0.47	3	Vertical	306	2.53
802.11be EHT80_Nss1,(MCS0)_4TX	Pass	PK	5.725G	67.97	68.20	-0.23	3	Vertical	310	2.47
802.11be EHT160_Nss1,(MCS0)_4TX	Pass	PK	5.4692G	67.58	68.20	-0.62	3	Vertical	307	2.64



Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11a_Nss1,(6Mbps)_4TX	-	-	-	-	-	-	-	-	-	-
5260MHz	Pass	AV	5.1466G	43.23	54.00	-10.77	3	Vertical	0	2.34
5260MHz	Pass	AV	5.2672G	107.17	Inf	-Inf	3	Vertical	0	2.34
5260MHz	Pass	AV	5.4088G	44.04	54.00	-9.96	3	Vertical	0	2.34
5260MHz	Pass	PK	5.122G	56.90	74.00	-17.10	3	Vertical	0	2.34
5260MHz	Pass	PK	5.2666G	117.24	Inf	-Inf	3	Vertical	0	2.34
5260MHz	Pass	PK	5.3704G	57.93	74.00	-16.07	3	Vertical	0	2.34
5260MHz	Pass	AV	5.1484G	42.82	54.00	-11.18	3	Horizontal	315	2.63
5260MHz	Pass	AV	5.2618G	102.90	Inf	-Inf	3	Horizontal	315	2.63
5260MHz	Pass	AV	5.4088G	43.66	54.00	-10.34	3	Horizontal	315	2.63
5260MHz	Pass	PK	5.15G	56.63	74.00	-17.37	3	Horizontal	315	2.63
5260MHz	Pass	PK	5.2612G	112.70	Inf	-Inf	3	Horizontal	315	2.63
5260MHz	Pass	PK	5.3608G	57.55	74.00	-16.45	3	Horizontal	315	2.63
5260MHz	Pass	PK	10.5206G	49.23	68.20	-18.97	3	Vertical	167	1.29
5260MHz	Pass	PK	10.52043G	49.20	68.20	-19.00	3	Horizontal	206	1.06
5300MHz	Pass	AV	5.2932G	108.30	Inf	-Inf	3	Vertical	25	2.84
5300MHz	Pass	AV	5.3524G	44.33	54.00	-9.67	3	Vertical	25	2.84
5300MHz	Pass	PK	5.2932G	118.34	Inf	-Inf	3	Vertical	25	2.84
5300MHz	Pass	PK	5.3528G	58.20	74.00	-15.80	3	Vertical	25	2.84
5300MHz	Pass	AV	5.3012G	102.44	Inf	-Inf	3	Horizontal	315	2.68
5300MHz	Pass	AV	5.3524G	43.20	54.00	-10.80	3	Horizontal	315	2.68
5300MHz	Pass	PK	5.3012G	112.69	Inf	-Inf	3	Horizontal	315	2.68
5300MHz	Pass	PK	5.3672G	57.24	74.00	-16.76	3	Horizontal	315	2.68
5300MHz	Pass	PK	10.59957G	49.76	68.20	-18.44	3	Vertical	90	2.44
5300MHz	Pass	AV	10.60022G	36.89	54.00	-17.11	3	Horizontal	294	2.81
5300MHz	Pass	PK	10.60048G	50.81	74.00	-23.19	3	Horizontal	294	2.81
5320MHz	Pass	AV	5.3128G	108.26	Inf	-Inf	3	Vertical	25	2.46
5320MHz	Pass	AV	5.3522G	45.15	54.00	-8.85	3	Vertical	25	2.46
5320MHz	Pass	PK	5.313G	118.49	Inf	-Inf	3	Vertical	25	2.46
5320MHz	Pass	PK	5.3536G	59.29	74.00	-14.71	3	Vertical	25	2.46
5320MHz	Pass	AV	5.3212G	101.65	Inf	-Inf	3	Horizontal	316	2.73
5320MHz	Pass	AV	5.353G	43.62	54.00	-10.38	3	Horizontal	316	2.73
5320MHz	Pass	PK	5.3206G	111.69	Inf	-Inf	3	Horizontal	316	2.73
5320MHz	Pass	PK	5.3532G	57.36	74.00	-16.64	3	Horizontal	316	2.73
5320MHz	Pass	AV	10.63972G	37.03	54.00	-16.97	3	Vertical	307	2.71
5320MHz	Pass	PK	10.63925G	50.68	74.00	-23.32	3	Vertical	307	2.71
5320MHz	Pass	AV	10.64019G	37.05	54.00	-16.95	3	Horizontal	144	2.48
5320MHz	Pass	PK	10.6401G	49.60	74.00	-24.40	3	Horizontal	144	2.48
5500MHz	Pass	AV	5.4584G	46.06	54.00	-7.94	3	Vertical	308	2.66
5500MHz	Pass	AV	5.502G	109.68	Inf	-Inf	3	Vertical	308	2.66
5500MHz	Pass	PK	5.4558G	60.04	74.00	-13.96	3	Vertical	308	2.66
5500MHz	Pass	PK	5.4676G	60.25	68.20	-7.95	3	Vertical	308	2.66
5500MHz	Pass	PK	5.5018G	119.77	Inf	-Inf	3	Vertical	308	2.66
5500MHz	Pass	AV	5.4586G	43.66	54.00	-10.34	3	Horizontal	318	2.47
5500MHz	Pass	AV	5.4984G	104.37	Inf	-Inf	3	Horizontal	318	2.47
5500MHz	Pass	PK	5.4508G	57.76	74.00	-16.24	3	Horizontal	318	2.47
5500MHz	Pass	PK	5.461G	57.97	68.20	-10.23	3	Horizontal	318	2.47
5500MHz	Pass	PK	5.4984G	114.30	Inf	-Inf	3	Horizontal	318	2.47
5500MHz	Pass	AV	11.00005G	37.03	54.00	-16.97	3	Vertical	1	1.16
5500MHz	Pass	PK	10.99901G	49.87	74.00	-24.13	3	Vertical	1	1.16
5500MHz	Pass	AV	10.99993G	37.06	54.00	-16.94	3	Horizontal	342	1.51
5500MHz	Pass	PK	10.99978G	50.81	74.00	-23.19	3	Horizontal	342	1.51
5580MHz	Pass	AV	5.433G	44.89	54.00	-9.11	3	Vertical	310	2.49
5580MHz	Pass	AV	5.5806G	109.60	Inf	-Inf	3	Vertical	310	2.49
5580MHz	Pass	PK	5.433G	58.02	74.00	-15.98	3	Vertical	310	2.49
5580MHz	Pass	PK	5.4666G	57.01	68.20	-11.19	3	Vertical	310	2.49
5580MHz	Pass	PK	5.5812G	119.89	Inf	-Inf	3	Vertical	310	2.49
5580MHz	Pass	PK	5.7264G	57.60	68.20	-10.60	3	Vertical	310	2.49
5580MHz	Pass	AV	5.4336G	43.40	54.00	-10.60	3	Horizontal	322	2.55
5580MHz	Pass	AV	5.5776G	104.62	Inf	-Inf	3	Horizontal	322	2.55
5580MHz	Pass	PK	5.4318G	57.52	74.00	-16.48	3	Horizontal	322	2.55



RSE TX above 1GHz\_Non-Beamforming\_Radio 3\_Full RU

Appendix D.4

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5580MHz	Pass	PK	5.4672G	56.51	68.20	-11.69	3	Horizontal	322	2.55
5580MHz	Pass	PK	5.5776G	114.65	Inf	-Inf	3	Horizontal	322	2.55
5580MHz	Pass	PK	5.7288G	57.43	68.20	-10.77	3	Horizontal	322	2.55
5580MHz	Pass	AV	11.15959G	37.18	54.00	-16.82	3	Vertical	24	2.55
5580MHz	Pass	PK	11.1603G	49.46	74.00	-24.54	3	Vertical	24	2.55
5580MHz	Pass	AV	11.15904G	37.18	54.00	-16.82	3	Horizontal	43	1.31
5580MHz	Pass	PK	11.16009G	50.61	74.00	-23.39	3	Horizontal	43	1.31
5700MHz	Pass	AV	5.6992G	109.39	Inf	-Inf	3	Vertical	314	2.64
5700MHz	Pass	PK	5.6984G	119.16	Inf	-Inf	3	Vertical	314	2.64
5700MHz	Pass	PK	5.7308G	60.36	68.20	-7.84	3	Vertical	314	2.64
5700MHz	Pass	AV	5.6964G	103.00	Inf	-Inf	3	Horizontal	324	2.46
5700MHz	Pass	PK	5.6968G	113.76	Inf	-Inf	3	Horizontal	324	2.46
5700MHz	Pass	PK	5.764G	59.01	68.20	-9.19	3	Horizontal	324	2.46
5700MHz	Pass	AV	11.39914G	37.73	54.00	-16.27	3	Vertical	218	1.76
5700MHz	Pass	PK	11.39942G	51.20	74.00	-22.80	3	Vertical	218	1.76
5700MHz	Pass	AV	11.39924G	37.72	54.00	-16.28	3	Horizontal	90	1.11
5700MHz	Pass	PK	11.40076G	50.48	74.00	-23.52	3	Horizontal	90	1.11
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.42G	44.24	54.00	-9.76	3	Vertical	315	2.61
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.7188G	109.50	Inf	-Inf	3	Vertical	315	2.61
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.456G	56.76	74.00	-17.24	3	Vertical	315	2.61
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.468G	57.01	68.20	-11.19	3	Vertical	315	2.61
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.7188G	119.31	Inf	-Inf	3	Vertical	315	2.61
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.894G	58.81	68.20	-9.39	3	Vertical	315	2.61
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.42G	43.31	54.00	-10.69	3	Horizontal	323	2.35
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.7164G	102.95	Inf	-Inf	3	Horizontal	323	2.35
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4308G	56.40	74.00	-17.60	3	Horizontal	323	2.35
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4668G	56.11	68.20	-12.09	3	Horizontal	323	2.35
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.7164G	113.61	Inf	-Inf	3	Horizontal	323	2.35
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.9108G	59.22	68.20	-8.98	3	Horizontal	323	2.35
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.43976G	37.61	54.00	-16.39	3	Vertical	148	2.56
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.43998G	50.80	74.00	-23.20	3	Vertical	148	2.56
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.44008G	37.62	54.00	-16.38	3	Horizontal	70	2.80
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.43928G	50.35	74.00	-23.65	3	Horizontal	70	2.80
802.11be EHT20_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5260MHz	Pass	AV	5.1106G	43.29	54.00	-10.71	3	Vertical	24	2.70
5260MHz	Pass	AV	5.2528G	108.80	Inf	-Inf	3	Vertical	24	2.70
5260MHz	Pass	AV	5.3524G	43.87	54.00	-10.13	3	Vertical	24	2.70
5260MHz	Pass	PK	5.1268G	56.45	74.00	-17.55	3	Vertical	24	2.70
5260MHz	Pass	PK	5.2528G	121.19	Inf	-Inf	3	Vertical	24	2.70
5260MHz	Pass	PK	5.3614G	58.51	74.00	-15.49	3	Vertical	24	2.70
5260MHz	Pass	AV	5.1472G	42.90	54.00	-11.10	3	Horizontal	316	2.50
5260MHz	Pass	AV	5.2606G	102.51	Inf	-Inf	3	Horizontal	316	2.50
5260MHz	Pass	AV	5.41G	43.66	54.00	-10.34	3	Horizontal	316	2.50
5260MHz	Pass	PK	5.1376G	56.39	74.00	-17.61	3	Horizontal	316	2.50
5260MHz	Pass	PK	5.2612G	115.38	Inf	-Inf	3	Horizontal	316	2.50
5260MHz	Pass	PK	5.3638G	57.20	74.00	-16.80	3	Horizontal	316	2.50
5260MHz	Pass	PK	10.52264G	50.80	68.20	-17.40	3	Vertical	315	1.77
5260MHz	Pass	PK	10.51988G	50.30	68.20	-17.90	3	Horizontal	39	1.02
5300MHz	Pass	AV	5.2924G	108.28	Inf	-Inf	3	Vertical	24	2.49
5300MHz	Pass	AV	5.3512G	44.64	54.00	-9.36	3	Vertical	24	2.49
5300MHz	Pass	PK	5.292G	120.63	Inf	-Inf	3	Vertical	24	2.49
5300MHz	Pass	PK	5.3516G	58.38	74.00	-15.62	3	Vertical	24	2.49
5300MHz	Pass	AV	5.3008G	103.64	Inf	-Inf	3	Horizontal	316	2.63
5300MHz	Pass	AV	5.3532G	50.85	54.00	-3.15	3	Horizontal	316	2.63
5300MHz	Pass	PK	5.3008G	116.89	Inf	-Inf	3	Horizontal	316	2.63
5300MHz	Pass	PK	5.358G	68.11	74.00	-5.89	3	Horizontal	316	2.63
5300MHz	Pass	PK	10.5994G	50.57	68.20	-17.63	3	Vertical	250	1.87
5300MHz	Pass	PK	10.61272G	50.87	74.00	-23.13	3	Horizontal	302	2.61
5320MHz	Pass	AV	5.3122G	108.26	Inf	-Inf	3	Vertical	24	2.47
5320MHz	Pass	AV	5.3514G	46.63	54.00	-7.37	3	Vertical	24	2.47
5320MHz	Pass	PK	5.313G	121.21	Inf	-Inf	3	Vertical	24	2.47
5320MHz	Pass	PK	5.3524G	61.48	74.00	-12.52	3	Vertical	24	2.47



RSE TX above 1GHz\_Non-Beamforming\_Radio 3\_Full RU

Appendix D.4

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5320MHz	Pass	AV	5.3208G	101.52	Inf	-Inf	3	Horizontal	316	2.38
5320MHz	Pass	AV	5.3522G	43.82	54.00	-10.18	3	Horizontal	316	2.38
5320MHz	Pass	PK	5.3192G	114.35	Inf	-Inf	3	Horizontal	316	2.38
5320MHz	Pass	PK	5.3518G	57.17	74.00	-16.83	3	Horizontal	316	2.38
5320MHz	Pass	AV	10.64036G	37.22	54.00	-16.78	3	Vertical	65	2.21
5320MHz	Pass	PK	10.6283G	50.64	74.00	-23.36	3	Vertical	65	2.21
5320MHz	Pass	AV	10.64246G	37.12	54.00	-16.88	3	Horizontal	207	1.10
5320MHz	Pass	PK	10.64534G	50.76	74.00	-23.24	3	Horizontal	207	1.10
5500MHz	Pass	AV	5.46G	46.10	54.00	-7.90	3	Vertical	310	2.39
5500MHz	Pass	AV	5.501G	109.23	Inf	-Inf	3	Vertical	310	2.39
5500MHz	Pass	PK	5.4596G	59.65	74.00	-14.35	3	Vertical	310	2.39
5500MHz	Pass	PK	5.4616G	61.82	68.20	-6.38	3	Vertical	310	2.39
5500MHz	Pass	PK	5.5012G	121.98	Inf	-Inf	3	Vertical	310	2.39
5500MHz	Pass	AV	5.4588G	43.87	54.00	-10.13	3	Horizontal	318	2.53
5500MHz	Pass	AV	5.4982G	104.07	Inf	-Inf	3	Horizontal	318	2.53
5500MHz	Pass	PK	5.4568G	57.56	74.00	-16.44	3	Horizontal	318	2.53
5500MHz	Pass	PK	5.4626G	57.84	68.20	-10.36	3	Horizontal	318	2.53
5500MHz	Pass	PK	5.4986G	117.61	Inf	-Inf	3	Horizontal	318	2.53
5500MHz	Pass	AV	10.99664G	37.28	54.00	-16.72	3	Vertical	38	1.50
5500MHz	Pass	PK	11.01092G	50.84	74.00	-23.16	3	Vertical	38	1.50
5500MHz	Pass	AV	10.99556G	37.29	54.00	-16.71	3	Horizontal	119	2.24
5500MHz	Pass	PK	11.00306G	50.04	74.00	-23.96	3	Horizontal	119	2.24
5580MHz	Pass	AV	5.4336G	44.75	54.00	-9.25	3	Vertical	311	2.42
5580MHz	Pass	AV	5.5794G	109.44	Inf	-Inf	3	Vertical	311	2.42
5580MHz	Pass	PK	5.4354G	59.10	74.00	-14.90	3	Vertical	311	2.42
5580MHz	Pass	PK	5.4654G	57.24	68.20	-10.96	3	Vertical	311	2.42
5580MHz	Pass	PK	5.5788G	121.79	Inf	-Inf	3	Vertical	311	2.42
5580MHz	Pass	PK	5.7276G	58.16	68.20	-10.04	3	Vertical	311	2.42
5580MHz	Pass	AV	5.4312G	43.33	54.00	-10.67	3	Horizontal	320	2.54
5580MHz	Pass	AV	5.5782G	104.64	Inf	-Inf	3	Horizontal	320	2.54
5580MHz	Pass	PK	5.436G	56.94	74.00	-17.06	3	Horizontal	320	2.54
5580MHz	Pass	PK	5.463G	56.71	68.20	-11.49	3	Horizontal	320	2.54
5580MHz	Pass	PK	5.5782G	117.20	Inf	-Inf	3	Horizontal	320	2.54
5580MHz	Pass	PK	5.7282G	56.99	68.20	-11.21	3	Horizontal	320	2.54
5580MHz	Pass	AV	11.15436G	37.44	54.00	-16.56	3	Vertical	290	2.37
5580MHz	Pass	PK	11.16432G	51.55	74.00	-22.45	3	Vertical	290	2.37
5580MHz	Pass	AV	11.1537G	37.46	54.00	-16.54	3	Horizontal	250	1.50
5580MHz	Pass	PK	11.1549G	51.13	74.00	-22.87	3	Horizontal	250	1.50
5700MHz	Pass	AV	5.6988G	108.05	Inf	-Inf	3	Vertical	313	2.62
5700MHz	Pass	PK	5.6988G	119.40	Inf	-Inf	3	Vertical	313	2.62
5700MHz	Pass	PK	5.7252G	67.20	68.20	-1.00	3	Vertical	313	2.62
5700MHz	Pass	AV	5.6964G	101.55	Inf	-Inf	3	Horizontal	323	2.45
5700MHz	Pass	PK	5.6968G	114.82	Inf	-Inf	3	Horizontal	323	2.45
5700MHz	Pass	PK	5.728G	56.55	68.20	-11.65	3	Horizontal	323	2.45
5700MHz	Pass	AV	11.39796G	37.81	54.00	-16.19	3	Vertical	278	1.50
5700MHz	Pass	PK	11.38722G	51.33	74.00	-22.67	3	Vertical	278	1.50
5700MHz	Pass	AV	11.39634G	37.76	54.00	-16.24	3	Horizontal	35	2.50
5700MHz	Pass	PK	11.39568G	52.01	74.00	-21.99	3	Horizontal	35	2.50
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.42G	44.13	54.00	-9.87	3	Vertical	314	2.61
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.7188G	109.70	Inf	-Inf	3	Vertical	314	2.61
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4236G	57.26	74.00	-16.74	3	Vertical	314	2.61
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.462G	56.47	68.20	-11.73	3	Vertical	314	2.61
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.7188G	121.66	Inf	-Inf	3	Vertical	314	2.61
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.8664G	59.03	68.20	-9.17	3	Vertical	314	2.61
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.42G	43.36	54.00	-10.64	3	Horizontal	323	2.43
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.7164G	103.39	Inf	-Inf	3	Horizontal	323	2.43
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.432G	56.25	74.00	-17.75	3	Horizontal	323	2.43
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4608G	55.66	68.20	-12.54	3	Horizontal	323	2.43
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.7164G	116.28	Inf	-Inf	3	Horizontal	323	2.43
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.9768G	58.84	68.20	-9.36	3	Horizontal	323	2.43
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.44438G	37.81	54.00	-16.19	3	Vertical	256	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.44306G	50.73	74.00	-23.27	3	Vertical	256	1.50



RSE TX above 1GHz\_Non-Beamforming\_Radio 3\_Full RU

Appendix D.4

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.4424G	37.81	54.00	-16.19	3	Horizontal	18	1.27
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.44672G	50.94	74.00	-23.06	3	Horizontal	18	1.27
802.11be EHT40_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5270MHz	Pass	AV	5.2516G	105.30	Inf	-Inf	3	Vertical	132	2.72
5270MHz	Pass	AV	5.3512G	45.29	54.00	-8.71	3	Vertical	132	2.72
5270MHz	Pass	PK	5.2516G	118.48	Inf	-Inf	3	Vertical	132	2.72
5270MHz	Pass	PK	5.3636G	59.01	74.00	-14.99	3	Vertical	132	2.72
5270MHz	Pass	AV	5.2708G	99.57	Inf	-Inf	3	Horizontal	315	2.52
5270MHz	Pass	AV	5.3512G	43.64	54.00	-10.36	3	Horizontal	315	2.52
5270MHz	Pass	PK	5.2712G	111.97	Inf	-Inf	3	Horizontal	315	2.52
5270MHz	Pass	PK	5.358G	57.41	74.00	-16.59	3	Horizontal	315	2.52
5270MHz	Pass	PK	10.56172G	51.21	68.20	-16.99	3	Vertical	33	1.50
5270MHz	Pass	PK	10.56256G	50.74	68.20	-17.46	3	Horizontal	75	3.00
5310MHz	Pass	AV	5.3112G	102.66	Inf	-Inf	3	Vertical	131	2.50
5310MHz	Pass	AV	5.35G	53.14	54.00	-0.86	3	Vertical	131	2.50
5310MHz	Pass	PK	5.3124G	115.31	Inf	-Inf	3	Vertical	131	2.50
5310MHz	Pass	PK	5.3504G	69.31	74.00	-4.69	3	Vertical	131	2.50
5310MHz	Pass	AV	5.3108G	95.93	Inf	-Inf	3	Horizontal	317	2.77
5310MHz	Pass	AV	5.35G	45.26	54.00	-8.74	3	Horizontal	317	2.77
5310MHz	Pass	PK	5.3112G	109.39	Inf	-Inf	3	Horizontal	317	2.77
5310MHz	Pass	PK	5.354G	59.18	74.00	-14.82	3	Horizontal	317	2.77
5310MHz	Pass	PK	10.64028G	51.09	74.00	-22.91	3	Vertical	158	1.32
5310MHz	Pass	PK	10.5912G	50.73	68.20	-17.47	3	Horizontal	335	1.50
5510MHz	Pass	AV	5.4572G	46.42	54.00	-7.58	3	Vertical	306	2.53
5510MHz	Pass	AV	5.4916G	99.74	Inf	-Inf	3	Vertical	306	2.53
5510MHz	Pass	PK	5.4572G	66.17	74.00	-7.83	3	Vertical	306	2.53
5510MHz	Pass	PK	5.4696G	67.73	68.20	-0.47	3	Vertical	306	2.53
5510MHz	Pass	PK	5.492G	113.26	Inf	-Inf	3	Vertical	306	2.53
5510MHz	Pass	AV	5.4528G	43.09	54.00	-10.91	3	Horizontal	319	2.66
5510MHz	Pass	AV	5.5284G	94.32	Inf	-Inf	3	Horizontal	319	2.66
5510MHz	Pass	PK	5.4572G	57.00	74.00	-17.00	3	Horizontal	319	2.66
5510MHz	Pass	PK	5.466G	56.92	68.20	-11.28	3	Horizontal	319	2.66
5510MHz	Pass	PK	5.528G	107.72	Inf	-Inf	3	Horizontal	319	2.66
5510MHz	Pass	AV	11.0446G	37.51	54.00	-16.49	3	Vertical	216	1.50
5510MHz	Pass	PK	11.00524G	50.79	74.00	-23.21	3	Vertical	216	1.50
5510MHz	Pass	AV	11.04376G	37.50	54.00	-16.50	3	Horizontal	237	1.25
5510MHz	Pass	PK	11.03464G	50.66	74.00	-23.34	3	Horizontal	237	1.25
5550MHz	Pass	AV	5.4536G	45.13	54.00	-8.87	3	Vertical	307	2.50
5550MHz	Pass	AV	5.5512G	106.72	Inf	-Inf	3	Vertical	307	2.50
5550MHz	Pass	PK	5.4592G	58.61	74.00	-15.39	3	Vertical	307	2.50
5550MHz	Pass	PK	5.4688G	59.24	68.20	-8.96	3	Vertical	307	2.50
5550MHz	Pass	PK	5.5512G	120.18	Inf	-Inf	3	Vertical	307	2.50
5550MHz	Pass	AV	5.45G	43.34	54.00	-10.66	3	Horizontal	318	2.64
5550MHz	Pass	AV	5.5484G	101.33	Inf	-Inf	3	Horizontal	318	2.64
5550MHz	Pass	PK	5.4536G	56.86	74.00	-17.14	3	Horizontal	318	2.64
5550MHz	Pass	PK	5.4612G	57.14	68.20	-11.06	3	Horizontal	318	2.64
5550MHz	Pass	PK	5.5476G	114.46	Inf	-Inf	3	Horizontal	318	2.64
5550MHz	Pass	AV	11.07576G	37.42	54.00	-16.58	3	Vertical	192	1.50
5550MHz	Pass	PK	11.07108G	50.85	74.00	-23.15	3	Vertical	192	1.50
5550MHz	Pass	AV	11.12628G	37.41	54.00	-16.59	3	Horizontal	44	1.14
5550MHz	Pass	PK	11.07648G	50.82	74.00	-23.18	3	Horizontal	44	1.14
5670MHz	Pass	AV	5.6688G	100.12	Inf	-Inf	3	Vertical	311	2.58
5670MHz	Pass	PK	5.6694G	112.48	Inf	-Inf	3	Vertical	311	2.58
5670MHz	Pass	PK	5.7252G	67.33	68.20	-0.87	3	Vertical	311	2.58
5670MHz	Pass	AV	5.6664G	93.34	Inf	-Inf	3	Horizontal	322	2.36
5670MHz	Pass	PK	5.6664G	105.98	Inf	-Inf	3	Horizontal	322	2.36
5670MHz	Pass	PK	5.7444G	59.18	68.20	-9.02	3	Horizontal	322	2.36
5670MHz	Pass	AV	11.31444G	37.82	54.00	-16.18	3	Vertical	88	1.50
5670MHz	Pass	PK	11.35356G	51.36	74.00	-22.64	3	Vertical	88	1.50
5670MHz	Pass	AV	11.31456G	37.78	54.00	-16.22	3	Horizontal	216	1.50
5670MHz	Pass	PK	11.32476G	51.18	74.00	-22.82	3	Horizontal	216	1.50
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.41G	44.37	54.00	-9.63	3	Vertical	313	2.65





RSE TX above 1GHz\_Non-Beamforming\_Radio 3\_Full RU

Appendix D.4

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.7088G	106.43	Inf	-Inf	3	Vertical	313	2.65
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.4172G	57.93	74.00	-16.07	3	Vertical	313	2.65
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.4676G	57.83	68.20	-10.37	3	Vertical	313	2.65
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.7088G	120.09	Inf	-Inf	3	Vertical	313	2.65
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.9512G	58.40	68.20	-9.80	3	Vertical	313	2.65
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.4208G	43.35	54.00	-10.65	3	Horizontal	313	2.38
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.6944G	99.51	Inf	-Inf	3	Horizontal	313	2.38
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.4244G	56.79	74.00	-17.21	3	Horizontal	313	2.38
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.4616G	56.55	68.20	-11.65	3	Horizontal	313	2.38
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.6932G	113.09	Inf	-Inf	3	Horizontal	313	2.38
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.9332G	59.15	68.20	-9.05	3	Horizontal	313	2.38
5710MHz Straddle 5.47-5.725GHz	Pass	AV	11.44328G	37.85	54.00	-16.15	3	Vertical	327	2.60
5710MHz Straddle 5.47-5.725GHz	Pass	PK	11.39228G	52.19	74.00	-21.81	3	Vertical	327	2.60
5710MHz Straddle 5.47-5.725GHz	Pass	AV	11.44172G	37.89	54.00	-16.11	3	Horizontal	80	1.50
5710MHz Straddle 5.47-5.725GHz	Pass	PK	11.41736G	51.24	74.00	-22.76	3	Horizontal	80	1.50
802.11be EHT80_Nss1,(MCSO)_4TX	-	-	-	-	-	-	-	-	-	-
5290MHz	Pass	AV	5.142G	44.13	54.00	-9.87	3	Vertical	23	2.51
5290MHz	Pass	AV	5.302G	99.01	Inf	-Inf	3	Vertical	23	2.51
5290MHz	Pass	AV	5.362G	53.65	54.00	-0.35	3	Vertical	23	2.51
5290MHz	Pass	PK	5.129G	58.04	74.00	-15.96	3	Vertical	23	2.51
5290MHz	Pass	PK	5.262G	112.39	Inf	-Inf	3	Vertical	23	2.51
5290MHz	Pass	PK	5.362G	70.82	74.00	-3.18	3	Vertical	23	2.51
5290MHz	Pass	PK	5.513G	58.28	68.20	-9.92	3	Vertical	23	2.51
5290MHz	Pass	AV	5.144G	43.58	54.00	-10.42	3	Horizontal	314	2.64
5290MHz	Pass	AV	5.311G	93.17	Inf	-Inf	3	Horizontal	314	2.64
5290MHz	Pass	AV	5.35G	46.28	54.00	-7.72	3	Horizontal	314	2.64
5290MHz	Pass	PK	5.148G	57.86	74.00	-16.14	3	Horizontal	314	2.64
5290MHz	Pass	PK	5.311G	106.18	Inf	-Inf	3	Horizontal	314	2.64
5290MHz	Pass	PK	5.35G	60.04	74.00	-13.96	3	Horizontal	314	2.64
5290MHz	Pass	PK	5.506G	58.29	68.20	-9.91	3	Horizontal	314	2.64
5290MHz	Pass	AV	10.6076G	37.26	54.00	-16.74	3	Vertical	360	1.50
5290MHz	Pass	PK	10.58384G	50.79	68.20	-17.41	3	Vertical	360	1.50
5290MHz	Pass	AV	10.62488G	37.30	54.00	-16.70	3	Horizontal	0	1.50
5290MHz	Pass	PK	10.55912G	51.12	68.20	-17.08	3	Horizontal	0	1.50
5530MHz	Pass	AV	5.35G	43.49	54.00	-10.51	3	Vertical	307	2.48
5530MHz	Pass	AV	5.454G	49.06	54.00	-4.94	3	Vertical	307	2.48
5530MHz	Pass	AV	5.551G	96.76	Inf	-Inf	3	Vertical	307	2.48
5530MHz	Pass	PK	5.344G	57.39	68.20	-10.81	3	Vertical	307	2.48
5530MHz	Pass	PK	5.453G	65.33	74.00	-8.67	3	Vertical	307	2.48
5530MHz	Pass	PK	5.469G	65.98	68.20	-2.22	3	Vertical	307	2.48
5530MHz	Pass	PK	5.492G	109.88	Inf	-Inf	3	Vertical	307	2.48
5530MHz	Pass	PK	5.759G	58.34	68.20	-9.86	3	Vertical	307	2.48
5530MHz	Pass	AV	5.35G	42.86	54.00	-11.14	3	Horizontal	318	2.70
5530MHz	Pass	AV	5.449G	43.24	54.00	-10.76	3	Horizontal	318	2.70
5530MHz	Pass	AV	5.529G	90.93	Inf	-Inf	3	Horizontal	318	2.70
5530MHz	Pass	PK	5.287G	56.46	68.20	-11.74	3	Horizontal	318	2.70
5530MHz	Pass	PK	5.401G	56.62	74.00	-17.38	3	Horizontal	318	2.70
5530MHz	Pass	PK	5.47G	56.75	68.20	-11.45	3	Horizontal	318	2.70
5530MHz	Pass	PK	5.529G	103.77	Inf	-Inf	3	Horizontal	318	2.70
5530MHz	Pass	PK	5.775G	57.98	68.20	-10.22	3	Horizontal	318	2.70
5530MHz	Pass	AV	11.06192G	37.52	54.00	-16.48	3	Vertical	340	2.71
5530MHz	Pass	PK	11.012G	51.24	74.00	-22.76	3	Vertical	340	2.71
5530MHz	Pass	AV	11.04416G	37.44	54.00	-16.56	3	Horizontal	72	1.50
5530MHz	Pass	PK	11.0924G	51.30	74.00	-22.70	3	Horizontal	72	1.50
5610MHz	Pass	AV	5.45G	44.66	54.00	-9.34	3	Vertical	310	2.47
5610MHz	Pass	AV	5.59G	101.25	Inf	-Inf	3	Vertical	310	2.47
5610MHz	Pass	PK	5.446G	58.67	74.00	-15.33	3	Vertical	310	2.47
5610MHz	Pass	PK	5.465G	58.95	68.20	-9.25	3	Vertical	310	2.47
5610MHz	Pass	PK	5.59G	114.36	Inf	-Inf	3	Vertical	310	2.47
5610MHz	Pass	PK	5.725G	67.97	68.20	-0.23	3	Vertical	310	2.47
5610MHz	Pass	AV	5.455G	43.32	54.00	-10.68	3	Horizontal	321	2.64
5610MHz	Pass	AV	5.608G	95.58	Inf	-Inf	3	Horizontal	321	2.64



RSE TX above 1GHz\_Non-Beamforming\_Radio 3\_Full RU


Appendix D.4

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5610MHz	Pass	PK	5.429G	57.11	74.00	-16.89	3	Horizontal	321	2.64
5610MHz	Pass	PK	5.462G	56.34	68.20	-11.86	3	Horizontal	321	2.64
5610MHz	Pass	PK	5.587G	108.95	Inf	-Inf	3	Horizontal	321	2.64
5610MHz	Pass	PK	5.845G	58.68	68.20	-9.52	3	Horizontal	321	2.64
5610MHz	Pass	AV	11.2692G	37.66	54.00	-16.34	3	Vertical	144	1.50
5610MHz	Pass	PK	11.18736G	51.04	74.00	-22.96	3	Vertical	144	1.50
5610MHz	Pass	AV	11.27016G	37.65	54.00	-16.35	3	Horizontal	198	2.44
5610MHz	Pass	PK	11.23128G	50.82	74.00	-23.18	3	Horizontal	198	2.44
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.396G	45.29	54.00	-8.71	3	Vertical	312	2.62
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.6888G	103.62	Inf	-Inf	3	Vertical	312	2.62
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.3948G	58.82	74.00	-15.18	3	Vertical	312	2.62
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.4692G	59.35	68.20	-8.85	3	Vertical	312	2.62
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.6684G	117.13	Inf	-Inf	3	Vertical	312	2.62
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.8616G	58.92	68.20	-9.28	3	Vertical	312	2.62
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.45G	42.98	54.00	-11.02	3	Horizontal	15	2.32
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.6564G	94.79	Inf	-Inf	3	Horizontal	15	2.32
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.4548G	57.27	74.00	-16.73	3	Horizontal	15	2.32
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.4608G	56.12	68.20	-12.08	3	Horizontal	15	2.32
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.6564G	108.26	Inf	-Inf	3	Horizontal	15	2.32
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.8868G	58.99	68.20	-9.21	3	Horizontal	15	2.32
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.39848G	37.91	54.00	-16.09	3	Vertical	43	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.3356G	51.76	74.00	-22.24	3	Vertical	43	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.39728G	37.86	54.00	-16.14	3	Horizontal	9	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.40952G	51.60	74.00	-22.40	3	Horizontal	9	1.50
802.11be EHT160_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.142G	50.57	54.00	-3.43	3	Vertical	22	2.52
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.262G	95.28	Inf	-Inf	3	Vertical	22	2.52
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.3616G	52.95	54.00	-1.05	3	Vertical	22	2.52
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.142G	64.65	74.00	-9.35	3	Vertical	22	2.52
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.2608G	108.25	Inf	-Inf	3	Vertical	22	2.52
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.4024G	68.35	74.00	-5.65	3	Vertical	22	2.52
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.466G	60.24	68.20	-7.96	3	Vertical	22	2.52
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.0964G	43.21	54.00	-10.79	3	Horizontal	316	2.70
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.31G	89.24	Inf	-Inf	3	Horizontal	316	2.70
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.3508G	45.36	54.00	-8.64	3	Horizontal	316	2.70
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.0964G	55.61	74.00	-18.39	3	Horizontal	316	2.70
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.2512G	101.80	Inf	-Inf	3	Horizontal	316	2.70
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.358G	58.15	74.00	-15.85	3	Horizontal	316	2.70
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.4708G	54.73	68.20	-13.47	3	Horizontal	316	2.70
5250MHz Straddle 5.25-5.35GHz	Pass	PK	10.5816G	51.60	68.20	-16.60	3	Vertical	259	2.78
5250MHz Straddle 5.25-5.35GHz	Pass	PK	10.54752G	51.00	68.20	-17.20	3	Horizontal	257	2.84
5570MHz	Pass	AV	5.4512G	53.19	54.00	-0.81	3	Vertical	307	2.64
5570MHz	Pass	AV	5.5112G	96.20	Inf	-Inf	3	Vertical	307	2.64
5570MHz	Pass	PK	5.35G	57.24	68.20	-10.96	3	Vertical	307	2.64
5570MHz	Pass	PK	5.4512G	66.91	74.00	-7.09	3	Vertical	307	2.64
5570MHz	Pass	PK	5.4692G	67.58	68.20	-0.62	3	Vertical	307	2.64
5570MHz	Pass	PK	5.5124G	109.41	Inf	-Inf	3	Vertical	307	2.64
5570MHz	Pass	PK	5.7296G	67.46	68.20	-0.74	3	Vertical	307	2.64
5570MHz	Pass	AV	5.4296G	43.67	54.00	-10.33	3	Horizontal	319	2.79
5570MHz	Pass	AV	5.5484G	90.59	Inf	-Inf	3	Horizontal	319	2.79
5570MHz	Pass	PK	5.3156G	54.29	68.20	-13.91	3	Horizontal	319	2.79
5570MHz	Pass	PK	5.45G	56.32	74.00	-17.68	3	Horizontal	319	2.79
5570MHz	Pass	PK	5.468G	56.95	68.20	-11.25	3	Horizontal	319	2.79
5570MHz	Pass	PK	5.5484G	102.91	Inf	-Inf	3	Horizontal	319	2.79
5570MHz	Pass	PK	5.7272G	58.54	68.20	-9.66	3	Horizontal	319	2.79
5570MHz	Pass	AV	11.17072G	38.36	54.00	-15.64	3	Vertical	277	2.44
5570MHz	Pass	PK	11.14624G	51.02	74.00	-22.98	3	Vertical	277	2.44
5570MHz	Pass	AV	11.19184G	38.43	54.00	-15.57	3	Horizontal	101	1.50
5570MHz	Pass	PK	11.16592G	51.38	74.00	-22.62	3	Horizontal	101	1.50



5.25-5.35GHz\_802.11a\_Nss1,(6Mbps)\_4TX


5320MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3128G	108.26	Inf	-Inf	-5.57	3	Vertical	25	2.46	113.83	33.30	5.23	44.10
AV	5.3522G	45.15	54.00	-8.85	-5.56	3	Vertical	25	2.46	50.71	33.30	5.24	44.10
PK	5.313G	118.49	Inf	-Inf	-5.57	3	Vertical	25	2.46	124.06	33.30	5.23	44.10
PK	5.3536G	59.29	74.00	-14.71	-5.57	3	Vertical	25	2.46	64.86	33.29	5.24	44.10

5.25-5.35GHz\_802.11a\_Nss1,(6Mbps)\_4TX

5320MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3212G	101.65	Inf	-Inf	-5.57	3	Horizontal	316	2.73	107.22	33.30	5.23	44.10
AV	5.353G	43.62	54.00	-10.38	-5.57	3	Horizontal	316	2.73	49.19	33.29	5.24	44.10
PK	5.3206G	111.69	Inf	-Inf	-5.57	3	Horizontal	316	2.73	117.26	33.30	5.23	44.10
PK	5.3532G	57.36	74.00	-16.64	-5.57	3	Horizontal	316	2.73	62.93	33.29	5.24	44.10



5.25-5.35GHz\_802.11a\_Nss1,(6Mbps)\_4TX


5320MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.63972G	37.03	54.00	-16.97	5.18	3	Vertical	307	2.71	31.85	39.08	8.16	42.06
PK	10.63925G	50.68	74.00	-23.32	5.17	3	Vertical	307	2.71	45.51	39.08	8.15	42.06

5.25-5.35GHz\_802.11a\_Nss1,(6Mbps)\_4TX

5320MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.64019G	37.05	54.00	-16.95	5.18	3	Horizontal	144	2.48	31.87	39.08	8.16	42.06
PK	10.6401G	49.60	74.00	-24.40	5.18	3	Horizontal	144	2.48	44.42	39.08	8.16	42.06



5.25-5.35GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX


5300MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.2924G	108.28	Inf	-Inf	-5.55	3	Vertical	24	2.49	113.83	33.33	5.22	44.10
AV	5.3512G	44.64	54.00	-9.36	-5.56	3	Vertical	24	2.49	50.20	33.30	5.24	44.10
PK	5.292G	120.63	Inf	-Inf	-5.55	3	Vertical	24	2.49	126.18	33.33	5.22	44.10
PK	5.3516G	58.38	74.00	-15.62	-5.56	3	Vertical	24	2.49	63.94	33.30	5.24	44.10

5.25-5.35GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

5300MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3008G	103.64	Inf	-Inf	-5.57	3	Horizontal	316	2.63	109.21	33.30	5.23	44.10
AV	5.3532G	50.85	54.00	-3.15	-5.57	3	Horizontal	316	2.63	56.42	33.29	5.24	44.10
PK	5.3008G	116.89	Inf	-Inf	-5.57	3	Horizontal	316	2.63	122.46	33.30	5.23	44.10
PK	5.358G	68.11	74.00	-5.89	-5.57	3	Horizontal	316	2.63	73.68	33.28	5.25	44.10



5.25-5.35GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX


5300MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.5994G	50.57	68.20	-17.63	5.10	3	Vertical	250	1.87	45.47	39.00	8.14	42.04

5.25-5.35GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

5300MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.61272G	50.87	74.00	-23.13	5.13	3	Horizontal	302	2.61	45.74	39.03	8.15	42.05



5.25-5.35GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX


5310MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3112G	102.66	Inf	-Inf	-5.57	3	Vertical	131	2.50	108.23	33.30	5.23	44.10
AV	5.35G	53.14	54.00	-0.86	-5.56	3	Vertical	131	2.50	58.70	33.30	5.24	44.10
PK	5.3124G	115.31	Inf	-Inf	-5.57	3	Vertical	131	2.50	120.88	33.30	5.23	44.10
PK	5.3504G	69.31	74.00	-4.69	-5.56	3	Vertical	131	2.50	74.87	33.30	5.24	44.10

5.25-5.35GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

5310MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3108G	95.93	Inf	-Inf	-5.57	3	Horizontal	317	2.77	101.50	33.30	5.23	44.10
AV	5.35G	45.26	54.00	-8.74	-5.56	3	Horizontal	317	2.77	50.82	33.30	5.24	44.10
PK	5.3112G	109.39	Inf	-Inf	-5.57	3	Horizontal	317	2.77	114.96	33.30	5.23	44.10
PK	5.354G	59.18	74.00	-14.82	-5.57	3	Horizontal	317	2.77	64.75	33.29	5.24	44.10



5.25-5.35GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX


5310MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.64028G	51.09	74.00	-22.91	5.18	3	Vertical	158	1.32	45.91	39.08	8.16	42.06

5.25-5.35GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

5310MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.5912G	50.73	68.20	-17.47	5.06	3	Horizontal	335	1.50	45.67	38.96	8.14	42.04





5.25-5.35GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX


5290MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.142G	44.13	54.00	-9.87	-5.42	3	Vertical	23	2.51	49.55	33.50	5.16	44.08
AV	5.302G	99.01	Inf	-Inf	-5.57	3	Vertical	23	2.51	104.58	33.30	5.23	44.10
AV	5.362G	53.65	54.00	-0.35	-5.57	3	Vertical	23	2.51	59.22	33.28	5.25	44.10
PK	5.129G	58.04	74.00	-15.96	-5.42	3	Vertical	23	2.51	63.46	33.50	5.16	44.08
PK	5.262G	112.39	Inf	-Inf	-5.43	3	Vertical	23	2.51	117.82	33.45	5.21	44.09
PK	5.362G	70.82	74.00	-3.18	-5.57	3	Vertical	23	2.51	76.39	33.28	5.25	44.10
PK	5.513G	58.28	68.20	-9.92	-5.36	3	Vertical	23	2.51	63.64	33.43	5.33	44.12

5.25-5.35GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX

5290MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.144G	43.58	54.00	-10.42	-5.42	3	Horizontal	314	2.64	49.00	33.50	5.16	44.08
AV	5.311G	93.17	Inf	-Inf	-5.57	3	Horizontal	314	2.64	98.74	33.30	5.23	44.10
AV	5.35G	46.28	54.00	-7.72	-5.56	3	Horizontal	314	2.64	51.84	33.30	5.24	44.10
PK	5.148G	57.86	74.00	-16.14	-5.41	3	Horizontal	314	2.64	63.27	33.50	5.17	44.08
PK	5.311G	106.18	Inf	-Inf	-5.57	3	Horizontal	314	2.64	111.75	33.30	5.23	44.10
PK	5.35G	60.04	74.00	-13.96	-5.56	3	Horizontal	314	2.64	65.60	33.30	5.24	44.10
PK	5.506G	58.29	68.20	-9.91	-5.38	3	Horizontal	314	2.64	63.67	33.41	5.33	44.12



5.25-5.35GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX


5290MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.6076G	37.26	54.00	-16.74	5.12	3	Vertical	360	1.50	32.14	39.02	8.15	42.05
PK	10.58384G	50.79	68.20	-17.41	5.04	3	Vertical	360	1.50	45.75	38.94	8.14	42.04

5.25-5.35GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX

5290MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.62488G	37.30	54.00	-16.70	5.15	3	Horizontal	0	1.50	32.15	39.05	8.15	42.05
PK	10.55912G	51.12	68.20	-17.08	4.94	3	Horizontal	0	1.50	46.18	38.84	8.13	42.03



5.25-5.35GHz\_802.11be EHT160\_Nss1,(MCS0)\_4TX


5250MHz Straddle 5.25-5.35GHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.142G	50.57	54.00	-3.43	-5.42	3	Vertical	22	2.52	55.99	33.50	5.16	44.08
AV	5.262G	95.28	Inf	-Inf	-5.43	3	Vertical	22	2.52	100.71	33.45	5.21	44.09
AV	5.3616G	52.95	54.00	-1.05	-5.57	3	Vertical	22	2.52	58.52	33.28	5.25	44.10
PK	5.142G	64.65	74.00	-9.35	-5.42	3	Vertical	22	2.52	70.07	33.50	5.16	44.08
PK	5.2608G	108.25	Inf	-Inf	-5.42	3	Vertical	22	2.52	113.67	33.46	5.21	44.09
PK	5.4024G	68.35	74.00	-5.65	-5.65	3	Vertical	22	2.52	74.00	33.20	5.26	44.11
PK	5.466G	60.24	68.20	-7.96	-5.49	3	Vertical	22	2.52	65.73	33.33	5.30	44.12

5.25-5.35GHz\_802.11be EHT160\_Nss1,(MCS0)\_4TX

5250MHz Straddle 5.25-5.35GHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.0964G	43.21	54.00	-10.79	-5.43	3	Horizontal	316	2.70	48.64	33.50	5.14	44.07
AV	5.31G	89.24	Inf	-Inf	-5.57	3	Horizontal	316	2.70	94.81	33.30	5.23	44.10
AV	5.3508G	45.36	54.00	-8.64	-5.56	3	Horizontal	316	2.70	50.92	33.30	5.24	44.10
PK	5.0964G	55.61	74.00	-18.39	-5.43	3	Horizontal	316	2.70	61.04	33.50	5.14	44.07
PK	5.2512G	101.80	Inf	-Inf	-5.38	3	Horizontal	316	2.70	107.18	33.50	5.21	44.09
PK	5.358G	58.15	74.00	-15.85	-5.57	3	Horizontal	316	2.70	63.72	33.28	5.25	44.10
PK	5.4708G	54.73	68.20	-13.47	-5.47	3	Horizontal	316	2.70	60.20	33.34	5.31	44.12



5.25-5.35GHz\_802.11be EHT160\_Nss1,(MCS0)\_4TX


5250MHz Straddle 5.25-5.35GHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.5816G	51.60	68.20	-16.60	5.03	3	Vertical	259	2.78	46.57	38.93	8.14	42.04

5.25-5.35GHz\_802.11be EHT160\_Nss1,(MCS0)\_4TX

5250MHz Straddle 5.25-5.35GHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.54752G	51.00	68.20	-17.20	4.90	3	Horizontal	257	2.84	46.10	38.80	8.13	42.03



5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_4TX


5700MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.6992G	109.39	Inf	-Inf	-4.90	3	Vertical	314	2.64	114.29	33.80	5.44	44.14
PK	5.6984G	119.16	Inf	-Inf	-4.91	3	Vertical	314	2.64	124.07	33.79	5.44	44.14
PK	5.7308G	60.36	68.20	-7.84	-4.58	3	Vertical	314	2.64	64.94	34.11	5.46	44.15

5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_4TX

5700MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.6964G	103.00	Inf	-Inf	-4.92	3	Horizontal	324	2.46	107.92	33.78	5.44	44.14
PK	5.6968G	113.76	Inf	-Inf	-4.92	3	Horizontal	324	2.46	118.68	33.78	5.44	44.14
PK	5.764G	59.01	68.20	-9.19	-4.31	3	Horizontal	324	2.46	63.32	34.36	5.48	44.15



5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_4TX


5700MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.39914G	37.73	54.00	-16.27	5.82	3	Vertical	218	1.76	31.91	39.40	8.39	41.97
PK	11.39942G	51.20	74.00	-22.80	5.82	3	Vertical	218	1.76	45.38	39.40	8.39	41.97

5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_4TX

5700MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.39924G	37.72	54.00	-16.28	5.82	3	Horizontal	90	1.11	31.90	39.40	8.39	41.97
PK	11.40076G	50.48	74.00	-23.52	5.82	3	Horizontal	90	1.11	44.66	39.40	8.39	41.97



5.47-5.725GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX


5700MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.6988G	108.05	Inf	-Inf	-4.91	3	Vertical	313	2.62	112.96	33.79	5.44	44.14
PK	5.6988G	119.40	Inf	-Inf	-4.91	3	Vertical	313	2.62	124.31	33.79	5.44	44.14
PK	5.7252G	67.20	68.20	-1.00	-4.64	3	Vertical	313	2.62	71.84	34.05	5.46	44.15

5.47-5.725GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

5700MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.6964G	101.55	Inf	-Inf	-4.92	3	Horizontal	323	2.45	106.47	33.78	5.44	44.14
PK	5.6968G	114.82	Inf	-Inf	-4.92	3	Horizontal	323	2.45	119.74	33.78	5.44	44.14
PK	5.728G	56.55	68.20	-11.65	-4.61	3	Horizontal	323	2.45	61.16	34.08	5.46	44.15



5.47-5.725GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX


5700MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.39796G	37.81	54.00	-16.19	5.82	3	Vertical	278	1.50	31.99	39.40	8.39	41.97
PK	11.38722G	51.33	74.00	-22.67	5.77	3	Vertical	278	1.50	45.56	39.37	8.38	41.98

5.47-5.725GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

5700MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.39634G	37.76	54.00	-16.24	5.81	3	Horizontal	35	2.50	31.95	39.39	8.39	41.97
PK	11.39568G	52.01	74.00	-21.99	5.81	3	Horizontal	35	2.50	46.20	39.39	8.39	41.97





5.47-5.725GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX


5510MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4572G	46.42	54.00	-7.58	-5.50	3	Vertical	306	2.53	51.92	33.31	5.30	44.11
AV	5.4916G	99.74	Inf	-Inf	-5.42	3	Vertical	306	2.53	105.16	33.38	5.32	44.12
PK	5.4572G	66.17	74.00	-7.83	-5.50	3	Vertical	306	2.53	71.67	33.31	5.30	44.11
PK	5.4696G	67.73	68.20	-0.47	-5.47	3	Vertical	306	2.53	73.20	33.34	5.31	44.12
PK	5.492G	113.26	Inf	-Inf	-5.42	3	Vertical	306	2.53	118.68	33.38	5.32	44.12

5.47-5.725GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

5510MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4528G	43.09	54.00	-10.91	-5.51	3	Horizontal	319	2.66	48.60	33.31	5.29	44.11
AV	5.5284G	94.32	Inf	-Inf	-5.32	3	Horizontal	319	2.66	99.64	33.46	5.34	44.12
PK	5.4572G	57.00	74.00	-17.00	-5.50	3	Horizontal	319	2.66	62.50	33.31	5.30	44.11
PK	5.466G	56.92	68.20	-11.28	-5.49	3	Horizontal	319	2.66	62.41	33.33	5.30	44.12
PK	5.528G	107.72	Inf	-Inf	-5.32	3	Horizontal	319	2.66	113.04	33.46	5.34	44.12



5.47-5.725GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX


5510MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.0446G	37.51	54.00	-16.49	5.01	3	Vertical	216	1.50	32.50	38.89	8.28	42.16
PK	11.00524G	50.79	74.00	-23.21	4.90	3	Vertical	216	1.50	45.89	38.81	8.27	42.18

5.47-5.725GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

5510MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.04376G	37.50	54.00	-16.50	5.01	3	Horizontal	237	1.25	32.49	38.89	8.28	42.16
PK	11.03464G	50.66	74.00	-23.34	4.99	3	Horizontal	237	1.25	45.67	38.87	8.28	42.16



5.47-5.725GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX


5610MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.45G	44.66	54.00	-9.34	-5.52	3	Vertical	310	2.47	50.18	33.30	5.29	44.11
AV	5.59G	101.25	Inf	-Inf	-5.33	3	Vertical	310	2.47	106.58	33.42	5.38	44.13
PK	5.446G	58.67	74.00	-15.33	-5.53	3	Vertical	310	2.47	64.20	33.29	5.29	44.11
PK	5.465G	58.95	68.20	-9.25	-5.49	3	Vertical	310	2.47	64.44	33.33	5.30	44.12
PK	5.59G	114.36	Inf	-Inf	-5.33	3	Vertical	310	2.47	119.69	33.42	5.38	44.13
PK	5.725G	67.97	68.20	-0.23	-4.64	3	Vertical	310	2.47	72.61	34.05	5.46	44.15

5.47-5.725GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX

5610MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.455G	43.32	54.00	-10.68	-5.50	3	Horizontal	321	2.64	48.82	33.31	5.30	44.11
AV	5.608G	95.58	Inf	-Inf	-5.32	3	Horizontal	321	2.64	100.90	33.42	5.39	44.13
PK	5.429G	57.11	74.00	-16.89	-5.57	3	Horizontal	321	2.64	62.68	33.26	5.28	44.11
PK	5.462G	56.34	68.20	-11.86	-5.50	3	Horizontal	321	2.64	61.84	33.32	5.30	44.12
PK	5.587G	108.95	Inf	-Inf	-5.32	3	Horizontal	321	2.64	114.27	33.43	5.38	44.13
PK	5.845G	58.68	68.20	-9.52	-4.23	3	Horizontal	321	2.64	62.91	34.41	5.52	44.16



5.47-5.725GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX


5610MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.2692G	37.66	54.00	-16.34	5.49	3	Vertical	144	1.50	32.17	39.18	8.35	42.04
PK	11.18736G	51.04	74.00	-22.96	5.21	3	Vertical	144	1.50	45.83	38.97	8.32	42.08

5.47-5.725GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX

5610MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.27016G	37.65	54.00	-16.35	5.49	3	Horizontal	198	2.44	32.16	39.18	8.35	42.04
PK	11.23128G	50.82	74.00	-23.18	5.34	3	Horizontal	198	2.44	45.48	39.06	8.34	42.06



5.47-5.725GHz\_802.11be EHT160\_Nss1,(MCS0)\_4TX


5570MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4512G	53.19	54.00	-0.81	-5.52	3	Vertical	307	2.64	58.71	33.30	5.29	44.11
AV	5.5112G	96.20	Inf	-Inf	-5.37	3	Vertical	307	2.64	101.57	33.42	5.33	44.12
PK	5.35G	57.24	68.20	-10.96	-5.56	3	Vertical	307	2.64	62.80	33.30	5.24	44.10
PK	5.4512G	66.91	74.00	-7.09	-5.52	3	Vertical	307	2.64	72.43	33.30	5.29	44.11
PK	5.4692G	67.58	68.20	-0.62	-5.48	3	Vertical	307	2.64	73.06	33.34	5.30	44.12
PK	5.5124G	109.41	Inf	-Inf	-5.37	3	Vertical	307	2.64	114.78	33.42	5.33	44.12
PK	5.7296G	67.46	68.20	-0.74	-4.59	3	Vertical	307	2.64	72.05	34.10	5.46	44.15

5.47-5.725GHz\_802.11be EHT160\_Nss1,(MCS0)\_4TX

5570MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4296G	43.67	54.00	-10.33	-5.57	3	Horizontal	319	2.79	49.24	33.26	5.28	44.11
AV	5.5484G	90.59	Inf	-Inf	-5.27	3	Horizontal	319	2.79	95.86	33.50	5.36	44.13
PK	5.3156G	54.29	68.20	-13.91	-5.57	3	Horizontal	319	2.79	59.86	33.30	5.23	44.10
PK	5.45G	56.32	74.00	-17.68	-5.52	3	Horizontal	319	2.79	61.84	33.30	5.29	44.11
PK	5.468G	56.95	68.20	-11.25	-5.48	3	Horizontal	319	2.79	62.43	33.34	5.30	44.12
PK	5.5484G	102.91	Inf	-Inf	-5.27	3	Horizontal	319	2.79	108.18	33.50	5.36	44.13
PK	5.7272G	58.54	68.20	-9.66	-4.62	3	Horizontal	319	2.79	63.16	34.07	5.46	44.15



5.47-5.725GHz\_802.11be EHT160\_Nss1,(MCS0)\_4TX


5570MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.17072G	38.36	54.00	-15.64	5.17	3	Vertical	277	2.44	33.19	38.94	8.32	42.09
PK	11.14624G	51.02	74.00	-22.98	5.11	3	Vertical	277	2.44	45.91	38.90	8.31	42.10

5.47-5.725GHz\_802.11be EHT160\_Nss1,(MCS0)\_4TX

5570MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.19184G	38.43	54.00	-15.57	5.22	3	Horizontal	101	1.50	33.21	38.98	8.32	42.08
PK	11.16592G	51.38	74.00	-22.62	5.16	3	Horizontal	101	1.50	46.22	38.93	8.32	42.09



Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 3_4TX	Pass	AV	5.387G	47.31	54.00	-6.69	3	Vertical	133	2.81
802.11be EHT80_Nss1,(MCS4),RU242+RU242 MRU 4_4TX	Pass	AV	5.378G	45.32	54.00	-8.68	3	Vertical	0	2.69
802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 1_4TX	Pass	AV	5.3808G	49.56	54.00	-4.44	3	Vertical	149	2.55
802.11be EHT160_Nss1,(MCS4),RU996+RU484 MRU 2_4TX	Pass	AV	5.3916G	49.23	54.00	-4.77	3	Vertical	133	2.53
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT160_Nss1,(MCS0),RU726+RU242+RU242 MRU 3_4TX	Pass	PK	5.432G	72.68	74.00	-1.32	3	Vertical	306	2.55
802.11be EHT160_Nss1,(MCS4),RU726+RU242+RU242 MRU 4_4TX	Pass	AV	5.4512G	45.97	54.00	-8.03	3	Vertical	307	2.52



Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 1_4TX	-	-	-	-	-	-	-	-	-	-
5290MHz	Pass	AV	5.141G	41.10	54.00	-12.90	3	Vertical	1	2.50
5290MHz	Pass	AV	5.258G	97.12	Inf	-Inf	3	Vertical	1	2.50
5290MHz	Pass	AV	5.357G	45.69	54.00	-8.31	3	Vertical	1	2.50
5290MHz	Pass	PK	5.098G	53.74	74.00	-20.26	3	Vertical	1	2.50
5290MHz	Pass	PK	5.277G	109.94	Inf	-Inf	3	Vertical	1	2.50
5290MHz	Pass	PK	5.358G	63.49	74.00	-10.51	3	Vertical	1	2.50
5290MHz	Pass	PK	5.467G	53.88	68.20	-14.32	3	Vertical	1	2.50
5290MHz	Pass	AV	5.13G	40.40	54.00	-13.60	3	Horizontal	151	2.35
5290MHz	Pass	AV	5.314G	91.02	Inf	-Inf	3	Horizontal	151	2.35
5290MHz	Pass	AV	5.352G	41.34	54.00	-12.66	3	Horizontal	151	2.35
5290MHz	Pass	PK	5.085G	53.19	74.00	-20.81	3	Horizontal	151	2.35
5290MHz	Pass	PK	5.314G	103.99	Inf	-Inf	3	Horizontal	151	2.35
5290MHz	Pass	PK	5.356G	55.47	74.00	-18.53	3	Horizontal	151	2.35
5290MHz	Pass	PK	5.529G	54.47	68.20	-13.73	3	Horizontal	151	2.35
5290MHz	Pass	PK	10.58384G	48.69	68.20	-19.51	3	Vertical	150	1.71
5290MHz	Pass	PK	10.57272G	48.17	68.20	-20.03	3	Horizontal	180	2.66
802.11be EHT80_Nss1,(MCS4),RU484+RU242 MRU 2_4TX	-	-	-	-	-	-	-	-	-	-
5290MHz	Pass	AV	5.14G	41.17	54.00	-12.83	3	Vertical	2	2.52
5290MHz	Pass	AV	5.258G	97.05	Inf	-Inf	3	Vertical	2	2.52
5290MHz	Pass	AV	5.357G	45.09	54.00	-8.91	3	Vertical	2	2.52
5290MHz	Pass	PK	5.085G	54.98	74.00	-19.02	3	Vertical	2	2.52
5290MHz	Pass	PK	5.257G	108.41	Inf	-Inf	3	Vertical	2	2.52
5290MHz	Pass	PK	5.359G	62.39	74.00	-11.61	3	Vertical	2	2.52
5290MHz	Pass	PK	5.478G	54.78	68.20	-13.42	3	Vertical	2	2.52
5290MHz	Pass	AV	5.142G	40.37	54.00	-13.63	3	Horizontal	151	2.43
5290MHz	Pass	AV	5.313G	91.10	Inf	-Inf	3	Horizontal	151	2.43
5290MHz	Pass	AV	5.351G	41.24	54.00	-12.76	3	Horizontal	151	2.43
5290MHz	Pass	PK	5.118G	53.60	74.00	-20.40	3	Horizontal	151	2.43
5290MHz	Pass	PK	5.314G	103.54	Inf	-Inf	3	Horizontal	151	2.43
5290MHz	Pass	PK	5.364G	53.71	74.00	-20.29	3	Horizontal	151	2.43
5290MHz	Pass	PK	5.476G	53.85	68.20	-14.35	3	Horizontal	151	2.43
5290MHz	Pass	PK	10.58568G	48.91	68.20	-19.29	3	Vertical	139	2.74
5290MHz	Pass	PK	10.58724G	48.65	68.20	-19.55	3	Horizontal	344	2.90
802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 3_4TX	-	-	-	-	-	-	-	-	-	-
5290MHz	Pass	AV	5.098G	41.00	54.00	-13.00	3	Vertical	133	2.81
5290MHz	Pass	AV	5.312G	97.68	Inf	-Inf	3	Vertical	133	2.81
5290MHz	Pass	AV	5.387G	47.31	54.00	-6.69	3	Vertical	133	2.81
5290MHz	Pass	PK	5.106G	53.48	74.00	-20.52	3	Vertical	133	2.81
5290MHz	Pass	PK	5.312G	109.38	Inf	-Inf	3	Vertical	133	2.81
5290MHz	Pass	PK	5.37G	63.72	74.00	-10.28	3	Vertical	133	2.81
5290MHz	Pass	PK	5.507G	53.85	68.20	-14.35	3	Vertical	133	2.81
5290MHz	Pass	AV	5.143G	40.31	54.00	-13.69	3	Horizontal	159	2.44
5290MHz	Pass	AV	5.259G	90.76	Inf	-Inf	3	Horizontal	159	2.44
5290MHz	Pass	AV	5.378G	41.14	54.00	-12.86	3	Horizontal	159	2.44
5290MHz	Pass	PK	5.049G	52.74	74.00	-21.26	3	Horizontal	159	2.44
5290MHz	Pass	PK	5.259G	103.20	Inf	-Inf	3	Horizontal	159	2.44
5290MHz	Pass	PK	5.385G	53.64	74.00	-20.36	3	Horizontal	159	2.44
5290MHz	Pass	PK	5.501G	55.33	68.20	-12.87	3	Horizontal	159	2.44
5290MHz	Pass	PK	10.57944G	48.96	68.20	-19.24	3	Vertical	331	1.03
5290MHz	Pass	PK	10.58912G	48.27	68.20	-19.93	3	Horizontal	208	1.61
802.11be EHT80_Nss1,(MCS4),RU242+RU242 MRU 4_4TX	-	-	-	-	-	-	-	-	-	-
5290MHz	Pass	AV	5.125G	41.90	54.00	-12.10	3	Vertical	0	2.69
5290MHz	Pass	AV	5.258G	97.06	Inf	-Inf	3	Vertical	0	2.69
5290MHz	Pass	AV	5.378G	45.32	54.00	-8.68	3	Vertical	0	2.69
5290MHz	Pass	PK	5.139G	53.46	74.00	-20.54	3	Vertical	0	2.69
5290MHz	Pass	PK	5.258G	107.76	Inf	-Inf	3	Vertical	0	2.69
5290MHz	Pass	PK	5.376G	58.38	74.00	-15.62	3	Vertical	0	2.69
5290MHz	Pass	PK	5.49G	54.49	68.20	-13.71	3	Vertical	0	2.69
5290MHz	Pass	AV	5.147G	41.28	54.00	-12.72	3	Horizontal	152	2.42
5290MHz	Pass	AV	5.314G	91.13	Inf	-Inf	3	Horizontal	152	2.42





RSE TX above 1GHz\_Non-Beamforming\_Radio 3\_Multi-RU

Appendix D.5

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5290MHz	Pass	AV	5.375G	41.84	54.00	-12.16	3	Horizontal	152	2.42
5290MHz	Pass	PK	5.132G	53.43	74.00	-20.57	3	Horizontal	152	2.42
5290MHz	Pass	PK	5.314G	102.19	Inf	-Inf	3	Horizontal	152	2.42
5290MHz	Pass	PK	5.358G	53.54	74.00	-20.46	3	Horizontal	152	2.42
5290MHz	Pass	PK	5.536G	54.06	68.20	-14.14	3	Horizontal	152	2.42
5290MHz	Pass	PK	10.57364G	49.47	68.20	-18.73	3	Vertical	349	1.23
5290MHz	Pass	PK	10.58308G	48.65	68.20	-19.55	3	Horizontal	114	2.24
802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 1_4TX	-	-	-	-	-	-	-	-	-	-
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.1396G	45.19	54.00	-8.81	3	Vertical	149	2.55
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.28G	93.56	Inf	-Inf	3	Vertical	149	2.55
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.3808G	49.56	54.00	-4.44	3	Vertical	149	2.55
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.1216G	59.05	74.00	-14.95	3	Vertical	149	2.55
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.3208G	104.86	Inf	-Inf	3	Vertical	149	2.55
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.4012G	65.69	74.00	-8.31	3	Vertical	149	2.55
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.4624G	57.77	68.20	-10.43	3	Vertical	149	2.55
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.1324G	41.46	54.00	-12.54	3	Horizontal	153	2.18
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.2944G	86.68	Inf	-Inf	3	Horizontal	153	2.18
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.4156G	42.97	54.00	-11.03	3	Horizontal	153	2.18
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.0916G	54.27	74.00	-19.73	3	Horizontal	153	2.18
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.2944G	99.27	Inf	-Inf	3	Horizontal	153	2.18
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.376G	55.65	74.00	-18.35	3	Horizontal	153	2.18
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.5056G	54.31	68.20	-13.89	3	Horizontal	153	2.18
5250MHz Straddle 5.25-5.35GHz	Pass	PK	10.50388G	48.82	68.20	-19.38	3	Vertical	237	1.04
5250MHz Straddle 5.25-5.35GHz	Pass	PK	10.50008G	49.01	68.20	-19.19	3	Horizontal	17	2.41
802.11be EHT160_Nss1,(MCS4),RU996+RU484 MRU 2_4TX	-	-	-	-	-	-	-	-	-	-
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.15G	45.83	54.00	-8.17	3	Vertical	133	2.53
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.3124G	93.96	Inf	-Inf	3	Vertical	133	2.53
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.3916G	49.23	54.00	-4.77	3	Vertical	133	2.53
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.1132G	58.90	74.00	-15.10	3	Vertical	133	2.53
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.3112G	105.02	Inf	-Inf	3	Vertical	133	2.53
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.3928G	64.81	74.00	-9.19	3	Vertical	133	2.53
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.4648G	55.84	68.20	-12.36	3	Vertical	133	2.53
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.1336G	41.85	54.00	-12.15	3	Horizontal	152	2.19
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.2932G	86.90	Inf	-Inf	3	Horizontal	152	2.19
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.3736G	43.32	54.00	-10.68	3	Horizontal	152	2.19
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.088G	53.42	74.00	-20.58	3	Horizontal	152	2.19
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.274G	98.11	Inf	-Inf	3	Horizontal	152	2.19
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.3544G	55.32	74.00	-18.68	3	Horizontal	152	2.19
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.5188G	54.67	68.20	-13.53	3	Horizontal	152	2.19
5250MHz Straddle 5.25-5.35GHz	Pass	PK	10.504G	49.03	68.20	-19.17	3	Vertical	186	1.96
5250MHz Straddle 5.25-5.35GHz	Pass	PK	10.47824G	49.24	68.20	-18.96	3	Horizontal	97	1.68
802.11be EHT160_Nss1,(MCS0),RU726+RU242+RU242 MRU 3_4TX	-	-	-	-	-	-	-	-	-	-
5570MHz	Pass	AV	5.4524G	47.72	54.00	-6.28	3	Vertical	306	2.55
5570MHz	Pass	AV	5.5112G	93.64	Inf	-Inf	3	Vertical	306	2.55
5570MHz	Pass	PK	5.3108G	62.75	68.20	-5.45	3	Vertical	306	2.55
5570MHz	Pass	PK	5.432G	72.68	74.00	-1.32	3	Vertical	306	2.55
5570MHz	Pass	PK	5.468G	64.25	68.20	-3.95	3	Vertical	306	2.55
5570MHz	Pass	PK	5.5316G	105.99	Inf	-Inf	3	Vertical	306	2.55
5570MHz	Pass	PK	5.7272G	66.58	68.20	-1.62	3	Vertical	306	2.55
5570MHz	Pass	AV	5.4284G	42.56	54.00	-11.44	3	Horizontal	316	2.51
5570MHz	Pass	AV	5.5076G	86.99	Inf	-Inf	3	Horizontal	316	2.51
5570MHz	Pass	PK	5.3492G	56.95	68.20	-11.25	3	Horizontal	316	2.51
5570MHz	Pass	PK	5.4464G	63.09	74.00	-10.91	3	Horizontal	316	2.51
5570MHz	Pass	PK	5.4656G	62.19	68.20	-6.01	3	Horizontal	316	2.51
5570MHz	Pass	PK	5.5088G	99.76	Inf	-Inf	3	Horizontal	316	2.51
5570MHz	Pass	PK	5.726G	57.71	68.20	-10.49	3	Horizontal	316	2.51
5570MHz	Pass	AV	11.14156G	37.19	54.00	-16.81	3	Vertical	66	2.66
5570MHz	Pass	PK	11.14456G	48.72	74.00	-25.28	3	Vertical	66	2.66
5570MHz	Pass	AV	11.14884G	37.30	54.00	-16.70	3	Horizontal	28	1.81
5570MHz	Pass	PK	11.13724G	48.61	74.00	-25.39	3	Horizontal	28	1.81
802.11be EHT160_Nss1,(MCS4),RU726+RU242+RU242 MRU 4_4TX	-	-	-	-	-	-	-	-	-	-
5570MHz	Pass	AV	5.4512G	45.97	54.00	-8.03	3	Vertical	307	2.52




Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5570MHz	Pass	AV	5.51G	93.72	Inf	-Inf	3	Vertical	307	2.52
5570MHz	Pass	PK	5.3276G	54.36	68.20	-13.84	3	Vertical	307	2.52
5570MHz	Pass	PK	5.4488G	58.49	74.00	-15.51	3	Vertical	307	2.52
5570MHz	Pass	PK	5.468G	58.54	68.20	-9.66	3	Vertical	307	2.52
5570MHz	Pass	PK	5.5328G	104.88	Inf	-Inf	3	Vertical	307	2.52
5570MHz	Pass	PK	5.7284G	59.37	68.20	-8.83	3	Vertical	307	2.52
5570MHz	Pass	AV	5.3888G	41.52	54.00	-12.48	3	Horizontal	317	2.57
5570MHz	Pass	AV	5.5076G	87.40	Inf	-Inf	3	Horizontal	317	2.57
5570MHz	Pass	PK	5.336G	52.99	68.20	-15.21	3	Horizontal	317	2.57
5570MHz	Pass	PK	5.3696G	53.89	74.00	-20.11	3	Horizontal	317	2.57
5570MHz	Pass	PK	5.4656G	53.24	68.20	-14.96	3	Horizontal	317	2.57
5570MHz	Pass	PK	5.5484G	100.00	Inf	-Inf	3	Horizontal	317	2.57
5570MHz	Pass	PK	5.834G	55.25	68.20	-12.95	3	Horizontal	317	2.57
5570MHz	Pass	AV	11.13204G	37.35	54.00	-16.65	3	Vertical	157	1.09
5570MHz	Pass	PK	11.1406G	49.26	74.00	-24.74	3	Vertical	157	1.09
5570MHz	Pass	AV	11.14532G	37.23	54.00	-16.77	3	Horizontal	54	2.71
5570MHz	Pass	PK	11.1336G	48.91	74.00	-25.09	3	Horizontal	54	2.71
802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 5_4TX	-	-	-	-	-	-	-	-	-	-
5570MHz	Pass	AV	5.39G	47.38	54.00	-6.62	3	Vertical	130	2.72
5570MHz	Pass	AV	5.5112G	92.16	Inf	-Inf	3	Vertical	130	2.72
5570MHz	Pass	PK	5.3312G	62.22	68.20	-5.98	3	Vertical	130	2.72
5570MHz	Pass	PK	5.4572G	70.69	74.00	-3.31	3	Vertical	130	2.72
5570MHz	Pass	PK	5.4632G	64.13	68.20	-4.07	3	Vertical	130	2.72
5570MHz	Pass	PK	5.5112G	104.27	Inf	-Inf	3	Vertical	130	2.72
5570MHz	Pass	PK	5.7524G	65.73	68.20	-2.47	3	Vertical	130	2.72
5570MHz	Pass	AV	5.3888G	44.09	54.00	-9.91	3	Horizontal	318	2.57
5570MHz	Pass	AV	5.5088G	87.47	Inf	-Inf	3	Horizontal	318	2.57
5570MHz	Pass	PK	5.3228G	56.81	68.20	-11.39	3	Horizontal	318	2.57
5570MHz	Pass	PK	5.4476G	65.80	74.00	-8.20	3	Horizontal	318	2.57
5570MHz	Pass	PK	5.4668G	66.17	68.20	-2.03	3	Horizontal	318	2.57
5570MHz	Pass	PK	5.5088G	101.05	Inf	-Inf	3	Horizontal	318	2.57
5570MHz	Pass	PK	5.7272G	62.86	68.20	-5.34	3	Horizontal	318	2.57
5570MHz	Pass	AV	11.14592G	37.29	54.00	-16.71	3	Vertical	299	1.52
5570MHz	Pass	PK	11.14248G	48.57	74.00	-25.43	3	Vertical	299	1.52
5570MHz	Pass	AV	11.14624G	37.35	54.00	-16.65	3	Horizontal	356	1.14
5570MHz	Pass	PK	11.1496G	48.77	74.00	-25.23	3	Horizontal	356	1.14
802.11be EHT160_Nss1,(MCS4),RU484+RU484 MRU 6_4TX	-	-	-	-	-	-	-	-	-	-
5570MHz	Pass	AV	5.3912G	44.90	54.00	-9.10	3	Vertical	132	2.79
5570MHz	Pass	AV	5.5112G	93.15	Inf	-Inf	3	Vertical	132	2.79
5570MHz	Pass	PK	5.35G	54.68	68.20	-13.52	3	Vertical	132	2.79
5570MHz	Pass	PK	5.39G	57.38	74.00	-16.62	3	Vertical	132	2.79
5570MHz	Pass	PK	5.4656G	54.22	68.20	-13.98	3	Vertical	132	2.79
5570MHz	Pass	PK	5.5112G	104.39	Inf	-Inf	3	Vertical	132	2.79
5570MHz	Pass	PK	5.7524G	59.02	68.20	-9.18	3	Vertical	132	2.79
5570MHz	Pass	AV	5.3888G	42.22	54.00	-11.78	3	Horizontal	319	2.50
5570MHz	Pass	AV	5.5088G	87.51	Inf	-Inf	3	Horizontal	319	2.50
5570MHz	Pass	PK	5.3288G	53.54	68.20	-14.66	3	Horizontal	319	2.50
5570MHz	Pass	PK	5.39G	55.33	74.00	-18.67	3	Horizontal	319	2.50
5570MHz	Pass	PK	5.4692G	52.22	68.20	-15.98	3	Horizontal	319	2.50
5570MHz	Pass	PK	5.6276G	98.59	Inf	-Inf	3	Horizontal	319	2.50
5570MHz	Pass	PK	5.7464G	55.29	68.20	-12.91	3	Horizontal	319	2.50
5570MHz	Pass	AV	11.13092G	37.98	54.00	-16.02	3	Vertical	197	1.97
5570MHz	Pass	PK	11.143G	50.23	74.00	-23.77	3	Vertical	197	1.97
5570MHz	Pass	AV	11.14384G	38.02	54.00	-15.98	3	Horizontal	316	1.77
5570MHz	Pass	PK	11.13948G	48.92	74.00	-25.08	3	Horizontal	316	1.77



5.25-5.35GHz\_802.11be EHT80\_Nss1,(MCS0),RU484+RU242 MRU 1\_4TX


5290MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.141G	41.10	54.00	-12.90	-5.42	3	Vertical	1	2.50	46.52	33.50	5.16	44.08
AV	5.258G	97.12	Inf	-Inf	-5.41	3	Vertical	1	2.50	102.53	33.47	5.21	44.09
AV	5.357G	45.69	54.00	-8.31	-5.57	3	Vertical	1	2.50	51.26	33.29	5.24	44.10
PK	5.098G	53.74	74.00	-20.26	-5.43	3	Vertical	1	2.50	59.17	33.50	5.14	44.07
PK	5.277G	109.94	Inf	-Inf	-5.48	3	Vertical	1	2.50	115.42	33.39	5.22	44.09
PK	5.358G	63.49	74.00	-10.51	-5.57	3	Vertical	1	2.50	69.06	33.28	5.25	44.10
PK	5.467G	53.88	68.20	-14.32	-5.49	3	Vertical	1	2.50	59.37	33.33	5.30	44.12

5.25-5.35GHz\_802.11be EHT80\_Nss1,(MCS0),RU484+RU242 MRU 1\_4TX

5290MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.13G	40.40	54.00	-13.60	-5.42	3	Horizontal	151	2.35	45.82	33.50	5.16	44.08
AV	5.314G	91.02	Inf	-Inf	-5.57	3	Horizontal	151	2.35	96.59	33.30	5.23	44.10
AV	5.352G	41.34	54.00	-12.66	-5.56	3	Horizontal	151	2.35	46.90	33.30	5.24	44.10
PK	5.085G	53.19	74.00	-20.81	-5.43	3	Horizontal	151	2.35	58.62	33.50	5.14	44.07
PK	5.314G	103.99	Inf	-Inf	-5.57	3	Horizontal	151	2.35	109.56	33.30	5.23	44.10
PK	5.356G	55.47	74.00	-18.53	-5.57	3	Horizontal	151	2.35	61.04	33.29	5.24	44.10
PK	5.529G	54.47	68.20	-13.73	-5.32	3	Horizontal	151	2.35	59.79	33.46	5.34	44.12



5.25-5.35GHz\_802.11be EHT80\_Nss1,(MCS0),RU484+RU242 MRU 1\_4TX


5290MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.58384G	48.69	68.20	-19.51	5.04	3	Vertical	150	1.71	43.65	38.94	8.14	42.04

5.25-5.35GHz\_802.11be EHT80\_Nss1,(MCS0),RU484+RU242 MRU 1\_4TX

5290MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.57272G	48.17	68.20	-20.03	4.99	3	Horizontal	180	2.66	43.18	38.89	8.13	42.03



5.25-5.35GHz\_802.11be EHT80\_Nss1,(MCS4),RU484+RU242 MRU 2\_4TX


5290MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.14G	41.17	54.00	-12.83	-5.42	3	Vertical	2	2.52	46.59	33.50	5.16	44.08
AV	5.258G	97.05	Inf	-Inf	-5.41	3	Vertical	2	2.52	102.46	33.47	5.21	44.09
AV	5.357G	45.09	54.00	-8.91	-5.57	3	Vertical	2	2.52	50.66	33.29	5.24	44.10
PK	5.085G	54.98	74.00	-19.02	-5.43	3	Vertical	2	2.52	60.41	33.50	5.14	44.07
PK	5.257G	108.41	Inf	-Inf	-5.41	3	Vertical	2	2.52	113.82	33.47	5.21	44.09
PK	5.359G	62.39	74.00	-11.61	-5.57	3	Vertical	2	2.52	67.96	33.28	5.25	44.10
PK	5.478G	54.78	68.20	-13.42	-5.45	3	Vertical	2	2.52	60.23	33.36	5.31	44.12

5.25-5.35GHz\_802.11be EHT80\_Nss1,(MCS4),RU484+RU242 MRU 2\_4TX

5290MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.142G	40.37	54.00	-13.63	-5.42	3	Horizontal	151	2.43	45.79	33.50	5.16	44.08
AV	5.313G	91.10	Inf	-Inf	-5.57	3	Horizontal	151	2.43	96.67	33.30	5.23	44.10
AV	5.351G	41.24	54.00	-12.76	-5.56	3	Horizontal	151	2.43	46.80	33.30	5.24	44.10
PK	5.118G	53.60	74.00	-20.40	-5.42	3	Horizontal	151	2.43	59.02	33.50	5.15	44.07
PK	5.314G	103.54	Inf	-Inf	-5.57	3	Horizontal	151	2.43	109.11	33.30	5.23	44.10
PK	5.364G	53.71	74.00	-20.29	-5.58	3	Horizontal	151	2.43	59.29	33.27	5.25	44.10
PK	5.476G	53.85	68.20	-14.35	-5.46	3	Horizontal	151	2.43	59.31	33.35	5.31	44.12



5.25-5.35GHz\_802.11be EHT80\_Nss1,(MCS4),RU484+RU242 MRU 2\_4TX


5290MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.58568G	48.91	68.20	-19.29	5.04	3	Vertical	139	2.74	43.87	38.94	8.14	42.04

5.25-5.35GHz\_802.11be EHT80\_Nss1,(MCS4),RU484+RU242 MRU 2\_4TX

5290MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.58724G	48.65	68.20	-19.55	5.05	3	Horizontal	344	2.90	43.60	38.95	8.14	42.04



5.25-5.35GHz\_802.11be EHT80\_Nss1,(MCS0),RU242+RU242 MRU 3\_4TX


5290MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.098G	41.00	54.00	-13.00	-5.43	3	Vertical	133	2.81	46.43	33.50	5.14	44.07
AV	5.312G	97.68	Inf	-Inf	-5.57	3	Vertical	133	2.81	103.25	33.30	5.23	44.10
AV	5.387G	47.31	54.00	-6.69	-5.62	3	Vertical	133	2.81	52.93	33.23	5.26	44.11
PK	5.106G	53.48	74.00	-20.52	-5.42	3	Vertical	133	2.81	58.90	33.50	5.15	44.07
PK	5.312G	109.38	Inf	-Inf	-5.57	3	Vertical	133	2.81	114.95	33.30	5.23	44.10
PK	5.37G	63.72	74.00	-10.28	-5.59	3	Vertical	133	2.81	69.31	33.26	5.25	44.10
PK	5.507G	53.85	68.20	-14.35	-5.38	3	Vertical	133	2.81	59.23	33.41	5.33	44.12

5.25-5.35GHz\_802.11be EHT80\_Nss1,(MCS0),RU242+RU242 MRU 3\_4TX

5290MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.143G	40.31	54.00	-13.69	-5.42	3	Horizontal	159	2.44	45.73	33.50	5.16	44.08
AV	5.259G	90.76	Inf	-Inf	-5.42	3	Horizontal	159	2.44	96.18	33.46	5.21	44.09
AV	5.378G	41.14	54.00	-12.86	-5.62	3	Horizontal	159	2.44	46.76	33.24	5.25	44.11
PK	5.049G	52.74	74.00	-21.26	-5.45	3	Horizontal	159	2.44	58.19	33.50	5.12	44.07
PK	5.259G	103.20	Inf	-Inf	-5.42	3	Horizontal	159	2.44	108.62	33.46	5.21	44.09
PK	5.385G	53.64	74.00	-20.36	-5.63	3	Horizontal	159	2.44	59.27	33.23	5.25	44.11
PK	5.501G	55.33	68.20	-12.87	-5.39	3	Horizontal	159	2.44	60.72	33.40	5.33	44.12



5.25-5.35GHz\_802.11be EHT80\_Nss1,(MCS0),RU242+RU242 MRU 3\_4TX


5290MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.57944G	48.96	68.20	-19.24	5.02	3	Vertical	331	1.03	43.94	38.92	8.14	42.04

5.25-5.35GHz\_802.11be EHT80\_Nss1,(MCS0),RU242+RU242 MRU 3\_4TX

5290MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.58912G	48.27	68.20	-19.93	5.06	3	Horizontal	208	1.61	43.21	38.96	8.14	42.04





5.25-5.35GHz\_802.11be EHT80\_Nss1,(MCS4),RU242+RU242 MRU 4\_4TX


5290MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.125G	41.90	54.00	-12.10	-5.42	3	Vertical	0	2.69	47.32	33.50	5.16	44.08
AV	5.258G	97.06	Inf	-Inf	-5.41	3	Vertical	0	2.69	102.47	33.47	5.21	44.09
AV	5.378G	45.32	54.00	-8.68	-5.62	3	Vertical	0	2.69	50.94	33.24	5.25	44.11
PK	5.139G	53.46	74.00	-20.54	-5.42	3	Vertical	0	2.69	58.88	33.50	5.16	44.08
PK	5.258G	107.76	Inf	-Inf	-5.41	3	Vertical	0	2.69	113.17	33.47	5.21	44.09
PK	5.376G	58.38	74.00	-15.62	-5.61	3	Vertical	0	2.69	63.99	33.25	5.25	44.11
PK	5.49G	54.49	68.20	-13.71	-5.42	3	Vertical	0	2.69	59.91	33.38	5.32	44.12

5.25-5.35GHz\_802.11be EHT80\_Nss1,(MCS4),RU242+RU242 MRU 4\_4TX

5290MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.147G	41.28	54.00	-12.72	-5.41	3	Horizontal	152	2.42	46.69	33.50	5.17	44.08
AV	5.314G	91.13	Inf	-Inf	-5.57	3	Horizontal	152	2.42	96.70	33.30	5.23	44.10
AV	5.375G	41.84	54.00	-12.16	-5.60	3	Horizontal	152	2.42	47.44	33.25	5.25	44.10
PK	5.132G	53.43	74.00	-20.57	-5.42	3	Horizontal	152	2.42	58.85	33.50	5.16	44.08
PK	5.314G	102.19	Inf	-Inf	-5.57	3	Horizontal	152	2.42	107.76	33.30	5.23	44.10
PK	5.358G	53.54	74.00	-20.46	-5.57	3	Horizontal	152	2.42	59.11	33.28	5.25	44.10
PK	5.536G	54.06	68.20	-14.14	-5.30	3	Horizontal	152	2.42	59.36	33.47	5.35	44.12



5.25-5.35GHz\_802.11be EHT80\_Nss1,(MCS4),RU242+RU242 MRU 4\_4TX


5290MHz\_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
PK	10.57364G	49.47	68.20	-18.73	4.98	3	Vertical	349	1.23	44.49	38.89	8.13	42.04

5.25-5.35GHz\_802.11be EHT80\_Nss1,(MCS4),RU242+RU242 MRU 4\_4TX

5290MHz\_TX




Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
PK	10.58308G	48.65	68.20	-19.55	5.03	3	Horizontal	114	2.24	43.62	38.93	8.14	42.04



5.25-5.35GHz\_802.11be EHT160\_Nss1,(MCS0),RU996+RU484 MRU 1\_4TX


5250MHz Straddle 5.25-5.35GHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1396G	45.19	54.00	-8.81	-5.42	3	Vertical	149	2.55	50.61	33.50	5.16	44.08
AV	5.28G	93.56	Inf	-Inf	-5.49	3	Vertical	149	2.55	99.05	33.38	5.22	44.09
AV	5.3808G	49.56	54.00	-4.44	-5.62	3	Vertical	149	2.55	55.18	33.24	5.25	44.11
PK	5.1216G	59.05	74.00	-14.95	-5.42	3	Vertical	149	2.55	64.47	33.50	5.15	44.07
PK	5.3208G	104.86	Inf	-Inf	-5.57	3	Vertical	149	2.55	110.43	33.30	5.23	44.10
PK	5.4012G	65.69	74.00	-8.31	-5.65	3	Vertical	149	2.55	71.34	33.20	5.26	44.11
PK	5.4624G	57.77	68.20	-10.43	-5.50	3	Vertical	149	2.55	63.27	33.32	5.30	44.12

5.25-5.35GHz\_802.11be EHT160\_Nss1,(MCS0),RU996+RU484 MRU 1\_4TX

5250MHz Straddle 5.25-5.35GHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1324G	41.46	54.00	-12.54	-5.42	3	Horizontal	153	2.18	46.88	33.50	5.16	44.08
AV	5.2944G	86.68	Inf	-Inf	-5.56	3	Horizontal	153	2.18	92.24	33.32	5.22	44.10
AV	5.4156G	42.97	54.00	-11.03	-5.61	3	Horizontal	153	2.18	48.58	33.23	5.27	44.11
PK	5.0916G	54.27	74.00	-19.73	-5.43	3	Horizontal	153	2.18	59.70	33.50	5.14	44.07
PK	5.2944G	99.27	Inf	-Inf	-5.56	3	Horizontal	153	2.18	104.83	33.32	5.22	44.10
PK	5.376G	55.65	74.00	-18.35	-5.61	3	Horizontal	153	2.18	61.26	33.25	5.25	44.11
PK	5.5056G	54.31	68.20	-13.89	-5.38	3	Horizontal	153	2.18	59.69	33.41	5.33	44.12



5.25-5.35GHz\_802.11be EHT160\_Nss1,(MCS0),RU996+RU484 MRU 1\_4TX


5250MHz Straddle 5.25-5.35GHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.50388G	48.82	68.20	-19.38	4.81	3	Vertical	237	1.04	44.01	38.71	8.11	42.01

5.25-5.35GHz\_802.11be EHT160\_Nss1,(MCS0),RU996+RU484 MRU 1\_4TX

5250MHz Straddle 5.25-5.35GHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.50008G	49.01	68.20	-19.19	4.80	3	Horizontal	17	2.41	44.21	38.70	8.11	42.01



5.25-5.35GHz\_802.11be EHT160\_Nss1,(MCS4),RU996+RU484 MRU 2\_4TX


5250MHz Straddle 5.25-5.35GHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	45.83	54.00	-8.17	-5.41	3	Vertical	133	2.53	51.24	33.50	5.17	44.08
AV	5.3124G	93.96	Inf	-Inf	-5.57	3	Vertical	133	2.53	99.53	33.30	5.23	44.10
AV	5.3916G	49.23	54.00	-4.77	-5.63	3	Vertical	133	2.53	54.86	33.22	5.26	44.11
PK	5.1132G	58.90	74.00	-15.10	-5.42	3	Vertical	133	2.53	64.32	33.50	5.15	44.07
PK	5.3112G	105.02	Inf	-Inf	-5.57	3	Vertical	133	2.53	110.59	33.30	5.23	44.10
PK	5.3928G	64.81	74.00	-9.19	-5.64	3	Vertical	133	2.53	70.45	33.21	5.26	44.11
PK	5.4648G	55.84	68.20	-12.36	-5.49	3	Vertical	133	2.53	61.33	33.33	5.30	44.12

5.25-5.35GHz\_802.11be EHT160\_Nss1,(MCS4),RU996+RU484 MRU 2\_4TX

5250MHz Straddle 5.25-5.35GHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1336G	41.85	54.00	-12.15	-5.42	3	Horizontal	152	2.19	47.27	33.50	5.16	44.08
AV	5.2932G	86.90	Inf	-Inf	-5.55	3	Horizontal	152	2.19	92.45	33.33	5.22	44.10
AV	5.3736G	43.32	54.00	-10.68	-5.60	3	Horizontal	152	2.19	48.92	33.25	5.25	44.10
PK	5.088G	53.42	74.00	-20.58	-5.43	3	Horizontal	152	2.19	58.85	33.50	5.14	44.07
PK	5.274G	98.11	Inf	-Inf	-5.47	3	Horizontal	152	2.19	103.58	33.40	5.22	44.09
PK	5.3544G	55.32	74.00	-18.68	-5.57	3	Horizontal	152	2.19	60.89	33.29	5.24	44.10
PK	5.5188G	54.67	68.20	-13.53	-5.34	3	Horizontal	152	2.19	60.01	33.44	5.34	44.12



5.25-5.35GHz\_802.11be EHT160\_Nss1,(MCS4),RU996+RU484 MRU 2\_4TX


5250MHz Straddle 5.25-5.35GHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.504G	49.03	68.20	-19.17	4.81	3	Vertical	186	1.96	44.22	38.71	8.11	42.01

5.25-5.35GHz\_802.11be EHT160\_Nss1,(MCS4),RU996+RU484 MRU 2\_4TX

5250MHz Straddle 5.25-5.35GHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.47824G	49.24	68.20	-18.96	4.74	3	Horizontal	97	1.68	44.50	38.66	8.11	42.03



5.47-5.725GHz\_802.11be EHT160\_Nss1,(MCS0),RU726+RU242+RU242 MRU 3\_4TX


5570MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4524G	47.72	54.00	-6.28	-5.52	3	Vertical	306	2.55	53.24	33.30	5.29	44.11
AV	5.5112G	93.64	Inf	-Inf	-5.37	3	Vertical	306	2.55	99.01	33.42	5.33	44.12
PK	5.3108G	62.75	68.20	-5.45	-5.57	3	Vertical	306	2.55	68.32	33.30	5.23	44.10
PK	5.432G	72.68	74.00	-1.32	-5.57	3	Vertical	306	2.55	78.25	33.26	5.28	44.11
PK	5.468G	64.25	68.20	-3.95	-5.48	3	Vertical	306	2.55	69.73	33.34	5.30	44.12
PK	5.5316G	105.99	Inf	-Inf	-5.31	3	Vertical	306	2.55	111.30	33.46	5.35	44.12
PK	5.7272G	66.58	68.20	-1.62	-4.62	3	Vertical	306	2.55	71.20	34.07	5.46	44.15

5.47-5.725GHz\_802.11be EHT160\_Nss1,(MCS0),RU726+RU242+RU242 MRU 3\_4TX

5570MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4284G	42.56	54.00	-11.44	-5.57	3	Horizontal	316	2.51	48.13	33.26	5.28	44.11
AV	5.5076G	86.99	Inf	-Inf	-5.37	3	Horizontal	316	2.51	92.36	33.42	5.33	44.12
PK	5.3492G	56.95	68.20	-11.25	-5.56	3	Horizontal	316	2.51	62.51	33.30	5.24	44.10
PK	5.4464G	63.09	74.00	-10.91	-5.53	3	Horizontal	316	2.51	68.62	33.29	5.29	44.11
PK	5.4656G	62.19	68.20	-6.01	-5.49	3	Horizontal	316	2.51	67.68	33.33	5.30	44.12
PK	5.5088G	99.76	Inf	-Inf	-5.37	3	Horizontal	316	2.51	105.13	33.42	5.33	44.12
PK	5.726G	57.71	68.20	-10.49	-4.63	3	Horizontal	316	2.51	62.34	34.06	5.46	44.15



5.47-5.725GHz\_802.11be EHT160\_Nss1,(MCS0),RU726+RU242+RU242 MRU 3\_4TX


5570MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.14156G	37.19	54.00	-16.81	5.10	3	Vertical	66	2.66	32.09	38.90	8.31	42.11
PK	11.14456G	48.72	74.00	-25.28	5.11	3	Vertical	66	2.66	43.61	38.90	8.31	42.10

5.47-5.725GHz\_802.11be EHT160\_Nss1,(MCS0),RU726+RU242+RU242 MRU 3\_4TX

5570MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.14884G	37.30	54.00	-16.70	5.11	3	Horizontal	28	1.81	32.19	38.90	8.31	42.10
PK	11.13724G	48.61	74.00	-25.39	5.10	3	Horizontal	28	1.81	43.51	38.90	8.31	42.11





5.47-5.725GHz\_802.11be EHT160\_Nss1,(MCS4),RU726+RU242+RU242 MRU 4\_4TX


5570MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4512G	45.97	54.00	-8.03	-5.52	3	Vertical	307	2.52	51.49	33.30	5.29	44.11
AV	5.51G	93.72	Inf	-Inf	-5.37	3	Vertical	307	2.52	99.09	33.42	5.33	44.12
PK	5.3276G	54.36	68.20	-13.84	-5.57	3	Vertical	307	2.52	59.93	33.30	5.23	44.10
PK	5.4488G	58.49	74.00	-15.51	-5.52	3	Vertical	307	2.52	64.01	33.30	5.29	44.11
PK	5.468G	58.54	68.20	-9.66	-5.48	3	Vertical	307	2.52	64.02	33.34	5.30	44.12
PK	5.5328G	104.88	Inf	-Inf	-5.30	3	Vertical	307	2.52	110.18	33.47	5.35	44.12
PK	5.7284G	59.37	68.20	-8.83	-4.61	3	Vertical	307	2.52	63.98	34.08	5.46	44.15

5.47-5.725GHz\_802.11be EHT160\_Nss1,(MCS4),RU726+RU242+RU242 MRU 4\_4TX

5570MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3888G	41.52	54.00	-12.48	-5.63	3	Horizontal	317	2.57	47.15	33.22	5.26	44.11
AV	5.5076G	87.40	Inf	-Inf	-5.37	3	Horizontal	317	2.57	92.77	33.42	5.33	44.12
PK	5.336G	52.99	68.20	-15.21	-5.56	3	Horizontal	317	2.57	58.55	33.30	5.24	44.10
PK	5.3696G	53.89	74.00	-20.11	-5.59	3	Horizontal	317	2.57	59.48	33.26	5.25	44.10
PK	5.4656G	53.24	68.20	-14.96	-5.49	3	Horizontal	317	2.57	58.73	33.33	5.30	44.12
PK	5.5484G	100.00	Inf	-Inf	-5.27	3	Horizontal	317	2.57	105.27	33.50	5.36	44.13
PK	5.834G	55.25	68.20	-12.95	-4.22	3	Horizontal	317	2.57	59.47	34.43	5.51	44.16



5.47-5.725GHz\_802.11be EHT160\_Nss1,(MCS4),RU726+RU242+RU242 MRU 4\_4TX


5570MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.13204G	37.35	54.00	-16.65	5.10	3	Vertical	157	1.09	32.25	38.90	8.31	42.11
PK	11.1406G	49.26	74.00	-24.74	5.10	3	Vertical	157	1.09	44.16	38.90	8.31	42.11

5.47-5.725GHz\_802.11be EHT160\_Nss1,(MCS4),RU726+RU242+RU242 MRU 4\_4TX

5570MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.14532G	37.23	54.00	-16.77	5.11	3	Horizontal	54	2.71	32.12	38.90	8.31	42.10
PK	11.1336G	48.91	74.00	-25.09	5.10	3	Horizontal	54	2.71	43.81	38.90	8.31	42.11



5.47-5.725GHz\_802.11be EHT160\_Nss1,(MCS0),RU484+RU484 MRU 5\_4TX


5570MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.39G	47.38	54.00	-6.62	-5.63	3	Vertical	130	2.72	53.01	33.22	5.26	44.11
AV	5.5112G	92.16	Inf	-Inf	-5.37	3	Vertical	130	2.72	97.53	33.42	5.33	44.12
PK	5.3312G	62.22	68.20	-5.98	-5.56	3	Vertical	130	2.72	67.78	33.30	5.24	44.10
PK	5.4572G	70.69	74.00	-3.31	-5.50	3	Vertical	130	2.72	76.19	33.31	5.30	44.11
PK	5.4632G	64.13	68.20	-4.07	-5.49	3	Vertical	130	2.72	69.62	33.33	5.30	44.12
PK	5.5112G	104.27	Inf	-Inf	-5.37	3	Vertical	130	2.72	109.64	33.42	5.33	44.12
PK	5.7524G	65.73	68.20	-2.47	-4.37	3	Vertical	130	2.72	70.10	34.31	5.47	44.15

5.47-5.725GHz\_802.11be EHT160\_Nss1,(MCS0),RU484+RU484 MRU 5\_4TX

5570MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3888G	44.09	54.00	-9.91	-5.63	3	Horizontal	318	2.57	49.72	33.22	5.26	44.11
AV	5.5088G	87.47	Inf	-Inf	-5.37	3	Horizontal	318	2.57	92.84	33.42	5.33	44.12
PK	5.3228G	56.81	68.20	-11.39	-5.57	3	Horizontal	318	2.57	62.38	33.30	5.23	44.10
PK	5.4476G	65.80	74.00	-8.20	-5.52	3	Horizontal	318	2.57	71.32	33.30	5.29	44.11
PK	5.4668G	66.17	68.20	-2.03	-5.49	3	Horizontal	318	2.57	71.66	33.33	5.30	44.12
PK	5.5088G	101.05	Inf	-Inf	-5.37	3	Horizontal	318	2.57	106.42	33.42	5.33	44.12
PK	5.7272G	62.86	68.20	-5.34	-4.62	3	Horizontal	318	2.57	67.48	34.07	5.46	44.15



5.47-5.725GHz\_802.11be EHT160\_Nss1,(MCS0),RU484+RU484 MRU 5\_4TX


5570MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.14592G	37.29	54.00	-16.71	5.11	3	Vertical	299	1.52	32.18	38.90	8.31	42.10
PK	11.14248G	48.57	74.00	-25.43	5.10	3	Vertical	299	1.52	43.47	38.90	8.31	42.11

5.47-5.725GHz\_802.11be EHT160\_Nss1,(MCS0),RU484+RU484 MRU 5\_4TX

5570MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.14624G	37.35	54.00	-16.65	5.11	3	Horizontal	356	1.14	32.24	38.90	8.31	42.10
PK	11.1496G	48.77	74.00	-25.23	5.11	3	Horizontal	356	1.14	43.66	38.90	8.31	42.10



5.47-5.725GHz\_802.11be EHT160\_Nss1,(MCS4),RU484+RU484 MRU 6\_4TX


5570MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3912G	44.90	54.00	-9.10	-5.63	3	Vertical	132	2.79	50.53	33.22	5.26	44.11
AV	5.5112G	93.15	Inf	-Inf	-5.37	3	Vertical	132	2.79	98.52	33.42	5.33	44.12
PK	5.35G	54.68	68.20	-13.52	-5.56	3	Vertical	132	2.79	60.24	33.30	5.24	44.10
PK	5.39G	57.38	74.00	-16.62	-5.63	3	Vertical	132	2.79	63.01	33.22	5.26	44.11
PK	5.4656G	54.22	68.20	-13.98	-5.49	3	Vertical	132	2.79	59.71	33.33	5.30	44.12
PK	5.5112G	104.39	Inf	-Inf	-5.37	3	Vertical	132	2.79	109.76	33.42	5.33	44.12
PK	5.7524G	59.02	68.20	-9.18	-4.37	3	Vertical	132	2.79	63.39	34.31	5.47	44.15

5.47-5.725GHz\_802.11be EHT160\_Nss1,(MCS4),RU484+RU484 MRU 6\_4TX

5570MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3888G	42.22	54.00	-11.78	-5.63	3	Horizontal	319	2.50	47.85	33.22	5.26	44.11
AV	5.5088G	87.51	Inf	-Inf	-5.37	3	Horizontal	319	2.50	92.88	33.42	5.33	44.12
PK	5.3288G	53.54	68.20	-14.66	-5.56	3	Horizontal	319	2.50	59.10	33.30	5.24	44.10
PK	5.39G	55.33	74.00	-18.67	-5.63	3	Horizontal	319	2.50	60.96	33.22	5.26	44.11
PK	5.4692G	52.22	68.20	-15.98	-5.48	3	Horizontal	319	2.50	57.70	33.34	5.30	44.12
PK	5.6276G	98.59	Inf	-Inf	-5.27	3	Horizontal	319	2.50	103.86	33.46	5.41	44.14
PK	5.7464G	55.29	68.20	-12.91	-4.42	3	Horizontal	319	2.50	59.71	34.26	5.47	44.15



5.47-5.725GHz\_802.11be EHT160\_Nss1,(MCS4),RU484+RU484 MRU 6\_4TX


5570MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.13092G	37.98	54.00	-16.02	5.09	3	Vertical	197	1.97	32.89	38.90	8.30	42.11
PK	11.143G	50.23	74.00	-23.77	5.10	3	Vertical	197	1.97	45.13	38.90	8.31	42.11

5.47-5.725GHz\_802.11be EHT160\_Nss1,(MCS4),RU484+RU484 MRU 6\_4TX

5570MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.14384G	38.02	54.00	-15.98	5.10	3	Horizontal	316	1.77	32.92	38.90	8.31	42.11
PK	11.13948G	48.92	74.00	-25.08	5.10	3	Horizontal	316	1.77	43.82	38.90	8.31	42.11



Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 5_4TX	Pass	AV	5.352G	52.26	54.00	-1.74	3	Vertical	133	2.79
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 2_4TX	Pass	AV	5.352G	52.27	54.00	-1.73	3	Vertical	134	2.81
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_4TX	Pass	AV	5.452G	45.96	54.00	-8.04	3	Vertical	134	2.72
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 7_4TX	Pass	PK	5.4344G	72.74	74.00	-1.26	3	Vertical	269	2.51



## RSE TX above 1GHz\_Non-Beamforming\_Radio 3\_Channel Puncturing Appendix D.6

### Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_4TX	-	-	-	-	-	-	-	-	-	-
5530MHz	Pass	AV	5.35G	42.71	54.00	-11.29	3	Vertical	134	2.72
5530MHz	Pass	AV	5.452G	45.96	54.00	-8.04	3	Vertical	134	2.72
5530MHz	Pass	AV	5.511G	93.34	Inf	-Inf	3	Vertical	134	2.72
5530MHz	Pass	PK	5.32G	56.59	68.20	-11.61	3	Vertical	134	2.72
5530MHz	Pass	PK	5.453G	59.88	74.00	-14.12	3	Vertical	134	2.72
5530MHz	Pass	PK	5.465G	58.69	68.20	-9.51	3	Vertical	134	2.72
5530MHz	Pass	PK	5.512G	106.28	Inf	-Inf	3	Vertical	134	2.72
5530MHz	Pass	PK	5.777G	58.54	68.20	-9.66	3	Vertical	134	2.72
5530MHz	Pass	AV	5.35G	42.46	54.00	-11.54	3	Horizontal	172	1.00
5530MHz	Pass	AV	5.442G	43.16	54.00	-10.84	3	Horizontal	172	1.00
5530MHz	Pass	AV	5.502G	86.92	Inf	-Inf	3	Horizontal	172	1.00
5530MHz	Pass	PK	5.282G	56.81	68.20	-11.39	3	Horizontal	172	1.00
5530MHz	Pass	PK	5.455G	56.89	74.00	-17.11	3	Horizontal	172	1.00
5530MHz	Pass	PK	5.462G	56.93	68.20	-11.27	3	Horizontal	172	1.00
5530MHz	Pass	PK	5.503G	99.99	Inf	-Inf	3	Horizontal	172	1.00
5530MHz	Pass	PK	5.779G	58.18	68.20	-10.02	3	Horizontal	172	1.00
5530MHz	Pass	AV	11.06064G	36.61	54.00	-17.39	3	Vertical	49	1.74
5530MHz	Pass	PK	11.05196G	50.30	74.00	-23.70	3	Vertical	49	1.74
5530MHz	Pass	AV	11.06084G	36.60	54.00	-17.40	3	Horizontal	111	1.96
5530MHz	Pass	PK	11.05616G	48.78	74.00	-25.22	3	Horizontal	111	1.96
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 4_4TX	-	-	-	-	-	-	-	-	-	-
5610MHz	Pass	AV	5.444G	43.47	54.00	-10.53	3	Vertical	310	2.54
5610MHz	Pass	AV	5.589G	99.90	Inf	-Inf	3	Vertical	310	2.54
5610MHz	Pass	PK	5.454G	57.83	74.00	-16.17	3	Vertical	310	2.54
5610MHz	Pass	PK	5.465G	57.11	68.20	-11.09	3	Vertical	310	2.54
5610MHz	Pass	PK	5.571G	112.26	Inf	-Inf	3	Vertical	310	2.54
5610MHz	Pass	PK	5.771G	58.39	68.20	-9.81	3	Vertical	310	2.54
5610MHz	Pass	AV	5.46G	42.58	54.00	-11.42	3	Horizontal	311	2.49
5610MHz	Pass	AV	5.595G	93.09	Inf	-Inf	3	Horizontal	311	2.49
5610MHz	Pass	PK	5.396G	56.42	74.00	-17.58	3	Horizontal	311	2.49
5610MHz	Pass	PK	5.468G	55.62	68.20	-12.58	3	Horizontal	311	2.49
5610MHz	Pass	PK	5.576G	106.57	Inf	-Inf	3	Horizontal	311	2.49
5610MHz	Pass	PK	5.844G	58.04	68.20	-10.16	3	Horizontal	311	2.49
5610MHz	Pass	AV	11.22676G	36.58	54.00	-17.42	3	Vertical	24	2.37
5610MHz	Pass	PK	11.22272G	49.56	74.00	-24.44	3	Vertical	24	2.37
5610MHz	Pass	AV	11.22308G	36.55	54.00	-17.45	3	Horizontal	15	1.44
5610MHz	Pass	PK	11.22792G	49.03	74.00	-24.97	3	Horizontal	15	1.44
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 1_4TX	-	-	-	-	-	-	-	-	-	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.396G	41.75	54.00	-12.25	3	Vertical	311	2.53
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.7092G	100.58	Inf	-Inf	3	Vertical	311	2.53
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.4104G	54.79	74.00	-19.21	3	Vertical	311	2.53
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.462G	53.54	68.20	-14.66	3	Vertical	311	2.53
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.7092G	111.95	Inf	-Inf	3	Vertical	311	2.53
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.8976G	54.06	68.20	-14.14	3	Vertical	311	2.53
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.39G	39.55	54.00	-14.45	3	Horizontal	9	2.42
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.702G	92.82	Inf	-Inf	3	Horizontal	9	2.42
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.4152G	52.56	74.00	-21.44	3	Horizontal	9	2.42
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.4656G	51.67	68.20	-16.53	3	Horizontal	9	2.42
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.7008G	104.97	Inf	-Inf	3	Horizontal	9	2.42
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.9804G	54.62	68.20	-13.58	3	Horizontal	9	2.42
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.37012G	37.21	54.00	-16.79	3	Vertical	276	2.30
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.3842G	49.88	74.00	-24.12	3	Vertical	276	2.30
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.37016G	37.42	54.00	-16.58	3	Horizontal	295	2.68
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.3858G	49.36	74.00	-24.64	3	Horizontal	295	2.68
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_4TX	-	-	-	-	-	-	-	-	-	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.396G	43.94	54.00	-10.06	3	Vertical	312	2.65
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.6696G	100.56	Inf	-Inf	3	Vertical	312	2.65
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.4476G	56.80	74.00	-17.20	3	Vertical	312	2.65
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.4692G	56.77	68.20	-11.43	3	Vertical	312	2.65
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.7284G	112.98	Inf	-Inf	3	Vertical	312	2.65





**RSE TX above 1GHz\_Non-Beamforming\_Radio 3\_Channel Puncturing Appendix D.6**

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.8736G	58.61	68.20	-9.59	3	Vertical	312	2.65
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.426G	42.55	54.00	-11.45	3	Horizontal	12	2.33
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.7224G	92.77	Inf	-Inf	3	Horizontal	12	2.33
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.4548G	56.50	74.00	-17.50	3	Horizontal	12	2.33
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.4656G	55.26	68.20	-12.94	3	Horizontal	12	2.33
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.6624G	106.20	Inf	-Inf	3	Horizontal	12	2.33
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.9684G	58.46	68.20	-9.74	3	Horizontal	12	2.33
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.37004G	37.19	54.00	-16.81	3	Vertical	332	1.48
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.37104G	50.30	74.00	-23.70	3	Vertical	332	1.48
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.37024G	37.33	54.00	-16.67	3	Horizontal	166	1.56
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.37516G	50.32	74.00	-23.68	3	Horizontal	166	1.56
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 5_4TX	-	-	-	-	-	-	-	-	-	-
5250MHz Straddle 5.15-5.25GHz	Pass	AV	5.13G	51.83	54.00	-2.17	3	Vertical	133	2.79
5250MHz Straddle 5.15-5.25GHz	Pass	AV	5.3112G	93.88	Inf	-Inf	3	Vertical	133	2.79
5250MHz Straddle 5.15-5.25GHz	Pass	AV	5.352G	52.26	54.00	-1.74	3	Vertical	133	2.79
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.15G	65.15	74.00	-8.85	3	Vertical	133	2.79
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.1912G	105.97	Inf	-Inf	3	Vertical	133	2.79
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.3928G	64.60	74.00	-9.40	3	Vertical	133	2.79
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.472G	55.62	68.20	-12.58	3	Vertical	133	2.79
5250MHz Straddle 5.15-5.25GHz	Pass	AV	5.1336G	45.43	54.00	-8.57	3	Horizontal	152	1.08
5250MHz Straddle 5.15-5.25GHz	Pass	AV	5.2944G	86.24	Inf	-Inf	3	Horizontal	152	1.08
5250MHz Straddle 5.15-5.25GHz	Pass	AV	5.3544G	44.63	54.00	-9.37	3	Horizontal	152	1.08
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.1132G	59.05	74.00	-14.95	3	Horizontal	152	1.08
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.2944G	97.90	Inf	-Inf	3	Horizontal	152	1.08
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.3544G	58.51	74.00	-15.49	3	Horizontal	152	1.08
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.4756G	54.45	68.20	-13.75	3	Horizontal	152	1.08
5250MHz Straddle 5.15-5.25GHz	Pass	PK	10.492G	48.36	68.20	-19.84	3	Vertical	172	1.47
5250MHz Straddle 5.15-5.25GHz	Pass	PK	10.50392G	48.97	68.20	-19.23	3	Horizontal	7	1.40
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 8_4TX	-	-	-	-	-	-	-	-	-	-
5250MHz Straddle 5.15-5.25GHz	Pass	AV	5.15G	51.35	54.00	-2.65	3	Vertical	137	2.40
5250MHz Straddle 5.15-5.25GHz	Pass	AV	5.2932G	93.29	Inf	-Inf	3	Vertical	137	2.40
5250MHz Straddle 5.15-5.25GHz	Pass	AV	5.3532G	51.01	54.00	-2.99	3	Vertical	137	2.40
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.15G	65.16	74.00	-8.84	3	Vertical	137	2.40
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.1924G	105.56	Inf	-Inf	3	Vertical	137	2.40
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.3736G	66.55	74.00	-7.45	3	Vertical	137	2.40
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.4852G	54.50	68.20	-13.70	3	Vertical	137	2.40
5250MHz Straddle 5.15-5.25GHz	Pass	AV	5.1336G	44.26	54.00	-9.74	3	Horizontal	153	1.08
5250MHz Straddle 5.15-5.25GHz	Pass	AV	5.2944G	85.75	Inf	-Inf	3	Horizontal	153	1.08
5250MHz Straddle 5.15-5.25GHz	Pass	AV	5.3544G	43.61	54.00	-10.39	3	Horizontal	153	1.08
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.1324G	58.38	74.00	-15.62	3	Horizontal	153	1.08
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.2536G	98.61	Inf	-Inf	3	Horizontal	153	1.08
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.3748G	57.05	74.00	-16.95	3	Horizontal	153	1.08
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.5104G	53.58	68.20	-14.62	3	Horizontal	153	1.08
5250MHz Straddle 5.15-5.25GHz	Pass	PK	10.44336G	48.65	68.20	-19.55	3	Vertical	326	2.01
5250MHz Straddle 5.15-5.25GHz	Pass	PK	10.57712G	48.55	68.20	-19.65	3	Horizontal	211	2.21
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 3_4TX	-	-	-	-	-	-	-	-	-	-
5250MHz Straddle 5.15-5.25GHz	Pass	AV	5.1312G	51.01	54.00	-2.99	3	Vertical	134	2.82
5250MHz Straddle 5.15-5.25GHz	Pass	AV	5.3112G	94.19	Inf	-Inf	3	Vertical	134	2.82
5250MHz Straddle 5.15-5.25GHz	Pass	AV	5.352G	51.49	54.00	-2.51	3	Vertical	134	2.82
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.13G	64.06	74.00	-9.94	3	Vertical	134	2.82
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.3112G	105.31	Inf	-Inf	3	Vertical	134	2.82
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.3916G	66.98	74.00	-7.02	3	Vertical	134	2.82
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.4924G	55.38	68.20	-12.82	3	Vertical	134	2.82
5250MHz Straddle 5.15-5.25GHz	Pass	AV	5.0976G	44.68	54.00	-9.32	3	Horizontal	316	2.58
5250MHz Straddle 5.15-5.25GHz	Pass	AV	5.3112G	88.04	Inf	-Inf	3	Horizontal	316	2.58
5250MHz Straddle 5.15-5.25GHz	Pass	AV	5.3508G	45.39	54.00	-8.61	3	Horizontal	316	2.58
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.118G	58.94	74.00	-15.06	3	Horizontal	316	2.58
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.3112G	99.70	Inf	-Inf	3	Horizontal	316	2.58
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.3508G	57.90	74.00	-16.10	3	Horizontal	316	2.58
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.4708G	53.17	68.20	-15.03	3	Horizontal	316	2.58
5250MHz Straddle 5.15-5.25GHz	Pass	PK	10.50356G	49.16	68.20	-19.04	3	Vertical	235	2.36
5250MHz Straddle 5.15-5.25GHz	Pass	PK	10.4914G	48.76	68.20	-19.44	3	Horizontal	117	2.73



## RSE TX above 1GHz\_Non-Beamforming\_Radio 3\_Channel Puncturing Appendix D.6

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 2_4TX	-	-	-	-	-	-	-	-	-	-
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.15G	50.64	54.00	-3.36	3	Vertical	134	2.81
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.3112G	93.73	Inf	-Inf	3	Vertical	134	2.81
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.352G	52.27	54.00	-1.73	3	Vertical	134	2.81
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.15G	63.52	74.00	-10.48	3	Vertical	134	2.81
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.2704G	105.73	Inf	-Inf	3	Vertical	134	2.81
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.352G	64.88	74.00	-9.12	3	Vertical	134	2.81
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.4636G	58.31	68.20	-9.89	3	Vertical	134	2.81
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.1372G	43.64	54.00	-10.36	3	Horizontal	316	2.59
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.31G	87.61	Inf	-Inf	3	Horizontal	316	2.59
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.3508G	46.04	54.00	-7.96	3	Horizontal	316	2.59
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.0964G	56.96	74.00	-17.04	3	Horizontal	316	2.59
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.31G	99.04	Inf	-Inf	3	Horizontal	316	2.59
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.3904G	58.80	74.00	-15.20	3	Horizontal	316	2.59
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.5308G	53.85	68.20	-14.35	3	Horizontal	316	2.59
5250MHz Straddle 5.25-5.35GHz	Pass	PK	10.50784G	48.97	68.20	-19.23	3	Vertical	266	2.68
5250MHz Straddle 5.25-5.35GHz	Pass	PK	10.49384G	48.96	68.20	-19.24	3	Horizontal	51	2.64
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 3_4TX	-	-	-	-	-	-	-	-	-	-
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.15G	50.68	54.00	-3.32	3	Vertical	134	2.80
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.3112G	93.66	Inf	-Inf	3	Vertical	134	2.80
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.352G	52.25	54.00	-1.75	3	Vertical	134	2.80
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.1312G	64.08	74.00	-9.92	3	Vertical	134	2.80
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.2524G	105.86	Inf	-Inf	3	Vertical	134	2.80
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.352G	65.05	74.00	-8.95	3	Vertical	134	2.80
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.4696G	57.94	68.20	-10.26	3	Vertical	134	2.80
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.1372G	43.63	54.00	-10.37	3	Horizontal	317	2.41
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.31G	87.32	Inf	-Inf	3	Horizontal	317	2.41
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.35G	45.44	54.00	-8.56	3	Horizontal	317	2.41
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.1168G	57.81	74.00	-16.19	3	Horizontal	317	2.41
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.3232G	98.45	Inf	-Inf	3	Horizontal	317	2.41
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.35G	58.46	74.00	-15.54	3	Horizontal	317	2.41
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.49G	54.65	68.20	-13.55	3	Horizontal	317	2.41
5250MHz Straddle 5.25-5.35GHz	Pass	PK	10.4998G	48.66	68.20	-19.54	3	Vertical	158	2.62
5250MHz Straddle 5.25-5.35GHz	Pass	PK	10.4904G	48.56	68.20	-19.64	3	Horizontal	169	2.47
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 2_4TX	-	-	-	-	-	-	-	-	-	-
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.15G	50.79	54.00	-3.21	3	Vertical	134	2.81
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.3112G	94.36	Inf	-Inf	3	Vertical	134	2.81
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.352G	51.99	54.00	-2.01	3	Vertical	134	2.81
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.13G	66.89	74.00	-7.11	3	Vertical	134	2.81
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.1912G	107.14	Inf	-Inf	3	Vertical	134	2.81
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.3928G	65.97	74.00	-8.03	3	Vertical	134	2.81
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.4696G	61.20	68.20	-7.00	3	Vertical	134	2.81
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.1384G	45.09	54.00	-8.91	3	Horizontal	316	2.58
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.3112G	88.50	Inf	-Inf	3	Horizontal	316	2.58
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.3904G	47.34	54.00	-6.66	3	Horizontal	316	2.58
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.1132G	59.74	74.00	-14.26	3	Horizontal	316	2.58
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.3112G	101.31	Inf	-Inf	3	Horizontal	316	2.58
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.43G	60.99	74.00	-13.01	3	Horizontal	316	2.58
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.49G	59.39	68.20	-8.81	3	Horizontal	316	2.58
5250MHz Straddle 5.25-5.35GHz	Pass	PK	10.5012G	48.65	68.20	-19.55	3	Vertical	205	1.91
5250MHz Straddle 5.25-5.35GHz	Pass	PK	10.49156G	48.35	68.20	-19.85	3	Horizontal	254	2.21
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 1_4TX	-	-	-	-	-	-	-	-	-	-
5570MHz	Pass	AV	5.4512G	48.14	54.00	-5.86	3	Vertical	134	2.51
5570MHz	Pass	AV	5.5112G	92.48	Inf	-Inf	3	Vertical	134	2.51
5570MHz	Pass	PK	5.3468G	58.45	68.20	-9.75	3	Vertical	134	2.51
5570MHz	Pass	PK	5.4536G	66.42	74.00	-7.58	3	Vertical	134	2.51
5570MHz	Pass	PK	5.4692G	64.65	68.20	-3.55	3	Vertical	134	2.51
5570MHz	Pass	PK	5.5112G	105.90	Inf	-Inf	3	Vertical	134	2.51
5570MHz	Pass	PK	5.7332G	63.50	68.20	-4.70	3	Vertical	134	2.51
5570MHz	Pass	AV	5.4476G	45.35	54.00	-8.65	3	Horizontal	319	2.56
5570MHz	Pass	AV	5.5484G	87.73	Inf	-Inf	3	Horizontal	319	2.56
5570MHz	Pass	PK	5.3204G	56.34	68.20	-11.86	3	Horizontal	319	2.56



RSE TX above 1GHz\_Non-Beamforming\_Radio 3\_Channel Puncturing Appendix D.6

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5570MHz	Pass	PK	5.4476G	59.09	74.00	-14.91	3	Horizontal	319	2.56
5570MHz	Pass	PK	5.468G	59.58	68.20	-8.62	3	Horizontal	319	2.56
5570MHz	Pass	PK	5.5484G	101.56	Inf	-Inf	3	Horizontal	319	2.56
5570MHz	Pass	PK	5.726G	61.23	68.20	-6.97	3	Horizontal	319	2.56
5570MHz	Pass	AV	11.1402G	36.38	54.00	-17.62	3	Vertical	139	1.04
5570MHz	Pass	PK	11.14512G	49.26	74.00	-24.74	3	Horizontal	139	1.04
5570MHz	Pass	AV	11.14136G	36.34	54.00	-17.66	3	Horizontal	24	2.17
5570MHz	Pass	PK	11.13636G	48.70	74.00	-25.30	3	Horizontal	24	2.17
802.11be EHT160_Nss1 (MCS0)_RU996+RU484+RU242 CP 4_4TX	-	-	-	-	-	-	-	-	-	-
5570MHz	Pass	AV	5.456G	50.98	54.00	-3.02	3	Vertical	269	2.43
5570MHz	Pass	AV	5.5352G	93.71	Inf	-Inf	3	Vertical	269	2.43
5570MHz	Pass	PK	5.336G	61.63	68.20	-6.57	3	Vertical	269	2.43
5570MHz	Pass	PK	5.4548G	65.98	74.00	-8.02	3	Vertical	269	2.43
5570MHz	Pass	PK	5.4692G	60.01	68.20	-8.19	3	Vertical	269	2.43
5570MHz	Pass	PK	5.5352G	107.97	Inf	-Inf	3	Vertical	269	2.43
5570MHz	Pass	PK	5.7344G	62.70	68.20	-5.50	3	Vertical	269	2.43
5570MHz	Pass	AV	5.4476G	46.30	54.00	-7.70	3	Horizontal	317	2.45
5570MHz	Pass	AV	5.528G	87.58	Inf	-Inf	3	Horizontal	317	2.45
5570MHz	Pass	PK	5.33G	58.88	68.20	-9.32	3	Horizontal	317	2.45
5570MHz	Pass	PK	5.4476G	60.50	74.00	-13.50	3	Horizontal	317	2.45
5570MHz	Pass	PK	5.468G	59.66	68.20	-8.54	3	Horizontal	317	2.45
5570MHz	Pass	PK	5.528G	100.44	Inf	-Inf	3	Horizontal	317	2.45
5570MHz	Pass	PK	5.7284G	58.81	68.20	-9.39	3	Horizontal	317	2.45
5570MHz	Pass	AV	11.14164G	36.35	54.00	-17.65	3	Vertical	133	2.95
5570MHz	Pass	PK	11.13196G	48.56	74.00	-25.44	3	Vertical	133	2.95
5570MHz	Pass	AV	11.1434G	36.38	54.00	-17.62	3	Horizontal	64	1.53
5570MHz	Pass	PK	11.1472G	49.19	74.00	-24.81	3	Horizontal	64	1.53
802.11be EHT160_Nss1 (MCS0)_RU996+RU484+RU242 CP 6_4TX	-	-	-	-	-	-	-	-	-	-
5570MHz	Pass	AV	5.4524G	52.18	54.00	-1.82	3	Vertical	307	2.38
5570MHz	Pass	AV	5.5112G	94.60	Inf	-Inf	3	Vertical	307	2.38
5570MHz	Pass	PK	5.3312G	58.74	68.20	-9.46	3	Vertical	307	2.38
5570MHz	Pass	PK	5.4512G	66.64	74.00	-7.36	3	Vertical	307	2.38
5570MHz	Pass	PK	5.4692G	65.58	68.20	-2.62	3	Vertical	307	2.38
5570MHz	Pass	PK	5.5508G	107.08	Inf	-Inf	3	Vertical	307	2.38
5570MHz	Pass	PK	5.7296G	64.66	68.20	-3.54	3	Vertical	307	2.38
5570MHz	Pass	AV	5.4284G	45.71	54.00	-8.29	3	Horizontal	319	2.51
5570MHz	Pass	AV	5.5484G	88.24	Inf	-Inf	3	Horizontal	319	2.51
5570MHz	Pass	PK	5.33G	55.13	68.20	-13.07	3	Horizontal	319	2.51
5570MHz	Pass	PK	5.4488G	59.20	74.00	-14.80	3	Horizontal	319	2.51
5570MHz	Pass	PK	5.4692G	58.70	68.20	-9.50	3	Horizontal	319	2.51
5570MHz	Pass	PK	5.5484G	101.24	Inf	-Inf	3	Horizontal	319	2.51
5570MHz	Pass	PK	5.726G	59.92	68.20	-8.28	3	Horizontal	319	2.51
5570MHz	Pass	AV	11.1422G	37.11	54.00	-16.89	3	Vertical	45	2.65
5570MHz	Pass	PK	11.13676G	49.82	74.00	-24.18	3	Vertical	45	2.65
5570MHz	Pass	AV	11.14212G	37.07	54.00	-16.93	3	Horizontal	278	2.16
5570MHz	Pass	PK	11.14176G	48.49	74.00	-25.51	3	Horizontal	278	2.16
802.11be EHT160_Nss1 (MCS0)_RU996+RU484+RU242 CP 7_4TX	-	-	-	-	-	-	-	-	-	-
5570MHz	Pass	AV	5.456G	51.49	54.00	-2.51	3	Vertical	269	2.51
5570MHz	Pass	AV	5.5148G	93.39	Inf	-Inf	3	Vertical	269	2.51
5570MHz	Pass	PK	5.3336G	59.02	68.20	-9.18	3	Vertical	269	2.51
5570MHz	Pass	PK	5.4344G	72.74	74.00	-1.26	3	Vertical	269	2.51
5570MHz	Pass	PK	5.4692G	60.50	68.20	-7.70	3	Vertical	269	2.51
5570MHz	Pass	PK	5.5952G	107.05	Inf	-Inf	3	Vertical	269	2.51
5570MHz	Pass	PK	5.7284G	62.95	68.20	-5.25	3	Vertical	269	2.51
5570MHz	Pass	AV	5.4416G	44.84	54.00	-9.16	3	Horizontal	172	1.00
5570MHz	Pass	AV	5.5016G	85.96	Inf	-Inf	3	Horizontal	172	1.00
5570MHz	Pass	PK	5.3444G	56.83	68.20	-11.37	3	Horizontal	172	1.00
5570MHz	Pass	PK	5.4404G	63.73	74.00	-10.27	3	Horizontal	172	1.00
5570MHz	Pass	PK	5.462G	59.94	68.20	-8.26	3	Horizontal	172	1.00
5570MHz	Pass	PK	5.5028G	98.71	Inf	-Inf	3	Horizontal	172	1.00
5570MHz	Pass	PK	5.7836G	58.38	68.20	-9.82	3	Horizontal	172	1.00
5570MHz	Pass	AV	11.14196G	36.38	54.00	-17.62	3	Vertical	301	2.71




**RSE TX above 1GHz\_Non-Beamforming\_Radio 3\_Channel Puncturing Appendix D.6**

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5570MHz	Pass	PK	11.1436G	49.64	74.00	-24.36	3	Vertical	301	2.71
5570MHz	Pass	AV	11.14144G	36.36	54.00	-17.64	3	Horizontal	289	2.76
5570MHz	Pass	PK	11.1486G	48.91	74.00	-25.09	3	Horizontal	289	2.76
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 1_4TX	-	-	-	-	-	-	-	-	-	-
5570MHz	Pass	AV	5.4512G	43.47	54.00	-10.53	3	Vertical	135	2.44
5570MHz	Pass	AV	5.552G	92.16	Inf	-Inf	3	Vertical	135	2.44
5570MHz	Pass	PK	5.3108G	53.30	68.20	-14.90	3	Vertical	135	2.44
5570MHz	Pass	PK	5.4512G	57.03	74.00	-16.97	3	Vertical	135	2.44
5570MHz	Pass	PK	5.4692G	56.19	68.20	-12.01	3	Vertical	135	2.44
5570MHz	Pass	PK	5.552G	104.69	Inf	-Inf	3	Vertical	135	2.44
5570MHz	Pass	PK	5.7332G	57.11	68.20	-11.09	3	Vertical	135	2.44
5570MHz	Pass	AV	5.4488G	41.11	54.00	-12.89	3	Horizontal	317	2.80
5570MHz	Pass	AV	5.5484G	87.31	Inf	-Inf	3	Horizontal	317	2.80
5570MHz	Pass	PK	5.3324G	53.16	68.20	-15.04	3	Horizontal	317	2.80
5570MHz	Pass	PK	5.4488G	53.98	74.00	-20.02	3	Horizontal	317	2.80
5570MHz	Pass	PK	5.4692G	55.20	68.20	-13.00	3	Horizontal	317	2.80
5570MHz	Pass	PK	5.588G	99.34	Inf	-Inf	3	Horizontal	317	2.80
5570MHz	Pass	PK	5.7272G	55.66	68.20	-12.54	3	Horizontal	317	2.80
5570MHz	Pass	AV	11.1406G	36.47	54.00	-17.53	3	Vertical	202	1.40
5570MHz	Pass	PK	11.14528G	48.42	74.00	-25.58	3	Vertical	202	1.40
5570MHz	Pass	AV	11.14228G	36.37	54.00	-17.63	3	Horizontal	67	1.71
5570MHz	Pass	PK	11.14448G	49.75	74.00	-24.25	3	Horizontal	67	1.71
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 4_4TX	-	-	-	-	-	-	-	-	-	-
5570MHz	Pass	AV	5.4548G	49.64	54.00	-4.36	3	Vertical	268	2.45
5570MHz	Pass	AV	5.5352G	93.30	Inf	-Inf	3	Vertical	268	2.45
5570MHz	Pass	PK	5.3156G	59.42	68.20	-8.78	3	Vertical	268	2.45
5570MHz	Pass	PK	5.414G	66.05	74.00	-7.95	3	Vertical	268	2.45
5570MHz	Pass	PK	5.4692G	59.66	68.20	-8.54	3	Vertical	268	2.45
5570MHz	Pass	PK	5.4944G	106.34	Inf	-Inf	3	Vertical	268	2.45
5570MHz	Pass	PK	5.8184G	58.30	68.20	-9.90	3	Vertical	268	2.45
5570MHz	Pass	AV	5.4428G	43.90	54.00	-10.10	3	Horizontal	172	1.00
5570MHz	Pass	AV	5.5028G	85.62	Inf	-Inf	3	Horizontal	172	1.00
5570MHz	Pass	PK	5.3444G	56.38	68.20	-11.82	3	Horizontal	172	1.00
5570MHz	Pass	PK	5.444G	57.23	74.00	-16.77	3	Horizontal	172	1.00
5570MHz	Pass	PK	5.4644G	57.65	68.20	-10.55	3	Horizontal	172	1.00
5570MHz	Pass	PK	5.5412G	98.57	Inf	-Inf	3	Horizontal	172	1.00
5570MHz	Pass	PK	5.7932G	58.05	68.20	-10.15	3	Horizontal	172	1.00
5570MHz	Pass	AV	11.14136G	36.44	54.00	-17.56	3	Vertical	108	2.29
5570MHz	Pass	PK	11.13652G	49.68	74.00	-24.32	3	Vertical	108	2.29
5570MHz	Pass	AV	11.14244G	36.39	54.00	-17.61	3	Horizontal	312	2.03
5570MHz	Pass	PK	11.14384G	49.00	74.00	-25.00	3	Horizontal	312	2.03



5.15-5.25GHz\_802.11be EHT160\_Nss1,(MCS0),RU996+RU484+RU242 CP 5\_4TX


5250MHz Straddle 5.15-5.25GHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.13G	51.83	54.00	-2.17	-5.42	3	Vertical	133	2.79	57.25	33.50	5.16	44.08
AV	5.3112G	93.88	Inf	-Inf	-5.57	3	Vertical	133	2.79	99.45	33.30	5.23	44.10
AV	5.352G	52.26	54.00	-1.74	-5.56	3	Vertical	133	2.79	57.82	33.30	5.24	44.10
PK	5.15G	65.15	74.00	-8.85	-5.41	3	Vertical	133	2.79	70.56	33.50	5.17	44.08
PK	5.1912G	105.97	Inf	-Inf	-5.39	3	Vertical	133	2.79	111.36	33.50	5.19	44.08
PK	5.3928G	64.60	74.00	-9.40	-5.64	3	Vertical	133	2.79	70.24	33.21	5.26	44.11
PK	5.472G	55.62	68.20	-12.58	-5.47	3	Vertical	133	2.79	61.09	33.34	5.31	44.12

5.15-5.25GHz\_802.11be EHT160\_Nss1,(MCS0),RU996+RU484+RU242 CP 5\_4TX

5250MHz Straddle 5.15-5.25GHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1336G	45.43	54.00	-8.57	-5.42	3	Horizontal	152	1.08	50.85	33.50	5.16	44.08
AV	5.2944G	86.24	Inf	-Inf	-5.56	3	Horizontal	152	1.08	91.80	33.32	5.22	44.10
AV	5.3544G	44.63	54.00	-9.37	-5.57	3	Horizontal	152	1.08	50.20	33.29	5.24	44.10
PK	5.1132G	59.05	74.00	-14.95	-5.42	3	Horizontal	152	1.08	64.47	33.50	5.15	44.07
PK	5.2944G	97.90	Inf	-Inf	-5.56	3	Horizontal	152	1.08	103.46	33.32	5.22	44.10
PK	5.3544G	58.51	74.00	-15.49	-5.57	3	Horizontal	152	1.08	64.08	33.29	5.24	44.10
PK	5.4756G	54.45	68.20	-13.75	-5.46	3	Horizontal	152	1.08	59.91	33.35	5.31	44.12



5.15-5.25GHz\_802.11be EHT160\_Nss1,(MCS0),RU996+RU484+RU242 CP 5\_4TX


5250MHz Straddle 5.15-5.25GHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.492G	48.36	68.20	-19.84	4.77	3	Vertical	172	1.47	43.59	38.68	8.11	42.02

5.15-5.25GHz\_802.11be EHT160\_Nss1,(MCS0),RU996+RU484+RU242 CP 5\_4TX

5250MHz Straddle 5.15-5.25GHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.50392G	48.97	68.20	-19.23	4.81	3	Horizontal	7	1.40	44.16	38.71	8.11	42.01



5.25-5.35GHz\_802.11be EHT160\_Nss1,(MCS0),RU996+RU484+RU242 CP\_2\_4TX


5250MHz Straddle 5.25-5.35GHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	50.64	54.00	-3.36	-5.41	3	Vertical	134	2.81	56.05	33.50	5.17	44.08
AV	5.3112G	93.73	Inf	-Inf	-5.57	3	Vertical	134	2.81	99.30	33.30	5.23	44.10
AV	5.352G	52.27	54.00	-1.73	-5.56	3	Vertical	134	2.81	57.83	33.30	5.24	44.10
PK	5.15G	63.52	74.00	-10.48	-5.41	3	Vertical	134	2.81	68.93	33.50	5.17	44.08
PK	5.2704G	105.73	Inf	-Inf	-5.46	3	Vertical	134	2.81	111.19	33.42	5.21	44.09
PK	5.352G	64.88	74.00	-9.12	-5.56	3	Vertical	134	2.81	70.44	33.30	5.24	44.10
PK	5.4636G	58.31	68.20	-9.89	-5.49	3	Vertical	134	2.81	63.80	33.33	5.30	44.12

5.25-5.35GHz\_802.11be EHT160\_Nss1,(MCS0),RU996+RU484+RU242 CP\_2\_4TX

5250MHz Straddle 5.25-5.35GHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1372G	43.64	54.00	-10.36	-5.42	3	Horizontal	316	2.59	49.06	33.50	5.16	44.08
AV	5.31G	87.61	Inf	-Inf	-5.57	3	Horizontal	316	2.59	93.18	33.30	5.23	44.10
AV	5.3508G	46.04	54.00	-7.96	-5.56	3	Horizontal	316	2.59	51.60	33.30	5.24	44.10
PK	5.0964G	56.96	74.00	-17.04	-5.43	3	Horizontal	316	2.59	62.39	33.50	5.14	44.07
PK	5.31G	99.04	Inf	-Inf	-5.57	3	Horizontal	316	2.59	104.61	33.30	5.23	44.10
PK	5.3904G	58.80	74.00	-15.20	-5.63	3	Horizontal	316	2.59	64.43	33.22	5.26	44.11
PK	5.5308G	53.85	68.20	-14.35	-5.31	3	Horizontal	316	2.59	59.16	33.46	5.35	44.12



5.25-5.35GHz\_802.11be EHT160\_Nss1,(MCS0),RU996+RU484+RU242 CP\_2\_4TX


5250MHz Straddle 5.25-5.35GHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.50784G	48.97	68.20	-19.23	4.82	3	Vertical	266	2.68	44.15	38.72	8.11	42.01

5.25-5.35GHz\_802.11be EHT160\_Nss1,(MCS0),RU996+RU484+RU242 CP\_2\_4TX

5250MHz Straddle 5.25-5.35GHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.49384G	48.96	68.20	-19.24	4.79	3	Horizontal	51	2.64	44.17	38.69	8.11	42.01





5.47-5.725GHz\_802.11be EHT80\_Nss1,(MCS0),RU484+RU242 CP 3\_4TX


5530MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.35G	42.71	54.00	-11.29	-5.56	3	Vertical	134	2.72	48.27	33.30	5.24	44.10
AV	5.452G	45.96	54.00	-8.04	-5.52	3	Vertical	134	2.72	51.48	33.30	5.29	44.11
AV	5.511G	93.34	Inf	-Inf	-5.37	3	Vertical	134	2.72	98.71	33.42	5.33	44.12
PK	5.32G	56.59	68.20	-11.61	-5.57	3	Vertical	134	2.72	62.16	33.30	5.23	44.10
PK	5.453G	59.88	74.00	-14.12	-5.51	3	Vertical	134	2.72	65.39	33.31	5.29	44.11
PK	5.465G	58.69	68.20	-9.51	-5.49	3	Vertical	134	2.72	64.18	33.33	5.30	44.12
PK	5.512G	106.28	Inf	-Inf	-5.37	3	Vertical	134	2.72	111.65	33.42	5.33	44.12
PK	5.777G	58.54	68.20	-9.66	-4.25	3	Vertical	134	2.72	62.79	34.41	5.49	44.15

5.47-5.725GHz\_802.11be EHT80\_Nss1,(MCS0),RU484+RU242 CP 3\_4TX

5530MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.35G	42.46	54.00	-11.54	-5.56	3	Horizontal	172	1.00	48.02	33.30	5.24	44.10
AV	5.442G	43.16	54.00	-10.84	-5.54	3	Horizontal	172	1.00	48.70	33.28	5.29	44.11
AV	5.502G	86.92	Inf	-Inf	-5.39	3	Horizontal	172	1.00	92.31	33.40	5.33	44.12
PK	5.282G	56.81	68.20	-11.39	-5.50	3	Horizontal	172	1.00	62.31	33.37	5.22	44.09
PK	5.455G	56.89	74.00	-17.11	-5.50	3	Horizontal	172	1.00	62.39	33.31	5.30	44.11
PK	5.462G	56.93	68.20	-11.27	-5.50	3	Horizontal	172	1.00	62.43	33.32	5.30	44.12
PK	5.503G	99.99	Inf	-Inf	-5.38	3	Horizontal	172	1.00	105.37	33.41	5.33	44.12
PK	5.779G	58.18	68.20	-10.02	-4.24	3	Horizontal	172	1.00	62.42	34.42	5.49	44.15



5.47-5.725GHz\_802.11be EHT80\_Nss1,(MCS0),RU484+RU242 CP 3\_4TX


5530MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.06064G	36.61	54.00	-17.39	5.03	3	Vertical	49	1.74	31.58	38.90	8.28	42.15
PK	11.05196G	50.30	74.00	-23.70	5.03	3	Vertical	49	1.74	45.27	38.90	8.28	42.15

5.47-5.725GHz\_802.11be EHT80\_Nss1,(MCS0),RU484+RU242 CP 3\_4TX

5530MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.06084G	36.60	54.00	-17.40	5.03	3	Horizontal	111	1.96	31.57	38.90	8.28	42.15
PK	11.05166G	48.78	74.00	-25.22	5.03	3	Horizontal	111	1.96	43.75	38.90	8.28	42.15



5.47-5.725GHz\_802.11be EHT160\_Nss1,(MCS0),RU996+RU484+RU242 CP 7\_4TX


5570MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.456G	51.49	54.00	-2.51	-5.50	3	Vertical	269	2.51	56.99	33.31	5.30	44.11
AV	5.5148G	93.39	Inf	-Inf	-5.36	3	Vertical	269	2.51	98.75	33.43	5.33	44.12
PK	5.3336G	59.02	68.20	-9.18	-5.56	3	Vertical	269	2.51	64.58	33.30	5.24	44.10
PK	5.4344G	72.74	74.00	-1.26	-5.56	3	Vertical	269	2.51	78.30	33.27	5.28	44.11
PK	5.4692G	60.50	68.20	-7.70	-5.48	3	Vertical	269	2.51	65.98	33.34	5.30	44.12
PK	5.5952G	107.05	Inf	-Inf	-5.33	3	Vertical	269	2.51	112.38	33.41	5.39	44.13
PK	5.7284G	62.95	68.20	-5.25	-4.61	3	Vertical	269	2.51	67.56	34.08	5.46	44.15

5.47-5.725GHz\_802.11be EHT160\_Nss1,(MCS0),RU996+RU484+RU242 CP 7\_4TX

5570MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4416G	44.84	54.00	-9.16	-5.54	3	Horizontal	172	1.00	50.38	33.28	5.29	44.11
AV	5.5016G	85.96	Inf	-Inf	-5.39	3	Horizontal	172	1.00	91.35	33.40	5.33	44.12
PK	5.3444G	56.83	68.20	-11.37	-5.56	3	Horizontal	172	1.00	62.39	33.30	5.24	44.10
PK	5.4404G	63.73	74.00	-10.27	-5.54	3	Horizontal	172	1.00	69.27	33.28	5.29	44.11
PK	5.462G	59.94	68.20	-8.26	-5.50	3	Horizontal	172	1.00	65.44	33.32	5.30	44.12
PK	5.5028G	98.71	Inf	-Inf	-5.38	3	Horizontal	172	1.00	104.09	33.41	5.33	44.12
PK	5.7836G	58.38	68.20	-9.82	-4.23	3	Horizontal	172	1.00	62.61	34.43	5.49	44.15



5.47-5.725GHz\_802.11be EHT160\_Nss1,(MCS0),RU996+RU484+RU242 CP 7\_4TX


5570MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.14196G	36.38	54.00	-17.62	5.10	3	Vertical	301	2.71	31.28	38.90	8.31	42.11
PK	11.1436G	49.64	74.00	-24.36	5.10	3	Vertical	301	2.71	44.54	38.90	8.31	42.11

5.47-5.725GHz\_802.11be EHT160\_Nss1,(MCS0),RU996+RU484+RU242 CP 7\_4TX

5570MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.14144G	36.36	54.00	-17.64	5.10	3	Horizontal	289	2.76	31.26	38.90	8.31	42.11
PK	11.1486G	48.91	74.00	-25.09	5.11	3	Horizontal	289	2.76	43.80	38.90	8.31	42.10



Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Condition
Mode 1	Pass	AV	11.48065G	43.13	54.00	-10.87	Horizontal
Mode 2	Pass	AV	11.48685G	43.43	54.00	-10.57	Horizontal
Mode 3	Pass	AV	12.35194G	45.12	54.00	-8.88	Horizontal




Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
Mode 1	Pass	AV	4.79819G	33.99	54.00	-20.01	3	Vertical	360	1.26
Mode 1	Pass	AV	4.82545G	34.03	54.00	-19.97	3	Vertical	0	2.02
Mode 1	Pass	AV	4.87424G	33.83	54.00	-20.17	3	Vertical	132	2.80
Mode 1	Pass	AV	11.48G	43.12	54.00	-10.88	3	Vertical	352	1.50
Mode 1	Pass	AV	13.64419G	53.03	68.20	-15.17	3	Vertical	336	2.38
Mode 1	Pass	PK	4.81271G	45.98	74.00	-28.02	3	Vertical	360	1.26
Mode 1	Pass	PK	4.82239G	45.85	74.00	-28.15	3	Vertical	0	2.02
Mode 1	Pass	PK	4.86215G	44.86	74.00	-29.14	3	Vertical	132	2.80
Mode 1	Pass	PK	11.49871G	55.24	74.00	-18.76	3	Vertical	352	1.50
Mode 1	Pass	PK	13.64581G	65.09	88.20	-23.11	3	Vertical	336	2.38
Mode 1	Pass	AV	4.79965G	33.79	54.00	-20.21	3	Horizontal	348	1.16
Mode 1	Pass	AV	4.82368G	33.19	54.00	-20.81	3	Horizontal	155	3.00
Mode 1	Pass	AV	4.88755G	33.26	54.00	-20.74	3	Horizontal	9	2.57
Mode 1	Pass	AV	11.48065G	43.13	54.00	-10.87	3	Horizontal	108	1.50
Mode 1	Pass	AV	13.65774G	50.98	68.20	-17.22	3	Horizontal	38	2.35
Mode 1	Pass	PK	4.79739G	46.22	74.00	-27.78	3	Horizontal	348	1.16
Mode 1	Pass	PK	4.82626G	45.74	74.00	-28.26	3	Horizontal	155	3.00
Mode 1	Pass	PK	4.874G	45.52	74.00	-28.48	3	Horizontal	9	2.57
Mode 1	Pass	PK	11.49629G	54.92	74.00	-19.08	3	Horizontal	108	1.50
Mode 1	Pass	PK	13.67839G	63.94	88.20	-24.26	-3	Horizontal	38	2.35
Mode 2	Pass	AV	4.79561G	33.58	54.00	-20.42	3	Vertical	47	1.70
Mode 2	Pass	AV	4.86505G	34.86	54.00	-19.14	3	Vertical	224	2.42
Mode 2	Pass	AV	11.49726G	43.27	54.00	-10.73	3	Vertical	154	2.93
Mode 2	Pass	AV	11.55766G	43.27	54.00	-10.73	3	Vertical	89	2.33
Mode 2	Pass	AV	13.64742G	53.61	68.20	-14.59	3	Vertical	331	2.48
Mode 2	Pass	PK	4.79868G	45.19	74.00	-28.81	3	Vertical	47	1.70
Mode 2	Pass	PK	4.87037G	46.67	74.00	-27.33	3	Vertical	224	2.42
Mode 2	Pass	PK	11.48855G	54.83	74.00	-19.17	3	Vertical	154	2.93
Mode 2	Pass	PK	11.58355G	55.13	74.00	-18.87	3	Vertical	89	2.33
Mode 2	Pass	PK	13.66677G	68.27	88.20	-19.93	3	Vertical	331	2.48
Mode 2	Pass	AV	4.81223G	34.23	54.00	-19.77	3	Horizontal	5	2.60
Mode 2	Pass	AV	4.88827G	33.87	54.00	-20.13	3	Horizontal	287	2.64
Mode 2	Pass	AV	11.48685G	43.43	54.00	-10.57	3	Horizontal	238	1.50
Mode 2	Pass	AV	11.5625G	43.20	54.00	-10.80	3	Horizontal	144	1.37
Mode 2	Pass	AV	13.67839G	50.74	68.20	-17.46	3	Horizontal	39	2.39
Mode 2	Pass	PK	4.80513G	45.58	74.00	-28.42	3	Horizontal	5	2.60
Mode 2	Pass	PK	4.87255G	46.05	74.00	-27.95	3	Horizontal	287	2.64
Mode 2	Pass	PK	11.47524G	55.22	74.00	-18.78	3	Horizontal	238	1.50
Mode 2	Pass	PK	11.55621G	55.11	74.00	-18.89	3	Horizontal	144	1.37
Mode 2	Pass	PK	13.65774G	61.39	88.20	-26.81	3	Horizontal	39	2.39
Mode 3	Pass	AV	4.794G	34.00	54.00	-20.00	3	Vertical	1	1.50
Mode 3	Pass	AV	4.87376G	34.49	54.00	-19.51	3	Vertical	40	2.25
Mode 3	Pass	AV	11.48032G	43.01	54.00	-10.99	3	Vertical	37	2.39
Mode 3	Pass	AV	12.35968G	45.09	54.00	-8.91	3	Vertical	92	1.50
Mode 3	Pass	AV	13.68613G	52.76	68.20	-15.44	3	Vertical	39	1.82
Mode 3	Pass	PK	4.79626G	45.90	74.00	-28.10	3	Vertical	1	1.50
Mode 3	Pass	PK	4.87739G	46.93	74.00	-27.07	3	Vertical	40	2.25
Mode 3	Pass	PK	11.49468G	54.68	74.00	-19.32	3	Vertical	37	2.39
Mode 3	Pass	PK	12.34032G	56.68	74.00	-17.32	3	Vertical	92	1.50
Mode 3	Pass	PK	13.66806G	64.69	88.20	-23.51	3	Vertical	39	1.82




Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
Mode 3	Pass	AV	4.79497G	33.86	54.00	-20.14	3	Horizontal	0	1.26
Mode 3	Pass	AV	4.88876G	33.81	54.00	-20.19	3	Horizontal	195	1.50
Mode 3	Pass	AV	11.48G	43.12	54.00	-10.88	3	Horizontal	39	2.98
Mode 3	Pass	AV	12.35194G	45.12	54.00	-8.88	3	Horizontal	276	2.38
Mode 3	Pass	AV	13.63839G	51.29	68.20	-16.91	3	Horizontal	33	2.20
Mode 3	Pass	PK	4.79497G	45.47	74.00	-28.53	3	Horizontal	0	1.26
Mode 3	Pass	PK	4.86384G	46.02	74.00	-27.98	3	Horizontal	195	1.50
Mode 3	Pass	PK	11.48968G	55.00	74.00	-19.00	3	Horizontal	39	2.98
Mode 3	Pass	PK	12.3829G	56.67	74.00	-17.33	3	Horizontal	276	2.38
Mode 3	Pass	PK	13.65774G	63.12	88.20	-25.08	3	Horizontal	33	2.20

Radiated Emissions above 1GHz\_Mode 1



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.79819G	33.99	54.00	-20.01	3.87	3	Vertical	360	1.26	30.12	32.19	6.51	34.83
AV	4.82545G	34.03	54.00	-19.97	4.02	3	Vertical	0	2.02	30.01	32.30	6.54	34.82
AV	4.87424G	33.83	54.00	-20.17	4.28	3	Vertical	132	2.80	29.55	32.50	6.59	34.81
AV	11.48G	43.12	54.00	-10.88	15.00	3	Vertical	352	1.50	28.12	38.86	10.59	34.45
AV	13.64419G	53.03	68.20	-15.17	18.72	3	Vertical	336	2.38	34.31	39.72	11.68	32.68
PK	4.81271G	45.98	74.00	-28.02	3.94	3	Vertical	360	1.26	42.04	32.25	6.52	34.83
PK	4.82239G	45.85	74.00	-28.15	4.00	3	Vertical	0	2.02	41.85	32.29	6.53	34.82
PK	4.86215G	44.86	74.00	-29.14	4.22	3	Vertical	132	2.80	40.64	32.45	6.58	34.81
PK	11.49871G	55.24	74.00	-18.76	15.04	3	Vertical	352	1.50	40.20	38.90	10.59	34.45
PK	13.64581G	65.09	88.20	-23.11	18.72	3	Vertical	336	2.38	46.37	39.72	11.68	32.68

Radiated Emissions above 1GHz\_Mode 1




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.79965G	33.79	54.00	-20.21	3.88	3	Horizontal	348	1.16	29.91	32.20	6.51	34.83
AV	4.82368G	33.19	54.00	-20.81	4.00	3	Horizontal	155	3.00	29.19	32.29	6.53	34.82
AV	4.88755G	33.26	54.00	-20.74	4.35	3	Horizontal	9	2.57	28.91	32.55	6.60	34.80
AV	11.48065G	43.13	54.00	-10.87	15.00	3	Horizontal	108	1.50	28.13	38.86	10.59	34.45
AV	13.65774G	50.98	68.20	-17.22	18.69	3	Horizontal	38	2.35	32.29	39.68	11.69	32.68
PK	4.79739G	46.22	74.00	-27.78	3.86	3	Horizontal	348	1.16	42.36	32.18	6.51	34.83
PK	4.82626G	45.74	74.00	-28.26	4.03	3	Horizontal	155	3.00	41.71	32.31	6.54	34.82
PK	4.874G	45.52	74.00	-28.48	4.28	3	Horizontal	9	2.57	41.24	32.50	6.59	34.81
PK	11.49629G	54.92	74.00	-19.08	15.03	3	Horizontal	108	1.50	39.89	38.89	10.59	34.45
PK	13.67839G	63.94	88.20	-24.26	18.66	-3	Horizontal	38	2.35	45.28	39.64	11.70	32.68






Radiated Emissions above 1GHz\_Mode 2



05/03/2024

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.79561G	33.58	54.00	-20.42	3.85	3	Vertical	47	1.70	29.73	32.17	6.51	34.83
AV	4.86505G	34.86	54.00	-19.14	4.23	3	Vertical	224	2.42	30.63	32.46	6.58	34.81
AV	11.49726G	43.27	54.00	-10.73	15.03	3	Vertical	154	2.93	28.24	38.89	10.59	34.45
AV	11.55766G	43.27	54.00	-10.73	14.78	3	Vertical	89	2.33	28.49	38.65	10.61	34.48
AV	13.64742G	53.61	68.20	-14.59	18.71	3	Vertical	331	2.48	34.90	39.71	11.68	32.68
PK	4.79868G	45.19	74.00	-28.81	3.87	3	Vertical	47	1.70	41.32	32.19	6.51	34.83
PK	4.87037G	46.67	74.00	-27.33	4.25	3	Vertical	224	2.42	42.42	32.48	6.58	34.81
PK	11.48855G	54.83	74.00	-19.17	15.02	3	Vertical	154	2.93	39.81	38.88	10.59	34.45
PK	11.58355G	55.13	74.00	-18.87	14.62	3	Vertical	89	2.33	40.51	38.50	10.61	34.49
PK	13.66677G	68.27	88.20	-19.93	18.68	3	Vertical	331	2.48	49.59	39.67	11.69	32.68


Radiated Emissions above 1GHz\_Mode 2



05/03/2024

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.81223G	34.23	54.00	-19.77	3.94	3	Horizontal	5	2.60	30.29	32.25	6.52	34.83
AV	4.88827G	33.87	54.00	-20.13	4.35	3	Horizontal	287	2.64	29.52	32.55	6.60	34.80
AV	11.48685G	43.43	54.00	-10.57	15.01	3	Horizontal	238	1.50	28.42	38.87	10.59	34.45
AV	11.5625G	43.20	54.00	-10.80	14.75	3	Horizontal	144	1.37	28.45	38.62	10.61	34.48
AV	13.67839G	50.74	68.20	-17.46	18.66	3	Horizontal	39	2.39	32.08	39.64	11.70	32.68
PK	4.80513G	45.58	74.00	-28.42	3.91	3	Horizontal	5	2.60	41.67	32.22	6.52	34.83
PK	4.87255G	46.05	74.00	-27.95	4.27	3	Horizontal	287	2.64	41.78	32.49	6.59	34.81
PK	11.47524G	55.22	74.00	-18.78	14.99	3	Horizontal	238	1.50	40.23	38.85	10.59	34.45
PK	11.55621G	55.11	74.00	-18.89	14.80	3	Horizontal	144	1.37	40.31	38.66	10.61	34.47
PK	13.65774G	61.39	88.20	-26.81	18.69	3	Horizontal	39	2.39	42.70	39.68	11.69	32.68


Radiated Emissions above 1GHz\_Mode 3



06/03/2024

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.794G	34.00	54.00	-20.00	3.84	3	Vertical	1	1.50	30.16	32.16	6.51	34.83
AV	4.87376G	34.49	54.00	-19.51	4.28	3	Vertical	40	2.25	30.21	32.50	6.59	34.81
AV	11.48032G	43.01	54.00	-10.99	15.00	3	Vertical	37	2.39	28.01	38.86	10.59	34.45
AV	12.35968G	45.09	54.00	-8.91	15.32	3	Vertical	92	1.50	29.77	38.88	10.92	34.48
AV	13.68613G	52.76	68.20	-15.44	18.65	3	Vertical	39	1.82	34.11	39.63	11.70	32.68
PK	4.79626G	45.90	74.00	-28.10	3.86	3	Vertical	1	1.50	42.04	32.18	6.51	34.83
PK	4.87739G	46.93	74.00	-27.07	4.29	3	Vertical	40	2.25	42.64	32.51	6.59	34.81
PK	11.49468G	54.68	74.00	-19.32	15.03	3	Vertical	37	2.39	39.65	38.89	10.59	34.45
PK	12.34032G	56.68	74.00	-17.32	15.30	3	Vertical	92	1.50	41.38	38.88	10.91	34.49
PK	13.66806G	64.69	88.20	-23.51	18.67	3	Vertical	39	1.82	46.02	39.66	11.69	32.68

Radiated Emissions above 1GHz\_Mode 3



06/03/2024

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.79497G	33.86	54.00	-20.14	3.85	3	Horizontal	0	1.26	30.01	32.17	6.51	34.83
AV	4.88876G	33.81	54.00	-20.19	4.36	3	Horizontal	195	1.50	29.45	32.56	6.60	34.80
AV	11.48G	43.12	54.00	-10.88	15.00	3	Horizontal	39	2.98	28.12	38.86	10.59	34.45
AV	12.35194G	45.12	54.00	-8.88	15.33	3	Horizontal	276	2.38	29.79	38.90	10.92	34.49
AV	13.63839G	51.29	68.20	-16.91	18.75	3	Horizontal	33	2.20	32.54	39.75	11.68	32.68
PK	4.79497G	45.47	74.00	-28.53	3.85	3	Horizontal	0	1.26	41.62	32.17	6.51	34.83
PK	4.86384G	46.02	74.00	-27.98	4.23	3	Horizontal	195	1.50	41.79	32.46	6.58	34.81
PK	11.48968G	55.00	74.00	-19.00	15.02	3	Horizontal	39	2.98	39.98	38.88	10.59	34.45
PK	12.3829G	56.67	74.00	-17.33	15.30	3	Horizontal	276	2.38	41.37	38.83	10.94	34.47
PK	13.65774G	63.12	88.20	-25.08	18.69	3	Horizontal	33	2.20	44.43	39.68	11.69	32.68