



Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1,(MCS0)_2TX	Pass	AV	5.9245G	67.73	68.20	-0.47	3	Vertical	25	1.57	BP 1MHz
802.11ax HEW40_Nss1,(MCS0)_2TX	Pass	AV	11.93G	43.04	54.00	-10.96	3	Horizontal	6	1.53	-
802.11ax HEW80_Nss1,(MCS0)_2TX	Pass	AV	11.97G	42.68	54.00	-11.32	3	Horizontal	5	1.34	-
802.11ax HEW160_Nss1,(MCS0)_2TX	Pass	AV	12.69G	45.40	54.00	-8.60	3	Horizontal	328	1.12	-
6.425-6.525GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1,(MCS0)_2TX	Pass	AV	7.1512G	51.94	68.20	-16.26	3	Vertical	13	2.66	6
802.11ax HEW40_Nss1,(MCS0)_2TX	Pass	AV	7.1458G	52.05	68.20	-16.15	3	Vertical	13	2.16	8.5
802.11ax HEW80_Nss1,(MCS0)_2TX	Pass	AV	7.1496G	52.03	68.20	-16.17	3	Horizontal	43	1.50	11
802.11ax HEW160_Nss1,(MCS0)_2TX	Pass	AV	5.92334G	48.41	68.20	-19.79	3	Vertical	11	2.18	14
6.525-6.875GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1,(MCS0)_2TX	Pass	AV	13.39006G	47.57	54.00	-6.43	3	Vertical	349	1.63	-
802.11ax HEW40_Nss1,(MCS0)_2TX	Pass	AV	13.36994G	47.15	54.00	-6.85	3	Vertical	349	1.57	-
802.11ax HEW80_Nss1,(MCS0)_2TX	Pass	AV	13.25001G	45.51	54.00	-8.49	3	Vertical	360	1.50	-
802.11ax HEW160_Nss1,(MCS0)_2TX	Pass	AV	13.33002G	46.25	54.00	-7.75	3	Vertical	354	1.50	-
6.875-7.125GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1,(MCS0)_2TX	Pass	AV	7.1255G	67.45	68.20	-0.75	3	Horizontal	57	3.00	BP 1MHz
802.11ax HEW40_Nss1,(MCS0)_2TX	Pass	AV	7.1418G	52.25	68.20	-15.95	3	Horizontal	270	2.69	15
802.11ax HEW80_Nss1,(MCS0)_2TX	Pass	AV	7.1478G	52.16	68.20	-16.04	3	Vertical	318	2.11	16
802.11ax HEW160_Nss1,(MCS0)_2TX	Pass	AV	7.1265G	65.46	68.20	-2.74	3	Horizontal	56	3.00	-



Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
802.11ax HEW20_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-
5935MHz	Pass	AV	5.9245G	67.73	68.20	-0.47	3	Vertical	25	1.57	BP 1MHz
5935MHz	Pass	AV	5.94293G	87.80	Inf	-Inf	3	Vertical	25	1.57	-
5935MHz	Pass	PK	5.9245G	79.02	88.20	-9.18	3	Vertical	25	1.57	BP 1MHz
5935MHz	Pass	PK	5.93375G	96.46	Inf	-Inf	3	Vertical	25	1.57	-
5935MHz	Pass	AV	5.9245G	67.10	68.20	-1.10	3	Horizontal	46	2.94	BP 1MHz
5935MHz	Pass	AV	5.94434G	85.97	Inf	-Inf	3	Horizontal	46	2.94	-
5935MHz	Pass	PK	5.9245G	78.76	88.20	-9.44	3	Horizontal	46	2.94	BP 1MHz
5935MHz	Pass	PK	5.94G	95.52	Inf	-Inf	3	Horizontal	46	2.94	-
5935MHz	Pass	AV	11.86508G	43.09	54.00	-10.91	3	Vertical	249	1.50	-
5935MHz	Pass	PK	11.86674G	56.16	74.00	-17.84	3	Vertical	249	1.50	-
5935MHz	Pass	AV	11.86988G	44.21	54.00	-9.79	3	Horizontal	10	1.00	-
5935MHz	Pass	PK	11.86336G	55.39	74.00	-18.61	3	Horizontal	10	1.00	-
5955MHz	Pass	AV	5.9133G	48.47	68.20	-19.73	3	Vertical	14	1.56	6
5955MHz	Pass	AV	5.9631G	97.45	Inf	-Inf	3	Vertical	14	1.56	6
5955MHz	Pass	PK	5.8509G	60.51	88.20	-27.69	3	Vertical	14	1.56	6
5955MHz	Pass	PK	5.9625G	109.32	Inf	-Inf	3	Vertical	14	1.56	6
5955MHz	Pass	AV	5.9235G	48.35	68.20	-19.85	3	Horizontal	37	2.77	6
5955MHz	Pass	AV	5.9634G	93.74	Inf	-Inf	3	Horizontal	37	2.77	6
5955MHz	Pass	PK	5.853G	60.93	88.20	-27.27	3	Horizontal	37	2.77	6
5955MHz	Pass	PK	5.9628G	104.62	Inf	-Inf	3	Horizontal	37	2.77	6
5955MHz	Pass	AV	11.91621G	41.68	54.00	-12.32	3	Vertical	160	1.50	-
5955MHz	Pass	PK	11.90082G	54.74	74.00	-19.26	3	Vertical	160	1.50	-
5955MHz	Pass	AV	11.90994G	42.76	54.00	-11.24	3	Horizontal	61	1.24	-
5955MHz	Pass	PK	11.90055G	54.80	74.00	-19.20	3	Horizontal	61	1.24	-
6175MHz	Pass	AV	5.9164G	48.37	68.20	-19.83	3	Vertical	5	1.84	5.5
6175MHz	Pass	AV	6.166G	97.31	Inf	-Inf	3	Vertical	5	1.84	5.5
6175MHz	Pass	PK	5.914G	60.17	88.20	-28.03	3	Vertical	5	1.84	5.5
6175MHz	Pass	PK	6.1744G	107.51	Inf	-Inf	3	Vertical	5	1.84	5.5
6175MHz	Pass	AV	5.9248G	48.31	68.20	-19.89	3	Horizontal	23	2.93	5.5
6175MHz	Pass	AV	6.1666G	92.74	Inf	-Inf	3	Horizontal	23	2.93	5.5
6175MHz	Pass	PK	5.9152G	59.88	88.20	-28.32	3	Horizontal	23	2.93	5.5
6175MHz	Pass	PK	6.1672G	102.89	Inf	-Inf	3	Horizontal	23	2.93	5.5
6175MHz	Pass	AV	12.35246G	42.81	54.00	-11.19	3	Vertical	286	1.57	-
6175MHz	Pass	PK	12.34124G	55.88	74.00	-18.12	3	Vertical	286	1.57	-
6175MHz	Pass	AV	12.34994G	43.27	54.00	-10.73	3	Horizontal	42	1.50	-
6175MHz	Pass	PK	12.34439G	56.22	74.00	-17.78	3	Horizontal	42	1.50	-
6415MHz	Pass	AV	5.9122G	48.29	68.20	-19.91	3	Vertical	14	2.09	6
6415MHz	Pass	AV	6.4234G	97.73	Inf	-Inf	3	Vertical	14	2.09	6
6415MHz	Pass	PK	5.8882G	59.96	88.20	-28.24	3	Vertical	14	2.09	6
6415MHz	Pass	PK	6.4126G	108.83	Inf	-Inf	3	Vertical	14	2.09	6
6415MHz	Pass	AV	5.9242G	48.37	68.20	-19.83	3	Horizontal	41	1.57	6
6415MHz	Pass	AV	6.4234G	92.69	Inf	-Inf	3	Horizontal	41	1.57	6
6415MHz	Pass	PK	5.8414G	60.27	88.20	-27.93	3	Horizontal	41	1.57	6
6415MHz	Pass	PK	6.421G	102.85	Inf	-Inf	3	Horizontal	41	1.57	6
6415MHz	Pass	AV	12.83006G	44.35	68.20	-23.85	3	Vertical	323	1.50	-
6415MHz	Pass	PK	12.83822G	56.79	88.20	-31.41	3	Vertical	323	1.50	-
6415MHz	Pass	AV	12.83003G	45.65	68.20	-22.55	3	Horizontal	333	1.17	-
6415MHz	Pass	PK	12.845G	57.53	88.20	-30.67	3	Horizontal	333	1.17	-
6435MHz	Pass	AV	5.919G	48.18	68.20	-20.02	3	Vertical	14	2.41	6.5
6435MHz	Pass	AV	6.4434G	97.52	Inf	-Inf	3	Vertical	14	2.41	6.5
6435MHz	Pass	PK	5.8482G	59.78	88.20	-28.42	3	Vertical	14	2.41	6.5
6435MHz	Pass	PK	6.441G	108.60	Inf	-Inf	3	Vertical	14	2.41	6.5
6435MHz	Pass	AV	5.9238G	48.22	68.20	-19.98	3	Horizontal	39	1.69	6.5
6435MHz	Pass	AV	6.4422G	91.90	Inf	-Inf	3	Horizontal	39	1.69	6.5
6435MHz	Pass	PK	5.9058G	59.84	88.20	-28.36	3	Horizontal	39	1.69	6.5
6435MHz	Pass	PK	6.441G	103.30	Inf	-Inf	3	Horizontal	39	1.69	6.5
6435MHz	Pass	AV	12.87006G	44.21	68.20	-23.99	3	Vertical	326	1.44	-
6435MHz	Pass	PK	12.86301G	56.33	88.20	-31.87	3	Vertical	326	1.44	-
6435MHz	Pass	AV	12.86997G	46.33	68.20	-21.87	3	Horizontal	325	1.12	-
6435MHz	Pass	PK	12.86991G	56.82	88.20	-31.38	3	Horizontal	325	1.12	-



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
6475MHz	Pass	AV	5.901G	48.24	68.20	-19.96	3	Vertical	13	2.66	6
6475MHz	Pass	AV	6.4834G	97.30	Inf	-Inf	3	Vertical	13	2.66	6
6475MHz	Pass	AV	7.1512G	51.94	68.20	-16.26	3	Vertical	13	2.66	6
6475MHz	Pass	PK	5.9206G	60.32	88.20	-27.88	3	Vertical	13	2.66	6
6475MHz	Pass	PK	6.4834G	109.85	Inf	-Inf	3	Vertical	13	2.66	6
6475MHz	Pass	PK	7.1456G	63.77	88.20	-24.43	3	Vertical	13	2.66	6
6475MHz	Pass	AV	5.9192G	48.24	68.20	-19.96	3	Horizontal	39	1.98	6
6475MHz	Pass	AV	6.482G	91.54	Inf	-Inf	3	Horizontal	39	1.98	6
6475MHz	Pass	AV	7.147G	51.82	68.20	-16.38	3	Horizontal	39	1.98	6
6475MHz	Pass	PK	5.915G	60.23	88.20	-27.97	3	Horizontal	39	1.98	6
6475MHz	Pass	PK	6.4834G	101.48	Inf	-Inf	3	Horizontal	39	1.98	6
6475MHz	Pass	PK	7.1596G	63.90	88.20	-24.30	3	Horizontal	39	1.98	6
6475MHz	Pass	AV	12.9494G	44.69	68.20	-23.51	3	Vertical	322	1.46	-
6475MHz	Pass	PK	12.95318G	56.97	88.20	-31.23	3	Vertical	322	1.46	-
6475MHz	Pass	AV	12.94994G	46.36	68.20	-21.84	3	Horizontal	330	1.27	-
6475MHz	Pass	PK	12.95003G	57.18	88.20	-31.02	3	Horizontal	330	1.27	-
6515MHz	Pass	AV	5.92G	48.22	68.20	-19.98	3	Vertical	5	2.74	6.5
6515MHz	Pass	AV	6.5066G	96.50	Inf	-Inf	3	Vertical	5	2.74	6.5
6515MHz	Pass	AV	7.1422G	51.79	68.20	-16.41	3	Vertical	5	2.74	6.5
6515MHz	Pass	PK	5.9074G	60.18	88.20	-28.02	3	Vertical	5	2.74	6.5
6515MHz	Pass	PK	6.5066G	107.62	Inf	-Inf	3	Vertical	5	2.74	6.5
6515MHz	Pass	PK	7.1394G	63.49	88.20	-24.71	3	Vertical	5	2.74	6.5
6515MHz	Pass	AV	5.9144G	48.26	68.20	-19.94	3	Horizontal	39	1.92	6.5
6515MHz	Pass	AV	6.522G	91.72	Inf	-Inf	3	Horizontal	39	1.92	6.5
6515MHz	Pass	AV	7.1478G	51.83	68.20	-16.37	3	Horizontal	39	1.92	6.5
6515MHz	Pass	PK	5.8304G	59.80	88.20	-28.40	3	Horizontal	39	1.92	6.5
6515MHz	Pass	PK	6.5248G	101.60	Inf	-Inf	3	Horizontal	39	1.92	6.5
6515MHz	Pass	PK	7.1296G	63.11	88.20	-25.09	3	Horizontal	39	1.92	6.5
6515MHz	Pass	AV	13.03003G	45.45	68.20	-22.75	3	Vertical	0	1.76	-
6515MHz	Pass	PK	13.02268G	57.44	88.20	-30.76	3	Vertical	0	1.76	-
6515MHz	Pass	AV	13.02997G	46.53	68.20	-21.67	3	Horizontal	328	1.45	-
6515MHz	Pass	PK	13.03051G	57.54	88.20	-30.66	3	Horizontal	328	1.45	-
6535MHz	Pass	AV	5.891G	47.76	68.20	-20.44	3	Vertical	16	2.23	7.5
6535MHz	Pass	AV	6.5434G	97.39	Inf	-Inf	3	Vertical	16	2.23	7.5
6535MHz	Pass	AV	7.151G	51.48	68.20	-16.72	3	Vertical	16	2.23	7.5
6535MHz	Pass	PK	5.9204G	59.40	88.20	-28.80	3	Vertical	16	2.23	7.5
6535MHz	Pass	PK	6.5336G	107.74	Inf	-Inf	3	Vertical	16	2.23	7.5
6535MHz	Pass	PK	7.1412G	63.05	88.20	-25.15	3	Vertical	16	2.23	7.5
6535MHz	Pass	AV	5.8644G	48.00	68.20	-20.20	3	Horizontal	47	2.62	7.5
6535MHz	Pass	AV	6.5266G	91.98	Inf	-Inf	3	Horizontal	47	2.62	7.5
6535MHz	Pass	AV	7.1482G	51.65	68.20	-16.55	3	Horizontal	47	2.62	7.5
6535MHz	Pass	PK	5.8868G	60.15	88.20	-28.05	3	Horizontal	47	2.62	7.5
6535MHz	Pass	PK	6.5266G	103.36	Inf	-Inf	3	Horizontal	47	2.62	7.5
6535MHz	Pass	PK	7.1454G	63.68	88.20	-24.52	3	Horizontal	47	2.62	7.5
6535MHz	Pass	AV	13.06994G	45.26	68.20	-22.94	3	Vertical	360	1.77	-
6535MHz	Pass	PK	13.0568G	57.48	88.20	-30.72	3	Vertical	360	1.77	-
6535MHz	Pass	AV	13.07009G	46.27	68.20	-21.93	3	Horizontal	330	1.18	-
6535MHz	Pass	PK	13.05665G	56.91	88.20	-31.29	3	Horizontal	330	1.18	-
6695MHz	Pass	AV	6.687G	97.41	Inf	-Inf	3	Vertical	4	2.78	8
6695MHz	Pass	AV	7.16G	52.00	68.20	-16.20	3	Vertical	4	2.78	8
6695MHz	Pass	PK	6.688G	108.59	Inf	-Inf	3	Vertical	4	2.78	8
6695MHz	Pass	PK	7.131G	63.75	88.20	-24.45	3	Vertical	4	2.78	8
6695MHz	Pass	AV	6.703G	94.89	Inf	-Inf	3	Horizontal	0	2.78	8
6695MHz	Pass	AV	7.152G	52.12	68.20	-16.08	3	Horizontal	0	2.78	8
6695MHz	Pass	PK	6.703G	107.30	Inf	-Inf	3	Horizontal	0	2.78	8
6695MHz	Pass	PK	7.152G	64.89	88.20	-23.31	3	Horizontal	0	2.78	8
6695MHz	Pass	AV	13.39006G	47.57	54.00	-6.43	3	Vertical	349	1.63	-
6695MHz	Pass	PK	13.38994G	58.56	74.00	-15.44	3	Vertical	349	1.63	-
6695MHz	Pass	AV	13.38997G	45.76	54.00	-8.24	3	Horizontal	45	1.50	-
6695MHz	Pass	PK	13.39567G	57.39	74.00	-16.61	3	Horizontal	45	1.50	-
6855MHz	Pass	AV	6.848G	97.79	Inf	-Inf	3	Vertical	27	2.06	6
6855MHz	Pass	AV	7.1476G	52.04	68.20	-16.16	3	Vertical	27	2.06	6



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
6855MHz	Pass	PK	6.8578G	108.91	Inf	-Inf	3	Vertical	27	2.06	6
6855MHz	Pass	PK	7.198G	63.91	88.20	-24.29	3	Vertical	27	2.06	6
6855MHz	Pass	AV	6.8466G	93.14	Inf	-Inf	3	Horizontal	46	2.95	6
6855MHz	Pass	AV	7.1385G	52.10	68.20	-16.10	3	Horizontal	46	2.95	6
6855MHz	Pass	PK	6.8466G	104.65	Inf	-Inf	3	Horizontal	46	2.95	6
6855MHz	Pass	PK	7.1476G	64.11	88.20	-24.09	3	Horizontal	46	2.95	6
6855MHz	Pass	AV	13.71G	50.59	68.20	-17.61	3	Vertical	344	1.65	-
6855MHz	Pass	PK	13.70973G	61.85	88.20	-26.35	3	Vertical	344	1.65	-
6855MHz	Pass	AV	13.71G	50.88	68.20	-17.32	3	Horizontal	333	1.50	-
6855MHz	Pass	PK	13.71582G	62.50	88.20	-25.70	3	Horizontal	333	1.50	-
6875MHz Straddle 6.525-6.875GHz	Pass	AV	6.8825G	97.45	Inf	-Inf	3	Vertical	16	2.26	5.5
6875MHz Straddle 6.525-6.875GHz	Pass	AV	7.15225G	52.06	68.20	-16.14	3	Vertical	16	2.26	5.5
6875MHz Straddle 6.525-6.875GHz	Pass	PK	6.8721G	108.30	Inf	-Inf	3	Vertical	16	2.26	5.5
6875MHz Straddle 6.525-6.875GHz	Pass	PK	7.1425G	64.55	88.20	-23.65	3	Vertical	16	2.26	5.5
6875MHz Straddle 6.525-6.875GHz	Pass	AV	6.86755G	92.39	Inf	-Inf	3	Horizontal	46	3.00	5.5
6875MHz Straddle 6.525-6.875GHz	Pass	AV	7.14965G	52.04	68.20	-16.16	3	Horizontal	46	3.00	5.5
6875MHz Straddle 6.525-6.875GHz	Pass	PK	6.8669G	103.89	Inf	-Inf	3	Horizontal	46	3.00	5.5
6875MHz Straddle 6.525-6.875GHz	Pass	PK	7.15225G	63.50	88.20	-24.70	3	Horizontal	46	3.00	5.5
6875MHz Straddle 6.525-6.875GHz	Pass	AV	13.74994G	51.07	68.20	-17.13	3	Vertical	348	1.50	-
6875MHz Straddle 6.525-6.875GHz	Pass	PK	13.75021G	62.56	88.20	-25.64	3	Vertical	348	1.50	-
6875MHz Straddle 6.525-6.875GHz	Pass	AV	13.75G	51.69	68.20	-16.51	3	Horizontal	337	1.57	-
6875MHz Straddle 6.525-6.875GHz	Pass	PK	13.75015G	62.35	88.20	-25.85	3	Horizontal	337	1.57	-
6895MHz	Pass	AV	6.8866G	97.20	Inf	-Inf	3	Vertical	322	2.17	10
6895MHz	Pass	AV	7.1386G	52.00	68.20	-16.20	3	Vertical	322	2.17	10
6895MHz	Pass	PK	6.8873G	108.09	Inf	-Inf	3	Vertical	322	2.17	10
6895MHz	Pass	PK	7.224G	64.64	88.20	-23.56	3	Vertical	322	2.17	10
6895MHz	Pass	AV	6.8866G	97.85	Inf	-Inf	3	Horizontal	293	2.30	10
6895MHz	Pass	AV	7.1449G	52.08	68.20	-16.12	3	Horizontal	293	2.30	10
6895MHz	Pass	PK	6.8978G	110.43	Inf	-Inf	3	Horizontal	293	2.30	10
6895MHz	Pass	PK	7.1848G	64.49	88.20	-23.71	3	Horizontal	293	2.30	10
6895MHz	Pass	AV	13.78997G	51.22	68.20	-16.98	3	Vertical	350	1.80	-
6895MHz	Pass	PK	13.79534G	62.51	88.20	-25.69	3	Vertical	350	1.80	-
6895MHz	Pass	AV	13.79006G	51.39	68.20	-16.81	3	Horizontal	336	1.50	-
6895MHz	Pass	PK	13.78847G	62.56	88.20	-25.64	3	Horizontal	336	1.50	-
6995MHz	Pass	AV	6.986G	97.19	Inf	-Inf	3	Vertical	318	2.08	11
6995MHz	Pass	AV	7.148G	52.13	68.20	-16.07	3	Vertical	318	2.08	11
6995MHz	Pass	PK	6.986G	107.42	Inf	-Inf	3	Vertical	318	2.08	11
6995MHz	Pass	PK	7.236G	64.76	88.20	-23.44	3	Vertical	318	2.08	11
6995MHz	Pass	AV	6.988G	100.01	Inf	-Inf	3	Horizontal	240	3.00	11
6995MHz	Pass	AV	7.1495G	52.15	68.20	-16.05	3	Horizontal	240	3.00	11
6995MHz	Pass	PK	6.988G	111.28	Inf	-Inf	3	Horizontal	240	3.00	11
6995MHz	Pass	PK	7.168G	64.83	88.20	-23.37	3	Horizontal	240	3.00	11
6995MHz	Pass	AV	13.99G	50.86	68.20	-17.34	3	Vertical	341	1.59	-
6995MHz	Pass	PK	13.99018G	62.98	88.20	-25.22	3	Vertical	341	1.59	-
6995MHz	Pass	AV	13.99006G	50.67	68.20	-17.53	3	Horizontal	336	1.53	-
6995MHz	Pass	PK	13.98664G	62.94	88.20	-25.26	3	Horizontal	336	1.53	-
7095MHz	Pass	AV	7.1037G	97.79	Inf	-Inf	3	Vertical	299	2.96	9.5
7095MHz	Pass	AV	7.1409G	52.07	68.20	-16.13	3	Vertical	299	2.96	9.5
7095MHz	Pass	PK	7.1034G	108.86	Inf	-Inf	3	Vertical	299	2.96	9.5
7095MHz	Pass	PK	7.1784G	64.72	88.20	-23.48	3	Vertical	299	2.96	9.5
7095MHz	Pass	AV	7.0875G	98.34	Inf	-Inf	3	Horizontal	240	2.89	9.5
7095MHz	Pass	AV	7.1574G	52.04	68.20	-16.16	3	Horizontal	240	2.89	9.5
7095MHz	Pass	PK	7.0989G	110.34	Inf	-Inf	3	Horizontal	240	2.89	9.5
7095MHz	Pass	PK	7.2057G	64.17	88.20	-24.03	3	Horizontal	240	2.89	9.5
7095MHz	Pass	AV	14.19003G	50.24	68.20	-17.96	3	Vertical	338	1.86	-
7095MHz	Pass	PK	14.1819G	62.47	88.20	-25.73	3	Vertical	338	1.86	-
7095MHz	Pass	AV	14.19009G	50.18	68.20	-18.02	3	Horizontal	315	2.35	-
7095MHz	Pass	PK	14.18235G	62.83	88.20	-25.37	3	Horizontal	315	2.35	-
7115MHz	Pass	AV	7.12009G	89.44	Inf	-Inf	3	Vertical	1	1.76	-
7115MHz	Pass	AV	7.1255G	65.14	68.20	-3.06	3	Vertical	1	1.76	BP 1MHz
7115MHz	Pass	PK	7.12248G	100.08	Inf	-Inf	3	Vertical	1	1.76	-
7115MHz	Pass	PK	7.1255G	77.20	88.20	-11.00	3	Vertical	1	1.76	BP 1MHz



RSE TX above 1GHz\_Non-Beamforming

Appendix E.3

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
7115MHz	Pass	AV	7.10643G	86.49	Inf	-Inf	3	Horizontal	57	3.00	-
7115MHz	Pass	AV	7.1255G	67.45	68.20	-0.75	3	Horizontal	57	3.00	BP 1MHz
7115MHz	Pass	PK	7.11002G	95.72	Inf	-Inf	3	Horizontal	57	3.00	-
7115MHz	Pass	PK	7.1255G	78.41	88.20	-9.79	3	Horizontal	57	3.00	BP 1MHz
7115MHz	Pass	AV	14.2299G	47.89	68.20	-20.31	3	Vertical	349	1.58	-
7115MHz	Pass	PK	14.23984G	59.25	88.20	-28.95	3	Vertical	349	1.58	-
7115MHz	Pass	AV	14.22998G	48.41	68.20	-19.79	3	Horizontal	325	1.50	-
7115MHz	Pass	PK	14.23476G	59.27	88.20	-28.93	3	Horizontal	325	1.50	-
802.11ax HEW40_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-
5965MHz	Pass	AV	5.9197G	48.48	68.20	-19.72	3	Vertical	29	1.50	9
5965MHz	Pass	AV	5.9689G	97.52	Inf	-Inf	3	Vertical	29	1.50	9
5965MHz	Pass	PK	5.9215G	60.66	88.20	-27.54	3	Vertical	29	1.50	9
5965MHz	Pass	PK	5.9794G	109.42	Inf	-Inf	3	Vertical	29	1.50	9
5965MHz	Pass	AV	5.9248G	48.43	68.20	-19.77	3	Horizontal	36	2.79	9
5965MHz	Pass	AV	5.9638G	94.13	Inf	-Inf	3	Horizontal	36	2.79	9
5965MHz	Pass	PK	5.8534G	60.41	88.20	-27.79	3	Horizontal	36	2.79	9
5965MHz	Pass	PK	5.9536G	105.57	Inf	-Inf	3	Horizontal	36	2.79	9
5965MHz	Pass	AV	11.92994G	43.01	54.00	-10.99	3	Vertical	4	1.19	-
5965MHz	Pass	PK	11.94368G	54.87	74.00	-19.13	3	Vertical	4	1.19	-
5965MHz	Pass	AV	11.93G	43.04	54.00	-10.96	3	Horizontal	6	1.53	-
5965MHz	Pass	PK	11.93972G	54.72	74.00	-19.28	3	Horizontal	6	1.53	-
6165MHz	Pass	AV	5.9202G	48.38	68.20	-19.82	3	Vertical	13	1.75	8.5
6165MHz	Pass	AV	6.1638G	97.36	Inf	-Inf	3	Vertical	13	1.75	8.5
6165MHz	Pass	PK	5.9106G	61.08	88.20	-27.12	3	Vertical	13	1.75	8.5
6165MHz	Pass	PK	6.1638G	109.63	Inf	-Inf	3	Vertical	13	1.75	8.5
6165MHz	Pass	AV	5.9154G	48.48	68.20	-19.72	3	Horizontal	38	2.96	8.5
6165MHz	Pass	AV	6.1626G	92.72	Inf	-Inf	3	Horizontal	38	2.96	8.5
6165MHz	Pass	PK	5.8812G	59.89	88.20	-28.31	3	Horizontal	38	2.96	8.5
6165MHz	Pass	PK	6.1632G	104.25	Inf	-Inf	3	Horizontal	38	2.96	8.5
6165MHz	Pass	AV	12.33912G	42.75	54.00	-11.25	3	Vertical	313	1.50	-
6165MHz	Pass	PK	12.3132G	55.93	74.00	-18.07	3	Vertical	313	1.50	-
6165MHz	Pass	AV	12.34842G	42.90	54.00	-11.10	3	Horizontal	310	2.36	-
6165MHz	Pass	PK	12.3303G	56.09	74.00	-17.91	3	Horizontal	310	2.36	-
6405MHz	Pass	AV	5.9226G	48.42	68.20	-19.78	3	Vertical	33	1.48	9.5
6405MHz	Pass	AV	6.4062G	97.52	Inf	-Inf	3	Vertical	33	1.48	9.5
6405MHz	Pass	PK	5.8842G	60.92	88.20	-27.28	3	Vertical	33	1.48	9.5
6405MHz	Pass	PK	6.4158G	107.75	Inf	-Inf	3	Vertical	33	1.48	9.5
6405MHz	Pass	AV	5.925G	48.31	68.20	-19.89	3	Horizontal	38	1.41	9.5
6405MHz	Pass	AV	6.4038G	93.00	Inf	-Inf	3	Horizontal	38	1.41	9.5
6405MHz	Pass	PK	5.913G	60.31	88.20	-27.89	3	Horizontal	38	1.41	9.5
6405MHz	Pass	PK	6.4122G	102.48	Inf	-Inf	3	Horizontal	38	1.41	9.5
6405MHz	Pass	AV	12.80982G	44.26	68.20	-23.94	3	Vertical	360	1.84	-
6405MHz	Pass	PK	12.78072G	56.21	88.20	-31.99	3	Vertical	360	1.84	-
6405MHz	Pass	AV	12.81G	46.12	68.20	-22.08	3	Horizontal	326	1.50	-
6405MHz	Pass	PK	12.80982G	56.58	88.20	-31.62	3	Horizontal	326	1.50	-
6445MHz	Pass	AV	5.9242G	48.42	68.20	-19.78	3	Vertical	13	1.66	9.5
6445MHz	Pass	AV	6.4426G	97.85	Inf	-Inf	3	Vertical	13	1.66	9.5
6445MHz	Pass	PK	5.9086G	59.67	88.20	-28.53	3	Vertical	13	1.66	9.5
6445MHz	Pass	PK	6.4402G	108.56	Inf	-Inf	3	Vertical	13	1.66	9.5
6445MHz	Pass	AV	5.9158G	48.41	68.20	-19.79	3	Horizontal	44	2.98	9.5
6445MHz	Pass	AV	6.439G	92.55	Inf	-Inf	3	Horizontal	44	2.98	9.5
6445MHz	Pass	PK	5.8918G	60.37	88.20	-27.83	3	Horizontal	44	2.98	9.5
6445MHz	Pass	PK	6.4414G	104.82	Inf	-Inf	3	Horizontal	44	2.98	9.5
6445MHz	Pass	AV	12.88988G	44.20	68.20	-24.00	3	Vertical	325	1.50	-
6445MHz	Pass	PK	12.90866G	56.50	88.20	-31.70	3	Vertical	325	1.50	-
6445MHz	Pass	AV	12.88994G	46.29	68.20	-21.91	3	Horizontal	324	1.22	-
6445MHz	Pass	PK	12.89012G	57.11	88.20	-31.09	3	Horizontal	324	1.22	-
6485MHz	Pass	AV	5.9138G	48.45	68.20	-19.75	3	Vertical	13	2.16	8.5
6485MHz	Pass	AV	6.4836G	97.38	Inf	-Inf	3	Vertical	13	2.16	8.5
6485MHz	Pass	AV	7.1458G	52.05	68.20	-16.15	3	Vertical	13	2.16	8.5
6485MHz	Pass	PK	5.8648G	60.24	88.20	-27.96	3	Vertical	13	2.16	8.5
6485MHz	Pass	PK	6.4836G	110.25	Inf	-Inf	3	Vertical	13	2.16	8.5



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
6485MHz	Pass	PK	7.1612G	63.59	88.20	-24.61	3	Vertical	13	2.16	8.5
6485MHz	Pass	AV	5.9138G	48.44	68.20	-19.76	3	Horizontal	40	1.53	8.5
6485MHz	Pass	AV	6.4836G	91.57	Inf	-Inf	3	Horizontal	40	1.53	8.5
6485MHz	Pass	AV	7.1444G	52.00	68.20	-16.20	3	Horizontal	40	1.53	8.5
6485MHz	Pass	PK	5.925G	59.93	88.20	-28.27	3	Horizontal	40	1.53	8.5
6485MHz	Pass	PK	6.4836G	103.09	Inf	-Inf	3	Horizontal	40	1.53	8.5
6485MHz	Pass	PK	7.143G	63.25	88.20	-24.95	3	Horizontal	40	1.53	8.5
6485MHz	Pass	AV	12.96994G	45.45	68.20	-22.75	3	Vertical	0	1.91	-
6485MHz	Pass	PK	12.9826G	56.97	88.20	-31.23	3	Vertical	0	1.91	-
6485MHz	Pass	AV	12.97G	46.75	68.20	-21.45	3	Horizontal	327	1.17	-
6485MHz	Pass	PK	12.97012G	56.85	88.20	-31.35	3	Horizontal	327	1.17	-
6525MHz Straddle 6.425-6.525GHz	Pass	AV	5.923G	48.52	68.20	-19.68	3	Vertical	16	1.76	9.5
6525MHz Straddle 6.425-6.525GHz	Pass	AV	6.5222G	97.84	Inf	-Inf	3	Vertical	16	1.76	9.5
6525MHz Straddle 6.425-6.525GHz	Pass	AV	7.1508G	51.95	68.20	-16.25	3	Vertical	16	1.76	9.5
6525MHz Straddle 6.425-6.525GHz	Pass	PK	5.8894G	60.16	88.20	-28.04	3	Vertical	16	1.76	9.5
6525MHz Straddle 6.425-6.525GHz	Pass	PK	6.5236G	109.92	Inf	-Inf	3	Vertical	16	1.76	9.5
6525MHz Straddle 6.425-6.525GHz	Pass	PK	7.1312G	64.54	88.20	-23.66	3	Vertical	16	1.76	9.5
6525MHz Straddle 6.425-6.525GHz	Pass	AV	5.9146G	48.40	68.20	-19.80	3	Horizontal	42	1.46	9.5
6525MHz Straddle 6.425-6.525GHz	Pass	AV	6.5222G	92.21	Inf	-Inf	3	Horizontal	42	1.46	9.5
6525MHz Straddle 6.425-6.525GHz	Pass	AV	7.1438G	52.01	68.20	-16.19	3	Horizontal	42	1.46	9.5
6525MHz Straddle 6.425-6.525GHz	Pass	PK	5.8964G	60.18	88.20	-28.02	3	Horizontal	42	1.46	9.5
6525MHz Straddle 6.425-6.525GHz	Pass	PK	6.5306G	103.56	Inf	-Inf	3	Horizontal	42	1.46	9.5
6525MHz Straddle 6.425-6.525GHz	Pass	PK	7.155G	63.68	88.20	-24.52	3	Horizontal	42	1.46	9.5
6525MHz Straddle 6.425-6.525GHz	Pass	AV	13.04988G	45.67	68.20	-22.53	3	Vertical	3	1.78	-
6525MHz Straddle 6.425-6.525GHz	Pass	PK	13.05066G	56.77	88.20	-31.43	3	Vertical	3	1.78	-
6525MHz Straddle 6.425-6.525GHz	Pass	AV	13.05G	46.38	68.20	-21.82	3	Horizontal	325	1.10	-
6525MHz Straddle 6.425-6.525GHz	Pass	PK	13.06308G	57.26	88.20	-30.94	3	Horizontal	325	1.10	-
6565MHz	Pass	AV	6.5638G	97.45	Inf	-Inf	3	Vertical	13	2.11	8
6565MHz	Pass	AV	7.1506G	51.96	68.20	-16.24	3	Vertical	13	2.11	8
6565MHz	Pass	PK	6.5626G	108.71	Inf	-Inf	3	Vertical	13	2.11	8
6565MHz	Pass	PK	7.1434G	63.93	88.20	-24.27	3	Vertical	13	2.11	8
6565MHz	Pass	AV	6.5626G	90.72	Inf	-Inf	3	Horizontal	41	1.50	8
6565MHz	Pass	AV	7.1422G	51.95	68.20	-16.25	3	Horizontal	41	1.50	8
6565MHz	Pass	PK	6.5638G	101.76	Inf	-Inf	3	Horizontal	41	1.50	8
6565MHz	Pass	PK	7.1386G	64.51	88.20	-23.69	3	Horizontal	41	1.50	8
6565MHz	Pass	AV	13.13G	45.31	68.20	-22.89	3	Vertical	0	1.84	-
6565MHz	Pass	PK	13.13018G	58.17	88.20	-30.03	3	Vertical	0	1.84	-
6565MHz	Pass	AV	13.13G	46.21	68.20	-21.99	3	Horizontal	333	1.33	-
6565MHz	Pass	PK	13.13G	58.22	88.20	-29.98	3	Horizontal	333	1.33	-
6685MHz	Pass	AV	6.681G	97.07	Inf	-Inf	3	Vertical	17	1.95	8.5
6685MHz	Pass	AV	7.148G	51.94	68.20	-16.26	3	Vertical	17	1.95	8.5
6685MHz	Pass	PK	6.671G	107.63	Inf	-Inf	3	Vertical	17	1.95	8.5
6685MHz	Pass	PK	7.144G	63.95	88.20	-24.25	3	Vertical	17	1.95	8.5
6685MHz	Pass	AV	6.687G	92.45	Inf	-Inf	3	Horizontal	49	2.98	8.5
6685MHz	Pass	AV	7.152G	51.82	68.20	-16.38	3	Horizontal	49	2.98	8.5
6685MHz	Pass	PK	6.687G	104.10	Inf	-Inf	3	Horizontal	49	2.98	8.5
6685MHz	Pass	PK	7.153G	63.46	88.20	-24.74	3	Horizontal	49	2.98	8.5
6685MHz	Pass	AV	13.36994G	47.15	54.00	-6.85	3	Vertical	349	1.57	-
6685MHz	Pass	PK	13.36976G	57.48	74.00	-16.52	3	Vertical	349	1.57	-
6685MHz	Pass	AV	13.36994G	45.95	54.00	-8.05	3	Horizontal	334	1.00	-
6685MHz	Pass	PK	13.38656G	56.98	74.00	-17.02	3	Horizontal	334	1.00	-
6845MHz	Pass	AV	6.8422G	97.85	Inf	-Inf	3	Vertical	15	2.05	9.5
6845MHz	Pass	AV	7.1481G	51.85	68.20	-16.35	3	Vertical	15	2.05	9.5
6845MHz	Pass	PK	6.852G	109.99	Inf	-Inf	3	Vertical	15	2.05	9.5
6845MHz	Pass	PK	7.1516G	63.65	88.20	-24.55	3	Vertical	15	2.05	9.5
6845MHz	Pass	AV	6.8471G	92.98	Inf	-Inf	3	Horizontal	45	3.00	9.5
6845MHz	Pass	AV	7.1439G	51.91	68.20	-16.29	3	Horizontal	45	3.00	9.5
6845MHz	Pass	PK	6.8569G	105.07	Inf	-Inf	3	Horizontal	45	3.00	9.5
6845MHz	Pass	PK	7.1852G	63.98	88.20	-24.22	3	Horizontal	45	3.00	9.5
6845MHz	Pass	AV	13.69G	50.76	68.20	-17.44	3	Vertical	341	1.50	-
6845MHz	Pass	PK	13.67698G	61.63	88.20	-26.57	3	Vertical	341	1.50	-
6845MHz	Pass	AV	13.68988G	50.76	68.20	-17.44	3	Horizontal	336	1.50	-



RSE TX above 1GHz\_Non-Beamforming

Appendix E.3

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
6845MHz	Pass	PK	13.6753G	61.61	88.20	-26.59	3	Horizontal	336	1.50	-
6885MHz Straddle 6.525-6.875GHz	Pass	AV	6.8871G	97.49	Inf	-Inf	3	Vertical	321	2.20	14
6885MHz Straddle 6.525-6.875GHz	Pass	AV	7.1475G	52.06	68.20	-16.14	3	Vertical	321	2.20	14
6885MHz Straddle 6.525-6.875GHz	Pass	PK	6.8983G	108.76	Inf	-Inf	3	Vertical	321	2.20	14
6885MHz Straddle 6.525-6.875GHz	Pass	PK	7.186G	63.88	88.20	-24.32	3	Vertical	321	2.20	14
6885MHz Straddle 6.525-6.875GHz	Pass	AV	6.8794G	99.27	Inf	-Inf	3	Horizontal	299	2.19	14
6885MHz Straddle 6.525-6.875GHz	Pass	AV	7.1531G	52.07	68.20	-16.13	3	Horizontal	299	2.19	14
6885MHz Straddle 6.525-6.875GHz	Pass	PK	6.8808G	110.87	Inf	-Inf	3	Horizontal	299	2.19	14
6885MHz Straddle 6.525-6.875GHz	Pass	PK	7.1825G	63.88	88.20	-24.32	3	Horizontal	299	2.19	14
6885MHz Straddle 6.525-6.875GHz	Pass	AV	13.76994G	51.24	68.20	-16.96	3	Vertical	339	1.60	-
6885MHz Straddle 6.525-6.875GHz	Pass	PK	13.76956G	62.07	88.20	-26.13	3	Vertical	339	1.60	-
6885MHz Straddle 6.525-6.875GHz	Pass	AV	13.76994G	51.37	68.20	-16.83	3	Horizontal	339	1.42	-
6885MHz Straddle 6.525-6.875GHz	Pass	PK	13.77G	62.74	88.20	-25.46	3	Horizontal	339	1.42	-
6925MHz	Pass	AV	6.9274G	98.02	Inf	-Inf	3	Vertical	322	2.06	13.5
6925MHz	Pass	AV	7.1452G	52.11	68.20	-16.09	3	Vertical	322	2.06	13.5
6925MHz	Pass	PK	6.928G	108.57	Inf	-Inf	3	Vertical	322	2.06	13.5
6925MHz	Pass	PK	7.1794G	63.52	88.20	-24.68	3	Vertical	322	2.06	13.5
6925MHz	Pass	AV	6.931G	101.28	Inf	-Inf	3	Horizontal	266	2.73	13.5
6925MHz	Pass	AV	7.1494G	52.13	68.20	-16.07	3	Horizontal	266	2.73	13.5
6925MHz	Pass	PK	6.9202G	112.21	Inf	-Inf	3	Horizontal	266	2.73	13.5
6925MHz	Pass	PK	7.1404G	64.04	88.20	-24.16	3	Horizontal	266	2.73	13.5
6925MHz	Pass	AV	13.85006G	51.30	68.20	-16.90	3	Vertical	339	1.61	-
6925MHz	Pass	PK	13.83032G	62.78	88.20	-25.42	3	Vertical	339	1.61	-
6925MHz	Pass	AV	13.85G	51.39	68.20	-16.81	3	Horizontal	339	1.50	-
6925MHz	Pass	PK	13.8503G	63.44	88.20	-24.76	3	Horizontal	339	1.50	-
7005MHz	Pass	AV	7.0065G	97.88	Inf	-Inf	3	Vertical	321	2.20	15
7005MHz	Pass	AV	7.1445G	52.22	68.20	-15.98	3	Vertical	321	2.20	15
7005MHz	Pass	PK	6.9957G	109.75	Inf	-Inf	3	Vertical	321	2.20	15
7005MHz	Pass	PK	7.1493G	64.21	88.20	-23.99	3	Vertical	321	2.20	15
7005MHz	Pass	AV	7.0116G	100.91	Inf	-Inf	3	Horizontal	270	2.69	15
7005MHz	Pass	AV	7.1418G	52.25	68.20	-15.95	3	Horizontal	270	2.69	15
7005MHz	Pass	PK	7.011G	111.92	Inf	-Inf	3	Horizontal	270	2.69	15
7005MHz	Pass	PK	7.1415G	64.72	88.20	-23.48	3	Horizontal	270	2.69	15
7005MHz	Pass	AV	14.01006G	50.60	68.20	-17.60	3	Vertical	338	1.61	-
7005MHz	Pass	PK	14.00124G	63.08	88.20	-25.12	3	Vertical	338	1.61	-
7005MHz	Pass	AV	14.01006G	50.69	68.20	-17.51	3	Horizontal	326	2.10	-
7005MHz	Pass	PK	14.02698G	62.75	88.20	-25.45	3	Horizontal	326	2.10	-
7085MHz	Pass	AV	7.0841G	97.12	Inf	-Inf	3	Vertical	301	2.97	11
7085MHz	Pass	AV	7.142G	52.07	68.20	-16.13	3	Vertical	301	2.97	11
7085MHz	Pass	PK	7.0952G	107.95	Inf	-Inf	3	Vertical	301	2.97	11
7085MHz	Pass	PK	7.1663G	63.77	88.20	-24.43	3	Vertical	301	2.97	11
7085MHz	Pass	AV	7.0817G	97.45	Inf	-Inf	3	Horizontal	268	2.76	11
7085MHz	Pass	AV	7.1387G	52.13	68.20	-16.07	3	Horizontal	268	2.76	11
7085MHz	Pass	PK	7.0904G	109.05	Inf	-Inf	3	Horizontal	268	2.76	11
7085MHz	Pass	PK	7.169G	63.86	88.20	-24.34	3	Horizontal	268	2.76	11
7085MHz	Pass	AV	14.17G	50.39	68.20	-17.81	3	Vertical	344	1.71	-
7085MHz	Pass	PK	14.1652G	63.28	88.20	-24.92	3	Vertical	344	1.71	-
7085MHz	Pass	AV	14.16994G	50.50	68.20	-17.70	3	Horizontal	323	2.30	-
7085MHz	Pass	PK	14.1586G	62.96	88.20	-25.24	3	Horizontal	323	2.30	-
802.11ax HEW80_Nss1_(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-
5985MHz	Pass	AV	5.9225G	51.73	68.20	-16.47	3	Vertical	15	1.50	12
5985MHz	Pass	AV	5.9825G	97.84	Inf	-Inf	3	Vertical	15	1.50	12
5985MHz	Pass	PK	5.9235G	64.47	88.20	-23.73	3	Vertical	15	1.50	12
5985MHz	Pass	PK	6.013G	109.05	Inf	-Inf	3	Vertical	15	1.50	12
5985MHz	Pass	AV	5.9225G	50.39	68.20	-17.81	3	Horizontal	37	2.77	12
5985MHz	Pass	AV	5.983G	94.15	Inf	-Inf	3	Horizontal	37	2.77	12
5985MHz	Pass	PK	5.922G	65.12	88.20	-23.08	3	Horizontal	37	2.77	12
5985MHz	Pass	PK	5.984G	107.20	Inf	-Inf	3	Horizontal	37	2.77	12
5985MHz	Pass	AV	12.0228G	41.99	54.00	-12.01	3	Vertical	116	1.17	-
5985MHz	Pass	PK	12.00768G	55.22	74.00	-18.78	3	Vertical	116	1.17	-
5985MHz	Pass	AV	11.97G	42.68	54.00	-11.32	3	Horizontal	5	1.34	-
5985MHz	Pass	PK	12.02544G	55.43	74.00	-18.57	3	Horizontal	5	1.34	-



RSE TX above 1GHz\_Non-Beamforming

Appendix E.3

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
6145MHz	Pass	AV	5.917G	48.50	68.20	-19.70	3	Vertical	13	1.74	11
6145MHz	Pass	AV	6.1336G	97.58	Inf	-Inf	3	Vertical	13	1.74	11
6145MHz	Pass	PK	5.8582G	60.35	88.20	-27.85	3	Vertical	13	1.74	11
6145MHz	Pass	PK	6.1636G	109.39	Inf	-Inf	3	Vertical	13	1.74	11
6145MHz	Pass	AV	5.9218G	48.36	68.20	-19.84	3	Horizontal	26	2.86	11
6145MHz	Pass	AV	6.1354G	92.82	Inf	-Inf	3	Horizontal	26	2.86	11
6145MHz	Pass	PK	5.923G	61.01	88.20	-27.19	3	Horizontal	26	2.86	11
6145MHz	Pass	PK	6.1468G	104.80	Inf	-Inf	3	Horizontal	26	2.86	11
6145MHz	Pass	AV	12.33836G	42.58	54.00	-11.42	3	Vertical	281	1.50	-
6145MHz	Pass	PK	12.23492G	56.54	74.00	-17.46	3	Vertical	281	1.50	-
6145MHz	Pass	AV	12.26168G	42.68	54.00	-11.32	3	Horizontal	199	1.50	-
6145MHz	Pass	PK	12.34976G	55.06	74.00	-18.94	3	Horizontal	199	1.50	-
6385MHz	Pass	AV	5.9194G	48.47	68.20	-19.73	3	Vertical	15	1.76	11
6385MHz	Pass	AV	6.3826G	97.40	Inf	-Inf	3	Vertical	15	1.76	11
6385MHz	Pass	PK	5.8858G	59.96	88.20	-28.24	3	Vertical	15	1.76	11
6385MHz	Pass	PK	6.4114G	109.44	Inf	-Inf	3	Vertical	15	1.76	11
6385MHz	Pass	AV	5.905G	48.38	68.20	-19.82	3	Horizontal	42	1.50	11
6385MHz	Pass	AV	6.3838G	91.51	Inf	-Inf	3	Horizontal	42	1.50	11
6385MHz	Pass	PK	5.8738G	60.41	88.20	-27.79	3	Horizontal	42	1.50	11
6385MHz	Pass	PK	6.3646G	102.19	Inf	-Inf	3	Horizontal	42	1.50	11
6385MHz	Pass	AV	12.77G	43.79	68.20	-24.41	3	Vertical	321	1.54	-
6385MHz	Pass	PK	12.81548G	56.11	88.20	-32.09	3	Vertical	321	1.54	-
6385MHz	Pass	AV	12.77G	45.45	68.20	-22.75	3	Horizontal	327	1.39	-
6385MHz	Pass	PK	12.80204G	56.60	88.20	-31.60	3	Horizontal	327	1.39	-
6465MHz	Pass	AV	5.9176G	48.46	68.20	-19.74	3	Vertical	16	1.94	11
6465MHz	Pass	AV	6.4622G	97.15	Inf	-Inf	3	Vertical	16	1.94	11
6465MHz	Pass	AV	7.144G	51.96	68.20	-16.24	3	Vertical	16	1.94	11
6465MHz	Pass	PK	5.8966G	60.62	88.20	-27.58	3	Vertical	16	1.94	11
6465MHz	Pass	PK	6.4426G	108.10	Inf	-Inf	3	Vertical	16	1.94	11
6465MHz	Pass	PK	7.1608G	63.64	88.20	-24.56	3	Vertical	16	1.94	11
6465MHz	Pass	AV	5.863G	48.40	68.20	-19.80	3	Horizontal	43	1.50	11
6465MHz	Pass	AV	6.4622G	91.32	Inf	-Inf	3	Horizontal	43	1.50	11
6465MHz	Pass	AV	7.1496G	52.03	68.20	-16.17	3	Horizontal	43	1.50	11
6465MHz	Pass	PK	5.8238G	60.13	88.20	-28.07	3	Horizontal	43	1.50	11
6465MHz	Pass	PK	6.4636G	102.97	Inf	-Inf	3	Horizontal	43	1.50	11
6465MHz	Pass	PK	7.144G	63.65	88.20	-24.55	3	Horizontal	43	1.50	11
6465MHz	Pass	AV	12.93001G	45.16	68.20	-23.04	3	Vertical	7	1.54	-
6465MHz	Pass	PK	12.9297G	57.25	88.20	-30.95	3	Vertical	7	1.54	-
6465MHz	Pass	AV	12.93003G	46.81	68.20	-21.39	3	Horizontal	333	1.00	-
6465MHz	Pass	PK	12.92937G	58.20	88.20	-30.00	3	Horizontal	333	1.00	-
6545MHz Straddle 6.425-6.525GHz	Pass	AV	5.9206G	48.40	68.20	-19.80	3	Vertical	16	1.97	11
6545MHz Straddle 6.425-6.525GHz	Pass	AV	6.552G	97.49	Inf	-Inf	3	Vertical	16	1.97	11
6545MHz Straddle 6.425-6.525GHz	Pass	AV	7.1484G	51.98	68.20	-16.22	3	Vertical	16	1.97	11
6545MHz Straddle 6.425-6.525GHz	Pass	PK	5.922G	60.68	88.20	-27.52	3	Vertical	16	1.97	11
6545MHz Straddle 6.425-6.525GHz	Pass	PK	6.5408G	109.13	Inf	-Inf	3	Vertical	16	1.97	11
6545MHz Straddle 6.425-6.525GHz	Pass	PK	7.1778G	63.91	88.20	-24.29	3	Vertical	16	1.97	11
6545MHz Straddle 6.425-6.525GHz	Pass	AV	5.9024G	48.38	68.20	-19.82	3	Horizontal	41	1.49	11
6545MHz Straddle 6.425-6.525GHz	Pass	AV	6.5422G	91.09	Inf	-Inf	3	Horizontal	41	1.49	11
6545MHz Straddle 6.425-6.525GHz	Pass	AV	7.147G	51.98	68.20	-16.22	3	Horizontal	41	1.49	11
6545MHz Straddle 6.425-6.525GHz	Pass	PK	5.8562G	60.30	88.20	-27.90	3	Horizontal	41	1.49	11
6545MHz Straddle 6.425-6.525GHz	Pass	PK	6.5408G	102.16	Inf	-Inf	3	Horizontal	41	1.49	11
6545MHz Straddle 6.425-6.525GHz	Pass	PK	7.2268G	63.77	88.20	-24.43	3	Horizontal	41	1.49	11
6545MHz Straddle 6.425-6.525GHz	Pass	AV	13.09004G	45.60	68.20	-22.60	3	Vertical	8	1.49	-
6545MHz Straddle 6.425-6.525GHz	Pass	PK	13.08986G	58.19	88.20	-30.01	3	Vertical	8	1.49	-
6545MHz Straddle 6.425-6.525GHz	Pass	AV	13.08995G	46.75	68.20	-21.45	3	Horizontal	333	1.17	-
6545MHz Straddle 6.425-6.525GHz	Pass	PK	13.08978G	58.56	88.20	-29.64	3	Horizontal	333	1.17	-
6625MHz	Pass	AV	6.6178G	97.59	Inf	-Inf	3	Vertical	305	2.40	16
6625MHz	Pass	AV	7.153G	52.10	68.20	-16.10	3	Vertical	305	2.40	16
6625MHz	Pass	PK	6.6178G	108.17	Inf	-Inf	3	Vertical	305	2.40	16
6625MHz	Pass	PK	7.135G	63.77	88.20	-24.43	3	Vertical	305	2.40	16
6625MHz	Pass	AV	6.6226G	100.77	Inf	-Inf	3	Horizontal	267	2.81	16
6625MHz	Pass	AV	7.1566G	51.97	68.20	-16.23	3	Horizontal	267	2.81	16





RSE TX above 1GHz\_Non-Beamforming

Appendix E.3

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
6625MHz	Pass	PK	6.6118G	112.12	Inf	-Inf	3	Horizontal	267	2.81	16
6625MHz	Pass	PK	7.1974G	63.62	88.20	-24.58	3	Horizontal	267	2.81	16
6625MHz	Pass	AV	13.25001G	45.51	54.00	-8.49	3	Vertical	360	1.50	-
6625MHz	Pass	PK	13.25064G	57.81	74.00	-16.19	3	Vertical	360	1.50	-
6625MHz	Pass	AV	13.24998G	45.70	68.20	-22.50	3	Horizontal	327	1.50	-
6625MHz	Pass	PK	13.24631G	57.42	88.20	-30.78	3	Horizontal	327	1.50	-
6705MHz	Pass	AV	6.707G	97.67	Inf	-Inf	3	Vertical	321	1.03	17.5
6705MHz	Pass	AV	7.149G	51.93	68.20	-16.27	3	Vertical	321	1.03	17.5
6705MHz	Pass	PK	6.698G	109.24	Inf	-Inf	3	Vertical	321	1.03	17.5
6705MHz	Pass	PK	7.189G	63.59	88.20	-24.61	3	Vertical	321	1.03	17.5
6705MHz	Pass	AV	6.701G	98.75	Inf	-Inf	3	Horizontal	301	2.22	17.5
6705MHz	Pass	AV	7.144G	52.05	68.20	-16.15	3	Horizontal	301	2.22	17.5
6705MHz	Pass	PK	6.701G	109.68	Inf	-Inf	3	Horizontal	301	2.22	17.5
6705MHz	Pass	PK	7.18G	64.00	88.20	-24.20	3	Horizontal	301	2.22	17.5
6705MHz	Pass	AV	13.40997G	47.27	68.20	-20.93	3	Vertical	356	1.36	-
6705MHz	Pass	PK	13.41025G	58.11	88.20	-30.09	3	Vertical	356	1.36	-
6705MHz	Pass	AV	13.40997G	45.67	68.20	-22.53	3	Horizontal	336	1.36	-
6705MHz	Pass	PK	13.40989G	57.41	88.20	-30.79	3	Horizontal	336	1.36	-
6785MHz	Pass	AV	6.7878G	98.04	Inf	-Inf	3	Vertical	323	2.13	17.5
6785MHz	Pass	AV	7.135G	51.84	68.20	-16.36	3	Vertical	323	2.13	17.5
6785MHz	Pass	PK	6.7864G	109.14	Inf	-Inf	3	Vertical	323	2.13	17.5
6785MHz	Pass	PK	7.1266G	63.47	88.20	-24.73	3	Vertical	323	2.13	17.5
6785MHz	Pass	AV	6.7794G	99.65	Inf	-Inf	3	Horizontal	298	2.32	17.5
6785MHz	Pass	AV	7.1343G	51.86	68.20	-16.34	3	Horizontal	298	2.32	17.5
6785MHz	Pass	PK	6.7801G	111.67	Inf	-Inf	3	Horizontal	298	2.32	17.5
6785MHz	Pass	PK	7.1336G	63.23	88.20	-24.97	3	Horizontal	298	2.32	17.5
6785MHz	Pass	AV	13.56999G	49.04	68.20	-19.16	3	Vertical	354	1.39	-
6785MHz	Pass	PK	13.56984G	58.54	88.20	-29.66	3	Vertical	354	1.39	-
6785MHz	Pass	AV	13.56993G	48.87	68.20	-19.33	3	Horizontal	340	1.31	-
6785MHz	Pass	PK	13.56998G	58.71	88.20	-29.49	3	Horizontal	340	1.31	-
6865MHz Straddle 6.525-6.875GHz	Pass	AV	6.8566G	97.52	Inf	-Inf	3	Vertical	320	2.17	16.5
6865MHz Straddle 6.525-6.875GHz	Pass	AV	7.1429G	52.00	68.20	-16.20	3	Vertical	320	2.17	16.5
6865MHz Straddle 6.525-6.875GHz	Pass	PK	6.8769G	109.29	Inf	-Inf	3	Vertical	320	2.17	16.5
6865MHz Straddle 6.525-6.875GHz	Pass	PK	7.1555G	63.95	88.20	-24.25	3	Vertical	320	2.17	16.5
6865MHz Straddle 6.525-6.875GHz	Pass	AV	6.858G	99.40	Inf	-Inf	3	Horizontal	295	2.30	16.5
6865MHz Straddle 6.525-6.875GHz	Pass	AV	7.1513G	52.08	68.20	-16.12	3	Horizontal	295	2.30	16.5
6865MHz Straddle 6.525-6.875GHz	Pass	PK	6.858G	110.05	Inf	-Inf	3	Horizontal	295	2.30	16.5
6865MHz Straddle 6.525-6.875GHz	Pass	PK	7.2101G	65.32	88.20	-22.88	3	Horizontal	295	2.30	16.5
6865MHz Straddle 6.525-6.875GHz	Pass	AV	13.72993G	50.45	68.20	-17.75	3	Vertical	354	1.50	-
6865MHz Straddle 6.525-6.875GHz	Pass	PK	13.72998G	62.49	88.20	-25.71	3	Vertical	354	1.50	-
6865MHz Straddle 6.525-6.875GHz	Pass	AV	13.72999G	51.09	68.20	-17.11	3	Horizontal	345	1.33	-
6865MHz Straddle 6.525-6.875GHz	Pass	PK	13.73379G	62.67	88.20	-25.53	3	Horizontal	345	1.33	-
6945MHz	Pass	AV	6.936G	97.96	Inf	-Inf	3	Vertical	318	2.11	16
6945MHz	Pass	AV	7.1478G	52.16	68.20	-16.04	3	Vertical	318	2.11	16
6945MHz	Pass	PK	6.9354G	109.62	Inf	-Inf	3	Vertical	318	2.11	16
6945MHz	Pass	PK	7.1496G	64.60	88.20	-23.60	3	Vertical	318	2.11	16
6945MHz	Pass	AV	6.9408G	100.63	Inf	-Inf	3	Horizontal	266	2.62	16
6945MHz	Pass	AV	7.1298G	52.11	68.20	-16.09	3	Horizontal	266	2.62	16
6945MHz	Pass	PK	6.9402G	112.35	Inf	-Inf	3	Horizontal	266	2.62	16
6945MHz	Pass	PK	7.1982G	63.85	88.20	-24.35	3	Horizontal	266	2.62	16
6945MHz	Pass	AV	13.8899G	50.98	68.20	-17.22	3	Vertical	345	1.50	-
6945MHz	Pass	PK	13.88976G	63.03	88.20	-25.17	3	Vertical	345	1.50	-
6945MHz	Pass	AV	13.89G	51.12	68.20	-17.08	3	Horizontal	343	1.40	-
6945MHz	Pass	PK	13.89002G	62.73	88.20	-25.47	3	Horizontal	343	1.40	-
7025MHz	Pass	AV	6.8871G	97.49	Inf	-Inf	3	Vertical	321	2.20	14
7025MHz	Pass	AV	7.1475G	52.06	68.20	-16.14	3	Vertical	321	2.20	14
7025MHz	Pass	PK	6.8983G	108.76	Inf	-Inf	3	Vertical	321	2.20	14
7025MHz	Pass	PK	7.186G	63.88	88.20	-24.32	3	Vertical	321	2.20	14
7025MHz	Pass	AV	6.8794G	99.27	Inf	-Inf	3	Horizontal	299	2.19	14
7025MHz	Pass	AV	7.1531G	52.07	68.20	-16.13	3	Horizontal	299	2.19	14
7025MHz	Pass	PK	6.8808G	110.87	Inf	-Inf	3	Horizontal	299	2.19	14
7025MHz	Pass	PK	7.1825G	63.88	88.20	-24.32	3	Horizontal	299	2.19	14



RSE TX above 1GHz\_Non-Beamforming

Appendix E.3


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
7025MHz	Pass	AV	14.05003G	50.52	68.20	-17.68	3	Vertical	342	1.50	-
7025MHz	Pass	PK	14.04894G	63.11	88.20	-25.09	3	Vertical	342	1.50	-
7025MHz	Pass	AV	14.04997G	50.72	68.20	-17.48	3	Horizontal	333	1.99	-
7025MHz	Pass	PK	14.04534G	63.32	88.20	-24.88	3	Horizontal	333	1.99	-
802.11ax HEW160_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-
6025MHz	Pass	AV	5.924G	54.73	68.20	-13.47	3	Vertical	15	1.50	14.5
6025MHz	Pass	AV	6.053G	97.83	Inf	-Inf	3	Vertical	15	1.50	14.5
6025MHz	Pass	PK	5.923G	68.77	88.20	-19.43	3	Vertical	15	1.50	14.5
6025MHz	Pass	PK	6.0625G	110.31	Inf	-Inf	3	Vertical	15	1.50	14.5
6025MHz	Pass	AV	5.918G	51.97	68.20	-16.23	3	Horizontal	25	2.85	14.5
6025MHz	Pass	AV	6.056G	92.99	Inf	-Inf	3	Horizontal	25	2.85	14.5
6025MHz	Pass	PK	5.925G	64.83	88.20	-23.37	3	Horizontal	25	2.85	14.5
6025MHz	Pass	PK	6.0765G	105.10	Inf	-Inf	3	Horizontal	25	2.85	14.5
6025MHz	Pass	AV	12.05828G	41.59	54.00	-12.41	3	Vertical	86	2.46	-
6025MHz	Pass	PK	12.04932G	54.62	74.00	-19.38	3	Vertical	86	2.46	-
6025MHz	Pass	AV	12.05G	41.67	54.00	-12.33	3	Horizontal	265	1.50	-
6025MHz	Pass	PK	12.0542G	55.88	74.00	-18.12	3	Horizontal	265	1.50	-
6185MHz	Pass	AV	5.925G	49.04	68.20	-19.16	3	Vertical	11	1.76	14
6185MHz	Pass	AV	6.2138G	97.79	Inf	-Inf	3	Vertical	11	1.76	14
6185MHz	Pass	PK	5.925G	60.94	88.20	-27.26	3	Vertical	11	1.76	14
6185MHz	Pass	PK	6.1738G	109.77	Inf	-Inf	3	Vertical	11	1.76	14
6185MHz	Pass	AV	5.9194G	48.37	68.20	-19.83	3	Horizontal	42	2.06	14
6185MHz	Pass	AV	6.197G	90.45	Inf	-Inf	3	Horizontal	42	2.09	14
6185MHz	Pass	PK	5.8122G	60.00	88.20	-28.20	3	Horizontal	42	2.04	14
6185MHz	Pass	PK	6.1762G	102.15	Inf	-Inf	3	Horizontal	42	2.08	14
6185MHz	Pass	AV	12.38G	42.47	54.00	-11.53	3	Vertical	340	1.50	-
6185MHz	Pass	PK	12.36792G	55.41	74.00	-18.59	3	Vertical	340	1.50	-
6185MHz	Pass	AV	12.3701G	42.81	54.00	-11.19	3	Horizontal	44	1.50	-
6185MHz	Pass	PK	12.36484G	56.22	74.00	-17.78	3	Horizontal	44	1.50	-
6345MHz	Pass	AV	5.9202G	48.38	68.20	-19.82	3	Vertical	15	1.86	14
6345MHz	Pass	AV	6.363G	97.75	Inf	-Inf	3	Vertical	15	1.86	14
6345MHz	Pass	PK	5.8674G	60.58	88.20	-27.62	3	Vertical	15	1.86	14
6345MHz	Pass	PK	6.303G	109.37	Inf	-Inf	3	Vertical	15	1.86	14
6345MHz	Pass	AV	5.907G	48.36	68.20	-19.84	3	Horizontal	43	2.02	14
6345MHz	Pass	AV	6.3258G	91.37	Inf	-Inf	3	Horizontal	43	2.02	14
6345MHz	Pass	PK	5.9238G	60.77	88.20	-27.43	3	Horizontal	43	2.02	14
6345MHz	Pass	PK	6.327G	102.31	Inf	-Inf	3	Horizontal	43	2.02	14
6345MHz	Pass	AV	12.6899G	43.08	54.00	-10.92	3	Vertical	330	1.53	-
6345MHz	Pass	PK	12.69074G	55.96	74.00	-18.04	3	Vertical	330	1.53	-
6345MHz	Pass	AV	12.69G	45.40	54.00	-8.60	3	Horizontal	328	1.12	-
6345MHz	Pass	PK	12.68988G	55.93	74.00	-18.07	3	Horizontal	328	1.12	-
6505MHz Straddle 6.425-6.525GHz	Pass	AV	5.92334G	48.41	68.20	-19.79	3	Vertical	11	2.18	14
6505MHz Straddle 6.425-6.525GHz	Pass	AV	6.53456G	97.86	Inf	-Inf	3	Vertical	11	2.18	14
6505MHz Straddle 6.425-6.525GHz	Pass	PK	5.86966G	61.18	88.20	-27.02	3	Vertical	11	2.18	14
6505MHz Straddle 6.425-6.525GHz	Pass	PK	6.51504G	109.22	Inf	-Inf	3	Vertical	11	2.18	14
6505MHz Straddle 6.425-6.525GHz	Pass	AV	5.92212G	48.39	68.20	-19.81	3	Horizontal	40	1.50	14
6505MHz Straddle 6.425-6.525GHz	Pass	AV	6.49308G	91.02	Inf	-Inf	3	Horizontal	40	1.50	14
6505MHz Straddle 6.425-6.525GHz	Pass	PK	5.89894G	60.48	88.20	-27.72	3	Horizontal	40	1.50	14
6505MHz Straddle 6.425-6.525GHz	Pass	PK	6.4638G	102.77	Inf	-Inf	3	Horizontal	40	1.50	14
6505MHz Straddle 6.425-6.525GHz	Pass	AV	13.0099G	45.21	68.20	-22.99	3	Vertical	8	1.50	-
6505MHz Straddle 6.425-6.525GHz	Pass	PK	13.00662G	57.51	88.20	-30.69	3	Vertical	8	1.50	-
6505MHz Straddle 6.425-6.525GHz	Pass	AV	13.01006G	46.59	68.20	-21.61	3	Horizontal	334	1.25	-
6505MHz Straddle 6.425-6.525GHz	Pass	PK	13.00984G	57.72	88.20	-30.48	3	Horizontal	334	1.25	-
6665MHz	Pass	AV	6.6925G	97.64	Inf	-Inf	3	Vertical	15	2.21	13
6665MHz	Pass	AV	7.1468G	52.04	68.20	-16.16	3	Vertical	15	2.21	13
6665MHz	Pass	PK	6.6936G	108.92	Inf	-Inf	3	Vertical	15	2.21	13
6665MHz	Pass	PK	7.127G	63.96	88.20	-24.24	3	Vertical	15	2.21	13
6665MHz	Pass	AV	6.6474G	92.07	Inf	-Inf	3	Horizontal	48	3.00	13
6665MHz	Pass	AV	7.1512G	52.12	68.20	-16.08	3	Horizontal	48	3.00	13
6665MHz	Pass	PK	6.6859G	103.76	Inf	-Inf	3	Horizontal	48	3.00	13
6665MHz	Pass	PK	7.1479G	64.32	88.20	-23.88	3	Horizontal	48	3.00	13
6665MHz	Pass	AV	13.33002G	46.25	54.00	-7.75	3	Vertical	354	1.50	-



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
6665MHz	Pass	PK	13.33016G	57.32	74.00	-16.68	3	Vertical	354	1.50	-
6665MHz	Pass	AV	13.32994G	45.11	54.00	-8.89	3	Horizontal	17	1.50	-
6665MHz	Pass	PK	13.32928G	57.19	74.00	-16.81	3	Horizontal	17	1.50	-
6825MHz Straddle 6.525-6.875GHz	Pass	AV	6.793G	97.46	Inf	-Inf	3	Vertical	12	2.21	14
6825MHz Straddle 6.525-6.875GHz	Pass	AV	7.1482G	52.08	68.20	-16.12	3	Vertical	12	2.21	14
6825MHz Straddle 6.525-6.875GHz	Pass	PK	6.8442G	110.39	Inf	-Inf	3	Vertical	12	2.21	14
6825MHz Straddle 6.525-6.875GHz	Pass	PK	7.1546G	64.42	88.20	-23.78	3	Vertical	12	2.21	14
6825MHz Straddle 6.525-6.875GHz	Pass	AV	6.7962G	91.99	Inf	-Inf	3	Horizontal	50	2.98	14
6825MHz Straddle 6.525-6.875GHz	Pass	AV	7.1506G	52.13	68.20	-16.07	3	Horizontal	50	2.98	14
6825MHz Straddle 6.525-6.875GHz	Pass	PK	6.8562G	102.46	Inf	-Inf	3	Horizontal	50	2.98	14
6825MHz Straddle 6.525-6.875GHz	Pass	PK	7.1434G	63.78	88.20	-24.42	3	Horizontal	50	2.98	14
6825MHz Straddle 6.525-6.875GHz	Pass	AV	13.65G	50.41	68.20	-17.79	3	Vertical	360	1.74	-
6825MHz Straddle 6.525-6.875GHz	Pass	PK	13.65638G	61.78	88.20	-26.42	3	Vertical	360	1.74	-
6825MHz Straddle 6.525-6.875GHz	Pass	AV	13.65G	50.99	68.20	-17.21	3	Horizontal	340	1.22	-
6825MHz Straddle 6.525-6.875GHz	Pass	PK	13.64984G	61.73	88.20	-26.47	3	Horizontal	340	1.22	-
6985MHz	Pass	AV	6.947G	96.40	Inf	-Inf	3	Vertical	55	3.00	-
6985MHz	Pass	AV	7.126G	65.30	68.20	-2.90	3	Vertical	55	3.00	-
6985MHz	Pass	PK	6.9775G	107.44	Inf	-Inf	3	Vertical	55	3.00	-
6985MHz	Pass	PK	7.126G	76.43	88.20	-11.77	3	Vertical	55	3.00	-
6985MHz	Pass	AV	6.9465G	96.28	Inf	-Inf	3	Horizontal	56	3.00	-
6985MHz	Pass	AV	7.1265G	65.46	68.20	-2.74	3	Horizontal	56	3.00	-
6985MHz	Pass	PK	6.949G	105.53	Inf	-Inf	3	Horizontal	56	3.00	-
6985MHz	Pass	PK	7.125G	74.77	88.20	-13.43	3	Horizontal	56	3.00	-
6985MHz	Pass	AV	13.96996G	50.39	68.20	-17.81	3	Vertical	350	1.50	-
6985MHz	Pass	PK	13.97312G	62.96	88.20	-25.24	3	Vertical	350	1.50	-
6985MHz	Pass	AV	13.97006G	50.80	68.20	-17.40	3	Horizontal	334	1.54	-
6985MHz	Pass	PK	13.97226G	63.22	88.20	-24.98	3	Horizontal	334	1.54	-

802.11ax HEW20\_Nss1,(MCS0)\_2TX


5935MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9245G	67.73	68.20	-0.47	10.25	3	Vertical	25	1.57	BP 1MHz	57.48	34.20	10.27	34.22
AV	5.94293G	87.80	Inf	-Inf	10.34	3	Vertical	25	1.57	-	77.46	34.27	10.29	34.22
PK	5.9245G	79.02	88.20	-9.18	10.25	3	Vertical	25	1.57	BP 1MHz	68.77	34.20	10.27	34.22
PK	5.93375G	96.46	Inf	-Inf	10.29	3	Vertical	25	1.57	-	86.17	34.23	10.28	34.22


802.11ax HEW20\_Nss1,(MCS0)\_2TX

5935MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9245G	67.10	68.20	-1.10	10.25	3	Horizontal	46	2.94	BP 1MHz	56.85	34.20	10.27	34.22
AV	5.94434G	85.97	Inf	-Inf	10.35	3	Horizontal	46	2.94	-	75.62	34.28	10.29	34.22
PK	5.9245G	78.76	88.20	-9.44	10.25	3	Horizontal	46	2.94	BP 1MHz	68.51	34.20	10.27	34.22
PK	5.94G	95.52	Inf	-Inf	10.33	3	Horizontal	46	2.94	-	85.19	34.26	10.29	34.22

**802.11ax HEW20\_Nss1,(MCS0)\_2TX**  
**5935MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.86508G	43.09	54.00	-10.91	17.57	3	Vertical	249	1.50	-	25.52	38.57	13.26	34.26
PK	11.86674G	56.16	74.00	-17.84	17.57	3	Vertical	249	1.50	-	38.59	38.57	13.26	34.26


**802.11ax HEW20\_Nss1,(MCS0)\_2TX**  
**5935MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.86988G	44.21	54.00	-9.79	17.57	3	Horizontal	10	1.00	-	26.64	38.57	13.26	34.26
PK	11.86336G	55.39	74.00	-18.61	17.56	3	Horizontal	10	1.00	-	37.83	38.56	13.26	34.26

802.11ax HEW20\_Nss1,(MCS0)\_2TX


5955MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9133G	48.47	68.20	-19.73	10.20	3	Vertical	14	1.56	6	38.27	34.15	10.26	34.21
AV	5.9631G	97.45	Inf	-Inf	10.30	3	Vertical	14	1.56	6	87.15	34.22	10.30	34.22
PK	5.8509G	60.51	88.20	-27.69	10.11	3	Vertical	14	1.56	6	50.40	34.10	10.22	34.21
PK	5.9625G	109.32	Inf	-Inf	10.30	3	Vertical	14	1.56	6	99.02	34.22	10.30	34.22


802.11ax HEW20\_Nss1,(MCS0)\_2TX

5955MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9235G	48.35	68.20	-19.85	10.24	3	Horizontal	37	2.77	6	38.11	34.19	10.27	34.22
AV	5.9634G	93.74	Inf	-Inf	10.30	3	Horizontal	37	2.77	6	83.44	34.22	10.30	34.22
PK	5.853G	60.93	88.20	-27.27	10.11	3	Horizontal	37	2.77	6	50.82	34.10	10.22	34.21
PK	5.9628G	104.62	Inf	-Inf	10.30	3	Horizontal	37	2.77	6	94.32	34.22	10.30	34.22

**802.11ax HEW20\_Nss1,(MCS0)\_2TX**  
**5955MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.91621G	41.68	54.00	-12.32	17.63	3	Vertical	160	1.50	-	24.05	38.63	13.28	34.28
PK	11.90082G	54.74	74.00	-19.26	17.59	3	Vertical	160	1.50	-	37.15	38.60	13.27	34.28


**802.11ax HEW20\_Nss1,(MCS0)\_2TX**  
**5955MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.90994G	42.76	54.00	-11.24	17.61	3	Horizontal	61	1.24	-	25.15	38.62	13.27	34.28
PK	11.90055G	54.80	74.00	-19.20	17.59	3	Horizontal	61	1.24	-	37.21	38.60	13.27	34.28

802.11ax HEW20\_Nss1,(MCS0)\_2TX


6175MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9164G	48.37	68.20	-19.83	10.23	3	Vertical	5	1.84	5.5	38.14	34.17	10.27	34.21
AV	6.166G	97.31	Inf	-Inf	10.37	3	Vertical	5	1.84	5.5	86.94	34.10	10.50	34.23
PK	5.914G	60.17	88.20	-28.03	10.22	3	Vertical	5	1.84	5.5	49.95	34.16	10.27	34.21
PK	6.1744G	107.51	Inf	-Inf	10.37	3	Vertical	5	1.84	5.5	97.14	34.10	10.50	34.23

802.11ax HEW20\_Nss1,(MCS0)\_2TX


6175MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9248G	48.31	68.20	-19.89	10.25	3	Horizontal	23	2.93	5.5	38.06	34.20	10.27	34.22
AV	6.1666G	92.74	Inf	-Inf	10.37	3	Horizontal	23	2.93	5.5	82.37	34.10	10.50	34.23
PK	5.9152G	59.88	88.20	-28.32	10.22	3	Horizontal	23	2.93	5.5	49.66	34.16	10.27	34.21
PK	6.1672G	102.89	Inf	-Inf	10.37	3	Horizontal	23	2.93	5.5	92.52	34.10	10.50	34.23




**802.11ax HEW20\_Nss1,(MCS0)\_2TX**  
**6175MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.35246G	42.81	54.00	-11.19	18.23	3	Vertical	286	1.57	-	24.58	38.85	13.53	34.15
PK	12.34124G	55.88	74.00	-18.12	18.20	3	Vertical	286	1.57	-	37.68	38.84	13.52	34.16


**802.11ax HEW20\_Nss1,(MCS0)\_2TX**  
**6175MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.34994G	43.27	54.00	-10.73	18.22	3	Horizontal	42	1.50	-	25.05	38.85	13.53	34.16
PK	12.34439G	56.22	74.00	-17.78	18.20	3	Horizontal	42	1.50	-	38.02	38.84	13.52	34.16

802.11ax HEW20\_Nss1,(MCS0)\_2TX


6415MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9122G	48.29	68.20	-19.91	10.20	3	Vertical	14	2.09	6	38.09	34.15	10.26	34.21
AV	6.4234G	97.73	Inf	-Inf	11.20	3	Vertical	14	2.09	6	86.53	34.79	10.66	34.25
PK	5.8882G	59.96	88.20	-28.24	10.14	3	Vertical	14	2.09	6	49.82	34.10	10.25	34.21
PK	6.4126G	108.83	Inf	-Inf	11.15	3	Vertical	14	2.09	6	97.68	34.75	10.65	34.25


802.11ax HEW20\_Nss1,(MCS0)\_2TX

6415MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9242G	48.37	68.20	-19.83	10.25	3	Horizontal	41	1.57	6	38.12	34.20	10.27	34.22
AV	6.4234G	92.69	Inf	-Inf	11.20	3	Horizontal	41	1.57	6	81.49	34.79	10.66	34.25
PK	5.8414G	60.27	88.20	-27.93	10.05	3	Horizontal	41	1.57	6	50.22	34.05	10.21	34.21
PK	6.421G	102.85	Inf	-Inf	11.18	3	Horizontal	41	1.57	6	91.67	34.78	10.65	34.25

802.11ax HEW20\_Nss1,(MCS0)\_2TX  
6415MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.83006G	44.35	68.20	-23.85	19.96	3	Vertical	323	1.50	-	24.39	39.60	13.82	33.46
PK	12.83822G	56.79	88.20	-31.41	19.99	3	Vertical	323	1.50	-	36.80	39.60	13.83	33.44


802.11ax HEW20\_Nss1,(MCS0)\_2TX  
6415MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.83003G	45.65	68.20	-22.55	19.96	3	Horizontal	333	1.17	-	25.69	39.60	13.82	33.46
PK	12.845G	57.53	88.20	-30.67	20.00	3	Horizontal	333	1.17	-	37.53	39.60	13.83	33.43

802.11ax HEW20\_Nss1,(MCS0)\_2TX


6435MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.919G	48.18	68.20	-20.02	10.23	3	Vertical	14	2.41	6.5	37.95	34.18	10.27	34.22
AV	6.4434G	97.52	Inf	-Inf	11.28	3	Vertical	14	2.41	6.5	86.24	34.87	10.67	34.26
PK	5.8482G	59.78	88.20	-28.42	10.10	3	Vertical	14	2.41	6.5	49.68	34.09	10.22	34.21
PK	6.441G	108.60	Inf	-Inf	11.27	3	Vertical	14	2.41	6.5	97.33	34.86	10.67	34.26


802.11ax HEW20\_Nss1,(MCS0)\_2TX

6435MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9238G	48.22	68.20	-19.98	10.25	3	Horizontal	39	1.69	6.5	37.97	34.20	10.27	34.22
AV	6.4422G	91.90	Inf	-Inf	11.28	3	Horizontal	39	1.69	6.5	80.62	34.87	10.67	34.26
PK	5.9058G	59.84	88.20	-28.36	10.17	3	Horizontal	39	1.69	6.5	49.67	34.12	10.26	34.21
PK	6.441G	103.30	Inf	-Inf	11.27	3	Horizontal	39	1.69	6.5	92.03	34.86	10.67	34.26

**802.11ax HEW20\_Nss1,(MCS0)\_2TX**  
**6435MHz\_TX**




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.87006G	44.21	68.20	-23.99	20.07	3	Vertical	326	1.44	-	24.14	39.60	13.85	33.38
PK	12.86301G	56.33	88.20	-31.87	20.04	3	Vertical	326	1.44	-	36.29	39.60	13.84	33.40

**802.11ax HEW20\_Nss1,(MCS0)\_2TX**  
**6435MHz\_TX**




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.86997G	46.33	68.20	-21.87	20.07	3	Horizontal	325	1.12	-	26.26	39.60	13.85	33.38
PK	12.86991G	56.82	88.20	-31.38	20.06	3	Horizontal	325	1.12	-	36.76	39.60	13.84	33.38

**802.11ax HEW20\_Nss1,(MCS0)\_2TX  
6475MHz\_TX**




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.901G	48.24	68.20	-19.96	10.15	3	Vertical	13	2.66	6	38.09	34.10	10.26	34.21
AV	6.4834G	97.30	Inf	-Inf	11.53	3	Vertical	13	2.66	6	85.77	35.10	10.69	34.26
AV	7.1512G	51.94	68.20	-16.26	13.35	3	Vertical	13	2.66	6	38.59	36.60	11.26	34.51
PK	5.9206G	60.32	88.20	-27.88	10.23	3	Vertical	13	2.66	6	50.09	34.18	10.27	34.22
PK	6.4834G	109.85	Inf	-Inf	11.53	3	Vertical	13	2.66	6	98.32	35.10	10.69	34.26
PK	7.1456G	63.77	88.20	-24.43	13.29	3	Vertical	13	2.66	6	50.48	36.56	11.25	34.52

**802.11ax HEW20\_Nss1,(MCS0)\_2TX  
6475MHz\_TX**




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9192G	48.24	68.20	-19.96	10.23	3	Horizontal	39	1.98	6	38.01	34.18	10.27	34.22
AV	6.482G	91.54	Inf	-Inf	11.52	3	Horizontal	39	1.98	6	80.02	35.09	10.69	34.26
AV	7.147G	51.82	68.20	-16.38	13.31	3	Horizontal	39	1.98	6	38.51	36.58	11.25	34.52
PK	5.915G	60.23	88.20	-27.97	10.22	3	Horizontal	39	1.98	6	50.01	34.16	10.27	34.21
PK	6.4834G	101.48	Inf	-Inf	11.53	3	Horizontal	39	1.98	6	89.95	35.10	10.69	34.26
PK	7.1596G	63.90	88.20	-24.30	13.34	3	Horizontal	39	1.98	6	50.56	36.58	11.27	34.51

**802.11ax HEW20\_Nss1,(MCS0)\_2TX  
6475MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.94994G	44.69	68.20	-23.51	20.36	3	Vertical	322	1.46	-	24.33	39.70	13.89	33.23
PK	12.95318G	56.97	88.20	-31.23	20.38	3	Vertical	322	1.46	-	36.59	39.71	13.90	33.23


**802.11ax HEW20\_Nss1,(MCS0)\_2TX  
6475MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.94994G	46.36	68.20	-21.84	20.36	3	Horizontal	330	1.27	-	26.00	39.70	13.89	33.23
PK	12.95003G	57.18	88.20	-31.02	20.36	3	Horizontal	330	1.27	-	36.82	39.70	13.89	33.23

802.11ax HEW20\_Nss1,(MCS0)\_2TX


6515MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.92G	48.22	68.20	-19.98	10.23	3	Vertical	5	2.74	6.5	37.99	34.18	10.27	34.22
AV	6.5066G	96.50	Inf	-Inf	11.66	3	Vertical	5	2.74	6.5	84.84	35.21	10.71	34.26
AV	7.1422G	51.79	68.20	-16.41	13.27	3	Vertical	5	2.74	6.5	38.52	36.54	11.25	34.52
PK	5.9074G	60.18	88.20	-28.02	10.18	3	Vertical	5	2.74	6.5	50.00	34.13	10.26	34.21
PK	6.5066G	107.62	Inf	-Inf	11.66	3	Vertical	5	2.74	6.5	95.96	35.21	10.71	34.26
PK	7.1394G	63.49	88.20	-24.71	13.25	3	Vertical	5	2.74	6.5	50.24	36.52	11.25	34.52

802.11ax HEW20\_Nss1,(MCS0)\_2TX


6515MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9144G	48.26	68.20	-19.94	10.22	3	Horizontal	39	1.92	6.5	38.04	34.16	10.27	34.21
AV	6.522G	91.72	Inf	-Inf	11.69	3	Horizontal	39	1.92	6.5	80.03	35.24	10.72	34.27
AV	7.1478G	51.83	68.20	-16.37	13.32	3	Horizontal	39	1.92	6.5	38.51	36.58	11.26	34.52
PK	5.8304G	59.80	88.20	-28.40	9.97	3	Horizontal	39	1.92	6.5	49.83	33.98	10.20	34.21
PK	6.5248G	101.60	Inf	-Inf	11.70	3	Horizontal	39	1.92	6.5	89.90	35.25	10.72	34.27
PK	7.1296G	63.11	88.20	-25.09	13.16	3	Horizontal	39	1.92	6.5	49.95	36.44	11.24	34.52




**802.11ax HEW20\_Nss1,(MCS0)\_2TX**  
**6515MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.03003G	45.45	68.20	-22.75	20.62	3	Vertical	0	1.76	-	24.83	39.77	13.94	33.09
PK	13.02268G	57.44	88.20	-30.76	20.62	3	Vertical	0	1.76	-	36.82	39.78	13.94	33.10


**802.11ax HEW20\_Nss1,(MCS0)\_2TX**  
**6515MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.02997G	46.53	68.20	-21.67	20.62	3	Horizontal	328	1.45	-	25.91	39.77	13.94	33.09
PK	13.03051G	57.54	88.20	-30.66	20.62	3	Horizontal	328	1.45	-	36.92	39.77	13.94	33.09

802.11ax HEW20\_Nss1,(MCS0)\_2TX


6535MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.891G	47.76	68.20	-20.44	10.14	3	Vertical	16	2.23	7.5	37.62	34.10	10.25	34.21
AV	6.5434G	97.39	Inf	-Inf	11.74	3	Vertical	16	2.23	7.5	85.65	35.29	10.73	34.28
AV	7.151G	51.48	68.20	-16.72	13.35	3	Vertical	16	2.23	7.5	38.13	36.60	11.26	34.51
PK	5.9204G	59.40	88.20	-28.80	10.23	3	Vertical	16	2.23	7.5	49.17	34.18	10.27	34.22
PK	6.5336G	107.74	Inf	-Inf	11.72	3	Vertical	16	2.23	7.5	96.02	35.27	10.73	34.28
PK	7.1412G	63.05	88.20	-25.15	13.26	3	Vertical	16	2.23	7.5	49.79	36.53	11.25	34.52


802.11ax HEW20\_Nss1,(MCS0)\_2TX

6535MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8644G	48.00	68.20	-20.20	10.12	3	Horizontal	47	2.62	7.5	37.88	34.10	10.23	34.21
AV	6.5266G	91.98	Inf	-Inf	11.70	3	Horizontal	47	2.62	7.5	80.28	35.25	10.72	34.27
AV	7.1482G	51.65	68.20	-16.55	13.33	3	Horizontal	47	2.62	7.5	38.32	36.59	11.26	34.52
PK	5.8868G	60.15	88.20	-28.05	10.14	3	Horizontal	47	2.62	7.5	50.01	34.10	10.25	34.21
PK	6.5266G	103.36	Inf	-Inf	11.70	3	Horizontal	47	2.62	7.5	91.66	35.25	10.72	34.27
PK	7.1454G	63.68	88.20	-24.52	13.29	3	Horizontal	47	2.62	7.5	50.39	36.56	11.25	34.52

**802.11ax HEW20\_Nss1,(MCS0)\_2TX**  
**6535MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.06994G	45.26	68.20	-22.94	20.67	3	Vertical	360	1.77	-	24.59	39.73	13.97	33.03
PK	13.0568G	57.48	88.20	-30.72	20.65	3	Vertical	360	1.77	-	36.83	39.74	13.96	33.05


**802.11ax HEW20\_Nss1,(MCS0)\_2TX**  
**6535MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.07009G	46.27	68.20	-21.93	20.67	3	Horizontal	330	1.18	-	25.60	39.73	13.97	33.03
PK	13.05665G	56.91	88.20	-31.29	20.65	3	Horizontal	330	1.18	-	36.26	39.74	13.96	33.05

802.11ax HEW20\_Nss1,(MCS0)\_2TX


6695MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.687G	97.41	Inf	-Inf	12.34	3	Vertical	4	2.78	8	85.07	35.85	10.85	34.36
AV	7.16G	52.00	68.20	-16.20	13.34	3	Vertical	4	2.78	8	38.66	36.58	11.27	34.51
PK	6.688G	108.59	Inf	-Inf	12.34	3	Vertical	4	2.78	8	96.25	35.85	10.85	34.36
PK	7.131G	63.75	88.20	-24.45	13.17	3	Vertical	4	2.78	8	50.58	36.45	11.24	34.52


802.11ax HEW20\_Nss1,(MCS0)\_2TX

6695MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.703G	94.89	Inf	-Inf	12.39	3	Horizontal	0	2.78	8	82.50	35.89	10.87	34.37
AV	7.152G	52.12	68.20	-16.08	13.35	3	Horizontal	0	2.78	8	38.77	36.60	11.26	34.51
PK	6.703G	107.30	Inf	-Inf	12.39	3	Horizontal	0	2.78	8	94.91	35.89	10.87	34.37
PK	7.152G	64.89	88.20	-23.31	13.35	3	Horizontal	0	2.78	8	51.54	36.60	11.26	34.51

802.11ax HEW20\_Nss1,(MCS0)\_2TX  
6695MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.39006G	47.57	54.00	-6.43	21.73	3	Vertical	349	1.63	-	25.84	40.07	14.16	32.50
PK	13.38994G	58.56	74.00	-15.44	21.73	3	Vertical	349	1.63	-	36.83	40.07	14.16	32.50


802.11ax HEW20\_Nss1,(MCS0)\_2TX  
6695MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.38997G	45.76	54.00	-8.24	21.73	3	Horizontal	45	1.50	-	24.03	40.07	14.16	32.50
PK	13.39567G	57.39	74.00	-16.61	21.77	3	Horizontal	45	1.50	-	35.62	40.09	14.17	32.49

802.11ax HEW20\_Nss1,(MCS0)\_2TX


6855MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.848G	97.79	Inf	-Inf	12.26	3	Vertical	27	2.06	6	85.53	35.71	11.00	34.45
AV	7.1476G	52.04	68.20	-16.16	13.32	3	Vertical	27	2.06	6	38.72	36.58	11.26	34.52
PK	6.8578G	108.91	Inf	-Inf	12.26	3	Vertical	27	2.06	6	96.65	35.70	11.01	34.45
PK	7.198G	63.91	88.20	-24.29	13.29	3	Vertical	27	2.06	6	50.62	36.50	11.30	34.51


802.11ax HEW20\_Nss1,(MCS0)\_2TX

6855MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.8466G	93.14	Inf	-Inf	12.26	3	Horizontal	46	2.95	6	80.88	35.71	11.00	34.45
AV	7.1385G	52.10	68.20	-16.10	13.24	3	Horizontal	46	2.95	6	38.86	36.51	11.25	34.52
PK	6.8466G	104.65	Inf	-Inf	12.26	3	Horizontal	46	2.95	6	92.39	35.71	11.00	34.45
PK	7.1476G	64.11	88.20	-24.09	13.32	3	Horizontal	46	2.95	6	50.79	36.58	11.26	34.52

**802.11ax HEW20\_Nss1,(MCS0)\_2TX**  
**6855MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.71G	50.59	68.20	-17.61	21.65	3	Vertical	344	1.65	-	28.94	39.70	14.36	32.41
PK	13.70973G	61.85	88.20	-26.35	21.65	3	Vertical	344	1.65	-	40.20	39.70	14.36	32.41


**802.11ax HEW20\_Nss1,(MCS0)\_2TX**  
**6855MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.71G	50.88	68.20	-17.32	21.65	3	Horizontal	333	1.50	-	29.23	39.70	14.36	32.41
PK	13.71582G	62.50	88.20	-25.70	21.66	3	Horizontal	333	1.50	-	40.84	39.70	14.37	32.41

802.11ax HEW20\_Nss1,(MCS0)\_2TX


6875MHz Straddle 6.525-6.875GHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.8825G	97.45	Inf	-Inf	12.26	3	Vertical	16	2.26	5.5	85.19	35.70	11.03	34.47
AV	7.15225G	52.06	68.20	-16.14	13.35	3	Vertical	16	2.26	5.5	38.71	36.60	11.26	34.51
PK	6.8721G	108.30	Inf	-Inf	12.26	3	Vertical	16	2.26	5.5	96.04	35.70	11.02	34.46
PK	7.1425G	64.55	88.20	-23.65	13.27	3	Vertical	16	2.26	5.5	51.28	36.54	11.25	34.52

802.11ax HEW20\_Nss1,(MCS0)\_2TX


6875MHz Straddle 6.525-6.875GHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.86755G	92.39	Inf	-Inf	12.26	3	Horizontal	46	3.00	5.5	80.13	35.70	11.02	34.46
AV	7.14965G	52.04	68.20	-16.16	13.34	3	Horizontal	46	3.00	5.5	38.70	36.60	11.26	34.52
PK	6.8669G	103.89	Inf	-Inf	12.26	3	Horizontal	46	3.00	5.5	91.63	35.70	11.02	34.46
PK	7.15225G	63.50	88.20	-24.70	13.35	3	Horizontal	46	3.00	5.5	50.15	36.60	11.26	34.51




**802.11ax HEW20\_Nss1,(MCS0)\_2TX**  
**6875MHz Straddle 6.525-6.875GHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.74994G	51.07	68.20	-17.13	21.66	3	Vertical	348	1.50	-	29.41	39.70	14.39	32.43
PK	13.75021G	62.56	88.20	-25.64	21.66	3	Vertical	348	1.50	-	40.90	39.70	14.39	32.43


**802.11ax HEW20\_Nss1,(MCS0)\_2TX**  
**6875MHz Straddle 6.525-6.875GHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.75G	51.69	68.20	-16.51	21.66	3	Horizontal	337	1.57	-	30.03	39.70	14.39	32.43
PK	13.75015G	62.35	88.20	-25.85	21.66	3	Horizontal	337	1.57	-	40.69	39.70	14.39	32.43

802.11ax HEW20\_Nss1,(MCS0)\_2TX


6895MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.8866G	97.20	Inf	-Inf	12.26	3	Vertical	322	2.17	10	84.94	35.70	11.03	34.47
AV	7.1386G	52.00	68.20	-16.20	13.24	3	Vertical	322	2.17	10	38.76	36.51	11.25	34.52
PK	6.8873G	108.09	Inf	-Inf	12.26	3	Vertical	322	2.17	10	95.83	35.70	11.03	34.47
PK	7.224G	64.64	88.20	-23.56	13.39	3	Vertical	322	2.17	10	51.25	36.60	11.30	34.51


802.11ax HEW20\_Nss1,(MCS0)\_2TX

6895MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.8866G	97.85	Inf	-Inf	12.26	3	Horizontal	293	2.30	10	85.59	35.70	11.03	34.47
AV	7.1449G	52.08	68.20	-16.12	13.29	3	Horizontal	293	2.30	10	38.79	36.56	11.25	34.52
PK	6.8978G	110.43	Inf	-Inf	12.27	3	Horizontal	293	2.30	10	98.16	35.70	11.04	34.47
PK	7.1848G	64.49	88.20	-23.71	13.31	3	Horizontal	293	2.30	10	51.18	36.53	11.29	34.51

**802.11ax HEW20\_Nss1,(MCS0)\_2TX  
6895MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.78997G	51.22	68.20	-16.98	21.66	3	Vertical	350	1.80	-	29.56	39.70	14.41	32.45
PK	13.79534G	62.51	88.20	-25.69	21.66	3	Vertical	350	1.80	-	40.85	39.70	14.41	32.45


**802.11ax HEW20\_Nss1,(MCS0)\_2TX  
6895MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.79006G	51.39	68.20	-16.81	21.66	3	Horizontal	336	1.50	-	29.73	39.70	14.41	32.45
PK	13.78847G	62.56	88.20	-25.64	21.66	3	Horizontal	336	1.50	-	40.90	39.70	14.41	32.45

802.11ax HEW20\_Nss1,(MCS0)\_2TX


6995MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.986G	97.19	Inf	-Inf	12.30	3	Vertical	318	2.08	11	84.89	35.70	11.12	34.52
AV	7.148G	52.13	68.20	-16.07	13.32	3	Vertical	318	2.08	11	38.81	36.58	11.26	34.52
PK	6.986G	107.42	Inf	-Inf	12.30	3	Vertical	318	2.08	11	95.12	35.70	11.12	34.52
PK	7.236G	64.76	88.20	-23.44	13.44	3	Vertical	318	2.08	11	51.32	36.64	11.31	34.51


802.11ax HEW20\_Nss1,(MCS0)\_2TX

6995MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.988G	100.01	Inf	-Inf	12.30	3	Horizontal	240	3.00	11	87.71	35.70	11.12	34.52
AV	7.1495G	52.15	68.20	-16.05	13.34	3	Horizontal	240	3.00	11	38.81	36.60	11.26	34.52
PK	6.988G	111.28	Inf	-Inf	12.30	3	Horizontal	240	3.00	11	98.98	35.70	11.12	34.52
PK	7.168G	64.83	88.20	-23.37	13.32	3	Horizontal	240	3.00	11	51.51	36.56	11.27	34.51

802.11ax HEW20\_Nss1,(MCS0)\_2TX  
6995MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.99G	50.86	68.20	-17.34	21.78	3	Vertical	341	1.59	-	29.08	39.79	14.53	32.54
PK	13.99018G	62.98	88.20	-25.22	21.78	3	Vertical	341	1.59	-	41.20	39.79	14.53	32.54


802.11ax HEW20\_Nss1,(MCS0)\_2TX  
6995MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.99006G	50.67	68.20	-17.53	21.78	3	Horizontal	336	1.53	-	28.89	39.79	14.53	32.54
PK	13.98664G	62.94	88.20	-25.26	21.79	3	Horizontal	336	1.53	-	41.15	39.79	14.53	32.53

802.11ax HEW20\_Nss1,(MCS0)\_2TX


7095MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.1037G	97.79	Inf	-Inf	12.93	3	Vertical	299	2.96	9.5	84.86	36.23	11.22	34.52
AV	7.1409G	52.07	68.20	-16.13	13.26	3	Vertical	299	2.96	9.5	38.81	36.53	11.25	34.52
PK	7.1034G	108.86	Inf	-Inf	12.93	3	Vertical	299	2.96	9.5	95.93	36.23	11.22	34.52
PK	7.1784G	64.72	88.20	-23.48	13.31	3	Vertical	299	2.96	9.5	51.41	36.54	11.28	34.51


802.11ax HEW20\_Nss1,(MCS0)\_2TX

7095MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.0875G	98.34	Inf	-Inf	12.83	3	Horizontal	240	2.89	9.5	85.51	36.15	11.20	34.52
AV	7.1574G	52.04	68.20	-16.16	13.34	3	Horizontal	240	2.89	9.5	38.70	36.59	11.26	34.51
PK	7.0989G	110.34	Inf	-Inf	12.89	3	Horizontal	240	2.89	9.5	97.45	36.20	11.21	34.52
PK	7.2057G	64.17	88.20	-24.03	13.31	3	Horizontal	240	2.89	9.5	50.86	36.52	11.30	34.51

**802.11ax HEW20\_Nss1,(MCS0)\_2TX**  
**7095MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.19003G	50.24	68.20	-17.96	22.00	3	Vertical	338	1.86	-	28.24	40.10	14.68	32.78
PK	14.1819G	62.47	88.20	-25.73	22.00	3	Vertical	338	1.86	-	40.47	40.10	14.67	32.77


**802.11ax HEW20\_Nss1,(MCS0)\_2TX**  
**7095MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.19009G	50.18	68.20	-18.02	22.00	3	Horizontal	315	2.35	-	28.18	40.10	14.68	32.78
PK	14.18235G	62.83	88.20	-25.37	22.00	3	Horizontal	315	2.35	-	40.83	40.10	14.67	32.77

802.11ax HEW20\_Nss1,(MCS0)\_2TX


7115MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.12009G	89.44	Inf	-Inf	13.07	3	Vertical	1	1.76	-	76.37	36.36	11.23	34.52
AV	7.1255G	65.14	68.20	-3.06	13.12	3	Vertical	1	1.76	BP 1MHz	52.02	36.40	11.24	34.52
PK	7.12248G	100.08	Inf	-Inf	13.09	3	Vertical	1	1.76	-	86.99	36.38	11.23	34.52
PK	7.1255G	77.20	88.20	-11.00	13.12	3	Vertical	1	1.76	BP 1MHz	64.08	36.40	11.24	34.52

802.11ax HEW20\_Nss1,(MCS0)\_2TX


7115MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.10643G	86.49	Inf	-Inf	12.95	3	Horizontal	57	3.00	-	73.54	36.25	11.22	34.52
AV	7.1255G	67.45	68.20	-0.75	13.12	3	Horizontal	57	3.00	BP 1MHz	54.33	36.40	11.24	34.52
PK	7.11002G	95.72	Inf	-Inf	12.98	3	Horizontal	57	3.00	-	82.74	36.28	11.22	34.52
PK	7.1255G	78.41	88.20	-9.79	13.12	3	Horizontal	57	3.00	BP 1MHz	65.29	36.40	11.24	34.52




802.11ax HEW20\_Nss1,(MCS0)\_2TX  
7115MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.22999G	47.89	68.20	-20.31	21.95	3	Vertical	349	1.58	-	25.94	40.07	14.71	32.83
PK	14.23984G	59.25	88.20	-28.95	21.94	3	Vertical	349	1.58	-	37.31	40.06	14.72	32.84


802.11ax HEW20\_Nss1,(MCS0)\_2TX  
7115MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.22998G	48.41	68.20	-19.79	21.95	3	Horizontal	325	1.50	-	26.46	40.07	14.71	32.83
PK	14.23476G	59.27	88.20	-28.93	21.94	3	Horizontal	325	1.50	-	37.33	40.07	14.71	32.84

802.11ax HEW40\_Nss1,(MCS0)\_2TX


5965MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9197G	48.48	68.20	-19.72	10.23	3	Vertical	29	1.50	9	38.25	34.18	10.27	34.22
AV	5.9689G	97.52	Inf	-Inf	10.28	3	Vertical	29	1.50	9	87.24	34.19	10.31	34.22
PK	5.9215G	60.66	88.20	-27.54	10.24	3	Vertical	29	1.50	9	50.42	34.19	10.27	34.22
PK	5.9794G	109.42	Inf	-Inf	10.21	3	Vertical	29	1.50	9	99.21	34.12	10.31	34.22


802.11ax HEW40\_Nss1,(MCS0)\_2TX

5965MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9248G	48.43	68.20	-19.77	10.25	3	Horizontal	36	2.79	9	38.18	34.20	10.27	34.22
AV	5.9638G	94.13	Inf	-Inf	10.30	3	Horizontal	36	2.79	9	83.83	34.22	10.30	34.22
PK	5.8534G	60.41	88.20	-27.79	10.11	3	Horizontal	36	2.79	9	50.30	34.10	10.22	34.21
PK	5.9536G	105.57	Inf	-Inf	10.36	3	Horizontal	36	2.79	9	95.21	34.28	10.30	34.22

**802.11ax HEW40\_Nss1,(MCS0)\_2TX**  
**5965MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.92994G	43.01	54.00	-10.99	17.65	3	Vertical	4	1.19	-	25.36	38.66	13.28	34.29
PK	11.94368G	54.87	74.00	-19.13	17.68	3	Vertical	4	1.19	-	37.19	38.69	13.29	34.30


**802.11ax HEW40\_Nss1,(MCS0)\_2TX**  
**5965MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.93G	43.04	54.00	-10.96	17.65	3	Horizontal	6	1.53	-	25.39	38.66	13.28	34.29
PK	11.93972G	54.72	74.00	-19.28	17.67	3	Horizontal	6	1.53	-	37.05	38.68	13.29	34.30

802.11ax HEW40\_Nss1,(MCS0)\_2TX


6165MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9202G	48.38	68.20	-19.82	10.23	3	Vertical	13	1.75	8.5	38.15	34.18	10.27	34.22
AV	6.1638G	97.36	Inf	-Inf	10.36	3	Vertical	13	1.75	8.5	87.00	34.10	10.49	34.23
PK	5.9106G	61.08	88.20	-27.12	10.19	3	Vertical	13	1.75	8.5	50.89	34.14	10.26	34.21
PK	6.1638G	109.63	Inf	-Inf	10.36	3	Vertical	13	1.75	8.5	99.27	34.10	10.49	34.23


802.11ax HEW40\_Nss1,(MCS0)\_2TX

6165MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9154G	48.48	68.20	-19.72	10.22	3	Horizontal	38	2.96	8.5	38.26	34.16	10.27	34.21
AV	6.1626G	92.72	Inf	-Inf	10.36	3	Horizontal	38	2.96	8.5	82.36	34.10	10.49	34.23
PK	5.8812G	59.89	88.20	-28.31	10.13	3	Horizontal	38	2.96	8.5	49.76	34.10	10.24	34.21
PK	6.1632G	104.25	Inf	-Inf	10.36	3	Horizontal	38	2.96	8.5	93.89	34.10	10.49	34.23

**802.11ax HEW40\_Nss1,(MCS0)\_2TX**  
**6165MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.33912G	42.75	54.00	-11.25	18.20	3	Vertical	313	1.50	-	24.55	38.84	13.52	34.16
PK	12.3132G	55.93	74.00	-18.07	18.14	3	Vertical	313	1.50	-	37.79	38.81	13.50	34.17


**802.11ax HEW40\_Nss1,(MCS0)\_2TX**  
**6165MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.34842G	42.90	54.00	-11.10	18.21	3	Horizontal	310	2.36	-	24.69	38.85	13.52	34.16
PK	12.3303G	56.09	74.00	-17.91	18.18	3	Horizontal	310	2.36	-	37.91	38.83	13.51	34.16

802.11ax HEW40\_Nss1,(MCS0)\_2TX


6405MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9226G	48.42	68.20	-19.78	10.24	3	Vertical	33	1.48	9.5	38.18	34.19	10.27	34.22
AV	6.4062G	97.52	Inf	-Inf	11.11	3	Vertical	33	1.48	9.5	86.41	34.72	10.64	34.25
PK	5.8842G	60.92	88.20	-27.28	10.13	3	Vertical	33	1.48	9.5	50.79	34.10	10.24	34.21
PK	6.4158G	107.75	Inf	-Inf	11.16	3	Vertical	33	1.48	9.5	96.59	34.76	10.65	34.25


802.11ax HEW40\_Nss1,(MCS0)\_2TX

6405MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.925G	48.31	68.20	-19.89	10.25	3	Horizontal	38	1.41	9.5	38.06	34.20	10.27	34.22
AV	6.4038G	93.00	Inf	-Inf	11.11	3	Horizontal	38	1.41	9.5	81.89	34.72	10.64	34.25
PK	5.913G	60.31	88.20	-27.89	10.20	3	Horizontal	38	1.41	9.5	50.11	34.15	10.26	34.21
PK	6.4122G	102.48	Inf	-Inf	11.15	3	Horizontal	38	1.41	9.5	91.33	34.75	10.65	34.25

**802.11ax HEW40\_Nss1,(MCS0)\_2TX  
6405MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.80982G	44.26	68.20	-23.94	19.91	3	Vertical	360	1.84	-	24.35	39.60	13.81	33.50
PK	12.78072G	56.21	88.20	-31.99	19.76	3	Vertical	360	1.84	-	36.45	39.52	13.79	33.55


**802.11ax HEW40\_Nss1,(MCS0)\_2TX  
6405MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.81G	46.12	68.20	-22.08	19.91	3	Horizontal	326	1.50	-	26.21	39.60	13.81	33.50
PK	12.80982G	56.58	88.20	-31.62	19.91	3	Horizontal	326	1.50	-	36.67	39.60	13.81	33.50

802.11ax HEW40\_Nss1,(MCS0)\_2TX


6445MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9242G	48.42	68.20	-19.78	10.25	3	Vertical	13	1.66	9.5	38.17	34.20	10.27	34.22
AV	6.4426G	97.85	Inf	-Inf	11.28	3	Vertical	13	1.66	9.5	86.57	34.87	10.67	34.26
PK	5.9086G	59.67	88.20	-28.53	10.18	3	Vertical	13	1.66	9.5	49.49	34.13	10.26	34.21
PK	6.4402G	108.56	Inf	-Inf	11.27	3	Vertical	13	1.66	9.5	97.29	34.86	10.67	34.26

802.11ax HEW40\_Nss1,(MCS0)\_2TX

6445MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9158G	48.41	68.20	-19.79	10.22	3	Horizontal	44	2.98	9.5	38.19	34.16	10.27	34.21
AV	6.439G	92.55	Inf	-Inf	11.27	3	Horizontal	44	2.98	9.5	81.28	34.86	10.67	34.26
PK	5.8918G	60.37	88.20	-27.83	10.14	3	Horizontal	44	2.98	9.5	50.23	34.10	10.25	34.21
PK	6.4414G	104.82	Inf	-Inf	11.28	3	Horizontal	44	2.98	9.5	93.54	34.87	10.67	34.26



802.11ax HEW40\_Nss1,(MCS0)\_2TX


6445MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.88988G	44.20	68.20	-24.00	20.11	3	Vertical	325	1.50	-	24.09	39.60	13.86	33.35
PK	12.90866G	56.50	88.20	-31.70	20.18	3	Vertical	325	1.50	-	36.32	39.62	13.87	33.31

802.11ax HEW40\_Nss1,(MCS0)\_2TX


6445MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.88994G	46.29	68.20	-21.91	20.11	3	Horizontal	324	1.22	-	26.18	39.60	13.86	33.35
PK	12.89012G	57.11	88.20	-31.09	20.11	3	Horizontal	324	1.22	-	37.00	39.60	13.86	33.35

802.11ax HEW40\_Nss1,(MCS0)\_2TX


6485MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9138G	48.45	68.20	-19.75	10.22	3	Vertical	13	2.16	8.5	38.23	34.16	10.27	34.21
AV	6.4836G	97.38	Inf	-Inf	11.53	3	Vertical	13	2.16	8.5	85.85	35.10	10.69	34.26
AV	7.1458G	52.05	68.20	-16.15	13.30	3	Vertical	13	2.16	8.5	38.75	36.57	11.25	34.52
PK	5.8648G	60.24	88.20	-27.96	10.12	3	Vertical	13	2.16	8.5	50.12	34.10	10.23	34.21
PK	6.4836G	110.25	Inf	-Inf	11.53	3	Vertical	13	2.16	8.5	98.72	35.10	10.69	34.26
PK	7.1612G	63.59	88.20	-24.61	13.34	3	Vertical	13	2.16	8.5	50.25	36.58	11.27	34.51


802.11ax HEW40\_Nss1,(MCS0)\_2TX

6485MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9138G	48.44	68.20	-19.76	10.22	3	Horizontal	40	1.53	8.5	38.22	34.16	10.27	34.21
AV	6.4836G	91.57	Inf	-Inf	11.53	3	Horizontal	40	1.53	8.5	80.04	35.10	10.69	34.26
AV	7.1444G	52.00	68.20	-16.20	13.29	3	Horizontal	40	1.53	8.5	38.71	36.56	11.25	34.52
PK	5.925G	59.93	88.20	-28.27	10.25	3	Horizontal	40	1.53	8.5	49.68	34.20	10.27	34.22
PK	6.4836G	103.09	Inf	-Inf	11.53	3	Horizontal	40	1.53	8.5	91.56	35.10	10.69	34.26
PK	7.143G	63.25	88.20	-24.95	13.27	3	Horizontal	40	1.53	8.5	49.98	36.54	11.25	34.52

**802.11ax HEW40\_Nss1,(MCS0)\_2TX**  
**6485MHz\_TX**




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.96994G	45.45	68.20	-22.75	20.45	3	Vertical	0	1.91	-	25.00	39.74	13.91	33.20
PK	12.9826G	56.97	88.20	-31.23	20.51	3	Vertical	0	1.91	-	36.46	39.77	13.91	33.17

**802.11ax HEW40\_Nss1,(MCS0)\_2TX**  
**6485MHz\_TX**




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.97G	46.75	68.20	-21.45	20.45	3	Horizontal	327	1.17	-	26.30	39.74	13.91	33.20
PK	12.97012G	56.85	88.20	-31.35	20.45	3	Horizontal	327	1.17	-	36.40	39.74	13.91	33.20

**802.11ax HEW40\_Nss1,(MCS0)\_2TX**  
**6525MHz Straddle 6.425-6.525GHz\_TX**




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.923G	48.52	68.20	-19.68	10.24	3	Vertical	16	1.76	9.5	38.28	34.19	10.27	34.22
AV	6.5222G	97.84	Inf	-Inf	11.69	3	Vertical	16	1.76	9.5	86.15	35.24	10.72	34.27
AV	7.1508G	51.95	68.20	-16.25	13.35	3	Vertical	16	1.76	9.5	38.60	36.60	11.26	34.51
PK	5.8894G	60.16	88.20	-28.04	10.14	3	Vertical	16	1.76	9.5	50.02	34.10	10.25	34.21
PK	6.5236G	109.92	Inf	-Inf	11.70	3	Vertical	16	1.76	9.5	98.22	35.25	10.72	34.27
PK	7.1312G	64.54	88.20	-23.66	13.17	3	Vertical	16	1.76	9.5	51.37	36.45	11.24	34.52

**802.11ax HEW40\_Nss1,(MCS0)\_2TX**  
**6525MHz Straddle 6.425-6.525GHz\_TX**




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9146G	48.40	68.20	-19.80	10.22	3	Horizontal	42	1.46	9.5	38.18	34.16	10.27	34.21
AV	6.5222G	92.21	Inf	-Inf	11.69	3	Horizontal	42	1.46	9.5	80.52	35.24	10.72	34.27
AV	7.1438G	52.01	68.20	-16.19	13.28	3	Horizontal	42	1.46	9.5	38.73	36.55	11.25	34.52
PK	5.8964G	60.18	88.20	-28.02	10.14	3	Horizontal	42	1.46	9.5	50.04	34.10	10.25	34.21
PK	6.5306G	103.56	Inf	-Inf	11.70	3	Horizontal	42	1.46	9.5	91.86	35.26	10.72	34.28
PK	7.155G	63.68	88.20	-24.52	13.34	3	Horizontal	42	1.46	9.5	50.34	36.59	11.26	34.51

**802.11ax HEW40\_Nss1,(MCS0)\_2TX**  
**6525MHz Straddle 6.425-6.525GHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.04988G	45.67	68.20	-22.53	20.65	3	Vertical	3	1.78	-	25.02	39.75	13.96	33.06
PK	13.05066G	56.77	88.20	-31.43	20.65	3	Vertical	3	1.78	-	36.12	39.75	13.96	33.06


**802.11ax HEW40\_Nss1,(MCS0)\_2TX**  
**6525MHz Straddle 6.425-6.525GHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.05G	46.38	68.20	-21.82	20.65	3	Horizontal	325	1.10	-	25.73	39.75	13.96	33.06
PK	13.06308G	57.26	88.20	-30.94	20.66	3	Horizontal	325	1.10	-	36.60	39.74	13.96	33.04

802.11ax HEW40\_Nss1,(MCS0)\_2TX


6565MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.5638G	97.45	Inf	-Inf	11.84	3	Vertical	13	2.11	8	85.61	35.38	10.75	34.29
AV	7.1506G	51.96	68.20	-16.24	13.35	3	Vertical	13	2.11	8	38.61	36.60	11.26	34.51
PK	6.5626G	108.71	Inf	-Inf	11.84	3	Vertical	13	2.11	8	96.87	35.38	10.75	34.29
PK	7.1434G	63.93	88.20	-24.27	13.28	3	Vertical	13	2.11	8	50.65	36.55	11.25	34.52


802.11ax HEW40\_Nss1,(MCS0)\_2TX

6565MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.5626G	90.72	Inf	-Inf	11.84	3	Horizontal	41	1.50	8	78.88	35.38	10.75	34.29
AV	7.1422G	51.95	68.20	-16.25	13.27	3	Horizontal	41	1.50	8	38.68	36.54	11.25	34.52
PK	6.5638G	101.76	Inf	-Inf	11.84	3	Horizontal	41	1.50	8	89.92	35.38	10.75	34.29
PK	7.1386G	64.51	88.20	-23.69	13.24	3	Horizontal	41	1.50	8	51.27	36.51	11.25	34.52

**802.11ax HEW40\_Nss1,(MCS0)\_2TX**  
**6565MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.13G	45.31	68.20	-22.89	20.77	3	Vertical	0	1.84	-	24.54	39.70	14.00	32.93
PK	13.13018G	58.17	88.20	-30.03	20.78	3	Vertical	0	1.84	-	37.39	39.70	14.01	32.93


**802.11ax HEW40\_Nss1,(MCS0)\_2TX**  
**6565MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.13G	46.21	68.20	-21.99	20.77	3	Horizontal	333	1.33	-	25.44	39.70	14.00	32.93
PK	13.13G	58.22	88.20	-29.98	20.77	3	Horizontal	333	1.33	-	37.45	39.70	14.00	32.93

802.11ax HEW40\_Nss1,(MCS0)\_2TX


6685MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.681G	97.07	Inf	-Inf	12.31	3	Vertical	17	1.95	8.5	84.76	35.82	10.85	34.36
AV	7.148G	51.94	68.20	-16.26	13.32	3	Vertical	17	1.95	8.5	38.62	36.58	11.26	34.52
PK	6.671G	107.63	Inf	-Inf	12.27	3	Vertical	17	1.95	8.5	95.36	35.78	10.84	34.35
PK	7.144G	63.95	88.20	-24.25	13.28	3	Vertical	17	1.95	8.5	50.67	36.55	11.25	34.52

802.11ax HEW40\_Nss1,(MCS0)\_2TX


6685MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.687G	92.45	Inf	-Inf	12.34	3	Horizontal	49	2.98	8.5	80.11	35.85	10.85	34.36
AV	7.152G	51.82	68.20	-16.38	13.35	3	Horizontal	49	2.98	8.5	38.47	36.60	11.26	34.51
PK	6.687G	104.10	Inf	-Inf	12.34	3	Horizontal	49	2.98	8.5	91.76	35.85	10.85	34.36
PK	7.153G	63.46	88.20	-24.74	13.34	3	Horizontal	49	2.98	8.5	50.12	36.59	11.26	34.51




**802.11ax HEW40\_Nss1,(MCS0)\_2TX**  
**6685MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.36994G	47.15	54.00	-6.85	21.63	3	Vertical	349	1.57	-	25.52	40.01	14.15	32.53
PK	13.36976G	57.48	74.00	-16.52	21.63	3	Vertical	349	1.57	-	35.85	40.01	14.15	32.53


**802.11ax HEW40\_Nss1,(MCS0)\_2TX**  
**6685MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.36994G	45.95	54.00	-8.05	21.63	3	Horizontal	334	1.00	-	24.32	40.01	14.15	32.53
PK	13.38656G	56.98	74.00	-17.02	21.71	3	Horizontal	334	1.00	-	35.27	40.06	14.16	32.51

802.11ax HEW40\_Nss1,(MCS0)\_2TX


6845MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.8422G	97.85	Inf	-Inf	12.29	3	Vertical	15	2.05	9.5	85.56	35.73	11.00	34.44
AV	7.1481G	51.85	68.20	-16.35	13.32	3	Vertical	15	2.05	9.5	38.53	36.58	11.26	34.52
PK	6.852G	109.99	Inf	-Inf	12.25	3	Vertical	15	2.05	9.5	97.74	35.70	11.00	34.45
PK	7.1516G	63.65	88.20	-24.55	13.35	3	Vertical	15	2.05	9.5	50.30	36.60	11.26	34.51


802.11ax HEW40\_Nss1,(MCS0)\_2TX

6845MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.8471G	92.98	Inf	-Inf	12.26	3	Horizontal	45	3.00	9.5	80.72	35.71	11.00	34.45
AV	7.1439G	51.91	68.20	-16.29	13.28	3	Horizontal	45	3.00	9.5	38.63	36.55	11.25	34.52
PK	6.8569G	105.07	Inf	-Inf	12.26	3	Horizontal	45	3.00	9.5	92.81	35.70	11.01	34.45
PK	7.1852G	63.98	88.20	-24.22	13.31	3	Horizontal	45	3.00	9.5	50.67	36.53	11.29	34.51

**802.11ax HEW40\_Nss1,(MCS0)\_2TX  
6845MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.69G	50.76	68.20	-17.44	21.68	3	Vertical	341	1.50	-	29.08	39.73	14.35	32.40
PK	13.67698G	61.63	88.20	-26.57	21.71	3	Vertical	341	1.50	-	39.92	39.77	14.34	32.40


**802.11ax HEW40\_Nss1,(MCS0)\_2TX  
6845MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.68988G	50.76	68.20	-17.44	21.68	3	Horizontal	336	1.50	-	29.08	39.73	14.35	32.40
PK	13.6753G	61.61	88.20	-26.59	21.71	3	Horizontal	336	1.50	-	39.90	39.77	14.34	32.40

802.11ax HEW40\_Nss1,(MCS0)\_2TX


6885MHz Straddle 6.525-6.875GHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.8871G	97.49	Inf	-Inf	12.26	3	Vertical	321	2.20	14	85.23	35.70	11.03	34.47
AV	7.1475G	52.06	68.20	-16.14	13.32	3	Vertical	321	2.20	14	38.74	36.58	11.26	34.52
PK	6.8983G	108.76	Inf	-Inf	12.26	3	Vertical	321	2.20	14	96.50	35.70	11.04	34.48
PK	7.186G	63.88	88.20	-24.32	13.31	3	Vertical	321	2.20	14	50.57	36.53	11.29	34.51


802.11ax HEW40\_Nss1,(MCS0)\_2TX

6885MHz Straddle 6.525-6.875GHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.8794G	99.27	Inf	-Inf	12.27	3	Horizontal	299	2.19	14	87.00	35.70	11.03	34.46
AV	7.1531G	52.07	68.20	-16.13	13.34	3	Horizontal	299	2.19	14	38.73	36.59	11.26	34.51
PK	6.8808G	110.87	Inf	-Inf	12.26	3	Horizontal	299	2.19	14	98.61	35.70	11.03	34.47
PK	7.1825G	63.88	88.20	-24.32	13.31	3	Horizontal	299	2.19	14	50.57	36.53	11.29	34.51

**802.11ax HEW40\_Nss1,(MCS0)\_2TX**  
**6885MHz Straddle 6.525-6.875GHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.76994G	51.24	68.20	-16.96	21.66	3	Vertical	339	1.60	-	29.58	39.70	14.40	32.44
PK	13.76958G	62.07	88.20	-26.13	21.66	3	Vertical	339	1.60	-	40.41	39.70	14.40	32.44


**802.11ax HEW40\_Nss1,(MCS0)\_2TX**  
**6885MHz Straddle 6.525-6.875GHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.76994G	51.37	68.20	-16.83	21.66	3	Horizontal	339	1.42	-	29.71	39.70	14.40	32.44
PK	13.77G	62.74	88.20	-25.46	21.66	3	Horizontal	339	1.42	-	41.08	39.70	14.40	32.44

802.11ax HEW40\_Nss1,(MCS0)\_2TX


6925MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.9274G	98.02	Inf	-Inf	12.28	3	Vertical	322	2.06	13.5	85.74	35.70	11.07	34.49
AV	7.1452G	52.11	68.20	-16.09	13.29	3	Vertical	322	2.06	13.5	38.82	36.56	11.25	34.52
PK	6.928G	108.57	Inf	-Inf	12.28	3	Vertical	322	2.06	13.5	96.29	35.70	11.07	34.49
PK	7.1794G	63.52	88.20	-24.68	13.31	3	Vertical	322	2.06	13.5	50.21	36.54	11.28	34.51


802.11ax HEW40\_Nss1,(MCS0)\_2TX

6925MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.931G	101.28	Inf	-Inf	12.28	3	Horizontal	266	2.73	13.5	89.00	35.70	11.07	34.49
AV	7.1494G	52.13	68.20	-16.07	13.34	3	Horizontal	266	2.73	13.5	38.79	36.60	11.26	34.52
PK	6.9202G	112.21	Inf	-Inf	12.27	3	Horizontal	266	2.73	13.5	99.94	35.70	11.06	34.49
PK	7.1404G	64.04	88.20	-24.16	13.25	3	Horizontal	266	2.73	13.5	50.79	36.52	11.25	34.52

**802.11ax HEW40\_Nss1,(MCS0)\_2TX  
6925MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.85006G	51.30	68.20	-16.90	21.68	3	Vertical	339	1.61	-	29.62	39.70	14.45	32.47
PK	13.83032G	62.78	88.20	-25.42	21.67	3	Vertical	339	1.61	-	41.11	39.70	14.44	32.47


**802.11ax HEW40\_Nss1,(MCS0)\_2TX  
6925MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.85G	51.39	68.20	-16.81	21.68	3	Horizontal	339	1.50	-	29.71	39.70	14.45	32.47
PK	13.8503G	63.44	88.20	-24.76	21.68	3	Horizontal	339	1.50	-	41.76	39.70	14.45	32.47

802.11ax HEW40\_Nss1,(MCS0)\_2TX


7005MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.0065G	97.88	Inf	-Inf	12.35	3	Vertical	321	2.20	15	85.53	35.74	11.14	34.53
AV	7.1445G	52.22	68.20	-15.98	13.29	3	Vertical	321	2.20	15	38.93	36.56	11.25	34.52
PK	6.9957G	109.75	Inf	-Inf	12.30	3	Vertical	321	2.20	15	97.45	35.70	11.13	34.53
PK	7.1493G	64.21	88.20	-23.99	13.33	3	Vertical	321	2.20	15	50.88	36.59	11.26	34.52

802.11ax HEW40\_Nss1,(MCS0)\_2TX


7005MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.0116G	100.91	Inf	-Inf	12.38	3	Horizontal	270	2.69	15	88.53	35.77	11.14	34.53
AV	7.1418G	52.25	68.20	-15.95	13.26	3	Horizontal	270	2.69	15	38.99	36.53	11.25	34.52
PK	7.011G	111.92	Inf	-Inf	12.38	3	Horizontal	270	2.69	15	99.54	35.77	11.14	34.53
PK	7.1415G	64.72	88.20	-23.48	13.26	3	Horizontal	270	2.69	15	51.46	36.53	11.25	34.52




**802.11ax HEW40\_Nss1,(MCS0)\_2TX**  
**7005MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.01006G	50.60	68.20	-17.60	21.83	3	Vertical	338	1.61	-	28.77	39.83	14.55	32.55
PK	14.00124G	63.08	88.20	-25.12	21.80	3	Vertical	338	1.61	-	41.28	39.80	14.54	32.54


**802.11ax HEW40\_Nss1,(MCS0)\_2TX**  
**7005MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.01006G	50.69	68.20	-17.51	21.83	3	Horizontal	326	2.10	-	28.86	39.83	14.55	32.55
PK	14.02698G	62.75	88.20	-25.45	21.87	3	Horizontal	326	2.10	-	40.88	39.88	14.56	32.57

802.11ax HEW40\_Nss1,(MCS0)\_2TX


7085MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.0841G	97.12	Inf	-Inf	12.82	3	Vertical	301	2.97	11	84.30	36.14	11.20	34.52
AV	7.142G	52.07	68.20	-16.13	13.27	3	Vertical	301	2.97	11	38.80	36.54	11.25	34.52
PK	7.0952G	107.95	Inf	-Inf	12.87	3	Vertical	301	2.97	11	95.08	36.18	11.21	34.52
PK	7.1663G	63.77	88.20	-24.43	13.33	3	Vertical	301	2.97	11	50.44	36.57	11.27	34.51


802.11ax HEW40\_Nss1,(MCS0)\_2TX

7085MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.0817G	97.45	Inf	-Inf	12.81	3	Horizontal	268	2.76	11	84.64	36.13	11.20	34.52
AV	7.1387G	52.13	68.20	-16.07	13.24	3	Horizontal	268	2.76	11	38.89	36.51	11.25	34.52
PK	7.0904G	109.05	Inf	-Inf	12.85	3	Horizontal	268	2.76	11	96.20	36.16	11.21	34.52
PK	7.169G	63.86	88.20	-24.34	13.32	3	Horizontal	268	2.76	11	50.54	36.56	11.27	34.51

**802.11ax HEW40\_Nss1,(MCS0)\_2TX**  
**7085MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.17G	50.39	68.20	-17.81	22.02	3	Vertical	344	1.71	-	28.37	40.10	14.67	32.75
PK	14.1652G	63.28	88.20	-24.92	22.01	3	Vertical	344	1.71	-	41.27	40.10	14.66	32.75


**802.11ax HEW40\_Nss1,(MCS0)\_2TX**  
**7085MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.16994G	50.50	68.20	-17.70	22.02	3	Horizontal	323	2.30	-	28.48	40.10	14.67	32.75
PK	14.1586G	62.96	88.20	-25.24	22.02	3	Horizontal	323	2.30	-	40.94	40.10	14.66	32.74

802.11ax HEW80\_Nss1,(MCS0)\_2TX


5985MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9225G	51.73	68.20	-16.47	10.24	3	Vertical	15	1.50	12	41.49	34.19	10.27	34.22
AV	5.9825G	97.84	Inf	-Inf	10.20	3	Vertical	15	1.50	12	87.64	34.10	10.32	34.22
PK	5.9235G	64.47	88.20	-23.73	10.24	3	Vertical	15	1.50	12	54.23	34.19	10.27	34.22
PK	6.013G	109.05	Inf	-Inf	10.17	3	Vertical	15	1.50	12	98.88	34.05	10.34	34.22


802.11ax HEW80\_Nss1,(MCS0)\_2TX

5985MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9225G	50.39	68.20	-17.81	10.24	3	Horizontal	37	2.77	12	40.15	34.19	10.27	34.22
AV	5.983G	94.15	Inf	-Inf	10.20	3	Horizontal	37	2.77	12	83.95	34.10	10.32	34.22
PK	5.922G	65.12	88.20	-23.08	10.24	3	Horizontal	37	2.77	12	54.88	34.19	10.27	34.22
PK	5.984G	107.20	Inf	-Inf	10.20	3	Horizontal	37	2.77	12	97.00	34.10	10.32	34.22

**802.11ax HEW80\_Nss1,(MCS0)\_2TX**  
**5985MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.0228G	41.99	54.00	-12.01	17.87	3	Vertical	116	1.17	-	24.12	38.87	13.32	34.32
PK	12.00768G	55.22	74.00	-18.78	17.80	3	Vertical	116	1.17	-	37.42	38.82	13.31	34.33


**802.11ax HEW80\_Nss1,(MCS0)\_2TX**  
**5985MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.97G	42.68	54.00	-11.32	17.73	3	Horizontal	5	1.34	-	24.95	38.74	13.30	34.31
PK	12.02544G	55.43	74.00	-18.57	17.89	3	Horizontal	5	1.34	-	37.54	38.88	13.33	34.32

802.11ax HEW80\_Nss1,(MCS0)\_2TX


6145MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.917G	48.50	68.20	-19.70	10.22	3	Vertical	13	1.74	11	38.28	34.17	10.27	34.22
AV	6.1336G	97.58	Inf	-Inf	10.33	3	Vertical	13	1.74	11	87.25	34.10	10.46	34.23
PK	5.8582G	60.35	88.20	-27.85	10.11	3	Vertical	13	1.74	11	50.24	34.10	10.22	34.21
PK	6.1636G	109.39	Inf	-Inf	10.36	3	Vertical	13	1.74	11	99.03	34.10	10.49	34.23


802.11ax HEW80\_Nss1,(MCS0)\_2TX

6145MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9218G	48.36	68.20	-19.84	10.24	3	Horizontal	26	2.86	11	38.12	34.19	10.27	34.22
AV	6.1354G	92.82	Inf	-Inf	10.34	3	Horizontal	26	2.86	11	82.48	34.10	10.47	34.23
PK	5.923G	61.01	88.20	-27.19	10.24	3	Horizontal	26	2.86	11	50.77	34.19	10.27	34.22
PK	6.1468G	104.80	Inf	-Inf	10.35	3	Horizontal	26	2.86	11	94.45	34.10	10.48	34.23

**802.11ax HEW80\_Nss1,(MCS0)\_2TX**  
**6145MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.33836G	42.58	54.00	-11.42	18.20	3	Vertical	281	1.50	-	24.38	38.84	13.52	34.16
PK	12.23492G	56.54	74.00	-17.46	18.17	3	Vertical	281	1.50	-	38.37	38.93	13.45	34.21


**802.11ax HEW80\_Nss1,(MCS0)\_2TX**  
**6145MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.26168G	42.68	54.00	-11.32	18.15	3	Horizontal	199	1.50	-	24.53	38.88	13.47	34.20
PK	12.34976G	55.06	74.00	-18.94	18.22	3	Horizontal	199	1.50	-	36.84	38.85	13.53	34.16

802.11ax HEW80\_Nss1,(MCS0)\_2TX


6385MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9194G	48.47	68.20	-19.73	10.23	3	Vertical	15	1.76	11	38.24	34.18	10.27	34.22
AV	6.3826G	97.40	Inf	-Inf	11.01	3	Vertical	15	1.76	11	86.39	34.63	10.63	34.25
PK	5.8858G	59.96	88.20	-28.24	10.13	3	Vertical	15	1.76	11	49.83	34.10	10.24	34.21
PK	6.4114G	109.44	Inf	-Inf	11.15	3	Vertical	15	1.76	11	98.29	34.75	10.65	34.25

802.11ax HEW80\_Nss1,(MCS0)\_2TX


6385MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.905G	48.38	68.20	-19.82	10.17	3	Horizontal	42	1.50	11	38.21	34.12	10.26	34.21
AV	6.3838G	91.51	Inf	-Inf	11.02	3	Horizontal	42	1.50	11	80.49	34.64	10.63	34.25
PK	5.8738G	60.41	88.20	-27.79	10.13	3	Horizontal	42	1.50	11	50.28	34.10	10.24	34.21
PK	6.3646G	102.19	Inf	-Inf	10.93	3	Horizontal	42	1.50	11	91.26	34.56	10.62	34.25




**802.11ax HEW80\_Nss1,(MCS0)\_2TX  
6385MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.77G	43.79	68.20	-24.41	19.69	3	Vertical	321	1.54	-	24.10	39.48	13.78	33.57
PK	12.81548G	56.11	88.20	-32.09	19.92	3	Vertical	321	1.54	-	36.19	39.60	13.81	33.49


**802.11ax HEW80\_Nss1,(MCS0)\_2TX  
6385MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.77G	45.45	68.20	-22.75	19.69	3	Horizontal	327	1.39	-	25.76	39.48	13.78	33.57
PK	12.80204G	56.60	88.20	-31.60	19.89	3	Horizontal	327	1.39	-	36.71	39.60	13.80	33.51

802.11ax HEW80\_Nss1,(MCS0)\_2TX


6465MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9176G	48.46	68.20	-19.74	10.22	3	Vertical	16	1.94	11	38.24	34.17	10.27	34.22
AV	6.4622G	97.15	Inf	-Inf	11.39	3	Vertical	16	1.94	11	85.76	34.97	10.68	34.26
AV	7.144G	51.96	68.20	-16.24	13.28	3	Vertical	16	1.94	11	38.68	36.55	11.25	34.52
PK	5.8966G	60.62	88.20	-27.58	10.14	3	Vertical	16	1.94	11	50.48	34.10	10.25	34.21
PK	6.4426G	108.10	Inf	-Inf	11.28	3	Vertical	16	1.94	11	96.82	34.87	10.67	34.26
PK	7.1608G	63.64	88.20	-24.56	13.34	3	Vertical	16	1.94	11	50.30	36.58	11.27	34.51


802.11ax HEW80\_Nss1,(MCS0)\_2TX

6465MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.863G	48.40	68.20	-19.80	10.12	3	Horizontal	43	1.50	11	38.28	34.10	10.23	34.21
AV	6.4622G	91.32	Inf	-Inf	11.39	3	Horizontal	43	1.50	11	79.93	34.97	10.68	34.26
AV	7.1496G	52.03	68.20	-16.17	13.34	3	Horizontal	43	1.50	11	38.69	36.60	11.26	34.52
PK	5.8238G	60.13	88.20	-28.07	9.93	3	Horizontal	43	1.50	11	50.20	33.94	10.20	34.21
PK	6.4636G	102.97	Inf	-Inf	11.40	3	Horizontal	43	1.50	11	91.57	34.98	10.68	34.26
PK	7.144G	63.65	88.20	-24.55	13.28	3	Horizontal	43	1.50	11	50.37	36.55	11.25	34.52

**802.11ax HEW80\_Nss1,(MCS0)\_2TX  
6465MHz\_TX**




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.93001G	45.16	68.20	-23.04	20.27	3	Vertical	7	1.54	-	24.89	39.66	13.88	33.27
PK	12.9297G	57.25	88.20	-30.95	20.27	3	Vertical	7	1.54	-	36.98	39.66	13.88	33.27

**802.11ax HEW80\_Nss1,(MCS0)\_2TX  
6465MHz\_TX**




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.93003G	46.81	68.20	-21.39	20.27	3	Horizontal	333	1.00	-	26.54	39.66	13.88	33.27
PK	12.92937G	58.20	88.20	-30.00	20.27	3	Horizontal	333	1.00	-	37.93	39.66	13.88	33.27

**802.11ax HEW80\_Nss1,(MCS0)\_2TX**  
**6545MHz Straddle 6.425-6.525GHz\_TX**




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9206G	48.40	68.20	-19.80	10.23	3	Vertical	16	1.97	11	38.17	34.18	10.27	34.22
AV	6.552G	97.49	Inf	-Inf	11.76	3	Vertical	16	1.97	11	85.73	35.31	10.74	34.29
AV	7.1484G	51.98	68.20	-16.22	13.33	3	Vertical	16	1.97	11	38.65	36.59	11.26	34.52
PK	5.922G	60.68	88.20	-27.52	10.24	3	Vertical	16	1.97	11	50.44	34.19	10.27	34.22
PK	6.5408G	109.13	Inf	-Inf	11.73	3	Vertical	16	1.97	11	97.40	35.28	10.73	34.28
PK	7.1778G	63.91	88.20	-24.29	13.31	3	Vertical	16	1.97	11	50.60	36.54	11.28	34.51

**802.11ax HEW80\_Nss1,(MCS0)\_2TX**  
**6545MHz Straddle 6.425-6.525GHz\_TX**




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9024G	48.38	68.20	-19.82	10.16	3	Horizontal	41	1.49	11	38.22	34.11	10.26	34.21
AV	6.5422G	91.09	Inf	-Inf	11.73	3	Horizontal	41	1.49	11	79.36	35.28	10.73	34.28
AV	7.147G	51.98	68.20	-16.22	13.31	3	Horizontal	41	1.49	11	38.67	36.58	11.25	34.52
PK	5.8562G	60.30	88.20	-27.90	10.11	3	Horizontal	41	1.49	11	50.19	34.10	10.22	34.21
PK	6.5408G	102.16	Inf	-Inf	11.73	3	Horizontal	41	1.49	11	90.43	35.28	10.73	34.28
PK	7.2268G	63.77	88.20	-24.43	13.41	3	Horizontal	41	1.49	11	50.36	36.61	11.31	34.51

**802.11ax HEW80\_Nss1,(MCS0)\_2TX**  
**6545MHz Straddle 6.425-6.525GHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.09004G	45.60	68.20	-22.60	20.70	3	Vertical	8	1.49	-	24.90	39.71	13.98	32.99
PK	13.08986G	58.19	88.20	-30.01	20.70	3	Vertical	8	1.49	-	37.49	39.71	13.98	32.99


**802.11ax HEW80\_Nss1,(MCS0)\_2TX**  
**6545MHz Straddle 6.425-6.525GHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.08995G	46.75	68.20	-21.45	20.70	3	Horizontal	333	1.17	-	26.05	39.71	13.98	32.99
PK	13.08978G	58.56	88.20	-29.64	20.70	3	Horizontal	333	1.17	-	37.86	39.71	13.98	32.99

802.11ax HEW80\_Nss1,(MCS0)\_2TX


6625MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.6178G	97.59	Inf	-Inf	12.11	3	Vertical	305	2.40	16	85.48	35.64	10.79	34.32
AV	7.153G	52.10	68.20	-16.10	13.34	3	Vertical	305	2.40	16	38.76	36.59	11.26	34.51
PK	6.6178G	108.17	Inf	-Inf	12.11	3	Vertical	305	2.40	16	96.06	35.64	10.79	34.32
PK	7.135G	63.77	88.20	-24.43	13.20	3	Vertical	305	2.40	16	50.57	36.48	11.24	34.52


802.11ax HEW80\_Nss1,(MCS0)\_2TX

6625MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.6226G	100.77	Inf	-Inf	12.11	3	Horizontal	267	2.81	16	88.66	35.65	10.79	34.33
AV	7.1566G	51.97	68.20	-16.23	13.34	3	Horizontal	267	2.81	16	38.63	36.59	11.26	34.51
PK	6.6118G	112.12	Inf	-Inf	12.08	3	Horizontal	267	2.81	16	100.04	35.62	10.78	34.32
PK	7.1974G	63.62	88.20	-24.58	13.30	3	Horizontal	267	2.81	16	50.32	36.51	11.30	34.51

**802.11ax HEW80\_Nss1,(MCS0)\_2TX**  
**6625MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.25001G	45.51	54.00	-8.49	21.10	3	Vertical	360	1.50	-	24.41	39.75	14.08	32.73
PK	13.25064G	57.81	74.00	-16.19	21.10	3	Vertical	360	1.50	-	36.71	39.75	14.08	32.73


**802.11ax HEW80\_Nss1,(MCS0)\_2TX**  
**6625MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.24998G	45.70	68.20	-22.50	21.10	3	Horizontal	327	1.50	-	24.60	39.75	14.08	32.73
PK	13.24631G	57.42	88.20	-30.78	21.09	3	Horizontal	327	1.50	-	36.33	39.75	14.08	32.74

802.11ax HEW80\_Nss1,(MCS0)\_2TX


6705MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.707G	97.67	Inf	-Inf	12.39	3	Vertical	321	1.03	17.5	85.28	35.89	10.87	34.37
AV	7.149G	51.93	68.20	-16.27	13.33	3	Vertical	321	1.03	17.5	38.60	36.59	11.26	34.52
PK	6.698G	109.24	Inf	-Inf	12.38	3	Vertical	321	1.03	17.5	96.86	35.89	10.86	34.37
PK	7.189G	63.59	88.20	-24.61	13.30	3	Vertical	321	1.03	17.5	50.29	36.52	11.29	34.51

802.11ax HEW80\_Nss1,(MCS0)\_2TX


6705MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.701G	98.75	Inf	-Inf	12.40	3	Horizontal	301	2.22	17.5	86.35	35.90	10.87	34.37
AV	7.144G	52.05	68.20	-16.15	13.28	3	Horizontal	301	2.22	17.5	38.77	36.55	11.25	34.52
PK	6.701G	109.68	Inf	-Inf	12.40	3	Horizontal	301	2.22	17.5	97.28	35.90	10.87	34.37
PK	7.18G	64.00	88.20	-24.20	13.31	3	Horizontal	301	2.22	17.5	50.69	36.54	11.28	34.51




**802.11ax HEW80\_Nss1,(MCS0)\_2TX**  
**6705MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.40997G	47.27	68.20	-20.93	21.82	3	Vertical	356	1.36	-	25.45	40.11	14.18	32.47
PK	13.41025G	58.11	88.20	-30.09	21.82	3	Vertical	356	1.36	-	36.29	40.11	14.18	32.47


**802.11ax HEW80\_Nss1,(MCS0)\_2TX**  
**6705MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.40997G	45.67	68.20	-22.53	21.82	3	Horizontal	336	1.36	-	23.85	40.11	14.18	32.47
PK	13.40989G	57.41	88.20	-30.79	21.82	3	Horizontal	336	1.36	-	35.59	40.11	14.18	32.47

802.11ax HEW80\_Nss1,(MCS0)\_2TX


6785MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.7878G	98.04	Inf	-Inf	12.41	3	Vertical	323	2.13	17.5	85.63	35.88	10.95	34.42
AV	7.135G	51.84	68.20	-16.36	13.20	3	Vertical	323	2.13	17.5	38.64	36.48	11.24	34.52
PK	6.7864G	109.14	Inf	-Inf	12.41	3	Vertical	323	2.13	17.5	96.73	35.87	10.95	34.41
PK	7.1266G	63.47	88.20	-24.73	13.13	3	Vertical	323	2.13	17.5	50.34	36.41	11.24	34.52


802.11ax HEW80\_Nss1,(MCS0)\_2TX

6785MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.7794G	99.65	Inf	-Inf	12.39	3	Horizontal	298	2.32	17.5	87.26	35.86	10.94	34.41
AV	7.1343G	51.86	68.20	-16.34	13.19	3	Horizontal	298	2.32	17.5	38.67	36.47	11.24	34.52
PK	6.7801G	111.67	Inf	-Inf	12.39	3	Horizontal	298	2.32	17.5	99.28	35.86	10.94	34.41
PK	7.1336G	63.23	88.20	-24.97	13.19	3	Horizontal	298	2.32	17.5	50.04	36.47	11.24	34.52

**802.11ax HEW80\_Nss1,(MCS0)\_2TX  
6785MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.56999G	49.04	68.20	-19.16	21.99	3	Vertical	354	1.39	-	27.05	40.06	14.28	32.35
PK	13.56984G	58.54	88.20	-29.66	21.99	3	Vertical	354	1.39	-	36.55	40.06	14.28	32.35


**802.11ax HEW80\_Nss1,(MCS0)\_2TX  
6785MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.56993G	48.87	68.20	-19.33	21.99	3	Horizontal	340	1.31	-	26.88	40.06	14.28	32.35
PK	13.56998G	58.71	88.20	-29.49	21.99	3	Horizontal	340	1.31	-	36.72	40.06	14.28	32.35

802.11ax HEW80\_Nss1,(MCS0)\_2TX


6865MHz Straddle 6.525-6.875GHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.8566G	97.52	Inf	-Inf	12.26	3	Vertical	320	2.17	16.5	85.26	35.70	11.01	34.45
AV	7.1429G	52.00	68.20	-16.20	13.27	3	Vertical	320	2.17	16.5	38.73	36.54	11.25	34.52
PK	6.8769G	109.29	Inf	-Inf	12.27	3	Vertical	320	2.17	16.5	97.02	35.70	11.03	34.46
PK	7.1555G	63.95	88.20	-24.25	13.34	3	Vertical	320	2.17	16.5	50.61	36.59	11.26	34.51


802.11ax HEW80\_Nss1,(MCS0)\_2TX

6865MHz Straddle 6.525-6.875GHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.858G	99.40	Inf	-Inf	12.26	3	Horizontal	295	2.30	16.5	87.14	35.70	11.01	34.45
AV	7.1513G	52.08	68.20	-16.12	13.35	3	Horizontal	295	2.30	16.5	38.73	36.60	11.26	34.51
PK	6.858G	110.05	Inf	-Inf	12.26	3	Horizontal	295	2.30	16.5	97.79	35.70	11.01	34.45
PK	7.2101G	65.32	88.20	-22.88	13.33	3	Horizontal	295	2.30	16.5	51.99	36.54	11.30	34.51

**802.11ax HEW80\_Nss1,(MCS0)\_2TX**  
**6865MHz Straddle 6.525-6.875GHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.72993G	50.45	68.20	-17.75	21.65	3	Vertical	354	1.50	-	28.80	39.70	14.37	32.42
PK	13.72998G	62.49	88.20	-25.71	21.65	3	Vertical	354	1.50	-	40.84	39.70	14.37	32.42


**802.11ax HEW80\_Nss1,(MCS0)\_2TX**  
**6865MHz Straddle 6.525-6.875GHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.72999G	51.09	68.20	-17.11	21.65	3	Horizontal	345	1.33	-	29.44	39.70	14.37	32.42
PK	13.73379G	62.67	88.20	-25.53	21.66	3	Horizontal	345	1.33	-	41.01	39.70	14.38	32.42

802.11ax HEW80\_Nss1,(MCS0)\_2TX


6945MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.936G	97.96	Inf	-Inf	12.28	3	Vertical	318	2.11	16	85.68	35.70	11.08	34.50
AV	7.1478G	52.16	68.20	-16.04	13.32	3	Vertical	318	2.11	16	38.84	36.58	11.26	34.52
PK	6.9354G	109.62	Inf	-Inf	12.28	3	Vertical	318	2.11	16	97.34	35.70	11.08	34.50
PK	7.1496G	64.60	88.20	-23.60	13.34	3	Vertical	318	2.11	16	51.26	36.60	11.26	34.52


802.11ax HEW80\_Nss1,(MCS0)\_2TX

6945MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.9408G	100.63	Inf	-Inf	12.28	3	Horizontal	266	2.62	16	88.35	35.70	11.08	34.50
AV	7.1298G	52.11	68.20	-16.09	13.16	3	Horizontal	266	2.62	16	38.95	36.44	11.24	34.52
PK	6.9402G	112.35	Inf	-Inf	12.28	3	Horizontal	266	2.62	16	100.07	35.70	11.08	34.50
PK	7.1982G	63.85	88.20	-24.35	13.29	3	Horizontal	266	2.62	16	50.56	36.50	11.30	34.51

802.11ax HEW80\_Nss1,(MCS0)\_2TX  
6945MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.8899G	50.98	68.20	-17.22	21.68	3	Vertical	345	1.50	-	29.30	39.70	14.47	32.49
PK	13.88976G	63.03	88.20	-25.17	21.68	3	Vertical	345	1.50	-	41.35	39.70	14.47	32.49


802.11ax HEW80\_Nss1,(MCS0)\_2TX  
6945MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.89G	51.12	68.20	-17.08	21.68	3	Horizontal	343	1.40	-	29.44	39.70	14.47	32.49
PK	13.89002G	62.73	88.20	-25.47	21.68	3	Horizontal	343	1.40	-	41.05	39.70	14.47	32.49

802.11ax HEW80\_Nss1,(MCS0)\_2TX


7025MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.8871G	97.49	Inf	-Inf	12.26	3	Vertical	321	2.20	14	85.23	35.70	11.03	34.47
AV	7.1475G	52.06	68.20	-16.14	13.32	3	Vertical	321	2.20	14	38.74	36.58	11.26	34.52
PK	6.8983G	108.76	Inf	-Inf	12.26	3	Vertical	321	2.20	14	96.50	35.70	11.04	34.48
PK	7.186G	63.88	88.20	-24.32	13.31	3	Vertical	321	2.20	14	50.57	36.53	11.29	34.51

802.11ax HEW80\_Nss1,(MCS0)\_2TX


7025MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.8794G	99.27	Inf	-Inf	12.27	3	Horizontal	299	2.19	14	87.00	35.70	11.03	34.46
AV	7.1531G	52.07	68.20	-16.13	13.34	3	Horizontal	299	2.19	14	38.73	36.59	11.26	34.51
PK	6.8808G	110.87	Inf	-Inf	12.26	3	Horizontal	299	2.19	14	98.61	35.70	11.03	34.47
PK	7.1825G	63.88	88.20	-24.32	13.31	3	Horizontal	299	2.19	14	50.57	36.53	11.29	34.51




**802.11ax HEW80\_Nss1,(MCS0)\_2TX  
7025MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.05003G	50.52	68.20	-17.68	21.93	3	Vertical	342	1.50	-	28.59	39.95	14.58	32.60
PK	14.04894G	63.11	88.20	-25.09	21.93	3	Vertical	342	1.50	-	41.18	39.95	14.58	32.60


**802.11ax HEW80\_Nss1,(MCS0)\_2TX  
7025MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.04997G	50.72	68.20	-17.48	21.93	3	Horizontal	333	1.99	-	28.79	39.95	14.58	32.60
PK	14.04534G	63.32	88.20	-24.88	21.91	3	Horizontal	333	1.99	-	41.41	39.94	14.57	32.60

802.11ax HEW160\_Nss1,(MCS0)\_2TX


6025MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.924G	54.73	68.20	-13.47	10.25	3	Vertical	15	1.50	14.5	44.48	34.20	10.27	34.22
AV	6.053G	97.83	Inf	-Inf	10.35	3	Vertical	15	1.50	14.5	87.48	34.19	10.38	34.22
PK	5.923G	68.77	88.20	-19.43	10.24	3	Vertical	15	1.50	14.5	58.53	34.19	10.27	34.22
PK	6.0625G	110.31	Inf	-Inf	10.34	3	Vertical	15	1.50	14.5	99.97	34.18	10.39	34.23


802.11ax HEW160\_Nss1,(MCS0)\_2TX

6025MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.918G	51.97	68.20	-16.23	10.22	3	Horizontal	25	2.85	14.5	41.75	34.17	10.27	34.22
AV	6.056G	92.99	Inf	-Inf	10.36	3	Horizontal	25	2.85	14.5	82.63	34.19	10.39	34.22
PK	5.925G	64.83	88.20	-23.37	10.25	3	Horizontal	25	2.85	14.5	54.58	34.20	10.27	34.22
PK	6.0765G	105.10	Inf	-Inf	10.33	3	Horizontal	25	2.85	14.5	94.77	34.15	10.41	34.23

**802.11ax HEW160\_Nss1,(MCS0)\_2TX  
6025MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.05828G	41.59	54.00	-12.41	18.02	3	Vertical	86	2.46	-	23.57	38.97	13.35	34.30
PK	12.04932G	54.62	74.00	-19.38	17.98	3	Vertical	86	2.46	-	36.64	38.95	13.34	34.31


**802.11ax HEW160\_Nss1,(MCS0)\_2TX  
6025MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.05G	41.67	54.00	-12.33	17.99	3	Horizontal	265	1.50	-	23.68	38.95	13.34	34.30
PK	12.0542G	55.88	74.00	-18.12	18.00	3	Horizontal	265	1.50	-	37.88	38.96	13.34	34.30

### 802.11ax HEW160\_Nss1,(MCS0)\_2TX


#### 6185MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.925G	49.04	68.20	-19.16	10.25	3	Vertical	11	1.76	14	38.79	34.20	10.27	34.22
AV	6.2138G	97.79	Inf	-Inf	10.43	3	Vertical	11	1.76	14	87.36	34.13	10.54	34.24
PK	5.925G	60.94	88.20	-27.26	10.25	3	Vertical	11	1.76	14	50.69	34.20	10.27	34.22
PK	6.1738G	109.77	Inf	-Inf	10.37	3	Vertical	11	1.76	14	99.40	34.10	10.50	34.23


### 802.11ax HEW160\_Nss1,(MCS0)\_2TX

#### 6185MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9194G	48.37	68.20	-19.83	10.23	3	Horizontal	42	2.06	14	38.14	34.18	10.27	34.22
AV	6.197G	90.45	Inf	-Inf	10.39	3	Horizontal	42	2.09	14	80.06	34.10	10.53	34.24
PK	5.8122G	60.00	88.20	-28.20	9.85	3	Horizontal	42	2.04	14	50.15	33.87	10.19	34.21
PK	6.1762G	102.15	Inf	-Inf	10.38	3	Horizontal	42	2.08	14	91.77	34.10	10.51	34.23

**802.11ax HEW160\_Nss1,(MCS0)\_2TX  
6185MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.38G	42.47	54.00	-11.53	18.28	3	Vertical	340	1.50	-	24.19	38.88	13.54	34.14
PK	12.36792G	55.41	74.00	-18.59	18.26	3	Vertical	340	1.50	-	37.15	38.87	13.54	34.15


**802.11ax HEW160\_Nss1,(MCS0)\_2TX  
6185MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.3701G	42.81	54.00	-11.19	18.27	3	Horizontal	44	1.50	-	24.54	38.87	13.54	34.14
PK	12.36484G	56.22	74.00	-17.78	18.24	3	Horizontal	44	1.50	-	37.98	38.86	13.53	34.15

802.11ax HEW160\_Nss1,(MCS0)\_2TX


6345MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9202G	48.38	68.20	-19.82	10.23	3	Vertical	15	1.86	14	38.15	34.18	10.27	34.22
AV	6.363G	97.75	Inf	-Inf	10.92	3	Vertical	15	1.86	14	86.83	34.55	10.62	34.25
PK	5.8674G	60.58	88.20	-27.62	10.12	3	Vertical	15	1.86	14	50.46	34.10	10.23	34.21
PK	6.303G	109.37	Inf	-Inf	10.66	3	Vertical	15	1.86	14	98.71	34.31	10.59	34.24


802.11ax HEW160\_Nss1,(MCS0)\_2TX

6345MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.907G	48.36	68.20	-19.84	10.18	3	Horizontal	43	2.02	14	38.18	34.13	10.26	34.21
AV	6.3258G	91.37	Inf	-Inf	10.75	3	Horizontal	43	2.02	14	80.62	34.40	10.60	34.25
PK	5.9238G	60.77	88.20	-27.43	10.25	3	Horizontal	43	2.02	14	50.52	34.20	10.27	34.22
PK	6.327G	102.31	Inf	-Inf	10.76	3	Horizontal	43	2.02	14	91.55	34.41	10.60	34.25

**802.11ax HEW160\_Nss1,(MCS0)\_2TX  
6345MHz\_TX**




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.6899G	43.08	54.00	-10.92	19.21	3	Vertical	330	1.53	-	23.87	39.20	13.73	33.72
PK	12.69074G	55.96	74.00	-18.04	19.21	3	Vertical	330	1.53	-	36.75	39.20	13.73	33.72

**802.11ax HEW160\_Nss1,(MCS0)\_2TX  
6345MHz\_TX**




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.69G	45.40	54.00	-8.60	19.21	3	Horizontal	328	1.12	-	26.19	39.20	13.73	33.72
PK	12.68988G	55.93	74.00	-18.07	19.21	3	Horizontal	328	1.12	-	36.72	39.20	13.73	33.72

**802.11ax HEW160\_Nss1,(MCS0)\_2TX**  
**6505MHz Straddle 6.425-6.525GHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.92334G	48.41	68.20	-19.79	10.24	3	Vertical	11	2.18	14	38.17	34.19	10.27	34.22
AV	6.53456G	97.86	Inf	-Inf	11.72	3	Vertical	11	2.18	14	86.14	35.27	10.73	34.28
PK	5.86966G	61.18	88.20	-27.02	10.12	3	Vertical	11	2.18	14	51.06	34.10	10.23	34.21
PK	6.51504G	109.22	Inf	-Inf	11.67	3	Vertical	11	2.18	14	97.55	35.23	10.71	34.27


**802.11ax HEW160\_Nss1,(MCS0)\_2TX**  
**6505MHz Straddle 6.425-6.525GHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.92212G	48.39	68.20	-19.81	10.24	3	Horizontal	40	1.50	14	38.15	34.19	10.27	34.22
AV	6.49308G	91.02	Inf	-Inf	11.60	3	Horizontal	40	1.50	14	79.42	35.16	10.70	34.26
PK	5.89894G	60.48	88.20	-27.72	10.14	3	Horizontal	40	1.50	14	50.34	34.10	10.25	34.21
PK	6.4638G	102.77	Inf	-Inf	11.40	3	Horizontal	40	1.50	14	91.37	34.98	10.68	34.26




**802.11ax HEW160\_Nss1,(MCS0)\_2TX**  
**6505MHz Straddle 6.425-6.525GHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.0099G	45.21	68.20	-22.99	20.60	3	Vertical	8	1.50	-	24.61	39.79	13.93	33.12
PK	13.00662G	57.51	88.20	-30.69	20.59	3	Vertical	8	1.50	-	36.92	39.79	13.93	33.13


**802.11ax HEW160\_Nss1,(MCS0)\_2TX**  
**6505MHz Straddle 6.425-6.525GHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.01006G	46.59	68.20	-21.61	20.60	3	Horizontal	334	1.25	-	25.99	39.79	13.93	33.12
PK	13.00984G	57.72	88.20	-30.48	20.60	3	Horizontal	334	1.25	-	37.12	39.79	13.93	33.12

802.11ax HEW160\_Nss1,(MCS0)\_2TX


6665MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.6925G	97.64	Inf	-Inf	12.37	3	Vertical	15	2.21	13	85.27	35.87	10.86	34.36
AV	7.1468G	52.04	68.20	-16.16	13.30	3	Vertical	15	2.21	13	38.74	36.57	11.25	34.52
PK	6.6936G	108.92	Inf	-Inf	12.37	3	Vertical	15	2.21	13	96.55	35.87	10.86	34.36
PK	7.127G	63.96	88.20	-24.24	13.14	3	Vertical	15	2.21	13	50.82	36.42	11.24	34.52


802.11ax HEW160\_Nss1,(MCS0)\_2TX

6665MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.6474G	92.07	Inf	-Inf	12.17	3	Horizontal	48	3.00	13	79.90	35.69	10.82	34.34
AV	7.1512G	52.12	68.20	-16.08	13.35	3	Horizontal	48	3.00	13	38.77	36.60	11.26	34.51
PK	6.6859G	103.76	Inf	-Inf	12.33	3	Horizontal	48	3.00	13	91.43	35.84	10.85	34.36
PK	7.1479G	64.32	88.20	-23.88	13.32	3	Horizontal	48	3.00	13	51.00	36.58	11.26	34.52

**802.11ax HEW160\_Nss1,(MCS0)\_2TX  
6665MHz\_TX**




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.33002G	46.25	54.00	-7.75	21.42	3	Vertical	354	1.50	-	24.83	39.89	14.13	32.60
PK	13.33016G	57.32	74.00	-16.68	21.42	3	Vertical	354	1.50	-	35.90	39.89	14.13	32.60

**802.11ax HEW160\_Nss1,(MCS0)\_2TX  
6665MHz\_TX**




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.32994G	45.11	54.00	-8.89	21.42	3	Horizontal	17	1.50	-	23.69	39.89	14.13	32.60
PK	13.32928G	57.19	74.00	-16.81	21.42	3	Horizontal	17	1.50	-	35.77	39.89	14.13	32.60

**802.11ax HEW160\_Nss1,(MCS0)\_2TX**  
**6825MHz Straddle 6.525-6.875GHz\_TX**




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.793G	97.46	Inf	-Inf	12.42	3	Vertical	12	2.21	14	85.04	35.89	10.95	34.42
AV	7.1482G	52.08	68.20	-16.12	13.33	3	Vertical	12	2.21	14	38.75	36.59	11.26	34.52
PK	6.8442G	110.39	Inf	-Inf	12.27	3	Vertical	12	2.21	14	98.12	35.72	11.00	34.45
PK	7.1546G	64.42	88.20	-23.78	13.34	3	Vertical	12	2.21	14	51.08	36.59	11.26	34.51

**802.11ax HEW160\_Nss1,(MCS0)\_2TX**  
**6825MHz Straddle 6.525-6.875GHz\_TX**




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.7962G	91.99	Inf	-Inf	12.43	3	Horizontal	50	2.98	14	79.56	35.89	10.96	34.42
AV	7.1506G	52.13	68.20	-16.07	13.35	3	Horizontal	50	2.98	14	38.78	36.60	11.26	34.51
PK	6.8562G	102.46	Inf	-Inf	12.26	3	Horizontal	50	2.98	14	90.20	35.70	11.01	34.45
PK	7.1434G	63.78	88.20	-24.42	13.28	3	Horizontal	50	2.98	14	50.50	36.55	11.25	34.52

**802.11ax HEW160\_Nss1,(MCS0)\_2TX**  
**6825MHz Straddle 6.525-6.875GHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.65G	50.41	68.20	-17.79	21.78	3	Vertical	360	1.74	-	28.63	39.85	14.32	32.39
PK	13.65638G	61.78	88.20	-26.42	21.77	3	Vertical	360	1.74	-	40.01	39.83	14.33	32.39


**802.11ax HEW160\_Nss1,(MCS0)\_2TX**  
**6825MHz Straddle 6.525-6.875GHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.65G	50.99	68.20	-17.21	21.78	3	Horizontal	340	1.22	-	29.21	39.85	14.32	32.39
PK	13.64984G	61.73	88.20	-26.47	21.78	3	Horizontal	340	1.22	-	39.95	39.85	14.32	32.39

### 802.11ax HEW160\_Nss1,(MCS0)\_2TX


#### 6985MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.947G	96.40	Inf	-Inf	12.28	3	Vertical	55	3.00	-	84.12	35.70	11.08	34.50
AV	7.126G	65.30	68.20	-2.90	13.13	3	Vertical	55	3.00	-	52.17	36.41	11.24	34.52
PK	6.9775G	107.44	Inf	-Inf	12.29	3	Vertical	55	3.00	-	95.15	35.70	11.11	34.52
PK	7.126G	76.43	88.20	-11.77	13.13	3	Vertical	55	3.00	-	63.30	36.41	11.24	34.52


### 802.11ax HEW160\_Nss1,(MCS0)\_2TX

#### 6985MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.9465G	96.28	Inf	-Inf	12.28	3	Horizontal	56	3.00	-	84.00	35.70	11.08	34.50
AV	7.1265G	65.46	68.20	-2.74	13.13	3	Horizontal	56	3.00	-	52.33	36.41	11.24	34.52
PK	6.949G	105.53	Inf	-Inf	12.29	3	Horizontal	56	3.00	-	93.24	35.70	11.09	34.50
PK	7.125G	74.77	88.20	-13.43	13.12	3	Horizontal	56	3.00	-	61.65	36.40	11.24	34.52

**802.11ax HEW160\_Nss1,(MCS0)\_2TX  
6985MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.96996G	50.39	68.20	-17.81	21.76	3	Vertical	350	1.50	-	28.63	39.77	14.52	32.53
PK	13.97312G	62.96	88.20	-25.24	21.76	3	Vertical	350	1.50	-	41.20	39.77	14.52	32.53

**802.11ax HEW160\_Nss1,(MCS0)\_2TX  
6985MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.97006G	50.80	68.20	-17.40	21.76	3	Horizontal	334	1.54	-	29.04	39.77	14.52	32.53
PK	13.97226G	63.22	88.20	-24.98	21.76	3	Horizontal	334	1.54	-	41.46	39.77	14.52	32.53



Antenna Gain (dBi)			
UNII 5	UNII 6	UNII 7	UNII 8
5.39	5.39	5.39	5.39

Contention Based protocol 802.11ax HEW20											
UNII Band	Test Channel	Bandwidth (MHz)	Frequency (MHz)	Intetference frequency (MHz)		AWGN Threshold Level (dBm)	EUT Status	Number of Detected (out of 10 times)	Detection Ratio (%)	Limit (%)	Test Result
5	53	20	6215	Center	6215	-72.39	Stop Transmission	10	100	90	Pass
						-73.39	Stop & with beacon	-			
						-74.39	Start Transmission	-			
6	101	20	6455	Center	6455	-72.39	Stop Transmission	10	100	90	Pass
						-73.39	Stop & with beacon	-			
						-73.39	Start Transmission	-			
7	149	20	6695	Center	6695	-71.39	Stop Transmission	10	100	90	Pass
						-74.39	Stop & with beacon	-			
						-74.39	Start Transmission	-			
8	213	20	7015	Center	7015	-72.39	Stop Transmission	10	100	90	Pass
						-73.39	Stop & with beacon	-			
						-75.39	Start Transmission	-			





Contention Based protocol 802.11ax HEW160											
UNII Band	Test Channel	Bandwidth (MHz)	Frequency (MHz)	Intetference frequency (MHz)	AWGN Threshold Level (dBm)	EUT Status	Number of Detected (out of 10 times)	Detection Ratio (%)	Limit (%)	Test Result	
5	47	160	6185	Low edge	6110	-67.39	Stop Transmission	10	100	90	Pass
						-69.39	Stop & with beacon	-			
						-70.39	Start Transmission	-			
				Center	6185	-66.39	Stop Transmission	10	100	90	Pass
						-67.39	Stop & with beacon	-			
						-67.39	Start Transmission	-			
				High edge	6260	-71.39	Stop Transmission	10	100	90	Pass
						-72.39	Stop & with beacon	-			
						-72.39	Start Transmission	-			
6	111	160	6505	Low edge	6430	-66.39	Stop Transmission	10	100	90	Pass
						-69.39	Stop & with beacon	-			
						-71.39	Start Transmission	-			
				Center	6505	-66.39	Stop Transmission	10	100	90	Pass
						-68.39	Stop & with beacon	-			
						-71.39	Start Transmission	-			
				High edge	6580	-71.39	Stop Transmission	10	100	90	Pass
						-72.39	Stop & with beacon	-			
						-72.39	Start Transmission	-			
7	143	160	6665	Low edge	6590	-67.39	Stop Transmission	10	100	90	Pass
						-69.39	Stop & with beacon	-			
						-70.39	Start Transmission	-			
				Center	6665	-66.39	Stop Transmission	10	100	90	Pass
						-67.39	Stop & with beacon	-			
						-67.39	Start Transmission	-			
				High edge	6740	-71.39	Stop Transmission	10	100	90	Pass
						-72.39	Stop & with beacon	-			
						-73.39	Start Transmission	-			
8	207	160	6985	Low edge	6910	-67.39	Stop Transmission	10	100	90	Pass
						-69.39	Stop & with beacon	-			
						-70.39	Start Transmission	-			
				Center	6985	-66.39	Stop Transmission	10	100	90	Pass
						-67.39	Stop & with beacon	-			
						-67.39	Start Transmission	-			
				High edge	7060	-69.39	Stop Transmission	10	100	90	Pass
						-70.39	Stop & with beacon	-			
						-71.39	Start Transmission	-			




Contention Based protocol 802.11ax HE20											
UNII Band	Test Channel	Bandwidth (MHz)	Frequency (MHz)	Intetference frequency (MHz)		Stop Transmission Real Test Level (dBm)		Stop Transmission with beacon Real Test Level (dBm)		Start Transmission Real Test Level (dBm)	
				Center							
5	53	20	6215	Center	6215	-67	-72.39	-68	-73.39	-69	-74.39
6	101	20	6455	Center	6455	-67	-72.39	-68	-73.39	-68	-73.39
7	149	20	6695	Center	6695	-66	-71.39	-69	-74.39	-69	-74.39
8	213	20	7015	Center	7015	-67	-72.39	-68	-73.39	-70	-75.39

Contention Based protocol 802.11ax HE160											
UNII Band	Test Channel	Bandwidth (MHz)	Frequency (MHz)	Intetference frequency (MHz)		Stop Transmission Real Test Level (dBm)		Stop Transmission with beacon Real Test Level (dBm)		Start Transmission Real Test Level (dBm)	
				Low edge	Center						
5	47	160	6185	Low edge	6110	-62	-67.39	-64	-69.39	-65	-70.39
				Center	6185	-61	-66.39	-62	-67.39	-62	-67.39
				High edge	6260	-66	-71.39	-67	-72.39	-67	-72.39
6	111	160	6505	Low edge	6430	-61	-66.39	-64	-69.39	-66	-71.39
				Center	6505	-61	-66.39	-63	-68.39	-66	-71.39
				High edge	6580	-66	-71.39	-67	-72.39	-67	-72.39
7	143	160	6665	Low edge	6590	-62	-67.39	-64	-69.39	-65	-70.39
				Center	6665	-61	-66.39	-62	-67.39	-62	-67.39
				High edge	6740	-66	-71.39	-67	-72.39	-68	-73.39
8	207	160	6985	Low edge	6910	-62	-67.39	-64	-69.39	-65	-70.39
				Center	6985	-61	-66.39	-62	-67.39	-62	-67.39
				High edge	7060	-64	-69.39	-65	-70.39	-66	-71.39

Bandwidth 20MHz: Traffic Loading Plot - 6215MHz

Time Analysis

Main



Sample Time

12.5us

All TX Time

97.2375ms

All TX Sample

7779

Duty Cycle

0.972253

T1[s] T2[s]

NaNs NaNs


T3[s] T4[s]

NaNs NaNs

Bandwidth 20MHz: Traffic Loading Plot - 6455MHz

Time Analysis

Main



Sample Time

12.5us

All TX Time

96.9375ms

All TX Sample

7755

Duty Cycle

0.969254

T1[s] T2[s]

NaNs NaNs


T3[s] T4[s]

NaNs NaNs

Bandwidth 20MHz: Traffic Loading Plot - 6695MHz

Time Analysis

Main



Sample Time

12.5us

All TX Time

96.3375ms

All TX Sample

7707

Duty Cycle

0.963255

T1[s] T2[s]

NaNs NaNs


T3[s] T4[s]

NaNs NaNs

Bandwidth 20MHz: Traffic Loading Plot - 7015MHz

Time Analysis

Main



Sample Time

12.5us

All TX Time

96.5ms

All TX Sample

7720

Duty Cycle

0.964879

T1[s] T2[s]

NaNs NaNs


T3[s] T4[s]

NaNs NaNs

Bandwidth 160MHz: Traffic Loading Plot - 6185MHz

Time Analysis

Main



Sample Time

12.5us

All TX Time

48.1125ms

All TX Sample

3849

Duty Cycle

0.481065

T1[s] T2[s]

NaNs NaNs


T3[s] T4[s]

NaNs NaNs

Bandwidth 160MHz: Traffic Loading Plot - 6505MHz

Time Analysis

Main



Sample Time

12.5us

All TX Time

43.0375ms

All TX Sample

3443

Duty Cycle

0.430321

T1[s] T2[s]

NaNs NaNs


T3[s] T4[s]

NaNs NaNs

Bandwidth 160MHz: Traffic Loading Plot - 6665MHz

Time Analysis

Main



Sample Time

12.5us

All TX Time

51.4ms

All TX Sample

4112

Duty Cycle

0.513936

T1[s] T2[s]

NaNs NaNs


T3[s] T4[s]

NaNs NaNs

Bandwidth 160MHz: Traffic Loading Plot - 6985MHz

Time Analysis

Main



Sample Time

12.5us

All TX Time

50.5375ms

All TX Sample

4043

Duty Cycle

0.505312



T1[s] T2[s]



NaNs NaNs

T3[s] T4[s]



NaNs NaNs



### 1. Incumbent signal (AWGN) Plot





















Frequency (MHz): 6740 MHz



Date: 27.AUG.2022 12:15:50



AWGN Bandwidth: 10MHz

Frequency (MHz): 6910 MHz




Date: 27.AUG.2022 12:16:58


AWGN Bandwidth: 10MHz



## 2. Contention-Based Protocol Plot




Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.



Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.

Test CH 149 ; Incumbent signal 6695 MHz


Time Analysis



Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.

Test CH 213 ; Incumbent signal 7015 MHz

Time Analysis




Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.



Test CH 47 ; Incumbent signal 6110 MHz


Time Analysis



Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.

Test CH 47 ; Incumbent signal 6185 MHz


Time Analysis



Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.

Test CH 47 ; Incumbent signal 6260 MHz


Time Analysis



Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.

Test CH 111 ; Incumbent signal 6430 MHz


Time Analysis



Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.

Test CH 111 ; Incumbent signal 6505 MHz


Time Analysis



Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.

Test CH 111 ; Incumbent signal 6580 MHz


Time Analysis



Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.

Test CH 143 ; Incumbent signal 6590 MHz


Time Analysis



Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.

Test CH 143 ; Incumbent signal 6665 MHz


Time Analysis



Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.

Test CH 143 ; Incumbent signal 6740 MHz


Time Analysis



Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.

Test CH 207 ; Incumbent signal 6910 MHz


Time Analysis



Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.

Test CH 207 ; Incumbent signal 6985 MHz


Time Analysis



Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.

Test CH 207 ; Incumbent signal 7060 MHz

Time Analysis




Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.

Contention Based Protocol Threshold Level Verify Plot

Bandwidth (MHz): 20

Frequency (MHz): 6215 MHz (Threshold Level: -67 dBm)


Time Analysis



Sample Time	1us
All TX Time	901.026ms
All TX Sample	901026
Duty Cycle	0.901025
T1[s]	T2[s]
NaNs	NaNs
T3[s]	T4[s]
NaNs	NaNs

Frequency (MHz): 6215 MHz (Threshold Level: -68dBm)


Time Analysis



Sample Time	1us
All TX Time	929.437ms
All TX Sample	929437
Duty Cycle	0.929436
T1[s]	T2[s]
NaNs	NaNs
T3[s]	T4[s]
NaNs	NaNs

Frequency (MHz): 6215 MHz (Threshold Level: -69 dBm)

Time Analysis




Sample Time	1us
All TX Time	946.75ms
All TX Sample	946750
Duty Cycle	0.946749
T1[s]	T2[s]
NaNs	NaNs
T3[s]	T4[s]
NaNs	NaNs

Contention Based Protocol Threshold Level Verify Plot

Bandwidth (MHz): 160

Frequency (MHz): 6110 MHz (Threshold Level: -62dBm)

Time Analysis




Sample Time	1us
All TX Time	428.492ms
All TX Sample	428492
Duty Cycle	0.428492
T1[s]	T2[s]
NaNs	NaNs
T3[s]	T4[s]
NaNs	NaNs



Frequency (MHz): 6110 MHz (Threshold Level: -64dBm)


Time Analysis



Sample Time	1us
All TX Time	448.634ms
All TX Sample	448634
Duty Cycle	0.448634
T1[s]	T2[s]
NaNs	NaNs
T3[s]	T4[s]
NaNs	NaNs

Frequency (MHz): 6110 MHz (Threshold Level: -65dBm)


Time Analysis



Sample Time	1us
All TX Time	449.198ms
All TX Sample	449198
Duty Cycle	0.449198
T1[s]	T2[s]
NaNs	NaNs
T3[s]	T4[s]
NaNs	NaNs

Frequency (MHz): 6185 MHz (Threshold Level: -61dBm)


Time Analysis



Sample Time	1us
All TX Time	203.977ms
All TX Sample	203977
Duty Cycle	0.203977
T1[s]	T2[s]
NaNs	NaNs
T3[s]	T4[s]
NaNs	NaNs

Frequency (MHz): 6185 MHz (Threshold Level: -62dBm)

Time Analysis



Sample Time	1us
All TX Time	203.977ms
All TX Sample	203977
Duty Cycle	0.203977
T1[s]	T2[s]
NaNs	NaNs
T3[s]	T4[s]
NaNs	NaNs





**Summary**

Mode	Result	Ch (Hz)	Center (Hz)	ppm	Limit (ppm)	Port	Remark
	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX	Pass	6.175G	6.174994G	0.9108	Inf	1	5 min
802.11ax HEW20_Nss1,(MCS0)_2TX	Pass	6.175G	6.174991G	1.518	Inf	1	0 min

Condition Item	Abbreviation/Remark	Remark
Freq. Stability	Abbreviation	Remark
TnomVnom	Tnom	20°C
TminVmax	Tmin	-20°C
TminVmin	Tmax	50°C
TmaxVmax	Vnom	120V
TmaxVmin	Vmin	102V
-	Vmax	138V



Result

Mode	Result	Ch (Hz)	Center (Hz)	ppm	Limit (ppm)	Port	Remark
802.11a_Nss1,(6Mbps)_2TX	-	-	-	-	-	-	-
6175MHz_TnomVnom	Pass	6.175G	6.174998G	0.3036	Inf	1	0 min
6175MHz_TnomVnom	Pass	6.175G	6.174998G	0.3036	Inf	1	2 min
6175MHz_TnomVnom	Pass	6.175G	6.174998G	0.3036	Inf	1	5 min
6175MHz_TnomVnom	Pass	6.175G	6.174996G	0.6072	Inf	1	10 min
6175MHz_TminVmax	Pass	6.175G	6.174996G	0.6072	Inf	1	0 min
6175MHz_TminVmax	Pass	6.175G	6.174996G	0.6072	Inf	1	2 min
6175MHz_TminVmax	Pass	6.175G	6.174996G	0.6072	Inf	1	5 min
6175MHz_TminVmax	Pass	6.175G	6.174996G	0.6072	Inf	1	10 min
6175MHz_TminVmin	Pass	6.175G	6.174996G	0.6072	Inf	1	0 min
6175MHz_TminVmin	Pass	6.175G	6.174996G	0.6072	Inf	1	2 min
6175MHz_TminVmin	Pass	6.175G	6.174994G	0.9108	Inf	1	5 min
6175MHz_TminVmin	Pass	6.175G	6.174998G	0.3036	Inf	1	10 min
6175MHz_TmaxVmax	Pass	6.175G	6.174998G	0.3036	Inf	1	0 min
6175MHz_TmaxVmax	Pass	6.175G	6.174996G	0.6072	Inf	1	2 min
6175MHz_TmaxVmax	Pass	6.175G	6.174996G	0.6072	Inf	1	5 min
6175MHz_TmaxVmax	Pass	6.175G	6.174998G	0.3036	Inf	1	10 min
6175MHz_TmaxVmin	Pass	6.175G	6.174996G	0.6072	Inf	1	0 min
6175MHz_TmaxVmin	Pass	6.175G	6.174998G	0.3036	Inf	1	2 min
6175MHz_TmaxVmin	Pass	6.175G	6.174996G	0.6072	Inf	1	5 min
6175MHz_TmaxVmin	Pass	6.175G	6.174996G	0.6072	Inf	1	10 min
802.11ax HEW20_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-
6175MHz_TnomVnom	Pass	6.175G	6.174994G	0.9108	Inf	1	0 min
6175MHz_TnomVnom	Pass	6.175G	6.174993G	1.2144	Inf	1	2 min
6175MHz_TnomVnom	Pass	6.175G	6.174994G	0.9108	Inf	1	5 min
6175MHz_TnomVnom	Pass	6.175G	6.174994G	0.9108	Inf	1	10 min
6175MHz_TminVmax	Pass	6.175G	6.174994G	0.9108	Inf	1	0 min
6175MHz_TminVmax	Pass	6.175G	6.174998G	0.3036	Inf	1	2 min
6175MHz_TminVmax	Pass	6.175G	6.174996G	0.6072	Inf	1	5 min
6175MHz_TminVmax	Pass	6.175G	6.174994G	0.9108	Inf	1	10 min
6175MHz_TminVmin	Pass	6.175G	6.174991G	1.518	Inf	1	0 min
6175MHz_TminVmin	Pass	6.175G	6.174994G	0.9108	Inf	1	2 min
6175MHz_TminVmin	Pass	6.175G	6.174994G	0.9108	Inf	1	5 min
6175MHz_TminVmin	Pass	6.175G	6.174996G	0.6072	Inf	1	10 min
6175MHz_TmaxVmax	Pass	6.175G	6.174996G	0.6072	Inf	1	0 min
6175MHz_TmaxVmax	Pass	6.175G	6.174994G	0.9108	Inf	1	2 min
6175MHz_TmaxVmax	Pass	6.175G	6.174996G	0.6072	Inf	1	5 min
6175MHz_TmaxVmax	Pass	6.175G	6.174996G	0.6072	Inf	1	10 min
6175MHz_TmaxVmin	Pass	6.175G	6.174994G	0.9108	Inf	1	0 min
6175MHz_TmaxVmin	Pass	6.175G	6.174994G	0.9108	Inf	1	2 min
6175MHz_TmaxVmin	Pass	6.175G	6.174994G	0.9108	Inf	1	5 min
6175MHz_TmaxVmin	Pass	6.175G	6.174998G	0.3036	Inf	1	10 min



**Summary**


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments	Raw (dBuV/m)	AF (dB/m)
Mode 1	Pass	AV	4.83G	45.81	54.00	-8.19	8.06	3	Vertical	213	1.50	-	37.75	32.56



**Result**


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
Mode 1	Pass	AV	1.5G	37.08	54.00	-16.92	3	Vertical	85	2.78	-
Mode 1	Pass	AV	4.83G	45.81	54.00	-8.19	3	Vertical	213	1.50	-
Mode 1	Pass	AV	5.4G	38.16	54.00	-15.84	3	Vertical	17	1.52	-
Mode 1	Pass	PK	1.5G	40.60	74.00	-33.40	3	Vertical	85	2.78	-
Mode 1	Pass	PK	4.83G	50.40	74.00	-23.60	3	Vertical	213	1.50	-
Mode 1	Pass	PK	5.4G	58.00	74.00	-16.00	3	Vertical	17	1.52	-
Mode 1	Pass	AV	1.7188G	36.85	54.00	-17.15	3	Horizontal	232	1.21	-
Mode 1	Pass	AV	3.21G	35.24	68.20	-32.96	3	Horizontal	360	1.28	-
Mode 1	Pass	AV	4.83G	38.09	54.00	-15.91	3	Horizontal	316	1.50	-
Mode 1	Pass	PK	1.7188G	42.42	74.00	-31.58	3	Horizontal	232	1.21	-
Mode 1	Pass	PK	3.21G	47.34	68.20	-20.86	3	Horizontal	360	1.28	-
Mode 1	Pass	PK	4.83G	48.17	74.00	-25.83	3	Horizontal	316	1.50	-

### Radiated Emissions above 1GHz\_Mode 1



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	1.5G	37.08	54.00	-16.92	-1.94	3	Vertical	85	2.78	-	39.02	25.50	6.80	34.24
AV	4.83G	45.81	54.00	-8.19	8.06	3	Vertical	213	1.50	-	37.75	32.56	9.68	34.18
AV	5.4G	38.16	54.00	-15.84	8.63	3	Vertical	17	1.52	-	29.53	32.80	10.00	34.17
PK	1.5G	40.60	74.00	-33.40	-1.94	3	Vertical	85	2.78	-	42.54	25.50	6.80	34.24
PK	4.83G	50.40	74.00	-23.60	8.06	3	Vertical	213	1.50	-	42.34	32.56	9.68	34.18
PK	5.4G	58.00	74.00	-16.00	8.63	3	Vertical	17	1.52	-	49.37	32.80	10.00	34.17

### Radiated Emissions above 1GHz\_Mode 1



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	1.7188G	36.85	54.00	-17.15	-1.63	3	Horizontal	232	1.21	-	38.48	25.22	7.33	34.18
AV	3.21G	35.24	68.20	-32.96	4.41	3	Horizontal	360	1.28	-	30.83	29.90	8.86	34.35
AV	4.83G	38.09	54.00	-15.91	8.06	3	Horizontal	316	1.50	-	30.03	32.56	9.68	34.18
PK	1.7188G	42.42	74.00	-31.58	-1.63	3	Horizontal	232	1.21	-	44.05	25.22	7.33	34.18
PK	3.21G	47.34	68.20	-20.86	4.41	3	Horizontal	360	1.28	-	42.93	29.90	8.86	34.35
PK	4.83G	48.17	74.00	-25.83	8.06	3	Horizontal	316	1.50	-	40.11	32.56	9.68	34.18