




Horizontal/Vertical for 1 GHz ~ 6.5 GHz



Horizontal/Vertical for 6.5 GHz ~ 18 GHz



Horizontal/Vertical for 18 GHz ~ 40 GHz



KCTL Inc.

65, Sinwon-ro, Yeongtong-gu,
Suwon-si, Gyeonggi-do, 16677, Korea
TEL: 82-31-285-0894 FAX: 82-505-299-8311
www.kctl.co.kr

Report No.:
KR20-SRF0051


Page (173) of (205)

KCTL**Highest Channel (5 690 MHz)**


| Frequency | Pol. | Reading | Ant. Factor | Amp.+Cable | DCCF | Result | Limit | Margin |
|--|-------|----------------|-------------|------------|------|------------------|------------------|--------|
| (MHz) | (V/H) | (dB(μ V)) | (dB) | (dB) | (dB) | (dB(μ V/m)) | (dB(μ V/m)) | (dB) |
| Peak data | | | | | | | | |
| 11 381.75 ¹⁾ | V | 55.94 | 38.08 | -48.89 | - | 45.13 | 74.00 | 28.87 |
| Average Data | | | | | | | | |
| No spurious emissions were detected within 20 dB of the limit. | | | | | | | | |

KCTL


Horizontal/Vertical for 1 GHz ~ 6.5 GHz



Horizontal/Vertical for 6.5 GHz ~ 18 GHz




Horizontal/Vertical for 18 GHz ~ 40 GHz




Lowest Channel (5 745 MHz)

| Frequency (MHz) | Pol. (V/H) | Reading (dB(μV)) | Ant. Factor (dB) | Amp.+Cable (dB) | DCCF (dB) | Result (dB(μV/m)) | Limit (dB(μV/m)) | Margin (dB) |
|--|---------------|---------------------|---------------------|--------------------|--------------|----------------------|---------------------|----------------|
| Peak data | | | | | | | | |
| 5 712.47 | H | 42.18 | 34.75 | -25.74 | - | 51.19 | 108.69 | 57.50 |
| 11 490.28 ¹⁾ | V | 57.73 | 38.19 | -48.18 | - | 47.74 | 74.00 | 26.26 |
| Average Data | | | | | | | | |
| No spurious emissions were detected within 20 dB of the limit. | | | | | | | | |


Horizontal/Vertical for Band-edge




Horizontal/Vertical for 1 GHz ~ 6.5 GHz



Horizontal/Vertical for 6.5 GHz ~ 18 GHz



Horizontal/Vertical for 18 GHz ~ 40 GHz



KCTL Inc.

65, Sinwon-ro, Yeongtong-gu,
Suwon-si, Gyeonggi-do, 16677, Korea
TEL: 82-31-285-0894 FAX: 82-505-299-8311
www.kctl.co.kr

Report No.:
KR20-SRF0051


Page (177) of (205)

**Middle Channel (5 785 MHz)**


| Frequency | Pol. | Reading | Ant. Factor | Amp.+Cable | DCCF | Result | Limit | Margin |
|--|-------|----------------|-------------|------------|------|------------------|------------------|--------|
| (MHz) | (V/H) | (dB(μ V)) | (dB) | (dB) | (dB) | (dB(μ V/m)) | (dB(μ V/m)) | (dB) |
| Peak data | | | | | | | | |
| 11 570.06 ¹⁾ | V | 55.97 | 38.28 | -48.41 | - | 45.84 | 74.00 | 28.16 |
| Average Data | | | | | | | | |
| No spurious emissions were detected within 20 dB of the limit. | | | | | | | | |




Horizontal/Vertical for 1 GHz ~ 6.5 GHz



Horizontal/Vertical for 6.5 GHz ~ 18 GHz



Horizontal/Vertical for 18 GHz ~ 40 GHz



KCTL Inc.

65, Sinwon-ro, Yeongtong-gu,
Suwon-si, Gyeonggi-do, 16677, Korea
TEL: 82-31-285-0894 FAX: 82-505-299-8311
www.kctl.co.kr

Report No.:
KR20-SRF0051


Page (179) of (205)

KCTL


Highest Channel (5 825 MHz)

| Frequency (MHz) | Pol. (V/H) | Reading (dB(μ V)) | Ant. Factor (dB) | Amp.+Cable (dB) | DCCF (dB) | Result (dB(μ V/m)) | Limit (dB(μ V/m)) | Margin (dB) |
|--|---------------|---------------------------|---------------------|--------------------|--------------|----------------------------|---------------------------|----------------|
| Peak data | | | | | | | | |
| 5 862.69 | V | 38.59 | 34.94 | -26.6 | - | 46.93 | 108.65 | 61.72 |
| 11 650.56 ¹⁾ | V | 55.54 | 38.38 | -48.74 | - | 45.18 | 74.00 | 28.82 |
| Average Data | | | | | | | | |
| No spurious emissions were detected within 20 dB of the limit. | | | | | | | | |


Horizontal/Vertical for Band-edge




Horizontal/Vertical for 1 GHz ~ 6.5 GHz



Horizontal/Vertical for 6.5 GHz ~ 18 GHz



Horizontal/Vertical for 18 GHz ~ 40 GHz



KCTL Inc.

65, Sinwon-ro, Yeongtong-gu,
Suwon-si, Gyeonggi-do, 16677, Korea
TEL: 82-31-285-0894 FAX: 82-505-299-8311
www.kctl.co.kr

Report No.:
KR20-SRF0051

Page (181) of (205)




802.11n HT20 UNII-3


Lowest Channel (5 745 MHz)

| Frequency (MHz) | Pol. (V/H) | Reading (dB(μ V)) | Ant. Factor (dB) | Amp.+Cable (dB) | DCCF (dB) | Result (dB(μ V/m)) | Limit (dB(μ V/m)) | Margin (dB) |
|--|---------------|---------------------------|---------------------|--------------------|--------------|----------------------------|---------------------------|----------------|
| Peak data | | | | | | | | |
| 5 697.52 | V | 44.08 | 34.74 | -25.61 | - | 53.21 | 103.36 | 50.15 |
| 11 488.84 ¹⁾ | V | 56.55 | 38.19 | -48.19 | - | 46.55 | 74.00 | 27.45 |
| Average Data | | | | | | | | |
| No spurious emissions were detected within 20 dB of the limit. | | | | | | | | |


Horizontal/Vertical for Band-edge




Horizontal/Vertical for 1 GHz ~ 6.5 GHz



Horizontal/Vertical for 6.5 GHz ~ 18 GHz



Horizontal/Vertical for 18 GHz ~ 40 GHz



KCTL Inc.

65, Sinwon-ro, Yeongtong-gu,
Suwon-si, Gyeonggi-do, 16677, Korea
TEL: 82-31-285-0894 FAX: 82-505-299-8311
www.kctl.co.kr

Report No.:
KR20-SRF0051


Page (183) of (205)

**Middle Channel (5 785 MHz)**


| Frequency | Pol. | Reading | Ant. Factor | Amp.+Cable | DCCF | Result | Limit | Margin |
|--|-------|-----------------|-------------|------------|------|-------------------|-------------------|--------|
| (MHz) | (V/H) | (dB(μV)) | (dB) | (dB) | (dB) | (dB($\mu V/m$)) | (dB($\mu V/m$)) | (dB) |
| Peak data | | | | | | | | |
| 11 570.06 ¹⁾ | H | 54.58 | 38.28 | -48.41 | - | 44.45 | 74.00 | 29.55 |
| Average Data | | | | | | | | |
| No spurious emissions were detected within 20 dB of the limit. | | | | | | | | |




Horizontal/Vertical for 1 GHz ~ 6.5 GHz



Horizontal/Vertical for 6.5 GHz ~ 18 GHz



Horizontal/Vertical for 18 GHz ~ 40 GHz



KCTL Inc.

65, Sinwon-ro, Yeongtong-gu,
Suwon-si, Gyeonggi-do, 16677, Korea
TEL: 82-31-285-0894 FAX: 82-505-299-8311
www.kctl.co.kr

Report No.:
KR20-SRF0051


Page (185) of (205)




Highest Channel (5 825 MHz)

| Frequency (MHz) | Pol. (V/H) | Reading (dB(μ V)) | Amp. + Cable (dB) | Antenna Factor (dB) | DCCF (dB) | Result (dB(μ V/m)) | Limit (dB(μ V/m)) | Margin (dB) |
|--|---------------|---------------------------|----------------------|---------------------------|--------------|----------------------------|---------------------------|----------------|
| Peak data | | | | | | | | |
| 5 869.22 | V | 39.48 | 34.94 | -26.56 | - | 47.86 | 106.82 | 58.96 |
| 11 650.92 ¹⁾ | V | 53.98 | 38.38 | -48.74 | - | 43.62 | 74.00 | 30.38 |
| Average Data | | | | | | | | |
| No spurious emissions were detected within 20 dB of the limit. | | | | | | | | |


Horizontal/Vertical for Band-edge




Horizontal/Vertical for 1 GHz ~ 6.5 GHz



Horizontal/Vertical for 6.5 GHz ~ 18 GHz



Horizontal/Vertical for 18 GHz ~ 40 GHz



KCTL Inc.

65, Sinwon-ro, Yeongtong-gu,
Suwon-si, Gyeonggi-do, 16677, Korea
TEL: 82-31-285-0894 FAX: 82-505-299-8311
www.kctl.co.kr

Report No.:
KR20-SRF0051

Page (187) of (205)

KCTL**802.11n HT40 UNII-3****Lowest Channel (5 755 MHz)**

| Frequency (MHz) | Pol. (V/H) | Reading (dB(μ V)) | Ant. Factor (dB) | Amp.+Cable (dB) | DCCF (dB) | Result (dB(μ V/m)) | Limit (dB(μ V/m)) | Margin (dB) |
|--|---------------|---------------------------|---------------------|--------------------|--------------|----------------------------|---------------------------|----------------|
| Peak data | | | | | | | | |
| 5 720.20 | V | 44.99 | 34.76 | -25.85 | - | 53.90 | 111.26 | 57.37 |
| 11 510.05 ¹⁾ | V | 55.02 | 38.21 | -48.16 | - | 45.07 | 74.00 | 28.93 |
| Average Data | | | | | | | | |
| No spurious emissions were detected within 20 dB of the limit. | | | | | | | | |

Horizontal/Vertical for Band-edge