


4740 Discovery Drive | Lincoln, NE 68521 tel- 402.323.6233 | tel -888.657.6860 | fax - 402.323.6238 info@nceelabs.com | http://nceelabs.com



Label



4740 Discovery Drive | Lincoln, NE 68521 tel- 402.323.6233 | tel -888.657.6860 | fax - 402.323.6238 info@nceelabs.com | http://nceelabs.com





The device is smaller than the palm of a hand, so the FCC warning has been placed in the user's manual



## 4740 Discovery Drive | Lincoln, NE 68521 tel- 402.323.6233 | tel -888.657.6860 | fax - 402.323.6238 info@nceelabs.com | http://nceelabs.com

## Label

The type what is used is: BRADY THT-5-428-10 Metal polyester 25,40 x 12,70mm (1inch x 1/2inch)

verview Specificati	ins
Specifications f	or Thermal Transfer Printable Labels - Metallized Polyester - B-428
Adhes	Permanent Acrylic
Agency Appro	al UL Recognized, CSA Approved, AGA Approved, Halogen-Free (DIN VDE 0472/parts 815)
Board Applicati	n Through Hole - Top
Brady Mater	al 8-428
Brady Material Descripti	n Metallized Polyester
Catalog Num	er THT-107-428
Cold	ur Silver
Curren	sgD SGD
Fini	sh Matte
Height n	m 91.440 m
Langua	ge EN
Long Descripti	Printable, metallized polyester labels for thermal transfer printers. Please Note: This material is UL, CSA & AGA approved wit its respective ribbon. See the "Recommended Ribbon Series" for the appropriate ribbon to use.
Order Referen	ce THT-107-428
Printable Area n	m 101.8mm W x 91.4Mm H
Printer Compatabil	ty Brady 1244, Brady 1344, Brady 2461, Brady 3481, Brady 6441, Brady 300MVP Plus, Brady 200MVP Plus, Brady 300X-Plus Brady 360X-Plus II, Brady 600X-Plus II, Tagus T200, Tagus T300, Thermal Transfer Printers, IP300, IP600, BBP81
Product Na	Thermal Transfer Printable Labels - Metallized Polyester - B-428
QTY Per R	w 1
Recommended Ribb Ser	
Short Descripti	Printable, metallized polyester labels for thermal transfer printers. Please Note: This material is UL, CSA & AGA approved with its respective ribbon. See the "Recommended Ribbon Series" for the appropriate ribbon to use.
Surface Mor Technolo	
Top Mar	in No, this material does not work with this application
UOM S	ell 1/Roll
Vertical Rep	at 300' (91.44 m)
Web Wid	th 4.200" (108.68 mm)
Width n	m 101.600 mm

Label material is intended to be permanent and not-removable.