

F1,Bldg,A,Changyuan New Material Port Keyuan Rd, Science & Industry Park,Nanshan Shenzhen,P.R.China Site: 2# Chamber Tel:+86-0755-26503290 Fax:+86-0755-26503396


Job No.: STAR #5066 Polarization: Horizontal Standard: FCC PK Power Source: DC 3V

Test item: Radiation Test Date: 2013/08/12
Temp.(C)/Hum.(%) 23 C / 48 % Time: 15:57:16
EUT: Bluetooth 3.0 Keyboard Engineer Signature:
Mode: TX 2402MHz(PI/4DQPSK) Distance: 3m

Model: ET-3788

Manufacturer: Eastern Times

Note: Report No.:ATE201231724



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	2310.000	43.28	-7.81	35.47	74.00	-38.53	peak			
2	2310.000	35.70	-7.81	27.89	54.00	-26.11	AVG			
3	2365.742	51.20	-7.69	43.51	74.00	-30.49	peak			
4	2365.742	43.37	-7.69	35.68	54.00	-18.32	AVG			
5	2390.000	56.61	-7.53	49.08	74.00	-24.92	peak			
6	2390.000	47.10	-7.53	39.57	54.00	-14.43	AVG			



F1,Bldg,A,Changyuan New Material Port Keyuan Rd, Science & Industry Park,Nanshan Shenzhen,P.R.China Site: 2# Chamber Tel:+86-0755-26503290 Fax:+86-0755-26503396


Job No.: STAR #5067 Polarization: Horizontal Standard: FCC PK Power Source: DC 3V

Test item: Radiation Test Date: 2013/08/12
Temp.(C)/Hum.(%) 23 C / 48 % Time: 16:03:44
EUT: Bluetooth 3.0 Keyboard Engineer Signature:
Mode: TX 2480MHz(Pl/4DQPSK) Distance: 3m

Model: ET-3788

Manufacturer: Eastern Times

Note: Report No.:ATE201231724



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	2483.500	62.01	-7.37	54.64	74.00	-19.36	peak			
2	2483.500	53.26	-7.37	45.89	54.00	-8.11	AVG			
3	2491.627	54.80	-7.39	47.41	54.00	-6.59	AVG			
4	2491.944	63.46	-7.39	56.07	74.00	-17.93	peak			
5	2500.000	43.81	-7.40	36.41	74.00	-37.59	peak			
6	2500.000	36.24	-7.40	28.84	54.00	-25.16	AVG			



F1,Bldg,A,Changyuan New Material Port Keyuan Rd, Science & Industry Park,Nanshan Shenzhen,P.R.China Site: 2# Chamber Tel:+86-0755-26503290 Fax:+86-0755-26503396

Job No.: STAR #5068
Standard: FCC PK
Test item: Radiation Test


Temp.(C)/Hum.(%) 23 C / 48 % EUT: Bluetooth 3.0 Keyboard Mode: TX 2480MHz(PI/4DQPSK)

Model: ET-3788

Manufacturer: Eastern Times

Note: Report No.:ATE201231724

Polarization: Vertical
Power Source: DC 3V
Date: 2013/08/12
Time: 16:07:08
Engineer Signature:
Distance: 3m



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	2483.500	62.19	-7.37	54.82	74.00	-19.18	peak			
2	2483.500	52.04	-7.37	44.67	54.00	-9.33	AVG			
3	2491.627	61.79	-7.39	54.40	74.00	-19.60	peak			
4	2491.627	52.47	-7.39	45.08	54.00	-8.92	AVG			
5	2500.000	43.38	-7.40	35.98	74.00	-38.02	peak			
6	2500.000	35.20	-7.40	27.80	54.00	-26.20	AVG			



F1,Bldg,A,Changyuan New Material Port Keyuan Rd, Science & Industry Park,Nanshan Shenzhen,P.R.China Site: 2# Chamber Tel:+86-0755-26503290 Fax:+86-0755-26503396

Job No.: Star_tmp #612 Standard: FCC PK Test item: Radiation Test


Temp.(C)/Hum.(%) 23 C / 48 % EUT: Bluetooth 3.0 Keyboard Mode: TX 2402MHz(8QPSK)

Model: ET-3788

Manufacturer: Eastern Times

Note: Report No.:ATE201231724

Polarization: Vertical Power Source: DC 3V Date: 2013/08/12 Time: 16:11:37 Engineer Signature:



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	2310.000	44.00	-7.81	36.19	74.00	-37.81	peak			
2	2310.000	35.22	-7.81	27.41	54.00	-26.59	AVG			
3	2377.960	53.86	-7.61	46.25	74.00	-27.75	peak			
4	2377.960	45.16	-7.61	37.55	54.00	-16.45	AVG			
5	2390.000	60.55	-7.53	53.02	74.00	-20.98	peak			
6	2390.000	51.46	-7.53	43.93	54.00	-10.07	AVG			



F1,Bldg,A,Changyuan New Material Port Keyuan Rd, Science & Industry Park,Nanshan Shenzhen,P.R.China Site: 2# Chamber Tel:+86-0755-26503290 Fax:+86-0755-26503396

Job No.: Star_tmp #613 Standard: FCC PK Test item: Radiation Test

Temp.(C)/Hum.(%) 23 C / 48 % EUT: Bluetooth 3.0 Keyboard Mode: TX 2402MHz(8QPSK)


Model: ET-3788

Manufacturer: Eastern Times

Note: Report No.:ATE201231724

Polarization: Horizontal Power Source: DC 3V Date: 2013/08/12

Time: 16:16:40
Engineer Signature:
Distance: 3m



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	2310.000	43.18	-7.81	35.37	74.00	-38.63	peak			
2	2310.000	35.40	-7.81	27.59	54.00	-26.41	AVG			
3	2366.022	54.38	-7.69	46.69	74.00	-27.31	peak			
4	2366.022	46.20	-7.69	38.51	54.00	-15.49	AVG			
5	2390.000	60.03	-7.53	52.50	74.00	-21.50	peak			
6	2390.000	50.73	-7.53	43.20	54.00	-10.80	AVG			



F1,Bldg,A,Changyuan New Material Port Keyuan Rd, Science & Industry Park,Nanshan Shenzhen,P.R.China Site: 2# Chamber Tel:+86-0755-26503290 Fax:+86-0755-26503396

Job No.: Star_tmp #614
Standard: FCC PK
Test item: Radiation Test

Temp.(C)/Hum.(%) 23 C / 48 % EUT: Bluetooth 3.0 Keyboard Mode: TX 2480MHz(8QPSK)


Model: ET-3788

Manufacturer: Eastern Times

Note: Report No.:ATE201231724

Polarization: Horizontal
Power Source: DC 3V

Date: 2013/08/12 Time: 16:20:25 Engineer Signature: Distance: 3m



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	2483.500	61.83	-7.37	54.46	74.00	-19.54	peak			
2	2483.500	53.20	-7.37	45.83	54.00	-8.17	AVG			
3	2491.785	63.04	-7.39	55.65	74.00	-18.35	peak			
4	2491.785	55.21	-7.39	47.82	54.00	-6.18	AVG			
5	2500.000	41.57	-7.40	34.17	74.00	-39.83	peak			
6	2500.000	33.93	-7.40	26.53	54.00	-27.47	AVG			



F1,Bldg,A,Changyuan New Material Port Keyuan Rd, Science & Industry Park,Nanshan Shenzhen,P.R.China Site: 2# Chamber Tel:+86-0755-26503290 Fax:+86-0755-26503396

Job No.: Star_tmp #615 Standard: FCC PK Test item: Radiation Test

Temp.(C)/Hum.(%) 23 C / 48 % EUT: Bluetooth 3.0 Keyboard Mode: TX 2480MHz(8PSK)


Model: ET-3788

Manufacturer: Eastern Times

Note: Report No.:ATE201231724

Polarization: Vertical Power Source: DC 3V

Date: 2013/08/22 Time: 16:25:32 Engineer Signature: Distance: 3m



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	2483.500	64.45	-7.37	57.08	74.00	-16.92	peak			
2	2483.500	56.25	-7.37	48.88	54.00	-5.12	AVG			
3	2491.785	63.42	-7.39	56.03	74.00	-17.97	peak			
4	2491.785	52.80	-7.39	45.41	54.00	-8.59	AVG			
5	2500.000	41.57	-7.40	34.17	74.00	-39.83	peak			
6	2500.000	36.50	-7.40	29.10	54.00	-24.90	AVG			

Hopping mode



ACCURATE TECHNOLOGY CO., LTD.

F1,Bldg,A,Changyuan New Material Port Keyuan Rd, Science & Industry Park,Nanshan Shenzhen,P.R.China Site: 2# Chamber Tel:+86-0755-26503290 Fax:+86-0755-26503396

Job No.: star #5160 Standard: FCC PK

Test item: Radiation Test

Temp.(C)/Hum.(%) 23 C / 48 % EUT: Bluetooth 3.0 Keyboard Mode: TX 2402MHz(GFSK)


Model: ET-3788

Manufacturer: Eastern Times

Note: Report No.:ATE201231724

Polarization: Vertical Power Source: DC 3V

Date: 13/08/12/ Time: 11/00/29 Engineer Signature: Distance: 3m



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	2310.000	38.37	-7.81	30.56	74.00	-43.44	peak			
2	2310.000	33.20	-7.81	25.39	54.00	-28.61	AVG			
3	2390.000	38.74	-7.53	31.21	74.00	-42.79	peak			
4	2390.000	31.30	-7.53	23.77	54.00	-30.23	AVG			



F1,Bldg,A,Changyuan New Material Port Keyuan Rd, Science & Industry Park,Nanshan Shenzhen,P.R.China Site: 2# Chamber Tel:+86-0755-26503290 Fax:+86-0755-26503396

Job No.: star #5161 Standard: FCC PK

Test item: Radiation Test
Temp.(C)/Hum.(%) 23 C / 48 %
EUT: Bluetooth 3.0 Keyboard

Mode: TX 2402MHz(GFSK)

Model: ET-3788


Manufacturer: Eastern Times

Note: Report No.:ATE201231724

Polarization: Horizontal

Power Source: DC 3V

Date: 13/08/12/ Time: 11/04/17 Engineer Signature:



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	2310.000	38.85	-7.81	31.04	74.00	-42.96	peak			
2	2310.000	31.83	-7.81	24.02	54.00	-29.98	AVG			
3	2390.000	40.86	-7.53	33.33	74.00	-40.67	peak			
4	2390.000	32.90	-7.53	25.37	54.00	-28.63	AVG			



F1,Bldg,A,Changyuan New Material Port Keyuan Rd, Science & Industry Park,Nanshan Shenzhen,P.R.China Site: 2# Chamber Tel:+86-0755-26503290 Fax:+86-0755-26503396

Job No.: star #5166 Standard: FCC PK

Test item: Radiation Test

Temp.(C)/Hum.(%) 23 C / 48 % EUT: Bluetooth 3.0 Keyboard Mode: TX 2480MHz(GFSK)

Model: ET-3788


Manufacturer: Eastern Times

Note: Report No.:ATE201231724

Polarization: Vertical

Power Source: DC 3V Date: 13/08/12/

Time: 11/28/03 Engineer Signature:



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	2483.500	48.96	-7.37	41.59	74.00	-32.41	peak	8		
2	2483.500	41.02	-7.37	33.65	54.00	-20.35	AVG			
3	2500.000	40.13	-7.40	32.73	74.00	-41.27	peak			
4	2500.000	33.20	-7.40	25.80	54.00	-28.20	AVG	8		



F1,Bldg,A,Changyuan New Material Port Keyuan Rd, Science & Industry Park,Nanshan Shenzhen,P.R.China Site: 2# Chamber Tel:+86-0755-26503290 Fax:+86-0755-26503396

Job No.: star #5167 Standard: FCC PK Test item: Radiation Test

Temp.(C)/Hum.(%) 23 C / 48 % EUT: Bluetooth 3.0 Keyboard Mode: TX 2480MHz(GFSK)

Model: ET-3788


Manufacturer: Eastern Times

Note: Report No.:ATE201231724

Polarization: Horizontal

Power Source: DC 3V Date: 13/08/12/

Time: 11/35/33 Engineer Signature:



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	2483.500	47.35	-7.37	39.98	74.00	-34.02	peak			
2	2483.500	39.79	-7.37	32.42	54.00	-21.58	AVG			
3	2500.000	40.85	-7.40	33.45	74.00	-40.55	peak			
4	2500.000	31.00	-7.40	23.60	54.00	-30.40	AVG			



F1,Bldg,A,Changyuan New Material Port Keyuan Rd, Science & Industry Park,Nanshan Shenzhen,P.R.China Site: 2# Chamber Tel:+86-0755-26503290 Fax:+86-0755-26503396

Job No.: star #5162 Pola Standard: FCC PK Pow

Temp.(C)/Hum.(%) 23 C / 48 %
EUT: Bluetooth 3.0 Keyboard
Mode: TX 2402MHz(8QPSK)

Model: ET-3788


Manufacturer: Eastern Times

Test item: Radiation Test

Note: Report No.:ATE201231724

Polarization: Horizontal Power Source: DC 3V

Date: 13/08/12/ Time: 11/09/57 Engineer Signature: Distance: 3m



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	2310.000	39.11	-7.81	31.30	74.00	-42.70	peak			
2	2310.000	32.83	-7.81	25.02	54.00	-28.98	AVG			
3	2390.000	41.59	-7.53	34.06	74.00	-39.94	peak			
4	2390.000	33.14	-7.53	25.61	54.00	-28.39	AVG			



F1,Bldg,A,Changyuan New Material Port Keyuan Rd, Science & Industry Park,Nanshan Shenzhen,P.R.China Site: 2# Chamber Tel:+86-0755-26503290 Fax:+86-0755-26503396

Job No.: star #5163 Standard: FCC PK Test item: Radiation Test

Temp.(C)/Hum.(%) 23 C / 48 % EUT: Bluetooth 3.0 Keyboard Mode: TX 2402MHz(8QPSK)


Model: ET-3788

Manufacturer: Eastern Times

Note: Report No.:ATE201231724

Polarization: Vertical Power Source: DC 3V

Date: 13/08/12/ Time: 11/14/46 Engineer Signature: Distance: 3m



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	2310.000	38.74	-7.81	30.93	74.00	-43.07	peak			
2	2310.000	30.20	-7.81	22.39	54.00	-31.61	AVG			
3	2390.000	38.61	-7.53	31.08	74.00	-42.92	peak			
4	2390.000	31.43	-7.53	23.90	54.00	-30.10	AVG			



F1,Bldg,A,Changyuan New Material Port Keyuan Rd, Science & Industry Park,Nanshan Shenzhen,P.R.China Site: 2# Chamber Tel:+86-0755-26503290 Fax:+86-0755-26503396

Job No.: star #5170 Standard: FCC PK

Test item: Radiation Test

Temp.(C)/Hum.(%) 23 C / 48 % EUT: Bluetooth 3.0 Keyboard Mode: TX 2480MHz(8QPSK)


Model: ET-3788

Manufacturer: Eastern Times

Note: Report No.:ATE201231724

Polarization: Vertical Power Source: DC 3V

Date: 13/08/12/ Time: 11/52/16 Engineer Signature:



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	2483.500	46.46	-7.37	39.09	74.00	-34.91	peak			
2	2483.500	35.83	-7.37	28.46	54.00	-25.54	AVG			
3	2500.000	38.94	-7.40	31.54	74.00	-42.46	peak			
4	2500.000	31.94	-7.40	24.54	54.00	-29.46	AVG			



F1,Bldg,A,Changyuan New Material Port Keyuan Rd, Science & Industry Park,Nanshan Shenzhen,P.R.China Site: 2# Chamber Tel:+86-0755-26503290 Fax:+86-0755-26503396

Job No.: star #5171 Standard: FCC PK

Test item: Radiation Test
Temp.(C)/Hum.(%) 23 C / 48 %
EUT: Bluetooth 3.0 Keyboard

Mode: TX 2480MHz(8QPSK)


Model: ET-3788

Manufacturer: Eastern Times

Note: Report No.:ATE201231724

Polarization: Horizontal Power Source: DC 3V

Date: 13/08/12/ Time: 11/58/52 Engineer Signature: Distance: 3m



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	2483.500	48.61	-7.37	41.24	74.00	-32.76	peak			
2	2483.500	40.00	-7.37	32.63	54.00	-21.37	AVG			
3	2500.000	41.91	-7.40	34.51	74.00	-39.49	peak			
4	2500.000	32.58	-7.40	25.18	54.00	-28.82	AVG			



F1,Bldg,A,Changyuan New Material Port Keyuan Rd, Science & Industry Park,Nanshan Shenzhen,P.R.China Site: 2# Chamber Tel:+86-0755-26503290 Fax:+86-0755-26503396

Job No.: star #5164
Standard: FCC PK
Test item: Radiation Test

Temp.(C)/Hum.(%) 23 C / 48 %
EUT: Bluetooth 3.0 Keyboard
Mode: TX 2402MHz(PI/4DQPSK)


Model: ET-3788

Manufacturer: Eastern Times

Note: Report No.:ATE201231724

Polarization: Horizontal Power Source: DC 3V

Date: 13/08/12/ Time: 11/19/46 Engineer Signature: Distance: 3m



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	2310.000	38.16	-7.81	30.35	74.00	-43.65	peak			
2	2310.000	30.74	-7.81	22.93	54.00	-31.07	AVG			
3	2390.000	42.94	-7.53	35.41	74.00	-38.59	peak			
4	2390.000	31.80	-7.53	24.27	54.00	-29.73	AVG			



F1,Bldg,A,Changyuan New Material Port Keyuan Rd, Science & Industry Park,Nanshan Shenzhen,P.R.China Site: 2# Chamber Tel:+86-0755-26503290 Fax:+86-0755-26503396

Job No.:star #5165Polarization:HorizontalStandard:FCC PKPower Source:DC 3V

Date: 13/08/12/
Time: 11/24/16
Engineer Signature:
Distance: 3m


Temp.(C)/Hum.(%) 23 C / 48 % EUT: Bluetooth 3.0 Keyboard Mode: TX 2402MHz(PI/4DQPSK)

Model: ET-3788

Manufacturer: Eastern Times

Test item: Radiation Test

Note: Report No.:ATE201231724



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	2310.000	38.37	-7.81	30.56	74.00	-43.44	peak			
2	2310.000	32.81	-7.81	25.00	54.00	-29.00	AVG			
3	2390.000	37.87	-7.53	30.34	74.00	-43.66	peak			
4	2390.000	30.20	-7.53	22.67	54.00	-31.33	AVG			



F1,Bldg,A,Changyuan New Material Port Keyuan Rd, Science & Industry Park,Nanshan Shenzhen,P.R.China Site: 2# Chamber Tel:+86-0755-26503290 Fax:+86-0755-26503396

Job No.: star #5169
Standard: FCC PK
Test item: Radiation Test

Temp.(C)/Hum.(%) 23 C / 48 % EUT: Bluetooth 3.0 Keyboard Mode: TX 2480MHz(PI/4DQPSK)


Model: ET-3788

Manufacturer: Eastern Times

Note: Report No.:ATE201231724

Polarization: Vertical Power Source: DC 3V

> Date: 13/08/12/ Time: 11/47/42 Engineer Signature: Distance: 3m



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	2483.500	40.33	-7.37	32.96	74.00	-41.04	peak			
2	2483.500	32.12	-7.37	24.75	54.00	-29.25	AVG			
3	2500.000	38.94	-7.40	31.54	74.00	-42.46	peak			
4	2500.000	30.10	-7.40	22.70	54.00	-31.30	AVG			



F1,Bldg,A,Changyuan New Material Port Keyuan Rd, Science & Industry Park,Nanshan Shenzhen,P.R.China Tel:+86-0755-26503290 Fax:+86-0755-26503396

Site: 2# Chamber

Job No.: star #5170 Standard: FCC PK

Test item: Radiation Test

Temp.(C)/Hum.(%) 23 C / 48 %
EUT: Bluetooth 3.0 Keyboard
Mode: TX 2480MHz(8QPSK)

Model: ET-3788


Manufacturer: Eastern Times

Note: Report No.:ATE201231724

Polarization: Vertical

Power Source: DC 3V

Date: 13/08/12/ Time: 11/52/16 Engineer Signature:



2	S V		V	XX		S V	A	200	W.	2.8
No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)		Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	2483.500	46.46	-7.37	39.09	74.00	-34.91	peak		21	
2	2483.500	35.83	-7.37	28.46	54.00	-25.54	AVG			
3	2500.000	38.94	-7.40	31.54	74.00	-42.46	peak			
4	2500.000	31.94	-7.40	24.54	54.00	-29.46	AVG			

12.ANTENNA REQUIREMENT

12.1.The Requirement

According to Section 15.203, an intentional radiator shall be designed to ensure that no antenna other than that furnished by the responsible party shall be used with the device.

12.2.Antenna Construction

The antenna is PCB Layout antenna, no consideration of replacement. Therefore, the equipment complies with the antenna requirement of Section 15.203.

