



Report No.: TW2203064E

File reference No.: 2022-03-25

Applicant: Eastern Times Technology Co.,Ltd

Product: WIRELESS GAMING MOUSE

Model No.: M656, DS-2629, DS-2951

Trademark: REDRAGON

Test Standards: FCC Part 15.249

Test result:

It is herewith confirmed and found to comply with the

requirements set up by ANSI C63.10 & FCC Part 15 Subpart C,

Paragraph 15.249 regulations for the evaluation o

electromagnetic compatibility

Approved By

Term long

Terry Tang

Manager

Dated: March 25, 2022

Results appearing herein relate only to the sample tested

The technical reports is issued errors and omissions exempt and is subject to withdrawal at

SHENZHEN TIMEWAY TESTING LABORATORIES

Zone C, 1st Floor, Block B, Jun Xiang Da Building, Zhongshan Park Road West, Tong Le Village, Nanshan District, Shenzhen, China

Tel (755) 83448688, Fax (755) 83442996, E-Mail:info@timeway-lab.com

Report No.: TW2203064E Page 2 of 37

Date: 2022-03-25



Special Statement:

The testing quality ability of our laboratory meet with "Quality Law of People's Republic of China" Clause 19.

The testing quality system of our laboratory meet with ISO/IEC-17025 requirements, which is approved by CNAS. This approval result is accepted by MRA of APLAC.

Our test facility is recognized, certified, or accredited by the following organizations:

CNAS-LAB Code: L2292

The EMC Laboratory has been assessed and in compliance with CNAS-CL01 accreditation criteria for testing Laboratories (identical to ISO/IEC 17025:2005 General Requirements) for the Competence of testing Laboratories.

FCC-Registration No.: 744189

The EMC Laboratory has been registered and fully described in a report filed with the (FCC) Federal Communications commission. The acceptance letter from the FCC is maintained in our files. Registration No.: 744189.

Industry Canada (IC) —Registration No.:5205A

The EMC Laboratory has been registered by Certification and Engineering Bureau of Industry Canada for radio equipment testing with Registration No.: 5205A.

A2LA (Certification Number:5013.01)

The EMC Laboratory has been accredited by the American Association for Laboratory Accreditation (A2LA). Certification Number:5013.01

31

Report No.: TW2203064E

Date: 2022-03-25



Test Report Conclusion

Content 1.0 General Details 4 4 1.1 Test Lab Details.... 1.2 Applicant Details.... 4 1.3 Description of EUT 4 1.4 Submitted Sample.... 4 Test Duration. 1.5 5 1.6 5 Test Uncertainty. 1.7 Test By..... 5 2.0 List of Measurement Equipment..... 6 7 3.0 Technical Details..... Summary of Test Results.... 7 3.1 3.2 7 Test Standards.... 4.0 EUT Modification. 7 Power Line Conducted Emission Test. 5.0 5.1 Schematics of the Test. 8 5.2 Test Method and Test Procedure.... 8 5.3 Configuration of the EUT.... 8 9 5.4 EUT Operating Condition... 5.5 Conducted Emission Limit. 9 5.6 Test Result. 6.0 Radiated Emission test.... 10 Test Method and Test Procedure. 6.1 10 6.2 Configuration of the EUT..... 11 EUT Operation Condition. 6.3 11 6.4 Radiated Emission Limit. 11 Test Result..... 6.5 13 7.0 Band Edge.... 21 7.1 Test Method and Test Procedure. 21 7.2 Radiated Test Setup. 21 7.3 Configuration of the EUT..... 21 7.4 EUT Operating Condition.... 21 7.5 Band Edge Limit..... 21 7.6 Band Edge Test Result. 22 8.0 Antenna Requirement. 26 20dB bandwidth measurement. 9.0 27 10.0 30 FCC ID Label.

The report refers only to the sample tested and does not apply to the bulk.

11.0

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

Photo of Test Setup and EUT View.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.

Report No.: TW2203064E

Date: 2022-03-25



Page 4 of 37

1.0 General Details

1.1 Test Lab Details

Name: SHENZHEN TIMEWAY TESTING LABORATORIES.

Address: Zone C, 1st Floor, Block B, Jun Xiang Da Building, Zhongshan Park Road West, Tong Le

Village, Nanshan District, Shenzhen, China

Telephone: (755) 83448688 Fax: (755) 83442996

Site on File with the Federal Communications Commission – United Sates

Registration Number: 744189 For 3m Anechoic Chamber

1.2 Applicant Details

Applicant: Eastern Times Technology Co.,Ltd

Address: Building D, Nan An Industrial Area, Youganpu Village, Fenggang Town, Dongguan City,

Guangdong, China.

Telephone: --Fax: --

1.3 Description of EUT

Product: WIRELESS GAMING MOUSE

Manufacturer: Eastern Times Technology Co.,Ltd

Address: Building D, Nan An Industrial Area, Youganpu Village, Fenggang Town,

Dongguan City, Guangdong, China.

Trademark: REDRAGON

Model Number: M656

Additional Model Name DS-2629, DS-2951

Rating: DC1.5V, 9mA

Battery DC1.5V, (1pc 1.5V AA battery)

Modulation Type: GFSK

Operation Frequency: 2405-2475MHz

Channel Number: 16

Channel List (Unit: MHz): 2405, 2463, 2441, 2426, 2408, 2466, 2445, 2422, 2414, 2471, 2459, 2436,

2419, 2475, 2453, 2439

Hardware Version: 2629-D V1 Software Version: CA7E7

Serial No.: RDM65621072500076

Antenna Designation PCB antenna with gain 2.34dBi Max (Declared by the Manufacturer)

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.

Report No.: TW2203064E Page 5 of 37

Date: 2022-03-25



1.4 Submitted Sample: 1 Sample

1.5 Test Duration 2022-03-04 to 2022-03-25

1.6 Test Uncertainty

Conducted Emissions Uncertainty =3.6dB

Radiated Emissions below 1GHz Uncertainty =4.7dB

Radiated Emissions above 1GHz Uncertainty =6.0dB

Conducted Power Uncertainty = 6.0dB

Occupied Channel Bandwidth Uncertainty = 5%

Conducted Emissions Uncertainty = 3.6dB

Note: The measurement uncertainty is for coverage factor of k=2 and a level of confidence of 95%.

1.7 Test Engineer

The sample tested by

Print Name: Andy Xing

Report No.: TW2203064E Page 6 of 37

Date: 2022-03-25



| 2.0 Test Equipment | | | | | | | | | |
|--------------------|--------------|------------------|--------------|--------------|------------|--|--|--|--|
| Instrument Type | Manufacturer | Model | Serial No. | Date of Cal. | Due Date | | | | |
| ESPI Test Receiver | R&S | ESPI 3 | 100379 | 2021-06-18 | 2022-06-17 | | | | |
| LISN | R&S | EZH3-Z5 | 100294 | 2021-06-18 | 2022-06-17 | | | | |
| LISN | R&S | EZH3-Z5 | 100253 | 2021-06-18 | 2022-06-17 | | | | |
| Impuls-Begrenzer | R&S | ESH3-Z2 | 100281 | 2021-06-18 | 2022-06-17 | | | | |
| Loop Antenna | EMCO | 6507 | 00078608 | 2021-06-18 | 2024-06-17 | | | | |
| Spectrum | R&S | FSIQ26 | 100292 | 2021-06-18 | 2022-06-17 | | | | |
| Horn Antenna | A-INFO | LB-180400-KF | J211060660 | 2021-07-02 | 2024-07-01 | | | | |
| Horn Antenna | R&S | BBHA 9120D | 9120D-631 | 2021-07-02 | 2024-07-01 | | | | |
| Power meter | Anritsu | ML2487A | 6K00003613 | 2021-06-18 | 2022-06-17 | | | | |
| Power sensor | Anritsu | MA2491A | 32263 | 2021-06-18 | 2022-06-17 | | | | |
| Bilog Antenna | Schwarebeck | VULB9163 | 9163/340 | 2021-07-02 | 2024-07-01 | | | | |
| 9*6*6 Anechoic | | | N/A | 2021-07-02 | 2022-07-01 | | | | |
| EMI Test Receiver | RS | ESVB | 826156/011 | 2021-06-18 | 2022-06-17 | | | | |
| EMI Test Receiver | RS | ESH3 | 860904/006 | 2021-06-18 | 2022-06-17 | | | | |
| Spectrum | HP/Agilent | ESA-L1500A | US37451154 | 2021-06-18 | 2022-06-17 | | | | |
| Spectrum | HP/Agilent | E4407B | MY50441392 | 2021-06-18 | 2022-06-17 | | | | |
| Spectrum | RS | FSP | 1164.4391.38 | 2022-01-15 | 2023-01-14 | | | | |
| RF Cable | Zhengdi | ZT26-NJ-NJ-8M/FA | | 2021-06-18 | 2022-06-17 | | | | |
| RF Cable | Zhengdi | 7m | | 2021-06-18 | 2022-06-17 | | | | |
| RF Switch | EM | EMSW18 | 060391 | 2021-06-18 | 2022-06-17 | | | | |
| Pre-Amplifier | Schwarebeck | BBV9743 | #218 | 2021-06-18 | 2022-06-17 | | | | |
| Pre-Amplifier | HP/Agilent | 8449B | 3008A00160 | 2021-06-18 | 2022-06-17 | | | | |
| LISN | SCHAFFNER | NNB42 | 00012 | 2022-01-05 | 2023-01-04 | | | | |

2.2 Automation Test Software

For Conducted Emission Test

| Name | Version |
|--------|-------------------|
| EZ-EMC | Ver.EMC-CON 3A1.1 |

For Radiated Emissions

| Name | Version | | |
|---|---------|--|--|
| EMI Test Software BL410-EV18.91 | V18.905 | | |
| EMI Test Software BL410-EV18.806 High Frequency | V18.06 | | |

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.

Page 7 of 37 Report No.: TW2203064E

Date: 2022-03-25



Technical Details 3.0

3.1 **Summary of test results**

The EUT has been tested according to the following specifications:

| Standard | Test Type | Result | Notes |
|---|------------------------------------|--------|----------|
| FCC Part 15, Paragraph 15.203 | Antenna Requirement | Pass | Complies |
| FCC Part 15, Paragraph 15.207 | Conducted Emission Test | N/A | N/A |
| FCC Part 15 Subpart C Paragraph 15.249(a) & 15.249(b) Limit | Field Strength of Pass Fundamental | | Complies |
| FCC Part 15, Paragraph 15.209 and RSS-210 | Radiated Emission Test | Pass | Complies |
| FCC Part 15 Subpart C Paragraph 15.249(d) Limit | Band Edge Test | Pass | Complies |

3.2 **Test Standards**

FCC Part 15 Subpart C, Paragraph 15.249, ANSI C63.4:2014 and ANSI C63.10:2013

4.0 **EUT Modification**

No modification by SHENZHEN TIMEWAY TESTING LABORATORIES


Report No.: TW2203064E

Date: 2022-03-25



5. Power Line Conducted Emission Test

5.1 Schematics of the test




EUT: Equipment Under Test

5.2 Test Method and test Procedure

The EUT was tested according to ANSI C63.4-2014. The Frequency spectrum From 0.15MHz to 30MHz was investigated. The LISN used was 50ohm/50uH as specified by section 5.1 of ANSI C63.4 –2014.

Block diagram of Test setup



5.3 Configuration of The EUT

The EUT was configured according to ANSI C63.4-2014. All interface ports were connected to the appropriate peripherals. All peripherals and cables are listed below.

16 channels are provided to the EUT

A. EUT

| Device | Manufacturer | Model | FCC ID |
|-----------------|--------------------------|------------------------|------------|
| WIRELESS GAMING | Eastern Times Technology | M656 DC 2620 DC 2051 | TIMDS 2620 |
| MOUSE | Co.,Ltd | M656, DS-2629, DS-2951 | TUVDS-2629 |

Report No.: TW2203064E

Date: 2022-03-25



Page 9 of 37

B. Internal Device

| Device | Manufacturer | Model | FCC ID/DOC |
|--------|--------------|-------|------------|
| N/A | | | |

C. Peripherals

| 1 | | | |
|--------|--------------|-------|--------|
| Device | Manufacturer | Model | Rating |
| N/A | | | |

5.4 EUT Operating Condition

Operating condition is according to ANSI C63.4 -2014

- A Setup the EUT and simulators as shown on follow
- B Enable AF signal and confirm EUT active to normal condition

5.5 Power line conducted Emission Limit according to Paragraph 15.207

| Frequency | Limits (dB µ V) | | | | |
|------------------|------------------|---------------|--|--|--|
| (MHz) | Quasi-peak Level | Average Level | | | |
| $0.15 \sim 0.50$ | 66.0~56.0* | 56.0~46.0* | | | |
| $0.50 \sim 5.00$ | 56.0 | 46.0 | | | |
| 5.00 ~ 30.00 | 60.0 | 50.0 | | | |

Notes:

- 1. *Decreasing linearly with logarithm of frequency.
- 2. The tighter limit shall apply at the transition frequencies

5.6 Test Results:

N/A

Note: EUT powered AA battery, this test not appliable.

Report No.: TW2203064E Page 10 of 37

Date: 2022-03-25




6 Radiated Emission Test


- 6.1 Test Method and test Procedure:
- (1) The EUT was tested according to ANSI C63.10-2013. The radiated test was performed at Timeway EMC Laboratory. This site is on file with the FCC laboratory division, Registration No. 744189
- (2) The EUT, peripherals were put on the turntable which table size is 1m x 1.5 m, table high 0.8 m. All set up is according to ANSI C63.10-2013.
- (3) The frequency spectrum from 30 MHz to 25 GHz was investigated. All readings from 30 MHz to 1 GHz are quasi-peak values with a resolution bandwidth of 120 kHz. All readings are above 1 GHz, peak values with a resolution bandwidth of 1 MHz (Note: for Fundamental frequency radiated emission measurement, RBW=8MHz, VBW=10MHz). Measurements were made at 3 meters.
- (4) The antenna high is varied from 1 m to 4 m high to find the maximum emission for each frequency.
- (5) The antenna polarization: Vertical polarization and Horizontal polarization.

Block diagram of Test setup

For radiated emissions from 9kHz to 30MHz



For radiated emissions from 30MHz to1GHz



The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.


In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.

Report No.: TW2203064E

Date: 2022-03-25



For radiated emissions above 1GHz



- 6.2 Configuration of The EUT

 Same as section 5.3 of this report
- 6.3 EUT Operating Condition
 Same as section 5.4 of this report.
- 6.4 Radiated Emission Limit

All emission from a digital device, including any network of conductors and apparatus connected thereto, shall not exceed the level of field strength specified below:

A FCC Part 15 Subpart C Paragraph 15.249(a) Limit

| Fundamental Frequency | Field Strength of Fundamental (3m) | | | | Field Strength of Harmonics (3m) | | | |
|-----------------------|------------------------------------|--------------|------------|------|----------------------------------|-----------|--|--|
| (MHz) | mV/m | dBu | V/m | uV/m | dBuV/m | | | |
| 2400-2483.5 | 50 | 94 (Average) | 114 (Peak) | 500 | 54 (Average) | 74 (Peak) | | |

Note:

- 1. RF Field Strength (dBuV) = 20 log RF Voltage (uV)
- 2.Distance refers to the distance in meters between the measuring instrument antenna and the closed point of any part of the device or system.
- 3. The emission limit in this paragraph is based on measurement instrumentation employing an average detector.

Report No.: TW2203064E Page 12 of 37

Date: 2022-03-25



B. Frequencies in restricted band are complied to limit on Paragraph 15.209.

| | • | |
|-----------------------|--------------|-----------------------------------|
| Frequency Range (MHz) | Distance (m) | Field strength (dB μ V/m) |
| 0.009-0.490 | 3 | 20log(2400/F(kHz)) +40log (300/3) |
| 0.490-1.705 | 3 | 20log(24000/F(kHz)) +40log (30/3) |
| 1.705-30 | 3 | 69.5 |
| 30-80 | 3 | 40.0 |
| 88-216 | 3 | 43.5 |
| 216-960 | 3 | 46.0 |
| Above 960 | 3 | 54.0 |

Note:

- 1. RF Voltage $(dBuV) = 20 \log RF \text{ Voltage } (uV)$
- 2. In the Above Table, the tighter limit applies at the band edges.
- 3. Distance refers to the distance in meters between the measuring instrument antenna and the EUT
- 4. This is a handhold device. The radiated emissions should be tested under 3-axes position (Lying, Side, and Stand), After pre-test. It was found that the worse radiated emission was get at the lying position.
- 5. All scanning using PK detector. And the final emission level was get using QP detector for frequency range from 30-1000MHz.As to 1G-25G, the final emission level got using PK. For fundamental measurement, PK detector used.
- 6. For radiated emissions from 9kHz to 30MHz, the emission level is much less than the limit for more than 20dB. No necessary to take down the record.
- 7. New Battery used during tests.

Report No.: TW2203064E Page 13 of 37

Date: 2022-03-25




6.5 Test result

A Fundamental & Harmonics Radiated Emission Data

Please refer to the following test plots for details: Low Channel-2405MHz

Horizontal




| No. | Frequency | Results | Factor | Limit | Over Limit | Detector | Table | Height | ANT | Verdict |
|-----|-----------|----------|--------|----------|------------|----------|--------|--------|------------|---------|
| | (MHz) | (dBuV/m) | (dB) | (dBuV/m) | (dB) | | (0) | (cm) | | |
| 1 | 2404.998 | 85.63 | -3.57 | 114.0 | -28.37 | Peak | 360.00 | 100 | Horizontal | Pass |
| 2 | 4811.297 | 55.70 | 3.13 | 74.0 | -18.30 | Peak | 277.00 | 100 | Horizontal | Pass |
| 2** | 4811.297 | 49.46 | 3.13 | 54.0 | -4.54 | AV | 277.00 | 100 | Horizontal | Pass |

Report No.: TW2203064E Page 14 of 37

Date: 2022-03-25



Vertical




Report No.: TW2203064E Page 15 of 37

Date: 2022-03-25



Please refer to the following test plots for details: Middle Channel-2441MHz

Horizontal




Report No.: TW2203064E Page 16 of 37

Date: 2022-03-25



Vertical



| No. | Frequency | Results | Factor | Limit | Over Limit | Detector | Table | Height | ANT | Verdict |
|-----|-----------|----------|--------|----------|------------|----------|--------|--------|----------|---------|
| | (MHz) | (dBuV/m) | (dB) | (dBuV/m) | (dB) | | (o) | (cm) | | |
| 1 | 2441.039 | 78.09 | -3.57 | 114.0 | -35.91 | Peak | 247.00 | 100 | Vertical | Pass |
| 2 | 4879.280 | 49.62 | 3.20 | 74.0 | -24.38 | Peak | 306.00 | 100 | Vertical | Pass |


Report No.: TW2203064E Page 17 of 37

Date: 2022-03-25



Please refer to the following test plots for details: High Channel-2475MHz

Horizontal



| No. | Frequency | Results | Factor | Limit | Over Limit | Detector | Table | Height | ANT | Verdict |
|-----|-----------|----------|--------|----------|------------|----------|--------|--------|------------|---------|
| | (MHz) | (dBuV/m) | (dB) | (dBuV/m) | (dB) | | (0) | (cm) | | |
| 1 | 2474.921 | 84.40 | -3.57 | 114.0 | -29.60 | Peak | 341.00 | 100 | Horizontal | Pass |
| 2 | 4947.263 | 55.46 | 3.33 | 74.0 | -18.54 | Peak | 50.00 | 100 | Horizontal | Pass |
| 2** | 4947.263 | 48.71 | 3.33 | 54.0 | -5.29 | AV | 50.00 | 100 | Horizontal | Pass |


Page 18 of 37

Report No.: TW2203064E

Date: 2022-03-25



Vertical



| No. | Frequency | Results | Factor | Limit | Over Limit | Detector | Table | Height | ANT | Verdict |
|-----|-----------|----------|--------|----------|------------|----------|--------|--------|----------|---------|
| | (MHz) | (dBuV/m) | (dB) | (dBuV/m) | (dB) | | (o) | (cm) | | |
| 1 | 2474.921 | 80.76 | -3.57 | 114.0 | -33.24 | Peak | 65.00 | 100 | Vertical | Pass |
| 2 | 4947.263 | 50.83 | 3.33 | 74.0 | -23.17 | Peak | 360.00 | 100 | Vertical | Pass |

Note: (2) Emission Level = Reading Level + Antenna Factor + Cable Loss-Amplifier

- (3)Margin=Emission-Limits
- (4)According to section 15.35(b), the peak limit is 20dB higher than the average limit
- (5) For test purpose, keep EUT continuous transmitting
- (5) For emission above 18GHz and Below 30MHz, It is only the floor noise. No necessary to take down.
- (6) the measured PK value less than the AV limit.

Report No.: TW2203064E Page 19 of 37

Date: 2022-03-25




B. General Radiated Emission Data Radiated Emission In Horizontal (30MHz----1000MHz)

EUT set Condition: Keep Tx transmitting

Results: Pass

Please refer to following diagram for individual



| No. | Frequency | Results | Factor | Limit | Over Limit | Detector | Table (o) | Height | ANT | Verdict |
|-----|-----------|----------|--------|----------|------------|----------|-----------|--------|------------|---------|
| | (MHz) | (dBuV/m) | (dB) | (dBuV/m) | (dB) | | | (cm) | | |
| 1 | 52.062 | 15.95 | -11.43 | 40.0 | -24.05 | Peak | 44.00 | 100 | Horizontal | Pass |
| 2 | 101.277 | 12.99 | -13.45 | 43.5 | -30.51 | Peak | 1.00 | 100 | Horizontal | Pass |
| 3 | 467.118 | 19.27 | -7.73 | 46.0 | -26.73 | Peak | 0.00 | 100 | Horizontal | Pass |
| 4 | 669.555 | 22.86 | -4.39 | 46.0 | -23.14 | Peak | 4.00 | 100 | Horizontal | Pass |

Report No.: TW2203064E Page 20 of 37

Date: 2022-03-25




Radiated Emission In Vertical (30MHz----1000MHz)

EUT set Condition: Keep Tx transmitting

Results: Pass

Please refer to following diagram for individual



| No. | Frequency | Results | Factor | Limit | Over Limit | Detector | Table | Height | ANT | Verdict |
|-----|-----------|----------|--------|----------|------------|----------|--------|--------|----------|---------|
| | (MHz) | (dBuV/m) | (dB) | (dBuV/m) | (dB) | | (o) | (cm) | | |
| 1 | 53.759 | 15.39 | -11.53 | 40.0 | -24.61 | Peak | 296.00 | 100 | Vertical | Pass |
| 2 | 107.581 | 13.56 | -13.40 | 43.5 | -29.94 | Peak | 302.00 | 100 | Vertical | Pass |
| 3 | 246.013 | 14.78 | -12.18 | 46.0 | -31.22 | Peak | 338.00 | 100 | Vertical | Pass |
| 4 | 911.267 | 25.55 | -1.78 | 46.0 | -20.45 | Peak | 313.00 | 100 | Vertical | Pass |

Page 21 of 37

Date: 2022-03-25

Report No.: TW2203064E




7. Band Edge

7.1 Test Method and test Procedure:

- (1) The EUT was tested according to ANSI C63.10–2013. The radiated test was performed at Timeway EMC Laboratory. This site is on file with the FCC laboratory division, Registration No. 744189
- (2) Set Spectrum as RBW=1MHz, VBW=3MHz and Peak detector used for PK value. RBW=1MHz, VBW=10Hz and Peak detector used for AV value.
- (3) The antenna high is varied from 1 m to 4 m high to find the maximum emission for each frequency.
- (4) The antenna polarization: Vertical polarization and Horizontal polarization.

7. 2 Radiated Test Setup



For the actual test configuration, please refer to the related items – Photos of Testing

7.3 Configuration of The EUT

Same as section 5.3 of this report

7.4 EUT Operating Condition

Same as section 5.4 of this report.

7.5 Band Edge Limit

Emissions radiated outside of the specified frequency bands, except for harmonics, shall be attenuated by at least 50 dB below the level of the fundamental or to the general radiated emission limits in Section 15.209, whichever is the lesser attenuation.

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.


In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.

Page 22 of 37 Report No.: TW2203064E

Date: 2022-03-25



7.6 Test Result



Report No.: TW2203064E Page 23 of 37



|] | Product: | WIRE | LESS GA | MING MOUS | SE | Detecto | or | 7 | Vertical | | |
|-------------------|-----------------------------|----------|----------------------------|--------------------------------|--------------|----------|--------|--------|----------|-------|--|
| | Mode | 1 0 | | | | | age | Ι | OC1.5V | | |
| Te | mperature | | 24 deg. C, Humidity 56% RH | | | | | 6% RH | | | |
| Te | st Result: Pass | | | | | | | | | | |
| C Part 1 1.0E+ | 5C Class B 1GHz-18GHz 2- | -2 | | | | | | | | | |
| 9 | 0- | | | | | | | | | | |
| 8 | 0- | | | | | | .// | 1 . | | | |
| 7 | 0- | | | | | | | 4 | | | |
| 6 | 0- | | | | | | | | | | |
| 5 | 0- | | | | | III ac | | 11/4 | Lin il | | |
| 4 | | - | | بالعامل الاحتياب للقابة إحراسه | | | | | | | |
| 3 | 0- | | | | | | | | | | |
| 2 | 0- | | | | | | | | | | |
| 1 | 0- | | | | | | | | | | |
| _ | _ | | | | | | | | | | |
| 0. | 2350 | | | Free | quency (MHz) | | | | | 2420 | |
| No. | Frequency | Results | Factor | Limit | Over Limit | Detector | Table | Height | ANT | Verdi | |
| | (MHz) | (dBuV/m) | (dB) | (dBuV/m) | (dB) | | (o) | (cm) | | | |
| 1 | 2404.376 | 79.94 | -3.57 | 74.0 | 5.94 | Peak | 116.00 | 100 | Vertical | N/A | |
| 2 | 2400.038 | 46.98 | -3.57 | 74.0 | -27.02 | Peak | 237.00 | 100 | Vertical | Pass | |
| 3 | 2390.010 | 43.14 | -3.53 | 74.0 | -30.86 | Peak | 84.00 | 100 | Vertical | Pass | |

Report No.: TW2203064E Page 24 of 37



| I | Product: | W | IRELESS | GAMING M | IOUSE | | Polarit | y | Horizon | tal | |
|-----------------------|--|----------|---------|-------------------|-----------------|----------------|---------|--------|-----------------------------|--------------|--|
| | Mode | 1 2 2 | | | | | | age | DC1.5 | V | |
| Te | mperature | | 24 | 4 deg. C, | | | Humidi | ty | 56% R | Н | |
| Te | est Result: | | | Pass | | | | | | | |
| 1.0E+2 90 80 | 0- | | | | | | | | | | |
| | 0- | | | | Frequency (MHz) | 83.5 | | | | 2500 | |
| 30 20 10 | 0- 0- 0- 0- 0- 2460 Frequency | Results | Factor | Limit | Over Limit | B3.5 Detector | Table | Height | ANT | 2500 Verd | |
| 30 30 10 0.0 | o- 0- 0- 0- 0- 0- 0- 0- 0- 0- 0- 0- 0- 0- | (dBuV/m) | (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | (0) | (cm) | | Verd | |
| 50 40 30 20 | 0- 0- 0- 0- 0- 2460 Frequency | | | Limit | Over Limit | | | _ | ANT Horizontal Horizontal | ı | |

Page 25 of 37

Report No.: TW2203064E



| J | Product: | V | VIRELESS | GAMING M | IOUSE | | Detecto | or | Vertica | al |
|--------------------|---|---------------------|-------------|-----------------|-------------------------------------|----------|-----------|-------------|--|--------------|
| | Mode | ng | Г | est Volta | age | DC1.5 | V | | | |
| Te | mperature | | 2 | 24 deg. C, | | | Humidi | ty | 56% R | Н |
| Τe | est Result: | | | Pass | | | | | | |
| C Part 1 1.0E+ | L5C Class B 1GHz-18GHz 2- | -2 | | | | | | | | |
| 9 | 0- | | | | | | | | | |
| 8 | 0- | | ı le | . H . A | | | | | | |
| 7 | 0- | | 1 h k | | | | | | | |
| | | | | | | | | | | |
| 6 | 0- | | | III II IN 11'YA | | | | | | |
| _ | 0- | | | | | 1 1 . | | | | |
| _ | | | | | | | | | | |
| 5 | 0- | | | | | | | | | المسالة |
| . 5 . 4 | 0- | | | | | | | | | |
| . 5 | 0- | | | | | | | | | |
| . 5 . 4 . 3 | o- | | | | | | | | a Liddhallan a | d he was |
| 3 | 0- | | | | | | | | | |
| . 5 4 3 2 | 0- | | | Free | 2483.5 | | | | a de del de la constante de la | 2500 |
| 5 4 3 2 | 0- | Results | Factor | Fre | 2483.5 Equency (MHz) Over Limit | Detector | Table | Height | ANT | ı |
| 3 3 2 1 0. | 0- | Results (dBuV/m) | Factor (dB) | ı | equency (MHz) | 1 | Table (o) | Height (cm) | ANT | ı |
| 3 3 2 1 0. | 0- 0- 0- 0- 0- 0- 0- 0- 0- 0- 0- 0- 0- 0 | | | Limit | Over Limit | 1 | | | ANT | 2500 Verdic |

Note: 1. The PK emission level less than the AV limit. No necessary to record the AV emission level.

Report No.: TW2203064E Page 26 of 37

Date: 2022-03-25



8.0 Antenna Requirement

Applicable Standard

An intentional radiator shall be designed to ensure that no antenna other than that furnished by the responsible party shall be used with the device. The use of a permanently attached antenna or of an antenna that uses a unique coupling to the intentional radiator shall be considered sufficient to comply with the provisions of this section.

This product has a PCB antenna. The antenna gain is 2.34dBi Max. It fulfills the requirement of this section. Test Result: Pass

Page 27 of 37

Report No.: TW2203064E



| Product: | WIRELESS GAM | IING MOUSE | | Test Mode: | Keep | transmitting |
|----------------|--------------|------------|--------------|---------------------------------------|------------|-------------------------|
| Mode | Keeping Tra | | Test Voltage | Ι | DC1.5V | |
| Temperature | 24 deg | | Humidity | 56% RH | | |
| Test Result: | Pass | S | | Detector | | PK |
| 20dB Bandwidth | 3.367N | ИНz | | | | |
| r e | Delta 1 [T1 | 1 | RBW | 100 ki | Hz RF Att | 20 dB |
| Ref Lvl | | 1.15 dB | VBW | 300 ki | Hz | |
| 10 dBm | 3.366 | 73347 MHz | SWT | ' 5 ms | s Unit | dBm |
| 10 | | | | v ₁ | [T1] | -22.34 dBm |
| | | | | | 2.40 | |
| 0 | | 2 | | <u>^</u> 1 | [T1] | 1.15 dB |
| | | اسملیم ا | | \wedge ∇_{α} | 3.36 | 673347 MHz -4.09 dBm |
| -10 | | - Chr. | <u>~~</u> | ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ | 2.40 | 498497 GHz |
| | | | | | Maddalan . | 1 |
| -20 | | | | | | 12 |
| D1 -24.09 | ABM A | | | | I W | 11 |
| -30 | | | | | | |
| CAN P | | | | | | · W |
| -40 | | | | | | |
| | | | | | | |
| -50 | | | | | | |
| | | | | | | |
| -60 | | | | | | |
| | | | | | | |
| -70 | | | | | | |
| | | | | | | |
| -80 | | | | | | |
| | | | | | | |
| -90 | | | | | | |
| Center 2.40 | 05 GHz | 500 kHz | / | | : | Span 5 MHz |

Page 28 of 37

Report No.: TW2203064E



| Product: | WIRELESS GAMING MOUS | E Te | est Mode: | Keep tra | ansmitting |
|------------------|--------------------------|------------|--------------------|-------------------------|---|
| Mode | Keeping Transmitting | | est Voltage | | 21.5V |
| Temperature | 24 deg. C, | Н | Humidity | 56% | % RH |
| Test Result: | Pass | I | Detector |] | PK |
| 20dB Bandwidth | 3.387MHz | | | | |
| Ref Lvl | Delta 1 [T1] -0.54 dB | RBW VBW | 100 kHz 300 kHz | | 20 dB |
| 10 dBm | 3.38677355 MHz | SWT | 5 ms | Unit | dBm |
| -30 h | i Q dBm | | | 2.43949 3.38677 3.44097 | 198 GHz |
| -90 Center 2. | 441 CUR 500 | letter / | | C | E MILE |
| | MAR.2022 13:13:37 | kHz/ | | Spa | n 5 MHz |

Page 29 of 37

Report No.: TW2203064E



| Product: | WIRELESS GAMING MOUSE | Test Mode: | Keep transmitting |
|-------------------------------|--------------------------------|----------------------------|--|
| Mode | Keeping Transmitting | Test Voltage | DC1.5V |
| Temperature | 24 deg. C, | Humidity | 56% RH |
| Test Result: | Pass | Detector | PK |
| 20dB Bandwidth | 3.737MHz | | |
| Ref Lvl | Delta 1 [T1] 0.47 dB | RBW 100 kHz VBW 300 kHz | |
| 10 dBm | 3.73747495 MHz | SWT 5 ms | Unit dBm |
| -10 -20 -101 -24 -30 | 2 dikm | | 71] -24.56 dBm 2.47350200 GHz 7.47 dB 3.73747495 MHz 7.4.20 dBm 2.47491483 GHz 7.4.20 dBm 1.4.20 dB |
| -40 | | | |
| -50 | | | |
| -60 | | | |
| -70 | | | |
| -80 | | | |
| -90 Center 2 Date: 5. | .475 GHz 500 MAR.2022 13:28:25 | CHz/ | Span 5 MHz |

Report No.: TW2203064E Page 30 of 37

Date: 2022-03-25




10.0 FCC ID Label

FCC ID: TUVDS-2629

The label must not be a stick-on paper label. The label on these products must be permanently affixed to the product and readily visible at the time of purchase and must last the expected lifetime of the equipment not be readily detachable.

Mark Location:



Report No.: TW2203064E

Date: 2022-03-25



11.0 Photo of testing

11.1 Conducted test View-N/A

Radiated emission test view





The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.

Report No.: TW2203064E

Date: 2022-03-25



11.2 Photographs – EUT

Outside View



The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.

Page 33 of 37

Report No.: TW2203064E

Date: 2022-03-25



Outside View





The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.

Page 34 of 37

Report No.: TW2203064E

Date: 2022-03-25





The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.


In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.

Page 35 of 37 Report No.: TW2203064E

Date: 2022-03-25



Inside view



The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to

adopt any other remedies which may be appropriate.


Page 36 of 37

Report No.: TW2203064E

Date: 2022-03-25



Inside view



The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to

adopt any other remedies which may be appropriate.


Page 37 of 37

Report No.: TW2203064E

Date: 2022-03-25



Inside view



-- End of the report--

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to

adopt any other remedies which may be appropriate.