| Report No.: | TW2312036-01E |
|-----------------|--|
| Applicant: | Eastern Times Technology Co.,Ltd |
| Product: | Wireless Mechanical Gaming Keyboard |
| Model No.: | PC388A, ET-8619, JS-8619 |
| Trademark: | N/A |
| Test Standards: | FCC Part 15.249 |
| Test result: | It is herewith confirmed and found to comply with the requirements set up by ANSI C63.10 & FCC Part 15 Subpart C, Paragraph 15.249 regulations for the evaluation of electromagnetic compatibility |
| Approved By | |
| Terry Tong | |

Terry Tang

Manager

Dated:

December 19, 2023

Results appearing herein relate only to the sample tested The technical reports is issued errors and omissions exempt and is subject to withdrawal at

SHENZHEN TIMEWAY TESTING LABORATORIES

Zone C, 1st Floor, Block B, Jun Xiang Da Building, Zhongshan Park Road West, Tong Le Village, Nanshan District, Shenzhen, China Tel (755) 83448688, Fax (755) 83442996, E-Mail:info@timeway-lab.com



Special Statement:

FCC-Registration No.: 744189

The EMC Laboratory has been registered and fully described in a report filed with the (FCC) Federal Communications commission. The acceptance letter from the FCC is maintained in our files. Registration No.: 744189.

Industry Canada (IC) — Registration No.: 5205A

The EMC Laboratory has been registered by Certification and Engineering Bureau of Industry Canada for radio equipment testing with Registration No.: 5205A.

A2LA (Certification Number:5013.01)

The EMC Laboratory has been accredited by the American Association for Laboratory Accreditation (A2LA). Certification Number:5013.01

CAB identifier: CN0033

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



Test Report Conclusion Content

| 1.0 | General Details | 4 |
|------|------------------------------------|----|
| 1.1 | Test Lab Details | 4 |
| 1.2 | Applicant Details | 4 |
| 1.3 | Description of EUT | 4 |
| 1.4 | Submitted Sample | 4 |
| 1.5 | Test Duration | 5 |
| 1.6 | Test Uncertainty | 5 |
| 1.7 | Test By | 5 |
| 2.0 | List of Measurement Equipment | 6 |
| 3.0 | Technical Details | 7 |
| 3.1 | Summary of Test Results | 7 |
| 3.2 | Test Standards | 7 |
| 4.0 | EUT Modification | 7 |
| 5.0 | Power Line Conducted Emission Test | 8 |
| 5.1 | Schematics of the Test | 8 |
| 5.2 | Test Method and Test Procedure | 8 |
| 5.3 | Configuration of the EUT | 8 |
| 5.4 | EUT Operating Condition | 9 |
| 5.5 | Conducted Emission Limit | 9 |
| 5.6 | Test Result | 9 |
| 6.0 | Radiated Emission test | 12 |
| 6.1 | Test Method and Test Procedure | 12 |
| 6.2 | Configuration of the EUT | 13 |
| 6.3 | EUT Operation Condition | 13 |
| 6.4 | Radiated Emission Limit | 13 |
| 6.5 | Test Result | 15 |
| 7.0 | Band Edge | 23 |
| 7.1 | Test Method and Test Procedure | 23 |
| 7.2 | Radiated Test Setup | 23 |
| 7.3 | Configuration of the EUT | 23 |
| 7.4 | EUT Operating Condition | 23 |
| 7.5 | Band Edge Limit | 23 |
| 7.6 | Band Edge Test Result | 24 |
| 8.0 | Antenna Requirement | 28 |
| 9.0 | 20dB bandwidth measurement | 29 |
| 10.0 | FCC ID Label | 33 |
| 11.0 | Photo of Test Setup and EUT View | 34 |

The report refers only to the sample tested and does not apply to the bulk. This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report. In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to



1.0 General Details

1.1 Test Lab Details

Name: SHENZHEN TIMEWAY TESTING LABORATORIES.
Address: Zone C, 1st Floor, Block B, Jun Xiang Da Building, Zhongshan Park Road West, Tong Le Village, Nanshan District, Shenzhen, China
Telephone: (755) 83448688
Fax: (755) 83442996
Site on File with the Federal Communications Commission – United Sates
Registration Number: 744189
For 3m Anechoic Chamber

1.2 Applicant Details

Applicant:Eastern Times Technology Co.,LtdAddress:Building D, Nan An Industrial Area, Youganpu Village, Fenggang Town, Dongguan City,

Telephone: --Fax: --

Guangdong, China.

1.3 Description of EUT

| Product: | Wireless Mechanical Gaming Keyboard |
|---------------------------|--|
| Manufacturer: | Eastern Times Technology Co.,Ltd |
| Address: | Building D, Nan An Industrial Area, Youganpu Village, Fenggang Town, |
| | Dongguan City, Guangdong, China. |
| Trademark: | N/A |
| Model Number: | PC388A |
| Additional Model Name | ET-8619, JS-8619 |
| Rating: | Input: DC5V, 2A |
| Battery: | DC3.7V, 1600mAh Li-ion battery |
| Hardware Version: | 460A |
| Software Version: | 8619-A V1 |
| Serial No.: | 23K11 |
| Operation Frequency: | 2403-2480MHz |
| Channel Number: | 16 |
| Channel List (Unit: MHz): | 2403, 2424, 2441, 2461, 2414, 2435, 2450, 2470, 2409, 2429, 2455, 2475, |
| | 2419, 2445, 2465, 2480 |
| Antenna Designation | PCB antenna with gain 2.34dBi maximum (Get from the antenna specification) |

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.



1.4 Submitted Sample: 2 Samples

- 1.5 Test Duration 2023-12-05 to 2023-12-19
- 1.6 Test Uncertainty Conducted Emissions Uncertainty =3.6dB Radiated Emissions below 1GHz Uncertainty =4.7dB Radiated Emissions above 1GHz Uncertainty =6.0dB Conducted Power Uncertainty =6.0dB Occupied Channel Bandwidth Uncertainty =5% Conducted Emissions Uncertainty =3.6dB Note: The measurement uncertainty is for coverage factor of k=2 and a level of confidence of 95%.

1.7 Test Engineer

Andy - Xing

The sample tested by

Print Name: Andy Xing

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



| 2.0 Test Equipment | | | | | |
|--------------------|--------------|------------------|--------------|--------------|------------|
| Instrument Type | Manufacturer | Model | Serial No. | Date of Cal. | Due Date |
| ESPI Test Receiver | R&S | ESPI 3 | 100379 | 2023-07-14 | 2024-07-13 |
| LISN | R&S | EZH3-Z5 | 100294 | 2023-07-14 | 2024-07-13 |
| LISN | R&S | EZH3-Z5 | 100253 | 2023-07-14 | 2024-07-13 |
| Impuls-Begrenzer | R&S | ESH3-Z2 | 100281 | 2023-07-14 | 2024-07-13 |
| Loop Antenna | EMCO | 6507 | 00078608 | 2022-07-18 | 2025-07-17 |
| Spectrum | R&S | FSIQ26 | 100292 | 2023-07-14 | 2024-07-13 |
| Horn Antenna | A-INFO | LB-180400-KF | J211060660 | 2022-07-18 | 2025-07-17 |
| Horn Antenna | R&S | BBHA 9120D | 9120D-631 | 2022-07-18 | 2024-07-17 |
| Power meter | Anritsu | ML2487A | 6K00003613 | 2023-07-14 | 2024-07-13 |
| Power sensor | Anritsu | MA2491A | 32263 | 2023-07-14 | 2024-07-13 |
| Bilog Antenna | Schwarebeck | VULB9163 | 9163/340 | 2022-07-18 | 2025-07-17 |
| 9*6*6 Anechoic | | | N/A | 2022-07-26 | 2025-07-25 |
| EMI Test Receiver | RS | ESVB | 826156/011 | 2023-07-14 | 2024-07-13 |
| EMI Test Receiver | RS | ESCS 30 | 834115/006 | 2023-07-14 | 2024-07-13 |
| Spectrum | HP/Agilent | E4407B | MY50441392 | 2023-07-14 | 2024-07-13 |
| Spectrum | RS | FSP | 1164.4391.38 | 2023-07-14 | 2024-07-13 |
| RF Cable | Zhengdi | ZT26-NJ-NJ-8M/FA | | 2023-07-14 | 2024-07-13 |
| RF Cable | Zhengdi | 7m | | 2023-07-14 | 2024-07-13 |
| Pre-Amplifier | Schwarebeck | BBV9743 | #218 | 2023-07-14 | 2024-07-13 |
| Pre-Amplifier | HP/Agilent | 8449B | 3008A00160 | 2023-07-14 | 2024-07-13 |
| LISN | SCHAFFNER | NNB42 | 00012 | 2023-07-14 | 2024-07-13 |
| ESPI Test Receiver | R&S | ESPI 3 | 100379 | 2023-07-14 | 2024-07-13 |
| LISN | R&S | EZH3-Z5 | 100294 | 2023-07-14 | 2024-07-13 |

2.2 Automation Test Software

For Conducted Emission Test

| Name | Version |
|--------|-------------------|
| EZ-EMC | Ver.EMC-CON 3A1.1 |

For Radiated Emissions

| Name | Version |
|---|---------|
| EMI Test Software BL410-EV18.91 | V18.905 |
| EMI Test Software BL410-EV18.806 High Frequency | V18.06 |

The report refers only to the sample tested and does not apply to the bulk. This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



The EUT has been tested according to the following specifications:

Technical Details 3.0

3.1 Summary of test results

| The EOT has been tested according to the | ie following speer | incations. | |
|--|-------------------------------------|------------|----------|
| Standard | Test Type | Result | Notes |
| FCC Part 15, Paragraph 15.203 | Antenna Requirement | Pass | Complies |
| FCC Part 15, Paragraph 15.207 | Conducted Emission Test | Pass | Complies |
| FCC Part 15 Subpart C Paragraph 15.249(a) & 15.249(b) Limit | Field Strength of Fundamental | Pass | Complies |
| FCC Part 15, Paragraph 15.209 | Radiated Emission Test | Pass | Complies |
| FCC Part 15 Subpart C Paragraph 15.249(d) Limit | Band Edge Test | Pass | Complies |
| FCC Part 15.215(c) | 20dB bandwidth | Pass | Complies |

3.2 **Test Standards**

FCC Part 15 Subpart C, Paragraph 15.249, ANSI C63.4 :2014 and ANSI C63.10 :2013

4.0 **EUT Modification**

No modification by SHENZHEN TIMEWAY TESTING LABORATORIES


The report refers only to the sample tested and does not apply to the bulk. This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



5.0 Power Line Conducted Emission Test

5.1 Schematics of the test




EUT: Equipment Under Test

5.2 Test Method and test Procedure

The EUT was tested according to ANSI C63.10-2013. The Frequency spectrum from 0.15MHz to 30MHz was investigated. The LISN used was 50ohm/50uH as specified by section 5.1 of ANSI C63.10–2013. Test Voltage: 120V~, 60Hz

Block diagram of Test setup



5.3 Configuration of the EUT

The EUT was configured according to ANSI C63.10-2013. All interface ports were connected to the appropriate peripherals. All peripherals and cables are listed below. 16 channels are provided to the EUT

| Λ | FUT |
|----|-----|
| л. | LUI |

| Device | Manufacturer | Model | FCC ID |
|---------------------|--------------------------|--------------------------|-------------|
| Wireless Mechanical | Eastern Times Technology | DC200A ET 0610 IS 0610 | TUVET-8619A |
| Gaming Keyboard | Co.,Ltd | PC388A, ET-8619, JS-8619 | 10VE1-8019A |

B. Internal Device

| Device Manufacturer Model FCC ID/DOC |
|--------------------------------------|
|--------------------------------------|

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



| N/A |
|-----|
|-----|

C. Peripherals

| Device | Manufacturer | Model | Rating |
|--------------|--------------|-----------------|-----------------------------------|
| Power Supply | KEYU | KA23-0502000DEU | Input: 100-240V~, 50/60Hz, 0.35A; |
| | | | Output: DC5V, 2A |

5.4 EUT Operating Condition

Operating condition is according to ANSI C63.10-2013

- A Setup the EUT and simulators as shown on follow
- B Enable AF signal and confirm EUT active to normal condition

5.5 Power line conducted Emission Limit according to Paragraph 15.207

| Frequency | Limits (dB µ V) | | | | | |
|-------------------|------------------|---------------|--|--|--|--|
| (MHz) | Quasi-peak Level | Average Level | | | | |
| $0.15~\sim~0.50$ | 66.0~56.0* | 56.0~46.0* | | | | |
| $0.50~\sim~5.00$ | 56.0 | 46.0 | | | | |
| $5.00 \sim 30.00$ | 60.0 | 50.0 | | | | |

Notes: 1. *Decreasing linearly with logarithm of frequency.

2. The tighter limit shall apply at the transition frequencies

5.6 Test Results:

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



Conducted Emission on Live Terminal (150kHz to 30MHz) A: **EUT Operating Environment** Temperature: 25℃ Humidity: 65%RH Atmospheric Pressure: 101 kPa EUT set Condition: Charging and Keep Transmitting **Results: Pass** Please refer to following diagram for individual dBu¥ 80.0 70 FCC Part15 CE-Class C_QP 60 FCC Part 5 CE-Class C_AVe 50 40 30 peak 5 20 AVG 10 0 -10 -20 30.000 0.150 (MHz)

| No. | Frequency (MHz) | Reading (dBuV) | Factor (dB) | Level (dBuV) | Limit (dBuV) | Margin (dB) | Detector | P/F |
|-----|--------------------|--------------------|----------------|-----------------|---------------------|----------------|----------|-----|
| 1 | 0.1929 | 17.62 | 9.75 | 27.37 | 63.91 | -36.54 | QP | Р |
| 2 | 0.1929 | 11.27 | 9.75 | 21.02 | <mark>5</mark> 3.91 | -32.89 | AVG | Ρ |
| 3 | 0.7310 | 19.54 | 9.78 | 29.32 | <mark>56.00</mark> | -26.68 | QP | Ρ |
| 4 | 0.7310 | <mark>9.8</mark> 4 | 9.78 | 19.62 | 46.00 | -26.38 | AVG | Ρ |
| 5 | 14.4582 | 13.53 | 10.36 | 23.89 | 60.00 | -36.11 | QP | Ρ |
| 6 | 14.4582 | 3.99 | 10.36 | 14.35 | 50.00 | -35.65 | AVG | Р |
| 7 | 25.2339 | 17.55 | 11.00 | 28.55 | 60.00 | -31.45 | QP | Ρ |
| 8 | 25.2339 | 9.97 | 11.00 | 20.97 | 50.00 | -29.03 | AVG | Ρ |

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.



B: Conducted Emission on Neutral Terminal (150kHz to 30MHz) **EUT Operating Environment** Temperature: 25℃ Humidity: 65%RH Atmospheric Pressure: 101 kPa EUT set Condition: Charging and Keep Transmitting **Results: Pass** Please refer to following diagram for individual dBu¥ 80.0 70 FCC Part15 CE-Class C_QP 60 FCC Part 5 CE-Class C_AVe 50 40 30 3.MM $\sqrt{2}$ peak 20 AVG 10 0 -10 -20 30.000 0.150 (MHz)

| No. | Frequency (MHz) | Reading (dBuV) | Factor (dB) | Level (dBuV) | Limit (dBuV) | Margin (dB) | Detector | P/F | | |
|-----|--------------------|---------------------|----------------|-----------------|-----------------|----------------|----------|--------|----|---|
| 1 | 0.1890 | 16.82 | 9.76 | 26.58 | 64.08 | -37.50 | QP | Ρ | | |
| 2 | 0.1890 | <mark>6.8</mark> 1 | 9.76 | 16.57 | 54.08 | -37.51 | AVG | Ρ | | |
| 3 | 3 0.7233 16.97 | | 0.7233 16. | 16.97 | 9.78 | 26.75 | 56.00 | -29.25 | QP | Ρ |
| 4 | 0.7233 | 9.73 | 9.78 | 19.51 | 46.00 | -26.49 | AVG | Ρ | | |
| 5 | 14.2866 | 11.98 | 10.35 | 22.33 | 60.00 | -37.67 | QP | Ρ | | |
| 6 | 6 14.2866 | 2.06 | 10.35 | 12.41 | 50.00 | -37.59 | AVG | Р | | |
| 7 | 25.1481 | 15.08 | 11.00 | 26.08 | 60.00 | -33.92 | QP | Р | | |
| 8 | 25.1481 | 6. <mark>0</mark> 1 | 11.00 | 17.01 | 50.00 | -32.99 | AVG | Ρ | | |

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.



6 Radiated Emission Test


- 6.1 Test Method and test Procedure:
- The EUT was tested according to ANSI C63.10-2013. The radiated test was performed at Timeway EMC Laboratory. This site is on file with the FCC laboratory division, Registration No. 744189
- (2) The EUT, peripherals were put on the turntable which table size is 1m x 1.5 m, table high 0.8 m. All set up is according to ANSI C63.10-2013.
- (3) The frequency spectrum from 9kHz to 25 GHz was investigated. The frequency spectrum is set as follows:

| Frequency | Detector | RBW | VBW | Value |
|--------------|------------|--------|--------|------------|
| 9KHz-150KHz | Quasi-peak | 200Hz | 600Hz | Quasi-peak |
| 150KHz-30MHz | Quasi-peak | 9KHz | 30KHz | Quasi-peak |
| 30MHz-1GHz | Quasi-peak | 120KHz | 300KHz | Quasi-peak |
| Above 1GHz | Peak | 1MHz | 3MHz | Peak |
| Above IGHZ | Peak | 1MHz | 10Hz | Average |

(Note: for Fundamental frequency radiated emission measurement, RBW=3MHz, VBW=10MHz). Measurements were made at 3 meters.

- (4) The antenna high is varied from 1 m to 4 m high to find the maximum emission for each frequency.
- (5) The antenna polarization: Vertical polarization and Horizontal polarization.Block diagram of Test setup

For radiated emissions from 9kHz to 30MHz




The report refers only to the sample tested and does not apply to the bulk.


This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.



For radiated emissions from 30MHz to1GHz



For radiated emissions above 1GHz



- 6.2 Configuration of the EUT Same as section 5.3 of this report
- 6.3 EUT Operating Condition Same as section 5.4 of this report.
- 6.4 Radiated Emission Limit

All emission from a digital device, including any network of conductors and apparatus connected thereto, shall not exceed the level of field strength specified below:

| A FCC Part 15 Subpart C Paragraph 15.249(a) Limit |
|---|
|---|

| Fundamental FrequencyField Strength of Fundamental (3m) | | | | Field Strength of Harmonics (3m) | | | |
|---|------|--------|------|----------------------------------|--|--|--|
| (MHz) | mV/m | dBuV/m | uV/m | dBuV/m | | | |

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



| 2400-2483.5 | | 50 | 94 (Average) | 114 (Peak) | 500 | 54 (Average) | 74 (Peak) |
|-------------|--|----|--------------|------------|-----|--------------|-----------|
| Note: | | | | age (uV) | | | |

2.Distance refers to the distance in meters between the measuring instrument antenna and the closed point of any part of the device or system.

3. The emission limit in this paragraph is based on measurement instrumentation employing an average detector.

B. Frequencies in restricted band are complied to limit on Paragraph 15.209.

| 1 | |
|--------------|-----------------------------------|
| Distance (m) | Field strength (dB μ V/m) |
| 3 | 20log(2400/F(kHz)) +40log (300/3) |
| 3 | 20log(24000/F(kHz)) +40log (30/3) |
| 3 | 69.5 |
| 3 | 40.0 |
| | 43.5 |
| 3 | 46.0 |
| 3 | 54.0 |
| | 3 3 3 3 3 3 3 |

Note:

1. RF Voltage (dBuV) = $20 \log RF$ Voltage (uV)

2. In the Above Table, the tighter limit applies at the band edges.

3. Distance refers to the distance in meters between the measuring instrument antenna and the EUT

4. All scanning using PK detector. And the final emission level was get using QP detector for frequency range from 30-1000MHz.As to 1G-25G, the final emission level got using PK. For fundamental measurement, PK detector used.

5. Battery fully charged was used during the test.

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



6.5 Test resultA Fundamental & Harmonics Radiated Emission Data

Please refer to the following test plots for details: Low Channel-2403MHz

Horizontal

(MHz)

2403

1

(dBuV/m)


84.66

(dB)

-3.57

(dBuV/m)

114.0



(dB)

-29.34

(o)

247.00

Peak

(cm)

100


Horizontal

Pass

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.





| No. | Frequency | Results | Factor | Limit | Over Limit | Detector | Table | Height | ANT | Verdict |
|-----|-----------|----------|--------|----------|------------|----------|--------|--------|----------|---------|
| | (MHz) | (dBuV/m) | (dB) | (dBuV/m) | (dB) | | (0) | (cm) | | |
| 1 | 2403 | 81.38 | -3.57 | 114.0 | -32.62 | Peak | 283.00 | 100 | Vertical | Pass |


The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.



Please refer to the following test plots for details: Middle Channel-2441MHz

Horizontal




| No. | Frequency | Results | Factor | Limit | Over Limit | Detector | Table | Height | ANT | Verdict |
|-----|-----------|----------|--------|----------|------------|----------|--------|--------|------------|---------|
| | (MHz) | (dBuV/m) | (dB) | (dBuV/m) | (dB) | | (o) | (cm) | | |
| 1 | 2441 | 85.88 | -3.57 | 114.0 | -28.12 | Peak | 280.00 | 100 | Horizontal | Pass |

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.





| No. | Frequency | Results | Factor | Limit | Over Limit | Detector | Table | Height | ANT | Verdict |
|-----|-----------|----------|--------|----------|------------|----------|--------|--------|----------|---------|
| | (MHz) | (dBuV/m) | (dB) | (dBuV/m) | (dB) | | (o) | (cm) | | |
| 1 | 2441 | 81.11 | -3.57 | 114.0 | -32.89 | Peak | 295.00 | 100 | Vertical | Pass |

The report refers only to the sample tested and does not apply to the bulk. This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.



(cm)

100

Horizontal

Pass

(o)

Peak

245.00

Please refer to the following test plots for details: High Channel-2480MHz

Horizontal

(MHz)

2480

1

(dBuV/m)


84.91

(dB)

-3.57

(dBuV/m)

114.0




(dB)

-29.09

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.





| No. | Frequency | Results | Factor | Limit | Over Limit | Detector | Table | Height | ANT | Verdict |
|-----|-----------|----------|--------|----------|------------|----------|--------|--------|----------|---------|
| | (MHz) | (dBuV/m) | (dB) | (dBuV/m) | (dB) | | (o) | (cm) | | |
| 1 | 2480 | 80.24 | -3.57 | 114.0 | -33.76 | Peak | 281.00 | 100 | Vertical | Pass |

Note: (1) Emission Level = Reading Level + Antenna Factor + Cable Loss-Amplifier

(2) Margin=Emission-Limits

(3) According to section 15.35(b), the peak limit is 20dB higher than the average limit

(4) For test purpose, keep EUT continuous transmitting

(5) For emission above 18GHz and Below 30MHz, It is only the floor noise and less than the limit for more than 20dB. No necessary to take down.

(6) the measured PK value less than the AV limit.

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.




Page 21 of 42

B. General Radiated Emission Data Radiated Emission In Horizontal (30MHz----1000MHz)

EUT set Condition: Keep Tx transmitting

Results: Pass

Please refer to following diagram for individual FCC_FCC Part 15C Class B 30MHz-1GHz



| No. | Frequency | Results | Factor | Limit | Margin | Detector | Table | Height | Antenna | Verdict |
|-----|-----------|----------|--------|----------|--------|----------|----------|--------|------------|---------|
| | (MHz) | (dBuV/m) | (dB) | (dBuV/m) | (dB) | | (Degree) | (cm) | | |
| 1 | 49.880 | 21.27 | -11.36 | 40.0 | 18.73 | Peak | 60.00 | 100 | Horizontal | Pass |
| 2 | 96.671 | 20.69 | -14.02 | 43.5 | 22.81 | Peak | 273.00 | 100 | Horizontal | Pass |
| 3 | 162.857 | 29.25 | -16.37 | 43.5 | 14.25 | Peak | 268.00 | 100 | Horizontal | Pass |
| 4 | 207.223 | 38.54 | -13.67 | 43.5 | 4.96 | Peak | 360.00 | 100 | Horizontal | Pass |
| 5 | 376.688 | 30.95 | -9.38 | 46.0 | 15.05 | Peak | 360.00 | 100 | Horizontal | Pass |
| 6 | 664.949 | 34.77 | -4.42 | 46.0 | 11.23 | Peak | 314.00 | 100 | Horizontal | Pass |

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.



Page 22 of 42


Radiated Emission In Vertical (30MHz----1000MHz)

EUT set Condition: Keep Tx transmitting

Results: Pass

Please refer to following diagram for individual

FCC_FCC Part 15C Class B 30MHz-1GHz



The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.




7. Band Edge

7.1 Test Method and test Procedure:

- The EUT was tested according to ANSI C63.10–2013. The radiated test was performed at Timeway EMC Laboratory. This site is on file with the FCC laboratory division, Registration No. 744189
- (2) Set Spectrum as RBW=1MHz, VBW=3MHz and Peak detector used for PK value. RBW=1MHz, VBW=10Hz and Peak detector used for AV value.
- (3) The antenna high is varied from 1 m to 4 m high to find the maximum emission for each frequency.
- (4) The antenna polarization: Vertical polarization and Horizontal polarization.

7.2 Radiated Test Setup



For the actual test configuration, please refer to the related items - Photos of Testing

7.3 Configuration of the EUT

Same as section 5.3 of this report

7.4 EUT Operating Condition

Same as section 5.4 of this report.

7.5 Band Edge Limit

Emissions radiated outside of the specified frequency bands, except for harmonics, shall be attenuated by at least 50 dB below the level of the fundamental or to the general radiated emission limits in Section 15.209, whichever is the lesser attenuation.

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.



7.6 Test Result

| 1 | Product: | Wireless N | Mechanical | l Gaming Ke | yboard | Polar | ity | | Horizontal | |
|----------------|--|---|--|-------------------------------------|---|--------------------------------------|---------------|-------------|------------|----------------------|
| | Mode | Keeping Transmitting | | | | Test Voltage | | DC3.7V | | |
| Te | mperature | 24 deg. C, | | | | Humidity | | 56% RH | | |
| Te | est Result: | | Pas | ss | | | | | | |
| FCC F | Part 15C Class B 1GHz-18 1.0E+2 - 90 - 80 - 70 - 60 - 50 - | JGHz -2 | | | | | | MI | | |
| level (dBuV/m) | 40- | enakinen manakinen manakinen konstruktion | anders same and a state of the second se | Helentra bernanda gina bernangan sa | M3 ใสสุขทันที่ได้เป็นขึ้นของให้หมายางสามารถได้ | Nadrijena – Kisto – Kašena jekastnih | nikalatan ji | 2 | MAN | harmhad yr |
| level (dBuV/m) | 40- 30- 20- 10- 0.0- 2370 Frequency | Results | Factor | Limit | Frequency (MHz) | Detector | Table | Height | ANT | 2410 |
| No. | 40- 30- 20- 10- 2370 Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Frequency (MHz) Over Limit (dB) | | (0) | (cm) | | Verdi |
| No. I | 40- 30- 20- 10- 2370 Frequency (MHz) 2402.862 | Results (dBuV/m) 84.20 | Factor (dB) -3.57 | Limit (dBuV/m) 74.0 | Frequency (MHz) Over Limit (dB) 10.20 | Peak | (o) 242.00 | (cm) 100 | Horizontal | Verdi N/A |
| No. I | 40- 30- 20- 10- 2370 Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Frequency (MHz) Over Limit (dB) | | (0) | (cm) | | Verdi N/A Pass |
| | 40- 30- 20- 10- 2370 Frequency (MHz) 2402.862 | Results (dBuV/m) 84.20 | Factor (dB) -3.57 | Limit (dBuV/m) 74.0 | Frequency (MHz) Over Limit (dB) 10.20 | Peak | (o) 242.00 | (cm) 100 | Horizontal | Verdio N/A |

The report refers only to the sample tested and does not apply to the bulk. This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.



| | Product: | Wireless | Mechanica | l Gaming Ke | yboard | Detect | or | | Vertical | |
|-----------------------|---|--|---|--|--------------------------------------|---|-------------------|----------------|-----------------|------------------------|
| | Mode |] | Keeping Transmitting | | | Test Voltage | DC3.7V | | | |
| Te | emperature | 24 deg. C, | | | | Humidity | | 56% RH | | |
| Te | est Result: | | Pa | SS | | | | | | |
| | rt 15C Class B 1GHz-18GH | Hz -2 | | | | | | | | |
| | | | | | | | | | | |
| | 90- | | | | | | | M1 | | |
| | 80- | | | | | | | COMMANIA. | | |
| | 70- | | | | | | | | h. | |
| | 60 | | | | | | d a | V | 1 | |
| | 60- | | | | | | , d | | 11 | |
| _ | 50- | | | | | | | | | |
| E. | | | | | | | | | 1 fBb | |
| (dBuV/m | 40- | | | | M3 | | M2 | | 19 | |
| level (dBuV/m) | ter, fill see filled in fill have an it has a sol | al fer haf been seen to an hear the most of the second second second second second second second second second | hármiri sa hájátásak da gladásán sarranda | بروعايه المعالي المرافع المرافع المواز وال | | ndet so wild word of the first so the | | | WWW. | Ranalistation |
| level (dBuV/m | | ak <u>le Ledinomen (haakkalkens</u> elle vorgelak | Reference in a state of the second | nativitati kakada an ini di | | nde konklander för förda kildet och | APRINIPARI ® | | 'Ny | Render and an of a |
| level (dBuV/m | ter, fill see filled in fill have an it has a sol | hili ili ingene kan berlip yang bernyi k | Nirawia, ajima kangana ana an | ىرىدىلىرە تارىخە ئەرەك يەرەك يەرە يەرەك يەرەك يەر | | ndi indinaserikitakihatan | appa Wijdel | | 'White | Alegénin, kalingén |
| level (dBuV/m | 10, 10, 10, 10, 10, 10, 10, 10, 10, 10, 10, | nig, islangara kaniga Aga, siga nagrad | New and the second | n an an the state of the second s | | ndi indoneratiski kator | upped vijelele M2 | | 'White | Paragénengina ani ngén |
| level (dBuV/m | <mark>6,41,66,61,66,6,7,60,60,000</mark> 30- | ก่ารู้แม่มีเครื่องเหมืองได้เชิงใจเราะเร็าจากเราะไป | Herner un nachten Heis Jassen von und | understaden för känna konten det skal | | างกับ - 2014 ที่ประเทศ (กับ กับ ประกัง (กับ ประกัง (การ | • • | | "White | Registrate and the |
| level (dBuV/m | 10, 10, 10, 10, 10, 10, 10, 10, 10, 10, 10, | higa Lafonoppen, Associes (Space (Space)) | Nerwolyweighter Hofglassee, oorwei | nerskepiskelske forktor de forske de fors | ndersedenster der | nde kodkusen på dek koden | | | | |
| level (dBuV/m | 30 - 20 - 10 - 2370 | n fige i de forme general de se de la fige qui de consected | Nerwe weekster in de geweer voorwe | uneskysetesti kyrktoretisjone breto det | | nde kondissen er kon | «manjada | | | |
| level (dBuV/m) NO. | 30 - 20 - 10 - | Results | Factor | Limit | ndersedenster der | Detector | Table | Height | ANT | 2410 |
| | 30 - 20 - 10 - 2370 | | | | Frequency (MH2) | Detector | Table (0) | Height (cm) | 1 | 2410 |
| | 30- 20- 10- 2370 Frequency | Results | Factor | Limit | Frequency (MHz) | Detector | | - | 1 | 2410 |
| No. | 30- 20- 10- 2370 Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Frequency (MHz) Over Limit (dB) | | (0) | (cm) | ANT | 2410 Verdie |
| No. | 30- 20- 10- 2370 Frequency (MHz) 2402.382 | Results (dBuV/m) 80.30 | Factor (dB) -3.57 | Limit (dBuV/m) 74.0 | Frequency (MHz) Over Limit (dB) 6.30 | Peak | (o) 284.00 | (cm) 100 | ANT Vertical | 2410 Verdia |

The report refers only to the sample tested and does not apply to the bulk. This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report. In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to



| | Product: | Wireless | Mechanic | al Gaming K | Leyboard | Polarity Test Voltage | | Horizont | al | | |
|-----------------------|--|---|----------------|---|--|--------------------------------|--|--------------------------------|--|---|--|
| | Mode | | | Test Voltage | | | DC3.7V | | | | |
| Te | emperature | perature 24 deg. C, | | | | | Humidity | | | 56% RH | |
| Te | est Result: | Pass | | | | | | | | | |
| | rt 15C Class B 1GHz-18G DE+2- | Hz -2 | | | | | | | | | |
| | 90 | | / | MI TITINA A A A A A A A A A A A A A A A A A A | | | | | | | |
| level (dBuV/m) | 50- 40- 30- 20- | naing de se la de la de se de se de se | | M: | | terftedarriaridat beredard | afgheise)l spice,bloceastai | angelangen et de legt handen v | nibili landiyik ladi shkara a k | un an | |
| level (dBuV/m) | 40- | instructure in the second s | | M: • 248 | Manager and Andrews | hat sedar i ar dage kan nainge | of ghase, Negace, Nega | Magdingen, gan a lafter den | n stalf blande gjeller blande sekterer som ble | | |
| | 40 | Results | Factor | • | 3.5 | Detector | Table | Height | ANT | 2500 | |
| | 40 | | Factor (dB) | 248: | 3.5 Frequency (MHz) | | | | | 2500 | |
| level (dBuV/m) No. | 40- 30- 20- 10- 2470 Frequency | Results | | 248 Limit | 3.5 Frequency (MHz) | | Table | Height | | 2500 | |
| No. | 40- 40- 40- 30- 20- 10- 2470 Frequency (MHz) | Results (dBuV/m) | (dB) | 248: Limit (dBuV/m) | 3.5 Frequency (MHz) Over Limit (dB) | Detector | Table (o) | Height (cm) | ANT | 2500 Verdic | |

The report refers only to the sample tested and does not apply to the bulk. This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report. In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to



|] | Product: | Wireless 1 | yboard | Detector | | Vertical | | | | |
|-----------------------|--|--|--|----------|----------------------|------------------------------|--|---------------------|--------------------------------------|-------------------|
| | Mode Keeping Transmitting | | | | | Test Voltage | | DC3.7V | | |
| Te | mperature | 24 deg. C, | | | | Humidity | | 56% RH | | |
| Τe | est Result: | Pass | | | | | | | | |
| | rt 15C Class B 1GHz-18G E+2- 90- | 4z -2 | M1 | | | | | | | |
| | 80 | | . Share and the second se | | | | | | | |
| level (dBuV/m) | 50- 40- 30- 20- | and a second | y ^{yy} | | | anten korre tiel wie voor te | ylasio fantistati satistati | hradorisa terapa ha | hers bit i an Lower and the second | tops to second to |
| level (dBuV/m) | 50 - 40 - | ungan de anti-a na de | | 2483. | | | a for the off off off of the formation o | le ale and a second | heilde ai lei de ann an A | |
| | 50- 40- 30- 20- 10- | Results | Factor | Limit | 5 Frequency (MHz) | Detector | Table | Height | ANT | 2500 |
| Ievel (dBuV/m) No. | 50 - 40 - 30 - 20 - 10 - 2470 | | Factor (dB) -3.57 | 1 | 5 Frequency (MHz) | | | | T | 2500 Verdic |

Note: The PK emission level less than the AV limit. No necessary to record the AV emission level.

The report refers only to the sample tested and does not apply to the bulk. This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



8.0 Antenna Requirement

Applicable Standard

An intentional radiator shall be designed to ensure that no antenna other than that furnished by the responsible party shall be used with the device. The use of a permanently attached antenna or of an antenna that uses a unique coupling to the intentional radiator shall be considered sufficient to comply with the provisions of this section.

This product has a PCB antenna with gain 2.34dBi maximum. It fulfills the requirement of this section. Test Result: Pass

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.



9.0 20dB Bandwidth Measurement

Test Configuration



Test Procedure

The transmitter output was connected to the spectrum analyzer through an attenuator. The bandwidth of the fundamental frequency was measured by spectrum analyzer with 30kHz RBW and 100kHz VBW.

The 20dB bandwidth is defined as the total spectrum the power of which is higher than peak power minus 20dB.

Limit


N/A

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.



Test Result



The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.



| | roduct: Wireless Mechanical Gaming | | t Mode: | Keep transmitting |
|---|------------------------------------|--|--|-------------------|
| Mode | Keeping Transmitting | Test | Voltage | DC3.7V |
| Temperature | 24 deg. C, | Hu | midity | 56% RH |
| Test Result: | Pass | De | etector | РК |
| 20dB Bandwidth | 2.300MHz | | | |
| PK -10 -20 -30 -40 -50 -60 -70 -80 -90 Center 2.4 | m *Att 20 dB | * RBW 100 kHz * VBW 300 kHz * SWT 5 ms | Marker 1 [2.440 ndB [T1] BW 2.300 Temp 1 [T1 2.439 Temp 2 [T1 | |

The report refers only to the sample tested and does not apply to the bulk. This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report. In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to





The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.



Page 33 of 42


10.0 FCC ID Label

FCC ID: TUVET-8619A

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation

The label must not be a stick-on paper label. The label on these products must be permanently affixed to the product and readily visible at the time of purchase and must last the expected lifetime of the equipment not be readily detachable.

Mark Location:



The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.



11.0 Photo of testing


11.1 Conducted test View



The report refers only to the sample tested and does not apply to the bulk. This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report. In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to



Radiated emission test view



The report refers only to the sample tested and does not apply to the bulk. This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.



Photographs - EUT 11.2


Outside View



The report refers only to the sample tested and does not apply to the bulk. This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report. In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to



Outside View



The report refers only to the sample tested and does not apply to the bulk. This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report. In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to



Outside View



The report refers only to the sample tested and does not apply to the bulk. This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.




Outside View



The report refers only to the sample tested and does not apply to the bulk. This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report. In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to




Inside View



The report refers only to the sample tested and does not apply to the bulk. This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report. In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to




Inside View



The report refers only to the sample tested and does not apply to the bulk. This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report. In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to



Inside View



--End of the report--

The report refers only to the sample tested and does not apply to the bulk. This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report. In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to