

Applicant: Eastern Times Technology Co.,Ltd

Product: REDRAGON WIRELESS 75% GASKET MECHANICAL

**KEYBOARD** 

Model No.: K673WB-RGB-PRO, K673BW-RGB-PRO, ET-8986,

K673CPG-RGB-PRO

Trademark: REDRAGON

Test Standards: FCC Part 15.249

Test result:

It is herewith confirmed and found to comply with the

requirements set up by ANSI C63.10 & FCC Part 15 Subpart C,

Paragraph 15.249 regulations for the evaluation of

electromagnetic compatibility

Approved By

Terry long

Terry Tang

Manager

Dated: August 30, 2023

Results appearing herein relate only to the sample tested

The technical reports is issued errors and omissions exempt and is subject to withdrawal at

#### SHENZHEN TIMEWAY TESTING LABORATORIES

Zone C, 1st Floor, Block B, Jun Xiang Da Building, Zhongshan Park Road West, Tong Le Village, Nanshan District, Shenzhen, China

Tel (755) 83448688, Fax (755) 83442996, E-Mail:info@timeway-lab.com

Report No.: TW2308033-01E Page 2 of 44

Date: 2023-08-30



## **Special Statement:**

The testing quality ability of our laboratory meet with "Quality Law of People's Republic of China" Clause 19.

The testing quality system of our laboratory meet with ISO/IEC-17025 requirements, which is approved by CNAS. This approval result is accepted by MRA of APLAC.

Our test facility is recognized, certified, or accredited by the following organizations:

#### **CNAS-LAB Code: L2292**

The EMC Laboratory has been assessed and in compliance with CNAS-CL01 accreditation criteria for testing Laboratories (identical to ISO/IEC 17025:2017 General Requirements) for the Competence of testing Laboratories.

#### FCC-Registration No.: 744189

The EMC Laboratory has been registered and fully described in a report filed with the (FCC) Federal Communications commission. The acceptance letter from the FCC is maintained in our files. Registration No.: 744189.

#### Industry Canada (IC) — Registration No.:5205A

The EMC Laboratory has been registered by Certification and Engineering Bureau of Industry Canada for radio equipment testing with Registration No.: 5205A.

#### A2LA (Certification Number: 5013.01)

The EMC Laboratory has been accredited by the American Association for Laboratory Accreditation (A2LA). Certification Number:5013.01

Date: 2023-08-30



# Test Report Conclusion

Conte	

1.0	General Details	4
1.1	Test Lab Details	4
1.2	Applicant Details	4
1.3	Description of EUT	4
1.4	Submitted Sample	4
1.5	Test Duration.	5
1.6	Test Uncertainty	5
1.7	Test By	5
2.0	List of Measurement Equipment	6
3.0	Technical Details	7
3.1	Summary of Test Results	7
3.2	Test Standards	7
4.0	EUT Modification	7
5.0	Power Line Conducted Emission Test	8
5.1	Schematics of the Test.	8
5.2	Test Method and Test Procedure	8
5.3	Configuration of the EUT	8
5.4	EUT Operating Condition	9
5.5	Conducted Emission Limit.	9
5.6	Test Result	9
6.0	Radiated Emission test	12
6.1	Test Method and Test Procedure	12
6.2	Configuration of the EUT	13
6.3	EUT Operation Condition.	13
6.4	Radiated Emission Limit	13
6.5	Test Result	15
7.0	Band Edge	23
7.1	Test Method and Test Procedure	23
7.2	Radiated Test Setup.	23
7.3	Configuration of the EUT	23
7.4	EUT Operating Condition.	23
7.5	Band Edge Limit.	23
7.6	Band Edge Test Result	24
8.0	Antenna Requirement	28
9.0	20dB bandwidth measurement	29
10.0	FCC ID Label	33
11.0	Photo of Test Setup and EUT View.	34

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.

Date: 2023-08-30



#### 1.0 General Details

#### 1.1 Test Lab Details

Name: SHENZHEN TIMEWAY TESTING LABORATORIES.

Address: Zone C, 1st Floor, Block B, Jun Xiang Da Building, Zhongshan Park Road West, Tong Le

Village, Nanshan District, Shenzhen, China

Telephone: (755) 83448688 Fax: (755) 83442996

Site on File with the Federal Communications Commission – United Sates

Registration Number: 744189 For 3m Anechoic Chamber

#### 1.2 Applicant Details

Applicant: Eastern Times Technology Co.,Ltd

Address: Building D, Nan An Industrial Area, Youganpu Village, Fenggang Town, Dongguan City,

Guangdong, China.

Telephone: --Fax: --

#### 1.3 Description of EUT

Product: REDRAGON WIRELESS 75% GASKET MECHANICAL KEYBOARD

Manufacturer: Eastern Times Technology Co.,Ltd

Address: Building D, Nan An Industrial Area, Youganpu Village, Fenggang Town,

Dongguan City, Guangdong, China.

Trademark: REDRAGON

Model Number: K673WB-RGB-PRO

Additional Model Name K673BW-RGB-PRO, ET-8986, K673CPG-RGB-PRO

Rating: Input: DC5V, 825mA or DC3.7V, 325mA

Battery: DC3.7V, 3000mAh Li-ion battery

Hardware Version: 8986-A TX V1

Software Version: 799C

Serial No.: RDK673WB-RGB-PRO23080501004

Operation Frequency: 2403-2480MHz

Channel Number: 16

Channel List (Unit: MHz): 2403, 2424, 2441, 2461, 2414, 2435, 2450, 2470, 2409, 2429, 2455, 2475,

2419, 2445, 2465, 2480

Antenna Designation PCB antenna with gain -7.30dBi maximum (Declared by the Manufacturer)

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.

Report No.: TW2308033-01E Page 5 of 44

Date: 2023-08-30



1.4 Submitted Sample: 2 Samples

1.5 Test Duration

2023-08-02 to 2023-08-30

1.6 Test Uncertainty

Conducted Emissions Uncertainty = 3.6dB

Radiated Emissions below 1GHz Uncertainty =4.7dB

Radiated Emissions above 1GHz Uncertainty =6.0dB

Conducted Power Uncertainty = 6.0dB

Occupied Channel Bandwidth Uncertainty =5%

Conducted Emissions Uncertainty = 3.6dB

Note: The measurement uncertainty is for coverage factor of k=2 and a level of confidence of 95%.

1.7 Test Engineer

The sample tested by

Print Name: Andy Xing

Page 6 of 44

Report No.: TW2308033-01E

Date: 2023-08-30



2.0 Test Equipment					
Instrument Type	Manufacturer	Model	Serial No.	Date of Cal.	Due Date
ESPI Test Receiver	R&S	ESPI 3	100379	2023-07-14	2024-07-13
LISN	R&S	EZH3-Z5	100294	2023-07-14	2024-07-13
LISN	R&S	EZH3-Z5	100253	2023-07-14	2024-07-13
Impuls-Begrenzer	R&S	ESH3-Z2	100281	2023-07-14	2024-07-13
Loop Antenna	EMCO	6507	00078608	2022-07-18	2025-07-17
Spectrum	R&S	FSIQ26	100292	2023-07-14	2024-07-13
Horn Antenna	A-INFO	LB-180400-KF	J211060660	2022-07-18	2025-07-17
Horn Antenna	R&S	BBHA 9120D	9120D-631	2022-07-18	2024-07-17
Power meter	Anritsu	ML2487A	6K00003613	2023-07-14	2024-07-13
Power sensor	Anritsu	MA2491A	32263	2023-07-14	2024-07-13
Bilog Antenna	Schwarebeck	VULB9163	9163/340	2022-07-18	2025-07-17
9*6*6 Anechoic			N/A	2022-07-26	2025-07-25
EMI Test Receiver	RS	ESVB	826156/011	2023-07-14	2024-07-13
EMI Test Receiver	RS	ESCS 30	834115/006	2023-07-14	2024-07-13
Spectrum	HP/Agilent	E4407B	MY50441392	2023-07-14	2024-07-13
Spectrum	RS	FSP	1164.4391.38	2023-07-14	2024-07-13
RF Cable	Zhengdi	ZT26-NJ-NJ-8M/FA		2023-07-14	2024-07-13
RF Cable	Zhengdi	7m		2023-07-14	2024-07-13
Pre-Amplifier	Schwarebeck	BBV9743	#218	2023-07-14	2024-07-13
Pre-Amplifier	HP/Agilent	8449B	3008A00160	2023-07-14	2024-07-13
LISN	SCHAFFNER	NNB42	00012	2023-07-14	2024-07-13
ESPI Test Receiver	R&S	ESPI 3	100379	2023-07-14	2024-07-13
LISN	R&S	EZH3-Z5	100294	2023-07-14	2024-07-13

#### 2.2 Automation Test Software

### For Conducted Emission Test

Name	Version			
EZ-EMC	Ver.EMC-CON 3A1.1			

#### For Radiated Emissions

Name	Version
EMI Test Software BL410-EV18.91	V18.905
EMI Test Software BL410-EV18.806 High Frequency	V18.06

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.

Page 7 of 44

Report No.: TW2308033-01E

Date: 2023-08-30



#### 3.0 Technical Details

#### 3.1 Summary of test results

Standard	Test Type	Result	Notes
FCC Part 15, Paragraph 15.203	Antenna Requirement	Pass	Complies
FCC Part 15, Paragraph 15.207	Conducted Emission Test	Pass	Complies
FCC Part 15 Subpart C Paragraph 15.249(a) & 15.249(b) Limit	Field Strength of Fundamental	Pass	Complies
FCC Part 15, Paragraph 15.209	Radiated Emission Test	Pass	Complies
FCC Part 15 Subpart C Paragraph 15.249(d) Limit	Band Edge Test	Pass	Complies
FCC Part 15.215(c)	20dB bandwidth	Pass	Complies

#### 3.2 Test Standards

FCC Part 15 Subpart C, Paragraph 15.249, ANSI C63.4:2014 and ANSI C63.10:2013

#### 4.0 EUT Modification


No modification by SHENZHEN TIMEWAY TESTING LABORATORIES

Date: 2023-08-30



#### 5.0 Power Line Conducted Emission Test

#### 5.1 Schematics of the test




**EUT: Equipment Under Test** 

#### 5.2 Test Method and test Procedure

The EUT was tested according to ANSI C63.10-2013. The Frequency spectrum from 0.15MHz to 30MHz was investigated. The LISN used was 50ohm/50uH as specified by section 5.1 of ANSI C63.10-2013.

Test Voltage: 120V~, 60Hz Block diagram of Test setup



#### 5.3 Configuration of the EUT

The EUT was configured according to ANSI C63.10-2013. All interface ports were connected to the appropriate peripherals. All peripherals and cables are listed below.

79 channels are provided to the EUT

#### A. EUT

Device	Manufacturer	Model	FCC ID
REDRAGON WIRELESS		K673WB-RGB-PRO,	
75% GASKET	Eastern Times Technology	K673BW-RGB-PRO,	TUVET-8986A
MECHANICAL	Co.,Ltd	ET-8986,	10 VE1-8980A
KEYBOARD		K673CPG-RGB-PRO	

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

Report No.: TW2308033-01E Page 9 of 44

Date: 2023-08-30



#### B. Internal Device

Device	Manufacturer	Model	FCC ID/DOC
N/A			

#### C. Peripherals

Device	Manufacturer	Model	Rating
Power Supply	KEYU	KA23-0502000DEU	Input: 100-240V~, 50/60Hz, 0.35A;
			Output: DC5V, 2A

5.4 EUT Operating Condition

Operating condition is according to ANSI C63.10-2013

- A Setup the EUT and simulators as shown on follow
- B Enable AF signal and confirm EUT active to normal condition

5.5 Power line conducted Emission Limit according to Paragraph 15.207

Frequency	Limits (dB $\mu$ V)			
(MHz)	Quasi-peak Level	Average Level		
$0.15 \sim 0.50$	66.0~56.0*	56.0~46.0*		
$0.50 \sim 5.00$	56.0	46.0		
$5.00 \sim 30.00$	60.0	50.0		

Notes:

- 1. \*Decreasing linearly with logarithm of frequency.
- 2. The tighter limit shall apply at the transition frequencies

#### 5.6 Test Results:

Date: 2023-08-30



#### A: Conducted Emission on Live Terminal (150kHz to 30MHz)


**EUT Operating Environment** 

Temperature: 25°C Humidity: 65%RH Atmospheric Pressure: 101 kPa

**EUT set Condition: Charging + Communication by BT** 

**Results: Pass** 

Please refer to following diagram for individual



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB)	Level (dBuV)	Limit (dBuV)	Margin (dB)	Detector	P/F
1	0.1620	8.27	9.78	18.05	55.36	-37.31	AVG	Р
2	0.1630	22.09	9.78	31.87	65.31	-33.44	QP	Р
3	0.4240	6.31	9.76	16.07	57.37	-41.30	QP	Р
4	0.4240	1.13	9.76	10.89	47.37	-36.48	AVG	Р
5	4.2000	-4.78	9.90	5.12	46.00	-40.88	AVG	Р
6	4.3190	0.47	9.90	10.37	56.00	-45.63	QP	Р
7	29.7490	0.96	11.28	12.24	50.00	-37.76	AVG	Р
8	29.7650	6.70	11.29	17.99	60.00	-42.01	QP	Р

Date: 2023-08-30



# B: Conducted Emission on Neutral Terminal (150kHz to 30MHz)


**EUT Operating Environment** 

Temperature: 25°C Humidity: 65%RH Atmospheric Pressure: 101 kPa

**EUT set Condition: Charging + Communication by BT** 

**Results: Pass** 

Please refer to following diagram for individual



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB)	Level (dBuV)	Limit (dBuV)	Margin (dB)	Detector	P/F
1	0.1500	23.18	9.79	32.97	66.00	-33.03	QP	Р
2	0.1510	7.50	9.78	17.28	55.94	-38.66	AVG	Р
3	0.2480	12.29	9.75	22.04	61.82	-39.78	QP	Р
4	0.2480	-0.65	9.75	9.10	51.82	-42.72	AVG	Р
5	1.3240	0.43	9.79	10.22	46.00	-35.78	AVG	Р
6	1.3560	1.68	9.79	11.47	56.00	-44.53	QP	Р
7	29.3560	0.16	11.26	11.42	50.00	-38.58	AVG	Р
8	29.3900	6.23	11.26	17.49	60.00	-42.51	QP	Р

Date: 2023-08-30



#### **6** Radiated Emission Test

- 6.1 Test Method and test Procedure:
- (1) The EUT was tested according to ANSI C63.10-2013. The radiated test was performed at Timeway EMC Laboratory. This site is on file with the FCC laboratory division, Registration No. 744189
- (2) The EUT, peripherals were put on the turntable which table size is 1m x 1.5 m, table high 0.8 m. All set up is according to ANSI C63.10-2013.
- (3) The frequency spectrum from 9kHz to 25 GHz was investigated. The frequency spectrum is set as follows:


Frequency	Detector	RBW	VBW	Value
9KHz-150KHz	Quasi-peak	200Hz	600Hz	Quasi-peak
150KHz-30MHz	Quasi-peak	9KHz	30KHz	Quasi-peak
30MHz-1GHz	Quasi-peak	120KHz	300KHz	Quasi-peak
Above 1GHz	Peak	1MHz	3MHz	Peak
ADOVE IGHZ	Peak	1MHz	10Hz	Average

(Note: for Fundamental frequency radiated emission measurement, RBW=3MHz, VBW=10MHz). Measurements were made at 3 meters.

- (4) The antenna high is varied from 1 m to 4 m high to find the maximum emission for each frequency.
- (5) The antenna polarization: Vertical polarization and Horizontal polarization.

#### **Block diagram of Test setup**


For radiated emissions from 9kHz to 30MHz




Date: 2023-08-30



For radiated emissions from 30MHz to1GHz



For radiated emissions above 1GHz



- 6.2 Configuration of the EUT
  Same as section 5.3 of this report
- 6.3 EUT Operating Condition

  Same as section 5.4 of this report.
- 6.4 Radiated Emission Limit

All emission from a digital device, including any network of conductors and apparatus connected thereto, shall not exceed the level of field strength specified below:

#### A FCC Part 15 Subpart C Paragraph 15.249(a) Limit

Fundamental Frequency	Field Strength of Fundamental (3m)			d Strength of Harmonics (3m)			
(MHz)	mV/m	dBuV/m	uV/m	dBuV/m			

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.

Report No.: TW2308033-01E Page 14 of 44

Date: 2023-08-30



2400-2483.5 50	94 (Average)	114 (Peak)	500	54 (Average)	74 (Peak)
----------------	--------------	------------	-----	--------------	-----------

Note:

- 1. RF Field Strength (dBuV) = 20 log RF Voltage (uV)
- 2.Distance refers to the distance in meters between the measuring instrument antenna and the closed point of any part of the device or system.
- 3. The emission limit in this paragraph is based on measurement instrumentation employing an average detector.

#### B. Frequencies in restricted band are complied to limit on Paragraph 15.209.

Frequency Range (MHz)	Distance (m)	Field strength (dB $\mu$ V/m)
0.009-0.490	3	20log(2400/F(kHz)) +40log (300/3)
0.490-1.705	3	20log(24000/F(kHz)) +40log (30/3)
1.705-30	3	69.5
30-80	3	40.0
88-216	3	43.5
216-960	3	46.0
Above 960	3	54.0

Note:

- 1. RF Voltage  $(dBuV) = 20 \log RF \text{ Voltage } (uV)$
- 2. In the Above Table, the tighter limit applies at the band edges.
- 3. Distance refers to the distance in meters between the measuring instrument antenna and the EUT
- 4. All scanning using PK detector. And the final emission level was get using QP detector for frequency range from 30-1000MHz.As to 1G-25G, the final emission level got using PK. For fundamental measurement, PK detector used.
- 5. Battery fully charged was used during the test.

Report No.: TW2308033-01E Page 15 of 44

Date: 2023-08-30




#### 6.5 Test result

#### A Fundamental & Harmonics Radiated Emission Data

Please refer to the following test plots for details: Low Channel-2403MHz

#### Horizontal




No.	Frequency	Results	Factor	Limit	Over Limit	Detector	Table (o)	Height	ANT	Verdict
	(MHz)	(dBuV/m)	(dB)	(dBuV/m)	(dB)			(cm)		
1	2403	95.33	-3.57	114.0	-18.67	Peak	275.00	100	Horizontal	Pass
1*	2403	84.79	-3.57	94.0	-9.21	AV	275.00	100	Horizontal	Pass
2	4802.799	52.10	3.12	74.0	-21.90	Peak	269.00	100	Horizontal	Pass

Report No.: TW2308033-01E Page 16 of 44

Date: 2023-08-30



#### Vertical



No.	Frequency	Results	Factor	Limit	Over Limit	Detector	Table	Height	ANT	Verdict
	(MHz)	(dBuV/m)	(dB)	(dBuV/m)	(dB)		(o)	(cm)		
1	2403	88.00	-3.57	114.0	-26.00	Peak	278.00	100	Vertical	Pass


Report No.: TW2308033-01E Page 17 of 44

Date: 2023-08-30



Please refer to the following test plots for details: Middle Channel-2441MHz

#### Horizontal




No.	Frequency	Results	Factor	Limit	Over Limit	Detector	Table	Height	ANT	Verdict
	(MHz)	(dBuV/m)	(dB)	(dBuV/m)	(dB)		(o)	(cm)		
1	2441	94.61	-3.57	114.0	-19.39	Peak	273.00	100	Horizontal	Pass
1*	2441	84.25	-3.57	94.0	-9.75	AV	273.00	100	Horizontal	Pass
2	4879.280	52.95	3.20	74.0	-21.05	Peak	269.00	100	Horizontal	Pass

Report No.: TW2308033-01E Page 18 of 44

Date: 2023-08-30



#### Vertical



No.	Frequency	Results	Factor	Limit	Over Limit	Detector	Table	Height	ANT	Verdict
	(MHz)	(dBuV/m)	(dB)	(dBuV/m)	(dB)		(0)	(cm)		
1	2441	86.33	-3.57	114.0	-27.67	Peak	281.00	100	Vertical	Pass


Report No.: TW2308033-01E Page 19 of 44

Date: 2023-08-30



#### Please refer to the following test plots for details: High Channel-2480MHz

#### Horizontal



No.	Frequency	Results	Factor	Limit	Over Limit	Detector	Table	Height	ANT	Verdict
	(MHz)	(dBuV/m)	(dB)	(dBuV/m)	(dB)		(o)	(cm)		
1	2480	95.75	-3.57	114.0	-18.25	Peak	272.00	100	Horizontal	Pass
1*	2480	85.19	-3.57	94.0	-8.81	AV	272.00	100	Horizontal	Pass
2	4960.010	52.41	3.36	74.0	-21.59	Peak	272.00	100	Horizontal	Pass


Page 20 of 44

Report No.: TW2308033-01E

Date: 2023-08-30



#### Vertical



274.00 Pass 2480 84.97 -3.57 114.0 -29.03 Peak 100 Vertical

Note: (1) Emission Level = Reading Level + Antenna Factor + Cable Loss-Amplifier

- (2) Margin=Emission-Limits
- (3) According to section 15.35(b), the peak limit is 20dB higher than the average limit
- (4) For test purpose, keep EUT continuous transmitting
- (5) For emission above 18GHz and Below 30MHz, It is only the floor noise and less than the limit for more than 20dB. No necessary to take down.
- (6) the measured PK value less than the AV limit.

Report No.: TW2308033-01E Page 21 of 44

Date: 2023-08-30




# B. General Radiated Emission Data Radiated Emission In Horizontal (30MHz----1000MHz)

EUT set Condition: Keep Tx transmitting

**Results:** Pass

Please refer to following diagram for individual



No.	Frequency	Results	Factor	Limit	Margin	Detector	Table	Height	Antenna	Verdict
	(MHz)	(dBuV/m)	(dB)	(dBuV/m)	(dB)		(Degree)	(cm)		
1	42.607	23.07	-11.55	40.0	16.93	Peak	133.00	100	Horizontal	Pass
2	148.068	29.34	-17.18	43.5	14.16	Peak	275.00	100	Horizontal	Pass
3	181.040	31.78	-15.15	43.5	11.72	Peak	239.00	100	Horizontal	Pass
4	243.347	28.44	-12.20	46.0	17.56	Peak	305.00	100	Horizontal	Pass
5	360.930	31.70	-9.52	46.0	14.30	Peak	349.00	100	Horizontal	Pass
6	1000.000	38.96	-1.24	54.0	15.04	Peak	279.00	100	Horizontal	Pass

Report No.: TW2308033-01E Page 22 of 44

Date: 2023-08-30




#### Radiated Emission In Vertical (30MHz----1000MHz)

EUT set Condition: Keep Tx transmitting

Results: Pass

Please refer to following diagram for individual



No.	Frequency	Results	Factor	Limit	Margin	Detector	Table	Height	Antenna	Verdict
	(MHz)	(dBuV/m)	(dB)	(dBuV/m)	(dB)		(Degree)	(cm)		
1	44.546	23.54	-11.44	40.0	16.46	Peak	261.00	100	Vertical	Pass
2	140.795	30.15	-17.25	43.5	13.35	Peak	233.00	100	Vertical	Pass
3	395.356	31.68	-8.68	46.0	14.32	Peak	323.00	100	Vertical	Pass
4	498.878	29.00	-7.04	46.0	17.00	Peak	238.00	100	Vertical	Pass
5	800.230	32.68	-2.95	46.0	13.32	Peak	298.00	100	Vertical	Pass
6	896.478	36.53	-1.76	46.0	9.47	Peak	334.00	100	Vertical	Pass

Date: 2023-08-30




#### 7. Band Edge

#### 7.1 Test Method and test Procedure:

- (1) The EUT was tested according to ANSI C63.10–2013. The radiated test was performed at Timeway EMC Laboratory. This site is on file with the FCC laboratory division, Registration No. 744189
- (2) Set Spectrum as RBW=1MHz, VBW=3MHz and Peak detector used for PK value. RBW=1MHz, VBW=10Hz and Peak detector used for AV value.
- (3) The antenna high is varied from 1 m to 4 m high to find the maximum emission for each frequency.
- (4) The antenna polarization: Vertical polarization and Horizontal polarization.

#### 7. 2 Radiated Test Setup



For the actual test configuration, please refer to the related items – Photos of Testing

#### 7.3 Configuration of the EUT

Same as section 5.3 of this report

#### 7.4 EUT Operating Condition

Same as section 5.4 of this report.

#### 7.5 Band Edge Limit

Emissions radiated outside of the specified frequency bands, except for harmonics, shall be attenuated by at least 50 dB below the level of the fundamental or to the general radiated emission limits in Section 15.209, whichever is the lesser attenuation.

Report No.: TW2308033-01E Page 24 of 44



	Product:			LESS 75% GA LKEYBOAR		Polar	ity	Horizontal		
	Mode	+	Keeping Tr		D	Test Vol	Itaga		DC3.7V	
		1								
	emperature		24 de			Humic	lity	56% RH		
Te	est Result:		Pass							
	Part 15C Class B 1GHz-1i 1.0E+2 - 90 -	3GHz -2							M1	
	70-							M2		
level (dBuV/m)									<u> </u>	
level (dBuV/m)	40-	ndh Newson (1874) ndhish dalah sakesa Lektor	يستان والمعارض والمعا	an, de hije wie jezek jedeniky, zwenokowe d zweno.	nandrongstratification bedrives and research		13 Madica hayla d <sup>al</sup> lisid	- Andrewsking of the Control of the	10	
level (dBuV/m)	30- 7.3-	nedek Phonocia 44 thy nyddidd di blyton o ywlethi	na Birlin a na dha an dha a	an, ill bila was jinell sakalukya iswa dhanel di wan	and an ghistidani kadadashirin ka			and the second of the second o		<b>M</b>
level (dBuV/m)	40 - 40 - 40 - 40 - 40 - 40 - 40 - 40 -	nchi Huncip V. etp-philip pietheca "helin	يسهره ومخدون أن المعروب	age, ill before hy pinell i she before in medicue in serve	Frequency (MHz)			Later Market		2410
	30- 7.3-	Results	Factor	Limit				Height	ANT	ı
	30- 20- 7.3- 2350				Frequency (MHz)	pagalagik dak kemalan Andan	struktur karing Mikitel	Height (cm)	ANT	ı
No.	30- 20- 7.3- 2350	Results	Factor	Limit	Frequency (MHz)  Over Limit	pagalagik dak kemalan Andan	Table	_	ANT Horizontal	ı
No.	30- 20- 7.3- 2350 Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Frequency (MHz)  Over Limit (dB)	Detector	Table	(cm)		Verdid
(w/\ngp)  ava  No. 1 2 2**	30- 20- 7.3- 2350 Frequency (MHz) 2402.982	Results (dBuV/m) 95.24	Factor (dB) -3.57	Limit (dBuV/m) 74.0	Frequency (MHz)  Over Limit (dB)  21.24	Detector Peak	Table (o) 270.00	(cm)	Horizontal	Verdic

Report No.: TW2308033-01E Page 25 of 44




	Product:	REDRAGON WIRELESS 75% GASKET MECHANICAL KEYBOARD	Detector	Vertical
	Mode	Keeping Transmitting	Test Voltage	DC3.7V
Te	emperature	24 deg. C,	Humidity	56% RH
Т	est Result:	Pass	-	
	90- 80- 50- 30- 20-		M3	M1
	10-			

Frequency (MHz)												
No.	Frequency	Results	Factor	Limit	Over Limit	Detector	Table	Height	ANT	Verdict		
	(MHz)	(dBuV/m)	(dB)	(dBuV/m)	(dB)		(o)	(cm)				
1	2402.907	87.79	-3.57	74.0	13.79	Peak	279.00	100	Vertical	N/A		
2	2400.000	57.20	-3.57	74.0	-16.80	Peak	295.29	100	Vertical	Pass		
2**	2400.000	42.04	-3.57	54.0	-11.96	AV	295.29	100	Vertical	Pass		
3	2390.000	37.16	-3.53	74.0	-36.84	Peak	210.67	100	Vertical	Pass		
			•			•	•	•		<u> </u>		

Report No.: TW2308033-01E Page 26 of 44



Product:	REDRAGON WIRELESS 75% GASKET MECHANICAL KEYBOARD	Polarity	Horizontal
Mode	Keeping Transmitting	Test Voltage	DC3.7V
Temperature	24 deg. C,	Humidity	56% RH
Test Result:	Pass		



No.	Frequency	Results	Factor	Limit	Over	Detector	Table	Height	ANT	Verdict
	(MHz)	(dBuV/m)	(dB)	(dBuV/m)	Limit (dB)		(o)	(cm)		
1	2480.100	95.53	-3.57	74.0	21.53	Peak	268.00	100	Horizontal	N/A
2	2483.500	63.54	-3.57	74.0	-10.46	Peak	252.00	100	Horizontal	Pass
2**	2483.500	48.57	-3.57	54.0	-5.43	AV	252.00	100	Horizontal	Pass

Page 27 of 44

Report No.: TW2308033-01E

Date: 2023-08-30



]	Product:			LESS 75% G LKEYBOAR		Detector		Vertical		
	Mode	k	Keeping Tr	ansmitting		Test Vol	ltage	DC3.7V		
Te	mperature		24 de	g. C,		Humidity			56% RH	
Те	est Result:		Pas	SS						
	rt 15C Class B 1GHz-18GH: E+2-	z -2			·					
1.0	90- 80- 70-		M1	And the latest the lat						
level (dBuV/m)	60 - 50 - 40	فللم المستنب والمستنب	<i>F</i>	M2	المالية المالي	n gill fri de feller skiegens skreyende hen de de	opskiens, earlighten and	ું કાર કે કુલ્પેલ કે ક્લાઇન કર્યું છે. જ્યારે કુલ્પેલ કર્યું છે. જ્યારે કુલ્પેલ કર્યું છે. જ્યારે કુલ્પેલ કર્ય	usketsk spens form former former former.	distance along the later of the
level (dBuV/m)	50 - 40 - 40 - 40 - 40 - 40 - 40 - 40 -	in year ya ka		M2		ndiffehindir pingen singa dan pada panjang	ng kanta pi sa jihi kan abad	netyddiaegailau ydd addau	uteikuban Jerungakan kutan in	
level (dBuV/m)	50- 40-milkir karidmakkamakka 30-	فالمهون والمستنب والم		M2		المرافقة الم	ng kanasan dikit nga saad	ne hallen skepe so nel soni pari	usketsk spins-formujalansk nepomb	2500
(m/\mu/\mu)  evel (dBu\mu/\mu)	50 - 40 - 40 - 40 - 40 - 40 - 40 - 40 -	Results	Factor	M2 2483.5  Limit		Detector	Table	Height	ANT	2500
	50- 40- 30- 20- 7.3- 2470		Factor (dB)		Frequency (MHz)					
	50- 40- 30- 20- 7.3- 2470	Results		Limit	Frequency (MHz)  Over Limit		Table	Height		2500
No.	30- 20- 7.3- 2470  Frequency (MHz)	Results (dBuV/m)	(dB)	Limit (dBuV/m)	Frequency (MHz)  Over Limit (dB)	Detector	Table (o)	Height (cm)	ANT	2500 Verdic

Note: The PK emission level less than the AV limit. No necessary to record the AV emission level.

Report No.: TW2308033-01E Page 28 of 44

Date: 2023-08-30



#### 8.0 Antenna Requirement

#### **Applicable Standard**

An intentional radiator shall be designed to ensure that no antenna other than that furnished by the responsible party shall be used with the device. The use of a permanently attached antenna or of an antenna that uses a unique coupling to the intentional radiator shall be considered sufficient to comply with the provisions of this section.

This product has a PCB antenna with gain -7.30dBi maximum. It fulfills the requirement of this section.

Test Result: Pass

Date: 2023-08-30



Page 29 of 44

#### 9.0 20dB Bandwidth Measurement

#### **Test Configuration**



#### **Test Procedure**

The transmitter output was connected to the spectrum analyzer through an attenuator. The bandwidth of the fundamental frequency was measured by spectrum analyzer with 30kHz RBW and 100kHz VBW.

The 20dB bandwidth is defined as the total spectrum the power of which is higher than peak power minus 20dB.

#### Limit

N/A

Page 30 of 44

Report No.: TW2308033-01E

Date: 2023-08-30



#### **Test Result**

Product:	REDRAGON WIRELESS 75% GASKET MECHANICAL KEYBOARD					Test Mode:			Keep transmitting		
Mode		Keepi	ng Transn	nitting		Te	st Voltage		DC3	.7V	
Temperature			24 deg. C,	1		Humidity			56%	RH	
Test Result:	Pass				]	Detector		PI	K		
20dB Bandwidth			2.525MHz	Z						-	
<b>€</b>						ЗW	100 k	Hz R	F Att	20 dB	
Ref Lvl		ndB	20	.00 dB	VI	ЗW	300 k	Hz			
10 dBm		BW 2	2.525050	010 MHz	SI	TV	5 m	s U	nit	dBn	n
10							<b>v</b> <sub>1</sub>	[T1]	- 5	.27 dBm	
									2.40244	389 GHz	A
0			1				ndE	3	20	.00 dB	
				\ \_	$\wedge$		BW		2.52505	010 MHz	
-10				V ~~	$\vdash \vdash$		V <sub>T</sub>	[T1]	-25	.26 dBm	ļ
			(		\	$\sim$			2.40171		
-20							V T2	[T1]	-25		
1MAX		T1						T2	2.40423	747 GHz	1MA
-30	سلم تسميم									~ <sub>1</sub>	
-40										Mund	
-50											
-60											
-70											
-80											-
-90											
Center 2.	403 GI	Hz		500	kHz/				Spa	ın 5 MHz	i)
		023 09							_		

Page 31 of 44

Report No.: TW2308033-01E



Product:		REDRAGON WIRELESS 75% GASKET MECHANICAL KEYBOARD					Test Mode:		Keep transmitting		
Mode		Keepin	g Transmi	tting		Te	est Voltage	;	DC	C3.7V	
Temperature		24	4 deg. C,			I	Humidity		56% RH		
Test Result:			Pass				Detector		]	PK	
20dB Bandwidth	20dB Bandwidth 2										
(i)	ľ	Marker	1 [T1 n	ndB]	RI	ЗW	100 k	Hz Rl	F Att	20 dB	
Ref Lvl	r	ndB	20.	00 dB	VI	ЗW	300 k	Hz			
10 dBm	F	3W 2	.515030	006 MHz	SI	VТ	5 m	s Ui	nit	dBm	
10							<b>v</b> <sub>1</sub>	[T1]	2.44044	.21 dBm	А
0			1	^~	<b>\</b>		ndE BW ∧ ∇ <sub>T1</sub>	T11	2.51503 -26		
-10				V	Ĺ	<i></i>	√ \	(T1)	2.43971	242 GHz	
1MAX		T1						¥2	2.44222	745 GHz	1MA
-40	~ John Carlon								~~~	*	
-50										~ Mu	
-60											
-70											
-80											
-90 Center 2				500	kHz/				Spa	an 5 MHz	
Date: 24	4.AUG.20	23 09	:32:42								

Page 32 of 44

Report No.: TW2308033-01E



Product:	REDRAGON WI	RELESS 75% CAL KEYBO		Tes	t Mode:	Keep transmitting			
Mode	Keepin	g Transmitting	g	Test	Voltage		DC	3.7V	
Temperature	2	4 deg. C,		Нι	ımidity		56%	6 RH	
Test Result:		Pass		D	Detector		F	PΚ	
20dB Bandwidth	2.465MHz								
R	Marker	RBW	100 kHz	z RF	Att	20 dB			
Ref Lvl	ndB	20.00	dB 7	/BW	300 kHz	z.			
10 dBm	BW 2	2.46492986	MHz S	SWT	5 ms	Un	nit	dBm	l
0		1			▼ <sub>1</sub> [	Г1]	-5 2.47944 20	.30 dBm 389 GHz .00 dB	A
		Ň	m mm		BW ► ∇ <sub>T1</sub>	[T1]	2.46492		
-10				Nund.	7	[.1.1.]	-25 2.47875	.14 dBm 251 GHz	
		\ \square \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \		*	∇ <sub>1</sub>	[T1]	-25	.35 dBm	
-20 1MAX	T1	<del>/</del>				T2	2.48121	743 GHz	1MA
-30	magandar Maria						~~	My	
-40								Lud	
-50									
-60									
-70									
-80									
-90 Center 2	.48 GHz		500 kHz/				Spa	n 5 MHz	
Date: 24	1.AUG.2023 09	:40:44							

Report No.: TW2308033-01E Page 33 of 44

Date: 2023-08-30




#### 10.0 FCC ID Label

#### FCC ID: TUVET-8986A

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation

The label must not be a stick-on paper label. The label on these products must be permanently affixed to the product and readily visible at the time of purchase and must last the expected lifetime of the equipment not be readily detachable.

#### Mark Location:



Page 34 of 44


Report No.: TW2308033-01E

Date: 2023-08-30



#### 11.0 Photo of testing

#### 11.1 Conducted test View



Page 35 of 44

Report No.: TW2308033-01E

Date: 2023-08-30



#### Radiated emission test view



The report refers only to the sample tested and does not apply to the bulk. This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.

Date: 2023-08-30



#### 11.2 Photographs-EUT

#### Outside View





The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES.

will not, without the consent of the client enter into any

discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.

Page 37 of 44

Report No.: TW2308033-01E

Date: 2023-08-30





The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES.

will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.


Page 38 of 44

Report No.: TW2308033-01E

Date: 2023-08-30



Outside View



The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES.

will not, without the consent of the client enter into any

discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.


Page 39 of 44

Report No.: TW2308033-01E

Date: 2023-08-30



Outside View



The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES.

will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.


Page 40 of 44

Report No.: TW2308033-01E

Date: 2023-08-30



Inside View



The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES.

will not, without the consent of the client enter into any

discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.


Page 41 of 44

Report No.: TW2308033-01E

Date: 2023-08-30



Inside View



The report refers only to the sample tested and does not apply to the bulk. This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.


Page 42 of 44

Report No.: TW2308033-01E

Date: 2023-08-30



Inside View





The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES.

will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to

adopt any other remedies which may be appropriate.

Page 43 of 44

Report No.: TW2308033-01E

Date: 2023-08-30



Inside View



The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to

adopt any other remedies which may be appropriate.


Page 44 of 44

Report No.: TW2308033-01E

Date: 2023-08-30



Inside View



-- End of the report--

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES.

will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.