



Appendix E: Duty Cycle


Modulation Type	Test Frequency (MHz)	T _{on time} for single burst (ms)	T _{period} (ms)	Duty cycle	1/T _{on time} (kHz)
11b	2437	0.66	0.67	98.51%	1.52
11g	2437	1.95	1.97	98.98%	0.51
11n20	2437	5.39	5.41	99.63%	0.19
11ax20	2437	5.42	5.44	99.63%	0.18
11n40	2437	5.40	5.43	99.45%	0.19
11ax40	2437	5.33	5.47	97.44%	0.19




1ax20





11n40







11ax40







Appendix F: Band Edge and Spurious Emissions (Conducted)

Test Item:	Bandedge	802.11 b	Antenna 0																																										
CH01	 <p>Spectrum Ref Level 20.00 dBm Offset 0.50 dB RBW 100 kHz Att 30 dB SWT 246.5 μs VBW 300 kHz Mode Auto FFT Count 300/300 1Pk Max</p> <p>10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -40 dBm -50 dBm -60 dBm -70 dBm</p> <p>Start 2.31 GHz 691 pts Stop 2.422 GHz</p> <table border="1"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-value</th> <th>Y-value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td>1</td> <td></td> <td>2.413 GHz</td> <td>6.37 dBm</td> <td></td> <td></td> </tr> <tr> <td>M2</td> <td>1</td> <td></td> <td>2.4 GHz</td> <td>-46.91 dBm</td> <td></td> <td></td> </tr> <tr> <td>M3</td> <td>1</td> <td></td> <td>2.39 GHz</td> <td>-58.53 dBm</td> <td></td> <td></td> </tr> <tr> <td>M4</td> <td>1</td> <td></td> <td>2.31 GHz</td> <td>-59.76 dBm</td> <td></td> <td></td> </tr> <tr> <td>M5</td> <td>1</td> <td></td> <td>2.39749 GHz</td> <td>-47.49 dBm</td> <td></td> <td></td> </tr> </tbody> </table> <p>Date: 23 APR 2024 11:22:05</p>			Type	Ref	Trc	X-value	Y-value	Function	Function Result	M1	1		2.413 GHz	6.37 dBm			M2	1		2.4 GHz	-46.91 dBm			M3	1		2.39 GHz	-58.53 dBm			M4	1		2.31 GHz	-59.76 dBm			M5	1		2.39749 GHz	-47.49 dBm		
Type	Ref	Trc	X-value	Y-value	Function	Function Result																																							
M1	1		2.413 GHz	6.37 dBm																																									
M2	1		2.4 GHz	-46.91 dBm																																									
M3	1		2.39 GHz	-58.53 dBm																																									
M4	1		2.31 GHz	-59.76 dBm																																									
M5	1		2.39749 GHz	-47.49 dBm																																									
CH11	 <p>Spectrum Ref Level 20.00 dBm Offset 0.50 dB RBW 100 kHz Att 30 dB SWT 113.8 μs VBW 300 kHz Mode Auto FFT Count 300/300 1Pk Max</p> <p>10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -40 dBm -50 dBm -60 dBm -70 dBm</p> <p>Start 2.452 GHz 691 pts Stop 2.5 GHz</p> <table border="1"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-value</th> <th>Y-value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td>1</td> <td></td> <td>2.46301 GHz</td> <td>6.62 dBm</td> <td></td> <td></td> </tr> <tr> <td>M2</td> <td>1</td> <td></td> <td>2.4835 GHz</td> <td>-57.43 dBm</td> <td></td> <td></td> </tr> <tr> <td>M3</td> <td>1</td> <td></td> <td>2.5 GHz</td> <td>-58.76 dBm</td> <td></td> <td></td> </tr> <tr> <td>M4</td> <td>1</td> <td></td> <td>2.4881739 GHz</td> <td>-56.91 dBm</td> <td></td> <td></td> </tr> </tbody> </table> <p>Date: 23 APR 2024 11:24:56</p>			Type	Ref	Trc	X-value	Y-value	Function	Function Result	M1	1		2.46301 GHz	6.62 dBm			M2	1		2.4835 GHz	-57.43 dBm			M3	1		2.5 GHz	-58.76 dBm			M4	1		2.4881739 GHz	-56.91 dBm									
Type	Ref	Trc	X-value	Y-value	Function	Function Result																																							
M1	1		2.46301 GHz	6.62 dBm																																									
M2	1		2.4835 GHz	-57.43 dBm																																									
M3	1		2.5 GHz	-58.76 dBm																																									
M4	1		2.4881739 GHz	-56.91 dBm																																									



Test Item:	Bandedge	802.11 g	Antenna 0																																										
CH01	 <p>Marker Table for CH01:</p> <table border="1"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-value</th> <th>Y-value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td>1</td> <td></td> <td>2.41074 GHz</td> <td>5.93 dBm</td> <td></td> <td></td> </tr> <tr> <td>M2</td> <td>1</td> <td></td> <td>2.4 GHz</td> <td>-39.61 dBm</td> <td></td> <td></td> </tr> <tr> <td>M3</td> <td>1</td> <td></td> <td>2.39 GHz</td> <td>-57.47 dBm</td> <td></td> <td></td> </tr> <tr> <td>M4</td> <td>1</td> <td></td> <td>2.31 GHz</td> <td>-60.00 dBm</td> <td></td> <td></td> </tr> <tr> <td>M5</td> <td>1</td> <td></td> <td>2.399925 GHz</td> <td>-39.86 dBm</td> <td></td> <td></td> </tr> </tbody> </table> <p>Date: 22 APR 2024 18:58:31</p>			Type	Ref	Trc	X-value	Y-value	Function	Function Result	M1	1		2.41074 GHz	5.93 dBm			M2	1		2.4 GHz	-39.61 dBm			M3	1		2.39 GHz	-57.47 dBm			M4	1		2.31 GHz	-60.00 dBm			M5	1		2.399925 GHz	-39.86 dBm		
Type	Ref	Trc	X-value	Y-value	Function	Function Result																																							
M1	1		2.41074 GHz	5.93 dBm																																									
M2	1		2.4 GHz	-39.61 dBm																																									
M3	1		2.39 GHz	-57.47 dBm																																									
M4	1		2.31 GHz	-60.00 dBm																																									
M5	1		2.399925 GHz	-39.86 dBm																																									
CH11	 <p>Marker Table for CH11:</p> <table border="1"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-value</th> <th>Y-value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td>1</td> <td></td> <td>2.463219 GHz</td> <td>6.90 dBm</td> <td></td> <td></td> </tr> <tr> <td>M2</td> <td>1</td> <td></td> <td>2.4835 GHz</td> <td>-53.52 dBm</td> <td></td> <td></td> </tr> <tr> <td>M3</td> <td>1</td> <td></td> <td>2.5 GHz</td> <td>-60.42 dBm</td> <td></td> <td></td> </tr> <tr> <td>M4</td> <td>1</td> <td></td> <td>2.4838609 GHz</td> <td>-53.34 dBm</td> <td></td> <td></td> </tr> </tbody> </table> <p>Date: 22 APR 2024 19:01:34</p>			Type	Ref	Trc	X-value	Y-value	Function	Function Result	M1	1		2.463219 GHz	6.90 dBm			M2	1		2.4835 GHz	-53.52 dBm			M3	1		2.5 GHz	-60.42 dBm			M4	1		2.4838609 GHz	-53.34 dBm									
Type	Ref	Trc	X-value	Y-value	Function	Function Result																																							
M1	1		2.463219 GHz	6.90 dBm																																									
M2	1		2.4835 GHz	-53.52 dBm																																									
M3	1		2.5 GHz	-60.42 dBm																																									
M4	1		2.4838609 GHz	-53.34 dBm																																									



Test Item:	Bandedge	802.11 n(HT20)	Antenna 0																																										
CH01	 <p>Spectrum Ref Level 20.00 dBm Offset 0.50 dB RBW 100 kHz Att 30 dB SWT 246.5 μs VBW 300 kHz Mode Auto FFT Count 300/300</p> <p>IPK Max</p> <p>10 dBm M1[1] 2.65 dBm 2.413000 GHz 0 dBm M2[1] -36.32 dBm 2.413000 GHz -10 dBm D1 -17.350 dBm -20 dBm -30 dBm -40 dBm -50 dBm M3 -60 dBm -70 dBm</p> <p>Start 2.31 GHz 691 pts Stop 2.422 GHz</p> <table border="1"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-value</th> <th>Y-value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td>1</td> <td></td> <td>2.413 GHz</td> <td>2.65 dBm</td> <td></td> <td></td> </tr> <tr> <td>M2</td> <td>1</td> <td></td> <td>2.4 GHz</td> <td>-36.32 dBm</td> <td></td> <td></td> </tr> <tr> <td>M3</td> <td>1</td> <td></td> <td>2.39 GHz</td> <td>-57.96 dBm</td> <td></td> <td></td> </tr> <tr> <td>M4</td> <td>1</td> <td></td> <td>2.31 GHz</td> <td>-59.27 dBm</td> <td></td> <td></td> </tr> <tr> <td>M5</td> <td>1</td> <td></td> <td>2.399925 GHz</td> <td>-39.81 dBm</td> <td></td> <td></td> </tr> </tbody> </table> <p>Date: 22 APR 2024 19:08:28</p>			Type	Ref	Trc	X-value	Y-value	Function	Function Result	M1	1		2.413 GHz	2.65 dBm			M2	1		2.4 GHz	-36.32 dBm			M3	1		2.39 GHz	-57.96 dBm			M4	1		2.31 GHz	-59.27 dBm			M5	1		2.399925 GHz	-39.81 dBm		
Type	Ref	Trc	X-value	Y-value	Function	Function Result																																							
M1	1		2.413 GHz	2.65 dBm																																									
M2	1		2.4 GHz	-36.32 dBm																																									
M3	1		2.39 GHz	-57.96 dBm																																									
M4	1		2.31 GHz	-59.27 dBm																																									
M5	1		2.399925 GHz	-39.81 dBm																																									
CH11	 <p>Spectrum Ref Level 20.00 dBm Offset 0.50 dB RBW 100 kHz Att 30 dB SWT 113.8 μs VBW 300 kHz Mode Auto FFT Count 300/300</p> <p>IPK Max</p> <p>10 dBm M1[1] 6.86 dBm 2.463288 GHz 0 dBm M2[1] -53.53 dBm 2.4835000 GHz -10 dBm D1 -13.140 dBm -20 dBm -30 dBm -40 dBm -50 dBm M3 -60 dBm -70 dBm</p> <p>Start 2.452 GHz 691 pts Stop 2.5 GHz</p> <table border="1"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-value</th> <th>Y-value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td>1</td> <td></td> <td>2.463288 GHz</td> <td>6.86 dBm</td> <td></td> <td></td> </tr> <tr> <td>M2</td> <td>1</td> <td></td> <td>2.4835 GHz</td> <td>-53.53 dBm</td> <td></td> <td></td> </tr> <tr> <td>M3</td> <td>1</td> <td></td> <td>2.5 GHz</td> <td>-60.26 dBm</td> <td></td> <td></td> </tr> <tr> <td>M4</td> <td>1</td> <td></td> <td>2.4835826 GHz</td> <td>-52.79 dBm</td> <td></td> <td></td> </tr> </tbody> </table> <p>Date: 22 APR 2024 19:11:51</p>			Type	Ref	Trc	X-value	Y-value	Function	Function Result	M1	1		2.463288 GHz	6.86 dBm			M2	1		2.4835 GHz	-53.53 dBm			M3	1		2.5 GHz	-60.26 dBm			M4	1		2.4835826 GHz	-52.79 dBm									
Type	Ref	Trc	X-value	Y-value	Function	Function Result																																							
M1	1		2.463288 GHz	6.86 dBm																																									
M2	1		2.4835 GHz	-53.53 dBm																																									
M3	1		2.5 GHz	-60.26 dBm																																									
M4	1		2.4835826 GHz	-52.79 dBm																																									



Test Item:	Bandedge	802.11 (ax20)	Antenna 0																																										
CH01	 <p>Spectrum Ref Level 20.00 dBm Offset 0.50 dB RBW 100 kHz Att 30 dB SWT 246.5 μs VBW 300 kHz Mode Auto FFT Count 300/300</p> <p>Start 2.31 GHz 691 pts Stop 2.422 GHz</p> <table border="1"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-value</th> <th>Y-value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td>1</td> <td></td> <td>2.41074 GHz</td> <td>6.15 dBm</td> <td></td> <td></td> </tr> <tr> <td>M2</td> <td>1</td> <td></td> <td>2.4 GHz</td> <td>-36.12 dBm</td> <td></td> <td></td> </tr> <tr> <td>M3</td> <td>1</td> <td></td> <td>2.39 GHz</td> <td>-57.25 dBm</td> <td></td> <td></td> </tr> <tr> <td>M4</td> <td>1</td> <td></td> <td>2.31 GHz</td> <td>-59.88 dBm</td> <td></td> <td></td> </tr> <tr> <td>M5</td> <td>1</td> <td></td> <td>2.399438 GHz</td> <td>-37.58 dBm</td> <td></td> <td></td> </tr> </tbody> </table> <p>Date: 23 APR 2024 11:40:00</p>			Type	Ref	Trc	X-value	Y-value	Function	Function Result	M1	1		2.41074 GHz	6.15 dBm			M2	1		2.4 GHz	-36.12 dBm			M3	1		2.39 GHz	-57.25 dBm			M4	1		2.31 GHz	-59.88 dBm			M5	1		2.399438 GHz	-37.58 dBm		
Type	Ref	Trc	X-value	Y-value	Function	Function Result																																							
M1	1		2.41074 GHz	6.15 dBm																																									
M2	1		2.4 GHz	-36.12 dBm																																									
M3	1		2.39 GHz	-57.25 dBm																																									
M4	1		2.31 GHz	-59.88 dBm																																									
M5	1		2.399438 GHz	-37.58 dBm																																									
CH11	 <p>Spectrum Ref Level 20.00 dBm Offset 0.50 dB RBW 100 kHz Att 30 dB SWT 113.8 μs VBW 300 kHz Mode Auto FFT Count 300/300</p> <p>Start 2.452 GHz 691 pts Stop 2.5 GHz</p> <table border="1"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-value</th> <th>Y-value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td>1</td> <td></td> <td>2.462593 GHz</td> <td>4.02 dBm</td> <td></td> <td></td> </tr> <tr> <td>M2</td> <td>1</td> <td></td> <td>2.4835 GHz</td> <td>-51.06 dBm</td> <td></td> <td></td> </tr> <tr> <td>M3</td> <td>1</td> <td></td> <td>2.5 GHz</td> <td>-60.31 dBm</td> <td></td> <td></td> </tr> <tr> <td>M4</td> <td>1</td> <td></td> <td>2.4847652 GHz</td> <td>-50.74 dBm</td> <td></td> <td></td> </tr> </tbody> </table> <p>Date: 23 APR 2024 11:42:43</p>			Type	Ref	Trc	X-value	Y-value	Function	Function Result	M1	1		2.462593 GHz	4.02 dBm			M2	1		2.4835 GHz	-51.06 dBm			M3	1		2.5 GHz	-60.31 dBm			M4	1		2.4847652 GHz	-50.74 dBm									
Type	Ref	Trc	X-value	Y-value	Function	Function Result																																							
M1	1		2.462593 GHz	4.02 dBm																																									
M2	1		2.4835 GHz	-51.06 dBm																																									
M3	1		2.5 GHz	-60.31 dBm																																									
M4	1		2.4847652 GHz	-50.74 dBm																																									



Test Item:	Bandedge	802.11 n(HT40)	Antenna 0																																										
CH03	 <p>Marker Table for CH03:</p> <table border="1"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-value</th> <th>Y-value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td>1</td> <td></td> <td>2.42395 GHz</td> <td>0.99 dBm</td> <td></td> <td></td> </tr> <tr> <td>M2</td> <td>1</td> <td></td> <td>2.4 GHz</td> <td>-42.87 dBm</td> <td></td> <td></td> </tr> <tr> <td>M3</td> <td>1</td> <td></td> <td>2.39 GHz</td> <td>-56.64 dBm</td> <td></td> <td></td> </tr> <tr> <td>M4</td> <td>1</td> <td></td> <td>2.31 GHz</td> <td>-60.33 dBm</td> <td></td> <td></td> </tr> <tr> <td>M5</td> <td>1</td> <td></td> <td>2.399722 GHz</td> <td>-43.33 dBm</td> <td></td> <td></td> </tr> </tbody> </table> <p>Date: 22 APR 2024 19:13:48</p>			Type	Ref	Trc	X-value	Y-value	Function	Function Result	M1	1		2.42395 GHz	0.99 dBm			M2	1		2.4 GHz	-42.87 dBm			M3	1		2.39 GHz	-56.64 dBm			M4	1		2.31 GHz	-60.33 dBm			M5	1		2.399722 GHz	-43.33 dBm		
Type	Ref	Trc	X-value	Y-value	Function	Function Result																																							
M1	1		2.42395 GHz	0.99 dBm																																									
M2	1		2.4 GHz	-42.87 dBm																																									
M3	1		2.39 GHz	-56.64 dBm																																									
M4	1		2.31 GHz	-60.33 dBm																																									
M5	1		2.399722 GHz	-43.33 dBm																																									
CH09	 <p>Marker Table for CH09:</p> <table border="1"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-value</th> <th>Y-value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td>1</td> <td></td> <td>2.449467 GHz</td> <td>2.71 dBm</td> <td></td> <td></td> </tr> <tr> <td>M2</td> <td>1</td> <td></td> <td>2.4835 GHz</td> <td>-49.51 dBm</td> <td></td> <td></td> </tr> <tr> <td>M3</td> <td>1</td> <td></td> <td>2.5 GHz</td> <td>-53.72 dBm</td> <td></td> <td></td> </tr> <tr> <td>M4</td> <td>1</td> <td></td> <td>2.4836406 GHz</td> <td>-49.35 dBm</td> <td></td> <td></td> </tr> </tbody> </table> <p>Date: 22 APR 2024 19:17:04</p>			Type	Ref	Trc	X-value	Y-value	Function	Function Result	M1	1		2.449467 GHz	2.71 dBm			M2	1		2.4835 GHz	-49.51 dBm			M3	1		2.5 GHz	-53.72 dBm			M4	1		2.4836406 GHz	-49.35 dBm									
Type	Ref	Trc	X-value	Y-value	Function	Function Result																																							
M1	1		2.449467 GHz	2.71 dBm																																									
M2	1		2.4835 GHz	-49.51 dBm																																									
M3	1		2.5 GHz	-53.72 dBm																																									
M4	1		2.4836406 GHz	-49.35 dBm																																									


Test Item:	Bandedge	802.11 (ax40)	Antenna 0																																										
CH03	<p>Spectrum Ref Level 20.00 dBm Offset 0.50 dB RBW 100 kHz Att 30 dB SWT 303.4 μs VBW 300 kHz Mode Auto FFT Count 264/300</p> <p>Start 2.31 GHz 691 pts Stop 2.442 GHz</p> <table border="1"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-value</th> <th>Y-value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td>1</td> <td></td> <td>2.427 GHz</td> <td>1.58 dBm</td> <td></td> <td></td> </tr> <tr> <td>M2</td> <td>1</td> <td></td> <td>2.4 GHz</td> <td>-42.77 dBm</td> <td></td> <td></td> </tr> <tr> <td>M3</td> <td>1</td> <td></td> <td>2.39 GHz</td> <td>-57.62 dBm</td> <td></td> <td></td> </tr> <tr> <td>M4</td> <td>1</td> <td></td> <td>2.31 GHz</td> <td>-60.89 dBm</td> <td></td> <td></td> </tr> <tr> <td>M5</td> <td>1</td> <td></td> <td>2.399913 GHz</td> <td>-43.07 dBm</td> <td></td> <td></td> </tr> </tbody> </table> <p>Date: 23 APR 2024 11:49:24</p>			Type	Ref	Trc	X-value	Y-value	Function	Function Result	M1	1		2.427 GHz	1.58 dBm			M2	1		2.4 GHz	-42.77 dBm			M3	1		2.39 GHz	-57.62 dBm			M4	1		2.31 GHz	-60.89 dBm			M5	1		2.399913 GHz	-43.07 dBm		
Type	Ref	Trc	X-value	Y-value	Function	Function Result																																							
M1	1		2.427 GHz	1.58 dBm																																									
M2	1		2.4 GHz	-42.77 dBm																																									
M3	1		2.39 GHz	-57.62 dBm																																									
M4	1		2.31 GHz	-60.89 dBm																																									
M5	1		2.399913 GHz	-43.07 dBm																																									
CH09	<p>Spectrum Ref Level 20.00 dBm Offset 0.50 dB RBW 100 kHz Att 30 dB SWT 1.1 ms VBW 300 kHz Mode Auto Sweep Count 300/300</p> <p>Start 2.432 GHz 691 pts Stop 2.5 GHz</p> <table border="1"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-value</th> <th>Y-value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td>1</td> <td></td> <td>2.449467 GHz</td> <td>3.08 dBm</td> <td></td> <td></td> </tr> <tr> <td>M2</td> <td>1</td> <td></td> <td>2.4835 GHz</td> <td>-49.41 dBm</td> <td></td> <td></td> </tr> <tr> <td>M3</td> <td>1</td> <td></td> <td>2.5 GHz</td> <td>-54.00 dBm</td> <td></td> <td></td> </tr> <tr> <td>M4</td> <td>1</td> <td></td> <td>2.4845275 GHz</td> <td>-47.01 dBm</td> <td></td> <td></td> </tr> </tbody> </table> <p>Date: 23 APR 2024 11:52:10</p>			Type	Ref	Trc	X-value	Y-value	Function	Function Result	M1	1		2.449467 GHz	3.08 dBm			M2	1		2.4835 GHz	-49.41 dBm			M3	1		2.5 GHz	-54.00 dBm			M4	1		2.4845275 GHz	-47.01 dBm									
Type	Ref	Trc	X-value	Y-value	Function	Function Result																																							
M1	1		2.449467 GHz	3.08 dBm																																									
M2	1		2.4835 GHz	-49.41 dBm																																									
M3	1		2.5 GHz	-54.00 dBm																																									
M4	1		2.4845275 GHz	-47.01 dBm																																									



Test Item:	Bandedge	802.11 b	Antenna 1																																										
CH01	 <p>Marker Table for CH01:</p> <table border="1"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-value</th> <th>Y-value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td>1</td> <td></td> <td>2.41155 GHz</td> <td>6.71 dBm</td> <td></td> <td></td> </tr> <tr> <td>M2</td> <td>1</td> <td></td> <td>2.4 GHz</td> <td>-46.45 dBm</td> <td></td> <td></td> </tr> <tr> <td>M3</td> <td>1</td> <td></td> <td>2.39 GHz</td> <td>-58.45 dBm</td> <td></td> <td></td> </tr> <tr> <td>M4</td> <td>1</td> <td></td> <td>2.31 GHz</td> <td>-59.92 dBm</td> <td></td> <td></td> </tr> <tr> <td>M5</td> <td>1</td> <td></td> <td>2.396516 GHz</td> <td>-48.17 dBm</td> <td></td> <td></td> </tr> </tbody> </table> <p>Date: 23 APR 2024 11:26:08</p>			Type	Ref	Trc	X-value	Y-value	Function	Function Result	M1	1		2.41155 GHz	6.71 dBm			M2	1		2.4 GHz	-46.45 dBm			M3	1		2.39 GHz	-58.45 dBm			M4	1		2.31 GHz	-59.92 dBm			M5	1		2.396516 GHz	-48.17 dBm		
Type	Ref	Trc	X-value	Y-value	Function	Function Result																																							
M1	1		2.41155 GHz	6.71 dBm																																									
M2	1		2.4 GHz	-46.45 dBm																																									
M3	1		2.39 GHz	-58.45 dBm																																									
M4	1		2.31 GHz	-59.92 dBm																																									
M5	1		2.396516 GHz	-48.17 dBm																																									
CH11	 <p>Marker Table for CH11:</p> <table border="1"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-value</th> <th>Y-value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td>1</td> <td></td> <td>2.462524 GHz</td> <td>6.71 dBm</td> <td></td> <td></td> </tr> <tr> <td>M2</td> <td>1</td> <td></td> <td>2.4835 GHz</td> <td>-56.79 dBm</td> <td></td> <td></td> </tr> <tr> <td>M3</td> <td>1</td> <td></td> <td>2.5 GHz</td> <td>-60.86 dBm</td> <td></td> <td></td> </tr> <tr> <td>M4</td> <td>1</td> <td></td> <td>2.4847652 GHz</td> <td>-56.49 dBm</td> <td></td> <td></td> </tr> </tbody> </table> <p>Date: 23 APR 2024 11:28:20</p>			Type	Ref	Trc	X-value	Y-value	Function	Function Result	M1	1		2.462524 GHz	6.71 dBm			M2	1		2.4835 GHz	-56.79 dBm			M3	1		2.5 GHz	-60.86 dBm			M4	1		2.4847652 GHz	-56.49 dBm									
Type	Ref	Trc	X-value	Y-value	Function	Function Result																																							
M1	1		2.462524 GHz	6.71 dBm																																									
M2	1		2.4835 GHz	-56.79 dBm																																									
M3	1		2.5 GHz	-60.86 dBm																																									
M4	1		2.4847652 GHz	-56.49 dBm																																									




Test Item:	Bandedge	802.11 g	Antenna 1																																										
CH01	 <p>Marker Table for CH01:</p> <table border="1"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-value</th> <th>Y-value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td>1</td> <td></td> <td>2.41074 GHz</td> <td>6.00 dBm</td> <td></td> <td></td> </tr> <tr> <td>M2</td> <td>1</td> <td></td> <td>2.4 GHz</td> <td>-38.94 dBm</td> <td></td> <td></td> </tr> <tr> <td>M3</td> <td>1</td> <td></td> <td>2.39 GHz</td> <td>-59.81 dBm</td> <td></td> <td></td> </tr> <tr> <td>M4</td> <td>1</td> <td></td> <td>2.31 GHz</td> <td>-60.23 dBm</td> <td></td> <td></td> </tr> <tr> <td>M5</td> <td>1</td> <td></td> <td>2.399925 GHz</td> <td>-40.07 dBm</td> <td></td> <td></td> </tr> </tbody> </table> <p>Date: 22 APR 2024 19:28:25</p>			Type	Ref	Trc	X-value	Y-value	Function	Function Result	M1	1		2.41074 GHz	6.00 dBm			M2	1		2.4 GHz	-38.94 dBm			M3	1		2.39 GHz	-59.81 dBm			M4	1		2.31 GHz	-60.23 dBm			M5	1		2.399925 GHz	-40.07 dBm		
Type	Ref	Trc	X-value	Y-value	Function	Function Result																																							
M1	1		2.41074 GHz	6.00 dBm																																									
M2	1		2.4 GHz	-38.94 dBm																																									
M3	1		2.39 GHz	-59.81 dBm																																									
M4	1		2.31 GHz	-60.23 dBm																																									
M5	1		2.399925 GHz	-40.07 dBm																																									
CH11	 <p>Marker Table for CH11:</p> <table border="1"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-value</th> <th>Y-value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td>1</td> <td></td> <td>2.460718 GHz</td> <td>5.60 dBm</td> <td></td> <td></td> </tr> <tr> <td>M2</td> <td>1</td> <td></td> <td>2.4835 GHz</td> <td>-55.22 dBm</td> <td></td> <td></td> </tr> <tr> <td>M3</td> <td>1</td> <td></td> <td>2.5 GHz</td> <td>-60.16 dBm</td> <td></td> <td></td> </tr> <tr> <td>M4</td> <td>1</td> <td></td> <td>2.4835826 GHz</td> <td>-54.76 dBm</td> <td></td> <td></td> </tr> </tbody> </table> <p>Date: 22 APR 2024 19:31:04</p>			Type	Ref	Trc	X-value	Y-value	Function	Function Result	M1	1		2.460718 GHz	5.60 dBm			M2	1		2.4835 GHz	-55.22 dBm			M3	1		2.5 GHz	-60.16 dBm			M4	1		2.4835826 GHz	-54.76 dBm									
Type	Ref	Trc	X-value	Y-value	Function	Function Result																																							
M1	1		2.460718 GHz	5.60 dBm																																									
M2	1		2.4835 GHz	-55.22 dBm																																									
M3	1		2.5 GHz	-60.16 dBm																																									
M4	1		2.4835826 GHz	-54.76 dBm																																									

Test Item:	Bandedge	802.11 n(HT20)	Antenna 1																																										
CH01	 <p>Spectrum Ref Level 20.00 dBm Offset 0.50 dB RBW 100 kHz Att 30 dB SWT 246.5 μs VBW 300 kHz Mode Auto FFT Count 300/300</p> <p>IPK Max</p> <p>10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -40 dBm -50 dBm -70 dBm</p> <p>M1[1] 5.31 dBm 2.410740 GHz M2[1] 37.95 dBm 2.410740 GHz</p> <p>D1 -14.690 dBm</p> <p>Start 2.31 GHz 691 pts Stop 2.422 GHz</p> <table border="1"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-value</th> <th>Y-value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td></td> <td>1</td> <td>2.41074 GHz</td> <td>5.31 dBm</td> <td></td> <td></td> </tr> <tr> <td>M2</td> <td></td> <td>1</td> <td>2.4 GHz</td> <td>-37.95 dBm</td> <td></td> <td></td> </tr> <tr> <td>M3</td> <td></td> <td>1</td> <td>2.39 GHz</td> <td>-59.84 dBm</td> <td></td> <td></td> </tr> <tr> <td>M4</td> <td></td> <td>1</td> <td>2.31 GHz</td> <td>-60.44 dBm</td> <td></td> <td></td> </tr> <tr> <td>M5</td> <td></td> <td>1</td> <td>2.399762 GHz</td> <td>-38.41 dBm</td> <td></td> <td></td> </tr> </tbody> </table> <p>Date: 22 APR 2024 19:32:30</p>			Type	Ref	Trc	X-value	Y-value	Function	Function Result	M1		1	2.41074 GHz	5.31 dBm			M2		1	2.4 GHz	-37.95 dBm			M3		1	2.39 GHz	-59.84 dBm			M4		1	2.31 GHz	-60.44 dBm			M5		1	2.399762 GHz	-38.41 dBm		
Type	Ref	Trc	X-value	Y-value	Function	Function Result																																							
M1		1	2.41074 GHz	5.31 dBm																																									
M2		1	2.4 GHz	-37.95 dBm																																									
M3		1	2.39 GHz	-59.84 dBm																																									
M4		1	2.31 GHz	-60.44 dBm																																									
M5		1	2.399762 GHz	-38.41 dBm																																									
CH11	 <p>Spectrum Ref Level 20.00 dBm Offset 0.50 dB RBW 100 kHz Att 30 dB SWT 113.8 μs VBW 300 kHz Mode Auto FFT Count 300/300</p> <p>IPK Max</p> <p>10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -40 dBm -50 dBm -60 dBm -70 dBm</p> <p>M1[1] 5.81 dBm 2.463219 GHz M2[1] 53.36 dBm 2.4835000 GHz</p> <p>D1 -14.190 dBm</p> <p>Start 2.452 GHz 691 pts Stop 2.5 GHz</p> <table border="1"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-value</th> <th>Y-value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td></td> <td>1</td> <td>2.463219 GHz</td> <td>5.81 dBm</td> <td></td> <td></td> </tr> <tr> <td>M2</td> <td></td> <td>1</td> <td>2.4835 GHz</td> <td>-53.36 dBm</td> <td></td> <td></td> </tr> <tr> <td>M3</td> <td></td> <td>1</td> <td>2.5 GHz</td> <td>-58.79 dBm</td> <td></td> <td></td> </tr> <tr> <td>M4</td> <td></td> <td>1</td> <td>2.4835826 GHz</td> <td>-55.15 dBm</td> <td></td> <td></td> </tr> </tbody> </table> <p>Date: 22 APR 2024 19:34:54</p>			Type	Ref	Trc	X-value	Y-value	Function	Function Result	M1		1	2.463219 GHz	5.81 dBm			M2		1	2.4835 GHz	-53.36 dBm			M3		1	2.5 GHz	-58.79 dBm			M4		1	2.4835826 GHz	-55.15 dBm									
Type	Ref	Trc	X-value	Y-value	Function	Function Result																																							
M1		1	2.463219 GHz	5.81 dBm																																									
M2		1	2.4835 GHz	-53.36 dBm																																									
M3		1	2.5 GHz	-58.79 dBm																																									
M4		1	2.4835826 GHz	-55.15 dBm																																									


Test Item:	Bandedge	802.11 (ax20)	Antenna 1																																										
CH01	 <p>Marker</p> <table border="1"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-value</th> <th>Y-value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td></td> <td>1</td> <td>2.41105 GHz</td> <td>2.40 dBm</td> <td></td> <td></td> </tr> <tr> <td>M2</td> <td></td> <td>1</td> <td>2.4 GHz</td> <td>-39.18 dBm</td> <td></td> <td></td> </tr> <tr> <td>M3</td> <td></td> <td>1</td> <td>2.39 GHz</td> <td>-59.05 dBm</td> <td></td> <td></td> </tr> <tr> <td>M4</td> <td></td> <td>1</td> <td>2.31 GHz</td> <td>-60.87 dBm</td> <td></td> <td></td> </tr> <tr> <td>M5</td> <td></td> <td>1</td> <td>2.3996 GHz</td> <td>-38.47 dBm</td> <td></td> <td></td> </tr> </tbody> </table> <p>Date: 23 APR 2024 11:53:58</p>			Type	Ref	Trc	X-value	Y-value	Function	Function Result	M1		1	2.41105 GHz	2.40 dBm			M2		1	2.4 GHz	-39.18 dBm			M3		1	2.39 GHz	-59.05 dBm			M4		1	2.31 GHz	-60.87 dBm			M5		1	2.3996 GHz	-38.47 dBm		
Type	Ref	Trc	X-value	Y-value	Function	Function Result																																							
M1		1	2.41105 GHz	2.40 dBm																																									
M2		1	2.4 GHz	-39.18 dBm																																									
M3		1	2.39 GHz	-59.05 dBm																																									
M4		1	2.31 GHz	-60.87 dBm																																									
M5		1	2.3996 GHz	-38.47 dBm																																									
CH11	 <p>Marker</p> <table border="1"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-value</th> <th>Y-value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td></td> <td>1</td> <td>2.462246 GHz</td> <td>3.37 dBm</td> <td></td> <td></td> </tr> <tr> <td>M2</td> <td></td> <td>1</td> <td>2.4835 GHz</td> <td>-55.21 dBm</td> <td></td> <td></td> </tr> <tr> <td>M3</td> <td></td> <td>1</td> <td>2.5 GHz</td> <td>-59.21 dBm</td> <td></td> <td></td> </tr> <tr> <td>M4</td> <td></td> <td>1</td> <td>2.4843478 GHz</td> <td>-53.89 dBm</td> <td></td> <td></td> </tr> </tbody> </table> <p>Date: 23 APR 2024 13:21:03</p>			Type	Ref	Trc	X-value	Y-value	Function	Function Result	M1		1	2.462246 GHz	3.37 dBm			M2		1	2.4835 GHz	-55.21 dBm			M3		1	2.5 GHz	-59.21 dBm			M4		1	2.4843478 GHz	-53.89 dBm									
Type	Ref	Trc	X-value	Y-value	Function	Function Result																																							
M1		1	2.462246 GHz	3.37 dBm																																									
M2		1	2.4835 GHz	-55.21 dBm																																									
M3		1	2.5 GHz	-59.21 dBm																																									
M4		1	2.4843478 GHz	-53.89 dBm																																									

Test Item:	Bandedge	802.11 n(HT40)	Antenna 1																																										
CH03	 <p>Spectrum Ref Level 20.00 dBm Offset 0.50 dB RBW 100 kHz Att 30 dB SWT 303.4 μs VBW 300 kHz Mode Auto FFT Count 266/300</p> <p>Start 2.31 GHz 691 pts Stop 2.442 GHz</p> <table border="1"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-value</th> <th>Y-value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td>1</td> <td></td> <td>2.41688 GHz</td> <td>1.16 dBm</td> <td></td> <td></td> </tr> <tr> <td>M2</td> <td>1</td> <td></td> <td>2.4 GHz</td> <td>-43.15 dBm</td> <td></td> <td></td> </tr> <tr> <td>M3</td> <td>1</td> <td></td> <td>2.39 GHz</td> <td>-59.24 dBm</td> <td></td> <td></td> </tr> <tr> <td>M4</td> <td>1</td> <td></td> <td>2.31 GHz</td> <td>-59.30 dBm</td> <td></td> <td></td> </tr> <tr> <td>M5</td> <td>1</td> <td></td> <td>2.399913 GHz</td> <td>-44.41 dBm</td> <td></td> <td></td> </tr> </tbody> </table> <p>Date: 22 APR 2024 19:36:09</p>			Type	Ref	Trc	X-value	Y-value	Function	Function Result	M1	1		2.41688 GHz	1.16 dBm			M2	1		2.4 GHz	-43.15 dBm			M3	1		2.39 GHz	-59.24 dBm			M4	1		2.31 GHz	-59.30 dBm			M5	1		2.399913 GHz	-44.41 dBm		
Type	Ref	Trc	X-value	Y-value	Function	Function Result																																							
M1	1		2.41688 GHz	1.16 dBm																																									
M2	1		2.4 GHz	-43.15 dBm																																									
M3	1		2.39 GHz	-59.24 dBm																																									
M4	1		2.31 GHz	-59.30 dBm																																									
M5	1		2.399913 GHz	-44.41 dBm																																									
CH09	 <p>Spectrum Ref Level 20.00 dBm Offset 0.50 dB RBW 100 kHz Att 30 dB SWT 1.1 ms VBW 300 kHz Mode Auto Sweep Count 300/300</p> <p>Start 2.432 GHz 691 pts Stop 2.5 GHz</p> <table border="1"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-value</th> <th>Y-value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td>1</td> <td></td> <td>2.449467 GHz</td> <td>2.50 dBm</td> <td></td> <td></td> </tr> <tr> <td>M2</td> <td>1</td> <td></td> <td>2.4835 GHz</td> <td>-51.50 dBm</td> <td></td> <td></td> </tr> <tr> <td>M3</td> <td>1</td> <td></td> <td>2.5 GHz</td> <td>-54.26 dBm</td> <td></td> <td></td> </tr> <tr> <td>M4</td> <td>1</td> <td></td> <td>2.4845275 GHz</td> <td>-50.57 dBm</td> <td></td> <td></td> </tr> </tbody> </table> <p>Date: 22 APR 2024 19:38:41</p>			Type	Ref	Trc	X-value	Y-value	Function	Function Result	M1	1		2.449467 GHz	2.50 dBm			M2	1		2.4835 GHz	-51.50 dBm			M3	1		2.5 GHz	-54.26 dBm			M4	1		2.4845275 GHz	-50.57 dBm									
Type	Ref	Trc	X-value	Y-value	Function	Function Result																																							
M1	1		2.449467 GHz	2.50 dBm																																									
M2	1		2.4835 GHz	-51.50 dBm																																									
M3	1		2.5 GHz	-54.26 dBm																																									
M4	1		2.4845275 GHz	-50.57 dBm																																									

Test Item:	Bandedge	802.11 (ax40)	Antenna 1																																																
CH03	 <p>Spectrum Ref Level 20.00 dBm Offset 0.50 dB RBW 100 kHz Att 30 dB SWT 303.4 μs VBW 300 kHz Mode Auto FFT Count 263/300</p> <p>Start 2.31 GHz 691 pts Stop 2.442 GHz</p> <table border="1"> <thead> <tr> <th>Marker</th> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-value</th> <th>Y-value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td>1</td> <td></td> <td></td> <td>2.41688 GHz</td> <td>2.21 dBm</td> <td></td> <td></td> </tr> <tr> <td>M2</td> <td>1</td> <td></td> <td></td> <td>2.4 GHz</td> <td>-42.56 dBm</td> <td></td> <td></td> </tr> <tr> <td>M3</td> <td>1</td> <td></td> <td></td> <td>2.39 GHz</td> <td>-57.70 dBm</td> <td></td> <td></td> </tr> <tr> <td>M4</td> <td>1</td> <td></td> <td></td> <td>2.31 GHz</td> <td>-60.16 dBm</td> <td></td> <td></td> </tr> <tr> <td>M5</td> <td>1</td> <td></td> <td></td> <td>2.399913 GHz</td> <td>-43.63 dBm</td> <td></td> <td></td> </tr> </tbody> </table> <p>Date: 23 APR 2024 13:28:17</p>			Marker	Type	Ref	Trc	X-value	Y-value	Function	Function Result	M1	1			2.41688 GHz	2.21 dBm			M2	1			2.4 GHz	-42.56 dBm			M3	1			2.39 GHz	-57.70 dBm			M4	1			2.31 GHz	-60.16 dBm			M5	1			2.399913 GHz	-43.63 dBm		
Marker	Type	Ref	Trc	X-value	Y-value	Function	Function Result																																												
M1	1			2.41688 GHz	2.21 dBm																																														
M2	1			2.4 GHz	-42.56 dBm																																														
M3	1			2.39 GHz	-57.70 dBm																																														
M4	1			2.31 GHz	-60.16 dBm																																														
M5	1			2.399913 GHz	-43.63 dBm																																														
CH09	 <p>Spectrum Ref Level 20.00 dBm Offset 0.50 dB RBW 100 kHz Att 30 dB SWT 1.1 ms VBW 300 kHz Mode Auto Sweep Count 300/300</p> <p>Start 2.432 GHz 691 pts Stop 2.5 GHz</p> <table border="1"> <thead> <tr> <th>Marker</th> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-value</th> <th>Y-value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td>1</td> <td></td> <td></td> <td>2.447007 GHz</td> <td>-2.71 dBm</td> <td></td> <td></td> </tr> <tr> <td>M2</td> <td>1</td> <td></td> <td></td> <td>2.4835 GHz</td> <td>-50.40 dBm</td> <td></td> <td></td> </tr> <tr> <td>M3</td> <td>1</td> <td></td> <td></td> <td>2.5 GHz</td> <td>-53.83 dBm</td> <td></td> <td></td> </tr> <tr> <td>M4</td> <td>1</td> <td></td> <td></td> <td>2.4836406 GHz</td> <td>-50.29 dBm</td> <td></td> <td></td> </tr> </tbody> </table> <p>Date: 23 APR 2024 13:40:20</p>			Marker	Type	Ref	Trc	X-value	Y-value	Function	Function Result	M1	1			2.447007 GHz	-2.71 dBm			M2	1			2.4835 GHz	-50.40 dBm			M3	1			2.5 GHz	-53.83 dBm			M4	1			2.4836406 GHz	-50.29 dBm										
Marker	Type	Ref	Trc	X-value	Y-value	Function	Function Result																																												
M1	1			2.447007 GHz	-2.71 dBm																																														
M2	1			2.4835 GHz	-50.40 dBm																																														
M3	1			2.5 GHz	-53.83 dBm																																														
M4	1			2.4836406 GHz	-50.29 dBm																																														


Test Item:	SE	802.11 b	Antenna 0
Reference level CH01	 <p>Date: 23 APR 2024 11:22:13</p>		
CH01	 <p>Date: 23 APR 2024 11:22:28</p>		
	 <p>Date: 23 APR 2024 11:22:43</p>		

Reference level CH06




Date: 23 APR 2024 11:23:40

CH06




Date: 23 APR 2024 11:23:55




Date: 23 APR 2024 11:24:00

Reference level CH11




Date: 23 APR 2024 11:25:02




CH11




Date: 23 APR 2024 11:25:17



Date: 23 APR 2024 11:25:32


Test Item:	SE	802.11 g	Antenna 0
Reference level CH01	 <p>Date: 22 APR 2024 18:58:27</p>		
CH01	 <p>Date: 22 APR 2024 18:58:52</p>		
CH01	 <p>Date: 22 APR 2024 18:59:07</p>		

Reference level CH06




Date: 22 APR. 2024 19:00:13

CH06




Date: 22 APR. 2024 19:00:28




Date: 22 APR. 2024 19:00:43

Reference level CH11




Date: 22 APR 2024 19:01:40




CH11




Date: 22 APR 2024 19:01:55



Date: 22 APR 2024 19:02:10


Test Item:	SE	802.11 n(HT20)	Antenna 0
Reference level CH01		 <p>Date: 22 APR 2024 19:08:33</p>	
CH01		 <p>Date: 22 APR 2024 19:08:48</p>	
CH01		 <p>Date: 22 APR 2024 19:09:04</p>	

Reference level CH06




Date: 22 APR 2024 19:10:14

CH06




Date: 22 APR 2024 19:10:29








Date: 22 APR 2024 19:10:45

Reference level CH11




CH11





Test Item:	SE	802.11 (ax20)	Antenna 0
Reference level CH01		 <p>Date: 23 APR 2024 11:40:06</p>	
CH01		 <p>Date: 23 APR 2024 11:40:21</p>	
CH01		 <p>Date: 23 APR 2024 11:40:36</p>	


Reference level CH06



CH06




Reference level CH11




Date: 23 APR 2024 11:42:49




CH11



Date: 23 APR 2024 11:43:04



Date: 23 APR 2024 11:43:19

Test Item:	SE	802.11 n(HT40)	Antenna 0
Reference level CH03	 <p>Date: 22 APR 2024 19:13:54</p>		
CH03	 <p>Date: 22 APR 2024 19:14:09</p>		
CH03	 <p>Date: 22 APR 2024 19:14:25</p>		