FORTINET®

FCC CE UK CA 10

cULus LISTED I.T.E. E238018 M

FortiGate 50G-DSL
Model: FG-50G-DSL
Input : 12Vdc 3A
CAN ICES-003 (B) / NMB-003 (B)
US: FTNDL01AFWF50GDSL
This device complies with Part 68 of the FCC rules
REN: 0.1A
Required Connection: RJ11

Contains FCC ID: TVE-110T17
Contains IC: 7280B-110T17
IC:7280B-3901M12A

Fortinet,Inc.
899 Kifer Road, Sunnyvale, CA 94086 USA

Designed in the USA and Canada
Assembled in Taiwan

FORTINET®

FCC CE UK CA 10

cULus LISTED I.T.E. E238018 M

FortiWiFi 50G-DSL
Model: FWF-50G-DSL
Input : 12Vdc 3A
CAN ICES-003 (B) / NMB-003 (B)
US: FTNDL01AFWF50GDSL
This device complies with Part 68 of the FCC rules
REN: 0.1A
Required Connection: RJ11

FCC ID: TVE-3901M12
Contains FCC ID: TVE-110T17
IC: 7280B-3901M12B
Contains IC: 7280B-110T17

Fortinet,Inc.
899 Kifer Road, Sunnyvale, CA 94086 USA

Designed in the USA and Canada
Assembled in Taiwan

FortiGate 50G
Model : FG-50G

FORTINET®

FCC CE 10 cULus LISTED I.T.E. E238018 M

UK CA

Input : 12Vdc 3A
CAN ICES-003 (B) / NMB-003 (B)
Contains FCC ID: TVE-110T17
Contains IC: 7280B-110T17

Fortinet,Inc.
899 Kifer Road, Sunnyvale, CA 94086 USA

Designed in the USA and Canada
Assembled in Taiwan

FortiGate 51G
Model : FG-51G

FORTINET®

FC CE (10) c(UL)us LISTED I.T.E. E238018 M

UK CA

**Input : 12Vdc === 3A**
CAN ICES-003 (B) / NMB-003 (B)
Contains FCC ID: TVE-110T17
Contains IC: 7280B-110T17

Fortinet,Inc.
899 Kifer Road, Sunnyvale, CA 94086 USA

Designed in the USA and Canada
Assembled in Taiwan

FortiWiFi 50G
Model : FWF-50G

FORTINET®

FC CE (10) c(UL)us LISTED I.T.E. E238018 M

UK CA R-NZ [3.0

Input : 12Vdc === 3A
CAN ICES-003 (B) / NMB-003 (B)
FCC ID: TVE-3901M12   IC: 7280B-3901M12
Contains FCC ID: TVE-110T17   Contains IC: 7280B-110T17

Fortinet,Inc.
899 Kifer Road, Sunnyvale, CA 94086 USA

Designed in the USA and Canada
Assembled in Taiwan

FortiWiFi 51G
Model : FWF-51G

FORTINET®

FC CE (10) c(UL)us LISTED I.T.E. E238018 M

UK CA R-NZ

Input : 12Vdc === 3A
CAN ICES-003 (B) / NMB-003 (B)
FCC ID: TVE-3901M12   IC: 7280B-3901M12
Contains FCC ID: TVE-110T17   Contains IC: 7280B-110T17

Fortinet,Inc.
899 Kifer Road, Sunnyvale, CA 94086 USA

Designed in the USA and Canada
Assembled in Taiwan

FortiGate 50G-SFP
Model : FG-50G-SFP

FORTINET®

FC CE 10 cULus LISTED I.T.E. E238018 M

UK CA

Input : 12Vdc === 3A
CAN ICES-003 (B) / NMB-003 (B)
Contains FCC ID: TVE-110T17
Contains IC: 7280B-110T17

Fortinet,Inc.
899 Kifer Road, Sunnyvale, CA 94086 USA

Designed in the USA and Canada
Assembled in Taiwan

FortiGate 51G-SFP
Model : FG-51G-SFP

FORTINET®

FC CE 10 cULus LISTED I.T.E. E238018 M

UK CA

Input : 12Vdc === 3A
CAN ICES-003 (B) / NMB-003 (B)
Contains FCC ID: TVE-110T17
Contains IC: 7280B-110T17

Fortinet,Inc.
899 Kifer Road, Sunnyvale, CA 94086 USA

Designed in the USA and Canada
Assembled in Taiwan

FortiWiFi 50G-SFP
Model : FWF-50G-SFP

FORTINET®

FC CE 10 cULus LISTED I.T.E. E238018 M

UK CA R-NZ [3.0

Input : 12Vdc === 3A
CAN ICES-003 (B) / NMB-003 (B)
FCC ID: TVE-3901M12   IC: 7280B-3901M12
Contains FCC ID: TVE-110T17   Contains IC: 7280B-110T17

Fortinet,Inc.
899 Kifer Road, Sunnyvale, CA 94086 USA

Designed in the USA and Canada
Assembled in Taiwan

FortiWiFi 51G-SFP
Model : FWF-51G-SFP

FORTINET

FC CE (10) c(UL)us LISTED I.T.E. E238018 M

UK CA [WEEE] (RCM) R-NZ 3.0

Input : 12Vdc === 3A
CAN ICES-003 (B) / NMB-003 (B)
FCC ID: TVE-3901M12   IC: 7280B-3901M12
Contains FCC ID: TVE-110T17   Contains IC: 7280B-110T17

Fortinet,Inc.
899 Kifer Road, Sunnyvale, CA 94086 USA

Designed in the USA and Canada
Assembled in Taiwan

FortiGate 50G-SFP-POE
Model : FG-50G-SFP-POE

FORTINET

FC CE (10) c(UL)us LISTED I.T.E. E238018 M

UK CA [WEEE] (RCM)

Input : 54Vdc === 1.67A
POE power output rating 54V === 0.56A (MAX)
CAN ICES-003 (B) / NMB-003 (B)
Contains FCC ID: TVE-110T17
Contains IC: 7280B-110T17

Fortinet,Inc.
899 Kifer Road, Sunnyvale, CA 94086 USA

Designed in the USA and Canada
Assembled in Taiwan

FortiGate 51G-SFP-POE
Model : FG-51G-SFP-POE

FORTINET

FC CE (10) c(UL)us LISTED I.T.E. E238018 M

UK CA [WEEE] (RCM)

Input : 54Vdc === 1.67A
POE power output rating 54V === 0.56A (MAX)
CAN ICES-003 (B) / NMB-003 (B)
Contains FCC ID: TVE-110T17
Contains IC: 7280B-110T17

Fortinet,Inc.
899 Kifer Road, Sunnyvale, CA 94086 USA

Designed in the USA and Canada
Assembled in Taiwan