







<b>22</b>																																									
<b>Mode</b>	<b>Band Edge</b>																																								
<b>2400-2483.5_802.11g_CH10_2457MHz</b>																																									
<b>ANT</b>	<b>1+2 (CDD)</b>																																								
<b>Pol.</b>	<b>Horizontal</b>																																								
<b>Peak</b>	<b>Fundamental</b>																																								
<p>Site : 03CH22-HY            Condition: PEAK_BE_74 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL            : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2484.91</td> <td>57.17</td> <td>74.00</td> <td>-16.83</td> <td>44.16</td> <td>26.70</td> <td>8.69</td> <td>32.41</td> <td>10.03</td> <td>100</td> <td>317</td> <td>PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	2484.91	57.17	74.00	-16.83	44.16	26.70	8.69	32.41	10.03	100	317	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																	
1	2484.91	57.17	74.00	-16.83	44.16	26.70	8.69	32.41	10.03	100	317	PEAK																													
<p>Site : 03CH22-HY            Condition: PEAK_74 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL            : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2457.00</td> <td>106.51</td> <td>-----</td> <td>-----</td> <td>93.51</td> <td>26.72</td> <td>8.64</td> <td>32.39</td> <td>10.03</td> <td>100</td> <td>317</td> <td>PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	2457.00	106.51	-----	-----	93.51	26.72	8.64	32.39	10.03	100	317	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																	
1	2457.00	106.51	-----	-----	93.51	26.72	8.64	32.39	10.03	100	317	PEAK																													
<p>Site : 03CH22-HY            Condition: AVG_BE_54 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL            : RBW:1000.000kHz VBW:1.000kHz SMT:Auto</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2484.26</td> <td>45.04</td> <td>54.00</td> <td>-8.96</td> <td>32.03</td> <td>26.70</td> <td>8.69</td> <td>32.41</td> <td>10.03</td> <td>100</td> <td>317</td> <td>AVERAGE</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	2484.26	45.04	54.00	-8.96	32.03	26.70	8.69	32.41	10.03	100	317	AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																	
1	2484.26	45.04	54.00	-8.96	32.03	26.70	8.69	32.41	10.03	100	317	AVERAGE																													
<p>Site : 03CH22-HY            Condition: AVG_54 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL            : RBW:1000.000kHz VBW:1.000kHz SMT:Auto</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2457.00</td> <td>99.34</td> <td>-----</td> <td>-----</td> <td>86.42</td> <td>26.64</td> <td>8.64</td> <td>32.39</td> <td>10.03</td> <td>100</td> <td>317</td> <td>AVERAGE</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	2457.00	99.34	-----	-----	86.42	26.64	8.64	32.39	10.03	100	317	AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																	
1	2457.00	99.34	-----	-----	86.42	26.64	8.64	32.39	10.03	100	317	AVERAGE																													





	<b>22</b>																																																																
<b>Mode</b>	<b>Band Edge</b>																																																																
	<b>2400-2483.5_802.11g_CH10_2457MHz</b>																																																																
<b>ANT</b>	<b>1+2 (CDD)</b>																																																																
<b>Pol.</b>	<b>Vertical</b>	<b>Fundamental</b>																																																															
<b>Peak</b>	 <p>Level (dBuV/m) vs Frequency (MHz) plot showing a peak at 2485.72 MHz. The y-axis ranges from 0 to 140 dBuV/m, and the x-axis ranges from 2457 to 2500 MHz. A red horizontal line indicates the peak level at approximately 116.34 dBuV/m.</p> <p>Site : 03CH22-HY Condition: PEAK_BE_74 3m DRH18-E_LE2C04A18EN_240711 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2485.72</td> <td>64.55</td> <td>74.00</td> <td>-9.45</td> <td>51.54</td> <td>26.70</td> <td>8.69 32.41 10.03 373 357 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	2485.72	64.55	74.00	-9.45	51.54	26.70	8.69 32.41 10.03 373 357 PEAK	 <p>Level (dBuV/m) vs Frequency (MHz) plot showing a peak at 2457.00 MHz. The y-axis ranges from 0 to 140 dBuV/m, and the x-axis ranges from 1000 to 3000 MHz. A red horizontal line indicates the peak level at approximately 116.34 dBuV/m.</p> <p>Site : 03CH22-HY Condition: PEAK_74 3m DRH18-E_LE2C04A18EN_240711 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2457.00</td> <td>116.34</td> <td>-----</td> <td>-----</td> <td>103.38</td> <td>26.68 8.64 32.39 10.03 373 357 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	2457.00	116.34	-----	-----	103.38	26.68 8.64 32.39 10.03 373 357 PEAK
Limit	Read	Ant	Cable Preamp	Aux	APos	TPos	Remark																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																										
1	2485.72	64.55	74.00	-9.45	51.54	26.70	8.69 32.41 10.03 373 357 PEAK																																																										
Limit	Read	Ant	Cable Preamp	Aux	APos	TPos	Remark																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																										
1	2457.00	116.34	-----	-----	103.38	26.68 8.64 32.39 10.03 373 357 PEAK																																																											
<b>Avg.</b>	 <p>Level (dBuV/m) vs Frequency (MHz) plot showing an average level at 2485.29 MHz. The y-axis ranges from 0 to 140 dBuV/m, and the x-axis ranges from 2457 to 2500 MHz. A red horizontal line indicates the average level at approximately 54.00 dBuV/m.</p> <p>Site : 03CH22-HY Condition: AVG_BE_54 3m DRH18-E_LE2C04A18EN_240711 VERTICAL : RBW:1000.000kHz VBW:1.000kHz SMT:Auto</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2485.29</td> <td>52.38</td> <td>54.00</td> <td>-1.62</td> <td>39.37</td> <td>26.70</td> <td>8.69 32.41 10.03 373 357 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	2485.29	52.38	54.00	-1.62	39.37	26.70	8.69 32.41 10.03 373 357 AVERAGE	 <p>Level (dBuV/m) vs Frequency (MHz) plot showing an average level at 2457.00 MHz. The y-axis ranges from 0 to 140 dBuV/m, and the x-axis ranges from 1000 to 3000 MHz. A red horizontal line indicates the average level at approximately 108.09 dBuV/m.</p> <p>Site : 03CH22-HY Condition: AVG_54 3m DRH18-E_LE2C04A18EN_240711 VERTICAL : RBW:1000.000kHz VBW:1.000kHz SMT:Auto</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2457.00</td> <td>108.09</td> <td>-----</td> <td>-----</td> <td>95.93</td> <td>26.68 8.64 32.39 10.03 373 357 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	2457.00	108.09	-----	-----	95.93	26.68 8.64 32.39 10.03 373 357 AVERAGE
Limit	Read	Ant	Cable Preamp	Aux	APos	TPos	Remark																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																										
1	2485.29	52.38	54.00	-1.62	39.37	26.70	8.69 32.41 10.03 373 357 AVERAGE																																																										
Limit	Read	Ant	Cable Preamp	Aux	APos	TPos	Remark																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																										
1	2457.00	108.09	-----	-----	95.93	26.68 8.64 32.39 10.03 373 357 AVERAGE																																																											



Mode	22																																																																																																																																								
	Harmonic																																																																																																																																								
	2400-2483.5_802.11g_CH10_2457MHz																																																																																																																																								
ANT	1+2 (CDD)																																																																																																																																								
Pol.	Horizontal	Vertical																																																																																																																																							
Peak Avg.	<p>Site : 03CH22-HY Condition: PEAK_74 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4914.00</td> <td>46.15</td> <td>74.00</td> <td>-27.85</td> <td>33.98</td> <td>32.56</td> <td>12.39</td> <td>33.48</td> <td>0.70</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>7371.00</td> <td>49.43</td> <td>74.00</td> <td>-24.57</td> <td>32.07</td> <td>37.16</td> <td>15.44</td> <td>35.88</td> <td>0.64</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>3</td> <td>7371.00</td> <td>39.62</td> <td>54.00</td> <td>-14.38</td> <td>22.26</td> <td>37.16</td> <td>15.44</td> <td>35.88</td> <td>0.64</td> <td>--</td> <td>--</td> <td>Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4914.00	46.15	74.00	-27.85	33.98	32.56	12.39	33.48	0.70	--	--	Peak	2	7371.00	49.43	74.00	-24.57	32.07	37.16	15.44	35.88	0.64	--	--	Peak	3	7371.00	39.62	54.00	-14.38	22.26	37.16	15.44	35.88	0.64	--	--	Average	<p>Site : 03CH22-HY Condition: PEAK_74 3m DRH18-E_LE2C04A18EN_240711 VERTICAL</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4914.00</td> <td>45.60</td> <td>74.00</td> <td>-28.40</td> <td>33.43</td> <td>32.56</td> <td>12.39</td> <td>33.48</td> <td>0.70</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>7371.00</td> <td>50.32</td> <td>74.00</td> <td>-23.68</td> <td>32.96</td> <td>37.16</td> <td>15.44</td> <td>35.88</td> <td>0.64</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>3</td> <td>7371.00</td> <td>39.68</td> <td>54.00</td> <td>-14.32</td> <td>22.32</td> <td>37.16</td> <td>15.44</td> <td>35.88</td> <td>0.64</td> <td>--</td> <td>--</td> <td>Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4914.00	45.60	74.00	-28.40	33.43	32.56	12.39	33.48	0.70	--	--	Peak	2	7371.00	50.32	74.00	-23.68	32.96	37.16	15.44	35.88	0.64	--	--	Peak	3	7371.00	39.68	54.00	-14.32	22.32	37.16	15.44	35.88	0.64	--	--	Average
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																
1	4914.00	46.15	74.00	-27.85	33.98	32.56	12.39	33.48	0.70	--	--	Peak																																																																																																																													
2	7371.00	49.43	74.00	-24.57	32.07	37.16	15.44	35.88	0.64	--	--	Peak																																																																																																																													
3	7371.00	39.62	54.00	-14.38	22.26	37.16	15.44	35.88	0.64	--	--	Average																																																																																																																													
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																															
1	4914.00	45.60	74.00	-28.40	33.43	32.56	12.39	33.48	0.70	--	--	Peak																																																																																																																													
2	7371.00	50.32	74.00	-23.68	32.96	37.16	15.44	35.88	0.64	--	--	Peak																																																																																																																													
3	7371.00	39.68	54.00	-14.32	22.32	37.16	15.44	35.88	0.64	--	--	Average																																																																																																																													



	22	
Mode	Harmonic	
	2400-2483.5_802.11g_CH10_2457MHz	
ANT	1+2 (CDD)	
Pol.	Horizontal	Vertical
<p>10.6G ~18G Avg.</p>	 <p>Site : 03CH22-HY Condition: AVG_54 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL</p>	 <p>Site : 03CH22-HY Condition: AVG_54 3m DRH18-E_LE2C04A18EN_240711 VERTICAL</p>



<b>23</b>																																									
<b>Mode</b>	<b>Band Edge</b>																																								
	<b>2400-2483.5_802.11ax HE20_CH10_Full RU_2457MHz</b>																																								
<b>ANT</b>	<b>1+2 (CDD)</b>																																								
<b>Pol.</b>	<b>Horizontal</b>																																								
<b>Peak</b>	<p>Site : 03CH22-HY Condition: PEAK_BE_74 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2485.68</td> <td>54.25</td> <td>74.00</td> <td>-19.75</td> <td>41.24</td> <td>26.70</td> <td>8.69</td> <td>32.41</td> <td>10.03</td> <td>140</td> <td>22</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	2485.68	54.25	74.00	-19.75	41.24	26.70	8.69	32.41	10.03	140	22	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																	
1	2485.68	54.25	74.00	-19.75	41.24	26.70	8.69	32.41	10.03	140	22	PEAK																													
<p>Site : 03CH22-HY Condition: PEAK_74 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2457.00</td> <td>107.98</td> <td>-----</td> <td>-----</td> <td>95.02</td> <td>26.68</td> <td>8.64</td> <td>32.39</td> <td>10.03</td> <td>140</td> <td>22</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	2457.00	107.98	-----	-----	95.02	26.68	8.64	32.39	10.03	140	22	PEAK	
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																	
1	2457.00	107.98	-----	-----	95.02	26.68	8.64	32.39	10.03	140	22	PEAK																													
<b>Avg.</b>	<p>Site : 03CH22-HY Condition: AVG_BE_54 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL : RBW:1000.000kHz VBW:1.100kHz SMT:Auto</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2483.53</td> <td>43.85</td> <td>54.00</td> <td>-10.15</td> <td>30.84</td> <td>26.70</td> <td>8.69</td> <td>32.41</td> <td>10.03</td> <td>140</td> <td>22</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	2483.53	43.85	54.00	-10.15	30.84	26.70	8.69	32.41	10.03	140	22	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																	
1	2483.53	43.85	54.00	-10.15	30.84	26.70	8.69	32.41	10.03	140	22	AVERAGE																													
<p>Site : 03CH22-HY Condition: AVG_54 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL : RBW:1000.000kHz VBW:1.100kHz SMT:Auto</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2457.00</td> <td>98.88</td> <td>-----</td> <td>-----</td> <td>85.96</td> <td>26.64</td> <td>8.64</td> <td>32.39</td> <td>10.03</td> <td>140</td> <td>22</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	2457.00	98.88	-----	-----	85.96	26.64	8.64	32.39	10.03	140	22	AVERAGE	
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																	
1	2457.00	98.88	-----	-----	85.96	26.64	8.64	32.39	10.03	140	22	AVERAGE																													



		23																																																																										
Mode	Band Edge																																																																											
	2400-2483.5_802.11ax HE20_CH10_Full RU_2457MHz																																																																											
ANT	1+2 (CDD)																																																																											
Pol.	Vertical	Fundamental																																																																										
Peak	<p>Level (dBuV/m) vs Frequency (MHz) plot. Peak at 2483.88 MHz.</p> <p>Site : 03CH22-HY Condition: PEAK_BE_74 3m DRH18-E_LE2C04A18EN_240711 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2483.88</td> <td>64.30</td> <td>74.00</td> <td>-9.70</td> <td>51.29</td> <td>26.70</td> <td>8.69</td> <td>32.41</td> <td>10.03</td> <td>375</td> <td>360</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	2483.88	64.30	74.00	-9.70	51.29	26.70	8.69	32.41	10.03	375	360	PEAK	<p>Level (dBuV/m) vs Frequency (MHz) plot. Peak at 2457.00 MHz.</p> <p>Site : 03CH22-HY Condition: PEAK_74 3m DRH18-E_LE2C04A18EN_240711 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2457.00</td> <td>116.06</td> <td>-----</td> <td>-----</td> <td>103.10</td> <td>26.68</td> <td>8.64</td> <td>32.39</td> <td>10.03</td> <td>375</td> <td>360</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	2457.00	116.06	-----	-----	103.10	26.68	8.64	32.39	10.03	375	360	PEAK
	Limit	Read	Ant	Cable	Aux	APos	TPos	Remark																																																																				
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																					
1	2483.88	64.30	74.00	-9.70	51.29	26.70	8.69	32.41	10.03	375	360	PEAK																																																																
Limit	Read	Ant	Cable	Aux	APos	TPos	Remark																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																					
1	2457.00	116.06	-----	-----	103.10	26.68	8.64	32.39	10.03	375	360	PEAK																																																																
Avg.	<p>Level (dBuV/m) vs Frequency (MHz) plot. Average at 2484.26 MHz.</p> <p>Site : 03CH22-HY Condition: AVG_BE_54 3m DRH18-E_LE2C04A18EN_240711 VERTICAL : RBW:1000.000kHz VBW:1.100kHz SMT:Auto</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2484.26</td> <td>52.19</td> <td>54.00</td> <td>-1.81</td> <td>39.18</td> <td>26.70</td> <td>8.69</td> <td>32.41</td> <td>10.03</td> <td>375</td> <td>360</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	2484.26	52.19	54.00	-1.81	39.18	26.70	8.69	32.41	10.03	375	360	AVERAGE	<p>Level (dBuV/m) vs Frequency (MHz) plot. Average at 2457.00 MHz.</p> <p>Site : 03CH22-HY Condition: AVG_54 3m DRH18-E_LE2C04A18EN_240711 VERTICAL : RBW:1000.000kHz VBW:1.100kHz SMT:Auto</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2457.00</td> <td>107.22</td> <td>-----</td> <td>-----</td> <td>94.26</td> <td>26.68</td> <td>8.64</td> <td>32.39</td> <td>10.03</td> <td>375</td> <td>360</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	2457.00	107.22	-----	-----	94.26	26.68	8.64	32.39	10.03	375	360	AVERAGE
	Limit	Read	Ant	Cable	Aux	APos	TPos	Remark																																																																				
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																					
1	2484.26	52.19	54.00	-1.81	39.18	26.70	8.69	32.41	10.03	375	360	AVERAGE																																																																
Limit	Read	Ant	Cable	Aux	APos	TPos	Remark																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																					
1	2457.00	107.22	-----	-----	94.26	26.68	8.64	32.39	10.03	375	360	AVERAGE																																																																



Mode	23																																																																																																																																			
	Harmonic																																																																																																																																			
	2400-2483.5_802.11ax HE20_CH10_Full RU_2457MHz																																																																																																																																			
ANT	1+2 (CDD)																																																																																																																																			
Pol.	Horizontal	Vertical																																																																																																																																		
Peak Avg.	<p>Site : 03CH22-HY Condition: PEAK_74 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL</p> <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4914.00</td> <td>45.02</td> <td>74.00</td> <td>-28.98</td> <td>32.85</td> <td>32.56</td> <td>12.39</td> <td>33.48</td> <td>0.70</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>7371.00</td> <td>49.32</td> <td>74.00</td> <td>-24.68</td> <td>31.96</td> <td>37.16</td> <td>15.44</td> <td>35.88</td> <td>0.64</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>3</td> <td>7371.00</td> <td>39.52</td> <td>54.00</td> <td>-14.48</td> <td>22.16</td> <td>37.16</td> <td>15.44</td> <td>35.88</td> <td>0.64</td> <td>--</td> <td>--</td> <td>Average</td> </tr> </tbody> </table>	Peak	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	4914.00	45.02	74.00	-28.98	32.85	32.56	12.39	33.48	0.70	--	--	Peak	2	7371.00	49.32	74.00	-24.68	31.96	37.16	15.44	35.88	0.64	--	--	Peak	3	7371.00	39.52	54.00	-14.48	22.16	37.16	15.44	35.88	0.64	--	--	Average	<p>Site : 03CH22-HY Condition: PEAK_74 3m DRH18-E_LE2C04A18EN_240711 VERTICAL</p> <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4914.00</td> <td>44.64</td> <td>74.00</td> <td>-29.36</td> <td>32.47</td> <td>32.56</td> <td>12.39</td> <td>33.48</td> <td>0.70</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>7371.00</td> <td>49.62</td> <td>74.00</td> <td>-24.38</td> <td>32.26</td> <td>37.16</td> <td>15.44</td> <td>35.88</td> <td>0.64</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>3</td> <td>7371.00</td> <td>39.60</td> <td>54.00</td> <td>-14.40</td> <td>22.24</td> <td>37.16</td> <td>15.44</td> <td>35.88</td> <td>0.64</td> <td>--</td> <td>--</td> <td>Average</td> </tr> </tbody> </table>	Peak	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	4914.00	44.64	74.00	-29.36	32.47	32.56	12.39	33.48	0.70	--	--	Peak	2	7371.00	49.62	74.00	-24.38	32.26	37.16	15.44	35.88	0.64	--	--	Peak	3	7371.00	39.60	54.00	-14.40	22.24	37.16	15.44	35.88	0.64	--	--	Average
Peak	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																									
1	4914.00	45.02	74.00	-28.98	32.85	32.56	12.39	33.48	0.70	--	--	Peak																																																																																																																								
2	7371.00	49.32	74.00	-24.68	31.96	37.16	15.44	35.88	0.64	--	--	Peak																																																																																																																								
3	7371.00	39.52	54.00	-14.48	22.16	37.16	15.44	35.88	0.64	--	--	Average																																																																																																																								
Peak	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																									
1	4914.00	44.64	74.00	-29.36	32.47	32.56	12.39	33.48	0.70	--	--	Peak																																																																																																																								
2	7371.00	49.62	74.00	-24.38	32.26	37.16	15.44	35.88	0.64	--	--	Peak																																																																																																																								
3	7371.00	39.60	54.00	-14.40	22.24	37.16	15.44	35.88	0.64	--	--	Average																																																																																																																								



Mode	23	
	Harmonic	
	2400-2483.5_802.11ax HE20_CH10_Full RU_2457MHz	
ANT	1+2 (CDD)	
Pol.	Horizontal	Vertical
10.6G ~18G Avg.	<p>Site : 03CH22-HY Condition: AVG_54 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL</p>	<p>Site : 03CH22-HY Condition: AVG_54 3m DRH18-E_LE2C04A18EN_240711 VERTICAL</p>





### Appendix D. Duty Cycle Plots

Antenna	Band	Duty Cycle(%)	T(us)	1/T(kHz)	VBW Setting
1+2	802.11b	95.79	1250	0.80	820Hz
1+2	802.11g	95.07	1060	0.94	1kHz
1+2	802.11n HT20	94.93	1068	0.94	1kHz
1+2	802.11n HT40	94.75	1029	0.97	1kHz
1+2	802.11ax HE20 Full RU	94.31	945	1.06	1.1KHz
1+2	802.11ax HE40 Full RU	90.07	508	1.97	2KHz



MIMO <Ant. 1+2>

