



Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX	Pass	AV	5.15G	51.96	54.00	-2.04	3	Vertical	170	1.06	-
802.11ac VHT20_Nss1,(MCS0)_2TX	Pass	AV	5.15G	52.39	54.00	-1.61	3	Vertical	150	1.42	-
802.11ac VHT40_Nss1,(MCS0)_2TX	Pass	AV	5.15G	52.53	54.00	-1.47	3	Vertical	174	1.31	-
802.11ac VHT80_Nss1,(MCS0)_2TX	Pass	AV	5.139G	52.76	54.00	-1.24	3	Vertical	171	1.11	-
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX	Pass	PK	17.34884G	66.99	68.20	-1.21	3	Vertical	360	1.00	-
802.11ac VHT20_Nss1,(MCS0)_2TX	Pass	AV	11.64214G	52.03	54.00	-1.97	3	Vertical	207	2.15	-
802.11ac VHT40_Nss1,(MCS0)_2TX	Pass	PK	5.9306G	67.09	68.20	-1.11	3	Vertical	260	1.02	-
802.11ac VHT80_Nss1,(MCS0)_2TX	Pass	PK	5.9274G	66.83	68.20	-1.37	3	Vertical	333	1.42	-



Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
802.11a_Nss1_(6Mbps)_2TX	-	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	AV	5.15G	51.96	54.00	-2.04	3	Vertical	170	1.06	-
5180MHz	Pass	AV	5.1818G	106.58	Inf	-Inf	3	Vertical	170	1.06	-
5180MHz	Pass	PK	5.147G	70.33	74.00	-3.67	3	Vertical	170	1.06	-
5180MHz	Pass	PK	5.1768G	116.56	Inf	-Inf	3	Vertical	170	1.06	-
5180MHz	Pass	AV	15.53384G	51.93	54.00	-2.07	3	Vertical	175	1.74	-
5180MHz	Pass	PK	10.3696G	54.65	68.20	-13.55	3	Vertical	306	1.86	-
5180MHz	Pass	PK	15.53848G	64.92	74.00	-9.08	3	Vertical	175	1.74	-
5180MHz	Pass	AV	15.53816G	51.96	54.00	-2.04	3	Horizontal	148	1.04	-
5180MHz	Pass	PK	10.35108G	54.76	68.20	-13.44	3	Horizontal	303	1.47	-
5180MHz	Pass	PK	15.54416G	64.99	74.00	-9.01	3	Horizontal	148	1.04	-
5200MHz	Pass	AV	5.1468G	48.81	54.00	-5.19	3	Vertical	170	1.30	-
5200MHz	Pass	AV	5.1972G	109.37	Inf	-Inf	3	Vertical	170	1.30	-
5200MHz	Pass	PK	5.1456G	62.85	74.00	-11.15	3	Vertical	170	1.30	-
5200MHz	Pass	PK	5.1976G	119.00	Inf	-Inf	3	Vertical	170	1.30	-
5200MHz	Pass	AV	15.60096G	51.43	54.00	-2.57	3	Vertical	339	2.13	-
5200MHz	Pass	PK	10.40432G	54.03	68.20	-14.17	3	Vertical	140	1.70	-
5200MHz	Pass	PK	15.596G	64.25	74.00	-9.75	3	Vertical	339	2.13	-
5200MHz	Pass	AV	15.5978G	51.37	54.00	-2.63	3	Horizontal	17	1.59	-
5200MHz	Pass	PK	10.40516G	54.11	68.20	-14.09	3	Horizontal	251	1.20	-
5200MHz	Pass	PK	15.60576G	64.33	74.00	-9.67	3	Horizontal	17	1.59	-
5240MHz	Pass	AV	5.1482G	47.67	54.00	-6.33	3	Vertical	148	1.32	-
5240MHz	Pass	AV	5.2436G	108.87	Inf	-Inf	3	Vertical	148	1.32	-
5240MHz	Pass	AV	5.3528G	48.23	54.00	-5.77	3	Vertical	148	1.32	-
5240MHz	Pass	PK	5.1452G	59.62	74.00	-14.38	3	Vertical	148	1.32	-
5240MHz	Pass	PK	5.2442G	118.81	Inf	-Inf	3	Vertical	148	1.32	-
5240MHz	Pass	PK	5.35G	59.27	74.00	-14.73	3	Vertical	148	1.32	-
5240MHz	Pass	AV	15.71344G	50.69	54.00	-3.31	3	Vertical	125	1.26	-
5240MHz	Pass	PK	10.4876G	54.29	68.20	-13.91	3	Vertical	222	1.62	-
5240MHz	Pass	PK	15.72636G	63.52	74.00	-10.48	3	Vertical	125	1.26	-
5240MHz	Pass	AV	15.71056G	50.47	54.00	-3.53	3	Horizontal	102	2.49	-
5240MHz	Pass	PK	10.47696G	54.55	68.20	-13.65	3	Horizontal	333	1.11	-
5240MHz	Pass	PK	15.71204G	63.77	74.00	-10.23	3	Horizontal	102	2.49	-
5745MHz	Pass	AV	5.7462G	109.74	Inf	-Inf	3	Vertical	259	1.01	-
5745MHz	Pass	PK	5.6214G	59.86	68.20	-8.34	3	Vertical	259	1.01	-
5745MHz	Pass	PK	5.7462G	119.00	Inf	-Inf	3	Vertical	259	1.01	-
5745MHz	Pass	PK	5.985G	60.07	68.20	-8.13	3	Vertical	259	1.01	-
5745MHz	Pass	AV	11.49G	46.49	54.00	-7.51	3	Vertical	167	1.95	-
5745MHz	Pass	PK	11.4944G	59.00	74.00	-15.00	3	Vertical	167	1.95	-
5745MHz	Pass	PK	17.2296G	66.27	68.20	-1.93	3	Vertical	355	1.00	-
5745MHz	Pass	AV	11.49744G	44.06	54.00	-9.94	3	Horizontal	340	1.43	-
5745MHz	Pass	PK	11.495G	57.04	74.00	-16.96	3	Horizontal	340	1.43	-
5745MHz	Pass	PK	17.23016G	62.41	68.20	-5.79	3	Horizontal	281	1.41	-
5785MHz	Pass	AV	5.7874G	109.85	Inf	-Inf	3	Vertical	259	1.00	-
5785MHz	Pass	PK	5.5222G	59.40	68.20	-8.80	3	Vertical	259	1.00	-
5785MHz	Pass	PK	5.7862G	119.15	Inf	-Inf	3	Vertical	259	1.00	-
5785MHz	Pass	PK	5.9374G	60.76	68.20	-7.44	3	Vertical	259	1.00	-
5785MHz	Pass	AV	11.56948G	47.17	54.00	-6.83	3	Vertical	168	2.13	-
5785MHz	Pass	PK	11.57096G	60.83	74.00	-13.17	3	Vertical	168	2.13	-
5785MHz	Pass	PK	17.34884G	66.99	68.20	-1.21	3	Vertical	360	1.00	-
5785MHz	Pass	AV	11.57712G	44.52	54.00	-9.48	3	Horizontal	89	2.08	-
5785MHz	Pass	PK	11.5768G	57.70	74.00	-16.30	3	Horizontal	89	2.08	-
5785MHz	Pass	PK	17.34628G	64.14	68.20	-4.06	3	Horizontal	140	1.93	-
5825MHz	Pass	AV	5.8214G	109.94	Inf	-Inf	3	Vertical	259	1.00	-
5825MHz	Pass	PK	5.6066G	60.75	68.20	-7.45	3	Vertical	259	1.00	-
5825MHz	Pass	PK	5.8262G	119.97	Inf	-Inf	3	Vertical	259	1.00	-
5825MHz	Pass	PK	5.9378G	63.00	68.20	-5.20	3	Vertical	259	1.00	-
5825MHz	Pass	AV	11.64808G	49.92	54.00	-4.08	3	Vertical	291	1.00	-
5825MHz	Pass	PK	11.64872G	64.63	74.00	-9.37	3	Vertical	291	1.00	-
5825MHz	Pass	PK	17.476G	66.87	68.20	-1.33	3	Vertical	167	1.15	-
5825MHz	Pass	AV	11.64024G	44.66	54.00	-9.34	3	Horizontal	6	1.02	-



RSE TX above 1GHz\_Non Beamforming\_Sample 2

Appendix E.4

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5825MHz	Pass	PK	11.65564G	57.54	74.00	-16.46	3	Horizontal	6	1.02	-
5825MHz	Pass	PK	17.4828G	64.68	68.20	-3.52	3	Horizontal	71	1.96	-
802.11ac VHT20_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	AV	5.15G	52.39	54.00	-1.61	3	Vertical	150	1.42	-
5180MHz	Pass	AV	5.1744G	104.67	Inf	-Inf	3	Vertical	150	1.42	-
5180MHz	Pass	PK	5.15G	68.00	74.00	-6.00	3	Vertical	150	1.42	-
5180MHz	Pass	PK	5.176G	116.28	Inf	-Inf	3	Vertical	150	1.42	-
5180MHz	Pass	AV	15.53032G	50.87	54.00	-3.13	3	Vertical	230	2.48	-
5180MHz	Pass	PK	10.3544G	53.77	68.20	-14.43	3	Vertical	22	2.23	-
5180MHz	Pass	PK	15.53272G	65.72	74.00	-8.28	3	Vertical	230	2.48	-
5180MHz	Pass	AV	15.53416G	50.89	54.00	-3.11	3	Horizontal	65	2.25	-
5180MHz	Pass	PK	10.36396G	55.62	68.20	-12.58	3	Horizontal	104	1.24	-
5180MHz	Pass	PK	15.54472G	64.82	74.00	-9.18	3	Horizontal	65	2.25	-
5200MHz	Pass	AV	5.15G	49.62	54.00	-4.38	3	Vertical	146	1.30	-
5200MHz	Pass	AV	5.1936G	108.49	Inf	-Inf	3	Vertical	146	1.30	-
5200MHz	Pass	PK	5.15G	64.41	74.00	-9.59	3	Vertical	146	1.30	-
5200MHz	Pass	PK	5.1936G	119.43	Inf	-Inf	3	Vertical	146	1.30	-
5200MHz	Pass	AV	15.59192G	50.50	54.00	-3.50	3	Vertical	243	1.38	-
5200MHz	Pass	PK	10.40352G	53.52	68.20	-14.68	3	Vertical	233	1.43	-
5200MHz	Pass	PK	15.60144G	64.17	74.00	-9.83	3	Vertical	243	1.38	-
5200MHz	Pass	AV	15.59964G	50.36	54.00	-3.64	3	Horizontal	98	1.69	-
5200MHz	Pass	PK	10.403G	53.92	68.20	-14.28	3	Horizontal	336	2.42	-
5200MHz	Pass	PK	15.59524G	64.81	74.00	-9.19	3	Horizontal	98	1.69	-
5240MHz	Pass	AV	5.1356G	47.19	54.00	-6.81	3	Vertical	149	1.50	-
5240MHz	Pass	AV	5.237G	107.79	Inf	-Inf	3	Vertical	149	1.50	-
5240MHz	Pass	AV	5.3528G	47.35	54.00	-6.65	3	Vertical	149	1.50	-
5240MHz	Pass	PK	5.1458G	59.00	74.00	-15.00	3	Vertical	149	1.50	-
5240MHz	Pass	PK	5.2364G	118.26	Inf	-Inf	3	Vertical	149	1.50	-
5240MHz	Pass	PK	5.3696G	59.19	74.00	-14.81	3	Vertical	149	1.50	-
5240MHz	Pass	AV	15.71008G	49.50	54.00	-4.50	3	Vertical	184	1.28	-
5240MHz	Pass	PK	10.4738G	54.07	68.20	-14.13	3	Vertical	301	1.69	-
5240MHz	Pass	PK	15.7232G	63.69	74.00	-10.31	3	Vertical	184	1.28	-
5240MHz	Pass	AV	15.71G	49.51	54.00	-4.49	3	Horizontal	71	2.44	-
5240MHz	Pass	PK	10.48936G	53.14	68.20	-15.06	3	Horizontal	199	2.21	-
5240MHz	Pass	PK	15.72224G	63.26	74.00	-10.74	3	Horizontal	71	2.44	-
5745MHz	Pass	AV	5.7522G	109.63	Inf	-Inf	3	Vertical	259	1.01	-
5745MHz	Pass	PK	5.6334G	59.86	68.20	-8.34	3	Vertical	259	1.01	-
5745MHz	Pass	PK	5.7522G	119.89	Inf	-Inf	3	Vertical	259	1.01	-
5745MHz	Pass	PK	5.9334G	60.38	68.20	-7.82	3	Vertical	259	1.01	-
5745MHz	Pass	AV	11.48952G	45.82	54.00	-8.18	3	Vertical	166	1.93	-
5745MHz	Pass	PK	11.4856G	60.52	74.00	-13.48	3	Vertical	166	1.93	-
5745MHz	Pass	PK	17.23592G	65.76	68.20	-2.44	3	Vertical	360	1.00	-
5745MHz	Pass	AV	11.49804G	43.27	54.00	-10.73	3	Horizontal	107	1.42	-
5745MHz	Pass	PK	11.49364G	57.28	74.00	-16.72	3	Horizontal	107	1.42	-
5745MHz	Pass	PK	17.22704G	62.59	68.20	-5.61	3	Horizontal	118	2.06	-
5785MHz	Pass	AV	5.7898G	106.90	Inf	-Inf	3	Vertical	330	1.81	-
5785MHz	Pass	PK	5.575G	59.88	68.20	-8.32	3	Vertical	330	1.81	-
5785MHz	Pass	PK	5.7922G	116.86	Inf	-Inf	3	Vertical	330	1.81	-
5785MHz	Pass	PK	5.9338G	60.91	68.20	-7.29	3	Vertical	330	1.81	-
5785MHz	Pass	AV	11.5686G	45.47	54.00	-8.53	3	Vertical	166	1.26	-
5785MHz	Pass	PK	11.56648G	59.32	74.00	-14.68	3	Vertical	166	1.26	-
5785MHz	Pass	PK	17.35592G	66.13	68.20	-2.07	3	Vertical	360	1.02	-
5785MHz	Pass	AV	11.57876G	43.68	54.00	-10.32	3	Horizontal	85	1.29	-
5785MHz	Pass	PK	11.57588G	57.55	74.00	-16.45	3	Horizontal	85	1.29	-
5785MHz	Pass	PK	17.34756G	63.65	68.20	-4.55	3	Horizontal	46	1.61	-
5825MHz	Pass	AV	5.8274G	105.54	Inf	-Inf	3	Vertical	327	1.50	-
5825MHz	Pass	PK	5.5406G	58.94	68.20	-9.26	3	Vertical	327	1.50	-
5825MHz	Pass	PK	5.8286G	116.32	Inf	-Inf	3	Vertical	327	1.50	-
5825MHz	Pass	PK	5.9678G	59.72	68.20	-8.48	3	Vertical	327	1.50	-
5825MHz	Pass	AV	11.64214G	52.03	54.00	-1.97	3	Vertical	207	2.15	-
5825MHz	Pass	PK	11.64442G	68.88	74.00	-5.12	3	Vertical	207	2.15	-
5825MHz	Pass	PK	17.46564G	65.31	68.20	-2.89	3	Vertical	330	1.18	-



RSE TX above 1GHz\_Non Beamforming\_Sample 2

Appendix E.4

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5825MHz	Pass	AV	11.64496G	44.28	54.00	-9.72	3	Horizontal	208	1.01	-
5825MHz	Pass	PK	11.66122G	58.25	74.00	-15.75	3	Horizontal	208	1.01	-
5825MHz	Pass	PK	17.48484G	64.79	68.20	-3.41	3	Horizontal	307	1.20	-
802.11ac VHT40_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-
5190MHz	Pass	AV	5.15G	52.53	54.00	-1.47	3	Vertical	174	1.31	-
5190MHz	Pass	AV	5.1976G	101.90	Inf	-Inf	3	Vertical	174	1.31	-
5190MHz	Pass	PK	5.1424G	64.38	74.00	-9.62	3	Vertical	174	1.31	-
5190MHz	Pass	PK	5.1996G	111.54	Inf	-Inf	3	Vertical	174	1.31	-
5190MHz	Pass	AV	15.5696G	52.10	54.00	-1.90	3	Vertical	86	1.50	-
5190MHz	Pass	PK	10.38952G	55.13	68.20	-13.07	3	Vertical	239	1.57	-
5190MHz	Pass	PK	15.55592G	65.08	74.00	-8.92	3	Vertical	86	1.50	-
5190MHz	Pass	AV	15.56776G	51.87	54.00	-2.13	3	Horizontal	277	1.50	-
5190MHz	Pass	PK	10.36472G	55.11	68.20	-13.09	3	Horizontal	23	1.00	-
5190MHz	Pass	PK	15.57416G	64.92	74.00	-9.08	3	Horizontal	277	1.50	-
5230MHz	Pass	AV	5.15G	51.91	54.00	-2.09	3	Vertical	182	1.38	-
5230MHz	Pass	AV	5.234G	106.56	Inf	-Inf	3	Vertical	182	1.38	-
5230MHz	Pass	PK	5.15G	65.90	74.00	-8.10	3	Vertical	182	1.38	-
5230MHz	Pass	PK	5.2348G	116.43	Inf	-Inf	3	Vertical	182	1.38	-
5230MHz	Pass	AV	15.69448G	51.26	54.00	-2.74	3	Vertical	110	2.72	-
5230MHz	Pass	PK	10.44928G	55.51	68.20	-12.69	3	Vertical	151	1.44	-
5230MHz	Pass	PK	15.70648G	64.55	74.00	-9.45	3	Vertical	110	2.72	-
5230MHz	Pass	AV	15.68584G	51.14	54.00	-2.86	3	Horizontal	203	2.10	-
5230MHz	Pass	PK	10.46496G	55.04	68.20	-13.16	3	Horizontal	4	2.01	-
5230MHz	Pass	PK	15.70208G	63.73	74.00	-10.27	3	Horizontal	203	2.10	-
5755MHz	Pass	AV	5.7622G	107.37	Inf	-Inf	3	Vertical	260	1.21	-
5755MHz	Pass	PK	5.641G	66.91	68.20	-1.29	3	Vertical	260	1.21	-
5755MHz	Pass	PK	5.7622G	116.79	Inf	-Inf	3	Vertical	260	1.21	-
5755MHz	Pass	PK	5.9338G	61.15	68.20	-7.05	3	Vertical	260	1.21	-
5755MHz	Pass	AV	11.5175G	52.42	54.00	-1.58	3	Vertical	206	2.24	-
5755MHz	Pass	PK	11.51738G	66.12	74.00	-7.88	3	Vertical	206	2.24	-
5755MHz	Pass	PK	17.27262G	66.18	68.20	-2.02	3	Vertical	333	1.15	-
5755MHz	Pass	AV	11.51672G	46.04	54.00	-7.96	3	Horizontal	357	1.00	-
5755MHz	Pass	PK	11.52164G	58.62	74.00	-15.38	3	Horizontal	357	1.00	-
5755MHz	Pass	PK	17.25108G	63.00	68.20	-5.20	3	Horizontal	333	2.25	-
5795MHz	Pass	AV	5.8022G	107.76	Inf	-Inf	3	Vertical	260	1.02	-
5795MHz	Pass	PK	5.6378G	60.41	68.20	-7.79	3	Vertical	260	1.02	-
5795MHz	Pass	PK	5.801G	117.01	Inf	-Inf	3	Vertical	260	1.02	-
5795MHz	Pass	PK	5.9306G	67.09	68.20	-1.11	3	Vertical	260	1.02	-
5795MHz	Pass	AV	11.5822G	50.18	54.00	-3.82	3	Vertical	205	1.50	-
5795MHz	Pass	PK	11.60392G	63.78	74.00	-10.22	3	Vertical	205	1.50	-
5795MHz	Pass	PK	17.39478G	65.66	68.20	-2.54	3	Vertical	322	1.21	-
5795MHz	Pass	AV	11.60206G	45.91	54.00	-8.09	3	Horizontal	360	1.04	-
5795MHz	Pass	PK	11.60218G	58.66	74.00	-15.34	3	Horizontal	360	1.04	-
5795MHz	Pass	PK	17.38506G	63.36	68.20	-4.84	3	Horizontal	200	1.50	-
802.11ac VHT80_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-
5210MHz	Pass	AV	5.139G	52.76	54.00	-1.24	3	Vertical	171	1.11	-
5210MHz	Pass	AV	5.218G	95.72	Inf	-Inf	3	Vertical	171	1.11	-
5210MHz	Pass	AV	5.353G	48.96	54.00	-5.04	3	Vertical	171	1.11	-
5210MHz	Pass	PK	5.14G	65.13	74.00	-8.87	3	Vertical	171	1.11	-
5210MHz	Pass	PK	5.217G	105.35	Inf	-Inf	3	Vertical	171	1.11	-
5210MHz	Pass	PK	5.351G	60.31	74.00	-13.69	3	Vertical	171	1.11	-
5210MHz	Pass	AV	15.59464G	51.52	54.00	-2.48	3	Vertical	33	2.15	-
5210MHz	Pass	PK	10.45792G	54.95	68.20	-13.25	3	Vertical	0	3.00	-
5210MHz	Pass	PK	15.63032G	64.15	74.00	-9.85	3	Vertical	33	2.15	-
5210MHz	Pass	AV	15.59256G	51.64	54.00	-2.36	3	Horizontal	132	1.32	-
5210MHz	Pass	PK	10.4064G	55.25	68.20	-12.95	3	Horizontal	86	1.46	-
5210MHz	Pass	PK	15.61704G	64.45	74.00	-9.55	3	Horizontal	132	1.32	-
5775MHz	Pass	AV	5.7834G	99.99	Inf	-Inf	3	Vertical	333	1.42	-
5775MHz	Pass	PK	5.6406G	66.25	68.20	-1.95	3	Vertical	333	1.42	-
5775MHz	Pass	PK	5.7846G	109.39	Inf	-Inf	3	Vertical	333	1.42	-
5775MHz	Pass	PK	5.9274G	66.83	68.20	-1.37	3	Vertical	333	1.42	-
5775MHz	Pass	AV	11.55762G	45.82	54.00	-8.18	3	Vertical	207	2.07	-




**RSE TX above 1GHz\_Non Beamforming\_Sample 2**

**Appendix E.4**

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5775MHz	Pass	PK	11.56296G	59.22	74.00	-14.78	3	Vertical	207	2.07	-
5775MHz	Pass	PK	17.3292G	63.97	68.20	-4.23	3	Vertical	135	1.00	-
5775MHz	Pass	AV	11.5356G	43.53	54.00	-10.47	3	Horizontal	20	1.00	-
5775MHz	Pass	PK	11.55432G	56.33	74.00	-17.67	3	Horizontal	20	1.00	-
5775MHz	Pass	PK	17.33394G	62.68	68.20	-5.52	3	Horizontal	360	1.50	-

### 802.11a\_Nss1,(6Mbps)\_2TX

### 5180MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	51.96	54.00	-2.04	8.84	3	Vertical	170	1.06	-	43.12	34.00	9.07	34.23
AV	5.1818G	106.58	Inf	-Inf	8.72	3	Vertical	170	1.06	-	97.86	33.87	9.08	34.23
PK	5.147G	70.33	74.00	-3.67	8.83	3	Vertical	170	1.06	-	61.50	33.99	9.07	34.23
PK	5.1768G	116.56	Inf	-Inf	8.74	3	Vertical	170	1.06	-	107.82	33.89	9.08	34.23



802.11a\_Nss1,(6Mbps)\_2TX


5180MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.53384G	51.93	54.00	-2.07	22.93	3	Vertical	175	1.74	-	29.00	42.50	14.80	34.37
PK	10.3696G	54.65	68.20	-13.55	16.81	3	Vertical	306	1.86	-	37.84	39.11	12.37	34.67
PK	15.53848G	64.92	74.00	-9.08	22.95	3	Vertical	175	1.74	-	41.97	42.53	14.80	34.38

802.11a\_Nss1,(6Mbps)\_2TX

5180MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.53816G	51.96	54.00	-2.04	22.95	3	Horizontal	148	1.04	-	29.01	42.53	14.80	34.38
PK	10.35108G	54.76	68.20	-13.44	16.73	3	Horizontal	303	1.47	-	38.03	39.05	12.36	34.68
PK	15.54416G	64.99	74.00	-9.01	22.99	3	Horizontal	148	1.04	-	42.00	42.56	14.81	34.38



802.11a\_Nss1,(6Mbps)\_2TX


5200MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1468G	48.81	54.00	-5.19	8.83	3	Vertical	170	1.30	-	39.98	33.99	9.07	34.23
AV	5.1972G	109.37	Inf	-Inf	8.65	3	Vertical	170	1.30	-	100.72	33.81	9.08	34.24
PK	5.1456G	62.85	74.00	-11.15	8.83	3	Vertical	170	1.30	-	54.02	33.99	9.07	34.23
PK	5.1976G	119.00	Inf	-Inf	8.65	3	Vertical	170	1.30	-	110.35	33.81	9.08	34.24

802.11a\_Nss1,(6Mbps)\_2TX


5200MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.60096G	51.43	54.00	-2.57	23.29	3	Vertical	339	2.13	-	28.14	42.90	14.82	34.43
PK	10.40432G	54.03	68.20	-14.17	16.94	3	Vertical	140	1.70	-	37.09	39.20	12.38	34.64
PK	15.596G	64.25	74.00	-9.75	23.27	3	Vertical	339	2.13	-	40.98	42.88	14.82	34.43

802.11a\_Nss1,(6Mbps)\_2TX


5200MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.5978G	51.37	54.00	-2.63	23.28	3	Horizontal	17	1.59	-	28.09	42.89	14.82	34.43
PK	10.40516G	54.11	68.20	-14.09	16.93	3	Horizontal	251	1.20	-	37.18	39.19	12.38	34.64
PK	15.60576G	64.33	74.00	-9.67	23.28	3	Horizontal	17	1.59	-	41.05	42.89	14.83	34.44

802.11a\_Nss1,(6Mbps)\_2TX


5240MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1482G	47.67	54.00	-6.33	8.84	3	Vertical	148	1.32	-	38.83	34.00	9.07	34.23
AV	5.2436G	108.87	Inf	-Inf	8.78	3	Vertical	148	1.32	-	100.09	33.89	9.13	34.24
AV	5.3528G	48.23	54.00	-5.77	9.08	3	Vertical	148	1.32	-	39.15	34.08	9.25	34.25
PK	5.1452G	59.62	74.00	-14.38	8.83	3	Vertical	148	1.32	-	50.79	33.99	9.07	34.23
PK	5.2442G	118.81	Inf	-Inf	8.78	3	Vertical	148	1.32	-	110.03	33.89	9.13	34.24
PK	5.35G	59.27	74.00	-14.73	9.10	3	Vertical	148	1.32	-	50.17	34.10	9.25	34.25

802.11a\_Nss1,(6Mbps)\_2TX


5240MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.71344G	50.69	54.00	-3.31	23.06	3	Vertical	125	1.26	-	27.63	42.74	14.86	34.54
PK	10.4876G	54.29	68.20	-13.91	16.94	3	Vertical	222	1.62	-	37.35	39.11	12.41	34.58
PK	15.72636G	63.52	74.00	-10.48	23.09	3	Vertical	125	1.26	-	40.43	42.78	14.86	34.55

802.11a\_Nss1,(6Mbps)\_2TX


5240MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.71056G	50.47	54.00	-3.53	23.06	3	Horizontal	102	2.49	-	27.41	42.73	14.86	34.53
PK	10.47696G	54.55	68.20	-13.65	16.94	3	Horizontal	333	1.11	-	37.61	39.12	12.41	34.59
PK	15.71204G	63.77	74.00	-10.23	23.06	3	Horizontal	102	2.49	-	40.71	42.74	14.86	34.54

802.11a\_Nss1,(6Mbps)\_2TX

5745MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7462G	109.74	Inf	-Inf	8.83	3	Vertical	259	1.01	-	100.91	33.61	9.50	34.28
PK	5.6214G	59.86	68.20	-8.34	8.70	3	Vertical	259	1.01	-	51.16	33.50	9.47	34.27
PK	5.7462G	119.00	Inf	-Inf	8.83	3	Vertical	259	1.01	-	110.17	33.61	9.50	34.28
PK	5.985G	60.07	68.20	-8.13	9.50	3	Vertical	259	1.01	-	50.57	34.14	9.67	34.31

802.11a\_Nss1,(6Mbps)\_2TX

5745MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.49G	46.49	54.00	-7.51	12.41	3	Vertical	167	1.95	-	34.08	40.68	12.84	41.11
PK	11.4944G	59.00	74.00	-15.00	12.42	3	Vertical	167	1.95	-	46.58	40.69	12.84	41.11
PK	17.2296G	66.27	68.20	-1.93	19.12	3	Vertical	355	1.00	-	47.15	45.41	15.67	41.96



802.11a\_Nss1,(6Mbps)\_2TX


5745MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.49744G	44.06	54.00	-9.94	12.42	3	Horizontal	340	1.43	-	31.64	40.69	12.84	41.11
PK	11.495G	57.04	74.00	-16.96	12.42	3	Horizontal	340	1.43	-	44.62	40.69	12.84	41.11
PK	17.23016G	62.41	68.20	-5.79	19.12	3	Horizontal	281	1.41	-	43.29	45.41	15.67	41.96

802.11a\_Nss1,(6Mbps)\_2TX


5785MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7874G	109.85	Inf	-Inf	8.98	3	Vertical	259	1.00	-	100.87	33.75	9.52	34.29
PK	5.5222G	59.40	68.20	-8.80	8.84	3	Vertical	259	1.00	-	50.56	33.70	9.40	34.26
PK	5.7862G	119.15	Inf	-Inf	8.97	3	Vertical	259	1.00	-	110.18	33.74	9.52	34.29
PK	5.9374G	60.76	68.20	-7.44	9.38	3	Vertical	259	1.00	-	51.38	34.05	9.63	34.30

802.11a\_Nss1,(6Mbps)\_2TX


5785MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.56948G	47.17	54.00	-6.83	12.83	3	Vertical	168	2.13	-	34.34	41.05	12.87	41.09
PK	11.57096G	60.83	74.00	-13.17	12.83	3	Vertical	168	2.13	-	48.00	41.05	12.87	41.09
PK	17.34884G	66.99	68.20	-1.21	20.25	3	Vertical	360	1.00	-	46.74	46.49	15.74	41.98

802.11a\_Nss1,(6Mbps)\_2TX


5785MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.57712G	44.52	54.00	-9.48	12.87	3	Horizontal	89	2.08	-	31.65	41.09	12.87	41.09
PK	11.5768G	57.70	74.00	-16.30	12.86	3	Horizontal	89	2.08	-	44.84	41.08	12.87	41.09
PK	17.34628G	64.14	68.20	-4.06	20.22	3	Horizontal	140	1.93	-	43.92	46.46	15.74	41.98

### 802.11a\_Nss1,(6Mbps)\_2TX


### 5825MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8214G	109.94	Inf	-Inf	9.05	3	Vertical	259	1.00	-	100.89	33.80	9.54	34.29
PK	5.6066G	60.75	68.20	-7.45	8.69	3	Vertical	259	1.00	-	52.06	33.50	9.46	34.27
PK	5.8262G	119.97	Inf	-Inf	9.05	3	Vertical	259	1.00	-	110.92	33.80	9.54	34.29
PK	5.9378G	63.00	68.20	-5.20	9.38	3	Vertical	259	1.00	-	53.62	34.05	9.63	34.30

802.11a\_Nss1,(6Mbps)\_2TX


5825MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.64808G	49.92	54.00	-4.08	13.03	3	Vertical	291	1.00	-	36.89	41.20	12.90	41.07
PK	11.64872G	64.63	74.00	-9.37	13.03	3	Vertical	291	1.00	-	51.60	41.20	12.90	41.07
PK	17.476G	66.87	68.20	-1.33	21.82	3	Vertical	167	1.15	-	45.05	48.01	15.81	42.00

802.11a\_Nss1,(6Mbps)\_2TX


5825MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.64024G	44.66	54.00	-9.34	13.03	3	Horizontal	6	1.02	-	31.63	41.20	12.90	41.07
PK	11.65564G	57.54	74.00	-16.46	13.05	3	Horizontal	6	1.02	-	44.49	41.20	12.91	41.06
PK	17.4828G	64.68	68.20	-3.52	21.91	3	Horizontal	71	1.96	-	42.77	48.09	15.82	42.00

802.11ac VHT20\_Nss1,(MCS0)\_2TX

5180MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	52.39	54.00	-1.61	8.84	3	Vertical	150	1.42	-	43.55	34.00	9.07	34.23
AV	5.1744G	104.67	Inf	-Inf	8.75	3	Vertical	150	1.42	-	95.92	33.90	9.08	34.23
PK	5.15G	68.00	74.00	-6.00	8.84	3	Vertical	150	1.42	-	59.16	34.00	9.07	34.23
PK	5.176G	116.28	Inf	-Inf	8.75	3	Vertical	150	1.42	-	107.53	33.90	9.08	34.23



802.11ac VHT20\_Nss1,(MCS0)\_2TX

5180MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.53032G	50.87	54.00	-3.13	22.91	3	Vertical	230	2.48	-	27.96	42.48	14.80	34.37
PK	10.3544G	53.77	68.20	-14.43	16.74	3	Vertical	22	2.23	-	37.03	39.06	12.36	34.68
PK	15.53272G	65.72	74.00	-8.28	22.93	3	Vertical	230	2.48	-	42.79	42.50	14.80	34.37



802.11ac VHT20\_Nss1,(MCS0)\_2TX


5180MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.53416G	50.89	54.00	-3.11	22.93	3	Horizontal	65	2.25	-	27.96	42.50	14.80	34.37
PK	10.36396G	55.62	68.20	-12.58	16.78	3	Horizontal	104	1.24	-	38.84	39.09	12.36	34.67
PK	15.54472G	64.82	74.00	-9.18	23.00	3	Horizontal	65	2.25	-	41.82	42.57	14.81	34.38

### 802.11ac VHT20\_Nss1,(MCS0)\_2TX


### 5200MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	49.62	54.00	-4.38	8.84	3	Vertical	146	1.30	-	40.78	34.00	9.07	34.23
AV	5.1936G	108.49	Inf	-Inf	8.67	3	Vertical	146	1.30	-	99.82	33.83	9.08	34.24
PK	5.15G	64.41	74.00	-9.59	8.84	3	Vertical	146	1.30	-	55.57	34.00	9.07	34.23
PK	5.1936G	119.43	Inf	-Inf	8.67	3	Vertical	146	1.30	-	110.76	33.83	9.08	34.24

802.11ac VHT20\_Nss1,(MCS0)\_2TX


5200MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.59192G	50.50	54.00	-3.50	23.25	3	Vertical	243	1.38	-	27.25	42.85	14.82	34.42
PK	10.40352G	53.52	68.20	-14.68	16.94	3	Vertical	233	1.43	-	36.58	39.20	12.38	34.64
PK	15.60144G	64.17	74.00	-9.83	23.29	3	Vertical	243	1.38	-	40.88	42.90	14.82	34.43

802.11ac VHT20\_Nss1,(MCS0)\_2TX


5200MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.59964G	50.36	54.00	-3.64	23.29	3	Horizontal	98	1.69	-	27.07	42.90	14.82	34.43
PK	10.403G	53.92	68.20	-14.28	16.94	3	Horizontal	336	2.42	-	36.98	39.20	12.38	34.64
PK	15.59524G	64.81	74.00	-9.19	23.26	3	Horizontal	98	1.69	-	41.55	42.87	14.82	34.43

802.11ac VHT20\_Nss1,(MCS0)\_2TX


5240MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1356G	47.19	54.00	-6.81	8.81	3	Vertical	149	1.50	-	38.38	33.97	9.07	34.23
AV	5.237G	107.79	Inf	-Inf	8.75	3	Vertical	149	1.50	-	99.04	33.87	9.12	34.24
AV	5.3528G	47.35	54.00	-6.65	9.08	3	Vertical	149	1.50	-	38.27	34.08	9.25	34.25
PK	5.1458G	59.00	74.00	-15.00	8.83	3	Vertical	149	1.50	-	50.17	33.99	9.07	34.23
PK	5.2364G	118.26	Inf	-Inf	8.75	3	Vertical	149	1.50	-	109.51	33.87	9.12	34.24
PK	5.3696G	59.19	74.00	-14.81	9.00	3	Vertical	149	1.50	-	50.19	33.98	9.27	34.25

802.11ac VHT20\_Nss1,(MCS0)\_2TX


5240MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.71008G	49.50	54.00	-4.50	23.06	3	Vertical	184	1.28	-	26.44	42.73	14.86	34.53
PK	10.4738G	54.07	68.20	-14.13	16.95	3	Vertical	301	1.69	-	37.12	39.13	12.41	34.59
PK	15.7232G	63.69	74.00	-10.31	23.08	3	Vertical	184	1.28	-	40.61	42.77	14.86	34.55

802.11ac VHT20\_Nss1,(MCS0)\_2TX

5240MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.71G	49.51	54.00	-4.49	23.06	3	Horizontal	71	2.44	-	26.45	42.73	14.86	34.53
PK	10.48936G	53.14	68.20	-15.06	16.95	3	Horizontal	199	2.21	-	36.19	39.11	12.42	34.58
PK	15.72224G	63.26	74.00	-10.74	23.09	3	Horizontal	71	2.44	-	40.17	42.77	14.86	34.54



802.11ac VHT20\_Nss1,(MCS0)\_2TX


5745MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7522G	109.63	Inf	-Inf	8.83	3	Vertical	259	1.01	-	100.80	33.61	9.51	34.29
PK	5.6334G	59.86	68.20	-8.34	8.70	3	Vertical	259	1.01	-	51.16	33.50	9.47	34.27
PK	5.7522G	119.89	Inf	-Inf	8.83	3	Vertical	259	1.01	-	111.06	33.61	9.51	34.29
PK	5.9334G	60.38	68.20	-7.82	9.40	3	Vertical	259	1.01	-	50.98	34.07	9.63	34.30

802.11ac VHT20\_Nss1,(MCS0)\_2TX


5745MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.48952G	45.82	54.00	-8.18	12.41	3	Vertical	166	1.93	-	33.41	40.68	12.84	41.11
PK	11.4856G	60.52	74.00	-13.48	12.39	3	Vertical	166	1.93	-	48.13	40.67	12.83	41.11
PK	17.23592G	65.76	68.20	-2.44	19.16	3	Vertical	360	1.00	-	46.60	45.45	15.67	41.96

802.11ac VHT20\_Nss1,(MCS0)\_2TX


5745MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.49804G	43.27	54.00	-10.73	12.43	3	Horizontal	107	1.42	-	30.84	40.70	12.84	41.11
PK	11.49364G	57.28	74.00	-16.72	12.42	3	Horizontal	107	1.42	-	44.86	40.69	12.84	41.11
PK	17.22704G	62.59	68.20	-5.61	19.10	3	Horizontal	118	2.06	-	43.49	45.39	15.67	41.96

802.11ac VHT20\_Nss1,(MCS0)\_2TX


5785MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7898G	106.90	Inf	-Inf	8.99	3	Vertical	330	1.81	-	97.91	33.76	9.52	34.29
PK	5.575G	59.88	68.20	-8.32	8.77	3	Vertical	330	1.81	-	51.11	33.60	9.44	34.27
PK	5.7922G	116.86	Inf	-Inf	9.00	3	Vertical	330	1.81	-	107.86	33.77	9.52	34.29
PK	5.9338G	60.91	68.20	-7.29	9.39	3	Vertical	330	1.81	-	51.52	34.06	9.63	34.30

802.11ac VHT20\_Nss1,(MCS0)\_2TX


5785MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.5686G	45.47	54.00	-8.53	12.82	3	Vertical	166	1.26	-	32.65	41.04	12.87	41.09
PK	11.56648G	59.32	74.00	-14.68	12.81	3	Vertical	166	1.26	-	46.51	41.03	12.87	41.09
PK	17.35592G	66.13	68.20	-2.07	20.33	3	Vertical	360	1.02	-	45.80	46.57	15.74	41.98

802.11ac VHT20\_Nss1,(MCS0)\_2TX


5785MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.57876G	43.68	54.00	-10.32	12.87	3	Horizontal	85	1.29	-	30.81	41.09	12.87	41.09
PK	11.57588G	57.55	74.00	-16.45	12.86	3	Horizontal	85	1.29	-	44.69	41.08	12.87	41.09
PK	17.34756G	63.65	68.20	-4.55	20.23	3	Horizontal	46	1.61	-	43.42	46.47	15.74	41.98

802.11ac VHT20\_Nss1,(MCS0)\_2TX


5825MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8274G	105.54	Inf	-Inf	9.05	3	Vertical	327	1.50	-	96.49	33.80	9.54	34.29
PK	5.5406G	58.94	68.20	-9.26	8.85	3	Vertical	327	1.50	-	50.09	33.70	9.41	34.26
PK	5.8286G	116.32	Inf	-Inf	9.05	3	Vertical	327	1.50	-	107.27	33.80	9.54	34.29
PK	5.9678G	59.72	68.20	-8.48	9.41	3	Vertical	327	1.50	-	50.31	34.07	9.65	34.31

802.11ac VHT20\_Nss1,(MCS0)\_2TX

5825MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.64214G	52.03	54.00	-1.97	13.03	3	Vertical	207	2.15	-	39.00	41.20	12.90	41.07
PK	11.64442G	68.88	74.00	-5.12	13.03	3	Vertical	207	2.15	-	55.85	41.20	12.90	41.07
PK	17.46564G	65.31	68.20	-2.89	21.71	3	Vertical	330	1.18	-	43.60	47.89	15.81	41.99



802.11ac VHT20\_Nss1,(MCS0)\_2TX


5825MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.64496G	44.28	54.00	-9.72	13.03	3	Horizontal	208	1.01	-	31.25	41.20	12.90	41.07
PK	11.66122G	58.25	74.00	-15.75	13.05	3	Horizontal	208	1.01	-	45.20	41.20	12.91	41.06
PK	17.48484G	64.79	68.20	-3.41	21.94	3	Horizontal	307	1.20	-	42.85	48.12	15.82	42.00

802.11ac VHT40\_Nss1,(MCS0)\_2TX


5190MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	52.53	54.00	-1.47	8.84	3	Vertical	174	1.31	-	43.69	34.00	9.07	34.23
AV	5.1976G	101.90	Inf	-Inf	8.65	3	Vertical	174	1.31	-	93.25	33.81	9.08	34.24
PK	5.1424G	64.38	74.00	-9.62	8.82	3	Vertical	174	1.31	-	55.56	33.98	9.07	34.23
PK	5.1996G	111.54	Inf	-Inf	8.64	3	Vertical	174	1.31	-	102.90	33.80	9.08	34.24

802.11ac VHT40\_Nss1,(MCS0)\_2TX


5190MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.5696G	52.10	54.00	-1.90	23.13	3	Vertical	86	1.50	-	28.97	42.72	14.81	34.40
PK	10.38952G	55.13	68.20	-13.07	16.89	3	Vertical	239	1.57	-	38.24	39.17	12.37	34.65
PK	15.55592G	65.08	74.00	-8.92	23.06	3	Vertical	86	1.50	-	42.02	42.64	14.81	34.39

802.11ac VHT40\_Nss1,(MCS0)\_2TX


5190MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.56776G	51.87	54.00	-2.13	23.12	3	Horizontal	277	1.50	-	28.75	42.71	14.81	34.40
PK	10.36472G	55.11	68.20	-13.09	16.78	3	Horizontal	23	1.00	-	38.33	39.09	12.36	34.67
PK	15.57416G	64.92	74.00	-9.08	23.15	3	Horizontal	277	1.50	-	41.77	42.74	14.82	34.41

802.11ac VHT40\_Nss1,(MCS0)\_2TX

5230MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	51.91	54.00	-2.09	8.84	3	Vertical	182	1.38	-	43.07	34.00	9.07	34.23
AV	5.234G	106.56	Inf	-Inf	8.75	3	Vertical	182	1.38	-	97.81	33.87	9.12	34.24
PK	5.15G	65.90	74.00	-8.10	8.84	3	Vertical	182	1.38	-	57.06	34.00	9.07	34.23
PK	5.2348G	116.43	Inf	-Inf	8.75	3	Vertical	182	1.38	-	107.68	33.87	9.12	34.24



802.11ac VHT40\_Nss1,(MCS0)\_2TX


5230MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.69448G	51.26	54.00	-2.74	23.04	3	Vertical	110	2.72	-	28.22	42.71	14.85	34.52
PK	10.44928G	55.51	68.20	-12.69	16.94	3	Vertical	151	1.44	-	38.57	39.15	12.40	34.61
PK	15.70648G	64.55	74.00	-9.45	23.05	3	Vertical	110	2.72	-	41.50	42.72	14.86	34.53

802.11ac VHT40\_Nss1,(MCS0)\_2TX


5230MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.68584G	51.14	54.00	-2.86	23.07	3	Horizontal	203	2.10	-	28.07	42.73	14.85	34.51
PK	10.46496G	55.04	68.20	-13.16	16.95	3	Horizontal	4	2.01	-	38.09	39.14	12.41	34.60
PK	15.70208G	63.73	74.00	-10.27	23.04	3	Horizontal	203	2.10	-	40.69	42.71	14.86	34.53

802.11ac VHT40\_Nss1,(MCS0)\_2TX

5755MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7622G	107.37	Inf	-Inf	8.87	3	Vertical	260	1.21	-	98.50	33.65	9.51	34.29
PK	5.641G	66.91	68.20	-1.29	8.70	3	Vertical	260	1.21	-	58.21	33.50	9.47	34.27
PK	5.7622G	116.79	Inf	-Inf	8.87	3	Vertical	260	1.21	-	107.92	33.65	9.51	34.29
PK	5.938G	61.15	68.20	-7.05	9.39	3	Vertical	260	1.21	-	51.76	34.06	9.63	34.30



802.11ac VHT40\_Nss1,(MCS0)\_2TX


5755MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.5175G	52.42	54.00	-1.58	12.54	3	Vertical	206	2.24	-	39.88	40.79	12.85	41.10
PK	11.51738G	66.12	74.00	-7.88	12.54	3	Vertical	206	2.24	-	53.58	40.79	12.85	41.10
PK	17.27262G	66.18	68.20	-2.02	19.44	3	Vertical	333	1.15	-	46.74	45.71	15.69	41.96

802.11ac VHT40\_Nss1,(MCS0)\_2TX

5755MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.51672G	46.04	54.00	-7.96	12.53	3	Horizontal	357	1.00	-	33.51	40.78	12.85	41.10
PK	11.52164G	58.62	74.00	-15.38	12.56	3	Horizontal	357	1.00	-	46.06	40.81	12.85	41.10
PK	17.25108G	63.00	68.20	-5.20	19.28	3	Horizontal	333	2.25	-	43.72	45.56	15.68	41.96



802.11ac VHT40\_Nss1,(MCS0)\_2TX


5795MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8022G	107.76	Inf	-Inf	9.03	3	Vertical	260	1.02	-	98.73	33.80	9.52	34.29
PK	5.6378G	60.41	68.20	-7.79	8.70	3	Vertical	260	1.02	-	51.71	33.50	9.47	34.27
PK	5.801G	117.01	Inf	-Inf	9.03	3	Vertical	260	1.02	-	107.98	33.80	9.52	34.29
PK	5.9306G	67.09	68.20	-1.11	9.40	3	Vertical	260	1.02	-	57.69	34.08	9.62	34.30

802.11ac VHT40\_Nss1,(MCS0)\_2TX

5795MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.5822G	50.18	54.00	-3.82	12.89	3	Vertical	205	1.50	-	37.29	41.11	12.87	41.09
PK	11.60392G	63.78	74.00	-10.22	13.00	3	Vertical	205	1.50	-	50.78	41.20	12.88	41.08
PK	17.39478G	65.66	68.20	-2.54	20.83	3	Vertical	322	1.21	-	44.83	47.04	15.77	41.98

802.11ac VHT40\_Nss1,(MCS0)\_2TX


5795MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.60206G	45.91	54.00	-8.09	13.00	3	Horizontal	360	1.04	-	32.91	41.20	12.88	41.08
PK	11.60218G	58.66	74.00	-15.34	13.00	3	Horizontal	360	1.04	-	45.66	41.20	12.88	41.08
PK	17.38506G	63.36	68.20	-4.84	20.70	3	Horizontal	200	1.50	-	42.66	46.92	15.76	41.98

802.11ac VHT80\_Nss1,(MCS0)\_2TX


5210MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.139G	52.76	54.00	-1.24	8.82	3	Vertical	171	1.11	-	43.94	33.98	9.07	34.23
AV	5.218G	95.72	Inf	-Inf	8.70	3	Vertical	171	1.11	-	87.02	33.84	9.10	34.24
AV	5.353G	48.96	54.00	-5.04	9.08	3	Vertical	171	1.11	-	39.88	34.08	9.25	34.25
PK	5.14G	65.13	74.00	-8.87	8.82	3	Vertical	171	1.11	-	56.31	33.98	9.07	34.23
PK	5.217G	105.35	Inf	-Inf	8.69	3	Vertical	171	1.11	-	96.66	33.83	9.10	34.24
PK	5.351G	60.31	74.00	-13.69	9.09	3	Vertical	171	1.11	-	51.22	34.09	9.25	34.25

802.11ac VHT80\_Nss1,(MCS0)\_2TX


5210MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.59464G	51.52	54.00	-2.48	23.26	3	Vertical	33	2.15	-	28.26	42.87	14.82	34.43
PK	10.45792G	54.95	68.20	-13.25	16.94	3	Vertical	0	3.00	-	38.01	39.14	12.40	34.60
PK	15.63032G	64.15	74.00	-9.85	23.21	3	Vertical	33	2.15	-	40.94	42.84	14.83	34.46

802.11ac VHT80\_Nss1,(MCS0)\_2TX

5210MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.59256G	51.64	54.00	-2.36	23.25	3	Horizontal	132	1.32	-	28.39	42.86	14.82	34.43
PK	10.4064G	55.25	68.20	-12.95	16.93	3	Horizontal	86	1.46	-	38.32	39.19	12.38	34.64
PK	15.61704G	64.45	74.00	-9.55	23.25	3	Horizontal	132	1.32	-	41.20	42.87	14.83	34.45



802.11ac VHT80\_Nss1,(MCS0)\_2TX


5775MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7834G	99.99	Inf	-Inf	8.96	3	Vertical	333	1.42	-	91.03	33.73	9.52	34.29
PK	5.6406G	66.25	68.20	-1.95	8.70	3	Vertical	333	1.42	-	57.55	33.50	9.47	34.27
PK	5.7846G	109.39	Inf	-Inf	8.97	3	Vertical	333	1.42	-	100.42	33.74	9.52	34.29
PK	5.9274G	66.83	68.20	-1.37	9.41	3	Vertical	333	1.42	-	57.42	34.09	9.62	34.30

802.11ac VHT80\_Nss1,(MCS0)\_2TX


5775MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.55762G	45.82	54.00	-8.18	12.76	3	Vertical	207	2.07	-	33.06	40.99	12.86	41.09
PK	11.56296G	59.22	74.00	-14.78	12.79	3	Vertical	207	2.07	-	46.43	41.01	12.87	41.09
PK	17.3292G	63.97	68.20	-4.23	20.01	3	Vertical	135	1.00	-	43.96	46.25	15.73	41.97

802.11ac VHT80\_Nss1,(MCS0)\_2TX

5775MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.5356G	43.53	54.00	-10.47	12.63	3	Horizontal	20	1.00	-	30.90	40.88	12.85	41.10
PK	11.55432G	56.33	74.00	-17.67	12.74	3	Horizontal	20	1.00	-	43.59	40.97	12.86	41.09
PK	17.33394G	62.68	68.20	-5.52	20.07	3	Horizontal	360	1.50	-	42.61	46.31	15.73	41.97