



Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-	-
802.11b_Nss1,(1Mbps)_2TX	Pass	AV	2.4862G	52.94	54.00	-1.06	3	Vertical	306	1.32	-
802.11g_Nss1,(6Mbps)_2TX	Pass	AV	2.3898G	52.85	54.00	-1.15	3	Vertical	31	1.50	-
802.11n HT20_Nss1,(MCS0)_2TX	Pass	AV	2.4835G	52.81	54.00	-1.19	3	Vertical	214	1.50	-
802.11n HT40_Nss1,(MCS0)_2TX	Pass	AV	2.4835G	52.38	54.00	-1.62	3	Vertical	39	1.50	-



Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
802.11b_Nss1,(1Mbps)_2TX	-	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	AV	2.388G	52.47	54.00	-1.53	3	Vertical	130	1.19	-
2412MHz	Pass	AV	2.4112G	115.40	Inf	-Inf	3	Vertical	130	1.19	-
2412MHz	Pass	PK	2.3888G	61.77	74.00	-12.23	3	Vertical	130	1.19	-
2412MHz	Pass	PK	2.413G	119.34	Inf	-Inf	3	Vertical	130	1.19	-
2412MHz	Pass	AV	2.3624G	46.81	54.00	-7.19	3	Horizontal	242	1.07	-
2412MHz	Pass	AV	2.4102G	99.63	Inf	-Inf	3	Horizontal	242	1.07	-
2412MHz	Pass	PK	2.3804G	59.03	74.00	-14.97	3	Horizontal	242	1.07	-
2412MHz	Pass	PK	2.411G	103.18	Inf	-Inf	3	Horizontal	242	1.07	-
2412MHz	Pass	AV	4.82396G	46.46	54.00	-7.54	3	Vertical	321	1.16	-
2412MHz	Pass	PK	4.82384G	50.01	74.00	-23.99	3	Vertical	321	1.16	-
2412MHz	Pass	AV	4.82392G	42.94	54.00	-11.06	3	Horizontal	190	1.50	-
2412MHz	Pass	PK	4.82392G	47.78	74.00	-26.22	3	Horizontal	190	1.50	-
2437MHz	Pass	AV	2.337G	46.94	54.00	-7.06	3	Vertical	79	1.54	-
2437MHz	Pass	AV	2.4382G	112.94	Inf	-Inf	3	Vertical	79	1.54	-
2437MHz	Pass	AV	2.4835G	47.21	54.00	-6.79	3	Vertical	79	1.54	-
2437MHz	Pass	PK	2.3502G	58.96	74.00	-15.04	3	Vertical	79	1.54	-
2437MHz	Pass	PK	2.4378G	117.07	Inf	-Inf	3	Vertical	79	1.54	-
2437MHz	Pass	PK	2.4926G	58.40	74.00	-15.60	3	Vertical	79	1.54	-
2437MHz	Pass	AV	2.3398G	46.92	54.00	-7.08	3	Horizontal	248	1.21	-
2437MHz	Pass	AV	2.4386G	99.99	Inf	-Inf	3	Horizontal	248	1.21	-
2437MHz	Pass	AV	2.4854G	46.55	54.00	-7.45	3	Horizontal	248	1.21	-
2437MHz	Pass	PK	2.3678G	58.73	74.00	-15.27	3	Horizontal	248	1.21	-
2437MHz	Pass	PK	2.4378G	103.91	Inf	-Inf	3	Horizontal	248	1.21	-
2437MHz	Pass	PK	2.4886G	58.69	74.00	-15.31	3	Horizontal	248	1.21	-
2437MHz	Pass	AV	4.87393G	50.32	54.00	-3.68	3	Vertical	156	2.97	-
2437MHz	Pass	PK	4.87394G	53.42	74.00	-20.58	3	Vertical	156	2.97	-
2437MHz	Pass	AV	4.87396G	45.28	54.00	-8.72	3	Horizontal	196	2.27	-
2437MHz	Pass	PK	4.87394G	49.86	74.00	-24.14	3	Horizontal	196	2.27	-
2462MHz	Pass	AV	2.4612G	115.35	Inf	-Inf	3	Vertical	306	1.32	-
2462MHz	Pass	AV	2.4862G	52.94	54.00	-1.06	3	Vertical	306	1.32	-
2462MHz	Pass	PK	2.461G	119.32	Inf	-Inf	3	Vertical	306	1.32	-
2462MHz	Pass	PK	2.486G	62.66	74.00	-11.34	3	Vertical	306	1.32	-
2462MHz	Pass	AV	2.4612G	104.08	Inf	-Inf	3	Horizontal	157	2.86	-
2462MHz	Pass	AV	2.486G	47.15	54.00	-6.85	3	Horizontal	157	2.86	-
2462MHz	Pass	PK	2.461G	107.90	Inf	-Inf	3	Horizontal	157	2.86	-
2462MHz	Pass	PK	2.4924G	59.22	74.00	-14.78	3	Horizontal	157	2.86	-
2462MHz	Pass	AV	4.92394G	51.99	54.00	-2.01	3	Vertical	165	2.94	-
2462MHz	Pass	PK	4.92397G	55.14	74.00	-18.86	3	Vertical	165	2.94	-
2462MHz	Pass	AV	4.92397G	47.60	54.00	-6.40	3	Horizontal	195	2.03	-
2462MHz	Pass	PK	4.92396G	51.85	74.00	-22.15	3	Horizontal	195	2.03	-
802.11g_Nss1,(6Mbps)_2TX	-	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	AV	2.39G	52.25	54.00	-1.75	3	Vertical	344	1.55	-
2412MHz	Pass	AV	2.4166G	104.09	Inf	-Inf	3	Vertical	344	1.55	-
2412MHz	Pass	PK	2.3898G	66.36	74.00	-7.64	3	Vertical	344	1.55	-
2412MHz	Pass	PK	2.4158G	114.66	Inf	-Inf	3	Vertical	344	1.55	-
2412MHz	Pass	AV	2.365G	47.15	54.00	-6.85	3	Horizontal	244	1.04	-
2412MHz	Pass	AV	2.4154G	91.16	Inf	-Inf	3	Horizontal	244	1.04	-
2412MHz	Pass	PK	2.3656G	59.51	74.00	-14.49	3	Horizontal	244	1.04	-
2412MHz	Pass	PK	2.4156G	101.39	Inf	-Inf	3	Horizontal	244	1.04	-
2412MHz	Pass	AV	4.82521G	34.66	54.00	-19.34	3	Vertical	162	2.96	-
2412MHz	Pass	PK	4.82464G	47.39	74.00	-26.61	3	Vertical	162	2.96	-
2412MHz	Pass	AV	4.82417G	31.34	54.00	-22.66	3	Horizontal	190	1.50	-
2412MHz	Pass	PK	4.8248G	44.77	74.00	-29.23	3	Horizontal	190	1.50	-
2417MHz	Pass	AV	2.3898G	52.85	54.00	-1.15	3	Vertical	31	1.50	-
2417MHz	Pass	AV	2.4226G	110.33	Inf	-Inf	3	Vertical	31	1.50	-
2417MHz	Pass	AV	2.4835G	47.36	54.00	-6.64	3	Vertical	31	1.50	-
2417MHz	Pass	PK	2.3898G	65.61	74.00	-8.39	3	Vertical	31	1.50	-
2417MHz	Pass	PK	2.4226G	121.35	Inf	-Inf	3	Vertical	31	1.50	-
2417MHz	Pass	PK	2.4835G	58.46	74.00	-15.54	3	Vertical	31	1.50	-
2417MHz	Pass	AV	2.3898G	47.86	54.00	-6.14	3	Horizontal	148	3.00	-



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2417MHz	Pass	AV	2.421G	98.01	Inf	-Inf	3	Horizontal	148	3.00	-
2417MHz	Pass	AV	2.4874G	46.99	54.00	-7.01	3	Horizontal	148	3.00	-
2417MHz	Pass	PK	2.3898G	59.08	74.00	-14.92	3	Horizontal	148	3.00	-
2417MHz	Pass	PK	2.421G	107.87	Inf	-Inf	3	Horizontal	148	3.00	-
2417MHz	Pass	PK	2.4882G	57.77	74.00	-16.23	3	Horizontal	148	3.00	-
2437MHz	Pass	AV	2.3898G	49.94	54.00	-4.06	3	Vertical	35	1.54	-
2437MHz	Pass	AV	2.4326G	110.60	Inf	-Inf	3	Vertical	35	1.54	-
2437MHz	Pass	AV	2.4835G	50.94	54.00	-3.06	3	Vertical	35	1.54	-
2437MHz	Pass	PK	2.3882G	62.51	74.00	-11.49	3	Vertical	35	1.54	-
2437MHz	Pass	PK	2.4326G	120.89	Inf	-Inf	3	Vertical	35	1.54	-
2437MHz	Pass	PK	2.4835G	63.17	74.00	-10.83	3	Vertical	35	1.54	-
2437MHz	Pass	AV	2.345G	47.28	54.00	-6.72	3	Horizontal	245	1.21	-
2437MHz	Pass	AV	2.441G	98.52	Inf	-Inf	3	Horizontal	245	1.21	-
2437MHz	Pass	AV	2.4862G	47.03	54.00	-6.97	3	Horizontal	245	1.21	-
2437MHz	Pass	PK	2.337G	58.85	74.00	-15.15	3	Horizontal	245	1.21	-
2437MHz	Pass	PK	2.4358G	109.01	Inf	-Inf	3	Horizontal	245	1.21	-
2437MHz	Pass	PK	2.4874G	58.14	74.00	-15.86	3	Horizontal	245	1.21	-
2437MHz	Pass	AV	4.8708G	45.53	54.00	-8.47	3	Vertical	169	2.88	-
2437MHz	Pass	PK	4.87072G	58.48	74.00	-15.52	3	Vertical	169	2.88	-
2437MHz	Pass	AV	4.8746G	39.44	54.00	-14.56	3	Horizontal	198	2.26	-
2437MHz	Pass	PK	4.87472G	53.14	74.00	-20.86	3	Horizontal	198	2.26	-
2457MHz	Pass	AV	2.3898G	47.36	54.00	-6.64	3	Vertical	213	1.27	-
2457MHz	Pass	AV	2.4558G	107.36	Inf	-Inf	3	Vertical	213	1.27	-
2457MHz	Pass	AV	2.4858G	52.68	54.00	-1.32	3	Vertical	213	1.27	-
2457MHz	Pass	PK	2.3882G	58.99	74.00	-15.01	3	Vertical	213	1.27	-
2457MHz	Pass	PK	2.455G	117.63	Inf	-Inf	3	Vertical	213	1.27	-
2457MHz	Pass	PK	2.4854G	66.08	74.00	-7.92	3	Vertical	213	1.27	-
2457MHz	Pass	AV	2.359G	47.22	54.00	-6.78	3	Horizontal	148	2.85	-
2457MHz	Pass	AV	2.461G	97.65	Inf	-Inf	3	Horizontal	148	2.85	-
2457MHz	Pass	AV	2.4854G	48.40	54.00	-5.60	3	Horizontal	148	2.85	-
2457MHz	Pass	PK	2.3582G	58.76	74.00	-15.24	3	Horizontal	148	2.85	-
2457MHz	Pass	PK	2.4614G	107.83	Inf	-Inf	3	Horizontal	148	2.85	-
2457MHz	Pass	PK	2.485G	60.34	74.00	-13.66	3	Horizontal	148	2.85	-
2462MHz	Pass	AV	2.4658G	105.94	Inf	-Inf	3	Vertical	344	1.56	-
2462MHz	Pass	AV	2.485G	52.61	54.00	-1.39	3	Vertical	344	1.56	-
2462MHz	Pass	PK	2.4608G	116.39	Inf	-Inf	3	Vertical	344	1.56	-
2462MHz	Pass	PK	2.4846G	67.69	74.00	-6.31	3	Vertical	344	1.56	-
2462MHz	Pass	AV	2.4654G	95.02	Inf	-Inf	3	Horizontal	296	2.80	-
2462MHz	Pass	AV	2.485G	48.71	54.00	-5.29	3	Horizontal	296	2.80	-
2462MHz	Pass	PK	2.4604G	106.15	Inf	-Inf	3	Horizontal	296	2.80	-
2462MHz	Pass	PK	2.4848G	63.07	74.00	-10.93	3	Horizontal	296	2.80	-
2462MHz	Pass	AV	4.926G	32.95	54.00	-21.05	3	Vertical	360	2.94	-
2462MHz	Pass	PK	4.91496G	45.81	74.00	-28.19	3	Vertical	360	2.94	-
2462MHz	Pass	AV	4.92492G	32.83	54.00	-21.17	3	Horizontal	93	3.00	-
2462MHz	Pass	PK	4.92524G	45.99	74.00	-28.01	3	Horizontal	93	3.00	-
802.11n HT20_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	AV	2.39G	52.42	54.00	-1.58	3	Vertical	135	1.50	-
2412MHz	Pass	AV	2.415G	103.11	Inf	-Inf	3	Vertical	135	1.50	-
2412MHz	Pass	PK	2.39G	65.33	74.00	-8.67	3	Vertical	135	1.50	-
2412MHz	Pass	PK	2.414G	114.30	Inf	-Inf	3	Vertical	135	1.50	-
2412MHz	Pass	AV	2.365G	46.82	54.00	-7.18	3	Horizontal	242	1.10	-
2412MHz	Pass	AV	2.4066G	89.16	Inf	-Inf	3	Horizontal	242	1.10	-
2412MHz	Pass	PK	2.3832G	59.21	74.00	-14.79	3	Horizontal	242	1.10	-
2412MHz	Pass	PK	2.408G	99.97	Inf	-Inf	3	Horizontal	242	1.10	-
2412MHz	Pass	AV	4.83168G	30.68	54.00	-23.32	3	Vertical	0	1.50	-
2412MHz	Pass	PK	4.83276G	44.21	74.00	-29.79	3	Vertical	0	1.50	-
2412MHz	Pass	AV	4.82652G	30.55	54.00	-23.45	3	Horizontal	190	1.22	-
2412MHz	Pass	PK	4.82826G	43.74	74.00	-30.26	3	Horizontal	190	1.22	-
2417MHz	Pass	AV	2.3898G	52.52	54.00	-1.48	3	Vertical	32	1.63	-
2417MHz	Pass	AV	2.4198G	108.42	Inf	-Inf	3	Vertical	32	1.63	-
2417MHz	Pass	AV	2.4835G	46.96	54.00	-7.04	3	Vertical	32	1.63	-
2417MHz	Pass	PK	2.3894G	65.37	74.00	-8.63	3	Vertical	32	1.63	-




Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2417MHz	Pass	PK	2.4202G	119.81	Inf	-Inf	3	Vertical	32	1.63	-
2417MHz	Pass	PK	2.4934G	58.18	74.00	-15.82	3	Vertical	32	1.63	-
2417MHz	Pass	AV	2.3898G	47.37	54.00	-6.63	3	Horizontal	146	2.94	-
2417MHz	Pass	AV	2.4146G	94.18	Inf	-Inf	3	Horizontal	146	2.94	-
2417MHz	Pass	AV	2.4938G	46.60	54.00	-7.40	3	Horizontal	146	2.94	-
2417MHz	Pass	PK	2.3518G	58.94	74.00	-15.06	3	Horizontal	146	2.94	-
2417MHz	Pass	PK	2.4158G	105.52	Inf	-Inf	3	Horizontal	146	2.94	-
2417MHz	Pass	PK	2.491G	58.25	74.00	-15.75	3	Horizontal	146	2.94	-
2437MHz	Pass	AV	2.3898G	51.71	54.00	-2.29	3	Vertical	34	1.50	-
2437MHz	Pass	AV	2.4394G	111.75	Inf	-Inf	3	Vertical	34	1.50	-
2437MHz	Pass	AV	2.4835G	52.46	54.00	-1.54	3	Vertical	34	1.50	-
2437MHz	Pass	PK	2.3898G	63.66	74.00	-10.34	3	Vertical	34	1.50	-
2437MHz	Pass	PK	2.4394G	122.86	Inf	-Inf	3	Vertical	34	1.50	-
2437MHz	Pass	PK	2.4838G	66.66	74.00	-7.34	3	Vertical	34	1.50	-
2437MHz	Pass	AV	2.3898G	47.30	54.00	-6.70	3	Horizontal	242	1.20	-
2437MHz	Pass	AV	2.4342G	98.92	Inf	-Inf	3	Horizontal	242	1.20	-
2437MHz	Pass	AV	2.4835G	46.89	54.00	-7.11	3	Horizontal	242	1.20	-
2437MHz	Pass	PK	2.3634G	58.61	74.00	-15.39	3	Horizontal	242	1.20	-
2437MHz	Pass	PK	2.4346G	109.91	Inf	-Inf	3	Horizontal	242	1.20	-
2437MHz	Pass	PK	2.4866G	58.79	74.00	-15.21	3	Horizontal	242	1.20	-
2437MHz	Pass	AV	4.87502G	43.56	54.00	-10.44	3	Vertical	157	2.96	-
2437MHz	Pass	PK	4.87718G	58.59	74.00	-15.41	3	Vertical	157	2.96	-
2437MHz	Pass	AV	4.8761G	38.17	54.00	-15.83	3	Horizontal	198	2.27	-
2437MHz	Pass	PK	4.87496G	52.31	74.00	-21.69	3	Horizontal	198	2.27	-
2457MHz	Pass	AV	2.3898G	47.05	54.00	-6.95	3	Vertical	211	1.26	-
2457MHz	Pass	AV	2.4514G	107.87	Inf	-Inf	3	Vertical	211	1.26	-
2457MHz	Pass	AV	2.4862G	52.17	54.00	-1.83	3	Vertical	211	1.26	-
2457MHz	Pass	PK	2.3806G	58.51	74.00	-15.49	3	Vertical	211	1.26	-
2457MHz	Pass	PK	2.4522G	118.83	Inf	-Inf	3	Vertical	211	1.26	-
2457MHz	Pass	PK	2.4846G	66.53	74.00	-7.47	3	Vertical	211	1.26	-
2457MHz	Pass	AV	2.3594G	46.85	54.00	-7.15	3	Horizontal	146	2.60	-
2457MHz	Pass	AV	2.4522G	97.52	Inf	-Inf	3	Horizontal	146	2.60	-
2457MHz	Pass	AV	2.4874G	47.39	54.00	-6.61	3	Horizontal	146	2.60	-
2457MHz	Pass	PK	2.3826G	58.39	74.00	-15.61	3	Horizontal	146	2.60	-
2457MHz	Pass	PK	2.453G	109.09	Inf	-Inf	3	Horizontal	146	2.60	-
2457MHz	Pass	PK	2.4838G	58.74	74.00	-15.26	3	Horizontal	146	2.60	-
2462MHz	Pass	AV	2.4578G	104.57	Inf	-Inf	3	Vertical	214	1.50	-
2462MHz	Pass	AV	2.4835G	52.81	54.00	-1.19	3	Vertical	214	1.50	-
2462MHz	Pass	PK	2.4576G	116.35	Inf	-Inf	3	Vertical	214	1.50	-
2462MHz	Pass	PK	2.4836G	66.38	74.00	-7.62	3	Vertical	214	1.50	-
2462MHz	Pass	AV	2.4598G	94.24	Inf	-Inf	3	Horizontal	106	2.87	-
2462MHz	Pass	AV	2.4835G	49.02	54.00	-4.98	3	Horizontal	106	2.87	-
2462MHz	Pass	PK	2.4608G	105.42	Inf	-Inf	3	Horizontal	106	2.87	-
2462MHz	Pass	PK	2.4838G	61.42	74.00	-12.58	3	Horizontal	106	2.87	-
2462MHz	Pass	AV	4.91452G	31.70	54.00	-22.30	3	Vertical	344	1.49	-
2462MHz	Pass	PK	4.91806G	45.69	74.00	-28.31	3	Vertical	344	1.49	-
2462MHz	Pass	AV	4.92424G	30.65	54.00	-23.35	3	Horizontal	193	1.28	-
2462MHz	Pass	PK	4.92502G	44.68	74.00	-29.32	3	Horizontal	193	1.28	-
802.11n HT40_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-
2422MHz	Pass	AV	2.39G	52.29	54.00	-1.71	3	Vertical	343	1.57	-
2422MHz	Pass	AV	2.4204G	103.22	Inf	-Inf	3	Vertical	343	1.57	-
2422MHz	Pass	AV	2.4835G	48.06	54.00	-5.94	3	Vertical	343	1.57	-
2422MHz	Pass	PK	2.39G	70.78	74.00	-3.22	3	Vertical	343	1.57	-
2422MHz	Pass	PK	2.4192G	113.20	Inf	-Inf	3	Vertical	343	1.57	-
2422MHz	Pass	PK	2.484G	58.33	74.00	-15.67	3	Vertical	343	1.57	-
2422MHz	Pass	AV	2.39G	48.48	54.00	-5.52	3	Horizontal	244	1.52	-
2422MHz	Pass	AV	2.4356G	89.30	Inf	-Inf	3	Horizontal	244	1.52	-
2422MHz	Pass	AV	2.4884G	47.07	54.00	-6.93	3	Horizontal	244	1.52	-
2422MHz	Pass	PK	2.39G	60.50	74.00	-13.50	3	Horizontal	244	1.52	-
2422MHz	Pass	PK	2.4376G	99.70	Inf	-Inf	3	Horizontal	244	1.52	-
2422MHz	Pass	PK	2.496G	57.80	74.00	-16.20	3	Horizontal	244	1.52	-
2422MHz	Pass	AV	4.83904G	31.48	54.00	-22.52	3	Vertical	311	1.06	-



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2422MHz	Pass	PK	4.83576G	44.14	74.00	-29.86	3	Vertical	311	1.06	-
2422MHz	Pass	AV	4.84472G	30.98	54.00	-23.02	3	Horizontal	190	1.61	-
2422MHz	Pass	PK	4.84416G	43.51	74.00	-30.49	3	Horizontal	190	1.61	-
2437MHz	Pass	AV	2.3898G	49.81	54.00	-4.19	3	Vertical	39	1.50	-
2437MHz	Pass	AV	2.4386G	103.65	Inf	-Inf	3	Vertical	39	1.50	-
2437MHz	Pass	AV	2.4835G	52.38	54.00	-1.62	3	Vertical	39	1.50	-
2437MHz	Pass	PK	2.3898G	60.46	74.00	-13.54	3	Vertical	39	1.50	-
2437MHz	Pass	PK	2.4398G	113.47	Inf	-Inf	3	Vertical	39	1.50	-
2437MHz	Pass	PK	2.4838G	64.75	74.00	-9.25	3	Vertical	39	1.50	-
2437MHz	Pass	AV	2.3418G	47.35	54.00	-6.65	3	Horizontal	244	1.21	-
2437MHz	Pass	AV	2.435G	91.07	Inf	-Inf	3	Horizontal	244	1.21	-
2437MHz	Pass	AV	2.4874G	47.11	54.00	-6.89	3	Horizontal	244	1.21	-
2437MHz	Pass	PK	2.3454G	58.95	74.00	-15.05	3	Horizontal	244	1.21	-
2437MHz	Pass	PK	2.4326G	100.58	Inf	-Inf	3	Horizontal	244	1.21	-
2437MHz	Pass	PK	2.4842G	58.55	74.00	-15.45	3	Horizontal	244	1.21	-
2437MHz	Pass	AV	4.868G	31.07	54.00	-22.93	3	Vertical	360	2.57	-
2437MHz	Pass	PK	4.88176G	43.56	74.00	-30.44	3	Vertical	360	2.57	-
2437MHz	Pass	AV	4.87656G	30.59	54.00	-23.41	3	Horizontal	36	1.00	-
2437MHz	Pass	PK	4.87776G	43.86	74.00	-30.14	3	Horizontal	36	1.00	-
2447MHz	Pass	AV	2.3898G	47.34	54.00	-6.66	3	Vertical	313	1.46	-
2447MHz	Pass	AV	2.4422G	100.16	Inf	-Inf	3	Vertical	313	1.46	-
2447MHz	Pass	AV	2.4835G	51.75	54.00	-2.25	3	Vertical	313	1.46	-
2447MHz	Pass	PK	2.3758G	58.74	74.00	-15.26	3	Vertical	313	1.46	-
2447MHz	Pass	PK	2.4414G	109.50	Inf	-Inf	3	Vertical	313	1.46	-
2447MHz	Pass	PK	2.4835G	67.84	74.00	-6.16	3	Vertical	313	1.46	-
2447MHz	Pass	AV	2.3506G	47.29	54.00	-6.71	3	Horizontal	144	2.61	-
2447MHz	Pass	AV	2.4594G	88.79	Inf	-Inf	3	Horizontal	144	2.61	-
2447MHz	Pass	AV	2.4838G	47.55	54.00	-6.45	3	Horizontal	144	2.61	-
2447MHz	Pass	PK	2.3654G	58.44	74.00	-15.56	3	Horizontal	144	2.61	-
2447MHz	Pass	PK	2.4602G	99.15	Inf	-Inf	3	Horizontal	144	2.61	-
2447MHz	Pass	PK	2.4854G	58.88	74.00	-15.12	3	Horizontal	144	2.61	-
2452MHz	Pass	AV	2.39G	47.63	54.00	-6.37	3	Vertical	164	1.50	-
2452MHz	Pass	AV	2.4508G	100.18	Inf	-Inf	3	Vertical	164	1.50	-
2452MHz	Pass	AV	2.4848G	51.89	54.00	-2.11	3	Vertical	164	1.50	-
2452MHz	Pass	PK	2.3644G	58.15	74.00	-15.85	3	Vertical	164	1.50	-
2452MHz	Pass	PK	2.45G	110.02	Inf	-Inf	3	Vertical	164	1.50	-
2452MHz	Pass	PK	2.4852G	66.81	74.00	-7.19	3	Vertical	164	1.50	-
2452MHz	Pass	AV	2.3524G	47.22	54.00	-6.78	3	Horizontal	146	2.89	-
2452MHz	Pass	AV	2.4664G	90.28	Inf	-Inf	3	Horizontal	146	2.89	-
2452MHz	Pass	AV	2.484G	48.61	54.00	-5.39	3	Horizontal	146	2.89	-
2452MHz	Pass	PK	2.368G	58.47	74.00	-15.53	3	Horizontal	146	2.89	-
2452MHz	Pass	PK	2.4648G	100.81	Inf	-Inf	3	Horizontal	146	2.89	-
2452MHz	Pass	PK	2.4844G	60.79	74.00	-13.21	3	Horizontal	146	2.89	-
2452MHz	Pass	AV	4.91136G	31.53	54.00	-22.47	3	Vertical	200	2.72	-
2452MHz	Pass	PK	4.91536G	44.66	74.00	-29.34	3	Vertical	200	2.72	-
2452MHz	Pass	AV	4.91056G	31.04	54.00	-22.96	3	Horizontal	125	2.18	-
2452MHz	Pass	PK	4.90832G	43.86	74.00	-30.14	3	Horizontal	125	2.18	-

802.11b_Nss1,(1Mbps)_2TX


2412MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.388G	52.47	54.00	-1.53	34.87	3	Vertical	130	1.19	-	17.60	27.62	7.25	-
AV	2.4112G	115.40	Inf	-Inf	34.83	3	Vertical	130	1.19	-	80.57	27.56	7.27	-
PK	2.3888G	61.77	74.00	-12.23	34.87	3	Vertical	130	1.19	-	26.90	27.62	7.25	-
PK	2.413G	119.34	Inf	-Inf	34.82	3	Vertical	130	1.19	-	84.52	27.55	7.27	-

802.11b_Nss1,(1Mbps)_2TX


2412MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	4.82396G	46.46	54.00	-7.54	5.64	3	Vertical	321	1.16	-	40.82	31.00	8.92	34.28
PK	4.82384G	50.01	74.00	-23.99	5.64	3	Vertical	321	1.16	-	44.37	31.00	8.92	34.28

802.11b_Nss1,(1Mbps)_2TX


2412MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.82392G	42.94	54.00	-11.06	5.64	3	Horizontal	190	1.50	-	37.30	31.00	8.92	34.28
PK	4.82392G	47.78	74.00	-26.22	5.64	3	Horizontal	190	1.50	-	42.14	31.00	8.92	34.28

802.11b_Nss1,(1Mbps)_2TX


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.337G	46.94	54.00	-7.06	34.98	3	Vertical	79	1.54	-	11.96	27.75	7.23	-
AV	2.4382G	112.94	Inf	-Inf	34.74	3	Vertical	79	1.54	-	78.20	27.45	7.29	-
AV	2.4835G	47.21	54.00	-6.79	34.73	3	Vertical	79	1.54	-	12.48	27.40	7.33	-
PK	2.3502G	58.96	74.00	-15.04	34.94	3	Vertical	79	1.54	-	24.02	27.70	7.24	-
PK	2.4378G	117.07	Inf	-Inf	34.74	3	Vertical	79	1.54	-	82.33	27.45	7.29	-
PK	2.4926G	58.40	74.00	-15.60	34.73	3	Vertical	79	1.54	-	23.67	27.40	7.33	-

802.11b_Nss1,(1Mbps)_2TX


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.87393G	50.32	54.00	-3.68	5.75	3	Vertical	156	2.97	-	44.57	31.05	8.96	34.26
PK	4.87394G	53.42	74.00	-20.58	5.75	3	Vertical	156	2.97	-	47.67	31.05	8.96	34.26

802.11b_Nss1,(1Mbps)_2TX


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.87396G	45.28	54.00	-8.72	5.75	3	Horizontal	196	2.27	-	39.53	31.05	8.96	34.26
PK	4.87394G	49.86	74.00	-24.14	5.75	3	Horizontal	196	2.27	-	44.11	31.05	8.96	34.26

802.11b_Nss1,(1Mbps)_2TX


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4612G	115.35	Inf	-Inf	34.71	3	Vertical	306	1.32	-	80.64	27.40	7.31	-
AV	2.4862G	52.94	54.00	-1.06	34.73	3	Vertical	306	1.32	-	18.21	27.40	7.33	-
PK	2.461G	119.32	Inf	-Inf	34.71	3	Vertical	306	1.32	-	84.61	27.40	7.31	-
PK	2.486G	62.66	74.00	-11.34	34.73	3	Vertical	306	1.32	-	27.93	27.40	7.33	-

802.11b_Nss1,(1Mbps)_2TX


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.92394G	51.99	54.00	-2.01	5.84	3	Vertical	165	2.94	-	46.15	31.10	8.99	34.25
PK	4.92397G	55.14	74.00	-18.86	5.84	3	Vertical	165	2.94	-	49.30	31.10	8.99	34.25

802.11b_Nss1,(1Mbps)_2TX


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.92397G	47.60	54.00	-6.40	5.84	3	Horizontal	195	2.03	-	41.76	31.10	8.99	34.25
PK	4.92396G	51.85	74.00	-22.15	5.84	3	Horizontal	195	2.03	-	46.01	31.10	8.99	34.25

802.11g_Nss1,(6Mbps)_2TX


2412MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.39G	52.25	54.00	-1.75	34.88	3	Vertical	344	1.55	-	17.37	27.62	7.26	-
AV	2.4166G	104.09	Inf	-Inf	34.80	3	Vertical	344	1.55	-	69.29	27.53	7.27	-
PK	2.3898G	66.36	74.00	-7.64	34.88	3	Vertical	344	1.55	-	31.48	27.62	7.26	-
PK	2.4158G	114.66	Inf	-Inf	34.81	3	Vertical	344	1.55	-	79.85	27.54	7.27	-

802.11g_Nss1,(6Mbps)_2TX

2412MHz_TX




13/05/2021

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.82521G	34.66	54.00	-19.34	5.64	3	Vertical	162	2.96	-	29.02	31.00	8.92	34.28
PK	4.82464G	47.39	74.00	-26.61	5.64	3	Vertical	162	2.96	-	41.75	31.00	8.92	34.28

802.11g_Nss1,(6Mbps)_2TX


2412MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.82417G	31.34	54.00	-22.66	5.64	3	Horizontal	190	1.50	-	25.70	31.00	8.92	34.28
PK	4.8248G	44.77	74.00	-29.23	5.64	3	Horizontal	190	1.50	-	39.13	31.00	8.92	34.28

802.11g_Nss1,(6Mbps)_2TX


2417MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	52.85	54.00	-1.15	34.88	3	Vertical	31	1.50	-	17.97	27.62	7.26	-
AV	2.4226G	110.33	Inf	-Inf	34.79	3	Vertical	31	1.50	-	75.54	27.51	7.28	-
AV	2.4835G	47.36	54.00	-6.64	34.73	3	Vertical	31	1.50	-	12.63	27.40	7.33	-
PK	2.3898G	65.61	74.00	-8.39	34.88	3	Vertical	31	1.50	-	30.73	27.62	7.26	-
PK	2.4226G	121.35	Inf	-Inf	34.79	3	Vertical	31	1.50	-	86.56	27.51	7.28	-
PK	2.4835G	58.46	74.00	-15.54	34.73	3	Vertical	31	1.50	-	23.73	27.40	7.33	-

802.11g_Nss1,(6Mbps)_2TX


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	49.94	54.00	-4.06	34.88	3	Vertical	35	1.54	-	15.06	27.62	7.26	-
AV	2.4326G	110.60	Inf	-Inf	34.76	3	Vertical	35	1.54	-	75.84	27.47	7.29	-
AV	2.4835G	50.94	54.00	-3.06	34.73	3	Vertical	35	1.54	-	16.21	27.40	7.33	-
PK	2.3882G	62.51	74.00	-11.49	34.87	3	Vertical	35	1.54	-	27.64	27.62	7.25	-
PK	2.4326G	120.89	Inf	-Inf	34.76	3	Vertical	35	1.54	-	86.13	27.47	7.29	-
PK	2.4835G	63.17	74.00	-10.83	34.73	3	Vertical	35	1.54	-	28.44	27.40	7.33	-

802.11g_Nss1,(6Mbps)_2TX


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.8708G	45.53	54.00	-8.47	5.75	3	Vertical	169	2.88	-	39.78	31.06	8.95	34.26
PK	4.87072G	58.48	74.00	-15.52	5.75	3	Vertical	169	2.88	-	52.73	31.06	8.95	34.26

802.11g_Nss1,(6Mbps)_2TX


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.8746G	39.44	54.00	-14.56	5.75	3	Horizontal	198	2.26	-	33.69	31.05	8.96	34.26
PK	4.87472G	53.14	74.00	-20.86	5.75	3	Horizontal	198	2.26	-	47.39	31.05	8.96	34.26

802.11g_Nss1,(6Mbps)_2TX


2457MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	47.36	54.00	-6.64	34.88	3	Vertical	213	1.27	-	12.48	27.62	7.26	-
AV	2.4558G	107.36	Inf	-Inf	34.70	3	Vertical	213	1.27	-	72.66	27.40	7.30	-
AV	2.4858G	52.68	54.00	-1.32	34.73	3	Vertical	213	1.27	-	17.95	27.40	7.33	-
PK	2.3882G	58.99	74.00	-15.01	34.87	3	Vertical	213	1.27	-	24.12	27.62	7.25	-
PK	2.455G	117.63	Inf	-Inf	34.70	3	Vertical	213	1.27	-	82.93	27.40	7.30	-
PK	2.4854G	66.08	74.00	-7.92	34.73	3	Vertical	213	1.27	-	31.35	27.40	7.33	-

802.11g_Nss1,(6Mbps)_2TX


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4658G	105.94	Inf	-Inf	34.71	3	Vertical	344	1.56	-	71.23	27.40	7.31	-
AV	2.485G	52.61	54.00	-1.39	34.73	3	Vertical	344	1.56	-	17.88	27.40	7.33	-
PK	2.4608G	116.39	Inf	-Inf	34.71	3	Vertical	344	1.56	-	81.68	27.40	7.31	-
PK	2.4846G	67.69	74.00	-6.31	34.73	3	Vertical	344	1.56	-	32.96	27.40	7.33	-

802.11g_Nss1,(6Mbps)_2TX


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.926G	32.95	54.00	-21.05	5.84	3	Vertical	360	2.94	-	27.11	31.10	8.99	34.25
PK	4.91496G	45.81	74.00	-28.19	5.80	3	Vertical	360	2.94	-	40.01	31.06	8.99	34.25

802.11g_Nss1,(6Mbps)_2TX


2462MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	4.92492G	32.83	54.00	-21.17	5.84	3	Horizontal	93	3.00	-	26.99	31.10	8.99	34.25
PK	4.92524G	45.99	74.00	-28.01	5.84	3	Horizontal	93	3.00	-	40.15	31.10	8.99	34.25

802.11n HT20_Nss1,(MCS0)_2TX


2412MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.39G	52.42	54.00	-1.58	34.88	3	Vertical	135	1.50	-	17.54	27.62	7.26	-
AV	2.415G	103.11	Inf	-Inf	34.81	3	Vertical	135	1.50	-	68.30	27.54	7.27	-
PK	2.39G	65.33	74.00	-8.67	34.88	3	Vertical	135	1.50	-	30.45	27.62	7.26	-
PK	2.414G	114.30	Inf	-Inf	34.81	3	Vertical	135	1.50	-	79.49	27.54	7.27	-

802.11n HT20_Nss1,(MCS0)_2TX


2412MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.83168G	30.68	54.00	-23.32	5.67	3	Vertical	0	1.50	-	25.01	31.03	8.92	34.28
PK	4.83276G	44.21	74.00	-29.79	5.67	3	Vertical	0	1.50	-	38.54	31.03	8.92	34.28

802.11n HT20_Nss1,(MCS0)_2TX


2412MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.82652G	30.55	54.00	-23.45	5.65	3	Horizontal	190	1.22	-	24.90	31.01	8.92	34.28
PK	4.82826G	43.74	74.00	-30.26	5.65	3	Horizontal	190	1.22	-	38.09	31.01	8.92	34.28

802.11n HT20_Nss1,(MCS0)_2TX


2417MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	52.52	54.00	-1.48	34.88	3	Vertical	32	1.63	-	17.64	27.62	7.26	-
AV	2.4198G	108.42	Inf	-Inf	34.80	3	Vertical	32	1.63	-	73.62	27.52	7.28	-
AV	2.4835G	46.96	54.00	-7.04	34.73	3	Vertical	32	1.63	-	12.23	27.40	7.33	-
PK	2.3894G	65.37	74.00	-8.63	34.88	3	Vertical	32	1.63	-	30.49	27.62	7.26	-
PK	2.4202G	119.81	Inf	-Inf	34.80	3	Vertical	32	1.63	-	85.01	27.52	7.28	-
PK	2.4934G	58.18	74.00	-15.82	34.73	3	Vertical	32	1.63	-	23.45	27.40	7.33	-

802.11n HT20_Nss1,(MCS0)_2TX


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	51.71	54.00	-2.29	34.88	3	Vertical	34	1.50	-	16.83	27.62	7.26	-
AV	2.4394G	111.75	Inf	-Inf	34.73	3	Vertical	34	1.50	-	77.02	27.44	7.29	-
AV	2.4835G	52.46	54.00	-1.54	34.73	3	Vertical	34	1.50	-	17.73	27.40	7.33	-
PK	2.3898G	63.66	74.00	-10.34	34.88	3	Vertical	34	1.50	-	28.78	27.62	7.26	-
PK	2.4394G	122.86	Inf	-Inf	34.73	3	Vertical	34	1.50	-	88.13	27.44	7.29	-
PK	2.4838G	66.66	74.00	-7.34	34.73	3	Vertical	34	1.50	-	31.93	27.40	7.33	-

802.11n HT20_Nss1,(MCS0)_2TX


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.87502G	43.56	54.00	-10.44	5.75	3	Vertical	157	2.96	-	37.81	31.05	8.96	34.26
PK	4.87718G	58.59	74.00	-15.41	5.75	3	Vertical	157	2.96	-	52.84	31.05	8.96	34.26

802.11n HT20_Nss1,(MCS0)_2TX


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.8761G	38.17	54.00	-15.83	5.75	3	Horizontal	198	2.27	-	32.42	31.05	8.96	34.26
PK	4.87496G	52.31	74.00	-21.69	5.75	3	Horizontal	198	2.27	-	46.56	31.05	8.96	34.26

802.11n HT20_Nss1,(MCS0)_2TX


2457MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	47.05	54.00	-6.95	34.88	3	Vertical	211	1.26	-	12.17	27.62	7.26	-
AV	2.4514G	107.87	Inf	-Inf	34.70	3	Vertical	211	1.26	-	73.17	27.40	7.30	-
AV	2.4862G	52.17	54.00	-1.83	34.73	3	Vertical	211	1.26	-	17.44	27.40	7.33	-
PK	2.3806G	58.51	74.00	-15.49	34.89	3	Vertical	211	1.26	-	23.62	27.64	7.25	-
PK	2.4522G	118.83	Inf	-Inf	34.70	3	Vertical	211	1.26	-	84.13	27.40	7.30	-
PK	2.4846G	66.53	74.00	-7.47	34.73	3	Vertical	211	1.26	-	31.80	27.40	7.33	-

802.11n HT20_Nss1,(MCS0)_2TX


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4578G	104.57	Inf	-Inf	34.71	3	Vertical	214	1.50	-	69.86	27.40	7.31	-
AV	2.4835G	52.81	54.00	-1.19	34.73	3	Vertical	214	1.50	-	18.08	27.40	7.33	-
PK	2.4576G	116.35	Inf	-Inf	34.71	3	Vertical	214	1.50	-	81.64	27.40	7.31	-
PK	2.4836G	66.38	74.00	-7.62	34.73	3	Vertical	214	1.50	-	31.65	27.40	7.33	-

802.11n HT20_Nss1,(MCS0)_2TX


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.91452G	31.70	54.00	-22.30	5.80	3	Vertical	344	1.49	-	25.90	31.06	8.99	34.25
PK	4.91806G	45.69	74.00	-28.31	5.81	3	Vertical	344	1.49	-	39.88	31.07	8.99	34.25

802.11n HT20_Nss1,(MCS0)_2TX


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.92424G	30.65	54.00	-23.35	5.84	3	Horizontal	193	1.28	-	24.81	31.10	8.99	34.25
PK	4.92502G	44.68	74.00	-29.32	5.84	3	Horizontal	193	1.28	-	38.84	31.10	8.99	34.25

802.11n HT40_Nss1,(MCS0)_2TX


2422MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.39G	52.29	54.00	-1.71	34.88	3	Vertical	343	1.57	-	17.41	27.62	7.26	-
AV	2.4204G	103.22	Inf	-Inf	34.80	3	Vertical	343	1.57	-	68.42	27.52	7.28	-
AV	2.4835G	48.06	54.00	-5.94	34.73	3	Vertical	343	1.57	-	13.33	27.40	7.33	-
PK	2.39G	70.78	74.00	-3.22	34.88	3	Vertical	343	1.57	-	35.90	27.62	7.26	-
PK	2.4192G	113.20	Inf	-Inf	34.80	3	Vertical	343	1.57	-	78.40	27.52	7.28	-
PK	2.484G	58.33	74.00	-15.67	34.73	3	Vertical	343	1.57	-	23.60	27.40	7.33	-

802.11n HT40_Nss1,(MCS0)_2TX


2422MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.83904G	31.48	54.00	-22.52	5.72	3	Vertical	311	1.06	-	25.76	31.06	8.93	34.27
PK	4.83576G	44.14	74.00	-29.86	5.69	3	Vertical	311	1.06	-	38.45	31.04	8.93	34.28

802.11n HT40_Nss1,(MCS0)_2TX


2422MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.84472G	30.98	54.00	-23.02	5.74	3	Horizontal	190	1.61	-	25.24	31.08	8.93	34.27
PK	4.84416G	43.51	74.00	-30.49	5.74	3	Horizontal	190	1.61	-	37.77	31.08	8.93	34.27

802.11n HT40_Nss1,(MCS0)_2TX


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	49.81	54.00	-4.19	34.88	3	Vertical	39	1.50	-	14.93	27.62	7.26	-
AV	2.4386G	103.65	Inf	-Inf	34.74	3	Vertical	39	1.50	-	68.91	27.45	7.29	-
AV	2.4835G	52.38	54.00	-1.62	34.73	3	Vertical	39	1.50	-	17.65	27.40	7.33	-
PK	2.3898G	60.46	74.00	-13.54	34.88	3	Vertical	39	1.50	-	25.58	27.62	7.26	-
PK	2.4398G	113.47	Inf	-Inf	34.73	3	Vertical	39	1.50	-	78.74	27.44	7.29	-
PK	2.4838G	64.75	74.00	-9.25	34.73	3	Vertical	39	1.50	-	30.02	27.40	7.33	-

802.11n HT40_Nss1,(MCS0)_2TX


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.868G	31.07	54.00	-22.93	5.75	3	Vertical	360	2.57	-	25.32	31.06	8.95	34.26
PK	4.88176G	43.56	74.00	-30.44	5.74	3	Vertical	360	2.57	-	37.82	31.04	8.96	34.26

802.11n HT40_Nss1,(MCS0)_2TX


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.87656G	30.59	54.00	-23.41	5.75	3	Horizontal	36	1.00	-	24.84	31.05	8.96	34.26
PK	4.87776G	43.86	74.00	-30.14	5.74	3	Horizontal	36	1.00	-	38.12	31.04	8.96	34.26

802.11n HT40_Nss1,(MCS0)_2TX


2447MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	47.34	54.00	-6.66	34.88	3	Vertical	313	1.46	-	12.46	27.62	7.26	-
AV	2.4422G	100.16	Inf	-Inf	34.72	3	Vertical	313	1.46	-	65.44	27.43	7.29	-
AV	2.4835G	51.75	54.00	-2.25	34.73	3	Vertical	313	1.46	-	17.02	27.40	7.33	-
PK	2.3758G	58.74	74.00	-15.26	34.90	3	Vertical	313	1.46	-	23.84	27.65	7.25	-
PK	2.4414G	109.50	Inf	-Inf	34.72	3	Vertical	313	1.46	-	74.78	27.43	7.29	-
PK	2.4835G	67.84	74.00	-6.16	34.73	3	Vertical	313	1.46	-	33.11	27.40	7.33	-

802.11n HT40_Nss1,(MCS0)_2TX


2452MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.39G	47.63	54.00	-6.37	34.88	3	Vertical	164	1.50	-	12.75	27.62	7.26	-
AV	2.4508G	100.18	Inf	-Inf	34.70	3	Vertical	164	1.50	-	65.48	27.40	7.30	-
AV	2.4848G	51.89	54.00	-2.11	34.73	3	Vertical	164	1.50	-	17.16	27.40	7.33	-
PK	2.3644G	58.15	74.00	-15.85	34.91	3	Vertical	164	1.50	-	23.24	27.67	7.24	-
PK	2.45G	110.02	Inf	-Inf	34.70	3	Vertical	164	1.50	-	75.32	27.40	7.30	-
PK	2.4852G	66.81	74.00	-7.19	34.73	3	Vertical	164	1.50	-	32.08	27.40	7.33	-

802.11n HT40_Nss1,(MCS0)_2TX


2452MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.91136G	31.53	54.00	-22.47	5.78	3	Vertical	200	2.72	-	25.75	31.05	8.98	34.25
PK	4.91536G	44.66	74.00	-29.34	5.80	3	Vertical	200	2.72	-	38.86	31.06	8.99	34.25

802.11n HT40_Nss1,(MCS0)_2TX

2452MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.91056G	31.04	54.00	-22.96	5.77	3	Horizontal	125	2.18	-	25.27	31.04	8.98	34.25
PK	4.90832G	43.86	74.00	-30.14	5.76	3	Horizontal	125	2.18	-	38.10	31.03	8.98	34.25