

802.11ac VHT40_Nss1,(MCS0)_1TX

PSD

5310MHz

11/11/2020

CF
5.31GHz


Span
60MHz


RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
2.63	2.63	2.63

802.11ac VHT40_Nss1,(MCS0)_1TX

PSD

5510MHz

11/11/2020

CF
5.51GHz


Span
60MHz


RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
1.13	1.13	1.13

802.11ac VHT40_Nss1,(MCS0)_1TX

PSD

5550MHz

11/11/2020

CF
5.55GHz


Span
60MHz


RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
5.00	5.00	5.00

802.11ac VHT40_Nss1,(MCS0)_1TX

PSD

5670MHz

11/11/2020

CF
5.67GHz


Span
60MHz

RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 


Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
3.06	3.06	3.06

802.11ac VHT40_Nss1,(MCS0)_1TX
5710MHz Straddle 5.47-5.725GHz

PSD

11/11/2020

CF
 5.69GHz
 Span
 140MHz
 RBW
 1MHz
 VBW
 3MHz
 Sweep Time
 20ms
 Detector Type
 RMS



Port 1 


Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
2.84	2.84	2.84

802.11ac VHT40_Nss1,(MCS0)_1TX
5710MHz Straddle 5.725-5.85GHz

PSD

11/11/2020

CF
 5.735GHz
 Span
 40MHz
 RBW
 500kHz
 VBW
 3MHz
 Sweep Time
 20ms
 Detector Type
 RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
0.51	0.51	0.51

802.11ac VHT80_Nss1,(MCS0)_1TX

PSD

5290MHz

11/11/2020

CF
5.29GHz


Span
120MHz


RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-7.71	-7.71	-7.71

802.11ac VHT80_Nss1,(MCS0)_1TX

PSD

5530MHz

11/11/2020

CF
5.53GHz


Span
120MHz


RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-7.93	-7.93	-7.93

802.11ac VHT80_Nss1,(MCS0)_1TX

PSD

5610MHz

11/11/2020

CF
5.61GHz


Span
120MHz


RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
0.08	0.08	0.08

802.11ac VHT80_Nss1,(MCS0)_1TX

PSD

5690MHz Straddle 5.47-5.725GHz

11/11/2020

CF
5.65GHz


Span
300MHz


RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
0.38	0.38	0.38

802.11ac VHT80_Nss1,(MCS0)_1TX

PSD

5690MHz Straddle 5.725-5.85GHz

11/11/2020

CF
5.735GHz


Span
40MHz


RBW
500kHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-2.99	-2.99	-2.99



Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX	Pass	AV	5.3518G	52.62	54.00	-1.38	3	Horizontal	338	2.04	-
802.11ax HEW20_Nss1,(MCS0)_2TX	Pass	AV	15.78128G	52.86	54.00	-1.14	3	Horizontal	28	1.33	-
802.11ax HEW40_Nss1,(MCS0)_2TX	Pass	AV	5.3508G	52.87	54.00	-1.13	3	Horizontal	339	1.71	-
802.11ax HEW80_Nss1,(MCS0)_2TX	Pass	AV	5.35G	52.56	54.00	-1.44	3	Horizontal	340	1.92	-
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX	Pass	PK	16.7424G	67.18	68.20	-1.02	3	Vertical	351	2.34	-
802.11ax HEW20_Nss1,(MCS0)_2TX	Pass	PK	16.49706G	67.10	68.20	-1.10	3	Horizontal	313	1.93	-
802.11ax HEW40_Nss1,(MCS0)_2TX	Pass	PK	5.468G	67.28	68.20	-0.92	3	Horizontal	340	2.42	-
802.11ax HEW80_Nss1,(MCS0)_2TX	Pass	PK	5.727G	67.30	68.20	-0.90	3	Horizontal	344	1.57	-



Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
802.11a_Nss1_(6Mbps)_2TX	-	-	-	-	-	-	-	-	-	-	-
5260MHz	Pass	AV	5.1466G	45.87	54.00	-8.13	3	Vertical	19	1.91	-
5260MHz	Pass	AV	5.2564G	111.33	Inf	-Inf	3	Vertical	19	1.91	-
5260MHz	Pass	AV	5.359G	46.60	54.00	-7.40	3	Vertical	19	1.91	-
5260MHz	Pass	PK	5.1412G	57.82	74.00	-16.18	3	Vertical	19	1.91	-
5260MHz	Pass	PK	5.257G	121.66	Inf	-Inf	3	Vertical	19	1.91	-
5260MHz	Pass	PK	5.353G	57.80	74.00	-16.20	3	Vertical	19	1.91	-
5260MHz	Pass	AV	5.1244G	44.90	54.00	-9.10	3	Horizontal	340	1.96	-
5260MHz	Pass	AV	5.2624G	110.29	Inf	-Inf	3	Horizontal	340	1.96	-
5260MHz	Pass	AV	5.359G	47.29	54.00	-6.71	3	Horizontal	340	1.96	-
5260MHz	Pass	PK	5.1322G	58.05	74.00	-15.95	3	Horizontal	340	1.96	-
5260MHz	Pass	PK	5.263G	120.34	Inf	-Inf	3	Horizontal	340	1.96	-
5260MHz	Pass	PK	5.3536G	58.30	74.00	-15.70	3	Horizontal	340	1.96	-
5260MHz	Pass	AV	15.78192G	46.91	54.00	-7.09	3	Vertical	331	2.90	-
5260MHz	Pass	PK	10.52018G	58.30	68.20	-9.90	3	Vertical	331	1.48	-
5260MHz	Pass	PK	15.77466G	60.13	74.00	-13.87	3	Vertical	331	2.90	-
5260MHz	Pass	AV	15.78156G	51.88	54.00	-2.12	3	Horizontal	307	1.60	-
5260MHz	Pass	PK	10.52G	60.48	68.20	-7.72	3	Horizontal	314	1.52	-
5260MHz	Pass	PK	15.78162G	65.88	74.00	-8.12	3	Horizontal	307	1.60	-
5300MHz	Pass	AV	5.2992G	110.26	Inf	-Inf	3	Vertical	13	1.57	-
5300MHz	Pass	AV	5.35G	47.60	54.00	-6.40	3	Vertical	13	1.57	-
5300MHz	Pass	PK	5.2988G	120.08	Inf	-Inf	3	Vertical	13	1.57	-
5300MHz	Pass	PK	5.3552G	59.15	74.00	-14.85	3	Vertical	13	1.57	-
5300MHz	Pass	AV	5.3012G	110.04	Inf	-Inf	3	Horizontal	343	1.87	-
5300MHz	Pass	AV	5.3516G	48.62	54.00	-5.38	3	Horizontal	343	1.87	-
5300MHz	Pass	PK	5.3008G	119.93	Inf	-Inf	3	Horizontal	343	1.87	-
5300MHz	Pass	PK	5.3508G	61.42	74.00	-12.58	3	Horizontal	343	1.87	-
5300MHz	Pass	AV	15.90096G	48.55	54.00	-5.45	3	Vertical	340	2.31	-
5300MHz	Pass	PK	10.59976G	58.93	68.20	-9.27	3	Vertical	36	2.34	-
5300MHz	Pass	PK	15.89448G	62.68	74.00	-11.32	3	Vertical	340	2.31	-
5300MHz	Pass	AV	15.9024G	51.71	54.00	-2.29	3	Horizontal	27	1.48	-
5300MHz	Pass	PK	10.59994G	59.21	68.20	-8.99	3	Horizontal	344	1.49	-
5300MHz	Pass	PK	15.90204G	66.06	74.00	-7.94	3	Horizontal	27	1.48	-
5320MHz	Pass	AV	5.3168G	109.68	Inf	-Inf	3	Vertical	44	2.60	-
5320MHz	Pass	AV	5.3518G	50.98	54.00	-3.02	3	Vertical	44	2.60	-
5320MHz	Pass	PK	5.317G	119.77	Inf	-Inf	3	Vertical	44	2.60	-
5320MHz	Pass	PK	5.351G	65.23	74.00	-8.77	3	Vertical	44	2.60	-
5320MHz	Pass	AV	5.3228G	109.44	Inf	-Inf	3	Horizontal	338	2.04	-
5320MHz	Pass	AV	5.3518G	52.62	54.00	-1.38	3	Horizontal	338	2.04	-
5320MHz	Pass	PK	5.3232G	119.80	Inf	-Inf	3	Horizontal	338	2.04	-
5320MHz	Pass	PK	5.3502G	66.85	74.00	-7.15	3	Horizontal	338	2.04	-
5320MHz	Pass	AV	10.63994G	47.51	54.00	-6.49	3	Vertical	335	1.49	-
5320MHz	Pass	AV	15.9591G	47.86	54.00	-6.14	3	Vertical	339	2.29	-
5320MHz	Pass	PK	10.64012G	56.50	74.00	-17.50	3	Vertical	335	1.49	-
5320MHz	Pass	PK	15.95346G	63.28	74.00	-10.72	3	Vertical	339	2.29	-
5320MHz	Pass	AV	10.63994G	51.65	54.00	-2.35	3	Horizontal	53	1.69	-
5320MHz	Pass	AV	15.95898G	49.89	54.00	-4.11	3	Horizontal	26	1.48	-
5320MHz	Pass	PK	10.63994G	60.04	74.00	-13.96	3	Horizontal	53	1.69	-
5320MHz	Pass	PK	15.95772G	66.20	74.00	-7.80	3	Horizontal	26	1.48	-
5500MHz	Pass	AV	5.46G	45.08	54.00	-8.92	3	Vertical	54	2.64	-
5500MHz	Pass	AV	5.5032G	107.56	Inf	-Inf	3	Vertical	54	2.64	-
5500MHz	Pass	PK	5.4678G	61.56	68.20	-6.64	3	Vertical	54	2.64	-
5500MHz	Pass	PK	5.4984G	117.23	Inf	-Inf	3	Vertical	54	2.64	-
5500MHz	Pass	AV	5.46G	45.54	54.00	-8.46	3	Horizontal	335	1.91	-
5500MHz	Pass	AV	5.5026G	109.21	Inf	-Inf	3	Horizontal	335	1.91	-
5500MHz	Pass	PK	5.4676G	59.31	68.20	-8.89	3	Horizontal	335	1.91	-
5500MHz	Pass	PK	5.503G	119.95	Inf	-Inf	3	Horizontal	335	1.91	-
5500MHz	Pass	AV	10.99993G	43.04	54.00	-10.96	3	Vertical	62	2.82	-
5500MHz	Pass	PK	11.00013G	56.13	74.00	-17.87	3	Vertical	62	2.82	-
5500MHz	Pass	PK	16.4988G	61.50	68.20	-6.70	3	Vertical	219	2.26	-
5500MHz	Pass	AV	10.99993G	46.39	54.00	-7.61	3	Horizontal	322	1.60	-



RSE TX above 1GHz_Non-Beamforming_Radio 1

Appendix D.1

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5500MHz	Pass	PK	10.9997G	58.18	74.00	-15.82	3	Horizontal	322	1.60	-
5500MHz	Pass	PK	16.4979G	65.95	68.20	-2.25	3	Horizontal	319	2.53	-
5580MHz	Pass	AV	5.4426G	44.78	54.00	-9.22	3	Vertical	52	2.71	-
5580MHz	Pass	AV	5.5788G	109.87	Inf	-Inf	3	Vertical	52	2.71	-
5580MHz	Pass	PK	5.4606G	56.75	68.20	-11.45	3	Vertical	52	2.71	-
5580MHz	Pass	PK	5.5782G	119.65	Inf	-Inf	3	Vertical	52	2.71	-
5580MHz	Pass	PK	5.7258G	56.26	68.20	-11.94	3	Vertical	52	2.71	-
5580MHz	Pass	AV	5.4378G	45.29	54.00	-8.71	3	Horizontal	343	1.76	-
5580MHz	Pass	AV	5.5788G	112.02	Inf	-Inf	3	Horizontal	343	1.76	-
5580MHz	Pass	PK	5.4618G	56.70	68.20	-11.50	3	Horizontal	343	1.76	-
5580MHz	Pass	PK	5.5734G	122.26	Inf	-Inf	3	Horizontal	343	1.76	-
5580MHz	Pass	PK	5.727G	56.94	68.20	-11.26	3	Horizontal	343	1.76	-
5580MHz	Pass	AV	11.15982G	43.58	54.00	-10.42	3	Vertical	356	2.91	-
5580MHz	Pass	PK	11.15996G	56.50	74.00	-17.50	3	Vertical	356	2.91	-
5580MHz	Pass	PK	16.7424G	67.18	68.20	-1.02	3	Vertical	351	2.34	-
5580MHz	Pass	AV	11.15994G	45.88	54.00	-8.12	3	Horizontal	323	1.50	-
5580MHz	Pass	PK	11.15298G	57.47	74.00	-16.53	3	Horizontal	323	1.50	-
5580MHz	Pass	PK	16.73784G	67.09	68.20	-1.11	3	Horizontal	12	1.50	-
5700MHz	Pass	AV	5.6992G	104.60	Inf	-Inf	3	Vertical	51	1.95	-
5700MHz	Pass	PK	5.6992G	114.51	Inf	-Inf	3	Vertical	51	1.95	-
5700MHz	Pass	PK	5.726G	57.96	68.20	-10.24	3	Vertical	51	1.95	-
5700MHz	Pass	AV	5.6988G	108.22	Inf	-Inf	3	Horizontal	349	2.81	-
5700MHz	Pass	PK	5.6992G	118.33	Inf	-Inf	3	Horizontal	349	2.81	-
5700MHz	Pass	PK	5.7252G	64.82	68.20	-3.38	3	Horizontal	349	2.81	-
5700MHz	Pass	AV	11.3955G	42.36	54.00	-11.64	3	Vertical	145	1.62	-
5700MHz	Pass	PK	11.41308G	56.19	74.00	-17.81	3	Vertical	145	1.62	-
5700MHz	Pass	PK	17.09226G	62.29	68.20	-5.91	3	Vertical	128	1.88	-
5700MHz	Pass	AV	11.39856G	46.23	54.00	-7.77	3	Horizontal	40	2.87	-
5700MHz	Pass	PK	11.39436G	59.83	74.00	-14.17	3	Horizontal	40	2.87	-
5700MHz	Pass	PK	17.0952G	62.95	68.20	-5.25	3	Horizontal	312	2.66	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.4524G	45.52	54.00	-8.48	3	Vertical	55	1.91	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.7224G	110.26	Inf	-Inf	3	Vertical	55	1.91	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4692G	56.31	68.20	-11.89	3	Vertical	55	1.91	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.7236G	120.19	Inf	-Inf	3	Vertical	55	1.91	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.9768G	59.50	68.20	-8.70	3	Vertical	55	1.91	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.456G	45.63	54.00	-8.37	3	Horizontal	342	1.82	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.7212G	113.18	Inf	-Inf	3	Horizontal	342	1.82	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4608G	57.42	68.20	-10.78	3	Horizontal	342	1.82	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.7212G	122.81	Inf	-Inf	3	Horizontal	342	1.82	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.9108G	59.41	68.20	-8.79	3	Horizontal	342	1.82	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.43982G	45.20	54.00	-8.80	3	Vertical	56	1.50	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.43988G	58.46	74.00	-15.54	3	Vertical	56	1.50	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	17.15496G	63.69	68.20	-4.51	3	Vertical	0	1.49	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.43994G	50.59	54.00	-3.41	3	Horizontal	41	2.52	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.4343G	64.37	74.00	-9.63	3	Horizontal	41	2.52	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	17.1483G	67.09	68.20	-1.11	3	Horizontal	27	1.49	-
802.11ax HEW20_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-
5260MHz	Pass	AV	5.1424G	45.47	54.00	-8.53	3	Vertical	16	2.41	-
5260MHz	Pass	AV	5.2618G	111.12	Inf	-Inf	3	Vertical	16	2.41	-
5260MHz	Pass	AV	5.3578G	46.41	54.00	-7.59	3	Vertical	16	2.41	-
5260MHz	Pass	PK	5.1358G	57.52	74.00	-16.48	3	Vertical	16	2.41	-
5260MHz	Pass	PK	5.2624G	122.79	Inf	-Inf	3	Vertical	16	2.41	-
5260MHz	Pass	PK	5.3596G	58.73	74.00	-15.27	3	Vertical	16	2.41	-
5260MHz	Pass	AV	5.15G	45.05	54.00	-8.95	3	Horizontal	344	1.74	-
5260MHz	Pass	AV	5.257G	110.00	Inf	-Inf	3	Horizontal	344	1.74	-
5260MHz	Pass	AV	5.3524G	47.39	54.00	-6.61	3	Horizontal	344	1.74	-
5260MHz	Pass	PK	5.1172G	56.66	74.00	-17.34	3	Horizontal	344	1.74	-
5260MHz	Pass	PK	5.2564G	122.32	Inf	-Inf	3	Horizontal	344	1.74	-
5260MHz	Pass	PK	5.3626G	59.36	74.00	-14.64	3	Horizontal	344	1.74	-
5260MHz	Pass	AV	15.7814G	47.42	54.00	-6.58	3	Vertical	65	2.67	-
5260MHz	Pass	PK	10.52002G	59.21	68.20	-8.99	3	Vertical	40	1.40	-
5260MHz	Pass	PK	15.78061G	62.34	74.00	-11.66	3	Vertical	65	2.67	-



RSE TX above 1GHz_Non-Beamforming_Radio 1

Appendix D.1

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5260MHz	Pass	AV	15.78128G	52.86	54.00	-1.14	3	Horizontal	28	1.33	-
5260MHz	Pass	PK	10.52004G	62.99	68.20	-5.21	3	Horizontal	313	1.79	-
5260MHz	Pass	PK	15.78005G	68.92	74.00	-5.08	3	Horizontal	28	1.33	-
5300MHz	Pass	AV	5.2968G	109.95	Inf	-Inf	3	Vertical	16	2.34	-
5300MHz	Pass	AV	5.35G	48.37	54.00	-5.63	3	Vertical	16	2.34	-
5300MHz	Pass	PK	5.2976G	122.64	Inf	-Inf	3	Vertical	16	2.34	-
5300MHz	Pass	PK	5.356G	60.66	74.00	-13.34	3	Vertical	16	2.34	-
5300MHz	Pass	AV	5.3012G	109.88	Inf	-Inf	3	Horizontal	341	1.60	-
5300MHz	Pass	AV	5.3504G	50.43	54.00	-3.57	3	Horizontal	341	1.60	-
5300MHz	Pass	PK	5.3008G	122.64	Inf	-Inf	3	Horizontal	341	1.60	-
5300MHz	Pass	PK	5.3508G	62.14	74.00	-11.86	3	Horizontal	341	1.60	-
5300MHz	Pass	AV	15.8982G	47.41	54.00	-6.59	3	Vertical	352	1.74	-
5300MHz	Pass	PK	10.59976G	58.67	68.20	-9.53	3	Vertical	32	2.35	-
5300MHz	Pass	PK	15.89886G	64.12	74.00	-9.88	3	Vertical	352	1.74	-
5300MHz	Pass	AV	15.90119G	52.06	54.00	-1.94	3	Horizontal	26	1.26	-
5300MHz	Pass	PK	10.59993G	59.93	68.20	-8.27	3	Horizontal	345	1.49	-
5300MHz	Pass	PK	15.90151G	70.01	74.00	-3.99	3	Horizontal	26	1.26	-
5320MHz	Pass	AV	5.3156G	108.32	Inf	-Inf	3	Vertical	52	1.90	-
5320MHz	Pass	AV	5.3554G	50.19	54.00	-3.81	3	Vertical	52	1.90	-
5320MHz	Pass	PK	5.3146G	121.66	Inf	-Inf	3	Vertical	52	1.90	-
5320MHz	Pass	PK	5.355G	65.23	74.00	-8.77	3	Vertical	52	1.90	-
5320MHz	Pass	AV	5.3158G	107.94	Inf	-Inf	3	Horizontal	342	1.75	-
5320MHz	Pass	AV	5.35G	52.47	54.00	-1.53	3	Horizontal	342	1.75	-
5320MHz	Pass	PK	5.315G	120.76	Inf	-Inf	3	Horizontal	342	1.75	-
5320MHz	Pass	PK	5.3506G	67.97	74.00	-6.03	3	Horizontal	342	1.75	-
5320MHz	Pass	AV	10.63997G	46.29	54.00	-7.71	3	Vertical	293	1.35	-
5320MHz	Pass	AV	15.96042G	46.43	54.00	-7.57	3	Vertical	349	1.49	-
5320MHz	Pass	PK	10.63987G	57.77	74.00	-16.23	3	Vertical	293	1.35	-
5320MHz	Pass	PK	15.96007G	63.37	74.00	-10.63	3	Vertical	349	1.49	-
5320MHz	Pass	AV	10.63993G	51.71	54.00	-2.29	3	Horizontal	51	1.66	-
5320MHz	Pass	AV	15.96021G	48.81	54.00	-5.19	3	Horizontal	24	1.27	-
5320MHz	Pass	PK	10.64008G	60.08	74.00	-13.92	3	Horizontal	51	1.66	-
5320MHz	Pass	PK	15.95991G	70.68	74.00	-3.32	3	Horizontal	24	1.27	-
5500MHz	Pass	AV	5.4596G	45.39	54.00	-8.61	3	Vertical	63	1.96	-
5500MHz	Pass	AV	5.4986G	106.74	Inf	-Inf	3	Vertical	63	1.96	-
5500MHz	Pass	PK	5.4696G	59.92	68.20	-8.28	3	Vertical	63	1.96	-
5500MHz	Pass	PK	5.4978G	120.24	Inf	-Inf	3	Vertical	63	1.96	-
5500MHz	Pass	AV	5.4588G	45.84	54.00	-8.16	3	Horizontal	343	1.49	-
5500MHz	Pass	AV	5.498G	108.10	Inf	-Inf	3	Horizontal	343	1.49	-
5500MHz	Pass	PK	5.468G	59.53	68.20	-8.67	3	Horizontal	343	1.49	-
5500MHz	Pass	PK	5.4968G	121.20	Inf	-Inf	3	Horizontal	343	1.49	-
5500MHz	Pass	AV	10.99981G	43.52	54.00	-10.48	3	Vertical	206	1.36	-
5500MHz	Pass	PK	10.99998G	56.71	74.00	-17.29	3	Vertical	206	1.36	-
5500MHz	Pass	PK	16.50173G	62.20	68.20	-6.00	3	Vertical	355	1.49	-
5500MHz	Pass	AV	10.99985G	46.68	54.00	-7.32	3	Horizontal	324	1.53	-
5500MHz	Pass	PK	10.9999G	58.66	74.00	-15.34	3	Horizontal	324	1.53	-
5500MHz	Pass	PK	16.49706G	67.10	68.20	-1.10	3	Horizontal	313	1.93	-
5580MHz	Pass	AV	5.4348G	44.86	54.00	-9.14	3	Vertical	50	2.59	-
5580MHz	Pass	AV	5.5818G	107.55	Inf	-Inf	3	Vertical	50	2.59	-
5580MHz	Pass	PK	5.4606G	56.47	68.20	-11.73	3	Vertical	50	2.59	-
5580MHz	Pass	PK	5.583G	120.78	Inf	-Inf	3	Vertical	50	2.59	-
5580MHz	Pass	PK	5.73G	57.87	68.20	-10.33	3	Vertical	50	2.59	-
5580MHz	Pass	AV	5.46G	45.54	54.00	-8.46	3	Horizontal	342	1.80	-
5580MHz	Pass	AV	5.5818G	109.98	Inf	-Inf	3	Horizontal	342	1.80	-
5580MHz	Pass	PK	5.4654G	57.58	68.20	-10.62	3	Horizontal	342	1.80	-
5580MHz	Pass	PK	5.5824G	123.90	Inf	-Inf	3	Horizontal	342	1.80	-
5580MHz	Pass	PK	5.7276G	57.90	68.20	-10.30	3	Horizontal	342	1.80	-
5580MHz	Pass	AV	11.15996G	42.91	54.00	-11.09	3	Vertical	6	3.00	-
5580MHz	Pass	PK	11.15985G	56.57	74.00	-17.43	3	Vertical	6	3.00	-
5580MHz	Pass	PK	16.73924G	65.56	68.20	-2.64	3	Vertical	22	2.91	-
5580MHz	Pass	AV	11.1599G	45.29	54.00	-8.71	3	Horizontal	324	1.49	-
5580MHz	Pass	PK	11.15959G	57.90	74.00	-16.10	3	Horizontal	324	1.49	-



RSE TX above 1GHz_Non-Beamforming_Radio 1

Appendix D.1

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5580MHz	Pass	PK	16.73976G	66.98	68.20	-1.22	3	Horizontal	320	2.41	-
5700MHz	Pass	AV	5.7032G	103.55	Inf	-Inf	3	Vertical	44	1.81	-
5700MHz	Pass	PK	5.7036G	115.81	Inf	-Inf	3	Vertical	44	1.81	-
5700MHz	Pass	PK	5.7252G	58.53	68.20	-9.67	3	Vertical	44	1.81	-
5700MHz	Pass	AV	5.7028G	107.56	Inf	-Inf	3	Horizontal	342	1.49	-
5700MHz	Pass	PK	5.7016G	121.09	Inf	-Inf	3	Horizontal	342	1.49	-
5700MHz	Pass	PK	5.7252G	66.95	68.20	-1.25	3	Horizontal	342	1.49	-
5700MHz	Pass	AV	11.39973G	42.61	54.00	-11.39	3	Vertical	47	2.91	-
5700MHz	Pass	PK	11.40047G	56.58	74.00	-17.42	3	Vertical	47	2.91	-
5700MHz	Pass	PK	17.10104G	62.92	68.20	-5.28	3	Vertical	39	1.48	-
5700MHz	Pass	AV	11.39983G	45.16	54.00	-8.84	3	Horizontal	343	1.61	-
5700MHz	Pass	PK	11.39751G	58.20	74.00	-15.80	3	Horizontal	343	1.61	-
5700MHz	Pass	PK	17.10008G	62.55	68.20	-5.65	3	Horizontal	178	2.07	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.4332G	44.84	54.00	-9.16	3	Vertical	59	1.77	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.7236G	108.11	Inf	-Inf	3	Vertical	59	1.77	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4608G	56.38	68.20	-11.82	3	Vertical	59	1.77	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.7164G	119.64	Inf	-Inf	3	Vertical	59	1.77	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.906G	58.73	68.20	-9.47	3	Vertical	59	1.77	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.4512G	46.12	54.00	-7.88	3	Horizontal	343	1.49	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.7224G	111.78	Inf	-Inf	3	Horizontal	343	1.49	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4656G	57.83	68.20	-10.37	3	Horizontal	343	1.49	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.7152G	124.44	Inf	-Inf	3	Horizontal	343	1.49	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.9072G	59.71	68.20	-8.49	3	Horizontal	343	1.49	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.43814G	44.16	54.00	-9.84	3	Vertical	56	1.48	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.43846G	57.58	74.00	-16.42	3	Vertical	56	1.48	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	17.16378G	62.70	68.20	-5.50	3	Vertical	118	1.30	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.43772G	49.80	54.00	-4.20	3	Horizontal	37	2.51	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.44996G	63.04	74.00	-10.96	3	Horizontal	37	2.51	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	17.15052G	67.09	68.20	-1.11	3	Horizontal	26	1.49	-
802.11ax HEW40_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-
5270MHz	Pass	AV	5.2672G	107.22	Inf	-Inf	3	Vertical	17	2.25	-
5270MHz	Pass	AV	5.35G	49.87	54.00	-4.13	3	Vertical	17	2.25	-
5270MHz	Pass	PK	5.2676G	119.65	Inf	-Inf	3	Vertical	17	2.25	-
5270MHz	Pass	PK	5.35G	62.65	74.00	-11.35	3	Vertical	17	2.25	-
5270MHz	Pass	AV	5.2712G	106.40	Inf	-Inf	3	Horizontal	341	1.85	-
5270MHz	Pass	AV	5.35G	51.47	54.00	-2.53	3	Horizontal	341	1.85	-
5270MHz	Pass	PK	5.262G	119.31	Inf	-Inf	3	Horizontal	341	1.85	-
5270MHz	Pass	PK	5.35G	64.78	74.00	-9.22	3	Horizontal	341	1.85	-
5270MHz	Pass	AV	15.7992G	44.99	54.00	-9.01	3	Vertical	132	2.00	-
5270MHz	Pass	PK	10.54013G	58.03	68.20	-10.17	3	Vertical	42	1.76	-
5270MHz	Pass	PK	15.8064G	58.29	74.00	-15.71	3	Vertical	132	2.00	-
5270MHz	Pass	AV	15.8133G	47.02	54.00	-6.98	3	Horizontal	24	1.21	-
5270MHz	Pass	PK	10.5399G	60.30	68.20	-7.90	3	Horizontal	316	1.72	-
5270MHz	Pass	PK	15.8169G	61.45	74.00	-12.55	3	Horizontal	24	1.21	-
5310MHz	Pass	AV	5.308G	103.84	Inf	-Inf	3	Vertical	40	2.58	-
5310MHz	Pass	AV	5.35G	52.19	54.00	-1.81	3	Vertical	40	2.58	-
5310MHz	Pass	PK	5.3076G	116.17	Inf	-Inf	3	Vertical	40	2.58	-
5310MHz	Pass	PK	5.3592G	65.15	74.00	-8.85	3	Vertical	40	2.58	-
5310MHz	Pass	AV	5.3112G	103.51	Inf	-Inf	3	Horizontal	339	1.71	-
5310MHz	Pass	AV	5.3508G	52.87	54.00	-1.13	3	Horizontal	339	1.71	-
5310MHz	Pass	PK	5.3128G	115.51	Inf	-Inf	3	Horizontal	339	1.71	-
5310MHz	Pass	PK	5.352G	67.02	74.00	-6.98	3	Horizontal	339	1.71	-
5310MHz	Pass	AV	10.61989G	50.39	54.00	-3.61	3	Vertical	34	2.31	-
5310MHz	Pass	AV	15.93468G	45.48	54.00	-8.52	3	Vertical	109	1.62	-
5310MHz	Pass	PK	10.61999G	58.47	74.00	-15.53	3	Vertical	34	2.31	-
5310MHz	Pass	PK	15.93684G	59.15	74.00	-14.85	3	Vertical	109	1.62	-
5310MHz	Pass	AV	10.61992G	50.67	54.00	-3.33	3	Horizontal	345	1.48	-
5310MHz	Pass	AV	15.93474G	45.67	54.00	-8.33	3	Horizontal	12	1.49	-
5310MHz	Pass	PK	10.62003G	58.38	74.00	-15.62	3	Horizontal	345	1.48	-
5310MHz	Pass	PK	15.93978G	59.00	74.00	-15.00	3	Horizontal	12	1.49	-
5510MHz	Pass	AV	5.458G	47.42	54.00	-6.58	3	Vertical	54	1.90	-
5510MHz	Pass	AV	5.5076G	102.78	Inf	-Inf	3	Vertical	54	1.90	-



RSE TX above 1GHz_Non-Beamforming_Radio 1

Appendix D.1

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5510MHz	Pass	PK	5.4692G	63.26	68.20	-4.94	3	Vertical	54	1.90	-
5510MHz	Pass	PK	5.5092G	115.05	Inf	-Inf	3	Vertical	54	1.90	-
5510MHz	Pass	AV	5.46G	48.46	54.00	-5.54	3	Horizontal	340	2.42	-
5510MHz	Pass	AV	5.514G	104.29	Inf	-Inf	3	Horizontal	340	2.42	-
5510MHz	Pass	PK	5.468G	67.28	68.20	-0.92	3	Horizontal	340	2.42	-
5510MHz	Pass	PK	5.5144G	117.41	Inf	-Inf	3	Horizontal	340	2.42	-
5510MHz	Pass	AV	11.01994G	42.90	54.00	-11.10	3	Vertical	202	1.35	-
5510MHz	Pass	PK	11.02744G	55.64	74.00	-18.36	3	Vertical	202	1.35	-
5510MHz	Pass	PK	16.521G	60.88	68.20	-7.32	3	Vertical	223	2.64	-
5510MHz	Pass	AV	11.02G	45.67	54.00	-8.33	3	Horizontal	325	1.49	-
5510MHz	Pass	PK	11.01976G	57.20	74.00	-16.80	3	Horizontal	325	1.49	-
5510MHz	Pass	PK	16.51896G	61.78	68.20	-6.42	3	Horizontal	91	1.48	-
5550MHz	Pass	AV	5.4584G	45.88	54.00	-8.12	3	Vertical	59	1.83	-
5550MHz	Pass	AV	5.5484G	105.44	Inf	-Inf	3	Vertical	59	1.83	-
5550MHz	Pass	PK	5.4696G	60.66	68.20	-7.54	3	Vertical	59	1.83	-
5550MHz	Pass	PK	5.5584G	117.52	Inf	-Inf	3	Vertical	59	1.83	-
5550MHz	Pass	AV	5.4588G	47.19	54.00	-6.81	3	Horizontal	343	1.65	-
5550MHz	Pass	AV	5.5472G	107.40	Inf	-Inf	3	Horizontal	343	1.65	-
5550MHz	Pass	PK	5.468G	63.88	68.20	-4.32	3	Horizontal	343	1.65	-
5550MHz	Pass	PK	5.5576G	120.16	Inf	-Inf	3	Horizontal	343	1.65	-
5550MHz	Pass	AV	11.09988G	42.30	54.00	-11.70	3	Vertical	319	1.91	-
5550MHz	Pass	PK	11.10408G	55.22	74.00	-18.78	3	Vertical	319	1.91	-
5550MHz	Pass	PK	16.66224G	65.14	68.20	-3.06	3	Vertical	19	2.78	-
5550MHz	Pass	AV	11.09994G	44.56	54.00	-9.44	3	Horizontal	325	1.47	-
5550MHz	Pass	PK	11.10654G	56.11	74.00	-17.89	3	Horizontal	325	1.47	-
5550MHz	Pass	PK	16.64136G	65.31	68.20	-2.89	3	Horizontal	315	1.62	-
5670MHz	Pass	AV	5.664G	101.81	Inf	-Inf	3	Vertical	50	1.94	-
5670MHz	Pass	PK	5.664G	114.27	Inf	-Inf	3	Vertical	50	1.94	-
5670MHz	Pass	PK	5.7306G	57.93	68.20	-10.27	3	Vertical	50	1.94	-
5670MHz	Pass	AV	5.6724G	105.20	Inf	-Inf	3	Horizontal	342	1.64	-
5670MHz	Pass	PK	5.6724G	118.03	Inf	-Inf	3	Horizontal	342	1.64	-
5670MHz	Pass	PK	5.7252G	65.38	68.20	-2.82	3	Horizontal	342	1.64	-
5670MHz	Pass	AV	11.33982G	42.57	54.00	-11.43	3	Vertical	12	1.49	-
5670MHz	Pass	PK	11.33876G	55.57	74.00	-18.43	3	Vertical	12	1.49	-
5670MHz	Pass	PK	17.00562G	63.26	68.20	-4.94	3	Vertical	224	2.39	-
5670MHz	Pass	AV	11.33997G	45.79	54.00	-8.21	3	Horizontal	344	1.65	-
5670MHz	Pass	PK	11.33992G	57.30	74.00	-16.70	3	Horizontal	344	1.65	-
5670MHz	Pass	PK	16.99986G	63.69	68.20	-4.51	3	Horizontal	50	1.48	-
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.4352G	45.28	54.00	-8.72	3	Vertical	51	1.82	-
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.704G	107.51	Inf	-Inf	3	Vertical	51	1.82	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.4676G	57.56	68.20	-10.64	3	Vertical	51	1.82	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.7136G	118.81	Inf	-Inf	3	Vertical	51	1.82	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.854G	59.19	68.20	-9.01	3	Vertical	51	1.82	-
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.44G	45.65	54.00	-8.35	3	Horizontal	347	1.49	-
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.704G	110.30	Inf	-Inf	3	Horizontal	347	1.49	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.4628G	57.78	68.20	-10.42	3	Horizontal	347	1.49	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.704G	121.88	Inf	-Inf	3	Horizontal	347	1.49	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.8612G	65.79	68.20	-2.41	3	Horizontal	347	1.49	-
5710MHz Straddle 5.47-5.725GHz	Pass	AV	11.41982G	43.49	54.00	-10.51	3	Vertical	56	1.48	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	11.42666G	57.76	74.00	-16.24	3	Vertical	56	1.48	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	17.1354G	64.54	68.20	-3.66	3	Vertical	0	1.50	-
5710MHz Straddle 5.47-5.725GHz	Pass	AV	11.41988G	48.96	54.00	-5.04	3	Horizontal	37	2.52	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	11.42756G	61.87	74.00	-12.13	3	Horizontal	37	2.52	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	17.13198G	67.16	68.20	-1.04	3	Horizontal	24	1.46	-
802.11ax HEW80_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-
5290MHz	Pass	AV	5.088G	45.25	54.00	-8.75	3	Vertical	13	1.95	-
5290MHz	Pass	AV	5.288G	102.11	Inf	-Inf	3	Vertical	13	1.95	-
5290MHz	Pass	AV	5.35G	50.49	54.00	-3.51	3	Vertical	13	1.95	-
5290MHz	Pass	PK	5.076G	57.25	74.00	-16.75	3	Vertical	13	1.95	-
5290MHz	Pass	PK	5.287G	113.47	Inf	-Inf	3	Vertical	13	1.95	-
5290MHz	Pass	PK	5.35G	65.50	74.00	-8.50	3	Vertical	13	1.95	-
5290MHz	Pass	AV	5.149G	44.62	54.00	-9.38	3	Horizontal	340	1.92	-




RSE TX above 1GHz_Non-Beamforming_Radio 1

Appendix D.1

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5290MHz	Pass	AV	5.291G	101.07	Inf	-Inf	3	Horizontal	340	1.92	-
5290MHz	Pass	AV	5.35G	52.56	54.00	-1.44	3	Horizontal	340	1.92	-
5290MHz	Pass	PK	5.049G	56.93	74.00	-17.07	3	Horizontal	340	1.92	-
5290MHz	Pass	PK	5.289G	113.28	Inf	-Inf	3	Horizontal	340	1.92	-
5290MHz	Pass	PK	5.35G	67.12	74.00	-6.88	3	Horizontal	340	1.92	-
5290MHz	Pass	AV	15.8712G	45.02	54.00	-8.98	3	Vertical	65	1.28	-
5290MHz	Pass	PK	10.57997G	57.77	68.20	-10.43	3	Vertical	43	1.67	-
5290MHz	Pass	PK	15.87558G	59.13	74.00	-14.87	3	Vertical	65	1.28	-
5290MHz	Pass	AV	15.88392G	45.13	54.00	-8.87	3	Horizontal	0	1.24	-
5290MHz	Pass	PK	10.57994G	58.36	68.20	-9.84	3	Horizontal	302	1.00	-
5290MHz	Pass	PK	15.88224G	58.59	74.00	-15.41	3	Horizontal	0	1.24	-
5530MHz	Pass	AV	5.46G	50.53	54.00	-3.47	3	Vertical	52	2.63	-
5530MHz	Pass	AV	5.531G	98.64	Inf	-Inf	3	Vertical	52	2.63	-
5530MHz	Pass	PK	5.462G	63.86	68.20	-4.34	3	Vertical	52	2.63	-
5530MHz	Pass	PK	5.532G	112.47	Inf	-Inf	3	Vertical	52	2.63	-
5530MHz	Pass	PK	5.734G	57.58	68.20	-10.62	3	Vertical	52	2.63	-
5530MHz	Pass	AV	5.46G	52.27	54.00	-1.73	3	Horizontal	346	1.49	-
5530MHz	Pass	AV	5.524G	100.25	Inf	-Inf	3	Horizontal	346	1.49	-
5530MHz	Pass	PK	5.47G	65.72	68.20	-2.48	3	Horizontal	346	1.49	-
5530MHz	Pass	PK	5.524G	113.18	Inf	-Inf	3	Horizontal	346	1.49	-
5530MHz	Pass	PK	5.761G	57.90	68.20	-10.30	3	Horizontal	346	1.49	-
5530MHz	Pass	AV	11.0138G	42.67	54.00	-11.33	3	Vertical	169	1.71	-
5530MHz	Pass	PK	11.0232G	56.08	74.00	-17.92	3	Vertical	169	1.71	-
5530MHz	Pass	PK	16.5562G	61.39	68.20	-6.81	3	Vertical	37	2.07	-
5530MHz	Pass	AV	11.05988G	45.06	54.00	-8.94	3	Horizontal	327	1.57	-
5530MHz	Pass	PK	11.06032G	56.12	74.00	-17.88	3	Horizontal	327	1.57	-
5530MHz	Pass	PK	16.5422G	60.59	68.20	-7.61	3	Horizontal	263	1.03	-
5610MHz	Pass	AV	5.46G	45.71	54.00	-8.29	3	Vertical	55	2.70	-
5610MHz	Pass	AV	5.612G	100.13	Inf	-Inf	3	Vertical	55	2.70	-
5610MHz	Pass	PK	5.465G	60.12	68.20	-8.08	3	Vertical	55	2.70	-
5610MHz	Pass	PK	5.613G	112.15	Inf	-Inf	3	Vertical	55	2.70	-
5610MHz	Pass	PK	5.727G	60.19	68.20	-8.01	3	Vertical	55	2.70	-
5610MHz	Pass	AV	5.454G	47.92	54.00	-6.08	3	Horizontal	344	1.57	-
5610MHz	Pass	AV	5.613G	103.14	Inf	-Inf	3	Horizontal	344	1.57	-
5610MHz	Pass	PK	5.463G	63.94	68.20	-4.26	3	Horizontal	344	1.57	-
5610MHz	Pass	PK	5.613G	114.71	Inf	-Inf	3	Horizontal	344	1.57	-
5610MHz	Pass	PK	5.727G	67.30	68.20	-0.90	3	Horizontal	344	1.57	-
5610MHz	Pass	AV	11.21604G	42.42	54.00	-11.58	3	Vertical	258	1.85	-
5610MHz	Pass	PK	11.23446G	56.17	74.00	-17.83	3	Vertical	258	1.85	-
5610MHz	Pass	PK	16.83432G	61.71	68.20	-6.49	3	Vertical	66	2.50	-
5610MHz	Pass	AV	11.21988G	45.60	54.00	-8.40	3	Horizontal	52	1.78	-
5610MHz	Pass	PK	11.22018G	56.40	74.00	-17.60	3	Horizontal	52	1.78	-
5610MHz	Pass	PK	16.84074G	62.56	68.20	-5.64	3	Horizontal	250	1.82	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.46G	44.71	54.00	-9.29	3	Vertical	53	2.43	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.678G	99.50	Inf	-Inf	3	Vertical	53	2.43	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.469G	57.96	68.20	-10.24	3	Vertical	53	2.43	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.679G	111.75	Inf	-Inf	3	Vertical	53	2.43	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.904G	58.79	68.20	-9.41	3	Vertical	53	2.43	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.459G	46.65	54.00	-7.35	3	Horizontal	344	1.57	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.688G	103.33	Inf	-Inf	3	Horizontal	344	1.57	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.464G	62.46	68.20	-5.74	3	Horizontal	344	1.57	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.689G	116.81	Inf	-Inf	3	Horizontal	344	1.57	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.852G	66.66	68.20	-1.54	3	Horizontal	344	1.57	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.3354G	42.21	54.00	-11.79	3	Vertical	248	1.46	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.369G	55.21	74.00	-18.79	3	Vertical	248	1.46	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	17.0426G	63.17	68.20	-5.03	3	Vertical	174	1.34	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.37994G	44.82	54.00	-9.18	3	Horizontal	345	1.84	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.36644G	57.35	74.00	-16.65	3	Horizontal	345	1.84	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	17.0608G	64.30	68.20	-3.90	3	Horizontal	145	1.22	-

802.11a_Nss1,(6Mbps)_2TX


5260MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1466G	45.87	54.00	-8.13	5.99	3	Vertical	19	1.91	-	39.88	31.70	8.52	34.23
AV	5.2564G	111.33	Inf	-Inf	5.53	3	Vertical	19	1.91	-	105.80	31.19	8.58	34.24
AV	5.359G	46.60	54.00	-7.40	5.40	3	Vertical	19	1.91	-	41.20	31.05	8.60	34.25
PK	5.1412G	57.82	74.00	-16.18	5.98	3	Vertical	19	1.91	-	51.84	31.70	8.51	34.23
PK	5.257G	121.66	Inf	-Inf	5.53	3	Vertical	19	1.91	-	116.13	31.19	8.58	34.24
PK	5.353G	57.80	74.00	-16.20	5.37	3	Vertical	19	1.91	-	52.43	31.02	8.60	34.25

802.11a_Nss1,(6Mbps)_2TX


5260MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1244G	44.90	54.00	-9.10	5.97	3	Horizontal	340	1.96	-	38.93	31.70	8.50	34.23
AV	5.2624G	110.29	Inf	-Inf	5.52	3	Horizontal	340	1.96	-	104.77	31.18	8.58	34.24
AV	5.359G	47.29	54.00	-6.71	5.40	3	Horizontal	340	1.96	-	41.89	31.05	8.60	34.25
PK	5.1322G	58.05	74.00	-15.95	5.98	3	Horizontal	340	1.96	-	52.07	31.70	8.51	34.23
PK	5.263G	120.34	Inf	-Inf	5.51	3	Horizontal	340	1.96	-	114.83	31.17	8.58	34.24
PK	5.3536G	58.30	74.00	-15.70	5.37	3	Horizontal	340	1.96	-	52.93	31.02	8.60	34.25

802.11a_Nss1,(6Mbps)_2TX


5260MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.78192G	46.91	54.00	-7.09	17.74	3	Vertical	331	2.90	-	29.17	37.67	14.67	34.60
PK	10.52018G	58.30	68.20	-9.90	17.43	3	Vertical	331	1.48	-	40.87	39.72	12.26	34.55
PK	15.77466G	60.13	74.00	-13.87	17.77	3	Vertical	331	2.90	-	42.36	37.70	14.66	34.59

802.11a_Nss1,(6Mbps)_2TX


5260MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.78156G	51.88	54.00	-2.12	17.74	3	Horizontal	307	1.60	-	34.14	37.67	14.67	34.60
PK	10.52G	60.48	68.20	-7.72	17.43	3	Horizontal	314	1.52	-	43.05	39.72	12.26	34.55
PK	15.78162G	65.88	74.00	-8.12	17.74	3	Horizontal	307	1.60	-	48.14	37.67	14.67	34.60

802.11a_Nss1,(6Mbps)_2TX


5300MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.2992G	110.26	Inf	-Inf	5.45	3	Vertical	13	1.57	-	104.81	31.10	8.59	34.24
AV	5.35G	47.60	54.00	-6.40	5.35	3	Vertical	13	1.57	-	42.25	31.00	8.60	34.25
PK	5.2988G	120.08	Inf	-Inf	5.45	3	Vertical	13	1.57	-	114.63	31.10	8.59	34.24
PK	5.3552G	59.15	74.00	-14.85	5.38	3	Vertical	13	1.57	-	53.77	31.03	8.60	34.25

802.11a_Nss1,(6Mbps)_2TX

5300MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3012G	110.04	Inf	-Inf	5.45	3	Horizontal	343	1.87	-	104.59	31.10	8.59	34.24
AV	5.3516G	48.62	54.00	-5.38	5.36	3	Horizontal	343	1.87	-	43.26	31.01	8.60	34.25
PK	5.3008G	119.93	Inf	-Inf	5.45	3	Horizontal	343	1.87	-	114.48	31.10	8.59	34.24
PK	5.3508G	61.42	74.00	-12.58	5.35	3	Horizontal	343	1.87	-	56.07	31.00	8.60	34.25



802.11a_Nss1,(6Mbps)_2TX


5300MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.90096G	48.55	54.00	-5.45	17.39	3	Vertical	340	2.31	-	31.16	37.40	14.70	34.71
PK	10.59976G	58.93	68.20	-9.27	17.61	3	Vertical	36	2.34	-	41.32	39.80	12.30	34.49
PK	15.89448G	62.68	74.00	-11.32	17.40	3	Vertical	340	2.31	-	45.28	37.41	14.69	34.70

802.11a_Nss1,(6Mbps)_2TX


5300MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.9024G	51.71	54.00	-2.29	17.39	3	Horizontal	27	1.48	-	34.32	37.40	14.70	34.71
PK	10.59994G	59.21	68.20	-8.99	17.61	3	Horizontal	344	1.49	-	41.60	39.80	12.30	34.49
PK	15.90204G	66.06	74.00	-7.94	17.39	3	Horizontal	27	1.48	-	48.67	37.40	14.70	34.71

802.11a_Nss1,(6Mbps)_2TX


5320MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3168G	109.68	Inf	-Inf	5.41	3	Vertical	44	2.60	-	104.27	31.07	8.59	34.25
AV	5.3518G	50.98	54.00	-3.02	5.36	3	Vertical	44	2.60	-	45.62	31.01	8.60	34.25
PK	5.317G	119.77	Inf	-Inf	5.41	3	Vertical	44	2.60	-	114.36	31.07	8.59	34.25
PK	5.351G	65.23	74.00	-8.77	5.36	3	Vertical	44	2.60	-	59.87	31.01	8.60	34.25

802.11a_Nss1,(6Mbps)_2TX


5320MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3228G	109.44	Inf	-Inf	5.39	3	Horizontal	338	2.04	-	104.05	31.05	8.59	34.25
AV	5.3518G	52.62	54.00	-1.38	5.36	3	Horizontal	338	2.04	-	47.26	31.01	8.60	34.25
PK	5.3232G	119.80	Inf	-Inf	5.39	3	Horizontal	338	2.04	-	114.41	31.05	8.59	34.25
PK	5.3502G	66.85	74.00	-7.15	5.35	3	Horizontal	338	2.04	-	61.50	31.00	8.60	34.25

802.11a_Nss1,(6Mbps)_2TX

5320MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.63994G	47.51	54.00	-6.49	17.70	3	Vertical	335	1.49	-	29.81	39.84	12.32	34.46
AV	15.9591G	47.86	54.00	-6.14	17.41	3	Vertical	339	2.29	-	30.45	37.46	14.71	34.76
PK	10.64012G	56.50	74.00	-17.50	17.70	3	Vertical	335	1.49	-	38.80	39.84	12.32	34.46
PK	15.95346G	63.28	74.00	-10.72	17.40	3	Vertical	339	2.29	-	45.88	37.45	14.71	34.76



802.11a_Nss1,(6Mbps)_2TX


5320MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.63994G	51.65	54.00	-2.35	17.70	3	Horizontal	53	1.69	-	33.95	39.84	12.32	34.46
AV	15.95898G	49.89	54.00	-4.11	17.41	3	Horizontal	26	1.48	-	32.48	37.46	14.71	34.76
PK	10.63994G	60.04	74.00	-13.96	17.70	3	Horizontal	53	1.69	-	42.34	39.84	12.32	34.46
PK	15.95772G	66.20	74.00	-7.80	17.41	3	Horizontal	26	1.48	-	48.79	37.46	14.71	34.76

802.11a_Nss1,(6Mbps)_2TX


5500MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	45.08	54.00	-8.92	6.06	3	Vertical	54	2.64	-	39.02	31.62	8.70	34.26
AV	5.5032G	107.56	Inf	-Inf	6.19	3	Vertical	54	2.64	-	101.37	31.69	8.76	34.26
PK	5.4678G	61.56	68.20	-6.64	6.09	3	Vertical	54	2.64	-	55.47	31.64	8.71	34.26
PK	5.4984G	117.23	Inf	-Inf	6.19	3	Vertical	54	2.64	-	111.04	31.70	8.75	34.26

802.11a_Nss1,(6Mbps)_2TX

5500MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	45.54	54.00	-8.46	6.06	3	Horizontal	335	1.91	-	39.48	31.62	8.70	34.26
AV	5.5026G	109.21	Inf	-Inf	6.19	3	Horizontal	335	1.91	-	103.02	31.69	8.76	34.26
PK	5.4676G	59.31	68.20	-8.89	6.09	3	Horizontal	335	1.91	-	53.22	31.64	8.71	34.26
PK	5.503G	119.95	Inf	-Inf	6.19	3	Horizontal	335	1.91	-	113.76	31.69	8.76	34.26



802.11a_Nss1,(6Mbps)_2TX


5500MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.99993G	43.04	54.00	-10.96	18.51	3	Vertical	62	2.82	-	24.53	40.20	12.50	34.19
PK	11.00013G	56.13	74.00	-17.87	18.52	3	Vertical	62	2.82	-	37.61	40.20	12.51	34.19
PK	16.4988G	61.50	68.20	-6.70	19.38	3	Vertical	219	2.26	-	42.12	38.80	14.85	34.27

802.11a_Nss1,(6Mbps)_2TX

5500MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.99993G	46.39	54.00	-7.61	18.51	3	Horizontal	322	1.60	-	27.88	40.20	12.50	34.19
PK	10.9997G	58.18	74.00	-15.82	18.51	3	Horizontal	322	1.60	-	39.67	40.20	12.50	34.19
PK	16.4979G	65.95	68.20	-2.25	19.37	3	Horizontal	319	2.53	-	46.58	38.79	14.85	34.27



802.11a_Nss1,(6Mbps)_2TX

5580MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4426G	44.78	54.00	-9.22	5.97	3	Vertical	52	2.71	-	38.81	31.56	8.67	34.26
AV	5.5788G	109.87	Inf	-Inf	6.20	3	Vertical	52	2.71	-	103.67	31.60	8.87	34.27
PK	5.4606G	56.75	68.20	-11.45	6.06	3	Vertical	52	2.71	-	50.69	31.62	8.70	34.26
PK	5.5782G	119.65	Inf	-Inf	6.20	3	Vertical	52	2.71	-	113.45	31.60	8.87	34.27
PK	5.7258G	56.26	68.20	-11.94	6.63	3	Vertical	52	2.71	-	49.63	31.90	9.01	34.28



802.11a_Nss1,(6Mbps)_2TX


5580MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4378G	45.29	54.00	-8.71	5.93	3	Horizontal	343	1.76	-	39.36	31.53	8.66	34.26
AV	5.5788G	112.02	Inf	-Inf	6.20	3	Horizontal	343	1.76	-	105.82	31.60	8.87	34.27
PK	5.4618G	56.70	68.20	-11.50	6.06	3	Horizontal	343	1.76	-	50.64	31.62	8.70	34.26
PK	5.5734G	122.26	Inf	-Inf	6.19	3	Horizontal	343	1.76	-	116.07	31.60	8.86	34.27
PK	5.727G	56.94	68.20	-11.26	6.64	3	Horizontal	343	1.76	-	50.30	31.91	9.01	34.28

802.11a_Nss1,(6Mbps)_2TX


5580MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.15982G	43.58	54.00	-10.42	18.19	3	Vertical	356	2.91	-	25.39	39.78	12.59	34.18
PK	11.15996G	56.50	74.00	-17.50	18.19	3	Vertical	356	2.91	-	38.31	39.78	12.59	34.18
PK	16.7424G	67.18	68.20	-1.02	20.61	3	Vertical	351	2.34	-	46.57	39.53	14.91	33.83

802.11a_Nss1,(6Mbps)_2TX


5580MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.15994G	45.88	54.00	-8.12	18.19	3	Horizontal	323	1.50	-	27.69	39.78	12.59	34.18
PK	11.15298G	57.47	74.00	-16.53	18.19	3	Horizontal	323	1.50	-	39.28	39.79	12.58	34.18
PK	16.73784G	67.09	68.20	-1.11	20.58	3	Horizontal	12	1.50	-	46.51	39.51	14.91	33.84

802.11a_Nss1,(6Mbps)_2TX


5700MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.6992G	104.60	Inf	-Inf	6.51	3	Vertical	51	1.95	-	98.09	31.80	8.99	34.28
PK	5.6992G	114.51	Inf	-Inf	6.51	3	Vertical	51	1.95	-	108.00	31.80	8.99	34.28
PK	5.726G	57.96	68.20	-10.24	6.63	3	Vertical	51	1.95	-	51.33	31.90	9.01	34.28

802.11a_Nss1,(6Mbps)_2TX


5700MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.6988G	108.22	Inf	-Inf	6.51	3	Horizontal	349	2.81	-	101.71	31.80	8.99	34.28
PK	5.6992G	118.33	Inf	-Inf	6.51	3	Horizontal	349	2.81	-	111.82	31.80	8.99	34.28
PK	5.7252G	64.82	68.20	-3.38	6.63	3	Horizontal	349	2.81	-	58.19	31.90	9.01	34.28

802.11a_Nss1,(6Mbps)_2TX


5700MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.3955G	42.36	54.00	-11.64	18.33	3	Vertical	145	1.62	-	24.03	39.80	12.70	34.17
PK	11.41308G	56.19	74.00	-17.81	18.37	3	Vertical	145	1.62	-	37.82	39.83	12.71	34.17
PK	17.09226G	62.29	68.20	-5.91	21.29	3	Vertical	128	1.88	-	41.00	39.62	15.00	33.33

802.11a_Nss1,(6Mbps)_2TX


5700MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.39856G	46.23	54.00	-7.77	18.34	3	Horizontal	40	2.87	-	27.89	39.80	12.71	34.17
PK	11.39436G	59.83	74.00	-14.17	18.32	3	Horizontal	40	2.87	-	41.51	39.79	12.70	34.17
PK	17.0952G	62.95	68.20	-5.25	21.28	3	Horizontal	312	2.66	-	41.67	39.61	15.00	33.33




802.11a_Nss1,(6Mbps)_2TX
5720MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4524G	45.52	54.00	-8.48	6.03	3	Vertical	55	1.91	-	39.49	31.60	8.69	34.26
AV	5.7224G	110.26	Inf	-Inf	6.62	3	Vertical	55	1.91	-	103.64	31.89	9.01	34.28
PK	5.4692G	56.31	68.20	-11.89	6.09	3	Vertical	55	1.91	-	50.22	31.64	8.71	34.26
PK	5.7236G	120.19	Inf	-Inf	6.62	3	Vertical	55	1.91	-	113.57	31.89	9.01	34.28
PK	5.9768G	59.50	68.20	-8.70	7.20	3	Vertical	55	1.91	-	52.30	32.35	9.16	34.31




802.11a_Nss1,(6Mbps)_2TX
5720MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.456G	45.63	54.00	-8.37	6.04	3	Horizontal	342	1.82	-	39.59	31.61	8.69	34.26
AV	5.7212G	113.18	Inf	-Inf	6.61	3	Horizontal	342	1.82	-	106.57	31.88	9.01	34.28
PK	5.4608G	57.42	68.20	-10.78	6.06	3	Horizontal	342	1.82	-	51.36	31.62	8.70	34.26
PK	5.7212G	122.81	Inf	-Inf	6.61	3	Horizontal	342	1.82	-	116.20	31.88	9.01	34.28
PK	5.9108G	59.41	68.20	-8.79	7.13	3	Horizontal	342	1.82	-	52.28	32.30	9.13	34.30

802.11a_Nss1,(6Mbps)_2TX
5720MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.43982G	45.20	54.00	-8.80	18.45	3	Vertical	56	1.50	-	26.75	39.88	12.73	34.16
PK	11.43898G	58.46	74.00	-15.54	18.45	3	Vertical	56	1.50	-	40.01	39.88	12.73	34.16
PK	17.15496G	63.69	68.20	-4.51	21.25	3	Vertical	0	1.49	-	42.44	39.55	15.01	33.31


802.11a_Nss1,(6Mbps)_2TX
5720MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.43994G	50.59	54.00	-3.41	18.45	3	Horizontal	41	2.52	-	32.14	39.88	12.73	34.16
PK	11.4343G	64.37	74.00	-9.63	18.43	3	Horizontal	41	2.52	-	45.94	39.87	12.72	34.16
PK	17.1483G	67.09	68.20	-1.11	21.25	3	Horizontal	27	1.49	-	45.84	39.55	15.01	33.31

802.11ax HEW20_Nss1,(MCS0)_2TX


5260MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1424G	45.47	54.00	-8.53	5.99	3	Vertical	16	2.41	-	39.48	31.70	8.52	34.23
AV	5.2618G	111.12	Inf	-Inf	5.52	3	Vertical	16	2.41	-	105.60	31.18	8.58	34.24
AV	5.3578G	46.41	54.00	-7.59	5.40	3	Vertical	16	2.41	-	41.01	31.05	8.60	34.25
PK	5.1358G	57.52	74.00	-16.48	5.98	3	Vertical	16	2.41	-	51.54	31.70	8.51	34.23
PK	5.2624G	122.79	Inf	-Inf	5.52	3	Vertical	16	2.41	-	117.27	31.18	8.58	34.24
PK	5.3596G	58.73	74.00	-15.27	5.41	3	Vertical	16	2.41	-	53.32	31.06	8.60	34.25

802.11ax HEW20_Nss1,(MCS0)_2TX


5260MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	45.05	54.00	-8.95	5.99	3	Horizontal	344	1.74	-	39.06	31.70	8.52	34.23
AV	5.257G	110.00	Inf	-Inf	5.53	3	Horizontal	344	1.74	-	104.47	31.19	8.58	34.24
AV	5.3524G	47.39	54.00	-6.61	5.36	3	Horizontal	344	1.74	-	42.03	31.01	8.60	34.25
PK	5.1172G	56.66	74.00	-17.34	5.96	3	Horizontal	344	1.74	-	50.70	31.70	8.49	34.23
PK	5.2564G	122.32	Inf	-Inf	5.53	3	Horizontal	344	1.74	-	116.79	31.19	8.58	34.24
PK	5.3626G	59.36	74.00	-14.64	5.43	3	Horizontal	344	1.74	-	53.93	31.08	8.60	34.25

802.11ax HEW20_Nss1,(MCS0)_2TX


5260MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.7814G	47.42	54.00	-6.58	17.74	3	Vertical	65	2.67	-	29.68	37.67	14.67	34.60
PK	10.52002G	59.21	68.20	-8.99	17.43	3	Vertical	40	1.40	-	41.78	39.72	12.26	34.55
PK	15.78061G	62.34	74.00	-11.66	17.75	3	Vertical	65	2.67	-	44.59	37.68	14.67	34.60

802.11ax HEW20_Nss1,(MCS0)_2TX


5260MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.78128G	52.86	54.00	-1.14	17.74	3	Horizontal	28	1.33	-	35.12	37.67	14.67	34.60
PK	10.52004G	62.99	68.20	-5.21	17.43	3	Horizontal	313	1.79	-	45.56	39.72	12.26	34.55
PK	15.78005G	68.92	74.00	-5.08	17.75	3	Horizontal	28	1.33	-	51.17	37.68	14.67	34.60

802.11ax HEW20_Nss1,(MCS0)_2TX


5300MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.2968G	109.95	Inf	-Inf	5.46	3	Vertical	16	2.34	-	104.49	31.11	8.59	34.24
AV	5.35G	48.37	54.00	-5.63	5.35	3	Vertical	16	2.34	-	43.02	31.00	8.60	34.25
PK	5.2976G	122.64	Inf	-Inf	5.45	3	Vertical	16	2.34	-	117.19	31.10	8.59	34.24
PK	5.356G	60.66	74.00	-13.34	5.39	3	Vertical	16	2.34	-	55.27	31.04	8.60	34.25

802.11ax HEW20_Nss1,(MCS0)_2TX


5300MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3012G	109.88	Inf	-Inf	5.45	3	Horizontal	341	1.60	-	104.43	31.10	8.59	34.24
AV	5.3504G	50.43	54.00	-3.57	5.35	3	Horizontal	341	1.60	-	45.08	31.00	8.60	34.25
PK	5.3008G	122.64	Inf	-Inf	5.45	3	Horizontal	341	1.60	-	117.19	31.10	8.59	34.24
PK	5.3508G	62.14	74.00	-11.86	5.35	3	Horizontal	341	1.60	-	56.79	31.00	8.60	34.25

802.11ax HEW20_Nss1,(MCS0)_2TX


5300MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.8982G	47.41	54.00	-6.59	17.39	3	Vertical	352	1.74	-	30.02	37.40	14.70	34.71
PK	10.59976G	58.67	68.20	-9.53	17.61	3	Vertical	32	2.35	-	41.06	39.80	12.30	34.49
PK	15.89886G	64.12	74.00	-9.88	17.39	3	Vertical	352	1.74	-	46.73	37.40	14.70	34.71

802.11ax HEW20_Nss1,(MCS0)_2TX


5300MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.90119G	52.06	54.00	-1.94	17.39	3	Horizontal	26	1.26	-	34.67	37.40	14.70	34.71
PK	10.59993G	59.93	68.20	-8.27	17.61	3	Horizontal	345	1.49	-	42.32	39.80	12.30	34.49
PK	15.90151G	70.01	74.00	-3.99	17.39	3	Horizontal	26	1.26	-	52.62	37.40	14.70	34.71

802.11ax HEW20_Nss1,(MCS0)_2TX


5320MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3156G	108.32	Inf	-Inf	5.41	3	Vertical	52	1.90	-	102.91	31.07	8.59	34.25
AV	5.3554G	50.19	54.00	-3.81	5.38	3	Vertical	52	1.90	-	44.81	31.03	8.60	34.25
PK	5.3146G	121.66	Inf	-Inf	5.41	3	Vertical	52	1.90	-	116.25	31.07	8.59	34.25
PK	5.355G	65.23	74.00	-8.77	5.38	3	Vertical	52	1.90	-	59.85	31.03	8.60	34.25

802.11ax HEW20_Nss1,(MCS0)_2TX


5320MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3158G	107.94	Inf	-Inf	5.41	3	Horizontal	342	1.75	-	102.53	31.07	8.59	34.25
AV	5.35G	52.47	54.00	-1.53	5.35	3	Horizontal	342	1.75	-	47.12	31.00	8.60	34.25
PK	5.315G	120.76	Inf	-Inf	5.41	3	Horizontal	342	1.75	-	115.35	31.07	8.59	34.25
PK	5.3506G	67.97	74.00	-6.03	5.35	3	Horizontal	342	1.75	-	62.62	31.00	8.60	34.25

802.11ax HEW20_Nss1,(MCS0)_2TX


5320MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.63997G	46.29	54.00	-7.71	17.70	3	Vertical	293	1.35	-	28.59	39.84	12.32	34.46
AV	15.96042G	46.43	54.00	-7.57	17.41	3	Vertical	349	1.49	-	29.02	37.46	14.71	34.76
PK	10.63987G	57.77	74.00	-16.23	17.70	3	Vertical	293	1.35	-	40.07	39.84	12.32	34.46
PK	15.96007G	63.37	74.00	-10.63	17.41	3	Vertical	349	1.49	-	45.96	37.46	14.71	34.76

802.11ax HEW20_Nss1,(MCS0)_2TX


5320MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.63993G	51.71	54.00	-2.29	17.70	3	Horizontal	51	1.66	-	34.01	39.84	12.32	34.46
AV	15.96021G	48.81	54.00	-5.19	17.41	3	Horizontal	24	1.27	-	31.40	37.46	14.71	34.76
PK	10.64008G	60.08	74.00	-13.92	17.70	3	Horizontal	51	1.66	-	42.38	39.84	12.32	34.46
PK	15.95991G	70.68	74.00	-3.32	17.41	3	Horizontal	24	1.27	-	53.27	37.46	14.71	34.76

802.11ax HEW20_Nss1,(MCS0)_2TX


5500MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4596G	45.39	54.00	-8.61	6.06	3	Vertical	63	1.96	-	39.33	31.62	8.70	34.26
AV	5.4986G	106.74	Inf	-Inf	6.19	3	Vertical	63	1.96	-	100.55	31.70	8.75	34.26
PK	5.4696G	59.92	68.20	-8.28	6.09	3	Vertical	63	1.96	-	53.83	31.64	8.71	34.26
PK	5.4978G	120.24	Inf	-Inf	6.19	3	Vertical	63	1.96	-	114.05	31.70	8.75	34.26

802.11ax HEW20_Nss1,(MCS0)_2TX


5500MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4588G	45.84	54.00	-8.16	6.06	3	Horizontal	343	1.49	-	39.78	31.62	8.70	34.26
AV	5.498G	108.10	Inf	-Inf	6.19	3	Horizontal	343	1.49	-	101.91	31.70	8.75	34.26
PK	5.468G	59.53	68.20	-8.67	6.09	3	Horizontal	343	1.49	-	53.44	31.64	8.71	34.26
PK	5.4968G	121.20	Inf	-Inf	6.18	3	Horizontal	343	1.49	-	115.02	31.69	8.75	34.26

802.11ax HEW20_Nss1,(MCS0)_2TX


5500MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.99981G	43.52	54.00	-10.48	18.51	3	Vertical	206	1.36	-	25.01	40.20	12.50	34.19
PK	10.99998G	56.71	74.00	-17.29	18.51	3	Vertical	206	1.36	-	38.20	40.20	12.50	34.19
PK	16.50173G	62.20	68.20	-6.00	19.37	3	Vertical	355	1.49	-	42.83	38.79	14.85	34.27

802.11ax HEW20_Nss1,(MCS0)_2TX


5500MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.99985G	46.68	54.00	-7.32	18.51	3	Horizontal	324	1.53	-	28.17	40.20	12.50	34.19
PK	10.9999G	58.66	74.00	-15.34	18.51	3	Horizontal	324	1.53	-	40.15	40.20	12.50	34.19
PK	16.49706G	67.10	68.20	-1.10	19.37	3	Horizontal	313	1.93	-	47.73	38.79	14.85	34.27

802.11ax HEW20_Nss1,(MCS0)_2TX


5580MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4348G	44.86	54.00	-9.14	5.92	3	Vertical	50	2.59	-	38.94	31.51	8.66	34.25
AV	5.5818G	107.55	Inf	-Inf	6.20	3	Vertical	50	2.59	-	101.35	31.60	8.87	34.27
PK	5.4606G	56.47	68.20	-11.73	6.06	3	Vertical	50	2.59	-	50.41	31.62	8.70	34.26
PK	5.583G	120.78	Inf	-Inf	6.21	3	Vertical	50	2.59	-	114.57	31.60	8.88	34.27
PK	5.73G	57.87	68.20	-10.33	6.66	3	Vertical	50	2.59	-	51.21	31.92	9.02	34.28

802.11ax HEW20_Nss1,(MCS0)_2TX


5580MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	45.54	54.00	-8.46	6.06	3	Horizontal	342	1.80	-	39.48	31.62	8.70	34.26
AV	5.5818G	109.98	Inf	-Inf	6.20	3	Horizontal	342	1.80	-	103.78	31.60	8.87	34.27
PK	5.4654G	57.58	68.20	-10.62	6.07	3	Horizontal	342	1.80	-	51.51	31.63	8.70	34.26
PK	5.5824G	123.90	Inf	-Inf	6.20	3	Horizontal	342	1.80	-	117.70	31.60	8.87	34.27
PK	5.7276G	57.90	68.20	-10.30	6.64	3	Horizontal	342	1.80	-	51.26	31.91	9.01	34.28

802.11ax HEW20_Nss1,(MCS0)_2TX


5580MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.15996G	42.91	54.00	-11.09	18.19	3	Vertical	6	3.00	-	24.72	39.78	12.59	34.18
PK	11.15985G	56.57	74.00	-17.43	18.19	3	Vertical	6	3.00	-	38.38	39.78	12.59	34.18
PK	16.73924G	65.56	68.20	-2.64	20.60	3	Vertical	22	2.91	-	44.96	39.52	14.91	33.83

802.11ax HEW20_Nss1,(MCS0)_2TX


5580MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.1599G	45.29	54.00	-8.71	18.19	3	Horizontal	324	1.49	-	27.10	39.78	12.59	34.18
PK	11.15959G	57.90	74.00	-16.10	18.19	3	Horizontal	324	1.49	-	39.71	39.78	12.59	34.18
PK	16.73976G	66.98	68.20	-1.22	20.60	3	Horizontal	320	2.41	-	46.38	39.52	14.91	33.83

802.11ax HEW20_Nss1,(MCS0)_2TX


5700MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7032G	103.55	Inf	-Inf	6.52	3	Vertical	44	1.81	-	97.03	31.81	8.99	34.28
PK	5.7036G	115.81	Inf	-Inf	6.52	3	Vertical	44	1.81	-	109.29	31.81	8.99	34.28
PK	5.7252G	58.53	68.20	-9.67	6.63	3	Vertical	44	1.81	-	51.90	31.90	9.01	34.28

802.11ax HEW20_Nss1,(MCS0)_2TX


5700MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7028G	107.56	Inf	-Inf	6.52	3	Horizontal	342	1.49	-	101.04	31.81	8.99	34.28
PK	5.7016G	121.09	Inf	-Inf	6.52	3	Horizontal	342	1.49	-	114.57	31.81	8.99	34.28
PK	5.7252G	66.95	68.20	-1.25	6.63	3	Horizontal	342	1.49	-	60.32	31.90	9.01	34.28

802.11ax HEW20_Nss1,(MCS0)_2TX


5700MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.39973G	42.61	54.00	-11.39	18.34	3	Vertical	47	2.91	-	24.27	39.80	12.71	34.17
PK	11.40047G	56.58	74.00	-17.42	18.34	3	Vertical	47	2.91	-	38.24	39.80	12.71	34.17
PK	17.10104G	62.92	68.20	-5.28	21.27	3	Vertical	39	1.48	-	41.65	39.60	15.00	33.33

802.11ax HEW20_Nss1,(MCS0)_2TX


5700MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.39983G	45.16	54.00	-8.84	18.34	3	Horizontal	343	1.61	-	26.82	39.80	12.71	34.17
PK	11.39751G	58.20	74.00	-15.80	18.34	3	Horizontal	343	1.61	-	39.86	39.80	12.71	34.17
PK	17.10008G	62.55	68.20	-5.65	21.27	3	Horizontal	178	2.07	-	41.28	39.60	15.00	33.33




802.11ax HEW20_Nss1,(MCS0)_2TX
5720MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4332G	44.84	54.00	-9.16	5.91	3	Vertical	59	1.77	-	38.93	31.50	8.66	34.25
AV	5.7236G	108.11	Inf	-Inf	6.62	3	Vertical	59	1.77	-	101.49	31.89	9.01	34.28
PK	5.4608G	56.38	68.20	-11.82	6.06	3	Vertical	59	1.77	-	50.32	31.62	8.70	34.26
PK	5.7164G	119.64	Inf	-Inf	6.59	3	Vertical	59	1.77	-	113.05	31.87	9.00	34.28
PK	5.906G	58.73	68.20	-9.47	7.13	3	Vertical	59	1.77	-	51.60	32.30	9.13	34.30




802.11ax HEW20_Nss1,(MCS0)_2TX
5720MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4512G	46.12	54.00	-7.88	6.02	3	Horizontal	343	1.49	-	40.10	31.60	8.68	34.26
AV	5.7224G	111.78	Inf	-Inf	6.62	3	Horizontal	343	1.49	-	105.16	31.89	9.01	34.28
PK	5.4656G	57.83	68.20	-10.37	6.08	3	Horizontal	343	1.49	-	51.75	31.63	8.71	34.26
PK	5.7152G	124.44	Inf	-Inf	6.58	3	Horizontal	343	1.49	-	117.86	31.86	9.00	34.28
PK	5.9072G	59.71	68.20	-8.49	7.13	3	Horizontal	343	1.49	-	52.58	32.30	9.13	34.30


802.11ax HEW20_Nss1,(MCS0)_2TX
5720MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.43814G	44.16	54.00	-9.84	18.45	3	Vertical	56	1.48	-	25.71	39.88	12.73	34.16
PK	11.43846G	57.58	74.00	-16.42	18.45	3	Vertical	56	1.48	-	39.13	39.88	12.73	34.16
PK	17.16378G	62.70	68.20	-5.50	21.26	3	Vertical	118	1.30	-	41.44	39.54	15.02	33.30




802.11ax HEW20_Nss1,(MCS0)_2TX
5720MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.43772G	49.80	54.00	-4.20	18.45	3	Horizontal	37	2.51	-	31.35	39.88	12.73	34.16
PK	11.44996G	63.04	74.00	-10.96	18.47	3	Horizontal	37	2.51	-	44.57	39.90	12.73	34.16
PK	17.15052G	67.09	68.20	-1.11	21.25	3	Horizontal	26	1.49	-	45.84	39.55	15.01	33.31

802.11ax HEW40_Nss1,(MCS0)_2TX


5270MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.2672G	107.22	Inf	-Inf	5.51	3	Vertical	17	2.25	-	101.71	31.17	8.58	34.24
AV	5.35G	49.87	54.00	-4.13	5.35	3	Vertical	17	2.25	-	44.52	31.00	8.60	34.25
PK	5.2676G	119.65	Inf	-Inf	5.50	3	Vertical	17	2.25	-	114.15	31.16	8.58	34.24
PK	5.35G	62.65	74.00	-11.35	5.35	3	Vertical	17	2.25	-	57.30	31.00	8.60	34.25

802.11ax HEW40_Nss1,(MCS0)_2TX


5270MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.2712G	106.40	Inf	-Inf	5.50	3	Horizontal	341	1.85	-	100.90	31.16	8.58	34.24
AV	5.35G	51.47	54.00	-2.53	5.35	3	Horizontal	341	1.85	-	46.12	31.00	8.60	34.25
PK	5.262G	119.31	Inf	-Inf	5.52	3	Horizontal	341	1.85	-	113.79	31.18	8.58	34.24
PK	5.35G	64.78	74.00	-9.22	5.35	3	Horizontal	341	1.85	-	59.43	31.00	8.60	34.25

802.11ax HEW40_Nss1,(MCS0)_2TX

5270MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.7992G	44.99	54.00	-9.01	17.65	3	Vertical	132	2.00	-	27.34	37.60	14.67	34.62
PK	10.54013G	58.03	68.20	-10.17	17.47	3	Vertical	42	1.76	-	40.56	39.74	12.27	34.54
PK	15.8064G	58.29	74.00	-15.71	17.64	3	Vertical	132	2.00	-	40.65	37.59	14.67	34.62



802.11ax HEW40_Nss1,(MCS0)_2TX


5270MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.8133G	47.02	54.00	-6.98	17.61	3	Horizontal	24	1.21	-	29.41	37.57	14.67	34.63
PK	10.5399G	60.30	68.20	-7.90	17.47	3	Horizontal	316	1.72	-	42.83	39.74	12.27	34.54
PK	15.8169G	61.45	74.00	-12.55	17.62	3	Horizontal	24	1.21	-	43.83	37.57	14.68	34.63

802.11ax HEW40_Nss1,(MCS0)_2TX


5310MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.308G	103.84	Inf	-Inf	5.43	3	Vertical	40	2.58	-	98.41	31.08	8.59	34.24
AV	5.35G	52.19	54.00	-1.81	5.35	3	Vertical	40	2.58	-	46.84	31.00	8.60	34.25
PK	5.3076G	116.17	Inf	-Inf	5.43	3	Vertical	40	2.58	-	110.74	31.08	8.59	34.24
PK	5.3592G	65.15	74.00	-8.85	5.41	3	Vertical	40	2.58	-	59.74	31.06	8.60	34.25

802.11ax HEW40_Nss1,(MCS0)_2TX


5310MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3112G	103.51	Inf	-Inf	5.43	3	Horizontal	339	1.71	-	98.08	31.08	8.59	34.24
AV	5.3508G	52.87	54.00	-1.13	5.35	3	Horizontal	339	1.71	-	47.52	31.00	8.60	34.25
PK	5.3128G	115.51	Inf	-Inf	5.41	3	Horizontal	339	1.71	-	110.10	31.07	8.59	34.25
PK	5.352G	67.02	74.00	-6.98	5.36	3	Horizontal	339	1.71	-	61.66	31.01	8.60	34.25

802.11ax HEW40_Nss1,(MCS0)_2TX


5310MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.61989G	50.39	54.00	-3.61	17.65	3	Vertical	34	2.31	-	32.74	39.82	12.31	34.48
AV	15.93468G	45.48	54.00	-8.52	17.39	3	Vertical	109	1.62	-	28.09	37.43	14.70	34.74
PK	10.61999G	58.47	74.00	-15.53	17.65	3	Vertical	34	2.31	-	40.82	39.82	12.31	34.48
PK	15.93684G	59.15	74.00	-14.85	17.40	3	Vertical	109	1.62	-	41.75	37.44	14.70	34.74

802.11ax HEW40_Nss1,(MCS0)_2TX


5310MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.61992G	50.67	54.00	-3.33	17.65	3	Horizontal	345	1.48	-	33.02	39.82	12.31	34.48
AV	15.93474G	45.67	54.00	-8.33	17.39	3	Horizontal	12	1.49	-	28.28	37.43	14.70	34.74
PK	10.62003G	58.38	74.00	-15.62	17.65	3	Horizontal	345	1.48	-	40.73	39.82	12.31	34.48
PK	15.93978G	59.00	74.00	-15.00	17.41	3	Horizontal	12	1.49	-	41.59	37.44	14.71	34.74

802.11ax HEW40_Nss1,(MCS0)_2TX


5510MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.458G	47.42	54.00	-6.58	6.05	3	Vertical	54	1.90	-	41.37	31.62	8.69	34.26
AV	5.5076G	102.78	Inf	-Inf	6.19	3	Vertical	54	1.90	-	96.59	31.68	8.77	34.26
PK	5.4692G	63.26	68.20	-4.94	6.09	3	Vertical	54	1.90	-	57.17	31.64	8.71	34.26
PK	5.5092G	115.05	Inf	-Inf	6.19	3	Vertical	54	1.90	-	108.86	31.68	8.77	34.26

802.11ax HEW40_Nss1,(MCS0)_2TX


5510MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	48.46	54.00	-5.54	6.06	3	Horizontal	340	2.42	-	42.40	31.62	8.70	34.26
AV	5.514G	104.29	Inf	-Inf	6.19	3	Horizontal	340	2.42	-	98.10	31.67	8.78	34.26
PK	5.468G	67.28	68.20	-0.92	6.09	3	Horizontal	340	2.42	-	61.19	31.64	8.71	34.26
PK	5.5144G	111.41	Inf	-Inf	6.19	3	Horizontal	340	2.42	-	111.22	31.67	8.78	34.26

802.11ax HEW40_Nss1,(MCS0)_2TX


5510MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.01994G	42.90	54.00	-11.10	18.47	3	Vertical	202	1.35	-	24.43	40.14	12.52	34.19
PK	11.02744G	55.64	74.00	-18.36	18.45	3	Vertical	202	1.35	-	37.19	40.12	12.52	34.19
PK	16.521G	60.88	68.20	-7.32	19.36	3	Vertical	223	2.64	-	41.52	38.74	14.85	34.23

802.11ax HEW40_Nss1,(MCS0)_2TX


5510MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.02G	45.67	54.00	-8.33	18.47	3	Horizontal	325	1.49	-	27.20	40.14	12.52	34.19
PK	11.01976G	57.20	74.00	-16.80	18.46	3	Horizontal	325	1.49	-	38.74	40.14	12.51	34.19
PK	16.51896G	61.78	68.20	-6.42	19.35	3	Horizontal	91	1.48	-	42.43	38.74	14.85	34.24

802.11ax HEW40_Nss1,(MCS0)_2TX


5550MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4584G	45.88	54.00	-8.12	6.05	3	Vertical	59	1.83	-	39.83	31.62	8.69	34.26
AV	5.5484G	105.44	Inf	-Inf	6.17	3	Vertical	59	1.83	-	99.27	31.60	8.83	34.26
PK	5.4696G	60.66	68.20	-7.54	6.09	3	Vertical	59	1.83	-	54.57	31.64	8.71	34.26
PK	5.5584G	117.52	Inf	-Inf	6.17	3	Vertical	59	1.83	-	111.35	31.60	8.84	34.27

802.11ax HEW40_Nss1,(MCS0)_2TX


5550MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4588G	47.19	54.00	-6.81	6.06	3	Horizontal	343	1.65	-	41.13	31.62	8.70	34.26
AV	5.5472G	107.40	Inf	-Inf	6.17	3	Horizontal	343	1.65	-	101.23	31.61	8.82	34.26
PK	5.468G	63.88	68.20	-4.32	6.09	3	Horizontal	343	1.65	-	57.79	31.64	8.71	34.26
PK	5.5576G	120.16	Inf	-Inf	6.17	3	Horizontal	343	1.65	-	113.99	31.60	8.84	34.27

802.11ax HEW40_Nss1,(MCS0)_2TX


5550MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.09988G	42.30	54.00	-11.70	18.28	3	Vertical	319	1.91	-	24.02	39.90	12.56	34.18
PK	11.10408G	55.22	74.00	-18.78	18.27	3	Vertical	319	1.91	-	36.95	39.89	12.56	34.18
PK	16.66224G	65.14	68.20	-3.06	19.98	3	Vertical	19	2.78	-	45.16	39.06	14.89	33.97

802.11ax HEW40_Nss1,(MCS0)_2TX


5550MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.09994G	44.56	54.00	-9.44	18.28	3	Horizontal	325	1.47	-	26.28	39.90	12.56	34.18
PK	11.10654G	56.11	74.00	-17.89	18.27	3	Horizontal	325	1.47	-	37.84	39.89	12.56	34.18
PK	16.64136G	65.31	68.20	-2.89	19.74	3	Horizontal	315	1.62	-	45.57	38.87	14.88	34.01

802.11ax HEW40_Nss1,(MCS0)_2TX


5670MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.664G	101.81	Inf	-Inf	6.41	3	Vertical	50	1.94	-	95.40	31.73	8.96	34.28
PK	5.664G	114.27	Inf	-Inf	6.41	3	Vertical	50	1.94	-	107.86	31.73	8.96	34.28
PK	5.7306G	57.93	68.20	-10.27	6.66	3	Vertical	50	1.94	-	51.27	31.92	9.02	34.28

802.11ax HEW40_Nss1,(MCS0)_2TX


5670MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.6724G	105.20	Inf	-Inf	6.43	3	Horizontal	342	1.64	-	98.77	31.74	8.97	34.28
PK	5.6724G	118.03	Inf	-Inf	6.43	3	Horizontal	342	1.64	-	111.60	31.74	8.97	34.28
PK	5.7252G	65.38	68.20	-2.82	6.63	3	Horizontal	342	1.64	-	58.75	31.90	9.01	34.28

802.11ax HEW40_Nss1,(MCS0)_2TX


5670MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.33982G	42.57	54.00	-11.43	18.25	3	Vertical	12	1.49	-	24.32	39.74	12.68	34.17
PK	11.33876G	55.57	74.00	-18.43	18.25	3	Vertical	12	1.49	-	37.32	39.74	12.68	34.17
PK	17.00562G	63.26	68.20	-4.94	21.41	3	Vertical	224	2.39	-	41.85	39.79	14.98	33.36


802.11ax HEW40_Nss1,(MCS0)_2TX

5670MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.33997G	45.79	54.00	-8.21	18.25	3	Horizontal	344	1.65	-	27.54	39.74	12.68	34.17
PK	11.33992G	57.30	74.00	-16.70	18.25	3	Horizontal	344	1.65	-	39.05	39.74	12.68	34.17
PK	16.99986G	63.69	68.20	-4.51	21.41	3	Horizontal	50	1.48	-	42.28	39.80	14.97	33.36

802.11ax HEW40_Nss1,(MCS0)_2TX
5710MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4352G	45.28	54.00	-8.72	5.92	3	Vertical	51	1.82	-	39.36	31.51	8.66	34.25
AV	5.704G	107.51	Inf	-Inf	6.53	3	Vertical	51	1.82	-	100.98	31.82	8.99	34.28
PK	5.4676G	57.56	68.20	-10.64	6.09	3	Vertical	51	1.82	-	51.47	31.64	8.71	34.26
PK	5.7136G	118.81	Inf	-Inf	6.57	3	Vertical	51	1.82	-	112.24	31.85	9.00	34.28
PK	5.854G	59.19	68.20	-9.01	7.01	3	Vertical	51	1.82	-	52.18	32.21	9.10	34.30

802.11ax HEW40_Nss1,(MCS0)_2TX
5710MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.44G	45.65	54.00	-8.35	5.95	3	Horizontal	347	1.49	-	39.70	31.54	8.67	34.26
AV	5.704G	110.30	Inf	-Inf	6.53	3	Horizontal	347	1.49	-	103.77	31.82	8.99	34.28
PK	5.4628G	57.78	68.20	-10.42	6.07	3	Horizontal	347	1.49	-	51.71	31.63	8.70	34.26
PK	5.704G	121.88	Inf	-Inf	6.53	3	Horizontal	347	1.49	-	115.35	31.82	8.99	34.28
PK	5.8612G	65.79	68.20	-2.41	7.03	3	Horizontal	347	1.49	-	58.76	32.22	9.11	34.30


802.11ax HEW40_Nss1,(MCS0)_2TX
5710MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.41982G	43.49	54.00	-10.51	18.40	3	Vertical	56	1.48	-	25.09	39.84	12.72	34.16
PK	11.42666G	57.76	74.00	-16.24	18.41	3	Vertical	56	1.48	-	39.35	39.85	12.72	34.16
PK	17.1354G	64.54	68.20	-3.66	21.26	3	Vertical	0	1.50	-	43.28	39.56	15.01	33.31




802.11ax HEW40_Nss1,(MCS0)_2TX
5710MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.41988G	48.96	54.00	-5.04	18.40	3	Horizontal	37	2.52	-	30.56	39.84	12.72	34.16
PK	11.42756G	61.87	74.00	-12.13	18.42	3	Horizontal	37	2.52	-	43.45	39.86	12.72	34.16
PK	17.13198G	67.16	68.20	-1.04	21.26	3	Horizontal	24	1.46	-	45.90	39.57	15.01	33.32

802.11ax HEW80_Nss1,(MCS0)_2TX


5290MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.088G	45.25	54.00	-8.75	5.88	3	Vertical	13	1.95	-	39.37	31.65	8.46	34.23
AV	5.288G	102.11	Inf	-Inf	5.47	3	Vertical	13	1.95	-	96.64	31.12	8.59	34.24
AV	5.35G	50.49	54.00	-3.51	5.35	3	Vertical	13	1.95	-	45.14	31.00	8.60	34.25
PK	5.076G	57.25	74.00	-16.75	5.82	3	Vertical	13	1.95	-	51.43	31.60	8.45	34.23
PK	5.287G	113.47	Inf	-Inf	5.48	3	Vertical	13	1.95	-	107.99	31.13	8.59	34.24
PK	5.35G	65.50	74.00	-8.50	5.35	3	Vertical	13	1.95	-	60.15	31.00	8.60	34.25

802.11ax HEW80_Nss1,(MCS0)_2TX


5290MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.149G	44.62	54.00	-9.38	5.99	3	Horizontal	340	1.92	-	38.63	31.70	8.52	34.23
AV	5.291G	101.07	Inf	-Inf	5.47	3	Horizontal	340	1.92	-	95.60	31.12	8.59	34.24
AV	5.35G	52.56	54.00	-1.44	5.35	3	Horizontal	340	1.92	-	47.21	31.00	8.60	34.25
PK	5.049G	56.93	74.00	-17.07	5.71	3	Horizontal	340	1.92	-	51.22	31.50	8.43	34.22
PK	5.289G	113.28	Inf	-Inf	5.47	3	Horizontal	340	1.92	-	107.81	31.12	8.59	34.24
PK	5.35G	67.12	74.00	-6.88	5.35	3	Horizontal	340	1.92	-	61.77	31.00	8.60	34.25

802.11ax HEW80_Nss1,(MCS0)_2TX


5290MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	15.8712G	45.02	54.00	-8.98	17.47	3	Vertical	65	1.28	-	27.55	37.46	14.69	34.68
PK	10.57997G	57.77	68.20	-10.43	17.56	3	Vertical	43	1.67	-	40.21	39.78	12.29	34.51
PK	15.87558G	59.13	74.00	-14.87	17.45	3	Vertical	65	1.28	-	41.68	37.45	14.69	34.69

802.11ax HEW80_Nss1,(MCS0)_2TX


5290MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.88392G	45.13	54.00	-8.87	17.43	3	Horizontal	0	1.24	-	27.70	37.43	14.69	34.69
PK	10.57994G	58.36	68.20	-9.84	17.56	3	Horizontal	302	1.00	-	40.80	39.78	12.29	34.51
PK	15.88224G	58.59	74.00	-15.41	17.44	3	Horizontal	0	1.24	-	41.15	37.44	14.69	34.69

802.11ax HEW80_Nss1,(MCS0)_2TX

5530MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	50.53	54.00	-3.47	6.06	3	Vertical	52	2.63	-	44.47	31.62	8.70	34.26
AV	5.531G	98.64	Inf	-Inf	6.18	3	Vertical	52	2.63	-	92.46	31.64	8.80	34.26
PK	5.462G	63.86	68.20	-4.34	6.06	3	Vertical	52	2.63	-	57.80	31.62	8.70	34.26
PK	5.532G	112.47	Inf	-Inf	6.18	3	Vertical	52	2.63	-	106.29	31.64	8.80	34.26
PK	5.734G	57.58	68.20	-10.62	6.68	3	Vertical	52	2.63	-	50.90	31.94	9.02	34.28



802.11ax HEW80_Nss1,(MCS0)_2TX


5530MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	52.27	54.00	-1.73	6.06	3	Horizontal	346	1.49	-	46.21	31.62	8.70	34.26
AV	5.524G	100.25	Inf	-Inf	6.18	3	Horizontal	346	1.49	-	94.07	31.65	8.79	34.26
PK	5.47G	65.72	68.20	-2.48	6.09	3	Horizontal	346	1.49	-	59.63	31.64	8.71	34.26
PK	5.524G	113.18	Inf	-Inf	6.18	3	Horizontal	346	1.49	-	107.00	31.65	8.79	34.26
PK	5.761G	57.90	68.20	-10.30	6.75	3	Horizontal	346	1.49	-	51.15	32.00	9.04	34.29

802.11ax HEW80_Nss1,(MCS0)_2TX


5530MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.0138G	42.67	54.00	-11.33	18.48	3	Vertical	169	1.71	-	24.19	40.16	12.51	34.19
PK	11.0232G	56.08	74.00	-17.92	18.46	3	Vertical	169	1.71	-	37.62	40.13	12.52	34.19
PK	16.5562G	61.39	68.20	-6.81	19.32	3	Vertical	37	2.07	-	42.07	38.63	14.86	34.17

802.11ax HEW80_Nss1,(MCS0)_2TX


5530MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.05988G	45.06	54.00	-8.94	18.37	3	Horizontal	327	1.57	-	26.69	40.02	12.54	34.19
PK	11.06032G	56.12	74.00	-17.88	18.37	3	Horizontal	327	1.57	-	37.75	40.02	12.54	34.19
PK	16.5422G	60.59	68.20	-7.61	19.34	3	Horizontal	263	1.03	-	41.25	38.67	14.86	34.19

802.11ax HEW80_Nss1,(MCS0)_2TX


5610MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	45.71	54.00	-8.29	6.06	3	Vertical	55	2.70	-	39.65	31.62	8.70	34.26
AV	5.612G	100.13	Inf	-Inf	6.26	3	Vertical	55	2.70	-	93.87	31.62	8.91	34.27
PK	5.465G	60.12	68.20	-8.08	6.07	3	Vertical	55	2.70	-	54.05	31.63	8.70	34.26
PK	5.613G	112.15	Inf	-Inf	6.27	3	Vertical	55	2.70	-	105.88	31.63	8.91	34.27
PK	5.727G	60.19	68.20	-8.01	6.64	3	Vertical	55	2.70	-	53.55	31.91	9.01	34.28

802.11ax HEW80_Nss1,(MCS0)_2TX


5610MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.454G	47.92	54.00	-6.08	6.04	3	Horizontal	344	1.57	-	41.88	31.61	8.69	34.26
AV	5.613G	103.14	Inf	-Inf	6.27	3	Horizontal	344	1.57	-	96.87	31.63	8.91	34.27
PK	5.463G	63.94	68.20	-4.26	6.07	3	Horizontal	344	1.57	-	57.87	31.63	8.70	34.26
PK	5.613G	114.71	Inf	-Inf	6.27	3	Horizontal	344	1.57	-	108.44	31.63	8.91	34.27
PK	5.727G	67.30	68.20	-0.90	6.64	3	Horizontal	344	1.57	-	60.66	31.91	9.01	34.28

802.11ax HEW80_Nss1,(MCS0)_2TX


5610MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.21604G	42.42	54.00	-11.58	18.13	3	Vertical	258	1.85	-	24.29	39.70	12.61	34.18
PK	11.23446G	56.17	74.00	-17.83	18.14	3	Vertical	258	1.85	-	38.03	39.70	12.62	34.18
PK	16.83432G	61.71	68.20	-6.49	20.90	3	Vertical	66	2.50	-	40.81	39.63	14.93	33.66

802.11ax HEW80_Nss1,(MCS0)_2TX


5610MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.21988G	45.60	54.00	-8.40	18.14	3	Horizontal	52	1.78	-	27.46	39.70	12.62	34.18
PK	11.22018G	56.40	74.00	-17.60	18.14	3	Horizontal	52	1.78	-	38.26	39.70	12.62	34.18
PK	16.84074G	62.56	68.20	-5.64	20.90	3	Horizontal	250	1.82	-	41.66	39.62	14.93	33.65


802.11ax HEW80_Nss1,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	44.71	54.00	-9.29	6.06	3	Vertical	53	2.43	-	38.65	31.62	8.70	34.26
AV	5.678G	99.50	Inf	-Inf	6.45	3	Vertical	53	2.43	-	93.05	31.76	8.97	34.28
PK	5.469G	57.96	68.20	-10.24	6.09	3	Vertical	53	2.43	-	51.87	31.64	8.71	34.26
PK	5.679G	111.75	Inf	-Inf	6.45	3	Vertical	53	2.43	-	105.30	31.76	8.97	34.28
PK	5.904G	58.79	68.20	-9.41	7.13	3	Vertical	53	2.43	-	51.66	32.30	9.13	34.30


802.11ax HEW80_Nss1,(MCS0)_2TX
5690MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.459G	46.65	54.00	-7.35	6.06	3	Horizontal	344	1.57	-	40.59	31.62	8.70	34.26
AV	5.688G	103.33	Inf	-Inf	6.48	3	Horizontal	344	1.57	-	96.85	31.78	8.98	34.28
PK	5.464G	62.46	68.20	-5.74	6.07	3	Horizontal	344	1.57	-	56.39	31.63	8.70	34.26
PK	5.689G	116.81	Inf	-Inf	6.48	3	Horizontal	344	1.57	-	110.33	31.78	8.98	34.28
PK	5.852G	66.66	68.20	-1.54	7.00	3	Horizontal	344	1.57	-	59.66	32.20	9.10	34.30




802.11ax HEW80_Nss1,(MCS0)_2TX
5690MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.3354G	42.21	54.00	-11.79	18.24	3	Vertical	248	1.46	-	23.97	39.74	12.67	34.17
PK	11.369G	55.21	74.00	-18.79	18.29	3	Vertical	248	1.46	-	36.92	39.77	12.69	34.17
PK	17.0426G	63.17	68.20	-5.03	21.35	3	Vertical	174	1.34	-	41.82	39.71	14.99	33.35

802.11ax HEW80_Nss1,(MCS0)_2TX
5690MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.37994G	44.82	54.00	-9.18	18.31	3	Horizontal	345	1.84	-	26.51	39.78	12.70	34.17
PK	11.36644G	57.35	74.00	-16.65	18.29	3	Horizontal	345	1.84	-	39.06	39.77	12.69	34.17
PK	17.0608G	64.30	68.20	-3.90	21.33	3	Horizontal	145	1.22	-	42.97	39.68	14.99	33.34



Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_1TX	Pass	AV	5.35G	53.17	54.00	-0.83	3	Vertical	332	1.99	-
802.11ac VHT20_Nss1,(MCS0)_1TX	Pass	AV	5.35G	53.95	54.00	-0.05	3	Vertical	329	1.91	-
802.11ac VHT40_Nss1,(MCS0)_1TX	Pass	AV	5.35G	52.55	54.00	-1.45	3	Vertical	337	1.94	-
802.11ac VHT80_Nss1,(MCS0)_1TX	Pass	AV	5.35G	52.78	54.00	-1.22	3	Vertical	327	1.96	-
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_1TX	Pass	PK	5.47G	67.04	68.20	-1.16	3	Vertical	346	2.03	-
802.11ac VHT20_Nss1,(MCS0)_1TX	Pass	PK	5.4694G	65.80	68.20	-2.40	3	Vertical	343	1.82	-
802.11ac VHT40_Nss1,(MCS0)_1TX	Pass	PK	5.4688G	67.20	68.20	-1.00	3	Vertical	346	1.91	-
802.11ac VHT80_Nss1,(MCS0)_1TX	Pass	PK	5.47G	67.22	68.20	-0.98	3	Vertical	343	1.74	-



Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
802.11a_Nss1_(6Mbps)_1TX	-	-	-	-	-	-	-	-	-	-	-
5260MHz	Pass	AV	5.1382G	46.53	54.00	-7.47	3	Vertical	335	2.02	-
5260MHz	Pass	AV	5.2666G	104.29	Inf	-Inf	3	Vertical	335	2.02	-
5260MHz	Pass	AV	5.3836G	49.16	54.00	-4.84	3	Vertical	335	2.02	-
5260MHz	Pass	PK	5.1496G	58.47	74.00	-15.53	3	Vertical	335	2.02	-
5260MHz	Pass	PK	5.2582G	114.18	Inf	-Inf	3	Vertical	335	2.02	-
5260MHz	Pass	PK	5.3776G	60.85	74.00	-13.15	3	Vertical	335	2.02	-
5260MHz	Pass	AV	5.146G	45.52	54.00	-8.48	3	Horizontal	47	1.40	-
5260MHz	Pass	AV	5.266G	98.53	Inf	-Inf	3	Horizontal	47	1.40	-
5260MHz	Pass	AV	5.3824G	45.62	54.00	-8.38	3	Horizontal	47	1.40	-
5260MHz	Pass	PK	5.1496G	57.13	74.00	-16.87	3	Horizontal	47	1.40	-
5260MHz	Pass	PK	5.2618G	108.76	Inf	-Inf	3	Horizontal	47	1.40	-
5260MHz	Pass	PK	5.3788G	57.86	74.00	-16.14	3	Horizontal	47	1.40	-
5260MHz	Pass	PK	10.5112G	55.57	68.20	-12.63	3	Vertical	240	1.12	-
5260MHz	Pass	PK	10.51312G	55.83	68.20	-12.37	3	Horizontal	208	1.86	-
5300MHz	Pass	AV	5.3048G	105.84	Inf	-Inf	3	Vertical	331	1.95	-
5300MHz	Pass	AV	5.386G	48.17	54.00	-5.83	3	Vertical	331	1.95	-
5300MHz	Pass	PK	5.306G	116.00	Inf	-Inf	3	Vertical	331	1.95	-
5300MHz	Pass	PK	5.3876G	60.12	74.00	-13.88	3	Vertical	331	1.95	-
5300MHz	Pass	AV	5.3012G	99.58	Inf	-Inf	3	Horizontal	48	1.63	-
5300MHz	Pass	AV	5.3872G	45.35	54.00	-8.65	3	Horizontal	48	1.63	-
5300MHz	Pass	PK	5.2976G	110.14	Inf	-Inf	3	Horizontal	48	1.63	-
5300MHz	Pass	PK	5.3976G	57.98	74.00	-16.02	3	Horizontal	48	1.63	-
5300MHz	Pass	AV	10.60352G	42.45	54.00	-11.55	3	Vertical	69	2.17	-
5300MHz	Pass	PK	10.60296G	55.37	74.00	-18.63	3	Vertical	69	2.17	-
5300MHz	Pass	AV	10.60652G	42.28	54.00	-11.72	3	Horizontal	118	1.20	-
5300MHz	Pass	PK	10.60288G	55.62	74.00	-18.38	3	Horizontal	118	1.20	-
5320MHz	Pass	AV	5.3268G	104.34	Inf	-Inf	3	Vertical	332	1.99	-
5320MHz	Pass	AV	5.35G	53.17	54.00	-0.83	3	Vertical	332	1.99	-
5320MHz	Pass	PK	5.3266G	114.33	Inf	-Inf	3	Vertical	332	1.99	-
5320MHz	Pass	PK	5.351G	67.58	74.00	-6.42	3	Vertical	332	1.99	-
5320MHz	Pass	AV	5.326G	97.07	Inf	-Inf	3	Horizontal	45	2.40	-
5320MHz	Pass	AV	5.3502G	47.52	54.00	-6.48	3	Horizontal	45	2.40	-
5320MHz	Pass	PK	5.319G	107.03	Inf	-Inf	3	Horizontal	45	2.40	-
5320MHz	Pass	PK	5.3506G	61.13	74.00	-12.87	3	Horizontal	45	2.40	-
5320MHz	Pass	AV	10.63996G	42.60	54.00	-11.40	3	Vertical	224	1.02	-
5320MHz	Pass	PK	10.63428G	55.38	74.00	-18.62	3	Vertical	224	1.02	-
5320MHz	Pass	AV	10.64124G	42.43	54.00	-11.57	3	Horizontal	303	1.54	-
5320MHz	Pass	PK	10.64776G	56.38	74.00	-17.62	3	Horizontal	303	1.54	-
5500MHz	Pass	AV	5.4592G	49.84	54.00	-4.16	3	Vertical	346	2.03	-
5500MHz	Pass	AV	5.494G	104.95	Inf	-Inf	3	Vertical	346	2.03	-
5500MHz	Pass	PK	5.47G	67.04	68.20	-1.16	3	Vertical	346	2.03	-
5500MHz	Pass	PK	5.4962G	115.01	Inf	-Inf	3	Vertical	346	2.03	-
5500MHz	Pass	AV	5.451G	45.79	54.00	-8.21	3	Horizontal	52	1.49	-
5500MHz	Pass	AV	5.4938G	96.44	Inf	-Inf	3	Horizontal	52	1.49	-
5500MHz	Pass	PK	5.4694G	61.32	68.20	-6.88	3	Horizontal	52	1.49	-
5500MHz	Pass	PK	5.4954G	106.50	Inf	-Inf	3	Horizontal	52	1.49	-
5500MHz	Pass	AV	11.00132G	43.35	54.00	-10.65	3	Vertical	143	2.34	-
5500MHz	Pass	PK	10.99996G	56.43	74.00	-17.57	3	Vertical	143	2.34	-
5500MHz	Pass	AV	10.99772G	43.22	54.00	-10.78	3	Horizontal	36	2.23	-
5500MHz	Pass	PK	10.99096G	56.70	74.00	-17.30	3	Horizontal	36	2.23	-
5580MHz	Pass	AV	5.4396G	50.71	54.00	-3.29	3	Vertical	352	1.88	-
5580MHz	Pass	AV	5.5764G	106.89	Inf	-Inf	3	Vertical	352	1.88	-
5580MHz	Pass	PK	5.4666G	61.72	68.20	-6.48	3	Vertical	352	1.88	-
5580MHz	Pass	PK	5.5788G	117.43	Inf	-Inf	3	Vertical	352	1.88	-
5580MHz	Pass	PK	5.7258G	60.91	68.20	-7.29	3	Vertical	352	1.88	-
5580MHz	Pass	AV	5.4396G	46.58	54.00	-7.42	3	Horizontal	52	1.72	-
5580MHz	Pass	AV	5.5734G	98.22	Inf	-Inf	3	Horizontal	52	1.72	-
5580MHz	Pass	PK	5.4684G	58.16	68.20	-10.04	3	Horizontal	52	1.72	-
5580MHz	Pass	PK	5.5728G	108.26	Inf	-Inf	3	Horizontal	52	1.72	-
5580MHz	Pass	PK	5.7282G	57.00	68.20	-11.20	3	Horizontal	52	1.72	-



RSE TX above 1GHz_Non-Beamforming_Radio 2

Appendix D.2

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5580MHz	Pass	AV	11.16524G	42.79	54.00	-11.21	3	Vertical	257	1.70	-
5580MHz	Pass	PK	11.15312G	56.00	74.00	-18.00	3	Vertical	257	1.70	-
5580MHz	Pass	AV	11.16592G	42.64	54.00	-11.36	3	Horizontal	15	1.30	-
5580MHz	Pass	PK	11.15992G	55.87	74.00	-18.33	3	Horizontal	15	1.30	-
5700MHz	Pass	AV	5.6928G	104.87	Inf	-Inf	3	Vertical	344	1.73	-
5700MHz	Pass	PK	5.6992G	115.06	Inf	-Inf	3	Vertical	344	1.73	-
5700MHz	Pass	PK	5.728G	66.58	68.20	-1.62	3	Vertical	344	1.73	-
5700MHz	Pass	AV	5.6936G	93.66	Inf	-Inf	3	Horizontal	57	1.58	-
5700MHz	Pass	PK	5.6944G	103.82	Inf	-Inf	3	Horizontal	57	1.58	-
5700MHz	Pass	PK	5.7284G	58.53	68.20	-9.67	3	Horizontal	57	1.58	-
5700MHz	Pass	AV	11.39168G	42.91	54.00	-11.09	3	Vertical	317	1.04	-
5700MHz	Pass	PK	11.39728G	56.24	74.00	-17.76	3	Vertical	317	1.04	-
5700MHz	Pass	AV	11.40764G	42.95	54.00	-11.05	3	Horizontal	10	1.93	-
5700MHz	Pass	PK	11.39156G	55.93	74.00	-18.07	3	Horizontal	10	1.93	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.714G	104.85	Inf	-Inf	3	Vertical	342	1.80	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.716G	114.75	Inf	-Inf	3	Vertical	342	1.80	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.872G	59.46	68.20	-8.74	3	Vertical	342	1.80	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.714G	93.18	Inf	-Inf	3	Horizontal	55	1.64	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.714G	103.30	Inf	-Inf	3	Horizontal	55	1.64	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.914G	58.42	68.20	-9.78	3	Horizontal	55	1.64	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.43384G	43.04	54.00	-10.96	3	Vertical	30	1.69	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.4486G	56.22	74.00	-17.78	3	Vertical	30	1.69	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.436G	43.06	54.00	-10.94	3	Horizontal	263	1.13	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.44844G	56.70	74.00	-17.30	3	Horizontal	263	1.13	-
802.11ac VHT20_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-	-
5260MHz	Pass	AV	5.143G	46.88	54.00	-7.12	3	Vertical	320	1.92	-
5260MHz	Pass	AV	5.2672G	104.14	Inf	-Inf	3	Vertical	320	1.92	-
5260MHz	Pass	AV	5.3788G	49.02	54.00	-4.98	3	Vertical	320	1.92	-
5260MHz	Pass	PK	5.143G	58.57	74.00	-15.43	3	Vertical	320	1.92	-
5260MHz	Pass	PK	5.2648G	114.06	Inf	-Inf	3	Vertical	320	1.92	-
5260MHz	Pass	PK	5.38G	60.85	74.00	-13.15	3	Vertical	320	1.92	-
5260MHz	Pass	AV	5.1304G	45.59	54.00	-8.41	3	Horizontal	49	1.58	-
5260MHz	Pass	AV	5.2666G	98.41	Inf	-Inf	3	Horizontal	49	1.58	-
5260MHz	Pass	AV	5.3788G	45.76	54.00	-8.24	3	Horizontal	49	1.58	-
5260MHz	Pass	PK	5.143G	57.64	74.00	-16.36	3	Horizontal	49	1.58	-
5260MHz	Pass	PK	5.2624G	108.33	Inf	-Inf	3	Horizontal	49	1.58	-
5260MHz	Pass	PK	5.3602G	58.37	74.00	-15.63	3	Horizontal	49	1.58	-
5260MHz	Pass	PK	10.52528G	55.90	68.20	-12.30	3	Vertical	220	1.82	-
5260MHz	Pass	PK	10.5106G	55.90	68.20	-12.30	3	Horizontal	65	1.28	-
5300MHz	Pass	AV	5.3064G	105.79	Inf	-Inf	3	Vertical	334	1.94	-
5300MHz	Pass	AV	5.3876G	48.21	54.00	-5.79	3	Vertical	334	1.94	-
5300MHz	Pass	PK	5.3064G	116.03	Inf	-Inf	3	Vertical	334	1.94	-
5300MHz	Pass	PK	5.3852G	60.65	74.00	-13.35	3	Vertical	334	1.94	-
5300MHz	Pass	AV	5.306G	99.50	Inf	-Inf	3	Horizontal	48	1.64	-
5300MHz	Pass	AV	5.3968G	45.58	54.00	-8.42	3	Horizontal	48	1.64	-
5300MHz	Pass	PK	5.302G	109.81	Inf	-Inf	3	Horizontal	48	1.64	-
5300MHz	Pass	PK	5.35G	57.78	74.00	-16.22	3	Horizontal	48	1.64	-
5300MHz	Pass	AV	10.6052G	42.46	54.00	-11.54	3	Vertical	174	1.32	-
5300MHz	Pass	PK	10.60856G	56.16	74.00	-17.84	3	Vertical	174	1.32	-
5300MHz	Pass	AV	10.60252G	42.49	54.00	-11.51	3	Horizontal	223	1.95	-
5300MHz	Pass	PK	10.6052G	56.46	74.00	-17.54	3	Horizontal	223	1.95	-
5320MHz	Pass	AV	5.3252G	104.06	Inf	-Inf	3	Vertical	329	1.91	-
5320MHz	Pass	AV	5.35G	53.95	54.00	-0.05	3	Vertical	329	1.91	-
5320MHz	Pass	PK	5.3242G	114.04	Inf	-Inf	3	Vertical	329	1.91	-
5320MHz	Pass	PK	5.3502G	68.08	74.00	-5.92	3	Vertical	329	1.91	-
5320MHz	Pass	AV	5.3252G	95.00	Inf	-Inf	3	Horizontal	49	1.52	-
5320MHz	Pass	AV	5.3502G	47.00	54.00	-7.00	3	Horizontal	49	1.52	-
5320MHz	Pass	PK	5.3258G	105.10	Inf	-Inf	3	Horizontal	49	1.52	-
5320MHz	Pass	PK	5.3508G	60.57	74.00	-13.43	3	Horizontal	49	1.52	-
5320MHz	Pass	AV	10.6338G	42.71	54.00	-11.29	3	Vertical	59	1.42	-
5320MHz	Pass	PK	10.63848G	56.13	74.00	-17.87	3	Vertical	59	1.42	-
5320MHz	Pass	AV	10.64724G	42.75	54.00	-11.25	3	Horizontal	236	1.97	-



RSE TX above 1GHz_Non-Beamforming_Radio 2

Appendix D.2

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5320MHz	Pass	PK	10.63944G	55.91	74.00	-18.09	3	Horizontal	236	1.97	-
5500MHz	Pass	AV	5.4582G	47.60	54.00	-6.40	3	Vertical	343	1.82	-
5500MHz	Pass	AV	5.507G	103.55	Inf	-Inf	3	Vertical	343	1.82	-
5500MHz	Pass	PK	5.4694G	65.80	68.20	-2.40	3	Vertical	343	1.82	-
5500MHz	Pass	PK	5.5062G	113.63	Inf	-Inf	3	Vertical	343	1.82	-
5500MHz	Pass	AV	5.4554G	44.84	54.00	-9.16	3	Horizontal	51	1.80	-
5500MHz	Pass	AV	5.4936G	94.46	Inf	-Inf	3	Horizontal	51	1.80	-
5500MHz	Pass	PK	5.4684G	59.20	68.20	-9.00	3	Horizontal	51	1.80	-
5500MHz	Pass	PK	5.5046G	104.30	Inf	-Inf	3	Horizontal	51	1.80	-
5500MHz	Pass	AV	10.9994G	44.03	54.00	-9.97	3	Vertical	336	1.50	-
5500MHz	Pass	PK	11.00132G	57.05	74.00	-16.95	3	Vertical	336	1.50	-
5500MHz	Pass	AV	10.9988G	44.72	54.00	-9.28	3	Horizontal	21	1.55	-
5500MHz	Pass	PK	11.00186G	57.60	74.00	-16.40	3	Horizontal	21	1.55	-
5580MHz	Pass	AV	5.4396G	50.45	54.00	-3.55	3	Vertical	342	1.96	-
5580MHz	Pass	AV	5.5728G	106.51	Inf	-Inf	3	Vertical	342	1.96	-
5580MHz	Pass	PK	5.4606G	61.27	68.20	-6.93	3	Vertical	342	1.96	-
5580MHz	Pass	PK	5.5734G	117.25	Inf	-Inf	3	Vertical	342	1.96	-
5580MHz	Pass	PK	5.7264G	60.95	68.20	-7.25	3	Vertical	342	1.96	-
5580MHz	Pass	AV	5.4396G	45.79	54.00	-8.21	3	Horizontal	53	1.74	-
5580MHz	Pass	AV	5.5734G	95.97	Inf	-Inf	3	Horizontal	53	1.74	-
5580MHz	Pass	PK	5.4636G	57.04	68.20	-11.16	3	Horizontal	53	1.74	-
5580MHz	Pass	PK	5.5854G	106.59	Inf	-Inf	3	Horizontal	53	1.74	-
5580MHz	Pass	PK	5.7276G	56.54	68.20	-11.66	3	Horizontal	53	1.74	-
5580MHz	Pass	AV	11.15982G	43.97	54.00	-10.03	3	Vertical	315	1.47	-
5580MHz	Pass	PK	11.16792G	56.83	74.00	-17.17	3	Vertical	315	1.47	-
5580MHz	Pass	AV	11.16042G	44.43	54.00	-9.57	3	Horizontal	8	2.42	-
5580MHz	Pass	PK	11.16654G	57.84	74.00	-16.16	3	Horizontal	8	2.42	-
5700MHz	Pass	AV	5.706G	103.79	Inf	-Inf	3	Vertical	348	1.75	-
5700MHz	Pass	PK	5.6948G	113.61	Inf	-Inf	3	Vertical	348	1.75	-
5700MHz	Pass	PK	5.7272G	65.41	68.20	-2.79	3	Vertical	348	1.75	-
5700MHz	Pass	AV	5.6932G	91.26	Inf	-Inf	3	Horizontal	53	1.57	-
5700MHz	Pass	PK	5.6968G	101.17	Inf	-Inf	3	Horizontal	53	1.57	-
5700MHz	Pass	PK	5.7284G	58.83	68.20	-9.37	3	Horizontal	53	1.57	-
5700MHz	Pass	AV	11.39952G	44.16	54.00	-9.84	3	Vertical	317	2.93	-
5700MHz	Pass	PK	11.39862G	57.61	74.00	-16.39	3	Vertical	317	2.93	-
5700MHz	Pass	AV	11.39712G	45.57	54.00	-8.43	3	Horizontal	56	1.63	-
5700MHz	Pass	PK	11.39892G	58.69	74.00	-15.31	3	Horizontal	56	1.63	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.4404G	50.96	54.00	-3.04	3	Vertical	342	1.65	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.7152G	103.89	Inf	-Inf	3	Vertical	342	1.65	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4692G	58.59	68.20	-9.61	3	Vertical	342	1.65	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.7236G	113.98	Inf	-Inf	3	Vertical	342	1.65	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.8508G	59.42	68.20	-8.78	3	Vertical	342	1.65	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.4392G	47.69	54.00	-6.31	3	Horizontal	58	1.67	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.714G	91.52	Inf	-Inf	3	Horizontal	58	1.67	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.462G	56.21	68.20	-11.99	3	Horizontal	58	1.67	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.714G	101.46	Inf	-Inf	3	Horizontal	58	1.67	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.8748G	57.57	68.20	-10.63	3	Horizontal	58	1.67	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.4379G	44.67	54.00	-9.33	3	Vertical	319	2.80	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.44252G	57.48	74.00	-16.52	3	Vertical	319	2.80	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.4403G	46.01	54.00	-7.99	3	Horizontal	40	1.45	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.43454G	60.04	74.00	-13.96	3	Horizontal	40	1.45	-
802.11ac VHT40_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-	-
5270MHz	Pass	AV	5.282G	101.60	Inf	-Inf	3	Vertical	334	1.93	-
5270MHz	Pass	AV	5.35G	50.75	54.00	-3.25	3	Vertical	334	1.93	-
5270MHz	Pass	PK	5.2804G	111.03	Inf	-Inf	3	Vertical	334	1.93	-
5270MHz	Pass	PK	5.3512G	65.23	74.00	-8.77	3	Vertical	334	1.93	-
5270MHz	Pass	AV	5.28G	95.07	Inf	-Inf	3	Horizontal	49	1.71	-
5270MHz	Pass	AV	5.35G	46.70	54.00	-7.30	3	Horizontal	49	1.71	-
5270MHz	Pass	PK	5.2776G	104.85	Inf	-Inf	3	Horizontal	49	1.71	-
5270MHz	Pass	PK	5.3512G	60.64	74.00	-13.36	3	Horizontal	49	1.71	-
5270MHz	Pass	PK	10.53406G	55.21	68.20	-12.99	3	Vertical	170	1.86	-
5270MHz	Pass	PK	10.53862G	55.86	68.20	-12.34	3	Horizontal	130	1.74	-



RSE TX above 1GHz_Non-Beamforming_Radio 2

Appendix D.2

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5310MHz	Pass	AV	5.322G	99.12	Inf	-Inf	3	Vertical	337	1.94	-
5310MHz	Pass	AV	5.35G	52.55	54.00	-1.45	3	Vertical	337	1.94	-
5310MHz	Pass	PK	5.3224G	108.79	Inf	-Inf	3	Vertical	337	1.94	-
5310MHz	Pass	PK	5.3536G	64.56	74.00	-9.44	3	Vertical	337	1.94	-
5310MHz	Pass	AV	5.3212G	92.13	Inf	-Inf	3	Horizontal	50	1.66	-
5310MHz	Pass	AV	5.35G	47.69	54.00	-6.31	3	Horizontal	50	1.66	-
5310MHz	Pass	PK	5.3244G	102.03	Inf	-Inf	3	Horizontal	50	1.66	-
5310MHz	Pass	PK	5.3532G	59.05	74.00	-14.95	3	Horizontal	50	1.66	-
5310MHz	Pass	AV	10.60536G	43.08	54.00	-10.92	3	Vertical	323	1.49	-
5310MHz	Pass	PK	10.62378G	56.22	74.00	-17.78	3	Vertical	323	1.49	-
5310MHz	Pass	AV	10.63074G	43.10	54.00	-10.90	3	Horizontal	11	1.77	-
5310MHz	Pass	PK	10.61058G	55.22	74.00	-18.78	3	Horizontal	11	1.77	-
5510MHz	Pass	AV	5.4592G	49.54	54.00	-4.46	3	Vertical	341	1.92	-
5510MHz	Pass	AV	5.5224G	100.58	Inf	-Inf	3	Vertical	341	1.92	-
5510MHz	Pass	PK	5.47G	66.60	68.20	-1.60	3	Vertical	341	1.92	-
5510MHz	Pass	PK	5.5192G	110.49	Inf	-Inf	3	Vertical	341	1.92	-
5510MHz	Pass	AV	5.4596G	46.14	54.00	-7.86	3	Horizontal	53	1.59	-
5510MHz	Pass	AV	5.4944G	91.22	Inf	-Inf	3	Horizontal	53	1.59	-
5510MHz	Pass	PK	5.4696G	58.86	68.20	-9.34	3	Horizontal	53	1.59	-
5510MHz	Pass	PK	5.5008G	100.35	Inf	-Inf	3	Horizontal	53	1.59	-
5510MHz	Pass	AV	11.03452G	44.24	54.00	-9.76	3	Vertical	335	1.49	-
5510MHz	Pass	PK	11.02306G	56.64	74.00	-17.36	3	Vertical	335	1.49	-
5510MHz	Pass	AV	11.0215G	44.33	54.00	-9.67	3	Horizontal	19	1.76	-
5510MHz	Pass	PK	11.01142G	57.32	74.00	-16.68	3	Horizontal	19	1.76	-
5550MHz	Pass	AV	5.4596G	52.31	54.00	-1.69	3	Vertical	346	1.91	-
5550MHz	Pass	AV	5.5348G	103.69	Inf	-Inf	3	Vertical	346	1.91	-
5550MHz	Pass	PK	5.4688G	67.20	68.20	-1.00	3	Vertical	346	1.91	-
5550MHz	Pass	PK	5.5632G	113.73	Inf	-Inf	3	Vertical	346	1.91	-
5550MHz	Pass	AV	5.4552G	47.22	54.00	-6.78	3	Horizontal	54	1.59	-
5550MHz	Pass	AV	5.5388G	94.17	Inf	-Inf	3	Horizontal	54	1.59	-
5550MHz	Pass	PK	5.4696G	60.64	68.20	-7.56	3	Horizontal	54	1.59	-
5550MHz	Pass	PK	5.5392G	103.59	Inf	-Inf	3	Horizontal	54	1.59	-
5550MHz	Pass	AV	11.1033G	43.90	54.00	-10.10	3	Vertical	338	1.48	-
5550MHz	Pass	PK	11.0931G	56.01	74.00	-17.99	3	Vertical	338	1.48	-
5550MHz	Pass	AV	11.09994G	44.26	54.00	-9.74	3	Horizontal	20	1.56	-
5550MHz	Pass	PK	11.1069G	57.34	74.00	-16.66	3	Horizontal	20	1.56	-
5670MHz	Pass	AV	5.6568G	102.67	Inf	-Inf	3	Vertical	349	1.76	-
5670MHz	Pass	PK	5.6628G	112.19	Inf	-Inf	3	Vertical	349	1.76	-
5670MHz	Pass	PK	5.7252G	66.12	68.20	-2.08	3	Vertical	349	1.76	-
5670MHz	Pass	AV	5.6562G	91.46	Inf	-Inf	3	Horizontal	54	1.65	-
5670MHz	Pass	PK	5.6592G	100.75	Inf	-Inf	3	Horizontal	54	1.65	-
5670MHz	Pass	PK	5.7288G	57.62	68.20	-10.58	3	Horizontal	54	1.65	-
5670MHz	Pass	AV	11.33484G	44.23	54.00	-9.77	3	Vertical	300	1.00	-
5670MHz	Pass	PK	11.34216G	56.41	74.00	-17.59	3	Vertical	300	1.00	-
5670MHz	Pass	AV	11.34024G	44.88	54.00	-9.12	3	Horizontal	37	2.64	-
5670MHz	Pass	PK	11.34138G	57.09	74.00	-16.91	3	Horizontal	37	2.64	-
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.452G	47.91	54.00	-6.09	3	Vertical	346	1.89	-
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.6956G	102.09	Inf	-Inf	3	Vertical	346	1.89	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.4676G	59.20	68.20	-9.00	3	Vertical	346	1.89	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.7052G	111.92	Inf	-Inf	3	Vertical	346	1.89	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.9044G	59.55	68.20	-8.65	3	Vertical	346	1.89	-
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.4448G	45.78	54.00	-8.22	3	Horizontal	56	1.70	-
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.6944G	89.48	Inf	-Inf	3	Horizontal	56	1.70	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.464G	56.28	68.20	-11.92	3	Horizontal	56	1.70	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.698G	98.67	Inf	-Inf	3	Horizontal	56	1.70	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.986G	58.59	68.20	-9.61	3	Horizontal	56	1.70	-
5710MHz Straddle 5.47-5.725GHz	Pass	AV	11.41802G	44.87	54.00	-9.13	3	Vertical	319	3.00	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	11.4188G	57.92	74.00	-16.08	3	Vertical	319	3.00	-
5710MHz Straddle 5.47-5.725GHz	Pass	AV	11.42324G	45.70	54.00	-8.30	3	Horizontal	40	1.47	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	11.4188G	57.69	74.00	-16.31	3	Horizontal	40	1.47	-
802.11ac VHT80_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-	-
5290MHz	Pass	AV	5.142G	45.12	54.00	-8.88	3	Vertical	327	1.96	-




RSE TX above 1GHz_Non-Beamforming_Radio 2

Appendix D.2

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5290MHz	Pass	AV	5.32G	87.20	Inf	-Inf	3	Vertical	327	1.96	-
5290MHz	Pass	AV	5.35G	52.78	54.00	-1.22	3	Vertical	327	1.96	-
5290MHz	Pass	PK	5.135G	56.93	74.00	-17.07	3	Vertical	327	1.96	-
5290MHz	Pass	PK	5.279G	97.60	Inf	-Inf	3	Vertical	327	1.96	-
5290MHz	Pass	PK	5.351G	66.42	74.00	-7.58	3	Vertical	327	1.96	-
5290MHz	Pass	AV	5.145G	44.94	54.00	-9.06	3	Horizontal	46	1.63	-
5290MHz	Pass	AV	5.317G	80.37	Inf	-Inf	3	Horizontal	46	1.63	-
5290MHz	Pass	AV	5.35G	47.96	54.00	-6.04	3	Horizontal	46	1.63	-
5290MHz	Pass	PK	5.142G	56.48	74.00	-17.52	3	Horizontal	46	1.63	-
5290MHz	Pass	PK	5.279G	90.86	Inf	-Inf	3	Horizontal	46	1.63	-
5290MHz	Pass	PK	5.54G	56.34	68.20	-11.86	3	Horizontal	46	1.63	-
5290MHz	Pass	PK	10.5668G	54.51	68.20	-13.69	3	Vertical	241	2.06	-
5290MHz	Pass	PK	10.59488G	54.98	68.20	-13.22	3	Horizontal	129	2.24	-
5530MHz	Pass	AV	5.46G	49.35	54.00	-4.65	3	Vertical	343	1.74	-
5530MHz	Pass	AV	5.552G	89.60	Inf	-Inf	3	Vertical	343	1.74	-
5530MHz	Pass	PK	5.47G	67.22	68.20	-0.98	3	Vertical	343	1.74	-
5530MHz	Pass	PK	5.519G	101.04	Inf	-Inf	3	Vertical	343	1.74	-
5530MHz	Pass	PK	5.78G	58.12	68.20	-10.08	3	Vertical	343	1.74	-
5530MHz	Pass	AV	5.454G	45.59	54.00	-8.41	3	Horizontal	50	1.56	-
5530MHz	Pass	AV	5.502G	80.23	Inf	-Inf	3	Horizontal	50	1.56	-
5530MHz	Pass	PK	5.47G	60.54	68.20	-7.66	3	Horizontal	50	1.56	-
5530MHz	Pass	PK	5.519G	90.99	Inf	-Inf	3	Horizontal	50	1.56	-
5530MHz	Pass	PK	5.753G	56.89	68.20	-11.31	3	Horizontal	50	1.56	-
5530MHz	Pass	AV	11.0516G	42.86	54.00	-11.14	3	Vertical	70	1.50	-
5530MHz	Pass	PK	11.05826G	55.71	74.00	-18.29	3	Vertical	70	1.50	-
5530MHz	Pass	AV	11.04578G	43.03	54.00	-10.97	3	Horizontal	104	1.48	-
5530MHz	Pass	PK	11.04986G	55.01	74.00	-18.99	3	Horizontal	104	1.48	-
5610MHz	Pass	AV	5.44G	51.41	54.00	-2.59	3	Vertical	339	1.90	-
5610MHz	Pass	AV	5.578G	97.82	Inf	-Inf	3	Vertical	339	1.90	-
5610MHz	Pass	PK	5.466G	62.10	68.20	-6.10	3	Vertical	339	1.90	-
5610MHz	Pass	PK	5.599G	109.18	Inf	-Inf	3	Vertical	339	1.90	-
5610MHz	Pass	PK	5.726G	66.60	68.20	-1.60	3	Vertical	339	1.90	-
5610MHz	Pass	AV	5.44G	46.43	54.00	-7.57	3	Horizontal	50	1.65	-
5610MHz	Pass	AV	5.575G	87.04	Inf	-Inf	3	Horizontal	50	1.65	-
5610MHz	Pass	PK	5.47G	56.65	68.20	-11.55	3	Horizontal	50	1.65	-
5610MHz	Pass	PK	5.599G	97.55	Inf	-Inf	3	Horizontal	50	1.65	-
5610MHz	Pass	PK	5.815G	58.02	68.20	-10.18	3	Horizontal	50	1.65	-
5610MHz	Pass	AV	11.22738G	42.95	54.00	-11.05	3	Vertical	18	1.49	-
5610MHz	Pass	PK	11.23464G	55.23	74.00	-18.77	3	Vertical	18	1.49	-
5610MHz	Pass	AV	11.21958G	43.02	54.00	-10.98	3	Horizontal	208	2.23	-
5610MHz	Pass	PK	11.2113G	55.22	74.00	-18.78	3	Horizontal	208	2.23	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.45G	47.13	54.00	-6.87	3	Vertical	321	1.90	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.6624G	98.81	Inf	-Inf	3	Vertical	321	1.90	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.4668G	58.51	68.20	-9.69	3	Vertical	321	1.90	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.6792G	110.01	Inf	-Inf	3	Vertical	321	1.90	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.8532G	60.51	68.20	-7.69	3	Vertical	321	1.90	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.444G	45.04	54.00	-8.96	3	Horizontal	52	1.66	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.6528G	87.15	Inf	-Inf	3	Horizontal	52	1.66	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.4644G	55.86	68.20	-12.34	3	Horizontal	52	1.66	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.6564G	96.91	Inf	-Inf	3	Horizontal	52	1.66	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.864G	57.57	68.20	-10.63	3	Horizontal	52	1.66	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.38372G	56.04	74.00	-17.96	3	Vertical	360	2.41	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.38972G	43.25	54.00	-10.75	3	Vertical	360	2.41	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.371G	43.81	54.00	-10.19	3	Horizontal	37	1.73	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.36518G	56.67	74.00	-17.33	3	Horizontal	37	1.73	-

802.11a_Nss1,(6Mbps)_1TX


5260MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1382G	46.53	54.00	-7.47	5.98	3	Vertical	335	2.02	-	40.55	31.70	8.51	34.23
AV	5.2666G	104.29	Inf	-Inf	5.51	3	Vertical	335	2.02	-	98.78	31.17	8.58	34.24
AV	5.3836G	49.16	54.00	-4.84	5.56	3	Vertical	335	2.02	-	43.60	31.20	8.61	34.25
PK	5.1496G	58.47	74.00	-15.53	5.99	3	Vertical	335	2.02	-	52.48	31.70	8.52	34.23
PK	5.2582G	114.18	Inf	-Inf	5.52	3	Vertical	335	2.02	-	108.66	31.18	8.58	34.24
PK	5.3776G	60.85	74.00	-13.15	5.53	3	Vertical	335	2.02	-	55.32	31.17	8.61	34.25

802.11a_Nss1,(6Mbps)_1TX


5260MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.146G	45.52	54.00	-8.48	5.99	3	Horizontal	47	1.40	-	39.53	31.70	8.52	34.23
AV	5.266G	98.53	Inf	-Inf	5.51	3	Horizontal	47	1.40	-	93.02	31.17	8.58	34.24
AV	5.3824G	45.62	54.00	-8.38	5.55	3	Horizontal	47	1.40	-	40.07	31.19	8.61	34.25
PK	5.1496G	57.13	74.00	-16.87	5.99	3	Horizontal	47	1.40	-	51.14	31.70	8.52	34.23
PK	5.2618G	108.76	Inf	-Inf	5.52	3	Horizontal	47	1.40	-	103.24	31.18	8.58	34.24
PK	5.3788G	57.86	74.00	-16.14	5.53	3	Horizontal	47	1.40	-	52.33	31.17	8.61	34.25

802.11a_Nss1,(6Mbps)_1TX


5260MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.5112G	55.57	68.20	-12.63	17.41	3	Vertical	240	1.12	-	38.16	39.71	12.26	34.56

802.11a_Nss1,(6Mbps)_1TX


5260MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.51312G	55.83	68.20	-12.37	17.41	3	Horizontal	208	1.86	-	38.42	39.71	12.26	34.56

802.11a_Nss1,(6Mbps)_1TX


5300MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3048G	105.84	Inf	-Inf	5.44	3	Vertical	331	1.95	-	100.40	31.09	8.59	34.24
AV	5.386G	48.17	54.00	-5.83	5.58	3	Vertical	331	1.95	-	42.59	31.22	8.61	34.25
PK	5.306G	116.00	Inf	-Inf	5.44	3	Vertical	331	1.95	-	110.56	31.09	8.59	34.24
PK	5.3876G	60.12	74.00	-13.88	5.59	3	Vertical	331	1.95	-	54.53	31.23	8.61	34.25

802.11a_Nss1,(6Mbps)_1TX


5300MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3012G	99.58	Inf	-Inf	5.45	3	Horizontal	48	1.63	-	94.13	31.10	8.59	34.24
AV	5.3872G	45.35	54.00	-8.65	5.58	3	Horizontal	48	1.63	-	39.77	31.22	8.61	34.25
PK	5.2976G	110.14	Inf	-Inf	5.45	3	Horizontal	48	1.63	-	104.69	31.10	8.59	34.24
PK	5.3976G	57.98	74.00	-16.02	5.65	3	Horizontal	48	1.63	-	52.33	31.29	8.61	34.25

802.11a_Nss1,(6Mbps)_1TX


5300MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.60352G	42.45	54.00	-11.55	17.61	3	Vertical	69	2.17	-	24.84	39.80	12.30	34.49
PK	10.60296G	55.37	74.00	-18.63	17.61	3	Vertical	69	2.17	-	37.76	39.80	12.30	34.49

802.11a_Nss1,(6Mbps)_1TX


5300MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.60652G	42.28	54.00	-11.72	17.63	3	Horizontal	118	1.20	-	24.65	39.81	12.31	34.49
PK	10.60288G	55.62	74.00	-18.38	17.61	3	Horizontal	118	1.20	-	38.01	39.80	12.30	34.49

802.11a_Nss1,(6Mbps)_1TX

5320MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3268G	104.34	Inf	-Inf	5.40	3	Vertical	332	1.99	-	98.94	31.05	8.60	34.25
AV	5.35G	53.17	54.00	-0.83	5.35	3	Vertical	332	1.99	-	47.82	31.00	8.60	34.25
PK	5.3266G	114.33	Inf	-Inf	5.40	3	Vertical	332	1.99	-	108.93	31.05	8.60	34.25
PK	5.351G	67.58	74.00	-6.42	5.36	3	Vertical	332	1.99	-	62.22	31.01	8.60	34.25



802.11a_Nss1,(6Mbps)_1TX


5320MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.326G	97.07	Inf	-Inf	5.40	3	Horizontal	45	2.40	-	91.67	31.05	8.60	34.25
AV	5.3502G	47.52	54.00	-6.48	5.35	3	Horizontal	45	2.40	-	42.17	31.00	8.60	34.25
PK	5.319G	107.03	Inf	-Inf	5.40	3	Horizontal	45	2.40	-	101.63	31.06	8.59	34.25
PK	5.3506G	61.13	74.00	-12.87	5.35	3	Horizontal	45	2.40	-	55.78	31.00	8.60	34.25

802.11a_Nss1,(6Mbps)_1TX


5320MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.63996G	42.60	54.00	-11.40	17.70	3	Vertical	224	1.02	-	24.90	39.84	12.32	34.46
PK	10.63428G	55.38	74.00	-18.62	17.68	3	Vertical	224	1.02	-	37.70	39.83	12.32	34.47

802.11a_Nss1,(6Mbps)_1TX


5320MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.64124G	42.43	54.00	-11.57	17.70	3	Horizontal	303	1.54	-	24.73	39.84	12.32	34.46
PK	10.64776G	56.38	74.00	-17.62	17.72	3	Horizontal	303	1.54	-	38.66	39.85	12.33	34.46

802.11a_Nss1,(6Mbps)_1TX


5500MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4592G	49.84	54.00	-4.16	6.06	3	Vertical	346	2.03	-	43.78	31.62	8.70	34.26
AV	5.494G	104.95	Inf	-Inf	6.18	3	Vertical	346	2.03	-	98.77	31.69	8.75	34.26
PK	5.47G	67.04	68.20	-1.16	6.09	3	Vertical	346	2.03	-	60.95	31.64	8.71	34.26
PK	5.4962G	115.01	Inf	-Inf	6.18	3	Vertical	346	2.03	-	108.83	31.69	8.75	34.26

802.11a_Nss1,(6Mbps)_1TX

5500MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.451G	45.79	54.00	-8.21	6.02	3	Horizontal	52	1.49	-	39.77	31.60	8.68	34.26
AV	5.4938G	96.44	Inf	-Inf	6.18	3	Horizontal	52	1.49	-	90.26	31.69	8.75	34.26
PK	5.4694G	61.32	68.20	-6.88	6.09	3	Horizontal	52	1.49	-	55.23	31.64	8.71	34.26
PK	5.4954G	106.50	Inf	-Inf	6.18	3	Horizontal	52	1.49	-	100.32	31.69	8.75	34.26



802.11a_Nss1,(6Mbps)_1TX


5500MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.00132G	43.35	54.00	-10.65	18.52	3	Vertical	143	2.34	-	24.83	40.20	12.51	34.19
PK	10.99996G	56.43	74.00	-17.57	18.51	3	Vertical	143	2.34	-	37.92	40.20	12.50	34.19

802.11a_Nss1,(6Mbps)_1TX


5500MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.99772G	43.22	54.00	-10.78	18.51	3	Horizontal	36	2.23	-	24.71	40.20	12.50	34.19
PK	10.99096G	56.70	74.00	-17.30	18.49	3	Horizontal	36	2.23	-	38.21	40.19	12.50	34.20

802.11a_Nss1,(6Mbps)_1TX


5580MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4396G	50.71	54.00	-3.29	5.95	3	Vertical	352	1.88	-	44.76	31.54	8.67	34.26
AV	5.5764G	106.89	Inf	-Inf	6.20	3	Vertical	352	1.88	-	100.69	31.60	8.87	34.27
PK	5.4666G	61.72	68.20	-6.48	6.08	3	Vertical	352	1.88	-	55.64	31.63	8.71	34.26
PK	5.5788G	117.43	Inf	-Inf	6.20	3	Vertical	352	1.88	-	111.23	31.60	8.87	34.27
PK	5.7258G	60.91	68.20	-7.29	6.63	3	Vertical	352	1.88	-	54.28	31.90	9.01	34.28

802.11a_Nss1,(6Mbps)_1TX


5580MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4396G	46.58	54.00	-7.42	5.95	3	Horizontal	52	1.72	-	40.63	31.54	8.67	34.26
AV	5.5734G	98.22	Inf	-Inf	6.19	3	Horizontal	52	1.72	-	92.03	31.60	8.86	34.27
PK	5.4684G	58.16	68.20	-10.04	6.09	3	Horizontal	52	1.72	-	52.07	31.64	8.71	34.26
PK	5.5728G	108.26	Inf	-Inf	6.19	3	Horizontal	52	1.72	-	102.07	31.60	8.86	34.27
PK	5.7282G	57.00	68.20	-11.20	6.65	3	Horizontal	52	1.72	-	50.35	31.91	9.02	34.28

802.11a_Nss1,(6Mbps)_1TX


5580MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.16524G	42.79	54.00	-11.21	18.18	3	Vertical	257	1.70	-	24.61	39.77	12.59	34.18
PK	11.15312G	56.00	74.00	-18.00	18.19	3	Vertical	257	1.70	-	37.81	39.79	12.58	34.18

802.11a_Nss1,(6Mbps)_1TX


5580MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.16592G	42.64	54.00	-11.36	18.18	3	Horizontal	15	1.30	-	24.46	39.77	12.59	34.18
PK	11.15992G	55.67	74.00	-18.33	18.19	3	Horizontal	15	1.30	-	37.48	39.78	12.59	34.18

802.11a_Nss1,(6Mbps)_1TX


5700MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.6928G	104.87	Inf	-Inf	6.49	3	Vertical	344	1.73	-	98.38	31.79	8.98	34.28
PK	5.6992G	115.06	Inf	-Inf	6.51	3	Vertical	344	1.73	-	108.55	31.80	8.99	34.28
PK	5.728G	66.58	68.20	-1.62	6.65	3	Vertical	344	1.73	-	59.93	31.91	9.02	34.28

802.11a_Nss1,(6Mbps)_1TX


5700MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.6936G	93.66	Inf	-Inf	6.49	3	Horizontal	57	1.58	-	87.17	31.79	8.98	34.28
PK	5.6944G	103.82	Inf	-Inf	6.49	3	Horizontal	57	1.58	-	97.33	31.79	8.98	34.28
PK	5.7284G	58.53	68.20	-9.67	6.65	3	Horizontal	57	1.58	-	51.88	31.91	9.02	34.28

802.11a_Nss1,(6Mbps)_1TX


5700MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.39168G	42.91	54.00	-11.09	18.32	3	Vertical	317	1.04	-	24.59	39.79	12.70	34.17
PK	11.39728G	56.24	74.00	-17.76	18.34	3	Vertical	317	1.04	-	37.90	39.80	12.71	34.17

802.11a_Nss1,(6Mbps)_1TX


5700MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.40764G	42.95	54.00	-11.05	18.36	3	Horizontal	10	1.93	-	24.59	39.82	12.71	34.17
PK	11.39156G	55.93	74.00	-18.07	18.32	3	Horizontal	10	1.93	-	37.61	39.79	12.70	34.17

802.11a_Nss1,(6Mbps)_1TX


5720MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.714G	104.85	Inf	-Inf	6.58	3	Vertical	342	1.80	-	98.27	31.86	9.00	34.28
PK	5.716G	114.75	Inf	-Inf	6.58	3	Vertical	342	1.80	-	108.17	31.86	9.00	34.28
PK	5.872G	59.46	68.20	-8.74	7.05	3	Vertical	342	1.80	-	52.41	32.24	9.11	34.30

802.11a_Nss1,(6Mbps)_1TX


5720MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.714G	93.18	Inf	-Inf	6.58	3	Horizontal	55	1.64	-	86.60	31.86	9.00	34.28
PK	5.714G	103.30	Inf	-Inf	6.58	3	Horizontal	55	1.64	-	96.72	31.86	9.00	34.28
PK	5.914G	58.42	68.20	-9.78	7.13	3	Horizontal	55	1.64	-	51.29	32.30	9.13	34.30

802.11a_Nss1,(6Mbps)_1TX


5720MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.43384G	43.04	54.00	-10.96	18.43	3	Vertical	30	1.69	-	24.61	39.87	12.72	34.16
PK	11.4486G	56.22	74.00	-17.78	18.47	3	Vertical	30	1.69	-	37.75	39.90	12.73	34.16

802.11a_Nss1,(6Mbps)_1TX


5720MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.436G	43.06	54.00	-10.94	18.44	3	Horizontal	263	1.13	-	24.62	39.87	12.73	34.16
PK	11.44844G	56.70	74.00	-17.30	18.47	3	Horizontal	263	1.13	-	38.23	39.90	12.73	34.16

802.11ac VHT20_Nss1,(MCS0)_1TX


5260MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.143G	46.88	54.00	-7.12	5.99	3	Vertical	320	1.92	-	40.89	31.70	8.52	34.23
AV	5.2672G	104.14	Inf	-Inf	5.51	3	Vertical	320	1.92	-	98.63	31.17	8.58	34.24
AV	5.3788G	49.02	54.00	-4.98	5.53	3	Vertical	320	1.92	-	43.49	31.17	8.61	34.25
PK	5.143G	58.57	74.00	-15.43	5.99	3	Vertical	320	1.92	-	52.58	31.70	8.52	34.23
PK	5.2648G	114.06	Inf	-Inf	5.51	3	Vertical	320	1.92	-	108.55	31.17	8.58	34.24
PK	5.38G	60.85	74.00	-13.15	5.54	3	Vertical	320	1.92	-	55.31	31.18	8.61	34.25

802.11ac VHT20_Nss1,(MCS0)_1TX


5260MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1304G	45.59	54.00	-8.41	5.97	3	Horizontal	49	1.58	-	39.62	31.70	8.50	34.23
AV	5.2666G	98.41	Inf	-Inf	5.51	3	Horizontal	49	1.58	-	92.90	31.17	8.58	34.24
AV	5.3788G	45.76	54.00	-8.24	5.53	3	Horizontal	49	1.58	-	40.23	31.17	8.61	34.25
PK	5.143G	57.64	74.00	-16.36	5.99	3	Horizontal	49	1.58	-	51.65	31.70	8.52	34.23
PK	5.2624G	108.33	Inf	-Inf	5.52	3	Horizontal	49	1.58	-	102.81	31.18	8.58	34.24
PK	5.3602G	58.37	74.00	-15.63	5.41	3	Horizontal	49	1.58	-	52.96	31.06	8.60	34.25

802.11ac VHT20_Nss1,(MCS0)_1TX


5260MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.52528G	55.90	68.20	-12.30	17.45	3	Vertical	220	1.82	-	38.45	39.73	12.27	34.55

802.11ac VHT20_Nss1,(MCS0)_1TX


5260MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.5106G	55.90	68.20	-12.30	17.41	3	Horizontal	65	1.28	-	38.49	39.71	12.26	34.56

802.11ac VHT20_Nss1,(MCS0)_1TX


5300MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3064G	105.79	Inf	-Inf	5.44	3	Vertical	334	1.94	-	100.35	31.09	8.59	34.24
AV	5.3876G	48.21	54.00	-5.79	5.59	3	Vertical	334	1.94	-	42.62	31.23	8.61	34.25
PK	5.3064G	116.03	Inf	-Inf	5.44	3	Vertical	334	1.94	-	110.59	31.09	8.59	34.24
PK	5.3852G	60.65	74.00	-13.35	5.57	3	Vertical	334	1.94	-	55.08	31.21	8.61	34.25

802.11ac VHT20_Nss1,(MCS0)_1TX


5300MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.306G	99.50	Inf	-Inf	5.44	3	Horizontal	48	1.64	-	94.06	31.09	8.59	34.24
AV	5.3968G	45.58	54.00	-8.42	5.64	3	Horizontal	48	1.64	-	39.94	31.28	8.61	34.25
PK	5.302G	109.81	Inf	-Inf	5.45	3	Horizontal	48	1.64	-	104.36	31.10	8.59	34.24
PK	5.35G	57.78	74.00	-16.22	5.35	3	Horizontal	48	1.64	-	52.43	31.00	8.60	34.25

802.11ac VHT20_Nss1,(MCS0)_1TX


5300MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.6052G	42.46	54.00	-11.54	17.63	3	Vertical	174	1.32	-	24.83	39.81	12.31	34.49
PK	10.60856G	56.16	74.00	-17.84	17.63	3	Vertical	174	1.32	-	38.53	39.81	12.31	34.49

802.11ac VHT20_Nss1,(MCS0)_1TX


5300MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.60252G	42.49	54.00	-11.51	17.61	3	Horizontal	223	1.95	-	24.88	39.80	12.30	34.49
PK	10.6052G	56.46	74.00	-17.54	17.63	3	Horizontal	223	1.95	-	38.83	39.81	12.31	34.49

802.11ac VHT20_Nss1,(MCS0)_1TX


5320MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3252G	104.06	Inf	-Inf	5.40	3	Vertical	329	1.91	-	98.66	31.05	8.60	34.25
AV	5.35G	53.95	54.00	-0.05	5.35	3	Vertical	329	1.91	-	48.60	31.00	8.60	34.25
PK	5.3242G	114.04	Inf	-Inf	5.39	3	Vertical	329	1.91	-	108.65	31.05	8.59	34.25
PK	5.3502G	68.08	74.00	-5.92	5.35	3	Vertical	329	1.91	-	62.73	31.00	8.60	34.25

802.11ac VHT20_Nss1,(MCS0)_1TX


5320MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3252G	95.00	Inf	-Inf	5.40	3	Horizontal	49	1.52	-	89.60	31.05	8.60	34.25
AV	5.3502G	47.00	54.00	-7.00	5.35	3	Horizontal	49	1.52	-	41.65	31.00	8.60	34.25
PK	5.3258G	105.10	Inf	-Inf	5.40	3	Horizontal	49	1.52	-	99.70	31.05	8.60	34.25
PK	5.3508G	60.57	74.00	-13.43	5.35	3	Horizontal	49	1.52	-	55.22	31.00	8.60	34.25

802.11ac VHT20_Nss1,(MCS0)_1TX


5320MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.6338G	42.71	54.00	-11.29	17.68	3	Vertical	59	1.42	-	25.03	39.83	12.32	34.47
PK	10.63848G	56.13	74.00	-17.87	17.70	3	Vertical	59	1.42	-	38.43	39.84	12.32	34.46

802.11ac VHT20_Nss1,(MCS0)_1TX


5320MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	10.64724G	42.75	54.00	-11.25	17.72	3	Horizontal	236	1.97	-	25.03	39.85	12.33	34.46
PK	10.63944G	55.91	74.00	-18.09	17.70	3	Horizontal	236	1.97	-	38.21	39.84	12.32	34.46

802.11ac VHT20_Nss1,(MCS0)_1TX


5500MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4582G	47.60	54.00	-6.40	6.05	3	Vertical	343	1.82	-	41.55	31.62	8.69	34.26
AV	5.507G	103.55	Inf	-Inf	6.20	3	Vertical	343	1.82	-	97.35	31.69	8.77	34.26
PK	5.4694G	65.80	68.20	-2.40	6.09	3	Vertical	343	1.82	-	59.71	31.64	8.71	34.26
PK	5.5062G	113.63	Inf	-Inf	6.19	3	Vertical	343	1.82	-	107.44	31.69	8.76	34.26

802.11ac VHT20_Nss1,(MCS0)_1TX


5500MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4554G	44.84	54.00	-9.16	6.04	3	Horizontal	51	1.80	-	38.80	31.61	8.69	34.26
AV	5.4936G	94.46	Inf	-Inf	6.18	3	Horizontal	51	1.80	-	88.28	31.69	8.75	34.26
PK	5.4684G	59.20	68.20	-9.00	6.09	3	Horizontal	51	1.80	-	53.11	31.64	8.71	34.26
PK	5.5046G	104.30	Inf	-Inf	6.19	3	Horizontal	51	1.80	-	98.11	31.69	8.76	34.26

802.11ac VHT20_Nss1,(MCS0)_1TX


5500MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.9994G	44.03	54.00	-9.97	18.51	3	Vertical	336	1.50	-	25.52	40.20	12.50	34.19
PK	11.00132G	57.05	74.00	-16.95	18.52	3	Vertical	336	1.50	-	38.53	40.20	12.51	34.19

802.11ac VHT20_Nss1,(MCS0)_1TX


5500MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.9988G	44.72	54.00	-9.28	18.51	3	Horizontal	21	1.55	-	26.21	40.20	12.50	34.19
PK	11.00186G	57.60	74.00	-16.40	18.51	3	Horizontal	21	1.55	-	39.09	40.19	12.51	34.19

802.11ac VHT20_Nss1,(MCS0)_1TX


5580MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4396G	50.45	54.00	-3.55	5.95	3	Vertical	342	1.96	-	44.50	31.54	8.67	34.26
AV	5.5728G	106.51	Inf	-Inf	6.19	3	Vertical	342	1.96	-	100.32	31.60	8.86	34.27
PK	5.4606G	61.27	68.20	-6.93	6.06	3	Vertical	342	1.96	-	55.21	31.62	8.70	34.26
PK	5.5734G	117.25	Inf	-Inf	6.19	3	Vertical	342	1.96	-	111.06	31.60	8.86	34.27
PK	5.7264G	60.95	68.20	-7.25	6.64	3	Vertical	342	1.96	-	54.31	31.91	9.01	34.28

802.11ac VHT20_Nss1,(MCS0)_1TX


5580MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4396G	45.79	54.00	-8.21	5.95	3	Horizontal	53	1.74	-	39.84	31.54	8.67	34.26
AV	5.5734G	95.97	Inf	-Inf	6.19	3	Horizontal	53	1.74	-	89.78	31.60	8.86	34.27
PK	5.4636G	57.04	68.20	-11.16	6.07	3	Horizontal	53	1.74	-	50.97	31.63	8.70	34.26
PK	5.5854G	106.59	Inf	-Inf	6.21	3	Horizontal	53	1.74	-	100.38	31.60	8.88	34.27
PK	5.7276G	56.54	68.20	-11.66	6.64	3	Horizontal	53	1.74	-	49.90	31.91	9.01	34.28

802.11ac VHT20_Nss1,(MCS0)_1TX


5580MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.15982G	43.97	54.00	-10.03	18.19	3	Vertical	315	1.47	-	25.78	39.78	12.59	34.18
PK	11.16792G	56.83	74.00	-17.17	18.17	3	Vertical	315	1.47	-	38.66	39.76	12.59	34.18

802.11ac VHT20_Nss1,(MCS0)_1TX


5580MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.16042G	44.43	54.00	-9.57	18.19	3	Horizontal	8	2.42	-	26.24	39.78	12.59	34.18
PK	11.16654G	57.84	74.00	-16.16	18.18	3	Horizontal	8	2.42	-	39.66	39.77	12.59	34.18

802.11ac VHT20_Nss1,(MCS0)_1TX


5700MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.706G	103.79	Inf	-Inf	6.54	3	Vertical	348	1.75	-	97.25	31.82	9.00	34.28
PK	5.6948G	113.61	Inf	-Inf	6.50	3	Vertical	348	1.75	-	107.11	31.79	8.99	34.28
PK	5.7272G	65.41	68.20	-2.79	6.64	3	Vertical	348	1.75	-	58.77	31.91	9.01	34.28

802.11ac VHT20_Nss1,(MCS0)_1TX


5700MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.6932G	91.26	Inf	-Inf	6.49	3	Horizontal	53	1.57	-	84.77	31.79	8.98	34.28
PK	5.6968G	101.17	Inf	-Inf	6.50	3	Horizontal	53	1.57	-	94.67	31.79	8.99	34.28
PK	5.7284G	58.83	68.20	-9.37	6.65	3	Horizontal	53	1.57	-	52.18	31.91	9.02	34.28

802.11ac VHT20_Nss1,(MCS0)_1TX


5700MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.39952G	44.16	54.00	-9.84	18.34	3	Vertical	317	2.93	-	25.82	39.80	12.71	34.17
PK	11.39862G	57.61	74.00	-16.39	18.34	3	Vertical	317	2.93	-	39.27	39.80	12.71	34.17


802.11ac VHT20_Nss1,(MCS0)_1TX

5700MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.39712G	45.57	54.00	-8.43	18.34	3	Horizontal	56	1.63	-	27.23	39.80	12.71	34.17
PK	11.39892G	58.69	74.00	-15.31	18.34	3	Horizontal	56	1.63	-	40.35	39.80	12.71	34.17

802.11ac VHT20_Nss1,(MCS0)_1TX
5720MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4404G	50.96	54.00	-3.04	5.95	3	Vertical	342	1.65	-	45.01	31.54	8.67	34.26
AV	5.7152G	103.89	Inf	-Inf	6.58	3	Vertical	342	1.65	-	97.31	31.86	9.00	34.28
PK	5.4692G	58.59	68.20	-9.61	6.09	3	Vertical	342	1.65	-	52.50	31.64	8.71	34.26
PK	5.7236G	113.98	Inf	-Inf	6.62	3	Vertical	342	1.65	-	107.36	31.89	9.01	34.28
PK	5.8508G	59.42	68.20	-8.78	7.00	3	Vertical	342	1.65	-	52.42	32.20	9.10	34.30

802.11ac VHT20_Nss1,(MCS0)_1TX
5720MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4392G	47.69	54.00	-6.31	5.95	3	Horizontal	58	1.67	-	41.74	31.54	8.67	34.26
AV	5.714G	91.52	Inf	-Inf	6.58	3	Horizontal	58	1.67	-	84.94	31.86	9.00	34.28
PK	5.462G	56.21	68.20	-11.99	6.06	3	Horizontal	58	1.67	-	50.15	31.62	8.70	34.26
PK	5.714G	101.46	Inf	-Inf	6.58	3	Horizontal	58	1.67	-	94.88	31.86	9.00	34.28
PK	5.8748G	57.57	68.20	-10.63	7.06	3	Horizontal	58	1.67	-	50.51	32.25	9.11	34.30

802.11ac VHT20_Nss1,(MCS0)_1TX
5720MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.4379G	44.67	54.00	-9.33	18.45	3	Vertical	319	2.80	-	26.22	39.88	12.73	34.16
PK	11.44252G	57.48	74.00	-16.52	18.46	3	Vertical	319	2.80	-	39.02	39.89	12.73	34.16


802.11ac VHT20_Nss1,(MCS0)_1TX
5720MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.4403G	46.01	54.00	-7.99	18.45	3	Horizontal	40	1.45	-	27.56	39.88	12.73	34.16
PK	11.43454G	60.04	74.00	-13.96	18.43	3	Horizontal	40	1.45	-	41.61	39.87	12.72	34.16

802.11ac VHT40_Nss1,(MCS0)_1TX


5270MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.282G	101.60	Inf	-Inf	5.49	3	Vertical	334	1.93	-	96.11	31.14	8.59	34.24
AV	5.35G	50.75	54.00	-3.25	5.35	3	Vertical	334	1.93	-	45.40	31.00	8.60	34.25
PK	5.2804G	111.03	Inf	-Inf	5.49	3	Vertical	334	1.93	-	105.54	31.14	8.59	34.24
PK	5.3512G	65.23	74.00	-8.77	5.36	3	Vertical	334	1.93	-	59.87	31.01	8.60	34.25

802.11ac VHT40_Nss1,(MCS0)_1TX


5270MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.28G	95.07	Inf	-Inf	5.49	3	Horizontal	49	1.71	-	89.58	31.14	8.59	34.24
AV	5.35G	46.70	54.00	-7.30	5.35	3	Horizontal	49	1.71	-	41.35	31.00	8.60	34.25
PK	5.2776G	104.85	Inf	-Inf	5.49	3	Horizontal	49	1.71	-	99.36	31.14	8.59	34.24
PK	5.3512G	60.64	74.00	-13.36	5.36	3	Horizontal	49	1.71	-	55.28	31.01	8.60	34.25

802.11ac VHT40_Nss1,(MCS0)_1TX


5270MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.53406G	55.21	68.20	-12.99	17.46	3	Vertical	170	1.86	-	37.75	39.73	12.27	34.54

802.11ac VHT40_Nss1,(MCS0)_1TX


5270MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.53862G	55.86	68.20	-12.34	17.47	3	Horizontal	130	1.74	-	38.39	39.74	12.27	34.54

802.11ac VHT40_Nss1,(MCS0)_1TX


5310MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.322G	99.12	Inf	-Inf	5.40	3	Vertical	337	1.94	-	93.72	31.06	8.59	34.25
AV	5.35G	52.55	54.00	-1.45	5.35	3	Vertical	337	1.94	-	47.20	31.00	8.60	34.25
PK	5.3224G	108.79	Inf	-Inf	5.40	3	Vertical	337	1.94	-	103.39	31.06	8.59	34.25
PK	5.3536G	64.56	74.00	-9.44	5.37	3	Vertical	337	1.94	-	59.19	31.02	8.60	34.25

802.11ac VHT40_Nss1,(MCS0)_1TX


5310MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3212G	92.13	Inf	-Inf	5.40	3	Horizontal	50	1.66	-	86.73	31.06	8.59	34.25
AV	5.35G	47.69	54.00	-6.31	5.35	3	Horizontal	50	1.66	-	42.34	31.00	8.60	34.25
PK	5.3244G	102.03	Inf	-Inf	5.39	3	Horizontal	50	1.66	-	96.64	31.05	8.59	34.25
PK	5.3532G	59.05	74.00	-14.95	5.37	3	Horizontal	50	1.66	-	53.68	31.02	8.60	34.25

802.11ac VHT40_Nss1,(MCS0)_1TX


5310MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.60536G	43.08	54.00	-10.92	17.63	3	Vertical	323	1.49	-	25.45	39.81	12.31	34.49
PK	10.62378G	56.22	74.00	-17.78	17.66	3	Vertical	323	1.49	-	38.56	39.82	12.32	34.48

802.11ac VHT40_Nss1,(MCS0)_1TX


5310MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.63074G	43.10	54.00	-10.90	17.68	3	Horizontal	11	1.77	-	25.42	39.83	12.32	34.47
PK	10.61058G	55.22	74.00	-18.78	17.63	3	Horizontal	11	1.77	-	37.59	39.81	12.31	34.49

802.11ac VHT40_Nss1,(MCS0)_1TX


5510MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4592G	49.54	54.00	-4.46	6.06	3	Vertical	341	1.92	-	43.48	31.62	8.70	34.26
AV	5.5224G	100.58	Inf	-Inf	6.19	3	Vertical	341	1.92	-	94.39	31.66	8.79	34.26
PK	5.47G	66.60	68.20	-1.60	6.09	3	Vertical	341	1.92	-	60.51	31.64	8.71	34.26
PK	5.5192G	110.49	Inf	-Inf	6.18	3	Vertical	341	1.92	-	104.31	31.66	8.78	34.26

802.11ac VHT40_Nss1,(MCS0)_1TX


5510MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4596G	46.14	54.00	-7.86	6.06	3	Horizontal	53	1.59	-	40.08	31.62	8.70	34.26
AV	5.4944G	91.22	Inf	-Inf	6.18	3	Horizontal	53	1.59	-	85.04	31.69	8.75	34.26
PK	5.4696G	58.86	68.20	-9.34	6.09	3	Horizontal	53	1.59	-	52.77	31.64	8.71	34.26
PK	5.5008G	100.35	Inf	-Inf	6.20	3	Horizontal	53	1.59	-	94.15	31.70	8.76	34.26

802.11ac VHT40_Nss1,(MCS0)_1TX


5510MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.03452G	44.24	54.00	-9.76	18.43	3	Vertical	335	1.49	-	25.81	40.10	12.52	34.19
PK	11.02306G	56.64	74.00	-17.36	18.46	3	Vertical	335	1.49	-	38.18	40.13	12.52	34.19

802.11ac VHT40_Nss1,(MCS0)_1TX


5510MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.0215G	44.33	54.00	-9.67	18.47	3	Horizontal	19	1.76	-	25.86	40.14	12.52	34.19
PK	11.01142G	57.32	74.00	-16.68	18.49	3	Horizontal	19	1.76	-	38.83	40.17	12.51	34.19

802.11ac VHT40_Nss1,(MCS0)_1TX


5550MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4596G	52.31	54.00	-1.69	6.06	3	Vertical	346	1.91	-	46.25	31.62	8.70	34.26
AV	5.5348G	103.69	Inf	-Inf	6.18	3	Vertical	346	1.91	-	97.51	31.63	8.81	34.26
PK	5.4688G	67.20	68.20	-1.00	6.09	3	Vertical	346	1.91	-	61.11	31.64	8.71	34.26
PK	5.5632G	113.73	Inf	-Inf	6.18	3	Vertical	346	1.91	-	107.55	31.60	8.85	34.27

802.11ac VHT40_Nss1,(MCS0)_1TX


5550MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4552G	47.22	54.00	-6.78	6.04	3	Horizontal	54	1.59	-	41.18	31.61	8.69	34.26
AV	5.5388G	94.17	Inf	-Inf	6.17	3	Horizontal	54	1.59	-	88.00	31.62	8.81	34.26
PK	5.4696G	60.64	68.20	-7.56	6.09	3	Horizontal	54	1.59	-	54.55	31.64	8.71	34.26
PK	5.5392G	103.59	Inf	-Inf	6.17	3	Horizontal	54	1.59	-	97.42	31.62	8.81	34.26

802.11ac VHT40_Nss1,(MCS0)_1TX


5550MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.1033G	43.90	54.00	-10.10	18.27	3	Vertical	338	1.48	-	25.63	39.89	12.56	34.18
PK	11.0931G	56.01	74.00	-17.99	18.29	3	Vertical	338	1.48	-	37.72	39.92	12.55	34.18

802.11ac VHT40_Nss1,(MCS0)_1TX


5550MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.09994G	44.26	54.00	-9.74	18.28	3	Horizontal	20	1.56	-	25.98	39.90	12.56	34.18
PK	11.1069G	57.34	74.00	-16.66	18.27	3	Horizontal	20	1.56	-	39.07	39.89	12.56	34.18

802.11ac VHT40_Nss1,(MCS0)_1TX


5670MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.6568G	102.67	Inf	-Inf	6.38	3	Vertical	349	1.76	-	96.29	31.71	8.95	34.28
PK	5.6628G	112.19	Inf	-Inf	6.41	3	Vertical	349	1.76	-	105.78	31.73	8.96	34.28
PK	5.7252G	66.12	68.20	-2.08	6.63	3	Vertical	349	1.76	-	59.49	31.90	9.01	34.28

802.11ac VHT40_Nss1,(MCS0)_1TX


5670MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.6562G	91.46	Inf	-Inf	6.38	3	Horizontal	54	1.65	-	85.08	31.71	8.95	34.28
PK	5.6592G	100.75	Inf	-Inf	6.39	3	Horizontal	54	1.65	-	94.36	31.72	8.95	34.28
PK	5.7288G	57.62	68.20	-10.58	6.66	3	Horizontal	54	1.65	-	50.96	31.92	9.02	34.28

802.11ac VHT40_Nss1,(MCS0)_1TX

5670MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.33484G	44.23	54.00	-9.77	18.23	3	Vertical	300	1.00	-	26.00	39.73	12.67	34.17
PK	11.34216G	56.41	74.00	-17.59	18.25	3	Vertical	300	1.00	-	38.16	39.74	12.68	34.17




802.11ac VHT40_Nss1,(MCS0)_1TX

5670MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.34024G	44.88	54.00	-9.12	18.25	3	Horizontal	37	2.64	-	26.63	39.74	12.68	34.17
PK	11.34138G	57.09	74.00	-16.91	18.25	3	Horizontal	37	2.64	-	38.84	39.74	12.68	34.17

802.11ac VHT40_Nss1,(MCS0)_1TX
5710MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.452G	47.91	54.00	-6.09	6.03	3	Vertical	346	1.89	-	41.88	31.60	8.69	34.26
AV	5.6956G	102.09	Inf	-Inf	6.50	3	Vertical	346	1.89	-	95.59	31.79	8.99	34.28
PK	5.4676G	59.20	68.20	-9.00	6.09	3	Vertical	346	1.89	-	53.11	31.64	8.71	34.26
PK	5.7052G	111.92	Inf	-Inf	6.53	3	Vertical	346	1.89	-	105.39	31.82	8.99	34.28
PK	5.9044G	59.55	68.20	-8.65	7.13	3	Vertical	346	1.89	-	52.42	32.30	9.13	34.30


802.11ac VHT40_Nss1,(MCS0)_1TX
5710MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4448G	45.78	54.00	-8.22	5.98	3	Horizontal	56	1.70	-	39.80	31.57	8.67	34.26
AV	5.6944G	89.48	Inf	-Inf	6.49	3	Horizontal	56	1.70	-	82.99	31.79	8.98	34.28
PK	5.464G	56.28	68.20	-11.92	6.07	3	Horizontal	56	1.70	-	50.21	31.63	8.70	34.26
PK	5.698G	98.67	Inf	-Inf	6.51	3	Horizontal	56	1.70	-	92.16	31.80	8.99	34.28
PK	5.986G	58.59	68.20	-9.61	7.22	3	Horizontal	56	1.70	-	51.37	32.37	9.16	34.31


802.11ac VHT40_Nss1,(MCS0)_1TX

5710MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.41802G	44.87	54.00	-9.13	18.40	3	Vertical	319	3.00	-	26.47	39.84	12.72	34.16
PK	11.4188G	57.92	74.00	-16.08	18.40	3	Vertical	319	3.00	-	39.52	39.84	12.72	34.16


802.11ac VHT40_Nss1,(MCS0)_1TX
5710MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.42324G	45.70	54.00	-8.30	18.41	3	Horizontal	40	1.47	-	27.29	39.85	12.72	34.16
PK	11.4188G	57.69	74.00	-16.31	18.40	3	Horizontal	40	1.47	-	39.29	39.84	12.72	34.16

802.11ac VHT80_Nss1,(MCS0)_1TX


5290MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.142G	45.12	54.00	-8.88	5.98	3	Vertical	327	1.96	-	39.14	31.70	8.51	34.23
AV	5.32G	87.20	Inf	-Inf	5.40	3	Vertical	327	1.96	-	81.80	31.06	8.59	34.25
AV	5.35G	52.78	54.00	-1.22	5.35	3	Vertical	327	1.96	-	47.43	31.00	8.60	34.25
PK	5.135G	56.93	74.00	-17.07	5.98	3	Vertical	327	1.96	-	50.95	31.70	8.51	34.23
PK	5.279G	97.60	Inf	-Inf	5.49	3	Vertical	327	1.96	-	92.11	31.14	8.59	34.24
PK	5.351G	66.42	74.00	-7.58	5.36	3	Vertical	327	1.96	-	61.06	31.01	8.60	34.25

802.11ac VHT80_Nss1,(MCS0)_1TX


5290MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.145G	44.94	54.00	-9.06	5.99	3	Horizontal	46	1.63	-	38.95	31.70	8.52	34.23
AV	5.317G	80.37	Inf	-Inf	5.41	3	Horizontal	46	1.63	-	74.96	31.07	8.59	34.25
AV	5.35G	47.96	54.00	-6.04	5.35	3	Horizontal	46	1.63	-	42.61	31.00	8.60	34.25
PK	5.142G	56.48	74.00	-17.52	5.98	3	Horizontal	46	1.63	-	50.50	31.70	8.51	34.23
PK	5.279G	90.86	Inf	-Inf	5.49	3	Horizontal	46	1.63	-	85.37	31.14	8.59	34.24
PK	5.54G	56.34	68.20	-11.86	6.17	3	Horizontal	46	1.63	-	50.17	31.62	8.81	34.26

802.11ac VHT80_Nss1,(MCS0)_1TX

5290MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.5668G	54.51	68.20	-13.69	17.54	3	Vertical	241	2.06	-	36.97	39.77	12.29	34.52



802.11ac VHT80_Nss1,(MCS0)_1TX


5290MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.59488G	54.98	68.20	-13.22	17.59	3	Horizontal	129	2.24	-	37.39	39.79	12.30	34.50

802.11ac VHT80_Nss1,(MCS0)_1TX

5530MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	49.35	54.00	-4.65	6.06	3	Vertical	343	1.74	-	43.29	31.62	8.70	34.26
AV	5.552G	89.60	Inf	-Inf	6.16	3	Vertical	343	1.74	-	83.44	31.60	8.83	34.27
PK	5.47G	67.22	68.20	-0.98	6.09	3	Vertical	343	1.74	-	61.13	31.64	8.71	34.26
PK	5.519G	101.04	Inf	-Inf	6.18	3	Vertical	343	1.74	-	94.86	31.66	8.78	34.26
PK	5.78G	58.12	68.20	-10.08	6.77	3	Vertical	343	1.74	-	51.35	32.00	9.06	34.29



802.11ac VHT80_Nss1,(MCS0)_1TX


5530MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.454G	45.59	54.00	-8.41	6.04	3	Horizontal	50	1.56	-	39.55	31.61	8.69	34.26
AV	5.502G	80.23	Inf	-Inf	6.20	3	Horizontal	50	1.56	-	74.03	31.70	8.76	34.26
PK	5.47G	60.54	68.20	-7.66	6.09	3	Horizontal	50	1.56	-	54.45	31.64	8.71	34.26
PK	5.519G	90.99	Inf	-Inf	6.18	3	Horizontal	50	1.56	-	84.81	31.66	8.78	34.26
PK	5.753G	56.89	68.20	-11.31	6.75	3	Horizontal	50	1.56	-	50.14	32.00	9.04	34.29

802.11ac VHT80_Nss1,(MCS0)_1TX


5530MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.0516G	42.86	54.00	-11.14	18.39	3	Vertical	70	1.50	-	24.47	40.05	12.53	34.19
PK	11.05826G	55.71	74.00	-18.29	18.37	3	Vertical	70	1.50	-	37.34	40.03	12.53	34.19

802.11ac VHT80_Nss1,(MCS0)_1TX


5530MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.04578G	43.03	54.00	-10.97	18.40	3	Horizontal	104	1.48	-	24.63	40.06	12.53	34.19
PK	11.04986G	55.01	74.00	-18.99	18.39	3	Horizontal	104	1.48	-	36.62	40.05	12.53	34.19

802.11ac VHT80_Nss1,(MCS0)_1TX

5610MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.44G	51.41	54.00	-2.59	5.95	3	Vertical	339	1.90	-	45.46	31.54	8.67	34.26
AV	5.578G	97.82	Inf	-Inf	6.20	3	Vertical	339	1.90	-	91.62	31.60	8.87	34.27
PK	5.466G	62.10	68.20	-6.10	6.08	3	Vertical	339	1.90	-	56.02	31.63	8.71	34.26
PK	5.599G	109.18	Inf	-Inf	6.23	3	Vertical	339	1.90	-	102.95	31.60	8.90	34.27
PK	5.726G	66.60	68.20	-1.60	6.63	3	Vertical	339	1.90	-	59.97	31.90	9.01	34.28



802.11ac VHT80_Nss1,(MCS0)_1TX


5610MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.44G	46.43	54.00	-7.57	5.95	3	Horizontal	50	1.65	-	40.48	31.54	8.67	34.26
AV	5.575G	87.04	Inf	-Inf	6.19	3	Horizontal	50	1.65	-	80.85	31.60	8.86	34.27
PK	5.47G	56.65	68.20	-11.55	6.09	3	Horizontal	50	1.65	-	50.56	31.64	8.71	34.26
PK	5.599G	97.55	Inf	-Inf	6.23	3	Horizontal	50	1.65	-	91.32	31.60	8.90	34.27
PK	5.815G	58.02	68.20	-10.18	6.86	3	Horizontal	50	1.65	-	51.16	32.06	9.09	34.29

802.11ac VHT80_Nss1,(MCS0)_1TX


5610MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.22738G	42.95	54.00	-11.05	18.14	3	Vertical	18	1.49	-	24.81	39.70	12.62	34.18
PK	11.23464G	55.23	74.00	-18.77	18.14	3	Vertical	18	1.49	-	37.09	39.70	12.62	34.18


802.11ac VHT80_Nss1,(MCS0)_1TX

5610MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.21958G	43.02	54.00	-10.98	18.14	3	Horizontal	208	2.23	-	24.88	39.70	12.62	34.18
PK	11.2113G	55.22	74.00	-18.78	18.13	3	Horizontal	208	2.23	-	37.09	39.70	12.61	34.18


802.11ac VHT80_Nss1,(MCS0)_1TX
5690MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.45G	47.13	54.00	-6.87	6.02	3	Vertical	321	1.90	-	41.11	31.60	8.68	34.26
AV	5.6624G	98.81	Inf	-Inf	6.40	3	Vertical	321	1.90	-	92.41	31.72	8.96	34.28
PK	5.4668G	58.51	68.20	-9.69	6.08	3	Vertical	321	1.90	-	52.43	31.63	8.71	34.26
PK	5.6792G	110.01	Inf	-Inf	6.45	3	Vertical	321	1.90	-	103.56	31.76	8.97	34.28
PK	5.8532G	60.51	68.20	-7.69	7.01	3	Vertical	321	1.90	-	53.50	32.21	9.10	34.30




802.11ac VHT80_Nss1,(MCS0)_1TX
5690MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.444G	45.04	54.00	-8.96	5.97	3	Horizontal	52	1.66	-	39.07	31.56	8.67	34.26
AV	5.6528G	87.15	Inf	-Inf	6.38	3	Horizontal	52	1.66	-	80.77	31.71	8.95	34.28
PK	5.4644G	55.86	68.20	-12.34	6.07	3	Horizontal	52	1.66	-	49.79	31.63	8.70	34.26
PK	5.6564G	96.91	Inf	-Inf	6.38	3	Horizontal	52	1.66	-	90.53	31.71	8.95	34.28
PK	5.864G	57.57	68.20	-10.63	7.04	3	Horizontal	52	1.66	-	50.53	32.23	9.11	34.30


802.11ac VHT80_Nss1,(MCS0)_1TX

5690MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	11.38372G	56.04	74.00	-17.96	18.31	3	Vertical	360	2.41	-	37.73	39.78	12.70	34.17
AV	11.38972G	43.25	54.00	-10.75	18.32	3	Vertical	360	2.41	-	24.93	39.79	12.70	34.17

802.11ac VHT80_Nss1,(MCS0)_1TX
5690MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.371G	43.81	54.00	-10.19	18.29	3	Horizontal	37	1.73	-	25.52	39.77	12.69	34.17
PK	11.36518G	56.67	74.00	-17.33	18.29	3	Horizontal	37	1.73	-	38.38	39.77	12.69	34.17