


6.425-6.525GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX


6465MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9036G	52.09	68.20	-16.11	14.44	3	Vertical	45	1.57	-	37.65	34.29	10.26	30.11
AV	6.4678G	91.25	Inf	-Inf	15.09	3	Vertical	45	1.57	-	76.16	34.91	10.68	30.50
AV	7.1552G	55.25	68.20	-12.95	17.03	3	Vertical	45	1.57	-	38.22	36.53	11.26	30.76
PK	5.9134G	64.22	88.20	-23.98	14.43	3	Vertical	45	1.57	-	49.79	34.27	10.27	30.11
PK	6.4706G	102.13	Inf	-Inf	15.10	3	Vertical	45	1.57	-	87.03	34.92	10.69	30.51
PK	7.151G	67.23	88.20	-20.97	17.01	3	Vertical	45	1.57	-	50.22	36.51	11.26	30.76


6.425-6.525GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6465MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.919G	52.00	68.20	-16.20	14.42	3	Horizontal	44	1.49	-	37.58	34.26	10.27	30.11
AV	6.4524G	97.52	Inf	-Inf	14.99	3	Horizontal	44	1.49	-	82.53	34.81	10.67	30.49
AV	7.1342G	55.26	68.20	-12.94	16.91	3	Horizontal	44	1.49	-	38.35	36.44	11.24	30.77
PK	5.8756G	64.06	88.20	-24.14	14.33	3	Horizontal	44	1.49	-	49.73	34.20	10.24	30.11
PK	6.4692G	108.86	Inf	-Inf	15.10	3	Horizontal	44	1.49	-	93.76	34.92	10.68	30.50
PK	7.1636G	66.96	88.20	-21.24	17.09	3	Horizontal	44	1.49	-	49.87	36.58	11.27	30.76

6.425-6.525GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX
6465MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.9321G	44.93	68.20	-23.27	22.69	3	Vertical	346	2.92	-	22.24	39.94	13.88	31.13
PK	12.93458G	57.90	88.20	-30.30	22.68	3	Vertical	346	2.92	-	35.22	39.93	13.88	31.13


6.425-6.525GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX
6465MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.93232G	45.00	68.20	-23.20	22.69	3	Horizontal	221	2.34	-	22.31	39.94	13.88	31.13
PK	12.92042G	57.65	88.20	-30.55	22.72	3	Horizontal	221	2.34	-	34.93	39.96	13.88	31.12

6.425-6.525GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX


6545MHz Straddle 6.425-6.525GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9066G	52.08	68.20	-16.12	14.44	3	Vertical	46	1.42	-	37.64	34.29	10.26	30.11
AV	6.5576G	91.18	Inf	-Inf	15.71	3	Vertical	46	1.42	-	75.47	35.53	10.74	30.56
AV	7.2338G	55.42	68.20	-12.78	17.51	3	Vertical	46	1.42	-	37.91	36.94	11.31	30.74
PK	5.8996G	64.05	88.20	-24.15	14.44	3	Vertical	46	1.42	-	49.61	34.30	10.25	30.11
PK	6.5128G	102.47	Inf	-Inf	15.37	3	Vertical	46	1.42	-	87.10	35.20	10.71	30.54
PK	7.1778G	66.96	88.20	-21.24	17.20	3	Vertical	46	1.42	-	49.76	36.67	11.28	30.75

6.425-6.525GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX


6545MHz Straddle 6.425-6.525GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9108G	52.05	68.20	-16.15	14.43	3	Horizontal	61	1.95	-	37.62	34.28	10.26	30.11
AV	6.566G	97.90	Inf	-Inf	15.74	3	Horizontal	61	1.95	-	82.16	35.56	10.75	30.57
AV	7.2366G	55.46	68.20	-12.74	17.53	3	Horizontal	61	1.95	-	37.93	36.95	11.31	30.73
PK	5.8674G	63.75	88.20	-24.45	14.30	3	Horizontal	61	1.95	-	49.45	34.17	10.23	30.10
PK	6.566G	108.69	Inf	-Inf	15.74	3	Horizontal	61	1.95	-	92.95	35.56	10.75	30.57
PK	7.2226G	67.67	88.20	-20.53	17.45	3	Horizontal	61	1.95	-	50.22	36.89	11.30	30.74

6.425-6.525GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX


6545MHz Straddle 6.425-6.525GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.08156G	45.14	68.20	-23.06	22.62	3	Vertical	259	2.64	-	22.52	39.80	13.98	31.16
PK	13.08916G	57.98	88.20	-30.22	22.62	3	Vertical	259	2.64	-	35.36	39.80	13.98	31.16

6.425-6.525GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX


6545MHz Straddle 6.425-6.525GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.0816G	45.24	68.20	-22.96	22.62	3	Horizontal	347	2.39	-	22.62	39.80	13.98	31.16
PK	13.09092G	58.53	88.20	-29.67	22.61	3	Horizontal	347	2.39	-	35.92	39.80	13.98	31.17

6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX


6625MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.6082G	90.73	Inf	-Inf	15.91	3	Vertical	33	1.88	-	74.82	35.72	10.78	30.59
AV	7.1482G	55.29	68.20	-12.91	16.99	3	Vertical	33	1.88	-	38.30	36.49	11.26	30.76
PK	6.6094G	103.52	Inf	-Inf	15.91	3	Vertical	33	1.88	-	87.61	35.72	10.78	30.59
PK	7.1806G	66.87	88.20	-21.33	17.21	3	Vertical	33	1.88	-	49.66	36.68	11.28	30.75


6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6625MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.6166G	97.36	Inf	-Inf	15.92	3	Horizontal	48	1.79	-	81.44	35.73	10.79	30.60
AV	7.183G	55.25	68.20	-12.95	17.24	3	Horizontal	48	1.79	-	38.01	36.70	11.29	30.75
PK	6.6178G	108.64	Inf	-Inf	15.93	3	Horizontal	48	1.79	-	92.71	35.74	10.79	30.60
PK	7.189G	66.80	88.20	-21.40	17.27	3	Horizontal	48	1.79	-	49.53	36.73	11.29	30.75

**6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX
6625MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.2439G	45.29	68.20	-22.91	22.76	3	Vertical	125	2.08	-	22.53	39.90	14.07	31.21
PK	13.24678G	58.07	88.20	-30.13	22.77	3	Vertical	125	2.08	-	35.30	39.90	14.08	31.21


**6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX
6625MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.24386G	45.35	68.20	-22.85	22.76	3	Horizontal	185	2.68	-	22.59	39.90	14.07	31.21
PK	13.2406G	57.71	88.20	-30.49	22.76	3	Horizontal	185	2.68	-	34.95	39.90	14.07	31.21

6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX


6705MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.677G	90.35	Inf	-Inf	16.12	3	Vertical	343	1.00	-	74.23	35.91	10.84	30.63
AV	7.156G	55.25	68.20	-12.95	17.04	3	Vertical	343	1.00	-	38.21	36.54	11.26	30.76
PK	6.699G	102.79	Inf	-Inf	16.22	3	Vertical	343	1.00	-	86.57	36.00	10.86	30.64
PK	7.125G	67.17	88.20	-21.03	16.87	3	Vertical	343	1.00	-	50.30	36.40	11.24	30.77


6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6705MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.7G	97.59	Inf	-Inf	16.23	3	Horizontal	38	1.82	-	81.36	36.00	10.87	30.64
AV	7.143G	55.27	68.20	-12.93	16.96	3	Horizontal	38	1.82	-	38.31	36.47	11.25	30.76
PK	6.688G	110.04	Inf	-Inf	16.16	3	Horizontal	38	1.82	-	93.88	35.95	10.85	30.64
PK	7.198G	67.05	88.20	-21.15	17.34	3	Horizontal	38	1.82	-	49.71	36.79	11.30	30.75

6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX
6705MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.41104G	45.18	68.20	-23.02	23.19	3	Vertical	256	1.41	-	21.99	40.27	14.18	31.26
PK	13.40788G	57.85	88.20	-30.35	23.21	3	Vertical	256	1.41	-	34.64	40.28	14.18	31.25


6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX
6705MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.40906G	45.08	68.20	-23.12	23.20	3	Horizontal	286	1.92	-	21.88	40.27	14.18	31.25
PK	13.4114G	58.00	88.20	-30.20	23.19	3	Horizontal	286	1.92	-	34.81	40.27	14.18	31.26

6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX


6785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.806G	90.58	Inf	-Inf	16.16	3	Vertical	345	2.04	-	74.42	35.89	10.97	30.70
AV	7.1294G	55.18	68.20	-13.02	16.89	3	Vertical	345	2.04	-	38.29	36.42	11.24	30.77
PK	6.8088G	102.58	Inf	-Inf	16.15	3	Vertical	345	2.04	-	86.43	35.88	10.97	30.70
PK	7.1273G	66.99	88.20	-21.21	16.88	3	Vertical	345	2.04	-	50.11	36.41	11.24	30.77


6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6785MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.7808G	97.58	Inf	-Inf	16.15	3	Horizontal	44	1.54	-	81.43	35.90	10.94	30.69
AV	7.135G	55.21	68.20	-12.99	16.91	3	Horizontal	44	1.54	-	38.30	36.44	11.24	30.77
PK	6.8151G	109.15	Inf	-Inf	16.13	3	Horizontal	44	1.54	-	93.02	35.87	10.97	30.71
PK	7.1329G	66.66	88.20	-21.54	16.90	3	Horizontal	44	1.54	-	49.76	36.43	11.24	30.77

**6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX
6785MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.5759G	45.35	68.20	-22.85	22.90	3	Vertical	288	2.80	-	22.45	39.92	14.28	31.30
PK	13.56966G	58.34	88.20	-29.86	22.91	3	Vertical	288	2.80	-	35.43	39.93	14.28	31.30


**6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX
6785MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.57004G	45.21	68.20	-22.99	22.91	3	Horizontal	33	2.78	-	22.30	39.93	14.28	31.30
PK	13.5748G	57.76	88.20	-30.44	22.91	3	Horizontal	33	2.78	-	34.85	39.93	14.28	31.30

6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX


6865MHz Straddle 6.525-6.875GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.8629G	90.50	Inf	-Inf	16.08	3	Vertical	341	1.44	-	74.42	35.80	11.01	30.73
AV	7.2031G	55.28	68.20	-12.92	17.36	3	Vertical	341	1.44	-	37.92	36.81	11.30	30.75
PK	6.8594G	101.49	Inf	-Inf	16.08	3	Vertical	341	1.44	-	85.41	35.80	11.01	30.73
PK	7.1254G	67.51	88.20	-20.69	16.87	3	Vertical	341	1.44	-	50.64	36.40	11.24	30.77

6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX


6865MHz Straddle 6.525-6.875GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.8664G	97.18	Inf	-Inf	16.08	3	Horizontal	59	1.78	-	81.10	35.80	11.02	30.74
AV	7.1632G	55.30	68.20	-12.90	17.09	3	Horizontal	59	1.78	-	38.21	36.58	11.27	30.76
PK	6.858G	109.55	Inf	-Inf	16.08	3	Horizontal	59	1.78	-	93.47	35.80	11.01	30.73
PK	7.1471G	66.98	88.20	-21.22	16.99	3	Horizontal	59	1.78	-	49.99	36.49	11.26	30.76

6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX


6865MHz Straddle 6.525-6.875GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.72844G	49.34	68.20	-18.86	22.71	3	Vertical	350	1.33	-	26.63	39.67	14.37	31.33
PK	13.73348G	63.27	88.20	-24.93	22.71	3	Vertical	350	1.33	-	40.56	39.67	14.38	31.34

6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX


6865MHz Straddle 6.525-6.875GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.73434G	49.33	68.20	-18.87	22.71	3	Horizontal	287	2.99	-	26.62	39.67	14.38	31.34
PK	13.72962G	62.03	88.20	-26.17	22.70	3	Horizontal	287	2.99	-	39.33	39.67	14.37	31.34

6.875-7.125GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX


6945MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.9552G	90.89	Inf	-Inf	16.11	3	Vertical	346	1.50	-	74.78	35.80	11.09	30.78
AV	7.236G	55.41	68.20	-12.79	17.52	3	Vertical	346	1.50	-	37.89	36.94	11.31	30.73
PK	6.927G	102.93	Inf	-Inf	16.10	3	Vertical	346	1.50	-	86.83	35.80	11.07	30.77
PK	7.2288G	68.63	88.20	-19.57	17.49	3	Vertical	346	1.50	-	51.14	36.92	11.31	30.74


6.875-7.125GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6945MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.9636G	97.90	Inf	-Inf	16.11	3	Horizontal	59	1.88	-	81.79	35.80	11.10	30.79
AV	7.2444G	55.47	68.20	-12.73	17.56	3	Horizontal	59	1.88	-	37.91	36.98	11.31	30.73
PK	6.9618G	110.01	Inf	-Inf	16.11	3	Horizontal	59	1.88	-	93.90	35.80	11.10	30.79
PK	7.17G	67.61	88.20	-20.59	17.13	3	Horizontal	59	1.88	-	50.48	36.62	11.27	30.76

6.875-7.125GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX
6945MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.88716G	50.48	68.20	-17.72	22.87	3	Vertical	82	2.48	-	27.61	39.77	14.47	31.37
PK	13.89066G	63.36	88.20	-24.84	22.88	3	Vertical	82	2.48	-	40.48	39.78	14.47	31.37


6.875-7.125GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX
6945MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.89378G	50.37	68.20	-17.83	22.89	3	Horizontal	319	1.10	-	27.48	39.79	14.47	31.37
PK	13.88456G	63.24	88.20	-24.96	22.87	3	Horizontal	319	1.10	-	40.37	39.77	14.47	31.37

6.875-7.125GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX


7025MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.0373G	91.88	Inf	-Inf	16.31	3	Vertical	345	1.50	-	75.57	35.95	11.16	30.80
AV	7.1324G	55.70	68.20	-12.50	16.90	3	Vertical	345	1.50	-	38.80	36.43	11.24	30.77
PK	7.0073G	105.14	Inf	-Inf	16.16	3	Vertical	345	1.50	-	88.98	35.83	11.14	30.81
PK	7.1699G	68.88	88.20	-19.32	17.13	3	Vertical	345	1.50	-	51.75	36.62	11.27	30.76


6.875-7.125GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

7025MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.025G	97.30	Inf	-Inf	16.25	3	Horizontal	55	1.90	-	81.05	35.90	11.15	30.80
AV	7.136G	55.44	68.20	-12.76	16.92	3	Horizontal	55	1.90	-	38.52	36.44	11.25	30.77
PK	7.0118G	110.11	Inf	-Inf	16.18	3	Horizontal	55	1.90	-	93.93	35.85	11.14	30.81
PK	7.1369G	67.91	88.20	-20.29	16.93	3	Horizontal	55	1.90	-	50.98	36.45	11.25	30.77

**6.875-7.125GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX
7025MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.05304G	50.55	68.20	-17.65	23.09	3	Vertical	254	2.81	-	27.46	39.91	14.58	31.40
PK	14.05254G	64.14	88.20	-24.06	23.09	3	Vertical	254	2.81	-	41.05	39.91	14.58	31.40


**6.875-7.125GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX
7025MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.05902G	50.57	68.20	-17.63	23.10	3	Horizontal	301	2.96	-	27.47	39.92	14.58	31.40
PK	14.0447G	64.12	88.20	-24.08	23.06	3	Horizontal	301	2.96	-	41.06	39.89	14.57	31.40

5.925-6.425GHz_802.11ax HEW160-BF_Nss1,(MCS0)_2TX


6025MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9215G	58.70	68.20	-9.50	14.42	3	Vertical	39	1.00	-	44.28	34.26	10.27	30.11
AV	6.0635G	88.86	Inf	-Inf	14.30	3	Vertical	39	1.00	-	74.56	34.07	10.39	30.16
PK	5.9195G	75.79	88.20	-12.41	14.42	3	Vertical	39	1.00	-	61.37	34.26	10.27	30.11
PK	6.0635G	102.14	Inf	-Inf	14.30	3	Vertical	39	1.00	-	87.84	34.07	10.39	30.16


5.925-6.425GHz_802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6025MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9215G	63.59	68.20	-4.61	14.42	3	Horizontal	54	1.74	-	49.17	34.26	10.27	30.11
AV	5.9785G	97.44	Inf	-Inf	14.34	3	Horizontal	54	1.74	-	83.10	34.14	10.31	30.11
PK	5.9135G	83.83	88.20	-4.37	14.43	3	Horizontal	54	1.74	-	69.40	34.27	10.27	30.11
PK	5.9805G	110.71	Inf	-Inf	14.35	3	Horizontal	54	1.74	-	96.36	34.14	10.32	30.11

**5.925-6.425GHz_802.11ax HEW160-BF_Nss1,(MCS0)_2TX
6025MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.05G	43.28	54.00	-10.72	21.56	3	Vertical	26	1.77	-	21.72	39.15	13.34	30.93
PK	12.05252G	55.68	74.00	-18.32	21.56	3	Vertical	26	1.77	-	34.12	39.15	13.34	30.93


**5.925-6.425GHz_802.11ax HEW160-BF_Nss1,(MCS0)_2TX
6025MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.0501G	43.33	54.00	-10.67	21.56	3	Horizontal	132	1.48	-	21.77	39.15	13.34	30.93
PK	12.05818G	56.16	74.00	-17.84	21.58	3	Horizontal	132	1.48	-	34.58	39.16	13.35	30.93

5.925-6.425GHz_802.11ax HEW160-BF_Nss1,(MCS0)_2TX


6185MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.905G	52.13	68.20	-16.07	14.44	3	Vertical	38	1.63	-	37.69	34.29	10.26	30.11
AV	6.2242G	91.51	Inf	-Inf	14.59	3	Vertical	38	1.63	-	76.92	34.35	10.54	30.30
PK	5.817G	65.59	88.20	-22.61	14.19	3	Vertical	38	1.63	-	51.40	34.10	10.19	30.10
PK	6.1954G	104.41	Inf	-Inf	14.55	3	Vertical	38	1.63	-	89.86	34.29	10.53	30.27


5.925-6.425GHz_802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6185MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9202G	52.87	68.20	-15.33	14.42	3	Horizontal	40	2.74	-	38.45	34.26	10.27	30.11
AV	6.217G	97.88	Inf	-Inf	14.58	3	Horizontal	40	2.74	-	83.30	34.33	10.54	30.29
PK	5.8602G	65.81	88.20	-22.39	14.27	3	Horizontal	40	2.74	-	51.54	34.14	10.23	30.10
PK	6.217G	111.06	Inf	-Inf	14.58	3	Horizontal	40	2.74	-	96.48	34.33	10.54	30.29

5.925-6.425GHz_802.11ax HEW160-BF_Nss1,(MCS0)_2TX
6185MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.37002G	44.06	54.00	-9.94	21.63	3	Vertical	70	1.80	-	22.43	39.10	13.54	31.01
PK	12.36326G	57.12	74.00	-16.88	21.62	3	Vertical	70	1.80	-	35.50	39.10	13.53	31.01


5.925-6.425GHz_802.11ax HEW160-BF_Nss1,(MCS0)_2TX
6185MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.36988G	44.10	54.00	-9.90	21.63	3	Horizontal	122	2.66	-	22.47	39.10	13.54	31.01
PK	12.37684G	57.05	74.00	-16.95	21.63	3	Horizontal	122	2.66	-	35.42	39.10	13.54	31.01

5.925-6.425GHz_802.11ax HEW160-BF_Nss1,(MCS0)_2TX


6345MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9058G	52.13	68.20	-16.07	14.44	3	Vertical	37	1.52	-	37.69	34.29	10.26	30.11
AV	6.3222G	91.86	Inf	-Inf	14.71	3	Vertical	37	1.52	-	77.15	34.49	10.60	30.38
PK	5.751G	65.18	88.20	-23.02	13.86	3	Vertical	37	1.52	-	51.32	33.81	10.15	30.10
PK	6.3234G	104.68	Inf	-Inf	14.71	3	Vertical	37	1.52	-	89.97	34.49	10.60	30.38


5.925-6.425GHz_802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6345MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9226G	52.17	68.20	-16.03	14.41	3	Horizontal	43	1.68	-	37.76	34.25	10.27	30.11
AV	6.3426G	97.21	Inf	-Inf	14.78	3	Horizontal	43	1.68	-	82.43	34.57	10.61	30.40
PK	5.8674G	65.88	88.20	-22.32	14.30	3	Horizontal	43	1.68	-	51.58	34.17	10.23	30.10
PK	6.333G	110.08	Inf	-Inf	14.74	3	Horizontal	43	1.68	-	95.34	34.53	10.60	30.39

5.925-6.425GHz_802.11ax HEW160-BF_Nss1,(MCS0)_2TX
6345MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.68288G	44.38	54.00	-9.62	22.13	3	Vertical	334	1.26	-	22.25	39.48	13.73	31.08
PK	12.692G	57.65	74.00	-16.35	22.15	3	Vertical	334	1.26	-	35.50	39.49	13.74	31.08


5.925-6.425GHz_802.11ax HEW160-BF_Nss1,(MCS0)_2TX
6345MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.69956G	44.30	54.00	-9.70	22.16	3	Horizontal	135	2.10	-	22.14	39.50	13.74	31.08
PK	12.69314G	57.51	74.00	-16.49	22.15	3	Horizontal	135	2.10	-	35.36	39.49	13.74	31.08

6.425-6.525GHz_802.11ax HEW160-BF_Nss1,(MCS0)_2TX


6505MHz Straddle 6.425-6.525GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9142G	52.09	68.20	-16.11	14.43	3	Vertical	52	1.35	-	37.66	34.27	10.27	30.11
AV	6.5134G	91.41	Inf	-Inf	15.38	3	Vertical	52	1.35	-	76.03	35.21	10.71	30.54
AV	7.1448G	55.41	68.20	-12.79	16.97	3	Vertical	52	1.35	-	38.44	36.48	11.25	30.76
PK	5.8638G	65.34	88.20	-22.86	14.29	3	Vertical	52	1.35	-	51.05	34.16	10.23	30.10
PK	6.512G	103.62	Inf	-Inf	15.37	3	Vertical	52	1.35	-	88.25	35.20	10.71	30.54
PK	7.1994G	68.21	88.20	-19.99	17.35	3	Vertical	52	1.35	-	50.86	36.80	11.30	30.75


6.425-6.525GHz_802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6505MHz Straddle 6.425-6.525GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9128G	52.10	68.20	-16.10	14.42	3	Horizontal	49	1.50	-	37.68	34.27	10.26	30.11
AV	6.47G	97.26	Inf	-Inf	15.11	3	Horizontal	49	1.50	-	82.15	34.92	10.69	30.50
AV	7.177G	55.33	68.20	-12.87	17.19	3	Horizontal	49	1.50	-	38.14	36.66	11.28	30.75
PK	5.8624G	65.73	88.20	-22.47	14.28	3	Horizontal	49	1.50	-	51.45	34.15	10.23	30.10
PK	6.4714G	110.48	Inf	-Inf	15.11	3	Horizontal	49	1.50	-	95.37	34.93	10.69	30.51
PK	7.1504G	68.23	88.20	-19.97	17.00	3	Horizontal	49	1.50	-	51.23	36.50	11.26	30.76

6.425-6.525GHz_802.11ax HEW160-BF_Nss1,(MCS0)_2TX
6505MHz Straddle 6.425-6.525GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.01376G	45.02	68.20	-23.18	22.59	3	Vertical	41	2.81	-	22.43	39.80	13.93	31.14
PK	13.00248G	57.85	88.20	-30.35	22.59	3	Vertical	41	2.81	-	35.26	39.80	13.93	31.14


6.425-6.525GHz_802.11ax HEW160-BF_Nss1,(MCS0)_2TX
6505MHz Straddle 6.425-6.525GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.003G	44.99	68.20	-23.21	22.59	3	Horizontal	354	1.98	-	22.40	39.80	13.93	31.14
PK	13.0173G	57.80	88.20	-30.40	22.60	3	Horizontal	354	1.98	-	35.20	39.80	13.94	31.14

6.525-6.875GHz_802.11ax HEW160-BF_Nss1,(MCS0)_2TX


6665MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.6474G	91.16	Inf	-Inf	16.00	3	Vertical	34	1.76	-	75.16	35.79	10.82	30.61
AV	7.1479G	55.38	68.20	-12.82	16.99	3	Vertical	34	1.76	-	38.39	36.49	11.26	30.76
PK	6.6859G	104.15	Inf	-Inf	16.16	3	Vertical	34	1.76	-	87.99	35.94	10.85	30.63
PK	7.1446G	68.65	88.20	-19.55	16.97	3	Vertical	34	1.76	-	51.68	36.48	11.25	30.76


6.525-6.875GHz_802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6665MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.6617G	96.97	Inf	-Inf	16.06	3	Horizontal	54	2.12	-	80.91	35.85	10.83	30.62
AV	7.1589G	55.40	68.20	-12.80	17.06	3	Horizontal	54	2.12	-	38.34	36.55	11.27	30.76
PK	6.6177G	110.53	Inf	-Inf	15.93	3	Horizontal	54	2.12	-	94.60	35.74	10.79	30.60
PK	7.2062G	68.47	88.20	-19.73	17.38	3	Horizontal	54	2.12	-	51.09	36.82	11.30	30.74

6.525-6.875GHz_802.11ax HEW160-BF_Nss1,(MCS0)_2TX
6665MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.32218G	45.15	54.00	-8.85	22.88	3	Vertical	79	1.32	-	22.27	39.99	14.12	31.23
PK	13.32572G	58.27	74.00	-15.73	22.90	3	Vertical	79	1.32	-	35.37	40.00	14.13	31.23


6.525-6.875GHz_802.11ax HEW160-BF_Nss1,(MCS0)_2TX
6665MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.3206G	45.15	54.00	-8.85	22.87	3	Horizontal	185	1.59	-	22.28	39.98	14.12	31.23
PK	13.3209G	58.53	74.00	-15.47	22.87	3	Horizontal	185	1.59	-	35.66	39.98	14.12	31.23

6.525-6.875GHz_802.11ax HEW160-BF_Nss1,(MCS0)_2TX


6825MHz Straddle 6.525-6.875GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.8626G	90.25	Inf	-Inf	16.08	3	Vertical	341	1.44	-	74.17	35.80	11.01	30.73
AV	7.2186G	55.34	68.20	-12.86	17.43	3	Vertical	341	1.44	-	37.91	36.87	11.30	30.74
PK	6.8578G	102.09	Inf	-Inf	16.08	3	Vertical	341	1.44	-	86.01	35.80	11.01	30.73
PK	7.2154G	67.16	88.20	-21.04	17.42	3	Vertical	341	1.44	-	49.74	36.86	11.30	30.74


6.525-6.875GHz_802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6825MHz Straddle 6.525-6.875GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.8674G	97.20	Inf	-Inf	16.08	3	Horizontal	60	1.84	-	81.12	35.80	11.02	30.74
AV	7.2242G	55.36	68.20	-12.84	17.46	3	Horizontal	60	1.84	-	37.90	36.90	11.30	30.74
PK	6.8658G	109.71	Inf	-Inf	16.09	3	Horizontal	60	1.84	-	93.62	35.80	11.02	30.73
PK	7.1562G	67.39	88.20	-20.81	17.04	3	Horizontal	60	1.84	-	50.35	36.54	11.26	30.76

6.525-6.875GHz_802.11ax HEW160-BF_Nss1,(MCS0)_2TX
6825MHz Straddle 6.525-6.875GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.6416G	49.42	68.20	-18.78	22.83	3	Vertical	236	2.46	-	26.59	39.82	14.32	31.31
PK	13.6458G	61.96	88.20	-26.24	22.82	3	Vertical	236	2.46	-	39.14	39.81	14.32	31.31


6.525-6.875GHz_802.11ax HEW160-BF_Nss1,(MCS0)_2TX
6825MHz Straddle 6.525-6.875GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.64416G	49.37	68.20	-18.83	22.82	3	Horizontal	231	1.82	-	26.55	39.81	14.32	31.31
PK	13.64792G	62.74	88.20	-25.46	22.80	3	Horizontal	231	1.82	-	39.94	39.80	14.32	31.32

6.875-7.125GHz_802.11ax HEW160-BF_Nss1,(MCS0)_2TX


6985MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.9515G	90.90	Inf	-Inf	16.11	3	Vertical	343	1.75	-	74.79	35.80	11.09	30.78
AV	7.1365G	56.34	68.20	-11.86	16.93	3	Vertical	343	1.75	-	39.41	36.45	11.25	30.77
PK	6.9515G	102.68	Inf	-Inf	16.11	3	Vertical	343	1.75	-	86.57	35.80	11.09	30.78
PK	7.164G	69.41	88.20	-18.79	17.09	3	Vertical	343	1.75	-	52.32	36.58	11.27	30.76


6.875-7.125GHz_802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6985MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.9665G	97.85	Inf	-Inf	16.11	3	Horizontal	56	1.80	-	81.74	35.80	11.10	30.79
AV	7.133G	57.32	68.20	-10.88	16.90	3	Horizontal	56	1.80	-	40.42	36.43	11.24	30.77
PK	6.965G	109.41	Inf	-Inf	16.11	3	Horizontal	56	1.80	-	93.30	35.80	11.10	30.79
PK	7.1375G	69.27	88.20	-18.93	16.93	3	Horizontal	56	1.80	-	52.34	36.45	11.25	30.77

6.875-7.125GHz_802.11ax HEW160-BF_Nss1,(MCS0)_2TX
6985MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.97766G	50.51	68.20	-17.69	22.94	3	Vertical	155	1.54	-	27.57	39.80	14.53	31.39
PK	13.96354G	63.12	88.20	-25.08	22.93	3	Vertical	155	1.54	-	40.19	39.80	14.52	31.39

6.875-7.125GHz_802.11ax HEW160-BF_Nss1,(MCS0)_2TX
6985MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.97946G	50.56	68.20	-17.64	22.93	3	Horizontal	246	1.67	-	27.63	39.80	14.53	31.40
PK	13.97356G	63.67	88.20	-24.53	22.93	3	Horizontal	246	1.67	-	40.74	39.80	14.52	31.39



Antenna Gain(dBi)			
UNII5	UNII6	UNII7	UNII8
4.37	4.37	4.37	4.37

Contention Based protocol 802.11ax HE20											
UNII Band	Channel	Bandwidth (MHz)	Frequency (MHz)	Interference frequency (MHz)		AWGN Threshold Level (dBm)	EUT Status	Number of Detected (out of 10 times)	Detection Probability (%)	Limit (%)	Test Result
5	53	20	6215	Center	6215	-66.37	OFF	10	100	90	Pass
6	101	20	6455	Center	6455	-65.37	OFF	10	100	90	Pass
7	149	20	6695	Center	6695	-62.00	OFF	10	100	90	Pass
8	213	20	7015	Center	7015	-65.37	OFF	10	100	90	Pass

Contention Based protocol 802.11ax HE160											
UNII Band	Channel	Bandwidth (MHz)	Frequency (MHz)	Interference frequency (MHz)		AWGN Threshold Level (dBm)	EUT Status	Number of Detected (out of 10 times)	Detection Probability (%)	Limit(%)	Test Result
5	47	160	6185	Low edge	6110	-62.00	OFF	10	100	90	Pass
				Center	6185	-62.00	OFF	10	100	90	Pass
				High edge	6260	-62.37	OFF	10	100	90	Pass
6	111	160	6505	Low edge	6430	-62.00	OFF	10	100	90	Pass
				Center	6505	-62.00	OFF	10	100	90	Pass
				High edge	6580	-65.37	OFF	10	100	90	Pass
7	143	160	6665	Low edge	6590	-67.37	OFF	10	100	90	Pass
				Center	6665	-63.37	OFF	10	100	90	Pass
				High edge	6740	-62.00	OFF	10	100	90	Pass
8	207	160	6985	Low edge	6910	-69.37	OFF	10	100	90	Pass
				Center	6985	-62.00	OFF	10	100	90	Pass
				High edge	7060	-65.37	OFF	10	100	90	Pass



Contention Based Protocol Threshold Level										
UNII Band	Channel	Bandwidth (MHz)	Frequency (MHz)	Intetference frequency (MHz)		EUT Status	Injected AWGN Power (dBm)	Ant Gain (dBi)	Detection Power(dBm)	Detection Limit (dBm)
5	53	20	6215	Center	6215	OFF	-62.00	4.37	-66.37	≤ -62
						Minimal	-63.00	4.37	-67.37	≤ -62
						ON	-64.00	4.37	-68.37	≤ -62
6	101		6455	Center	6455	OFF	-61.00	4.37	-65.37	≤ -62
						Minimal	-62.00	4.37	-66.37	≤ -62
						ON	-63.00	4.37	-67.37	≤ -62
7	149		6695	Center	6695	OFF	-57.63	4.37	-62.00	≤ -62
						Minimal	-58.00	4.37	-62.37	≤ -62
						ON	-59.00	4.37	-63.37	≤ -62
8	213		7015	Center	7015	OFF	-61.00	4.37	-65.37	≤ -62
						Minimal	-62.00	4.37	-66.37	≤ -62
						ON	-63.00	4.37	-67.37	≤ -62




Contention Based Protocol Threshold Level										
UNII Band	Channel	Bandwidth (MHz)	Frequency (MHz)	Inteference frequency (MHz)		EUT Status	Injected AWGN Power (dBm)	Ant Gain (dBi)	Detection Power(dBm)	Detection Limit (dBm)
5	47	160	6185	Low edge	6110	OFF	-57.63	4.37	-62.00	≤ -62
						Minimal	-58.00	4.37	-62.37	≤ -62
						ON	-59.00	4.37	-63.37	≤ -62
				Center	6185	OFF	-57.63	4.37	-62.00	≤ -62
						Minimal	-58.00	4.37	-62.37	≤ -62
						ON	-59.00	4.37	-63.37	≤ -62
				High edge	6260	OFF	-58.00	4.37	-62.37	≤ -62
						Minimal	-59.00	4.37	-63.37	≤ -62
						ON	-60.00	4.37	-64.37	≤ -62
6	111	160	6505	Low edge	6430	OFF	-57.63	4.37	-62.00	≤ -62
						Minimal	-58.00	4.37	-62.37	≤ -62
						ON	-59.00	4.37	-63.37	≤ -62
				Center	6505	OFF	-57.63	4.37	-62.00	≤ -62
						Minimal	-58.00	4.37	-62.37	≤ -62
						ON	-59.00	4.37	-63.37	≤ -62
				High edge	6580	OFF	-61.00	4.37	-65.37	≤ -62
						Minimal	-62.00	4.37	-66.37	≤ -62
						ON	-63.00	4.37	-67.37	≤ -62
7	143	160	6665	Low edge	6590	OFF	-63.00	4.37	-67.37	≤ -62
						Minimal	-64.00	4.37	-68.37	≤ -62
						ON	-65.00	4.37	-69.37	≤ -62
				Center	6665	OFF	-59.00	4.37	-63.37	≤ -62
						Minimal	-60.00	4.37	-64.37	≤ -62
						ON	-61.00	4.37	-65.37	≤ -62
				High edge	6740	OFF	-57.63	4.37	-62.00	≤ -62
						Minimal	-58.00	4.37	-62.37	≤ -62
						ON	-59.00	4.37	-63.37	≤ -62
8	207	160	6985	Low edge	6910	OFF	-65.00	4.37	-69.37	≤ -62
						Minimal	-66.00	4.37	-70.37	≤ -62
						ON	-67.00	4.37	-71.37	≤ -62
				Center	6985	OFF	-57.63	4.37	-62.00	≤ -62
						Minimal	-58.00	4.37	-62.37	≤ -62
						ON	-59.00	4.37	-63.37	≤ -62
				High edge	7060	OFF	-61.00	4.37	-65.37	≤ -62
						Minimal	-62.00	4.37	-66.37	≤ -62
						ON	-63.00	4.37	-67.37	≤ -62

Bandwidth 20MHz: Traffic Loading Plot - 6215MHz

Time Analysis

Main



Sample Time

12.5us

All TX Time

82ms

All TX Sample

6560

Duty Cycle

0.819898

T1[s] T2[s]

NaNs NaNs


T3[s] T4[s]

NaNs NaNs

Bandwidth 20MHz: Traffic Loading Plot - 6455MHz

Time Analysis

Main



Sample Time

12.5us

All TX Time

75.0625ms

All TX Sample

6005

Duty Cycle

0.750531

T1[s] T2[s]

NaNs NaNs

T3[s] T4[s]


NaNs NaNs



Bandwidth 20MHz: Traffic Loading Plot - 6695MHz

Time Analysis

Main



Sample Time

12.5us

All TX Time

73.825ms

All TX Sample

5906

Duty Cycle

0.738158

T1[s] T2[s]

NaNs NaNs


T3[s] T4[s]

NaNs NaNs

Bandwidth 160MHz: Traffic Loading Plot - 6185MHz

Time Analysis

Main



Sample Time

12.5us

All TX Time

20.6625ms

All TX Sample

1653

Duty Cycle

0.206599

T1[s] T2[s]

NaNs NaNs


T3[s] T4[s]

NaNs NaNs

Bandwidth 160MHz: Traffic Loading Plot - 6505MHz

Time Analysis

Main



Sample Time

12.5us

All TX Time

20.5125ms

All TX Sample

1641

Duty Cycle

0.205099

T1[s] T2[s]

NaNs NaNs


T3[s] T4[s]

NaNs NaNs

Bandwidth 160MHz: Traffic Loading Plot - 6665MHz

Time Analysis

Main



Sample Time

12.5us

All TX Time

19.575ms

All TX Sample

1566

Duty Cycle

0.195726

T1[s] T2[s]

NaNs NaNs


T3[s] T4[s]

NaNs NaNs

Bandwidth 160MHz: Traffic Loading Plot - 6985MHz

Time Analysis

Main



Sample Time

12.5us

All TX Time

19.6875ms

All TX Sample

1575

Duty Cycle

0.19685



T1[s] T2[s]



NaNs NaNs



T3[s] T4[s]



NaNs NaNs



1. Incumbent signal (AWGN) Plot













2. Contention-Based Protocol Plot




Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.



Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.

Test CH 149 ; Incumbent signal 6695 MHz


Time Analysis



Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.

Test CH 213 ; Incumbent signal 7015MHz


Time Analysis



Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.

Test CH 47 ; Incumbent signal 6110 MHz


Time Analysis



Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.

Test CH 47 ; Incumbent signal 6185 MHz


Time Analysis



Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.

Test CH 47 ; Incumbent signal 6260 MHz


Time Analysis



Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.

Test CH 111 ; Incumbent signal 6430 MHz


Time Analysis



Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.

Test CH 111 ; Incumbent signal 6505 MHz


Time Analysis



Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.

Test CH 111 ; Incumbent signal 6580 MHz


Time Analysis



Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.

Test CH 143 ; Incumbent signal 6590 MHz


Time Analysis



Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.

Test CH 143 ; Incumbent signal 6665 MHz


Time Analysis



Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.

Test CH 143 ; Incumbent signal 6740 MHz


Time Analysis



Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.

Test CH 207 ; Incumbent signal 6910 MHz


Time Analysis



Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.

Test CH 207 ; Incumbent signal 6985 MHz


Time Analysis



Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.

Test CH 207 ; Incumbent signal 7060 MHz

Time Analysis




Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.

Contention Based Protocol Threshold Level Verify Plot

Bandwidth (MHz): 20

Frequency (MHz): 6215 MHz (Threshold Level: -62 dBm)


Time Analysis



Sample Time	1us
All TX Time	635.267ms
All TX Sample	635267
Duty Cycle	0.635266
T1[s]	T2[s]
NaNs	NaNs
T3[s]	T4[s]
NaNs	NaNs

Frequency (MHz): 6215 MHz (Threshold Level: -63dBm)


Time Analysis



Sample Time	1us
All TX Time	630.148ms
All TX Sample	630148
Duty Cycle	0.630147
T1[s]	T2[s]
NaNs	NaNs
T3[s]	T4[s]
NaNs	NaNs

Frequency (MHz): 6215 MHz (Threshold Level: -64 dBm)

Time Analysis




Sample Time	1us
All TX Time	627.494ms
All TX Sample	627494
Duty Cycle	0.627493
T1[s]	T2[s]
NaNs	NaNs
T3[s]	T4[s]
NaNs	NaNs

Contention Based Protocol Threshold Level Verify Plot

Bandwidth (MHz): 160

Frequency (MHz): 6110 MHz (Threshold Level: -56.5dBm)


Time Analysis



Sample Time	1us
All TX Time	248.216ms
All TX Sample	248216
Duty Cycle	0.248216
T1[s]	T2[s]
NaNs	NaNs
T3[s]	T4[s]
NaNs	NaNs

Frequency (MHz): 6110 MHz (Threshold Level: -57dBm)


Time Analysis



Sample Time	1us
All TX Time	249.3ms
All TX Sample	249300
Duty Cycle	0.2493
T1[s]	T2[s]
NaNs	NaNs
T3[s]	T4[s]
NaNs	NaNs

Frequency (MHz): 6110 MHz (Threshold Level: -58dBm)


Time Analysis



Sample Time	1us
All TX Time	244.906ms
All TX Sample	244906
Duty Cycle	0.244906
T1[s]	T2[s]
NaNs	NaNs
T3[s]	T4[s]
NaNs	NaNs

Frequency (MHz): 6185 MHz (Threshold Level: -57dBm)


Time Analysis



Sample Time	1us
All TX Time	182.119ms
All TX Sample	182119
Duty Cycle	0.182119
T1[s]	T2[s]
NaNs	NaNs
T3[s]	T4[s]
NaNs	NaNs

Frequency (MHz): 6185 MHz (Threshold Level: -58dBm)


Time Analysis



Sample Time	1us
All TX Time	122.366ms
All TX Sample	122366
Duty Cycle	0.122366
T1[s]	T2[s]
NaNs	NaNs
T3[s]	T4[s]
NaNs	NaNs

Frequency (MHz): 6185 MHz (Threshold Level: -59 dBm)

Time Analysis




Sample Time	1us
All TX Time	171.277ms
All TX Sample	171277
Duty Cycle	0.171277
T1[s]	T2[s]
NaNs	NaNs
T3[s]	T4[s]
NaNs	NaNs

Contention Based Protocol Threshold Level Verify Plot

Bandwidth (MHz): 160

Frequency (MHz): 6260 MHz (Threshold Level: -58dBm)


Time Analysis



Sample Time	1us
All TX Time	193.501ms
All TX Sample	193501
Duty Cycle	0.193501
T1[s]	T2[s]
NaNs	NaNs
T3[s]	T4[s]
NaNs	NaNs

Frequency (MHz): 6260 MHz (Threshold Level: -59dBm)


Time Analysis



Sample Time	1us
All TX Time	188.609ms
All TX Sample	188609
Duty Cycle	0.188609
T1[s]	T2[s]
NaNs	NaNs
T3[s]	T4[s]
NaNs	NaNs

Frequency (MHz): 6260 MHz (Threshold Level: -60dBm)

Time Analysis



Sample Time	1us
All TX Time	191.405ms
All TX Sample	191405
Duty Cycle	0.191405
T1[s]	T2[s]
NaNs	NaNs
T3[s]	T4[s]
NaNs	NaNs



Summary

Mode	Result	Ch (Hz)	Center (Hz)	ppm	Limit (ppm)	Port	Remark
5.925-6.425GHz	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX	Pass	6.175G	6.174981G	3.0361	Inf	1	10 min



Result

Mode	Result	Ch (Hz)	Center (Hz)	ppm	Limit (ppm)	Port	Remark
802.11a_Nss1,(6Mbps)_2TX	-	-	-	-	-	-	-
6175MHz_TnomVnom	Pass	6.175G	6.174985G	2.4288	Inf	1	0 min
6175MHz_TnomVnom	Pass	6.175G	6.174985G	2.4288	Inf	1	2 min
6175MHz_TnomVnom	Pass	6.175G	6.174985G	2.4288	Inf	1	5 min
6175MHz_TnomVnom	Pass	6.175G	6.174983G	2.7325	Inf	1	10 min
6175MHz_TminVmax	Pass	6.175G	6.174985G	2.4288	Inf	1	0 min
6175MHz_TminVmax	Pass	6.175G	6.174985G	2.4288	Inf	1	2 min
6175MHz_TminVmax	Pass	6.175G	6.174983G	2.7325	Inf	1	5 min
6175MHz_TminVmax	Pass	6.175G	6.174981G	3.0361	Inf	1	10 min
6175MHz_TminVmin	Pass	6.175G	6.174981G	3.0361	Inf	1	0 min
6175MHz_TminVmin	Pass	6.175G	6.174983G	2.7325	Inf	1	2 min
6175MHz_TminVmin	Pass	6.175G	6.174983G	2.7325	Inf	1	5 min
6175MHz_TminVmin	Pass	6.175G	6.174985G	2.4288	Inf	1	10 min
6175MHz_TmaxVmax	Pass	6.175G	6.174985G	2.4288	Inf	1	0 min
6175MHz_TmaxVmax	Pass	6.175G	6.174985G	2.4288	Inf	1	2 min
6175MHz_TmaxVmax	Pass	6.175G	6.174983G	2.7325	Inf	1	5 min
6175MHz_TmaxVmax	Pass	6.175G	6.174985G	2.4288	Inf	1	10 min
6175MHz_TmaxVmin	Pass	6.175G	6.174983G	2.7325	Inf	1	0 min
6175MHz_TmaxVmin	Pass	6.175G	6.174985G	2.4288	Inf	1	2 min
6175MHz_TmaxVmin	Pass	6.175G	6.174981G	3.0361	Inf	1	5 min
6175MHz_TmaxVmin	Pass	6.175G	6.174985G	2.4288	Inf	1	10 min



Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Condition
Mode 1	Pass	AV	4.875G	50.75	54.00	-3.25	Vertical
Mode 2	Pass	AV	1.07097G	44.75	54.00	-9.25	Vertical
Mode 3	Pass	PK	3.21352G	56.71	68.20	-11.49	Vertical
Mode 4	Pass	AV	4.876G	50.12	54.00	-3.88	Vertical
Mode 5	Pass	AV	1.06G	44.54	54.00	-9.46	Vertical
Mode 6	Pass	AV	1.06G	43.38	54.00	-10.62	Vertical
Mode 7	Pass	AV	1.06G	45.42	54.00	-8.58	Vertical
Mode 8	Pass	AV	1.06G	45.74	54.00	-8.26	Vertical



Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
Mode 1	Pass	AV	1.07G	45.45	54.00	-8.55	3	Vertical	333	3.00	-
Mode 1	Pass	AV	1.235G	40.77	54.00	-13.23	3	Vertical	360	2.95	-
Mode 1	Pass	AV	1.605G	34.50	54.00	-19.50	3	Vertical	187	1.56	-
Mode 1	Pass	AV	4.875G	50.75	54.00	-3.25	3	Vertical	338	2.57	-
Mode 1	Pass	PK	1.07G	48.50	74.00	-25.50	3	Vertical	333	3.00	-
Mode 1	Pass	PK	1.235G	54.70	74.00	-19.30	3	Vertical	360	2.95	-
Mode 1	Pass	PK	1.605G	48.50	74.00	-25.50	3	Vertical	187	1.56	-
Mode 1	Pass	PK	4.875G	52.25	74.00	-21.75	3	Vertical	338	2.57	-
Mode 1	Pass	AV	1.066G	45.39	54.00	-8.61	3	Horizontal	19	2.88	-
Mode 1	Pass	AV	2.14G	42.62	68.20	-25.58	3	Horizontal	322	1.82	-
Mode 1	Pass	AV	3.214G	40.93	68.20	-27.27	3	Horizontal	319	1.00	-
Mode 1	Pass	AV	4.876G	50.16	54.00	-3.84	3	Horizontal	60	2.52	-
Mode 1	Pass	PK	1.066G	52.62	74.00	-21.38	3	Horizontal	19	2.88	-
Mode 1	Pass	PK	2.14G	47.79	68.20	-20.41	3	Horizontal	322	1.82	-
Mode 1	Pass	PK	3.214G	49.89	68.20	-18.31	3	Horizontal	319	1.00	-
Mode 1	Pass	PK	4.876G	51.47	74.00	-22.53	3	Horizontal	60	2.52	-
Mode 2	Pass	AV	1.07097G	44.75	54.00	-9.25	3	Vertical	354	1.55	-
Mode 2	Pass	AV	1.23691G	41.13	54.00	-12.87	3	Vertical	301	2.82	-
Mode 2	Pass	AV	2.4377G	44.21	68.20	-23.99	3	Vertical	356	1.04	-
Mode 2	Pass	PK	1.07097G	47.92	74.00	-26.08	3	Vertical	354	1.55	-
Mode 2	Pass	PK	1.23691G	51.29	74.00	-22.71	3	Vertical	301	2.82	-
Mode 2	Pass	PK	2.4377G	47.74	68.20	-20.46	3	Vertical	356	1.04	-
Mode 2	Pass	PK	1.07106G	47.63	74.00	-26.37	3	Horizontal	42.8	1.35	-
Mode 2	Pass	PK	2.43777G	52.78	68.20	-15.42	3	Horizontal	236	1.49	-
Mode 2	Pass	PK	5.18531G	55.57	68.20	-12.63	3	Horizontal	124	3.00	-
Mode 2	Pass	AV	1.07106G	43.91	54.00	-10.09	3	Horizontal	42.8	1.35	-
Mode 2	Pass	AV	2.43777G	41.68	68.20	-26.52	3	Horizontal	236	1.49	-
Mode 2	Pass	AV	5.18531G	47.61	68.20	-20.59	3	Horizontal	124	3.00	-
Mode 3	Pass	AV	1.07097G	40.51	54.00	-13.49	3	Vertical	255	1.15	-
Mode 3	Pass	AV	1.24296G	37.45	68.20	-30.75	3	Vertical	266	1.20	-
Mode 3	Pass	AV	1.33658G	27.01	54.00	-26.99	3	Vertical	243	1.60	-
Mode 3	Pass	AV	3.2128G	36.91	68.20	-31.29	3	Vertical	202	3.00	-
Mode 3	Pass	PK	1.07122G	49.65	74.00	-24.35	3	Vertical	255	1.15	-
Mode 3	Pass	PK	1.24364G	56.11	68.20	-12.09	3	Vertical	266	1.20	-
Mode 3	Pass	PK	1.33872G	49.74	74.00	-24.26	3	Vertical	243	1.60	-
Mode 3	Pass	PK	3.21352G	56.71	68.20	-11.49	3	Vertical	202	3.00	-
Mode 3	Pass	AV	1.07096G	36.08	54.00	-17.92	3	Horizontal	191	1.92	-
Mode 3	Pass	AV	1.24192G	34.36	68.20	-33.84	3	Horizontal	242	1.50	-
Mode 3	Pass	AV	3.208G	36.93	68.20	-31.27	3	Horizontal	196	1.49	-
Mode 3	Pass	PK	1.07092G	46.29	74.00	-27.71	3	Horizontal	191	1.92	-
Mode 3	Pass	PK	1.24328G	50.45	68.20	-17.75	3	Horizontal	242	1.50	-
Mode 3	Pass	PK	3.208G	47.74	68.20	-20.46	3	Horizontal	196	1.49	-
Mode 4	Pass	AV	1.06G	45.13	54.00	-8.87	3	Vertical	236	1.50	-
Mode 4	Pass	AV	1.24G	39.78	68.20	-28.42	3	Vertical	96	2.64	-
Mode 4	Pass	AV	1.468G	29.50	54.00	-24.50	3	Vertical	307	2.79	-
Mode 4	Pass	AV	4.876G	50.12	54.00	-3.88	3	Vertical	36	2.89	-
Mode 4	Pass	PK	1.06G	46.79	74.00	-27.21	3	Vertical	236	1.50	-
Mode 4	Pass	PK	1.24G	50.59	68.20	-17.61	3	Vertical	96	2.64	-
Mode 4	Pass	PK	1.468G	50.75	74.00	-23.25	3	Vertical	307	2.79	-
Mode 4	Pass	PK	4.876G	54.64	74.00	-19.36	3	Vertical	36	2.89	-




Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
Mode 4	Pass	AV	1.06G	35.78	54.00	-18.22	3	Horizontal	194	2.02	-
Mode 4	Pass	AV	1.24G	34.70	68.20	-33.50	3	Horizontal	260	2.99	-
Mode 4	Pass	AV	4.876G	43.76	54.00	-10.24	3	Horizontal	360	2.99	-
Mode 4	Pass	PK	1.06G	43.51	74.00	-30.49	3	Horizontal	194	2.02	-
Mode 4	Pass	PK	1.24G	48.68	68.20	-19.52	3	Horizontal	260	2.99	-
Mode 4	Pass	PK	4.876G	47.05	74.00	-26.95	3	Horizontal	360	2.99	-
Mode 5	Pass	AV	1.06G	44.54	54.00	-9.46	3	Vertical	238	1.48	-
Mode 5	Pass	AV	1.24G	37.53	68.20	-30.67	3	Vertical	129	2.60	-
Mode 5	Pass	AV	3.208G	37.45	68.20	-30.75	3	Vertical	0	2.87	-
Mode 5	Pass	PK	1.06G	47.84	74.00	-26.16	3	Vertical	238	1.48	-
Mode 5	Pass	PK	1.24G	50.65	68.20	-17.55	3	Vertical	129	2.60	-
Mode 5	Pass	PK	3.208G	46.77	68.20	-21.43	3	Vertical	0	2.87	-
Mode 5	Pass	AV	1.06G	36.64	54.00	-17.36	3	Horizontal	192	2.06	-
Mode 5	Pass	AV	1.228G	33.12	54.00	-20.88	3	Horizontal	227	2.59	-
Mode 5	Pass	AV	3.22G	35.04	68.20	-33.16	3	Horizontal	360	2.80	-
Mode 5	Pass	PK	1.06G	44.19	74.00	-29.81	3	Horizontal	192	2.06	-
Mode 5	Pass	PK	1.228G	47.78	74.00	-26.22	3	Horizontal	227	2.59	-
Mode 5	Pass	PK	3.22G	47.68	68.20	-20.52	3	Horizontal	360	2.80	-
Mode 6	Pass	AV	1.06G	43.38	54.00	-10.62	3	Vertical	238	1.49	-
Mode 6	Pass	AV	1.24G	37.39	68.20	-30.81	3	Vertical	120	2.61	-
Mode 6	Pass	AV	3.208G	36.14	68.20	-32.06	3	Vertical	217	2.59	-
Mode 6	Pass	PK	1.06G	48.60	74.00	-25.40	3	Vertical	238	1.49	-
Mode 6	Pass	PK	1.24G	51.66	68.20	-16.54	3	Vertical	120	2.61	-
Mode 6	Pass	PK	3.208G	46.63	68.20	-21.57	3	Vertical	217	2.59	-
Mode 6	Pass	AV	1.06G	37.35	54.00	-16.65	3	Horizontal	189	1.50	-
Mode 6	Pass	AV	1.24G	32.54	68.20	-35.66	3	Horizontal	341	1.50	-
Mode 6	Pass	AV	3.388G	31.50	68.20	-36.70	3	Horizontal	345	1.50	-
Mode 6	Pass	PK	1.06G	44.19	74.00	-29.81	3	Horizontal	189	1.50	-
Mode 6	Pass	PK	1.24G	48.78	68.20	-19.42	3	Horizontal	341	1.50	-
Mode 6	Pass	PK	3.388G	45.31	68.20	-22.89	3	Horizontal	345	1.50	-
Mode 7	Pass	AV	1.06G	45.42	54.00	-8.58	3	Vertical	238	1.59	-
Mode 7	Pass	AV	1.24G	35.62	68.20	-32.58	3	Vertical	156	1.50	-
Mode 7	Pass	AV	1.6G	34.73	54.00	-19.27	3	Vertical	4	1.13	-
Mode 7	Pass	PK	1.06G	46.04	74.00	-27.96	3	Vertical	238	1.59	-
Mode 7	Pass	PK	1.24G	51.43	68.20	-16.77	3	Vertical	156	1.50	-
Mode 7	Pass	PK	1.6G	46.51	74.00	-27.49	3	Vertical	4	1.13	-
Mode 7	Pass	AV	1.06G	36.42	54.00	-17.58	3	Horizontal	194	1.92	-
Mode 7	Pass	AV	1.24G	35.13	68.20	-33.07	3	Horizontal	256	1.50	-
Mode 7	Pass	AV	3.208G	35.92	68.20	-32.28	3	Horizontal	198	1.88	-
Mode 7	Pass	PK	1.06G	42.39	74.00	-31.61	3	Horizontal	194	1.92	-
Mode 7	Pass	PK	1.24G	52.82	68.20	-15.38	3	Horizontal	256	1.50	-
Mode 7	Pass	PK	3.208G	46.50	68.20	-21.70	3	Horizontal	198	1.88	-
Mode 8	Pass	AV	1.06G	45.74	54.00	-8.26	3	Vertical	238	1.50	-
Mode 8	Pass	AV	1.24G	38.32	68.20	-29.88	3	Vertical	95	2.68	-
Mode 8	Pass	AV	3.22G	37.40	68.20	-30.80	3	Vertical	202	3.00	-
Mode 8	Pass	PK	1.06G	46.09	74.00	-27.91	3	Vertical	238	1.50	-
Mode 8	Pass	PK	1.24G	52.25	68.20	-15.95	3	Vertical	95	2.68	-
Mode 8	Pass	PK	3.22G	48.05	68.20	-20.15	3	Vertical	202	3.00	-
Mode 8	Pass	AV	1.06G	40.22	54.00	-13.78	3	Horizontal	121	2.70	-
Mode 8	Pass	AV	1.24G	36.18	68.20	-32.02	3	Horizontal	231	1.56	-




Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
Mode 8	Pass	AV	3.208G	34.74	68.20	-33.46	3	Horizontal	191	1.25	-
Mode 8	Pass	PK	1.06G	43.70	74.00	-30.30	3	Horizontal	121	2.70	-
Mode 8	Pass	PK	1.24G	52.25	68.20	-15.95	3	Horizontal	231	1.56	-
Mode 8	Pass	PK	3.208G	49.48	68.20	-18.72	3	Horizontal	191	1.25	-

Radiated Emissions above 1GHz_Mode 1




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	1.07G	45.45	54.00	-8.55	-2.78	3	Vertical	333	3.00	-	48.23	25.26	5.50	33.54
AV	1.235G	40.77	54.00	-13.23	-0.78	3	Vertical	360	2.95	-	41.55	26.03	6.00	32.81
AV	1.605G	34.50	54.00	-19.50	1.05	3	Vertical	187	1.56	-	33.45	25.48	7.08	31.51
AV	4.875G	50.75	54.00	-3.25	12.30	3	Vertical	338	2.57	-	38.45	32.60	9.70	30.00
PK	1.07G	48.50	74.00	-25.50	-2.78	3	Vertical	333	3.00	-	51.28	25.26	5.50	33.54
PK	1.235G	54.70	74.00	-19.30	-0.78	3	Vertical	360	2.95	-	55.48	26.03	6.00	32.81
PK	1.605G	48.50	74.00	-25.50	1.05	3	Vertical	187	1.56	-	47.45	25.48	7.08	31.51
PK	4.875G	52.25	74.00	-21.75	12.30	3	Vertical	338	2.57	-	39.95	32.60	9.70	30.00

Radiated Emissions above 1GHz_Mode 1




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	1.066G	45.39	54.00	-8.61	-2.84	3	Horizontal	19	2.88	-	48.23	25.23	5.49	33.56
AV	2.14G	42.62	68.20	-25.58	4.51	3	Horizontal	322	1.82	-	38.11	27.42	8.06	30.97
AV	3.214G	40.93	68.20	-27.27	8.05	3	Horizontal	319	1.00	-	32.88	29.77	8.86	30.58
AV	4.876G	50.16	54.00	-3.84	12.30	3	Horizontal	60	2.52	-	37.86	32.60	9.70	30.00
PK	1.066G	52.62	74.00	-21.38	-2.84	3	Horizontal	19	2.88	-	55.46	25.23	5.49	33.56
PK	2.14G	47.79	68.20	-20.41	4.51	3	Horizontal	322	1.82	-	43.28	27.42	8.06	30.97
PK	3.214G	49.89	68.20	-18.31	8.05	3	Horizontal	319	1.00	-	41.84	29.77	8.86	30.58
PK	4.876G	51.47	74.00	-22.53	12.30	3	Horizontal	60	2.52	-	39.17	32.60	9.70	30.00

Radiated Emissions above 1GHz_Mode 2




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	1.07097G	44.75	54.00	-9.25	-2.77	3	Vertical	354	1.55	-	47.52	25.27	5.50	33.54
AV	1.23691G	41.13	54.00	-12.87	-0.76	3	Vertical	301	2.82	-	41.89	26.03	6.01	32.80
AV	2.4377G	44.21	68.20	-23.99	5.16	3	Vertical	356	1.04	-	39.05	27.68	8.31	30.83
PK	1.07097G	47.92	74.00	-26.08	-2.77	3	Vertical	354	1.55	-	50.69	25.27	5.50	33.54
PK	1.23691G	51.29	74.00	-22.71	-0.76	3	Vertical	301	2.82	-	52.05	26.03	6.01	32.80
PK	2.4377G	47.74	68.20	-20.46	5.16	3	Vertical	356	1.04	-	42.58	27.68	8.31	30.83

Radiated Emissions above 1GHz_Mode 2




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
PK	1.07106G	47.63	74.00	-26.37	-2.78	3	Horizontal	42.8	1.35	-	50.41	25.26	5.50	33.54
PK	2.43777G	52.78	68.20	-15.42	5.15	3	Horizontal	236	1.49	-	47.63	27.67	8.31	30.83
PK	5.18531G	55.57	68.20	-12.63	12.94	3	Horizontal	124	3.00	-	42.63	33.10	9.85	30.01
AV	1.07106G	43.91	54.00	-10.09	-2.77	3	Horizontal	42.8	1.35	-	46.68	25.27	5.50	33.54
AV	2.43777G	41.68	68.20	-26.52	5.16	3	Horizontal	236	1.49	-	36.52	27.68	8.31	30.83
AV	5.18531G	47.61	68.20	-20.59	12.94	3	Horizontal	124	3.00	-	34.67	33.10	9.85	30.01

Radiated Emissions above 1GHz_Mode 3




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	1.07097G	40.51	54.00	-13.49	-2.77	3	Vertical	255	1.15	-	43.28	25.27	5.50	33.54
AV	1.24296G	37.45	68.20	-30.75	-0.74	3	Vertical	266	1.20	-	38.19	26.01	6.03	32.78
AV	1.33658G	27.01	54.00	-26.99	-0.04	3	Vertical	243	1.60	-	27.05	25.99	6.33	32.36
AV	3.2128G	36.91	68.20	-31.29	8.05	3	Vertical	202	3.00	-	28.86	29.77	8.86	30.58
PK	1.07122G	49.65	74.00	-24.35	-2.77	3	Vertical	255	1.15	-	52.42	25.27	5.50	33.54
PK	1.24364G	56.11	68.20	-12.09	-0.73	3	Vertical	266	1.20	-	56.84	26.01	6.03	32.77
PK	1.33872G	49.74	74.00	-24.26	0.00	3	Vertical	243	1.60	-	49.74	26.01	6.34	32.35
PK	3.21352G	56.71	68.20	-11.49	8.05	3	Vertical	202	3.00	-	48.66	29.77	8.86	30.58

Radiated Emissions above 1GHz_Mode 3




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	1.07096G	36.08	54.00	-17.92	-2.77	3	Horizontal	191	1.92	-	38.85	25.27	5.50	33.54
AV	1.24192G	34.36	68.20	-33.84	-0.73	3	Horizontal	242	1.50	-	35.09	26.02	6.03	32.78
AV	3.208G	36.93	68.20	-31.27	8.06	3	Horizontal	196	1.49	-	28.87	29.78	8.86	30.58
PK	1.07092G	46.29	74.00	-27.71	-2.77	3	Horizontal	191	1.92	-	49.06	25.27	5.50	33.54
PK	1.24328G	50.45	68.20	-17.75	-0.73	3	Horizontal	242	1.50	-	51.18	26.01	6.03	32.77
PK	3.208G	47.74	68.20	-20.46	8.06	3	Horizontal	196	1.49	-	39.68	29.78	8.86	30.58

Radiated Emissions above 1GHz_Mode 4




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	1.06G	45.13	54.00	-8.87	-2.93	3	Vertical	236	1.50	-	48.06	25.18	5.47	33.58
AV	1.24G	39.78	68.20	-28.42	-0.75	3	Vertical	96	2.64	-	40.53	26.02	6.02	32.79
AV	1.468G	29.50	54.00	-24.50	0.70	3	Vertical	307	2.79	-	28.80	25.76	6.72	31.78
AV	4.876G	50.12	54.00	-3.88	12.30	3	Vertical	36	2.89	-	37.82	32.60	9.70	30.00
PK	1.06G	46.79	74.00	-27.21	-2.93	3	Vertical	236	1.50	-	49.72	25.18	5.47	33.58
PK	1.24G	50.59	68.20	-17.61	-0.75	3	Vertical	96	2.64	-	51.34	26.02	6.02	32.79
PK	1.468G	50.75	74.00	-23.25	0.70	3	Vertical	307	2.79	-	50.05	25.76	6.72	31.78
PK	4.876G	54.64	74.00	-19.36	12.30	3	Vertical	36	2.89	-	42.34	32.60	9.70	30.00

Radiated Emissions above 1GHz_Mode 4




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	1.06G	35.78	54.00	-18.22	-2.93	3	Horizontal	194	2.02	-	38.71	25.18	5.47	33.58
AV	1.24G	34.70	68.20	-33.50	-0.75	3	Horizontal	260	2.99	-	35.45	26.02	6.02	32.79
AV	4.876G	43.76	54.00	-10.24	12.30	3	Horizontal	360	2.99	-	31.46	32.60	9.70	30.00
PK	1.06G	43.51	74.00	-30.49	-2.93	3	Horizontal	194	2.02	-	46.44	25.18	5.47	33.58
PK	1.24G	48.68	68.20	-19.52	-0.75	3	Horizontal	260	2.99	-	49.43	26.02	6.02	32.79
PK	4.876G	47.05	74.00	-26.95	12.30	3	Horizontal	360	2.99	-	34.75	32.60	9.70	30.00

Radiated Emissions above 1GHz_Mode 5




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	1.06G	44.54	54.00	-9.46	-2.93	3	Vertical	238	1.48	-	47.47	25.18	5.47	33.58
AV	1.24G	37.53	68.20	-30.67	-0.75	3	Vertical	129	2.60	-	38.28	26.02	6.02	32.79
AV	3.208G	37.45	68.20	-30.75	8.06	3	Vertical	0	2.87	-	29.39	29.78	8.86	30.58
PK	1.06G	47.84	74.00	-26.16	-2.93	3	Vertical	238	1.48	-	50.77	25.18	5.47	33.58
PK	1.24G	50.65	68.20	-17.55	-0.75	3	Vertical	129	2.60	-	51.40	26.02	6.02	32.79
PK	3.208G	46.77	68.20	-21.43	8.06	3	Vertical	0	2.87	-	38.71	29.78	8.86	30.58

Radiated Emissions above 1GHz_Mode 5




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	1.06G	36.64	54.00	-17.36	-2.93	3	Horizontal	192	2.06	-	39.57	25.18	5.47	33.58
AV	1.228G	33.12	54.00	-20.88	-0.82	3	Horizontal	227	2.59	-	33.94	26.04	5.98	32.84
AV	3.22G	35.04	68.20	-33.16	8.04	3	Horizontal	360	2.80	-	27.00	29.76	8.86	30.58
PK	1.06G	44.19	74.00	-29.81	-2.93	3	Horizontal	192	2.06	-	47.12	25.18	5.47	33.58
PK	1.228G	47.78	74.00	-26.22	-0.82	3	Horizontal	227	2.59	-	48.60	26.04	5.98	32.84
PK	3.22G	47.68	68.20	-20.52	8.04	3	Horizontal	360	2.80	-	39.64	29.76	8.86	30.58

Radiated Emissions above 1GHz_Mode 6




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	1.06G	43.38	54.00	-10.62	-2.93	3	Vertical	238	1.49	-	46.31	25.18	5.47	33.58
AV	1.24G	37.39	68.20	-30.81	-0.75	3	Vertical	120	2.61	-	38.14	26.02	6.02	32.79
AV	3.208G	36.14	68.20	-32.06	8.06	3	Vertical	217	2.59	-	28.08	29.78	8.86	30.58
PK	1.06G	48.60	74.00	-25.40	-2.93	3	Vertical	238	1.49	-	51.53	25.18	5.47	33.58
PK	1.24G	51.66	68.20	-16.54	-0.75	3	Vertical	120	2.61	-	52.41	26.02	6.02	32.79
PK	3.208G	46.63	68.20	-21.57	8.06	3	Vertical	217	2.59	-	38.57	29.78	8.86	30.58

Radiated Emissions above 1GHz_Mode 6




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	1.06G	37.35	54.00	-16.65	-2.93	3	Horizontal	189	1.50	-	40.28	25.18	5.47	33.58
AV	1.24G	32.54	68.20	-35.66	-0.75	3	Horizontal	341	1.50	-	33.29	26.02	6.02	32.79
AV	3.388G	31.50	68.20	-36.70	7.98	3	Horizontal	345	1.50	-	23.52	29.58	8.90	30.50
PK	1.06G	44.19	74.00	-29.81	-2.93	3	Horizontal	189	1.50	-	47.12	25.18	5.47	33.58
PK	1.24G	48.78	68.20	-19.42	-0.75	3	Horizontal	341	1.50	-	49.53	26.02	6.02	32.79
PK	3.388G	45.31	68.20	-22.89	7.98	3	Horizontal	345	1.50	-	37.33	29.58	8.90	30.50

Radiated Emissions above 1GHz_Mode 7




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	1.06G	45.42	54.00	-8.58	-2.93	3	Vertical	238	1.59	-	48.35	25.18	5.47	33.58
AV	1.24G	35.62	68.20	-32.58	-0.75	3	Vertical	156	1.50	-	36.37	26.02	6.02	32.79
AV	1.6G	34.73	54.00	-19.27	1.05	3	Vertical	4	1.13	-	33.68	25.50	7.07	31.52
PK	1.06G	46.04	74.00	-27.96	-2.93	3	Vertical	238	1.59	-	48.97	25.18	5.47	33.58
PK	1.24G	51.43	68.20	-16.77	-0.75	3	Vertical	156	1.50	-	52.18	26.02	6.02	32.79
PK	1.6G	46.51	74.00	-27.49	1.05	3	Vertical	4	1.13	-	45.46	25.50	7.07	31.52

Radiated Emissions above 1GHz_Mode 7




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	1.06G	36.42	54.00	-17.58	-2.93	3	Horizontal	194	1.92	-	39.35	25.18	5.47	33.58
AV	1.24G	35.13	68.20	-33.07	-0.75	3	Horizontal	256	1.50	-	35.88	26.02	6.02	32.79
AV	3.208G	35.92	68.20	-32.28	8.06	3	Horizontal	198	1.88	-	27.86	29.78	8.86	30.58
PK	1.06G	42.39	74.00	-31.61	-2.93	3	Horizontal	194	1.92	-	45.32	25.18	5.47	33.58
PK	1.24G	52.82	68.20	-15.38	-0.75	3	Horizontal	256	1.50	-	53.57	26.02	6.02	32.79
PK	3.208G	46.50	68.20	-21.70	8.06	3	Horizontal	198	1.88	-	38.44	29.78	8.86	30.58

Radiated Emissions above 1GHz_Mode 8



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	1.06G	45.74	54.00	-8.26	-2.93	3	Vertical	238	1.50	-	48.67	25.18	5.47	33.58
AV	1.24G	38.32	68.20	-29.88	-0.75	3	Vertical	95	2.68	-	39.07	26.02	6.02	32.79
AV	3.22G	37.40	68.20	-30.80	8.04	3	Vertical	202	3.00	-	29.36	29.76	8.86	30.58
PK	1.06G	46.09	74.00	-27.91	-2.93	3	Vertical	238	1.50	-	49.02	25.18	5.47	33.58
PK	1.24G	52.25	68.20	-15.95	-0.75	3	Vertical	95	2.68	-	53.00	26.02	6.02	32.79
PK	3.22G	48.05	68.20	-20.15	8.04	3	Vertical	202	3.00	-	40.01	29.76	8.86	30.58

Radiated Emissions above 1GHz_Mode 8



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	1.06G	40.22	54.00	-13.78	-2.93	3	Horizontal	121	2.70	-	43.15	25.18	5.47	33.58
AV	1.24G	36.18	68.20	-32.02	-0.75	3	Horizontal	231	1.56	-	36.93	26.02	6.02	32.79
AV	3.208G	34.74	68.20	-33.46	8.06	3	Horizontal	191	1.25	-	26.68	29.78	8.86	30.58
PK	1.06G	43.70	74.00	-30.30	-2.93	3	Horizontal	121	2.70	-	46.63	25.18	5.47	33.58
PK	1.24G	52.25	68.20	-15.95	-0.75	3	Horizontal	231	1.56	-	53.00	26.02	6.02	32.79
PK	3.208G	49.48	68.20	-18.72	8.06	3	Horizontal	191	1.25	-	41.42	29.78	8.86	30.58