


6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


6475MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9164G	48.19	68.20	-20.01	10.23	3	Vertical	33	1.16	37.96	34.17	10.27	34.21
AV	6.4708G	87.50	Inf	-Inf	11.45	3	Vertical	33	1.16	76.05	35.02	10.69	34.26
AV	7.1484G	51.95	68.20	-16.25	13.33	3	Vertical	33	1.16	38.62	36.59	11.26	34.52
PK	5.8142G	59.85	88.20	-28.35	9.87	3	Vertical	33	1.16	49.98	33.89	10.19	34.21
PK	6.4792G	97.95	Inf	-Inf	11.51	3	Vertical	33	1.16	86.44	35.08	10.69	34.26
PK	7.1554G	63.39	88.20	-24.81	13.34	3	Vertical	33	1.16	50.05	36.59	11.26	34.51


6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

6475MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9192G	48.23	68.20	-19.97	10.23	3	Horizontal	36	2.69	38.00	34.18	10.27	34.22
AV	6.468G	96.18	Inf	-Inf	11.43	3	Horizontal	36	2.69	84.75	35.01	10.68	34.26
AV	7.14G	52.02	68.20	-16.18	13.25	3	Horizontal	36	2.69	38.77	36.52	11.25	34.52
PK	5.8282G	59.79	88.20	-28.41	9.96	3	Horizontal	36	2.69	49.83	33.97	10.20	34.21
PK	6.4694G	106.30	Inf	-Inf	11.45	3	Horizontal	36	2.69	94.85	35.02	10.69	34.26
PK	7.1596G	63.30	88.20	-24.90	13.34	3	Horizontal	36	2.69	49.96	36.58	11.27	34.51

**6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0)_2TX
6475MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.94994G	54.76	68.20	-13.44	20.36	3	Vertical	342	2.53	34.40	39.70	13.89	33.23
PK	12.94985G	60.10	88.20	-28.10	20.36	3	Vertical	342	2.53	39.74	39.70	13.89	33.23


**6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0)_2TX
6475MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.94994G	52.64	68.20	-15.56	20.36	3	Horizontal	303	2.42	32.28	39.70	13.89	33.23
PK	12.95006G	59.22	88.20	-28.98	20.36	3	Horizontal	303	2.42	38.86	39.70	13.89	33.23

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

6515MHz_TX




12/08/2022

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9172G	48.22	68.20	-19.98	10.22	3	Vertical	52	1.39	38.00	34.17	10.27	34.22
AV	6.5234G	87.90	Inf	-Inf	11.70	3	Vertical	52	1.39	76.20	35.25	10.72	34.27
AV	7.1492G	52.03	68.20	-16.17	13.33	3	Vertical	52	1.39	38.70	36.59	11.26	34.52
PK	5.8878G	59.18	88.20	-29.02	10.14	3	Vertical	52	1.39	49.04	34.10	10.25	34.21
PK	6.5234G	99.66	Inf	-Inf	11.70	3	Vertical	52	1.39	87.96	35.25	10.72	34.27
PK	7.1478G	63.87	88.20	-24.33	13.32	3	Vertical	52	1.39	50.55	36.58	11.26	34.52

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


6515MHz_TX



12/08/2022


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9214G	48.24	68.20	-19.96	10.24	3	Horizontal	34	2.66	38.00	34.19	10.27	34.22
AV	6.508G	96.85	Inf	-Inf	11.67	3	Horizontal	34	2.66	85.18	35.22	10.71	34.26
AV	7.166G	51.88	68.20	-16.32	13.33	3	Horizontal	34	2.66	38.55	36.57	11.27	34.51
PK	5.8262G	59.81	88.20	-28.39	9.95	3	Horizontal	34	2.66	49.86	33.96	10.20	34.21
PK	6.5094G	106.43	Inf	-Inf	11.66	3	Horizontal	34	2.66	94.77	35.22	10.71	34.27
PK	7.1324G	63.70	88.20	-24.50	13.18	3	Horizontal	34	2.66	50.52	36.46	11.24	34.52

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0)_2TX
6515MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.02997G	54.00	68.20	-14.20	20.62	3	Vertical	343	2.56	33.38	39.77	13.94	33.09
PK	13.02994G	59.92	88.20	-28.28	20.62	3	Vertical	343	2.56	39.30	39.77	13.94	33.09


6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0)_2TX
6515MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.02991G	54.09	68.20	-14.11	20.62	3	Horizontal	27	2.14	33.47	39.77	13.94	33.09
PK	13.03003G	60.05	88.20	-28.15	20.62	3	Horizontal	27	2.14	39.43	39.77	13.94	33.09

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


6535MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.919G	48.20	68.20	-20.00	10.23	3	Vertical	52	1.19	37.97	34.18	10.27	34.22
AV	6.542G	89.22	Inf	-Inf	11.73	3	Vertical	52	1.19	77.49	35.28	10.73	34.28
AV	7.1608G	51.99	68.20	-16.21	13.34	3	Vertical	52	1.19	38.65	36.58	11.27	34.51
PK	5.842G	59.46	88.20	-28.74	10.05	3	Vertical	52	1.19	49.41	34.05	10.21	34.21
PK	6.5406G	98.81	Inf	-Inf	11.73	3	Vertical	52	1.19	87.08	35.28	10.73	34.28
PK	7.13G	63.19	88.20	-25.01	13.16	3	Vertical	52	1.19	50.03	36.44	11.24	34.52


6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

6535MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8938G	48.23	68.20	-19.97	10.14	3	Horizontal	58	2.45	38.09	34.10	10.25	34.21
AV	6.5266G	96.73	Inf	-Inf	11.70	3	Horizontal	58	2.45	85.03	35.25	10.72	34.27
AV	7.1524G	51.99	68.20	-16.21	13.35	3	Horizontal	58	2.45	38.64	36.60	11.26	34.51
PK	5.8868G	59.91	88.20	-28.29	10.14	3	Horizontal	58	2.45	49.77	34.10	10.25	34.21
PK	6.5266G	106.07	Inf	-Inf	11.70	3	Horizontal	58	2.45	94.37	35.25	10.72	34.27
PK	7.158G	63.93	88.20	-24.27	13.33	3	Horizontal	58	2.45	50.60	36.58	11.26	34.51

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_2TX
6535MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.06997G	53.75	68.20	-14.45	20.67	3	Vertical	340	2.59	33.08	39.73	13.97	33.03
PK	13.06991G	60.33	88.20	-27.87	20.67	3	Vertical	340	2.59	39.66	39.73	13.97	33.03


6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_2TX
6535MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.06997G	51.85	68.20	-16.35	20.67	3	Horizontal	16	1.50	31.18	39.73	13.97	33.03
PK	13.06994G	58.90	88.20	-29.30	20.67	3	Horizontal	16	1.50	38.23	39.73	13.97	33.03

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


6695MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.704G	87.45	Inf	-Inf	12.39	3	Vertical	39	1.55	75.06	35.89	10.87	34.37
AV	7.146G	51.94	68.20	-16.26	13.30	3	Vertical	39	1.55	38.64	36.57	11.25	34.52
PK	6.694G	97.48	Inf	-Inf	12.38	3	Vertical	39	1.55	85.10	35.88	10.86	34.36
PK	7.178G	64.01	88.20	-24.19	13.31	3	Vertical	39	1.55	50.70	36.54	11.28	34.51


6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

6695MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.704G	96.20	Inf	-Inf	12.39	3	Horizontal	64	1.73	83.81	35.89	10.87	34.37
AV	7.154G	51.96	68.20	-16.24	13.34	3	Horizontal	64	1.73	38.62	36.59	11.26	34.51
PK	6.704G	107.60	Inf	-Inf	12.39	3	Horizontal	64	1.73	95.21	35.89	10.87	34.37
PK	7.145G	63.46	88.20	-24.74	13.29	3	Horizontal	64	1.73	50.17	36.56	11.25	34.52

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_2TX
6695MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.38994G	44.29	54.00	-9.71	21.73	3	Vertical	-0	2.51	22.56	40.07	14.16	32.50
PK	13.37989G	56.78	74.00	-17.22	21.68	3	Vertical	-0	2.51	35.10	40.04	14.16	32.52


6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_2TX
6695MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.38994G	44.46	54.00	-9.54	21.73	3	Horizontal	342	1.79	22.73	40.07	14.16	32.50
PK	13.39021G	56.69	74.00	-17.31	21.73	3	Horizontal	342	1.79	34.96	40.07	14.16	32.50

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


6855MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.8487G	89.31	Inf	-Inf	12.26	3	Vertical	31	1.04	77.05	35.71	11.00	34.45
AV	7.1462G	51.97	68.20	-16.23	13.30	3	Vertical	31	1.04	38.67	36.57	11.25	34.52
PK	6.848G	100.23	Inf	-Inf	12.26	3	Vertical	31	1.04	87.97	35.71	11.00	34.45
PK	7.1595G	63.64	88.20	-24.56	13.34	3	Vertical	31	1.04	50.30	36.58	11.27	34.51


6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

6855MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.8641G	97.13	Inf	-Inf	12.25	3	Horizontal	59	1.68	84.88	35.70	11.01	34.46
AV	7.1455G	51.96	68.20	-16.24	13.29	3	Horizontal	59	1.68	38.67	36.56	11.25	34.52
PK	6.8634G	107.05	Inf	-Inf	12.25	3	Horizontal	59	1.68	94.80	35.70	11.01	34.46
PK	7.1294G	63.25	88.20	-24.95	13.16	3	Horizontal	59	1.68	50.09	36.44	11.24	34.52

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_2TX
6855MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	13.70994G	49.82	68.20	-18.38	21.65	3	Vertical	346	1.44	28.17	39.70	14.36	32.41
PK	13.72107G	62.27	88.20	-25.93	21.65	3	Vertical	346	1.44	40.62	39.70	14.37	32.42


6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_2TX
6855MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	13.70997G	50.14	68.20	-18.06	21.65	3	Horizontal	323	1.42	28.49	39.70	14.36	32.41
PK	13.70979G	61.74	88.20	-26.46	21.65	3	Horizontal	323	1.42	40.09	39.70	14.36	32.41

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


6875MHz Straddle 6.525-6.875GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.8694G	88.80	Inf	-Inf	12.26	3	Vertical	29	1.17	76.54	35.70	11.02	34.46
AV	7.1459G	51.89	68.20	-16.31	13.30	3	Vertical	29	1.17	38.59	36.57	11.25	34.52
PK	6.8687G	99.73	Inf	-Inf	12.26	3	Vertical	29	1.17	87.47	35.70	11.02	34.46
PK	7.1669G	63.47	88.20	-24.73	13.33	3	Vertical	29	1.17	50.14	36.57	11.27	34.51


6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

6875MHz Straddle 6.525-6.875GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.8659G	96.85	Inf	-Inf	12.26	3	Horizontal	58	2.00	84.59	35.70	11.02	34.46
AV	7.1459G	51.94	68.20	-16.26	13.30	3	Horizontal	58	2.00	38.64	36.57	11.25	34.52
PK	6.8673G	107.66	Inf	-Inf	12.26	3	Horizontal	58	2.00	95.40	35.70	11.02	34.46
PK	7.169G	63.15	88.20	-25.05	13.32	3	Horizontal	58	2.00	49.83	36.56	11.27	34.51

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_2TX
6875MHz Straddle 6.525-6.875GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.75G	50.08	68.20	-18.12	21.66	3	Vertical	345	1.48	28.42	39.70	14.39	32.43
PK	13.74994G	62.21	88.20	-25.99	21.66	3	Vertical	345	1.48	40.55	39.70	14.39	32.43


6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_2TX
6875MHz Straddle 6.525-6.875GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.74988G	49.90	68.20	-18.30	21.66	3	Horizontal	324	1.34	28.24	39.70	14.39	32.43
PK	13.75294G	62.50	88.20	-25.70	21.66	3	Horizontal	324	1.34	40.84	39.70	14.39	32.43

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


6895MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.8887G	89.09	Inf	-Inf	12.27	3	Vertical	31	1.01	76.82	35.70	11.04	34.47
AV	7.1526G	51.95	68.20	-16.25	13.34	3	Vertical	31	1.01	38.61	36.59	11.26	34.51
PK	6.8887G	100.05	Inf	-Inf	12.27	3	Vertical	31	1.01	87.78	35.70	11.04	34.47
PK	7.1652G	64.20	88.20	-24.00	13.33	3	Vertical	31	1.01	50.87	36.57	11.27	34.51


6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

6895MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.9034G	96.33	Inf	-Inf	12.27	3	Horizontal	57	1.74	84.06	35.70	11.05	34.48
AV	7.1533G	51.95	68.20	-16.25	13.34	3	Horizontal	57	1.74	38.61	36.59	11.26	34.51
PK	6.9034G	107.28	Inf	-Inf	12.27	3	Horizontal	57	1.74	95.01	35.70	11.05	34.48
PK	7.1386G	63.92	88.20	-24.28	13.24	3	Horizontal	57	1.74	50.68	36.51	11.25	34.52

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_2TX
6895MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.78997G	50.04	68.20	-18.16	21.66	3	Vertical	347	1.56	28.38	39.70	14.41	32.45
PK	13.78586G	62.20	88.20	-26.00	21.66	3	Vertical	347	1.56	40.54	39.70	14.41	32.45


6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_2TX
6895MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.79006G	49.57	68.20	-18.63	21.66	3	Horizontal	4	1.13	27.91	39.70	14.41	32.45
PK	13.80158G	62.45	88.20	-25.75	21.67	3	Horizontal	4	1.13	40.78	39.70	14.42	32.45

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


6995MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.0035G	90.97	Inf	-Inf	12.32	3	Vertical	360	1.04	78.65	35.72	11.13	34.53
AV	7.14G	52.04	68.20	-16.16	13.25	3	Vertical	360	1.04	38.79	36.52	11.25	34.52
PK	6.992G	101.70	Inf	-Inf	12.29	3	Vertical	360	1.04	89.41	35.70	11.12	34.53
PK	7.237G	63.85	88.20	-24.35	13.45	3	Vertical	360	1.04	50.40	36.65	11.31	34.51


6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

6995MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.986G	98.79	Inf	-Inf	12.30	3	Horizontal	54	1.95	86.49	35.70	11.12	34.52
AV	7.149G	52.08	68.20	-16.12	13.33	3	Horizontal	54	1.95	38.75	36.59	11.26	34.52
PK	6.9965G	110.83	Inf	-Inf	12.30	3	Horizontal	54	1.95	98.53	35.70	11.13	34.53
PK	7.1415G	64.19	88.20	-24.01	13.26	3	Horizontal	54	1.95	50.93	36.53	11.25	34.52

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_2TX
6995MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.99294G	49.47	68.20	-18.73	21.79	3	Vertical	55	1.98	27.68	39.79	14.54	32.54
PK	13.98951G	62.74	88.20	-25.46	21.78	3	Vertical	55	1.98	40.96	39.79	14.53	32.54


6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_2TX
6995MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.98998G	49.58	68.20	-18.62	21.78	3	Horizontal	55	1.53	27.80	39.79	14.53	32.54
PK	13.98571G	62.50	88.20	-25.70	21.79	3	Horizontal	55	1.53	40.71	39.79	14.53	32.53

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


7095MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.1022G	90.63	Inf	-Inf	12.92	3	Vertical	360	1.94	77.71	36.22	11.22	34.52
AV	7.1547G	52.07	68.20	-16.13	13.34	3	Vertical	360	1.94	38.73	36.59	11.26	34.51
PK	7.1016G	102.17	Inf	-Inf	12.91	3	Vertical	360	1.94	89.26	36.21	11.22	34.52
PK	7.1364G	64.51	88.20	-23.69	13.22	3	Vertical	360	1.94	51.29	36.49	11.25	34.52


6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

7095MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.0863G	97.50	Inf	-Inf	12.83	3	Horizontal	54	1.84	84.67	36.15	11.20	34.52
AV	7.1451G	52.11	68.20	-16.09	13.29	3	Horizontal	54	1.84	38.82	36.56	11.25	34.52
PK	7.0956G	108.83	Inf	-Inf	12.87	3	Horizontal	54	1.84	95.96	36.18	11.21	34.52
PK	7.1733G	64.31	88.20	-23.89	13.32	3	Horizontal	54	1.84	50.99	36.55	11.28	34.51

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_2TX
7095MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.18987G	49.46	68.20	-18.74	22.00	3	Vertical	78	2.93	27.46	40.10	14.68	32.78
PK	14.18546G	63.40	88.20	-24.80	22.01	3	Vertical	78	2.93	41.39	40.10	14.68	32.77


6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_2TX
7095MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.19319G	49.50	68.20	-18.70	22.00	3	Horizontal	254	2.68	27.50	40.10	14.68	32.78
PK	14.19392G	62.42	88.20	-25.78	22.00	3	Horizontal	254	2.68	40.42	40.10	14.68	32.78

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


7115MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.12318G	81.77	Inf	-Inf	13.10	3	Vertical	342	1.77	-	68.67	36.39	11.23	34.52
AV	7.1255G	63.45	68.20	-4.75	13.12	3	Vertical	342	1.77	BP 1MHz	50.33	36.40	11.24	34.52
PK	7.10875G	91.54	Inf	-Inf	12.97	3	Vertical	342	1.77	-	78.57	36.27	11.22	34.52
PK	7.1255G	74.82	88.20	-13.38	13.12	3	Vertical	342	1.77	BP 1MHz	61.70	36.40	11.24	34.52


6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

7115MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.10586G	85.24	Inf	-Inf	12.95	3	Horizontal	58	1.68	-	72.29	36.25	11.22	34.52
AV	7.1255G	67.34	68.20	-0.86	13.12	3	Horizontal	58	1.68	BP 1MHz	54.22	36.40	11.24	34.52
PK	7.10998G	94.97	Inf	-Inf	12.98	3	Horizontal	58	1.68	-	81.99	36.28	11.22	34.52
PK	7.1255G	78.80	88.20	-9.40	13.12	3	Horizontal	58	1.68	BP 1MHz	65.68	36.40	11.24	34.52

**6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_2TX
7115MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.23G	51.68	68.20	-16.52	21.95	3	Vertical	333	1.49	29.73	40.07	14.71	32.83
PK	14.22993G	60.68	88.20	-27.52	21.95	3	Vertical	333	1.49	38.73	40.07	14.71	32.83


**6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_2TX
7115MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.22991G	52.84	68.20	-15.36	21.95	3	Horizontal	29	1.67	30.89	40.07	14.71	32.83
PK	14.22996G	61.16	88.20	-27.04	21.95	3	Horizontal	29	1.67	39.21	40.07	14.71	32.83

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


5965MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9194G	48.25	68.20	-19.95	10.23	3	Vertical	49	1.03	38.02	34.18	10.27	34.22
AV	5.9608G	90.66	Inf	-Inf	10.32	3	Vertical	49	1.03	80.34	34.24	10.30	34.22
PK	5.9242G	60.56	88.20	-27.64	10.25	3	Vertical	49	1.03	50.31	34.20	10.27	34.22
PK	5.9617G	104.58	Inf	-Inf	10.31	3	Vertical	49	1.03	94.27	34.23	10.30	34.22


5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5965MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9242G	48.83	68.20	-19.37	10.25	3	Horizontal	58	1.80	38.58	34.20	10.27	34.22
AV	5.9635G	97.95	Inf	-Inf	10.30	3	Horizontal	58	1.80	87.65	34.22	10.30	34.22
PK	5.8999G	60.42	88.20	-27.78	10.14	3	Horizontal	58	1.80	50.28	34.10	10.25	34.21
PK	5.9641G	109.37	Inf	-Inf	10.30	3	Horizontal	58	1.80	99.07	34.22	10.30	34.22

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_2TX
5965MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.92994G	45.50	54.00	-8.50	17.65	3	Vertical	0	1.78	27.85	38.66	13.28	34.29
PK	11.93006G	54.66	74.00	-19.34	17.65	3	Vertical	0	1.78	37.01	38.66	13.28	34.29


5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_2TX
5965MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.92988G	44.38	54.00	-9.62	17.65	3	Horizontal	62	3.00	26.73	38.66	13.28	34.29
PK	11.93018G	55.79	74.00	-18.21	17.65	3	Horizontal	62	3.00	38.14	38.66	13.28	34.29

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


6165MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.91G	48.31	68.20	-19.89	10.19	3	Vertical	37	1.18	38.12	34.14	10.26	34.21
AV	6.1614G	90.51	Inf	-Inf	10.36	3	Vertical	37	1.18	80.15	34.10	10.49	34.23
PK	5.9118G	60.09	88.20	-28.11	10.20	3	Vertical	37	1.18	49.89	34.15	10.26	34.21
PK	6.1608G	102.52	Inf	-Inf	10.36	3	Vertical	37	1.18	92.16	34.10	10.49	34.23


5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

6165MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8878G	48.20	68.20	-20.00	10.14	3	Horizontal	43	2.62	38.06	34.10	10.25	34.21
AV	6.1674G	97.21	Inf	-Inf	10.37	3	Horizontal	43	2.62	86.84	34.10	10.50	34.23
PK	5.88G	59.95	88.20	-28.25	10.13	3	Horizontal	43	2.62	49.82	34.10	10.24	34.21
PK	6.1572G	108.68	Inf	-Inf	10.36	3	Horizontal	43	2.62	98.32	34.10	10.49	34.23

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_2TX
6165MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.32994G	49.22	54.00	-4.78	18.17	3	Vertical	0	1.78	31.05	38.83	13.51	34.17
PK	12.33018G	56.96	74.00	-17.04	18.18	3	Vertical	0	1.78	38.78	38.83	13.51	34.16


5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_2TX
6165MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.32994G	47.89	54.00	-6.11	18.17	3	Horizontal	341	1.36	29.72	38.83	13.51	34.17
PK	12.33018G	56.23	74.00	-17.77	18.18	3	Horizontal	341	1.36	38.05	38.83	13.51	34.16

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


6405MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.919G	48.25	68.20	-19.95	10.23	3	Vertical	35	1.27	38.02	34.18	10.27	34.22
AV	6.4014G	90.75	Inf	-Inf	11.10	3	Vertical	35	1.27	79.65	34.71	10.64	34.25
PK	5.871G	60.43	88.20	-27.77	10.12	3	Vertical	35	1.27	50.31	34.10	10.23	34.21
PK	6.4002G	101.09	Inf	-Inf	11.09	3	Vertical	35	1.27	90.00	34.70	10.64	34.25


5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

6405MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.907G	48.17	68.20	-20.03	10.18	3	Horizontal	37	2.64	37.99	34.13	10.26	34.21
AV	6.4074G	97.44	Inf	-Inf	11.12	3	Horizontal	37	2.64	86.32	34.73	10.64	34.25
PK	5.877G	60.13	88.20	-28.07	10.13	3	Horizontal	37	2.64	50.00	34.10	10.24	34.21
PK	6.4086G	107.64	Inf	-Inf	11.13	3	Horizontal	37	2.64	96.51	34.73	10.65	34.25

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_2TX
6405MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.81G	50.78	68.20	-17.42	19.91	3	Vertical	349	2.02	30.87	39.60	13.81	33.50
PK	12.81G	58.29	88.20	-29.91	19.91	3	Vertical	349	2.02	38.38	39.60	13.81	33.50


5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_2TX
6405MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.80994G	50.12	68.20	-18.08	19.91	3	Horizontal	343	1.50	30.21	39.60	13.81	33.50
PK	12.81G	57.87	88.20	-30.33	19.91	3	Horizontal	343	1.50	37.96	39.60	13.81	33.50

6.425-6.525GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


6445MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.917G	48.26	68.20	-19.94	10.22	3	Vertical	34	1.24	38.04	34.17	10.27	34.22
AV	6.4414G	90.31	Inf	-Inf	11.28	3	Vertical	34	1.24	79.03	34.87	10.67	34.26
PK	5.8498G	60.10	88.20	-28.10	10.11	3	Vertical	34	1.24	49.99	34.10	10.22	34.21
PK	6.451G	100.33	Inf	-Inf	11.32	3	Vertical	34	1.24	89.01	34.91	10.67	34.26


6.425-6.525GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

6445MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.923G	48.30	68.20	-19.90	10.24	3	Horizontal	39	2.69	38.06	34.19	10.27	34.22
AV	6.439G	97.65	Inf	-Inf	11.27	3	Horizontal	39	2.69	86.38	34.86	10.67	34.26
PK	5.9218G	60.20	88.20	-28.00	10.24	3	Horizontal	39	2.69	49.96	34.19	10.27	34.22
PK	6.4462G	108.79	Inf	-Inf	11.29	3	Horizontal	39	2.69	97.50	34.88	10.67	34.26

6.425-6.525GHz_802.11ax HEW40_Nss1,(MCS0)_2TX
6445MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.88994G	53.50	68.20	-14.70	20.11	3	Vertical	344	2.60	33.39	39.60	13.86	33.35
PK	12.89006G	60.31	88.20	-27.89	20.11	3	Vertical	344	2.60	40.20	39.60	13.86	33.35


6.425-6.525GHz_802.11ax HEW40_Nss1,(MCS0)_2TX
6445MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.88994G	49.86	68.20	-18.34	20.11	3	Horizontal	344	1.50	29.75	39.60	13.86	33.35
PK	12.89G	58.15	88.20	-30.05	20.11	3	Horizontal	344	1.50	38.04	39.60	13.86	33.35

6.425-6.525GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


6485MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.918G	48.34	68.20	-19.86	10.22	3	Vertical	46	1.43	38.12	34.17	10.27	34.22
AV	6.4836G	90.44	Inf	-Inf	11.53	3	Vertical	46	1.43	78.91	35.10	10.69	34.26
AV	7.15G	51.92	68.20	-16.28	13.34	3	Vertical	46	1.43	38.58	36.60	11.26	34.52
PK	5.8018G	60.55	88.20	-27.65	9.78	3	Vertical	46	1.43	50.77	33.81	10.18	34.21
PK	6.4822G	101.61	Inf	-Inf	11.52	3	Vertical	46	1.43	90.09	35.09	10.69	34.26
PK	7.1346G	63.91	88.20	-24.29	13.20	3	Vertical	46	1.43	50.71	36.48	11.24	34.52


6.425-6.525GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

6485MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9138G	48.27	68.20	-19.93	10.22	3	Horizontal	49	1.57	38.05	34.16	10.27	34.21
AV	6.4836G	97.84	Inf	-Inf	11.53	3	Horizontal	49	1.57	86.31	35.10	10.69	34.26
AV	7.157G	51.94	68.20	-16.26	13.34	3	Horizontal	49	1.57	38.60	36.59	11.26	34.51
PK	5.9222G	60.32	88.20	-27.88	10.24	3	Horizontal	49	1.57	50.08	34.19	10.27	34.22
PK	6.4836G	107.44	Inf	-Inf	11.53	3	Horizontal	49	1.57	95.91	35.10	10.69	34.26
PK	7.1584G	64.23	88.20	-23.97	13.33	3	Horizontal	49	1.57	50.90	36.58	11.26	34.51

**6.425-6.525GHz_802.11ax HEW40_Nss1,(MCS0)_2TX
6485MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.96994G	53.28	68.20	-14.92	20.45	3	Vertical	349	1.97	32.83	39.74	13.91	33.20
PK	12.96994G	60.37	88.20	-27.83	20.45	3	Vertical	349	1.97	39.92	39.74	13.91	33.20


**6.425-6.525GHz_802.11ax HEW40_Nss1,(MCS0)_2TX
6485MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.96994G	52.76	68.20	-15.44	20.45	3	Horizontal	28	2.09	32.31	39.74	13.91	33.20
PK	12.96994G	59.42	88.20	-28.78	20.45	3	Horizontal	28	2.09	38.97	39.74	13.91	33.20

6.425-6.525GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


6525MHz Straddle 6.425-6.525GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9146G	48.26	68.20	-19.94	10.22	3	Vertical	39	1.09	38.04	34.16	10.27	34.21
AV	6.5208G	90.20	Inf	-Inf	11.69	3	Vertical	39	1.09	78.51	35.24	10.72	34.27
AV	7.1592G	51.94	68.20	-16.26	13.34	3	Vertical	39	1.09	38.60	36.58	11.27	34.51
PK	5.916G	59.43	88.20	-28.77	10.22	3	Vertical	39	1.09	49.21	34.16	10.27	34.21
PK	6.5222G	102.46	Inf	-Inf	11.69	3	Vertical	39	1.09	90.77	35.24	10.72	34.27
PK	7.1522G	63.28	88.20	-24.92	13.35	3	Vertical	39	1.09	49.93	36.60	11.26	34.51


6.425-6.525GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

6525MHz Straddle 6.425-6.525GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9118G	48.29	68.20	-19.91	10.20	3	Horizontal	33	2.29	38.09	34.15	10.26	34.21
AV	6.5166G	98.17	Inf	-Inf	11.68	3	Horizontal	33	2.29	86.49	35.23	10.72	34.27
AV	7.1284G	52.00	68.20	-16.20	13.15	3	Horizontal	33	2.29	38.85	36.43	11.24	34.52
PK	5.8866G	60.16	88.20	-28.04	10.13	3	Horizontal	33	2.29	50.03	34.10	10.24	34.21
PK	6.5152G	108.60	Inf	-Inf	11.67	3	Horizontal	33	2.29	96.93	35.23	10.71	34.27
PK	7.1578G	63.97	88.20	-24.23	13.33	3	Horizontal	33	2.29	50.64	36.58	11.26	34.51

6.425-6.525GHz_802.11ax HEW40_Nss1,(MCS0)_2TX
6525MHz Straddle 6.425-6.525GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.04994G	54.35	68.20	-13.85	20.65	3	Vertical	341	2.61	33.70	39.75	13.96	33.06
PK	13.05006G	60.46	88.20	-27.74	20.65	3	Vertical	341	2.61	39.81	39.75	13.96	33.06


6.425-6.525GHz_802.11ax HEW40_Nss1,(MCS0)_2TX
6525MHz Straddle 6.425-6.525GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.04994G	52.45	68.20	-15.75	20.65	3	Horizontal	28	2.10	31.80	39.75	13.96	33.06
PK	13.04994G	59.65	88.20	-28.55	20.65	3	Horizontal	28	2.10	39.00	39.75	13.96	33.06

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


6565MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.5614G	90.27	Inf	-Inf	11.82	3	Vertical	48	1.40	78.45	35.37	10.74	34.29
AV	7.1566G	51.97	68.20	-16.23	13.34	3	Vertical	48	1.40	38.63	36.59	11.26	34.51
PK	6.5626G	100.70	Inf	-Inf	11.84	3	Vertical	48	1.40	88.86	35.38	10.75	34.29
PK	7.1362G	64.12	88.20	-24.08	13.22	3	Vertical	48	1.40	50.90	36.49	11.25	34.52


6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

6565MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.5566G	97.68	Inf	-Inf	11.79	3	Horizontal	57	2.34	85.89	35.34	10.74	34.29
AV	7.1374G	51.96	68.20	-16.24	13.23	3	Horizontal	57	2.34	38.73	36.50	11.25	34.52
PK	6.577G	108.50	Inf	-Inf	11.92	3	Horizontal	57	2.34	96.58	35.46	10.76	34.30
PK	7.1362G	63.43	88.20	-24.77	13.22	3	Horizontal	57	2.34	50.21	36.49	11.25	34.52

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_2TX
6565MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.12994G	51.70	68.20	-16.50	20.77	3	Vertical	3	2.65	30.93	39.70	14.00	32.93
PK	13.13006G	59.02	88.20	-29.18	20.77	3	Vertical	3	2.65	38.25	39.70	14.00	32.93


6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_2TX
6565MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.12994G	52.03	68.20	-16.17	20.77	3	Horizontal	15	1.50	31.26	39.70	14.00	32.93
PK	13.13G	58.82	88.20	-29.38	20.77	3	Horizontal	15	1.50	38.05	39.70	14.00	32.93

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


6685MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.683G	88.72	Inf	-Inf	12.32	3	Vertical	42	1.46	76.40	35.83	10.85	34.36
AV	7.151G	51.95	68.20	-16.25	13.35	3	Vertical	42	1.46	38.60	36.60	11.26	34.51
PK	6.682G	99.46	Inf	-Inf	12.32	3	Vertical	42	1.46	87.14	35.83	10.85	34.36
PK	7.181G	63.88	88.20	-24.32	13.31	3	Vertical	42	1.46	50.57	36.54	11.28	34.51


6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

6685MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.695G	98.00	Inf	-Inf	12.37	3	Horizontal	64	1.79	85.63	35.88	10.86	34.37
AV	7.165G	52.08	68.20	-16.12	13.33	3	Horizontal	64	1.79	38.75	36.57	11.27	34.51
PK	6.686G	110.68	Inf	-Inf	12.33	3	Horizontal	64	1.79	98.35	35.84	10.85	34.36
PK	7.135G	65.91	88.20	-22.29	13.20	3	Horizontal	64	1.79	52.71	36.48	11.24	34.52

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_2TX
6685MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.36994G	52.76	54.00	-1.24	21.63	3	Vertical	335	2.64	31.13	40.01	14.15	32.53
PK	13.36964G	59.31	74.00	-14.69	21.63	3	Vertical	335	2.64	37.68	40.01	14.15	32.53


6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_2TX
6685MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.36994G	50.19	54.00	-3.81	21.63	3	Horizontal	344	1.50	28.56	40.01	14.15	32.53
PK	13.37G	58.14	74.00	-15.86	21.63	3	Horizontal	344	1.50	36.51	40.01	14.15	32.53

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


6845MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.8464G	90.24	Inf	-Inf	12.26	3	Vertical	66	2.00	77.98	35.71	11.00	34.45
AV	7.1523G	51.92	68.20	-16.28	13.35	3	Vertical	66	2.00	38.57	36.60	11.26	34.51
PK	6.8457G	101.26	Inf	-Inf	12.27	3	Vertical	66	2.00	88.99	35.72	11.00	34.45
PK	7.1376G	63.99	88.20	-24.21	13.23	3	Vertical	66	2.00	50.76	36.50	11.25	34.52


6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

6845MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.8345G	98.14	Inf	-Inf	12.31	3	Horizontal	60	1.80	85.83	35.76	10.99	34.44
AV	7.1439G	52.00	68.20	-16.20	13.28	3	Horizontal	60	1.80	38.72	36.55	11.25	34.52
PK	6.8457G	109.87	Inf	-Inf	12.27	3	Horizontal	60	1.80	97.60	35.72	11.00	34.45
PK	7.1705G	63.62	88.20	-24.58	13.32	3	Horizontal	60	1.80	50.30	36.56	11.27	34.51

**6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_2TX
6845MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.68988G	50.33	68.20	-17.87	21.68	3	Vertical	344	2.33	28.65	39.73	14.35	32.40
PK	13.66144G	61.48	88.20	-26.72	21.76	3	Vertical	344	2.33	39.72	39.82	14.33	32.39


**6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_2TX
6845MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.68982G	50.09	68.20	-18.11	21.68	3	Horizontal	322	1.44	28.41	39.73	14.35	32.40
PK	13.69G	61.83	88.20	-26.37	21.68	3	Horizontal	322	1.44	40.15	39.73	14.35	32.40

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


6885MHz Straddle 6.525-6.875GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.8787G	90.85	Inf	-Inf	12.27	3	Vertical	32	1.05	78.58	35.70	11.03	34.46
AV	7.1545G	52.06	68.20	-16.14	13.34	3	Vertical	32	1.05	38.72	36.59	11.26	34.51
PK	6.8885G	102.91	Inf	-Inf	12.27	3	Vertical	32	1.05	90.64	35.70	11.04	34.47
PK	7.2105G	63.74	88.20	-24.46	13.33	3	Vertical	32	1.05	50.41	36.54	11.30	34.51


6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

6885MHz Straddle 6.525-6.875GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.8752G	97.85	Inf	-Inf	12.26	3	Horizontal	60	1.70	85.59	35.70	11.02	34.46
AV	7.1552G	51.94	68.20	-16.26	13.34	3	Horizontal	60	1.70	38.60	36.59	11.26	34.51
PK	6.8759G	109.70	Inf	-Inf	12.26	3	Horizontal	60	1.70	97.44	35.70	11.02	34.46
PK	7.1538G	63.46	88.20	-24.74	13.34	3	Horizontal	60	1.70	50.12	36.59	11.26	34.51

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_2TX
6885MHz Straddle 6.525-6.875GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.776	49.88	68.20	-18.32	21.66	3	Vertical	347	1.56	28.22	39.70	14.40	32.44
PK	13.78338G	61.96	88.20	-26.24	21.67	3	Vertical	347	1.56	40.29	39.70	14.41	32.44


6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_2TX
6885MHz Straddle 6.525-6.875GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.76994G	49.49	68.20	-18.71	21.66	3	Horizontal	4	1.12	27.83	39.70	14.40	32.44
PK	13.77084G	62.34	88.20	-25.86	21.66	3	Horizontal	4	1.12	40.68	39.70	14.40	32.44

6.875-7.125GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


6925MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.9238G	90.29	Inf	-Inf	12.28	3	Vertical	348	1.87	78.01	35.70	11.07	34.49
AV	7.1416G	52.00	68.20	-16.20	13.26	3	Vertical	348	1.87	38.74	36.53	11.25	34.52
PK	6.9232G	101.48	Inf	-Inf	12.27	3	Vertical	348	1.87	89.21	35.70	11.06	34.49
PK	7.1506G	64.34	88.20	-23.86	13.35	3	Vertical	348	1.87	50.99	36.60	11.26	34.51


6.875-7.125GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

6925MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.9238G	98.08	Inf	-Inf	12.28	3	Horizontal	54	1.71	85.80	35.70	11.07	34.49
AV	7.1596G	52.02	68.20	-16.18	13.34	3	Horizontal	54	1.71	38.68	36.58	11.27	34.51
PK	6.9232G	109.07	Inf	-Inf	12.27	3	Horizontal	54	1.71	96.80	35.70	11.06	34.49
PK	7.1362G	64.59	88.20	-23.61	13.22	3	Horizontal	54	1.71	51.37	36.49	11.25	34.52

6.875-7.125GHz_802.11ax HEW40_Nss1,(MCS0)_2TX
6925MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.84759G	49.32	68.20	-18.88	21.68	3	Vertical	219	1.07	27.64	39.70	14.45	32.47
PK	13.85391G	63.30	88.20	-24.90	21.67	3	Vertical	219	1.07	41.63	39.70	14.45	32.48


6.875-7.125GHz_802.11ax HEW40_Nss1,(MCS0)_2TX
6925MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.8501G	49.75	68.20	-18.45	21.68	3	Horizontal	214	2.18	28.07	39.70	14.45	32.47
PK	13.85152G	62.35	88.20	-25.85	21.68	3	Horizontal	214	2.18	40.67	39.70	14.45	32.47

6.875-7.125GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


7005MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.0032G	89.39	Inf	-Inf	12.32	3	Vertical	343	1.81	77.07	35.72	11.13	34.53
AV	7.1415G	52.09	68.20	-16.11	13.26	3	Vertical	343	1.81	38.83	36.53	11.25	34.52
PK	6.9933G	101.54	Inf	-Inf	12.29	3	Vertical	343	1.81	89.25	35.70	11.12	34.53
PK	7.1529G	64.25	88.20	-23.95	13.34	3	Vertical	343	1.81	50.91	36.59	11.26	34.51


6.875-7.125GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

7005MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.0062G	97.31	Inf	-Inf	12.35	3	Horizontal	57	1.87	84.96	35.74	11.14	34.53
AV	7.146G	52.01	68.20	-16.19	13.30	3	Horizontal	57	1.87	38.71	36.57	11.25	34.52
PK	6.9951G	110.40	Inf	-Inf	12.30	3	Horizontal	57	1.87	98.10	35.70	11.13	34.53
PK	7.1253G	64.31	88.20	-23.89	13.12	3	Horizontal	57	1.87	51.19	36.40	11.24	34.52

6.875-7.125GHz_802.11ax HEW40_Nss1,(MCS0)_2TX
7005MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.00505G	49.48	68.20	-18.72	21.81	3	Vertical	146	2.38	27.67	39.82	14.54	32.55
PK	14.01013G	62.59	88.20	-25.61	21.83	3	Vertical	146	2.38	40.76	39.83	14.55	32.55


6.875-7.125GHz_802.11ax HEW40_Nss1,(MCS0)_2TX
7005MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.00967G	49.54	68.20	-18.66	21.83	3	Horizontal	279	2.87	27.71	39.83	14.55	32.55
PK	14.00598G	62.15	88.20	-26.05	21.81	3	Horizontal	279	2.87	40.34	39.82	14.54	32.55

6.875-7.125GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


7085MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.0928G	90.62	Inf	-Inf	12.86	3	Vertical	360	1.76	77.76	36.17	11.21	34.52
AV	7.1513G	52.03	68.20	-16.17	13.35	3	Vertical	360	1.76	38.68	36.60	11.26	34.51
PK	7.0928G	102.10	Inf	-Inf	12.86	3	Vertical	360	1.76	89.24	36.17	11.21	34.52
PK	7.2137G	64.67	88.20	-23.53	13.34	3	Vertical	360	1.76	51.33	36.55	11.30	34.51


6.875-7.125GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

7085MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.0865G	98.04	Inf	-Inf	12.83	3	Horizontal	58	1.83	85.21	36.15	11.20	34.52
AV	7.1276G	52.04	68.20	-16.16	13.14	3	Horizontal	58	1.83	38.90	36.42	11.24	34.52
PK	7.0859G	110.33	Inf	-Inf	12.82	3	Horizontal	58	1.83	97.51	36.14	11.20	34.52
PK	7.1702G	64.42	88.20	-23.78	13.32	3	Horizontal	58	1.83	51.10	36.56	11.27	34.51

6.875-7.125GHz_802.11ax HEW40_Nss1,(MCS0)_2TX
7085MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.17003G	49.74	68.20	-18.46	22.02	3	Vertical	312	1.60	27.72	40.10	14.67	32.75
PK	14.1666G	62.48	88.20	-25.72	22.01	3	Vertical	312	1.60	40.47	40.10	14.66	32.75


6.875-7.125GHz_802.11ax HEW40_Nss1,(MCS0)_2TX
7085MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.16714G	49.49	68.20	-18.71	22.01	3	Horizontal	296	2.58	27.48	40.10	14.66	32.75
PK	14.17149G	62.29	88.20	-25.91	22.01	3	Horizontal	296	2.58	40.28	40.10	14.67	32.76

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_2TX


5985MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9205G	48.69	68.20	-19.51	10.23	3	Vertical	46	1.00	38.46	34.18	10.27	34.22
AV	5.991G	91.12	Inf	-Inf	10.15	3	Vertical	46	1.00	80.97	34.05	10.32	34.22
PK	5.9205G	61.43	88.20	-26.77	10.23	3	Vertical	46	1.00	51.20	34.18	10.27	34.22
PK	5.9705G	102.52	Inf	-Inf	10.27	3	Vertical	46	1.00	92.25	34.18	10.31	34.22


5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5985MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9235G	50.90	68.20	-17.30	10.24	3	Horizontal	57	1.82	40.66	34.19	10.27	34.22
AV	5.974G	97.95	Inf	-Inf	10.25	3	Horizontal	57	1.82	87.70	34.16	10.31	34.22
PK	5.922G	63.06	88.20	-25.14	10.24	3	Horizontal	57	1.82	52.82	34.19	10.27	34.22
PK	5.9735G	108.65	Inf	-Inf	10.25	3	Horizontal	57	1.82	98.40	34.16	10.31	34.22

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_2TX
5985MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.96988G	46.00	54.00	-8.00	17.73	3	Vertical	2	1.74	28.27	38.74	13.30	34.31
PK	12.024G	55.70	74.00	-18.30	17.87	3	Vertical	2	1.74	37.83	38.87	13.32	34.32


5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_2TX
5985MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.97G	45.68	54.00	-8.32	17.73	3	Horizontal	297	2.76	27.95	38.74	13.30	34.31
PK	12.0078G	55.87	74.00	-18.13	17.80	3	Horizontal	297	2.76	38.07	38.82	13.31	34.33

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_2TX


6145MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9194G	48.27	68.20	-19.93	10.23	3	Vertical	36	1.00	38.04	34.18	10.27	34.22
AV	6.151G	91.73	Inf	-Inf	10.35	3	Vertical	36	1.00	81.38	34.10	10.48	34.23
PK	5.8708G	60.31	88.20	-27.89	10.12	3	Vertical	36	1.00	50.19	34.10	10.23	34.21
PK	6.1516G	103.98	Inf	-Inf	10.35	3	Vertical	36	1.00	93.63	34.10	10.48	34.23


5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

6145MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.911G	48.40	68.20	-19.80	10.19	3	Horizontal	46	2.87	38.21	34.14	10.26	34.21
AV	6.1486G	97.65	Inf	-Inf	10.35	3	Horizontal	46	2.87	87.30	34.10	10.48	34.23
PK	5.9236G	60.83	88.20	-27.37	10.24	3	Horizontal	46	2.87	50.59	34.19	10.27	34.22
PK	6.1684G	109.90	Inf	-Inf	10.37	3	Horizontal	46	2.87	99.53	34.10	10.50	34.23

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_2TX
6145MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.29G	48.52	54.00	-5.48	18.12	3	Vertical	4	1.79	30.40	38.82	13.49	34.19
PK	12.28976G	56.55	74.00	-17.45	18.12	3	Vertical	4	1.79	38.43	38.82	13.49	34.19


5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_2TX
6145MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.29G	47.50	54.00	-6.50	18.12	3	Horizontal	340	1.39	29.38	38.82	13.49	34.19
PK	12.29G	55.67	74.00	-18.33	18.12	3	Horizontal	340	1.39	37.55	38.82	13.49	34.19

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_2TX


6385MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.923G	48.32	68.20	-19.88	10.24	3	Vertical	35	1.24	38.08	34.19	10.27	34.22
AV	6.3922G	91.63	Inf	-Inf	11.06	3	Vertical	35	1.24	80.57	34.67	10.64	34.25
PK	5.8726G	60.38	88.20	-27.82	10.12	3	Vertical	35	1.24	50.26	34.10	10.23	34.21
PK	6.3826G	102.63	Inf	-Inf	11.01	3	Vertical	35	1.24	91.62	34.63	10.63	34.25


5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

6385MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.917G	48.30	68.20	-19.90	10.22	3	Horizontal	38	2.64	38.08	34.17	10.27	34.22
AV	6.3778G	98.04	Inf	-Inf	10.99	3	Horizontal	38	2.64	87.05	34.61	10.63	34.25
PK	5.899G	60.05	88.20	-28.15	10.14	3	Horizontal	38	2.64	49.91	34.10	10.25	34.21
PK	6.3682G	108.76	Inf	-Inf	10.94	3	Horizontal	38	2.64	97.82	34.57	10.62	34.25

**5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_2TX
6385MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.77G	51.00	68.20	-17.20	19.69	3	Vertical	343	2.59	31.31	39.48	13.78	33.57
PK	12.77G	57.02	88.20	-31.18	19.69	3	Vertical	343	2.59	37.33	39.48	13.78	33.57


**5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_2TX
6385MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.77G	48.13	68.20	-20.07	19.69	3	Horizontal	345	1.50	28.44	39.48	13.78	33.57
PK	12.76988G	56.02	88.20	-32.18	19.69	3	Horizontal	345	1.50	36.33	39.48	13.78	33.57

6.425-6.525GHz_802.11ax HEW80_Nss1,(MCS0)_2TX


6465MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9232G	48.24	68.20	-19.96	10.24	3	Vertical	36	1.13	38.00	34.19	10.27	34.22
AV	6.451G	90.09	Inf	-Inf	11.32	3	Vertical	36	1.13	78.77	34.91	10.67	34.26
AV	7.1482G	51.97	68.20	-16.23	13.33	3	Vertical	36	1.13	38.64	36.59	11.26	34.52
PK	5.8266G	60.40	88.20	-27.80	9.95	3	Vertical	36	1.13	50.45	33.96	10.20	34.21
PK	6.4608G	101.41	Inf	-Inf	11.38	3	Vertical	36	1.13	90.03	34.96	10.68	34.26
PK	7.1552G	64.21	88.20	-23.99	13.34	3	Vertical	36	1.13	50.87	36.59	11.26	34.51


6.425-6.525GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

6465MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9246G	48.29	68.20	-19.91	10.25	3	Horizontal	37	2.42	38.04	34.20	10.27	34.22
AV	6.4664G	97.55	Inf	-Inf	11.42	3	Horizontal	37	2.42	86.13	35.00	10.68	34.26
AV	7.1482G	52.07	68.20	-16.13	13.33	3	Horizontal	37	2.42	38.74	36.59	11.26	34.52
PK	5.919G	60.60	88.20	-27.60	10.23	3	Horizontal	37	2.42	50.37	34.18	10.27	34.22
PK	6.4664G	108.41	Inf	-Inf	11.42	3	Horizontal	37	2.42	96.99	35.00	10.68	34.26
PK	7.144G	63.90	88.20	-24.30	13.28	3	Horizontal	37	2.42	50.62	36.55	11.25	34.52

6.425-6.525GHz_802.11ax HEW80_Nss1,(MCS0)_2TX
6465MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	12.93G	49.78	68.20	-18.42	20.27	3	Vertical	351	1.93	29.51	39.66	13.88	33.27
PK	12.93012G	56.18	88.20	-32.02	20.27	3	Vertical	351	1.93	35.91	39.66	13.88	33.27


6.425-6.525GHz_802.11ax HEW80_Nss1,(MCS0)_2TX
6465MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	12.93G	48.06	68.20	-20.14	20.27	3	Horizontal	337	2.91	27.79	39.66	13.88	33.27
PK	12.92988G	55.33	88.20	-32.87	20.27	3	Horizontal	337	2.91	35.06	39.66	13.88	33.27

6.425-6.525GHz_802.11ax HEW80_Nss1,(MCS0)_2TX


6545MHz Straddle 6.425-6.525GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9136G	48.36	68.20	-19.84	10.21	3	Vertical	32	1.18	38.15	34.15	10.27	34.21
AV	6.5506G	91.14	Inf	-Inf	11.75	3	Vertical	32	1.18	79.39	35.30	10.74	34.29
AV	7.1484G	51.98	68.20	-16.22	13.33	3	Vertical	32	1.18	38.65	36.59	11.26	34.52
PK	5.9094G	60.31	88.20	-27.89	10.19	3	Vertical	32	1.18	50.12	34.14	10.26	34.21
PK	6.531G	102.46	Inf	-Inf	11.71	3	Vertical	32	1.18	90.75	35.26	10.73	34.28
PK	7.1792G	64.03	88.20	-24.17	13.31	3	Vertical	32	1.18	50.72	36.54	11.28	34.51


6.425-6.525GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

6545MHz Straddle 6.425-6.525GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.922G	48.29	68.20	-19.91	10.24	3	Horizontal	58	2.33	38.05	34.19	10.27	34.22
AV	6.5562G	98.11	Inf	-Inf	11.79	3	Horizontal	58	2.33	86.32	35.34	10.74	34.29
AV	7.1456G	51.98	68.20	-16.22	13.29	3	Horizontal	58	2.33	38.69	36.56	11.25	34.52
PK	5.9178G	60.13	88.20	-28.07	10.22	3	Horizontal	58	2.33	49.91	34.17	10.27	34.22
PK	6.5268G	110.39	Inf	-Inf	11.70	3	Horizontal	58	2.33	98.69	35.25	10.72	34.27
PK	7.2422G	64.43	88.20	-23.77	13.47	3	Horizontal	58	2.33	50.96	36.67	11.31	34.51

6.425-6.525GHz_802.11ax HEW80_Nss1,(MCS0)_2TX
6545MHz Straddle 6.425-6.525GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.08988G	49.51	68.20	-18.69	20.70	3	Vertical	342	1.67	28.81	39.71	13.98	32.99
PK	13.08976G	56.56	88.20	-31.64	20.70	3	Vertical	342	1.67	35.86	39.71	13.98	32.99


6.425-6.525GHz_802.11ax HEW80_Nss1,(MCS0)_2TX
6545MHz Straddle 6.425-6.525GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.09G	49.05	68.20	-19.15	20.70	3	Horizontal	25	1.50	28.35	39.71	13.98	32.99
PK	13.08988G	56.12	88.20	-32.08	20.70	3	Horizontal	25	1.50	35.42	39.71	13.98	32.99

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_2TX


6625MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.6022G	89.73	Inf	-Inf	12.05	3	Vertical	47	1.25	77.68	35.60	10.77	34.32
AV	7.1422G	51.91	68.20	-16.29	13.27	3	Vertical	47	1.25	38.64	36.54	11.25	34.52
PK	6.5926G	101.46	Inf	-Inf	12.02	3	Vertical	47	1.25	89.44	35.56	10.77	34.31
PK	7.1482G	64.23	88.20	-23.97	13.33	3	Vertical	47	1.25	50.90	36.59	11.26	34.52


6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

6625MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.6154G	97.84	Inf	-Inf	12.09	3	Horizontal	67	1.86	85.75	35.63	10.78	34.32
AV	7.1506G	52.03	68.20	-16.17	13.35	3	Horizontal	67	1.86	38.68	36.60	11.26	34.51
PK	6.625G	108.76	Inf	-Inf	12.11	3	Horizontal	67	1.86	96.65	35.65	10.79	34.33
PK	7.1974G	63.41	88.20	-24.79	13.30	3	Horizontal	67	1.86	50.11	36.51	11.30	34.51

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_2TX
6625MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.25G	51.69	68.20	-16.51	21.10	3	Vertical	334	2.54	30.59	39.75	14.08	32.73
PK	13.25G	58.29	88.20	-29.91	21.10	3	Vertical	334	2.54	37.19	39.75	14.08	32.73


6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_2TX
6625MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.25G	50.40	68.20	-17.80	21.10	3	Horizontal	15	1.44	29.30	39.75	14.08	32.73
PK	13.24976G	57.55	88.20	-30.65	21.10	3	Horizontal	15	1.44	36.45	39.75	14.08	32.73

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_2TX


6705MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.694G	88.85	Inf	-Inf	12.38	3	Vertical	36	1.76	76.47	35.88	10.86	34.36
AV	7.155G	51.93	68.20	-16.27	13.34	3	Vertical	36	1.76	38.59	36.59	11.26	34.51
PK	6.734G	99.29	Inf	-Inf	12.34	3	Vertical	36	1.76	86.95	35.83	10.90	34.39
PK	7.164G	64.31	88.20	-23.89	13.33	3	Vertical	36	1.76	50.98	36.57	11.27	34.51


6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

6705MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.694G	97.53	Inf	-Inf	12.38	3	Horizontal	63	1.80	85.15	35.88	10.86	34.36
AV	7.154G	51.97	68.20	-16.23	13.34	3	Horizontal	63	1.80	38.63	36.59	11.26	34.51
PK	6.694G	108.37	Inf	-Inf	12.38	3	Horizontal	63	1.80	95.99	35.88	10.86	34.36
PK	7.149G	64.38	88.20	-23.82	13.33	3	Horizontal	63	1.80	51.05	36.59	11.26	34.52

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_2TX
6705MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.41G	53.88	68.20	-14.32	21.82	3	Vertical	341	1.69	32.06	40.11	14.18	32.47
PK	13.41012G	60.88	88.20	-27.32	21.82	3	Vertical	341	1.69	39.06	40.11	14.18	32.47


6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_2TX
6705MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.41G	50.27	68.20	-17.93	21.82	3	Horizontal	344	1.50	28.45	40.11	14.18	32.47
PK	13.41G	58.72	88.20	-29.48	21.82	3	Horizontal	344	1.50	36.90	40.11	14.18	32.47

802.11ax HEW80_Nss1,(MCS0)_2TX


6785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.7815G	89.47	Inf	-Inf	12.39	3	Vertical	-0	1.86	13.5	77.08	35.86	10.94	34.41
AV	7.1343G	51.90	68.20	-16.30	13.19	3	Vertical	-0	1.86	13.5	38.71	36.47	11.24	34.52
PK	6.7815G	100.47	Inf	-Inf	12.39	3	Vertical	-0	1.86	13.5	88.08	35.86	10.94	34.41
PK	7.1266G	64.12	88.20	-24.08	13.13	3	Vertical	-0	1.86	13.5	50.99	36.41	11.24	34.52


6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

6785MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.7843G	97.82	Inf	-Inf	12.41	3	Horizontal	63	1.76	85.41	35.87	10.95	34.41
AV	7.1343G	51.87	68.20	-16.33	13.19	3	Horizontal	63	1.76	38.68	36.47	11.24	34.52
PK	6.7843G	108.98	Inf	-Inf	12.41	3	Horizontal	63	1.76	96.57	35.87	10.95	34.41
PK	7.1273G	63.13	88.20	-25.07	13.14	3	Horizontal	63	1.76	49.99	36.42	11.24	34.52

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_2TX
6785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.57G	50.36	68.20	-17.84	21.99	3	Vertical	27	2.48	28.37	40.06	14.28	32.35
PK	13.56988G	59.12	88.20	-29.08	21.99	3	Vertical	27	2.48	37.13	40.06	14.28	32.35


6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_2TX
6785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.57G	49.33	68.20	-18.87	21.99	3	Horizontal	324	1.50	27.34	40.06	14.28	32.35
PK	13.51984G	58.24	88.20	-29.96	22.07	3	Horizontal	324	1.50	36.17	40.16	14.24	32.33

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_2TX


6865MHz Straddle 6.525-6.875GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.8692G	90.47	Inf	-Inf	12.26	3	Vertical	35	1.00	78.21	35.70	11.02	34.46
AV	7.1527G	52.02	68.20	-16.18	13.34	3	Vertical	35	1.00	38.68	36.59	11.26	34.51
PK	6.8692G	103.21	Inf	-Inf	12.26	3	Vertical	35	1.00	90.95	35.70	11.02	34.46
PK	7.1303G	63.31	88.20	-24.89	13.16	3	Vertical	35	1.00	50.15	36.44	11.24	34.52


6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

6865MHz Straddle 6.525-6.875GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.8748G	97.77	Inf	-Inf	12.26	3	Horizontal	60	1.70	85.51	35.70	11.02	34.46
AV	7.145G	51.98	68.20	-16.22	13.29	3	Horizontal	60	1.70	38.69	36.56	11.25	34.52
PK	6.8755G	110.81	Inf	-Inf	12.26	3	Horizontal	60	1.70	98.55	35.70	11.02	34.46
PK	7.1667G	64.01	88.20	-24.19	13.33	3	Horizontal	60	1.70	50.68	36.57	11.27	34.51

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_2TX
6865MHz Straddle 6.525-6.875GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.73G	49.52	68.20	-18.68	21.65	3	Vertical	29	1.75	27.87	39.70	14.37	32.42
PK	13.78604G	62.50	88.20	-25.70	21.66	3	Vertical	29	1.75	40.84	39.70	14.41	32.45


6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_2TX
6865MHz Straddle 6.525-6.875GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.73G	51.28	68.20	-16.92	21.65	3	Horizontal	310	1.93	29.63	39.70	14.37	32.42
PK	13.78196G	61.89	88.20	-26.31	21.67	3	Horizontal	310	1.93	40.22	39.70	14.41	32.44

6.875-7.125GHz_802.11ax HEW80_Nss1,(MCS0)_2TX


6945MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.9432G	90.01	Inf	-Inf	12.28	3	Vertical	345	1.84	77.73	35.70	11.08	34.50
AV	7.1622G	51.99	68.20	-16.21	13.34	3	Vertical	345	1.84	38.65	36.58	11.27	34.51
PK	6.9522G	100.89	Inf	-Inf	12.29	3	Vertical	345	1.84	88.60	35.70	11.09	34.50
PK	7.1664G	63.88	88.20	-24.32	13.33	3	Vertical	345	1.84	50.55	36.57	11.27	34.51


6.875-7.125GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

6945MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.9348G	97.79	Inf	-Inf	12.28	3	Horizontal	56	1.78	85.51	35.70	11.07	34.49
AV	7.1418G	52.05	68.20	-16.15	13.26	3	Horizontal	56	1.78	38.79	36.53	11.25	34.52
PK	6.9456G	108.61	Inf	-Inf	12.28	3	Horizontal	56	1.78	96.33	35.70	11.08	34.50
PK	7.2192G	64.51	88.20	-23.69	13.37	3	Horizontal	56	1.78	51.14	36.58	11.30	34.51

6.875-7.125GHz_802.11ax HEW80_Nss1,(MCS0)_2TX
6945MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.88988G	50.44	68.20	-17.76	21.68	3	Vertical	348	1.50	28.76	39.70	14.47	32.49
PK	13.90536G	63.72	88.20	-24.48	21.69	3	Vertical	348	1.50	42.03	39.71	14.48	32.50


6.875-7.125GHz_802.11ax HEW80_Nss1,(MCS0)_2TX
6945MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.88988G	50.62	68.20	-17.58	21.68	3	Horizontal	307	1.61	28.94	39.70	14.47	32.49
PK	13.85076G	63.11	88.20	-25.09	21.68	3	Horizontal	307	1.61	41.43	39.70	14.45	32.47

6.875-7.125GHz_802.11ax HEW80_Nss1,(MCS0)_2TX


7025MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.0241G	90.06	Inf	-Inf	12.46	3	Vertical	0	1.01	77.60	35.84	11.15	34.53
AV	7.1573G	52.04	68.20	-16.16	13.34	3	Vertical	0	1.01	38.70	36.59	11.26	34.51
PK	7.0238G	103.05	Inf	-Inf	12.46	3	Vertical	0	1.01	90.59	35.84	11.15	34.53
PK	7.1537G	64.83	88.20	-23.37	13.34	3	Vertical	0	1.01	51.49	36.59	11.26	34.51


6.875-7.125GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

7025MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.0352G	97.73	Inf	-Inf	12.54	3	Horizontal	52	1.79	85.19	35.91	11.16	34.53
AV	7.1456G	52.19	68.20	-16.01	13.29	3	Horizontal	52	1.79	38.90	36.56	11.25	34.52
PK	7.0046G	109.30	Inf	-Inf	12.33	3	Horizontal	52	1.79	96.97	35.73	11.13	34.53
PK	7.142G	65.12	88.20	-23.08	13.27	3	Horizontal	52	1.79	51.85	36.54	11.25	34.52

**6.875-7.125GHz_802.11ax HEW80_Nss1,(MCS0)_2TX
7025MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.04995G	50.81	68.20	-17.39	21.93	3	Vertical	337	1.00	28.88	39.95	14.58	32.60
PK	14.05037G	63.71	88.20	-24.49	21.93	3	Vertical	337	1.00	41.78	39.95	14.58	32.60


**6.875-7.125GHz_802.11ax HEW80_Nss1,(MCS0)_2TX
7025MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.04999G	52.15	68.20	-16.05	21.93	3	Horizontal	336	1.17	30.22	39.95	14.58	32.60
PK	14.04926G	63.48	88.20	-24.72	21.93	3	Horizontal	336	1.17	41.55	39.95	14.58	32.60

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_2TX


6025MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.92G	51.30	68.20	-16.90	10.23	3	Vertical	49	1.00	41.07	34.18	10.27	34.22
AV	5.9905G	91.21	Inf	-Inf	10.16	3	Vertical	49	1.00	81.05	34.06	10.32	34.22
PK	5.912G	62.09	88.20	-26.11	10.20	3	Vertical	49	1.00	51.89	34.15	10.26	34.21
PK	5.982G	102.55	Inf	-Inf	10.21	3	Vertical	49	1.00	92.34	34.11	10.32	34.22


5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

6025MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.923G	55.81	68.20	-12.39	10.24	3	Horizontal	54	1.82	45.57	34.19	10.27	34.22
AV	5.9835G	98.20	Inf	-Inf	10.20	3	Horizontal	54	1.82	88.00	34.10	10.32	34.22
PK	5.924G	68.20	88.20	-20.00	10.25	3	Horizontal	54	1.82	57.95	34.20	10.27	34.22
PK	6.0045G	109.67	Inf	-Inf	10.13	3	Horizontal	54	1.82	99.54	34.02	10.33	34.22

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_2TX
6025MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.05G	44.95	54.00	-9.05	17.99	3	Vertical	0	1.81	26.96	38.95	13.34	34.30
PK	12.13352G	53.88	74.00	-20.12	18.20	3	Vertical	0	1.81	35.68	39.07	13.39	34.26


5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_2TX
6025MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.05G	45.71	54.00	-8.29	17.99	3	Horizontal	318	2.71	27.72	38.95	13.34	34.30
PK	12.09344G	54.11	74.00	-19.89	18.17	3	Horizontal	318	2.71	35.94	39.08	13.37	34.28

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_2TX


6185MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.921G	48.21	68.20	-19.99	10.23	3	Vertical	35	1.18	37.98	34.18	10.27	34.22
AV	6.161G	90.85	Inf	-Inf	10.36	3	Vertical	35	1.18	80.49	34.10	10.49	34.23
PK	5.8698G	59.96	88.20	-28.24	10.12	3	Vertical	35	1.18	49.84	34.10	10.23	34.21
PK	6.1506G	102.31	Inf	-Inf	10.35	3	Vertical	35	1.18	91.96	34.10	10.48	34.23


5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

6185MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.925G	48.68	68.20	-19.52	10.25	3	Horizontal	43	2.65	38.43	34.20	10.27	34.22
AV	6.1674G	97.52	Inf	-Inf	10.37	3	Horizontal	43	2.65	87.15	34.10	10.50	34.23
PK	5.8954G	59.93	88.20	-28.27	10.14	3	Horizontal	43	2.65	49.79	34.10	10.25	34.21
PK	6.2186G	111.00	Inf	-Inf	10.44	3	Horizontal	43	2.65	100.56	34.14	10.54	34.24

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_2TX
6185MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.37G	47.56	54.00	-6.44	18.27	3	Vertical	0	1.79	29.29	38.87	13.54	34.14
PK	12.48664G	54.90	74.00	-19.10	18.59	3	Vertical	0	1.79	36.31	39.07	13.61	34.09


5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_2TX
6185MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.37G	46.83	54.00	-7.17	18.27	3	Horizontal	340	1.42	28.56	38.87	13.54	34.14
PK	12.37G	54.57	74.00	-19.43	18.27	3	Horizontal	340	1.42	36.30	38.87	13.54	34.14

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_2TX


6345MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9214G	48.31	68.20	-19.89	10.24	3	Vertical	35	1.20	38.07	34.19	10.27	34.22
AV	6.3318G	91.45	Inf	-Inf	10.78	3	Vertical	35	1.20	80.67	34.43	10.60	34.25
PK	5.7894G	59.82	88.20	-28.38	9.74	3	Vertical	35	1.20	50.08	33.78	10.17	34.21
PK	6.3318G	103.84	Inf	-Inf	10.78	3	Vertical	35	1.20	93.06	34.43	10.60	34.25


5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

6345MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.919G	48.31	68.20	-19.89	10.23	3	Horizontal	39	2.57	38.08	34.18	10.27	34.22
AV	6.3282G	97.56	Inf	-Inf	10.76	3	Horizontal	39	2.57	86.80	34.41	10.60	34.25
PK	5.9166G	59.77	88.20	-28.43	10.23	3	Horizontal	39	2.57	49.54	34.17	10.27	34.21
PK	6.327G	109.37	Inf	-Inf	10.76	3	Horizontal	39	2.57	98.61	34.41	10.60	34.25

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_2TX
6345MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.69G	46.40	54.00	-7.60	19.21	3	Vertical	342	1.56	27.19	39.20	13.73	33.72
PK	12.75648G	54.62	88.20	-33.58	19.61	3	Vertical	342	1.56	35.01	39.43	13.78	33.60


5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_2TX
6345MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.69G	50.14	54.00	-3.86	19.21	3	Horizontal	324	2.04	30.93	39.20	13.73	33.72
PK	12.68976G	55.76	74.00	-18.24	19.21	3	Horizontal	324	2.04	36.55	39.20	13.73	33.72

6.425-6.525GHz_802.11ax HEW160_Nss1,(MCS0)_2TX


6505MHz Straddle 6.425-6.525GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.924G	48.33	68.20	-19.87	10.25	3	Vertical	34	1.21	38.08	34.20	10.27	34.22
AV	6.4812G	88.87	Inf	-Inf	11.52	3	Vertical	34	1.21	77.35	35.09	10.69	34.26
AV	7.142G	51.99	68.20	-16.21	13.27	3	Vertical	34	1.21	38.72	36.54	11.25	34.52
PK	5.8918G	60.18	88.20	-28.02	10.14	3	Vertical	34	1.21	50.04	34.10	10.25	34.21
PK	6.491G	100.77	Inf	-Inf	11.59	3	Vertical	34	1.21	89.18	35.15	10.70	34.26
PK	7.1882G	63.81	88.20	-24.39	13.30	3	Vertical	34	1.21	50.51	36.52	11.29	34.51


6.425-6.525GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

6505MHz Straddle 6.425-6.525GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9156G	48.24	68.20	-19.96	10.22	3	Horizontal	36	2.59	38.02	34.16	10.27	34.21
AV	6.4588G	97.31	Inf	-Inf	11.37	3	Horizontal	36	2.59	85.94	34.95	10.68	34.26
AV	7.1448G	52.02	68.20	-16.18	13.29	3	Horizontal	36	2.59	38.73	36.56	11.25	34.52
PK	5.8946G	59.83	88.20	-28.37	10.14	3	Horizontal	36	2.59	49.69	34.10	10.25	34.21
PK	6.4686G	108.10	Inf	-Inf	11.43	3	Horizontal	36	2.59	96.67	35.01	10.68	34.26
PK	7.1588G	63.80	88.20	-24.40	13.33	3	Horizontal	36	2.59	50.47	36.58	11.26	34.51

6.425-6.525GHz_802.11ax HEW160_Nss1,(MCS0)_2TX
6505MHz Straddle 6.425-6.525GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.01G	50.79	68.20	-17.41	20.60	3	Vertical	341	2.56	30.19	39.79	13.93	33.12
PK	13.01G	56.69	88.20	-31.51	20.60	3	Vertical	341	2.56	36.09	39.79	13.93	33.12


6.425-6.525GHz_802.11ax HEW160_Nss1,(MCS0)_2TX
6505MHz Straddle 6.425-6.525GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.01G	50.67	68.20	-17.53	20.60	3	Horizontal	300	2.48	30.07	39.79	13.93	33.12
PK	13.01G	56.74	88.20	-31.46	20.60	3	Horizontal	300	2.48	36.14	39.79	13.93	33.12

6.525-6.875GHz_802.11ax HEW160_Nss1,(MCS0)_2TX


6665MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.6419G	88.67	Inf	-Inf	12.15	3	Vertical	43	1.38	76.52	35.68	10.81	34.34
AV	7.1402G	51.90	68.20	-16.30	13.25	3	Vertical	43	1.38	38.65	36.52	11.25	34.52
PK	6.643G	99.60	Inf	-Inf	12.16	3	Vertical	43	1.38	87.44	35.69	10.81	34.34
PK	7.1501G	64.30	88.20	-23.90	13.35	3	Vertical	43	1.38	50.95	36.60	11.26	34.51


6.525-6.875GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

6665MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.6947G	97.52	Inf	-Inf	12.37	3	Horizontal	66	1.80	85.15	35.88	10.86	34.37
AV	7.1523G	52.07	68.20	-16.13	13.35	3	Horizontal	66	1.80	38.72	36.60	11.26	34.51
PK	6.6848G	108.52	Inf	-Inf	12.33	3	Horizontal	66	1.80	96.19	35.84	10.85	34.36
PK	7.1919G	64.08	88.20	-24.12	13.30	3	Horizontal	66	1.80	50.78	36.52	11.29	34.51

6.525-6.875GHz_802.11ax HEW160_Nss1,(MCS0)_2TX
6665MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.33G	50.24	54.00	-3.76	21.42	3	Vertical	337	1.50	28.82	39.89	14.13	32.60
PK	13.32976G	57.72	74.00	-16.28	21.42	3	Vertical	337	1.50	36.30	39.89	14.13	32.60


6.525-6.875GHz_802.11ax HEW160_Nss1,(MCS0)_2TX
6665MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.33G	52.38	54.00	-1.62	21.42	3	Horizontal	333	1.71	30.96	39.89	14.13	32.60
PK	13.33G	58.32	74.00	-15.68	21.42	3	Horizontal	333	1.71	36.90	39.89	14.13	32.60

6.525-6.875GHz_802.11ax HEW160_Nss1,(MCS0)_2TX


6825MHz Straddle 6.525-6.875GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.8634G	90.21	Inf	-Inf	12.25	3	Vertical	350	2.00	77.96	35.70	11.01	34.46
AV	7.1538G	51.95	68.20	-16.25	13.34	3	Vertical	350	2.00	38.61	36.59	11.26	34.51
PK	6.8146G	101.17	Inf	-Inf	12.38	3	Vertical	350	2.00	88.79	35.84	10.97	34.43
PK	7.213G	64.35	88.20	-23.85	13.34	3	Vertical	350	2.00	51.01	36.55	11.30	34.51


6.525-6.875GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

6825MHz Straddle 6.525-6.875GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.8354G	97.73	Inf	-Inf	12.31	3	Horizontal	59	1.82	85.42	35.76	10.99	34.44
AV	7.1458G	52.01	68.20	-16.19	13.30	3	Horizontal	59	1.82	38.71	36.57	11.25	34.52
PK	6.8546G	111.19	Inf	-Inf	12.26	3	Horizontal	59	1.82	98.93	35.70	11.01	34.45
PK	7.161G	64.32	88.20	-23.88	13.34	3	Horizontal	59	1.82	50.98	36.58	11.27	34.51

6.525-6.875GHz_802.11ax HEW160_Nss1,(MCS0)_2TX
6825MHz Straddle 6.525-6.875GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.65G	50.75	68.20	-17.45	21.78	3	Vertical	340	1.71	28.97	39.85	14.32	32.39
PK	13.60008G	62.24	88.20	-25.96	21.93	3	Vertical	340	1.71	40.31	40.00	14.29	32.36


6.525-6.875GHz_802.11ax HEW160_Nss1,(MCS0)_2TX
6825MHz Straddle 6.525-6.875GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.65G	51.04	68.20	-17.16	21.78	3	Horizontal	323	1.40	29.26	39.85	14.32	32.39
PK	13.57416G	61.87	88.20	-26.33	21.98	3	Horizontal	323	1.40	39.89	40.05	14.28	32.35

6.875-7.125GHz_802.11ax HEW160_Nss1,(MCS0)_2TX


6985MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.963G	90.03	Inf	-Inf	12.29	3	Vertical	344	1.75	77.74	35.70	11.10	34.51
AV	7.142G	53.03	68.20	-15.17	13.27	3	Vertical	344	1.75	39.76	36.54	11.25	34.52
PK	7.023G	101.27	Inf	-Inf	12.46	3	Vertical	344	1.75	88.81	35.84	11.15	34.53
PK	7.1415G	65.34	88.20	-22.86	13.26	3	Vertical	344	1.75	52.08	36.53	11.25	34.52


6.875-7.125GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

6985MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.955G	97.78	Inf	-Inf	12.28	3	Horizontal	55	1.80	85.50	35.70	11.09	34.51
AV	7.1375G	56.33	68.20	-11.87	13.23	3	Horizontal	55	1.80	43.10	36.50	11.25	34.52
PK	6.9665G	110.31	Inf	-Inf	12.29	3	Horizontal	55	1.80	98.02	35.70	11.10	34.51
PK	7.1555G	68.36	88.20	-19.84	13.34	3	Horizontal	55	1.80	55.02	36.59	11.26	34.51

6.875-7.125GHz_802.11ax HEW160_Nss1,(MCS0)_2TX
6985MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.97G	51.38	68.20	-16.82	21.76	3	Vertical	330	1.56	29.62	39.77	14.52	32.53
PK	13.9784G	62.74	88.20	-25.46	21.78	3	Vertical	330	1.56	40.96	39.78	14.53	32.53

6.875-7.125GHz_802.11ax HEW160_Nss1,(MCS0)_2TX
6985MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.96976G	51.96	68.20	-16.24	21.76	3	Horizontal	339	1.62	30.20	39.77	14.52	32.53
PK	13.91048G	62.79	88.20	-25.41	21.69	3	Horizontal	339	1.62	41.10	39.71	14.48	32.50



Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20-BF_Nss1,(MCS0)_2TX	Pass	AV	12.35003G	44.36	54.00	-9.64	3	Horizontal	353	1.50	-
802.11ax HEW40-BF_Nss1,(MCS0)_2TX	Pass	AV	11.92996G	44.01	54.00	-9.99	3	Horizontal	323	1.93	-
802.11ax HEW80-BF_Nss1,(MCS0)_2TX	Pass	AV	12.28926G	43.92	54.00	-10.08	3	Horizontal	16	2.38	-
802.11ax HEW160-BF_Nss1,(MCS0)_2TX	Pass	PK	5.9135G	83.83	88.20	-4.37	3	Horizontal	54	1.74	-
6.425-6.525GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20-BF_Nss1,(MCS0)_2TX	Pass	AV	7.1562G	56.65	68.20	-11.55	3	Horizontal	60	2.42	-
802.11ax HEW40-BF_Nss1,(MCS0)_2TX	Pass	AV	7.1522G	55.31	68.20	-12.89	3	Horizontal	40	1.91	-
802.11ax HEW80-BF_Nss1,(MCS0)_2TX	Pass	AV	7.2366G	55.46	68.20	-12.74	3	Horizontal	61	1.95	-
802.11ax HEW160-BF_Nss1,(MCS0)_2TX	Pass	AV	7.1448G	55.41	68.20	-12.79	3	Vertical	52	1.35	-
6.525-6.875GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20-BF_Nss1,(MCS0)_2TX	Pass	AV	13.3906G	45.01	54.00	-8.99	3	Vertical	338	3.00	-
802.11ax HEW40-BF_Nss1,(MCS0)_2TX	Pass	AV	13.37237G	44.67	54.00	-9.33	3	Horizontal	253	2.55	-
802.11ax HEW80-BF_Nss1,(MCS0)_2TX	Pass	AV	7.1632G	55.30	68.20	-12.90	3	Horizontal	59	1.78	-
802.11ax HEW160-BF_Nss1,(MCS0)_2TX	Pass	AV	13.32218G	45.15	54.00	-8.85	3	Vertical	79	1.32	-
6.875-7.125GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20-BF_Nss1,(MCS0)_2TX	Pass	AV	7.1255G	67.89	68.20	-0.31	3	Horizontal	49	1.62	BP 1MHz
802.11ax HEW40-BF_Nss1,(MCS0)_2TX	Pass	AV	7.1303G	55.25	68.20	-12.95	3	Vertical	344	1.50	-
802.11ax HEW80-BF_Nss1,(MCS0)_2TX	Pass	AV	7.1324G	55.70	68.20	-12.50	3	Vertical	345	1.50	-
802.11ax HEW160-BF_Nss1,(MCS0)_2TX	Pass	AV	7.133G	57.32	68.20	-10.88	3	Horizontal	56	1.80	-



Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
802.11ax HEW20-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-
5955MHz	Pass	AV	5.9028G	53.32	68.20	-14.88	3	Vertical	11	1.00	-
5955MHz	Pass	AV	5.9628G	92.46	Inf	-Inf	3	Vertical	11	1.00	-
5955MHz	Pass	PK	5.9217G	65.47	88.20	-22.73	3	Vertical	11	1.00	-
5955MHz	Pass	PK	5.9628G	103.72	Inf	-Inf	3	Vertical	11	1.00	-
5955MHz	Pass	AV	5.9151G	53.30	68.20	-14.90	3	Horizontal	50	1.85	-
5955MHz	Pass	AV	5.9634G	99.57	Inf	-Inf	3	Horizontal	50	1.85	-
5955MHz	Pass	PK	5.8965G	66.36	88.20	-21.84	3	Horizontal	50	1.85	-
5955MHz	Pass	PK	5.9598G	111.47	Inf	-Inf	3	Horizontal	50	1.85	-
5955MHz	Pass	AV	11.91G	42.96	54.00	-11.04	3	Vertical	55	1.68	-
5955MHz	Pass	PK	11.91483G	55.89	74.00	-18.11	3	Vertical	55	1.68	-
5955MHz	Pass	AV	11.91G	43.65	54.00	-10.35	3	Horizontal	323	1.77	-
5955MHz	Pass	PK	11.91011G	56.87	74.00	-17.13	3	Horizontal	323	1.77	-
6175MHz	Pass	AV	5.9206G	53.34	68.20	-14.86	3	Vertical	35	1.38	-
6175MHz	Pass	AV	6.1678G	94.96	Inf	-Inf	3	Vertical	35	1.38	-
6175MHz	Pass	PK	5.9194G	65.64	88.20	-22.56	3	Vertical	35	1.38	-
6175MHz	Pass	PK	6.1732G	105.88	Inf	-Inf	3	Vertical	35	1.38	-
6175MHz	Pass	AV	5.9182G	53.34	68.20	-14.86	3	Horizontal	75	1.78	-
6175MHz	Pass	AV	6.1828G	98.96	Inf	-Inf	3	Horizontal	75	1.78	-
6175MHz	Pass	PK	5.8918G	65.24	88.20	-22.96	3	Horizontal	75	1.78	-
6175MHz	Pass	PK	6.1792G	110.32	Inf	-Inf	3	Horizontal	75	1.78	-
6175MHz	Pass	AV	12.34991G	43.99	54.00	-10.01	3	Vertical	347	2.51	-
6175MHz	Pass	PK	12.35371G	57.46	74.00	-16.54	3	Vertical	347	2.51	-
6175MHz	Pass	AV	12.35003G	44.36	54.00	-9.64	3	Horizontal	353	1.50	-
6175MHz	Pass	PK	12.34948G	57.30	74.00	-16.70	3	Horizontal	353	1.50	-
6415MHz	Pass	AV	5.9122G	53.41	68.20	-14.79	3	Vertical	33	1.44	-
6415MHz	Pass	AV	6.4066G	96.22	Inf	-Inf	3	Vertical	33	1.44	-
6415MHz	Pass	PK	5.9242G	65.00	88.20	-23.20	3	Vertical	33	1.44	-
6415MHz	Pass	PK	6.4066G	106.44	Inf	-Inf	3	Vertical	33	1.44	-
6415MHz	Pass	AV	5.9134G	53.35	68.20	-14.85	3	Horizontal	48	1.50	-
6415MHz	Pass	AV	6.4234G	99.55	Inf	-Inf	3	Horizontal	48	1.50	-
6415MHz	Pass	PK	5.9038G	65.59	88.20	-22.61	3	Horizontal	48	1.50	-
6415MHz	Pass	PK	6.421G	110.42	Inf	-Inf	3	Horizontal	48	1.50	-
6415MHz	Pass	AV	12.82997G	45.06	68.20	-23.14	3	Vertical	15	1.50	-
6415MHz	Pass	PK	12.832G	58.10	88.20	-30.10	3	Vertical	15	1.50	-
6415MHz	Pass	AV	12.82999G	44.62	68.20	-23.58	3	Horizontal	48	1.68	-
6415MHz	Pass	PK	12.8324G	58.44	88.20	-29.76	3	Horizontal	48	1.68	-
6435MHz	Pass	AV	5.9166G	53.32	68.20	-14.88	3	Vertical	52	1.38	-
6435MHz	Pass	AV	6.4266G	95.37	Inf	-Inf	3	Vertical	52	1.38	-
6435MHz	Pass	PK	5.8926G	65.29	88.20	-22.91	3	Vertical	52	1.38	-
6435MHz	Pass	PK	6.4266G	105.83	Inf	-Inf	3	Vertical	52	1.38	-
6435MHz	Pass	AV	5.9178G	53.26	68.20	-14.94	3	Horizontal	45	1.66	-
6435MHz	Pass	AV	6.4266G	99.75	Inf	-Inf	3	Horizontal	45	1.66	-
6435MHz	Pass	PK	5.8962G	64.97	88.20	-23.23	3	Horizontal	45	1.66	-
6435MHz	Pass	PK	6.429G	109.94	Inf	-Inf	3	Horizontal	45	1.66	-
6435MHz	Pass	AV	12.87G	44.94	68.20	-23.26	3	Vertical	14	2.09	-
6435MHz	Pass	PK	12.8699G	57.48	88.20	-30.72	3	Vertical	14	2.09	-
6435MHz	Pass	AV	12.86975G	44.15	68.20	-24.05	3	Horizontal	88	1.50	-
6435MHz	Pass	PK	12.86964G	58.52	88.20	-29.68	3	Horizontal	88	1.50	-
6475MHz	Pass	AV	5.915G	53.35	68.20	-14.85	3	Vertical	52	1.39	-
6475MHz	Pass	AV	6.468G	96.29	Inf	-Inf	3	Vertical	52	1.39	-
6475MHz	Pass	AV	7.1442G	56.60	68.20	-11.60	3	Vertical	52	1.39	-
6475MHz	Pass	PK	5.866G	64.92	88.20	-23.28	3	Vertical	52	1.39	-
6475MHz	Pass	PK	6.4666G	107.27	Inf	-Inf	3	Vertical	52	1.39	-
6475MHz	Pass	PK	7.147G	68.27	88.20	-19.93	3	Vertical	52	1.39	-
6475MHz	Pass	AV	5.9248G	53.37	68.20	-14.83	3	Horizontal	52	1.50	-
6475MHz	Pass	AV	6.4666G	99.74	Inf	-Inf	3	Horizontal	52	1.50	-
6475MHz	Pass	AV	7.1666G	56.63	68.20	-11.57	3	Horizontal	52	1.50	-
6475MHz	Pass	PK	5.9164G	65.63	88.20	-22.57	3	Horizontal	52	1.50	-
6475MHz	Pass	PK	6.468G	109.99	Inf	-Inf	3	Horizontal	52	1.50	-
6475MHz	Pass	PK	7.161G	68.38	88.20	-19.82	3	Horizontal	52	1.50	-



RSE TX above 1GHz_Beamforming

Appendix E.5

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
6475MHz	Pass	AV	12.95002G	46.58	68.20	-21.62	3	Vertical	-0	1.50	-
6475MHz	Pass	PK	12.95284G	59.97	88.20	-28.23	3	Vertical	-0	1.50	-
6475MHz	Pass	AV	12.94998G	46.58	68.20	-21.62	3	Horizontal	60	1.50	-
6475MHz	Pass	PK	12.95352G	60.12	88.20	-28.08	3	Horizontal	60	1.50	-
6515MHz	Pass	AV	5.9144G	53.38	68.20	-14.82	3	Vertical	49	1.36	-
6515MHz	Pass	AV	6.5066G	93.63	Inf	-Inf	3	Vertical	49	1.36	-
6515MHz	Pass	AV	7.1478G	56.64	68.20	-11.56	3	Vertical	49	1.36	-
6515MHz	Pass	PK	5.878G	65.05	88.20	-23.15	3	Vertical	49	1.36	-
6515MHz	Pass	PK	6.5094G	104.08	Inf	-Inf	3	Vertical	49	1.36	-
6515MHz	Pass	PK	7.1478G	68.49	88.20	-19.71	3	Vertical	49	1.36	-
6515MHz	Pass	AV	5.9144G	53.39	68.20	-14.81	3	Horizontal	60	2.42	-
6515MHz	Pass	AV	6.508G	99.80	Inf	-Inf	3	Horizontal	60	2.42	-
6515MHz	Pass	AV	7.1562G	56.65	68.20	-11.55	3	Horizontal	60	2.42	-
6515MHz	Pass	PK	5.8766G	65.61	88.20	-22.59	3	Horizontal	60	2.42	-
6515MHz	Pass	PK	6.5066G	109.73	Inf	-Inf	3	Horizontal	60	2.42	-
6515MHz	Pass	PK	7.173G	68.12	88.20	-20.08	3	Horizontal	60	2.42	-
6515MHz	Pass	AV	13.03007G	45.34	68.20	-22.86	3	Vertical	15	2.48	-
6515MHz	Pass	PK	13.02989G	58.25	88.20	-29.95	3	Vertical	15	2.48	-
6515MHz	Pass	AV	13.03326G	44.56	68.20	-23.64	3	Horizontal	62	1.50	-
6515MHz	Pass	PK	13.02569G	58.51	88.20	-29.69	3	Horizontal	62	1.50	-
6535MHz	Pass	AV	5.9134G	53.35	68.20	-14.85	3	Vertical	45	1.44	-
6535MHz	Pass	AV	6.542G	96.21	Inf	-Inf	3	Vertical	45	1.44	-
6535MHz	Pass	AV	7.1608G	56.70	68.20	-11.50	3	Vertical	45	1.44	-
6535MHz	Pass	PK	5.905G	66.12	88.20	-22.08	3	Vertical	45	1.44	-
6535MHz	Pass	PK	6.542G	106.98	Inf	-Inf	3	Vertical	45	1.44	-
6535MHz	Pass	PK	7.1986G	68.49	88.20	-19.71	3	Vertical	45	1.44	-
6535MHz	Pass	AV	5.9162G	53.38	68.20	-14.82	3	Horizontal	53	1.59	-
6535MHz	Pass	AV	6.5434G	100.17	Inf	-Inf	3	Horizontal	53	1.59	-
6535MHz	Pass	AV	7.2322G	56.74	68.20	-11.46	3	Horizontal	53	1.59	-
6535MHz	Pass	PK	5.842G	65.24	88.20	-22.96	3	Horizontal	53	1.59	-
6535MHz	Pass	PK	6.542G	110.47	Inf	-Inf	3	Horizontal	53	1.59	-
6535MHz	Pass	PK	7.1454G	69.06	88.20	-19.14	3	Horizontal	53	1.59	-
6535MHz	Pass	AV	13.07004G	44.93	68.20	-23.27	3	Vertical	17	2.49	-
6535MHz	Pass	PK	13.07117G	58.48	88.20	-29.72	3	Vertical	17	2.49	-
6535MHz	Pass	AV	13.06513G	44.52	68.20	-23.68	3	Horizontal	303	1.56	-
6535MHz	Pass	PK	13.06892G	57.66	88.20	-30.54	3	Horizontal	303	1.56	-
6695MHz	Pass	AV	6.703G	95.51	Inf	-Inf	3	Vertical	348	1.44	-
6695MHz	Pass	AV	7.158G	56.69	68.20	-11.51	3	Vertical	348	1.44	-
6695MHz	Pass	PK	6.701G	105.01	Inf	-Inf	3	Vertical	348	1.44	-
6695MHz	Pass	PK	7.186G	68.25	88.20	-19.95	3	Vertical	348	1.44	-
6695MHz	Pass	AV	6.687G	100.73	Inf	-Inf	3	Horizontal	48	1.77	-
6695MHz	Pass	AV	7.159G	56.72	68.20	-11.48	3	Horizontal	48	1.77	-
6695MHz	Pass	PK	6.688G	111.09	Inf	-Inf	3	Horizontal	48	1.77	-
6695MHz	Pass	PK	7.16G	68.53	88.20	-19.67	3	Horizontal	48	1.77	-
6695MHz	Pass	AV	13.3906G	45.01	54.00	-8.99	3	Vertical	338	3.00	-
6695MHz	Pass	PK	13.38786G	58.38	74.00	-15.62	3	Vertical	338	3.00	-
6695MHz	Pass	AV	13.39366G	44.91	54.00	-9.09	3	Horizontal	-0	1.44	-
6695MHz	Pass	PK	13.38722G	58.06	74.00	-15.94	3	Horizontal	-0	1.44	-
6855MHz	Pass	AV	6.8466G	96.28	Inf	-Inf	3	Vertical	0	1.06	-
6855MHz	Pass	AV	7.1483G	58.08	68.20	-10.12	3	Vertical	0	1.06	-
6855MHz	Pass	PK	6.848G	105.58	Inf	-Inf	3	Vertical	0	1.06	-
6855MHz	Pass	PK	7.1721G	70.28	88.20	-17.92	3	Vertical	0	1.06	-
6855MHz	Pass	AV	6.8634G	100.19	Inf	-Inf	3	Horizontal	56	1.60	-
6855MHz	Pass	AV	7.1644G	56.84	68.20	-11.36	3	Horizontal	56	1.60	-
6855MHz	Pass	PK	6.8613G	111.95	Inf	-Inf	3	Horizontal	56	1.60	-
6855MHz	Pass	PK	7.149G	70.30	88.20	-17.90	3	Horizontal	56	1.60	-
6855MHz	Pass	AV	13.70989G	48.61	68.20	-19.59	3	Vertical	136	1.50	-
6855MHz	Pass	PK	13.71464G	62.08	88.20	-26.12	3	Vertical	136	1.50	-
6855MHz	Pass	AV	13.71314G	48.56	68.20	-19.64	3	Horizontal	264	2.29	-
6855MHz	Pass	PK	13.71093G	62.22	88.20	-25.98	3	Horizontal	264	2.29	-
6875MHz Straddle 6.525-6.875GHz	Pass	AV	6.8827G	96.85	Inf	-Inf	3	Vertical	58	1.88	-
6875MHz Straddle 6.525-6.875GHz	Pass	AV	7.2236G	56.73	68.20	-11.47	3	Vertical	58	1.88	-



RSE TX above 1GHz_Beamforming

Appendix E.5

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
6875MHz Straddle 6.525-6.875GHz	Pass	PK	6.8799G	106.82	Inf	-Inf	3	Vertical	58	1.88	-
6875MHz Straddle 6.525-6.875GHz	Pass	PK	7.1326G	68.39	88.20	-19.81	3	Vertical	58	1.88	-
6875MHz Straddle 6.525-6.875GHz	Pass	AV	6.8666G	99.80	Inf	-Inf	3	Horizontal	58	1.88	-
6875MHz Straddle 6.525-6.875GHz	Pass	AV	7.1417G	56.98	68.20	-11.22	3	Horizontal	58	1.88	-
6875MHz Straddle 6.525-6.875GHz	Pass	PK	6.868G	110.44	Inf	-Inf	3	Horizontal	58	1.88	-
6875MHz Straddle 6.525-6.875GHz	Pass	PK	7.1543G	69.51	88.20	-18.69	3	Horizontal	58	1.88	-
6875MHz Straddle 6.525-6.875GHz	Pass	AV	13.75383G	48.84	68.20	-19.36	3	Vertical	111	1.50	-
6875MHz Straddle 6.525-6.875GHz	Pass	PK	13.75417G	62.69	88.20	-25.51	3	Vertical	111	1.50	-
6875MHz Straddle 6.525-6.875GHz	Pass	AV	13.75325G	48.89	68.20	-19.31	3	Horizontal	246	2.02	-
6875MHz Straddle 6.525-6.875GHz	Pass	PK	13.74626G	62.95	88.20	-25.25	3	Horizontal	246	2.02	-
6895MHz	Pass	AV	6.9027G	95.59	Inf	-Inf	3	Vertical	59	1.66	-
6895MHz	Pass	AV	7.2415G	58.15	68.20	-10.05	3	Vertical	59	1.66	-
6895MHz	Pass	PK	6.9041G	106.21	Inf	-Inf	3	Vertical	59	1.66	-
6895MHz	Pass	PK	7.224G	69.78	88.20	-18.42	3	Vertical	59	1.66	-
6895MHz	Pass	AV	6.902G	104.13	Inf	-Inf	3	Horizontal	59	1.66	-
6895MHz	Pass	AV	7.238G	56.92	68.20	-11.28	3	Horizontal	59	1.66	-
6895MHz	Pass	PK	6.8978G	115.68	Inf	-Inf	3	Horizontal	59	1.66	-
6895MHz	Pass	PK	7.1603G	70.23	88.20	-17.97	3	Horizontal	59	1.66	-
6895MHz	Pass	AV	13.79268G	49.28	68.20	-18.92	3	Vertical	360	2.02	-
6895MHz	Pass	PK	13.79057G	63.08	88.20	-25.12	3	Vertical	360	2.02	-
6895MHz	Pass	AV	13.78822G	49.28	68.20	-18.92	3	Horizontal	35	1.50	-
6895MHz	Pass	PK	13.79403G	63.42	88.20	-24.78	3	Horizontal	35	1.50	-
6995MHz	Pass	AV	7.0035G	96.63	Inf	-Inf	3	Vertical	4	1.09	-
6995MHz	Pass	AV	7.228G	58.31	68.20	-9.89	3	Vertical	4	1.09	-
6995MHz	Pass	PK	7.003G	106.04	Inf	-Inf	3	Vertical	4	1.09	-
6995MHz	Pass	PK	7.147G	69.86	88.20	-18.34	3	Vertical	4	1.09	-
6995MHz	Pass	AV	7.0035G	99.90	Inf	-Inf	3	Horizontal	48	1.83	-
6995MHz	Pass	AV	7.239G	56.93	68.20	-11.27	3	Horizontal	48	1.83	-
6995MHz	Pass	PK	7.003G	111.12	Inf	-Inf	3	Horizontal	48	1.83	-
6995MHz	Pass	PK	7.22G	68.97	88.20	-19.23	3	Horizontal	48	1.83	-
6995MHz	Pass	AV	13.99266G	52.18	68.20	-16.02	3	Vertical	0	2.66	-
6995MHz	Pass	PK	13.992G	65.74	88.20	-22.46	3	Vertical	0	2.66	-
6995MHz	Pass	AV	13.9898G	52.21	68.20	-15.99	3	Horizontal	0	2.30	-
6995MHz	Pass	PK	13.99394G	65.75	88.20	-22.45	3	Horizontal	0	2.30	-
7095MHz	Pass	AV	7.0884G	98.03	Inf	-Inf	3	Vertical	2	1.01	-
7095MHz	Pass	AV	7.2447G	58.13	68.20	-10.07	3	Vertical	2	1.01	-
7095MHz	Pass	PK	7.0905G	110.12	Inf	-Inf	3	Vertical	2	1.01	-
7095MHz	Pass	PK	7.2348G	70.09	88.20	-18.11	3	Vertical	2	1.01	-
7095MHz	Pass	AV	7.1034G	103.21	Inf	-Inf	3	Horizontal	48	1.79	-
7095MHz	Pass	AV	7.2384G	56.96	68.20	-11.24	3	Horizontal	48	1.79	-
7095MHz	Pass	PK	7.1022G	116.21	Inf	-Inf	3	Horizontal	48	1.79	-
7095MHz	Pass	PK	7.1361G	70.02	88.20	-18.18	3	Horizontal	48	1.79	-
7095MHz	Pass	AV	14.18803G	51.98	68.20	-16.22	3	Vertical	37	1.12	-
7095MHz	Pass	PK	14.1904G	65.63	88.20	-22.57	3	Vertical	37	1.12	-
7095MHz	Pass	AV	14.18559G	52.14	68.20	-16.06	3	Horizontal	0	2.30	-
7095MHz	Pass	PK	14.19042G	66.03	88.20	-22.17	3	Horizontal	0	2.30	-
7115MHz	Pass	AV	7.12184G	78.14	Inf	-Inf	3	Vertical	336	1.44	-
7115MHz	Pass	AV	7.1255G	62.39	68.20	-5.81	3	Vertical	336	1.44	BP 1MHz
7115MHz	Pass	PK	7.10875G	87.80	Inf	-Inf	3	Vertical	336	1.44	-
7115MHz	Pass	PK	7.1255G	73.38	88.20	-14.82	3	Vertical	336	1.44	BP 1MHz
7115MHz	Pass	AV	7.12443G	84.09	Inf	-Inf	3	Horizontal	49	1.62	-
7115MHz	Pass	AV	7.1255G	67.89	68.20	-0.31	3	Horizontal	49	1.62	BP 1MHz
7115MHz	Pass	PK	7.12418G	92.12	Inf	-Inf	3	Horizontal	49	1.62	-
7115MHz	Pass	PK	7.1255G	78.72	88.20	-9.48	3	Horizontal	49	1.62	BP 1MHz
7115MHz	Pass	AV	14.22729G	51.76	68.20	-16.44	3	Vertical	155	1.50	-
7115MHz	Pass	PK	14.22754G	65.45	88.20	-22.75	3	Vertical	155	1.50	-
7115MHz	Pass	AV	14.22642G	51.72	68.20	-16.48	3	Horizontal	349	2.90	-
7115MHz	Pass	PK	14.22801G	65.51	88.20	-22.69	3	Horizontal	349	2.90	-
802.11ax HEW40-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-
5965MHz	Pass	AV	5.9245G	52.35	68.20	-15.85	3	Vertical	43	1.50	-
5965MHz	Pass	AV	5.9545G	87.43	Inf	-Inf	3	Vertical	43	1.50	-
5965MHz	Pass	PK	5.9248G	65.84	88.20	-22.36	3	Vertical	43	1.50	-



RSE TX above 1GHz_Beamforming

Appendix E.5

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5965MHz	Pass	PK	5.971G	100.58	Inf	-Inf	3	Vertical	43	1.50	-
5965MHz	Pass	AV	5.9248G	54.77	68.20	-13.43	3	Horizontal	52	1.85	-
5965MHz	Pass	AV	5.9638G	98.49	Inf	-Inf	3	Horizontal	52	1.85	-
5965MHz	Pass	PK	5.9218G	73.66	88.20	-14.54	3	Horizontal	52	1.85	-
5965MHz	Pass	PK	5.9638G	111.92	Inf	-Inf	3	Horizontal	52	1.85	-
5965MHz	Pass	AV	11.93001G	43.47	54.00	-10.53	3	Vertical	51	1.73	-
5965MHz	Pass	PK	11.92799G	56.81	74.00	-17.19	3	Vertical	51	1.73	-
5965MHz	Pass	AV	11.92996G	44.01	54.00	-9.99	3	Horizontal	323	1.93	-
5965MHz	Pass	PK	11.93006G	56.39	74.00	-17.61	3	Horizontal	323	1.93	-
6165MHz	Pass	AV	5.9016G	52.07	68.20	-16.13	3	Vertical	40	1.37	-
6165MHz	Pass	AV	6.1788G	93.03	Inf	-Inf	3	Vertical	40	1.37	-
6165MHz	Pass	PK	5.9184G	63.80	88.20	-24.40	3	Vertical	40	1.37	-
6165MHz	Pass	PK	6.1806G	104.64	Inf	-Inf	3	Vertical	40	1.37	-
6165MHz	Pass	AV	5.9076G	52.02	68.20	-16.18	3	Horizontal	302	1.90	-
6165MHz	Pass	AV	6.1632G	97.17	Inf	-Inf	3	Horizontal	302	1.90	-
6165MHz	Pass	PK	5.8764G	63.75	88.20	-24.45	3	Horizontal	302	1.90	-
6165MHz	Pass	PK	6.162G	109.39	Inf	-Inf	3	Horizontal	302	1.90	-
6165MHz	Pass	AV	12.33764G	44.01	54.00	-9.99	3	Vertical	272	1.76	-
6165MHz	Pass	PK	12.33046G	56.77	74.00	-17.23	3	Vertical	272	1.76	-
6165MHz	Pass	AV	12.3214G	44.00	54.00	-10.00	3	Horizontal	190	1.37	-
6165MHz	Pass	PK	12.33136G	56.71	74.00	-17.29	3	Horizontal	190	1.37	-
6405MHz	Pass	AV	5.9094G	51.54	68.20	-16.66	3	Vertical	36	1.12	-
6405MHz	Pass	AV	6.393G	92.21	Inf	-Inf	3	Vertical	36	1.12	-
6405MHz	Pass	PK	5.9034G	64.30	88.20	-23.90	3	Vertical	36	1.12	-
6405MHz	Pass	PK	6.3918G	105.03	Inf	-Inf	3	Vertical	36	1.12	-
6405MHz	Pass	AV	5.913G	51.59	68.20	-16.61	3	Horizontal	60	1.92	-
6405MHz	Pass	AV	6.411G	97.45	Inf	-Inf	3	Horizontal	60	1.92	-
6405MHz	Pass	PK	5.8542G	64.75	88.20	-23.45	3	Horizontal	60	1.92	-
6405MHz	Pass	PK	6.4038G	110.35	Inf	-Inf	3	Horizontal	60	1.92	-
6405MHz	Pass	AV	12.80997G	45.33	68.20	-22.87	3	Vertical	15	2.02	-
6405MHz	Pass	PK	12.81008G	58.14	88.20	-30.06	3	Vertical	15	2.02	-
6405MHz	Pass	AV	12.81185G	44.18	68.20	-24.02	3	Horizontal	248	1.50	-
6405MHz	Pass	PK	12.80808G	57.86	88.20	-30.34	3	Horizontal	248	1.50	-
6445MHz	Pass	AV	5.905G	51.58	68.20	-16.62	3	Vertical	60	1.50	-
6445MHz	Pass	AV	6.4342G	91.54	Inf	-Inf	3	Vertical	60	1.50	-
6445MHz	Pass	PK	5.899G	64.20	88.20	-24.00	3	Vertical	60	1.50	-
6445MHz	Pass	PK	6.4378G	103.08	Inf	-Inf	3	Vertical	60	1.50	-
6445MHz	Pass	AV	5.9218G	51.48	68.20	-16.72	3	Horizontal	61	1.70	-
6445MHz	Pass	AV	6.4498G	97.45	Inf	-Inf	3	Horizontal	61	1.70	-
6445MHz	Pass	PK	5.9098G	64.51	88.20	-23.69	3	Horizontal	61	1.70	-
6445MHz	Pass	PK	6.4522G	108.65	Inf	-Inf	3	Horizontal	61	1.70	-
6445MHz	Pass	AV	12.89015G	44.83	68.20	-23.37	3	Vertical	13	1.48	-
6445MHz	Pass	PK	12.89401G	58.24	88.20	-29.96	3	Vertical	13	1.48	-
6445MHz	Pass	AV	12.89003G	44.38	68.20	-23.82	3	Horizontal	25	1.48	-
6445MHz	Pass	PK	12.88808G	57.85	88.20	-30.35	3	Horizontal	25	1.48	-
6485MHz	Pass	AV	5.9054G	52.03	68.20	-16.17	3	Vertical	0	1.01	-
6485MHz	Pass	AV	6.4766G	90.57	Inf	-Inf	3	Vertical	0	1.01	-
6485MHz	Pass	AV	7.1346G	55.24	68.20	-12.96	3	Vertical	0	1.01	-
6485MHz	Pass	PK	5.8844G	64.40	88.20	-23.80	3	Vertical	0	1.01	-
6485MHz	Pass	PK	6.4752G	101.87	Inf	-Inf	3	Vertical	0	1.01	-
6485MHz	Pass	PK	7.1766G	67.24	88.20	-20.96	3	Vertical	0	1.01	-
6485MHz	Pass	AV	5.9152G	52.00	68.20	-16.20	3	Horizontal	63	1.91	-
6485MHz	Pass	AV	6.478G	97.94	Inf	-Inf	3	Horizontal	63	1.91	-
6485MHz	Pass	AV	7.1584G	55.26	68.20	-12.94	3	Horizontal	63	1.91	-
6485MHz	Pass	PK	5.8074G	63.78	88.20	-24.42	3	Horizontal	63	1.91	-
6485MHz	Pass	PK	6.478G	107.87	Inf	-Inf	3	Horizontal	63	1.91	-
6485MHz	Pass	PK	7.1444G	67.09	88.20	-21.11	3	Horizontal	63	1.91	-
6485MHz	Pass	AV	12.97438G	45.08	68.20	-23.12	3	Vertical	171	2.71	-
6485MHz	Pass	PK	12.97512G	57.68	88.20	-30.52	3	Vertical	171	2.71	-
6485MHz	Pass	AV	12.97368G	45.09	68.20	-23.11	3	Horizontal	4	1.55	-
6485MHz	Pass	PK	12.97758G	57.93	88.20	-30.27	3	Horizontal	4	1.55	-
6525MHz Straddle 6.425-6.525GHz	Pass	AV	5.8964G	51.99	68.20	-16.21	3	Vertical	-0	1.06	-



RSE TX above 1GHz_Beamforming

Appendix E.5

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
6525MHz Straddle 6.425-6.525GHz	Pass	AV	6.5222G	90.27	Inf	-Inf	3	Vertical	-0	1.06	-
6525MHz Straddle 6.425-6.525GHz	Pass	AV	7.19G	55.24	68.20	-12.96	3	Vertical	-0	1.06	-
6525MHz Straddle 6.425-6.525GHz	Pass	PK	5.9118G	63.98	88.20	-24.22	3	Vertical	-0	1.06	-
6525MHz Straddle 6.425-6.525GHz	Pass	PK	6.532G	101.46	Inf	-Inf	3	Vertical	-0	1.06	-
6525MHz Straddle 6.425-6.525GHz	Pass	PK	7.1424G	67.04	88.20	-21.16	3	Vertical	-0	1.06	-
6525MHz Straddle 6.425-6.525GHz	Pass	AV	5.902G	52.10	68.20	-16.10	3	Horizontal	40	1.91	-
6525MHz Straddle 6.425-6.525GHz	Pass	AV	6.5222G	98.33	Inf	-Inf	3	Horizontal	40	1.91	-
6525MHz Straddle 6.425-6.525GHz	Pass	AV	7.1522G	55.31	68.20	-12.89	3	Horizontal	40	1.91	-
6525MHz Straddle 6.425-6.525GHz	Pass	PK	5.9174G	64.07	88.20	-24.13	3	Horizontal	40	1.91	-
6525MHz Straddle 6.425-6.525GHz	Pass	PK	6.5264G	110.68	Inf	-Inf	3	Horizontal	40	1.91	-
6525MHz Straddle 6.425-6.525GHz	Pass	PK	7.183G	68.63	88.20	-19.57	3	Horizontal	40	1.91	-
6525MHz Straddle 6.425-6.525GHz	Pass	AV	13.04792G	45.29	68.20	-22.91	3	Vertical	260	2.14	-
6525MHz Straddle 6.425-6.525GHz	Pass	PK	13.05722G	58.37	88.20	-29.83	3	Vertical	260	2.14	-
6525MHz Straddle 6.425-6.525GHz	Pass	AV	13.04406G	45.26	68.20	-22.94	3	Horizontal	59	2.17	-
6525MHz Straddle 6.425-6.525GHz	Pass	PK	13.05068G	58.51	88.20	-29.69	3	Horizontal	59	2.17	-
6565MHz	Pass	AV	6.5626G	92.41	Inf	-Inf	3	Vertical	44	1.38	-
6565MHz	Pass	AV	7.1446G	55.36	68.20	-12.84	3	Vertical	44	1.38	-
6565MHz	Pass	PK	6.5614G	105.34	Inf	-Inf	3	Vertical	44	1.38	-
6565MHz	Pass	PK	7.1374G	66.50	88.20	-21.70	3	Vertical	44	1.38	-
6565MHz	Pass	AV	6.5662G	98.20	Inf	-Inf	3	Horizontal	54	2.25	-
6565MHz	Pass	AV	7.1578G	55.24	68.20	-12.96	3	Horizontal	54	2.25	-
6565MHz	Pass	PK	6.5674G	107.55	Inf	-Inf	3	Horizontal	54	2.25	-
6565MHz	Pass	PK	7.1314G	66.10	88.20	-22.10	3	Horizontal	54	2.25	-
6565MHz	Pass	AV	13.13302G	45.32	68.20	-22.88	3	Vertical	61	1.77	-
6565MHz	Pass	PK	13.12558G	58.77	88.20	-29.43	3	Vertical	61	1.77	-
6565MHz	Pass	AV	13.12188G	45.35	68.20	-22.85	3	Horizontal	59	1.70	-
6565MHz	Pass	PK	13.12892G	58.32	88.20	-29.88	3	Horizontal	59	1.70	-
6685MHz	Pass	AV	6.687G	92.26	Inf	-Inf	3	Vertical	34	1.79	-
6685MHz	Pass	AV	7.166G	54.93	68.20	-13.27	3	Vertical	34	1.79	-
6685MHz	Pass	PK	6.69G	104.25	Inf	-Inf	3	Vertical	34	1.79	-
6685MHz	Pass	PK	7.137G	67.80	88.20	-20.40	3	Vertical	34	1.79	-
6685MHz	Pass	AV	6.691G	98.30	Inf	-Inf	3	Horizontal	62	1.85	-
6685MHz	Pass	AV	7.144G	54.72	68.20	-13.48	3	Horizontal	62	1.85	-
6685MHz	Pass	PK	6.69G	108.99	Inf	-Inf	3	Horizontal	62	1.85	-
6685MHz	Pass	PK	7.177G	66.19	88.20	-22.01	3	Horizontal	62	1.85	-
6685MHz	Pass	AV	13.37227G	44.66	54.00	-9.34	3	Vertical	193	1.50	-
6685MHz	Pass	PK	13.37191G	58.11	74.00	-15.89	3	Vertical	193	1.50	-
6685MHz	Pass	AV	13.37237G	44.67	54.00	-9.33	3	Horizontal	253	2.55	-
6685MHz	Pass	PK	13.3723G	58.21	74.00	-15.79	3	Horizontal	253	2.55	-
6845MHz	Pass	AV	6.8366G	91.91	Inf	-Inf	3	Vertical	45	1.32	-
6845MHz	Pass	AV	7.1656G	54.75	68.20	-13.45	3	Vertical	45	1.32	-
6845MHz	Pass	PK	6.8345G	103.16	Inf	-Inf	3	Vertical	45	1.32	-
6845MHz	Pass	PK	7.1523G	67.18	88.20	-21.02	3	Vertical	45	1.32	-
6845MHz	Pass	AV	6.838G	98.81	Inf	-Inf	3	Horizontal	44	3.00	-
6845MHz	Pass	AV	7.1523G	54.76	68.20	-13.44	3	Horizontal	44	3.00	-
6845MHz	Pass	PK	6.8394G	110.08	Inf	-Inf	3	Horizontal	44	3.00	-
6845MHz	Pass	PK	7.1747G	66.48	88.20	-21.72	3	Horizontal	44	3.00	-
6845MHz	Pass	AV	13.68893G	48.59	68.20	-19.61	3	Vertical	264	1.50	-
6845MHz	Pass	PK	13.68822G	62.13	88.20	-26.07	3	Vertical	264	1.50	-
6845MHz	Pass	AV	13.68557G	48.54	68.20	-19.66	3	Horizontal	114	1.50	-
6845MHz	Pass	PK	13.68816G	62.78	88.20	-25.42	3	Horizontal	114	1.50	-
6885MHz Straddle 6.525-6.875GHz	Pass	AV	6.8906G	92.44	Inf	-Inf	3	Vertical	342	1.45	-
6885MHz Straddle 6.525-6.875GHz	Pass	AV	7.2294G	54.82	68.20	-13.38	3	Vertical	342	1.45	-
6885MHz Straddle 6.525-6.875GHz	Pass	PK	6.8899G	103.54	Inf	-Inf	3	Vertical	342	1.45	-
6885MHz Straddle 6.525-6.875GHz	Pass	PK	7.137G	66.39	88.20	-21.81	3	Vertical	342	1.45	-
6885MHz Straddle 6.525-6.875GHz	Pass	AV	6.8801G	98.10	Inf	-Inf	3	Horizontal	45	3.00	-
6885MHz Straddle 6.525-6.875GHz	Pass	AV	7.2224G	54.88	68.20	-13.32	3	Horizontal	45	3.00	-
6885MHz Straddle 6.525-6.875GHz	Pass	PK	6.8822G	109.33	Inf	-Inf	3	Horizontal	45	3.00	-
6885MHz Straddle 6.525-6.875GHz	Pass	PK	7.1349G	67.11	88.20	-21.09	3	Horizontal	45	3.00	-
6885MHz Straddle 6.525-6.875GHz	Pass	AV	13.77311G	49.12	68.20	-19.08	3	Vertical	341	1.50	-
6885MHz Straddle 6.525-6.875GHz	Pass	PK	13.77322G	62.65	88.20	-25.55	3	Vertical	341	1.50	-
6885MHz Straddle 6.525-6.875GHz	Pass	AV	13.76524G	49.10	68.20	-19.10	3	Horizontal	352	2.74	-



RSE TX above 1GHz_Beamforming

Appendix E.5

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
6885MHz Straddle 6.525-6.875GHz	Pass	PK	13.77328G	62.49	88.20	-25.71	3	Horizontal	352	2.74	-
6925MHz	Pass	AV	6.9196G	93.22	Inf	-Inf	3	Vertical	341	1.35	-
6925MHz	Pass	AV	7.2124G	54.74	68.20	-13.46	3	Vertical	341	1.35	-
6925MHz	Pass	PK	6.9208G	104.36	Inf	-Inf	3	Vertical	341	1.35	-
6925MHz	Pass	PK	7.2172G	67.28	88.20	-20.92	3	Vertical	341	1.35	-
6925MHz	Pass	AV	6.9268G	97.93	Inf	-Inf	3	Horizontal	57	1.82	-
6925MHz	Pass	AV	7.2244G	54.87	68.20	-13.33	3	Horizontal	57	1.82	-
6925MHz	Pass	PK	6.928G	109.62	Inf	-Inf	3	Horizontal	57	1.82	-
6925MHz	Pass	PK	7.1302G	66.39	88.20	-21.81	3	Horizontal	57	1.82	-
6925MHz	Pass	AV	13.84813G	49.91	68.20	-18.29	3	Vertical	165	1.50	-
6925MHz	Pass	PK	13.85014G	63.27	88.20	-24.93	3	Vertical	165	1.50	-
6925MHz	Pass	AV	13.85277G	49.85	68.20	-18.35	3	Horizontal	281	3.00	-
6925MHz	Pass	PK	13.85261G	64.25	88.20	-23.95	3	Horizontal	281	3.00	-
7005MHz	Pass	AV	7.0065G	93.97	Inf	-Inf	3	Vertical	344	1.44	-
7005MHz	Pass	AV	7.1307G	54.86	68.20	-13.34	3	Vertical	344	1.44	-
7005MHz	Pass	PK	7.0041G	106.33	Inf	-Inf	3	Vertical	344	1.44	-
7005MHz	Pass	PK	7.1346G	67.08	88.20	-21.12	3	Vertical	344	1.44	-
7005MHz	Pass	AV	7.0077G	98.39	Inf	-Inf	3	Horizontal	58	1.85	-
7005MHz	Pass	AV	7.146G	54.77	68.20	-13.43	3	Horizontal	58	1.85	-
7005MHz	Pass	PK	7.0068G	110.97	Inf	-Inf	3	Horizontal	58	1.85	-
7005MHz	Pass	PK	7.1394G	66.72	88.20	-21.48	3	Horizontal	58	1.85	-
7005MHz	Pass	AV	14.01235G	50.22	68.20	-17.98	3	Vertical	165	1.50	-
7005MHz	Pass	PK	14.00686G	63.64	88.20	-24.56	3	Vertical	165	1.50	-
7005MHz	Pass	AV	14.01291G	50.12	68.20	-18.08	3	Horizontal	83	1.50	-
7005MHz	Pass	PK	14.0116G	64.03	88.20	-24.17	3	Horizontal	83	1.50	-
7085MHz	Pass	AV	7.0922G	93.86	Inf	-Inf	3	Vertical	344	1.50	-
7085MHz	Pass	AV	7.1303G	55.25	68.20	-12.95	3	Vertical	344	1.50	-
7085MHz	Pass	PK	7.088G	106.03	Inf	-Inf	3	Vertical	344	1.50	-
7085MHz	Pass	PK	7.1321G	68.46	88.20	-19.74	3	Vertical	344	1.50	-
7085MHz	Pass	AV	7.0793G	98.07	Inf	-Inf	3	Horizontal	37	3.00	-
7085MHz	Pass	AV	7.2338G	54.91	68.20	-13.29	3	Horizontal	37	3.00	-
7085MHz	Pass	PK	7.0811G	110.15	Inf	-Inf	3	Horizontal	37	3.00	-
7085MHz	Pass	PK	7.1324G	67.67	88.20	-20.53	3	Horizontal	37	3.00	-
7085MHz	Pass	AV	14.16506G	50.14	68.20	-18.06	3	Vertical	308	2.74	-
7085MHz	Pass	PK	14.1683G	63.43	88.20	-24.77	3	Vertical	308	2.74	-
7085MHz	Pass	AV	14.16996G	50.35	68.20	-17.85	3	Horizontal	37	1.76	-
7085MHz	Pass	PK	14.17013G	64.46	88.20	-23.74	3	Horizontal	37	1.76	-
802.11ax HEW80-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-
5985MHz	Pass	AV	5.914G	52.91	68.20	-15.29	3	Vertical	36	2.14	-
5985MHz	Pass	AV	5.998G	90.02	Inf	-Inf	3	Vertical	36	2.14	-
5985MHz	Pass	PK	5.9165G	65.79	88.20	-22.41	3	Vertical	36	2.14	-
5985MHz	Pass	PK	5.9965G	101.71	Inf	-Inf	3	Vertical	36	2.14	-
5985MHz	Pass	AV	5.9245G	53.54	68.20	-14.66	3	Horizontal	52	1.78	-
5985MHz	Pass	AV	5.9655G	97.61	Inf	-Inf	3	Horizontal	52	1.78	-
5985MHz	Pass	PK	5.9205G	65.99	88.20	-22.21	3	Horizontal	52	1.78	-
5985MHz	Pass	PK	5.969G	112.16	Inf	-Inf	3	Horizontal	52	1.78	-
5985MHz	Pass	AV	11.97144G	43.31	54.00	-10.69	3	Vertical	5	1.22	-
5985MHz	Pass	PK	11.97068G	56.31	74.00	-17.69	3	Vertical	5	1.22	-
5985MHz	Pass	AV	11.97836G	43.31	54.00	-10.69	3	Horizontal	232	1.52	-
5985MHz	Pass	PK	11.97994G	56.17	74.00	-17.83	3	Horizontal	232	1.52	-
6145MHz	Pass	AV	5.9176G	52.03	68.20	-16.17	3	Vertical	37	1.24	-
6145MHz	Pass	AV	6.1444G	94.74	Inf	-Inf	3	Vertical	37	1.24	-
6145MHz	Pass	PK	5.8918G	64.29	88.20	-23.91	3	Vertical	37	1.24	-
6145MHz	Pass	PK	6.1294G	107.03	Inf	-Inf	3	Vertical	37	1.24	-
6145MHz	Pass	AV	5.917G	52.04	68.20	-16.16	3	Horizontal	50	3.00	-
6145MHz	Pass	AV	6.1288G	98.09	Inf	-Inf	3	Horizontal	50	3.00	-
6145MHz	Pass	PK	5.884G	63.65	88.20	-24.55	3	Horizontal	50	3.00	-
6145MHz	Pass	PK	6.1384G	113.67	Inf	-Inf	3	Horizontal	50	3.00	-
6145MHz	Pass	AV	12.28808G	43.89	54.00	-10.11	3	Vertical	122	2.14	-
6145MHz	Pass	PK	12.29944G	56.47	74.00	-17.53	3	Vertical	122	2.14	-
6145MHz	Pass	AV	12.28926G	43.92	54.00	-10.08	3	Horizontal	16	2.38	-
6145MHz	Pass	PK	12.2915G	57.40	74.00	-16.60	3	Horizontal	16	2.38	-



RSE TX above 1GHz_Beamforming

Appendix E.5

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
6385MHz	Pass	AV	5.8978G	52.10	68.20	-16.10	3	Vertical	3	1.00	-
6385MHz	Pass	AV	6.3826G	90.93	Inf	-Inf	3	Vertical	3	1.00	-
6385MHz	Pass	PK	5.8426G	63.74	88.20	-24.46	3	Vertical	3	1.00	-
6385MHz	Pass	PK	6.3754G	102.51	Inf	-Inf	3	Vertical	3	1.00	-
6385MHz	Pass	AV	5.9122G	52.08	68.20	-16.12	3	Horizontal	42	1.82	-
6385MHz	Pass	AV	6.3694G	97.23	Inf	-Inf	3	Horizontal	42	1.82	-
6385MHz	Pass	PK	5.8618G	64.29	88.20	-23.91	3	Horizontal	42	1.82	-
6385MHz	Pass	PK	6.3718G	108.71	Inf	-Inf	3	Horizontal	42	1.82	-
6385MHz	Pass	AV	12.77382G	44.68	68.20	-23.52	3	Vertical	285	2.17	-
6385MHz	Pass	PK	12.76312G	58.03	88.20	-30.17	3	Vertical	285	2.17	-
6385MHz	Pass	AV	12.77078G	44.63	68.20	-23.57	3	Horizontal	292	1.03	-
6385MHz	Pass	PK	12.7735G	57.71	88.20	-30.49	3	Horizontal	292	1.03	-
6465MHz	Pass	AV	5.9036G	52.09	68.20	-16.11	3	Vertical	45	1.57	-
6465MHz	Pass	AV	6.4678G	91.25	Inf	-Inf	3	Vertical	45	1.57	-
6465MHz	Pass	AV	7.1552G	55.25	68.20	-12.95	3	Vertical	45	1.57	-
6465MHz	Pass	PK	5.9134G	64.22	88.20	-23.98	3	Vertical	45	1.57	-
6465MHz	Pass	PK	6.4706G	102.13	Inf	-Inf	3	Vertical	45	1.57	-
6465MHz	Pass	PK	7.151G	67.23	88.20	-20.97	3	Vertical	45	1.57	-
6465MHz	Pass	AV	5.919G	52.00	68.20	-16.20	3	Horizontal	44	1.49	-
6465MHz	Pass	AV	6.4524G	97.52	Inf	-Inf	3	Horizontal	44	1.49	-
6465MHz	Pass	AV	7.1342G	55.26	68.20	-12.94	3	Horizontal	44	1.49	-
6465MHz	Pass	PK	5.8756G	64.06	88.20	-24.14	3	Horizontal	44	1.49	-
6465MHz	Pass	PK	6.4692G	108.86	Inf	-Inf	3	Horizontal	44	1.49	-
6465MHz	Pass	PK	7.1636G	66.96	88.20	-21.24	3	Horizontal	44	1.49	-
6465MHz	Pass	AV	12.9321G	44.93	68.20	-23.27	3	Vertical	346	2.92	-
6465MHz	Pass	PK	12.93458G	57.90	88.20	-30.30	3	Vertical	346	2.92	-
6465MHz	Pass	AV	12.93232G	45.00	68.20	-23.20	3	Horizontal	221	2.34	-
6465MHz	Pass	PK	12.92042G	57.65	88.20	-30.55	3	Horizontal	221	2.34	-
6545MHz Straddle 6.425-6.525GHz	Pass	AV	5.9066G	52.08	68.20	-16.12	3	Vertical	46	1.42	-
6545MHz Straddle 6.425-6.525GHz	Pass	AV	6.5576G	91.18	Inf	-Inf	3	Vertical	46	1.42	-
6545MHz Straddle 6.425-6.525GHz	Pass	AV	7.2338G	55.42	68.20	-12.78	3	Vertical	46	1.42	-
6545MHz Straddle 6.425-6.525GHz	Pass	PK	5.8996G	64.05	88.20	-24.15	3	Vertical	46	1.42	-
6545MHz Straddle 6.425-6.525GHz	Pass	PK	6.5128G	102.47	Inf	-Inf	3	Vertical	46	1.42	-
6545MHz Straddle 6.425-6.525GHz	Pass	PK	7.1778G	66.96	88.20	-21.24	3	Vertical	46	1.42	-
6545MHz Straddle 6.425-6.525GHz	Pass	AV	5.9108G	52.05	68.20	-16.15	3	Horizontal	61	1.95	-
6545MHz Straddle 6.425-6.525GHz	Pass	AV	6.566G	97.90	Inf	-Inf	3	Horizontal	61	1.95	-
6545MHz Straddle 6.425-6.525GHz	Pass	AV	7.2366G	55.46	68.20	-12.74	3	Horizontal	61	1.95	-
6545MHz Straddle 6.425-6.525GHz	Pass	PK	5.8674G	63.75	88.20	-24.45	3	Horizontal	61	1.95	-
6545MHz Straddle 6.425-6.525GHz	Pass	PK	6.566G	108.69	Inf	-Inf	3	Horizontal	61	1.95	-
6545MHz Straddle 6.425-6.525GHz	Pass	PK	7.2226G	67.67	88.20	-20.53	3	Horizontal	61	1.95	-
6545MHz Straddle 6.425-6.525GHz	Pass	AV	13.08156G	45.14	68.20	-23.06	3	Vertical	259	2.64	-
6545MHz Straddle 6.425-6.525GHz	Pass	PK	13.0891G	57.98	88.20	-30.22	3	Vertical	259	2.64	-
6545MHz Straddle 6.425-6.525GHz	Pass	AV	13.0816G	45.24	68.20	-22.96	3	Horizontal	347	2.39	-
6545MHz Straddle 6.425-6.525GHz	Pass	PK	13.09092G	58.53	88.20	-29.67	3	Horizontal	347	2.39	-
6625MHz	Pass	AV	6.6082G	90.73	Inf	-Inf	3	Vertical	33	1.88	-
6625MHz	Pass	AV	7.1482G	55.29	68.20	-12.91	3	Vertical	33	1.88	-
6625MHz	Pass	PK	6.6094G	103.52	Inf	-Inf	3	Vertical	33	1.88	-
6625MHz	Pass	PK	7.1806G	66.87	88.20	-21.33	3	Vertical	33	1.88	-
6625MHz	Pass	AV	6.6166G	97.36	Inf	-Inf	3	Horizontal	48	1.79	-
6625MHz	Pass	AV	7.183G	55.25	68.20	-12.95	3	Horizontal	48	1.79	-
6625MHz	Pass	PK	6.6178G	108.64	Inf	-Inf	3	Horizontal	48	1.79	-
6625MHz	Pass	PK	7.189G	66.80	88.20	-21.40	3	Horizontal	48	1.79	-
6625MHz	Pass	AV	13.2439G	45.29	68.20	-22.91	3	Vertical	125	2.08	-
6625MHz	Pass	PK	13.24678G	58.07	88.20	-30.13	3	Vertical	125	2.08	-
6625MHz	Pass	AV	13.24386G	45.35	68.20	-22.85	3	Horizontal	185	2.68	-
6625MHz	Pass	PK	13.2406G	57.71	88.20	-30.49	3	Horizontal	185	2.68	-
6705MHz	Pass	AV	6.677G	90.35	Inf	-Inf	3	Vertical	343	1.00	-
6705MHz	Pass	AV	7.156G	55.25	68.20	-12.95	3	Vertical	343	1.00	-
6705MHz	Pass	PK	6.699G	102.79	Inf	-Inf	3	Vertical	343	1.00	-
6705MHz	Pass	PK	7.125G	67.17	88.20	-21.03	3	Vertical	343	1.00	-
6705MHz	Pass	AV	6.7G	97.59	Inf	-Inf	3	Horizontal	38	1.82	-
6705MHz	Pass	AV	7.143G	55.27	68.20	-12.93	3	Horizontal	38	1.82	-



RSE TX above 1GHz_Beamforming

Appendix E.5

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
6705MHz	Pass	PK	6.688G	110.04	Inf	-Inf	3	Horizontal	38	1.82	-
6705MHz	Pass	PK	7.198G	67.05	88.20	-21.15	3	Horizontal	38	1.82	-
6705MHz	Pass	AV	13.41104G	45.18	68.20	-23.02	3	Vertical	256	1.41	-
6705MHz	Pass	PK	13.40788G	57.85	88.20	-30.35	3	Vertical	256	1.41	-
6705MHz	Pass	AV	13.40906G	45.08	68.20	-23.12	3	Horizontal	286	1.92	-
6705MHz	Pass	PK	13.4114G	58.00	88.20	-30.20	3	Horizontal	286	1.92	-
6785MHz	Pass	AV	6.806G	90.58	Inf	-Inf	3	Vertical	345	2.04	-
6785MHz	Pass	AV	7.1294G	55.18	68.20	-13.02	3	Vertical	345	2.04	-
6785MHz	Pass	PK	6.8088G	102.58	Inf	-Inf	3	Vertical	345	2.04	-
6785MHz	Pass	PK	7.1273G	66.99	88.20	-21.21	3	Vertical	345	2.04	-
6785MHz	Pass	AV	6.7808G	97.58	Inf	-Inf	3	Horizontal	44	1.54	-
6785MHz	Pass	AV	7.135G	55.21	68.20	-12.99	3	Horizontal	44	1.54	-
6785MHz	Pass	PK	6.8151G	109.15	Inf	-Inf	3	Horizontal	44	1.54	-
6785MHz	Pass	PK	7.1329G	66.66	88.20	-21.54	3	Horizontal	44	1.54	-
6785MHz	Pass	AV	13.5759G	45.35	68.20	-22.85	3	Vertical	288	2.80	-
6785MHz	Pass	PK	13.56966G	58.34	88.20	-29.86	3	Vertical	288	2.80	-
6785MHz	Pass	AV	13.57004G	45.21	68.20	-22.99	3	Horizontal	33	2.78	-
6785MHz	Pass	PK	13.5748G	57.76	88.20	-30.44	3	Horizontal	33	2.78	-
6865MHz Straddle 6.525-6.875GHz	Pass	AV	6.8629G	90.50	Inf	-Inf	3	Vertical	341	1.44	-
6865MHz Straddle 6.525-6.875GHz	Pass	AV	7.2031G	55.28	68.20	-12.92	3	Vertical	341	1.44	-
6865MHz Straddle 6.525-6.875GHz	Pass	PK	6.8594G	101.49	Inf	-Inf	3	Vertical	341	1.44	-
6865MHz Straddle 6.525-6.875GHz	Pass	PK	7.1254G	67.51	88.20	-20.69	3	Vertical	341	1.44	-
6865MHz Straddle 6.525-6.875GHz	Pass	AV	6.8664G	97.18	Inf	-Inf	3	Horizontal	59	1.78	-
6865MHz Straddle 6.525-6.875GHz	Pass	AV	7.1632G	55.30	68.20	-12.90	3	Horizontal	59	1.78	-
6865MHz Straddle 6.525-6.875GHz	Pass	PK	6.858G	109.55	Inf	-Inf	3	Horizontal	59	1.78	-
6865MHz Straddle 6.525-6.875GHz	Pass	PK	7.1471G	66.98	88.20	-21.22	3	Horizontal	59	1.78	-
6865MHz Straddle 6.525-6.875GHz	Pass	AV	13.72844G	49.34	68.20	-18.86	3	Vertical	350	1.33	-
6865MHz Straddle 6.525-6.875GHz	Pass	PK	13.73348G	63.27	88.20	-24.93	3	Vertical	350	1.33	-
6865MHz Straddle 6.525-6.875GHz	Pass	AV	13.73434G	49.33	68.20	-18.87	3	Horizontal	287	2.99	-
6865MHz Straddle 6.525-6.875GHz	Pass	PK	13.72962G	62.03	88.20	-26.17	3	Horizontal	287	2.99	-
6945MHz	Pass	AV	6.9552G	90.89	Inf	-Inf	3	Vertical	346	1.50	-
6945MHz	Pass	AV	7.236G	55.41	68.20	-12.79	3	Vertical	346	1.50	-
6945MHz	Pass	PK	6.927G	102.93	Inf	-Inf	3	Vertical	346	1.50	-
6945MHz	Pass	PK	7.2288G	68.63	88.20	-19.57	3	Vertical	346	1.50	-
6945MHz	Pass	AV	6.9636G	97.90	Inf	-Inf	3	Horizontal	59	1.88	-
6945MHz	Pass	AV	7.2444G	55.47	68.20	-12.73	3	Horizontal	59	1.88	-
6945MHz	Pass	PK	6.9618G	110.01	Inf	-Inf	3	Horizontal	59	1.88	-
6945MHz	Pass	PK	7.17G	67.61	88.20	-20.59	3	Horizontal	59	1.88	-
6945MHz	Pass	AV	13.88716G	50.48	68.20	-17.72	3	Vertical	82	2.48	-
6945MHz	Pass	PK	13.89066G	63.36	88.20	-24.84	3	Vertical	82	2.48	-
6945MHz	Pass	AV	13.89378G	50.37	68.20	-17.83	3	Horizontal	319	1.10	-
6945MHz	Pass	PK	13.88456G	63.24	88.20	-24.96	3	Horizontal	319	1.10	-
7025MHz	Pass	AV	7.0373G	91.88	Inf	-Inf	3	Vertical	345	1.50	-
7025MHz	Pass	AV	7.1324G	55.70	68.20	-12.50	3	Vertical	345	1.50	-
7025MHz	Pass	PK	7.0073G	105.14	Inf	-Inf	3	Vertical	345	1.50	-
7025MHz	Pass	PK	7.1699G	68.88	88.20	-19.32	3	Vertical	345	1.50	-
7025MHz	Pass	AV	7.025G	97.30	Inf	-Inf	3	Horizontal	55	1.90	-
7025MHz	Pass	AV	7.136G	55.44	68.20	-12.76	3	Horizontal	55	1.90	-
7025MHz	Pass	PK	7.0118G	110.11	Inf	-Inf	3	Horizontal	55	1.90	-
7025MHz	Pass	PK	7.1369G	67.91	88.20	-20.29	3	Horizontal	55	1.90	-
7025MHz	Pass	AV	14.05304G	50.55	68.20	-17.65	3	Vertical	254	2.81	-
7025MHz	Pass	PK	14.05254G	64.14	88.20	-24.06	3	Vertical	254	2.81	-
7025MHz	Pass	AV	14.05902G	50.57	68.20	-17.63	3	Horizontal	301	2.96	-
7025MHz	Pass	PK	14.0447G	64.12	88.20	-24.08	3	Horizontal	301	2.96	-
802.11ax HEW160-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-
6025MHz	Pass	AV	5.9215G	58.70	68.20	-9.50	3	Vertical	39	1.00	-
6025MHz	Pass	AV	6.0635G	88.86	Inf	-Inf	3	Vertical	39	1.00	-
6025MHz	Pass	PK	5.9195G	75.79	88.20	-12.41	3	Vertical	39	1.00	-
6025MHz	Pass	PK	6.0635G	102.14	Inf	-Inf	3	Vertical	39	1.00	-
6025MHz	Pass	AV	5.9215G	63.59	68.20	-4.61	3	Horizontal	54	1.74	-
6025MHz	Pass	AV	5.9785G	97.44	Inf	-Inf	3	Horizontal	54	1.74	-
6025MHz	Pass	PK	5.9135G	83.83	88.20	-4.37	3	Horizontal	54	1.74	-



RSE TX above 1GHz_Beamforming

Appendix E.5


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
6025MHz	Pass	PK	5.9805G	110.71	Inf	-Inf	3	Horizontal	54	1.74	-
6025MHz	Pass	AV	12.05G	43.28	54.00	-10.72	3	Vertical	26	1.77	-
6025MHz	Pass	PK	12.05252G	55.68	74.00	-18.32	3	Vertical	26	1.77	-
6025MHz	Pass	AV	12.0501G	43.33	54.00	-10.67	3	Horizontal	132	1.48	-
6025MHz	Pass	PK	12.05818G	56.16	74.00	-17.84	3	Horizontal	132	1.48	-
6185MHz	Pass	AV	5.905G	52.13	68.20	-16.07	3	Vertical	38	1.63	-
6185MHz	Pass	AV	6.2242G	91.51	Inf	-Inf	3	Vertical	38	1.63	-
6185MHz	Pass	PK	5.817G	65.59	88.20	-22.61	3	Vertical	38	1.63	-
6185MHz	Pass	PK	6.1954G	104.41	Inf	-Inf	3	Vertical	38	1.63	-
6185MHz	Pass	AV	5.9202G	52.87	68.20	-15.33	3	Horizontal	40	2.74	-
6185MHz	Pass	AV	6.217G	97.88	Inf	-Inf	3	Horizontal	40	2.74	-
6185MHz	Pass	PK	5.8602G	65.81	88.20	-22.39	3	Horizontal	40	2.74	-
6185MHz	Pass	PK	6.217G	111.06	Inf	-Inf	3	Horizontal	40	2.74	-
6185MHz	Pass	AV	12.37002G	44.06	54.00	-9.94	3	Vertical	70	1.80	-
6185MHz	Pass	PK	12.36326G	57.12	74.00	-16.88	3	Vertical	70	1.80	-
6185MHz	Pass	AV	12.36988G	44.10	54.00	-9.90	3	Horizontal	122	2.66	-
6185MHz	Pass	PK	12.37684G	57.05	74.00	-16.95	3	Horizontal	122	2.66	-
6345MHz	Pass	AV	5.9058G	52.13	68.20	-16.07	3	Vertical	37	1.52	-
6345MHz	Pass	AV	6.3222G	91.86	Inf	-Inf	3	Vertical	37	1.52	-
6345MHz	Pass	PK	5.751G	65.18	88.20	-23.02	3	Vertical	37	1.52	-
6345MHz	Pass	PK	6.3234G	104.68	Inf	-Inf	3	Vertical	37	1.52	-
6345MHz	Pass	AV	5.9226G	52.17	68.20	-16.03	3	Horizontal	43	1.68	-
6345MHz	Pass	AV	6.3426G	97.21	Inf	-Inf	3	Horizontal	43	1.68	-
6345MHz	Pass	PK	5.8674G	65.88	88.20	-22.32	3	Horizontal	43	1.68	-
6345MHz	Pass	PK	6.333G	110.08	Inf	-Inf	3	Horizontal	43	1.68	-
6345MHz	Pass	AV	12.68288G	44.38	54.00	-9.62	3	Vertical	334	1.26	-
6345MHz	Pass	PK	12.692G	57.65	74.00	-16.35	3	Vertical	334	1.26	-
6345MHz	Pass	AV	12.69956G	44.30	54.00	-9.70	3	Horizontal	135	2.10	-
6345MHz	Pass	PK	12.69314G	57.51	74.00	-16.49	3	Horizontal	135	2.10	-
6505MHz Straddle 6.425-6.525GHz	Pass	AV	5.9142G	52.09	68.20	-16.11	3	Vertical	52	1.35	-
6505MHz Straddle 6.425-6.525GHz	Pass	AV	6.5134G	91.41	Inf	-Inf	3	Vertical	52	1.35	-
6505MHz Straddle 6.425-6.525GHz	Pass	AV	7.1448G	55.41	68.20	-12.79	3	Vertical	52	1.35	-
6505MHz Straddle 6.425-6.525GHz	Pass	PK	5.8638G	65.34	88.20	-22.86	3	Vertical	52	1.35	-
6505MHz Straddle 6.425-6.525GHz	Pass	PK	6.512G	103.62	Inf	-Inf	3	Vertical	52	1.35	-
6505MHz Straddle 6.425-6.525GHz	Pass	PK	7.1994G	68.21	88.20	-19.99	3	Vertical	52	1.35	-
6505MHz Straddle 6.425-6.525GHz	Pass	AV	5.9128G	52.10	68.20	-16.10	3	Horizontal	49	1.50	-
6505MHz Straddle 6.425-6.525GHz	Pass	AV	6.47G	97.26	Inf	-Inf	3	Horizontal	49	1.50	-
6505MHz Straddle 6.425-6.525GHz	Pass	AV	7.177G	55.33	68.20	-12.87	3	Horizontal	49	1.50	-
6505MHz Straddle 6.425-6.525GHz	Pass	PK	5.8624G	65.73	88.20	-22.47	3	Horizontal	49	1.50	-
6505MHz Straddle 6.425-6.525GHz	Pass	PK	6.4714G	110.48	Inf	-Inf	3	Horizontal	49	1.50	-
6505MHz Straddle 6.425-6.525GHz	Pass	PK	7.1504G	68.23	88.20	-19.97	3	Horizontal	49	1.50	-
6505MHz Straddle 6.425-6.525GHz	Pass	AV	13.01376G	45.02	68.20	-23.18	3	Vertical	41	2.81	-
6505MHz Straddle 6.425-6.525GHz	Pass	PK	13.00248G	57.85	88.20	-30.35	3	Vertical	41	2.81	-
6505MHz Straddle 6.425-6.525GHz	Pass	AV	13.003G	44.99	68.20	-23.21	3	Horizontal	354	1.98	-
6505MHz Straddle 6.425-6.525GHz	Pass	PK	13.0173G	57.80	88.20	-30.40	3	Horizontal	354	1.98	-
6665MHz	Pass	AV	6.6474G	91.16	Inf	-Inf	3	Vertical	34	1.76	-
6665MHz	Pass	AV	7.1479G	55.38	68.20	-12.82	3	Vertical	34	1.76	-
6665MHz	Pass	PK	6.6859G	104.15	Inf	-Inf	3	Vertical	34	1.76	-
6665MHz	Pass	PK	7.1446G	68.65	88.20	-19.55	3	Vertical	34	1.76	-
6665MHz	Pass	AV	6.6617G	96.97	Inf	-Inf	3	Horizontal	54	2.12	-
6665MHz	Pass	AV	7.1589G	55.40	68.20	-12.80	3	Horizontal	54	2.12	-
6665MHz	Pass	PK	6.6177G	110.53	Inf	-Inf	3	Horizontal	54	2.12	-
6665MHz	Pass	PK	7.2062G	68.47	88.20	-19.73	3	Horizontal	54	2.12	-
6665MHz	Pass	AV	13.32218G	45.15	54.00	-8.85	3	Vertical	79	1.32	-
6665MHz	Pass	PK	13.32572G	58.27	74.00	-15.73	3	Vertical	79	1.32	-
6665MHz	Pass	AV	13.3206G	45.15	54.00	-8.85	3	Horizontal	185	1.59	-
6665MHz	Pass	PK	13.3209G	58.53	74.00	-15.47	3	Horizontal	185	1.59	-
6825MHz Straddle 6.525-6.875GHz	Pass	AV	6.8626G	90.25	Inf	-Inf	3	Vertical	341	1.44	-
6825MHz Straddle 6.525-6.875GHz	Pass	AV	7.2186G	55.34	68.20	-12.86	3	Vertical	341	1.44	-
6825MHz Straddle 6.525-6.875GHz	Pass	PK	6.8578G	102.09	Inf	-Inf	3	Vertical	341	1.44	-
6825MHz Straddle 6.525-6.875GHz	Pass	PK	7.2154G	67.16	88.20	-21.04	3	Vertical	341	1.44	-
6825MHz Straddle 6.525-6.875GHz	Pass	AV	6.8674G	97.20	Inf	-Inf	3	Horizontal	60	1.84	-



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
6825MHz Straddle 6.525-6.875GHz	Pass	AV	7.2242G	55.36	68.20	-12.84	3	Horizontal	60	1.84	-
6825MHz Straddle 6.525-6.875GHz	Pass	PK	6.8658G	109.71	Inf	-Inf	3	Horizontal	60	1.84	-
6825MHz Straddle 6.525-6.875GHz	Pass	PK	7.1562G	67.39	88.20	-20.81	3	Horizontal	60	1.84	-
6825MHz Straddle 6.525-6.875GHz	Pass	AV	13.6416G	49.42	68.20	-18.78	3	Vertical	236	2.46	-
6825MHz Straddle 6.525-6.875GHz	Pass	PK	13.6458G	61.96	88.20	-26.24	3	Vertical	236	2.46	-
6825MHz Straddle 6.525-6.875GHz	Pass	AV	13.64416G	49.37	68.20	-18.83	3	Horizontal	231	1.82	-
6825MHz Straddle 6.525-6.875GHz	Pass	PK	13.64792G	62.74	88.20	-25.46	3	Horizontal	231	1.82	-
6985MHz	Pass	AV	6.9515G	90.90	Inf	-Inf	3	Vertical	343	1.75	-
6985MHz	Pass	AV	7.1365G	56.34	68.20	-11.86	3	Vertical	343	1.75	-
6985MHz	Pass	PK	6.9515G	102.68	Inf	-Inf	3	Vertical	343	1.75	-
6985MHz	Pass	PK	7.164G	69.41	88.20	-18.79	3	Vertical	343	1.75	-
6985MHz	Pass	AV	6.9665G	97.85	Inf	-Inf	3	Horizontal	56	1.80	-
6985MHz	Pass	AV	7.133G	57.32	68.20	-10.88	3	Horizontal	56	1.80	-
6985MHz	Pass	PK	6.965G	109.41	Inf	-Inf	3	Horizontal	56	1.80	-
6985MHz	Pass	PK	7.1375G	69.27	88.20	-18.93	3	Horizontal	56	1.80	-
6985MHz	Pass	AV	13.97766G	50.51	68.20	-17.69	3	Vertical	155	1.54	-
6985MHz	Pass	PK	13.96354G	63.12	88.20	-25.08	3	Vertical	155	1.54	-
6985MHz	Pass	AV	13.97946G	50.56	68.20	-17.64	3	Horizontal	246	1.67	-
6985MHz	Pass	PK	13.97356G	63.67	88.20	-24.53	3	Horizontal	246	1.67	-

5.925-6.425GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX


5955MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9028G	53.32	68.20	-14.88	14.44	3	Vertical	11	1.00	-	38.88	34.29	10.26	30.11
AV	5.9628G	92.46	Inf	-Inf	14.36	3	Vertical	11	1.00	-	78.10	34.17	10.30	30.11
PK	5.9217G	65.47	88.20	-22.73	14.42	3	Vertical	11	1.00	-	51.05	34.26	10.27	30.11
PK	5.9628G	103.72	Inf	-Inf	14.36	3	Vertical	11	1.00	-	89.36	34.17	10.30	30.11


5.925-6.425GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5955MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9151G	53.30	68.20	-14.90	14.43	3	Horizontal	50	1.85	-	38.87	34.27	10.27	30.11
AV	5.9634G	99.57	Inf	-Inf	14.36	3	Horizontal	50	1.85	-	85.21	34.17	10.30	30.11
PK	5.8965G	66.36	88.20	-21.84	14.43	3	Horizontal	50	1.85	-	51.93	34.29	10.25	30.11
PK	5.9598G	111.47	Inf	-Inf	14.37	3	Horizontal	50	1.85	-	97.10	34.18	10.30	30.11

5.925-6.425GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX
5955MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.91G	42.96	54.00	-11.04	21.18	3	Vertical	55	1.68	-	21.78	38.83	13.27	30.92
PK	11.91483G	55.89	74.00	-18.11	21.20	3	Vertical	55	1.68	-	34.69	38.84	13.28	30.92


5.925-6.425GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX
5955MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.91G	43.65	54.00	-10.35	21.18	3	Horizontal	323	1.77	-	22.47	38.83	13.27	30.92
PK	11.91011G	56.87	74.00	-17.13	21.18	3	Horizontal	323	1.77	-	35.69	38.83	13.27	30.92

5.925-6.425GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX


6175MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9206G	53.34	68.20	-14.86	14.42	3	Vertical	35	1.38	-	38.92	34.26	10.27	30.11
AV	6.1678G	94.96	Inf	-Inf	14.49	3	Vertical	35	1.38	-	80.47	34.24	10.50	30.25
PK	5.9194G	65.64	88.20	-22.56	14.42	3	Vertical	35	1.38	-	51.22	34.26	10.27	30.11
PK	6.1732G	105.88	Inf	-Inf	14.49	3	Vertical	35	1.38	-	91.39	34.25	10.50	30.26


5.925-6.425GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6175MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9182G	53.34	68.20	-14.86	14.42	3	Horizontal	75	1.78	-	38.92	34.26	10.27	30.11
AV	6.1828G	98.96	Inf	-Inf	14.52	3	Horizontal	75	1.78	-	84.44	34.27	10.51	30.26
PK	5.8918G	65.24	88.20	-22.96	14.41	3	Horizontal	75	1.78	-	50.83	34.27	10.25	30.11
PK	6.1792G	110.32	Inf	-Inf	14.51	3	Horizontal	75	1.78	-	95.81	34.26	10.51	30.26

**5.925-6.425GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX
6175MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.34991G	43.99	54.00	-10.01	21.63	3	Vertical	347	2.51	-	22.36	39.10	13.53	31.00
PK	12.35371G	57.46	74.00	-16.54	21.63	3	Vertical	347	2.51	-	35.83	39.10	13.53	31.00


**5.925-6.425GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX
6175MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.35003G	44.36	54.00	-9.64	21.63	3	Horizontal	353	1.50	-	22.73	39.10	13.53	31.00
PK	12.34948G	57.30	74.00	-16.70	21.62	3	Horizontal	353	1.50	-	35.68	39.10	13.52	31.00

5.925-6.425GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX


6415MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9122G	53.41	68.20	-14.79	14.43	3	Vertical	33	1.44	-	38.98	34.28	10.26	30.11
AV	6.4066G	96.22	Inf	-Inf	14.99	3	Vertical	33	1.44	-	81.23	34.80	10.64	30.45
PK	5.9242G	65.00	88.20	-23.20	14.41	3	Vertical	33	1.44	-	50.59	34.25	10.27	30.11
PK	6.4066G	106.44	Inf	-Inf	14.99	3	Vertical	33	1.44	-	91.45	34.80	10.64	30.45


5.925-6.425GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6415MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9134G	53.35	68.20	-14.85	14.43	3	Horizontal	48	1.50	-	38.92	34.27	10.27	30.11
AV	6.4234G	99.55	Inf	-Inf	14.99	3	Horizontal	48	1.50	-	84.56	34.80	10.66	30.47
PK	5.9038G	65.59	88.20	-22.61	14.44	3	Horizontal	48	1.50	-	51.15	34.29	10.26	30.11
PK	6.421G	110.42	Inf	-Inf	14.99	3	Horizontal	48	1.50	-	95.43	34.80	10.65	30.46

**5.925-6.425GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX
6415MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.82997G	45.06	68.20	-23.14	22.57	3	Vertical	15	1.50	-	22.49	39.86	13.82	31.11
PK	12.832G	58.10	88.20	-30.10	22.57	3	Vertical	15	1.50	-	35.53	39.86	13.82	31.11


**5.925-6.425GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX
6415MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.82999G	44.62	68.20	-23.58	22.57	3	Horizontal	48	1.68	-	22.05	39.86	13.82	31.11
PK	12.8324G	58.44	88.20	-29.76	22.57	3	Horizontal	48	1.68	-	35.87	39.86	13.82	31.11

6.425-6.525GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX


6435MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9166G	53.32	68.20	-14.88	14.43	3	Vertical	52	1.38	-	38.89	34.27	10.27	30.11
AV	6.4266G	95.37	Inf	-Inf	14.99	3	Vertical	52	1.38	-	80.38	34.80	10.66	30.47
PK	5.8926G	65.29	88.20	-22.91	14.41	3	Vertical	52	1.38	-	50.88	34.27	10.25	30.11
PK	6.4266G	105.83	Inf	-Inf	14.99	3	Vertical	52	1.38	-	90.84	34.80	10.66	30.47

6.425-6.525GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX


6435MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9178G	53.26	68.20	-14.94	14.42	3	Horizontal	45	1.66	-	38.84	34.26	10.27	30.11
AV	6.4266G	99.75	Inf	-Inf	14.99	3	Horizontal	45	1.66	-	84.76	34.80	10.66	30.47
PK	5.8962G	64.97	88.20	-23.23	14.42	3	Horizontal	45	1.66	-	50.55	34.28	10.25	30.11
PK	6.429G	109.94	Inf	-Inf	14.99	3	Horizontal	45	1.66	-	94.95	34.80	10.66	30.47

6.425-6.525GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX


6435MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.87G	44.94	68.20	-23.26	22.68	3	Vertical	14	2.09	-	22.26	39.94	13.85	31.11
PK	12.8699G	57.48	88.20	-30.72	22.67	3	Vertical	14	2.09	-	34.81	39.94	13.84	31.11

6.425-6.525GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX


6435MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.86975G	44.15	68.20	-24.05	22.67	3	Horizontal	88	1.50	-	21.48	39.94	13.84	31.11
PK	12.86964G	58.52	88.20	-29.68	22.67	3	Horizontal	88	1.50	-	35.85	39.94	13.84	31.11

6.425-6.525GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX


6475MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.915G	53.35	68.20	-14.85	14.43	3	Vertical	52	1.39	-	38.92	34.27	10.27	30.11
AV	6.468G	96.29	Inf	-Inf	15.09	3	Vertical	52	1.39	-	81.20	34.91	10.68	30.50
AV	7.1442G	56.60	68.20	-11.60	16.97	3	Vertical	52	1.39	-	39.63	36.48	11.25	30.76
PK	5.866G	64.92	88.20	-23.28	14.29	3	Vertical	52	1.39	-	50.63	34.16	10.23	30.10
PK	6.4666G	107.27	Inf	-Inf	15.08	3	Vertical	52	1.39	-	92.19	34.90	10.68	30.50
PK	7.147G	68.27	88.20	-19.93	16.98	3	Vertical	52	1.39	-	51.29	36.49	11.25	30.76


6.425-6.525GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6475MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9248G	53.37	68.20	-14.83	14.41	3	Horizontal	52	1.50	-	38.96	34.25	10.27	30.11
AV	6.4666G	99.74	Inf	-Inf	15.08	3	Horizontal	52	1.50	-	84.66	34.90	10.68	30.50
AV	7.1666G	56.63	68.20	-11.57	17.11	3	Horizontal	52	1.50	-	39.52	36.60	11.27	30.76
PK	5.9164G	65.63	88.20	-22.57	14.43	3	Horizontal	52	1.50	-	51.20	34.27	10.27	30.11
PK	6.468G	109.99	Inf	-Inf	15.09	3	Horizontal	52	1.50	-	94.90	34.91	10.68	30.50
PK	7.161G	68.38	88.20	-19.82	17.08	3	Horizontal	52	1.50	-	51.30	36.57	11.27	30.76

**6.425-6.525GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX
6475MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.95002G	46.58	68.20	-21.62	22.66	3	Vertical	-0	1.50	-	23.92	39.90	13.89	31.13
PK	12.95284G	59.97	88.20	-28.23	22.66	3	Vertical	-0	1.50	-	37.31	39.89	13.90	31.13


**6.425-6.525GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX
6475MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.94998G	46.58	68.20	-21.62	22.66	3	Horizontal	60	1.50	-	23.92	39.90	13.89	31.13
PK	12.95352G	60.12	88.20	-28.08	22.66	3	Horizontal	60	1.50	-	37.46	39.89	13.90	31.13

6.425-6.525GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX


6515MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9144G	53.38	68.20	-14.82	14.43	3	Vertical	49	1.36	-	38.95	34.27	10.27	30.11
AV	6.5066G	93.63	Inf	-Inf	15.33	3	Vertical	49	1.36	-	78.30	35.15	10.71	30.53
AV	7.1478G	56.64	68.20	-11.56	16.99	3	Vertical	49	1.36	-	39.65	36.49	11.26	30.76
PK	5.878G	65.05	88.20	-23.15	14.34	3	Vertical	49	1.36	-	50.71	34.21	10.24	30.11
PK	6.5094G	104.08	Inf	-Inf	15.35	3	Vertical	49	1.36	-	88.73	35.18	10.71	30.54
PK	7.1478G	68.49	88.20	-19.71	16.99	3	Vertical	49	1.36	-	51.50	36.49	11.26	30.76


6.425-6.525GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6515MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9144G	53.39	68.20	-14.81	14.43	3	Horizontal	60	2.42	-	38.96	34.27	10.27	30.11
AV	6.508G	99.80	Inf	-Inf	15.34	3	Horizontal	60	2.42	-	84.46	35.16	10.71	30.53
AV	7.1562G	56.65	68.20	-11.55	17.04	3	Horizontal	60	2.42	-	39.61	36.54	11.26	30.76
PK	5.8766G	65.61	88.20	-22.59	14.34	3	Horizontal	60	2.42	-	51.27	34.21	10.24	30.11
PK	6.5066G	109.73	Inf	-Inf	15.33	3	Horizontal	60	2.42	-	94.40	35.15	10.71	30.53
PK	7.173G	68.12	88.20	-20.08	17.17	3	Horizontal	60	2.42	-	50.95	36.64	11.28	30.75

6.425-6.525GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX
6515MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.03007G	45.34	68.20	-22.86	22.59	3	Vertical	15	2.48	-	22.75	39.80	13.94	31.15
PK	13.02989G	58.25	88.20	-29.95	22.59	3	Vertical	15	2.48	-	35.66	39.80	13.94	31.15


6.425-6.525GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX
6515MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.03326G	44.56	68.20	-23.64	22.60	3	Horizontal	62	1.50	-	21.96	39.80	13.95	31.15
PK	13.02569G	58.51	88.20	-29.69	22.59	3	Horizontal	62	1.50	-	35.92	39.80	13.94	31.15

6.525-6.875GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX


6535MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9134G	53.35	68.20	-14.85	14.43	3	Vertical	45	1.44	-	38.92	34.27	10.27	30.11
AV	6.542G	96.21	Inf	-Inf	15.62	3	Vertical	45	1.44	-	80.59	35.44	10.73	30.55
AV	7.1608G	56.70	68.20	-11.50	17.07	3	Vertical	45	1.44	-	39.63	36.56	11.27	30.76
PK	5.905G	66.12	88.20	-22.08	14.44	3	Vertical	45	1.44	-	51.68	34.29	10.26	30.11
PK	6.542G	106.98	Inf	-Inf	15.62	3	Vertical	45	1.44	-	91.36	35.44	10.73	30.55
PK	7.1986G	68.49	88.20	-19.71	17.34	3	Vertical	45	1.44	-	51.15	36.79	11.30	30.75

6.525-6.875GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX


6535MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9162G	53.38	68.20	-14.82	14.43	3	Horizontal	53	1.59	-	38.95	34.27	10.27	30.11
AV	6.5434G	100.17	Inf	-Inf	15.63	3	Horizontal	53	1.59	-	84.54	35.45	10.73	30.55
AV	7.2322G	56.74	68.20	-11.46	17.50	3	Horizontal	53	1.59	-	39.24	36.93	11.31	30.74
PK	5.842G	65.24	88.20	-22.96	14.21	3	Horizontal	53	1.59	-	51.03	34.10	10.21	30.10
PK	6.542G	110.47	Inf	-Inf	15.62	3	Horizontal	53	1.59	-	94.85	35.44	10.73	30.55
PK	7.1454G	69.06	88.20	-19.14	16.97	3	Horizontal	53	1.59	-	52.09	36.48	11.25	30.76

6.525-6.875GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX


6535MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.07004G	44.93	68.20	-23.27	22.61	3	Vertical	17	2.49	-	22.32	39.80	13.97	31.16
PK	13.07117G	58.48	88.20	-29.72	22.61	3	Vertical	17	2.49	-	35.87	39.80	13.97	31.16

6.525-6.875GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX


6535MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.06513G	44.52	68.20	-23.68	22.61	3	Horizontal	303	1.56	-	21.91	39.80	13.97	31.16
PK	13.06892G	57.66	88.20	-30.54	22.61	3	Horizontal	303	1.56	-	35.05	39.80	13.97	31.16

6.525-6.875GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX


6695MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.703G	95.51	Inf	-Inf	16.22	3	Vertical	348	1.44	-	79.29	35.99	10.87	30.64
AV	7.158G	56.69	68.20	-11.51	17.05	3	Vertical	348	1.44	-	39.64	36.55	11.26	30.76
PK	6.701G	105.01	Inf	-Inf	16.23	3	Vertical	348	1.44	-	88.78	36.00	10.87	30.64
PK	7.186G	68.25	88.20	-19.95	17.26	3	Vertical	348	1.44	-	50.99	36.72	11.29	30.75


6.525-6.875GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6695MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.687G	100.73	Inf	-Inf	16.17	3	Horizontal	48	1.77	-	84.56	35.95	10.85	30.63
AV	7.159G	56.72	68.20	-11.48	17.06	3	Horizontal	48	1.77	-	39.66	36.55	11.27	30.76
PK	6.688G	111.09	Inf	-Inf	16.16	3	Horizontal	48	1.77	-	94.93	35.95	10.85	30.64
PK	7.16G	68.53	88.20	-19.67	17.07	3	Horizontal	48	1.77	-	51.46	36.56	11.27	30.76

**6.525-6.875GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX
6695MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.3906G	45.01	54.00	-8.99	23.18	3	Vertical	338	3.00	-	21.83	40.26	14.17	31.25
PK	13.38786G	58.38	74.00	-15.62	23.16	3	Vertical	338	3.00	-	35.22	40.25	14.16	31.25


**6.525-6.875GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX
6695MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.39366G	44.91	54.00	-9.09	23.19	3	Horizontal	-0	1.44	-	21.72	40.27	14.17	31.25
PK	13.38722G	58.06	74.00	-15.94	23.16	3	Horizontal	-0	1.44	-	34.90	40.25	14.16	31.25

6.525-6.875GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX


6855MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.8466G	96.28	Inf	-Inf	16.09	3	Vertical	0	1.06	-	80.19	35.81	11.00	30.72
AV	7.1483G	58.08	68.20	-10.12	16.99	3	Vertical	0	1.06	-	41.09	36.49	11.26	30.76
PK	6.848G	105.58	Inf	-Inf	16.08	3	Vertical	0	1.06	-	89.50	35.80	11.00	30.72
PK	7.1721G	70.28	88.20	-17.92	17.16	3	Vertical	0	1.06	-	53.12	36.63	11.28	30.75


6.525-6.875GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6855MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.8634G	100.19	Inf	-Inf	16.08	3	Horizontal	56	1.60	-	84.11	35.80	11.01	30.73
AV	7.1644G	56.84	68.20	-11.36	17.10	3	Horizontal	56	1.60	-	39.74	36.59	11.27	30.76
PK	6.8613G	111.95	Inf	-Inf	16.08	3	Horizontal	56	1.60	-	95.87	35.80	11.01	30.73
PK	7.149G	70.30	88.20	-17.90	17.00	3	Horizontal	56	1.60	-	53.30	36.50	11.26	30.76

**6.525-6.875GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX
6855MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.70989G	48.61	68.20	-19.59	22.73	3	Vertical	136	1.50	-	25.88	39.70	14.36	31.33
PK	13.71464G	62.08	88.20	-26.12	22.73	3	Vertical	136	1.50	-	39.35	39.70	14.36	31.33


**6.525-6.875GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX
6855MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.71314G	48.56	68.20	-19.64	22.73	3	Horizontal	264	2.29	-	25.83	39.70	14.36	31.33
PK	13.71093G	62.22	88.20	-25.98	22.73	3	Horizontal	264	2.29	-	39.49	39.70	14.36	31.33

6.525-6.875GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX


6875MHz Straddle 6.525-6.875GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.8827G	96.85	Inf	-Inf	16.09	3	Vertical	58	1.88	-	80.76	35.80	11.03	30.74
AV	7.2236G	56.73	68.20	-11.47	17.45	3	Vertical	58	1.88	-	39.28	36.89	11.30	30.74
PK	6.8799G	106.82	Inf	-Inf	16.09	3	Vertical	58	1.88	-	90.73	35.80	11.03	30.74
PK	7.1326G	68.39	88.20	-19.81	16.90	3	Vertical	58	1.88	-	51.49	36.43	11.24	30.77

6.525-6.875GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX


6875MHz Straddle 6.525-6.875GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.8666G	99.80	Inf	-Inf	16.08	3	Horizontal	58	1.88	-	83.72	35.80	11.02	30.74
AV	7.1417G	56.98	68.20	-11.22	16.96	3	Horizontal	58	1.88	-	40.02	36.47	11.25	30.76
PK	6.868G	110.44	Inf	-Inf	16.08	3	Horizontal	58	1.88	-	94.36	35.80	11.02	30.74
PK	7.1543G	69.51	88.20	-18.69	17.03	3	Horizontal	58	1.88	-	52.48	36.53	11.26	30.76

6.525-6.875GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX


6875MHz Straddle 6.525-6.875GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.75383G	48.84	68.20	-19.36	22.70	3	Vertical	111	1.50	-	26.14	39.65	14.39	31.34
PK	13.75417G	62.69	88.20	-25.51	22.70	3	Vertical	111	1.50	-	39.99	39.65	14.39	31.34

6.525-6.875GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX


6875MHz Straddle 6.525-6.875GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.75325G	48.89	68.20	-19.31	22.70	3	Horizontal	246	2.02	-	26.19	39.65	14.39	31.34
PK	13.74626G	62.95	88.20	-25.25	22.69	3	Horizontal	246	2.02	-	40.26	39.65	14.38	31.34

6.875-7.125GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX


6895MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.9027G	95.59	Inf	-Inf	16.09	3	Vertical	59	1.66	-	79.50	35.80	11.05	30.76
AV	7.2415G	58.15	68.20	-10.05	17.55	3	Vertical	59	1.66	-	40.60	36.97	11.31	30.73
PK	6.9041G	106.21	Inf	-Inf	16.09	3	Vertical	59	1.66	-	90.12	35.80	11.05	30.76
PK	7.224G	69.78	88.20	-18.42	17.46	3	Vertical	59	1.66	-	52.32	36.90	11.30	30.74


6.875-7.125GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6895MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.902G	104.13	Inf	-Inf	16.09	3	Horizontal	59	1.66	-	88.04	35.80	11.05	30.76
AV	7.238G	56.92	68.20	-11.28	17.53	3	Horizontal	59	1.66	-	39.39	36.95	11.31	30.73
PK	6.8978G	115.68	Inf	-Inf	16.09	3	Horizontal	59	1.66	-	99.59	35.80	11.04	30.75
PK	7.1603G	70.23	88.20	-17.97	17.07	3	Horizontal	59	1.66	-	53.16	36.56	11.27	30.76

6.875-7.125GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX
6895MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.79268G	49.28	68.20	-18.92	22.67	3	Vertical	360	2.02	-	26.61	39.61	14.41	31.35
PK	13.79057G	63.08	88.20	-25.12	22.67	3	Vertical	360	2.02	-	40.41	39.61	14.41	31.35


6.875-7.125GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX
6895MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.78822G	49.28	68.20	-18.92	22.67	3	Horizontal	35	1.50	-	26.61	39.61	14.41	31.35
PK	13.79403G	63.42	88.20	-24.78	22.67	3	Horizontal	35	1.50	-	40.75	39.61	14.41	31.35

6.875-7.125GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX


6995MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.0035G	96.63	Inf	-Inf	16.13	3	Vertical	4	1.09	-	80.50	35.81	11.13	30.81
AV	7.228G	58.31	68.20	-9.89	17.48	3	Vertical	4	1.09	-	40.83	36.91	11.31	30.74
PK	7.003G	106.04	Inf	-Inf	16.13	3	Vertical	4	1.09	-	89.91	35.81	11.13	30.81
PK	7.147G	69.86	88.20	-18.34	16.98	3	Vertical	4	1.09	-	52.88	36.49	11.25	30.76


6.875-7.125GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6995MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.0035G	99.90	Inf	-Inf	16.13	3	Horizontal	48	1.83	-	83.77	35.81	11.13	30.81
AV	7.239G	56.93	68.20	-11.27	17.54	3	Horizontal	48	1.83	-	39.39	36.96	11.31	30.73
PK	7.003G	111.12	Inf	-Inf	16.13	3	Horizontal	48	1.83	-	94.99	35.81	11.13	30.81
PK	7.22G	68.97	88.20	-19.23	17.44	3	Horizontal	48	1.83	-	51.53	36.88	11.30	30.74

6.875-7.125GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX
6995MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.99266G	52.18	68.20	-16.02	22.94	3	Vertical	0	2.66	-	29.24	39.80	14.54	31.40
PK	13.992G	65.74	88.20	-22.46	22.94	3	Vertical	0	2.66	-	42.80	39.80	14.54	31.40


6.875-7.125GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX
6995MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.9898G	52.21	68.20	-15.99	22.93	3	Horizontal	0	2.30	-	29.28	39.80	14.53	31.40
PK	13.99394G	65.75	88.20	-22.45	22.94	3	Horizontal	0	2.30	-	42.81	39.80	14.54	31.40

6.875-7.125GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX


7095MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.0884G	98.03	Inf	-Inf	16.66	3	Vertical	2	1.01	-	81.37	36.23	11.21	30.78
AV	7.2447G	58.13	68.20	-10.07	17.56	3	Vertical	2	1.01	-	40.57	36.98	11.31	30.73
PK	7.0905G	110.12	Inf	-Inf	16.67	3	Vertical	2	1.01	-	93.45	36.24	11.21	30.78
PK	7.2348G	70.09	88.20	-18.11	17.52	3	Vertical	2	1.01	-	52.57	36.94	11.31	30.73


6.875-7.125GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

7095MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.1034G	103.21	Inf	-Inf	16.75	3	Horizontal	48	1.79	-	86.46	36.31	11.22	30.78
AV	7.2384G	56.96	68.20	-11.24	17.53	3	Horizontal	48	1.79	-	39.43	36.95	11.31	30.73
PK	7.1022G	116.21	Inf	-Inf	16.75	3	Horizontal	48	1.79	-	99.46	36.31	11.22	30.78
PK	7.1361G	70.02	88.20	-18.18	16.92	3	Horizontal	48	1.79	-	53.10	36.44	11.25	30.77

6.875-7.125GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX
7095MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.18803G	51.98	68.20	-16.22	23.27	3	Vertical	37	1.12	-	28.71	40.00	14.68	31.41
PK	14.1904G	65.63	88.20	-22.57	23.27	3	Vertical	37	1.12	-	42.36	40.00	14.68	31.41


6.875-7.125GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX
7095MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.18559G	52.14	68.20	-16.06	23.27	3	Horizontal	0	2.30	-	28.87	40.00	14.68	31.41
PK	14.19042G	66.03	88.20	-22.17	23.27	3	Horizontal	0	2.30	-	42.76	40.00	14.68	31.41

6.875-7.125GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX


7115MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.12184G	78.14	Inf	-Inf	16.85	3	Vertical	336	1.44	-	61.29	36.39	11.23	30.77
AV	7.1255G	62.39	68.20	-5.81	16.87	3	Vertical	336	1.44	BP 1MHz	45.52	36.40	11.24	30.77
PK	7.10875G	87.80	Inf	-Inf	16.77	3	Vertical	336	1.44	-	71.03	36.33	11.22	30.78
PK	7.1255G	73.38	88.20	-14.82	16.87	3	Vertical	336	1.44	BP 1MHz	56.51	36.40	11.24	30.77


6.875-7.125GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

7115MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.12443G	84.09	Inf	-Inf	16.87	3	Horizontal	49	1.62	-	67.22	36.40	11.24	30.77
AV	7.1255G	67.89	68.20	-0.31	16.87	3	Horizontal	49	1.62	BP 1MHz	51.02	36.40	11.24	30.77
PK	7.12418G	92.12	Inf	-Inf	16.87	3	Horizontal	49	1.62	-	75.25	36.40	11.24	30.77
PK	7.1255G	78.72	88.20	-9.48	16.87	3	Horizontal	49	1.62	BP 1MHz	61.85	36.40	11.24	30.77

6.875-7.125GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX
7115MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.22729G	51.76	68.20	-16.44	23.30	3	Vertical	155	1.50	-	28.46	40.00	14.71	31.41
PK	14.22754G	65.45	88.20	-22.75	23.30	3	Vertical	155	1.50	-	42.15	40.00	14.71	31.41


6.875-7.125GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX
7115MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.22642G	51.72	68.20	-16.48	23.30	3	Horizontal	349	2.90	-	28.42	40.00	14.71	31.41
PK	14.22801G	65.51	88.20	-22.69	23.30	3	Horizontal	349	2.90	-	42.21	40.00	14.71	31.41

5.925-6.425GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX


5965MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9245G	52.35	68.20	-15.85	14.41	3	Vertical	43	1.50	-	37.94	34.25	10.27	30.11
AV	5.9545G	87.43	Inf	-Inf	14.38	3	Vertical	43	1.50	-	73.05	34.19	10.30	30.11
PK	5.9248G	65.84	88.20	-22.36	14.41	3	Vertical	43	1.50	-	51.43	34.25	10.27	30.11
PK	5.971G	100.58	Inf	-Inf	14.36	3	Vertical	43	1.50	-	86.22	34.16	10.31	30.11


5.925-6.425GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5965MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9248G	54.77	68.20	-13.43	14.41	3	Horizontal	52	1.85	-	40.36	34.25	10.27	30.11
AV	5.9638G	98.49	Inf	-Inf	14.36	3	Horizontal	52	1.85	-	84.13	34.17	10.30	30.11
PK	5.9218G	73.66	88.20	-14.54	14.42	3	Horizontal	52	1.85	-	59.24	34.26	10.27	30.11
PK	5.9638G	111.92	Inf	-Inf	14.36	3	Horizontal	52	1.85	-	97.56	34.17	10.30	30.11

5.925-6.425GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX
5965MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.93001G	43.47	54.00	-10.53	21.25	3	Vertical	51	1.73	-	22.22	38.89	13.28	30.92
PK	11.927996G	56.81	74.00	-17.19	21.24	3	Vertical	51	1.73	-	35.57	38.88	13.28	30.92


5.925-6.425GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX
5965MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.92996G	44.01	54.00	-9.99	21.25	3	Horizontal	323	1.93	-	22.76	38.89	13.28	30.92
PK	11.93006G	56.39	74.00	-17.61	21.25	3	Horizontal	323	1.93	-	35.14	38.89	13.28	30.92

5.925-6.425GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX


6165MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9016G	52.07	68.20	-16.13	14.45	3	Vertical	40	1.37	-	37.62	34.30	10.26	30.11
AV	6.1788G	93.03	Inf	-Inf	14.51	3	Vertical	40	1.37	-	78.52	34.26	10.51	30.26
PK	5.9184G	63.80	88.20	-24.40	14.42	3	Vertical	40	1.37	-	49.38	34.26	10.27	30.11
PK	6.1806G	104.64	Inf	-Inf	14.51	3	Vertical	40	1.37	-	90.13	34.26	10.51	30.26


5.925-6.425GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6165MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9076G	52.02	68.20	-16.18	14.43	3	Horizontal	302	1.90	-	37.59	34.28	10.26	30.11
AV	6.1632G	97.17	Inf	-Inf	14.47	3	Horizontal	302	1.90	-	82.70	34.23	10.49	30.25
PK	5.8764G	63.75	88.20	-24.45	14.34	3	Horizontal	302	1.90	-	49.41	34.21	10.24	30.11
PK	6.162G	109.39	Inf	-Inf	14.46	3	Horizontal	302	1.90	-	94.93	34.22	10.49	30.25

**5.925-6.425GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX
6165MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.33764G	44.01	54.00	-9.99	21.62	3	Vertical	272	1.76	-	22.39	39.10	13.52	31.00
PK	12.33046G	56.77	74.00	-17.23	21.61	3	Vertical	272	1.76	-	35.16	39.10	13.51	31.00


**5.925-6.425GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX
6165MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.3214G	44.00	54.00	-10.00	21.61	3	Horizontal	190	1.37	-	22.39	39.10	13.51	31.00
PK	12.33136G	56.71	74.00	-17.29	21.61	3	Horizontal	190	1.37	-	35.10	39.10	13.51	31.00

5.925-6.425GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX


6405MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9094G	51.54	68.20	-16.66	14.43	3	Vertical	36	1.12	-	37.11	34.28	10.26	30.11
AV	6.393G	92.21	Inf	-Inf	14.97	3	Vertical	36	1.12	-	77.24	34.77	10.64	30.44
PK	5.9034G	64.30	88.20	-23.90	14.44	3	Vertical	36	1.12	-	49.86	34.29	10.26	30.11
PK	6.3918G	105.03	Inf	-Inf	14.97	3	Vertical	36	1.12	-	90.06	34.77	10.64	30.44


5.925-6.425GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6405MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.913G	51.59	68.20	-16.61	14.42	3	Horizontal	60	1.92	-	37.17	34.27	10.26	30.11
AV	6.411G	97.45	Inf	-Inf	14.99	3	Horizontal	60	1.92	-	82.46	34.80	10.65	30.46
PK	5.8542G	64.75	88.20	-23.45	14.24	3	Horizontal	60	1.92	-	50.51	34.12	10.22	30.10
PK	6.4038G	110.35	Inf	-Inf	14.99	3	Horizontal	60	1.92	-	95.36	34.80	10.64	30.45

5.925-6.425GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX
6405MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.80997G	45.33	68.20	-22.87	22.53	3	Vertical	15	2.02	-	22.80	39.82	13.81	31.10
PK	12.81008G	58.14	88.20	-30.06	22.53	3	Vertical	15	2.02	-	35.61	39.82	13.81	31.10


5.925-6.425GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX
6405MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.81185G	44.18	68.20	-24.02	22.53	3	Horizontal	248	1.50	-	21.65	39.82	13.81	31.10
PK	12.80808G	57.86	88.20	-30.34	22.53	3	Horizontal	248	1.50	-	35.33	39.82	13.81	31.10

6.425-6.525GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX


6445MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.905G	51.58	68.20	-16.62	14.44	3	Vertical	60	1.50	-	37.14	34.29	10.26	30.11
AV	6.4342G	91.54	Inf	-Inf	14.99	3	Vertical	60	1.50	-	76.55	34.80	10.66	30.47
PK	5.899G	64.20	88.20	-24.00	14.44	3	Vertical	60	1.50	-	49.76	34.30	10.25	30.11
PK	6.4378G	103.08	Inf	-Inf	14.98	3	Vertical	60	1.50	-	88.10	34.80	10.66	30.48


6.425-6.525GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6445MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9218G	51.48	68.20	-16.72	14.42	3	Horizontal	61	1.70	-	37.06	34.26	10.27	30.11
AV	6.4498G	97.45	Inf	-Inf	14.98	3	Horizontal	61	1.70	-	82.47	34.80	10.67	30.49
PK	5.9098G	64.51	88.20	-23.69	14.43	3	Horizontal	61	1.70	-	50.08	34.28	10.26	30.11
PK	6.4522G	108.65	Inf	-Inf	14.99	3	Horizontal	61	1.70	-	93.66	34.81	10.67	30.49

6.425-6.525GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX
6445MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.89015G	44.83	68.20	-23.37	22.72	3	Vertical	13	1.48	-	22.11	39.98	13.86	31.12
PK	12.89401G	58.24	88.20	-29.96	22.73	3	Vertical	13	1.48	-	35.51	39.99	13.86	31.12


6.425-6.525GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX
6445MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.89003G	44.38	68.20	-23.82	22.72	3	Horizontal	25	1.48	-	21.66	39.98	13.86	31.12
PK	12.88808G	57.85	88.20	-30.35	22.72	3	Horizontal	25	1.48	-	35.13	39.98	13.86	31.12

6.425-6.525GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX


6485MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9054G	52.03	68.20	-16.17	14.44	3	Vertical	0	1.01	-	37.59	34.29	10.26	30.11
AV	6.4766G	90.57	Inf	-Inf	15.14	3	Vertical	0	1.01	-	75.43	34.96	10.69	30.51
AV	7.1346G	55.24	68.20	-12.96	16.91	3	Vertical	0	1.01	-	38.33	36.44	11.24	30.77
PK	5.8844G	64.40	88.20	-23.80	14.37	3	Vertical	0	1.01	-	50.03	34.24	10.24	30.11
PK	6.4752G	101.87	Inf	-Inf	15.13	3	Vertical	0	1.01	-	86.74	34.95	10.69	30.51
PK	7.1766G	67.24	88.20	-20.96	17.19	3	Vertical	0	1.01	-	50.05	36.66	11.28	30.75


6.425-6.525GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6485MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9152G	52.00	68.20	-16.20	14.43	3	Horizontal	63	1.91	-	37.57	34.27	10.27	30.11
AV	6.478G	97.94	Inf	-Inf	15.15	3	Horizontal	63	1.91	-	82.79	34.97	10.69	30.51
AV	7.1584G	55.26	68.20	-12.94	17.05	3	Horizontal	63	1.91	-	38.21	36.55	11.26	30.76
PK	5.8074G	63.78	88.20	-24.42	14.19	3	Horizontal	63	1.91	-	49.59	34.10	10.19	30.10
PK	6.478G	107.87	Inf	-Inf	15.15	3	Horizontal	63	1.91	-	92.72	34.97	10.69	30.51
PK	7.1444G	67.09	88.20	-21.11	16.97	3	Horizontal	63	1.91	-	50.12	36.48	11.25	30.76

6.425-6.525GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX
6485MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.97438G	45.08	68.20	-23.12	22.63	3	Vertical	171	2.71	-	22.45	39.85	13.91	31.13
PK	12.97512G	57.68	88.20	-30.52	22.62	3	Vertical	171	2.71	-	35.06	39.85	13.91	31.14


6.425-6.525GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX
6485MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.97368G	45.09	68.20	-23.11	22.63	3	Horizontal	4	1.55	-	22.46	39.85	13.91	31.13
PK	12.97758G	57.93	88.20	-30.27	22.61	3	Horizontal	4	1.55	-	35.32	39.84	13.91	31.14

6.425-6.525GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX


6525MHz Straddle 6.425-6.525GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8964G	51.99	68.20	-16.21	14.43	3	Vertical	-0	1.06	-	37.56	34.29	10.25	30.11
AV	6.5222G	90.27	Inf	-Inf	15.46	3	Vertical	-0	1.06	-	74.81	35.28	10.72	30.54
AV	7.19G	55.24	68.20	-12.96	17.28	3	Vertical	-0	1.06	-	37.96	36.74	11.29	30.75
PK	5.9118G	63.98	88.20	-24.22	14.43	3	Vertical	-0	1.06	-	49.55	34.28	10.26	30.11
PK	6.532G	101.46	Inf	-Inf	15.54	3	Vertical	-0	1.06	-	85.92	35.36	10.73	30.55
PK	7.1424G	67.04	88.20	-21.16	16.96	3	Vertical	-0	1.06	-	50.08	36.47	11.25	30.76

6.425-6.525GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX


6525MHz Straddle 6.425-6.525GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.902G	52.10	68.20	-16.10	14.45	3	Horizontal	40	1.91	-	37.65	34.30	10.26	30.11
AV	6.5222G	98.33	Inf	-Inf	15.46	3	Horizontal	40	1.91	-	82.87	35.28	10.72	30.54
AV	7.1522G	55.31	68.20	-12.89	17.01	3	Horizontal	40	1.91	-	38.30	36.51	11.26	30.76
PK	5.9174G	64.07	88.20	-24.13	14.43	3	Horizontal	40	1.91	-	49.64	34.27	10.27	30.11
PK	6.5264G	110.68	Inf	-Inf	15.49	3	Horizontal	40	1.91	-	95.19	35.31	10.72	30.54
PK	7.183G	68.63	88.20	-19.57	17.24	3	Horizontal	40	1.91	-	51.39	36.70	11.29	30.75

6.425-6.525GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX


6525MHz Straddle 6.425-6.525GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.04792G	45.29	68.20	-22.91	22.60	3	Vertical	260	2.14	-	22.69	39.80	13.95	31.15
PK	13.05722G	58.37	88.20	-29.83	22.60	3	Vertical	260	2.14	-	35.77	39.80	13.96	31.16

6.425-6.525GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX


6525MHz Straddle 6.425-6.525GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.04406G	45.26	68.20	-22.94	22.60	3	Horizontal	59	2.17	-	22.66	39.80	13.95	31.15
PK	13.05066G	58.51	88.20	-29.69	22.61	3	Horizontal	59	2.17	-	35.90	39.80	13.96	31.15

6.525-6.875GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX


6565MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.5626G	92.41	Inf	-Inf	15.73	3	Vertical	44	1.38	-	76.68	35.55	10.75	30.57
AV	7.1446G	55.36	68.20	-12.84	16.97	3	Vertical	44	1.38	-	38.39	36.48	11.25	30.76
PK	6.5614G	105.34	Inf	-Inf	15.73	3	Vertical	44	1.38	-	89.61	35.55	10.74	30.56
PK	7.1374G	66.50	88.20	-21.70	16.93	3	Vertical	44	1.38	-	49.57	36.45	11.25	30.77

6.525-6.875GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX


6565MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.5662G	98.20	Inf	-Inf	15.74	3	Horizontal	54	2.25	-	82.46	35.56	10.75	30.57
AV	7.1578G	55.24	68.20	-12.96	17.05	3	Horizontal	54	2.25	-	38.19	36.55	11.26	30.76
PK	6.5674G	107.55	Inf	-Inf	15.75	3	Horizontal	54	2.25	-	91.80	35.57	10.75	30.57
PK	7.1314G	66.10	88.20	-22.10	16.90	3	Horizontal	54	2.25	-	49.20	36.43	11.24	30.77

6.525-6.875GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX


6565MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.13302G	45.32	68.20	-22.88	22.66	3	Vertical	61	1.77	-	22.66	39.83	14.01	31.18
PK	13.12558G	58.77	88.20	-29.43	22.65	3	Vertical	61	1.77	-	36.12	39.83	14.00	31.18

6.525-6.875GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX


6565MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.12188G	45.35	68.20	-22.85	22.65	3	Horizontal	59	1.70	-	22.70	39.82	14.00	31.17
PK	13.12892G	58.32	88.20	-29.88	22.65	3	Horizontal	59	1.70	-	35.67	39.83	14.00	31.18

6.525-6.875GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX


6685MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.687G	92.26	Inf	-Inf	16.17	3	Vertical	34	1.79	-	76.09	35.95	10.85	30.63
AV	7.166G	54.93	68.20	-13.27	17.11	3	Vertical	34	1.79	-	37.82	36.60	11.27	30.76
PK	6.69G	104.25	Inf	-Inf	16.18	3	Vertical	34	1.79	-	88.07	35.96	10.86	30.64
PK	7.137G	67.80	88.20	-20.40	16.93	3	Vertical	34	1.79	-	50.87	36.45	11.25	30.77


6.525-6.875GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6685MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.691G	98.30	Inf	-Inf	16.18	3	Horizontal	62	1.85	-	82.12	35.96	10.86	30.64
AV	7.144G	54.72	68.20	-13.48	16.97	3	Horizontal	62	1.85	-	37.75	36.48	11.25	30.76
PK	6.69G	108.99	Inf	-Inf	16.18	3	Horizontal	62	1.85	-	92.81	35.96	10.86	30.64
PK	7.177G	66.19	88.20	-22.01	17.19	3	Horizontal	62	1.85	-	49.00	36.66	11.28	30.75

6.525-6.875GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX
6685MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.37227G	44.66	54.00	-9.34	23.10	3	Vertical	193	1.50	-	21.56	40.19	14.15	31.24
PK	13.37191G	58.11	74.00	-15.89	23.10	3	Vertical	193	1.50	-	35.01	40.19	14.15	31.24


6.525-6.875GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX
6685MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.37237G	44.67	54.00	-9.33	23.10	3	Horizontal	253	2.55	-	21.57	40.19	14.15	31.24
PK	13.3723G	58.21	74.00	-15.79	23.10	3	Horizontal	253	2.55	-	35.11	40.19	14.15	31.24

6.525-6.875GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX


6845MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.8366G	91.91	Inf	-Inf	16.10	3	Vertical	45	1.32	-	75.81	35.83	10.99	30.72
AV	7.1656G	54.75	68.20	-13.45	17.10	3	Vertical	45	1.32	-	37.65	36.59	11.27	30.76
PK	6.8345G	103.16	Inf	-Inf	16.10	3	Vertical	45	1.32	-	87.06	35.83	10.99	30.72
PK	7.1523G	67.18	88.20	-21.02	17.01	3	Vertical	45	1.32	-	50.17	36.51	11.26	30.76


6.525-6.875GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6845MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.838G	98.81	Inf	-Inf	16.09	3	Horizontal	44	3.00	-	82.72	35.82	10.99	30.72
AV	7.1523G	54.76	68.20	-13.44	17.01	3	Horizontal	44	3.00	-	37.75	36.51	11.26	30.76
PK	6.8394G	110.08	Inf	-Inf	16.09	3	Horizontal	44	3.00	-	93.99	35.82	10.99	30.72
PK	7.1747G	66.48	88.20	-21.72	17.18	3	Horizontal	44	3.00	-	49.30	36.65	11.28	30.75

6.525-6.875GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX
6845MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.68893G	48.59	68.20	-19.61	22.74	3	Vertical	264	1.50	-	25.85	39.72	14.35	31.33
PK	13.68822G	62.13	88.20	-26.07	22.74	3	Vertical	264	1.50	-	39.39	39.72	14.35	31.33


6.525-6.875GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX
6845MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.68557G	48.54	68.20	-19.66	22.76	3	Horizontal	114	1.50	-	25.78	39.73	14.35	31.32
PK	13.68816G	62.78	88.20	-25.42	22.74	3	Horizontal	114	1.50	-	40.04	39.72	14.35	31.33

6.525-6.875GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX


6885MHz Straddle 6.525-6.875GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.8906G	92.44	Inf	-Inf	16.09	3	Vertical	342	1.45	-	76.35	35.80	11.04	30.75
AV	7.2294G	54.82	68.20	-13.38	17.49	3	Vertical	342	1.45	-	37.33	36.92	11.31	30.74
PK	6.8899G	103.54	Inf	-Inf	16.09	3	Vertical	342	1.45	-	87.45	35.80	11.04	30.75
PK	7.137G	66.39	88.20	-21.81	16.93	3	Vertical	342	1.45	-	49.46	36.45	11.25	30.77

6.525-6.875GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX


6885MHz Straddle 6.525-6.875GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.8801G	98.10	Inf	-Inf	16.09	3	Horizontal	45	3.00	-	82.01	35.80	11.03	30.74
AV	7.2224G	54.88	68.20	-13.32	17.45	3	Horizontal	45	3.00	-	37.43	36.89	11.30	30.74
PK	6.8822G	109.33	Inf	-Inf	16.09	3	Horizontal	45	3.00	-	93.24	35.80	11.03	30.74
PK	7.1349G	67.11	88.20	-21.09	16.91	3	Horizontal	45	3.00	-	50.20	36.44	11.24	30.77

6.525-6.875GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX


6885MHz Straddle 6.525-6.875GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.77311G	49.12	68.20	-19.08	22.68	3	Vertical	341	1.50	-	26.44	39.63	14.40	31.35
PK	13.77322G	62.65	88.20	-25.55	22.68	3	Vertical	341	1.50	-	39.97	39.63	14.40	31.35

6.525-6.875GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX


6885MHz Straddle 6.525-6.875GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.76524G	49.10	68.20	-19.10	22.69	3	Horizontal	352	2.74	-	26.41	39.63	14.40	31.34
PK	13.77328G	62.49	88.20	-25.71	22.68	3	Horizontal	352	2.74	-	39.81	39.63	14.40	31.35

6.875-7.125GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX


6925MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.9196G	93.22	Inf	-Inf	16.10	3	Vertical	341	1.35	-	77.12	35.80	11.06	30.76
AV	7.2124G	54.74	68.20	-13.46	17.41	3	Vertical	341	1.35	-	37.33	36.85	11.30	30.74
PK	6.9208G	104.36	Inf	-Inf	16.09	3	Vertical	341	1.35	-	88.27	35.80	11.06	30.77
PK	7.2172G	67.28	88.20	-20.92	17.43	3	Vertical	341	1.35	-	49.85	36.87	11.30	30.74


6.875-7.125GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6925MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.9268G	97.93	Inf	-Inf	16.10	3	Horizontal	57	1.82	-	81.83	35.80	11.07	30.77
AV	7.2244G	54.87	68.20	-13.33	17.46	3	Horizontal	57	1.82	-	37.41	36.90	11.30	30.74
PK	6.928G	109.62	Inf	-Inf	16.10	3	Horizontal	57	1.82	-	93.52	35.80	11.07	30.77
PK	7.1302G	66.39	88.20	-21.81	16.89	3	Horizontal	57	1.82	-	49.50	36.42	11.24	30.77

6.875-7.125GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX
6925MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.84813G	49.91	68.20	-18.29	22.79	3	Vertical	165	1.50	-	27.12	39.70	14.45	31.36
PK	13.85014G	63.27	88.20	-24.93	22.79	3	Vertical	165	1.50	-	40.48	39.70	14.45	31.36


6.875-7.125GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX
6925MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.85277G	49.85	68.20	-18.35	22.80	3	Horizontal	281	3.00	-	27.05	39.71	14.45	31.36
PK	13.85261G	64.25	88.20	-23.95	22.80	3	Horizontal	281	3.00	-	41.45	39.71	14.45	31.36

6.875-7.125GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX


7005MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.0065G	93.97	Inf	-Inf	16.16	3	Vertical	344	1.44	-	77.81	35.83	11.14	30.81
AV	7.1307G	54.86	68.20	-13.34	16.89	3	Vertical	344	1.44	-	37.97	36.42	11.24	30.77
PK	7.0041G	106.33	Inf	-Inf	16.14	3	Vertical	344	1.44	-	90.19	35.82	11.13	30.81
PK	7.1346G	67.08	88.20	-21.12	16.91	3	Vertical	344	1.44	-	50.17	36.44	11.24	30.77


6.875-7.125GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

7005MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.0077G	98.39	Inf	-Inf	16.16	3	Horizontal	58	1.85	-	82.23	35.83	11.14	30.81
AV	7.146G	54.77	68.20	-13.43	16.97	3	Horizontal	58	1.85	-	37.80	36.48	11.25	30.76
PK	7.0068G	110.97	Inf	-Inf	16.16	3	Horizontal	58	1.85	-	94.81	35.83	11.14	30.81
PK	7.1394G	66.72	88.20	-21.48	16.94	3	Horizontal	58	1.85	-	49.78	36.46	11.25	30.77

6.875-7.125GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX
7005MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.01235G	50.22	68.20	-17.98	22.97	3	Vertical	165	1.50	-	27.25	39.82	14.55	31.40
PK	14.00686G	63.64	88.20	-24.56	22.96	3	Vertical	165	1.50	-	40.68	39.81	14.55	31.40


6.875-7.125GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX
7005MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.01291G	50.12	68.20	-18.08	22.98	3	Horizontal	83	1.50	-	27.14	39.83	14.55	31.40
PK	14.0116G	64.03	88.20	-24.17	22.97	3	Horizontal	83	1.50	-	41.06	39.82	14.55	31.40

6.875-7.125GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX


7085MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.0922G	93.86	Inf	-Inf	16.68	3	Vertical	344	1.50	-	77.18	36.25	11.21	30.78
AV	7.1303G	55.25	68.20	-12.95	16.89	3	Vertical	344	1.50	-	38.36	36.42	11.24	30.77
PK	7.088G	106.03	Inf	-Inf	16.65	3	Vertical	344	1.50	-	89.38	36.23	11.20	30.78
PK	7.1321G	68.46	88.20	-19.74	16.90	3	Vertical	344	1.50	-	51.56	36.43	11.24	30.77


6.875-7.125GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

7085MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.0793G	98.07	Inf	-Inf	16.60	3	Horizontal	37	3.00	-	81.47	36.18	11.20	30.78
AV	7.2338G	54.91	68.20	-13.29	17.51	3	Horizontal	37	3.00	-	37.40	36.94	11.31	30.74
PK	7.0811G	110.15	Inf	-Inf	16.61	3	Horizontal	37	3.00	-	93.54	36.19	11.20	30.78
PK	7.1324G	67.67	88.20	-20.53	16.90	3	Horizontal	37	3.00	-	50.77	36.43	11.24	30.77

6.875-7.125GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX
7085MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.16506G	50.14	68.20	-18.06	23.25	3	Vertical	308	2.74	-	26.89	40.00	14.66	31.41
PK	14.1683G	63.43	88.20	-24.77	23.25	3	Vertical	308	2.74	-	40.18	40.00	14.66	31.41


6.875-7.125GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX
7085MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.16996G	50.35	68.20	-17.85	23.26	3	Horizontal	37	1.76	-	27.09	40.00	14.67	31.41
PK	14.17013G	64.46	88.20	-23.74	23.26	3	Horizontal	37	1.76	-	41.20	40.00	14.67	31.41

5.925-6.425GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX


5985MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.914G	52.91	68.20	-15.29	14.43	3	Vertical	36	2.14	-	38.48	34.27	10.27	30.11
AV	5.998G	90.02	Inf	-Inf	14.32	3	Vertical	36	2.14	-	75.70	34.10	10.33	30.11
PK	5.9165G	65.79	88.20	-22.41	14.43	3	Vertical	36	2.14	-	51.36	34.27	10.27	30.11
PK	5.9965G	101.71	Inf	-Inf	14.33	3	Vertical	36	2.14	-	87.38	34.11	10.33	30.11


5.925-6.425GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

5985MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9245G	53.54	68.20	-14.66	14.41	3	Horizontal	52	1.78	-	39.13	34.25	10.27	30.11
AV	5.9655G	97.61	Inf	-Inf	14.36	3	Horizontal	52	1.78	-	83.25	34.17	10.30	30.11
PK	5.9205G	65.99	88.20	-22.21	14.42	3	Horizontal	52	1.78	-	51.57	34.26	10.27	30.11
PK	5.969G	112.16	Inf	-Inf	14.36	3	Horizontal	52	1.78	-	97.80	34.16	10.31	30.11

5.925-6.425GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX
5985MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.97144G	43.31	54.00	-10.69	21.39	3	Vertical	5	1.22	-	21.92	39.01	13.30	30.92
PK	11.97068G	56.31	74.00	-17.69	21.39	3	Vertical	5	1.22	-	34.92	39.01	13.30	30.92


5.925-6.425GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX
5985MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.97836G	43.31	54.00	-10.69	21.42	3	Horizontal	232	1.52	-	21.89	39.04	13.30	30.92
PK	11.97994G	56.17	74.00	-17.83	21.42	3	Horizontal	232	1.52	-	34.75	39.04	13.30	30.92

5.925-6.425GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX


6145MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9176G	52.03	68.20	-16.17	14.42	3	Vertical	37	1.24	-	37.61	34.26	10.27	30.11
AV	6.1444G	94.74	Inf	-Inf	14.42	3	Vertical	37	1.24	-	80.32	34.18	10.47	30.23
PK	5.8918G	64.29	88.20	-23.91	14.41	3	Vertical	37	1.24	-	49.88	34.27	10.25	30.11
PK	6.1294G	107.03	Inf	-Inf	14.36	3	Vertical	37	1.24	-	92.67	34.12	10.46	30.22


5.925-6.425GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6145MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.917G	52.04	68.20	-16.16	14.43	3	Horizontal	50	3.00	-	37.61	34.27	10.27	30.11
AV	6.1288G	98.09	Inf	-Inf	14.36	3	Horizontal	50	3.00	-	83.73	34.12	10.46	30.22
PK	5.884G	63.65	88.20	-24.55	14.37	3	Horizontal	50	3.00	-	49.28	34.24	10.24	30.11
PK	6.1384G	113.67	Inf	-Inf	14.39	3	Horizontal	50	3.00	-	99.28	34.15	10.47	30.23

**5.925-6.425GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX
6145MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.28808G	43.89	54.00	-10.11	21.61	3	Vertical	122	2.14	-	22.28	39.11	13.49	30.99
PK	12.29944G	56.47	74.00	-17.53	21.60	3	Vertical	122	2.14	-	34.87	39.10	13.49	30.99


**5.925-6.425GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX
6145MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.28926G	43.92	54.00	-10.08	21.61	3	Horizontal	16	2.38	-	22.31	39.11	13.49	30.99
PK	12.2915G	57.40	74.00	-16.60	21.61	3	Horizontal	16	2.38	-	35.79	39.11	13.49	30.99

5.925-6.425GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX


6385MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8978G	52.10	68.20	-16.10	14.43	3	Vertical	3	1.00	-	37.67	34.29	10.25	30.11
AV	6.3826G	90.93	Inf	-Inf	14.93	3	Vertical	3	1.00	-	76.00	34.73	10.63	30.43
PK	5.8426G	63.74	88.20	-24.46	14.21	3	Vertical	3	1.00	-	49.53	34.10	10.21	30.10
PK	6.3754G	102.51	Inf	-Inf	14.90	3	Vertical	3	1.00	-	87.61	34.70	10.63	30.43


5.925-6.425GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6385MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9122G	52.08	68.20	-16.12	14.43	3	Horizontal	42	1.82	-	37.65	34.28	10.26	30.11
AV	6.3694G	97.23	Inf	-Inf	14.88	3	Horizontal	42	1.82	-	82.35	34.68	10.62	30.42
PK	5.8618G	64.29	88.20	-23.91	14.28	3	Horizontal	42	1.82	-	50.01	34.15	10.23	30.10
PK	6.3718G	108.71	Inf	-Inf	14.89	3	Horizontal	42	1.82	-	93.82	34.69	10.62	30.42

**5.925-6.425GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX
6385MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.77382G	44.68	68.20	-23.52	22.42	3	Vertical	285	2.17	-	22.26	39.72	13.79	31.09
PK	12.76312G	58.03	88.20	-30.17	22.38	3	Vertical	285	2.17	-	35.65	39.69	13.78	31.09

**5.925-6.425GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX
6385MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.77078G	44.63	68.20	-23.57	22.40	3	Horizontal	292	1.03	-	22.23	39.71	13.78	31.09
PK	12.7735G	57.71	88.20	-30.49	22.42	3	Horizontal	292	1.03	-	35.29	39.72	13.79	31.09