



Summary

Mode	EIRP PD (dBm/RBW)
5.925-6.425GHz	-
802.11ax HEW20-BF_Nss1,(MCS0)_2TX	4.47
802.11ax HEW40-BF_Nss1,(MCS0)_2TX	4.65
802.11ax HEW80-BF_Nss1,(MCS0)_2TX	4.89
802.11ax HEW160-BF_Nss1,(MCS0)_2TX	4.46
6.425-6.525GHz	-
802.11ax HEW20-BF_Nss1,(MCS0)_2TX	4.63
802.11ax HEW40-BF_Nss1,(MCS0)_2TX	4.91
802.11ax HEW80-BF_Nss1,(MCS0)_2TX	4.58
802.11ax HEW160-BF_Nss1,(MCS0)_2TX	4.29
6.525-6.875GHz	-
802.11ax HEW20-BF_Nss1,(MCS0)_2TX	4.94
802.11ax HEW40-BF_Nss1,(MCS0)_2TX	4.93
802.11ax HEW80-BF_Nss1,(MCS0)_2TX	4.49
802.11ax HEW160-BF_Nss1,(MCS0)_2TX	4.55
6.875-7.125GHz	-
802.11ax HEW20-BF_Nss1,(MCS0)_2TX	4.97
802.11ax HEW40-BF_Nss1,(MCS0)_2TX	4.97
802.11ax HEW80-BF_Nss1,(MCS0)_2TX	4.58
802.11ax HEW160-BF_Nss1,(MCS0)_2TX	4.73



RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;







Result



Mode	Result	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
802.11ax HEW20-BF_Nss1,(MCS0)_2TX	-	-	-
5955MHz	Pass	4.47	5.00
6175MHz	Pass	4.07	5.00
6415MHz	Pass	4.40	5.00
6435MHz	Pass	4.62	5.00
6475MHz	Pass	4.63	5.00
6515MHz	Pass	4.48	5.00
6535MHz	Pass	4.70	5.00
6695MHz	Pass	4.59	5.00
6855MHz	Pass	4.94	5.00
6875MHz	Pass	4.07	5.00
6895MHz	Pass	4.97	5.00
6995MHz	Pass	4.67	5.00
7095MHz	Pass	4.24	5.00
7115MHz	Pass	-2.11	5.00
802.11ax HEW40-BF_Nss1,(MCS0)_2TX	-	-	-
5965MHz	Pass	4.65	5.00
6165MHz	Pass	4.33	5.00
6405MHz	Pass	4.28	5.00
6445MHz	Pass	4.08	5.00
6485MHz	Pass	4.53	5.00
6525MHz	Pass	4.91	5.00
6565MHz	Pass	4.80	5.00
6685MHz	Pass	4.93	5.00
6845MHz	Pass	4.83	5.00
6885MHz	Pass	4.61	5.00
6925MHz	Pass	4.32	5.00
7005MHz	Pass	4.79	5.00
7085MHz	Pass	4.97	5.00
802.11ax HEW80-BF_Nss1,(MCS0)_2TX	-	-	-
5985MHz	Pass	4.47	5.00
6145MHz	Pass	4.89	5.00
6385MHz	Pass	4.45	5.00
6465MHz	Pass	4.31	5.00
6545MHz	Pass	4.58	5.00
6625MHz	Pass	4.25	5.00
6705MHz	Pass	4.47	5.00
6785MHz	Pass	4.49	5.00
6865MHz	Pass	4.07	5.00
6945MHz	Pass	4.58	5.00
7025MHz	Pass	4.24	5.00
802.11ax HEW160-BF_Nss1,(MCS0)_2TX	-	-	-
6025MHz	Pass	4.40	5.00
6185MHz	Pass	4.46	5.00
6345MHz	Pass	4.44	5.00
6505MHz	Pass	4.29	5.00
6665MHz	Pass	4.18	5.00
6825MHz	Pass	4.55	5.00
6985MHz	Pass	4.73	5.00



DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;
 PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;



















































































Summary

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
5.925-6.425GHz	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX	Pass	6.18249G	-10.86	6.2091G	-62.10	-50.86	-11.24	1
802.11ax HEW20_Nss1,(MCS0)_2TX	Pass	6.18229G	-12.15	6.2123G	-62.41	-52.15	-10.26	1
802.11ax HEW40_Nss1,(MCS0)_2TX	Pass	6.166G	-8.98	6.2538G	-59.99	-48.98	-11.01	1
802.11ax HEW80_Nss1,(MCS0)_2TX	Pass	6.1422G	-5.32	6.2798G	-56.26	-45.32	-10.94	1
802.11ax HEW160_Nss1,(MCS0)_2TX	Pass	6.21297G	-2.54	6.4322G	-53.08	-42.52	-10.56	2
6.425-6.525GHz	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX	Pass	6.42751G	-10.69	6.4042G	-61.52	-50.69	-10.83	2
802.11ax HEW20_Nss1,(MCS0)_2TX	Pass	6.48379G	-11.16	6.431G	-61.69	-51.16	-10.53	2
802.11ax HEW40_Nss1,(MCS0)_2TX	Pass	6.4476G	-7.91	6.383G	-59.61	-47.91	-11.70	2
802.11ax HEW80_Nss1,(MCS0)_2TX	Pass	6.4666G	-4.59	6.341G	-55.65	-44.59	-11.06	2
802.11ax HEW160_Nss1,(MCS0)_2TX	Pass	6.49381G	-0.92	6.2594G	-48.52	-40.92	-7.60	2
6.525-6.875GHz	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX	Pass	6.86811G	-9.76	6.9174G	-60.57	-49.76	-10.81	1
802.11ax HEW20_Nss1,(MCS0)_2TX	Pass	6.86601G	-11.04	6.9201G	-61.20	-51.04	-10.16	1
802.11ax HEW40_Nss1,(MCS0)_2TX	Pass	6.8832G	-8.27	6.982G	-58.44	-48.27	-10.17	1
802.11ax HEW80_Nss1,(MCS0)_2TX	Pass	6.79539G	-6.11	6.9742G	-55.44	-46.11	-9.33	1
802.11ax HEW160_Nss1,(MCS0)_2TX	Pass	6.63543G	-1.06	6.8618G	-42.83	-33.71	-9.12	2
6.875-7.125GHz	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX	Pass	6.88771G	-10.61	6.9417G	-60.52	-50.61	-9.91	1
802.11ax HEW20_Nss1,(MCS0)_2TX	Pass	7.10601G	-17.34	7.0682G	-63.36	-57.34	-6.02	1
802.11ax HEW40_Nss1,(MCS0)_2TX	Pass	6.9226G	-9.18	6.9968G	-58.44	-49.18	-9.26	1
802.11ax HEW80_Nss1,(MCS0)_2TX	Pass	6.99943G	-5.98	6.9006G	-55.41	-45.98	-9.43	1
802.11ax HEW160_Nss1,(MCS0)_2TX	Pass	6.96422G	-2.67	6.737G	-52.92	-42.67	-10.25	1



Result

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
802.11a_Nss1,(6Mbps)_2TX	-	-	-	-	-	-	-	-
5955MHz	Pass	5.96239G	-9.63	6.0042G	-62.83	-49.63	-13.20	1
5955MHz	Pass	5.96229G	-10.20	6.0008G	-62.83	-50.20	-12.63	2
6175MHz	Pass	6.18249G	-10.86	6.2091G	-62.10	-50.86	-11.24	1
6175MHz	Pass	6.16751G	-10.58	6.22G	-61.97	-50.58	-11.39	2
6415MHz	Pass	6.40781G	-10.04	6.4555G	-61.53	-50.04	-11.49	1
6415MHz	Pass	6.40811G	-10.21	6.4454G	-61.50	-50.21	-11.29	2
6435MHz	Pass	6.44219G	-10.45	6.3999G	-61.47	-50.45	-11.02	1
6435MHz	Pass	6.42751G	-10.69	6.4042G	-61.52	-50.69	-10.83	2
6475MHz	Pass	6.48159G	-8.34	6.4419G	-61.21	-48.34	-12.87	1
6475MHz	Pass	6.48249G	-9.16	6.4263G	-61.29	-49.16	-12.13	2
6515MHz	Pass	6.50751G	-8.60	6.4724G	-61.53	-48.60	-12.93	1
6515MHz	Pass	6.50711G	-8.17	6.4813G	-61.40	-48.17	-13.23	2
6535MHz	Pass	6.52751G	-9.28	6.5796G	-61.54	-49.28	-12.26	1
6535MHz	Pass	6.52751G	-8.54	6.5033G	-61.35	-48.54	-12.81	2
6695MHz	Pass	6.70249G	-8.21	6.7337G	-61.62	-48.21	-13.41	1
6695MHz	Pass	6.70199G	-8.58	6.6555G	-61.66	-48.58	-13.08	2
6855MHz	Pass	6.84871G	-9.37	6.9019G	-60.89	-49.37	-11.52	1
6855MHz	Pass	6.86249G	-8.86	6.8896G	-60.89	-48.86	-12.03	2
6875MHz	Pass	6.86811G	-9.76	6.9174G	-60.57	-49.76	-10.81	1
6875MHz	Pass	6.86811G	-9.43	6.9166G	-60.70	-49.43	-11.27	2
6895MHz	Pass	6.88771G	-10.61	6.9417G	-60.52	-50.61	-9.91	1
6895MHz	Pass	6.88741G	-10.22	6.9439G	-60.40	-50.22	-10.18	2
6995MHz	Pass	6.98791G	-8.94	6.9626G	-60.16	-48.94	-11.22	1
6995MHz	Pass	6.98781G	-8.30	6.9638G	-60.12	-48.30	-11.82	2
7095MHz	Pass	7.08751G	-6.68	7.1061G	-40.64	-26.68	-13.96	1
7095MHz	Pass	7.08721G	-7.76	7.0641G	-62.22	-47.76	-14.46	2
7115MHz	Pass	7.10721G	-10.95	7.0821G	-62.72	-50.95	-11.77	1
7115MHz	Pass	7.10721G	-10.28	7.0809G	-62.56	-50.28	-12.28	2
802.11ax HEW20_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5955MHz	Pass	5.96399G	-9.96	5.992G	-63.31	-49.96	-13.35	1
5955MHz	Pass	5.96369G	-10.39	6.0018G	-63.40	-50.39	-13.01	2
6175MHz	Pass	6.18229G	-12.15	6.2123G	-62.41	-52.15	-10.26	1
6175MHz	Pass	6.18369G	-11.64	6.2153G	-62.46	-51.64	-10.82	2
6415MHz	Pass	6.40611G	-11.02	6.4575G	-61.79	-51.02	-10.77	1
6415MHz	Pass	6.40621G	-10.43	6.4488G	-61.97	-50.43	-11.54	2
6435MHz	Pass	6.44419G	-11.03	6.4016G	-61.93	-51.03	-10.90	1
6435MHz	Pass	6.42591G	-11.09	6.398G	-61.90	-51.09	-10.81	2
6475MHz	Pass	6.48399G	-10.75	6.4346G	-61.79	-50.75	-11.04	1
6475MHz	Pass	6.48379G	-11.16	6.431G	-61.69	-51.16	-10.53	2
6515MHz	Pass	6.50601G	-9.85	6.4815G	-61.97	-49.85	-12.12	1
6515MHz	Pass	6.50641G	-9.40	6.4796G	-61.86	-49.40	-12.46	2
6535MHz	Pass	6.52641G	-9.21	6.5824G	-61.86	-49.21	-12.65	1
6535MHz	Pass	6.52591G	-8.65	6.5848G	-61.70	-48.65	-13.05	2
6695MHz	Pass	6.70389G	-9.80	6.6457G	-62.10	-49.80	-12.30	1
6695MHz	Pass	6.70419G	-10.09	6.6494G	-62.16	-50.09	-12.07	2
6855MHz	Pass	6.84581G	-10.43	6.9048G	-61.38	-50.43	-10.95	1
6855MHz	Pass	6.86369G	-10.16	6.8958G	-61.30	-50.16	-11.14	2
6875MHz	Pass	6.86601G	-11.04	6.9201G	-61.20	-51.04	-10.16	1
6875MHz	Pass	6.86611G	-10.72	6.9218G	-61.12	-50.72	-10.40	2
6895MHz	Pass	6.88591G	-11.80	6.929G	-61.02	-51.80	-9.22	1
6895MHz	Pass	6.88631G	-11.25	6.9447G	-60.82	-51.25	-9.57	2
6995MHz	Pass	6.98571G	-9.16	6.9572G	-60.60	-49.16	-11.44	1
6995MHz	Pass	6.98631G	-8.13	6.9587G	-60.53	-48.13	-12.40	2
7095MHz	Pass	7.08631G	-12.71	7.047G	-62.99	-52.71	-10.28	1



Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
7095MHz	Pass	7.10259G	-11.84	7.0475G	-63.08	-51.84	-11.24	2
7115MHz	Pass	7.10601G	-17.34	7.0682G	-63.36	-57.34	-6.02	1
7115MHz	Pass	7.10581G	-16.02	7.0664G	-63.18	-56.02	-7.16	2
802.11ax HEW40_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5965MHz	Pass	5.9624G	-7.29	6.0462G	-60.85	-47.29	-13.56	1
5965MHz	Pass	5.9638G	-7.01	6.0628G	-60.75	-47.01	-13.74	2
6165MHz	Pass	6.166G	-8.98	6.2538G	-59.99	-48.98	-11.01	1
6165MHz	Pass	6.1642G	-8.65	6.2346G	-59.95	-48.65	-11.30	2
6405MHz	Pass	6.4028G	-7.63	6.4774G	-59.75	-47.63	-12.12	1
6405MHz	Pass	6.4042G	-7.74	6.466G	-59.66	-47.74	-11.92	2
6445MHz	Pass	6.4436G	-7.46	6.3822G	-59.77	-47.46	-12.31	1
6445MHz	Pass	6.4476G	-7.91	6.383G	-59.61	-47.91	-11.70	2
6485MHz	Pass	6.4862G	-5.02	6.424G	-58.99	-45.02	-13.97	1
6485MHz	Pass	6.4858G	-5.12	6.4236G	-58.75	-45.12	-13.63	2
6525MHz	Pass	6.524G	-6.48	6.4642G	-59.24	-46.48	-12.76	1
6525MHz	Pass	6.51821G	-5.63	6.4632G	-58.88	-45.63	-13.25	2
6565MHz	Pass	6.5662G	-6.24	6.5014G	-59.31	-46.24	-13.07	1
6565MHz	Pass	6.5664G	-6.24	6.5032G	-59.00	-46.24	-12.76	2
6685MHz	Pass	6.6864G	-7.13	6.6238G	-59.28	-47.13	-12.15	1
6685MHz	Pass	6.6862G	-6.57	6.623G	-59.44	-46.57	-12.87	2
6845MHz	Pass	6.8442G	-7.25	6.9434G	-58.69	-47.25	-11.44	1
6845MHz	Pass	6.85G	-6.85	6.9422G	-58.54	-46.85	-11.69	2
6885MHz	Pass	6.8832G	-8.27	6.982G	-58.44	-48.27	-10.17	1
6885MHz	Pass	6.8834G	-7.58	6.98G	-58.29	-47.58	-10.71	2
6925MHz	Pass	6.9226G	-9.18	6.9968G	-58.44	-49.18	-9.26	1
6925MHz	Pass	6.9276G	-8.55	6.9882G	-58.30	-48.55	-9.75	2
7005MHz	Pass	6.99521G	-8.35	6.9388G	-58.61	-48.35	-10.26	1
7005MHz	Pass	6.99881G	-7.63	6.9434G	-58.51	-47.63	-10.88	2
7085MHz	Pass	7.0868G	-8.65	6.9892G	-60.91	-48.65	-12.26	1
7085MHz	Pass	7.0878G	-9.68	7.0236G	-60.89	-49.68	-11.21	2
802.11ax HEW80_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5985MHz	Pass	5.9834G	-4.28	6.1082G	-57.05	-44.28	-12.77	1
5985MHz	Pass	5.9826G	-3.88	6.1086G	-56.96	-43.88	-13.08	2
6145MHz	Pass	6.1422G	-5.32	6.2798G	-56.26	-45.32	-10.94	1
6145MHz	Pass	6.1462G	-5.05	6.277G	-56.42	-45.05	-11.37	2
6385MHz	Pass	6.3834G	-4.42	6.2586G	-55.79	-44.42	-11.37	1
6385MHz	Pass	6.37861G	-4.40	6.2578G	-55.42	-44.40	-11.02	2
6465MHz	Pass	6.4638G	-4.54	6.5926G	-55.96	-44.54	-11.42	1
6465MHz	Pass	6.4666G	-4.59	6.341G	-55.65	-44.59	-11.06	2
6545MHz	Pass	6.547G	-3.58	6.415G	-54.89	-43.58	-11.31	1
6545MHz	Pass	6.53741G	-3.04	6.4182G	-54.52	-43.04	-11.48	2
6625MHz	Pass	6.61941G	-2.06	6.5002G	-54.87	-42.06	-12.81	1
6625MHz	Pass	6.627G	-2.32	6.4958G	-54.71	-42.32	-12.39	2
6705MHz	Pass	6.703G	-4.87	6.8302G	-55.68	-44.87	-10.81	1
6705MHz	Pass	6.71499G	-4.02	6.8338G	-55.46	-44.02	-11.44	2
6785MHz	Pass	6.79539G	-6.11	6.9742G	-55.44	-46.11	-9.33	1
6785MHz	Pass	6.77461G	-5.53	6.9634G	-55.05	-45.53	-9.52	2
6865MHz	Pass	6.85821G	-5.65	6.9902G	-55.07	-45.65	-9.42	1
6865MHz	Pass	6.85981G	-4.98	6.9982G	-54.86	-44.98	-9.88	2
6945MHz	Pass	6.95579G	-6.01	6.8118G	-55.93	-46.01	-9.92	1
6945MHz	Pass	6.95819G	-5.45	6.8142G	-55.85	-45.45	-10.40	2
7025MHz	Pass	6.99943G	-5.98	6.9006G	-55.41	-45.98	-9.43	1
7025MHz	Pass	6.99903G	-6.02	6.901G	-55.52	-46.02	-9.50	2
802.11ax HEW160_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
6025MHz	Pass	5.98264G	-1.13	6.2194G	-45.05	-33.47	-11.58	1
6025MHz	Pass	5.99063G	-1.19	6.2722G	-52.85	-41.17	-11.68	2



Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
6185MHz	Pass	6.21377G	-2.46	6.4338G	-53.07	-42.46	-10.61	1
6185MHz	Pass	6.21297G	-2.54	6.4322G	-53.08	-42.52	-10.56	2
6345MHz	Pass	6.37457G	-1.60	6.0954G	-52.57	-41.60	-10.97	1
6345MHz	Pass	6.30904G	-1.66	6.097G	-52.70	-41.65	-11.05	2
6505MHz	Pass	6.47543G	-0.53	6.2578G	-48.92	-40.46	-8.46	1
6505MHz	Pass	6.49381G	-0.92	6.2594G	-48.52	-40.92	-7.60	2
6665MHz	Pass	6.63223G	-1.33	6.4162G	-50.94	-41.33	-9.61	1
6665MHz	Pass	6.63543G	-1.06	6.8618G	-42.83	-33.71	-9.12	2
6825MHz	Pass	6.85377G	-2.37	6.5762G	-52.83	-42.37	-10.46	1
6825MHz	Pass	6.85217G	-1.54	6.5794G	-52.26	-41.45	-10.81	2
6985MHz	Pass	6.96422G	-2.67	6.737G	-52.92	-42.67	-10.25	1
6985MHz	Pass	6.97541G	-2.12	6.7362G	-52.49	-42.12	-10.37	2

802.11a_Nss1,(6Mbps)_2TX
5955MHz_TX

MASK

03/09/2022

CF Freq
5.955GHz


Span
100MHz


RBW
300kHz


VBW
1MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.96239G	-9.63	6.0042G	-62.83	-49.63	-13.20	1
5.96229G	-10.20	6.0008G	-62.83	-50.20	-12.63	2

802.11a_Nss1,(6Mbps)_2TX
6175MHz_TX

MASK

03/09/2022

CF Freq
6.175GHz


Span
100MHz


RBW
300kHz


VBW
1MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.18249G	-10.86	6.2091G	-62.10	-50.86	-11.24	1
6.16751G	-10.58	6.22G	-61.97	-50.58	-11.39	2

802.11a_Nss1,(6Mbps)_2TX

MASK

6415MHz_TX

03/09/2022

CF Freq
6.415GHz


Span
100MHz


RBW
300kHz


VBW
1MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.40781G	-10.04	6.4555G	-61.53	-50.04	-11.49	1
6.40811G	-10.21	6.4454G	-61.50	-50.21	-11.29	2

802.11a_Nss1,(6Mbps)_2TX

MASK

6435MHz_TX

03/09/2022

CF Freq
6.435GHz


Span
100MHz


RBW
300kHz


VBW
1MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.44219G	-10.45	6.3999G	-61.47	-50.45	-11.02	1
6.42751G	-10.69	6.4042G	-61.52	-50.69	-10.83	2

802.11a_Nss1,(6Mbps)_2TX

MASK

6475MHz_TX

03/09/2022

CF Freq
6.475GHz


Span
100MHz


RBW
300kHz


VBW
1MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.48159G	-8.34	6.4419G	-61.21	-48.34	-12.87	1
6.48249G	-9.16	6.4263G	-61.29	-49.16	-12.13	2

802.11a_Nss1,(6Mbps)_2TX

MASK

6515MHz_TX

03/09/2022

CF Freq
6.515GHz


Span
100MHz


RBW
300kHz


VBW
1MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.50751G	-8.60	6.4724G	-61.53	-48.60	-12.93	1
6.50711G	-8.17	6.4813G	-61.40	-48.17	-13.23	2

802.11a_Nss1,(6Mbps)_2TX

MASK

6535MHz_TX

03/09/2022

CF Freq
6.535GHz


Span
100MHz


RBW
300kHz


VBW
1MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.52751G	-9.28	6.5796G	-61.54	-49.28	-12.26	1
6.52751G	-8.54	6.5033G	-61.35	-48.54	-12.81	2

802.11a_Nss1,(6Mbps)_2TX

MASK

6695MHz_TX

03/09/2022

CF Freq
6.695GHz


Span
100MHz


RBW
300kHz


VBW
1MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.70249G	-8.21	6.7337G	-61.62	-48.21	-13.41	1
6.70199G	-8.58	6.6555G	-61.66	-48.58	-13.08	2

802.11a_Nss1,(6Mbps)_2TX

MASK

6855MHz_TX

03/09/2022

CF Freq
6.855GHz


Span
100MHz


RBW
300kHz


VBW
1MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.84871G	-9.37	6.9019G	-60.89	-49.37	-11.52	1
6.86249G	-8.86	6.8896G	-60.89	-48.86	-12.03	2

802.11a_Nss1,(6Mbps)_2TX

MASK

6875MHz_TX

03/09/2022

CF Freq
6.875GHz


Span
100MHz


RBW
300kHz


VBW
1MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.86811G	-9.76	6.9174G	-60.57	-49.76	-10.81	1
6.86811G	-9.43	6.9166G	-60.70	-49.43	-11.27	2

802.11a_Nss1,(6Mbps)_2TX

MASK

6895MHz_TX

03/09/2022

CF Freq
6.895GHz


Span
100MHz


RBW
300kHz


VBW
1MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.88771G	-10.61	6.9417G	-60.52	-50.61	-9.91	1
6.88741G	-10.22	6.9439G	-60.40	-50.22	-10.18	2

802.11a_Nss1,(6Mbps)_2TX

MASK

6995MHz_TX

03/09/2022

CF Freq
6.995GHz


Span
100MHz


RBW
300kHz


VBW
1MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.98791G	-8.94	6.9626G	-60.16	-48.94	-11.22	1
6.98781G	-8.30	6.9638G	-60.12	-48.30	-11.82	2

802.11a_Nss1,(6Mbps)_2TX

MASK

7095MHz_TX

03/09/2022

CF Freq
7.095GHz


Span
100MHz


RBW
300kHz


VBW
1MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.08751G	-6.68	7.1061G	-40.64	-26.68	-13.96	1
7.08721G	-7.76	7.0641G	-62.22	-47.76	-14.46	2

802.11a_Nss1,(6Mbps)_2TX

MASK

7115MHz_TX

03/09/2022

CF Freq
7.115GHz


Span
100MHz


RBW
300kHz


VBW
1MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.10721G	-10.95	7.0821G	-62.72	-50.95	-11.77	1
7.10721G	-10.28	7.0809G	-62.56	-50.28	-12.28	2

802.11ax HEW20_Nss1,(MCS0)_2TX

MASK

5955MHz_TX

03/09/2022

CF Freq
5.955GHz


Span
100MHz


RBW
300kHz


VBW
1MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.96399G	-9.96	5.992G	-63.31	-49.96	-13.35	1
5.96369G	-10.39	6.0018G	-63.40	-50.39	-13.01	2

802.11ax HEW20_Nss1,(MCS0)_2TX

MASK

6175MHz_TX

03/09/2022

CF Freq
6.175GHz


Span
100MHz


RBW
300kHz


VBW
1MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.18229G	-12.15	6.2123G	-62.41	-52.15	-10.26	1
6.18369G	-11.64	6.2153G	-62.46	-51.64	-10.82	2

802.11ax HEW20_Nss1,(MCS0)_2TX

MASK

6415MHz_TX

03/09/2022

CF Freq
6.415GHz


Span
100MHz


RBW
300kHz


VBW
1MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.40611G	-11.02	6.4575G	-61.79	-51.02	-10.77	1
6.40621G	-10.43	6.4488G	-61.97	-50.43	-11.54	2

802.11ax HEW20_Nss1,(MCS0)_2TX

MASK

6435MHz_TX

03/09/2022

CF Freq
6.435GHz


Span
100MHz


RBW
300kHz


VBW
1MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.44419G	-11.03	6.4016G	-61.93	-51.03	-10.90	1
6.42591G	-11.09	6.398G	-61.90	-51.09	-10.81	2

802.11ax HEW20_Nss1,(MCS0)_2TX

MASK

6475MHz_TX

03/09/2022

CF Freq
6.475GHz


Span
100MHz


RBW
300kHz


VBW
1MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.48399G	-10.75	6.4346G	-61.79	-50.75	-11.04	1
6.48379G	-11.16	6.431G	-61.69	-51.16	-10.53	2

802.11ax HEW20_Nss1,(MCS0)_2TX

MASK

6515MHz_TX

03/09/2022

CF Freq
6.515GHz


Span
100MHz


RBW
300kHz


VBW
1MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.50601G	-9.85	6.4815G	-61.97	-49.85	-12.12	1
6.50641G	-9.40	6.4796G	-61.86	-49.40	-12.46	2

802.11ax HEW20_Nss1,(MCS0)_2TX

MASK

6535MHz_TX

03/09/2022

CF Freq
6.535GHz


Span
100MHz


RBW
300kHz


VBW
1MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.52641G	-9.21	6.5824G	-61.86	-49.21	-12.65	1
6.52591G	-8.65	6.5848G	-61.70	-48.65	-13.05	2

802.11ax HEW20_Nss1,(MCS0)_2TX

MASK

6695MHz_TX

03/09/2022

CF Freq
6.695GHz


Span
100MHz


RBW
300kHz


VBW
1MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.70389G	-9.80	6.6457G	-62.10	-49.80	-12.30	1
6.70419G	-10.09	6.6494G	-62.16	-50.09	-12.07	2

802.11ax HEW20_Nss1,(MCS0)_2TX

MASK

6855MHz_TX

03/09/2022

CF Freq
6.855GHz


Span
100MHz


RBW
300kHz


VBW
1MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.84581G	-10.43	6.9048G	-61.38	-50.43	-10.95	1
6.86369G	-10.16	6.8958G	-61.30	-50.16	-11.14	2

802.11ax HEW20_Nss1,(MCS0)_2TX

MASK

6875MHz_TX

03/09/2022

CF Freq
6.875GHz


Span
100MHz


RBW
300kHz


VBW
1MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.86601G	-11.04	6.9201G	-61.20	-51.04	-10.16	1
6.86611G	-10.72	6.9218G	-61.12	-50.72	-10.40	2

802.11ax HEW20_Nss1,(MCS0)_2TX

MASK

6895MHz_TX

03/09/2022

CF Freq
6.895GHz


Span
100MHz


RBW
300kHz


VBW
1MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.88591G	-11.80	6.929G	-61.02	-51.80	-9.22	1
6.88631G	-11.25	6.9447G	-60.82	-51.25	-9.57	2

802.11ax HEW20_Nss1,(MCS0)_2TX

MASK

6995MHz_TX

03/09/2022

CF Freq
6.995GHz


Span
100MHz


RBW
300kHz


VBW
1MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.98571G	-9.16	6.9572G	-60.60	-49.16	-11.44	1
6.98631G	-8.13	6.9587G	-60.53	-48.13	-12.40	2

802.11ax HEW20_Nss1,(MCS0)_2TX

MASK

7095MHz_TX

03/09/2022

CF Freq
7.095GHz


Span
100MHz


RBW
300kHz


VBW
1MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.08631G	-12.71	7.047G	-62.99	-52.71	-10.28	1
7.10259G	-11.84	7.0475G	-63.08	-51.84	-11.24	2

802.11ax HEW20_Nss1,(MCS0)_2TX

MASK

7115MHz_TX

03/09/2022

CF Freq
7.115GHz


Span
100MHz


RBW
300kHz


VBW
1MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.10601G	-17.34	7.0682G	-63.36	-57.34	-6.02	1
7.10581G	-16.02	7.0664G	-63.18	-56.02	-7.16	2

802.11ax HEW40_Nss1,(MCS0)_2TX

MASK

5965MHz_TX

03/09/2022

CF Freq
5.965GHz


Span
200MHz


RBW
500kHz


VBW
2MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.9624G	-7.29	6.0462G	-60.85	-47.29	-13.56	1
5.9638G	-7.01	6.0628G	-60.75	-47.01	-13.74	2

802.11ax HEW40_Nss1,(MCS0)_2TX

MASK

6165MHz_TX

03/09/2022

CF Freq
6.165GHz


Span
200MHz


RBW
500kHz


VBW
2MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.166G	-8.98	6.2538G	-59.99	-48.98	-11.01	1
6.1642G	-8.65	6.2346G	-59.95	-48.65	-11.30	2

802.11ax HEW40_Nss1,(MCS0)_2TX

MASK

6405MHz_TX

03/09/2022

CF Freq
6.405GHz


Span
200MHz


RBW
500kHz


VBW
2MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.4028G	-7.63	6.4774G	-59.75	-47.63	-12.12	1
6.4042G	-7.74	6.466G	-59.66	-47.74	-11.92	2

802.11ax HEW40_Nss1,(MCS0)_2TX

MASK

6445MHz_TX

03/09/2022

CF Freq
6.445GHz


Span
200MHz


RBW
500kHz


VBW
2MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.4436G	-7.46	6.3822G	-59.77	-47.46	-12.31	1
6.4476G	-7.91	6.383G	-59.61	-47.91	-11.70	2

802.11ax HEW40_Nss1,(MCS0)_2TX

MASK

6485MHz_TX

03/09/2022




802.11ax HEW40_Nss1,(MCS0)_2TX

MASK

6525MHz_TX

03/09/2022



802.11ax HEW40_Nss1,(MCS0)_2TX

MASK

6565MHz_TX

03/09/2022

CF Freq
6.565GHz


Span
200MHz


RBW
500kHz


VBW
2MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.5662G	-6.24	6.5014G	-59.31	-46.24	-13.07	1
6.5664G	-6.24	6.5032G	-59.00	-46.24	-12.76	2

802.11ax HEW40_Nss1,(MCS0)_2TX

MASK

6685MHz_TX

03/09/2022

CF Freq
6.685GHz


Span
200MHz


RBW
500kHz


VBW
2MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.6864G	-7.13	6.6238G	-59.28	-47.13	-12.15	1
6.6862G	-6.57	6.623G	-59.44	-46.57	-12.87	2

802.11ax HEW40_Nss1,(MCS0)_2TX

MASK

6845MHz_TX

03/09/2022

CF Freq
6.845GHz


Span
200MHz


RBW
500kHz


VBW
2MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.8442G	-7.25	6.9434G	-58.69	-47.25	-11.44	1
6.85G	-6.85	6.9422G	-58.54	-46.85	-11.69	2

802.11ax HEW40_Nss1,(MCS0)_2TX

MASK

6885MHz_TX

03/09/2022

CF Freq
6.885GHz


Span
200MHz


RBW
500kHz


VBW
2MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.8832G	-8.27	6.982G	-58.44	-48.27	-10.17	1
6.8834G	-7.58	6.98G	-58.29	-47.58	-10.71	2

802.11ax HEW40_Nss1,(MCS0)_2TX

MASK

6925MHz_TX

03/09/2022




802.11ax HEW40_Nss1,(MCS0)_2TX

MASK

7005MHz_TX

03/09/2022



802.11ax HEW40_Nss1,(MCS0)_2TX

MASK

7085MHz_TX

03/09/2022

CF Freq
7.085GHz


Span
200MHz


RBW
500kHz


VBW
2MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.0868G	-8.65	6.9892G	-60.91	-48.65	-12.26	1
7.0878G	-9.68	7.0236G	-60.89	-49.68	-11.21	2

802.11ax HEW80_Nss1,(MCS0)_2TX

MASK

5985MHz_TX

03/09/2022

CF Freq
5.985GHz


Span
400MHz


RBW
1MHz


VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.9834G	-4.28	6.1082G	-57.05	-44.28	-12.77	1
5.9826G	-3.88	6.1086G	-56.96	-43.88	-13.08	2

802.11ax HEW80_Nss1,(MCS0)_2TX

MASK

6145MHz_TX

03/09/2022




802.11ax HEW80_Nss1,(MCS0)_2TX

MASK

6385MHz_TX

03/09/2022



802.11ax HEW80_Nss1,(MCS0)_2TX

MASK

6465MHz_TX

03/09/2022

CF Freq
6.465GHz


Span
400MHz


RBW
1MHz


VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.4638G	-4.54	6.5926G	-55.96	-44.54	-11.42	1
6.4666G	-4.59	6.341G	-55.65	-44.59	-11.06	2

802.11ax HEW80_Nss1,(MCS0)_2TX

MASK

6545MHz_TX

03/09/2022

CF Freq
6.545GHz


Span
400MHz


RBW
1MHz


VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.547G	-3.58	6.415G	-54.89	-43.58	-11.31	1
6.53741G	-3.04	6.4182G	-54.52	-43.04	-11.48	2

802.11ax HEW80_Nss1,(MCS0)_2TX

MASK

6625MHz_TX

03/09/2022

CF Freq
6.625GHz


Span
400MHz


RBW
1MHz


VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.61941G	-2.06	6.5002G	-54.87	-42.06	-12.81	1
6.627G	-2.32	6.4958G	-54.71	-42.32	-12.39	2

802.11ax HEW80_Nss1,(MCS0)_2TX

MASK

6705MHz_TX

03/09/2022

CF Freq
6.705GHz


Span
400MHz


RBW
1MHz


VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.703G	-4.87	6.8302G	-55.68	-44.87	-10.81	1
6.71499G	-4.02	6.8338G	-55.46	-44.02	-11.44	2

802.11ax HEW80_Nss1,(MCS0)_2TX

MASK

6785MHz_TX

03/09/2022

CF Freq
6.785GHz


Span
400MHz

RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Port 1

Port 2

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.79539G	-6.11	6.9742G	-55.44	-46.11	-9.33	1
6.77461G	-5.53	6.9634G	-55.05	-45.53	-9.52	2

802.11ax HEW80_Nss1,(MCS0)_2TX

MASK

6865MHz_TX

03/09/2022

CF Freq
6.865GHz


Span
400MHz

RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Port 1

Port 2


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.85821G	-5.65	6.9902G	-55.07	-45.65	-9.42	1
6.85981G	-4.98	6.9982G	-54.86	-44.98	-9.88	2

802.11ax HEW80_Nss1,(MCS0)_2TX

MASK

6945MHz_TX

03/09/2022




802.11ax HEW80_Nss1,(MCS0)_2TX

MASK

7025MHz_TX

03/09/2022



802.11ax HEW160_Nss1,(MCS0)_2TX

MASK

6025MHz_TX

03/09/2022

CF Freq
6.025GHz


Span
800MHz


RBW
2MHz


VBW
10MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.98264G	-1.13	6.2194G	-45.05	-33.47	-11.58	1
5.99063G	-1.19	6.2722G	-52.85	-41.17	-11.68	2

802.11ax HEW160_Nss1,(MCS0)_2TX

MASK

6185MHz_TX

03/09/2022

CF Freq
6.185GHz


Span
800MHz


RBW
2MHz


VBW
10MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.21377G	-2.46	6.4338G	-53.07	-42.46	-10.61	1
6.21297G	-2.54	6.4322G	-53.08	-42.52	-10.56	2

802.11ax HEW160_Nss1,(MCS0)_2TX

MASK

6345MHz_TX

03/09/2022

CF Freq
6.345GHz


Span
800MHz


RBW
2MHz


VBW
10MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.37457G	-1.60	6.0954G	-52.57	-41.60	-10.97	1
6.30904G	-1.66	6.097G	-52.70	-41.65	-11.05	2

802.11ax HEW160_Nss1,(MCS0)_2TX

MASK

6505MHz_TX

03/09/2022

CF Freq
6.505GHz


Span
800MHz


RBW
2MHz


VBW
10MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.47543G	-0.53	6.2578G	-48.92	-40.46	-8.46	1
6.49381G	-0.92	6.2594G	-48.52	-40.92	-7.60	2

802.11ax HEW160_Nss1,(MCS0)_2TX

MASK

6665MHz_TX

03/09/2022

CF Freq
6.665GHz


Span
800MHz


RBW
2MHz


VBW
10MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.63223G	-1.33	6.4162G	-50.94	-41.33	-9.61	1
6.63543G	-1.06	6.8618G	-42.83	-33.71	-9.12	2

802.11ax HEW160_Nss1,(MCS0)_2TX

MASK

6825MHz_TX

03/09/2022

CF Freq
6.825GHz


Span
800MHz


RBW
2MHz


VBW
10MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.85377G	-2.37	6.5762G	-52.83	-42.37	-10.46	1
6.85217G	-1.54	6.5794G	-52.26	-41.45	-10.81	2

802.11ax HEW160_Nss1,(MCS0)_2TX

MASK

6985MHz_TX

03/09/2022

CF Freq
6.985GHz


Span
800MHz


RBW
2MHz


VBW
10MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.96422G	-2.67	6.737G	-52.92	-42.67	-10.25	1
6.97541G	-2.12	6.7362G	-52.49	-42.12	-10.37	2



Summary

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
5.925-6.425GHz	-	-	-	-	-	-	-	-
802.11ax HEW20-BF_Nss1,(MCS0)_2TX	Pass	6.18349G	-7.37	6.1868G	-41.56	-27.41	-14.15	2
802.11ax HEW40-BF_Nss1,(MCS0)_2TX	Pass	6.39981G	-2.02	6.349G	-52.49	-39.45	-13.04	1
802.11ax HEW80-BF_Nss1,(MCS0)_2TX	Pass	6.381G	-1.82	6.2678G	-52.80	-40.04	-12.76	1
802.11ax HEW160-BF_Nss1,(MCS0)_2TX	Pass	5.99063G	1.90	6.2218G	-39.44	-30.54	-8.90	1
6.425-6.525GHz	-	-	-	-	-	-	-	-
802.11ax HEW20-BF_Nss1,(MCS0)_2TX	Pass	6.42641G	-6.36	6.4234G	-39.63	-26.26	-13.37	1
802.11ax HEW40-BF_Nss1,(MCS0)_2TX	Pass	6.4476G	-1.99	6.3856G	-55.09	-41.14	-13.95	1
802.11ax HEW80-BF_Nss1,(MCS0)_2TX	Pass	6.53701G	-1.30	6.421G	-54.99	-41.30	-13.69	1
802.11ax HEW160-BF_Nss1,(MCS0)_2TX	Pass	6.46904G	3.08	6.2978G	-37.89	-30.73	-7.16	2
6.525-6.875GHz	-	-	-	-	-	-	-	-
802.11ax HEW20-BF_Nss1,(MCS0)_2TX	Pass	6.52611G	-4.81	6.5468G	-39.71	-24.81	-14.90	1
802.11ax HEW40-BF_Nss1,(MCS0)_2TX	Pass	6.57099G	-5.03	6.504G	-61.96	-45.03	-16.93	1
802.11ax HEW80-BF_Nss1,(MCS0)_2TX	Pass	6.63659G	-0.38	6.5082G	-52.99	-38.53	-14.46	1
802.11ax HEW160-BF_Nss1,(MCS0)_2TX	Pass	6.65621G	3.39	6.8802G	-39.55	-31.62	-7.93	2
6.875-7.125GHz	-	-	-	-	-	-	-	-
802.11ax HEW20-BF_Nss1,(MCS0)_2TX	Pass	7.12419G	-18.53	7.0814G	-69.18	-58.53	-10.65	2
802.11ax HEW40-BF_Nss1,(MCS0)_2TX	Pass	7.0826G	-8.20	7.023G	-64.20	-48.20	-16.00	1
802.11ax HEW80-BF_Nss1,(MCS0)_2TX	Pass	7.01301G	-4.58	6.899G	-59.81	-44.58	-15.23	2
802.11ax HEW160-BF_Nss1,(MCS0)_2TX	Pass	7.00818G	-0.87	7.1922G	-45.28	-34.77	-10.51	2



Result

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
802.11ax HEW20-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5955MHz	Pass	5.96369G	-7.57	5.967G	-42.85	-27.72	-15.13	1
5955MHz	Pass	5.96419G	-8.28	5.967G	-44.26	-28.31	-15.95	2
6175MHz	Pass	6.18299G	-6.69	6.187G	-41.87	-26.74	-15.13	1
6175MHz	Pass	6.18349G	-7.37	6.1868G	-41.56	-27.41	-14.15	2
6415MHz	Pass	6.42399G	-5.88	6.4028G	-42.76	-25.94	-16.82	1
6415MHz	Pass	6.42269G	-7.15	6.427G	-42.63	-27.20	-15.43	2
6435MHz	Pass	6.42641G	-6.36	6.4234G	-39.63	-26.26	-13.37	1
6435MHz	Pass	6.42631G	-7.18	6.4469G	-42.28	-27.19	-15.09	2
6475MHz	Pass	6.46871G	-5.13	6.4631G	-40.63	-25.21	-15.42	1
6475MHz	Pass	6.46571G	-6.27	6.4869G	-41.86	-26.28	-15.58	2
6515MHz	Pass	6.52259G	-7.80	6.5269G	-43.51	-27.88	-15.63	1
6515MHz	Pass	6.52419G	-8.63	6.527G	-44.86	-28.69	-16.17	2
6535MHz	Pass	6.52611G	-4.81	6.5468G	-39.71	-24.81	-14.90	1
6535MHz	Pass	6.52591G	-5.40	6.5471G	-42.37	-25.44	-16.93	2
6695MHz	Pass	6.68741G	-6.53	6.6829G	-42.80	-26.65	-16.15	1
6695MHz	Pass	6.68751G	-6.15	6.6831G	-42.08	-26.19	-15.89	2
6855MHz	Pass	6.86209G	-8.99	6.867G	-44.70	-29.07	-15.63	1
6855MHz	Pass	6.86299G	-9.22	6.867G	-45.66	-29.40	-16.26	2
6875MHz	Pass	6.86661G	-10.16	6.8867G	-44.79	-29.66	-15.13	1
6875MHz	Pass	6.86691G	-10.32	6.8869G	-45.92	-30.33	-15.59	2
6895MHz	Pass	6.90279G	-5.38	6.8828G	-41.25	-25.53	-15.72	1
6895MHz	Pass	6.88641G	-5.32	6.907G	-42.25	-25.32	-16.93	2
6995MHz	Pass	7.00389G	-7.50	7.0069G	-42.21	-27.68	-14.53	1
6995MHz	Pass	7.00429G	-8.35	7.0068G	-43.40	-28.35	-15.05	2
7095MHz	Pass	7.08581G	-7.85	7.083G	-43.58	-27.85	-15.73	1
7095MHz	Pass	7.08761G	-9.61	7.1069G	-44.76	-29.68	-15.08	2
7115MHz	Pass	7.12359G	-18.17	7.0659G	-69.18	-58.17	-11.01	1
7115MHz	Pass	7.12419G	-18.53	7.0814G	-69.18	-58.53	-10.65	2
802.11ax HEW40-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5965MHz	Pass	5.9682G	-2.18	6.0212G	-55.62	-39.88	-15.74	1
5965MHz	Pass	5.9684G	-3.28	5.986G	-39.80	-21.28	-18.52	2
6165MHz	Pass	6.162G	-3.29	6.1004G	-59.94	-43.29	-16.65	1
6165MHz	Pass	6.163G	-4.43	6.1036G	-62.54	-44.43	-18.11	2
6405MHz	Pass	6.39981G	-2.02	6.349G	-52.49	-39.45	-13.04	1
6405MHz	Pass	6.4016G	-2.91	6.3444G	-60.58	-42.91	-17.67	2
6445MHz	Pass	6.4476G	-1.99	6.3856G	-55.09	-41.14	-13.95	1
6445MHz	Pass	6.444G	-2.92	6.3854G	-59.83	-42.61	-17.22	2
6485MHz	Pass	6.4816G	-4.04	6.4276G	-58.86	-42.05	-16.81	1
6485MHz	Pass	6.47761G	-5.13	6.4246G	-62.81	-45.13	-17.68	2
6525MHz	Pass	6.5296G	-4.58	6.4628G	-61.61	-44.58	-17.03	1
6525MHz	Pass	6.5258G	-5.29	6.4622G	-62.99	-45.29	-17.70	2
6565MHz	Pass	6.57099G	-5.03	6.504G	-61.96	-45.03	-16.93	1
6565MHz	Pass	6.5614G	-5.12	6.5044G	-63.02	-45.12	-17.90	2
6685MHz	Pass	6.6886G	-5.18	6.6212G	-63.88	-45.18	-18.70	1
6685MHz	Pass	6.6816G	-4.61	6.664G	-41.70	-24.62	-17.08	2
6845MHz	Pass	6.8416G	-6.18	6.8662G	-44.53	-26.20	-18.33	1
6845MHz	Pass	6.846G	-5.84	6.8662G	-44.16	-25.84	-18.32	2
6885MHz	Pass	6.8858G	-7.44	6.8242G	-64.97	-47.44	-17.53	1
6885MHz	Pass	6.8874G	-6.62	6.8218G	-64.94	-46.62	-18.32	2
6925MHz	Pass	6.9212G	-7.04	6.9956G	-65.13	-47.04	-18.09	1
6925MHz	Pass	6.9238G	-7.22	6.9862G	-65.14	-47.22	-17.92	2
7005MHz	Pass	7.0014G	-5.57	7.026G	-43.88	-25.37	-18.51	1
7005MHz	Pass	7.0008G	-6.33	6.9428G	-64.98	-46.33	-18.65	2
7085MHz	Pass	7.0826G	-8.20	7.023G	-64.20	-48.20	-16.00	1



Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
7085MHz	Pass	7.07981G	-8.14	7.0242G	-64.68	-48.14	-16.54	2
802.11ax HEW80-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5985MHz	Pass	5.99419G	-3.52	6.1106G	-60.21	-43.52	-16.69	1
5985MHz	Pass	5.9894G	-4.45	6.1294G	-61.02	-44.45	-16.57	2
6145MHz	Pass	6.15139G	-0.10	6.0218G	-53.03	-40.10	-12.93	1
6145MHz	Pass	6.1478G	-1.19	6.0178G	-56.01	-41.19	-14.82	2
6385MHz	Pass	6.381G	-1.82	6.2678G	-52.80	-40.04	-12.76	1
6385MHz	Pass	6.3822G	-2.84	6.2602G	-56.80	-42.84	-13.96	2
6465MHz	Pass	6.45741G	0.30	6.3442G	-54.20	-39.70	-14.50	1
6465MHz	Pass	6.4622G	-1.76	6.3402G	-55.79	-41.76	-14.03	2
6545MHz	Pass	6.53701G	-1.30	6.421G	-54.99	-41.30	-13.69	1
6545MHz	Pass	6.53061G	-1.39	6.4102G	-55.62	-41.39	-14.23	2
6625MHz	Pass	6.63659G	-0.38	6.5082G	-52.99	-38.53	-14.46	1
6625MHz	Pass	6.63259G	-0.46	6.7474G	-55.53	-40.46	-15.07	2
6705MHz	Pass	6.68902G	-0.85	6.5774G	-57.00	-40.85	-16.15	1
6705MHz	Pass	6.7034G	-1.17	6.8274G	-57.03	-41.12	-15.91	2
6785MHz	Pass	6.7878G	-3.87	6.6586G	-58.42	-43.87	-14.55	1
6785MHz	Pass	6.7826G	-2.82	6.9194G	-58.03	-42.82	-15.21	2
6865MHz	Pass	6.87139G	-5.53	7.0142G	-61.08	-45.53	-15.55	1
6865MHz	Pass	6.87059G	-5.42	7.0038G	-60.75	-45.42	-15.33	2
6945MHz	Pass	6.945G	-4.20	6.8206G	-59.96	-44.20	-15.76	1
6945MHz	Pass	6.95539G	-4.65	6.811G	-60.19	-44.65	-15.54	2
7025MHz	Pass	7.025G	-2.98	6.9014G	-59.32	-42.98	-16.34	1
7025MHz	Pass	7.01301G	-4.58	6.899G	-59.81	-44.58	-15.23	2
802.11ax HEW160-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
6025MHz	Pass	5.99063G	1.90	6.2218G	-39.44	-30.54	-8.90	1
6025MHz	Pass	6.00022G	0.72	6.2194G	-40.84	-31.33	-9.51	2
6185MHz	Pass	6.19139G	2.68	6.3098G	-30.57	-18.72	-11.85	1
6185MHz	Pass	6.21057G	1.20	5.9802G	-43.10	-32.40	-10.70	2
6345MHz	Pass	6.30824G	2.39	6.2402G	-27.54	-18.53	-9.01	1
6345MHz	Pass	6.31143G	1.21	6.1538G	-41.20	-29.27	-11.93	2
6505MHz	Pass	6.48182G	3.85	6.3402G	-32.45	-17.37	-15.08	1
6505MHz	Pass	6.46904G	3.08	6.2978G	-37.89	-30.73	-7.16	2
6665MHz	Pass	6.67219G	3.16	7.0162G	-48.55	-36.14	-12.41	1
6665MHz	Pass	6.65621G	3.39	6.8802G	-39.55	-31.62	-7.93	2
6825MHz	Pass	6.86096G	-0.79	7.0242G	-45.73	-33.66	-12.07	1
6825MHz	Pass	6.85377G	-0.23	7.0066G	-39.28	-30.28	-9.00	2
6985MHz	Pass	7.00178G	0.13	7.249G	-51.14	-39.87	-11.27	1
6985MHz	Pass	7.00818G	-0.87	7.1922G	-45.28	-34.77	-10.51	2

5.925-6.425GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX
5955MHz_TX

MASK

14/11/2022

CF Freq
5.955GHz


Span
100MHz


RBW
300kHz


VBW
1MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.96369G	-7.57	5.967G	-42.85	-27.72	-15.13	1
5.96419G	-8.28	5.967G	-44.26	-28.31	-15.95	2

5.925-6.425GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX
6175MHz_TX

MASK

14/11/2022

CF Freq
6.175GHz


Span
100MHz


RBW
300kHz


VBW
1MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.18299G	-6.69	6.187G	-41.87	-26.74	-15.13	1
6.18349G	-7.37	6.1868G	-41.56	-27.41	-14.15	2

5.925-6.425GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX
6415MHz_TX

MASK

14/11/2022

CF Freq
6.415GHz


Span
100MHz


RBW
300kHz


VBW
1MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.42399G	-5.88	6.4028G	-42.76	-25.94	-16.82	1
6.42269G	-7.15	6.427G	-42.63	-27.20	-15.43	2

6.425-6.525GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX
6435MHz_TX

MASK

14/11/2022

CF Freq
6.435GHz


Span
100MHz


RBW
300kHz


VBW
1MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.42641G	-6.36	6.4234G	-39.63	-26.26	-13.37	1
6.42631G	-7.18	6.4469G	-42.28	-27.19	-15.09	2

6.425-6.525GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX
6475MHz_TX

MASK

14/11/2022

CF Freq
6.475GHz


Span
100MHz


RBW
300kHz


VBW
1MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.46871G	-5.13	6.4631G	-40.63	-25.21	-15.42	1
6.46571G	-6.27	6.4869G	-41.86	-26.28	-15.58	2

6.425-6.525GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX
6515MHz_TX

MASK

14/11/2022

CF Freq
6.515GHz


Span
100MHz


RBW
300kHz


VBW
1MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.52259G	-7.80	6.5269G	-43.51	-27.88	-15.63	1
6.52419G	-8.63	6.527G	-44.86	-28.69	-16.17	2

6.525-6.875GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX
6535MHz_TX

MASK

14/11/2022

CF Freq
6.535GHz
Span
100MHz
RBW
300kHz
VBW
1MHz
Sweep Time
20ms
Detector Type
RMS



Port 1
Port 2


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.52611G	-4.81	6.5468G	-39.71	-24.81	-14.90	1
6.52591G	-5.40	6.5471G	-42.37	-25.44	-16.93	2

6.525-6.875GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX
6695MHz_TX

MASK

14/11/2022

CF Freq
6.695GHz
Span
100MHz
RBW
300kHz
VBW
1MHz
Sweep Time
20ms
Detector Type
RMS



Port 1
Port 2

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.68741G	-6.53	6.6829G	-42.80	-26.65	-16.15	1
6.68751G	-6.15	6.6831G	-42.08	-26.19	-15.89	2

6.525-6.875GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX
6855MHz_TX

MASK

14/11/2022

CF Freq
6.855GHz


Span
100MHz


RBW
300kHz


VBW
1MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.86209G	-8.99	6.867G	-44.70	-29.07	-15.63	1
6.86299G	-9.22	6.867G	-45.66	-29.40	-16.26	2

6.525-6.875GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX
6875MHz_TX

MASK

14/11/2022

CF Freq
6.875GHz


Span
100MHz


RBW
300kHz


VBW
1MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.86661G	-10.16	6.8867G	-44.79	-29.66	-15.13	1
6.86691G	-10.32	6.8869G	-45.92	-30.33	-15.59	2

6.875-7.125GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX
6895MHz_TX

MASK

14/11/2022

CF Freq
6.895GHz


Span
100MHz


RBW
300kHz


VBW
1MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.90279G	-5.38	6.8828G	-41.25	-25.53	-15.72	1
6.88641G	-5.32	6.907G	-42.25	-25.32	-16.93	2

6.875-7.125GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX
6995MHz_TX

MASK

14/11/2022

CF Freq
6.995GHz


Span
100MHz


RBW
300kHz


VBW
1MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.00389G	-7.50	7.0069G	-42.21	-27.68	-14.53	1
7.00429G	-8.35	7.0068G	-43.40	-28.35	-15.05	2

6.875-7.125GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX
7095MHz_TX

MASK

14/11/2022

CF Freq
7.095GHz


Span
100MHz


RBW
300kHz


VBW
1MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.08581G	-7.85	7.083G	-43.58	-27.85	-15.73	1
7.08761G	-9.61	7.1069G	-44.76	-29.68	-15.08	2

6.875-7.125GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX
7115MHz_TX

MASK

14/11/2022

CF Freq
7.115GHz


Span
100MHz


RBW
300kHz


VBW
1MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.12359G	-18.17	7.0659G	-69.18	-58.17	-11.01	1
7.12419G	-18.53	7.0814G	-69.18	-58.53	-10.65	2

5.925-6.425GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX
5965MHz_TX

MASK

14/11/2022

CF Freq
5.965GHz


Span
200MHz


RBW
500kHz


VBW
2MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.9682G	-2.18	6.0212G	-55.62	-39.88	-15.74	1
5.9684G	-3.28	5.986G	-39.80	-21.28	-18.52	2

5.925-6.425GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX
6165MHz_TX

MASK

14/11/2022

CF Freq
6.165GHz


Span
200MHz


RBW
500kHz


VBW
2MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.162G	-3.29	6.1004G	-59.94	-43.29	-16.65	1
6.163G	-4.43	6.1036G	-62.54	-44.43	-18.11	2

5.925-6.425GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX
6405MHz_TX

MASK

14/11/2022

CF Freq
6.405GHz


Span
200MHz


RBW
500kHz


VBW
2MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.39981G	-2.02	6.349G	-52.49	-39.45	-13.04	1
6.4016G	-2.91	6.3444G	-60.58	-42.91	-17.67	2

6.425-6.525GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX
6445MHz_TX

MASK

14/11/2022

CF Freq
6.445GHz


Span
200MHz


RBW
500kHz


VBW
2MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.4476G	-1.99	6.3856G	-55.09	-41.14	-13.95	1
6.444G	-2.92	6.3854G	-59.83	-42.61	-17.22	2

6.425-6.525GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX
6485MHz_TX

MASK

14/11/2022

CF Freq
6.485GHz


Span
200MHz


RBW
500kHz


VBW
2MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.4816G	-4.04	6.4276G	-58.86	-42.05	-16.81	1
6.47761G	-5.13	6.4246G	-62.81	-45.13	-17.68	2

6.425-6.525GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX
6525MHz_TX

MASK

14/11/2022

CF Freq
6.525GHz


Span
200MHz


RBW
500kHz


VBW
2MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.5296G	-4.58	6.4628G	-61.61	-44.58	-17.03	1
6.5258G	-5.29	6.4622G	-62.99	-45.29	-17.70	2

6.525-6.875GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX
6565MHz_TX

MASK

14/11/2022

CF Freq
6.565GHz


Span
200MHz


RBW
500kHz


VBW
2MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.57099G	-5.03	6.504G	-61.96	-45.03	-16.93	1
6.5614G	-5.12	6.5044G	-63.02	-45.12	-17.90	2

6.525-6.875GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX
6685MHz_TX

MASK

14/11/2022

CF Freq
6.685GHz


Span
200MHz


RBW
500kHz


VBW
2MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.6886G	-5.18	6.6212G	-63.88	-45.18	-18.70	1
6.6816G	-4.61	6.664G	-41.70	-24.62	-17.08	2

6.525-6.875GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX
6845MHz_TX

MASK

14/11/2022

CF Freq
6.845GHz


Span
200MHz


RBW
500kHz


VBW
2MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.8416G	-6.18	6.8662G	-44.53	-26.20	-18.33	1
6.846G	-5.84	6.8662G	-44.16	-25.84	-18.32	2

6.525-6.875GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX
6885MHz_TX

MASK

02/11/2022

CF Freq
6.885GHz


Span
200MHz


RBW
500kHz


VBW
2MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.8858G	-7.44	6.8242G	-64.97	-47.44	-17.53	1
6.8874G	-6.62	6.8218G	-64.94	-46.62	-18.32	2

6.875-7.125GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX
6925MHz_TX

MASK

14/11/2022

CF Freq
6.925GHz


Span
200MHz


RBW
500kHz


VBW
2MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.9212G	-7.04	6.9956G	-65.13	-47.04	-18.09	1
6.9238G	-7.22	6.9862G	-65.14	-47.22	-17.92	2

6.875-7.125GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX
7005MHz_TX

MASK

14/11/2022

CF Freq
7.005GHz


Span
200MHz


RBW
500kHz


VBW
2MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.0014G	-5.57	7.026G	-43.88	-25.37	-18.51	1
7.0008G	-6.33	6.9428G	-64.98	-46.33	-18.65	2

6.875-7.125GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX
7085MHz_TX

MASK

14/11/2022

CF Freq
7.085GHz


Span
200MHz


RBW
500kHz


VBW
2MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.0826G	-8.20	7.023G	-64.20	-48.20	-16.00	1
7.07981G	-8.14	7.0242G	-64.68	-48.14	-16.54	2

5.925-6.425GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX
5985MHz_TX

MASK

14/11/2022

CF Freq
5.985GHz


Span
400MHz


RBW
1MHz


VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.99419G	-3.52	6.1106G	-60.21	-43.52	-16.69	1
5.9894G	-4.45	6.1294G	-61.02	-44.45	-16.57	2

5.925-6.425GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX
6145MHz_TX

MASK

14/11/2022

CF Freq
6.145GHz


Span
400MHz


RBW
1MHz


VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.15139G	-0.10	6.0218G	-53.03	-40.10	-12.93	1
6.1478G	-1.19	6.0178G	-56.01	-41.19	-14.82	2

5.925-6.425GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX
6385MHz_TX

MASK

14/11/2022

CF Freq
6.385GHz


Span
400MHz


RBW
1MHz


VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.381G	-1.82	6.2678G	-52.80	-40.04	-12.76	1
6.3822G	-2.84	6.2602G	-56.80	-42.84	-13.96	2

6.425-6.525GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX
6465MHz_TX

MASK

14/11/2022

CF Freq
6.465GHz


Span
400MHz


RBW
1MHz


VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.45741G	0.30	6.3442G	-54.20	-39.70	-14.50	1
6.4622G	-1.76	6.3402G	-55.79	-41.76	-14.03	2

6.425-6.525GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX
6545MHz_TX

MASK

14/11/2022

CF Freq
6.545GHz


Span
400MHz


RBW
1MHz


VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.53701G	-1.30	6.421G	-54.99	-41.30	-13.69	1
6.53061G	-1.39	6.4102G	-55.62	-41.39	-14.23	2

6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX
6625MHz_TX

MASK

14/11/2022

CF Freq
6.625GHz


Span
400MHz


RBW
1MHz


VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.63659G	-0.38	6.5082G	-52.99	-38.53	-14.46	1
6.63259G	-0.46	6.7474G	-55.53	-40.46	-15.07	2

6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX
6705MHz_TX

MASK

14/11/2022

CF Freq
6.705GHz


Span
400MHz


RBW
1MHz


VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.68902G	-0.85	6.5774G	-57.00	-40.85	-16.15	1
6.7034G	-1.17	6.8274G	-57.03	-41.12	-15.91	2

6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX
6785MHz_TX

MASK

14/11/2022

CF Freq
6.785GHz


Span
400MHz


RBW
1MHz


VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.7878G	-3.87	6.6586G	-58.42	-43.87	-14.55	1
6.7826G	-2.82	6.9194G	-58.03	-42.82	-15.21	2

6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX
6865MHz_TX

MASK

14/11/2022

CF Freq
6.865GHz


Span
400MHz


RBW
1MHz


VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.87139G	-5.53	7.0142G	-61.08	-45.53	-15.55	1
6.87059G	-5.42	7.0038G	-60.75	-45.42	-15.33	2

6.875-7.125GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX
6945MHz_TX

MASK

14/11/2022

CF Freq
6.945GHz


Span
400MHz


RBW
1MHz


VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.945G	-4.20	6.8206G	-59.96	-44.20	-15.76	1
6.95539G	-4.65	6.811G	-60.19	-44.65	-15.54	2

6.875-7.125GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX
7025MHz_TX

MASK

14/11/2022

CF Freq
7.025GHz


Span
400MHz


RBW
1MHz


VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.025G	-2.98	6.9014G	-59.32	-42.98	-16.34	1
7.01301G	-4.58	6.899G	-59.81	-44.58	-15.23	2

5.925-6.425GHz_802.11ax HEW160-BF_Nss1,(MCS0)_2TX
6025MHz_TX

MASK

14/11/2022

CF Freq
6.025GHz


Span
800MHz


RBW
3MHz


VBW
10MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.99063G	1.90	6.2218G	-39.44	-30.54	-8.90	1
6.00022G	0.72	6.2194G	-40.84	-31.33	-9.51	2

5.925-6.425GHz_802.11ax HEW160-BF_Nss1,(MCS0)_2TX
6185MHz_TX

MASK

14/11/2022

CF Freq
6.185GHz


Span
800MHz


RBW
3MHz


VBW
10MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.19139G	2.68	6.3098G	-30.57	-18.72	-11.85	1
6.21057G	1.20	5.9802G	-43.10	-32.40	-10.70	2

5.925-6.425GHz_802.11ax HEW160-BF_Nss1,(MCS0)_2TX
6345MHz_TX

MASK

14/11/2022

CF Freq
6.345GHz


Span
800MHz

RBW
3MHz

VBW
10MHz

Sweep Time
20ms

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.30824G	2.39	6.2402G	-27.54	-18.53	-9.01	1
6.31143G	1.21	6.1538G	-41.20	-29.27	-11.93	2

6.425-6.525GHz_802.11ax HEW160-BF_Nss1,(MCS0)_2TX
6505MHz_TX

MASK

14/11/2022

CF Freq
6.505GHz


Span
800MHz

RBW
3MHz

VBW
10MHz

Sweep Time
20ms

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.48182G	3.85	6.3402G	-32.45	-17.37	-15.08	1
6.46904G	3.08	6.2978G	-37.89	-30.73	-7.16	2

6.525-6.875GHz_802.11ax HEW160-BF_Nss1,(MCS0)_2TX
6665MHz_TX

MASK

14/11/2022

CF Freq
6.665GHz


Span
800MHz


RBW
3MHz


VBW
10MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.67219G	3.16	7.0162G	-48.55	-36.14	-12.41	1
6.65621G	3.39	6.8802G	-39.55	-31.62	-7.93	2

6.525-6.875GHz_802.11ax HEW160-BF_Nss1,(MCS0)_2TX
6825MHz_TX

MASK

14/11/2022

CF Freq
6.825GHz


Span
800MHz


RBW
3MHz


VBW
10MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 


Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.86096G	-0.79	7.0242G	-45.73	-33.66	-12.07	1
6.85377G	-0.23	7.0066G	-39.28	-30.28	-9.00	2

6.875-7.125GHz_802.11ax HEW160-BF_Nss1,(MCS0)_2TX
6985MHz_TX

MASK

14/11/2022





Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
6.425-6.525GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW160_Nss1,(MCS0)_2TX	Pass	PK	49.4M	35.82	40.00	-4.18	3	Vertical	360	1.00	-




Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
802.11ax HEW160_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-
6505MHz	Pass	PK	49.4M	35.82	40.00	-4.18	3	Vertical	360	1.00	-
6505MHz	Pass	PK	194.9M	33.68	43.50	-9.82	3	Vertical	360	1.00	-
6505MHz	Pass	PK	220.12M	26.99	46.00	-19.01	3	Vertical	360	1.00	-
6505MHz	Pass	PK	311.3M	26.66	46.00	-19.34	3	Vertical	360	1.00	-
6505MHz	Pass	PK	536.34M	34.02	46.00	-11.98	3	Vertical	360	1.00	-
6505MHz	Pass	PK	724.52M	35.29	46.00	-10.71	3	Vertical	360	1.00	-
6505MHz	Pass	PK	49.4M	33.74	40.00	-6.26	3	Horizontal	0	1.00	-
6505MHz	Pass	PK	136.7M	31.43	43.50	-12.07	3	Horizontal	0	1.00	-
6505MHz	Pass	PK	192.96M	31.66	43.50	-11.84	3	Horizontal	0	1.00	-
6505MHz	Pass	PK	222.06M	25.07	46.00	-20.93	3	Horizontal	0	1.00	-
6505MHz	Pass	PK	305.48M	28.54	46.00	-17.46	3	Horizontal	0	1.00	-
6505MHz	Pass	PK	670.2M	39.94	46.00	-6.06	3	Horizontal	0	1.00	-

6.425-6.525GHz_802.11ax HEW160_Nss1,(MCS0)_2TX


6505MHz Straddle 6.425-6.525GHz_Adapter



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	49.4M	35.82	40.00	-4.18	-12.59	3	Vertical	360	1.00	-	48.41	13.76	1.04	27.39
PK	194.9M	33.68	43.50	-9.82	-11.14	3	Vertical	360	1.00	-	44.82	14.29	2.00	27.43
PK	220.12M	26.99	46.00	-19.01	-10.84	3	Vertical	360	1.00	-	37.83	14.35	2.12	27.31
PK	311.3M	26.66	46.00	-19.34	-6.02	3	Vertical	360	1.00	-	32.68	18.68	2.56	27.26
PK	536.34M	34.02	46.00	-11.98	-2.14	3	Vertical	360	1.00	-	36.16	23.04	3.38	28.56
PK	724.52M	35.29	46.00	-10.71	0.07	3	Vertical	360	1.00	-	35.22	24.47	3.89	28.29

6.425-6.525GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

6505MHz Straddle 6.425-6.525GHz_Adapter



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	49.4M	33.74	40.00	-6.26	-12.59	3	Horizontal	0	1.00	-	46.33	13.76	1.04	27.39
PK	136.7M	31.43	43.50	-12.07	-9.49	3	Horizontal	0	1.00	-	40.92	16.59	1.65	27.73
PK	192.96M	31.66	43.50	-11.84	-11.21	3	Horizontal	0	1.00	-	42.87	14.24	1.99	27.44
PK	222.06M	25.07	46.00	-20.93	-10.66	3	Horizontal	0	1.00	-	35.73	14.51	2.13	27.30
PK	305.48M	28.54	46.00	-17.46	-6.11	3	Horizontal	0	1.00	-	34.65	18.58	2.53	27.22
PK	670.2M	39.94	46.00	-6.06	-0.57	3	Horizontal	0	1.00	-	40.51	24.16	3.74	28.47



Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX	Pass	AV	12.34994G	48.38	54.00	-5.62	3	Vertical	0	1.78
802.11ax HEW20_Nss1,(MCS0)_2TX	Pass	AV	12.34998G	48.54	54.00	-5.46	3	Horizontal	341	1.50
802.11ax HEW40_Nss1,(MCS0)_2TX	Pass	AV	12.32994G	49.22	54.00	-4.78	3	Vertical	0	1.78
802.11ax HEW80_Nss1,(MCS0)_2TX	Pass	AV	12.29G	48.52	54.00	-5.48	3	Vertical	4	1.79
802.11ax HEW160_Nss1,(MCS0)_2TX	Pass	AV	12.69G	50.14	54.00	-3.86	3	Horizontal	324	2.04
6.425-6.525GHz	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX	Pass	AV	12.94997G	53.02	68.20	-15.18	3	Vertical	342	2.53
802.11ax HEW20_Nss1,(MCS0)_2TX	Pass	AV	12.94994G	54.76	68.20	-13.44	3	Vertical	342	2.53
802.11ax HEW40_Nss1,(MCS0)_2TX	Pass	AV	13.04994G	54.35	68.20	-13.85	3	Vertical	341	2.61
802.11ax HEW80_Nss1,(MCS0)_2TX	Pass	AV	7.1482G	52.07	68.20	-16.13	3	Horizontal	37	2.42
802.11ax HEW160_Nss1,(MCS0)_2TX	Pass	AV	7.1448G	52.02	68.20	-16.18	3	Horizontal	36	2.59
6.525-6.875GHz	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX	Pass	AV	13.39002G	52.11	54.00	-1.89	3	Vertical	333	2.58
802.11ax HEW20_Nss1,(MCS0)_2TX	Pass	AV	13.38994G	44.46	54.00	-9.54	3	Horizontal	342	1.79
802.11ax HEW40_Nss1,(MCS0)_2TX	Pass	AV	13.36994G	52.76	54.00	-1.24	3	Vertical	335	2.64
802.11ax HEW80_Nss1,(MCS0)_2TX	Pass	AV	13.41G	53.88	68.20	-14.32	3	Vertical	341	1.69
802.11ax HEW160_Nss1,(MCS0)_2TX	Pass	AV	13.33G	52.38	54.00	-1.62	3	Horizontal	333	1.71
6.875-7.125GHz	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX	Pass	AV	7.10987G	4.53	5.00	-0.47	3	Horizontal	54	1.50
802.11ax HEW20_Nss1,(MCS0)_2TX	Pass	AV	7.1255G	67.34	68.20	-0.86	3	Horizontal	58	1.68
802.11ax HEW40_Nss1,(MCS0)_2TX	Pass	AV	7.1415G	52.09	68.20	-16.11	3	Vertical	343	1.81
802.11ax HEW80_Nss1,(MCS0)_2TX	Pass	AV	7.1456G	52.19	68.20	-16.01	3	Horizontal	52	1.79
802.11ax HEW160_Nss1,(MCS0)_2TX	Pass	AV	7.1375G	56.33	68.20	-11.87	3	Horizontal	55	1.80



Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11a_Nss1,(6Mbps)_2TX	-	-	-	-	-	-	-	-	-	-
5955MHz	Pass	AV	5.9199G	49.04	68.20	-19.16	3	Vertical	316	1.64
5955MHz	Pass	AV	5.9622G	88.17	Inf	-Inf	3	Vertical	316	1.64
5955MHz	Pass	PK	5.8461G	61.34	88.20	-26.86	3	Vertical	316	1.64
5955MHz	Pass	PK	5.9622G	96.95	Inf	-Inf	3	Vertical	316	1.64
5955MHz	Pass	AV	5.916G	49.00	68.20	-19.20	3	Horizontal	49	2.65
5955MHz	Pass	AV	5.961G	98.01	Inf	-Inf	3	Horizontal	49	2.65
5955MHz	Pass	PK	5.8362G	60.87	88.20	-27.33	3	Horizontal	49	2.65
5955MHz	Pass	PK	5.9607G	107.24	Inf	-Inf	3	Horizontal	49	2.65
5955MHz	Pass	AV	11.90997G	43.76	54.00	-10.24	3	Vertical	1	1.73
5955MHz	Pass	PK	11.91009G	53.80	74.00	-20.20	3	Vertical	1	1.73
5955MHz	Pass	AV	11.90997G	45.25	54.00	-8.75	3	Horizontal	303	2.75
5955MHz	Pass	PK	11.91012G	54.12	74.00	-19.88	3	Horizontal	303	2.75
6175MHz	Pass	AV	5.9062G	48.99	68.20	-19.21	3	Vertical	38	1.00
6175MHz	Pass	AV	6.1678G	89.96	Inf	-Inf	3	Vertical	38	1.00
6175MHz	Pass	PK	5.9188G	60.66	88.20	-27.54	3	Vertical	38	1.00
6175MHz	Pass	PK	6.1678G	98.84	Inf	-Inf	3	Vertical	38	1.00
6175MHz	Pass	AV	5.9194G	49.01	68.20	-19.19	3	Horizontal	44	2.72
6175MHz	Pass	AV	6.1816G	97.50	Inf	-Inf	3	Horizontal	44	2.72
6175MHz	Pass	PK	5.8846G	60.73	88.20	-27.47	3	Horizontal	44	2.72
6175MHz	Pass	PK	6.1816G	106.36	Inf	-Inf	3	Horizontal	44	2.72
6175MHz	Pass	AV	12.34994G	48.38	54.00	-5.62	3	Vertical	0	1.78
6175MHz	Pass	PK	12.34994G	56.20	74.00	-17.80	3	Vertical	0	1.78
6175MHz	Pass	AV	12.34997G	47.71	54.00	-6.29	3	Horizontal	341	1.43
6175MHz	Pass	PK	12.35006G	55.70	74.00	-18.30	3	Horizontal	341	1.43
6415MHz	Pass	AV	5.9134G	49.00	68.20	-19.20	3	Vertical	32	1.04
6415MHz	Pass	AV	6.4078G	91.10	Inf	-Inf	3	Vertical	32	1.04
6415MHz	Pass	PK	5.8594G	61.16	88.20	-27.04	3	Vertical	32	1.04
6415MHz	Pass	PK	6.4078G	99.73	Inf	-Inf	3	Vertical	32	1.04
6415MHz	Pass	AV	5.9218G	49.07	68.20	-19.13	3	Horizontal	38	2.55
6415MHz	Pass	AV	6.4222G	97.82	Inf	-Inf	3	Horizontal	38	2.55
6415MHz	Pass	PK	5.9206G	60.85	88.20	-27.35	3	Horizontal	38	2.55
6415MHz	Pass	PK	6.421G	106.72	Inf	-Inf	3	Horizontal	38	2.55
6415MHz	Pass	AV	12.83003G	49.80	68.20	-18.40	3	Vertical	349	2.07
6415MHz	Pass	PK	12.83003G	56.69	88.20	-31.51	3	Vertical	349	2.07
6415MHz	Pass	AV	12.82994G	48.94	68.20	-19.26	3	Horizontal	310	1.50
6415MHz	Pass	PK	12.82982G	57.20	88.20	-31.00	3	Horizontal	310	1.50
6435MHz	Pass	AV	5.925G	49.07	68.20	-19.13	3	Vertical	32	1.00
6435MHz	Pass	AV	6.4278G	89.99	Inf	-Inf	3	Vertical	32	1.00
6435MHz	Pass	PK	5.889G	60.28	88.20	-27.92	3	Vertical	32	1.00
6435MHz	Pass	PK	6.429G	98.65	Inf	-Inf	3	Vertical	32	1.00
6435MHz	Pass	AV	5.9118G	49.15	68.20	-19.05	3	Horizontal	44	2.73
6435MHz	Pass	AV	6.4422G	97.88	Inf	-Inf	3	Horizontal	44	2.73
6435MHz	Pass	PK	5.901G	61.24	88.20	-26.96	3	Horizontal	44	2.73
6435MHz	Pass	PK	6.441G	106.99	Inf	-Inf	3	Horizontal	44	2.73
6435MHz	Pass	AV	12.86997G	50.79	68.20	-17.41	3	Vertical	345	2.62
6435MHz	Pass	PK	12.87G	57.70	88.20	-30.50	3	Vertical	345	2.62
6435MHz	Pass	AV	12.86997G	49.26	68.20	-18.94	3	Horizontal	307	1.60
6435MHz	Pass	PK	12.87009G	56.89	88.20	-31.31	3	Horizontal	307	1.60
6475MHz	Pass	AV	5.9052G	49.12	68.20	-19.08	3	Vertical	2	1.11
6475MHz	Pass	AV	6.468G	90.27	Inf	-Inf	3	Vertical	2	1.11
6475MHz	Pass	AV	7.154G	52.87	68.20	-15.33	3	Vertical	2	1.11
6475MHz	Pass	PK	5.8772G	61.16	88.20	-27.04	3	Vertical	2	1.11
6475MHz	Pass	PK	6.468G	98.64	Inf	-Inf	3	Vertical	2	1.11
6475MHz	Pass	PK	7.126G	64.46	88.20	-23.74	3	Vertical	2	1.11
6475MHz	Pass	AV	5.8968G	49.27	68.20	-18.93	3	Horizontal	36	2.75
6475MHz	Pass	AV	6.482G	98.21	Inf	-Inf	3	Horizontal	36	2.75
6475MHz	Pass	AV	7.1568G	52.69	68.20	-15.51	3	Horizontal	36	2.75
6475MHz	Pass	PK	5.8492G	60.59	88.20	-27.61	3	Horizontal	36	2.75
6475MHz	Pass	PK	6.482G	106.75	Inf	-Inf	3	Horizontal	36	2.75
6475MHz	Pass	PK	7.1736G	63.44	88.20	-24.76	3	Horizontal	36	2.75



RSE TX above 1GHz_Non-Beamforming

Appendix E.4

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6475MHz	Pass	AV	12.94997G	53.02	68.20	-15.18	3	Vertical	342	2.53
6475MHz	Pass	PK	12.94982G	58.95	88.20	-29.25	3	Vertical	342	2.53
6475MHz	Pass	AV	12.94994G	49.13	68.20	-19.07	3	Horizontal	300	2.52
6475MHz	Pass	PK	12.95G	56.46	88.20	-31.74	3	Horizontal	300	2.52
6515MHz	Pass	AV	5.9158G	49.19	68.20	-19.01	3	Vertical	0	1.03
6515MHz	Pass	AV	6.522G	90.43	Inf	-Inf	3	Vertical	0	1.03
6515MHz	Pass	AV	7.1576G	52.78	68.20	-15.42	3	Vertical	0	1.03
6515MHz	Pass	PK	5.8542G	60.51	88.20	-27.69	3	Vertical	0	1.03
6515MHz	Pass	PK	6.522G	98.91	Inf	-Inf	3	Vertical	0	1.03
6515MHz	Pass	PK	7.1702G	65.48	88.20	-22.72	3	Vertical	0	1.03
6515MHz	Pass	AV	5.9214G	49.22	68.20	-18.98	3	Horizontal	49	2.22
6515MHz	Pass	AV	6.5206G	98.01	Inf	-Inf	3	Horizontal	49	2.22
6515MHz	Pass	AV	7.1548G	52.68	68.20	-15.52	3	Horizontal	49	2.22
6515MHz	Pass	PK	5.8318G	61.03	88.20	-27.17	3	Horizontal	49	2.22
6515MHz	Pass	PK	6.522G	106.84	Inf	-Inf	3	Horizontal	49	2.22
6515MHz	Pass	PK	7.1506G	63.83	88.20	-24.37	3	Horizontal	49	2.22
6515MHz	Pass	AV	13.03G	52.47	68.20	-15.73	3	Vertical	341	2.55
6515MHz	Pass	PK	13.02988G	58.14	88.20	-30.06	3	Vertical	341	2.55
6515MHz	Pass	AV	13.02997G	50.85	68.20	-17.35	3	Horizontal	302	2.55
6515MHz	Pass	PK	13.02991G	57.31	88.20	-30.89	3	Horizontal	302	2.55
6535MHz	Pass	AV	5.9106G	49.15	68.20	-19.05	3	Vertical	360	1.00
6535MHz	Pass	AV	6.542G	90.52	Inf	-Inf	3	Vertical	360	1.00
6535MHz	Pass	AV	7.1468G	52.81	68.20	-15.39	3	Vertical	360	1.00
6535MHz	Pass	PK	5.9204G	60.72	88.20	-27.48	3	Vertical	360	1.00
6535MHz	Pass	PK	6.542G	98.69	Inf	-Inf	3	Vertical	360	1.00
6535MHz	Pass	PK	7.2154G	63.53	88.20	-24.67	3	Vertical	360	1.00
6535MHz	Pass	AV	5.8924G	49.07	68.20	-19.13	3	Horizontal	46	2.24
6535MHz	Pass	AV	6.5406G	98.06	Inf	-Inf	3	Horizontal	46	2.24
6535MHz	Pass	AV	7.1412G	52.72	68.20	-15.48	3	Horizontal	46	2.24
6535MHz	Pass	PK	5.9092G	61.49	88.20	-26.71	3	Horizontal	46	2.24
6535MHz	Pass	PK	6.542G	106.59	Inf	-Inf	3	Horizontal	46	2.24
6535MHz	Pass	PK	7.1804G	65.51	88.20	-22.69	3	Horizontal	46	2.24
6535MHz	Pass	AV	13.06997G	50.48	68.20	-17.72	3	Vertical	340	2.60
6535MHz	Pass	PK	13.07015G	56.76	88.20	-31.44	3	Vertical	340	2.60
6535MHz	Pass	AV	13.07G	48.84	68.20	-19.36	3	Horizontal	27	1.50
6535MHz	Pass	PK	13.07G	56.36	88.20	-31.84	3	Horizontal	27	1.50
6695MHz	Pass	AV	6.699G	89.50	Inf	-Inf	3	Vertical	344	1.68
6695MHz	Pass	AV	7.148G	52.67	68.20	-15.53	3	Vertical	344	1.68
6695MHz	Pass	PK	6.698G	99.10	Inf	-Inf	3	Vertical	344	1.68
6695MHz	Pass	PK	7.17G	63.68	88.20	-24.52	3	Vertical	344	1.68
6695MHz	Pass	AV	6.7G	97.90	Inf	-Inf	3	Horizontal	67	1.83
6695MHz	Pass	AV	7.153G	52.75	68.20	-15.45	3	Horizontal	67	1.83
6695MHz	Pass	PK	6.7G	106.86	Inf	-Inf	3	Horizontal	67	1.83
6695MHz	Pass	PK	7.151G	64.43	88.20	-23.77	3	Horizontal	67	1.83
6695MHz	Pass	AV	13.39002G	52.11	54.00	-1.89	3	Vertical	333	2.58
6695MHz	Pass	PK	13.38993G	59.83	74.00	-14.17	3	Vertical	333	2.58
6695MHz	Pass	AV	13.38998G	51.07	54.00	-2.93	3	Horizontal	343	1.50
6695MHz	Pass	PK	13.38998G	59.25	74.00	-14.75	3	Horizontal	343	1.50
6855MHz	Pass	AV	6.8487G	90.28	Inf	-Inf	3	Vertical	345	1.72
6855MHz	Pass	AV	7.135G	52.74	68.20	-15.46	3	Vertical	345	1.72
6855MHz	Pass	PK	6.8487G	99.51	Inf	-Inf	3	Vertical	345	1.72
6855MHz	Pass	PK	7.156G	64.47	88.20	-23.73	3	Vertical	345	1.72
6855MHz	Pass	AV	6.8501G	97.81	Inf	-Inf	3	Horizontal	62	1.76
6855MHz	Pass	AV	7.1532G	52.80	68.20	-15.40	3	Horizontal	62	1.76
6855MHz	Pass	PK	6.8599G	106.43	Inf	-Inf	3	Horizontal	62	1.76
6855MHz	Pass	PK	7.1567G	64.51	88.20	-23.69	3	Horizontal	62	1.76
6855MHz	Pass	AV	13.71006G	50.56	68.20	-17.64	3	Vertical	345	2.34
6855MHz	Pass	PK	13.71G	61.37	88.20	-26.83	3	Vertical	345	2.34
6855MHz	Pass	AV	13.70988G	49.85	68.20	-18.35	3	Horizontal	325	1.50
6855MHz	Pass	PK	13.70979G	61.85	88.20	-26.35	3	Horizontal	325	1.50
6875MHz	Pass	AV	6.8682G	90.86	Inf	-Inf	3	Vertical	342	1.50
6875MHz	Pass	AV	7.136G	52.86	68.20	-15.34	3	Vertical	342	1.50



RSE TX above 1GHz_Non-Beamforming

Appendix E.4

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6875MHz	Pass	PK	6.8682G	100.37	Inf	-Inf	3	Vertical	342	1.50
6875MHz	Pass	PK	7.1555G	64.53	88.20	-23.67	3	Vertical	342	1.50
6875MHz	Pass	AV	6.88055G	97.95	Inf	-Inf	3	Horizontal	64	1.66
6875MHz	Pass	AV	7.14575G	52.86	68.20	-15.34	3	Horizontal	64	1.66
6875MHz	Pass	PK	6.88055G	106.86	Inf	-Inf	3	Horizontal	64	1.66
6875MHz	Pass	PK	7.1685G	64.26	88.20	-23.94	3	Horizontal	64	1.66
6875MHz	Pass	AV	13.74985G	50.25	68.20	-17.95	3	Vertical	347	2.47
6875MHz	Pass	PK	13.73935G	61.58	88.20	-26.62	3	Vertical	347	2.47
6875MHz	Pass	AV	13.74991G	49.72	68.20	-18.48	3	Horizontal	326	1.51
6875MHz	Pass	PK	13.76137G	61.80	88.20	-26.40	3	Horizontal	326	1.51
6895MHz	Pass	AV	6.902G	90.82	Inf	-Inf	3	Vertical	342	1.40
6895MHz	Pass	AV	7.1491G	52.96	68.20	-15.24	3	Vertical	342	1.40
6895MHz	Pass	PK	6.9027G	99.18	Inf	-Inf	3	Vertical	342	1.40
6895MHz	Pass	PK	7.1449G	65.03	88.20	-23.17	3	Vertical	342	1.40
6895MHz	Pass	AV	6.8901G	98.01	Inf	-Inf	3	Horizontal	65	1.69
6895MHz	Pass	AV	7.1442G	52.76	68.20	-15.44	3	Horizontal	65	1.69
6895MHz	Pass	PK	6.8901G	106.79	Inf	-Inf	3	Horizontal	65	1.69
6895MHz	Pass	PK	7.2352G	65.49	88.20	-22.71	3	Horizontal	65	1.69
6895MHz	Pass	AV	13.79012G	49.85	68.20	-18.35	3	Vertical	348	1.46
6895MHz	Pass	PK	13.8044G	62.09	88.20	-26.11	3	Vertical	348	1.46
6895MHz	Pass	AV	13.78994G	50.62	68.20	-17.58	3	Horizontal	2	1.08
6895MHz	Pass	PK	13.79159G	62.10	88.20	-26.10	3	Horizontal	2	1.08
6995MHz	Pass	AV	6.989G	93.22	Inf	-Inf	3	Vertical	345	1.80
6995MHz	Pass	AV	7.1445G	52.87	68.20	-15.33	3	Vertical	345	1.80
6995MHz	Pass	PK	6.9885G	102.67	Inf	-Inf	3	Vertical	345	1.80
6995MHz	Pass	PK	7.1965G	66.11	88.20	-22.09	3	Vertical	345	1.80
6995MHz	Pass	AV	6.9905G	98.44	Inf	-Inf	3	Horizontal	60	1.74
6995MHz	Pass	AV	7.149G	52.98	68.20	-15.22	3	Horizontal	60	1.74
6995MHz	Pass	PK	6.9905G	107.22	Inf	-Inf	3	Horizontal	60	1.74
6995MHz	Pass	PK	7.154G	64.81	88.20	-23.39	3	Horizontal	60	1.74
6995MHz	Pass	AV	13.98991G	51.19	68.20	-17.01	3	Vertical	347	1.58
6995MHz	Pass	PK	13.98994G	63.76	88.20	-24.44	3	Vertical	347	1.58
6995MHz	Pass	AV	13.98997G	51.95	68.20	-16.25	3	Horizontal	341	1.61
6995MHz	Pass	PK	13.98952G	63.01	88.20	-25.19	3	Horizontal	341	1.61
7095MHz	Pass	AV	7.1025G	95.08	Inf	-Inf	3	Vertical	348	1.31
7095MHz	Pass	AV	7.1526G	52.31	68.20	-15.89	3	Vertical	348	1.31
7095MHz	Pass	PK	7.1025G	103.77	Inf	-Inf	3	Vertical	348	1.31
7095MHz	Pass	PK	7.1661G	64.06	88.20	-24.14	3	Vertical	348	1.31
7095MHz	Pass	AV	7.1007G	98.08	Inf	-Inf	3	Horizontal	63	1.75
7095MHz	Pass	AV	7.1637G	52.00	68.20	-16.20	3	Horizontal	63	1.75
7095MHz	Pass	PK	7.1007G	107.04	Inf	-Inf	3	Horizontal	63	1.75
7095MHz	Pass	PK	7.1628G	63.57	88.20	-24.63	3	Horizontal	63	1.75
7095MHz	Pass	AV	14.19G	52.09	68.20	-16.11	3	Vertical	332	1.00
7095MHz	Pass	PK	14.18937G	62.84	88.20	-25.36	3	Vertical	332	1.00
7095MHz	Pass	AV	14.19G	52.09	68.20	-16.11	3	Horizontal	34	1.52
7095MHz	Pass	PK	14.19G	64.06	88.20	-24.14	3	Horizontal	34	1.52
7115MHz	Pass	AV	7.10814G	88.74	Inf	-Inf	3	Vertical	341	1.62
7115MHz	Pass	AV	7.1255G	64.49	68.20	-3.71	3	Vertical	341	1.62
7115MHz	Pass	PK	7.10873G	97.75	Inf	-Inf	3	Vertical	341	1.62
7115MHz	Pass	PK	7.1255G	72.48	88.20	-15.72	3	Vertical	341	1.62
7115MHz	Pass	AV	7.10998G	91.90	Inf	-Inf	3	Horizontal	54	1.50
7115MHz	Pass	AV	7.1255G	67.46	68.20	-0.74	3	Horizontal	54	1.50
7115MHz	Pass	PK	7.10998G	101.09	Inf	-Inf	3	Horizontal	54	1.50
7115MHz	Pass	PK	7.1255G	77.26	88.20	-10.94	3	Horizontal	54	1.50
7115MHz	Pass	AV	14.22999G	51.60	68.20	-16.60	3	Vertical	338	2.37
7115MHz	Pass	PK	14.22993G	60.68	88.20	-27.52	3	Vertical	338	2.37
7115MHz	Pass	AV	14.23001G	53.06	68.20	-15.14	3	Horizontal	30	1.62
7115MHz	Pass	PK	14.23003G	61.59	88.20	-26.61	3	Horizontal	30	1.62
7115MHz	Pass	AV	7.10987G	4.53	5.00	-0.47	3	Horizontal	54	1.50
7115MHz	Pass	AV	7.115G	15.41	30.00	-14.59	3	Horizontal	59	1.59
802.11ax HEW20_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5955MHz	Pass	AV	5.9031G	48.36	68.20	-19.84	3	Vertical	48	1.09



RSE TX above 1GHz_Non-Beamforming

Appendix E.4

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5955MHz	Pass	AV	5.9613G	89.56	Inf	-Inf	3	Vertical	48	1.09
5955MHz	Pass	PK	5.9136G	60.27	88.20	-27.93	3	Vertical	48	1.09
5955MHz	Pass	PK	5.952G	101.37	Inf	-Inf	3	Vertical	48	1.09
5955MHz	Pass	AV	5.9205G	48.32	68.20	-19.88	3	Horizontal	57	1.85
5955MHz	Pass	AV	5.9637G	96.98	Inf	-Inf	3	Horizontal	57	1.85
5955MHz	Pass	PK	5.8428G	60.19	88.20	-28.01	3	Horizontal	57	1.85
5955MHz	Pass	PK	5.9628G	108.36	Inf	-Inf	3	Horizontal	57	1.85
5955MHz	Pass	AV	11.91G	45.36	54.00	-8.64	3	Vertical	0	1.77
5955MHz	Pass	PK	11.91018G	54.57	74.00	-19.43	3	Vertical	0	1.77
5955MHz	Pass	AV	11.90995G	45.72	54.00	-8.28	3	Horizontal	302	2.84
5955MHz	Pass	PK	11.90992G	56.82	74.00	-17.18	3	Horizontal	302	2.84
6175MHz	Pass	AV	5.9194G	48.23	68.20	-19.97	3	Vertical	35	1.30
6175MHz	Pass	AV	6.181G	88.61	Inf	-Inf	3	Vertical	35	1.30
6175MHz	Pass	PK	5.9068G	59.30	88.20	-28.90	3	Vertical	35	1.30
6175MHz	Pass	PK	6.1714G	99.87	Inf	-Inf	3	Vertical	35	1.30
6175MHz	Pass	AV	5.9194G	48.33	68.20	-19.87	3	Horizontal	39	2.65
6175MHz	Pass	AV	6.1672G	96.38	Inf	-Inf	3	Horizontal	39	2.65
6175MHz	Pass	PK	5.92G	59.48	88.20	-28.72	3	Horizontal	39	2.65
6175MHz	Pass	PK	6.1678G	107.63	Inf	-Inf	3	Horizontal	39	2.65
6175MHz	Pass	AV	12.34993G	45.64	54.00	-8.36	3	Vertical	353	1.45
6175MHz	Pass	PK	12.35019G	57.13	74.00	-16.87	3	Vertical	353	1.45
6175MHz	Pass	AV	12.34998G	48.54	54.00	-5.46	3	Horizontal	341	1.50
6175MHz	Pass	PK	12.34988G	57.43	74.00	-16.57	3	Horizontal	341	1.50
6415MHz	Pass	AV	5.9146G	48.47	68.20	-19.73	3	Vertical	40	1.18
6415MHz	Pass	AV	6.421G	90.35	Inf	-Inf	3	Vertical	40	1.18
6415MHz	Pass	PK	5.9074G	59.75	88.20	-28.45	3	Vertical	40	1.18
6415MHz	Pass	PK	6.4222G	101.38	Inf	-Inf	3	Vertical	40	1.18
6415MHz	Pass	AV	5.9194G	48.45	68.20	-19.75	3	Horizontal	32	2.53
6415MHz	Pass	AV	6.4066G	97.32	Inf	-Inf	3	Horizontal	32	2.53
6415MHz	Pass	PK	5.8438G	60.05	88.20	-28.15	3	Horizontal	32	2.53
6415MHz	Pass	PK	6.4066G	108.87	Inf	-Inf	3	Horizontal	32	2.53
6415MHz	Pass	AV	12.82994G	51.37	68.20	-16.83	3	Vertical	17	2.11
6415MHz	Pass	PK	12.83009G	58.18	88.20	-30.02	3	Vertical	17	2.11
6415MHz	Pass	AV	12.83003G	49.17	68.20	-19.03	3	Horizontal	355	1.38
6415MHz	Pass	PK	12.83015G	57.69	88.20	-30.51	3	Horizontal	355	1.38
6435MHz	Pass	AV	5.9166G	48.26	68.20	-19.94	3	Vertical	36	1.39
6435MHz	Pass	AV	6.4314G	88.19	Inf	-Inf	3	Vertical	36	1.39
6435MHz	Pass	PK	5.8842G	59.76	88.20	-28.44	3	Vertical	36	1.39
6435MHz	Pass	PK	6.4434G	97.74	Inf	-Inf	3	Vertical	36	1.39
6435MHz	Pass	AV	5.9214G	48.23	68.20	-19.97	3	Horizontal	31	2.64
6435MHz	Pass	AV	6.4278G	96.46	Inf	-Inf	3	Horizontal	31	2.64
6435MHz	Pass	PK	5.9142G	59.83	88.20	-28.37	3	Horizontal	31	2.64
6435MHz	Pass	PK	6.4266G	107.88	Inf	-Inf	3	Horizontal	31	2.64
6435MHz	Pass	AV	12.86997G	52.82	68.20	-15.38	3	Vertical	345	2.61
6435MHz	Pass	PK	12.86982G	58.97	88.20	-29.23	3	Vertical	345	2.61
6435MHz	Pass	AV	12.87G	49.69	68.20	-18.51	3	Horizontal	344	1.50
6435MHz	Pass	PK	12.86997G	58.28	88.20	-29.92	3	Horizontal	344	1.50
6475MHz	Pass	AV	5.9164G	48.19	68.20	-20.01	3	Vertical	33	1.16
6475MHz	Pass	AV	6.4708G	87.50	Inf	-Inf	3	Vertical	33	1.16
6475MHz	Pass	AV	7.1484G	51.95	68.20	-16.25	3	Vertical	33	1.16
6475MHz	Pass	PK	5.8142G	59.85	88.20	-28.35	3	Vertical	33	1.16
6475MHz	Pass	PK	6.4792G	97.95	Inf	-Inf	3	Vertical	33	1.16
6475MHz	Pass	PK	7.1554G	63.39	88.20	-24.81	3	Vertical	33	1.16
6475MHz	Pass	AV	5.9192G	48.23	68.20	-19.97	3	Horizontal	36	2.69
6475MHz	Pass	AV	6.468G	96.18	Inf	-Inf	3	Horizontal	36	2.69
6475MHz	Pass	AV	7.14G	52.02	68.20	-16.18	3	Horizontal	36	2.69
6475MHz	Pass	PK	5.8282G	59.79	88.20	-28.41	3	Horizontal	36	2.69
6475MHz	Pass	PK	6.4694G	106.30	Inf	-Inf	3	Horizontal	36	2.69
6475MHz	Pass	PK	7.1596G	63.30	88.20	-24.90	3	Horizontal	36	2.69
6475MHz	Pass	AV	12.94994G	54.76	68.20	-13.44	3	Vertical	342	2.53
6475MHz	Pass	PK	12.94985G	60.10	88.20	-28.10	3	Vertical	342	2.53
6475MHz	Pass	AV	12.94994G	52.64	68.20	-15.56	3	Horizontal	303	2.42



RSE TX above 1GHz_Non-Beamforming

Appendix E.4

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6475MHz	Pass	PK	12.95006G	59.22	88.20	-28.98	3	Horizontal	303	2.42
6515MHz	Pass	AV	5.9172G	48.22	68.20	-19.98	3	Vertical	52	1.39
6515MHz	Pass	AV	6.5234G	87.90	Inf	-Inf	3	Vertical	52	1.39
6515MHz	Pass	AV	7.1492G	52.03	68.20	-16.17	3	Vertical	52	1.39
6515MHz	Pass	PK	5.8878G	59.18	88.20	-29.02	3	Vertical	52	1.39
6515MHz	Pass	PK	6.5234G	99.66	Inf	-Inf	3	Vertical	52	1.39
6515MHz	Pass	PK	7.1478G	63.87	88.20	-24.33	3	Vertical	52	1.39
6515MHz	Pass	AV	5.9214G	48.24	68.20	-19.96	3	Horizontal	34	2.66
6515MHz	Pass	AV	6.508G	96.85	Inf	-Inf	3	Horizontal	34	2.66
6515MHz	Pass	AV	7.166G	51.88	68.20	-16.32	3	Horizontal	34	2.66
6515MHz	Pass	PK	5.8262G	59.81	88.20	-28.39	3	Horizontal	34	2.66
6515MHz	Pass	PK	6.5094G	106.43	Inf	-Inf	3	Horizontal	34	2.66
6515MHz	Pass	PK	7.1324G	63.70	88.20	-24.50	3	Horizontal	34	2.66
6515MHz	Pass	AV	13.02997G	54.00	68.20	-14.20	3	Vertical	343	2.56
6515MHz	Pass	PK	13.02994G	59.92	88.20	-28.28	3	Vertical	343	2.56
6515MHz	Pass	AV	13.02991G	54.09	68.20	-14.11	3	Horizontal	27	2.14
6515MHz	Pass	PK	13.03003G	60.05	88.20	-28.15	3	Horizontal	27	2.14
6535MHz	Pass	AV	5.919G	48.20	68.20	-20.00	3	Vertical	52	1.19
6535MHz	Pass	AV	6.542G	89.22	Inf	-Inf	3	Vertical	52	1.19
6535MHz	Pass	AV	7.1608G	51.99	68.20	-16.21	3	Vertical	52	1.19
6535MHz	Pass	PK	5.842G	59.46	88.20	-28.74	3	Vertical	52	1.19
6535MHz	Pass	PK	6.5406G	98.81	Inf	-Inf	3	Vertical	52	1.19
6535MHz	Pass	PK	7.13G	63.19	88.20	-25.01	3	Vertical	52	1.19
6535MHz	Pass	AV	5.8938G	48.23	68.20	-19.97	3	Horizontal	58	2.45
6535MHz	Pass	AV	6.5266G	96.73	Inf	-Inf	3	Horizontal	58	2.45
6535MHz	Pass	AV	7.1524G	51.99	68.20	-16.21	3	Horizontal	58	2.45
6535MHz	Pass	PK	5.8868G	59.91	88.20	-28.29	3	Horizontal	58	2.45
6535MHz	Pass	PK	6.5266G	106.07	Inf	-Inf	3	Horizontal	58	2.45
6535MHz	Pass	PK	7.158G	63.93	88.20	-24.27	3	Horizontal	58	2.45
6535MHz	Pass	AV	13.06997G	53.75	68.20	-14.45	3	Vertical	340	2.59
6535MHz	Pass	PK	13.06991G	60.33	88.20	-27.87	3	Vertical	340	2.59
6535MHz	Pass	AV	13.06997G	51.85	68.20	-16.35	3	Horizontal	16	1.50
6535MHz	Pass	PK	13.06994G	58.90	88.20	-29.30	3	Horizontal	16	1.50
6695MHz	Pass	AV	6.704G	87.45	Inf	-Inf	3	Vertical	39	1.55
6695MHz	Pass	AV	7.146G	51.94	68.20	-16.26	3	Vertical	39	1.55
6695MHz	Pass	PK	6.694G	97.48	Inf	-Inf	3	Vertical	39	1.55
6695MHz	Pass	PK	7.178G	64.01	88.20	-24.19	3	Vertical	39	1.55
6695MHz	Pass	AV	6.704G	96.20	Inf	-Inf	3	Horizontal	64	1.73
6695MHz	Pass	AV	7.154G	51.96	68.20	-16.24	3	Horizontal	64	1.73
6695MHz	Pass	PK	6.704G	107.60	Inf	-Inf	3	Horizontal	64	1.73
6695MHz	Pass	PK	7.145G	63.46	88.20	-24.74	3	Horizontal	64	1.73
6695MHz	Pass	AV	13.38994G	44.29	54.00	-9.71	3	Vertical	-0	2.51
6695MHz	Pass	PK	13.37989G	56.78	74.00	-17.22	3	Vertical	-0	2.51
6695MHz	Pass	AV	13.38994G	44.46	54.00	-9.54	3	Horizontal	342	1.79
6695MHz	Pass	PK	13.39021G	56.69	74.00	-17.31	3	Horizontal	342	1.79
6855MHz	Pass	AV	6.8487G	89.31	Inf	-Inf	3	Vertical	31	1.04
6855MHz	Pass	AV	7.1462G	51.97	68.20	-16.23	3	Vertical	31	1.04
6855MHz	Pass	PK	6.848G	100.23	Inf	-Inf	3	Vertical	31	1.04
6855MHz	Pass	PK	7.1595G	63.64	88.20	-24.56	3	Vertical	31	1.04
6855MHz	Pass	AV	6.8641G	97.13	Inf	-Inf	3	Horizontal	59	1.68
6855MHz	Pass	AV	7.1455G	51.96	68.20	-16.24	3	Horizontal	59	1.68
6855MHz	Pass	PK	6.8634G	107.05	Inf	-Inf	3	Horizontal	59	1.68
6855MHz	Pass	PK	7.1294G	63.25	88.20	-24.95	3	Horizontal	59	1.68
6855MHz	Pass	AV	13.70994G	49.82	68.20	-18.38	3	Vertical	346	1.44
6855MHz	Pass	PK	13.72107G	62.27	88.20	-25.93	3	Vertical	346	1.44
6855MHz	Pass	AV	13.70997G	50.14	68.20	-18.06	3	Horizontal	323	1.42
6855MHz	Pass	PK	13.70979G	61.74	88.20	-26.46	3	Horizontal	323	1.42
6875MHz	Pass	AV	6.8694G	88.80	Inf	-Inf	3	Vertical	29	1.17
6875MHz	Pass	AV	7.1459G	51.89	68.20	-16.31	3	Vertical	29	1.17
6875MHz	Pass	PK	6.8687G	99.73	Inf	-Inf	3	Vertical	29	1.17
6875MHz	Pass	PK	7.1669G	63.47	88.20	-24.73	3	Vertical	29	1.17
6875MHz	Pass	AV	6.8659G	96.85	Inf	-Inf	3	Horizontal	58	2.00



RSE TX above 1GHz_Non-Beamforming

Appendix E.4

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6875MHz	Pass	AV	7.1459G	51.94	68.20	-16.26	3	Horizontal	58	2.00
6875MHz	Pass	PK	6.8673G	107.66	Inf	-Inf	3	Horizontal	58	2.00
6875MHz	Pass	PK	7.169G	63.15	88.20	-25.05	3	Horizontal	58	2.00
6875MHz	Pass	AV	13.75G	50.08	68.20	-18.12	3	Vertical	345	1.48
6875MHz	Pass	PK	13.74994G	62.21	88.20	-25.99	3	Vertical	345	1.48
6875MHz	Pass	AV	13.74988G	49.90	68.20	-18.30	3	Horizontal	324	1.34
6875MHz	Pass	PK	13.75294G	62.50	88.20	-25.70	3	Horizontal	324	1.34
6895MHz	Pass	AV	6.8887G	89.09	Inf	-Inf	3	Vertical	31	1.01
6895MHz	Pass	AV	7.1526G	51.95	68.20	-16.25	3	Vertical	31	1.01
6895MHz	Pass	PK	6.8887G	100.05	Inf	-Inf	3	Vertical	31	1.01
6895MHz	Pass	PK	7.1652G	64.20	88.20	-24.00	3	Vertical	31	1.01
6895MHz	Pass	AV	6.9034G	96.33	Inf	-Inf	3	Horizontal	57	1.74
6895MHz	Pass	AV	7.1533G	51.95	68.20	-16.25	3	Horizontal	57	1.74
6895MHz	Pass	PK	6.9034G	107.28	Inf	-Inf	3	Horizontal	57	1.74
6895MHz	Pass	PK	7.1386G	63.92	88.20	-24.28	3	Horizontal	57	1.74
6895MHz	Pass	AV	13.78997G	50.04	68.20	-18.16	3	Vertical	347	1.56
6895MHz	Pass	PK	13.78586G	62.20	88.20	-26.00	3	Vertical	347	1.56
6895MHz	Pass	AV	13.79006G	49.57	68.20	-18.63	3	Horizontal	4	1.13
6895MHz	Pass	PK	13.80158G	62.45	88.20	-25.75	3	Horizontal	4	1.13
6995MHz	Pass	AV	7.0035G	90.97	Inf	-Inf	3	Vertical	360	1.04
6995MHz	Pass	AV	7.14G	52.04	68.20	-16.16	3	Vertical	360	1.04
6995MHz	Pass	PK	6.992G	101.70	Inf	-Inf	3	Vertical	360	1.04
6995MHz	Pass	PK	7.237G	63.85	88.20	-24.35	3	Vertical	360	1.04
6995MHz	Pass	AV	6.986G	98.79	Inf	-Inf	3	Horizontal	54	1.95
6995MHz	Pass	AV	7.149G	52.08	68.20	-16.12	3	Horizontal	54	1.95
6995MHz	Pass	PK	6.9965G	110.83	Inf	-Inf	3	Horizontal	54	1.95
6995MHz	Pass	PK	7.1415G	64.19	88.20	-24.01	3	Horizontal	54	1.95
6995MHz	Pass	AV	13.99294G	49.47	68.20	-18.73	3	Vertical	55	1.98
6995MHz	Pass	PK	13.98951G	62.74	88.20	-25.46	3	Vertical	55	1.98
6995MHz	Pass	AV	13.98998G	49.58	68.20	-18.62	3	Horizontal	55	1.53
6995MHz	Pass	PK	13.98571G	62.50	88.20	-25.70	3	Horizontal	55	1.53
7095MHz	Pass	AV	7.1022G	90.63	Inf	-Inf	3	Vertical	360	1.94
7095MHz	Pass	AV	7.1547G	52.07	68.20	-16.13	3	Vertical	360	1.94
7095MHz	Pass	PK	7.1016G	102.17	Inf	-Inf	3	Vertical	360	1.94
7095MHz	Pass	PK	7.1364G	64.51	88.20	-23.69	3	Vertical	360	1.94
7095MHz	Pass	AV	7.0863G	97.50	Inf	-Inf	3	Horizontal	54	1.84
7095MHz	Pass	AV	7.1451G	52.11	68.20	-16.09	3	Horizontal	54	1.84
7095MHz	Pass	PK	7.0956G	108.83	Inf	-Inf	3	Horizontal	54	1.84
7095MHz	Pass	PK	7.1733G	64.31	88.20	-23.89	3	Horizontal	54	1.84
7095MHz	Pass	AV	14.18987G	49.46	68.20	-18.74	3	Vertical	78	2.93
7095MHz	Pass	PK	14.18546G	63.40	88.20	-24.80	3	Vertical	78	2.93
7095MHz	Pass	AV	14.19319G	49.50	68.20	-18.70	3	Horizontal	254	2.68
7095MHz	Pass	PK	14.19392G	62.42	88.20	-25.78	3	Horizontal	254	2.68
7115MHz	Pass	AV	7.12318G	81.77	Inf	-Inf	3	Vertical	342	1.77
7115MHz	Pass	AV	7.1255G	63.45	68.20	-4.75	3	Vertical	342	1.77
7115MHz	Pass	PK	7.10875G	91.54	Inf	-Inf	3	Vertical	342	1.77
7115MHz	Pass	PK	7.1255G	74.82	88.20	-13.38	3	Vertical	342	1.77
7115MHz	Pass	AV	7.10586G	85.24	Inf	-Inf	3	Horizontal	58	1.68
7115MHz	Pass	AV	7.1255G	67.34	68.20	-0.86	3	Horizontal	58	1.68
7115MHz	Pass	PK	7.10998G	94.97	Inf	-Inf	3	Horizontal	58	1.68
7115MHz	Pass	PK	7.1255G	78.80	88.20	-9.40	3	Horizontal	58	1.68
7115MHz	Pass	AV	14.23G	51.68	68.20	-16.52	3	Vertical	333	1.49
7115MHz	Pass	PK	14.22993G	60.68	88.20	-27.52	3	Vertical	333	1.49
7115MHz	Pass	AV	14.22991G	52.84	68.20	-15.36	3	Horizontal	29	1.67
7115MHz	Pass	PK	14.22996G	61.16	88.20	-27.04	3	Horizontal	29	1.67
802.11ax HEW40_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5965MHz	Pass	AV	5.9194G	48.25	68.20	-19.95	3	Vertical	49	1.03
5965MHz	Pass	AV	5.9608G	90.66	Inf	-Inf	3	Vertical	49	1.03
5965MHz	Pass	PK	5.9242G	60.56	88.20	-27.64	3	Vertical	49	1.03
5965MHz	Pass	PK	5.9617G	104.58	Inf	-Inf	3	Vertical	49	1.03
5965MHz	Pass	AV	5.9242G	48.83	68.20	-19.37	3	Horizontal	58	1.80
5965MHz	Pass	AV	5.9635G	97.95	Inf	-Inf	3	Horizontal	58	1.80



RSE TX above 1GHz_Non-Beamforming

Appendix E.4

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5965MHz	Pass	PK	5.8999G	60.42	88.20	-27.78	3	Horizontal	58	1.80
5965MHz	Pass	PK	5.9641G	109.37	Inf	-Inf	3	Horizontal	58	1.80
5965MHz	Pass	AV	11.92994G	45.50	54.00	-8.50	3	Vertical	0	1.78
5965MHz	Pass	PK	11.93006G	54.66	74.00	-19.34	3	Vertical	0	1.78
5965MHz	Pass	AV	11.92988G	44.38	54.00	-9.62	3	Horizontal	62	3.00
5965MHz	Pass	PK	11.93018G	55.79	74.00	-18.21	3	Horizontal	62	3.00
6165MHz	Pass	AV	5.91G	48.31	68.20	-19.89	3	Vertical	37	1.18
6165MHz	Pass	AV	6.1614G	90.51	Inf	-Inf	3	Vertical	37	1.18
6165MHz	Pass	PK	5.9118G	60.09	88.20	-28.11	3	Vertical	37	1.18
6165MHz	Pass	PK	6.1608G	102.52	Inf	-Inf	3	Vertical	37	1.18
6165MHz	Pass	AV	5.8878G	48.20	68.20	-20.00	3	Horizontal	43	2.62
6165MHz	Pass	AV	6.1674G	97.21	Inf	-Inf	3	Horizontal	43	2.62
6165MHz	Pass	PK	5.88G	59.95	88.20	-28.25	3	Horizontal	43	2.62
6165MHz	Pass	PK	6.1572G	108.68	Inf	-Inf	3	Horizontal	43	2.62
6165MHz	Pass	AV	12.32994G	49.22	54.00	-4.78	3	Vertical	0	1.78
6165MHz	Pass	PK	12.33018G	56.96	74.00	-17.04	3	Vertical	0	1.78
6165MHz	Pass	AV	12.32994G	47.89	54.00	-6.11	3	Horizontal	341	1.36
6165MHz	Pass	PK	12.33018G	56.23	74.00	-17.77	3	Horizontal	341	1.36
6405MHz	Pass	AV	5.919G	48.25	68.20	-19.95	3	Vertical	35	1.27
6405MHz	Pass	AV	6.4014G	90.75	Inf	-Inf	3	Vertical	35	1.27
6405MHz	Pass	PK	5.871G	60.43	88.20	-27.77	3	Vertical	35	1.27
6405MHz	Pass	PK	6.4002G	101.09	Inf	-Inf	3	Vertical	35	1.27
6405MHz	Pass	AV	5.907G	48.17	68.20	-20.03	3	Horizontal	37	2.64
6405MHz	Pass	AV	6.4074G	97.44	Inf	-Inf	3	Horizontal	37	2.64
6405MHz	Pass	PK	5.877G	60.13	88.20	-28.07	3	Horizontal	37	2.64
6405MHz	Pass	PK	6.4086G	107.64	Inf	-Inf	3	Horizontal	37	2.64
6405MHz	Pass	AV	12.81G	50.78	68.20	-17.42	3	Vertical	349	2.02
6405MHz	Pass	PK	12.81G	58.29	88.20	-29.91	3	Vertical	349	2.02
6405MHz	Pass	AV	12.80994G	50.12	68.20	-18.08	3	Horizontal	343	1.50
6405MHz	Pass	PK	12.81G	57.87	88.20	-30.33	3	Horizontal	343	1.50
6445MHz	Pass	AV	5.917G	48.26	68.20	-19.94	3	Vertical	34	1.24
6445MHz	Pass	AV	6.4414G	90.31	Inf	-Inf	3	Vertical	34	1.24
6445MHz	Pass	PK	5.8498G	60.10	88.20	-28.10	3	Vertical	34	1.24
6445MHz	Pass	PK	6.451G	100.33	Inf	-Inf	3	Vertical	34	1.24
6445MHz	Pass	AV	5.923G	48.30	68.20	-19.90	3	Horizontal	39	2.69
6445MHz	Pass	AV	6.439G	97.65	Inf	-Inf	3	Horizontal	39	2.69
6445MHz	Pass	PK	5.9218G	60.20	88.20	-28.00	3	Horizontal	39	2.69
6445MHz	Pass	PK	6.4462G	108.79	Inf	-Inf	3	Horizontal	39	2.69
6445MHz	Pass	AV	12.88994G	53.50	68.20	-14.70	3	Vertical	344	2.60
6445MHz	Pass	PK	12.89006G	60.31	88.20	-27.89	3	Vertical	344	2.60
6445MHz	Pass	AV	12.88994G	49.86	68.20	-18.34	3	Horizontal	344	1.50
6445MHz	Pass	PK	12.89G	58.15	88.20	-30.05	3	Horizontal	344	1.50
6485MHz	Pass	AV	5.918G	48.34	68.20	-19.86	3	Vertical	46	1.43
6485MHz	Pass	AV	6.4836G	90.44	Inf	-Inf	3	Vertical	46	1.43
6485MHz	Pass	AV	7.15G	51.92	68.20	-16.28	3	Vertical	46	1.43
6485MHz	Pass	PK	5.8018G	60.55	88.20	-27.65	3	Vertical	46	1.43
6485MHz	Pass	PK	6.4822G	101.61	Inf	-Inf	3	Vertical	46	1.43
6485MHz	Pass	PK	7.1346G	63.91	88.20	-24.29	3	Vertical	46	1.43
6485MHz	Pass	AV	5.9138G	48.27	68.20	-19.93	3	Horizontal	49	1.57
6485MHz	Pass	AV	6.4836G	97.84	Inf	-Inf	3	Horizontal	49	1.57
6485MHz	Pass	AV	7.157G	51.94	68.20	-16.26	3	Horizontal	49	1.57
6485MHz	Pass	PK	5.9222G	60.32	88.20	-27.88	3	Horizontal	49	1.57
6485MHz	Pass	PK	6.4836G	107.44	Inf	-Inf	3	Horizontal	49	1.57
6485MHz	Pass	PK	7.1584G	64.23	88.20	-23.97	3	Horizontal	49	1.57
6485MHz	Pass	AV	12.96994G	53.28	68.20	-14.92	3	Vertical	349	1.97
6485MHz	Pass	PK	12.96994G	60.37	88.20	-27.83	3	Vertical	349	1.97
6485MHz	Pass	AV	12.96994G	52.76	68.20	-15.44	3	Horizontal	28	2.09
6485MHz	Pass	PK	12.96994G	59.42	88.20	-28.78	3	Horizontal	28	2.09
6525MHz	Pass	AV	5.9146G	48.26	68.20	-19.94	3	Vertical	39	1.09
6525MHz	Pass	AV	6.5208G	90.20	Inf	-Inf	3	Vertical	39	1.09
6525MHz	Pass	AV	7.1592G	51.94	68.20	-16.26	3	Vertical	39	1.09
6525MHz	Pass	PK	5.916G	59.43	88.20	-28.77	3	Vertical	39	1.09



RSE TX above 1GHz_Non-Beamforming

Appendix E.4

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6525MHz	Pass	PK	6.5222G	102.46	Inf	-Inf	3	Vertical	39	1.09
6525MHz	Pass	PK	7.1522G	63.28	88.20	-24.92	3	Vertical	39	1.09
6525MHz	Pass	AV	5.9118G	48.29	68.20	-19.91	3	Horizontal	33	2.29
6525MHz	Pass	AV	6.5166G	98.17	Inf	-Inf	3	Horizontal	33	2.29
6525MHz	Pass	AV	7.1284G	52.00	68.20	-16.20	3	Horizontal	33	2.29
6525MHz	Pass	PK	5.8866G	60.16	88.20	-28.04	3	Horizontal	33	2.29
6525MHz	Pass	PK	6.5152G	108.60	Inf	-Inf	3	Horizontal	33	2.29
6525MHz	Pass	PK	7.1578G	63.97	88.20	-24.23	3	Horizontal	33	2.29
6525MHz	Pass	AV	13.04994G	54.35	68.20	-13.85	3	Vertical	341	2.61
6525MHz	Pass	PK	13.05006G	60.46	88.20	-27.74	3	Vertical	341	2.61
6525MHz	Pass	AV	13.04994G	52.45	68.20	-15.75	3	Horizontal	28	2.10
6525MHz	Pass	PK	13.04994G	59.65	88.20	-28.55	3	Horizontal	28	2.10
6565MHz	Pass	AV	6.5614G	90.27	Inf	-Inf	3	Vertical	48	1.40
6565MHz	Pass	AV	7.1566G	51.97	68.20	-16.23	3	Vertical	48	1.40
6565MHz	Pass	PK	6.5626G	100.70	Inf	-Inf	3	Vertical	48	1.40
6565MHz	Pass	PK	7.1362G	64.12	88.20	-24.08	3	Vertical	48	1.40
6565MHz	Pass	AV	6.5566G	97.68	Inf	-Inf	3	Horizontal	57	2.34
6565MHz	Pass	AV	7.1374G	51.96	68.20	-16.24	3	Horizontal	57	2.34
6565MHz	Pass	PK	6.577G	108.50	Inf	-Inf	3	Horizontal	57	2.34
6565MHz	Pass	PK	7.1362G	63.43	88.20	-24.77	3	Horizontal	57	2.34
6565MHz	Pass	AV	13.12994G	51.70	68.20	-16.50	3	Vertical	3	2.65
6565MHz	Pass	PK	13.13006G	59.02	88.20	-29.18	3	Vertical	3	2.65
6565MHz	Pass	AV	13.12994G	52.03	68.20	-16.17	3	Horizontal	15	1.50
6565MHz	Pass	PK	13.13G	58.82	88.20	-29.38	3	Horizontal	15	1.50
6685MHz	Pass	AV	6.683G	88.72	Inf	-Inf	3	Vertical	42	1.46
6685MHz	Pass	AV	7.151G	51.95	68.20	-16.25	3	Vertical	42	1.46
6685MHz	Pass	PK	6.682G	99.46	Inf	-Inf	3	Vertical	42	1.46
6685MHz	Pass	PK	7.181G	63.88	88.20	-24.32	3	Vertical	42	1.46
6685MHz	Pass	AV	6.695G	98.00	Inf	-Inf	3	Horizontal	64	1.79
6685MHz	Pass	AV	7.165G	52.08	68.20	-16.12	3	Horizontal	64	1.79
6685MHz	Pass	PK	6.686G	110.68	Inf	-Inf	3	Horizontal	64	1.79
6685MHz	Pass	PK	7.135G	65.91	88.20	-22.29	3	Horizontal	64	1.79
6685MHz	Pass	AV	13.36994G	52.76	54.00	-1.24	3	Vertical	335	2.64
6685MHz	Pass	PK	13.36964G	59.31	74.00	-14.69	3	Vertical	335	2.64
6685MHz	Pass	AV	13.36994G	50.19	54.00	-3.81	3	Horizontal	344	1.50
6685MHz	Pass	PK	13.37G	58.14	74.00	-15.86	3	Horizontal	344	1.50
6845MHz	Pass	AV	6.8464G	90.24	Inf	-Inf	3	Vertical	66	2.00
6845MHz	Pass	AV	7.1523G	51.92	68.20	-16.28	3	Vertical	66	2.00
6845MHz	Pass	PK	6.8457G	101.26	Inf	-Inf	3	Vertical	66	2.00
6845MHz	Pass	PK	7.1376G	63.99	88.20	-24.21	3	Vertical	66	2.00
6845MHz	Pass	AV	6.8345G	98.14	Inf	-Inf	3	Horizontal	60	1.80
6845MHz	Pass	AV	7.1439G	52.00	68.20	-16.20	3	Horizontal	60	1.80
6845MHz	Pass	PK	6.8457G	109.87	Inf	-Inf	3	Horizontal	60	1.80
6845MHz	Pass	PK	7.1705G	63.62	88.20	-24.58	3	Horizontal	60	1.80
6845MHz	Pass	AV	13.68988G	50.33	68.20	-17.87	3	Vertical	344	2.33
6845MHz	Pass	PK	13.66144G	61.48	88.20	-26.72	3	Vertical	344	2.33
6845MHz	Pass	AV	13.68982G	50.09	68.20	-18.11	3	Horizontal	322	1.44
6845MHz	Pass	PK	13.69G	61.83	88.20	-26.37	3	Horizontal	322	1.44
6885MHz	Pass	AV	6.8787G	90.85	Inf	-Inf	3	Vertical	32	1.05
6885MHz	Pass	AV	7.1545G	52.06	68.20	-16.14	3	Vertical	32	1.05
6885MHz	Pass	PK	6.8885G	102.91	Inf	-Inf	3	Vertical	32	1.05
6885MHz	Pass	PK	7.2105G	63.74	88.20	-24.46	3	Vertical	32	1.05
6885MHz	Pass	AV	6.8752G	97.85	Inf	-Inf	3	Horizontal	60	1.70
6885MHz	Pass	AV	7.1552G	51.94	68.20	-16.26	3	Horizontal	60	1.70
6885MHz	Pass	PK	6.8759G	109.70	Inf	-Inf	3	Horizontal	60	1.70
6885MHz	Pass	PK	7.1538G	63.46	88.20	-24.74	3	Horizontal	60	1.70
6885MHz	Pass	AV	13.77G	49.88	68.20	-18.32	3	Vertical	347	1.56
6885MHz	Pass	PK	13.78338G	61.96	88.20	-26.24	3	Vertical	347	1.56
6885MHz	Pass	AV	13.76994G	49.49	68.20	-18.71	3	Horizontal	4	1.12
6885MHz	Pass	PK	13.77084G	62.34	88.20	-25.86	3	Horizontal	4	1.12
6925MHz	Pass	AV	6.9238G	90.29	Inf	-Inf	3	Vertical	348	1.87
6925MHz	Pass	AV	7.1416G	52.00	68.20	-16.20	3	Vertical	348	1.87



RSE TX above 1GHz_Non-Beamforming

Appendix E.4

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6925MHz	Pass	PK	6.9232G	101.48	Inf	-Inf	3	Vertical	348	1.87
6925MHz	Pass	PK	7.1506G	64.34	88.20	-23.86	3	Vertical	348	1.87
6925MHz	Pass	AV	6.9238G	98.08	Inf	-Inf	3	Horizontal	54	1.71
6925MHz	Pass	AV	7.1596G	52.02	68.20	-16.18	3	Horizontal	54	1.71
6925MHz	Pass	PK	6.9232G	109.07	Inf	-Inf	3	Horizontal	54	1.71
6925MHz	Pass	PK	7.1362G	64.59	88.20	-23.61	3	Horizontal	54	1.71
6925MHz	Pass	AV	13.84759G	49.32	68.20	-18.88	3	Vertical	219	1.07
6925MHz	Pass	PK	13.85391G	63.30	88.20	-24.90	3	Vertical	219	1.07
6925MHz	Pass	AV	13.8501G	49.75	68.20	-18.45	3	Horizontal	214	2.18
6925MHz	Pass	PK	13.85152G	62.35	88.20	-25.85	3	Horizontal	214	2.18
7005MHz	Pass	AV	7.0032G	89.39	Inf	-Inf	3	Vertical	343	1.81
7005MHz	Pass	AV	7.1415G	52.09	68.20	-16.11	3	Vertical	343	1.81
7005MHz	Pass	PK	6.9933G	101.54	Inf	-Inf	3	Vertical	343	1.81
7005MHz	Pass	PK	7.1529G	64.25	88.20	-23.95	3	Vertical	343	1.81
7005MHz	Pass	AV	7.0062G	97.31	Inf	-Inf	3	Horizontal	57	1.87
7005MHz	Pass	AV	7.146G	52.01	68.20	-16.19	3	Horizontal	57	1.87
7005MHz	Pass	PK	6.9951G	110.40	Inf	-Inf	3	Horizontal	57	1.87
7005MHz	Pass	PK	7.1253G	64.31	88.20	-23.89	3	Horizontal	57	1.87
7005MHz	Pass	AV	14.00505G	49.48	68.20	-18.72	3	Vertical	146	2.38
7005MHz	Pass	PK	14.01013G	62.59	88.20	-25.61	3	Vertical	146	2.38
7005MHz	Pass	AV	14.00967G	49.54	68.20	-18.66	3	Horizontal	279	2.87
7005MHz	Pass	PK	14.00598G	62.15	88.20	-26.05	3	Horizontal	279	2.87
7085MHz	Pass	AV	7.0928G	90.62	Inf	-Inf	3	Vertical	360	1.76
7085MHz	Pass	AV	7.1513G	52.03	68.20	-16.17	3	Vertical	360	1.76
7085MHz	Pass	PK	7.0928G	102.10	Inf	-Inf	3	Vertical	360	1.76
7085MHz	Pass	PK	7.2137G	64.67	88.20	-23.53	3	Vertical	360	1.76
7085MHz	Pass	AV	7.0865G	98.04	Inf	-Inf	3	Horizontal	58	1.83
7085MHz	Pass	AV	7.1276G	52.04	68.20	-16.16	3	Horizontal	58	1.83
7085MHz	Pass	PK	7.0859G	110.33	Inf	-Inf	3	Horizontal	58	1.83
7085MHz	Pass	PK	7.1702G	64.42	88.20	-23.78	3	Horizontal	58	1.83
7085MHz	Pass	AV	14.17003G	49.74	68.20	-18.46	3	Vertical	312	1.60
7085MHz	Pass	PK	14.1666G	62.48	88.20	-25.72	3	Vertical	312	1.60
7085MHz	Pass	AV	14.16714G	49.49	68.20	-18.71	3	Horizontal	296	2.58
7085MHz	Pass	PK	14.17149G	62.29	88.20	-25.91	3	Horizontal	296	2.58
802.11ax HEW80_Nss1_(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5985MHz	Pass	AV	5.9205G	48.69	68.20	-19.51	3	Vertical	46	1.00
5985MHz	Pass	AV	5.991G	91.12	Inf	-Inf	3	Vertical	46	1.00
5985MHz	Pass	PK	5.9205G	61.43	88.20	-26.77	3	Vertical	46	1.00
5985MHz	Pass	PK	5.9705G	102.52	Inf	-Inf	3	Vertical	46	1.00
5985MHz	Pass	AV	5.9235G	50.90	68.20	-17.30	3	Horizontal	57	1.82
5985MHz	Pass	AV	5.974G	97.95	Inf	-Inf	3	Horizontal	57	1.82
5985MHz	Pass	PK	5.922G	63.06	88.20	-25.14	3	Horizontal	57	1.82
5985MHz	Pass	PK	5.9735G	108.65	Inf	-Inf	3	Horizontal	57	1.82
5985MHz	Pass	AV	11.96988G	46.00	54.00	-8.00	3	Vertical	2	1.74
5985MHz	Pass	PK	12.024G	55.70	74.00	-18.30	3	Vertical	2	1.74
5985MHz	Pass	AV	11.97G	45.68	54.00	-8.32	3	Horizontal	297	2.76
5985MHz	Pass	PK	12.0078G	55.87	74.00	-18.13	3	Horizontal	297	2.76
6145MHz	Pass	AV	5.9194G	48.27	68.20	-19.93	3	Vertical	36	1.00
6145MHz	Pass	AV	6.151G	91.73	Inf	-Inf	3	Vertical	36	1.00
6145MHz	Pass	PK	5.8708G	60.31	88.20	-27.89	3	Vertical	36	1.00
6145MHz	Pass	PK	6.1516G	103.98	Inf	-Inf	3	Vertical	36	1.00
6145MHz	Pass	AV	5.911G	48.40	68.20	-19.80	3	Horizontal	46	2.87
6145MHz	Pass	AV	6.1486G	97.65	Inf	-Inf	3	Horizontal	46	2.87
6145MHz	Pass	PK	5.9236G	60.83	88.20	-27.37	3	Horizontal	46	2.87
6145MHz	Pass	PK	6.1684G	109.90	Inf	-Inf	3	Horizontal	46	2.87
6145MHz	Pass	AV	12.29G	48.52	54.00	-5.48	3	Vertical	4	1.79
6145MHz	Pass	PK	12.28976G	56.55	74.00	-17.45	3	Vertical	4	1.79
6145MHz	Pass	AV	12.29G	47.50	54.00	-6.50	3	Horizontal	340	1.39
6145MHz	Pass	PK	12.29G	55.67	74.00	-18.33	3	Horizontal	340	1.39
6385MHz	Pass	AV	5.923G	48.32	68.20	-19.88	3	Vertical	35	1.24
6385MHz	Pass	AV	6.3922G	91.63	Inf	-Inf	3	Vertical	35	1.24
6385MHz	Pass	PK	5.8726G	60.38	88.20	-27.82	3	Vertical	35	1.24



RSE TX above 1GHz_Non-Beamforming

Appendix E.4

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6385MHz	Pass	PK	6.3826G	102.63	Inf	-Inf	3	Vertical	35	1.24
6385MHz	Pass	AV	5.917G	48.30	68.20	-19.90	3	Horizontal	38	2.64
6385MHz	Pass	AV	6.3778G	98.04	Inf	-Inf	3	Horizontal	38	2.64
6385MHz	Pass	PK	5.899G	60.05	88.20	-28.15	3	Horizontal	38	2.64
6385MHz	Pass	PK	6.3682G	108.76	Inf	-Inf	3	Horizontal	38	2.64
6385MHz	Pass	AV	12.77G	51.00	68.20	-17.20	3	Vertical	343	2.59
6385MHz	Pass	PK	12.77G	57.02	88.20	-31.18	3	Vertical	343	2.59
6385MHz	Pass	AV	12.77G	48.13	68.20	-20.07	3	Horizontal	345	1.50
6385MHz	Pass	PK	12.76988G	56.02	88.20	-32.18	3	Horizontal	345	1.50
6465MHz	Pass	AV	5.9232G	48.24	68.20	-19.96	3	Vertical	36	1.13
6465MHz	Pass	AV	6.451G	90.09	Inf	-Inf	3	Vertical	36	1.13
6465MHz	Pass	AV	7.1482G	51.97	68.20	-16.23	3	Vertical	36	1.13
6465MHz	Pass	PK	5.8266G	60.40	88.20	-27.80	3	Vertical	36	1.13
6465MHz	Pass	PK	6.4608G	101.41	Inf	-Inf	3	Vertical	36	1.13
6465MHz	Pass	PK	7.1552G	64.21	88.20	-23.99	3	Vertical	36	1.13
6465MHz	Pass	AV	5.9246G	48.29	68.20	-19.91	3	Horizontal	37	2.42
6465MHz	Pass	AV	6.4664G	97.55	Inf	-Inf	3	Horizontal	37	2.42
6465MHz	Pass	AV	7.1482G	52.07	68.20	-16.13	3	Horizontal	37	2.42
6465MHz	Pass	PK	5.919G	60.60	88.20	-27.60	3	Horizontal	37	2.42
6465MHz	Pass	PK	6.4664G	108.41	Inf	-Inf	3	Horizontal	37	2.42
6465MHz	Pass	PK	7.144G	63.90	88.20	-24.30	3	Horizontal	37	2.42
6465MHz	Pass	AV	12.93G	49.78	68.20	-18.42	3	Vertical	351	1.93
6465MHz	Pass	PK	12.93012G	56.18	88.20	-32.02	3	Vertical	351	1.93
6465MHz	Pass	AV	12.93G	48.06	68.20	-20.14	3	Horizontal	337	2.91
6465MHz	Pass	PK	12.92988G	55.33	88.20	-32.87	3	Horizontal	337	2.91
6545MHz	Pass	AV	5.9136G	48.36	68.20	-19.84	3	Vertical	32	1.18
6545MHz	Pass	AV	6.5506G	91.14	Inf	-Inf	3	Vertical	32	1.18
6545MHz	Pass	AV	7.1484G	51.98	68.20	-16.22	3	Vertical	32	1.18
6545MHz	Pass	PK	5.9094G	60.31	88.20	-27.89	3	Vertical	32	1.18
6545MHz	Pass	PK	6.531G	102.46	Inf	-Inf	3	Vertical	32	1.18
6545MHz	Pass	PK	7.1792G	64.03	88.20	-24.17	3	Vertical	32	1.18
6545MHz	Pass	AV	5.922G	48.29	68.20	-19.91	3	Horizontal	58	2.33
6545MHz	Pass	AV	6.5562G	98.11	Inf	-Inf	3	Horizontal	58	2.33
6545MHz	Pass	AV	7.1456G	51.98	68.20	-16.22	3	Horizontal	58	2.33
6545MHz	Pass	PK	5.9178G	60.13	88.20	-28.07	3	Horizontal	58	2.33
6545MHz	Pass	PK	6.5268G	110.39	Inf	-Inf	3	Horizontal	58	2.33
6545MHz	Pass	PK	7.2422G	64.43	88.20	-23.77	3	Horizontal	58	2.33
6545MHz	Pass	AV	13.08988G	49.51	68.20	-18.69	3	Vertical	342	1.67
6545MHz	Pass	PK	13.08976G	56.56	88.20	-31.64	3	Vertical	342	1.67
6545MHz	Pass	AV	13.09G	49.05	68.20	-19.15	3	Horizontal	25	1.50
6545MHz	Pass	PK	13.08988G	56.12	88.20	-32.08	3	Horizontal	25	1.50
6625MHz	Pass	AV	6.6022G	89.73	Inf	-Inf	3	Vertical	47	1.25
6625MHz	Pass	AV	7.1422G	51.91	68.20	-16.29	3	Vertical	47	1.25
6625MHz	Pass	PK	6.5926G	101.46	Inf	-Inf	3	Vertical	47	1.25
6625MHz	Pass	PK	7.1482G	64.23	88.20	-23.97	3	Vertical	47	1.25
6625MHz	Pass	AV	6.6154G	97.84	Inf	-Inf	3	Horizontal	67	1.86
6625MHz	Pass	AV	7.1506G	52.03	68.20	-16.17	3	Horizontal	67	1.86
6625MHz	Pass	PK	6.625G	108.76	Inf	-Inf	3	Horizontal	67	1.86
6625MHz	Pass	PK	7.1974G	63.41	88.20	-24.79	3	Horizontal	67	1.86
6625MHz	Pass	AV	13.25G	51.69	68.20	-16.51	3	Vertical	334	2.54
6625MHz	Pass	PK	13.25G	58.29	88.20	-29.91	3	Vertical	334	2.54
6625MHz	Pass	AV	13.25G	50.40	68.20	-17.80	3	Horizontal	15	1.44
6625MHz	Pass	PK	13.24976G	57.55	88.20	-30.65	3	Horizontal	15	1.44
6705MHz	Pass	AV	6.694G	88.85	Inf	-Inf	3	Vertical	36	1.76
6705MHz	Pass	AV	7.155G	51.93	68.20	-16.27	3	Vertical	36	1.76
6705MHz	Pass	PK	6.734G	99.29	Inf	-Inf	3	Vertical	36	1.76
6705MHz	Pass	PK	7.164G	64.31	88.20	-23.89	3	Vertical	36	1.76
6705MHz	Pass	AV	6.694G	97.53	Inf	-Inf	3	Horizontal	63	1.80
6705MHz	Pass	AV	7.154G	51.97	68.20	-16.23	3	Horizontal	63	1.80
6705MHz	Pass	PK	6.694G	108.37	Inf	-Inf	3	Horizontal	63	1.80
6705MHz	Pass	PK	7.149G	64.38	88.20	-23.82	3	Horizontal	63	1.80
6705MHz	Pass	AV	13.41G	53.88	68.20	-14.32	3	Vertical	341	1.69



RSE TX above 1GHz_Non-Beamforming

Appendix E.4

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6705MHz	Pass	PK	13.41012G	60.88	88.20	-27.32	3	Vertical	341	1.69
6705MHz	Pass	AV	13.41G	50.27	68.20	-17.93	3	Horizontal	344	1.50
6705MHz	Pass	PK	13.41G	58.72	88.20	-29.48	3	Horizontal	344	1.50
6785MHz	Pass	AV	6.7815G	89.47	Inf	-Inf	3	Vertical	0	1.86
6785MHz	Pass	AV	7.1343G	51.90	68.20	-16.30	3	Vertical	0	1.86
6785MHz	Pass	PK	6.7815G	100.47	Inf	-Inf	3	Vertical	0	1.86
6785MHz	Pass	PK	7.1266G	64.12	88.20	-24.08	3	Vertical	0	1.86
6785MHz	Pass	AV	6.7843G	97.82	Inf	-Inf	3	Horizontal	63	1.76
6785MHz	Pass	AV	7.1343G	51.87	68.20	-16.33	3	Horizontal	63	1.76
6785MHz	Pass	PK	6.7843G	108.98	Inf	-Inf	3	Horizontal	63	1.76
6785MHz	Pass	PK	7.1273G	63.13	88.20	-25.07	3	Horizontal	63	1.76
6785MHz	Pass	AV	13.57G	50.36	68.20	-17.84	3	Vertical	27	2.48
6785MHz	Pass	PK	13.56988G	59.12	88.20	-29.08	3	Vertical	27	2.48
6785MHz	Pass	AV	13.57G	49.33	68.20	-18.87	3	Horizontal	324	1.50
6785MHz	Pass	PK	13.51984G	58.24	88.20	-29.96	3	Horizontal	324	1.50
6865MHz	Pass	AV	6.8692G	90.47	Inf	-Inf	3	Vertical	35	1.00
6865MHz	Pass	AV	7.1527G	52.02	68.20	-16.18	3	Vertical	35	1.00
6865MHz	Pass	PK	6.8692G	103.21	Inf	-Inf	3	Vertical	35	1.00
6865MHz	Pass	PK	7.1303G	63.31	88.20	-24.89	3	Vertical	35	1.00
6865MHz	Pass	AV	6.8748G	97.77	Inf	-Inf	3	Horizontal	60	1.70
6865MHz	Pass	AV	7.145G	51.98	68.20	-16.22	3	Horizontal	60	1.70
6865MHz	Pass	PK	6.8755G	110.81	Inf	-Inf	3	Horizontal	60	1.70
6865MHz	Pass	PK	7.1667G	64.01	88.20	-24.19	3	Horizontal	60	1.70
6865MHz	Pass	AV	13.73G	49.52	68.20	-18.68	3	Vertical	29	1.75
6865MHz	Pass	PK	13.78604G	62.50	88.20	-25.70	3	Vertical	29	1.75
6865MHz	Pass	AV	13.73G	51.28	68.20	-16.92	3	Horizontal	310	1.93
6865MHz	Pass	PK	13.78196G	61.89	88.20	-26.31	3	Horizontal	310	1.93
6945MHz	Pass	AV	6.9432G	90.01	Inf	-Inf	3	Vertical	345	1.84
6945MHz	Pass	AV	7.1622G	51.99	68.20	-16.21	3	Vertical	345	1.84
6945MHz	Pass	PK	6.9522G	100.89	Inf	-Inf	3	Vertical	345	1.84
6945MHz	Pass	PK	7.1664G	63.88	88.20	-24.32	3	Vertical	345	1.84
6945MHz	Pass	AV	6.9348G	97.79	Inf	-Inf	3	Horizontal	56	1.78
6945MHz	Pass	AV	7.1418G	52.05	68.20	-16.15	3	Horizontal	56	1.78
6945MHz	Pass	PK	6.9456G	108.61	Inf	-Inf	3	Horizontal	56	1.78
6945MHz	Pass	PK	7.2192G	64.51	88.20	-23.69	3	Horizontal	56	1.78
6945MHz	Pass	AV	13.88988G	50.44	68.20	-17.76	3	Vertical	348	1.50
6945MHz	Pass	PK	13.90536G	63.72	88.20	-24.48	3	Vertical	348	1.50
6945MHz	Pass	AV	13.88988G	50.62	68.20	-17.58	3	Horizontal	307	1.61
6945MHz	Pass	PK	13.85076G	63.11	88.20	-25.09	3	Horizontal	307	1.61
7025MHz	Pass	AV	7.0241G	90.06	Inf	-Inf	3	Vertical	0	1.01
7025MHz	Pass	AV	7.1573G	52.04	68.20	-16.16	3	Vertical	0	1.01
7025MHz	Pass	PK	7.0238G	103.05	Inf	-Inf	3	Vertical	0	1.01
7025MHz	Pass	PK	7.1537G	64.83	88.20	-23.37	3	Vertical	0	1.01
7025MHz	Pass	AV	7.0352G	97.73	Inf	-Inf	3	Horizontal	52	1.79
7025MHz	Pass	AV	7.1456G	52.19	68.20	-16.01	3	Horizontal	52	1.79
7025MHz	Pass	PK	7.0046G	109.30	Inf	-Inf	3	Horizontal	52	1.79
7025MHz	Pass	PK	7.142G	65.12	88.20	-23.08	3	Horizontal	52	1.79
7025MHz	Pass	AV	14.04995G	50.81	68.20	-17.39	3	Vertical	337	1.00
7025MHz	Pass	PK	14.05037G	63.71	88.20	-24.49	3	Vertical	337	1.00
7025MHz	Pass	AV	14.04999G	52.15	68.20	-16.05	3	Horizontal	336	1.17
7025MHz	Pass	PK	14.04926G	63.48	88.20	-24.72	3	Horizontal	336	1.17
802.11ax HEW160_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
6025MHz	Pass	AV	5.92G	51.30	68.20	-16.90	3	Vertical	49	1.00
6025MHz	Pass	AV	5.9905G	91.21	Inf	-Inf	3	Vertical	49	1.00
6025MHz	Pass	PK	5.912G	62.09	88.20	-26.11	3	Vertical	49	1.00
6025MHz	Pass	PK	5.982G	102.55	Inf	-Inf	3	Vertical	49	1.00
6025MHz	Pass	AV	5.923G	55.81	68.20	-12.39	3	Horizontal	54	1.82
6025MHz	Pass	AV	5.9835G	98.20	Inf	-Inf	3	Horizontal	54	1.82
6025MHz	Pass	PK	5.924G	68.20	88.20	-20.00	3	Horizontal	54	1.82
6025MHz	Pass	PK	6.0045G	109.67	Inf	-Inf	3	Horizontal	54	1.82
6025MHz	Pass	AV	12.05G	44.95	54.00	-9.05	3	Vertical	0	1.81
6025MHz	Pass	PK	12.13352G	53.88	74.00	-20.12	3	Vertical	0	1.81



RSE TX above 1GHz_Non-Beamforming

Appendix E.4


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6025MHz	Pass	AV	12.05G	45.71	54.00	-8.29	3	Horizontal	318	2.71
6025MHz	Pass	PK	12.09344G	54.11	74.00	-19.89	3	Horizontal	318	2.71
6185MHz	Pass	AV	5.921G	48.21	68.20	-19.99	3	Vertical	35	1.18
6185MHz	Pass	AV	6.161G	90.85	Inf	-Inf	3	Vertical	35	1.18
6185MHz	Pass	PK	5.8698G	59.96	88.20	-28.24	3	Vertical	35	1.18
6185MHz	Pass	PK	6.1506G	102.31	Inf	-Inf	3	Vertical	35	1.18
6185MHz	Pass	AV	5.925G	48.68	68.20	-19.52	3	Horizontal	43	2.65
6185MHz	Pass	AV	6.1674G	97.52	Inf	-Inf	3	Horizontal	43	2.65
6185MHz	Pass	PK	5.8954G	59.93	88.20	-28.27	3	Horizontal	43	2.65
6185MHz	Pass	PK	6.2186G	111.00	Inf	-Inf	3	Horizontal	43	2.65
6185MHz	Pass	AV	12.37G	47.56	54.00	-6.44	3	Vertical	0	1.79
6185MHz	Pass	PK	12.48664G	54.90	74.00	-19.10	3	Vertical	0	1.79
6185MHz	Pass	AV	12.37G	46.83	54.00	-7.17	3	Horizontal	340	1.42
6185MHz	Pass	PK	12.37G	54.57	74.00	-19.43	3	Horizontal	340	1.42
6345MHz	Pass	AV	5.9214G	48.31	68.20	-19.89	3	Vertical	35	1.20
6345MHz	Pass	AV	6.3318G	91.45	Inf	-Inf	3	Vertical	35	1.20
6345MHz	Pass	PK	5.7894G	59.82	88.20	-28.38	3	Vertical	35	1.20
6345MHz	Pass	PK	6.3318G	103.84	Inf	-Inf	3	Vertical	35	1.20
6345MHz	Pass	AV	5.919G	48.31	68.20	-19.89	3	Horizontal	39	2.57
6345MHz	Pass	AV	6.3282G	97.56	Inf	-Inf	3	Horizontal	39	2.57
6345MHz	Pass	PK	5.9166G	59.77	88.20	-28.43	3	Horizontal	39	2.57
6345MHz	Pass	PK	6.327G	109.37	Inf	-Inf	3	Horizontal	39	2.57
6345MHz	Pass	AV	12.69G	46.40	54.00	-7.60	3	Vertical	342	1.56
6345MHz	Pass	PK	12.75648G	54.62	88.20	-33.58	3	Vertical	342	1.56
6345MHz	Pass	AV	12.69G	50.14	54.00	-3.86	3	Horizontal	324	2.04
6345MHz	Pass	PK	12.68976G	55.76	74.00	-18.24	3	Horizontal	324	2.04
6505MHz	Pass	AV	5.924G	48.33	68.20	-19.87	3	Vertical	34	1.21
6505MHz	Pass	AV	6.4812G	88.87	Inf	-Inf	3	Vertical	34	1.21
6505MHz	Pass	AV	7.142G	51.99	68.20	-16.21	3	Vertical	34	1.21
6505MHz	Pass	PK	5.8918G	60.18	88.20	-28.02	3	Vertical	34	1.21
6505MHz	Pass	PK	6.491G	100.77	Inf	-Inf	3	Vertical	34	1.21
6505MHz	Pass	PK	7.1882G	63.81	88.20	-24.39	3	Vertical	34	1.21
6505MHz	Pass	AV	5.9156G	48.24	68.20	-19.96	3	Horizontal	36	2.59
6505MHz	Pass	AV	6.4588G	97.31	Inf	-Inf	3	Horizontal	36	2.59
6505MHz	Pass	AV	7.1448G	52.02	68.20	-16.18	3	Horizontal	36	2.59
6505MHz	Pass	PK	5.8946G	59.83	88.20	-28.37	3	Horizontal	36	2.59
6505MHz	Pass	PK	6.4686G	108.10	Inf	-Inf	3	Horizontal	36	2.59
6505MHz	Pass	PK	7.1588G	63.80	88.20	-24.40	3	Horizontal	36	2.59
6505MHz	Pass	AV	13.01G	50.79	68.20	-17.41	3	Vertical	341	2.56
6505MHz	Pass	PK	13.01G	56.69	88.20	-31.51	3	Vertical	341	2.56
6505MHz	Pass	AV	13.01G	50.67	68.20	-17.53	3	Horizontal	300	2.48
6505MHz	Pass	PK	13.01G	56.74	88.20	-31.46	3	Horizontal	300	2.48
6665MHz	Pass	AV	6.6419G	88.67	Inf	-Inf	3	Vertical	43	1.38
6665MHz	Pass	AV	7.1402G	51.90	68.20	-16.30	3	Vertical	43	1.38
6665MHz	Pass	PK	6.643G	99.60	Inf	-Inf	3	Vertical	43	1.38
6665MHz	Pass	PK	7.1501G	64.30	88.20	-23.90	3	Vertical	43	1.38
6665MHz	Pass	AV	6.6947G	97.52	Inf	-Inf	3	Horizontal	66	1.80
6665MHz	Pass	AV	7.1523G	52.07	68.20	-16.13	3	Horizontal	66	1.80
6665MHz	Pass	PK	6.6848G	108.52	Inf	-Inf	3	Horizontal	66	1.80
6665MHz	Pass	PK	7.1919G	64.08	88.20	-24.12	3	Horizontal	66	1.80
6665MHz	Pass	AV	13.33G	50.24	54.00	-3.76	3	Vertical	337	1.50
6665MHz	Pass	PK	13.32976G	57.72	74.00	-16.28	3	Vertical	337	1.50
6665MHz	Pass	AV	13.33G	52.38	54.00	-1.62	3	Horizontal	333	1.71
6665MHz	Pass	PK	13.33G	58.32	74.00	-15.68	3	Horizontal	333	1.71
6825MHz	Pass	AV	6.8634G	90.21	Inf	-Inf	3	Vertical	350	2.00
6825MHz	Pass	AV	7.1538G	51.95	68.20	-16.25	3	Vertical	350	2.00
6825MHz	Pass	PK	6.8146G	101.17	Inf	-Inf	3	Vertical	350	2.00
6825MHz	Pass	PK	7.213G	64.35	88.20	-23.85	3	Vertical	350	2.00
6825MHz	Pass	AV	6.8354G	97.73	Inf	-Inf	3	Horizontal	59	1.82
6825MHz	Pass	AV	7.1458G	52.01	68.20	-16.19	3	Horizontal	59	1.82
6825MHz	Pass	PK	6.8546G	111.19	Inf	-Inf	3	Horizontal	59	1.82
6825MHz	Pass	PK	7.161G	64.32	88.20	-23.88	3	Horizontal	59	1.82



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6825MHz	Pass	AV	13.65G	50.75	68.20	-17.45	3	Vertical	340	1.71
6825MHz	Pass	PK	13.60008G	62.24	88.20	-25.96	3	Vertical	340	1.71
6825MHz	Pass	AV	13.65G	51.04	68.20	-17.16	3	Horizontal	323	1.40
6825MHz	Pass	PK	13.57416G	61.87	88.20	-26.33	3	Horizontal	323	1.40
6985MHz	Pass	AV	6.963G	90.03	Inf	-Inf	3	Vertical	344	1.75
6985MHz	Pass	AV	7.142G	53.03	68.20	-15.17	3	Vertical	344	1.75
6985MHz	Pass	PK	7.023G	101.27	Inf	-Inf	3	Vertical	344	1.75
6985MHz	Pass	PK	7.1415G	65.34	88.20	-22.86	3	Vertical	344	1.75
6985MHz	Pass	AV	6.955G	97.78	Inf	-Inf	3	Horizontal	55	1.80
6985MHz	Pass	AV	7.1375G	56.33	68.20	-11.87	3	Horizontal	55	1.80
6985MHz	Pass	PK	6.9665G	110.31	Inf	-Inf	3	Horizontal	55	1.80
6985MHz	Pass	PK	7.1555G	68.36	88.20	-19.84	3	Horizontal	55	1.80
6985MHz	Pass	AV	13.97G	51.38	68.20	-16.82	3	Vertical	330	1.56
6985MHz	Pass	PK	13.9784G	62.74	88.20	-25.46	3	Vertical	330	1.56
6985MHz	Pass	AV	13.96976G	51.96	68.20	-16.24	3	Horizontal	339	1.62
6985MHz	Pass	PK	13.91048G	62.79	88.20	-25.41	3	Horizontal	339	1.62

5.925-6.425GHz_802.11a_Nss1,(6Mbps)_2TX


5955MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9199G	49.04	68.20	-19.16	10.23	3	Vertical	316	1.64	38.81	34.18	10.27	34.22
AV	5.9622G	88.17	Inf	-Inf	10.31	3	Vertical	316	1.64	77.86	34.23	10.30	34.22
PK	5.8461G	61.34	88.20	-26.86	10.08	3	Vertical	316	1.64	51.26	34.08	10.21	34.21
PK	5.9622G	96.95	Inf	-Inf	10.31	3	Vertical	316	1.64	86.64	34.23	10.30	34.22


5.925-6.425GHz_802.11a_Nss1,(6Mbps)_2TX

5955MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.916G	49.00	68.20	-19.20	10.22	3	Horizontal	49	2.65	38.78	34.16	10.27	34.21
AV	5.961G	98.01	Inf	-Inf	10.31	3	Horizontal	49	2.65	87.70	34.23	10.30	34.22
PK	5.8362G	60.87	88.20	-27.33	10.02	3	Horizontal	49	2.65	50.85	34.02	10.21	34.21
PK	5.9607G	107.24	Inf	-Inf	10.32	3	Horizontal	49	2.65	96.92	34.24	10.30	34.22

5.925-6.425GHz_802.11a_Nss1,(6Mbps)_2TX
5955MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.90997G	43.76	54.00	-10.24	17.61	3	Vertical	1	1.73	26.15	38.62	13.27	34.28
PK	11.91009G	53.80	74.00	-20.20	17.61	3	Vertical	1	1.73	36.19	38.62	13.27	34.28


5.925-6.425GHz_802.11a_Nss1,(6Mbps)_2TX
5955MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.90997G	45.25	54.00	-8.75	17.61	3	Horizontal	303	2.75	27.64	38.62	13.27	34.28
PK	11.91012G	54.12	74.00	-19.88	17.61	3	Horizontal	303	2.75	36.51	38.62	13.27	34.28

5.925-6.425GHz_802.11a_Nss1,(6Mbps)_2TX


6175MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9062G	48.99	68.20	-19.21	10.17	3	Vertical	38	1.00	38.82	34.12	10.26	34.21
AV	6.1678G	89.96	Inf	-Inf	10.37	3	Vertical	38	1.00	79.59	34.10	10.50	34.23
PK	5.9188G	60.66	88.20	-27.54	10.23	3	Vertical	38	1.00	50.43	34.18	10.27	34.22
PK	6.1678G	98.84	Inf	-Inf	10.37	3	Vertical	38	1.00	88.47	34.10	10.50	34.23


5.925-6.425GHz_802.11a_Nss1,(6Mbps)_2TX

6175MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9194G	49.01	68.20	-19.19	10.23	3	Horizontal	44	2.72	38.78	34.18	10.27	34.22
AV	6.1816G	97.50	Inf	-Inf	10.38	3	Horizontal	44	2.72	87.12	34.10	10.51	34.23
PK	5.8846G	60.73	88.20	-27.47	10.13	3	Horizontal	44	2.72	50.60	34.10	10.24	34.21
PK	6.1816G	106.36	Inf	-Inf	10.38	3	Horizontal	44	2.72	95.98	34.10	10.51	34.23

5.925-6.425GHz_802.11a_Nss1,(6Mbps)_2TX
6175MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.34994G	48.38	54.00	-5.62	18.22	3	Vertical	0	1.78	30.16	38.85	13.53	34.16
PK	12.34994G	56.20	74.00	-17.80	18.22	3	Vertical	0	1.78	37.98	38.85	13.53	34.16


5.925-6.425GHz_802.11a_Nss1,(6Mbps)_2TX
6175MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.34997G	47.71	54.00	-6.29	18.22	3	Horizontal	341	1.43	29.49	38.85	13.53	34.16
PK	12.35006G	55.70	74.00	-18.30	18.23	3	Horizontal	341	1.43	37.47	38.85	13.53	34.15

5.925-6.425GHz_802.11a_Nss1,(6Mbps)_2TX


6415MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9134G	49.00	68.20	-19.20	10.21	3	Vertical	32	1.04	38.79	34.15	10.27	34.21
AV	6.4078G	91.10	Inf	-Inf	11.13	3	Vertical	32	1.04	79.97	34.73	10.65	34.25
PK	5.8594G	61.16	88.20	-27.04	10.11	3	Vertical	32	1.04	51.05	34.10	10.22	34.21
PK	6.4078G	99.73	Inf	-Inf	11.13	3	Vertical	32	1.04	88.60	34.73	10.65	34.25


5.925-6.425GHz_802.11a_Nss1,(6Mbps)_2TX

6415MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9218G	49.07	68.20	-19.13	10.24	3	Horizontal	38	2.55	38.83	34.19	10.27	34.22
AV	6.4222G	97.82	Inf	-Inf	11.19	3	Horizontal	38	2.55	86.63	34.79	10.65	34.25
PK	5.9206G	60.85	88.20	-27.35	10.23	3	Horizontal	38	2.55	50.62	34.18	10.27	34.22
PK	6.421G	106.72	Inf	-Inf	11.18	3	Horizontal	38	2.55	95.54	34.78	10.65	34.25

5.925-6.425GHz_802.11a_Nss1,(6Mbps)_2TX
6415MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.83003G	49.80	68.20	-18.40	19.96	3	Vertical	349	2.07	29.84	39.60	13.82	33.46
PK	12.83003G	56.69	88.20	-31.51	19.96	3	Vertical	349	2.07	36.73	39.60	13.82	33.46


5.925-6.425GHz_802.11a_Nss1,(6Mbps)_2TX
6415MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.82994G	48.94	68.20	-19.26	19.96	3	Horizontal	310	1.50	28.98	39.60	13.82	33.46
PK	12.82982G	57.20	88.20	-31.00	19.96	3	Horizontal	310	1.50	37.24	39.60	13.82	33.46

6.425-6.525GHz_802.11a_Nss1,(6Mbps)_2TX


6435MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.925G	49.07	68.20	-19.13	10.25	3	Vertical	32	1.00	38.82	34.20	10.27	34.22
AV	6.4278G	89.99	Inf	-Inf	11.22	3	Vertical	32	1.00	78.77	34.81	10.66	34.25
PK	5.889G	60.28	88.20	-27.92	10.14	3	Vertical	32	1.00	50.14	34.10	10.25	34.21
PK	6.429G	98.65	Inf	-Inf	11.23	3	Vertical	32	1.00	87.42	34.82	10.66	34.25


6.425-6.525GHz_802.11a_Nss1,(6Mbps)_2TX

6435MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9118G	49.15	68.20	-19.05	10.20	3	Horizontal	44	2.73	38.95	34.15	10.26	34.21
AV	6.4422G	97.88	Inf	-Inf	11.28	3	Horizontal	44	2.73	86.60	34.87	10.67	34.26
PK	5.901G	61.24	88.20	-26.96	10.15	3	Horizontal	44	2.73	51.09	34.10	10.26	34.21
PK	6.441G	106.99	Inf	-Inf	11.27	3	Horizontal	44	2.73	95.72	34.86	10.67	34.26

6.425-6.525GHz_802.11a_Nss1,(6Mbps)_2TX
6435MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.86997G	50.79	68.20	-17.41	20.07	3	Vertical	345	2.62	30.72	39.60	13.85	33.38
PK	12.87G	57.70	88.20	-30.50	20.07	3	Vertical	345	2.62	37.63	39.60	13.85	33.38


6.425-6.525GHz_802.11a_Nss1,(6Mbps)_2TX
6435MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.86997G	49.26	68.20	-18.94	20.07	3	Horizontal	307	1.60	29.19	39.60	13.85	33.38
PK	12.87009G	56.89	88.20	-31.31	20.07	3	Horizontal	307	1.60	36.82	39.60	13.85	33.38

6.425-6.525GHz_802.11a_Nss1,(6Mbps)_2TX


6475MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9052G	49.12	68.20	-19.08	10.17	3	Vertical	2	1.11	38.95	34.12	10.26	34.21
AV	6.468G	90.27	Inf	-Inf	11.43	3	Vertical	2	1.11	78.84	35.01	10.68	34.26
AV	7.154G	52.87	68.20	-15.33	13.34	3	Vertical	2	1.11	39.53	36.59	11.26	34.51
PK	5.8772G	61.16	88.20	-27.04	10.13	3	Vertical	2	1.11	51.03	34.10	10.24	34.21
PK	6.468G	98.64	Inf	-Inf	11.43	3	Vertical	2	1.11	87.21	35.01	10.68	34.26
PK	7.126G	64.46	88.20	-23.74	13.13	3	Vertical	2	1.11	51.33	36.41	11.24	34.52


6.425-6.525GHz_802.11a_Nss1,(6Mbps)_2TX

6475MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8968G	49.27	68.20	-18.93	10.14	3	Horizontal	36	2.75	39.13	34.10	10.25	34.21
AV	6.482G	98.21	Inf	-Inf	11.52	3	Horizontal	36	2.75	86.69	35.09	10.69	34.26
AV	7.1568G	52.69	68.20	-15.51	13.34	3	Horizontal	36	2.75	39.35	36.59	11.26	34.51
PK	5.8492G	60.59	88.20	-27.61	10.11	3	Horizontal	36	2.75	50.48	34.10	10.22	34.21
PK	6.482G	106.75	Inf	-Inf	11.52	3	Horizontal	36	2.75	95.23	35.09	10.69	34.26
PK	7.1736G	63.44	88.20	-24.76	13.32	3	Horizontal	36	2.75	50.12	36.55	11.28	34.51

6.425-6.525GHz_802.11a_Nss1,(6Mbps)_2TX
6475MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.94997G	53.02	68.20	-15.18	20.36	3	Vertical	342	2.53	32.66	39.70	13.89	33.23
PK	12.94982G	58.95	88.20	-29.25	20.36	3	Vertical	342	2.53	38.59	39.70	13.89	33.23


6.425-6.525GHz_802.11a_Nss1,(6Mbps)_2TX
6475MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.94994G	49.13	68.20	-19.07	20.36	3	Horizontal	300	2.52	28.77	39.70	13.89	33.23
PK	12.95G	56.46	88.20	-31.74	20.36	3	Horizontal	300	2.52	36.10	39.70	13.89	33.23

6.425-6.525GHz_802.11a_Nss1,(6Mbps)_2TX


6515MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9158G	49.19	68.20	-19.01	10.22	3	Vertical	0	1.03	38.97	34.16	10.27	34.21
AV	6.522G	90.43	Inf	-Inf	11.69	3	Vertical	0	1.03	78.74	35.24	10.72	34.27
AV	7.1576G	52.78	68.20	-15.42	13.33	3	Vertical	0	1.03	39.45	36.58	11.26	34.51
PK	5.8542G	60.51	88.20	-27.69	10.11	3	Vertical	0	1.03	50.40	34.10	10.22	34.21
PK	6.522G	98.91	Inf	-Inf	11.69	3	Vertical	0	1.03	87.22	35.24	10.72	34.27
PK	7.1702G	65.48	88.20	-22.72	13.32	3	Vertical	0	1.03	52.16	36.56	11.27	34.51


6.425-6.525GHz_802.11a_Nss1,(6Mbps)_2TX

6515MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9214G	49.22	68.20	-18.98	10.24	3	Horizontal	49	2.22	38.98	34.19	10.27	34.22
AV	6.5206G	98.01	Inf	-Inf	11.69	3	Horizontal	49	2.22	86.32	35.24	10.72	34.27
AV	7.1548G	52.68	68.20	-15.52	13.34	3	Horizontal	49	2.22	39.34	36.59	11.26	34.51
PK	5.8318G	61.03	88.20	-27.17	9.98	3	Horizontal	49	2.22	51.05	33.99	10.20	34.21
PK	6.522G	106.84	Inf	-Inf	11.69	3	Horizontal	49	2.22	95.15	35.24	10.72	34.27
PK	7.1506G	63.83	88.20	-24.37	13.35	3	Horizontal	49	2.22	50.48	36.60	11.26	34.51

6.425-6.525GHz_802.11a_Nss1,(6Mbps)_2TX
6515MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.03G	52.47	68.20	-15.73	20.62	3	Vertical	341	2.55	31.85	39.77	13.94	33.09
PK	13.02988G	58.14	88.20	-30.06	20.62	3	Vertical	341	2.55	37.52	39.77	13.94	33.09


6.425-6.525GHz_802.11a_Nss1,(6Mbps)_2TX
6515MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.02997G	50.85	68.20	-17.35	20.62	3	Horizontal	302	2.55	30.23	39.77	13.94	33.09
PK	13.02991G	57.31	88.20	-30.89	20.62	3	Horizontal	302	2.55	36.69	39.77	13.94	33.09

6.525-6.875GHz_802.11a_Nss1,(6Mbps)_2TX


6535MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9106G	49.15	68.20	-19.05	10.19	3	Vertical	360	1.00	38.96	34.14	10.26	34.21
AV	6.542G	90.52	Inf	-Inf	11.73	3	Vertical	360	1.00	78.79	35.28	10.73	34.28
AV	7.1468G	52.81	68.20	-15.39	13.30	3	Vertical	360	1.00	39.51	36.57	11.25	34.52
PK	5.9204G	60.72	88.20	-27.48	10.23	3	Vertical	360	1.00	50.49	34.18	10.27	34.22
PK	6.542G	98.69	Inf	-Inf	11.73	3	Vertical	360	1.00	86.96	35.28	10.73	34.28
PK	7.2154G	63.53	88.20	-24.67	13.35	3	Vertical	360	1.00	50.18	36.56	11.30	34.51

6.525-6.875GHz_802.11a_Nss1,(6Mbps)_2TX


6535MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8924G	49.07	68.20	-19.13	10.14	3	Horizontal	46	2.24	38.93	34.10	10.25	34.21
AV	6.5406G	98.06	Inf	-Inf	11.73	3	Horizontal	46	2.24	86.33	35.28	10.73	34.28
AV	7.1412G	52.72	68.20	-15.48	13.26	3	Horizontal	46	2.24	39.46	36.53	11.25	34.52
PK	5.9092G	61.49	88.20	-26.71	10.19	3	Horizontal	46	2.24	51.30	34.14	10.26	34.21
PK	6.542G	106.59	Inf	-Inf	11.73	3	Horizontal	46	2.24	94.86	35.28	10.73	34.28
PK	7.1804G	65.51	88.20	-22.69	13.31	3	Horizontal	46	2.24	52.20	36.54	11.28	34.51

6.525-6.875GHz_802.11a_Nss1,(6Mbps)_2TX


6535MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	13.06997G	50.48	68.20	-17.72	20.67	3	Vertical	340	2.60	29.81	39.73	13.97	33.03
PK	13.07015G	56.76	88.20	-31.44	20.68	3	Vertical	340	2.60	36.08	39.73	13.97	33.02

6.525-6.875GHz_802.11a_Nss1,(6Mbps)_2TX


6535MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	13.07G	48.84	68.20	-19.36	20.67	3	Horizontal	27	1.50	28.17	39.73	13.97	33.03
PK	13.07G	56.36	88.20	-31.84	20.67	3	Horizontal	27	1.50	35.69	39.73	13.97	33.03

6.525-6.875GHz_802.11a_Nss1,(6Mbps)_2TX


6695MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.699G	89.50	Inf	-Inf	12.39	3	Vertical	344	1.68	77.11	35.90	10.86	34.37
AV	7.148G	52.67	68.20	-15.53	13.32	3	Vertical	344	1.68	39.35	36.58	11.26	34.52
PK	6.698G	99.10	Inf	-Inf	12.38	3	Vertical	344	1.68	86.72	35.89	10.86	34.37
PK	7.17G	63.68	88.20	-24.52	13.32	3	Vertical	344	1.68	50.36	36.56	11.27	34.51


6.525-6.875GHz_802.11a_Nss1,(6Mbps)_2TX

6695MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.7G	97.90	Inf	-Inf	12.40	3	Horizontal	67	1.83	85.50	35.90	10.87	34.37
AV	7.153G	52.75	68.20	-15.45	13.34	3	Horizontal	67	1.83	39.41	36.59	11.26	34.51
PK	6.7G	106.86	Inf	-Inf	12.40	3	Horizontal	67	1.83	94.46	35.90	10.87	34.37
PK	7.151G	64.43	88.20	-23.77	13.35	3	Horizontal	67	1.83	51.08	36.60	11.26	34.51

6.525-6.875GHz_802.11a_Nss1,(6Mbps)_2TX
6695MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.39002G	52.11	54.00	-1.89	21.73	3	Vertical	333	2.58	30.38	40.07	14.16	32.50
PK	13.38993G	59.83	74.00	-14.17	21.73	3	Vertical	333	2.58	38.10	40.07	14.16	32.50


6.525-6.875GHz_802.11a_Nss1,(6Mbps)_2TX
6695MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.38998G	51.07	54.00	-2.93	21.73	3	Horizontal	343	1.50	29.34	40.07	14.16	32.50
PK	13.38998G	59.25	74.00	-14.75	21.73	3	Horizontal	343	1.50	37.52	40.07	14.16	32.50

6.525-6.875GHz_802.11a_Nss1,(6Mbps)_2TX


6855MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.8487G	90.28	Inf	-Inf	12.26	3	Vertical	345	1.72	78.02	35.71	11.00	34.45
AV	7.135G	52.74	68.20	-15.46	13.20	3	Vertical	345	1.72	39.54	36.48	11.24	34.52
PK	6.8487G	99.51	Inf	-Inf	12.26	3	Vertical	345	1.72	87.25	35.71	11.00	34.45
PK	7.156G	64.47	88.20	-23.73	13.34	3	Vertical	345	1.72	51.13	36.59	11.26	34.51


6.525-6.875GHz_802.11a_Nss1,(6Mbps)_2TX

6855MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.8501G	97.81	Inf	-Inf	12.25	3	Horizontal	62	1.76	85.56	35.70	11.00	34.45
AV	7.1532G	52.80	68.20	-15.40	13.34	3	Horizontal	62	1.76	39.46	36.59	11.26	34.51
PK	6.8599G	106.43	Inf	-Inf	12.26	3	Horizontal	62	1.76	94.17	35.70	11.01	34.45
PK	7.1567G	64.51	88.20	-23.69	13.34	3	Horizontal	62	1.76	51.17	36.59	11.26	34.51

6.525-6.875GHz_802.11a_Nss1,(6Mbps)_2TX
6855MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.71006G	50.56	68.20	-17.64	21.65	3	Vertical	345	2.34	28.91	39.70	14.36	32.41
PK	13.71G	61.37	88.20	-26.83	21.65	3	Vertical	345	2.34	39.72	39.70	14.36	32.41


6.525-6.875GHz_802.11a_Nss1,(6Mbps)_2TX
6855MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.70988G	49.85	68.20	-18.35	21.65	3	Horizontal	325	1.50	28.20	39.70	14.36	32.41
PK	13.70979G	61.85	88.20	-26.35	21.65	3	Horizontal	325	1.50	40.20	39.70	14.36	32.41

6.525-6.875GHz_802.11a_Nss1,(6Mbps)_2TX


6875MHz Straddle 6.525-6.875GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.8682G	90.86	Inf	-Inf	12.26	3	Vertical	342	1.50	78.60	35.70	11.02	34.46
AV	7.136G	52.86	68.20	-15.34	13.22	3	Vertical	342	1.50	39.64	36.49	11.25	34.52
PK	6.8682G	100.37	Inf	-Inf	12.26	3	Vertical	342	1.50	88.11	35.70	11.02	34.46
PK	7.1555G	64.53	88.20	-23.67	13.34	3	Vertical	342	1.50	51.19	36.59	11.26	34.51


6.525-6.875GHz_802.11a_Nss1,(6Mbps)_2TX

6875MHz Straddle 6.525-6.875GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.88055G	97.95	Inf	-Inf	12.26	3	Horizontal	64	1.66	85.69	35.70	11.03	34.47
AV	7.14575G	52.86	68.20	-15.34	13.30	3	Horizontal	64	1.66	39.56	36.57	11.25	34.52
PK	6.88055G	106.86	Inf	-Inf	12.26	3	Horizontal	64	1.66	94.60	35.70	11.03	34.47
PK	7.1685G	64.26	88.20	-23.94	13.32	3	Horizontal	64	1.66	50.94	36.56	11.27	34.51

6.525-6.875GHz_802.11a_Nss1,(6Mbps)_2TX
6875MHz Straddle 6.525-6.875GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.74985G	50.25	68.20	-17.95	21.66	3	Vertical	347	2.47	28.59	39.70	14.39	32.43
PK	13.73935G	61.58	88.20	-26.62	21.65	3	Vertical	347	2.47	39.93	39.70	14.38	32.43


6.525-6.875GHz_802.11a_Nss1,(6Mbps)_2TX
6875MHz Straddle 6.525-6.875GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.74991G	49.72	68.20	-18.48	21.66	3	Horizontal	326	1.51	28.06	39.70	14.39	32.43
PK	13.76137G	61.80	88.20	-26.40	21.65	3	Horizontal	326	1.51	40.15	39.70	14.39	32.44

6.875-7.125GHz_802.11a_Nss1,(6Mbps)_2TX


6895MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.902G	90.82	Inf	-Inf	12.27	3	Vertical	342	1.40	78.55	35.70	11.05	34.48
AV	7.1491G	52.96	68.20	-15.24	13.33	3	Vertical	342	1.40	39.63	36.59	11.26	34.52
PK	6.9027G	99.18	Inf	-Inf	12.27	3	Vertical	342	1.40	86.91	35.70	11.05	34.48
PK	7.1449G	65.03	88.20	-23.17	13.29	3	Vertical	342	1.40	51.74	36.56	11.25	34.52


6.875-7.125GHz_802.11a_Nss1,(6Mbps)_2TX

6895MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.8901G	98.01	Inf	-Inf	12.27	3	Horizontal	65	1.69	85.74	35.70	11.04	34.47
AV	7.1442G	52.76	68.20	-15.44	13.28	3	Horizontal	65	1.69	39.48	36.55	11.25	34.52
PK	6.8901G	106.79	Inf	-Inf	12.27	3	Horizontal	65	1.69	94.52	35.70	11.04	34.47
PK	7.2352G	65.49	88.20	-22.71	13.44	3	Horizontal	65	1.69	52.05	36.64	11.31	34.51

6.875-7.125GHz_802.11a_Nss1,(6Mbps)_2TX
6895MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.79012G	49.85	68.20	-18.35	21.66	3	Vertical	348	1.46	28.19	39.70	14.41	32.45
PK	13.8044G	62.09	88.20	-26.11	21.67	3	Vertical	348	1.46	40.42	39.70	14.42	32.45


6.875-7.125GHz_802.11a_Nss1,(6Mbps)_2TX
6895MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.78994G	50.62	68.20	-17.58	21.66	3	Horizontal	2	1.08	28.96	39.70	14.41	32.45
PK	13.79159G	62.10	88.20	-26.10	21.66	3	Horizontal	2	1.08	40.44	39.70	14.41	32.45

6.875-7.125GHz_802.11a_Nss1,(6Mbps)_2TX


6995MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.989G	93.22	Inf	-Inf	12.30	3	Vertical	345	1.80	80.92	35.70	11.12	34.52
AV	7.1445G	52.87	68.20	-15.33	13.29	3	Vertical	345	1.80	39.58	36.56	11.25	34.52
PK	6.9885G	102.67	Inf	-Inf	12.30	3	Vertical	345	1.80	90.37	35.70	11.12	34.52
PK	7.1965G	66.11	88.20	-22.09	13.30	3	Vertical	345	1.80	52.81	36.51	11.30	34.51


6.875-7.125GHz_802.11a_Nss1,(6Mbps)_2TX

6995MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.9905G	98.44	Inf	-Inf	12.30	3	Horizontal	60	1.74	86.14	35.70	11.12	34.52
AV	7.149G	52.98	68.20	-15.22	13.33	3	Horizontal	60	1.74	39.65	36.59	11.26	34.52
PK	6.9905G	107.22	Inf	-Inf	12.30	3	Horizontal	60	1.74	94.92	35.70	11.12	34.52
PK	7.154G	64.81	88.20	-23.39	13.34	3	Horizontal	60	1.74	51.47	36.59	11.26	34.51

6.875-7.125GHz_802.11a_Nss1,(6Mbps)_2TX
6995MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.98991G	51.19	68.20	-17.01	21.78	3	Vertical	347	1.58	29.41	39.79	14.53	32.54
PK	13.98994G	63.76	88.20	-24.44	21.78	3	Vertical	347	1.58	41.98	39.79	14.53	32.54


6.875-7.125GHz_802.11a_Nss1,(6Mbps)_2TX
6995MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.98997G	51.95	68.20	-16.25	21.78	3	Horizontal	341	1.61	30.17	39.79	14.53	32.54
PK	13.98952G	63.01	88.20	-25.19	21.78	3	Horizontal	341	1.61	41.23	39.79	14.53	32.54

6.875-7.125GHz_802.11a_Nss1,(6Mbps)_2TX


7095MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.1025G	95.08	Inf	-Inf	12.92	3	Vertical	348	1.31	82.16	36.22	11.22	34.52
AV	7.1526G	52.31	68.20	-15.89	13.34	3	Vertical	348	1.31	38.97	36.59	11.26	34.51
PK	7.1025G	103.77	Inf	-Inf	12.92	3	Vertical	348	1.31	90.85	36.22	11.22	34.52
PK	7.1661G	64.06	88.20	-24.14	13.33	3	Vertical	348	1.31	50.73	36.57	11.27	34.51


6.875-7.125GHz_802.11a_Nss1,(6Mbps)_2TX

7095MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.1007G	98.08	Inf	-Inf	12.91	3	Horizontal	63	1.75	85.17	36.21	11.22	34.52
AV	7.1637G	52.00	68.20	-16.20	13.33	3	Horizontal	63	1.75	38.67	36.57	11.27	34.51
PK	7.1007G	107.04	Inf	-Inf	12.91	3	Horizontal	63	1.75	94.13	36.21	11.22	34.52
PK	7.1628G	63.57	88.20	-24.63	13.33	3	Horizontal	63	1.75	50.24	36.57	11.27	34.51

6.875-7.125GHz_802.11a_Nss1,(6Mbps)_2TX
7095MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.19G	52.09	68.20	-16.11	22.00	3	Vertical	332	1.00	30.09	40.10	14.68	32.78
PK	14.18937G	62.84	88.20	-25.36	22.00	3	Vertical	332	1.00	40.84	40.10	14.68	32.78


6.875-7.125GHz_802.11a_Nss1,(6Mbps)_2TX
7095MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.19G	52.09	68.20	-16.11	22.00	3	Horizontal	34	1.52	30.09	40.10	14.68	32.78
PK	14.19G	64.06	88.20	-24.14	22.00	3	Horizontal	34	1.52	42.06	40.10	14.68	32.78

6.875-7.125GHz_802.11a_Nss1,(6Mbps)_2TX


7115MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.10814G	88.74	Inf	-Inf	12.97	3	Vertical	341	1.62	-	75.77	36.27	11.22	34.52
AV	7.1255G	64.49	68.20	-3.71	13.12	3	Vertical	341	1.62	BP 1MHz	51.37	36.40	11.24	34.52
PK	7.10873G	97.75	Inf	-Inf	12.97	3	Vertical	341	1.62	-	84.78	36.27	11.22	34.52
PK	7.1255G	72.48	88.20	-15.72	13.12	3	Vertical	341	1.62	BP 1MHz	59.36	36.40	11.24	34.52


6.875-7.125GHz_802.11a_Nss1,(6Mbps)_2TX

7115MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.10998G	91.90	Inf	-Inf	12.98	3	Horizontal	54	1.50	-	78.92	36.28	11.22	34.52
AV	7.1255G	67.46	68.20	-0.74	13.12	3	Horizontal	54	1.50	BP 1MHz	54.34	36.40	11.24	34.52
PK	7.10998G	101.09	Inf	-Inf	12.98	3	Horizontal	54	1.50	-	88.11	36.28	11.22	34.52
PK	7.1255G	77.26	88.20	-10.94	13.12	3	Horizontal	54	1.50	BP 1MHz	64.14	36.40	11.24	34.52

6.875-7.125GHz_802.11a_Nss1,(6Mbps)_2TX
7115MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.22999G	51.60	68.20	-16.60	21.95	3	Vertical	338	2.37	29.65	40.07	14.71	32.83
PK	14.22993G	60.68	88.20	-27.52	21.95	3	Vertical	338	2.37	38.73	40.07	14.71	32.83


6.875-7.125GHz_802.11a_Nss1,(6Mbps)_2TX
7115MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.23001G	53.06	68.20	-15.14	21.95	3	Horizontal	30	1.62	31.11	40.07	14.71	32.83
PK	14.23003G	61.59	88.20	-26.61	21.95	3	Horizontal	30	1.62	39.64	40.07	14.71	32.83

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


5955MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9031G	48.36	68.20	-19.84	10.16	3	Vertical	48	1.09	38.20	34.11	10.26	34.21
AV	5.9613G	89.56	Inf	-Inf	10.31	3	Vertical	48	1.09	79.25	34.23	10.30	34.22
PK	5.9136G	60.27	88.20	-27.93	10.21	3	Vertical	48	1.09	50.06	34.15	10.27	34.21
PK	5.952G	101.37	Inf	-Inf	10.36	3	Vertical	48	1.09	91.01	34.29	10.29	34.22


5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5955MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9205G	48.32	68.20	-19.88	10.23	3	Horizontal	57	1.85	38.09	34.18	10.27	34.22
AV	5.9637G	96.98	Inf	-Inf	10.30	3	Horizontal	57	1.85	86.68	34.22	10.30	34.22
PK	5.8428G	60.19	88.20	-28.01	10.06	3	Horizontal	57	1.85	50.13	34.06	10.21	34.21
PK	5.9628G	108.36	Inf	-Inf	10.30	3	Horizontal	57	1.85	98.06	34.22	10.30	34.22

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_2TX
5955MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.91G	45.36	54.00	-8.64	17.61	3	Vertical	0	1.77	27.75	38.62	13.27	34.28
PK	11.91018G	54.57	74.00	-19.43	17.61	3	Vertical	0	1.77	36.96	38.62	13.27	34.28


5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_2TX
5955MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.90995G	45.72	54.00	-8.28	17.61	3	Horizontal	302	2.84	28.11	38.62	13.27	34.28
PK	11.90992G	56.82	74.00	-17.18	17.61	3	Horizontal	302	2.84	39.21	38.62	13.27	34.28

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


6175MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9194G	48.23	68.20	-19.97	10.23	3	Vertical	35	1.30	38.00	34.18	10.27	34.22
AV	6.181G	88.61	Inf	-Inf	10.38	3	Vertical	35	1.30	78.23	34.10	10.51	34.23
PK	5.9068G	59.30	88.20	-28.90	10.18	3	Vertical	35	1.30	49.12	34.13	10.26	34.21
PK	6.1714G	99.87	Inf	-Inf	10.37	3	Vertical	35	1.30	89.50	34.10	10.50	34.23


5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

6175MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9194G	48.33	68.20	-19.87	10.23	3	Horizontal	39	2.65	38.10	34.18	10.27	34.22
AV	6.1672G	96.38	Inf	-Inf	10.37	3	Horizontal	39	2.65	86.01	34.10	10.50	34.23
PK	5.92G	59.48	88.20	-28.72	10.23	3	Horizontal	39	2.65	49.25	34.18	10.27	34.22
PK	6.1678G	107.63	Inf	-Inf	10.37	3	Horizontal	39	2.65	97.26	34.10	10.50	34.23

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_2TX
6175MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.34993G	45.64	54.00	-8.36	18.22	3	Vertical	353	1.45	27.42	38.85	13.53	34.16
PK	12.35019G	57.13	74.00	-16.87	18.23	3	Vertical	353	1.45	38.90	38.85	13.53	34.15


5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_2TX
6175MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.34998G	48.54	54.00	-5.46	18.22	3	Horizontal	341	1.50	30.32	38.85	13.53	34.16
PK	12.34988G	57.43	74.00	-16.57	18.22	3	Horizontal	341	1.50	39.21	38.85	13.53	34.16

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


6415MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9146G	48.47	68.20	-19.73	10.22	3	Vertical	40	1.18	38.25	34.16	10.27	34.21
AV	6.421G	90.35	Inf	-Inf	11.18	3	Vertical	40	1.18	79.17	34.78	10.65	34.25
PK	5.9074G	59.75	88.20	-28.45	10.18	3	Vertical	40	1.18	49.57	34.13	10.26	34.21
PK	6.4222G	101.38	Inf	-Inf	11.19	3	Vertical	40	1.18	90.19	34.79	10.65	34.25


5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

6415MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9194G	48.45	68.20	-19.75	10.23	3	Horizontal	32	2.53	38.22	34.18	10.27	34.22
AV	6.4066G	97.32	Inf	-Inf	11.12	3	Horizontal	32	2.53	86.20	34.73	10.64	34.25
PK	5.8438G	60.05	88.20	-28.15	10.06	3	Horizontal	32	2.53	49.99	34.06	10.21	34.21
PK	6.4066G	108.87	Inf	-Inf	11.12	3	Horizontal	32	2.53	97.75	34.73	10.64	34.25

**5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_2TX
6415MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.82994G	51.37	68.20	-16.83	19.96	3	Vertical	17	2.11	31.41	39.60	13.82	33.46
PK	12.83009G	58.18	88.20	-30.02	19.96	3	Vertical	17	2.11	38.22	39.60	13.82	33.46


**5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_2TX
6415MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.83003G	49.17	68.20	-19.03	19.96	3	Horizontal	355	1.38	29.21	39.60	13.82	33.46
PK	12.83015G	57.69	88.20	-30.51	19.96	3	Horizontal	355	1.38	37.73	39.60	13.82	33.46

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


6435MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9166G	48.26	68.20	-19.94	10.23	3	Vertical	36	1.39	38.03	34.17	10.27	34.21
AV	6.4314G	88.19	Inf	-Inf	11.24	3	Vertical	36	1.39	76.95	34.83	10.66	34.25
PK	5.8842G	59.76	88.20	-28.44	10.13	3	Vertical	36	1.39	49.63	34.10	10.24	34.21
PK	6.4434G	97.74	Inf	-Inf	11.28	3	Vertical	36	1.39	86.46	34.87	10.67	34.26


6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

6435MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9214G	48.23	68.20	-19.97	10.24	3	Horizontal	31	2.64	37.99	34.19	10.27	34.22
AV	6.4278G	96.46	Inf	-Inf	11.22	3	Horizontal	31	2.64	85.24	34.81	10.66	34.25
PK	5.9142G	59.83	88.20	-28.37	10.22	3	Horizontal	31	2.64	49.61	34.16	10.27	34.21
PK	6.4266G	107.88	Inf	-Inf	11.22	3	Horizontal	31	2.64	96.66	34.81	10.66	34.25

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0)_2TX
6435MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.86997G	52.82	68.20	-15.38	20.07	3	Vertical	345	2.61	32.75	39.60	13.85	33.38
PK	12.86982G	58.97	88.20	-29.23	20.06	3	Vertical	345	2.61	38.91	39.60	13.84	33.38

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0)_2TX
6435MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.87G	49.69	68.20	-18.51	20.07	3	Horizontal	344	1.50	29.62	39.60	13.85	33.38
PK	12.86997G	58.28	88.20	-29.92	20.07	3	Horizontal	344	1.50	38.21	39.60	13.85	33.38