6.525-6.875GHz_802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6665MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	6.6914G	98.14	Inf	-Inf	16.19	3	Vertical	216	1.77	-	81.95	35.97	10.86	30.64
AV	7.1314G	49.78	68.20	-18.42	16.90	3	Vertical	216	1.77	-	32.88	36.43	11.24	30.77
PK	6.6562G	109.94	Inf	-Inf	16.02	3	Vertical	216	1.77	-	93.92	35.82	10.82	30.62
PK	7.1446G	63.03	88.20	-25.17	16.97	3	Vertical	216	1.77	-	46.06	36.48	11.25	30.76

6.525-6.875GHz_802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6665MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	13.315G	44.99	54.00	-9.01	22.85	3	Vertical	39	1.26	-	22.14	39.96	14.12	31.23
PK	13.32082G	57.87	74.00	-16.13	22.87	3	Vertical	39	1.26	-	35.00	39.98	14.12	31.23

6.525-6.875GHz_802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6665MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	13.31584G	45.05	54.00	-8.95	22.85	3	Horizontal	199	1.18	-	22.20	39.96	14.12	31.23
PK	13.33576G	57.58	74.00	-16.42	22.94	3	Horizontal	199	1.18	-	34.64	40.04	14.13	31.23

6.525-6.875GHz_802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6825MHz Straddle 6.525-6.875GHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	6.861G	97.21	Inf	-Inf	16.08	3	Vertical	229	1.89	-	81.13	35.80	11.01	30.73
AV	7.1306G	52.95	68.20	-15.25	16.89	3	Vertical	229	1.89	-	36.06	36.42	11.24	30.77
PK	6.8706G	110.92	Inf	-Inf	16.08	3	Vertical	229	1.89	-	94.84	35.80	11.02	30.74
PK	7.133G	67.83	88.20	-20.37	16.90	3	Vertical	229	1.89	-	50.93	36.43	11.24	30.77

6.525-6.875GHz_802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6825MHz Straddle 6.525-6.875GHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	13.64493G	49.51	68.20	-18.69	22.82	3	Vertical	10	2.96	-	26.69	39.81	14.32	31.31
PK	13.64349G	62.17	88.20	-26.03	22.82	3	Vertical	10	2.96	-	39.35	39.81	14.32	31.31

6.525-6.875GHz_802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6825MHz Straddle 6.525-6.875GHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	13.6434G	49.45	68.20	-18.75	22.82	3	Horizontal	321	2.09	-	26.63	39.81	14.32	31.31
PK	13.63809G	62.96	88.20	-25.24	22.83	3	Horizontal	321	2.09	-	40.13	39.82	14.32	31.31

6.875-7.125GHz_802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6985MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	6.959G	97.30	Inf	-Inf	16.11	3	Vertical	233	1.94	-	81.19	35.80	11.10	30.79
AV	7.129G	64.27	68.20	-3.93	16.89	3	Vertical	233	1.94	-	47.38	36.42	11.24	30.77
PK	6.9585G	110.50	Inf	-Inf	16.10	3	Vertical	233	1.94	-	94.40	35.80	11.09	30.79
PK	7.144G	77.38	88.20	-10.82	16.97	3	Vertical	233	1.94	-	60.41	36.48	11.25	30.76

6.875-7.125GHz_802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6985MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	13.97891G	50.54	68.20	-17.66	22.94	3	Vertical	82	2.23	-	27.60	39.80	14.53	31.39
PK	13.95782G	63.76	88.20	-24.44	22.92	3	Vertical	82	2.23	-	40.84	39.80	14.51	31.39

6.875-7.125GHz_802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6985MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	13.97963G	50.53	68.20	-17.67	22.93	3	Horizontal	190	2.28	-	27.60	39.80	14.53	31.40
PK	13.96619G	63.70	88.20	-24.50	22.93	3	Horizontal	190	2.28	-	40.77	39.80	14.52	31.39

Antenna Gain(dBi)			
UNII5	**UNII6**	**UNII7**	**UNII8**
4.37	4.37	4.37	4.37

Contention Based protocol 802.11ax HE20											
UNII Band	**Channel**	**Bandwidth (MHz)**	**Frequency (MHz)**	**Interference frequency (MHz)**		**AWGN Threshold Level (dBm)**	**EUT Status**	**Number of Detected (out of 10 times)**	**Detection Probability (%)**	**Limit (%)**	**Test Result**
5	**53**	**20**	**6215**	Center	6215	-66.37	OFF	10	100	90	Pass
6	**101**	**20**	**6455**	Center	6455	-65.37	OFF	10	100	90	Pass
7	**149**	**20**	**6695**	Center	6695	-62.00	OFF	10	100	90	Pass
8	**213**	**20**	**7015**	Center	7015	-65.37	OFF	10	100	90	Pass

Contention Based protocol 802.11ax HE160											
UNII Band	**Channel**	**Bandwidth (MHz)**	**Frequency (MHz)**	**Interference frequency (MHz)**		**AWGN Threshold Level (dBm)**	**EUT Status**	**Number of Detected (out of 10 times)**	**Detection Probability (%)**	**Limit(%)**	**Test Result**
5	**47**	**160**	**6185**	Low edge	6110	-62.00	OFF	10	100	90	Pass
				Center	6185	-62.00	OFF	10	100	90	Pass
				High edge	6260	-62.37	OFF	10	100	90	Pass
6	**111**	**160**	**6505**	Low edge	6430	-62.00	OFF	10	100	90	Pass
				Center	6505	-62.00	OFF	10	100	90	Pass
				High edge	6580	-65.37	OFF	10	100	90	Pass
7	**143**	**160**	**6665**	Low edge	6590	-67.37	OFF	10	100	90	Pass
				Center	6665	-63.37	OFF	10	100	90	Pass
				High edge	6740	-62.00	OFF	10	100	90	Pass
8	**207**	**160**	**6985**	Low edge	6910	-69.37	OFF	10	100	90	Pass
				Center	6985	-62.00	OFF	10	100	90	Pass
				High edge	7060	-65.37	OFF	10	100	90	Pass

Contention Based Protocol Threshold Level										
UNII Band	**Channel**	**Bandwidth (MHz)**	**Frequency (MHz)**	**Intetference frequency (MHz)**		**EUT Status**	**Injected AWGN Power (dBm)**	**Ant Gain (dBi)**	**Detection Power(dBm)**	**Detection Limit (dBm)**
5	**53**	**20**	**6215**	Center	6215	OFF	-62.00	4.37	-66.37	≤ -62
						Minimal	-63.00	4.37	-67.37	≤ -62
						ON	-64.00	4.37	-68.37	≤ -62
6	**101**		**6455**	Center	6455	OFF	-61.00	4.37	-65.37	≤ -62
						Minimal	-62.00	4.37	-66.37	≤ -62
						ON	-63.00	4.37	-67.37	≤ -62
7	**149**		**6695**	Center	6695	OFF	-57.63	4.37	-62.00	≤ -62
						Minimal	-58.00	4.37	-62.37	≤ -62
						ON	-59.00	4.37	-63.37	≤ -62
8	**213**		**7015**	Center	7015	OFF	-61.00	4.37	-65.37	≤ -62
						Minimal	-62.00	4.37	-66.37	≤ -62
						ON	-63.00	4.37	-67.37	≤ -62

Contention Based Protocol Threshold Level										
UNII Band	**Channel**	**Bandwidth (MHz)**	**Frequency (MHz)**	**Intetference frequency (MHz)**		**EUT Status**	**Injected AWGN Power (dBm)**	**Ant Gain (dBi)**	**Detection Power(dBm)**	**Detection Limit (dBm)**
5	**47**	**160**	**6185**	Low edge	6110	OFF	-57.63	4.37	-62.00	≤ -62
						Minimal	-58.00	4.37	-62.37	≤ -62
						ON	-59.00	4.37	-63.37	≤ -62
				Center	6185	OFF	-57.63	4.37	-62.00	≤ -62
						Minimal	-58.00	4.37	-62.37	≤ -62
						ON	-59.00	4.37	-63.37	≤ -62
				High edge	6260	OFF	-58.00	4.37	-62.37	≤ -62
						Minimal	-59.00	4.37	-63.37	≤ -62
						ON	-60.00	4.37	-64.37	≤ -62
6	**111**		**6505**	Low edge	6430	OFF	-57.63	4.37	-62.00	≤ -62
						Minimal	-58.00	4.37	-62.37	≤ -62
						ON	-59.00	4.37	-63.37	≤ -62
				Center	6505	OFF	-57.63	4.37	-62.00	≤ -62
						Minimal	-58.00	4.37	-62.37	≤ -62
						ON	-59.00	4.37	-63.37	≤ -62
				High edge	6580	OFF	-61.00	4.37	-65.37	≤ -62
						Minimal	-62.00	4.37	-66.37	≤ -62
						ON	-63.00	4.37	-67.37	≤ -62
7	**143**		**6665**	Low edge	6590	OFF	-63.00	4.37	-67.37	≤ -62
						Minimal	-64.00	4.37	-68.37	≤ -62
						ON	-65.00	4.37	-69.37	≤ -62
				Center	6665	OFF	-59.00	4.37	-63.37	≤ -62
						Minimal	-60.00	4.37	-64.37	≤ -62
						ON	-61.00	4.37	-65.37	≤ -62
				High edge	6740	OFF	-57.63	4.37	-62.00	≤ -62
						Minimal	-58.00	4.37	-62.37	≤ -62
						ON	-59.00	4.37	-63.37	≤ -62
8	**207**		**6985**	Low edge	6910	OFF	-65.00	4.37	-69.37	≤ -62
						Minimal	-66.00	4.37	-70.37	≤ -62
						ON	-67.00	4.37	-71.37	≤ -62
				Center	6985	OFF	-57.63	4.37	-62.00	≤ -62
						Minimal	-58.00	4.37	-62.37	≤ -62
						ON	-59.00	4.37	-63.37	≤ -62
				High edge	7060	OFF	-61.00	4.37	-65.37	≤ -62
						Minimal	-62.00	4.37	-66.37	≤ -62
						ON	-63.00	4.37	-67.37	≤ -62

Bandwidth 20MHz: Traffic Loading Plot - 6215MHz



Bandwidth 20MHz: Traffic Loading Plot - 6455MHz



Bandwidth 20MHz: Traffic Loading Plot - 6695MHz



Bandwidth 160MHz: Traffic Loading Plot - 6185MHz



Bandwidth 160MHz: Traffic Loading Plot - 6505MHz



Bandwidth 160MHz: Traffic Loading Plot - 6665MHz


Bandwidth 160MHz: Traffic Loading Plot - 6985MHz


1. Incumbent signal (AWGN) Plot

Frequency (MHz): 6215 MHz



Tx Channel
Bandwidth 10 MHz Power -62.31 dBm

Date: 12.SEP.2022 15:43:16

Frequency (MHz): 6455 MHz



Tx Channel
Bandwidth 10 MHz Power -62.03 dBm

Date: 12.SEP.2022 15:45:49

Frequency (MHz): 6695 MHz



Date: 12.SEP.2022 15:44:59

Frequency (MHz): 7015 MHz



Date: 12.SEP.2022 15:46:35

Frequency (MHz): 6110 MHz



Date: 13.SEP.2022 08:46:51

Frequency (MHz): 6185 MHz



Date: 13.SEP.2022 08:51:14

Frequency (MHz): 6260 MHz



Date: 13.SEP.2022 08:49:27

Frequency (MHz): 6430 MHz



Date: 13.SEP.2022 08:52:40

Frequency (MHz): 6505 MHz



Date: 13.SEP.2022 08:58:26

Frequency (MHz): 6580 MHz



Date: 13.SEP.2022 08:57:09

Frequency (MHz): 6590 MHz



Date: 13.SEP.2022 09:00:13

Frequency (MHz): 6665 MHz



Date: 13.SEP.2022 09:04:32

Frequency (MHz): 6740 MHz



Date: 13.SEP.2022 09:06:44

Frequency (MHz): 6910 MHz



Date: 13.SEP.2022 09:08:42

Frequency (MHz): 6985 MHz



Date: 13.SEP.2022 09:10:49

Frequency (MHz): 7060 MHz



Date: 13.SEP.2022 09:12:09

2. Contention-Based Protocol Plot

Test CH 53 ; Incumbent signal 6215 MHz



Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.

Test CH 101 ; Incumbent signal 6455 MHz



Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.

Test CH 149 ; Incumbent signal 6695 MHz



Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.

Test CH 213 ; Incumbent signal 7015MHz



Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.

Test CH 47 ; Incumbent signal 6110 MHz



Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.

Test CH 47 ; Incumbent signal 6185 MHz



Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.

Test CH 47 ; Incumbent signal 6260 MHz



Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.

Test CH 111 ; Incumbent signal 6430 MHz



Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.

Test CH 111 ; Incumbent signal 6505 MHz



Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.

Test CH 111 ; Incumbent signal 6580 MHz



Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.

Test CH 143 ; Incumbent signal 6590 MHz



Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.

Test CH 143 ; Incumbent signal 6665 MHz



Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.

Test CH 143 ; Incumbent signal 6740 MHz



Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.

Test CH 207 ; Incumbent signal 6910 MHz



Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.

Test CH 207 ; Incumbent signal 6985 MHz



Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.

Test CH 207 ; Incumbent signal 7060 MHz



Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.

Contention Based Protocol Threshold Level Verify Plot
Bandwidth (MHz): 20
Frequency (MHz): 6215 MHz (Threshold Level: -62 dBm)



Frequency (MHz): 6215 MHz (Threshold Level: -63dBm)



Frequency (MHz): 6215 MHz (Threshold Level: -64 dBm)


Contention Based Protocol Threshold Level Verify Plot
Bandwidth (MHz): 160
Frequency (MHz): 6110 MHz (Threshold Level: -56.5dBm)


Frequency (MHz): 6110 MHz (Threshold Level: -57dBm)



Frequency (MHz): 6110 MHz (Threshold Level: -58dBm)



Frequency (MHz): 6185 MHz (Threshold Level: -57dBm)



Frequency (MHz): 6185 MHz (Threshold Level: -58dBm)



Frequency (MHz): 6185 MHz (Threshold Level: -59 dBm)


Contention Based Protocol Threshold Level Verify Plot
Bandwidth (MHz): 160
Frequency (MHz): 6260 MHz (Threshold Level: -58dBm)


Frequency (MHz): 6260 MHz (Threshold Level: -59dBm)


Frequency (MHz): 6260 MHz (Threshold Level: -60dBm)


Summary

Mode	Result	Ch (Hz)	Center (Hz)	ppm	Limit (ppm)	Port	Remark
5.925-6.425GHz	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX	Pass	6.175G	6.174981G	3.0361	Inf	1	10 min

Result

Mode	Result	Ch (Hz)	Center (Hz)	ppm	Limit (ppm)	Port	Remark
802.11a_Nss1,(6Mbps)_2TX	-	-	-	-	-	-	-
6175MHz_TnomVnom	Pass	6.175G	6.174985G	2.4288	Inf	1	0 min
6175MHz_TnomVnom	Pass	6.175G	6.174985G	2.4288	Inf	1	2 min
6175MHz_TnomVnom	Pass	6.175G	6.174985G	2.4288	Inf	1	5 min
6175MHz_TnomVnom	Pass	6.175G	6.174983G	2.7325	Inf	1	10 min
6175MHz_TminVmax	Pass	6.175G	6.174985G	2.4288	Inf	1	0 min
6175MHz_TminVmax	Pass	6.175G	6.174985G	2.4288	Inf	1	2 min
6175MHz_TminVmax	Pass	6.175G	6.174983G	2.7325	Inf	1	5 min
6175MHz_TminVmax	Pass	6.175G	6.174981G	3.0361	Inf	1	10 min
6175MHz_TminVmin	Pass	6.175G	6.174981G	3.0361	Inf	1	0 min
6175MHz_TminVmin	Pass	6.175G	6.174983G	2.7325	Inf	1	2 min
6175MHz_TminVmin	Pass	6.175G	6.174983G	2.7325	Inf	1	5 min
6175MHz_TminVmin	Pass	6.175G	6.174985G	2.4288	Inf	1	10 min
6175MHz_TmaxVmax	Pass	6.175G	6.174985G	2.4288	Inf	1	0 min
6175MHz_TmaxVmax	Pass	6.175G	6.174985G	2.4288	Inf	1	2 min
6175MHz_TmaxVmax	Pass	6.175G	6.174983G	2.7325	Inf	1	5 min
6175MHz_TmaxVmax	Pass	6.175G	6.174985G	2.4288	Inf	1	10 min
6175MHz_TmaxVmin	Pass	6.175G	6.174983G	2.7325	Inf	1	0 min
6175MHz_TmaxVmin	Pass	6.175G	6.174985G	2.4288	Inf	1	2 min
6175MHz_TmaxVmin	Pass	6.175G	6.174981G	3.0361	Inf	1	5 min
6175MHz_TmaxVmin	Pass	6.175G	6.174985G	2.4288	Inf	1	10 min

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Condition
Mode 1	Pass	AV	1.07102G	37.93	54.00	-16.07	Vertical
Mode 2	Pass	AV	1.07103G	39.88	54.00	-14.12	Horizontal
Mode 3	Pass	PK	3.21243G	54.77	68.20	-13.43	Vertical
Mode 4	Pass	AV	1.07078G	40.85	54.00	-13.15	Vertical
Mode 5	Pass	AV	1.07093G	39.22	54.00	-14.78	Horizontal
Mode 6	Pass	PK	3.21252G	58.03	68.20	-10.17	Vertical
Mode 7	Pass	AV	4.876G	48.10	54.00	-5.90	Vertical
Mode 8	Pass	AV	1.06G	38.90	54.00	-15.10	Horizontal

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
Mode 1	Pass	AV	1.07102G	37.93	54.00	-16.07	3	Vertical	288	1.37	-
Mode 1	Pass	AV	3.20722G	35.39	68.20	-32.81	3	Vertical	202	1.72	-
Mode 1	Pass	AV	4.5675G	32.01	54.00	-21.99	3	Vertical	201	2.47	-
Mode 1	Pass	PK	1.07078G	51.48	74.00	-22.52	3	Vertical	288	1.37	-
Mode 1	Pass	PK	3.20722G	44.05	68.20	-24.15	3	Vertical	202	1.72	-
Mode 1	Pass	PK	4.5675G	45.77	74.00	-28.23	3	Vertical	201	2.47	-
Mode 1	Pass	AV	1.07094G	37.67	54.00	-16.33	3	Horizontal	322	1.38	-
Mode 1	Pass	AV	1.16082G	30.60	54.00	-23.40	3	Horizontal	357	3.00	-
Mode 1	Pass	AV	3.34084G	30.28	68.20	-37.92	3	Horizontal	107	1.35	-
Mode 1	Pass	PK	1.07078G	51.86	74.00	-22.14	3	Horizontal	322	1.38	-
Mode 1	Pass	PK	1.15428G	50.16	74.00	-23.84	3	Horizontal	357	3.00	-
Mode 1	Pass	PK	3.34332G	44.50	68.20	-23.70	3	Horizontal	107	1.35	-
Mode 2	Pass	AV	1.07098G	37.64	54.00	-16.36	3	Vertical	179	1.50	-
Mode 2	Pass	AV	1.33354G	29.14	54.00	-24.86	3	Vertical	34	1.79	-
Mode 2	Pass	AV	1.43491G	30.76	68.20	-37.44	3	Vertical	49	1.23	-
Mode 2	Pass	PK	1.07091G	49.26	74.00	-24.74	3	Vertical	179	1.50	-
Mode 2	Pass	PK	1.33893G	49.57	74.00	-24.43	3	Vertical	34	1.79	-
Mode 2	Pass	PK	1.43253G	49.07	68.20	-19.13	3	Vertical	49	1.23	-
Mode 2	Pass	AV	1.07103G	39.88	54.00	-14.12	3	Horizontal	309	1.50	-
Mode 2	Pass	AV	1.15984G	29.82	54.00	-24.18	3	Horizontal	0	3.00	-
Mode 2	Pass	AV	1.42186G	32.34	54.00	-21.66	3	Horizontal	40	2.67	-
Mode 2	Pass	PK	1.07111G	58.44	74.00	-15.56	3	Horizontal	309	1.50	-
Mode 2	Pass	PK	1.15412G	49.92	74.00	-24.08	3	Horizontal	0	3.00	-
Mode 2	Pass	PK	1.42294G	48.31	74.00	-25.69	3	Horizontal	40	2.67	-
Mode 3	Pass	AV	1.07103G	36.78	54.00	-17.22	3	Vertical	289	1.80	-
Mode 3	Pass	AV	1.42056G	34.44	54.00	-19.56	3	Vertical	88	3.00	-
Mode 3	Pass	AV	3.2126G	37.10	68.20	-31.10	3	Vertical	202	1.33	-
Mode 3	Pass	PK	1.07094G	49.13	74.00	-24.87	3	Vertical	289	1.80	-
Mode 3	Pass	PK	1.42544G	51.19	74.00	-22.81	3	Vertical	88	3.00	-
Mode 3	Pass	PK	3.21243G	54.77	68.20	-13.43	3	Vertical	202	1.33	-
Mode 3	Pass	AV	1.07101G	39.44	54.00	-14.56	3	Horizontal	306	1.50	-
Mode 3	Pass	AV	1.19584G	26.62	54.00	-27.38	3	Horizontal	196	2.96	-
Mode 3	Pass	AV	1.47056G	28.12	54.00	-25.88	3	Horizontal	337	2.86	-
Mode 3	Pass	PK	1.07096G	53.24	74.00	-20.76	3	Horizontal	306	1.50	-
Mode 3	Pass	PK	1.19578G	40.94	74.00	-33.06	3	Horizontal	196	2.96	-
Mode 3	Pass	PK	1.47158G	48.17	74.00	-25.83	3	Horizontal	337	2.86	-
Mode 4	Pass	AV	1.07078G	40.85	54.00	-13.15	3	Vertical	284	1.48	-
Mode 4	Pass	AV	1.15636G	31.59	54.00	-22.41	3	Vertical	110	1.72	-
Mode 4	Pass	AV	3.47052G	31.26	68.20	-36.94	3	Vertical	292	1.71	-
Mode 4	Pass	PK	1.07133G	52.71	74.00	-21.29	3	Vertical	284	1.48	-
Mode 4	Pass	PK	1.1542G	51.20	74.00	-22.80	3	Vertical	110	1.72	-
Mode 4	Pass	PK	3.4734G	45.17	68.20	-23.03	3	Vertical	292	1.71	-
Mode 4	Pass	AV	1.07089G	38.47	54.00	-15.53	3	Horizontal	320	2.38	-
Mode 4	Pass	AV	1.16284G	33.44	54.00	-20.56	3	Horizontal	9	3.00	-
Mode 4	Pass	AV	1.42036G	34.59	54.00	-19.41	3	Horizontal	53	2.57	-
Mode 4	Pass	PK	1.07078G	51.10	74.00	-22.90	3	Horizontal	320	2.38	-
Mode 4	Pass	PK	1.15404G	51.51	74.00	-22.49	3	Horizontal	9	3.00	-
Mode 4	Pass	PK	1.42852G	51.37	68.20	-16.83	3	Horizontal	53	2.57	-
Mode 5	Pass	AV	1.07094G	38.29	54.00	-15.71	3	Vertical	282	1.50	-
Mode 5	Pass	AV	1.15648G	30.54	54.00	-23.46	3	Vertical	112	2.36	-

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
Mode 5	Pass	AV	1.4112G	33.79	54.00	-20.21	3	Vertical	80	2.64	-
Mode 5	Pass	PK	1.0709G	52.54	74.00	-21.46	3	Vertical	282	1.50	-
Mode 5	Pass	PK	1.15396G	51.58	74.00	-22.42	3	Vertical	112	2.36	-
Mode 5	Pass	PK	1.41568G	50.38	74.00	-23.62	3	Vertical	80	2.64	-
Mode 5	Pass	AV	1.07093G	39.22	54.00	-14.78	3	Horizontal	306	1.50	-
Mode 5	Pass	AV	1.15856G	33.01	54.00	-20.99	3	Horizontal	5	2.96	-
Mode 5	Pass	AV	1.33416G	29.09	54.00	-24.91	3	Horizontal	225	1.00	-
Mode 5	Pass	PK	1.07072G	53.16	74.00	-20.84	3	Horizontal	306	1.50	-
Mode 5	Pass	PK	1.15422G	50.39	74.00	-23.61	3	Horizontal	5	2.96	-
Mode 5	Pass	PK	1.33896G	50.69	74.00	-23.31	3	Horizontal	225	1.00	-
Mode 6	Pass	AV	1.07094G	37.36	54.00	-16.64	3	Vertical	276	2.03	-
Mode 6	Pass	AV	1.4188G	31.96	54.00	-22.04	3	Vertical	131	1.50	-
Mode 6	Pass	AV	3.2126G	37.21	68.20	-30.99	3	Vertical	204	1.28	-
Mode 6	Pass	PK	1.07114G	52.01	74.00	-21.99	3	Vertical	276	2.03	-
Mode 6	Pass	PK	1.42088G	47.51	74.00	-26.49	3	Vertical	131	1.50	-
Mode 6	Pass	PK	3.21252G	58.03	68.20	-10.17	3	Vertical	204	1.28	-
Mode 6	Pass	AV	1.07109G	38.63	54.00	-15.37	3	Horizontal	313	1.62	-
Mode 6	Pass	AV	1.16864G	31.58	54.00	-22.42	3	Horizontal	0	3.00	-
Mode 6	Pass	AV	1.42488G	31.73	54.00	-22.27	3	Horizontal	55	2.66	-
Mode 6	Pass	PK	1.07041G	51.21	74.00	-22.79	3	Horizontal	313	1.62	-
Mode 6	Pass	PK	1.17488G	51.37	74.00	-22.63	3	Horizontal	0	3.00	-
Mode 6	Pass	PK	1.42268G	48.04	74.00	-25.96	3	Horizontal	55	2.66	-
Mode 7	Pass	AV	1.06G	40.70	54.00	-13.30	3	Vertical	289	1.75	-
Mode 7	Pass	AV	1.42G	35.83	54.00	-18.17	3	Vertical	117	1.50	-
Mode 7	Pass	AV	3.208G	38.20	68.20	-30.00	3	Vertical	218	1.50	-
Mode 7	Pass	AV	4.876G	48.10	54.00	-5.90	3	Vertical	241	1.11	-
Mode 7	Pass	PK	1.06G	46.72	74.00	-27.28	3	Vertical	289	1.75	-
Mode 7	Pass	PK	1.42G	51.98	74.00	-22.02	3	Vertical	117	1.50	-
Mode 7	Pass	PK	3.208G	49.02	68.20	-19.18	3	Vertical	218	1.50	-
Mode 7	Pass	PK	4.876G	51.89	74.00	-22.11	3	Vertical	241	1.11	-
Mode 7	Pass	AV	1.06G	40.67	54.00	-13.33	3	Horizontal	342	1.50	-
Mode 7	Pass	AV	1.144G	32.97	54.00	-21.03	3	Horizontal	0	2.97	-
Mode 7	Pass	AV	3.208G	36.76	68.20	-31.44	3	Horizontal	0	2.52	-
Mode 7	Pass	AV	4.876G	42.82	54.00	-11.18	3	Horizontal	26	1.00	-
Mode 7	Pass	PK	1.06G	47.04	74.00	-26.96	3	Horizontal	342	1.50	-
Mode 7	Pass	PK	1.144G	46.66	74.00	-27.34	3	Horizontal	0	2.97	-
Mode 7	Pass	PK	3.208G	46.57	68.20	-21.63	3	Horizontal	0	2.52	-
Mode 7	Pass	PK	4.876G	47.83	74.00	-26.17	3	Horizontal	26	1.00	-
Mode 8	Pass	AV	1.06G	38.49	54.00	-15.51	3	Vertical	192	2.22	-
Mode 8	Pass	AV	1.408G	29.71	54.00	-24.29	3	Vertical	74	2.65	-
Mode 8	Pass	AV	3.208G	37.51	68.20	-30.69	3	Vertical	217	1.00	-
Mode 8	Pass	PK	1.06G	44.94	74.00	-29.06	3	Vertical	192	2.22	-
Mode 8	Pass	PK	1.408G	47.08	74.00	-26.92	3	Vertical	74	2.65	-
Mode 8	Pass	PK	3.208G	47.48	68.20	-20.72	3	Vertical	217	1.00	-
Mode 8	Pass	AV	1.06G	38.90	54.00	-15.10	3	Horizontal	161	2.00	-
Mode 8	Pass	AV	1.168G	33.27	54.00	-20.73	3	Horizontal	11	3.00	-
Mode 8	Pass	AV	3.136G	32.30	68.20	-35.90	3	Horizontal	266	1.50	-
Mode 8	Pass	PK	1.06G	50.25	74.00	-23.75	3	Horizontal	161	2.00	-
Mode 8	Pass	PK	1.168G	49.46	74.00	-24.54	3	Horizontal	11	3.00	-
Mode 8	Pass	PK	3.136G	45.39	68.20	-22.81	3	Horizontal	266	1.50	-

Radiated Emissions above 1GHz_Mode 1



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB/m)	(m)		(°)	(m)		(dBuV/m)	(dB/m)	(dB)	(dB)
AV	1.07102G	37.93	54.00	-16.07	-2.77	3	Vertical	288	1.37	-	40.70	25.27	5.50	33.54
AV	3.20722G	35.39	68.20	-32.81	8.07	3	Vertical	202	1.72	-	27.32	29.79	8.86	30.58
AV	4.5675G	32.01	54.00	-21.99	11.07	3	Vertical	201	2.47	-	20.94	31.66	9.52	30.11
PK	1.07078G	51.48	74.00	-22.52	-2.77	3	Vertical	288	1.37	-	54.25	25.27	5.50	33.54
PK	3.20722G	44.05	68.20	-24.15	8.07	3	Vertical	202	1.72	-	35.98	29.79	8.86	30.58
PK	4.5675G	45.77	74.00	-28.23	11.07	3	Vertical	201	2.47	-	34.70	31.66	9.52	30.11

Radiated Emissions above 1GHz_Mode 1



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB/m)	(m)		(°)	(m)		(dBuV/m)	(dB/m)	(dB)	(dB)
AV	1.07094G	37.67	54.00	-16.33	-2.77	3	Horizontal	322	1.38	-	40.44	25.27	5.50	33.54
AV	1.16082G	30.60	54.00	-23.40	-1.27	3	Horizontal	357	3.00	-	31.87	26.10	5.77	33.14
AV	3.34084G	30.28	68.20	-37.92	7.89	3	Horizontal	107	1.35	-	22.39	29.52	8.89	30.52
PK	1.07078G	51.86	74.00	-22.14	-2.77	3	Horizontal	322	1.38	-	54.63	25.27	5.50	33.54
PK	1.15428G	50.16	74.00	-23.84	-1.32	3	Horizontal	357	3.00	-	51.48	26.10	5.75	33.17
PK	3.34332G	44.50	68.20	-23.70	7.88	3	Horizontal	107	1.35	-	36.62	29.51	8.89	30.52

Radiated Emissions above 1GHz_Mode 2



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB/m)	(m)		(°)	(m)		(dBuV/m)	(dB/m)	(dB)	(dB)
AV	1.07098G	37.64	54.00	-16.36	-2.77	3	Vertical	179	1.50	-	40.41	25.27	5.50	33.54
AV	1.33354G	29.14	54.00	-24.86	-0.09	3	Vertical	34	1.79	-	29.23	25.97	6.32	32.38
AV	1.43491G	30.76	68.20	-37.44	0.57	3	Vertical	49	1.23	-	30.19	25.87	6.63	31.93
PK	1.07091G	49.26	74.00	-24.74	-2.77	3	Vertical	179	1.50	-	52.03	25.27	5.50	33.54
PK	1.33893G	49.57	74.00	-24.43	0.00	3	Vertical	34	1.79	-	49.57	26.01	6.34	32.35
PK	1.43253G	49.07	68.20	-19.13	0.56	3	Vertical	49	1.23	-	48.51	25.87	6.63	31.94

Radiated Emissions above 1GHz_Mode 2



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB/m)	(m)		(°)	(m)		(dBuV/m)	(dB/m)	(dB)	(dB)
AV	1.07103G	39.88	54.00	-14.12	-2.77	3	Horizontal	309	1.50	-	42.65	25.27	5.50	33.54
AV	1.15984G	29.82	54.00	-24.18	-1.27	3	Horizontal	0	3.00	-	31.09	26.10	5.77	33.14
AV	1.42186G	32.34	54.00	-21.66	0.45	3	Horizontal	40	2.67	-	31.89	25.84	6.60	31.99
PK	1.07111G	58.44	74.00	-15.56	-2.77	3	Horizontal	309	1.50	-	61.21	25.27	5.50	33.54
PK	1.15412G	49.92	74.00	-24.08	-1.32	3	Horizontal	0	3.00	-	51.24	26.10	5.75	33.17
PK	1.42294G	48.31	74.00	-25.69	0.47	3	Horizontal	40	2.67	-	47.84	25.85	6.60	31.98

Radiated Emissions above 1GHz_Mode 3



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB/m)	(m)		(°)	(m)		(dBuV/m)	(dB/m)	(dB)	(dB)
AV	1.07103G	36.78	54.00	-17.22	-2.77	3	Vertical	289	1.80	-	39.55	25.27	5.50	33.54
AV	1.42056G	34.44	54.00	-19.56	0.44	3	Vertical	88	3.00	-	34.00	25.84	6.59	31.99
AV	3.2126G	37.10	68.20	-31.10	8.05	3	Vertical	202	1.33	-	29.05	29.77	8.86	30.58
PK	1.07094G	49.13	74.00	-24.87	-2.77	3	Vertical	289	1.80	-	51.90	25.27	5.50	33.54
PK	1.42544G	51.19	74.00	-22.81	0.49	3	Vertical	88	3.00	-	50.70	25.85	6.61	31.97
PK	3.21243G	54.77	68.20	-13.43	8.06	3	Vertical	202	1.33	-	46.71	29.78	8.86	30.58

Radiated Emissions above 1GHz_Mode 3



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB/m)	(m)		(°)	(m)		(dBuV/m)	(dB/m)	(dB)	(dB)
AV	1.07101G	39.44	54.00	-14.56	-2.77	3	Horizontal	306	1.50	-	42.21	25.27	5.50	33.54
AV	1.19584G	26.62	54.00	-27.38	-1.00	3	Horizontal	196	2.96	-	27.62	26.10	5.88	32.98
AV	1.47056G	28.12	54.00	-25.88	0.70	3	Horizontal	337	2.86	-	27.42	25.74	6.73	31.77
PK	1.07096G	53.24	74.00	-20.76	-2.77	3	Horizontal	306	1.50	-	56.01	25.27	5.50	33.54
PK	1.19578G	40.94	74.00	-33.06	-1.00	3	Horizontal	196	2.96	-	41.94	26.10	5.88	32.98
PK	1.47158G	48.17	74.00	-25.83	0.69	3	Horizontal	337	2.86	-	47.48	25.73	6.73	31.77

Radiated Emissions above 1GHz_Mode 4



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB/m)	(m)		(°)	(m)		(dBuV/m)	(dB/m)	(dB)	(dB)
AV	1.07078G	40.85	54.00	-13.15	-2.77	3	Vertical	284	1.48	-	43.62	25.27	5.50	33.54
AV	1.15636G	31.59	54.00	-22.41	-1.30	3	Vertical	110	1.72	-	32.89	26.10	5.76	33.16
AV	3.47052G	31.26	68.20	-36.94	8.00	3	Vertical	292	1.71	-	23.26	29.50	8.96	30.46
PK	1.07133G	52.71	74.00	-21.29	-2.76	3	Vertical	284	1.48	-	55.47	25.27	5.50	33.53
PK	1.1542G	51.20	74.00	-22.80	-1.32	3	Vertical	110	1.72	-	52.52	26.10	5.75	33.17
PK	3.4734G	45.17	68.20	-23.03	8.00	3	Vertical	292	1.71	-	37.17	29.50	8.96	30.46

Radiated Emissions above 1GHz_Mode 4



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB/m)	(m)		(°)	(m)		(dBuV/m)	(dB/m)	(dB)	(dB)
AV	1.07089G	38.47	54.00	-15.53	-2.77	3	Horizontal	320	2.38	-	41.24	25.27	5.50	33.54
AV	1.16284G	33.44	54.00	-20.56	-1.25	3	Horizontal	9	3.00	-	34.69	26.10	5.78	33.13
AV	1.42036G	34.59	54.00	-19.41	0.44	3	Horizontal	53	2.57	-	34.15	25.84	6.59	31.99
PK	1.07078G	51.10	74.00	-22.90	-2.77	3	Horizontal	320	2.38	-	53.87	25.27	5.50	33.54
PK	1.15404G	51.51	74.00	-22.49	-1.32	3	Horizontal	9	3.00	-	52.83	26.10	5.75	33.17
PK	1.42852G	51.37	68.20	-16.83	0.52	3	Horizontal	53	2.57	-	50.85	25.86	6.62	31.96

Radiated Emissions above 1GHz_Mode 5



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB/m)	(m)		(°)	(m)		(dBuV/m)	(dB/m)	(dB)	(dB)
AV	1.07094G	38.29	54.00	-15.71	-2.77	3	Vertical	282	1.50	-	41.06	25.27	5.50	33.54
AV	1.15648G	30.54	54.00	-23.46	-1.30	3	Vertical	112	2.36	-	31.84	26.10	5.76	33.16
AV	1.4112G	33.79	54.00	-20.21	0.36	3	Vertical	80	2.64	-	33.43	25.82	6.57	32.03
PK	1.0709G	52.54	74.00	-21.46	-2.77	3	Vertical	282	1.50	-	55.31	25.27	5.50	33.54
PK	1.15396G	51.58	74.00	-22.42	-1.32	3	Vertical	112	2.36	-	52.90	26.10	5.75	33.17
PK	1.41568G	50.38	74.00	-23.62	0.40	3	Vertical	80	2.64	-	49.98	25.83	6.58	32.01

Radiated Emissions above 1GHz_Mode 5



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB/m)	(m)		(°)	(m)		(dBuV/m)	(dB/m)	(dB)	(dB)
AV	1.07093G	39.22	54.00	-14.78	-2.77	3	Horizontal	306	1.50	-	41.99	25.27	5.50	33.54
AV	1.15856G	33.01	54.00	-20.99	-1.28	3	Horizontal	5	2.96	-	34.29	26.10	5.77	33.15
AV	1.33416G	29.09	54.00	-24.91	-0.07	3	Horizontal	225	1.00	-	29.16	25.97	6.33	32.37
PK	1.07072G	53.16	74.00	-20.84	-2.77	3	Horizontal	306	1.50	-	55.93	25.27	5.50	33.54
PK	1.15422G	50.39	74.00	-23.61	-1.32	3	Horizontal	5	2.96	-	51.71	26.10	5.75	33.17
PK	1.33896G	50.69	74.00	-23.31	0.00	3	Horizontal	225	1.00	-	50.69	26.01	6.34	32.35

Radiated Emissions above 1GHz_Mode 6



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB/m)	(m)		(°)	(m)		(dBuV/m)	(dB/m)	(dB)	(dB)
AV	1.07094G	37.36	54.00	-16.64	-2.77	3	Vertical	276	2.03	-	40.13	25.27	5.50	33.54
AV	1.4188G	31.96	54.00	-22.04	0.43	3	Vertical	131	1.50	-	31.53	25.84	6.59	32.00
AV	3.2126G	37.21	68.20	-30.99	8.05	3	Vertical	204	1.28	-	29.16	29.77	8.86	30.58
PK	1.07114G	52.01	74.00	-21.99	-2.77	3	Vertical	276	2.03	-	54.78	25.27	5.50	33.54
PK	1.42088G	47.51	74.00	-26.49	0.45	3	Vertical	131	1.50	-	47.06	25.84	6.60	31.99
PK	3.21252G	58.03	68.20	-10.17	8.05	3	Vertical	204	1.28	-	49.98	29.77	8.86	30.58

Radiated Emissions above 1GHz_Mode 6



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB/m)	(m)		(°)	(m)		(dBuV/m)	(dB/m)	(dB)	(dB)
AV	1.07109G	38.63	54.00	-15.37	-2.77	3	Horizontal	313	1.62	-	41.40	25.27	5.50	33.54
AV	1.16864G	31.58	54.00	-22.42	-1.20	3	Horizontal	0	3.00	-	32.78	26.10	5.80	33.10
AV	1.42488G	31.73	54.00	-22.27	0.49	3	Horizontal	55	2.66	-	31.24	25.85	6.61	31.97
PK	1.07041G	51.21	74.00	-22.79	-2.78	3	Horizontal	313	1.62	-	53.99	25.26	5.50	33.54
PK	1.17488G	51.37	74.00	-22.63	-1.17	3	Horizontal	0	3.00	-	52.54	26.10	5.81	33.08
PK	1.42268G	48.04	74.00	-25.96	0.47	3	Horizontal	55	2.66	-	47.57	25.85	6.60	31.98

Radiated Emissions above 1GHz_Mode 7



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB/m)	(m)		(°)	(m)		(dBuV/m)	(dB/m)	(dB)	(dB)
AV	1.06G	40.70	54.00	-13.30	-2.93	3	Vertical	289	1.75	-	43.63	25.18	5.47	33.58
AV	1.42G	35.83	54.00	-18.17	0.44	3	Vertical	117	1.50	-	35.39	25.84	6.59	31.99
AV	3.208G	38.20	68.20	-30.00	8.06	3	Vertical	218	1.50	-	30.14	29.78	8.86	30.58
AV	4.876G	48.10	54.00	-5.90	12.30	3	Vertical	241	1.11	-	35.80	32.60	9.70	30.00
PK	1.06G	46.72	74.00	-27.28	-2.93	3	Vertical	289	1.75	-	49.65	25.18	5.47	33.58
PK	1.42G	51.98	74.00	-22.02	0.44	3	Vertical	117	1.50	-	51.54	25.84	6.59	31.99
PK	3.208G	49.02	68.20	-19.18	8.06	3	Vertical	218	1.50	-	40.96	29.78	8.86	30.58
PK	4.876G	51.89	74.00	-22.11	12.30	3	Vertical	241	1.11	-	39.59	32.60	9.70	30.00

Radiated Emissions above 1GHz_Mode 7



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB/m)	(m)		(°)	(m)		(dBuV/m)	(dB/m)	(dB)	(dB)
AV	1.06G	40.67	54.00	-13.33	-2.93	3	Horizontal	342	1.50	-	43.60	25.18	5.47	33.58
AV	1.144G	32.97	54.00	-21.03	-1.46	3	Horizontal	0	2.97	-	34.43	26.03	5.72	33.21
AV	3.208G	36.76	68.20	-31.44	8.06	3	Horizontal	0	2.52	-	28.70	29.78	8.86	30.58
AV	4.876G	42.82	54.00	-11.18	12.30	3	Horizontal	26	1.00	-	30.52	32.60	9.70	30.00
PK	1.06G	47.04	74.00	-26.96	-2.93	3	Horizontal	342	1.50	-	49.97	25.18	5.47	33.58
PK	1.144G	46.66	74.00	-27.34	-1.46	3	Horizontal	0	2.97	-	48.12	26.03	5.72	33.21
PK	3.208G	46.57	68.20	-21.63	8.06	3	Horizontal	0	2.52	-	38.51	29.78	8.86	30.58
PK	4.876G	47.83	74.00	-26.17	12.30	3	Horizontal	26	1.00	-	35.53	32.60	9.70	30.00

Radiated Emissions above 1GHz_Mode 8



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB/m)	(m)		(°)	(m)		(dBuV/m)	(dB/m)	(dB)	(dB)
AV	1.06G	38.49	54.00	-15.51	-2.93	3	Vertical	192	2.22	-	41.42	25.18	5.47	33.58
AV	1.408G	29.71	54.00	-24.29	0.33	3	Vertical	74	2.65	-	29.38	25.82	6.56	32.05
AV	3.208G	37.51	68.20	-30.69	8.06	3	Vertical	217	1.00	-	29.45	29.78	8.86	30.58
PK	1.06G	44.94	74.00	-29.06	-2.93	3	Vertical	192	2.22	-	47.87	25.18	5.47	33.58
PK	1.408G	47.08	74.00	-26.92	0.33	3	Vertical	74	2.65	-	46.75	25.82	6.56	32.05
PK	3.208G	47.48	68.20	-20.72	8.06	3	Vertical	217	1.00	-	39.42	29.78	8.86	30.58

Radiated Emissions above 1GHz_Mode 8



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB/m)	(m)		(°)	(m)		(dBuV/m)	(dB/m)	(dB)	(dB)
AV	1.06G	38.90	54.00	-15.10	-2.93	3	Horizontal	161	2.00	-	41.83	25.18	5.47	33.58
AV	1.168G	33.27	54.00	-20.73	-1.22	3	Horizontal	11	3.00	-	34.49	26.10	5.79	33.11
AV	3.136G	32.30	68.20	-35.90	7.95	3	Horizontal	266	1.50	-	24.35	29.77	8.80	30.62
PK	1.06G	50.25	74.00	-23.75	-2.93	3	Horizontal	161	2.00	-	53.18	25.18	5.47	33.58
PK	1.168G	49.46	74.00	-24.54	-1.22	3	Horizontal	11	3.00	-	50.68	26.10	5.79	33.11
PK	3.136G	45.39	68.20	-22.81	7.95	3	Horizontal	266	1.50	-	37.44	29.77	8.80	30.62