



**5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_2TX
6415MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.82997G	49.93	68.20	-18.27	19.96	3	Vertical	4	2.95	29.97	39.60	13.82	33.46
PK	12.83024G	57.33	88.20	-30.87	19.96	3	Vertical	4	2.95	37.37	39.60	13.82	33.46


**5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_2TX
6415MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.82994G	45.90	68.20	-22.30	19.96	3	Horizontal	91	2.62	25.94	39.60	13.82	33.46
PK	12.82991G	56.67	88.20	-31.53	19.96	3	Horizontal	91	2.62	36.71	39.60	13.82	33.46

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


6435MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.925G	48.19	68.20	-20.01	10.25	3	Vertical	196	1.36	37.94	34.20	10.27	34.22
AV	6.4266G	97.99	Inf	-Inf	11.22	3	Vertical	196	1.36	86.77	34.81	10.66	34.25
PK	5.9106G	60.17	88.20	-28.03	10.19	3	Vertical	196	1.36	49.98	34.14	10.26	34.21
PK	6.4266G	109.20	Inf	-Inf	11.22	3	Vertical	196	1.36	97.98	34.81	10.66	34.25


6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

6435MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8806G	48.08	68.20	-20.12	10.13	3	Horizontal	29	1.20	37.95	34.10	10.24	34.21
AV	6.4266G	88.83	Inf	-Inf	11.22	3	Horizontal	29	1.20	77.61	34.81	10.66	34.25
PK	5.8662G	60.67	88.20	-27.53	10.12	3	Horizontal	29	1.20	50.55	34.10	10.23	34.21
PK	6.4278G	99.85	Inf	-Inf	11.22	3	Horizontal	29	1.20	88.63	34.81	10.66	34.25

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0)_2TX
6435MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.87G	48.26	68.20	-19.94	20.07	3	Vertical	232	1.94	28.19	39.60	13.85	33.38
PK	12.86988G	57.22	88.20	-30.98	20.06	3	Vertical	232	1.94	37.16	39.60	13.84	33.38


6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0)_2TX
6435MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.87G	46.25	68.20	-21.95	20.07	3	Horizontal	175	2.62	26.18	39.60	13.85	33.38
PK	12.86994G	57.36	88.20	-30.84	20.07	3	Horizontal	175	2.62	37.29	39.60	13.85	33.38

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


6475MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9122G	48.12	68.20	-20.08	10.20	3	Vertical	195	1.50	37.92	34.15	10.26	34.21
AV	6.4666G	97.83	Inf	-Inf	11.42	3	Vertical	195	1.50	86.41	35.00	10.68	34.26
AV	7.1554G	51.76	68.20	-16.44	13.34	3	Vertical	195	1.50	38.42	36.59	11.26	34.51
PK	5.9038G	60.37	88.20	-27.83	10.17	3	Vertical	195	1.50	50.20	34.12	10.26	34.21
PK	6.4666G	107.39	Inf	-Inf	11.42	3	Vertical	195	1.50	95.97	35.00	10.68	34.26
PK	7.1442G	64.65	88.20	-23.55	13.28	3	Vertical	195	1.50	51.37	36.55	11.25	34.52


6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

6475MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9122G	48.20	68.20	-20.00	10.20	3	Horizontal	27	1.50	38.00	34.15	10.26	34.21
AV	6.4666G	87.79	Inf	-Inf	11.42	3	Horizontal	27	1.50	76.37	35.00	10.68	34.26
AV	7.1456G	51.72	68.20	-16.48	13.29	3	Horizontal	27	1.50	38.43	36.56	11.25	34.52
PK	5.8954G	61.08	88.20	-27.12	10.14	3	Horizontal	27	1.50	50.94	34.10	10.25	34.21
PK	6.468G	98.01	Inf	-Inf	11.43	3	Horizontal	27	1.50	86.58	35.01	10.68	34.26
PK	7.175G	63.34	88.20	-24.86	13.32	3	Horizontal	27	1.50	50.02	36.55	11.28	34.51

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0)_2TX
6475MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.94994G	48.95	68.20	-19.25	20.36	3	Vertical	180	1.99	28.59	39.70	13.89	33.23
PK	12.95003G	57.41	88.20	-30.79	20.36	3	Vertical	180	1.99	37.05	39.70	13.89	33.23


6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0)_2TX
6475MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.94997G	47.23	68.20	-20.97	20.36	3	Horizontal	214	2.86	26.87	39.70	13.89	33.23
PK	12.95012G	57.12	88.20	-31.08	20.36	3	Horizontal	214	2.86	36.76	39.70	13.89	33.23

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


6515MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9186G	48.12	68.20	-20.08	10.22	3	Vertical	198	1.50	37.90	34.17	10.27	34.22
AV	6.508G	97.54	Inf	-Inf	11.67	3	Vertical	198	1.50	85.87	35.22	10.71	34.26
AV	7.1492G	51.77	68.20	-16.43	13.33	3	Vertical	198	1.50	38.44	36.59	11.26	34.52
PK	5.9088G	59.72	88.20	-28.48	10.19	3	Vertical	198	1.50	49.53	34.14	10.26	34.21
PK	6.5178G	108.37	Inf	-Inf	11.69	3	Vertical	198	1.50	96.68	35.24	10.72	34.27
PK	7.1338G	63.38	88.20	-24.82	13.19	3	Vertical	198	1.50	50.19	36.47	11.24	34.52


6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

6515MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.92G	48.08	68.20	-20.12	10.23	3	Horizontal	30	1.47	37.85	34.18	10.27	34.22
AV	6.5234G	87.83	Inf	-Inf	11.70	3	Horizontal	30	1.47	76.13	35.25	10.72	34.27
AV	7.1534G	51.86	68.20	-16.34	13.34	3	Horizontal	30	1.47	38.52	36.59	11.26	34.51
PK	5.8346G	59.90	88.20	-28.30	10.01	3	Horizontal	30	1.47	49.89	34.01	10.21	34.21
PK	6.5066G	97.91	Inf	-Inf	11.66	3	Horizontal	30	1.47	86.25	35.21	10.71	34.26
PK	7.1408G	63.04	88.20	-25.16	13.26	3	Horizontal	30	1.47	49.78	36.53	11.25	34.52

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0)_2TX
6515MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.03003G	49.58	68.20	-18.62	20.62	3	Vertical	179	2.95	28.96	39.77	13.94	33.09
PK	13.02967G	58.72	88.20	-29.48	20.62	3	Vertical	179	2.95	38.10	39.77	13.94	33.09


6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0)_2TX
6515MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.02997G	47.89	68.20	-20.31	20.62	3	Horizontal	315	2.79	27.27	39.77	13.94	33.09
PK	13.02991G	58.44	88.20	-29.76	20.62	3	Horizontal	315	2.79	37.82	39.77	13.94	33.09

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


6535MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9134G	48.05	68.20	-20.15	10.21	3	Vertical	182	1.50	37.84	34.15	10.27	34.21
AV	6.5266G	97.84	Inf	-Inf	11.70	3	Vertical	182	1.50	86.14	35.25	10.72	34.27
AV	7.151G	51.69	68.20	-16.51	13.35	3	Vertical	182	1.50	38.34	36.60	11.26	34.51
PK	5.863G	59.54	88.20	-28.66	10.12	3	Vertical	182	1.50	49.42	34.10	10.23	34.21
PK	6.5266G	110.22	Inf	-Inf	11.70	3	Vertical	182	1.50	98.52	35.25	10.72	34.27
PK	7.1566G	63.69	88.20	-24.51	13.34	3	Vertical	182	1.50	50.35	36.59	11.26	34.51


6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

6535MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9162G	48.03	68.20	-20.17	10.22	3	Horizontal	33	2.02	37.81	34.16	10.27	34.21
AV	6.542G	87.86	Inf	-Inf	11.73	3	Horizontal	33	2.02	76.13	35.28	10.73	34.28
AV	7.1594G	51.64	68.20	-16.56	13.34	3	Horizontal	33	2.02	38.30	36.58	11.27	34.51
PK	5.9176G	58.97	88.20	-29.23	10.22	3	Horizontal	33	2.02	48.75	34.17	10.27	34.22
PK	6.542G	97.45	Inf	-Inf	11.73	3	Horizontal	33	2.02	85.72	35.28	10.73	34.28
PK	7.1762G	63.36	88.20	-24.84	13.32	3	Horizontal	33	2.02	50.04	36.55	11.28	34.51

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_2TX
6535MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.06997G	48.44	68.20	-19.76	20.67	3	Vertical	179	2.93	27.77	39.73	13.97	33.03
PK	13.07003G	57.11	88.20	-31.09	20.67	3	Vertical	179	2.93	36.44	39.73	13.97	33.03


6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_2TX
6535MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.06997G	46.30	68.20	-21.90	20.67	3	Horizontal	323	1.98	25.63	39.73	13.97	33.03
PK	13.07G	56.90	88.20	-31.30	20.67	3	Horizontal	323	1.98	36.23	39.73	13.97	33.03

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


6695MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.687G	97.31	Inf	-Inf	12.34	3	Vertical	186	1.50	84.97	35.85	10.85	34.36
AV	7.134G	51.56	68.20	-16.64	13.19	3	Vertical	186	1.50	38.37	36.47	11.24	34.52
PK	6.687G	107.41	Inf	-Inf	12.34	3	Vertical	186	1.50	95.07	35.85	10.85	34.36
PK	7.125G	63.80	88.20	-24.40	13.12	3	Vertical	186	1.50	50.68	36.40	11.24	34.52


6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

6695MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.691G	85.99	Inf	-Inf	12.36	3	Horizontal	33	1.42	73.63	35.86	10.86	34.36
AV	7.138G	51.59	68.20	-16.61	13.23	3	Horizontal	33	1.42	38.36	36.50	11.25	34.52
PK	6.69G	99.33	Inf	-Inf	12.36	3	Horizontal	33	1.42	86.97	35.86	10.86	34.36
PK	7.178G	63.37	88.20	-24.83	13.31	3	Horizontal	33	1.42	50.06	36.54	11.28	34.51

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_2TX
6695MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.38538G	43.76	54.00	-10.24	21.71	3	Vertical	141	1.00	22.05	40.06	14.16	32.51
PK	13.38529G	56.84	74.00	-17.16	21.71	3	Vertical	141	1.00	35.13	40.06	14.16	32.51


6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_2TX
6695MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.39048G	43.65	54.00	-10.35	21.74	3	Horizontal	-0	1.46	21.91	40.07	14.17	32.50
PK	13.38493G	56.63	74.00	-17.37	21.70	3	Horizontal	-0	1.46	34.93	40.05	14.16	32.51

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


6855MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.8473G	97.70	Inf	-Inf	12.26	3	Vertical	212	1.62	85.44	35.71	11.00	34.45
AV	7.1546G	51.69	68.20	-16.51	13.34	3	Vertical	212	1.62	38.35	36.59	11.26	34.51
PK	6.8571G	109.07	Inf	-Inf	12.26	3	Vertical	212	1.62	96.81	35.70	11.01	34.45
PK	7.1364G	63.86	88.20	-24.34	13.22	3	Vertical	212	1.62	50.64	36.49	11.25	34.52


6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

6855MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.8634G	86.50	Inf	-Inf	12.25	3	Horizontal	198	1.25	74.25	35.70	11.01	34.46
AV	7.1504G	51.65	68.20	-16.55	13.35	3	Horizontal	198	1.25	38.30	36.60	11.26	34.51
PK	6.8641G	96.46	Inf	-Inf	12.25	3	Horizontal	198	1.25	84.21	35.70	11.01	34.46
PK	7.1448G	64.45	88.20	-23.75	13.29	3	Horizontal	198	1.25	51.16	36.56	11.25	34.52

**6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_2TX
6855MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.71G	49.51	68.20	-18.69	21.65	3	Vertical	326	2.96	27.86	39.70	14.36	32.41
PK	13.70859G	61.77	88.20	-26.43	21.65	3	Vertical	326	2.96	40.12	39.70	14.36	32.41


**6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_2TX
6855MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.71918G	48.12	68.20	-20.08	21.65	3	Horizontal	360	2.28	26.47	39.70	14.37	32.42
PK	13.70736G	61.06	88.20	-27.14	21.65	3	Horizontal	360	2.28	39.41	39.70	14.36	32.41

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


6875MHz Straddle 6.525-6.875GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.86625G	97.30	Inf	-Inf	12.26	3	Vertical	170	1.50	85.04	35.70	11.02	34.46
AV	7.14055G	51.62	68.20	-16.58	13.25	3	Vertical	170	1.50	38.37	36.52	11.25	34.52
PK	6.8669G	108.20	Inf	-Inf	12.26	3	Vertical	170	1.50	95.94	35.70	11.02	34.46
PK	7.15225G	63.97	88.20	-24.23	13.35	3	Vertical	170	1.50	50.62	36.60	11.26	34.51


6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

6875MHz Straddle 6.525-6.875GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.8669G	85.65	Inf	-Inf	12.26	3	Horizontal	202	1.40	73.39	35.70	11.02	34.46
AV	7.15745G	51.61	68.20	-16.59	13.34	3	Horizontal	202	1.40	38.27	36.59	11.26	34.51
PK	6.86755G	97.24	Inf	-Inf	12.26	3	Horizontal	202	1.40	84.98	35.70	11.02	34.46
PK	7.1529G	63.52	88.20	-24.68	13.34	3	Horizontal	202	1.40	50.18	36.59	11.26	34.51

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_2TX
6875MHz Straddle 6.525-6.875GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.75G	50.52	68.20	-17.68	21.66	3	Vertical	113	1.95	28.86	39.70	14.39	32.43
PK	13.74973G	61.52	88.20	-26.68	21.66	3	Vertical	113	1.95	39.86	39.70	14.39	32.43


6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_2TX
6875MHz Straddle 6.525-6.875GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.75003G	48.54	68.20	-19.66	21.66	3	Horizontal	263	1.06	26.88	39.70	14.39	32.43
PK	13.7614G	61.02	88.20	-27.18	21.65	3	Horizontal	263	1.06	39.37	39.70	14.39	32.44

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


6895MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.9013G	97.55	Inf	-Inf	12.27	3	Vertical	204	1.92	85.28	35.70	11.05	34.48
AV	7.1456G	51.55	68.20	-16.65	13.29	3	Vertical	204	1.92	38.26	36.56	11.25	34.52
PK	6.902G	108.02	Inf	-Inf	12.27	3	Vertical	204	1.92	95.75	35.70	11.05	34.48
PK	7.2422G	64.25	88.20	-23.95	13.47	3	Vertical	204	1.92	50.78	36.67	11.31	34.51


6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

6895MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.888G	85.18	Inf	-Inf	12.26	3	Horizontal	202	1.50	72.92	35.70	11.03	34.47
AV	7.1505G	51.59	68.20	-16.61	13.35	3	Horizontal	202	1.50	38.24	36.60	11.26	34.51
PK	6.8866G	96.48	Inf	-Inf	12.26	3	Horizontal	202	1.50	84.22	35.70	11.03	34.47
PK	7.147G	63.66	88.20	-24.54	13.31	3	Horizontal	202	1.50	50.35	36.58	11.25	34.52

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_2TX
6895MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.78991G	50.58	68.20	-17.62	21.66	3	Vertical	114	2.07	28.92	39.70	14.41	32.45
PK	13.79597G	61.81	88.20	-26.39	21.66	3	Vertical	114	2.07	40.15	39.70	14.41	32.45


6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_2TX
6895MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.799G	48.89	68.20	-19.31	21.67	3	Horizontal	300	2.46	27.22	39.70	14.42	32.45
PK	13.80131G	62.68	88.20	-25.52	21.67	3	Horizontal	300	2.46	41.01	39.70	14.42	32.45

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


6995MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.986G	97.80	Inf	-Inf	12.30	3	Vertical	210	1.89	85.50	35.70	11.12	34.52
AV	7.1465G	51.60	68.20	-16.60	13.30	3	Vertical	210	1.89	38.30	36.57	11.25	34.52
PK	6.996G	108.90	Inf	-Inf	12.30	3	Vertical	210	1.89	96.60	35.70	11.13	34.53
PK	7.1295G	63.81	88.20	-24.39	13.16	3	Vertical	210	1.89	50.65	36.44	11.24	34.52


6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

6995MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.987G	86.11	Inf	-Inf	12.30	3	Horizontal	202	1.38	73.81	35.70	11.12	34.52
AV	7.1505G	51.56	68.20	-16.64	13.35	3	Horizontal	202	1.38	38.21	36.60	11.26	34.51
PK	6.987G	98.67	Inf	-Inf	12.30	3	Horizontal	202	1.38	86.37	35.70	11.12	34.52
PK	7.1405G	63.44	88.20	-24.76	13.25	3	Horizontal	202	1.38	50.19	36.52	11.25	34.52

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_2TX
6995MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.98997G	53.78	68.20	-14.42	21.78	3	Vertical	262	2.74	32.00	39.79	14.53	32.54
PK	13.99012G	64.05	88.20	-24.15	21.78	3	Vertical	262	2.74	42.27	39.79	14.53	32.54


6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_2TX
6995MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.9903G	49.65	68.20	-18.55	21.78	3	Horizontal	194	2.68	27.87	39.79	14.53	32.54
PK	13.98784G	63.17	88.20	-25.03	21.79	3	Horizontal	194	2.68	41.38	39.79	14.53	32.53

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


7095MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.0863G	97.85	Inf	-Inf	12.83	3	Vertical	185	1.50	85.02	36.15	11.20	34.52
AV	7.1502G	51.71	68.20	-16.49	13.35	3	Vertical	185	1.50	38.36	36.60	11.26	34.51
PK	7.0977G	110.03	Inf	-Inf	12.88	3	Vertical	185	1.50	97.15	36.19	11.21	34.52
PK	7.2231G	64.14	88.20	-24.06	13.38	3	Vertical	185	1.50	50.76	36.59	11.30	34.51


6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

7095MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.0863G	87.34	Inf	-Inf	12.83	3	Horizontal	202	1.23	74.51	36.15	11.20	34.52
AV	7.1346G	51.54	68.20	-16.66	13.20	3	Horizontal	202	1.23	38.34	36.48	11.24	34.52
PK	7.0863G	99.22	Inf	-Inf	12.83	3	Horizontal	202	1.23	86.39	36.15	11.20	34.52
PK	7.1268G	64.49	88.20	-23.71	13.13	3	Horizontal	202	1.23	51.36	36.41	11.24	34.52

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_2TX
7095MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.19G	52.23	68.20	-15.97	22.00	3	Vertical	102	2.04	30.23	40.10	14.68	32.78
PK	14.19009G	63.30	88.20	-24.90	22.00	3	Vertical	102	2.04	41.30	40.10	14.68	32.78


6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_2TX
7095MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.17971G	49.32	68.20	-18.88	22.00	3	Horizontal	0	2.02	27.32	40.10	14.67	32.77
PK	14.17737G	61.95	88.20	-26.25	22.01	3	Horizontal	0	2.02	39.94	40.10	14.67	32.76

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


7115MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.10714G	87.30	Inf	-Inf	12.96	3	Vertical	185	1.50	74.34	36.26	11.22	34.52
AV	7.1255G	67.26	68.20	-0.94	13.12	3	Vertical	185	1.50	54.14	36.40	11.24	34.52
PK	7.11625G	93.35	Inf	-Inf	13.04	3	Vertical	185	1.50	80.31	36.33	11.23	34.52
PK	7.1255G	74.73	88.20	-13.47	13.12	3	Vertical	185	1.50	61.61	36.40	11.24	34.52


6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

7115MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.10573G	72.78	Inf	-Inf	12.95	3	Horizontal	202	1.32	59.83	36.25	11.22	34.52
AV	7.1255G	59.42	68.20	-8.78	13.12	3	Horizontal	202	1.32	46.30	36.40	11.24	34.52
PK	7.10716G	77.32	Inf	-Inf	12.96	3	Horizontal	202	1.32	64.36	36.26	11.22	34.52
PK	7.1255G	64.42	88.20	-23.78	13.12	3	Horizontal	202	1.32	51.30	36.40	11.24	34.52

**6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_2TX
7115MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.23006G	49.72	68.20	-18.48	21.95	3	Vertical	305	1.88	27.77	40.07	14.71	32.83
PK	14.21533G	62.51	88.20	-25.69	21.97	3	Vertical	305	1.88	40.54	40.08	14.70	32.81


**6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_2TX
7115MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.21539G	49.01	68.20	-19.19	21.97	3	Horizontal	180	1.50	27.04	40.08	14.70	32.81
PK	14.23819G	62.75	88.20	-25.45	21.94	3	Horizontal	180	1.50	40.81	40.06	14.72	32.84

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


5965MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9182G	48.73	68.20	-19.47	10.22	3	Vertical	94	2.09	38.51	34.17	10.27	34.22
AV	5.9686G	97.52	Inf	-Inf	10.28	3	Vertical	94	2.09	87.24	34.19	10.31	34.22
PK	5.9023G	61.49	88.20	-26.71	10.16	3	Vertical	94	2.09	51.33	34.11	10.26	34.21
PK	5.9674G	108.83	Inf	-Inf	10.29	3	Vertical	94	2.09	98.54	34.20	10.31	34.22


5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5965MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9206G	48.31	68.20	-19.89	10.23	3	Horizontal	360	1.19	38.08	34.18	10.27	34.22
AV	5.9692G	91.60	Inf	-Inf	10.27	3	Horizontal	360	1.19	81.33	34.18	10.31	34.22
PK	5.8921G	60.31	88.20	-27.89	10.14	3	Horizontal	360	1.19	50.17	34.10	10.25	34.21
PK	5.9683G	103.58	Inf	-Inf	10.28	3	Horizontal	360	1.19	93.30	34.19	10.31	34.22

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_2TX
5965MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.93G	46.09	54.00	-7.91	17.65	3	Vertical	239	1.98	28.44	38.66	13.28	34.29
PK	11.92418G	54.52	74.00	-19.48	17.64	3	Vertical	239	1.98	36.88	38.65	13.28	34.29


5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_2TX
5965MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.92994G	40.99	54.00	-13.01	17.65	3	Horizontal	172	2.99	23.34	38.66	13.28	34.29
PK	11.9279G	54.21	74.00	-19.79	17.65	3	Horizontal	172	2.99	36.56	38.66	13.28	34.29

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


6165MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9088G	48.30	68.20	-19.90	10.19	3	Vertical	220	1.02	38.11	34.14	10.26	34.21
AV	6.1626G	97.65	Inf	-Inf	10.36	3	Vertical	220	1.02	87.29	34.10	10.49	34.23
PK	5.8872G	60.13	88.20	-28.07	10.14	3	Vertical	220	1.02	49.99	34.10	10.25	34.21
PK	6.174G	108.23	Inf	-Inf	10.37	3	Vertical	220	1.02	97.86	34.10	10.50	34.23


5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

6165MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9208G	48.31	68.20	-19.89	10.23	3	Horizontal	25	1.14	38.08	34.18	10.27	34.22
AV	6.1608G	88.92	Inf	-Inf	10.36	3	Horizontal	25	1.14	78.56	34.10	10.49	34.23
PK	5.865G	59.93	88.20	-28.27	10.12	3	Horizontal	25	1.14	49.81	34.10	10.23	34.21
PK	6.1704G	100.81	Inf	-Inf	10.37	3	Horizontal	25	1.14	90.44	34.10	10.50	34.23

**5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_2TX
6165MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.32994G	48.88	54.00	-5.12	18.17	3	Vertical	240	2.07	30.71	38.83	13.51	34.17
PK	12.33006G	56.34	74.00	-17.66	18.18	3	Vertical	240	2.07	38.16	38.83	13.51	34.16


**5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_2TX
6165MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.32988G	44.84	54.00	-9.16	18.17	3	Horizontal	177	2.95	26.67	38.83	13.51	34.17
PK	12.33018G	55.74	74.00	-18.26	18.18	3	Horizontal	177	2.95	37.56	38.83	13.51	34.16

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


6405MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.919G	48.28	68.20	-19.92	10.23	3	Vertical	188	1.29	38.05	34.18	10.27	34.22
AV	6.4014G	97.70	Inf	-Inf	11.10	3	Vertical	188	1.29	86.60	34.71	10.64	34.25
PK	5.859G	60.99	88.20	-27.21	10.11	3	Vertical	188	1.29	50.88	34.10	10.22	34.21
PK	6.411G	108.75	Inf	-Inf	11.14	3	Vertical	188	1.29	97.61	34.74	10.65	34.25


5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

6405MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9214G	48.25	68.20	-19.95	10.24	3	Horizontal	360	1.06	38.01	34.19	10.27	34.22
AV	6.4002G	88.95	Inf	-Inf	11.09	3	Horizontal	360	1.06	77.86	34.70	10.64	34.25
PK	5.8914G	60.25	88.20	-27.95	10.14	3	Horizontal	360	1.06	50.11	34.10	10.25	34.21
PK	6.399G	100.14	Inf	-Inf	11.09	3	Horizontal	360	1.06	89.05	34.70	10.64	34.25

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_2TX
6405MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.81G	49.66	68.20	-18.54	19.91	3	Vertical	262	2.97	29.75	39.60	13.81	33.50
PK	12.81024G	57.22	88.20	-30.98	19.91	3	Vertical	262	2.97	37.31	39.60	13.81	33.50


5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_2TX
6405MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.81G	46.00	68.20	-22.20	19.91	3	Horizontal	91	2.52	26.09	39.60	13.81	33.50
PK	12.80976G	56.36	88.20	-31.84	19.91	3	Horizontal	91	2.52	36.45	39.60	13.81	33.50

6.425-6.525GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


6445MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9038G	48.12	68.20	-20.08	10.17	3	Vertical	196	1.50	37.95	34.12	10.26	34.21
AV	6.4378G	97.50	Inf	-Inf	11.25	3	Vertical	196	1.50	86.25	34.85	10.66	34.26
PK	5.8498G	60.21	88.20	-27.99	10.11	3	Vertical	196	1.50	50.10	34.10	10.22	34.21
PK	6.4378G	107.64	Inf	-Inf	11.25	3	Vertical	196	1.50	96.39	34.85	10.66	34.26


6.425-6.525GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

6445MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8642G	48.17	68.20	-20.03	10.12	3	Horizontal	28	1.14	38.05	34.10	10.23	34.21
AV	6.4474G	88.89	Inf	-Inf	11.30	3	Horizontal	28	1.14	77.59	34.89	10.67	34.26
PK	5.9218G	60.53	88.20	-27.67	10.24	3	Horizontal	28	1.14	50.29	34.19	10.27	34.22
PK	6.4378G	100.86	Inf	-Inf	11.25	3	Horizontal	28	1.14	89.61	34.85	10.66	34.26

6.425-6.525GHz_802.11ax HEW40_Nss1,(MCS0)_2TX
6445MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.88994G	48.94	68.20	-19.26	20.11	3	Vertical	232	1.82	28.83	39.60	13.86	33.35
PK	12.89018G	57.19	88.20	-31.01	20.11	3	Vertical	232	1.82	37.08	39.60	13.86	33.35


6.425-6.525GHz_802.11ax HEW40_Nss1,(MCS0)_2TX
6445MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.88994G	45.79	68.20	-22.41	20.11	3	Horizontal	166	2.69	25.68	39.60	13.86	33.35
PK	12.88994G	55.96	88.20	-32.24	20.11	3	Horizontal	166	2.69	35.85	39.60	13.86	33.35

6.425-6.525GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


6485MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9166G	48.12	68.20	-20.08	10.23	3	Vertical	184	1.50	37.89	34.17	10.27	34.21
AV	6.4878G	97.21	Inf	-Inf	11.57	3	Vertical	184	1.50	85.64	35.13	10.70	34.26
AV	7.1458G	51.85	68.20	-16.35	13.30	3	Vertical	184	1.50	38.55	36.57	11.25	34.52
PK	5.9082G	59.88	88.20	-28.32	10.18	3	Vertical	184	1.50	49.70	34.13	10.26	34.21
PK	6.4794G	108.75	Inf	-Inf	11.51	3	Vertical	184	1.50	97.24	35.08	10.69	34.26
PK	7.1598G	63.11	88.20	-25.09	13.34	3	Vertical	184	1.50	49.77	36.58	11.27	34.51


6.425-6.525GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

6485MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9152G	48.10	68.20	-20.10	10.22	3	Horizontal	27	1.07	37.88	34.16	10.27	34.21
AV	6.4766G	87.13	Inf	-Inf	11.49	3	Horizontal	27	1.07	75.64	35.06	10.69	34.26
AV	7.1542G	51.88	68.20	-16.32	13.34	3	Horizontal	27	1.07	38.54	36.59	11.26	34.51
PK	5.925G	59.91	88.20	-28.29	10.25	3	Horizontal	27	1.07	49.66	34.20	10.27	34.22
PK	6.4766G	99.08	Inf	-Inf	11.49	3	Horizontal	27	1.07	87.59	35.06	10.69	34.26
PK	7.1612G	63.60	88.20	-24.60	13.34	3	Horizontal	27	1.07	50.26	36.58	11.27	34.51

6.425-6.525GHz_802.11ax HEW40_Nss1,(MCS0)_2TX
6485MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.97G	49.33	68.20	-18.87	20.45	3	Vertical	180	1.93	28.88	39.74	13.91	33.20
PK	12.97012G	57.62	88.20	-30.58	20.45	3	Vertical	180	1.93	37.17	39.74	13.91	33.20


6.425-6.525GHz_802.11ax HEW40_Nss1,(MCS0)_2TX
6485MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.96994G	46.47	68.20	-21.73	20.45	3	Horizontal	209	2.75	26.02	39.74	13.91	33.20
PK	12.99586G	56.72	88.20	-31.48	20.56	3	Horizontal	209	2.75	36.16	39.79	13.92	33.15

6.425-6.525GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


6525MHz Straddle 6.425-6.525GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9146G	48.15	68.20	-20.05	10.22	3	Vertical	202	1.42	37.93	34.16	10.27	34.21
AV	6.5208G	97.50	Inf	-Inf	11.69	3	Vertical	202	1.42	85.81	35.24	10.72	34.27
AV	7.1606G	51.76	68.20	-16.44	13.34	3	Vertical	202	1.42	38.42	36.58	11.27	34.51
PK	5.9048G	59.66	88.20	-28.54	10.17	3	Vertical	202	1.42	49.49	34.12	10.26	34.21
PK	6.5208G	108.50	Inf	-Inf	11.69	3	Vertical	202	1.42	96.81	35.24	10.72	34.27
PK	7.1312G	64.03	88.20	-24.17	13.17	3	Vertical	202	1.42	50.86	36.45	11.24	34.52


6.425-6.525GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

6525MHz Straddle 6.425-6.525GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9244G	48.14	68.20	-20.06	10.25	3	Horizontal	31	1.46	37.89	34.20	10.27	34.22
AV	6.5236G	87.40	Inf	-Inf	11.70	3	Horizontal	31	1.46	75.70	35.25	10.72	34.27
AV	7.1522G	51.74	68.20	-16.46	13.35	3	Horizontal	31	1.46	38.39	36.60	11.26	34.51
PK	5.923G	59.57	88.20	-28.63	10.24	3	Horizontal	31	1.46	49.33	34.19	10.27	34.22
PK	6.5334G	98.05	Inf	-Inf	11.72	3	Horizontal	31	1.46	86.33	35.27	10.73	34.28
PK	7.2194G	64.06	88.20	-24.14	13.37	3	Horizontal	31	1.46	50.69	36.58	11.30	34.51

6.425-6.525GHz_802.11ax HEW40_Nss1,(MCS0)_2TX
6525MHz Straddle 6.425-6.525GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.04994G	48.74	68.20	-19.46	20.65	3	Vertical	179	1.50	28.09	39.75	13.96	33.06
PK	13.04994G	57.78	88.20	-30.42	20.65	3	Vertical	179	1.50	37.13	39.75	13.96	33.06


6.425-6.525GHz_802.11ax HEW40_Nss1,(MCS0)_2TX
6525MHz Straddle 6.425-6.525GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.05G	46.66	68.20	-21.54	20.65	3	Horizontal	218	2.64	26.01	39.75	13.96	33.06
PK	13.04982G	57.06	88.20	-31.14	20.65	3	Horizontal	218	2.64	36.41	39.75	13.96	33.06

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


6565MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.5578G	97.53	Inf	-Inf	11.80	3	Vertical	184	1.50	85.73	35.35	10.74	34.29
AV	7.1494G	51.57	68.20	-16.63	13.34	3	Vertical	184	1.50	38.23	36.60	11.26	34.52
PK	6.559G	109.06	Inf	-Inf	11.80	3	Vertical	184	1.50	97.26	35.35	10.74	34.29
PK	7.1614G	64.19	88.20	-24.01	13.34	3	Vertical	184	1.50	50.85	36.58	11.27	34.51


6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

6565MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.5626G	87.72	Inf	-Inf	11.84	3	Horizontal	31	2.15	75.88	35.38	10.75	34.29
AV	7.147G	51.63	68.20	-16.57	13.31	3	Horizontal	31	2.15	38.32	36.58	11.25	34.52
PK	6.5626G	99.46	Inf	-Inf	11.84	3	Horizontal	31	2.15	87.62	35.38	10.75	34.29
PK	7.1266G	62.64	88.20	-25.56	13.13	3	Horizontal	31	2.15	49.51	36.41	11.24	34.52

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_2TX
6565MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.13G	48.12	68.20	-20.08	20.77	3	Vertical	178	2.84	27.35	39.70	14.00	32.93
PK	13.10384G	57.92	88.20	-30.28	20.72	3	Vertical	178	2.84	37.20	39.70	13.99	32.97


6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_2TX
6565MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.13006G	45.52	68.20	-22.68	20.77	3	Horizontal	315	2.60	24.75	39.70	14.00	32.93
PK	13.10576G	57.06	88.20	-31.14	20.72	3	Horizontal	315	2.60	36.34	39.70	13.99	32.97

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


6685MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.688G	96.99	Inf	-Inf	12.34	3	Vertical	186	1.50	84.65	35.85	10.85	34.36
AV	7.151G	51.62	68.20	-16.58	13.35	3	Vertical	186	1.50	38.27	36.60	11.26	34.51
PK	6.697G	107.85	Inf	-Inf	12.38	3	Vertical	186	1.50	95.47	35.89	10.86	34.37
PK	7.185G	64.09	88.20	-24.11	13.31	3	Vertical	186	1.50	50.78	36.53	11.29	34.51


6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

6685MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.682G	86.36	Inf	-Inf	12.32	3	Horizontal	33	1.44	74.04	35.83	10.85	34.36
AV	7.151G	51.49	68.20	-16.71	13.35	3	Horizontal	33	1.44	38.14	36.60	11.26	34.51
PK	6.683G	96.83	Inf	-Inf	12.32	3	Horizontal	33	1.44	84.51	35.83	10.85	34.36
PK	7.151G	63.16	88.20	-25.04	13.35	3	Horizontal	33	1.44	49.81	36.60	11.26	34.51

**6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_2TX
6685MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.36994G	49.15	54.00	-4.85	21.63	3	Vertical	250	2.96	27.52	40.01	14.15	32.53
PK	13.37G	58.29	74.00	-15.71	21.63	3	Vertical	250	2.96	36.66	40.01	14.15	32.53


**6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_2TX
6685MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.36994G	46.06	54.00	-7.94	21.63	3	Horizontal	206	1.92	24.43	40.01	14.15	32.53
PK	13.3733G	57.81	74.00	-16.19	21.64	3	Horizontal	206	1.92	36.17	40.02	14.15	32.53

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


6845MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.8464G	97.62	Inf	-Inf	12.26	3	Vertical	211	1.64	85.36	35.71	11.00	34.45
AV	7.1628G	51.53	68.20	-16.67	13.33	3	Vertical	211	1.64	38.20	36.57	11.27	34.51
PK	6.8562G	108.14	Inf	-Inf	12.26	3	Vertical	211	1.64	95.88	35.70	11.01	34.45
PK	7.1558G	63.75	88.20	-24.45	13.34	3	Vertical	211	1.64	50.41	36.59	11.26	34.51


6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

6845MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.8527G	84.51	Inf	-Inf	12.25	3	Horizontal	198	1.57	72.26	35.70	11.00	34.45
AV	7.1495G	51.58	68.20	-16.62	13.34	3	Horizontal	198	1.57	38.24	36.60	11.26	34.52
PK	6.8527G	96.25	Inf	-Inf	12.25	3	Horizontal	198	1.57	84.00	35.70	11.00	34.45
PK	7.125G	64.16	88.20	-24.04	13.12	3	Horizontal	198	1.57	51.04	36.40	11.24	34.52

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_2TX
6845MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.66468G	48.23	68.20	-19.97	21.75	3	Vertical	71	1.50	26.48	39.81	14.33	32.39
PK	13.6987G	60.78	88.20	-27.42	21.64	3	Vertical	71	1.50	39.14	39.70	14.35	32.41


6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_2TX
6845MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.66246G	48.32	68.20	-19.88	21.75	3	Horizontal	-0	2.65	26.57	39.81	14.33	32.39
PK	13.714G	61.38	88.20	-26.82	21.65	3	Horizontal	-0	2.65	39.73	39.70	14.36	32.41

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


6885MHz Straddle 6.525-6.875GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.8864G	98.09	Inf	-Inf	12.26	3	Vertical	211	1.63	85.83	35.70	11.03	34.47
AV	7.1559G	51.54	68.20	-16.66	13.34	3	Vertical	211	1.63	38.20	36.59	11.26	34.51
PK	6.8864G	110.09	Inf	-Inf	12.26	3	Vertical	211	1.63	97.83	35.70	11.03	34.47
PK	7.1293G	63.56	88.20	-24.64	13.15	3	Vertical	211	1.63	50.41	36.43	11.24	34.52


6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

6885MHz Straddle 6.525-6.875GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.8787G	85.68	Inf	-Inf	12.27	3	Horizontal	205	1.50	73.41	35.70	11.03	34.46
AV	7.1475G	51.62	68.20	-16.58	13.32	3	Horizontal	205	1.50	38.30	36.58	11.26	34.52
PK	6.8808G	96.22	Inf	-Inf	12.26	3	Horizontal	205	1.50	83.96	35.70	11.03	34.47
PK	7.1377G	63.78	88.20	-24.42	13.23	3	Horizontal	205	1.50	50.55	36.50	11.25	34.52

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_2TX
6885MHz Straddle 6.525-6.875GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.776	50.76	68.20	-17.44	21.66	3	Vertical	112	2.36	29.10	39.70	14.40	32.44
PK	13.78686	62.15	88.20	-26.05	21.66	3	Vertical	112	2.36	40.49	39.70	14.41	32.45


6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_2TX
6885MHz Straddle 6.525-6.875GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.79154	48.86	68.20	-19.34	21.66	3	Horizontal	266	1.50	27.20	39.70	14.41	32.45
PK	13.77324	61.48	88.20	-26.72	21.66	3	Horizontal	266	1.50	39.82	39.70	14.40	32.44

6.875-7.125GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


6925MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.9184G	97.93	Inf	-Inf	12.27	3	Vertical	214	1.64	85.66	35.70	11.06	34.49
AV	7.147G	51.61	68.20	-16.59	13.31	3	Vertical	214	1.64	38.30	36.58	11.25	34.52
PK	6.9178G	108.93	Inf	-Inf	12.27	3	Vertical	214	1.64	96.66	35.70	11.06	34.49
PK	7.1554G	63.95	88.20	-24.25	13.34	3	Vertical	214	1.64	50.61	36.59	11.26	34.51


6.875-7.125GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

6925MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.9268G	86.66	Inf	-Inf	12.28	3	Horizontal	202	1.50	74.38	35.70	11.07	34.49
AV	7.1518G	51.67	68.20	-16.53	13.35	3	Horizontal	202	1.50	38.32	36.60	11.26	34.51
PK	6.9184G	97.89	Inf	-Inf	12.27	3	Horizontal	202	1.50	85.62	35.70	11.06	34.49
PK	7.138G	63.44	88.20	-24.76	13.23	3	Horizontal	202	1.50	50.21	36.50	11.25	34.52

6.875-7.125GHz_802.11ax HEW40_Nss1,(MCS0)_2TX
6925MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.84994G	50.69	68.20	-17.51	21.68	3	Vertical	170	2.79	29.01	39.70	14.45	32.47
PK	13.8554G	62.38	88.20	-25.82	21.67	3	Vertical	170	2.79	40.71	39.70	14.45	32.48


6.875-7.125GHz_802.11ax HEW40_Nss1,(MCS0)_2TX
6925MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.84862G	49.64	68.20	-18.56	21.68	3	Horizontal	-0	3.00	27.96	39.70	14.45	32.47
PK	13.86842G	62.92	88.20	-25.28	21.68	3	Horizontal	-0	3.00	41.24	39.70	14.46	32.48

6.875-7.125GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


7005MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.0062G	97.79	Inf	-Inf	12.35	3	Vertical	210	1.57	85.44	35.74	11.14	34.53
AV	7.1382G	51.74	68.20	-16.46	13.24	3	Vertical	210	1.57	38.50	36.51	11.25	34.52
PK	7.0062G	110.14	Inf	-Inf	12.35	3	Vertical	210	1.57	97.79	35.74	11.14	34.53
PK	7.1382G	64.09	88.20	-24.11	13.24	3	Vertical	210	1.57	50.85	36.51	11.25	34.52


6.875-7.125GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

7005MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.0068G	86.85	Inf	-Inf	12.35	3	Horizontal	201	1.34	74.50	35.74	11.14	34.53
AV	7.1532G	51.62	68.20	-16.58	13.34	3	Horizontal	201	1.34	38.28	36.59	11.26	34.51
PK	7.0065G	98.42	Inf	-Inf	12.35	3	Horizontal	201	1.34	86.07	35.74	11.14	34.53
PK	7.1508G	63.15	88.20	-25.05	13.35	3	Horizontal	201	1.34	49.80	36.60	11.26	34.51

6.875-7.125GHz_802.11ax HEW40_Nss1,(MCS0)_2TX
7005MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.01G	53.07	68.20	-15.13	21.83	3	Vertical	260	2.94	31.24	39.83	14.55	32.55
PK	14.01012G	63.20	88.20	-25.00	21.83	3	Vertical	260	2.94	41.37	39.83	14.55	32.55


6.875-7.125GHz_802.11ax HEW40_Nss1,(MCS0)_2TX
7005MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.00724G	49.93	68.20	-18.27	21.82	3	Horizontal	289	1.50	28.11	39.82	14.55	32.55
PK	14.0226G	62.97	88.20	-25.23	21.86	3	Horizontal	289	1.50	41.11	39.87	14.56	32.57

6.875-7.125GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


7085MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.088G	98.10	Inf	-Inf	12.83	3	Vertical	187	1.50	85.27	36.15	11.20	34.52
AV	7.1273G	51.81	68.20	-16.39	13.14	3	Vertical	187	1.50	38.67	36.42	11.24	34.52
PK	7.0973G	110.18	Inf	-Inf	12.88	3	Vertical	187	1.50	97.30	36.19	11.21	34.52
PK	7.1378G	63.94	88.20	-24.26	13.23	3	Vertical	187	1.50	50.71	36.50	11.25	34.52


6.875-7.125GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

7085MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.0871G	87.70	Inf	-Inf	12.83	3	Horizontal	201	1.34	74.87	36.15	11.20	34.52
AV	7.1408G	51.68	68.20	-16.52	13.26	3	Horizontal	201	1.34	38.42	36.53	11.25	34.52
PK	7.0877G	98.92	Inf	-Inf	12.83	3	Horizontal	201	1.34	86.09	36.15	11.20	34.52
PK	7.1342G	64.23	88.20	-23.97	13.19	3	Horizontal	201	1.34	51.04	36.47	11.24	34.52

6.875-7.125GHz_802.11ax HEW40_Nss1,(MCS0)_2TX
7085MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.16994G	52.73	68.20	-15.47	22.02	3	Vertical	104	1.91	30.71	40.10	14.67	32.75
PK	14.14576G	62.58	88.20	-25.62	22.03	3	Vertical	104	1.91	40.55	40.10	14.65	32.72


6.875-7.125GHz_802.11ax HEW40_Nss1,(MCS0)_2TX
7085MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.17G	49.74	68.20	-18.46	22.02	3	Horizontal	80	3.00	27.72	40.10	14.67	32.75
PK	14.1774G	62.43	88.20	-25.77	22.01	3	Horizontal	80	3.00	40.42	40.10	14.67	32.76

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_2TX


5985MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9195G	52.45	68.20	-15.75	10.23	3	Vertical	90	2.07	42.22	34.18	10.27	34.22
AV	5.9885G	97.94	Inf	-Inf	10.17	3	Vertical	90	2.07	87.77	34.07	10.32	34.22
PK	5.92G	64.33	88.20	-23.87	10.23	3	Vertical	90	2.07	54.10	34.18	10.27	34.22
PK	5.9795G	110.35	Inf	-Inf	10.21	3	Vertical	90	2.07	100.14	34.12	10.31	34.22


5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5985MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.921G	49.26	68.20	-18.94	10.23	3	Horizontal	9	1.15	39.03	34.18	10.27	34.22
AV	5.99G	92.20	Inf	-Inf	10.16	3	Horizontal	9	1.15	82.04	34.06	10.32	34.22
PK	5.921G	60.81	88.20	-27.39	10.23	3	Horizontal	9	1.15	50.58	34.18	10.27	34.22
PK	5.981G	103.00	Inf	-Inf	10.21	3	Horizontal	9	1.15	92.79	34.11	10.32	34.22

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_2TX
5985MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.97G	46.09	54.00	-7.91	17.73	3	Vertical	239	1.97	28.36	38.74	13.30	34.31
PK	11.97G	54.75	74.00	-19.25	17.73	3	Vertical	239	1.97	37.02	38.74	13.30	34.31


5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_2TX
5985MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.97G	43.51	54.00	-10.49	17.73	3	Horizontal	168	2.67	25.78	38.74	13.30	34.31
PK	11.98512G	54.33	74.00	-19.67	17.75	3	Horizontal	168	2.67	36.58	38.77	13.30	34.32

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_2TX


6145MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9242G	48.23	68.20	-19.97	10.25	3	Vertical	190	1.00	37.98	34.20	10.27	34.22
AV	6.1438G	97.52	Inf	-Inf	10.34	3	Vertical	190	1.00	87.18	34.10	10.47	34.23
PK	5.9188G	60.16	88.20	-28.04	10.23	3	Vertical	190	1.00	49.93	34.18	10.27	34.22
PK	6.1732G	109.55	Inf	-Inf	10.37	3	Vertical	190	1.00	99.18	34.10	10.50	34.23


5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

6145MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9236G	48.24	68.20	-19.96	10.24	3	Horizontal	24	1.09	38.00	34.19	10.27	34.22
AV	6.1408G	89.10	Inf	-Inf	10.34	3	Horizontal	24	1.09	78.76	34.10	10.47	34.23
PK	5.8966G	60.10	88.20	-28.10	10.14	3	Horizontal	24	1.09	49.96	34.10	10.25	34.21
PK	6.1414G	100.37	Inf	-Inf	10.34	3	Horizontal	24	1.09	90.03	34.10	10.47	34.23

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_2TX
6145MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	12.29G	49.17	54.00	-4.83	18.12	3	Vertical	240	1.89	31.05	38.82	13.49	34.19
PK	12.28988G	56.71	74.00	-17.29	18.12	3	Vertical	240	1.89	38.59	38.82	13.49	34.19


5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_2TX
6145MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	12.29G	44.67	54.00	-9.33	18.12	3	Horizontal	342	2.05	26.55	38.82	13.49	34.19
PK	12.2588G	55.46	74.00	-18.54	18.15	3	Horizontal	342	2.05	37.31	38.88	13.47	34.20

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_2TX


6385MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9158G	48.24	68.20	-19.96	10.22	3	Vertical	200	1.50	38.02	34.16	10.27	34.21
AV	6.3706G	97.92	Inf	-Inf	10.95	3	Vertical	200	1.50	86.97	34.58	10.62	34.25
PK	5.8894G	60.04	88.20	-28.16	10.14	3	Vertical	200	1.50	49.90	34.10	10.25	34.21
PK	6.3706G	111.41	Inf	-Inf	10.95	3	Vertical	200	1.50	100.46	34.58	10.62	34.25


5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

6385MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9134G	48.22	68.20	-19.98	10.21	3	Horizontal	28	1.15	38.01	34.15	10.27	34.21
AV	6.3682G	90.00	Inf	-Inf	10.94	3	Horizontal	28	1.15	79.06	34.57	10.62	34.25
PK	5.9062G	60.15	88.20	-28.05	10.17	3	Horizontal	28	1.15	49.98	34.12	10.26	34.21
PK	6.3982G	100.92	Inf	-Inf	11.08	3	Horizontal	28	1.15	89.84	34.69	10.64	34.25

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_2TX
6385MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.77G	50.71	68.20	-17.49	19.69	3	Vertical	239	2.66	31.02	39.48	13.78	33.57
PK	12.77012G	57.30	88.20	-30.90	19.69	3	Vertical	239	2.66	37.61	39.48	13.78	33.57


5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_2TX
6385MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.77G	46.21	68.20	-21.99	19.69	3	Horizontal	54	2.30	26.52	39.48	13.78	33.57
PK	12.81776G	55.75	88.20	-32.45	19.93	3	Horizontal	54	2.30	35.82	39.60	13.81	33.48

6.425-6.525GHz_802.11ax HEW80_Nss1,(MCS0)_2TX


6465MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9148G	48.19	68.20	-20.01	10.22	3	Vertical	196	1.50	37.97	34.16	10.27	34.21
AV	6.4664G	97.41	Inf	-Inf	11.42	3	Vertical	196	1.50	85.99	35.00	10.68	34.26
AV	7.151G	51.83	68.20	-16.37	13.35	3	Vertical	196	1.50	38.48	36.60	11.26	34.51
PK	5.9176G	60.05	88.20	-28.15	10.22	3	Vertical	196	1.50	49.83	34.17	10.27	34.22
PK	6.4776G	107.94	Inf	-Inf	11.50	3	Vertical	196	1.50	96.44	35.07	10.69	34.26
PK	7.1622G	63.37	88.20	-24.83	13.34	3	Vertical	196	1.50	50.03	36.58	11.27	34.51


6.425-6.525GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

6465MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9204G	48.13	68.20	-20.07	10.23	3	Horizontal	26	1.12	37.90	34.18	10.27	34.22
AV	6.458G	88.28	Inf	-Inf	11.37	3	Horizontal	26	1.12	76.91	34.95	10.68	34.26
AV	7.1552G	51.65	68.20	-16.55	13.34	3	Horizontal	26	1.12	38.31	36.59	11.26	34.51
PK	5.8154G	60.72	88.20	-27.48	9.87	3	Horizontal	26	1.12	50.85	33.89	10.19	34.21
PK	6.4594G	98.21	Inf	-Inf	11.38	3	Horizontal	26	1.12	86.83	34.96	10.68	34.26
PK	7.137G	64.48	88.20	-23.72	13.23	3	Horizontal	26	1.12	51.25	36.50	11.25	34.52

6.425-6.525GHz_802.11ax HEW80_Nss1,(MCS0)_2TX
6465MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.92988G	48.19	68.20	-20.01	20.27	3	Vertical	193	3.00	27.92	39.66	13.88	33.27
PK	12.93024G	56.66	88.20	-31.54	20.27	3	Vertical	193	3.00	36.39	39.66	13.88	33.27


6.425-6.525GHz_802.11ax HEW80_Nss1,(MCS0)_2TX
6465MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.93G	46.69	68.20	-21.51	20.27	3	Horizontal	156	2.57	26.42	39.66	13.88	33.27
PK	12.98604G	56.10	88.20	-32.10	20.52	3	Horizontal	156	2.57	35.58	39.77	13.92	33.17

6.425-6.525GHz_802.11ax HEW80_Nss1,(MCS0)_2TX


6545MHz Straddle 6.425-6.525GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9206G	48.08	68.20	-20.12	10.23	3	Vertical	186	1.50	37.85	34.18	10.27	34.22
AV	6.559G	97.37	Inf	-Inf	11.80	3	Vertical	186	1.50	85.57	35.35	10.74	34.29
AV	7.154G	51.73	68.20	-16.47	13.34	3	Vertical	186	1.50	38.39	36.59	11.26	34.51
PK	5.887G	59.86	88.20	-28.34	10.14	3	Vertical	186	1.50	49.72	34.10	10.25	34.21
PK	6.5492G	109.04	Inf	-Inf	11.75	3	Vertical	186	1.50	97.29	35.30	10.74	34.29
PK	7.133G	63.74	88.20	-24.46	13.18	3	Vertical	186	1.50	50.56	36.46	11.24	34.52


6.425-6.525GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

6545MHz Straddle 6.425-6.525GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9164G	48.06	68.20	-20.14	10.23	3	Horizontal	31	1.93	37.83	34.17	10.27	34.21
AV	6.552G	87.53	Inf	-Inf	11.76	3	Horizontal	31	1.93	75.77	35.31	10.74	34.29
AV	7.14G	51.66	68.20	-16.54	13.25	3	Horizontal	31	1.93	38.41	36.52	11.25	34.52
PK	5.8632G	59.14	88.20	-29.06	10.12	3	Horizontal	31	1.93	49.02	34.10	10.23	34.21
PK	6.552G	98.22	Inf	-Inf	11.76	3	Horizontal	31	1.93	86.46	35.31	10.74	34.29
PK	7.1862G	63.42	88.20	-24.78	13.31	3	Horizontal	31	1.93	50.11	36.53	11.29	34.51

6.425-6.525GHz_802.11ax HEW80_Nss1,(MCS0)_2TX
6545MHz Straddle 6.425-6.525GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.08988G	47.10	68.20	-21.10	20.70	3	Vertical	180	1.50	26.40	39.71	13.98	32.99
PK	13.03096G	56.56	88.20	-31.64	20.62	3	Vertical	180	1.50	35.94	39.77	13.94	33.09


6.425-6.525GHz_802.11ax HEW80_Nss1,(MCS0)_2TX
6545MHz Straddle 6.425-6.525GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.09G	46.07	68.20	-22.13	20.70	3	Horizontal	324	1.90	25.37	39.71	13.98	32.99
PK	13.0624G	56.08	88.20	-32.12	20.66	3	Horizontal	324	1.90	35.42	39.74	13.96	33.04

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_2TX


6625MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.6106G	97.56	Inf	-Inf	12.08	3	Vertical	203	1.37	85.48	35.62	10.78	34.32
AV	7.1482G	51.60	68.20	-16.60	13.33	3	Vertical	203	1.37	38.27	36.59	11.26	34.52
PK	6.631G	108.82	Inf	-Inf	12.13	3	Vertical	203	1.37	96.69	35.66	10.80	34.33
PK	7.1782G	63.47	88.20	-24.73	13.31	3	Vertical	203	1.37	50.16	36.54	11.28	34.51


6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

6625MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.6214G	86.65	Inf	-Inf	12.10	3	Horizontal	33	1.50	74.55	35.64	10.79	34.33
AV	7.1542G	51.70	68.20	-16.50	13.34	3	Horizontal	33	1.50	38.36	36.59	11.26	34.51
PK	6.6418G	98.38	Inf	-Inf	12.15	3	Horizontal	33	1.50	86.23	35.68	10.81	34.34
PK	7.1398G	64.02	88.20	-24.18	13.25	3	Horizontal	33	1.50	50.77	36.52	11.25	34.52

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_2TX
6625MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.25G	50.07	54.00	-3.93	21.10	3	Vertical	136	2.81	28.97	39.75	14.08	32.73
PK	13.25G	57.62	74.00	-16.38	21.10	3	Vertical	136	2.81	36.52	39.75	14.08	32.73


6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_2TX
6625MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.25012G	46.29	54.00	-7.71	21.10	3	Horizontal	154	2.98	25.19	39.75	14.08	32.73
PK	13.2374G	56.75	88.20	-31.45	21.06	3	Horizontal	154	2.98	35.69	39.74	14.07	32.75

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_2TX


6705MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.697G	96.91	Inf	-Inf	12.38	3	Vertical	212	1.50	84.53	35.89	10.86	34.37
AV	7.152G	51.53	68.20	-16.67	13.35	3	Vertical	212	1.50	38.18	36.60	11.26	34.51
PK	6.696G	108.68	Inf	-Inf	12.37	3	Vertical	212	1.50	96.31	35.88	10.86	34.37
PK	7.13G	63.40	88.20	-24.80	13.16	3	Vertical	212	1.50	50.24	36.44	11.24	34.52


6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

6705MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.682G	85.91	Inf	-Inf	12.32	3	Horizontal	32	1.45	73.59	35.83	10.85	34.36
AV	7.146G	51.50	68.20	-16.70	13.30	3	Horizontal	32	1.45	38.20	36.57	11.25	34.52
PK	6.691G	96.43	Inf	-Inf	12.36	3	Horizontal	32	1.45	84.07	35.86	10.86	34.36
PK	7.163G	62.93	88.20	-25.27	13.33	3	Horizontal	32	1.45	49.60	36.57	11.27	34.51

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_2TX
6705MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.41G	48.33	68.20	-19.87	21.82	3	Vertical	248	2.52	26.51	40.11	14.18	32.47
PK	13.41G	58.14	88.20	-30.06	21.82	3	Vertical	248	2.52	36.32	40.11	14.18	32.47


6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_2TX
6705MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.40988G	45.69	68.20	-22.51	21.82	3	Horizontal	206	2.13	23.87	40.11	14.18	32.47
PK	13.4394G	58.02	88.20	-30.18	21.92	3	Horizontal	206	2.13	36.10	40.14	14.20	32.42

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_2TX


6785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.7759G	97.42	Inf	-Inf	12.38	3	Vertical	211	1.48	85.04	35.85	10.94	34.41
AV	7.1287G	51.39	68.20	-16.81	13.15	3	Vertical	211	1.48	38.24	36.43	11.24	34.52
PK	6.7668G	108.24	Inf	-Inf	12.36	3	Vertical	211	1.48	95.88	35.83	10.93	34.40
PK	7.1266G	62.74	88.20	-25.46	13.13	3	Vertical	211	1.48	49.61	36.41	11.24	34.52


6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

6785MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.7829G	84.67	Inf	-Inf	12.40	3	Horizontal	198	1.75	72.27	35.87	10.94	34.41
AV	7.1329G	51.31	68.20	-16.89	13.18	3	Horizontal	198	1.75	38.13	36.46	11.24	34.52
PK	6.771G	95.95	Inf	-Inf	12.36	3	Horizontal	198	1.75	83.59	35.84	10.93	34.41
PK	7.1343G	63.51	88.20	-24.69	13.19	3	Horizontal	198	1.75	50.32	36.47	11.24	34.52

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_2TX
6785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.56988G	47.74	68.20	-20.46	21.99	3	Vertical	330	2.96	25.75	40.06	14.28	32.35
PK	13.58476G	57.74	88.20	-30.46	21.95	3	Vertical	330	2.96	35.79	40.03	14.28	32.36


6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_2TX
6785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.57012G	45.35	68.20	-22.85	21.99	3	Horizontal	238	2.13	23.36	40.06	14.28	32.35
PK	13.60684G	58.24	88.20	-29.96	21.91	3	Horizontal	238	2.13	36.33	39.98	14.30	32.37

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_2TX


6865MHz Straddle 6.525-6.875GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.8692G	97.55	Inf	-Inf	12.26	3	Vertical	215	1.72	85.29	35.70	11.02	34.46
AV	7.1499G	51.60	68.20	-16.60	13.34	3	Vertical	215	1.72	38.26	36.60	11.26	34.52
PK	6.8608G	109.87	Inf	-Inf	12.26	3	Vertical	215	1.72	97.61	35.70	11.01	34.45
PK	7.1821G	63.94	88.20	-24.26	13.31	3	Vertical	215	1.72	50.63	36.54	11.28	34.51


6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

6865MHz Straddle 6.525-6.875GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.8629G	84.48	Inf	-Inf	12.25	3	Horizontal	194	1.50	72.23	35.70	11.01	34.46
AV	7.1548G	51.54	68.20	-16.66	13.34	3	Horizontal	194	1.50	38.20	36.59	11.26	34.51
PK	6.8629G	95.88	Inf	-Inf	12.25	3	Horizontal	194	1.50	83.63	35.70	11.01	34.46
PK	7.1485G	65.26	88.20	-22.94	13.33	3	Horizontal	194	1.50	51.93	36.59	11.26	34.52

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_2TX
6865MHz Straddle 6.525-6.875GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.72988G	51.13	68.20	-17.07	21.65	3	Vertical	118	2.75	29.48	39.70	14.37	32.42
PK	13.72988G	61.58	88.20	-26.62	21.65	3	Vertical	118	2.75	39.93	39.70	14.37	32.42


6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_2TX
6865MHz Straddle 6.525-6.875GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.78124G	48.90	68.20	-19.30	21.67	3	Horizontal	82	1.50	27.23	39.70	14.41	32.44
PK	13.76084G	61.83	88.20	-26.37	21.66	3	Horizontal	82	1.50	40.17	39.70	14.39	32.43

6.875-7.125GHz_802.11ax HEW80_Nss1,(MCS0)_2TX


6945MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.948G	97.73	Inf	-Inf	12.29	3	Vertical	213	1.50	85.44	35.70	11.09	34.50
AV	7.1442G	51.74	68.20	-16.46	13.28	3	Vertical	213	1.50	38.46	36.55	11.25	34.52
PK	6.9366G	108.68	Inf	-Inf	12.28	3	Vertical	213	1.50	96.40	35.70	11.08	34.50
PK	7.1472G	63.53	88.20	-24.67	13.32	3	Vertical	213	1.50	50.21	36.58	11.26	34.52


6.875-7.125GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

6945MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.9438G	87.89	Inf	-Inf	12.28	3	Horizontal	197	1.25	75.61	35.70	11.08	34.50
AV	7.1544G	51.66	68.20	-16.54	13.34	3	Horizontal	197	1.25	38.32	36.59	11.26	34.51
PK	6.9438G	98.88	Inf	-Inf	12.28	3	Horizontal	197	1.25	86.60	35.70	11.08	34.50
PK	7.1622G	64.62	88.20	-23.58	13.34	3	Horizontal	197	1.25	51.28	36.58	11.27	34.51

6.875-7.125GHz_802.11ax HEW80_Nss1,(MCS0)_2TX
6945MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.93896G	49.62	68.20	-18.58	21.73	3	Vertical	156	1.50	27.89	39.74	14.50	32.51
PK	13.85388G	62.74	88.20	-25.46	21.67	3	Vertical	156	1.50	41.07	39.70	14.45	32.48


6.875-7.125GHz_802.11ax HEW80_Nss1,(MCS0)_2TX
6945MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.9488G	49.61	68.20	-18.59	21.74	3	Horizontal	182	1.50	27.87	39.75	14.51	32.52
PK	13.84704G	62.80	88.20	-25.40	21.68	3	Horizontal	182	1.50	41.12	39.70	14.45	32.47

6.875-7.125GHz_802.11ax HEW80_Nss1,(MCS0)_2TX


7025MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.0163G	98.03	Inf	-Inf	12.41	3	Vertical	210	1.72	85.62	35.80	11.14	34.53
AV	7.1267G	52.49	68.20	-15.71	13.13	3	Vertical	210	1.72	39.36	36.41	11.24	34.52
PK	7.0274G	109.61	Inf	-Inf	12.48	3	Vertical	210	1.72	97.13	35.86	11.15	34.53
PK	7.1666G	64.48	88.20	-23.72	13.33	3	Vertical	210	1.72	51.15	36.57	11.27	34.51


6.875-7.125GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

7025MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.0148G	86.92	Inf	-Inf	12.40	3	Horizontal	199	1.29	74.52	35.79	11.14	34.53
AV	7.1513G	51.82	68.20	-16.38	13.35	3	Horizontal	199	1.29	38.47	36.60	11.26	34.51
PK	7.0154G	99.03	Inf	-Inf	12.40	3	Horizontal	199	1.29	86.63	35.79	11.14	34.53
PK	7.1447G	63.66	88.20	-24.54	13.29	3	Horizontal	199	1.29	50.37	36.56	11.25	34.52

**6.875-7.125GHz_802.11ax HEW80_Nss1,(MCS0)_2TX
7025MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.07376G	49.98	68.20	-18.22	21.98	3	Vertical	171	1.50	28.00	40.02	14.59	32.63
PK	14.0854G	63.06	88.20	-25.14	22.01	3	Vertical	171	1.50	41.05	40.06	14.60	32.65


**6.875-7.125GHz_802.11ax HEW80_Nss1,(MCS0)_2TX
7025MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.08876G	49.93	68.20	-18.27	22.03	3	Horizontal	283	1.01	27.90	40.07	14.61	32.65
PK	14.05948G	63.45	88.20	-24.75	21.95	3	Horizontal	283	1.01	41.50	39.98	14.58	32.61

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_2TX


6025MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9215G	53.38	68.20	-14.82	10.24	3	Vertical	217	1.00	43.14	34.19	10.27	34.22
AV	6.0605G	97.79	Inf	-Inf	10.35	3	Vertical	217	1.00	87.44	34.18	10.39	34.22
PK	5.923G	64.46	88.20	-23.74	10.24	3	Vertical	217	1.00	54.22	34.19	10.27	34.22
PK	6.041G	110.90	Inf	-Inf	10.31	3	Vertical	217	1.00	100.59	34.16	10.37	34.22


5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

6025MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.92G	49.90	68.20	-18.30	10.23	3	Horizontal	360	1.12	39.67	34.18	10.27	34.22
AV	5.989G	88.77	Inf	-Inf	10.17	3	Horizontal	360	1.12	78.60	34.07	10.32	34.22
PK	5.8995G	60.94	88.20	-27.26	10.14	3	Horizontal	360	1.12	50.80	34.10	10.25	34.21
PK	5.981G	100.45	Inf	-Inf	10.21	3	Horizontal	360	1.12	90.24	34.11	10.32	34.22

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_2TX
6025MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.05G	44.20	54.00	-9.80	17.99	3	Vertical	198	1.97	26.21	38.95	13.34	34.30
PK	12.16904G	54.28	74.00	-19.72	18.19	3	Vertical	198	1.97	36.09	39.03	13.41	34.25


5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_2TX
6025MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.05G	43.75	54.00	-10.25	17.99	3	Horizontal	173	2.14	25.76	38.95	13.34	34.30
PK	12.0968G	55.05	74.00	-18.95	18.18	3	Horizontal	173	2.14	36.87	39.09	13.37	34.28

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_2TX


6185MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9226G	48.58	68.20	-19.62	10.24	3	Vertical	219	1.01	38.34	34.19	10.27	34.22
AV	6.2122G	97.76	Inf	-Inf	10.42	3	Vertical	219	1.01	87.34	34.12	10.54	34.24
PK	5.921G	60.91	88.20	-27.29	10.23	3	Vertical	219	1.01	50.68	34.18	10.27	34.22
PK	6.2114G	110.19	Inf	-Inf	10.42	3	Vertical	219	1.01	99.77	34.12	10.54	34.24


5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

6185MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9114G	48.34	68.20	-19.86	10.20	3	Horizontal	12	1.00	38.14	34.15	10.26	34.21
AV	6.1506G	89.19	Inf	-Inf	10.35	3	Horizontal	12	1.00	78.84	34.10	10.48	34.23
PK	5.7914G	60.65	88.20	-27.55	9.75	3	Horizontal	12	1.00	50.90	33.78	10.18	34.21
PK	6.1898G	99.95	Inf	-Inf	10.38	3	Horizontal	12	1.00	89.57	34.10	10.52	34.24

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_2TX
6185MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.37G	49.70	54.00	-4.30	18.27	3	Vertical	239	1.97	31.43	38.87	13.54	34.14
PK	12.36976G	56.35	74.00	-17.65	18.26	3	Vertical	239	1.97	38.09	38.87	13.54	34.15


5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_2TX
6185MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.37G	43.20	54.00	-10.80	18.27	3	Horizontal	237	2.99	24.93	38.87	13.54	34.14
PK	12.38104G	54.47	74.00	-19.53	18.28	3	Horizontal	237	2.99	36.19	38.88	13.54	34.14

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_2TX


6345MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9166G	48.28	68.20	-19.92	10.23	3	Vertical	201	1.38	38.05	34.17	10.27	34.21
AV	6.3306G	97.88	Inf	-Inf	10.77	3	Vertical	201	1.38	87.11	34.42	10.60	34.25
PK	5.8722G	60.08	88.20	-28.12	10.12	3	Vertical	201	1.38	49.96	34.10	10.23	34.21
PK	6.321G	109.81	Inf	-Inf	10.73	3	Vertical	201	1.38	99.08	34.38	10.60	34.25


5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

6345MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9214G	48.25	68.20	-19.95	10.24	3	Horizontal	27	1.14	38.01	34.19	10.27	34.22
AV	6.3186G	90.34	Inf	-Inf	10.72	3	Horizontal	27	1.14	79.62	34.37	10.60	34.25
PK	5.8302G	60.84	88.20	-27.36	9.97	3	Horizontal	27	1.14	50.87	33.98	10.20	34.21
PK	6.3186G	102.29	Inf	-Inf	10.72	3	Horizontal	27	1.14	91.57	34.37	10.60	34.25

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_2TX
6345MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.69G	50.19	54.00	-3.81	19.21	3	Vertical	236	2.95	30.98	39.20	13.73	33.72
PK	12.69G	56.86	74.00	-17.14	19.21	3	Vertical	236	2.95	37.65	39.20	13.73	33.72


5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_2TX
6345MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.69G	45.26	54.00	-8.74	19.21	3	Horizontal	181	2.33	26.05	39.20	13.73	33.72
PK	12.69G	55.94	74.00	-18.06	19.21	3	Horizontal	181	2.33	36.73	39.20	13.73	33.72

6.425-6.525GHz_802.11ax HEW160_Nss1,(MCS0)_2TX


6505MHz Straddle 6.425-6.525GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.92334G	48.15	68.20	-20.05	10.24	3	Vertical	199	1.39	37.91	34.19	10.27	34.22
AV	6.50894G	97.59	Inf	-Inf	11.67	3	Vertical	199	1.39	85.92	35.22	10.71	34.26
PK	5.91846G	59.93	88.20	-28.27	10.22	3	Vertical	199	1.39	49.71	34.17	10.27	34.22
PK	6.50894G	108.65	Inf	-Inf	11.67	3	Vertical	199	1.39	96.98	35.22	10.71	34.26


6.425-6.525GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

6505MHz Straddle 6.425-6.525GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.91846G	48.23	68.20	-19.97	10.22	3	Horizontal	30	1.25	38.01	34.17	10.27	34.22
AV	6.5248G	87.14	Inf	-Inf	11.70	3	Horizontal	30	1.25	75.44	35.25	10.72	34.27
PK	5.90016G	60.20	88.20	-28.00	10.15	3	Horizontal	30	1.25	50.05	34.10	10.26	34.21
PK	6.47478G	99.16	Inf	-Inf	11.48	3	Horizontal	30	1.25	87.68	35.05	10.69	34.26

6.425-6.525GHz_802.11ax HEW160_Nss1,(MCS0)_2TX
6505MHz Straddle 6.425-6.525GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.01G	49.41	68.20	-18.79	20.60	3	Vertical	180	1.50	28.81	39.79	13.93	33.12
PK	13.01G	57.56	88.20	-30.64	20.60	3	Vertical	180	1.50	36.96	39.79	13.93	33.12


6.425-6.525GHz_802.11ax HEW160_Nss1,(MCS0)_2TX
6505MHz Straddle 6.425-6.525GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.01G	48.22	68.20	-19.98	20.60	3	Horizontal	315	2.82	27.62	39.79	13.93	33.12
PK	13.1096G	57.07	88.20	-31.13	20.73	3	Horizontal	315	2.82	36.34	39.70	13.99	32.96

6.525-6.875GHz_802.11ax HEW160_Nss1,(MCS0)_2TX


6665MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.6474G	97.41	Inf	-Inf	12.17	3	Vertical	183	1.50	85.24	35.69	10.82	34.34
AV	7.1545G	51.66	68.20	-16.54	13.34	3	Vertical	183	1.50	38.32	36.59	11.26	34.51
PK	6.6463G	108.30	Inf	-Inf	12.16	3	Vertical	183	1.50	96.14	35.69	10.81	34.34
PK	7.1578G	63.54	88.20	-24.66	13.33	3	Vertical	183	1.50	50.21	36.58	11.26	34.51


6.525-6.875GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

6665MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.643G	87.34	Inf	-Inf	12.16	3	Horizontal	30	2.14	75.18	35.69	10.81	34.34
AV	7.1402G	51.69	68.20	-16.51	13.25	3	Horizontal	30	2.14	38.44	36.52	11.25	34.52
PK	6.6529G	98.14	Inf	-Inf	12.19	3	Horizontal	30	2.14	85.95	35.71	10.82	34.34
PK	7.1281G	63.88	88.20	-24.32	13.14	3	Horizontal	30	2.14	50.74	36.42	11.24	34.52

6.525-6.875GHz_802.11ax HEW160_Nss1,(MCS0)_2TX
6665MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.33G	49.21	54.00	-4.79	21.42	3	Vertical	136	2.95	27.79	39.89	14.13	32.60
PK	13.33G	57.27	74.00	-16.73	21.42	3	Vertical	136	2.95	35.85	39.89	14.13	32.60


6.525-6.875GHz_802.11ax HEW160_Nss1,(MCS0)_2TX
6665MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.33G	45.29	54.00	-8.71	21.42	3	Horizontal	269	1.98	23.87	39.89	14.13	32.60
PK	13.42504G	56.93	88.20	-31.27	21.88	3	Horizontal	269	1.98	35.05	40.13	14.19	32.44

6.525-6.875GHz_802.11ax HEW160_Nss1,(MCS0)_2TX


6825MHz Straddle 6.525-6.875GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.857G	97.52	Inf	-Inf	12.26	3	Vertical	211	1.72	85.26	35.70	11.01	34.45
AV	7.1474G	51.77	68.20	-16.43	13.32	3	Vertical	211	1.72	38.45	36.58	11.26	34.52
PK	6.8674G	108.53	Inf	-Inf	12.26	3	Vertical	211	1.72	96.27	35.70	11.02	34.46
PK	7.1738G	64.46	88.20	-23.74	13.32	3	Vertical	211	1.72	51.14	36.55	11.28	34.51


6.525-6.875GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

6825MHz Straddle 6.525-6.875GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.8114G	86.11	Inf	-Inf	12.39	3	Horizontal	32	1.40	73.72	35.85	10.97	34.43
AV	7.1498G	51.65	68.20	-16.55	13.34	3	Horizontal	32	1.40	38.31	36.60	11.26	34.52
PK	6.821G	97.91	Inf	-Inf	12.37	3	Horizontal	32	1.40	85.54	35.82	10.98	34.43
PK	7.1586G	63.69	88.20	-24.51	13.33	3	Horizontal	32	1.40	50.36	36.58	11.26	34.51

6.525-6.875GHz_802.11ax HEW160_Nss1,(MCS0)_2TX
6825MHz Straddle 6.525-6.875GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.54752G	48.92	68.20	-19.28	22.02	3	Vertical	360	2.40	26.90	40.10	14.26	32.34
PK	13.5492G	61.53	88.20	-26.67	22.02	3	Vertical	360	2.40	39.51	40.10	14.26	32.34


6.525-6.875GHz_802.11ax HEW160_Nss1,(MCS0)_2TX
6825MHz Straddle 6.525-6.875GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.53168G	48.87	68.20	-19.33	22.06	3	Horizontal	311	1.50	26.81	40.14	14.25	32.33
PK	13.5336G	61.17	88.20	-27.03	22.05	3	Horizontal	311	1.50	39.12	40.13	14.25	32.33

6.875-7.125GHz_802.11ax HEW160_Nss1,(MCS0)_2TX


6985MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.9565G	98.15	Inf	-Inf	12.28	3	Vertical	211	1.58	85.87	35.70	11.09	34.51
AV	7.127G	59.09	68.20	-9.11	13.14	3	Vertical	211	1.58	45.95	36.42	11.24	34.52
PK	6.9475G	110.89	Inf	-Inf	12.29	3	Vertical	211	1.58	98.60	35.70	11.09	34.50
PK	7.136G	70.90	88.20	-17.30	13.22	3	Vertical	211	1.58	57.68	36.49	11.25	34.52


6.875-7.125GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

6985MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.9575G	86.90	Inf	-Inf	12.28	3	Horizontal	203	1.35	74.62	35.70	11.09	34.51
AV	7.138G	52.53	68.20	-15.67	13.23	3	Horizontal	203	1.35	39.30	36.50	11.25	34.52
PK	7.0075G	98.51	Inf	-Inf	12.36	3	Horizontal	203	1.35	86.15	35.75	11.14	34.53
PK	7.1675G	64.97	88.20	-23.23	13.33	3	Horizontal	203	1.35	51.64	36.57	11.27	34.51

6.875-7.125GHz_802.11ax HEW160_Nss1,(MCS0)_2TX
6985MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.96976G	49.42	68.20	-18.78	21.76	3	Vertical	360	2.82	27.66	39.77	14.52	32.53
PK	13.85624G	61.81	88.20	-26.39	21.67	3	Vertical	360	2.82	40.14	39.70	14.45	32.48

6.875-7.125GHz_802.11ax HEW160_Nss1,(MCS0)_2TX
6985MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.0828G	49.58	68.20	-18.62	22.01	3	Horizontal	214	2.24	27.57	40.05	14.60	32.64
PK	14.08832G	62.41	88.20	-25.79	22.02	3	Horizontal	214	2.24	40.39	40.06	14.61	32.65



Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20-BF_Nss1,(MCS0)_2TX	Pass	AV	11.90984G	43.95	54.00	-10.05	3	Vertical	216	2.08	-
802.11ax HEW40-BF_Nss1,(MCS0)_2TX	Pass	AV	11.92994G	44.84	54.00	-9.16	3	Vertical	214	3.00	-
802.11ax HEW80-BF_Nss1,(MCS0)_2TX	Pass	AV	12.29603G	43.97	54.00	-10.03	3	Horizontal	268	2.35	-
802.11ax HEW160-BF_Nss1,(MCS0)_2TX	Pass	AV	5.918G	60.96	68.20	-7.24	3	Vertical	241	2.54	-
6.425-6.525GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20-BF_Nss1,(MCS0)_2TX	Pass	AV	7.1464G	54.77	68.20	-13.43	3	Vertical	245	1.07	-
802.11ax HEW40-BF_Nss1,(MCS0)_2TX	Pass	AV	7.2222G	54.96	68.20	-13.24	3	Vertical	199	1.27	-
802.11ax HEW80-BF_Nss1,(MCS0)_2TX	Pass	AV	7.2198G	55.48	68.20	-12.72	3	Vertical	180	1.42	-
802.11ax HEW160-BF_Nss1,(MCS0)_2TX	Pass	AV	7.1364G	49.60	68.20	-18.60	3	Vertical	181	1.40	-
6.525-6.875GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20-BF_Nss1,(MCS0)_2TX	Pass	AV	13.38064G	44.82	54.00	-9.18	3	Horizontal	21	2.35	-
802.11ax HEW40-BF_Nss1,(MCS0)_2TX	Pass	AV	13.3705G	45.43	54.00	-8.57	3	Vertical	106	2.33	-
802.11ax HEW80-BF_Nss1,(MCS0)_2TX	Pass	AV	13.3956G	45.10	54.00	-8.90	3	Horizontal	19	1.00	-
802.11ax HEW160-BF_Nss1,(MCS0)_2TX	Pass	AV	13.31584G	45.05	54.00	-8.95	3	Horizontal	199	1.18	-
6.875-7.125GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20-BF_Nss1,(MCS0)_2TX	Pass	AV	7.1255G	65.98	68.20	-2.22	3	Vertical	94	1.50	BP 1MHz
802.11ax HEW40-BF_Nss1,(MCS0)_2TX	Pass	AV	7.1264G	61.11	68.20	-7.09	3	Vertical	188	1.87	-
802.11ax HEW80-BF_Nss1,(MCS0)_2TX	Pass	AV	7.2506G	50.52	54.00	-3.48	3	Vertical	191	2.10	-
802.11ax HEW160-BF_Nss1,(MCS0)_2TX	Pass	AV	7.129G	64.27	68.20	-3.93	3	Vertical	233	1.94	-



Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
802.11ax HEW20-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-
5955MHz	Pass	AV	5.9058G	51.52	68.20	-16.68	3	Vertical	190	1.05	-
5955MHz	Pass	AV	5.9628G	97.43	Inf	-Inf	3	Vertical	190	1.05	-
5955MHz	Pass	PK	5.8068G	63.35	88.20	-24.85	3	Vertical	190	1.05	-
5955MHz	Pass	PK	5.9589G	108.91	Inf	-Inf	3	Vertical	190	1.05	-
5955MHz	Pass	AV	11.90984G	43.95	54.00	-10.05	3	Vertical	216	2.08	-
5955MHz	Pass	PK	11.91008G	55.32	74.00	-18.68	3	Vertical	216	2.08	-
5955MHz	Pass	AV	11.92132G	42.88	54.00	-11.12	3	Horizontal	170	1.50	-
5955MHz	Pass	PK	11.90792G	55.40	74.00	-18.60	3	Horizontal	170	1.50	-
6175MHz	Pass	AV	5.9158G	51.48	68.20	-16.72	3	Vertical	194	2.26	-
6175MHz	Pass	AV	6.1666G	97.00	Inf	-Inf	3	Vertical	194	2.26	-
6175MHz	Pass	PK	5.8804G	62.16	88.20	-26.04	3	Vertical	194	2.26	-
6175MHz	Pass	PK	6.1684G	107.30	Inf	-Inf	3	Vertical	194	2.26	-
6175MHz	Pass	AV	12.3498G	43.80	54.00	-10.20	3	Vertical	238	1.50	-
6175MHz	Pass	PK	12.33188G	56.87	74.00	-17.13	3	Vertical	238	1.50	-
6175MHz	Pass	AV	12.35412G	43.49	54.00	-10.51	3	Horizontal	353	1.50	-
6175MHz	Pass	PK	12.35456G	56.58	74.00	-17.42	3	Horizontal	353	1.50	-
6415MHz	Pass	AV	5.9206G	51.44	68.20	-16.76	3	Vertical	200	1.30	-
6415MHz	Pass	AV	6.4234G	97.87	Inf	-Inf	3	Vertical	200	1.30	-
6415MHz	Pass	PK	5.8762G	63.44	88.20	-24.76	3	Vertical	200	1.30	-
6415MHz	Pass	PK	6.421G	108.40	Inf	-Inf	3	Vertical	200	1.30	-
6415MHz	Pass	AV	12.83286G	44.15	68.20	-24.05	3	Vertical	311	1.79	-
6415MHz	Pass	PK	12.82844G	57.26	88.20	-30.94	3	Vertical	311	1.79	-
6415MHz	Pass	AV	12.83884G	44.23	68.20	-23.97	3	Horizontal	5	2.31	-
6415MHz	Pass	PK	12.83858G	56.90	88.20	-31.30	3	Horizontal	5	2.31	-
6435MHz	Pass	AV	5.8938G	51.49	68.20	-16.71	3	Vertical	200	1.50	-
6435MHz	Pass	AV	6.4266G	97.63	Inf	-Inf	3	Vertical	200	1.50	-
6435MHz	Pass	PK	5.8626G	62.30	88.20	-25.90	3	Vertical	200	1.50	-
6435MHz	Pass	PK	6.4278G	107.29	Inf	-Inf	3	Vertical	200	1.50	-
6435MHz	Pass	AV	12.86056G	44.12	68.20	-24.08	3	Vertical	305	1.50	-
6435MHz	Pass	PK	12.87482G	57.91	88.20	-30.29	3	Vertical	305	1.50	-
6435MHz	Pass	AV	12.86366G	44.06	68.20	-24.14	3	Horizontal	263	1.56	-
6435MHz	Pass	PK	12.87644G	57.36	88.20	-30.84	3	Horizontal	263	1.56	-
6475MHz	Pass	AV	5.9136G	51.53	68.20	-16.67	3	Vertical	248	1.18	-
6475MHz	Pass	AV	6.4666G	97.70	Inf	-Inf	3	Vertical	248	1.18	-
6475MHz	Pass	AV	7.161G	54.67	68.20	-13.53	3	Vertical	248	1.18	-
6475MHz	Pass	PK	5.7918G	63.37	88.20	-24.83	3	Vertical	248	1.18	-
6475MHz	Pass	PK	6.4666G	106.62	Inf	-Inf	3	Vertical	248	1.18	-
6475MHz	Pass	PK	7.1372G	67.28	88.20	-20.92	3	Vertical	248	1.18	-
6475MHz	Pass	AV	12.95828G	44.54	68.20	-23.66	3	Vertical	153	1.86	-
6475MHz	Pass	PK	12.9598G	57.15	88.20	-31.05	3	Vertical	153	1.86	-
6475MHz	Pass	AV	12.95652G	44.50	68.20	-23.70	3	Horizontal	80	1.64	-
6475MHz	Pass	PK	12.94444G	57.09	88.20	-31.11	3	Horizontal	80	1.64	-
6515MHz	Pass	AV	5.9172G	51.56	68.20	-16.64	3	Vertical	245	1.07	-
6515MHz	Pass	AV	6.5066G	97.68	Inf	-Inf	3	Vertical	245	1.07	-
6515MHz	Pass	AV	7.1464G	54.77	68.20	-13.43	3	Vertical	245	1.07	-
6515MHz	Pass	PK	5.885G	63.04	88.20	-25.16	3	Vertical	245	1.07	-
6515MHz	Pass	PK	6.5066G	106.54	Inf	-Inf	3	Vertical	245	1.07	-
6515MHz	Pass	PK	7.1366G	66.39	88.20	-21.81	3	Vertical	245	1.07	-
6515MHz	Pass	AV	13.03662G	44.53	68.20	-23.67	3	Vertical	226	2.02	-
6515MHz	Pass	PK	13.03854G	57.16	88.20	-31.04	3	Vertical	226	2.02	-
6515MHz	Pass	AV	13.03904G	44.50	68.20	-23.70	3	Horizontal	166	2.13	-
6515MHz	Pass	PK	13.03942G	56.77	88.20	-31.43	3	Horizontal	166	2.13	-
6535MHz	Pass	AV	5.9036G	51.55	68.20	-16.65	3	Vertical	298	1.11	-
6535MHz	Pass	AV	6.5266G	97.50	Inf	-Inf	3	Vertical	298	1.11	-
6535MHz	Pass	AV	7.2308G	55.06	68.20	-13.14	3	Vertical	298	1.11	-
6535MHz	Pass	PK	5.9106G	62.74	88.20	-25.46	3	Vertical	298	1.11	-
6535MHz	Pass	PK	6.5266G	107.40	Inf	-Inf	3	Vertical	298	1.11	-
6535MHz	Pass	PK	7.137G	66.10	88.20	-22.10	3	Vertical	298	1.11	-
6535MHz	Pass	AV	13.06142G	44.62	68.20	-23.58	3	Vertical	45	1.58	-
6535MHz	Pass	PK	13.07426G	56.93	88.20	-31.27	3	Vertical	45	1.58	-



RSE TX above 1GHz_Beamforming

Appendix E.5

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
6535MHz	Pass	AV	13.07704G	44.55	68.20	-23.65	3	Horizontal	338	1.94	-
6535MHz	Pass	PK	13.07198G	57.38	88.20	-30.82	3	Horizontal	338	1.94	-
6695MHz	Pass	AV	6.7G	97.26	Inf	-Inf	3	Vertical	100	1.43	-
6695MHz	Pass	AV	7.144G	54.87	68.20	-13.33	3	Vertical	100	1.43	-
6695MHz	Pass	PK	6.69G	107.21	Inf	-Inf	3	Vertical	100	1.43	-
6695MHz	Pass	PK	7.186G	67.71	88.20	-20.49	3	Vertical	100	1.43	-
6695MHz	Pass	AV	13.3884G	44.80	54.00	-9.20	3	Vertical	234	3.00	-
6695MHz	Pass	PK	13.38122G	57.59	74.00	-16.41	3	Vertical	234	3.00	-
6695MHz	Pass	AV	13.38064G	44.82	54.00	-9.18	3	Horizontal	21	2.35	-
6695MHz	Pass	PK	13.38032G	58.33	74.00	-15.67	3	Horizontal	21	2.35	-
6855MHz	Pass	AV	6.8466G	98.32	Inf	-Inf	3	Vertical	191	1.78	-
6855MHz	Pass	AV	7.1462G	54.76	68.20	-13.44	3	Vertical	191	1.78	-
6855MHz	Pass	PK	6.848G	110.57	Inf	-Inf	3	Vertical	191	1.78	-
6855MHz	Pass	PK	7.2008G	66.79	88.20	-21.41	3	Vertical	191	1.78	-
6855MHz	Pass	AV	13.71844G	48.64	68.20	-19.56	3	Vertical	235	1.15	-
6855MHz	Pass	PK	13.70646G	61.89	88.20	-26.31	3	Vertical	235	1.15	-
6855MHz	Pass	AV	13.71952G	48.68	68.20	-19.52	3	Horizontal	283	1.03	-
6855MHz	Pass	PK	13.70284G	62.25	88.20	-25.95	3	Horizontal	283	1.03	-
6875MHz Straddle 6.525-6.875GHz	Pass	AV	6.8659G	97.56	Inf	-Inf	3	Vertical	181	1.50	-
6875MHz Straddle 6.525-6.875GHz	Pass	AV	7.2096G	54.91	68.20	-13.29	3	Vertical	181	1.50	-
6875MHz Straddle 6.525-6.875GHz	Pass	PK	6.8659G	106.09	Inf	-Inf	3	Vertical	181	1.50	-
6875MHz Straddle 6.525-6.875GHz	Pass	PK	7.1543G	66.93	88.20	-21.27	3	Vertical	181	1.50	-
6875MHz Straddle 6.525-6.875GHz	Pass	AV	13.74856G	48.96	68.20	-19.24	3	Vertical	199	1.99	-
6875MHz Straddle 6.525-6.875GHz	Pass	PK	13.7522G	61.95	88.20	-26.25	3	Vertical	199	1.99	-
6875MHz Straddle 6.525-6.875GHz	Pass	AV	13.7565G	49.03	68.20	-19.17	3	Horizontal	10	1.97	-
6875MHz Straddle 6.525-6.875GHz	Pass	PK	13.74552G	61.49	88.20	-26.71	3	Horizontal	10	1.97	-
6895MHz	Pass	AV	6.9041G	98.19	Inf	-Inf	3	Vertical	245	2.04	-
6895MHz	Pass	AV	7.2359G	54.98	68.20	-13.22	3	Vertical	245	2.04	-
6895MHz	Pass	PK	6.9027G	108.49	Inf	-Inf	3	Vertical	245	2.04	-
6895MHz	Pass	PK	7.2296G	66.95	88.20	-21.25	3	Vertical	245	2.04	-
6895MHz	Pass	AV	13.79814G	49.38	68.20	-18.82	3	Vertical	21	2.64	-
6895MHz	Pass	PK	13.78906G	62.97	88.20	-25.23	3	Vertical	21	2.64	-
6895MHz	Pass	AV	13.7998G	49.45	68.20	-18.75	3	Horizontal	128	1.10	-
6895MHz	Pass	PK	13.79788G	62.96	88.20	-25.24	3	Horizontal	128	1.10	-
6995MHz	Pass	AV	6.9865G	97.97	Inf	-Inf	3	Vertical	237	1.50	-
6995MHz	Pass	AV	7.223G	55.03	68.20	-13.17	3	Vertical	237	1.50	-
6995MHz	Pass	PK	6.9865G	107.13	Inf	-Inf	3	Vertical	237	1.50	-
6995MHz	Pass	PK	7.144G	66.51	88.20	-21.69	3	Vertical	237	1.50	-
6995MHz	Pass	AV	13.98536G	50.16	68.20	-18.04	3	Vertical	165	2.99	-
6995MHz	Pass	PK	13.98126G	63.42	88.20	-24.78	3	Vertical	165	2.99	-
6995MHz	Pass	AV	13.98244G	50.13	68.20	-18.07	3	Horizontal	334	2.60	-
6995MHz	Pass	PK	13.98522G	62.76	88.20	-25.44	3	Horizontal	334	2.60	-
7095MHz	Pass	AV	7.0863G	97.31	Inf	-Inf	3	Vertical	189	1.50	-
7095MHz	Pass	AV	7.2333G	55.06	68.20	-13.14	3	Vertical	189	1.50	-
7095MHz	Pass	PK	7.0866G	108.23	Inf	-Inf	3	Vertical	189	1.50	-
7095MHz	Pass	PK	7.1415G	67.06	88.20	-21.14	3	Vertical	189	1.50	-
7095MHz	Pass	AV	14.18674G	50.11	68.20	-18.09	3	Vertical	188	2.22	-
7095MHz	Pass	PK	14.19184G	63.29	88.20	-24.91	3	Vertical	188	2.22	-
7095MHz	Pass	AV	14.18018G	50.10	68.20	-18.10	3	Horizontal	360	1.50	-
7095MHz	Pass	PK	14.18558G	63.70	88.20	-24.50	3	Horizontal	360	1.50	-
7115MHz	Pass	AV	7.10566G	90.27	Inf	-Inf	3	Vertical	94	1.50	-
7115MHz	Pass	AV	7.1255G	65.98	68.20	-2.22	3	Vertical	94	1.50	BP 1MHz
7115MHz	Pass	PK	7.10695G	98.26	Inf	-Inf	3	Vertical	94	1.50	-
7115MHz	Pass	PK	7.1255G	77.17	88.20	-11.03	3	Vertical	94	1.50	BP 1MHz
7115MHz	Pass	AV	14.23265G	45.04	68.20	-23.16	3	Vertical	181	2.06	-
7115MHz	Pass	PK	14.23352G	57.80	88.20	-30.40	3	Vertical	181	2.06	-
7115MHz	Pass	AV	14.23311G	45.12	68.20	-23.08	3	Horizontal	355	2.30	-
7115MHz	Pass	PK	14.23311G	57.33	88.20	-30.87	3	Horizontal	355	2.30	-
802.11ax HEW40-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-
5965MHz	Pass	AV	5.9125G	52.28	68.20	-15.92	3	Vertical	192	2.19	-
5965MHz	Pass	AV	5.968G	98.09	Inf	-Inf	3	Vertical	192	2.19	-
5965MHz	Pass	PK	5.9209G	67.73	88.20	-20.47	3	Vertical	192	2.19	-



RSE TX above 1GHz_Beamforming

Appendix E.5

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5965MHz	Pass	PK	5.9722G	110.56	Inf	-Inf	3	Vertical	192	2.19	-
5965MHz	Pass	AV	11.92994G	44.84	54.00	-9.16	3	Vertical	214	3.00	-
5965MHz	Pass	PK	11.93064G	56.95	74.00	-17.05	3	Vertical	214	3.00	-
5965MHz	Pass	AV	11.9333G	43.40	54.00	-10.60	3	Horizontal	162	1.08	-
5965MHz	Pass	PK	11.93024G	57.24	74.00	-16.76	3	Horizontal	162	1.08	-
6165MHz	Pass	AV	5.916G	51.50	68.20	-16.70	3	Vertical	165	1.06	-
6165MHz	Pass	AV	6.1674G	97.66	Inf	-Inf	3	Vertical	165	1.06	-
6165MHz	Pass	PK	5.9154G	63.19	88.20	-25.01	3	Vertical	165	1.06	-
6165MHz	Pass	PK	6.1686G	110.03	Inf	-Inf	3	Vertical	165	1.06	-
6165MHz	Pass	AV	12.32588G	43.87	54.00	-10.13	3	Vertical	-0	1.50	-
6165MHz	Pass	PK	12.32584G	57.29	74.00	-16.71	3	Vertical	-0	1.50	-
6165MHz	Pass	AV	12.3266G	44.07	54.00	-9.93	3	Horizontal	196	1.35	-
6165MHz	Pass	PK	12.3347G	57.37	74.00	-16.63	3	Horizontal	196	1.35	-
6405MHz	Pass	AV	5.9238G	52.01	68.20	-16.19	3	Vertical	186	1.30	-
6405MHz	Pass	AV	6.4038G	97.42	Inf	-Inf	3	Vertical	186	1.30	-
6405MHz	Pass	PK	5.8878G	63.56	88.20	-24.64	3	Vertical	186	1.30	-
6405MHz	Pass	PK	6.4026G	107.55	Inf	-Inf	3	Vertical	186	1.30	-
6405MHz	Pass	AV	12.83948G	44.85	68.20	-23.35	3	Vertical	336	2.73	-
6405MHz	Pass	PK	12.73144G	57.54	88.20	-30.66	3	Vertical	336	2.73	-
6405MHz	Pass	AV	12.81585G	44.65	68.20	-23.55	3	Horizontal	113	2.11	-
6405MHz	Pass	PK	12.80514G	57.90	88.20	-30.30	3	Horizontal	113	2.11	-
6445MHz	Pass	AV	5.917G	51.53	68.20	-16.67	3	Vertical	198	1.27	-
6445MHz	Pass	AV	6.4426G	97.04	Inf	-Inf	3	Vertical	198	1.27	-
6445MHz	Pass	PK	5.9146G	63.43	88.20	-24.77	3	Vertical	198	1.27	-
6445MHz	Pass	PK	6.439G	108.26	Inf	-Inf	3	Vertical	198	1.27	-
6445MHz	Pass	AV	12.88998G	45.88	68.20	-22.32	3	Vertical	225	3.00	-
6445MHz	Pass	PK	12.88952G	58.68	88.20	-29.52	3	Vertical	225	3.00	-
6445MHz	Pass	PK	12.88804G	59.25	88.20	-28.95	3	Horizontal	321	1.44	-
6445MHz	Pass	AV	12.89295G	44.84	68.20	-23.36	3	Horizontal	321	1.44	-
6485MHz	Pass	AV	5.9166G	51.55	68.20	-16.65	3	Vertical	259	1.00	-
6485MHz	Pass	AV	6.4738G	97.95	Inf	-Inf	3	Vertical	259	1.00	-
6485MHz	Pass	AV	7.1318G	54.89	68.20	-13.31	3	Vertical	259	1.00	-
6485MHz	Pass	PK	5.9208G	63.07	88.20	-25.13	3	Vertical	259	1.00	-
6485MHz	Pass	PK	6.4752G	108.72	Inf	-Inf	3	Vertical	259	1.00	-
6485MHz	Pass	PK	7.15G	66.06	88.20	-22.14	3	Vertical	259	1.00	-
6485MHz	Pass	AV	12.96999G	45.62	68.20	-22.58	3	Vertical	241	2.00	-
6485MHz	Pass	PK	12.96626G	58.35	88.20	-29.85	3	Vertical	241	2.00	-
6485MHz	Pass	AV	12.96915G	45.09	68.20	-23.11	3	Horizontal	360	1.50	-
6485MHz	Pass	PK	12.96692G	58.45	88.20	-29.75	3	Horizontal	360	1.50	-
6525MHz Straddle 6.425-6.525GHz	Pass	AV	5.916G	51.60	68.20	-16.60	3	Vertical	199	1.27	-
6525MHz Straddle 6.425-6.525GHz	Pass	AV	6.5236G	97.64	Inf	-Inf	3	Vertical	199	1.27	-
6525MHz Straddle 6.425-6.525GHz	Pass	AV	7.2222G	54.96	68.20	-13.24	3	Vertical	199	1.27	-
6525MHz Straddle 6.425-6.525GHz	Pass	PK	5.895G	63.34	88.20	-24.86	3	Vertical	199	1.27	-
6525MHz Straddle 6.425-6.525GHz	Pass	PK	6.5236G	108.30	Inf	-Inf	3	Vertical	199	1.27	-
6525MHz Straddle 6.425-6.525GHz	Pass	PK	7.2068G	66.61	88.20	-21.59	3	Vertical	199	1.27	-
6525MHz Straddle 6.425-6.525GHz	Pass	AV	13.04991G	46.60	68.20	-21.60	3	Vertical	226	3.00	-
6525MHz Straddle 6.425-6.525GHz	Pass	PK	13.04941G	58.56	88.20	-29.64	3	Vertical	226	3.00	-
6525MHz Straddle 6.425-6.525GHz	Pass	PK	13.05095G	57.80	88.20	-30.40	3	Horizontal	214	2.55	-
6525MHz Straddle 6.425-6.525GHz	Pass	AV	13.05234G	45.24	68.20	-22.96	3	Horizontal	214	2.55	-
6565MHz	Pass	AV	6.5566G	97.53	Inf	-Inf	3	Vertical	172	1.56	-
6565MHz	Pass	AV	7.1614G	54.74	68.20	-13.46	3	Vertical	172	1.56	-
6565MHz	Pass	PK	6.5566G	109.01	Inf	-Inf	3	Vertical	172	1.56	-
6565MHz	Pass	PK	7.1386G	66.43	88.20	-21.77	3	Vertical	172	1.56	-
6565MHz	Pass	AV	13.12637G	45.25	68.20	-22.95	3	Vertical	360	1.25	-
6565MHz	Pass	PK	13.12806G	58.00	88.20	-30.20	3	Vertical	360	1.25	-
6565MHz	Pass	AV	13.13166G	45.28	68.20	-22.92	3	Horizontal	8	2.10	-
6565MHz	Pass	PK	13.1308G	57.99	88.20	-30.21	3	Horizontal	8	2.10	-
6685MHz	Pass	AV	6.694G	97.82	Inf	-Inf	3	Vertical	99	1.50	-
6685MHz	Pass	AV	7.154G	54.83	68.20	-13.37	3	Vertical	99	1.50	-
6685MHz	Pass	PK	6.696G	109.55	Inf	-Inf	3	Vertical	99	1.50	-
6685MHz	Pass	PK	7.13G	66.65	88.20	-21.55	3	Vertical	99	1.50	-
6685MHz	Pass	AV	13.3705G	45.43	54.00	-8.57	3	Vertical	106	2.33	-



RSE TX above 1GHz_Beamforming

Appendix E.5

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
6685MHz	Pass	PK	13.37071G	59.21	74.00	-14.79	3	Vertical	106	2.33	-
6685MHz	Pass	AV	13.37326G	45.35	54.00	-8.65	3	Horizontal	222	2.50	-
6685MHz	Pass	PK	13.37349G	58.86	74.00	-15.14	3	Horizontal	222	2.50	-
6845MHz	Pass	AV	6.8499G	97.38	Inf	-Inf	3	Vertical	166	1.50	-
6845MHz	Pass	AV	7.1859G	54.81	68.20	-13.39	3	Vertical	166	1.50	-
6845MHz	Pass	PK	6.8499G	108.60	Inf	-Inf	3	Vertical	166	1.50	-
6845MHz	Pass	PK	7.1425G	66.72	88.20	-21.48	3	Vertical	166	1.50	-
6845MHz	Pass	AV	13.6932G	49.32	68.20	-18.88	3	Vertical	154	1.50	-
6845MHz	Pass	PK	13.68546G	62.94	88.20	-25.26	3	Vertical	154	1.50	-
6845MHz	Pass	AV	13.69014G	49.38	68.20	-18.82	3	Horizontal	74	1.94	-
6845MHz	Pass	PK	13.6855G	61.76	88.20	-26.44	3	Horizontal	74	1.94	-
6885MHz Straddle 6.525-6.875GHz	Pass	AV	6.8899G	97.55	Inf	-Inf	3	Vertical	185	1.71	-
6885MHz Straddle 6.525-6.875GHz	Pass	AV	7.2259G	54.88	68.20	-13.32	3	Vertical	185	1.71	-
6885MHz Straddle 6.525-6.875GHz	Pass	PK	6.8899G	108.24	Inf	-Inf	3	Vertical	185	1.71	-
6885MHz Straddle 6.525-6.875GHz	Pass	PK	7.1846G	66.49	88.20	-21.71	3	Vertical	185	1.71	-
6885MHz Straddle 6.525-6.875GHz	Pass	AV	13.77482G	49.94	68.20	-18.26	3	Vertical	220	1.50	-
6885MHz Straddle 6.525-6.875GHz	Pass	PK	13.77457G	63.02	88.20	-25.18	3	Vertical	220	1.50	-
6885MHz Straddle 6.525-6.875GHz	Pass	AV	13.76922G	49.81	68.20	-18.39	3	Horizontal	86	2.07	-
6885MHz Straddle 6.525-6.875GHz	Pass	PK	13.77297G	63.62	88.20	-24.58	3	Horizontal	86	2.07	-
6925MHz	Pass	AV	6.9274G	98.00	Inf	-Inf	3	Vertical	198	2.05	-
6925MHz	Pass	AV	7.2238G	54.88	68.20	-13.32	3	Vertical	198	2.05	-
6925MHz	Pass	PK	6.9268G	109.79	Inf	-Inf	3	Vertical	198	2.05	-
6925MHz	Pass	PK	7.1422G	66.63	88.20	-21.57	3	Vertical	198	2.05	-
6925MHz	Pass	AV	13.85202G	50.80	68.20	-17.40	3	Vertical	246	2.64	-
6925MHz	Pass	PK	13.8486G	64.00	88.20	-24.20	3	Vertical	246	2.64	-
6925MHz	Pass	AV	13.85415G	50.67	68.20	-17.53	3	Horizontal	325	1.69	-
6925MHz	Pass	PK	13.85046G	64.37	88.20	-23.83	3	Horizontal	325	1.69	-
7005MHz	Pass	AV	6.9966G	97.47	Inf	-Inf	3	Vertical	285	2.00	-
7005MHz	Pass	AV	7.1466G	55.45	68.20	-12.75	3	Vertical	285	2.00	-
7005MHz	Pass	PK	6.9948G	109.63	Inf	-Inf	3	Vertical	285	2.00	-
7005MHz	Pass	PK	7.1418G	67.67	88.20	-20.53	3	Vertical	285	2.00	-
7005MHz	Pass	AV	14.01471G	50.60	68.20	-17.60	3	Vertical	55	2.27	-
7005MHz	Pass	PK	14.00133G	63.31	88.20	-24.89	3	Vertical	55	2.27	-
7005MHz	Pass	AV	14.00466G	50.57	68.20	-17.63	3	Horizontal	129	1.32	-
7005MHz	Pass	PK	14.00034G	63.41	88.20	-24.79	3	Horizontal	129	1.32	-
7085MHz	Pass	AV	7.0862G	98.07	Inf	-Inf	3	Vertical	188	1.87	-
7085MHz	Pass	AV	7.1264G	61.11	68.20	-7.09	3	Vertical	188	1.87	-
7085MHz	Pass	PK	7.0859G	110.88	Inf	-Inf	3	Vertical	188	1.87	-
7085MHz	Pass	PK	7.1252G	80.28	88.20	-7.92	3	Vertical	188	1.87	-
7085MHz	Pass	AV	14.16587G	50.86	68.20	-17.34	3	Vertical	72	1.50	-
7085MHz	Pass	PK	14.16944G	64.91	88.20	-23.29	3	Vertical	72	1.50	-
7085MHz	Pass	AV	14.17213G	50.94	68.20	-17.26	3	Horizontal	13	1.29	-
7085MHz	Pass	PK	14.16544G	64.03	88.20	-24.17	3	Horizontal	13	1.29	-
802.11ax HEW80-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-
5985MHz	Pass	AV	5.9245G	54.77	68.20	-13.43	3	Vertical	209	1.00	-
5985MHz	Pass	AV	5.9975G	97.40	Inf	-Inf	3	Vertical	209	1.00	-
5985MHz	Pass	PK	5.898G	66.39	88.20	-21.81	3	Vertical	209	1.00	-
5985MHz	Pass	PK	5.9975G	108.10	Inf	-Inf	3	Vertical	209	1.00	-
5985MHz	Pass	AV	11.98251G	43.36	54.00	-10.64	3	Vertical	63	2.16	-
5985MHz	Pass	PK	11.9607G	55.30	74.00	-18.70	3	Vertical	63	2.16	-
5985MHz	Pass	AV	11.98131G	43.35	54.00	-10.65	3	Horizontal	286	2.54	-
5985MHz	Pass	PK	11.98107G	56.38	74.00	-17.62	3	Horizontal	286	2.54	-
6145MHz	Pass	AV	5.8906G	52.12	68.20	-16.08	3	Vertical	209	1.23	-
6145MHz	Pass	AV	6.1246G	98.22	Inf	-Inf	3	Vertical	209	1.23	-
6145MHz	Pass	PK	5.9122G	64.22	88.20	-23.98	3	Vertical	209	1.23	-
6145MHz	Pass	PK	6.124G	108.65	Inf	-Inf	3	Vertical	209	1.23	-
6145MHz	Pass	AV	12.30434G	43.88	54.00	-10.12	3	Vertical	176	2.31	-
6145MHz	Pass	PK	12.29093G	56.87	74.00	-17.13	3	Vertical	176	2.31	-
6145MHz	Pass	AV	12.29105G	43.92	54.00	-10.08	3	Horizontal	4	1.16	-
6145MHz	Pass	PK	12.29438G	56.42	74.00	-17.58	3	Horizontal	4	1.16	-
6385MHz	Pass	AV	5.8954G	52.07	68.20	-16.13	3	Vertical	192	1.26	-
6385MHz	Pass	AV	6.403G	96.81	Inf	-Inf	3	Vertical	192	1.26	-



RSE TX above 1GHz_Beamforming

Appendix E.5

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
6385MHz	Pass	PK	5.869G	63.99	88.20	-24.21	3	Vertical	192	1.26	-
6385MHz	Pass	PK	6.4018G	107.07	Inf	-Inf	3	Vertical	192	1.26	-
6385MHz	Pass	AV	12.28025G	43.88	54.00	-10.12	3	Vertical	58	2.59	-
6385MHz	Pass	PK	12.27713G	57.07	74.00	-16.93	3	Vertical	58	2.59	-
6385MHz	Pass	AV	12.29603G	43.97	54.00	-10.03	3	Horizontal	268	2.35	-
6385MHz	Pass	PK	12.30275G	57.02	74.00	-16.98	3	Horizontal	268	2.35	-
6465MHz	Pass	AV	5.8896G	52.11	68.20	-16.09	3	Vertical	188	1.29	-
6465MHz	Pass	AV	6.4664G	98.11	Inf	-Inf	3	Vertical	188	1.29	-
6465MHz	Pass	AV	7.1342G	55.38	68.20	-12.82	3	Vertical	188	1.29	-
6465MHz	Pass	PK	5.8952G	63.42	88.20	-24.78	3	Vertical	188	1.29	-
6465MHz	Pass	PK	6.4664G	108.00	Inf	-Inf	3	Vertical	188	1.29	-
6465MHz	Pass	PK	7.1328G	66.79	88.20	-21.41	3	Vertical	188	1.29	-
6465MHz	Pass	AV	12.91941G	44.90	68.20	-23.30	3	Vertical	126	1.92	-
6465MHz	Pass	PK	12.94146G	57.94	88.20	-30.26	3	Vertical	126	1.92	-
6465MHz	Pass	AV	12.9216G	44.83	68.20	-23.37	3	Horizontal	98	1.46	-
6465MHz	Pass	PK	12.93414G	57.19	88.20	-31.01	3	Horizontal	98	1.46	-
6545MHz Straddle 6.425-6.525GHz	Pass	AV	5.901G	52.10	68.20	-16.10	3	Vertical	180	1.42	-
6545MHz Straddle 6.425-6.525GHz	Pass	AV	6.531G	98.39	Inf	-Inf	3	Vertical	180	1.42	-
6545MHz Straddle 6.425-6.525GHz	Pass	AV	7.2198G	55.48	68.20	-12.72	3	Vertical	180	1.42	-
6545MHz Straddle 6.425-6.525GHz	Pass	PK	5.887G	63.80	88.20	-24.40	3	Vertical	180	1.42	-
6545MHz Straddle 6.425-6.525GHz	Pass	PK	6.5324G	108.36	Inf	-Inf	3	Vertical	180	1.42	-
6545MHz Straddle 6.425-6.525GHz	Pass	PK	7.1386G	67.41	88.20	-20.79	3	Vertical	180	1.42	-
6545MHz Straddle 6.425-6.525GHz	Pass	AV	13.08484G	45.13	68.20	-23.07	3	Vertical	331	1.11	-
6545MHz Straddle 6.425-6.525GHz	Pass	PK	13.08328G	57.44	88.20	-30.76	3	Vertical	331	1.11	-
6545MHz Straddle 6.425-6.525GHz	Pass	AV	13.10257G	45.16	68.20	-23.04	3	Horizontal	96	1.98	-
6545MHz Straddle 6.425-6.525GHz	Pass	PK	13.08253G	57.64	88.20	-30.56	3	Horizontal	96	1.98	-
6625MHz	Pass	AV	6.6082G	98.26	Inf	-Inf	3	Vertical	196	1.50	-
6625MHz	Pass	AV	7.1458G	55.37	68.20	-12.83	3	Vertical	196	1.50	-
6625MHz	Pass	PK	6.6106G	108.99	Inf	-Inf	3	Vertical	196	1.50	-
6625MHz	Pass	PK	7.1494G	67.57	88.20	-20.63	3	Vertical	196	1.50	-
6625MHz	Pass	AV	13.23743G	45.20	68.20	-23.00	3	Vertical	10	1.87	-
6625MHz	Pass	PK	13.25075G	58.15	74.00	-15.85	3	Vertical	10	1.87	-
6625MHz	Pass	AV	13.2356G	45.28	68.20	-22.92	3	Horizontal	9	2.19	-
6625MHz	Pass	PK	13.25723G	58.09	74.00	-15.91	3	Horizontal	9	2.19	-
6705MHz	Pass	AV	6.689G	97.28	Inf	-Inf	3	Vertical	213	1.80	-
6705MHz	Pass	AV	7.149G	55.43	68.20	-12.77	3	Vertical	213	1.80	-
6705MHz	Pass	PK	6.687G	108.34	Inf	-Inf	3	Vertical	213	1.80	-
6705MHz	Pass	PK	7.167G	67.05	88.20	-21.15	3	Vertical	213	1.80	-
6705MHz	Pass	AV	13.3953G	45.05	54.00	-8.95	3	Vertical	188	2.56	-
6705MHz	Pass	PK	13.39749G	57.92	74.00	-16.08	3	Vertical	188	2.56	-
6705MHz	Pass	AV	13.3956G	45.10	54.00	-8.90	3	Horizontal	19	1.00	-
6705MHz	Pass	PK	13.40583G	57.60	88.20	-30.60	3	Horizontal	19	1.00	-
6785MHz	Pass	AV	6.7906G	97.43	Inf	-Inf	3	Vertical	151	1.50	-
6785MHz	Pass	AV	7.1294G	55.30	68.20	-12.90	3	Vertical	151	1.50	-
6785MHz	Pass	PK	6.792G	108.94	Inf	-Inf	3	Vertical	151	1.50	-
6785MHz	Pass	PK	7.1294G	66.37	88.20	-21.83	3	Vertical	151	1.50	-
6785MHz	Pass	AV	13.58461G	45.32	68.20	-22.88	3	Vertical	219	1.44	-
6785MHz	Pass	PK	13.58212G	58.30	88.20	-29.90	3	Vertical	219	1.44	-
6785MHz	Pass	AV	13.58491G	45.30	68.20	-22.90	3	Horizontal	198	2.01	-
6785MHz	Pass	PK	13.57456G	57.97	88.20	-30.23	3	Horizontal	198	2.01	-
6865MHz Straddle 6.525-6.875GHz	Pass	AV	6.8664G	98.15	Inf	-Inf	3	Vertical	201	1.95	-
6865MHz Straddle 6.525-6.875GHz	Pass	AV	7.1569G	55.45	68.20	-12.75	3	Vertical	201	1.95	-
6865MHz Straddle 6.525-6.875GHz	Pass	PK	6.8615G	110.93	Inf	-Inf	3	Vertical	201	1.95	-
6865MHz Straddle 6.525-6.875GHz	Pass	PK	7.1821G	67.03	88.20	-21.17	3	Vertical	201	1.95	-
6865MHz Straddle 6.525-6.875GHz	Pass	AV	13.7432G	49.35	68.20	-18.85	3	Vertical	221	1.34	-
6865MHz Straddle 6.525-6.875GHz	Pass	PK	13.74191G	62.64	88.20	-25.56	3	Vertical	221	1.34	-
6865MHz Straddle 6.525-6.875GHz	Pass	AV	13.74308G	49.35	68.20	-18.85	3	Horizontal	16	1.45	-
6865MHz Straddle 6.525-6.875GHz	Pass	PK	13.74098G	62.44	88.20	-25.76	3	Horizontal	16	1.45	-
6945MHz	Pass	AV	6.9372G	97.74	Inf	-Inf	3	Vertical	215	2.00	-
6945MHz	Pass	AV	7.2354G	55.48	68.20	-12.72	3	Vertical	215	2.00	-
6945MHz	Pass	PK	6.9384G	109.25	Inf	-Inf	3	Vertical	215	2.00	-
6945MHz	Pass	PK	7.239G	68.17	88.20	-20.03	3	Vertical	215	2.00	-



RSE TX above 1GHz_Beamforming

Appendix E.5


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
6945MHz	Pass	AV	13.89231G	50.64	68.20	-17.56	3	Vertical	141	1.82	-
6945MHz	Pass	PK	13.87992G	63.33	88.20	-24.87	3	Vertical	141	1.82	-
6945MHz	Pass	AV	13.89861G	50.52	68.20	-17.68	3	Horizontal	324	2.99	-
6945MHz	Pass	PK	13.89573G	63.54	88.20	-24.66	3	Horizontal	324	2.99	-
7025MHz	Pass	AV	7.028G	97.64	Inf	-Inf	3	Vertical	191	2.10	-
7025MHz	Pass	AV	7.25G	50.38	54.00	-3.62	3	Vertical	191	2.10	-
7025MHz	Pass	AV	7.2506G	50.52	54.00	-3.48	3	Vertical	191	2.10	-
7025MHz	Pass	PK	7.0286G	109.13	Inf	-Inf	3	Vertical	191	2.10	-
7025MHz	Pass	PK	7.25G	60.58	74.00	-13.42	3	Vertical	191	2.10	-
7025MHz	Pass	PK	7.2572G	62.73	74.00	-11.27	3	Vertical	191	2.10	-
7025MHz	Pass	AV	14.06029G	50.63	68.20	-17.57	3	Vertical	77	1.15	-
7025MHz	Pass	PK	14.06467G	63.49	88.20	-24.71	3	Vertical	77	1.15	-
7025MHz	Pass	AV	14.0563G	50.72	68.20	-17.48	3	Horizontal	263	2.59	-
7025MHz	Pass	PK	14.06164G	63.61	88.20	-24.59	3	Horizontal	263	2.59	-
802.11ax HEW160-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-
6025MHz	Pass	AV	5.918G	60.96	68.20	-7.24	3	Vertical	241	2.54	-
6025MHz	Pass	AV	6.0535G	97.56	Inf	-Inf	3	Vertical	241	2.54	-
6025MHz	Pass	PK	5.9025G	68.34	88.20	-19.86	3	Vertical	241	2.54	-
6025MHz	Pass	PK	6.054G	109.66	Inf	-Inf	3	Vertical	241	2.54	-
6025MHz	Pass	AV	12.06239G	43.42	54.00	-10.58	3	Vertical	313	1.75	-
6025MHz	Pass	PK	12.03824G	55.78	74.00	-18.22	3	Vertical	313	1.75	-
6025MHz	Pass	AV	12.05075G	43.36	54.00	-10.64	3	Horizontal	351	1.05	-
6025MHz	Pass	PK	12.04835G	56.82	74.00	-17.18	3	Horizontal	351	1.05	-
6185MHz	Pass	AV	5.9162G	46.25	68.20	-21.95	3	Vertical	216	2.59	-
6185MHz	Pass	AV	6.2194G	97.48	Inf	-Inf	3	Vertical	216	2.59	-
6185MHz	Pass	PK	5.8786G	58.62	88.20	-29.58	3	Vertical	216	2.59	-
6185MHz	Pass	PK	6.2202G	109.56	Inf	-Inf	3	Vertical	216	2.59	-
6185MHz	Pass	AV	12.37306G	43.88	54.00	-10.12	3	Vertical	229	1.04	-
6185MHz	Pass	PK	12.37669G	57.39	74.00	-16.61	3	Vertical	229	1.04	-
6185MHz	Pass	AV	12.37723G	43.98	54.00	-10.02	3	Horizontal	177	1.57	-
6185MHz	Pass	PK	12.35674G	56.49	74.00	-17.51	3	Horizontal	177	1.57	-
6345MHz	Pass	AV	5.9166G	46.35	68.20	-21.85	3	Vertical	181	1.43	-
6345MHz	Pass	AV	6.3378G	97.80	Inf	-Inf	3	Vertical	181	1.43	-
6345MHz	Pass	PK	5.8242G	59.84	88.20	-28.36	3	Vertical	181	1.43	-
6345MHz	Pass	PK	6.2922G	110.10	Inf	-Inf	3	Vertical	181	1.43	-
6345MHz	Pass	AV	12.70296G	44.29	68.20	-23.91	3	Vertical	89	2.18	-
6345MHz	Pass	PK	12.67506G	56.96	74.00	-17.04	3	Vertical	89	2.18	-
6345MHz	Pass	AV	12.70059G	44.37	68.20	-23.83	3	Horizontal	204	1.63	-
6345MHz	Pass	PK	12.70341G	57.30	88.20	-30.90	3	Horizontal	204	1.63	-
6505MHz Straddle 6.425-6.525GHz	Pass	AV	5.8694G	46.26	68.20	-21.94	3	Vertical	181	1.40	-
6505MHz Straddle 6.425-6.525GHz	Pass	AV	6.5148G	97.51	Inf	-Inf	3	Vertical	181	1.40	-
6505MHz Straddle 6.425-6.525GHz	Pass	AV	7.1364G	49.60	68.20	-18.60	3	Vertical	181	1.40	-
6505MHz Straddle 6.425-6.525GHz	Pass	PK	5.8106G	58.50	88.20	-29.70	3	Vertical	181	1.40	-
6505MHz Straddle 6.425-6.525GHz	Pass	PK	6.512G	107.79	Inf	-Inf	3	Vertical	181	1.40	-
6505MHz Straddle 6.425-6.525GHz	Pass	PK	7.1476G	62.92	88.20	-25.28	3	Vertical	181	1.40	-
6505MHz Straddle 6.425-6.525GHz	Pass	AV	13.01045G	44.97	68.20	-23.23	3	Vertical	183	1.51	-
6505MHz Straddle 6.425-6.525GHz	Pass	PK	12.99623G	57.37	88.20	-30.83	3	Vertical	183	1.51	-
6505MHz Straddle 6.425-6.525GHz	Pass	AV	12.99575G	45.03	68.20	-23.17	3	Horizontal	129	1.41	-
6505MHz Straddle 6.425-6.525GHz	Pass	PK	13.02044G	57.72	88.20	-30.48	3	Horizontal	129	1.41	-
6665MHz	Pass	AV	6.6914G	98.14	Inf	-Inf	3	Vertical	216	1.77	-
6665MHz	Pass	AV	7.1314G	49.78	68.20	-18.42	3	Vertical	216	1.77	-
6665MHz	Pass	PK	6.6562G	109.94	Inf	-Inf	3	Vertical	216	1.77	-
6665MHz	Pass	PK	7.1446G	63.03	88.20	-25.17	3	Vertical	216	1.77	-
6665MHz	Pass	AV	13.315G	44.99	54.00	-9.01	3	Vertical	39	1.26	-
6665MHz	Pass	PK	13.32082G	57.87	74.00	-16.13	3	Vertical	39	1.26	-
6665MHz	Pass	AV	13.31584G	45.05	54.00	-8.95	3	Horizontal	199	1.18	-
6665MHz	Pass	PK	13.33576G	57.58	74.00	-16.42	3	Horizontal	199	1.18	-
6825MHz Straddle 6.525-6.875GHz	Pass	AV	6.861G	97.21	Inf	-Inf	3	Vertical	229	1.89	-
6825MHz Straddle 6.525-6.875GHz	Pass	AV	7.1306G	52.95	68.20	-15.25	3	Vertical	229	1.89	-
6825MHz Straddle 6.525-6.875GHz	Pass	PK	6.8706G	110.92	Inf	-Inf	3	Vertical	229	1.89	-
6825MHz Straddle 6.525-6.875GHz	Pass	PK	7.133G	67.83	88.20	-20.37	3	Vertical	229	1.89	-
6825MHz Straddle 6.525-6.875GHz	Pass	AV	13.64493G	49.51	68.20	-18.69	3	Vertical	10	2.96	-



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
6825MHz Straddle 6.525-6.875GHz	Pass	PK	13.64349G	62.17	88.20	-26.03	3	Vertical	10	2.96	-
6825MHz Straddle 6.525-6.875GHz	Pass	AV	13.6434G	49.45	68.20	-18.75	3	Horizontal	321	2.09	-
6825MHz Straddle 6.525-6.875GHz	Pass	PK	13.63809G	62.96	88.20	-25.24	3	Horizontal	321	2.09	-
6985MHz	Pass	AV	6.959G	97.30	Inf	-Inf	3	Vertical	233	1.94	-
6985MHz	Pass	AV	7.129G	64.27	68.20	-3.93	3	Vertical	233	1.94	-
6985MHz	Pass	PK	6.9585G	110.50	Inf	-Inf	3	Vertical	233	1.94	-
6985MHz	Pass	PK	7.144G	77.38	88.20	-10.82	3	Vertical	233	1.94	-
6985MHz	Pass	AV	13.97891G	50.54	68.20	-17.66	3	Vertical	82	2.23	-
6985MHz	Pass	PK	13.95782G	63.76	88.20	-24.44	3	Vertical	82	2.23	-
6985MHz	Pass	AV	13.97963G	50.53	68.20	-17.67	3	Horizontal	190	2.28	-
6985MHz	Pass	PK	13.96619G	63.70	88.20	-24.50	3	Horizontal	190	2.28	-

5.925-6.425GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX


5955MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9058G	51.52	68.20	-16.68	14.44	3	Vertical	190	1.05	-	37.08	34.29	10.26	30.11
AV	5.9628G	97.43	Inf	-Inf	14.36	3	Vertical	190	1.05	-	83.07	34.17	10.30	30.11
PK	5.8068G	63.35	88.20	-24.85	14.19	3	Vertical	190	1.05	-	49.16	34.10	10.19	30.10
PK	5.9589G	108.91	Inf	-Inf	14.37	3	Vertical	190	1.05	-	94.54	34.18	10.30	30.11


5.925-6.425GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5955MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.90984G	43.95	54.00	-10.05	21.18	3	Vertical	216	2.08	-	22.77	38.83	13.27	30.92
PK	11.91008G	55.32	74.00	-18.68	21.18	3	Vertical	216	2.08	-	34.14	38.83	13.27	30.92

5.925-6.425GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX
5955MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.92132G	42.88	54.00	-11.12	21.22	3	Horizontal	170	1.50	-	21.66	38.86	13.28	30.92
PK	11.90792G	55.40	74.00	-18.60	21.17	3	Horizontal	170	1.50	-	34.23	38.82	13.27	30.92

5.925-6.425GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX
6175MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9158G	51.48	68.20	-16.72	14.43	3	Vertical	194	2.26	-	37.05	34.27	10.27	30.11
AV	6.1666G	97.00	Inf	-Inf	14.48	3	Vertical	194	2.26	-	82.52	34.23	10.50	30.25
PK	5.8804G	62.16	88.20	-26.04	14.35	3	Vertical	194	2.26	-	47.81	34.22	10.24	30.11
PK	6.1684G	107.30	Inf	-Inf	14.49	3	Vertical	194	2.26	-	92.81	34.24	10.50	30.25

**5.925-6.425GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX
6175MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.3498G	43.80	54.00	-10.20	21.63	3	Vertical	238	1.50	-	22.17	39.10	13.53	31.00
PK	12.33188G	56.87	74.00	-17.13	21.61	3	Vertical	238	1.50	-	35.26	39.10	13.51	31.00


**5.925-6.425GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX
6175MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.35412G	43.49	54.00	-10.51	21.63	3	Horizontal	353	1.50	-	21.86	39.10	13.53	31.00
PK	12.35456G	56.58	74.00	-17.42	21.62	3	Horizontal	353	1.50	-	34.96	39.10	13.53	31.01

5.925-6.425GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX


6415MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9206G	51.44	68.20	-16.76	14.42	3	Vertical	200	1.30	-	37.02	34.26	10.27	30.11
AV	6.4234G	97.87	Inf	-Inf	14.99	3	Vertical	200	1.30	-	82.88	34.80	10.66	30.47
PK	5.8762G	63.44	88.20	-24.76	14.33	3	Vertical	200	1.30	-	49.11	34.20	10.24	30.11
PK	6.421G	108.40	Inf	-Inf	14.99	3	Vertical	200	1.30	-	93.41	34.80	10.65	30.46


5.925-6.425GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6415MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.83286G	44.15	68.20	-24.05	22.58	3	Vertical	311	1.79	-	21.57	39.87	13.82	31.11
PK	12.82844G	57.26	88.20	-30.94	22.57	3	Vertical	311	1.79	-	34.69	39.86	13.82	31.11

**5.925-6.425GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX
6415MHz_TX**




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.83884G	44.23	68.20	-23.97	22.60	3	Horizontal	5	2.31	-	21.63	39.88	13.83	31.11
PK	12.83858G	56.90	88.20	-31.30	22.60	3	Horizontal	5	2.31	-	34.30	39.88	13.83	31.11

**6.425-6.525GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX
6435MHz_TX**




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8938G	51.49	68.20	-16.71	14.42	3	Vertical	200	1.50	-	37.07	34.28	10.25	30.11
AV	6.4266G	97.63	Inf	-Inf	14.99	3	Vertical	200	1.50	-	82.64	34.80	10.66	30.47
PK	5.8626G	62.30	88.20	-25.90	14.28	3	Vertical	200	1.50	-	48.02	34.15	10.23	30.10
PK	6.4278G	107.29	Inf	-Inf	14.99	3	Vertical	200	1.50	-	92.30	34.80	10.66	30.47

**6.425-6.525GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX
6435MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.86056G	44.12	68.20	-24.08	22.65	3	Vertical	305	1.50	-	21.47	39.92	13.84	31.11
PK	12.87482G	57.91	88.20	-30.29	22.69	3	Vertical	305	1.50	-	35.22	39.95	13.85	31.11


**6.425-6.525GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX
6435MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.86366G	44.06	68.20	-24.14	22.66	3	Horizontal	263	1.56	-	21.40	39.93	13.84	31.11
PK	12.87644G	57.36	88.20	-30.84	22.68	3	Horizontal	263	1.56	-	34.68	39.95	13.85	31.12

6.425-6.525GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX


6475MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9136G	51.53	68.20	-16.67	14.43	3	Vertical	248	1.18	-	37.10	34.27	10.27	30.11
AV	6.4666G	97.70	Inf	-Inf	15.08	3	Vertical	248	1.18	-	82.62	34.90	10.68	30.50
AV	7.161G	54.67	68.20	-13.53	17.08	3	Vertical	248	1.18	-	37.59	36.57	11.27	30.76
PK	5.7918G	63.37	88.20	-24.83	14.13	3	Vertical	248	1.18	-	49.24	34.05	10.18	30.10
PK	6.4666G	106.62	Inf	-Inf	15.08	3	Vertical	248	1.18	-	91.54	34.90	10.68	30.50
PK	7.1372G	67.28	88.20	-20.92	16.93	3	Vertical	248	1.18	-	50.35	36.45	11.25	30.77


6.425-6.525GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6475MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.95828G	44.54	68.20	-23.66	22.65	3	Vertical	153	1.86	-	21.89	39.88	13.90	31.13
PK	12.9598G	57.15	88.20	-31.05	22.65	3	Vertical	153	1.86	-	34.50	39.88	13.90	31.13

6.425-6.525GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX
6475MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.95652G	44.50	68.20	-23.70	22.66	3	Horizontal	80	1.64	-	21.84	39.89	13.90	31.13
PK	12.94444G	57.09	88.20	-31.11	22.67	3	Horizontal	80	1.64	-	34.42	39.91	13.89	31.13

6.425-6.525GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX
6515MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9172G	51.56	68.20	-16.64	14.43	3	Vertical	245	1.07	-	37.13	34.27	10.27	30.11
AV	6.5066G	97.68	Inf	-Inf	15.33	3	Vertical	245	1.07	-	82.35	35.15	10.71	30.53
AV	7.1464G	54.77	68.20	-13.43	16.98	3	Vertical	245	1.07	-	37.79	36.49	11.25	30.76
PK	5.885G	63.04	88.20	-25.16	14.37	3	Vertical	245	1.07	-	48.67	34.24	10.24	30.11
PK	6.5066G	106.54	Inf	-Inf	15.33	3	Vertical	245	1.07	-	91.21	35.15	10.71	30.53
PK	7.1366G	66.39	88.20	-21.81	16.93	3	Vertical	245	1.07	-	49.46	36.45	11.25	30.77

**6.425-6.525GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX
6515MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.03662G	44.53	68.20	-23.67	22.60	3	Vertical	226	2.02	-	21.93	39.80	13.95	31.15
PK	13.03854G	57.16	88.20	-31.04	22.60	3	Vertical	226	2.02	-	34.56	39.80	13.95	31.15


**6.425-6.525GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX
6515MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.03904G	44.50	68.20	-23.70	22.60	3	Horizontal	166	2.13	-	21.90	39.80	13.95	31.15
PK	13.03942G	56.77	88.20	-31.43	22.60	3	Horizontal	166	2.13	-	34.17	39.80	13.95	31.15

6.525-6.875GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX


6535MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9036G	51.55	68.20	-16.65	14.44	3	Vertical	298	1.11	-	37.11	34.29	10.26	30.11
AV	6.5266G	97.50	Inf	-Inf	15.49	3	Vertical	298	1.11	-	82.01	35.31	10.72	30.54
AV	7.2308G	55.06	68.20	-13.14	17.49	3	Vertical	298	1.11	-	37.57	36.92	11.31	30.74
PK	5.9106G	62.74	88.20	-25.46	14.43	3	Vertical	298	1.11	-	48.31	34.28	10.26	30.11
PK	6.5266G	107.40	Inf	-Inf	15.49	3	Vertical	298	1.11	-	91.91	35.31	10.72	30.54
PK	7.137G	66.10	88.20	-22.10	16.93	3	Vertical	298	1.11	-	49.17	36.45	11.25	30.77


6.525-6.875GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6535MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.06142G	44.62	68.20	-23.58	22.60	3	Vertical	45	1.58	-	22.02	39.80	13.96	31.16
PK	13.07426G	56.93	88.20	-31.27	22.61	3	Vertical	45	1.58	-	34.32	39.80	13.97	31.16

6.525-6.875GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX
6535MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.07704G	44.55	68.20	-23.65	22.61	3	Horizontal	338	1.94	-	21.94	39.80	13.97	31.16
PK	13.07198G	57.38	88.20	-30.82	22.61	3	Horizontal	338	1.94	-	34.77	39.80	13.97	31.16


6.525-6.875GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX
6695MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.7G	97.26	Inf	-Inf	16.23	3	Vertical	100	1.43	-	81.03	36.00	10.87	30.64
AV	7.144G	54.87	68.20	-13.33	16.97	3	Vertical	100	1.43	-	37.90	36.48	11.25	30.76
PK	6.69G	107.21	Inf	-Inf	16.18	3	Vertical	100	1.43	-	91.03	35.96	10.86	30.64
PK	7.186G	67.71	88.20	-20.49	17.26	3	Vertical	100	1.43	-	50.45	36.72	11.29	30.75

6.525-6.875GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX


6695MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.3884G	44.80	54.00	-9.20	23.16	3	Vertical	234	3.00	-	21.64	40.25	14.16	31.25
PK	13.38122G	57.59	74.00	-16.41	23.13	3	Vertical	234	3.00	-	34.46	40.22	14.16	31.25

6.525-6.875GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX


6695MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.38064G	44.82	54.00	-9.18	23.13	3	Horizontal	21	2.35	-	21.69	40.22	14.16	31.25
PK	13.38032G	58.33	74.00	-15.67	23.13	3	Horizontal	21	2.35	-	35.20	40.22	14.16	31.25

6.525-6.875GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX


6855MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.8466G	98.32	Inf	-Inf	16.09	3	Vertical	191	1.78	-	82.23	35.81	11.00	30.72
AV	7.1462G	54.76	68.20	-13.44	16.97	3	Vertical	191	1.78	-	37.79	36.48	11.25	30.76
PK	6.848G	110.57	Inf	-Inf	16.08	3	Vertical	191	1.78	-	94.49	35.80	11.00	30.72
PK	7.2008G	66.79	88.20	-21.41	17.35	3	Vertical	191	1.78	-	49.44	36.80	11.30	30.75


6.525-6.875GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6855MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.71844G	48.64	68.20	-19.56	22.72	3	Vertical	235	1.15	-	25.92	39.68	14.37	31.33
PK	13.70646G	61.89	88.20	-26.31	22.72	3	Vertical	235	1.15	-	39.17	39.69	14.36	31.33

**6.525-6.875GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX
6855MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.71952G	48.68	68.20	-19.52	22.72	3	Horizontal	283	1.03	-	25.96	39.68	14.37	31.33
PK	13.70284G	62.25	88.20	-25.95	22.73	3	Horizontal	283	1.03	-	39.52	39.70	14.36	31.33


**6.525-6.875GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX
6875MHz Straddle 6.525-6.875GHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.8659G	97.56	Inf	-Inf	16.09	3	Vertical	181	1.50	-	81.47	35.80	11.02	30.73
AV	7.2096G	54.91	68.20	-13.29	17.40	3	Vertical	181	1.50	-	37.51	36.84	11.30	30.74
PK	6.8659G	106.09	Inf	-Inf	16.09	3	Vertical	181	1.50	-	90.00	35.80	11.02	30.73
PK	7.1543G	66.93	88.20	-21.27	17.03	3	Vertical	181	1.50	-	49.90	36.53	11.26	30.76

6.525-6.875GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX


6875MHz Straddle 6.525-6.875GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.74856G	48.96	68.20	-19.24	22.70	3	Vertical	199	1.99	-	26.26	39.65	14.39	31.34
PK	13.7522G	61.95	88.20	-26.25	22.70	3	Vertical	199	1.99	-	39.25	39.65	14.39	31.34

6.525-6.875GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX


6875MHz Straddle 6.525-6.875GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.7565G	49.03	68.20	-19.17	22.69	3	Horizontal	10	1.97	-	26.34	39.64	14.39	31.34
PK	13.74552G	61.49	88.20	-26.71	22.69	3	Horizontal	10	1.97	-	38.80	39.65	14.38	31.34

6.875-7.125GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX


6895MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.9041G	98.19	Inf	-Inf	16.09	3	Vertical	245	2.04	-	82.10	35.80	11.05	30.76
AV	7.2359G	54.98	68.20	-13.22	17.52	3	Vertical	245	2.04	-	37.46	36.94	11.31	30.73
PK	6.9027G	108.49	Inf	-Inf	16.09	3	Vertical	245	2.04	-	92.40	35.80	11.05	30.76
PK	7.2296G	66.95	88.20	-21.25	17.49	3	Vertical	245	2.04	-	49.46	36.92	11.31	30.74

6.875-7.125GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX


6895MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.79814G	49.38	68.20	-18.82	22.67	3	Vertical	21	2.64	-	26.71	39.60	14.42	31.35
PK	13.78906G	62.97	88.20	-25.23	22.67	3	Vertical	21	2.64	-	40.30	39.61	14.41	31.35

6.875-7.125GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX


6895MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.7998G	49.45	68.20	-18.75	22.67	3	Horizontal	128	1.10	-	26.78	39.60	14.42	31.35
PK	13.79788G	62.96	88.20	-25.24	22.67	3	Horizontal	128	1.10	-	40.29	39.60	14.42	31.35


6.875-7.125GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6995MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.9865G	97.97	Inf	-Inf	16.12	3	Vertical	237	1.50	-	81.85	35.80	11.12	30.80
AV	7.223G	55.03	68.20	-13.17	17.45	3	Vertical	237	1.50	-	37.58	36.89	11.30	30.74
PK	6.9865G	107.13	Inf	-Inf	16.12	3	Vertical	237	1.50	-	91.01	35.80	11.12	30.80
PK	7.144G	66.51	88.20	-21.69	16.97	3	Vertical	237	1.50	-	49.54	36.48	11.25	30.76

6.875-7.125GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX
6995MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.98536G	50.16	68.20	-18.04	22.93	3	Vertical	165	2.99	-	27.23	39.80	14.53	31.40
PK	13.98126G	63.42	88.20	-24.78	22.93	3	Vertical	165	2.99	-	40.49	39.80	14.53	31.40


6.875-7.125GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX
6995MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.98244G	50.13	68.20	-18.07	22.93	3	Horizontal	334	2.60	-	27.20	39.80	14.53	31.40
PK	13.98522G	62.76	88.20	-25.44	22.93	3	Horizontal	334	2.60	-	39.83	39.80	14.53	31.40

6.875-7.125GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX


7095MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.0863G	97.31	Inf	-Inf	16.64	3	Vertical	189	1.50	-	80.67	36.22	11.20	30.78
AV	7.2333G	55.06	68.20	-13.14	17.50	3	Vertical	189	1.50	-	37.56	36.93	11.31	30.74
PK	7.0866G	108.23	Inf	-Inf	16.64	3	Vertical	189	1.50	-	91.59	36.22	11.20	30.78
PK	7.1415G	67.06	88.20	-21.14	16.96	3	Vertical	189	1.50	-	50.10	36.47	11.25	30.76

6.875-7.125GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX


7095MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.18674G	50.11	68.20	-18.09	23.27	3	Vertical	188	2.22	-	26.84	40.00	14.68	31.41
PK	14.19184G	63.29	88.20	-24.91	23.27	3	Vertical	188	2.22	-	40.02	40.00	14.68	31.41

6.875-7.125GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX


7095MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.18018G	50.10	68.20	-18.10	23.26	3	Horizontal	360	1.50	-	26.84	40.00	14.67	31.41
PK	14.18558G	63.70	88.20	-24.50	23.27	3	Horizontal	360	1.50	-	40.43	40.00	14.68	31.41


6.875-7.125GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

7115MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.10566G	90.27	Inf	-Inf	16.76	3	Vertical	94	1.50	-	73.51	36.32	11.22	30.78
AV	7.1255G	65.98	68.20	-2.22	16.87	3	Vertical	94	1.50	BP 1MHz	49.11	36.40	11.24	30.77
PK	7.10695G	98.26	Inf	-Inf	16.77	3	Vertical	94	1.50	-	81.49	36.33	11.22	30.78
PK	7.1255G	77.17	88.20	-11.03	16.87	3	Vertical	94	1.50	BP 1MHz	60.30	36.40	11.24	30.77

**6.875-7.125GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX
7115MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.23265G	45.04	68.20	-23.16	23.30	3	Vertical	181	2.06	-	21.74	40.00	14.71	31.41
PK	14.23352G	57.80	88.20	-30.40	23.30	3	Vertical	181	2.06	-	34.50	40.00	14.71	31.41


**6.875-7.125GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX
7115MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.23311G	45.12	68.20	-23.08	23.30	3	Horizontal	355	2.30	-	21.82	40.00	14.71	31.41
PK	14.23311G	57.33	88.20	-30.87	23.30	3	Horizontal	355	2.30	-	34.03	40.00	14.71	31.41

5.925-6.425GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX


5965MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9125G	52.28	68.20	-15.92	14.42	3	Vertical	192	2.19	-	37.86	34.27	10.26	30.11
AV	5.968G	98.09	Inf	-Inf	14.36	3	Vertical	192	2.19	-	83.73	34.16	10.31	30.11
PK	5.9209G	67.73	88.20	-20.47	14.42	3	Vertical	192	2.19	-	53.31	34.26	10.27	30.11
PK	5.9722G	110.56	Inf	-Inf	14.36	3	Vertical	192	2.19	-	96.20	34.16	10.31	30.11


5.925-6.425GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5965MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.92994G	44.84	54.00	-9.16	21.25	3	Vertical	214	3.00	-	23.59	38.89	13.28	30.92
PK	11.93064G	56.95	74.00	-17.05	21.25	3	Vertical	214	3.00	-	35.70	38.89	13.28	30.92

5.925-6.425GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX
5965MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.9333G	43.40	54.00	-10.60	21.26	3	Horizontal	162	1.08	-	22.14	38.90	13.28	30.92
PK	11.93024G	57.24	74.00	-16.76	21.25	3	Horizontal	162	1.08	-	35.99	38.89	13.28	30.92

5.925-6.425GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX
6165MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.916G	51.50	68.20	-16.70	14.43	3	Vertical	165	1.06	-	37.07	34.27	10.27	30.11
AV	6.1674G	97.66	Inf	-Inf	14.48	3	Vertical	165	1.06	-	83.18	34.23	10.50	30.25
PK	5.9154G	63.19	88.20	-25.01	14.43	3	Vertical	165	1.06	-	48.76	34.27	10.27	30.11
PK	6.1686G	110.03	Inf	-Inf	14.49	3	Vertical	165	1.06	-	95.54	34.24	10.50	30.25

5.925-6.425GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX
6165MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.32588G	43.87	54.00	-10.13	21.61	3	Vertical	-0	1.50	-	22.26	39.10	13.51	31.00
PK	12.32584G	57.29	74.00	-16.71	21.61	3	Vertical	-0	1.50	-	35.68	39.10	13.51	31.00


5.925-6.425GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX
6165MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.3266G	44.07	54.00	-9.93	21.61	3	Horizontal	196	1.35	-	22.46	39.10	13.51	31.00
PK	12.3347G	57.37	74.00	-16.63	21.62	3	Horizontal	196	1.35	-	35.75	39.10	13.52	31.00

5.925-6.425GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX


6405MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9238G	52.01	68.20	-16.19	14.41	3	Vertical	186	1.30	-	37.60	34.25	10.27	30.11
AV	6.4038G	97.42	Inf	-Inf	14.99	3	Vertical	186	1.30	-	82.43	34.80	10.64	30.45
PK	5.8878G	63.56	88.20	-24.64	14.39	3	Vertical	186	1.30	-	49.17	34.25	10.25	30.11
PK	6.4026G	107.55	Inf	-Inf	14.99	3	Vertical	186	1.30	-	92.56	34.80	10.64	30.45


5.925-6.425GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6405MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.83848G	44.85	68.20	-23.35	22.60	3	Vertical	336	2.73	-	22.25	39.88	13.83	31.11
PK	12.73144G	57.54	88.20	-30.66	22.26	3	Vertical	336	2.73	-	35.28	39.59	13.76	31.09

5.925-6.425GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX
6405MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.81585G	44.65	68.20	-23.55	22.54	3	Horizontal	113	2.11	-	22.11	39.83	13.81	31.10
PK	12.80514G	57.90	88.20	-30.30	22.52	3	Horizontal	113	2.11	-	35.38	39.81	13.81	31.10

6.425-6.525GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX
6445MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.917G	51.53	68.20	-16.67	14.43	3	Vertical	198	1.27	-	37.10	34.27	10.27	30.11
AV	6.4426G	97.04	Inf	-Inf	14.99	3	Vertical	198	1.27	-	82.05	34.80	10.67	30.48
PK	5.9146G	63.43	88.20	-24.77	14.43	3	Vertical	198	1.27	-	49.00	34.27	10.27	30.11
PK	6.439G	108.26	Inf	-Inf	14.99	3	Vertical	198	1.27	-	93.27	34.80	10.67	30.48

6.425-6.525GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX
6445MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.88998G	45.88	68.20	-22.32	22.72	3	Vertical	225	3.00	-	23.16	39.98	13.86	31.12
PK	12.88952G	58.68	88.20	-29.52	22.72	3	Vertical	225	3.00	-	35.96	39.98	13.86	31.12


6.425-6.525GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX
6445MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	12.88804G	59.25	88.20	-28.95	22.72	3	Horizontal	321	1.44	-	36.53	39.98	13.86	31.12
AV	12.89295G	44.84	68.20	-23.36	22.73	3	Horizontal	321	1.44	-	22.11	39.99	13.86	31.12

6.425-6.525GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX


6485MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9166G	51.55	68.20	-16.65	14.43	3	Vertical	259	1.00	-	37.12	34.27	10.27	30.11
AV	6.4738G	97.95	Inf	-Inf	15.12	3	Vertical	259	1.00	-	82.83	34.94	10.69	30.51
AV	7.1318G	54.89	68.20	-13.31	16.90	3	Vertical	259	1.00	-	37.99	36.43	11.24	30.77
PK	5.9208G	63.07	88.20	-25.13	14.42	3	Vertical	259	1.00	-	48.65	34.26	10.27	30.11
PK	6.4752G	108.72	Inf	-Inf	15.13	3	Vertical	259	1.00	-	93.59	34.95	10.69	30.51
PK	7.15G	66.06	88.20	-22.14	17.00	3	Vertical	259	1.00	-	49.06	36.50	11.26	30.76


6.425-6.525GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6485MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.96999G	45.62	68.20	-22.58	22.64	3	Vertical	241	2.00	-	22.98	39.86	13.91	31.13
PK	12.96626G	58.35	88.20	-29.85	22.64	3	Vertical	241	2.00	-	35.71	39.87	13.90	31.13

**6.425-6.525GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX
6485MHz_TX**




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.96915G	45.09	68.20	-23.11	22.64	3	Horizontal	360	1.50	-	22.45	39.86	13.91	31.13
PK	12.96692G	58.45	88.20	-29.75	22.64	3	Horizontal	360	1.50	-	35.81	39.87	13.90	31.13

**6.425-6.525GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX
6525MHz Straddle 6.425-6.525GHz_TX**




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.916G	51.60	68.20	-16.60	14.43	3	Vertical	199	1.27	-	37.17	34.27	10.27	30.11
AV	6.5236G	97.64	Inf	-Inf	15.47	3	Vertical	199	1.27	-	82.17	35.29	10.72	30.54
AV	7.2222G	54.96	68.20	-13.24	17.45	3	Vertical	199	1.27	-	37.51	36.89	11.30	30.74
PK	5.895G	63.34	88.20	-24.86	14.42	3	Vertical	199	1.27	-	48.92	34.28	10.25	30.11
PK	6.5236G	108.30	Inf	-Inf	15.47	3	Vertical	199	1.27	-	92.83	35.29	10.72	30.54
PK	7.2068G	66.61	88.20	-21.59	17.39	3	Vertical	199	1.27	-	49.22	36.83	11.30	30.74

6.425-6.525GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX
6525MHz Straddle 6.425-6.525GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.04991G	46.60	68.20	-21.60	22.61	3	Vertical	226	3.00	-	23.99	39.80	13.96	31.15
PK	13.04941G	58.56	88.20	-29.64	22.61	3	Vertical	226	3.00	-	35.95	39.80	13.96	31.15


6.425-6.525GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX
6525MHz Straddle 6.425-6.525GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	13.05095G	57.80	88.20	-30.40	22.61	3	Horizontal	214	2.55	-	35.19	39.80	13.96	31.15
AV	13.05234G	45.24	68.20	-22.96	22.61	3	Horizontal	214	2.55	-	22.63	39.80	13.96	31.15

6.525-6.875GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX


6565MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.5566G	97.53	Inf	-Inf	15.71	3	Vertical	172	1.56	-	81.82	35.53	10.74	30.56
AV	7.1614G	54.74	68.20	-13.46	17.08	3	Vertical	172	1.56	-	37.66	36.57	11.27	30.76
PK	6.5566G	109.01	Inf	-Inf	15.71	3	Vertical	172	1.56	-	93.30	35.53	10.74	30.56
PK	7.1386G	66.43	88.20	-21.77	16.93	3	Vertical	172	1.56	-	49.50	36.45	11.25	30.77

6.525-6.875GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX


6565MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.12637G	45.25	68.20	-22.95	22.65	3	Vertical	360	1.25	-	22.60	39.83	14.00	31.18
PK	13.12806G	58.00	88.20	-30.20	22.65	3	Vertical	360	1.25	-	35.35	39.83	14.00	31.18

6.525-6.875GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX


6565MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.13166G	45.28	68.20	-22.92	22.66	3	Horizontal	8	2.10	-	22.62	39.83	14.01	31.18
PK	13.1308G	57.99	88.20	-30.21	22.66	3	Horizontal	8	2.10	-	35.33	39.83	14.01	31.18

6.525-6.875GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX


6685MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.694G	97.82	Inf	-Inf	16.20	3	Vertical	99	1.50	-	81.62	35.98	10.86	30.64
AV	7.154G	54.83	68.20	-13.37	17.02	3	Vertical	99	1.50	-	37.81	36.52	11.26	30.76
PK	6.696G	109.55	Inf	-Inf	16.20	3	Vertical	99	1.50	-	93.35	35.98	10.86	30.64
PK	7.13G	66.65	88.20	-21.55	16.89	3	Vertical	99	1.50	-	49.76	36.42	11.24	30.77

6.525-6.875GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX


6685MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.3705G	45.43	54.00	-8.57	23.09	3	Vertical	106	2.33	-	22.34	40.18	14.15	31.24
PK	13.37071G	59.21	74.00	-14.79	23.09	3	Vertical	106	2.33	-	36.12	40.18	14.15	31.24

6.525-6.875GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX


6685MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.37326G	45.35	54.00	-8.65	23.10	3	Horizontal	222	2.50	-	22.25	40.19	14.15	31.24
PK	13.37349G	58.86	74.00	-15.14	23.10	3	Horizontal	222	2.50	-	35.76	40.19	14.15	31.24

6.525-6.875GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX


6845MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.8499G	97.38	Inf	-Inf	16.07	3	Vertical	166	1.50	-	81.31	35.80	11.00	30.73
AV	7.1859G	54.81	68.20	-13.39	17.26	3	Vertical	166	1.50	-	37.55	36.72	11.29	30.75
PK	6.8499G	108.60	Inf	-Inf	16.07	3	Vertical	166	1.50	-	92.53	35.80	11.00	30.73
PK	7.1425G	66.72	88.20	-21.48	16.96	3	Vertical	166	1.50	-	49.76	36.47	11.25	30.76


6.525-6.875GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6845MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.6932G	49.32	68.20	-18.88	22.73	3	Vertical	154	1.50	-	26.59	39.71	14.35	31.33
PK	13.68546G	62.94	88.20	-25.26	22.76	3	Vertical	154	1.50	-	40.18	39.73	14.35	31.32

6.525-6.875GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX
6845MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.69014G	49.38	68.20	-18.82	22.74	3	Horizontal	74	1.94	-	26.64	39.72	14.35	31.33
PK	13.68555G	61.76	88.20	-26.44	22.76	3	Horizontal	74	1.94	-	39.00	39.73	14.35	31.32


6.525-6.875GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX
6885MHz Straddle 6.525-6.875GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.8899G	97.55	Inf	-Inf	16.09	3	Vertical	185	1.71	-	81.46	35.80	11.04	30.75
AV	7.2259G	54.88	68.20	-13.32	17.47	3	Vertical	185	1.71	-	37.41	36.90	11.31	30.74
PK	6.8899G	108.24	Inf	-Inf	16.09	3	Vertical	185	1.71	-	92.15	35.80	11.04	30.75
PK	7.1846G	66.49	88.20	-21.71	17.25	3	Vertical	185	1.71	-	49.24	36.71	11.29	30.75

6.525-6.875GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX


6885MHz Straddle 6.525-6.875GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.77482G	49.94	68.20	-18.26	22.68	3	Vertical	220	1.50	-	27.26	39.63	14.40	31.35
PK	13.77457G	63.02	88.20	-25.18	22.68	3	Vertical	220	1.50	-	40.34	39.63	14.40	31.35

6.525-6.875GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX


6885MHz Straddle 6.525-6.875GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.76922G	49.81	68.20	-18.39	22.69	3	Horizontal	86	2.07	-	27.12	39.63	14.40	31.34
PK	13.77297G	63.62	88.20	-24.58	22.68	3	Horizontal	86	2.07	-	40.94	39.63	14.40	31.35

6.875-7.125GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX


6925MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.9274G	98.00	Inf	-Inf	16.10	3	Vertical	198	2.05	-	81.90	35.80	11.07	30.77
AV	7.2238G	54.88	68.20	-13.32	17.46	3	Vertical	198	2.05	-	37.42	36.90	11.30	30.74
PK	6.9268G	109.79	Inf	-Inf	16.10	3	Vertical	198	2.05	-	93.69	35.80	11.07	30.77
PK	7.1422G	66.63	88.20	-21.57	16.96	3	Vertical	198	2.05	-	49.67	36.47	11.25	30.76


6.875-7.125GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6925MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.85202G	50.80	68.20	-17.40	22.79	3	Vertical	246	2.64	-	28.01	39.70	14.45	31.36
PK	13.8486G	64.00	88.20	-24.20	22.79	3	Vertical	246	2.64	-	41.21	39.70	14.45	31.36

6.875-7.125GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX
6925MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.85415G	50.67	68.20	-17.53	22.80	3	Horizontal	325	1.69	-	27.87	39.71	14.45	31.36
PK	13.85046G	64.37	88.20	-23.83	22.79	3	Horizontal	325	1.69	-	41.58	39.70	14.45	31.36

6.875-7.125GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX
7005MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.9966G	97.47	Inf	-Inf	16.12	3	Vertical	285	2.00	-	81.35	35.80	11.13	30.81
AV	7.1466G	55.45	68.20	-12.75	16.98	3	Vertical	285	2.00	-	38.47	36.49	11.25	30.76
PK	6.9948G	109.63	Inf	-Inf	16.12	3	Vertical	285	2.00	-	93.51	35.80	11.13	30.81
PK	7.1418G	67.67	88.20	-20.53	16.96	3	Vertical	285	2.00	-	50.71	36.47	11.25	30.76

6.875-7.125GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX
7005MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.01471G	50.60	68.20	-17.60	22.98	3	Vertical	55	2.27	-	27.62	39.83	14.55	31.40
PK	14.00133G	63.31	88.20	-24.89	22.94	3	Vertical	55	2.27	-	40.37	39.80	14.54	31.40


6.875-7.125GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX
7005MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.00466G	50.57	68.20	-17.63	22.95	3	Horizontal	129	1.32	-	27.62	39.81	14.54	31.40
PK	14.00034G	63.41	88.20	-24.79	22.94	3	Horizontal	129	1.32	-	40.47	39.80	14.54	31.40

6.875-7.125GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX


7085MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.0862G	98.07	Inf	-Inf	16.64	3	Vertical	188	1.87	-	81.43	36.22	11.20	30.78
AV	7.1264G	61.11	68.20	-7.09	16.88	3	Vertical	188	1.87	-	44.23	36.41	11.24	30.77
PK	7.0859G	110.88	Inf	-Inf	16.64	3	Vertical	188	1.87	-	94.24	36.22	11.20	30.78
PK	7.1252G	80.28	88.20	-7.92	16.87	3	Vertical	188	1.87	-	63.41	36.40	11.24	30.77


6.875-7.125GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

7085MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.16587G	50.86	68.20	-17.34	23.25	3	Vertical	72	1.50	-	27.61	40.00	14.66	31.41
PK	14.16944G	64.91	88.20	-23.29	23.26	3	Vertical	72	1.50	-	41.65	40.00	14.67	31.41

6.875-7.125GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX
7085MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.17213G	50.94	68.20	-17.26	23.26	3	Horizontal	13	1.29	-	27.68	40.00	14.67	31.41
PK	14.16544G	64.03	88.20	-24.17	23.25	3	Horizontal	13	1.29	-	40.78	40.00	14.66	31.41

5.925-6.425GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX
5985MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9245G	54.77	68.20	-13.43	14.41	3	Vertical	209	1.00	-	40.36	34.25	10.27	30.11
AV	5.9975G	97.40	Inf	-Inf	14.33	3	Vertical	209	1.00	-	83.07	34.11	10.33	30.11
PK	5.898G	66.39	88.20	-21.81	14.43	3	Vertical	209	1.00	-	51.96	34.29	10.25	30.11
PK	5.9975G	108.10	Inf	-Inf	14.33	3	Vertical	209	1.00	-	93.77	34.11	10.33	30.11

5.925-6.425GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX
5985MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.98251G	43.36	54.00	-10.64	21.43	3	Vertical	63	2.16	-	21.93	39.05	13.30	30.92
PK	11.9607G	55.30	74.00	-18.70	21.35	3	Vertical	63	2.16	-	33.95	38.98	13.29	30.92


5.925-6.425GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX
5985MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.98131G	43.35	54.00	-10.65	21.42	3	Horizontal	286	2.54	-	21.93	39.04	13.30	30.92
PK	11.98107G	56.38	74.00	-17.62	21.42	3	Horizontal	286	2.54	-	34.96	39.04	13.30	30.92

5.925-6.425GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX


6145MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8906G	52.12	68.20	-16.08	14.40	3	Vertical	209	1.23	-	37.72	34.26	10.25	30.11
AV	6.1246G	98.22	Inf	-Inf	14.34	3	Vertical	209	1.23	-	83.88	34.10	10.45	30.21
PK	5.9122G	64.22	88.20	-23.98	14.43	3	Vertical	209	1.23	-	49.79	34.28	10.26	30.11
PK	6.124G	108.65	Inf	-Inf	14.34	3	Vertical	209	1.23	-	94.31	34.10	10.45	30.21


5.925-6.425GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6145MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.30434G	43.88	54.00	-10.12	21.61	3	Vertical	176	2.31	-	22.27	39.10	13.50	30.99
PK	12.29093G	56.87	74.00	-17.13	21.61	3	Vertical	176	2.31	-	35.26	39.11	13.49	30.99

5.925-6.425GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX
6145MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.29105G	43.92	54.00	-10.08	21.61	3	Horizontal	4	1.16	-	22.31	39.11	13.49	30.99
PK	12.29438G	56.42	74.00	-17.58	21.61	3	Horizontal	4	1.16	-	34.81	39.11	13.49	30.99

5.925-6.425GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX
6385MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8954G	52.07	68.20	-16.13	14.42	3	Vertical	192	1.26	-	37.65	34.28	10.25	30.11
AV	6.403G	96.81	Inf	-Inf	14.99	3	Vertical	192	1.26	-	81.82	34.80	10.64	30.45
PK	5.869G	63.99	88.20	-24.21	14.31	3	Vertical	192	1.26	-	49.68	34.18	10.23	30.10
PK	6.4018G	107.07	Inf	-Inf	14.99	3	Vertical	192	1.26	-	92.08	34.80	10.64	30.45

**5.925-6.425GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX
6385MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.28025G	43.88	54.00	-10.12	21.61	3	Vertical	58	2.59	-	22.27	39.12	13.48	30.99
PK	12.27713G	57.07	74.00	-16.93	21.61	3	Vertical	58	2.59	-	35.46	39.12	13.48	30.99


**5.925-6.425GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX
6385MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.29603G	43.97	54.00	-10.03	21.60	3	Horizontal	268	2.35	-	22.37	39.10	13.49	30.99
PK	12.30275G	57.02	74.00	-16.98	21.61	3	Horizontal	268	2.35	-	35.41	39.10	13.50	30.99

6.425-6.525GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX


6465MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8896G	52.11	68.20	-16.09	14.40	3	Vertical	188	1.29	-	37.71	34.26	10.25	30.11
AV	6.4664G	98.11	Inf	-Inf	15.08	3	Vertical	188	1.29	-	83.03	34.90	10.68	30.50
AV	7.1342G	55.38	68.20	-12.82	16.91	3	Vertical	188	1.29	-	38.47	36.44	11.24	30.77
PK	5.8952G	63.42	88.20	-24.78	14.42	3	Vertical	188	1.29	-	49.00	34.28	10.25	30.11
PK	6.4664G	108.00	Inf	-Inf	15.08	3	Vertical	188	1.29	-	92.92	34.90	10.68	30.50
PK	7.1328G	66.79	88.20	-21.41	16.90	3	Vertical	188	1.29	-	49.89	36.43	11.24	30.77

6.425-6.525GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX


6465MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.91941G	44.90	68.20	-23.30	22.72	3	Vertical	126	1.92	-	22.18	39.96	13.88	31.12
PK	12.94146G	57.94	88.20	-30.26	22.68	3	Vertical	126	1.92	-	35.26	39.92	13.89	31.13

6.425-6.525GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX


6465MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.9216G	44.83	68.20	-23.37	22.72	3	Horizontal	98	1.46	-	22.11	39.96	13.88	31.12
PK	12.93414G	57.19	88.20	-31.01	22.68	3	Horizontal	98	1.46	-	34.51	39.93	13.88	31.13

6.425-6.525GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX


6545MHz Straddle 6.425-6.525GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.901G	52.10	68.20	-16.10	14.45	3	Vertical	180	1.42	-	37.65	34.30	10.26	30.11
AV	6.531G	98.39	Inf	-Inf	15.53	3	Vertical	180	1.42	-	82.86	35.35	10.73	30.55
AV	7.2198G	55.48	68.20	-12.72	17.44	3	Vertical	180	1.42	-	38.04	36.88	11.30	30.74
PK	5.887G	63.80	88.20	-24.40	14.39	3	Vertical	180	1.42	-	49.41	34.25	10.25	30.11
PK	6.5324G	108.36	Inf	-Inf	15.54	3	Vertical	180	1.42	-	92.82	35.36	10.73	30.55
PK	7.1386G	67.41	88.20	-20.79	16.93	3	Vertical	180	1.42	-	50.48	36.45	11.25	30.77

6.425-6.525GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX


6545MHz Straddle 6.425-6.525GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.08484G	45.13	68.20	-23.07	22.62	3	Vertical	331	1.11	-	22.51	39.80	13.98	31.16
PK	13.08328G	57.44	88.20	-30.76	22.62	3	Vertical	331	1.11	-	34.82	39.80	13.98	31.16

6.425-6.525GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX


6545MHz Straddle 6.425-6.525GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.10257G	45.16	68.20	-23.04	22.62	3	Horizontal	96	1.98	-	22.54	39.80	13.99	31.17
PK	13.08253G	57.64	88.20	-30.56	22.62	3	Horizontal	96	1.98	-	35.02	39.80	13.98	31.16

6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX


6625MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.6082G	98.26	Inf	-Inf	15.91	3	Vertical	196	1.50	-	82.35	35.72	10.78	30.59
AV	7.1458G	55.37	68.20	-12.83	16.97	3	Vertical	196	1.50	-	38.40	36.48	11.25	30.76
PK	6.6106G	108.99	Inf	-Inf	15.91	3	Vertical	196	1.50	-	93.08	35.72	10.78	30.59
PK	7.1494G	67.57	88.20	-20.63	17.00	3	Vertical	196	1.50	-	50.57	36.50	11.26	30.76


6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6625MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.23743G	45.20	68.20	-23.00	22.76	3	Vertical	10	1.87	-	22.44	39.90	14.07	31.21
PK	13.25075G	58.15	74.00	-15.85	22.77	3	Vertical	10	1.87	-	35.38	39.90	14.08	31.21

6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX
6625MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.2356G	45.28	68.20	-22.92	22.76	3	Horizontal	9	2.19	-	22.52	39.90	14.07	31.21
PK	13.25723G	58.09	74.00	-15.91	22.77	3	Horizontal	9	2.19	-	35.32	39.90	14.08	31.21

6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX
6705MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.689G	97.28	Inf	-Inf	16.17	3	Vertical	213	1.80	-	81.11	35.96	10.85	30.64
AV	7.149G	55.43	68.20	-12.77	17.00	3	Vertical	213	1.80	-	38.43	36.50	11.26	30.76
PK	6.687G	108.34	Inf	-Inf	16.17	3	Vertical	213	1.80	-	92.17	35.95	10.85	30.63
PK	7.167G	67.05	88.20	-21.15	17.11	3	Vertical	213	1.80	-	49.94	36.60	11.27	30.76

**6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX
6705MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.3953G	45.05	54.00	-8.95	23.20	3	Vertical	188	2.56	-	21.85	40.28	14.17	31.25
PK	13.39749G	57.92	74.00	-16.08	23.21	3	Vertical	188	2.56	-	34.71	40.29	14.17	31.25


**6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX
6705MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.3956G	45.10	54.00	-8.90	23.20	3	Horizontal	19	1.00	-	21.90	40.28	14.17	31.25
PK	13.40583G	57.60	88.20	-30.60	23.20	3	Horizontal	19	1.00	-	34.40	40.28	14.17	31.25

6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX


6785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.7906G	97.43	Inf	-Inf	16.16	3	Vertical	151	1.50	-	81.27	35.90	10.95	30.69
AV	7.1294G	55.30	68.20	-12.90	16.89	3	Vertical	151	1.50	-	38.41	36.42	11.24	30.77
PK	6.792G	108.94	Inf	-Inf	16.16	3	Vertical	151	1.50	-	92.78	35.90	10.95	30.69
PK	7.1294G	66.37	88.20	-21.83	16.89	3	Vertical	151	1.50	-	49.48	36.42	11.24	30.77


6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6785MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.58461G	45.32	68.20	-22.88	22.90	3	Vertical	219	1.44	-	22.42	39.92	14.28	31.30
PK	13.58212G	58.30	88.20	-29.90	22.90	3	Vertical	219	1.44	-	35.40	39.92	14.28	31.30

6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX
6785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.58491G	45.30	68.20	-22.90	22.90	3	Horizontal	198	2.01	-	22.40	39.92	14.28	31.30
PK	13.57456G	57.97	88.20	-30.23	22.91	3	Horizontal	198	2.01	-	35.06	39.93	14.28	31.30


6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX
6865MHz Straddle 6.525-6.875GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.8664G	98.15	Inf	-Inf	16.08	3	Vertical	201	1.95	-	82.07	35.80	11.02	30.74
AV	7.1569G	55.45	68.20	-12.75	17.04	3	Vertical	201	1.95	-	38.41	36.54	11.26	30.76
PK	6.8615G	110.93	Inf	-Inf	16.08	3	Vertical	201	1.95	-	94.85	35.80	11.01	30.73
PK	7.1821G	67.03	88.20	-21.17	17.22	3	Vertical	201	1.95	-	49.81	36.69	11.28	30.75

6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX


6865MHz Straddle 6.525-6.875GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.7432G	49.35	68.20	-18.85	22.70	3	Vertical	221	1.34	-	26.65	39.66	14.38	31.34
PK	13.74191G	62.64	88.20	-25.56	22.70	3	Vertical	221	1.34	-	39.94	39.66	14.38	31.34

6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX


6865MHz Straddle 6.525-6.875GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.74308G	49.35	68.20	-18.85	22.70	3	Horizontal	16	1.45	-	26.65	39.66	14.38	31.34
PK	13.74098G	62.44	88.20	-25.76	22.70	3	Horizontal	16	1.45	-	39.74	39.66	14.38	31.34

6.875-7.125GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX


6945MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.9372G	97.74	Inf	-Inf	16.11	3	Vertical	215	2.00	-	81.63	35.80	11.08	30.77
AV	7.2354G	55.48	68.20	-12.72	17.52	3	Vertical	215	2.00	-	37.96	36.94	11.31	30.73
PK	6.9384G	109.25	Inf	-Inf	16.10	3	Vertical	215	2.00	-	93.15	35.80	11.08	30.78
PK	7.239G	68.17	88.20	-20.03	17.54	3	Vertical	215	2.00	-	50.63	36.96	11.31	30.73


6.875-7.125GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6945MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.89231G	50.64	68.20	-17.56	22.88	3	Vertical	141	1.82	-	27.76	39.78	14.47	31.37
PK	13.87992G	63.33	88.20	-24.87	22.86	3	Vertical	141	1.82	-	40.47	39.76	14.47	31.37

6.875-7.125GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX
6945MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.89861G	50.52	68.20	-17.68	22.90	3	Horizontal	324	2.99	-	27.62	39.80	14.48	31.38
PK	13.89573G	63.54	88.20	-24.66	22.90	3	Horizontal	324	2.99	-	40.64	39.79	14.48	31.37

6.875-7.125GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX
7025MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.028G	97.64	Inf	-Inf	16.26	3	Vertical	191	2.10	-	81.38	35.91	11.15	30.80
AV	7.25G	50.38	54.00	-3.62	17.58	3	Vertical	191	2.10	-	32.80	37.00	11.31	30.73
AV	7.2506G	50.52	54.00	-3.48	17.58	3	Vertical	191	2.10	-	32.94	37.00	11.31	30.73
PK	7.0286G	109.13	Inf	-Inf	16.26	3	Vertical	191	2.10	-	92.87	35.91	11.15	30.80
PK	7.25G	60.58	74.00	-13.42	17.58	3	Vertical	191	2.10	-	43.00	37.00	11.31	30.73
PK	7.2572G	62.73	74.00	-11.27	17.55	3	Vertical	191	2.10	-	45.18	36.97	11.31	30.73

**6.875-7.125GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX
7025MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.06029G	50.63	68.20	-17.57	23.10	3	Vertical	77	1.15	-	27.53	39.92	14.58	31.40
PK	14.06467G	63.49	88.20	-24.71	23.12	3	Vertical	77	1.15	-	40.37	39.93	14.59	31.40


**6.875-7.125GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX
7025MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.0563G	50.72	68.20	-17.48	23.09	3	Horizontal	263	2.59	-	27.63	39.91	14.58	31.40
PK	14.06164G	63.61	88.20	-24.59	23.11	3	Horizontal	263	2.59	-	40.50	39.92	14.59	31.40

5.925-6.425GHz_802.11ax HEW160-BF_Nss1,(MCS0)_2TX


6025MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.918G	60.96	68.20	-7.24	14.42	3	Vertical	241	2.54	-	46.54	34.26	10.27	30.11
AV	6.0535G	97.56	Inf	-Inf	14.32	3	Vertical	241	2.54	-	83.24	34.09	10.38	30.15
PK	5.9025G	68.34	88.20	-19.86	14.44	3	Vertical	241	2.54	-	53.90	34.29	10.26	30.11
PK	6.054G	109.66	Inf	-Inf	14.31	3	Vertical	241	2.54	-	95.35	34.09	10.38	30.16


5.925-6.425GHz_802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6025MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.06239G	43.42	54.00	-10.58	21.58	3	Vertical	313	1.75	-	21.84	39.16	13.35	30.93
PK	12.03824G	55.78	74.00	-18.22	21.54	3	Vertical	313	1.75	-	34.24	39.14	13.33	30.93

**5.925-6.425GHz_802.11ax HEW160-BF_Nss1,(MCS0)_2TX
6025MHz_TX**




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.05075G	43.36	54.00	-10.64	21.56	3	Horizontal	351	1.05	-	21.80	39.15	13.34	30.93
PK	12.04835G	56.82	74.00	-17.18	21.56	3	Horizontal	351	1.05	-	35.26	39.15	13.34	30.93

**5.925-6.425GHz_802.11ax HEW160-BF_Nss1,(MCS0)_2TX
6185MHz_TX**




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9162G	46.25	68.20	-21.95	14.43	3	Vertical	216	2.59	-	31.82	34.27	10.27	30.11
AV	6.2194G	97.48	Inf	-Inf	14.59	3	Vertical	216	2.59	-	82.89	34.34	10.54	30.29
PK	5.8786G	58.62	88.20	-29.58	14.34	3	Vertical	216	2.59	-	44.28	34.21	10.24	30.11
PK	6.2202G	109.56	Inf	-Inf	14.59	3	Vertical	216	2.59	-	94.97	34.34	10.54	30.29

5.925-6.425GHz_802.11ax HEW160-BF_Nss1,(MCS0)_2TX
6185MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.37306G	43.88	54.00	-10.12	21.63	3	Vertical	229	1.04	-	22.25	39.10	13.54	31.01
PK	12.37669G	57.39	74.00	-16.61	21.63	3	Vertical	229	1.04	-	35.76	39.10	13.54	31.01


5.925-6.425GHz_802.11ax HEW160-BF_Nss1,(MCS0)_2TX
6185MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.37723G	43.98	54.00	-10.02	21.63	3	Horizontal	177	1.57	-	22.35	39.10	13.54	31.01
PK	12.35674G	56.49	74.00	-17.51	21.62	3	Horizontal	177	1.57	-	34.87	39.10	13.53	31.01

5.925-6.425GHz_802.11ax HEW160-BF_Nss1,(MCS0)_2TX


6345MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9166G	46.35	68.20	-21.85	14.43	3	Vertical	181	1.43	-	31.92	34.27	10.27	30.11
AV	6.3378G	97.80	Inf	-Inf	14.77	3	Vertical	181	1.43	-	83.03	34.55	10.61	30.39
PK	5.8242G	59.84	88.20	-28.36	14.20	3	Vertical	181	1.43	-	45.64	34.10	10.20	30.10
PK	6.2922G	110.10	Inf	-Inf	14.62	3	Vertical	181	1.43	-	95.48	34.40	10.58	30.36


5.925-6.425GHz_802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6345MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.70296G	44.29	68.20	-23.91	22.17	3	Vertical	89	2.18	-	22.12	39.51	13.74	31.08
PK	12.67506G	56.96	74.00	-17.04	22.13	3	Vertical	89	2.18	-	34.83	39.48	13.73	31.08

**5.925-6.425GHz_802.11ax HEW160-BF_Nss1,(MCS0)_2TX
6345MHz_TX**




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.70059G	44.37	68.20	-23.83	22.16	3	Horizontal	204	1.63	-	22.21	39.50	13.74	31.08
PK	12.70341G	57.30	88.20	-30.90	22.17	3	Horizontal	204	1.63	-	35.13	39.51	13.74	31.08

**6.425-6.525GHz_802.11ax HEW160-BF_Nss1,(MCS0)_2TX
6505MHz Straddle 6.425-6.525GHz_TX**




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8694G	46.26	68.20	-21.94	14.31	3	Vertical	181	1.40	-	31.95	34.18	10.23	30.10
AV	6.5148G	97.51	Inf	-Inf	15.39	3	Vertical	181	1.40	-	82.12	35.22	10.71	30.54
AV	7.1364G	49.60	68.20	-18.60	16.93	3	Vertical	181	1.40	-	32.67	36.45	11.25	30.77
PK	5.8106G	58.50	88.20	-29.70	14.19	3	Vertical	181	1.40	-	44.31	34.10	10.19	30.10
PK	6.512G	107.79	Inf	-Inf	15.37	3	Vertical	181	1.40	-	92.42	35.20	10.71	30.54
PK	7.1476G	62.92	88.20	-25.28	16.99	3	Vertical	181	1.40	-	45.93	36.49	11.26	30.76

6.425-6.525GHz_802.11ax HEW160-BF_Nss1,(MCS0)_2TX
6505MHz Straddle 6.425-6.525GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.01045G	44.97	68.20	-23.23	22.59	3	Vertical	183	1.51	-	22.38	39.80	13.93	31.14
PK	12.99623G	57.37	88.20	-30.83	22.59	3	Vertical	183	1.51	-	34.78	39.81	13.92	31.14

6.425-6.525GHz_802.11ax HEW160-BF_Nss1,(MCS0)_2TX
6505MHz Straddle 6.425-6.525GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.99575G	45.03	68.20	-23.17	22.59	3	Horizontal	129	1.41	-	22.44	39.81	13.92	31.14
PK	13.02044G	57.72	88.20	-30.48	22.59	3	Horizontal	129	1.41	-	35.13	39.80	13.94	31.15