


802.11ax HEW20\_Nss1,(MCS0)\_2TX

PSD

5785MHz

30/08/2022

CF  
5.785GHz  
Span  
30MHz  
RBW  
500kHz  
VBW  
3MHz  
Sweep Time  
20ms  
Detector Type  
RMS



Sum   
Port 1   
Port 2

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
10.93	10.93	8.28	7.81


802.11ax HEW20\_Nss1,(MCS0)\_2TX

PSD

5825MHz

30/08/2022

CF  
5.825GHz  
Span  
30MHz  
RBW  
500kHz  
VBW  
3MHz  
Sweep Time  
20ms  
Detector Type  
RMS



Sum   
Port 1   
Port 2

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
10.71	10.71	7.94	7.53


802.11ax HEW40\_Nss1,(MCS0)\_2TX

PSD

5190MHz

30/08/2022

CF  
5.19GHz  
Span  
60MHz  
RBW  
1MHz  
VBW  
3MHz  
Sweep Time  
20ms  
Detector Type  
RMS



Sum   
Port 1   
Port 2

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
4.16	4.16	1.47	1.08


802.11ax HEW40\_Nss1,(MCS0)\_2TX

PSD

5230MHz



30/08/2022

CF  
5.23GHz  
Span  
60MHz  
RBW  
1MHz  
VBW  
3MHz  
Sweep Time  
20ms  
Detector Type  
RMS



Sum   
Port 1   
Port 2

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
8.21	8.21	5.38	5.14




802.11ax HEW80\_Nss1,(MCS0)\_2TX

PSD

5210MHz

30/08/2022

CF  
5.21GHz  
Span  
120MHz  
RBW  
1MHz  
VBW  
3MHz  
Sweep Time  
20ms  
Detector Type  
RMS



Sum   
Port 1   
Port 2

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
0.89	0.89	-1.94	-2.15


802.11ax HEW80\_Nss1,(MCS0)\_2TX

PSD

5775MHz

30/08/2022

CF  
5.775GHz  
Span  
120MHz  
RBW  
500kHz  
VBW  
3MHz  
Sweep Time  
20ms  
Detector Type  
RMS



Sum   
Port 1   
Port 2

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
2.69	2.69	-0.03	-0.19



Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-	-
5.725-5.85GHz_802.11ax HEW40_Nss1,(MCS0)_2TX	Pass	PK	536.34M	40.62	46.00	-5.38	3	Horizontal	0	1.00	-




Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.725-5.85GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-
5755MHz	Pass	PK	49.4M	33.57	40.00	-6.43	3	Vertical	360	1.00	-
5755MHz	Pass	PK	125.06M	26.62	43.50	-16.88	3	Vertical	360	1.00	-
5755MHz	Pass	PK	196.84M	32.13	43.50	-11.37	3	Vertical	360	1.00	-
5755MHz	Pass	PK	222.06M	25.99	46.00	-20.01	3	Vertical	360	1.00	-
5755MHz	Pass	PK	371.44M	27.49	46.00	-18.51	3	Vertical	360	1.00	-
5755MHz	Pass	PK	536.34M	34.49	46.00	-11.51	3	Vertical	360	1.00	-
5755MHz	Pass	PK	49.4M	33.45	40.00	-6.55	3	Horizontal	0	1.00	-
5755MHz	Pass	PK	142.52M	33.07	43.50	-10.43	3	Horizontal	0	1.00	-
5755MHz	Pass	PK	191.02M	34.06	43.50	-9.44	3	Horizontal	0	1.00	-
5755MHz	Pass	PK	224M	30.01	46.00	-15.99	3	Horizontal	0	1.00	-
5755MHz	Pass	PK	536.34M	40.62	46.00	-5.38	3	Horizontal	0	1.00	-
5755MHz	Pass	PK	718.7M	40.36	46.00	-5.64	3	Horizontal	0	1.00	-

5.725-5.85GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX


5755MHz\_Adapter



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	49.4M	33.57	40.00	-6.43	-12.59	3	Vertical	360	1.00	-	46.16	13.76	1.04	27.39
PK	125.06M	26.62	43.50	-16.88	-8.84	3	Vertical	360	1.00	-	35.46	17.35	1.57	27.76
PK	196.84M	32.13	43.50	-11.37	-11.05	3	Vertical	360	1.00	-	43.18	14.36	2.01	27.42
PK	222.06M	25.99	46.00	-20.01	-10.66	3	Vertical	360	1.00	-	36.65	14.51	2.13	27.30
PK	371.44M	27.49	46.00	-18.51	-4.85	3	Vertical	360	1.00	-	32.34	20.02	2.78	27.65
PK	536.34M	34.49	46.00	-11.51	-2.14	3	Vertical	360	1.00	-	36.63	23.04	3.38	28.56

5.725-5.85GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX

5755MHz\_Adapter



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	49.4M	33.45	40.00	-6.55	-12.59	3	Horizontal	0	1.00	-	46.04	13.76	1.04	27.39
PK	142.52M	33.07	43.50	-10.43	-9.88	3	Horizontal	0	1.00	-	42.95	16.15	1.68	27.71
PK	191.02M	34.06	43.50	-9.44	-11.25	3	Horizontal	0	1.00	-	45.31	14.22	1.98	27.45
PK	224M	30.01	46.00	-15.99	-10.48	3	Horizontal	0	1.00	-	40.49	14.67	2.14	27.29
PK	536.34M	40.62	46.00	-5.38	-2.14	3	Horizontal	0	1.00	-	42.76	23.04	3.38	28.56
PK	718.7M	40.36	46.00	-5.64	-0.14	3	Horizontal	0	1.00	-	40.50	24.29	3.87	28.30



Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX	Pass	PK	10.4744G	65.27	68.20	-2.93	3	Horizontal	318	3.00
802.11ax HEW20_Nss1,(MCS0)_2TX	Pass	AV	5.15G	52.06	54.00	-1.94	3	Horizontal	59	2.02
802.11ax HEW40_Nss1,(MCS0)_2TX	Pass	AV	5.15G	52.83	54.00	-1.17	3	Horizontal	63	2.09
802.11ax HEW80_Nss1,(MCS0)_2TX	Pass	AV	5.146G	52.84	54.00	-1.16	3	Horizontal	54	1.78
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX	Pass	PK	17.3506G	63.95	68.20	-4.25	3	Horizontal	96	1.89
802.11ax HEW20_Nss1,(MCS0)_2TX	Pass	PK	17.23828G	62.84	68.20	-5.36	3	Vertical	66	1.11
802.11ax HEW40_Nss1,(MCS0)_2TX	Pass	PK	17.2704G	63.77	68.20	-4.43	3	Vertical	273	1.50
802.11ax HEW80_Nss1,(MCS0)_2TX	Pass	PK	5.6478G	66.16	68.20	-2.04	3	Horizontal	62	1.78





Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11a_Nss1_(6Mbps)_2TX	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	AV	5.15G	48.21	54.00	-5.79	3	Vertical	57	2.97
5180MHz	Pass	AV	5.1764G	105.84	Inf	-Inf	3	Vertical	57	2.97
5180MHz	Pass	PK	5.1488G	59.52	74.00	-14.48	3	Vertical	57	2.97
5180MHz	Pass	PK	5.177G	115.45	Inf	-Inf	3	Vertical	57	2.97
5180MHz	Pass	AV	5.15G	50.57	54.00	-3.43	3	Horizontal	62	2.02
5180MHz	Pass	AV	5.1806G	110.32	Inf	-Inf	3	Horizontal	62	2.02
5180MHz	Pass	PK	5.15G	61.32	74.00	-12.68	3	Horizontal	62	2.02
5180MHz	Pass	PK	5.1806G	120.21	Inf	-Inf	3	Horizontal	62	2.02
5180MHz	Pass	AV	4.6468G	31.81	54.00	-22.19	3	Vertical	115	1.84
5180MHz	Pass	AV	15.54007G	49.84	54.00	-4.16	3	Vertical	37	1.92
5180MHz	Pass	PK	4.6489G	43.87	74.00	-30.13	3	Vertical	115	1.84
5180MHz	Pass	PK	10.36064G	63.01	68.20	-5.19	3	Vertical	24	2.73
5180MHz	Pass	PK	15.53994G	62.99	74.00	-11.01	3	Vertical	37	1.92
5180MHz	Pass	AV	4.6839G	31.91	54.00	-22.09	3	Horizontal	277	2.93
5180MHz	Pass	AV	15.54003G	50.70	54.00	-3.30	3	Horizontal	332	1.57
5180MHz	Pass	PK	4.6731G	44.21	74.00	-29.79	3	Horizontal	277	2.93
5180MHz	Pass	PK	10.36064G	61.52	68.20	-6.68	3	Horizontal	42	1.74
5180MHz	Pass	PK	15.54067G	62.81	74.00	-11.19	3	Horizontal	332	1.57
5200MHz	Pass	AV	5.15G	47.42	54.00	-6.58	3	Vertical	42	1.07
5200MHz	Pass	AV	5.203G	106.18	Inf	-Inf	3	Vertical	42	1.07
5200MHz	Pass	PK	5.1472G	59.06	74.00	-14.94	3	Vertical	42	1.07
5200MHz	Pass	PK	5.203G	115.78	Inf	-Inf	3	Vertical	42	1.07
5200MHz	Pass	AV	5.1466G	48.05	54.00	-5.95	3	Horizontal	62	1.92
5200MHz	Pass	AV	5.2054G	111.52	Inf	-Inf	3	Horizontal	62	1.92
5200MHz	Pass	PK	5.1466G	59.17	74.00	-14.83	3	Horizontal	62	1.92
5200MHz	Pass	PK	5.2006G	121.12	Inf	-Inf	3	Horizontal	62	1.92
5200MHz	Pass	AV	4.663G	31.77	54.00	-22.23	3	Vertical	175	1.15
5200MHz	Pass	AV	15.59824G	48.82	54.00	-5.18	3	Vertical	0	2.94
5200MHz	Pass	PK	4.6814G	44.63	74.00	-29.37	3	Vertical	175	1.15
5200MHz	Pass	PK	10.40056G	63.80	68.20	-4.40	3	Vertical	24	2.84
5200MHz	Pass	PK	15.59923G	61.89	74.00	-12.11	3	Vertical	0	2.94
5200MHz	Pass	AV	4.6986G	31.86	54.00	-22.14	3	Horizontal	210	1.54
5200MHz	Pass	AV	15.59947G	48.72	54.00	-5.28	3	Horizontal	128	1.50
5200MHz	Pass	PK	4.694G	43.86	74.00	-30.14	3	Horizontal	210	1.54
5200MHz	Pass	PK	10.39408G	63.34	68.20	-4.86	3	Horizontal	25	1.93
5200MHz	Pass	PK	15.60032G	62.24	74.00	-11.76	3	Horizontal	128	1.50
5240MHz	Pass	AV	5.1416G	47.40	54.00	-6.60	3	Vertical	68	2.28
5240MHz	Pass	AV	5.2394G	106.36	Inf	-Inf	3	Vertical	68	2.28
5240MHz	Pass	AV	5.3762G	47.67	54.00	-6.33	3	Vertical	68	2.28
5240MHz	Pass	PK	5.1422G	58.72	74.00	-15.28	3	Vertical	68	2.28
5240MHz	Pass	PK	5.2394G	116.04	Inf	-Inf	3	Vertical	68	2.28
5240MHz	Pass	PK	5.3624G	59.57	74.00	-14.43	3	Vertical	68	2.28
5240MHz	Pass	AV	5.147G	47.82	54.00	-6.18	3	Horizontal	60	1.94
5240MHz	Pass	AV	5.2424G	110.67	Inf	-Inf	3	Horizontal	60	1.94
5240MHz	Pass	AV	5.3762G	48.94	54.00	-5.06	3	Horizontal	60	1.94
5240MHz	Pass	PK	5.1134G	59.67	74.00	-14.33	3	Horizontal	60	1.94
5240MHz	Pass	PK	5.243G	120.54	Inf	-Inf	3	Horizontal	60	1.94
5240MHz	Pass	PK	5.3858G	59.72	74.00	-14.28	3	Horizontal	60	1.94
5240MHz	Pass	AV	4.7258G	32.09	54.00	-21.91	3	Vertical	78	1.28
5240MHz	Pass	AV	15.706G	48.25	54.00	-5.75	3	Vertical	87	1.50
5240MHz	Pass	PK	4.7186G	44.08	74.00	-29.92	3	Vertical	78	1.28
5240MHz	Pass	PK	10.48072G	65.16	68.20	-3.04	3	Vertical	26	2.75
5240MHz	Pass	PK	15.71816G	60.86	74.00	-13.14	3	Vertical	87	1.50
5240MHz	Pass	AV	4.7273G	32.13	54.00	-21.87	3	Horizontal	59	1.40
5240MHz	Pass	AV	15.70168G	48.20	54.00	-5.80	3	Horizontal	254	1.50
5240MHz	Pass	PK	4.7248G	44.94	74.00	-29.06	3	Horizontal	59	1.40
5240MHz	Pass	PK	10.4744G	65.27	68.20	-2.93	3	Horizontal	318	3.00
5240MHz	Pass	PK	15.71408G	61.17	74.00	-12.83	3	Horizontal	254	1.50
5745MHz	Pass	AV	5.7486G	109.69	Inf	-Inf	3	Vertical	34	1.26
5745MHz	Pass	PK	5.6418G	59.71	68.20	-8.49	3	Vertical	34	1.26



RSE TX above 1GHz\_Non-Beamforming\_Radio2

Appendix E.2

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5745MHz	Pass	PK	5.7426G	119.39	Inf	-Inf	3	Vertical	34	1.26
5745MHz	Pass	PK	5.9382G	60.17	68.20	-8.03	3	Vertical	34	1.26
5745MHz	Pass	AV	5.7438G	111.78	Inf	-Inf	3	Horizontal	60	1.95
5745MHz	Pass	PK	5.643G	60.72	68.20	-7.48	3	Horizontal	60	1.95
5745MHz	Pass	PK	5.7438G	121.12	Inf	-Inf	3	Horizontal	60	1.95
5745MHz	Pass	PK	5.9334G	60.09	68.20	-8.11	3	Horizontal	60	1.95
5745MHz	Pass	AV	11.4898G	48.09	54.00	-5.91	3	Vertical	42	1.84
5745MHz	Pass	PK	5.22946G	50.54	68.20	-17.66	3	Vertical	65	2.46
5745MHz	Pass	PK	11.4844G	60.94	74.00	-13.06	3	Vertical	42	1.84
5745MHz	Pass	PK	17.22736G	62.59	68.20	-5.61	3	Vertical	118	1.49
5745MHz	Pass	AV	11.4918G	45.81	54.00	-8.19	3	Horizontal	328	1.50
5745MHz	Pass	PK	5.23086G	52.67	68.20	-15.53	3	Horizontal	54	2.04
5745MHz	Pass	PK	11.49192G	58.99	74.00	-15.01	3	Horizontal	328	1.50
5745MHz	Pass	PK	17.23088G	62.37	68.20	-5.83	3	Horizontal	17	2.77
5785MHz	Pass	AV	5.7862G	108.72	Inf	-Inf	3	Vertical	32	1.32
5785MHz	Pass	PK	5.6194G	59.36	68.20	-8.84	3	Vertical	32	1.32
5785MHz	Pass	PK	5.7802G	117.79	Inf	-Inf	3	Vertical	32	1.32
5785MHz	Pass	PK	5.9626G	61.33	68.20	-6.87	3	Vertical	32	1.32
5785MHz	Pass	AV	5.7814G	111.45	Inf	-Inf	3	Horizontal	56	1.90
5785MHz	Pass	PK	5.6002G	60.41	68.20	-7.79	3	Horizontal	56	1.90
5785MHz	Pass	PK	5.7862G	120.66	Inf	-Inf	3	Horizontal	56	1.90
5785MHz	Pass	PK	5.947G	61.35	68.20	-6.85	3	Horizontal	56	1.90
5785MHz	Pass	AV	11.57028G	46.77	54.00	-7.23	3	Vertical	358	3.00
5785MHz	Pass	PK	5.22678G	49.00	68.20	-19.20	3	Vertical	66	2.23
5785MHz	Pass	PK	11.57064G	59.58	74.00	-14.42	3	Vertical	358	3.00
5785MHz	Pass	PK	17.34564G	63.61	68.20	-4.59	3	Vertical	93	2.10
5785MHz	Pass	AV	11.57164G	45.36	54.00	-8.64	3	Horizontal	327	1.68
5785MHz	Pass	PK	5.23498G	52.38	68.20	-15.82	3	Horizontal	59	2.04
5785MHz	Pass	PK	11.57112G	58.18	74.00	-15.82	3	Horizontal	327	1.68
5785MHz	Pass	PK	17.3506G	63.95	68.20	-4.25	3	Horizontal	96	1.89
5825MHz	Pass	AV	5.8202G	108.83	Inf	-Inf	3	Vertical	34	1.31
5825MHz	Pass	PK	5.6342G	60.09	68.20	-8.11	3	Vertical	34	1.31
5825MHz	Pass	PK	5.8214G	118.20	Inf	-Inf	3	Vertical	34	1.31
5825MHz	Pass	PK	6.1118G	60.57	68.20	-7.63	3	Vertical	34	1.31
5825MHz	Pass	AV	5.8214G	112.04	Inf	-Inf	3	Horizontal	60	2.05
5825MHz	Pass	PK	5.6402G	61.08	68.20	-7.12	3	Horizontal	60	2.05
5825MHz	Pass	PK	5.8214G	121.62	Inf	-Inf	3	Horizontal	60	2.05
5825MHz	Pass	PK	5.9282G	61.03	68.20	-7.17	3	Horizontal	60	2.05
5825MHz	Pass	AV	11.65612G	48.11	54.00	-5.89	3	Vertical	360	3.00
5825MHz	Pass	PK	5.3209G	46.55	68.20	-21.65	3	Vertical	313	1.50
5825MHz	Pass	PK	11.65584G	60.26	74.00	-13.74	3	Vertical	360	3.00
5825MHz	Pass	PK	17.4746G	63.45	68.20	-4.75	3	Vertical	358	1.50
5825MHz	Pass	AV	11.65G	46.72	54.00	-7.28	3	Horizontal	77	3.00
5825MHz	Pass	PK	5.2395G	48.02	68.20	-20.18	3	Horizontal	56	2.10
5825MHz	Pass	PK	11.64428G	60.55	74.00	-13.45	3	Horizontal	77	3.00
5825MHz	Pass	PK	17.47668G	62.53	68.20	-5.67	3	Horizontal	336	1.50
802.11ax HEW20_Nss1 (MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	AV	5.1452G	48.25	54.00	-5.75	3	Vertical	55	2.97
5180MHz	Pass	AV	5.174G	104.67	Inf	-Inf	3	Vertical	55	2.97
5180MHz	Pass	PK	5.1296G	59.83	74.00	-14.17	3	Vertical	55	2.97
5180MHz	Pass	PK	5.1734G	116.76	Inf	-Inf	3	Vertical	55	2.97
5180MHz	Pass	AV	5.15G	52.06	54.00	-1.94	3	Horizontal	59	2.02
5180MHz	Pass	AV	5.1812G	109.25	Inf	-Inf	3	Horizontal	59	2.02
5180MHz	Pass	PK	5.15G	62.96	74.00	-11.04	3	Horizontal	59	2.02
5180MHz	Pass	PK	5.1806G	121.52	Inf	-Inf	3	Horizontal	59	2.02
5180MHz	Pass	AV	4.75144G	32.17	54.00	-21.83	3	Vertical	30	2.32
5180MHz	Pass	AV	15.53998G	49.37	54.00	-4.63	3	Vertical	5	1.40
5180MHz	Pass	PK	4.72324G	44.46	74.00	-29.54	3	Vertical	30	2.32
5180MHz	Pass	PK	10.36012G	60.43	68.20	-7.77	3	Vertical	42	1.64
5180MHz	Pass	PK	15.53984G	61.96	74.00	-12.04	3	Vertical	5	1.40
5180MHz	Pass	AV	4.74844G	32.00	54.00	-22.00	3	Horizontal	225	1.26
5180MHz	Pass	AV	15.54004G	50.33	54.00	-3.67	3	Horizontal	335	1.50



RSE TX above 1GHz\_Non-Beamforming\_Radio2

Appendix E.2

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5180MHz	Pass	PK	4.71664G	44.64	74.00	-29.36	3	Horizontal	225	1.26
5180MHz	Pass	PK	10.3608G	62.92	68.20	-5.28	3	Horizontal	25	1.92
5180MHz	Pass	PK	15.54218G	62.07	74.00	-11.93	3	Horizontal	335	1.50
5200MHz	Pass	AV	5.1496G	47.36	54.00	-6.64	3	Vertical	40	1.06
5200MHz	Pass	AV	5.2012G	104.52	Inf	-Inf	3	Vertical	40	1.06
5200MHz	Pass	PK	5.1298G	58.74	74.00	-15.26	3	Vertical	40	1.06
5200MHz	Pass	PK	5.2006G	117.28	Inf	-Inf	3	Vertical	40	1.06
5200MHz	Pass	AV	5.1442G	47.90	54.00	-6.10	3	Horizontal	57	2.19
5200MHz	Pass	AV	5.2054G	110.35	Inf	-Inf	3	Horizontal	57	2.19
5200MHz	Pass	PK	5.15G	59.67	74.00	-14.33	3	Horizontal	57	2.19
5200MHz	Pass	PK	5.1958G	122.02	Inf	-Inf	3	Horizontal	57	2.19
5200MHz	Pass	AV	4.74G	31.81	54.00	-22.19	3	Vertical	61	1.89
5200MHz	Pass	AV	15.58096G	48.62	54.00	-5.38	3	Vertical	337	1.50
5200MHz	Pass	PK	4.727G	44.46	74.00	-29.54	3	Vertical	61	1.89
5200MHz	Pass	PK	10.40016G	61.06	68.20	-7.14	3	Vertical	41	1.70
5200MHz	Pass	PK	15.59864G	61.90	74.00	-12.10	3	Vertical	337	1.50
5200MHz	Pass	AV	4.7465G	31.94	54.00	-22.06	3	Horizontal	152	1.97
5200MHz	Pass	AV	15.58232G	48.50	54.00	-5.50	3	Horizontal	313	1.50
5200MHz	Pass	PK	4.7187G	44.78	74.00	-29.22	3	Horizontal	152	1.97
5200MHz	Pass	PK	10.40048G	61.85	68.20	-6.35	3	Horizontal	27	1.66
5200MHz	Pass	PK	15.58088G	62.00	74.00	-12.00	3	Horizontal	313	1.50
5240MHz	Pass	AV	5.1452G	47.24	54.00	-6.76	3	Vertical	51	1.06
5240MHz	Pass	AV	5.2442G	105.18	Inf	-Inf	3	Vertical	51	1.06
5240MHz	Pass	AV	5.3762G	48.51	54.00	-5.49	3	Vertical	51	1.06
5240MHz	Pass	PK	5.1356G	58.87	74.00	-15.13	3	Vertical	51	1.06
5240MHz	Pass	PK	5.2442G	117.25	Inf	-Inf	3	Vertical	51	1.06
5240MHz	Pass	PK	5.3606G	59.98	74.00	-14.02	3	Vertical	51	1.06
5240MHz	Pass	AV	5.1464G	47.80	54.00	-6.20	3	Horizontal	54	2.10
5240MHz	Pass	AV	5.2418G	110.22	Inf	-Inf	3	Horizontal	54	2.10
5240MHz	Pass	AV	5.3762G	49.72	54.00	-4.28	3	Horizontal	54	2.10
5240MHz	Pass	PK	5.132G	59.82	74.00	-14.18	3	Horizontal	54	2.10
5240MHz	Pass	PK	5.2406G	122.53	Inf	-Inf	3	Horizontal	54	2.10
5240MHz	Pass	PK	5.3762G	61.21	74.00	-12.79	3	Horizontal	54	2.10
5240MHz	Pass	AV	4.78912G	32.58	54.00	-21.42	3	Vertical	278	2.47
5240MHz	Pass	AV	15.70416G	47.23	54.00	-6.77	3	Vertical	335	2.80
5240MHz	Pass	PK	4.75632G	45.60	74.00	-28.40	3	Vertical	278	2.47
5240MHz	Pass	PK	10.4812G	62.19	68.20	-6.01	3	Vertical	338	2.07
5240MHz	Pass	PK	15.71488G	60.55	74.00	-13.45	3	Vertical	335	2.80
5240MHz	Pass	AV	4.80172G	32.60	54.00	-21.40	3	Horizontal	191	2.31
5240MHz	Pass	AV	15.70664G	47.32	54.00	-6.68	3	Horizontal	246	1.50
5240MHz	Pass	PK	4.80252G	44.76	74.00	-29.24	3	Horizontal	191	2.31
5240MHz	Pass	PK	10.48064G	64.92	68.20	-3.28	3	Horizontal	26	1.83
5240MHz	Pass	PK	15.7028G	60.65	74.00	-13.35	3	Horizontal	246	1.50
5745MHz	Pass	AV	5.7414G	108.00	Inf	-Inf	3	Vertical	36	1.06
5745MHz	Pass	PK	5.6454G	60.02	68.20	-8.18	3	Vertical	36	1.06
5745MHz	Pass	PK	5.7498G	119.02	Inf	-Inf	3	Vertical	36	1.06
5745MHz	Pass	PK	6.0438G	61.01	68.20	-7.19	3	Vertical	36	1.06
5745MHz	Pass	AV	5.7426G	110.67	Inf	-Inf	3	Horizontal	61	1.94
5745MHz	Pass	PK	5.463G	60.54	68.20	-7.66	3	Horizontal	61	1.94
5745MHz	Pass	PK	5.7438G	122.00	Inf	-Inf	3	Horizontal	61	1.94
5745MHz	Pass	PK	5.925G	60.26	68.20	-7.94	3	Horizontal	61	1.94
5745MHz	Pass	AV	11.4884G	47.74	54.00	-6.26	3	Vertical	41	1.64
5745MHz	Pass	PK	5.2208G	51.23	68.20	-16.97	3	Vertical	67	2.26
5745MHz	Pass	PK	11.48792G	60.60	74.00	-13.40	3	Vertical	41	1.64
5745MHz	Pass	PK	17.23828G	62.84	68.20	-5.36	3	Vertical	66	1.11
5745MHz	Pass	AV	11.4868G	45.25	54.00	-8.75	3	Horizontal	360	1.48
5745MHz	Pass	PK	5.2268G	53.63	68.20	-14.57	3	Horizontal	56	2.04
5745MHz	Pass	PK	11.48496G	57.59	74.00	-16.41	3	Horizontal	360	1.48
5745MHz	Pass	PK	17.23292G	62.15	68.20	-6.05	3	Horizontal	108	1.40
5785MHz	Pass	AV	5.7814G	107.09	Inf	-Inf	3	Vertical	34	1.32
5785MHz	Pass	PK	5.6182G	59.14	68.20	-9.06	3	Vertical	34	1.32
5785MHz	Pass	PK	5.7814G	117.54	Inf	-Inf	3	Vertical	34	1.32



RSE TX above 1GHz\_Non-Beamforming\_Radio2

Appendix E.2

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5785MHz	Pass	PK	5.9626G	60.84	68.20	-7.36	3	Vertical	34	1.32
5785MHz	Pass	AV	5.7838G	110.30	Inf	-Inf	3	Horizontal	60	1.98
5785MHz	Pass	PK	5.599G	60.33	68.20	-7.87	3	Horizontal	60	1.98
5785MHz	Pass	PK	5.7838G	121.92	Inf	-Inf	3	Horizontal	60	1.98
5785MHz	Pass	PK	5.9314G	60.77	68.20	-7.43	3	Horizontal	60	1.98
5785MHz	Pass	AV	11.5772G	46.10	54.00	-7.90	3	Vertical	343	2.35
5785MHz	Pass	PK	5.22958G	49.49	68.20	-18.71	3	Vertical	65	2.31
5785MHz	Pass	PK	11.57632G	60.16	74.00	-13.84	3	Vertical	343	2.35
5785MHz	Pass	PK	17.34004G	62.30	68.20	-5.90	3	Vertical	303	1.87
5785MHz	Pass	AV	11.5736G	45.29	54.00	-8.71	3	Horizontal	328	1.50
5785MHz	Pass	PK	5.21138G	51.16	68.20	-17.04	3	Horizontal	56	2.03
5785MHz	Pass	PK	11.57496G	59.86	74.00	-14.14	3	Horizontal	328	1.50
5785MHz	Pass	PK	17.34356G	62.56	68.20	-5.64	3	Horizontal	157	1.11
5825MHz	Pass	AV	5.8214G	107.49	Inf	-Inf	3	Vertical	35	1.30
5825MHz	Pass	PK	5.6462G	60.95	68.20	-7.25	3	Vertical	35	1.30
5825MHz	Pass	PK	5.8226G	119.65	Inf	-Inf	3	Vertical	35	1.30
5825MHz	Pass	PK	5.9246G	60.88	68.50	-7.62	3	Vertical	35	1.30
5825MHz	Pass	AV	5.8238G	111.05	Inf	-Inf	3	Horizontal	60	2.05
5825MHz	Pass	PK	5.6294G	60.76	68.20	-7.44	3	Horizontal	60	2.05
5825MHz	Pass	PK	5.8226G	122.18	Inf	-Inf	3	Horizontal	60	2.05
5825MHz	Pass	PK	6.0674G	60.75	68.20	-7.45	3	Horizontal	60	2.05
5825MHz	Pass	AV	11.64272G	47.88	54.00	-6.12	3	Vertical	2	2.92
5825MHz	Pass	PK	11.64248G	61.20	74.00	-12.80	3	Vertical	2	2.92
5825MHz	Pass	PK	17.48156G	62.19	68.20	-6.01	3	Vertical	132	2.18
5825MHz	Pass	AV	11.65752G	46.76	54.00	-7.24	3	Horizontal	333	2.79
5825MHz	Pass	PK	11.65904G	60.02	74.00	-13.98	3	Horizontal	333	2.79
5825MHz	Pass	PK	17.45596G	61.57	68.20	-6.63	3	Horizontal	102	2.33
802.11ax HEW40_Nss1_(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5190MHz	Pass	AV	5.146G	48.09	54.00	-5.91	3	Vertical	58	3.00
5190MHz	Pass	AV	5.1932G	100.97	Inf	-Inf	3	Vertical	58	3.00
5190MHz	Pass	PK	5.1448G	60.07	74.00	-13.93	3	Vertical	58	3.00
5190MHz	Pass	PK	5.1924G	112.04	Inf	-Inf	3	Vertical	58	3.00
5190MHz	Pass	AV	5.15G	52.83	54.00	-1.17	3	Horizontal	63	2.09
5190MHz	Pass	AV	5.1908G	104.77	Inf	-Inf	3	Horizontal	63	2.09
5190MHz	Pass	PK	5.1496G	64.80	74.00	-9.20	3	Horizontal	63	2.09
5190MHz	Pass	PK	5.2024G	116.34	Inf	-Inf	3	Horizontal	63	2.09
5190MHz	Pass	AV	4.72694G	32.05	54.00	-21.95	3	Vertical	288	1.50
5190MHz	Pass	AV	15.57852G	48.76	54.00	-5.24	3	Vertical	166	2.26
5190MHz	Pass	PK	4.71134G	44.63	74.00	-29.37	3	Vertical	288	1.50
5190MHz	Pass	PK	10.36512G	53.87	68.20	-14.33	3	Vertical	12	1.44
5190MHz	Pass	PK	15.5526G	62.18	74.00	-11.82	3	Vertical	166	2.26
5190MHz	Pass	AV	4.70234G	32.10	54.00	-21.90	3	Horizontal	60	1.50
5190MHz	Pass	AV	15.5748G	48.83	54.00	-5.17	3	Horizontal	18	1.11
5190MHz	Pass	PK	4.69944G	45.32	74.00	-28.68	3	Horizontal	60	1.50
5190MHz	Pass	PK	10.37892G	59.33	68.20	-8.87	3	Horizontal	330	1.75
5190MHz	Pass	PK	15.56856G	61.85	74.00	-12.15	3	Horizontal	18	1.11
5230MHz	Pass	AV	5.1472G	47.98	54.00	-6.02	3	Vertical	56	1.01
5230MHz	Pass	AV	5.2284G	102.68	Inf	-Inf	3	Vertical	56	1.01
5230MHz	Pass	PK	5.148G	61.08	74.00	-12.92	3	Vertical	56	1.01
5230MHz	Pass	PK	5.2272G	114.92	Inf	-Inf	3	Vertical	56	1.01
5230MHz	Pass	AV	5.1472G	49.08	54.00	-4.92	3	Horizontal	56	2.03
5230MHz	Pass	AV	5.226G	107.98	Inf	-Inf	3	Horizontal	56	2.03
5230MHz	Pass	PK	5.1452G	61.74	74.00	-12.26	3	Horizontal	56	2.03
5230MHz	Pass	PK	5.2356G	119.38	Inf	-Inf	3	Horizontal	56	2.03
5230MHz	Pass	AV	4.81454G	32.96	54.00	-21.04	3	Vertical	316	1.82
5230MHz	Pass	AV	15.66108G	47.95	54.00	-6.05	3	Vertical	0	1.50
5230MHz	Pass	PK	4.78284G	45.95	74.00	-28.05	3	Vertical	316	1.82
5230MHz	Pass	PK	10.46108G	61.56	68.20	-6.64	3	Vertical	11	1.41
5230MHz	Pass	PK	15.71304G	61.58	74.00	-12.42	3	Vertical	0	1.50
5230MHz	Pass	AV	4.81324G	32.92	54.00	-21.08	3	Horizontal	280	2.45
5230MHz	Pass	AV	15.6636G	48.09	54.00	-5.91	3	Horizontal	327	1.50
5230MHz	Pass	PK	4.80954G	45.63	74.00	-28.37	3	Horizontal	280	2.45



RSE TX above 1GHz\_Non-Beamforming\_Radio2

Appendix E.2


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5230MHz	Pass	PK	10.44764G	58.95	68.20	-9.25	3	Horizontal	56	2.96
5230MHz	Pass	PK	15.68604G	61.11	74.00	-12.89	3	Horizontal	327	1.50
5755MHz	Pass	AV	5.7502G	104.06	Inf	-Inf	3	Vertical	1	2.76
5755MHz	Pass	PK	5.6374G	61.50	68.20	-6.70	3	Vertical	1	2.76
5755MHz	Pass	PK	5.7514G	114.69	Inf	-Inf	3	Vertical	1	2.76
5755MHz	Pass	PK	5.9614G	60.79	68.20	-7.41	3	Vertical	1	2.76
5755MHz	Pass	AV	5.7526G	107.20	Inf	-Inf	3	Horizontal	315	2.90
5755MHz	Pass	PK	5.6518G	64.69	69.53	-4.84	3	Horizontal	315	2.90
5755MHz	Pass	PK	5.7526G	117.78	Inf	-Inf	3	Horizontal	315	2.90
5755MHz	Pass	PK	5.9542G	60.33	68.20	-7.87	3	Horizontal	315	2.90
5755MHz	Pass	AV	11.50664G	46.97	54.00	-7.03	3	Vertical	51	1.49
5755MHz	Pass	PK	5.18396G	51.43	68.20	-16.77	3	Vertical	67	2.98
5755MHz	Pass	PK	11.50868G	59.95	74.00	-14.05	3	Vertical	51	1.49
5755MHz	Pass	PK	17.2704G	63.77	68.20	-4.43	3	Vertical	273	1.50
5755MHz	Pass	AV	11.50688G	46.59	54.00	-7.41	3	Horizontal	328	1.50
5755MHz	Pass	PK	5.18392G	53.34	68.20	-14.86	3	Horizontal	313	2.05
5755MHz	Pass	PK	11.52704G	59.42	74.00	-14.58	3	Horizontal	328	1.50
5755MHz	Pass	PK	17.27076G	63.38	68.20	-4.82	3	Horizontal	321	1.50
5795MHz	Pass	PK	5.6042G	60.20	68.20	-8.00	3	Vertical	16	2.96
5795MHz	Pass	PK	5.7854G	115.44	Inf	-Inf	3	Vertical	16	2.96
5795MHz	Pass	AV	5.7926G	104.01	Inf	-Inf	3	Vertical	16	2.96
5795MHz	Pass	PK	5.9522G	60.05	68.20	-8.15	3	Vertical	16	2.96
5795MHz	Pass	PK	5.6318G	62.38	68.20	-5.82	3	Horizontal	61	1.85
5795MHz	Pass	PK	5.7926G	117.80	Inf	-Inf	3	Horizontal	61	1.85
5795MHz	Pass	AV	5.7926G	106.13	Inf	-Inf	3	Horizontal	61	1.85
5795MHz	Pass	PK	5.9522G	61.00	68.20	-7.20	3	Horizontal	61	1.85
5795MHz	Pass	AV	11.5924G	49.41	54.00	-4.59	3	Vertical	360	2.92
5795MHz	Pass	PK	5.2845G	52.57	68.20	-15.63	3	Vertical	64	2.18
5795MHz	Pass	PK	11.58244G	61.70	74.00	-12.30	3	Vertical	360	2.92
5795MHz	Pass	PK	17.36352G	62.97	68.20	-5.23	3	Vertical	170	2.94
5795MHz	Pass	AV	11.58724G	46.99	54.00	-7.01	3	Horizontal	331	1.50
5795MHz	Pass	PK	5.2805G	54.21	68.20	-13.99	3	Horizontal	306	2.00
5795MHz	Pass	PK	11.5834G	59.76	74.00	-14.24	3	Horizontal	331	1.50
5795MHz	Pass	PK	17.37192G	63.20	68.20	-5.00	3	Horizontal	98	1.50
802.11ax HEW80_Nss1_(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5210MHz	Pass	AV	5.149G	52.39	54.00	-1.61	3	Vertical	69	2.05
5210MHz	Pass	AV	5.2G	99.35	Inf	-Inf	3	Vertical	69	2.05
5210MHz	Pass	AV	5.376G	48.57	54.00	-5.43	3	Vertical	69	2.05
5210MHz	Pass	PK	5.15G	64.70	74.00	-9.30	3	Vertical	69	2.05
5210MHz	Pass	PK	5.201G	112.90	Inf	-Inf	3	Vertical	69	2.05
5210MHz	Pass	PK	5.425G	59.72	74.00	-14.28	3	Vertical	69	2.05
5210MHz	Pass	AV	5.146G	52.84	54.00	-1.16	3	Horizontal	54	1.78
5210MHz	Pass	AV	5.216G	102.29	Inf	-Inf	3	Horizontal	54	1.78
5210MHz	Pass	AV	5.355G	48.54	54.00	-5.46	3	Horizontal	54	1.78
5210MHz	Pass	PK	5.149G	64.60	74.00	-9.40	3	Horizontal	54	1.78
5210MHz	Pass	PK	5.226G	114.68	Inf	-Inf	3	Horizontal	54	1.78
5210MHz	Pass	PK	5.449G	60.32	74.00	-13.68	3	Horizontal	54	1.78
5210MHz	Pass	AV	4.70756G	31.89	54.00	-22.11	3	Vertical	338	1.38
5210MHz	Pass	AV	15.6004G	48.78	54.00	-5.22	3	Vertical	313	1.19
5210MHz	Pass	PK	4.65956G	43.72	74.00	-30.28	3	Vertical	338	1.38
5210MHz	Pass	PK	10.41968G	59.43	68.20	-8.77	3	Vertical	7	2.62
5210MHz	Pass	PK	15.61592G	61.51	74.00	-12.49	3	Vertical	313	1.19
5210MHz	Pass	AV	4.72356G	31.85	54.00	-22.15	3	Horizontal	307	1.83
5210MHz	Pass	AV	15.61288G	48.68	54.00	-5.32	3	Horizontal	292	2.28
5210MHz	Pass	PK	4.72516G	44.27	74.00	-29.73	3	Horizontal	307	1.83
5210MHz	Pass	PK	10.4288G	58.39	68.20	-9.81	3	Horizontal	326	1.64
5210MHz	Pass	PK	15.62728G	61.33	74.00	-12.67	3	Horizontal	292	2.28
5775MHz	Pass	AV	5.757G	100.66	Inf	-Inf	3	Vertical	14	3.00
5775MHz	Pass	PK	5.6286G	64.90	68.20	-3.30	3	Vertical	14	3.00
5775MHz	Pass	PK	5.7594G	111.33	Inf	-Inf	3	Vertical	14	3.00
5775MHz	Pass	PK	6.0198G	60.27	68.20	-7.93	3	Vertical	14	3.00
5775MHz	Pass	AV	5.7678G	102.64	Inf	-Inf	3	Horizontal	62	1.78



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5775MHz	Pass	PK	5.6478G	66.16	68.20	-2.04	3	Horizontal	62	1.78
5775MHz	Pass	PK	5.7882G	114.70	Inf	-Inf	3	Horizontal	62	1.78
5775MHz	Pass	PK	5.925G	60.54	68.20	-7.66	3	Horizontal	62	1.78
5775MHz	Pass	AV	11.5772G	44.84	54.00	-9.16	3	Vertical	48	1.60
5775MHz	Pass	PK	5.281G	54.64	68.20	-13.56	3	Vertical	70	2.23
5775MHz	Pass	PK	11.5676G	57.25	74.00	-16.75	3	Vertical	48	1.60
5775MHz	Pass	PK	17.31476G	63.47	68.20	-4.73	3	Vertical	57	1.75
5775MHz	Pass	AV	11.53736G	44.99	54.00	-9.01	3	Horizontal	330	1.50
5775MHz	Pass	PK	5.2586G	55.22	68.20	-12.98	3	Horizontal	312	2.11
5775MHz	Pass	PK	11.52856G	56.71	74.00	-17.29	3	Horizontal	330	1.50
5775MHz	Pass	PK	17.30404G	62.77	68.20	-5.43	3	Horizontal	163	1.50

5.15-5.25GHz\_802.11a\_Nss1,(6Mbps)\_2TX


5180MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	48.21	54.00	-5.79	8.90	3	Vertical	57	2.97	39.31	33.20	9.83	34.13
AV	5.1764G	105.84	Inf	-Inf	8.87	3	Vertical	57	2.97	96.97	33.15	9.85	34.13
PK	5.1488G	59.52	74.00	-14.48	8.90	3	Vertical	57	2.97	50.62	33.20	9.83	34.13
PK	5.177G	115.45	Inf	-Inf	8.87	3	Vertical	57	2.97	106.58	33.15	9.85	34.13

5.15-5.25GHz\_802.11a\_Nss1,(6Mbps)\_2TX


5180MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	50.57	54.00	-3.43	8.90	3	Horizontal	62	2.02	41.67	33.20	9.83	34.13
AV	5.1806G	110.32	Inf	-Inf	8.86	3	Horizontal	62	2.02	101.46	33.14	9.85	34.13
PK	5.15G	61.32	74.00	-12.68	8.90	3	Horizontal	62	2.02	52.42	33.20	9.83	34.13
PK	5.1806G	120.21	Inf	-Inf	8.86	3	Horizontal	62	2.02	111.35	33.14	9.85	34.13

### 5.15-5.25GHz\_802.11a\_Nss1,(6Mbps)\_2TX


#### 5180MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.6468G	31.81	54.00	-22.19	7.07	3	Vertical	115	1.84	24.74	31.78	9.56	34.27
AV	15.54007G	49.84	54.00	-4.16	19.95	3	Vertical	37	1.92	29.89	38.70	15.68	34.43
PK	4.6489G	43.87	74.00	-30.13	7.08	3	Vertical	115	1.84	36.79	31.79	9.56	34.27
PK	10.36064G	63.01	68.20	-5.19	16.74	3	Vertical	24	2.73	46.27	38.66	12.67	34.59
PK	15.53994G	62.99	74.00	-11.01	19.95	3	Vertical	37	1.92	43.04	38.70	15.68	34.43

### 5.15-5.25GHz\_802.11a\_Nss1,(6Mbps)\_2TX

#### 5180MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.6839G	31.91	54.00	-22.09	7.14	3	Horizontal	277	2.93	24.77	31.80	9.59	34.25
AV	15.54003G	50.70	54.00	-3.30	19.95	3	Horizontal	332	1.57	30.75	38.70	15.68	34.43
PK	4.6731G	44.21	74.00	-29.79	7.12	3	Horizontal	277	2.93	37.09	31.80	9.58	34.26
PK	10.36064G	61.52	68.20	-6.68	16.74	3	Horizontal	42	1.74	44.78	38.66	12.67	34.59
PK	15.54067G	62.81	74.00	-11.19	19.95	3	Horizontal	332	1.57	42.86	38.70	15.68	34.43



5.15-5.25GHz\_802.11a\_Nss1,(6Mbps)\_2TX


5200MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	47.42	54.00	-6.58	8.90	3	Vertical	42	1.07	38.52	33.20	9.83	34.13
AV	5.203G	106.18	Inf	-Inf	8.81	3	Vertical	42	1.07	97.37	33.09	9.86	34.14
PK	5.1472G	59.06	74.00	-14.94	8.90	3	Vertical	42	1.07	50.16	33.20	9.83	34.13
PK	5.203G	115.78	Inf	-Inf	8.81	3	Vertical	42	1.07	106.97	33.09	9.86	34.14

5.15-5.25GHz\_802.11a\_Nss1,(6Mbps)\_2TX


5200MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1466G	48.05	54.00	-5.95	8.90	3	Horizontal	62	1.92	39.15	33.20	9.83	34.13
AV	5.2054G	111.52	Inf	-Inf	8.80	3	Horizontal	62	1.92	102.72	33.08	9.86	34.14
PK	5.1466G	59.17	74.00	-14.83	8.90	3	Horizontal	62	1.92	50.27	33.20	9.83	34.13
PK	5.2006G	121.12	Inf	-Inf	8.82	3	Horizontal	62	1.92	112.30	33.10	9.86	34.14

### 5.15-5.25GHz\_802.11a\_Nss1,(6Mbps)\_2TX


#### 5200MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.663G	31.77	54.00	-22.23	7.11	3	Vertical	175	1.15	24.66	31.80	9.57	34.26
AV	15.59824G	48.82	54.00	-5.18	19.95	3	Vertical	0	2.94	28.87	38.70	15.72	34.47
PK	4.6814G	44.63	74.00	-29.37	7.14	3	Vertical	175	1.15	37.49	31.80	9.59	34.25
PK	10.40056G	63.80	68.20	-4.40	16.83	3	Vertical	24	2.84	46.97	38.70	12.69	34.56
PK	15.59923G	61.89	74.00	-12.11	19.95	3	Vertical	0	2.94	41.94	38.70	15.72	34.47

### 5.15-5.25GHz\_802.11a\_Nss1,(6Mbps)\_2TX


#### 5200MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.6986G	31.86	54.00	-22.14	7.16	3	Horizontal	210	1.54	24.70	31.80	9.60	34.24
AV	15.59947G	48.72	54.00	-5.28	19.95	3	Horizontal	128	1.50	28.77	38.70	15.72	34.47
PK	4.694G	43.86	74.00	-30.14	7.15	3	Horizontal	210	1.54	36.71	31.80	9.60	34.25
PK	10.39408G	63.34	68.20	-4.86	16.80	3	Horizontal	25	1.93	46.54	38.69	12.68	34.57
PK	15.60032G	62.24	74.00	-11.76	19.95	3	Horizontal	128	1.50	42.29	38.70	15.72	34.47

5.15-5.25GHz\_802.11a\_Nss1,(6Mbps)\_2TX


5240MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1416G	47.40	54.00	-6.60	8.90	3	Vertical	68	2.28	38.50	33.20	9.83	34.13
AV	5.2394G	106.36	Inf	-Inf	8.69	3	Vertical	68	2.28	97.67	32.94	9.89	34.14
AV	5.3762G	47.67	54.00	-6.33	8.56	3	Vertical	68	2.28	39.11	32.75	9.98	34.17
PK	5.1422G	58.72	74.00	-15.28	8.90	3	Vertical	68	2.28	49.82	33.20	9.83	34.13
PK	5.2394G	116.04	Inf	-Inf	8.69	3	Vertical	68	2.28	107.35	32.94	9.89	34.14
PK	5.3624G	59.57	74.00	-14.43	8.52	3	Vertical	68	2.28	51.05	32.72	9.97	34.17

5.15-5.25GHz\_802.11a\_Nss1,(6Mbps)\_2TX


5240MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.147G	47.82	54.00	-6.18	8.90	3	Horizontal	60	1.94	38.92	33.20	9.83	34.13
AV	5.2424G	110.67	Inf	-Inf	8.68	3	Horizontal	60	1.94	101.99	32.93	9.89	34.14
AV	5.3762G	48.94	54.00	-5.06	8.56	3	Horizontal	60	1.94	40.38	32.75	9.98	34.17
PK	5.1134G	59.67	74.00	-14.33	8.89	3	Horizontal	60	1.94	50.78	33.20	9.81	34.12
PK	5.243G	120.54	Inf	-Inf	8.68	3	Horizontal	60	1.94	111.86	32.93	9.89	34.14
PK	5.3858G	59.72	74.00	-14.28	8.59	3	Horizontal	60	1.94	51.13	32.77	9.99	34.17

### 5.15-5.25GHz\_802.11a\_Nss1,(6Mbps)\_2TX


#### 5240MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.7258G	32.09	54.00	-21.91	7.40	3	Vertical	78	1.28	24.69	32.01	9.62	34.23
AV	15.706G	48.25	54.00	-5.75	19.46	3	Vertical	87	1.50	28.79	38.19	15.80	34.53
PK	4.7186G	44.08	74.00	-29.92	7.32	3	Vertical	78	1.28	36.76	31.95	9.61	34.24
PK	10.48072G	65.16	68.20	-3.04	16.84	3	Vertical	26	2.75	48.32	38.62	12.72	34.50
PK	15.71816G	60.86	74.00	-13.14	19.46	3	Vertical	87	1.50	41.40	38.18	15.81	34.53

### 5.15-5.25GHz\_802.11a\_Nss1,(6Mbps)\_2TX


#### 5240MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.7273G	32.13	54.00	-21.87	7.41	3	Horizontal	59	1.40	24.72	32.02	9.62	34.23
AV	15.70168G	48.20	54.00	-5.80	19.48	3	Horizontal	254	1.50	28.72	38.20	15.80	34.52
PK	4.7248G	44.94	74.00	-29.06	7.39	3	Horizontal	59	1.40	37.55	32.00	9.62	34.23
PK	10.4744G	65.27	68.20	-2.93	16.84	3	Horizontal	318	3.00	48.43	38.63	12.72	34.51
PK	15.71408G	61.17	74.00	-12.83	19.47	3	Horizontal	254	1.50	41.70	38.19	15.81	34.53

5.725-5.85GHz\_802.11a\_Nss1,(6Mbps)\_2TX


5745MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7486G	109.69	Inf	-Inf	9.64	3	Vertical	34	1.26	100.05	33.69	10.15	34.20
PK	5.6418G	59.71	68.20	-8.49	9.16	3	Vertical	34	1.26	50.55	33.27	10.09	34.20
PK	5.7426G	119.39	Inf	-Inf	9.61	3	Vertical	34	1.26	109.78	33.66	10.15	34.20
PK	5.9382G	60.17	68.20	-8.03	10.31	3	Vertical	34	1.26	49.86	34.25	10.28	34.22

5.725-5.85GHz\_802.11a\_Nss1,(6Mbps)\_2TX


5745MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7438G	111.78	Inf	-Inf	9.61	3	Horizontal	60	1.95	102.17	33.66	10.15	34.20
PK	5.643G	60.72	68.20	-7.48	9.16	3	Horizontal	60	1.95	51.56	33.27	10.09	34.20
PK	5.7438G	121.12	Inf	-Inf	9.61	3	Horizontal	60	1.95	111.51	33.66	10.15	34.20
PK	5.9334G	60.09	68.20	-8.11	10.29	3	Horizontal	60	1.95	49.80	34.23	10.28	34.22

5.725-5.85GHz\_802.11a\_Nss1,(6Mbps)\_2TX


5745MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.4898G	48.09	54.00	-5.91	17.97	3	Vertical	42	1.84	30.12	38.92	13.11	34.06
PK	5.22946G	50.54	68.20	-17.66	8.72	3	Vertical	65	2.46	41.82	32.98	9.88	34.14
PK	11.4844G	60.94	74.00	-13.06	17.98	3	Vertical	42	1.84	42.96	38.93	13.11	34.06
PK	17.22736G	62.59	68.20	-5.61	21.43	3	Vertical	118	1.49	41.16	38.48	16.22	33.27

5.725-5.85GHz\_802.11a\_Nss1,(6Mbps)\_2TX


5745MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.4918G	45.81	54.00	-8.19	17.97	3	Horizontal	328	1.50	27.84	38.92	13.11	34.06
PK	5.23086G	52.67	68.20	-15.53	8.72	3	Horizontal	54	2.04	43.95	32.98	9.88	34.14
PK	11.49192G	58.99	74.00	-15.01	17.97	3	Horizontal	328	1.50	41.02	38.92	13.11	34.06
PK	17.23088G	62.37	68.20	-5.83	21.44	3	Horizontal	17	2.77	40.93	38.49	16.22	33.27

5.725-5.85GHz\_802.11a\_Nss1,(6Mbps)\_2TX


5785MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7862G	108.72	Inf	-Inf	9.73	3	Vertical	32	1.32	98.99	33.77	10.17	34.21
PK	5.6194G	59.36	68.20	-8.84	9.06	3	Vertical	32	1.32	50.30	33.18	10.08	34.20
PK	5.7802G	117.79	Inf	-Inf	9.72	3	Vertical	32	1.32	108.07	33.76	10.17	34.21
PK	5.9626G	61.33	68.20	-6.87	10.30	3	Vertical	32	1.32	51.03	34.22	10.30	34.22

5.725-5.85GHz\_802.11a\_Nss1,(6Mbps)\_2TX


5785MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7814G	111.45	Inf	-Inf	9.72	3	Horizontal	56	1.90	101.73	33.76	10.17	34.21
PK	5.6002G	60.41	68.20	-7.79	8.97	3	Horizontal	56	1.90	51.44	33.10	10.07	34.20
PK	5.7862G	120.66	Inf	-Inf	9.73	3	Horizontal	56	1.90	110.93	33.77	10.17	34.21
PK	5.947G	61.35	68.20	-6.85	10.36	3	Horizontal	56	1.90	50.99	34.29	10.29	34.22

5.725-5.85GHz\_802.11a\_Nss1,(6Mbps)\_2TX


5785MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.57028G	46.77	54.00	-7.23	17.80	3	Vertical	358	3.00	28.97	38.76	13.14	34.10
PK	5.22678G	49.00	68.20	-19.20	8.73	3	Vertical	66	2.23	40.27	32.99	9.88	34.14
PK	11.57064G	59.58	74.00	-14.42	17.80	3	Vertical	358	3.00	41.78	38.76	13.14	34.10
PK	17.34564G	63.61	68.20	-4.59	21.84	3	Vertical	93	2.10	41.77	38.84	16.24	33.24

5.725-5.85GHz\_802.11a\_Nss1,(6Mbps)\_2TX

5785MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.57164G	45.36	54.00	-8.64	17.80	3	Horizontal	327	1.68	27.56	38.76	13.14	34.10
PK	5.23498G	52.38	68.20	-15.82	8.70	3	Horizontal	59	2.04	43.68	32.96	9.88	34.14
PK	11.57112G	58.18	74.00	-15.82	17.80	3	Horizontal	327	1.68	40.38	38.76	13.14	34.10
PK	17.3506G	63.95	68.20	-4.25	21.85	3	Horizontal	96	1.89	42.10	38.85	16.24	33.24



5.725-5.85GHz\_802.11a\_Nss1,(6Mbps)\_2TX


5825MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8202G	108.83	Inf	-Inf	9.91	3	Vertical	34	1.31	98.92	33.92	10.20	34.21
PK	5.6342G	60.09	68.20	-8.11	9.13	3	Vertical	34	1.31	50.96	33.24	10.09	34.20
PK	5.8214G	118.20	Inf	-Inf	9.92	3	Vertical	34	1.31	108.28	33.93	10.20	34.21
PK	6.1118G	60.57	68.20	-7.63	10.31	3	Vertical	34	1.31	50.26	34.10	10.44	34.23

5.725-5.85GHz\_802.11a\_Nss1,(6Mbps)\_2TX


5825MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8214G	112.04	Inf	-Inf	9.92	3	Horizontal	60	2.05	102.12	33.93	10.20	34.21
PK	5.6402G	61.08	68.20	-7.12	9.15	3	Horizontal	60	2.05	51.93	33.26	10.09	34.20
PK	5.8214G	121.62	Inf	-Inf	9.92	3	Horizontal	60	2.05	111.70	33.93	10.20	34.21
PK	5.9282G	61.03	68.20	-7.17	10.27	3	Horizontal	60	2.05	50.76	34.21	10.28	34.22

5.725-5.85GHz\_802.11a\_Nss1,(6Mbps)\_2TX


5825MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.65612G	48.11	54.00	-5.89	17.68	3	Vertical	360	3.00	30.43	38.64	13.18	34.14
PK	5.3209G	46.55	68.20	-21.65	8.65	3	Vertical	313	1.50	37.90	32.87	9.94	34.16
PK	11.65584G	60.26	74.00	-13.74	17.68	3	Vertical	360	3.00	42.58	38.64	13.18	34.14
PK	17.4746G	63.45	68.20	-4.75	22.20	3	Vertical	358	1.50	41.25	39.15	16.26	33.21

5.725-5.85GHz\_802.11a\_Nss1,(6Mbps)\_2TX


5825MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.65G	46.72	54.00	-7.28	17.68	3	Horizontal	77	3.00	29.04	38.65	13.17	34.14
PK	5.2395G	48.02	68.20	-20.18	8.69	3	Horizontal	56	2.10	39.33	32.94	9.89	34.14
PK	11.64428G	60.55	74.00	-13.45	17.69	3	Horizontal	77	3.00	42.86	38.66	13.17	34.14
PK	17.47668G	62.53	68.20	-5.67	22.20	3	Horizontal	336	1.50	40.33	39.15	16.26	33.21

5.15-5.25GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX


5180MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1452G	48.25	54.00	-5.75	8.90	3	Vertical	55	2.97	39.35	33.20	9.83	34.13
AV	5.174G	104.67	Inf	-Inf	8.87	3	Vertical	55	2.97	95.80	33.15	9.85	34.13
PK	5.1296G	59.83	74.00	-14.17	8.90	3	Vertical	55	2.97	50.93	33.20	9.82	34.12
PK	5.1734G	116.76	Inf	-Inf	8.87	3	Vertical	55	2.97	107.89	33.15	9.85	34.13

5.15-5.25GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX


5180MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	52.06	54.00	-1.94	8.90	3	Horizontal	59	2.02	43.16	33.20	9.83	34.13
AV	5.1812G	109.25	Inf	-Inf	8.86	3	Horizontal	59	2.02	100.39	33.14	9.85	34.13
PK	5.15G	62.96	74.00	-11.04	8.90	3	Horizontal	59	2.02	54.06	33.20	9.83	34.13
PK	5.1806G	121.52	Inf	-Inf	8.86	3	Horizontal	59	2.02	112.66	33.14	9.85	34.13

5.15-5.25GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX


5180MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.75144G	32.17	54.00	-21.83	7.63	3	Vertical	30	2.32	24.54	32.21	9.64	34.22
AV	15.53998G	49.37	54.00	-4.63	19.95	3	Vertical	5	1.40	29.42	38.70	15.68	34.43
PK	4.72324G	44.46	74.00	-29.54	7.38	3	Vertical	30	2.32	37.08	31.99	9.62	34.23
PK	10.36012G	60.43	68.20	-7.77	16.74	3	Vertical	42	1.64	43.69	38.66	12.67	34.59
PK	15.53984G	61.96	74.00	-12.04	19.95	3	Vertical	5	1.40	42.01	38.70	15.68	34.43

5.15-5.25GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX


5180MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.74844G	32.00	54.00	-22.00	7.60	3	Horizontal	225	1.26	24.40	32.19	9.63	34.22
AV	15.54004G	50.33	54.00	-3.67	19.95	3	Horizontal	335	1.50	30.38	38.70	15.68	34.43
PK	4.71664G	44.64	74.00	-29.36	7.30	3	Horizontal	225	1.26	37.34	31.93	9.61	34.24
PK	10.3608G	62.92	68.20	-5.28	16.74	3	Horizontal	25	1.92	46.18	38.66	12.67	34.59
PK	15.54218G	62.07	74.00	-11.93	19.95	3	Horizontal	335	1.50	42.12	38.70	15.68	34.43

5.15-5.25GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX


5200MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1496G	47.36	54.00	-6.64	8.90	3	Vertical	40	1.06	38.46	33.20	9.83	34.13
AV	5.2012G	104.52	Inf	-Inf	8.82	3	Vertical	40	1.06	95.70	33.10	9.86	34.14
PK	5.1298G	58.74	74.00	-15.26	8.90	3	Vertical	40	1.06	49.84	33.20	9.82	34.12
PK	5.2006G	117.28	Inf	-Inf	8.82	3	Vertical	40	1.06	108.46	33.10	9.86	34.14

5.15-5.25GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX


5200MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1442G	47.90	54.00	-6.10	8.90	3	Horizontal	57	2.19	39.00	33.20	9.83	34.13
AV	5.2054G	110.35	Inf	-Inf	8.80	3	Horizontal	57	2.19	101.55	33.08	9.86	34.14
PK	5.15G	59.67	74.00	-14.33	8.90	3	Horizontal	57	2.19	50.77	33.20	9.83	34.13
PK	5.1958G	122.02	Inf	-Inf	8.83	3	Horizontal	57	2.19	113.19	33.11	9.86	34.14

5.15-5.25GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX


5200MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.74G	31.81	54.00	-22.19	7.53	3	Vertical	61	1.89	24.28	32.12	9.63	34.22
AV	15.58096G	48.62	54.00	-5.38	19.95	3	Vertical	337	1.50	28.67	38.70	15.71	34.46
PK	4.727G	44.46	74.00	-29.54	7.41	3	Vertical	61	1.89	37.05	32.02	9.62	34.23
PK	10.40016G	61.06	68.20	-7.14	16.83	3	Vertical	41	1.70	44.23	38.70	12.69	34.56
PK	15.59864G	61.90	74.00	-12.10	19.95	3	Vertical	337	1.50	41.95	38.70	15.72	34.47


5.15-5.25GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX

5200MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.7465G	31.94	54.00	-22.06	7.58	3	Horizontal	152	1.97	24.36	32.17	9.63	34.22
AV	15.58232G	48.50	54.00	-5.50	19.95	3	Horizontal	313	1.50	28.55	38.70	15.71	34.46
PK	4.7187G	44.78	74.00	-29.22	7.32	3	Horizontal	152	1.97	37.46	31.95	9.61	34.24
PK	10.40048G	61.85	68.20	-6.35	16.83	3	Horizontal	27	1.66	45.02	38.70	12.69	34.56
PK	15.58088G	62.00	74.00	-12.00	19.95	3	Horizontal	313	1.50	42.05	38.70	15.71	34.46

5.15-5.25GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX  
5240MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1452G	47.24	54.00	-6.76	8.90	3	Vertical	51	1.06	38.34	33.20	9.83	34.13
AV	5.2442G	105.18	Inf	-Inf	8.67	3	Vertical	51	1.06	96.51	32.92	9.89	34.14
AV	5.3762G	48.51	54.00	-5.49	8.56	3	Vertical	51	1.06	39.95	32.75	9.98	34.17
PK	5.1356G	58.87	74.00	-15.13	8.90	3	Vertical	51	1.06	49.97	33.20	9.82	34.12
PK	5.2442G	117.25	Inf	-Inf	8.67	3	Vertical	51	1.06	108.58	32.92	9.89	34.14
PK	5.3606G	59.98	74.00	-14.02	8.53	3	Vertical	51	1.06	51.45	32.72	9.97	34.16


5.15-5.25GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX  
5240MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1464G	47.80	54.00	-6.20	8.90	3	Horizontal	54	2.10	38.90	33.20	9.83	34.13
AV	5.2418G	110.22	Inf	-Inf	8.68	3	Horizontal	54	2.10	101.54	32.93	9.89	34.14
AV	5.3762G	49.72	54.00	-4.28	8.56	3	Horizontal	54	2.10	41.16	32.75	9.98	34.17
PK	5.132G	59.82	74.00	-14.18	8.90	3	Horizontal	54	2.10	50.92	33.20	9.82	34.12
PK	5.2406G	122.53	Inf	-Inf	8.69	3	Horizontal	54	2.10	113.84	32.94	9.89	34.14
PK	5.3762G	61.21	74.00	-12.79	8.56	3	Horizontal	54	2.10	52.65	32.75	9.98	34.17

5.15-5.25GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX


5240MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.78912G	32.58	54.00	-21.42	7.89	3	Vertical	278	2.47	24.69	32.43	9.66	34.20
AV	15.70416G	47.23	54.00	-6.77	19.48	3	Vertical	335	2.80	27.75	38.20	15.80	34.52
PK	4.75632G	45.60	74.00	-28.40	7.66	3	Vertical	278	2.47	37.94	32.24	9.64	34.22
PK	10.4812G	62.19	68.20	-6.01	16.84	3	Vertical	338	2.07	45.35	38.62	12.72	34.50
PK	15.71488G	60.55	74.00	-13.45	19.47	3	Vertical	335	2.80	41.08	38.19	15.81	34.53

5.15-5.25GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX

5240MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.80172G	32.60	54.00	-21.40	7.97	3	Horizontal	191	2.31	24.63	32.50	9.67	34.20
AV	15.70664G	47.32	54.00	-6.68	19.46	3	Horizontal	246	1.50	27.86	38.19	15.80	34.53
PK	4.80252G	44.76	74.00	-29.24	7.99	3	Horizontal	191	2.31	36.77	32.51	9.67	34.19
PK	10.48064G	64.92	68.20	-3.28	16.84	3	Horizontal	26	1.83	48.08	38.62	12.72	34.50
PK	15.7028G	60.65	74.00	-13.35	19.48	3	Horizontal	246	1.50	41.17	38.20	15.80	34.52



5.725-5.85GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX


5745MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7414G	108.00	Inf	-Inf	9.60	3	Vertical	36	1.06	98.40	33.65	10.15	34.20
PK	5.6454G	60.02	68.20	-8.18	9.17	3	Vertical	36	1.06	50.85	33.28	10.09	34.20
PK	5.7498G	119.02	Inf	-Inf	9.65	3	Vertical	36	1.06	109.37	33.70	10.15	34.20
PK	6.0438G	61.01	68.20	-7.19	10.33	3	Vertical	36	1.06	50.68	34.18	10.37	34.22

5.725-5.85GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX


5745MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7426G	110.67	Inf	-Inf	9.61	3	Horizontal	61	1.94	101.06	33.66	10.15	34.20
PK	5.463G	60.54	68.20	-7.66	8.77	3	Horizontal	61	1.94	51.77	32.93	10.02	34.18
PK	5.7438G	122.00	Inf	-Inf	9.61	3	Horizontal	61	1.94	112.39	33.66	10.15	34.20
PK	5.925G	60.26	68.20	-7.94	10.25	3	Horizontal	61	1.94	50.01	34.20	10.27	34.22

5.725-5.85GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX


5745MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.4884G	47.74	54.00	-6.26	17.97	3	Vertical	41	1.64	29.77	38.92	13.11	34.06
PK	5.2208G	51.23	68.20	-16.97	8.75	3	Vertical	67	2.26	42.48	33.02	9.87	34.14
PK	11.48792G	60.60	74.00	-13.40	17.97	3	Vertical	41	1.64	42.63	38.92	13.11	34.06
PK	17.23828G	62.84	68.20	-5.36	21.46	3	Vertical	66	1.11	41.38	38.51	16.22	33.27

5.725-5.85GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX


5745MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.4868G	45.25	54.00	-8.75	17.98	3	Horizontal	360	1.48	27.27	38.93	13.11	34.06
PK	5.2268G	53.63	68.20	-14.57	8.73	3	Horizontal	56	2.04	44.90	32.99	9.88	34.14
PK	11.48496G	57.59	74.00	-16.41	17.98	3	Horizontal	360	1.48	39.61	38.93	13.11	34.06
PK	17.23292G	62.15	68.20	-6.05	21.45	3	Horizontal	108	1.40	40.70	38.50	16.22	33.27

5.725-5.85GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX


5785MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7814G	107.09	Inf	-Inf	9.72	3	Vertical	34	1.32	97.37	33.76	10.17	34.21
PK	5.6182G	59.14	68.20	-9.06	9.05	3	Vertical	34	1.32	50.09	33.17	10.08	34.20
PK	5.7814G	117.54	Inf	-Inf	9.72	3	Vertical	34	1.32	107.82	33.76	10.17	34.21
PK	5.9626G	60.84	68.20	-7.36	10.30	3	Vertical	34	1.32	50.54	34.22	10.30	34.22

5.725-5.85GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX


5785MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7838G	110.30	Inf	-Inf	9.73	3	Horizontal	60	1.98	100.57	33.77	10.17	34.21
PK	5.599G	60.33	68.20	-7.87	8.96	3	Horizontal	60	1.98	51.37	33.09	10.07	34.20
PK	5.7838G	121.92	Inf	-Inf	9.73	3	Horizontal	60	1.98	112.19	33.77	10.17	34.21
PK	5.9314G	60.77	68.20	-7.43	10.29	3	Horizontal	60	1.98	50.48	34.23	10.28	34.22

5.725-5.85GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX


5785MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.5772G	46.10	54.00	-7.90	17.80	3	Vertical	343	2.35	28.30	38.75	13.15	34.10
PK	5.22958G	49.49	68.20	-18.71	8.72	3	Vertical	65	2.31	40.77	32.98	9.88	34.14
PK	11.57632G	60.16	74.00	-13.84	17.79	3	Vertical	343	2.35	42.37	38.75	13.14	34.10
PK	17.34004G	62.30	68.20	-5.90	21.81	3	Vertical	303	1.87	40.49	38.82	16.23	33.24

5.725-5.85GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX


5785MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.5736G	45.29	54.00	-8.71	17.79	3	Horizontal	328	1.50	27.50	38.75	13.14	34.10
PK	5.21138G	51.16	68.20	-17.04	8.78	3	Horizontal	56	2.03	42.38	33.05	9.87	34.14
PK	11.57496G	59.86	74.00	-14.14	17.79	3	Horizontal	328	1.50	42.07	38.75	13.14	34.10
PK	17.34356G	62.56	68.20	-5.64	21.82	3	Horizontal	157	1.11	40.74	38.83	16.23	33.24

5.725-5.85GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX


5825MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8214G	107.49	Inf	-Inf	9.92	3	Vertical	35	1.30	97.57	33.93	10.20	34.21
PK	5.6462G	60.95	68.20	-7.25	9.18	3	Vertical	35	1.30	51.77	33.28	10.10	34.20
PK	5.8226G	119.65	Inf	-Inf	9.93	3	Vertical	35	1.30	109.72	33.94	10.20	34.21
PK	5.9246G	60.88	68.50	-7.62	10.25	3	Vertical	35	1.30	50.63	34.20	10.27	34.22

5.725-5.85GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX


5825MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8238G	111.05	Inf	-Inf	9.93	3	Horizontal	60	2.05	101.12	33.94	10.20	34.21
PK	5.6294G	60.76	68.20	-7.44	9.11	3	Horizontal	60	2.05	51.65	33.22	10.09	34.20
PK	5.8226G	122.18	Inf	-Inf	9.93	3	Horizontal	60	2.05	112.25	33.94	10.20	34.21
PK	6.0674G	60.75	68.20	-7.45	10.34	3	Horizontal	60	2.05	50.41	34.17	10.40	34.23

5.725-5.85GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX


5825MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.64272G	47.88	54.00	-6.12	17.69	3	Vertical	2	2.92	30.19	38.66	13.17	34.14
PK	5.2417G	47.92	68.20	-20.28	8.68	3	Vertical	21	2.82	39.24	32.93	9.89	34.14
PK	11.64248G	61.20	74.00	-12.80	17.69	3	Vertical	2	2.92	43.51	38.66	13.17	34.14
PK	17.48156G	62.19	68.20	-6.01	22.22	3	Vertical	132	2.18	39.97	39.16	16.26	33.20

5.725-5.85GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX


5825MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.65752G	46.76	54.00	-7.24	17.67	3	Horizontal	333	2.79	29.09	38.64	13.18	34.15
PK	11.65904G	60.02	74.00	-13.98	17.67	3	Horizontal	333	2.79	42.35	38.64	13.18	34.15
PK	17.45596G	61.57	68.20	-6.63	22.15	3	Horizontal	102	2.33	39.42	39.11	16.25	33.21

5.15-5.25GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX


5190MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.146G	48.09	54.00	-5.91	8.90	3	Vertical	58	3.00	39.19	33.20	9.83	34.13
AV	5.1932G	100.97	Inf	-Inf	8.84	3	Vertical	58	3.00	92.13	33.11	9.86	34.13
PK	5.1448G	60.07	74.00	-13.93	8.90	3	Vertical	58	3.00	51.17	33.20	9.83	34.13
PK	5.1924G	112.04	Inf	-Inf	8.85	3	Vertical	58	3.00	103.19	33.12	9.86	34.13

5.15-5.25GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX


5190MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	52.83	54.00	-1.17	8.90	3	Horizontal	63	2.09	43.93	33.20	9.83	34.13
AV	5.1908G	104.77	Inf	-Inf	8.84	3	Horizontal	63	2.09	95.93	33.12	9.85	34.13
PK	5.1496G	64.80	74.00	-9.20	8.90	3	Horizontal	63	2.09	55.90	33.20	9.83	34.13
PK	5.2024G	116.34	Inf	-Inf	8.81	3	Horizontal	63	2.09	107.53	33.09	9.86	34.14

5.15-5.25GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX


5190MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.72694G	32.05	54.00	-21.95	7.41	3	Vertical	288	1.50	24.64	32.02	9.62	34.23
AV	15.57852G	48.76	54.00	-5.24	19.96	3	Vertical	166	2.26	28.80	38.70	15.71	34.45
PK	4.71134G	44.63	74.00	-29.37	7.26	3	Vertical	288	1.50	37.37	31.89	9.61	34.24
PK	10.36512G	53.87	68.20	-14.33	16.75	3	Vertical	12	1.44	37.12	38.67	12.67	34.59
PK	15.5526G	62.18	74.00	-11.82	19.95	3	Vertical	166	2.26	42.23	38.70	15.69	34.44

5.15-5.25GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX

5190MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.70234G	32.10	54.00	-21.90	7.18	3	Horizontal	60	1.50	24.92	31.82	9.60	34.24
AV	15.5748G	48.83	54.00	-5.17	19.96	3	Horizontal	18	1.11	28.87	38.70	15.71	34.45
PK	4.69944G	45.32	74.00	-28.68	7.16	3	Horizontal	60	1.50	38.16	31.80	9.60	34.24
PK	10.37892G	59.33	68.20	-8.87	16.78	3	Horizontal	330	1.75	42.55	38.68	12.68	34.58
PK	15.56856G	61.85	74.00	-12.15	19.95	3	Horizontal	18	1.11	41.90	38.70	15.70	34.45



5.15-5.25GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX


5230MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1472G	47.98	54.00	-6.02	8.90	3	Vertical	56	1.01	39.08	33.20	9.83	34.13
AV	5.2284G	102.68	Inf	-Inf	8.73	3	Vertical	56	1.01	93.95	32.99	9.88	34.14
PK	5.148G	61.08	74.00	-12.92	8.90	3	Vertical	56	1.01	52.18	33.20	9.83	34.13
PK	5.2272G	114.92	Inf	-Inf	8.73	3	Vertical	56	1.01	106.19	32.99	9.88	34.14

5.15-5.25GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX


5230MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1472G	49.08	54.00	-4.92	8.90	3	Horizontal	56	2.03	40.18	33.20	9.83	34.13
AV	5.226G	107.98	Inf	-Inf	8.74	3	Horizontal	56	2.03	99.24	33.00	9.88	34.14
PK	5.1452G	61.74	74.00	-12.26	8.90	3	Horizontal	56	2.03	52.84	33.20	9.83	34.13
PK	5.2356G	119.38	Inf	-Inf	8.70	3	Horizontal	56	2.03	110.68	32.96	9.88	34.14

5.15-5.25GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX


5230MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.81454G	32.96	54.00	-21.04	8.02	3	Vertical	316	1.82	24.94	32.53	9.68	34.19
AV	15.66108G	47.95	54.00	-6.05	19.66	3	Vertical	0	1.50	28.29	38.39	15.77	34.50
PK	4.78284G	45.95	74.00	-28.05	7.86	3	Vertical	316	1.82	38.09	32.40	9.66	34.20
PK	10.46108G	61.56	68.20	-6.64	16.83	3	Vertical	11	1.41	44.73	38.64	12.71	34.52
PK	15.71304G	61.58	74.00	-12.42	19.47	3	Vertical	0	1.50	42.11	38.19	15.81	34.53

5.15-5.25GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX


5230MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.81324G	32.92	54.00	-21.08	8.02	3	Horizontal	280	2.45	24.90	32.53	9.68	34.19
AV	15.6636G	48.09	54.00	-5.91	19.65	3	Horizontal	327	1.50	28.44	38.38	15.77	34.50
PK	4.80954G	45.63	74.00	-28.37	8.00	3	Horizontal	280	2.45	37.63	32.52	9.67	34.19
PK	10.44764G	58.95	68.20	-9.25	16.82	3	Horizontal	56	2.96	42.13	38.65	12.70	34.53
PK	15.68604G	61.11	74.00	-12.89	19.55	3	Horizontal	327	1.50	41.56	38.27	15.79	34.51

5.725-5.85GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX


5755MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7502G	104.06	Inf	-Inf	9.64	3	Vertical	1	2.76	94.42	33.70	10.15	34.21
PK	5.6374G	61.50	68.20	-6.70	9.14	3	Vertical	1	2.76	52.36	33.25	10.09	34.20
PK	5.7514G	114.69	Inf	-Inf	9.64	3	Vertical	1	2.76	105.05	33.70	10.15	34.21
PK	5.9614G	60.79	68.20	-7.41	10.31	3	Vertical	1	2.76	50.48	34.23	10.30	34.22

5.725-5.85GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX


5755MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7526G	107.20	Inf	-Inf	9.65	3	Horizontal	315	2.90	97.55	33.71	10.15	34.21
PK	5.6518G	64.69	69.53	-4.84	9.20	3	Horizontal	315	2.90	55.49	33.30	10.10	34.20
PK	5.7526G	117.78	Inf	-Inf	9.65	3	Horizontal	315	2.90	108.13	33.71	10.15	34.21
PK	5.9542G	60.33	68.20	-7.87	10.35	3	Horizontal	315	2.90	49.98	34.27	10.30	34.22

5.725-5.85GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX


5755MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.50664G	46.97	54.00	-7.03	17.95	3	Vertical	51	1.49	29.02	38.89	13.12	34.06
PK	5.18396G	51.43	68.20	-16.77	8.85	3	Vertical	67	2.98	42.58	33.13	9.85	34.13
PK	11.50868G	59.95	74.00	-14.05	17.94	3	Vertical	51	1.49	42.01	38.88	13.12	34.06
PK	17.2704G	63.77	68.20	-4.43	21.57	3	Vertical	273	1.50	42.20	38.61	16.22	33.26

5.725-5.85GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX


5755MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.50688G	46.59	54.00	-7.41	17.95	3	Horizontal	328	1.50	28.64	38.89	13.12	34.06
PK	5.18392G	53.34	68.20	-14.86	8.85	3	Horizontal	313	2.05	44.49	33.13	9.85	34.13
PK	11.52704G	59.42	74.00	-14.58	17.91	3	Horizontal	328	1.50	41.51	38.85	13.13	34.07
PK	17.27076G	63.38	68.20	-4.82	21.57	3	Horizontal	321	1.50	41.81	38.61	16.22	33.26

5.725-5.85GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX


5795MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	5.6042G	60.20	68.20	-8.00	8.99	3	Vertical	16	2.96	51.21	33.12	10.07	34.20
PK	5.7854G	115.44	Inf	-Inf	9.73	3	Vertical	16	2.96	105.71	33.77	10.17	34.21
AV	5.7926G	104.01	Inf	-Inf	9.76	3	Vertical	16	2.96	94.25	33.79	10.18	34.21
PK	5.9522G	60.05	68.20	-8.15	10.36	3	Vertical	16	2.96	49.69	34.29	10.29	34.22

5.725-5.85GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX


5795MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	5.6318G	62.38	68.20	-5.82	9.12	3	Horizontal	61	1.85	53.26	33.23	10.09	34.20
PK	5.7926G	117.80	Inf	-Inf	9.76	3	Horizontal	61	1.85	108.04	33.79	10.18	34.21
AV	5.7926G	106.13	Inf	-Inf	9.76	3	Horizontal	61	1.85	96.37	33.79	10.18	34.21
PK	5.9522G	61.00	68.20	-7.20	10.36	3	Horizontal	61	1.85	50.64	34.29	10.29	34.22

5.725-5.85GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX


5795MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.5924G	49.41	54.00	-4.59	17.76	3	Vertical	360	2.92	31.65	38.72	13.15	34.11
PK	5.2845G	52.57	68.20	-15.63	8.74	3	Vertical	64	2.18	43.83	32.97	9.92	34.15
PK	11.58244G	61.70	74.00	-12.30	17.79	3	Vertical	360	2.92	43.91	38.74	13.15	34.10
PK	17.36352G	62.97	68.20	-5.23	21.89	3	Vertical	170	2.94	41.08	38.89	16.24	33.24


5.725-5.85GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX

5795MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.58724G	46.99	54.00	-7.01	17.77	3	Horizontal	331	1.50	29.22	38.73	13.15	34.11
PK	5.2805G	54.21	68.20	-13.99	8.73	3	Horizontal	306	2.00	45.48	32.96	9.92	34.15
PK	11.5834G	59.76	74.00	-14.24	17.77	3	Horizontal	331	1.50	41.99	38.73	13.15	34.11
PK	17.37192G	63.20	68.20	-5.00	21.93	3	Horizontal	98	1.50	41.27	38.92	16.24	33.23

5.15-5.25GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX  
5210MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.149G	52.39	54.00	-1.61	8.90	3	Vertical	69	2.05	43.49	33.20	9.83	34.13
AV	5.2G	99.35	Inf	-Inf	8.82	3	Vertical	69	2.05	90.53	33.10	9.86	34.14
AV	5.376G	48.57	54.00	-5.43	8.56	3	Vertical	69	2.05	40.01	32.75	9.98	34.17
PK	5.15G	64.70	74.00	-9.30	8.90	3	Vertical	69	2.05	55.80	33.20	9.83	34.13
PK	5.201G	112.90	Inf	-Inf	8.82	3	Vertical	69	2.05	104.08	33.10	9.86	34.14
PK	5.425G	59.72	74.00	-14.28	8.68	3	Vertical	69	2.05	51.04	32.85	10.01	34.18


5.15-5.25GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX  
5210MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.146G	52.84	54.00	-1.16	8.90	3	Horizontal	54	1.78	43.94	33.20	9.83	34.13
AV	5.216G	102.29	Inf	-Inf	8.77	3	Horizontal	54	1.78	93.52	33.04	9.87	34.14
AV	5.355G	48.54	54.00	-5.46	8.52	3	Horizontal	54	1.78	40.02	32.71	9.97	34.16
PK	5.149G	64.60	74.00	-9.40	8.90	3	Horizontal	54	1.78	55.70	33.20	9.83	34.13
PK	5.226G	114.68	Inf	-Inf	8.74	3	Horizontal	54	1.78	105.94	33.00	9.88	34.14
PK	5.449G	60.32	74.00	-13.68	8.74	3	Horizontal	54	1.78	51.58	32.90	10.02	34.18

5.15-5.25GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX


5210MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.70756G	31.89	54.00	-22.11	7.23	3	Vertical	338	1.38	24.66	31.86	9.61	34.24
AV	15.6004G	48.78	54.00	-5.22	19.95	3	Vertical	313	1.19	28.83	38.70	15.72	34.47
PK	4.65956G	43.72	74.00	-30.28	7.11	3	Vertical	338	1.38	36.61	31.80	9.57	34.26
PK	10.41968G	59.43	68.20	-8.77	16.82	3	Vertical	7	2.62	42.61	38.68	12.69	34.55
PK	15.61592G	61.51	74.00	-12.49	19.89	3	Vertical	313	1.19	41.62	38.62	15.74	34.47

5.15-5.25GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX

5210MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.72356G	31.85	54.00	-22.15	7.38	3	Horizontal	307	1.83	24.47	31.99	9.62	34.23
AV	15.61288G	48.68	54.00	-5.32	19.90	3	Horizontal	292	2.28	28.78	38.64	15.73	34.47
PK	4.72516G	44.27	74.00	-29.73	7.39	3	Horizontal	307	1.83	36.88	32.00	9.62	34.23
PK	10.4288G	58.39	68.20	-9.81	16.83	3	Horizontal	326	1.64	41.56	38.67	12.70	34.54
PK	15.62728G	61.33	74.00	-12.67	19.82	3	Horizontal	292	2.28	41.51	38.56	15.74	34.48



5.725-5.85GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX


5775MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.757G	100.66	Inf	-Inf	9.66	3	Vertical	14	3.00	91.00	33.71	10.16	34.21
PK	5.6286G	64.90	68.20	-3.30	9.10	3	Vertical	14	3.00	55.80	33.21	10.09	34.20
PK	5.7594G	111.33	Inf	-Inf	9.67	3	Vertical	14	3.00	101.66	33.72	10.16	34.21
PK	6.0198G	60.27	68.20	-7.93	10.21	3	Vertical	14	3.00	50.06	34.08	10.35	34.22

5.725-5.85GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX


5775MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7678G	102.64	Inf	-Inf	9.69	3	Horizontal	62	1.78	92.95	33.74	10.16	34.21
PK	5.6478G	66.16	68.20	-2.04	9.19	3	Horizontal	62	1.78	56.97	33.29	10.10	34.20
PK	5.7882G	114.70	Inf	-Inf	9.74	3	Horizontal	62	1.78	104.96	33.78	10.17	34.21
PK	5.925G	60.54	68.20	-7.66	10.25	3	Horizontal	62	1.78	50.29	34.20	10.27	34.22

5.725-5.85GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX


5775MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.5772G	44.84	54.00	-9.16	17.80	3	Vertical	48	1.60	27.04	38.75	13.15	34.10
PK	5.281G	54.64	68.20	-13.56	8.73	3	Vertical	70	2.23	45.91	32.96	9.92	34.15
PK	11.5676G	57.25	74.00	-16.75	17.80	3	Vertical	48	1.60	39.45	38.76	13.14	34.10
PK	17.31476G	63.47	68.20	-4.73	21.72	3	Vertical	57	1.75	41.75	38.74	16.23	33.25

5.725-5.85GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX

5775MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.53736G	44.99	54.00	-9.01	17.88	3	Horizontal	330	1.50	27.11	38.83	13.13	34.08
PK	5.2586G	55.22	68.20	-12.98	8.67	3	Horizontal	312	2.11	46.55	32.92	9.90	34.15
PK	11.52856G	56.71	74.00	-17.29	17.89	3	Horizontal	330	1.50	38.82	38.84	13.13	34.08
PK	17.30404G	62.77	68.20	-5.43	21.69	3	Horizontal	163	1.50	41.08	38.71	16.23	33.25



**RSE TX below 1GHz  
Non-Beamforming\_Radio2(Low Band)+Radio3(High Band)**

**Appendix E.3**

**Summary**

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-	-
5.725-5.85GHz_802.11ax HEW40_Nss1,(MCS0)_2TX	Pass	PK	49.4M	36.79	40.00	-3.21	3	Vertical	360	1.00	-



**RSE TX below 1GHz**  
**Non-Beamforming\_Radio2(Low Band)+Radio3(High Band)**

**Appendix E.3**


**Result**

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.725-5.85GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-
5755MHz	Pass	PK	49.4M	36.79	40.00	-3.21	3	Vertical	360	1.00	-
5755MHz	Pass	PK	123.12M	26.34	43.50	-17.16	3	Vertical	360	1.00	-
5755MHz	Pass	PK	191.02M	32.31	43.50	-11.19	3	Vertical	360	1.00	-
5755MHz	Pass	PK	222.06M	26.68	46.00	-19.32	3	Vertical	360	1.00	-
5755MHz	Pass	PK	371.44M	28.13	46.00	-17.87	3	Vertical	360	1.00	-
5755MHz	Pass	PK	515M	30.84	46.00	-15.16	3	Vertical	360	1.00	-
5755MHz	Pass	PK	30M	34.60	40.00	-5.40	3	Horizontal	0	1.00	-
5755MHz	Pass	PK	144.46M	31.63	43.50	-11.87	3	Horizontal	0	1.00	-
5755MHz	Pass	PK	194.9M	34.33	43.50	-9.17	3	Horizontal	0	1.00	-
5755MHz	Pass	PK	224M	31.33	46.00	-14.67	3	Horizontal	0	1.00	-
5755MHz	Pass	PK	402.48M	32.60	46.00	-13.40	3	Horizontal	0	1.00	-
5755MHz	Pass	PK	728.4M	39.29	46.00	-6.71	3	Horizontal	0	1.00	-



5.725-5.85GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX


5755MHz\_Adapter



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	49.4M	36.79	40.00	-3.21	-12.59	3	Vertical	360	1.00	-	49.38	13.76	1.04	27.39
PK	123.12M	26.34	43.50	-17.16	-8.86	3	Vertical	360	1.00	-	35.20	17.34	1.56	27.76
PK	191.02M	32.31	43.50	-11.19	-11.25	3	Vertical	360	1.00	-	43.56	14.22	1.98	27.45
PK	222.06M	26.68	46.00	-19.32	-10.66	3	Vertical	360	1.00	-	37.34	14.51	2.13	27.30
PK	371.44M	28.13	46.00	-17.87	-4.85	3	Vertical	360	1.00	-	32.98	20.02	2.78	27.65
PK	515M	30.84	46.00	-15.16	-2.43	3	Vertical	360	1.00	-	33.27	22.66	3.34	28.43

5.725-5.85GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX

5755MHz\_Adapter



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	30M	34.60	40.00	-5.40	-2.80	3	Horizontal	0	1.00	-	37.40	23.14	1.02	26.96
PK	144.46M	31.63	43.50	-11.87	-10.07	3	Horizontal	0	1.00	-	41.70	15.94	1.69	27.70
PK	194.9M	34.33	43.50	-9.17	-11.14	3	Horizontal	0	1.00	-	45.47	14.29	2.00	27.43
PK	224M	31.33	46.00	-14.67	-10.48	3	Horizontal	0	1.00	-	41.81	14.67	2.14	27.29
PK	402.48M	32.60	46.00	-13.40	-3.87	3	Horizontal	0	1.00	-	36.47	21.10	2.89	27.86
PK	728.4M	39.29	46.00	-6.71	0.21	3	Horizontal	0	1.00	-	39.08	24.59	3.90	28.28



**RSE TX above 1GHz  
Non-Beamforming\_Radio2(Low Band)+Radio3(High Band)**

**Appendix E.4**

**Summary**

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX	Pass	AV	5.15G	53.12	54.00	-0.88	3	Horizontal	315	2.16
802.11ax HEW20_Nss1,(MCS0)_2TX	Pass	AV	5.15G	50.58	54.00	-3.42	3	Horizontal	312	2.04
802.11ax HEW40_Nss1,(MCS0)_2TX	Pass	AV	5.146G	53.43	54.00	-0.57	3	Horizontal	55	1.94
802.11ax HEW80_Nss1,(MCS0)_2TX	Pass	AV	5.15G	53.11	54.00	-0.89	3	Horizontal	317	2.17
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX	Pass	AV	11.5703G	52.79	54.00	-1.21	3	Horizontal	303	1.90
802.11ax HEW20_Nss1,(MCS0)_2TX	Pass	AV	11.57008G	52.55	54.00	-1.45	3	Horizontal	305	1.88
802.11ax HEW40_Nss1,(MCS0)_2TX	Pass	PK	5.6458G	66.62	68.20	-1.58	3	Horizontal	51	1.49
802.11ax HEW80_Nss1,(MCS0)_2TX	Pass	PK	5.637G	66.45	68.20	-1.75	3	Horizontal	42	3.00



**RSE TX above 1GHz**  
**Non-Beamforming\_Radio2(Low Band)+Radio3(High Band)**

**Appendix E.4**

**Result**

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11a_Nss1_(6Mbps)_2TX	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	AV	5.1486G	49.33	54.00	-4.67	3	Vertical	44	2.16
5180MHz	Pass	AV	5.1838G	103.67	Inf	-Inf	3	Vertical	44	2.16
5180MHz	Pass	PK	5.148G	62.57	74.00	-11.43	3	Vertical	44	2.16
5180MHz	Pass	PK	5.1832G	115.74	Inf	-Inf	3	Vertical	44	2.16
5180MHz	Pass	AV	5.15G	53.12	54.00	-0.88	3	Horizontal	315	2.16
5180MHz	Pass	AV	5.1808G	107.71	Inf	-Inf	3	Horizontal	315	2.16
5180MHz	Pass	PK	5.15G	65.61	74.00	-8.39	3	Horizontal	315	2.16
5180MHz	Pass	PK	5.1766G	119.51	Inf	-Inf	3	Horizontal	315	2.16
5180MHz	Pass	AV	15.53616G	48.71	54.00	-5.29	3	Vertical	257	2.87
5180MHz	Pass	PK	10.36056G	61.70	68.20	-6.50	3	Vertical	12	1.66
5180MHz	Pass	PK	15.53928G	62.18	74.00	-11.82	3	Vertical	257	2.87
5180MHz	Pass	AV	15.52288G	48.77	54.00	-5.23	3	Horizontal	14	2.35
5180MHz	Pass	PK	10.36072G	61.90	68.20	-6.30	3	Horizontal	40	1.96
5180MHz	Pass	PK	15.54992G	62.48	74.00	-11.52	3	Horizontal	14	2.35
5200MHz	Pass	AV	5.15G	48.54	54.00	-5.46	3	Vertical	68	2.12
5200MHz	Pass	AV	5.2032G	107.55	Inf	-Inf	3	Vertical	68	2.12
5200MHz	Pass	PK	5.1344G	60.15	74.00	-13.85	3	Vertical	68	2.12
5200MHz	Pass	PK	5.2032G	117.49	Inf	-Inf	3	Vertical	68	2.12
5200MHz	Pass	AV	5.1496G	48.89	54.00	-5.11	3	Horizontal	57	2.10
5200MHz	Pass	AV	5.2052G	110.96	Inf	-Inf	3	Horizontal	57	2.10
5200MHz	Pass	PK	5.1492G	61.53	74.00	-12.47	3	Horizontal	57	2.10
5200MHz	Pass	PK	5.1952G	120.45	Inf	-Inf	3	Horizontal	57	2.10
5200MHz	Pass	AV	15.58456G	49.08	54.00	-4.92	3	Vertical	92	1.09
5200MHz	Pass	PK	10.4004G	63.39	68.20	-4.81	3	Vertical	9	1.62
5200MHz	Pass	PK	15.59816G	62.30	74.00	-11.70	3	Vertical	92	1.09
5200MHz	Pass	AV	15.59264G	49.13	54.00	-4.87	3	Horizontal	235	1.08
5200MHz	Pass	PK	10.40472G	62.74	68.20	-5.46	3	Horizontal	38	2.02
5200MHz	Pass	PK	15.59904G	63.18	74.00	-10.82	3	Horizontal	235	1.08
5240MHz	Pass	AV	5.1386G	47.97	54.00	-6.03	3	Vertical	35	2.67
5240MHz	Pass	AV	5.2394G	108.48	Inf	-Inf	3	Vertical	35	2.67
5240MHz	Pass	AV	5.3882G	47.58	54.00	-6.42	3	Vertical	35	2.67
5240MHz	Pass	PK	5.1428G	60.31	74.00	-13.69	3	Vertical	35	2.67
5240MHz	Pass	PK	5.2442G	118.21	Inf	-Inf	3	Vertical	35	2.67
5240MHz	Pass	PK	5.3792G	60.62	74.00	-13.38	3	Vertical	35	2.67
5240MHz	Pass	AV	5.1398G	48.78	54.00	-5.22	3	Horizontal	315	2.02
5240MHz	Pass	AV	5.2406G	111.99	Inf	-Inf	3	Horizontal	315	2.02
5240MHz	Pass	AV	5.3762G	48.94	54.00	-5.06	3	Horizontal	315	2.02
5240MHz	Pass	PK	5.1458G	60.31	74.00	-13.69	3	Horizontal	315	2.02
5240MHz	Pass	PK	5.2406G	121.82	Inf	-Inf	3	Horizontal	315	2.02
5240MHz	Pass	PK	5.3852G	60.34	74.00	-13.66	3	Horizontal	315	2.02
5240MHz	Pass	AV	15.70688G	48.08	54.00	-5.92	3	Vertical	222	1.62
5240MHz	Pass	PK	10.48064G	65.35	68.20	-2.85	3	Vertical	10	1.60
5240MHz	Pass	PK	15.7016G	60.77	74.00	-13.23	3	Vertical	222	1.62
5240MHz	Pass	AV	15.7012G	47.86	54.00	-6.14	3	Horizontal	115	2.32
5240MHz	Pass	PK	10.48064G	61.05	68.20	-7.15	3	Horizontal	46	1.69
5240MHz	Pass	PK	15.702G	60.37	74.00	-13.63	3	Horizontal	115	2.32
5745MHz	Pass	AV	5.7378G	109.34	Inf	-Inf	3	Vertical	328	2.93
5745MHz	Pass	PK	5.6286G	61.31	68.20	-6.89	3	Vertical	328	2.93
5745MHz	Pass	PK	5.7378G	118.43	Inf	-Inf	3	Vertical	328	2.93
5745MHz	Pass	PK	5.9562G	61.09	68.20	-7.11	3	Vertical	328	2.93
5745MHz	Pass	AV	5.7402G	109.97	Inf	-Inf	3	Horizontal	54	1.49
5745MHz	Pass	PK	5.4918G	60.26	68.20	-7.94	3	Horizontal	54	1.49
5745MHz	Pass	PK	5.7402G	119.22	Inf	-Inf	3	Horizontal	54	1.49
5745MHz	Pass	PK	5.925G	61.53	68.20	-6.67	3	Horizontal	54	1.49
5745MHz	Pass	AV	11.48982G	49.51	54.00	-4.49	3	Vertical	33	1.50
5745MHz	Pass	PK	11.48958G	61.60	74.00	-12.40	3	Vertical	33	1.50
5745MHz	Pass	PK	17.23452G	64.15	68.20	-4.05	3	Vertical	322	1.73
5745MHz	Pass	AV	11.49198G	48.83	54.00	-5.17	3	Horizontal	312	1.13
5745MHz	Pass	PK	11.49186G	62.09	74.00	-11.91	3	Horizontal	312	1.13
5745MHz	Pass	PK	17.2458G	63.61	68.20	-4.59	3	Horizontal	252	2.37



**RSE TX above 1GHz  
Non-Beamforming\_Radio2(Low Band)+Radio3(High Band)**

**Appendix E.4**

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5785MHz	Pass	AV	5.779G	109.51	Inf	-Inf	3	Vertical	11	2.99
5785MHz	Pass	PK	5.647G	60.74	68.20	-7.46	3	Vertical	11	2.99
5785MHz	Pass	PK	5.779G	118.79	Inf	-Inf	3	Vertical	11	2.99
5785MHz	Pass	PK	5.9458G	60.58	68.20	-7.62	3	Vertical	11	2.99
5785MHz	Pass	AV	5.791G	108.77	Inf	-Inf	3	Horizontal	43	3.00
5785MHz	Pass	PK	5.5966G	59.95	68.20	-8.25	3	Horizontal	43	3.00
5785MHz	Pass	PK	5.7922G	118.05	Inf	-Inf	3	Horizontal	43	3.00
5785MHz	Pass	PK	6.0502G	61.99	68.20	-6.21	3	Horizontal	43	3.00
5785MHz	Pass	AV	11.56994G	50.61	54.00	-3.39	3	Vertical	31	1.50
5785MHz	Pass	PK	11.57492G	62.92	74.00	-11.08	3	Vertical	31	1.50
5785MHz	Pass	PK	17.346G	63.21	68.20	-4.99	3	Vertical	290	2.68
5785MHz	Pass	AV	11.5703G	52.79	54.00	-1.21	3	Horizontal	303	1.90
5785MHz	Pass	PK	11.57048G	65.78	74.00	-8.22	3	Horizontal	303	1.90
5785MHz	Pass	PK	17.34108G	62.89	68.20	-5.31	3	Horizontal	56	2.02
5825MHz	Pass	AV	5.8322G	109.33	Inf	-Inf	3	Vertical	333	2.95
5825MHz	Pass	PK	5.6246G	60.30	68.20	-7.90	3	Vertical	333	2.95
5825MHz	Pass	PK	5.8322G	119.30	Inf	-Inf	3	Vertical	333	2.95
5825MHz	Pass	PK	6.0362G	60.96	68.20	-7.24	3	Vertical	333	2.95
5825MHz	Pass	AV	5.831G	109.71	Inf	-Inf	3	Horizontal	44	1.56
5825MHz	Pass	PK	5.639G	60.57	68.20	-7.63	3	Horizontal	44	1.56
5825MHz	Pass	PK	5.831G	119.43	Inf	-Inf	3	Horizontal	44	1.56
5825MHz	Pass	PK	5.969G	61.09	68.20	-7.11	3	Horizontal	44	1.56
5825MHz	Pass	AV	11.6521G	50.95	54.00	-3.05	3	Vertical	0	2.77
5825MHz	Pass	PK	11.65204G	63.65	74.00	-10.35	3	Vertical	0	2.77
5825MHz	Pass	PK	17.47296G	62.78	68.20	-5.42	3	Vertical	164	1.39
5825MHz	Pass	AV	11.65186G	48.13	54.00	-5.87	3	Horizontal	7	1.50
5825MHz	Pass	PK	11.6521G	61.10	74.00	-12.90	3	Horizontal	7	1.50
5825MHz	Pass	PK	17.48838G	62.79	68.20	-5.41	3	Horizontal	200	1.72
802.11ax HEW20_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	AV	5.1498G	50.05	54.00	-3.95	3	Vertical	35	2.47
5180MHz	Pass	AV	5.1782G	105.33	Inf	-Inf	3	Vertical	35	2.47
5180MHz	Pass	PK	5.1496G	63.35	74.00	-10.65	3	Vertical	35	2.47
5180MHz	Pass	PK	5.1788G	118.58	Inf	-Inf	3	Vertical	35	2.47
5180MHz	Pass	AV	5.15G	50.58	54.00	-3.42	3	Horizontal	312	2.04
5180MHz	Pass	AV	5.1828G	108.79	Inf	-Inf	3	Horizontal	312	2.04
5180MHz	Pass	PK	5.1498G	62.51	74.00	-11.49	3	Horizontal	312	2.04
5180MHz	Pass	PK	5.1818G	121.71	Inf	-Inf	3	Horizontal	312	2.04
5180MHz	Pass	AV	15.54128G	49.26	54.00	-4.74	3	Vertical	202	2.07
5180MHz	Pass	PK	10.3612G	61.24	68.20	-6.96	3	Vertical	10	1.62
5180MHz	Pass	PK	15.55696G	62.68	74.00	-11.32	3	Vertical	202	2.07
5180MHz	Pass	AV	15.53064G	49.15	54.00	-4.85	3	Horizontal	219	1.15
5180MHz	Pass	PK	10.36056G	62.13	68.20	-6.07	3	Horizontal	34	2.10
5180MHz	Pass	PK	15.5384G	62.19	74.00	-11.81	3	Horizontal	219	1.15
5200MHz	Pass	AV	5.1488G	47.92	54.00	-6.08	3	Vertical	62	2.97
5200MHz	Pass	AV	5.198G	106.69	Inf	-Inf	3	Vertical	62	2.97
5200MHz	Pass	PK	5.1348G	59.79	74.00	-14.21	3	Vertical	62	2.97
5200MHz	Pass	PK	5.1976G	119.35	Inf	-Inf	3	Vertical	62	2.97
5200MHz	Pass	AV	5.1472G	48.46	54.00	-5.54	3	Horizontal	59	2.22
5200MHz	Pass	AV	5.2048G	109.94	Inf	-Inf	3	Horizontal	59	2.22
5200MHz	Pass	PK	5.1368G	60.93	74.00	-13.07	3	Horizontal	59	2.22
5200MHz	Pass	PK	5.1944G	123.06	Inf	-Inf	3	Horizontal	59	2.22
5200MHz	Pass	AV	15.58232G	49.18	54.00	-4.82	3	Vertical	56	2.92
5200MHz	Pass	PK	10.40096G	63.91	68.20	-4.29	3	Vertical	10	1.62
5200MHz	Pass	PK	15.60272G	62.02	74.00	-11.98	3	Vertical	56	2.92
5200MHz	Pass	AV	15.60032G	48.96	54.00	-5.04	3	Horizontal	267	1.84
5200MHz	Pass	PK	10.39792G	60.55	68.20	-7.65	3	Horizontal	56	2.96
5200MHz	Pass	PK	15.58824G	61.92	74.00	-12.08	3	Horizontal	267	1.84
5240MHz	Pass	AV	5.1416G	47.75	54.00	-6.25	3	Vertical	64	2.80
5240MHz	Pass	AV	5.2382G	107.09	Inf	-Inf	3	Vertical	64	2.80
5240MHz	Pass	AV	5.3762G	48.47	54.00	-5.53	3	Vertical	64	2.80
5240MHz	Pass	PK	5.1104G	60.12	74.00	-13.88	3	Vertical	64	2.80
5240MHz	Pass	PK	5.2388G	120.12	Inf	-Inf	3	Vertical	64	2.80





**RSE TX above 1GHz  
Non-Beamforming\_Radio2(Low Band)+Radio3(High Band)**

**Appendix E.4**

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5240MHz	Pass	PK	5.3588G	59.66	74.00	-14.34	3	Vertical	64	2.80
5240MHz	Pass	AV	5.15G	48.72	54.00	-5.28	3	Horizontal	312	2.05
5240MHz	Pass	AV	5.237G	111.04	Inf	-Inf	3	Horizontal	312	2.05
5240MHz	Pass	AV	5.3762G	48.90	54.00	-5.10	3	Horizontal	312	2.05
5240MHz	Pass	PK	5.1314G	60.87	74.00	-13.13	3	Horizontal	312	2.05
5240MHz	Pass	PK	5.237G	123.66	Inf	-Inf	3	Horizontal	312	2.05
5240MHz	Pass	PK	5.3582G	60.09	74.00	-13.91	3	Horizontal	312	2.05
5240MHz	Pass	AV	15.70688G	47.88	54.00	-6.12	3	Vertical	134	1.91
5240MHz	Pass	PK	10.47744G	63.44	68.20	-4.76	3	Vertical	11	1.61
5240MHz	Pass	PK	15.70464G	61.10	74.00	-12.90	3	Vertical	134	1.91
5240MHz	Pass	AV	15.70016G	47.84	54.00	-6.16	3	Horizontal	6	2.92
5240MHz	Pass	PK	10.48088G	63.62	68.20	-4.58	3	Horizontal	44	1.77
5240MHz	Pass	PK	15.70416G	60.82	74.00	-13.18	3	Horizontal	6	2.92
5745MHz	Pass	AV	5.7366G	105.43	Inf	-Inf	3	Vertical	56	1.21
5745MHz	Pass	PK	5.6178G	59.72	68.20	-8.48	3	Vertical	56	1.21
5745MHz	Pass	PK	5.7366G	116.73	Inf	-Inf	3	Vertical	56	1.21
5745MHz	Pass	PK	5.9382G	61.13	68.20	-7.07	3	Vertical	56	1.21
5745MHz	Pass	AV	5.7354G	110.01	Inf	-Inf	3	Horizontal	51	1.47
5745MHz	Pass	PK	5.6466G	60.28	68.20	-7.92	3	Horizontal	51	1.47
5745MHz	Pass	PK	5.7366G	121.56	Inf	-Inf	3	Horizontal	51	1.47
5745MHz	Pass	PK	5.9898G	60.95	68.20	-7.25	3	Horizontal	51	1.47
5745MHz	Pass	AV	11.4916G	51.78	54.00	-2.22	3	Vertical	359	2.24
5745MHz	Pass	PK	11.492G	64.95	74.00	-9.05	3	Vertical	359	2.24
5745MHz	Pass	PK	17.23364G	63.52	68.20	-4.68	3	Vertical	43	1.70
5745MHz	Pass	AV	11.48992G	50.96	54.00	-3.04	3	Horizontal	307	1.91
5745MHz	Pass	PK	11.49112G	63.79	74.00	-10.21	3	Horizontal	307	1.91
5745MHz	Pass	PK	17.22748G	62.72	68.20	-5.48	3	Horizontal	170	2.87
5785MHz	Pass	AV	5.7934G	107.26	Inf	-Inf	3	Vertical	311	1.90
5785MHz	Pass	PK	5.6326G	60.69	68.20	-7.51	3	Vertical	311	1.90
5785MHz	Pass	PK	5.7934G	118.24	Inf	-Inf	3	Vertical	311	1.90
5785MHz	Pass	PK	6.0418G	62.34	68.20	-5.86	3	Vertical	311	1.90
5785MHz	Pass	AV	5.7766G	109.99	Inf	-Inf	3	Horizontal	49	1.50
5785MHz	Pass	PK	5.5894G	60.56	68.20	-7.64	3	Horizontal	49	1.50
5785MHz	Pass	PK	5.7766G	121.59	Inf	-Inf	3	Horizontal	49	1.50
5785MHz	Pass	PK	6.0514G	61.58	68.20	-6.62	3	Horizontal	49	1.50
5785MHz	Pass	AV	11.56984G	50.18	54.00	-3.82	3	Vertical	31	1.50
5785MHz	Pass	PK	11.56904G	62.67	74.00	-11.33	3	Vertical	31	1.50
5785MHz	Pass	PK	17.3682G	63.86	68.20	-4.34	3	Vertical	169	2.64
5785MHz	Pass	AV	11.57008G	52.55	54.00	-1.45	3	Horizontal	305	1.88
5785MHz	Pass	PK	11.57064G	66.19	74.00	-7.81	3	Horizontal	305	1.88
5785MHz	Pass	PK	17.3658G	63.46	68.20	-4.74	3	Horizontal	123	2.18
5825MHz	Pass	AV	5.8334G	106.84	Inf	-Inf	3	Vertical	312	1.69
5825MHz	Pass	PK	5.5778G	59.85	68.20	-8.35	3	Vertical	312	1.69
5825MHz	Pass	PK	5.8322G	119.27	Inf	-Inf	3	Vertical	312	1.69
5825MHz	Pass	PK	6.1202G	61.36	68.20	-6.84	3	Vertical	312	1.69
5825MHz	Pass	AV	5.8166G	109.45	Inf	-Inf	3	Horizontal	49	1.50
5825MHz	Pass	PK	5.627G	59.71	68.20	-8.49	3	Horizontal	49	1.50
5825MHz	Pass	PK	5.8166G	121.52	Inf	-Inf	3	Horizontal	49	1.50
5825MHz	Pass	PK	6.0566G	61.27	68.20	-6.93	3	Horizontal	49	1.50
5825MHz	Pass	AV	11.64408G	49.92	54.00	-4.08	3	Vertical	2	2.77
5825MHz	Pass	PK	11.64288G	63.56	74.00	-10.44	3	Vertical	2	2.77
5825MHz	Pass	PK	17.46756G	62.51	68.20	-5.69	3	Vertical	359	2.79
5825MHz	Pass	AV	11.64464G	47.23	54.00	-6.77	3	Horizontal	7	1.50
5825MHz	Pass	PK	11.63464G	61.16	74.00	-12.84	3	Horizontal	7	1.50
5825MHz	Pass	PK	17.48596G	62.80	68.20	-5.40	3	Horizontal	314	2.32
802.11ax HEW40_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5190MHz	Pass	AV	5.15G	51.67	54.00	-2.33	3	Vertical	70	1.98
5190MHz	Pass	AV	5.192G	101.61	Inf	-Inf	3	Vertical	70	1.98
5190MHz	Pass	PK	5.1488G	62.79	74.00	-11.21	3	Vertical	70	1.98
5190MHz	Pass	PK	5.1912G	114.48	Inf	-Inf	3	Vertical	70	1.98
5190MHz	Pass	AV	5.146G	53.43	54.00	-0.57	3	Horizontal	55	1.94
5190MHz	Pass	AV	5.1852G	105.05	Inf	-Inf	3	Horizontal	55	1.94



**RSE TX above 1GHz  
Non-Beamforming\_Radio2(Low Band)+Radio3(High Band)**

**Appendix E.4**

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5190MHz	Pass	PK	5.1476G	66.00	74.00	-8.00	3	Horizontal	55	1.94
5190MHz	Pass	PK	5.1952G	117.86	Inf	-Inf	3	Horizontal	55	1.94
5190MHz	Pass	AV	15.55656G	49.15	54.00	-4.85	3	Vertical	140	1.38
5190MHz	Pass	PK	10.38112G	59.67	68.20	-8.53	3	Vertical	11	1.63
5190MHz	Pass	PK	15.58568G	62.97	74.00	-11.03	3	Vertical	140	1.38
5190MHz	Pass	AV	15.56016G	49.13	54.00	-4.87	3	Horizontal	158	1.36
5190MHz	Pass	PK	10.38984G	58.47	68.20	-9.73	3	Horizontal	36	1.99
5190MHz	Pass	PK	15.57656G	62.68	74.00	-11.32	3	Horizontal	158	1.36
5230MHz	Pass	AV	5.1496G	48.54	54.00	-5.46	3	Vertical	60	2.95
5230MHz	Pass	AV	5.2292G	105.93	Inf	-Inf	3	Vertical	60	2.95
5230MHz	Pass	PK	5.1488G	60.46	74.00	-13.54	3	Vertical	60	2.95
5230MHz	Pass	PK	5.2284G	117.97	Inf	-Inf	3	Vertical	60	2.95
5230MHz	Pass	AV	5.1468G	50.32	54.00	-3.68	3	Horizontal	315	2.04
5230MHz	Pass	AV	5.2368G	109.41	Inf	-Inf	3	Horizontal	315	2.04
5230MHz	Pass	PK	5.1368G	62.22	74.00	-11.78	3	Horizontal	315	2.04
5230MHz	Pass	PK	5.2384G	122.83	Inf	-Inf	3	Horizontal	315	2.04
5230MHz	Pass	AV	15.67616G	48.27	54.00	-5.73	3	Vertical	303	2.10
5230MHz	Pass	PK	10.46176G	62.10	68.20	-6.10	3	Vertical	10	1.62
5230MHz	Pass	PK	15.67712G	61.48	74.00	-12.52	3	Vertical	303	2.10
5230MHz	Pass	AV	15.67648G	48.25	54.00	-5.75	3	Horizontal	179	2.34
5230MHz	Pass	PK	10.46016G	60.34	68.20	-7.86	3	Horizontal	37	1.75
5230MHz	Pass	PK	15.70096G	61.47	74.00	-12.53	3	Horizontal	179	2.34
5755MHz	Pass	AV	5.7598G	106.57	Inf	-Inf	3	Vertical	330	2.90
5755MHz	Pass	PK	5.6494G	66.12	68.20	-2.08	3	Vertical	330	2.90
5755MHz	Pass	PK	5.7586G	119.17	Inf	-Inf	3	Vertical	330	2.90
5755MHz	Pass	PK	5.9386G	61.67	68.20	-6.53	3	Vertical	330	2.90
5755MHz	Pass	AV	5.7454G	108.15	Inf	-Inf	3	Horizontal	51	1.49
5755MHz	Pass	PK	5.6458G	66.62	68.20	-1.58	3	Horizontal	51	1.49
5755MHz	Pass	PK	5.7466G	119.18	Inf	-Inf	3	Horizontal	51	1.49
5755MHz	Pass	PK	5.9398G	61.09	68.20	-7.11	3	Horizontal	51	1.49
5755MHz	Pass	AV	11.50984G	47.86	54.00	-6.14	3	Vertical	32	1.63
5755MHz	Pass	PK	11.5108G	60.77	74.00	-13.23	3	Vertical	32	1.63
5755MHz	Pass	PK	17.24676G	63.27	68.20	-4.93	3	Vertical	313	2.18
5755MHz	Pass	AV	11.514G	47.34	54.00	-6.66	3	Horizontal	313	1.34
5755MHz	Pass	PK	11.50752G	60.76	74.00	-13.24	3	Horizontal	313	1.34
5755MHz	Pass	PK	17.27316G	63.44	68.20	-4.76	3	Horizontal	61	1.00
5795MHz	Pass	AV	5.7926G	107.32	Inf	-Inf	3	Vertical	4	2.97
5795MHz	Pass	PK	5.5922G	60.47	68.20	-7.73	3	Vertical	4	2.97
5795MHz	Pass	PK	5.7938G	118.52	Inf	-Inf	3	Vertical	4	2.97
5795MHz	Pass	PK	6.0722G	62.51	68.20	-5.69	3	Vertical	4	2.97
5795MHz	Pass	AV	5.7974G	107.40	Inf	-Inf	3	Horizontal	45	3.00
5795MHz	Pass	PK	5.6498G	60.85	68.20	-7.35	3	Horizontal	45	3.00
5795MHz	Pass	PK	5.789G	118.32	Inf	-Inf	3	Horizontal	45	3.00
5795MHz	Pass	PK	5.9318G	61.40	68.20	-6.80	3	Horizontal	45	3.00
5795MHz	Pass	AV	11.5924G	50.96	54.00	-3.04	3	Vertical	3	2.85
5795MHz	Pass	PK	11.58208G	64.30	74.00	-9.70	3	Vertical	3	2.85
5795MHz	Pass	PK	17.37052G	63.60	68.20	-4.60	3	Vertical	251	2.06
5795MHz	Pass	AV	11.58528G	47.74	54.00	-6.26	3	Horizontal	313	1.34
5795MHz	Pass	PK	11.58544G	61.60	74.00	-12.40	3	Horizontal	313	1.34
5795MHz	Pass	PK	17.37924G	63.82	68.20	-4.38	3	Horizontal	63	2.85
802.11ax HEW80_Nss1.(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5210MHz	Pass	AV	5.145G	49.45	54.00	-4.55	3	Vertical	59	2.80
5210MHz	Pass	AV	5.234G	96.41	Inf	-Inf	3	Vertical	59	2.80
5210MHz	Pass	AV	5.376G	47.80	54.00	-6.20	3	Vertical	59	2.80
5210MHz	Pass	PK	5.142G	61.00	74.00	-13.00	3	Vertical	59	2.80
5210MHz	Pass	PK	5.226G	108.10	Inf	-Inf	3	Vertical	59	2.80
5210MHz	Pass	PK	5.453G	59.94	74.00	-14.06	3	Vertical	59	2.80
5210MHz	Pass	AV	5.15G	53.11	54.00	-0.89	3	Horizontal	317	2.17
5210MHz	Pass	AV	5.212G	100.42	Inf	-Inf	3	Horizontal	317	2.17
5210MHz	Pass	AV	5.376G	48.22	54.00	-5.78	3	Horizontal	317	2.17
5210MHz	Pass	PK	5.15G	64.41	74.00	-9.59	3	Horizontal	317	2.17
5210MHz	Pass	PK	5.201G	112.13	Inf	-Inf	3	Horizontal	317	2.17




**RSE TX above 1GHz**  
**Non-Beamforming\_Radio2(Low Band)+Radio3(High Band)**

**Appendix E.4**

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5210MHz	Pass	PK	5.352G	59.93	74.00	-14.07	3	Horizontal	317	2.17
5210MHz	Pass	AV	15.59352G	49.13	54.00	-4.87	3	Vertical	63	2.68
5210MHz	Pass	PK	10.42G	56.77	68.20	-11.43	3	Vertical	9	2.94
5210MHz	Pass	PK	15.646G	62.27	74.00	-11.73	3	Vertical	63	2.68
5210MHz	Pass	AV	15.59224G	49.08	54.00	-4.92	3	Horizontal	294	1.40
5210MHz	Pass	PK	10.39984G	55.81	68.20	-12.39	3	Horizontal	319	3.00
5210MHz	Pass	PK	15.59576G	61.69	74.00	-12.31	3	Horizontal	294	1.40
5775MHz	Pass	AV	5.7786G	100.42	Inf	-Inf	3	Vertical	334	3.00
5775MHz	Pass	PK	5.6502G	64.62	68.35	-3.73	3	Vertical	334	3.00
5775MHz	Pass	PK	5.7678G	112.27	Inf	-Inf	3	Vertical	334	3.00
5775MHz	Pass	PK	5.9526G	60.98	68.20	-7.22	3	Vertical	334	3.00
5775MHz	Pass	AV	5.7786G	100.70	Inf	-Inf	3	Horizontal	42	3.00
5775MHz	Pass	PK	5.637G	66.45	68.20	-1.75	3	Horizontal	42	3.00
5775MHz	Pass	PK	5.7882G	112.65	Inf	-Inf	3	Horizontal	42	3.00
5775MHz	Pass	PK	6.0594G	61.02	68.20	-7.18	3	Horizontal	42	3.00
5775MHz	Pass	AV	11.54184G	46.23	54.00	-7.77	3	Vertical	360	2.13
5775MHz	Pass	PK	11.55208G	59.73	74.00	-14.27	3	Vertical	360	2.13
5775MHz	Pass	PK	17.35332G	63.26	68.20	-4.94	3	Vertical	220	1.70
5775MHz	Pass	AV	11.55G	43.75	54.00	-10.25	3	Horizontal	312	1.88
5775MHz	Pass	PK	11.52184G	56.72	74.00	-17.28	3	Horizontal	312	1.88
5775MHz	Pass	PK	17.31716G	63.18	68.20	-5.02	3	Horizontal	190	2.93

### 5.15-5.25GHz\_802.11a\_Nss1,(6Mbps)\_2TX


#### 5180MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1486G	49.33	54.00	-4.67	8.90	3	Vertical	44	2.16	40.43	33.20	9.83	34.13
AV	5.1838G	103.67	Inf	-Inf	8.85	3	Vertical	44	2.16	94.82	33.13	9.85	34.13
PK	5.148G	62.57	74.00	-11.43	8.90	3	Vertical	44	2.16	53.67	33.20	9.83	34.13
PK	5.1832G	115.74	Inf	-Inf	8.85	3	Vertical	44	2.16	106.89	33.13	9.85	34.13

### 5.15-5.25GHz\_802.11a\_Nss1,(6Mbps)\_2TX


#### 5180MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	53.12	54.00	-0.88	8.90	3	Horizontal	315	2.16	44.22	33.20	9.83	34.13
AV	5.1808G	107.71	Inf	-Inf	8.86	3	Horizontal	315	2.16	98.85	33.14	9.85	34.13
PK	5.15G	65.61	74.00	-8.39	8.90	3	Horizontal	315	2.16	56.71	33.20	9.83	34.13
PK	5.1766G	119.51	Inf	-Inf	8.87	3	Horizontal	315	2.16	110.64	33.15	9.85	34.13




5.15-5.25GHz\_802.11a\_Nss1,(6Mbps)\_2TX  
5180MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.53616G	48.71	54.00	-5.29	19.95	3	Vertical	257	2.87	28.76	38.70	15.68	34.43
PK	10.36056G	61.70	68.20	-6.50	16.74	3	Vertical	12	1.66	44.96	38.66	12.67	34.59
PK	15.53928G	62.18	74.00	-11.82	19.95	3	Vertical	257	2.87	42.23	38.70	15.68	34.43

5.15-5.25GHz\_802.11a\_Nss1,(6Mbps)\_2TX  
5180MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.52288G	48.77	54.00	-5.23	19.95	3	Horizontal	14	2.35	28.82	38.70	15.67	34.42
PK	10.36072G	61.90	68.20	-6.30	16.74	3	Horizontal	40	1.96	45.16	38.66	12.67	34.59
PK	15.54992G	62.48	74.00	-11.52	19.95	3	Horizontal	14	2.35	42.53	38.70	15.69	34.44



5.15-5.25GHz\_802.11a\_Nss1,(6Mbps)\_2TX


5200MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	48.54	54.00	-5.46	8.90	3	Vertical	68	2.12	39.64	33.20	9.83	34.13
AV	5.2032G	107.55	Inf	-Inf	8.81	3	Vertical	68	2.12	98.74	33.09	9.86	34.14
PK	5.1344G	60.15	74.00	-13.85	8.90	3	Vertical	68	2.12	51.25	33.20	9.82	34.12
PK	5.2032G	117.49	Inf	-Inf	8.81	3	Vertical	68	2.12	108.68	33.09	9.86	34.14

5.15-5.25GHz\_802.11a\_Nss1,(6Mbps)\_2TX


5200MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1496G	48.89	54.00	-5.11	8.90	3	Horizontal	57	2.10	39.99	33.20	9.83	34.13
AV	5.2052G	110.96	Inf	-Inf	8.80	3	Horizontal	57	2.10	102.16	33.08	9.86	34.14
PK	5.1492G	61.53	74.00	-12.47	8.90	3	Horizontal	57	2.10	52.63	33.20	9.83	34.13
PK	5.1952G	120.45	Inf	-Inf	8.83	3	Horizontal	57	2.10	111.62	33.11	9.86	34.14




5.15-5.25GHz\_802.11a\_Nss1,(6Mbps)\_2TX  
5200MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.58456G	49.08	54.00	-4.92	19.95	3	Vertical	92	1.09	29.13	38.70	15.71	34.46
PK	10.4004G	63.39	68.20	-4.81	16.83	3	Vertical	9	1.62	46.56	38.70	12.69	34.56
PK	15.59816G	62.30	74.00	-11.70	19.96	3	Vertical	92	1.09	42.34	38.70	15.72	34.46


5.15-5.25GHz\_802.11a\_Nss1,(6Mbps)\_2TX  
5200MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.59264G	49.13	54.00	-4.87	19.96	3	Horizontal	235	1.08	29.17	38.70	15.72	34.46
PK	10.40472G	62.74	68.20	-5.46	16.83	3	Horizontal	38	2.02	45.91	38.70	12.69	34.56
PK	15.59904G	63.18	74.00	-10.82	19.95	3	Horizontal	235	1.08	43.23	38.70	15.72	34.47

### 5.15-5.25GHz\_802.11a\_Nss1,(6Mbps)\_2TX


#### 5240MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1386G	47.97	54.00	-6.03	8.91	3	Vertical	35	2.67	39.06	33.20	9.83	34.12
AV	5.2394G	108.48	Inf	-Inf	8.69	3	Vertical	35	2.67	99.79	32.94	9.89	34.14
AV	5.3882G	47.58	54.00	-6.42	8.60	3	Vertical	35	2.67	38.98	32.78	9.99	34.17
PK	5.1428G	60.31	74.00	-13.69	8.90	3	Vertical	35	2.67	51.41	33.20	9.83	34.13
PK	5.2442G	118.21	Inf	-Inf	8.67	3	Vertical	35	2.67	109.54	32.92	9.89	34.14
PK	5.3792G	60.62	74.00	-13.38	8.58	3	Vertical	35	2.67	52.04	32.76	9.99	34.17

### 5.15-5.25GHz\_802.11a\_Nss1,(6Mbps)\_2TX

#### 5240MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1398G	48.78	54.00	-5.22	8.90	3	Horizontal	315	2.02	39.88	33.20	9.83	34.13
AV	5.2406G	111.99	Inf	-Inf	8.69	3	Horizontal	315	2.02	103.30	32.94	9.89	34.14
AV	5.3762G	48.94	54.00	-5.06	8.56	3	Horizontal	315	2.02	40.38	32.75	9.98	34.17
PK	5.1458G	60.31	74.00	-13.69	8.90	3	Horizontal	315	2.02	51.41	33.20	9.83	34.13
PK	5.2406G	121.82	Inf	-Inf	8.69	3	Horizontal	315	2.02	113.13	32.94	9.89	34.14
PK	5.3852G	60.34	74.00	-13.66	8.59	3	Horizontal	315	2.02	51.75	32.77	9.99	34.17






5.15-5.25GHz\_802.11a\_Nss1,(6Mbps)\_2TX  
 5240MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.70688G	48.08	54.00	-5.92	19.46	3	Vertical	222	1.62	28.62	38.19	15.80	34.53
PK	10.48064G	65.35	68.20	-2.85	16.84	3	Vertical	10	1.60	48.51	38.62	12.72	34.50
PK	15.7016G	60.77	74.00	-13.23	19.48	3	Vertical	222	1.62	41.29	38.20	15.80	34.52

5.15-5.25GHz\_802.11a\_Nss1,(6Mbps)\_2TX  
 5240MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.7012G	47.86	54.00	-6.14	19.48	3	Horizontal	115	2.32	28.38	38.20	15.80	34.52
PK	10.48064G	61.05	68.20	-7.15	16.84	3	Horizontal	46	1.69	44.21	38.62	12.72	34.50
PK	15.702G	60.37	74.00	-13.63	19.48	3	Horizontal	115	2.32	40.89	38.20	15.80	34.52



5.725-5.85GHz\_802.11a\_Nss1,(6Mbps)\_2TX


5745MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7378G	109.34	Inf	-Inf	9.58	3	Vertical	328	2.93	99.76	33.63	10.15	34.20
PK	5.6286G	61.31	68.20	-6.89	9.10	3	Vertical	328	2.93	52.21	33.21	10.09	34.20
PK	5.7378G	118.43	Inf	-Inf	9.58	3	Vertical	328	2.93	108.85	33.63	10.15	34.20
PK	5.9562G	61.09	68.20	-7.11	10.34	3	Vertical	328	2.93	50.75	34.26	10.30	34.22

5.725-5.85GHz\_802.11a\_Nss1,(6Mbps)\_2TX


5745MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7402G	109.97	Inf	-Inf	9.59	3	Horizontal	54	1.49	100.38	33.64	10.15	34.20
PK	5.4918G	60.26	68.20	-7.94	8.82	3	Horizontal	54	1.49	51.44	32.98	10.03	34.19
PK	5.7402G	119.22	Inf	-Inf	9.59	3	Horizontal	54	1.49	109.63	33.64	10.15	34.20
PK	5.9255G	61.53	68.20	-6.67	10.25	3	Horizontal	54	1.49	51.28	34.20	10.27	34.22




5.725-5.85GHz\_802.11a\_Nss1,(6Mbps)\_2TX  
5745MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.48982G	49.51	54.00	-4.49	17.97	3	Vertical	33	1.50	31.54	38.92	13.11	34.06
PK	11.48958G	61.60	74.00	-12.40	17.97	3	Vertical	33	1.50	43.63	38.92	13.11	34.06
PK	17.23452G	64.15	68.20	-4.05	21.45	3	Vertical	322	1.73	42.70	38.50	16.22	33.27

5.725-5.85GHz\_802.11a\_Nss1,(6Mbps)\_2TX  
5745MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.49198G	48.83	54.00	-5.17	17.97	3	Horizontal	312	1.13	30.86	38.92	13.11	34.06
PK	11.49186G	62.09	74.00	-11.91	17.97	3	Horizontal	312	1.13	44.12	38.92	13.11	34.06
PK	17.2458G	63.61	68.20	-4.59	21.49	3	Horizontal	252	2.37	42.12	38.54	16.22	33.27



5.725-5.85GHz\_802.11a\_Nss1,(6Mbps)\_2TX


5785MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.779G	109.51	Inf	-Inf	9.72	3	Vertical	11	2.99	99.79	33.76	10.17	34.21
PK	5.647G	60.74	68.20	-7.46	9.19	3	Vertical	11	2.99	51.55	33.29	10.10	34.20
PK	5.779G	118.79	Inf	-Inf	9.72	3	Vertical	11	2.99	109.07	33.76	10.17	34.21
PK	5.9458G	60.58	68.20	-7.62	10.35	3	Vertical	11	2.99	50.23	34.28	10.29	34.22

5.725-5.85GHz\_802.11a\_Nss1,(6Mbps)\_2TX

5785MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.791G	108.77	Inf	-Inf	9.75	3	Horizontal	43	3.00	99.02	33.78	10.18	34.21
PK	5.5966G	59.95	68.20	-8.25	8.95	3	Horizontal	43	3.00	51.00	33.08	10.07	34.20
PK	5.7922G	118.05	Inf	-Inf	9.75	3	Horizontal	43	3.00	108.30	33.78	10.18	34.21
PK	6.0502G	61.99	68.20	-6.21	10.36	3	Horizontal	43	3.00	51.63	34.20	10.38	34.22



5.725-5.85GHz\_802.11a\_Nss1,(6Mbps)\_2TX


5785MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.56994G	50.61	54.00	-3.39	17.80	3	Vertical	31	1.50	32.81	38.76	13.14	34.10
PK	11.57492G	62.92	74.00	-11.08	17.79	3	Vertical	31	1.50	45.13	38.75	13.14	34.10
PK	17.346G	63.21	68.20	-4.99	21.84	3	Vertical	290	2.68	41.37	38.84	16.24	33.24

5.725-5.85GHz\_802.11a\_Nss1,(6Mbps)\_2TX

5785MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.5703G	52.79	54.00	-1.21	17.80	3	Horizontal	303	1.90	34.99	38.76	13.14	34.10
PK	11.57048G	65.78	74.00	-8.22	17.80	3	Horizontal	303	1.90	47.98	38.76	13.14	34.10
PK	17.34108G	62.89	68.20	-5.31	21.81	3	Horizontal	56	2.02	41.08	38.82	16.23	33.24



5.725-5.85GHz\_802.11a\_Nss1,(6Mbps)\_2TX


5825MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8322G	109.33	Inf	-Inf	9.98	3	Vertical	333	2.95	99.35	33.99	10.20	34.21
PK	5.6246G	60.30	68.20	-7.90	9.08	3	Vertical	333	2.95	51.22	33.20	10.08	34.20
PK	5.8322G	119.30	Inf	-Inf	9.98	3	Vertical	333	2.95	109.32	33.99	10.20	34.21
PK	6.0362G	60.96	68.20	-7.24	10.29	3	Vertical	333	2.95	50.67	34.14	10.37	34.22


5.725-5.85GHz\_802.11a\_Nss1,(6Mbps)\_2TX

5825MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.831G	109.71	Inf	-Inf	9.98	3	Horizontal	44	1.56	99.73	33.99	10.20	34.21
PK	5.639G	60.57	68.20	-7.63	9.15	3	Horizontal	44	1.56	51.42	33.26	10.09	34.20
PK	5.831G	119.43	Inf	-Inf	9.98	3	Horizontal	44	1.56	109.45	33.99	10.20	34.21
PK	5.969G	61.09	68.20	-7.11	10.28	3	Horizontal	44	1.56	50.81	34.19	10.31	34.22

5.725-5.85GHz\_802.11a\_Nss1,(6Mbps)\_2TX  
5825MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.6521G	50.95	54.00	-3.05	17.68	3	Vertical	0	2.77	33.27	38.65	13.17	34.14
PK	11.65204G	63.65	74.00	-10.35	17.68	3	Vertical	0	2.77	45.97	38.65	13.17	34.14
PK	17.47296G	62.78	68.20	-5.42	22.20	3	Vertical	164	1.39	40.58	39.15	16.26	33.21


5.725-5.85GHz\_802.11a\_Nss1,(6Mbps)\_2TX  
5825MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.65186G	48.13	54.00	-5.87	17.68	3	Horizontal	7	1.50	30.45	38.65	13.17	34.14
PK	11.6521G	61.10	74.00	-12.90	17.68	3	Horizontal	7	1.50	43.42	38.65	13.17	34.14
PK	17.48838G	62.79	68.20	-5.41	22.24	3	Horizontal	200	1.72	40.55	39.18	16.26	33.20

5.15-5.25GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX


5180MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1498G	50.05	54.00	-3.95	8.90	3	Vertical	35	2.47	41.15	33.20	9.83	34.13
AV	5.1782G	105.33	Inf	-Inf	8.86	3	Vertical	35	2.47	96.47	33.14	9.85	34.13
PK	5.1496G	63.35	74.00	-10.65	8.90	3	Vertical	35	2.47	54.45	33.20	9.83	34.13
PK	5.1788G	118.58	Inf	-Inf	8.86	3	Vertical	35	2.47	109.72	33.14	9.85	34.13

5.15-5.25GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX

5180MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	50.58	54.00	-3.42	8.90	3	Horizontal	312	2.04	41.68	33.20	9.83	34.13
AV	5.1828G	108.79	Inf	-Inf	8.85	3	Horizontal	312	2.04	99.94	33.13	9.85	34.13
PK	5.1498G	62.51	74.00	-11.49	8.90	3	Horizontal	312	2.04	53.61	33.20	9.83	34.13
PK	5.1818G	121.71	Inf	-Inf	8.86	3	Horizontal	312	2.04	112.85	33.14	9.85	34.13






5.15-5.25GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX  
5180MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.54128G	49.26	54.00	-4.74	19.95	3	Vertical	202	2.07	29.31	38.70	15.68	34.43
PK	10.3612G	61.24	68.20	-6.96	16.74	3	Vertical	10	1.62	44.50	38.66	12.67	34.59
PK	15.55696G	62.68	74.00	-11.32	19.95	3	Vertical	202	2.07	42.73	38.70	15.69	34.44

5.15-5.25GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX  
5180MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.53064G	49.15	54.00	-4.85	19.94	3	Horizontal	219	1.15	29.21	38.70	15.67	34.43
PK	10.36056G	62.13	68.20	-6.07	16.74	3	Horizontal	34	2.10	45.39	38.66	12.67	34.59
PK	15.5384G	62.19	74.00	-11.81	19.95	3	Horizontal	219	1.15	42.24	38.70	15.68	34.43



5.15-5.25GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX


5200MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1488G	47.92	54.00	-6.08	8.90	3	Vertical	62	2.97	39.02	33.20	9.83	34.13
AV	5.198G	106.69	Inf	-Inf	8.82	3	Vertical	62	2.97	97.87	33.10	9.86	34.14
PK	5.1348G	59.79	74.00	-14.21	8.90	3	Vertical	62	2.97	50.89	33.20	9.82	34.12
PK	5.1976G	119.35	Inf	-Inf	8.82	3	Vertical	62	2.97	110.53	33.10	9.86	34.14

5.15-5.25GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX


5200MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1472G	48.46	54.00	-5.54	8.90	3	Horizontal	59	2.22	39.56	33.20	9.83	34.13
AV	5.2048G	109.94	Inf	-Inf	8.80	3	Horizontal	59	2.22	101.14	33.08	9.86	34.14
PK	5.1368G	60.93	74.00	-13.07	8.91	3	Horizontal	59	2.22	52.02	33.20	9.83	34.12
PK	5.1944G	123.06	Inf	-Inf	8.84	3	Horizontal	59	2.22	114.22	33.11	9.86	34.13




5.15-5.25GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX  
5200MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.58232G	49.18	54.00	-4.82	19.95	3	Vertical	56	2.92	29.23	38.70	15.71	34.46
PK	10.40096G	63.91	68.20	-4.29	16.83	3	Vertical	10	1.62	47.08	38.70	12.69	34.56
PK	15.60272G	62.02	74.00	-11.98	19.95	3	Vertical	56	2.92	42.07	38.69	15.73	34.47

5.15-5.25GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX  
5200MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.60032G	48.96	54.00	-5.04	19.95	3	Horizontal	267	1.84	29.01	38.70	15.72	34.47
PK	10.39792G	60.55	68.20	-7.65	16.83	3	Horizontal	56	2.96	43.72	38.70	12.69	34.56
PK	15.58824G	61.92	74.00	-12.08	19.96	3	Horizontal	267	1.84	41.96	38.70	15.72	34.46

5.15-5.25GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX  
5240MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1416G	47.75	54.00	-6.25	8.90	3	Vertical	64	2.80	38.85	33.20	9.83	34.13
AV	5.2382G	107.09	Inf	-Inf	8.70	3	Vertical	64	2.80	98.39	32.95	9.89	34.14
AV	5.3762G	48.47	54.00	-5.53	8.56	3	Vertical	64	2.80	39.91	32.75	9.98	34.17
PK	5.1104G	60.12	74.00	-13.88	8.89	3	Vertical	64	2.80	51.23	33.20	9.81	34.12
PK	5.2388G	120.12	Inf	-Inf	8.69	3	Vertical	64	2.80	111.43	32.94	9.89	34.14
PK	5.3588G	59.66	74.00	-14.34	8.53	3	Vertical	64	2.80	51.13	32.72	9.97	34.16


5.15-5.25GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX  
5240MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	48.72	54.00	-5.28	8.90	3	Horizontal	312	2.05	39.82	33.20	9.83	34.13
AV	5.237G	111.04	Inf	-Inf	8.70	3	Horizontal	312	2.05	102.34	32.95	9.89	34.14
AV	5.3762G	48.90	54.00	-5.10	8.56	3	Horizontal	312	2.05	40.34	32.75	9.98	34.17
PK	5.1314G	60.87	74.00	-13.13	8.90	3	Horizontal	312	2.05	51.97	33.20	9.82	34.12
PK	5.237G	123.66	Inf	-Inf	8.70	3	Horizontal	312	2.05	114.96	32.95	9.89	34.14
PK	5.3582G	60.09	74.00	-13.91	8.53	3	Horizontal	312	2.05	51.56	32.72	9.97	34.16




5.15-5.25GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX  
5240MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.70688G	47.88	54.00	-6.12	19.46	3	Vertical	134	1.91	28.42	38.19	15.80	34.53
PK	10.47744G	63.44	68.20	-4.76	16.83	3	Vertical	11	1.61	46.61	38.62	12.72	34.51
PK	15.70464G	61.10	74.00	-12.90	19.48	3	Vertical	134	1.91	41.62	38.20	15.80	34.52

5.15-5.25GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX  
5240MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.70016G	47.84	54.00	-6.16	19.48	3	Horizontal	6	2.92	28.36	38.20	15.80	34.52
PK	10.48088G	63.62	68.20	-4.58	16.84	3	Horizontal	44	1.77	46.78	38.62	12.72	34.50
PK	15.70416G	60.82	74.00	-13.18	19.48	3	Horizontal	6	2.92	41.34	38.20	15.80	34.52



5.725-5.85GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX


5745MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7366G	105.43	Inf	-Inf	9.57	3	Vertical	56	1.21	95.86	33.62	10.15	34.20
PK	5.6178G	59.72	68.20	-8.48	9.05	3	Vertical	56	1.21	50.67	33.17	10.08	34.20
PK	5.7366G	116.73	Inf	-Inf	9.57	3	Vertical	56	1.21	107.16	33.62	10.15	34.20
PK	5.9382G	61.13	68.20	-7.07	10.31	3	Vertical	56	1.21	50.82	34.25	10.28	34.22

5.725-5.85GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX


5745MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7354G	110.01	Inf	-Inf	9.55	3	Horizontal	51	1.47	100.46	33.61	10.14	34.20
PK	5.6466G	60.28	68.20	-7.92	9.19	3	Horizontal	51	1.47	51.09	33.29	10.10	34.20
PK	5.7366G	121.56	Inf	-Inf	9.57	3	Horizontal	51	1.47	111.99	33.62	10.15	34.20
PK	5.9898G	60.95	68.20	-7.25	10.16	3	Horizontal	51	1.47	50.79	34.06	10.32	34.22




5.725-5.85GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX  
5745MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.4916G	51.78	54.00	-2.22	17.97	3	Vertical	359	2.24	33.81	38.92	13.11	34.06
PK	11.492G	64.95	74.00	-9.05	17.97	3	Vertical	359	2.24	46.98	38.92	13.11	34.06
PK	17.23364G	63.52	68.20	-4.68	21.45	3	Vertical	43	1.70	42.07	38.50	16.22	33.27

5.725-5.85GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX  
5745MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.48992G	50.96	54.00	-3.04	17.97	3	Horizontal	307	1.91	32.99	38.92	13.11	34.06
PK	11.49112G	63.79	74.00	-10.21	17.97	3	Horizontal	307	1.91	45.82	38.92	13.11	34.06
PK	17.22748G	62.72	68.20	-5.48	21.43	3	Horizontal	170	2.87	41.29	38.48	16.22	33.27



5.725-5.85GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX


5785MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7934G	107.26	Inf	-Inf	9.76	3	Vertical	311	1.90	97.50	33.79	10.18	34.21
PK	5.6326G	60.69	68.20	-7.51	9.12	3	Vertical	311	1.90	51.57	33.23	10.09	34.20
PK	5.7934G	118.24	Inf	-Inf	9.76	3	Vertical	311	1.90	108.48	33.79	10.18	34.21
PK	6.0418G	62.34	68.20	-5.86	10.32	3	Vertical	311	1.90	52.02	34.17	10.37	34.22

5.725-5.85GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX


5785MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7766G	109.99	Inf	-Inf	9.71	3	Horizontal	49	1.50	100.28	33.75	10.17	34.21
PK	5.5894G	60.56	68.20	-7.64	8.91	3	Horizontal	49	1.50	51.65	33.04	10.07	34.20
PK	5.7766G	121.59	Inf	-Inf	9.71	3	Horizontal	49	1.50	111.88	33.75	10.17	34.21
PK	6.0514G	61.58	68.20	-6.62	10.36	3	Horizontal	49	1.50	51.22	34.20	10.38	34.22




5.725-5.85GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX  
5785MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.56984G	50.18	54.00	-3.82	17.80	3	Vertical	31	1.50	32.38	38.76	13.14	34.10
PK	11.56904G	62.67	74.00	-11.33	17.80	3	Vertical	31	1.50	44.87	38.76	13.14	34.10
PK	17.3682G	63.86	68.20	-4.34	21.91	3	Vertical	169	2.64	41.95	38.90	16.24	33.23

5.725-5.85GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX  
5785MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.57008G	52.55	54.00	-1.45	17.80	3	Horizontal	305	1.88	34.75	38.76	13.14	34.10
PK	11.57064G	66.19	74.00	-7.81	17.80	3	Horizontal	305	1.88	48.39	38.76	13.14	34.10
PK	17.3658G	63.46	68.20	-4.74	21.91	3	Horizontal	123	2.18	41.55	38.90	16.24	33.23



5.725-5.85GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX


5825MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8334G	106.84	Inf	-Inf	10.00	3	Vertical	312	1.69	96.84	34.00	10.21	34.21
PK	5.5778G	59.85	68.20	-8.35	8.84	3	Vertical	312	1.69	51.01	32.97	10.06	34.19
PK	5.8322G	119.27	Inf	-Inf	9.98	3	Vertical	312	1.69	109.29	33.99	10.20	34.21
PK	6.1202G	61.36	68.20	-6.84	10.32	3	Vertical	312	1.69	51.04	34.10	10.45	34.23

5.725-5.85GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX


5825MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8166G	109.45	Inf	-Inf	9.88	3	Horizontal	49	1.50	99.57	33.90	10.19	34.21
PK	5.627G	59.71	68.20	-8.49	9.09	3	Horizontal	49	1.50	50.62	33.21	10.08	34.20
PK	5.8166G	121.52	Inf	-Inf	9.88	3	Horizontal	49	1.50	111.64	33.90	10.19	34.21
PK	6.0566G	61.27	68.20	-6.93	10.36	3	Horizontal	49	1.50	50.91	34.19	10.39	34.22




5.725-5.85GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX  
5825MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.64408G	49.92	54.00	-4.08	17.69	3	Vertical	2	2.77	32.23	38.66	13.17	34.14
PK	11.64288G	63.56	74.00	-10.44	17.69	3	Vertical	2	2.77	45.87	38.66	13.17	34.14
PK	17.46756G	62.51	68.20	-5.69	22.18	3	Vertical	359	2.79	40.33	39.14	16.25	33.21


5.725-5.85GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX  
5825MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.64464G	47.23	54.00	-6.77	17.69	3	Horizontal	7	1.50	29.54	38.66	13.17	34.14
PK	11.63464G	61.16	74.00	-12.84	17.71	3	Horizontal	7	1.50	43.45	38.67	13.17	34.13
PK	17.48596G	62.80	68.20	-5.40	22.23	3	Horizontal	314	2.32	40.57	39.17	16.26	33.20

5.15-5.25GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX


5190MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	51.67	54.00	-2.33	8.90	3	Vertical	70	1.98	42.77	33.20	9.83	34.13
AV	5.192G	101.61	Inf	-Inf	8.85	3	Vertical	70	1.98	92.76	33.12	9.86	34.13
PK	5.1488G	62.79	74.00	-11.21	8.90	3	Vertical	70	1.98	53.89	33.20	9.83	34.13
PK	5.1912G	114.48	Inf	-Inf	8.85	3	Vertical	70	1.98	105.63	33.12	9.86	34.13

5.15-5.25GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX


5190MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.146G	53.43	54.00	-0.57	8.90	3	Horizontal	55	1.94	44.53	33.20	9.83	34.13
AV	5.1852G	105.05	Inf	-Inf	8.85	3	Horizontal	55	1.94	96.20	33.13	9.85	34.13
PK	5.1476G	66.00	74.00	-8.00	8.90	3	Horizontal	55	1.94	57.10	33.20	9.83	34.13
PK	5.1952G	117.86	Inf	-Inf	8.83	3	Horizontal	55	1.94	109.03	33.11	9.86	34.14




5.15-5.25GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX  
5190MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.55656G	49.15	54.00	-4.85	19.95	3	Vertical	140	1.38	29.20	38.70	15.69	34.44
PK	10.38112G	59.67	68.20	-8.53	16.78	3	Vertical	11	1.63	42.89	38.68	12.68	34.58
PK	15.58568G	62.97	74.00	-11.03	19.95	3	Vertical	140	1.38	43.02	38.70	15.71	34.46


5.15-5.25GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX  
5190MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.56016G	49.13	54.00	-4.87	19.95	3	Horizontal	158	1.36	29.18	38.70	15.69	34.44
PK	10.38984G	58.47	68.20	-9.73	16.80	3	Horizontal	36	1.99	41.67	38.69	12.68	34.57
PK	15.57656G	62.68	74.00	-11.32	19.96	3	Horizontal	158	1.36	42.72	38.70	15.71	34.45

5.15-5.25GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX


5230MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1496G	48.54	54.00	-5.46	8.90	3	Vertical	60	2.95	39.64	33.20	9.83	34.13
AV	5.2292G	105.93	Inf	-Inf	8.72	3	Vertical	60	2.95	97.21	32.98	9.88	34.14
PK	5.1488G	60.46	74.00	-13.54	8.90	3	Vertical	60	2.95	51.56	33.20	9.83	34.13
PK	5.2284G	117.97	Inf	-Inf	8.73	3	Vertical	60	2.95	109.24	32.99	9.88	34.14

5.15-5.25GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX


5230MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1468G	50.32	54.00	-3.68	8.90	3	Horizontal	315	2.04	41.42	33.20	9.83	34.13
AV	5.2368G	109.41	Inf	-Inf	8.70	3	Horizontal	315	2.04	100.71	32.95	9.89	34.14
PK	5.1368G	62.22	74.00	-11.78	8.91	3	Horizontal	315	2.04	53.31	33.20	9.83	34.12
PK	5.2384G	122.83	Inf	-Inf	8.70	3	Horizontal	315	2.04	114.13	32.95	9.89	34.14




5.15-5.25GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX  
5230MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.67616G	48.27	54.00	-5.73	19.59	3	Vertical	303	2.10	28.68	38.32	15.78	34.51
PK	10.46176G	62.10	68.20	-6.10	16.83	3	Vertical	10	1.62	45.27	38.64	12.71	34.52
PK	15.67712G	61.48	74.00	-12.52	19.58	3	Vertical	303	2.10	41.90	38.31	15.78	34.51

5.15-5.25GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX  
5230MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.67648G	48.25	54.00	-5.75	19.59	3	Horizontal	179	2.34	28.66	38.32	15.78	34.51
PK	10.46016G	60.34	68.20	-7.86	16.83	3	Horizontal	37	1.75	43.51	38.64	12.71	34.52
PK	15.70096G	61.47	74.00	-12.53	19.48	3	Horizontal	179	2.34	41.99	38.20	15.80	34.52



5.725-5.85GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX


5755MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7598G	106.57	Inf	-Inf	9.67	3	Vertical	330	2.90	96.90	33.72	10.16	34.21
PK	5.6494G	66.12	68.20	-2.08	9.20	3	Vertical	330	2.90	56.92	33.30	10.10	34.20
PK	5.7586G	119.17	Inf	-Inf	9.67	3	Vertical	330	2.90	109.50	33.72	10.16	34.21
PK	5.9386G	61.67	68.20	-6.53	10.31	3	Vertical	330	2.90	51.36	34.25	10.28	34.22

5.725-5.85GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX

5755MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7454G	108.15	Inf	-Inf	9.62	3	Horizontal	51	1.49	98.53	33.67	10.15	34.20
PK	5.6458G	66.62	68.20	-1.58	9.18	3	Horizontal	51	1.49	57.44	33.28	10.10	34.20
PK	5.7466G	119.18	Inf	-Inf	9.63	3	Horizontal	51	1.49	109.55	33.68	10.15	34.20
PK	5.9398G	61.09	68.20	-7.11	10.32	3	Horizontal	51	1.49	50.77	34.26	10.28	34.22






5.725-5.85GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX  
5755MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.50984G	47.86	54.00	-6.14	17.93	3	Vertical	32	1.63	29.93	38.88	13.12	34.07
PK	11.5108G	60.77	74.00	-13.23	17.93	3	Vertical	32	1.63	42.84	38.88	13.12	34.07
PK	17.24676G	63.27	68.20	-4.93	21.49	3	Vertical	313	2.18	41.78	38.54	16.22	33.27

5.725-5.85GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX  
5755MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.514G	47.34	54.00	-6.66	17.92	3	Horizontal	313	1.34	29.42	38.87	13.12	34.07
PK	11.50752G	60.76	74.00	-13.24	17.94	3	Horizontal	313	1.34	42.82	38.88	13.12	34.06
PK	17.27316G	63.44	68.20	-4.76	21.58	3	Horizontal	61	1.00	41.86	38.62	16.22	33.26



5.725-5.85GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX


5795MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7926G	107.32	Inf	-Inf	9.76	3	Vertical	4	2.97	97.56	33.79	10.18	34.21
PK	5.5922G	60.47	68.20	-7.73	8.92	3	Vertical	4	2.97	51.55	33.05	10.07	34.20
PK	5.7938G	118.52	Inf	-Inf	9.76	3	Vertical	4	2.97	108.76	33.79	10.18	34.21
PK	6.0722G	62.51	68.20	-5.69	10.33	3	Vertical	4	2.97	52.18	34.16	10.40	34.23


5.725-5.85GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX

5795MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7974G	107.40	Inf	-Inf	9.76	3	Horizontal	45	3.00	97.64	33.79	10.18	34.21
PK	5.6498G	60.85	68.20	-7.35	9.20	3	Horizontal	45	3.00	51.65	33.30	10.10	34.20
PK	5.789G	118.32	Inf	-Inf	9.74	3	Horizontal	45	3.00	108.58	33.78	10.17	34.21
PK	5.9318G	61.40	68.20	-6.80	10.29	3	Horizontal	45	3.00	51.11	34.23	10.28	34.22

5.725-5.85GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX  
5795MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.5924G	50.96	54.00	-3.04	17.76	3	Vertical	3	2.85	33.20	38.72	13.15	34.11
PK	11.58208G	64.30	74.00	-9.70	17.79	3	Vertical	3	2.85	46.51	38.74	13.15	34.10
PK	17.37052G	63.60	68.20	-4.60	21.92	3	Vertical	251	2.06	41.68	38.91	16.24	33.23

5.725-5.85GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX  
5795MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.58528G	47.74	54.00	-6.26	17.77	3	Horizontal	313	1.34	29.97	38.73	13.15	34.11
PK	11.58544G	61.60	74.00	-12.40	17.77	3	Horizontal	313	1.34	43.83	38.73	13.15	34.11
PK	17.37924G	63.82	68.20	-4.38	21.95	3	Horizontal	63	2.85	41.87	38.94	16.24	33.23

5.15-5.25GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX  
5210MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.145G	49.45	54.00	-4.55	8.90	3	Vertical	59	2.80	40.55	33.20	9.83	34.13
AV	5.234G	96.41	Inf	-Inf	8.70	3	Vertical	59	2.80	87.71	32.96	9.88	34.14
AV	5.376G	47.80	54.00	-6.20	8.56	3	Vertical	59	2.80	39.24	32.75	9.98	34.17
PK	5.142G	61.00	74.00	-13.00	8.90	3	Vertical	59	2.80	52.10	33.20	9.83	34.13
PK	5.226G	108.10	Inf	-Inf	8.74	3	Vertical	59	2.80	99.36	33.00	9.88	34.14
PK	5.453G	59.94	74.00	-14.06	8.75	3	Vertical	59	2.80	51.19	32.91	10.02	34.18


5.15-5.25GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX  
5210MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	53.11	54.00	-0.89	8.90	3	Horizontal	317	2.17	44.21	33.20	9.83	34.13
AV	5.212G	100.42	Inf	-Inf	8.78	3	Horizontal	317	2.17	91.64	33.05	9.87	34.14
AV	5.376G	48.22	54.00	-5.78	8.56	3	Horizontal	317	2.17	39.66	32.75	9.98	34.17
PK	5.15G	64.41	74.00	-9.59	8.90	3	Horizontal	317	2.17	55.51	33.20	9.83	34.13
PK	5.201G	112.13	Inf	-Inf	8.82	3	Horizontal	317	2.17	103.31	33.10	9.86	34.14
PK	5.352G	59.93	74.00	-14.07	8.51	3	Horizontal	317	2.17	51.42	32.70	9.97	34.16




5.15-5.25GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX  
5210MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.59352G	49.13	54.00	-4.87	19.96	3	Vertical	63	2.68	29.17	38.70	15.72	34.46
PK	10.42G	56.77	68.20	-11.43	16.82	3	Vertical	9	2.94	39.95	38.68	12.69	34.55
PK	15.646G	62.27	74.00	-11.73	19.74	3	Vertical	63	2.68	42.53	38.47	15.76	34.49

5.15-5.25GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX  
5210MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.59224G	49.08	54.00	-4.92	19.96	3	Horizontal	294	1.40	29.12	38.70	15.72	34.46
PK	10.39984G	55.81	68.20	-12.39	16.83	3	Horizontal	319	3.00	38.98	38.70	12.69	34.56
PK	15.59576G	61.69	74.00	-12.31	19.96	3	Horizontal	294	1.40	41.73	38.70	15.72	34.46



5.725-5.85GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX


5775MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7786G	100.42	Inf	-Inf	9.72	3	Vertical	334	3.00	90.70	33.76	10.17	34.21
PK	5.6502G	64.62	68.35	-3.73	9.20	3	Vertical	334	3.00	55.42	33.30	10.10	34.20
PK	5.7678G	112.27	Inf	-Inf	9.69	3	Vertical	334	3.00	102.58	33.74	10.16	34.21
PK	5.9526G	60.98	68.20	-7.22	10.35	3	Vertical	334	3.00	50.63	34.28	10.29	34.22


5.725-5.85GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX

5775MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7786G	100.70	Inf	-Inf	9.72	3	Horizontal	42	3.00	90.98	33.76	10.17	34.21
PK	5.637G	66.45	68.20	-1.75	9.14	3	Horizontal	42	3.00	57.31	33.25	10.09	34.20
PK	5.7882G	112.65	Inf	-Inf	9.74	3	Horizontal	42	3.00	102.91	33.78	10.17	34.21
PK	6.0594G	61.02	68.20	-7.18	10.35	3	Horizontal	42	3.00	50.67	34.18	10.39	34.22

5.725-5.85GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX  
5775MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.54184G	46.23	54.00	-7.77	17.87	3	Vertical	360	2.13	28.36	38.82	13.13	34.08
PK	11.55208G	59.73	74.00	-14.27	17.85	3	Vertical	360	2.13	41.88	38.80	13.14	34.09
PK	17.35332G	63.26	68.20	-4.94	21.86	3	Vertical	220	1.70	41.40	38.86	16.24	33.24

5.725-5.85GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX  
5775MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.55G	43.75	54.00	-10.25	17.84	3	Horizontal	312	1.88	25.91	38.80	13.13	34.09
PK	11.52184G	56.72	74.00	-17.28	17.91	3	Horizontal	312	1.88	38.81	38.86	13.12	34.07
PK	17.31716G	63.18	68.20	-5.02	21.73	3	Horizontal	190	2.93	41.45	38.75	16.23	33.25



Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-	-
5.725-5.85GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX	Pass	PK	49.4M	35.02	40.00	-4.98	3	Vertical	360	1.00	-






Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.725-5.85GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-
5755MHz	Pass	PK	49.4M	35.02	40.00	-4.98	3	Vertical	360	1.00	-
5755MHz	Pass	PK	132.82M	26.62	43.50	-16.88	3	Vertical	360	1.00	-
5755MHz	Pass	PK	191.02M	30.97	43.50	-12.53	3	Vertical	360	1.00	-
5755MHz	Pass	PK	222.06M	28.48	46.00	-17.52	3	Vertical	360	1.00	-
5755MHz	Pass	PK	402.48M	32.19	46.00	-13.81	3	Vertical	360	1.00	-
5755MHz	Pass	PK	534.4M	38.32	46.00	-7.68	3	Vertical	360	1.00	-
5755MHz	Pass	PK	49.4M	32.30	40.00	-7.70	3	Horizontal	0	1.00	-
5755MHz	Pass	PK	144.46M	31.24	43.50	-12.26	3	Horizontal	0	1.00	-
5755MHz	Pass	PK	191.02M	36.24	43.50	-7.26	3	Horizontal	0	1.00	-
5755MHz	Pass	PK	222.06M	30.01	46.00	-15.99	3	Horizontal	0	1.00	-
5755MHz	Pass	PK	536.34M	38.17	46.00	-7.83	3	Horizontal	0	1.00	-
5755MHz	Pass	PK	716.76M	38.39	46.00	-7.61	3	Horizontal	0	1.00	-

5.725-5.85GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX


5755MHz\_Adapter



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	49.4M	35.02	40.00	-4.98	-12.59	3	Vertical	360	1.00	-	47.61	13.76	1.04	27.39
PK	132.82M	26.62	43.50	-16.88	-9.23	3	Vertical	360	1.00	-	35.85	16.89	1.62	27.74
PK	191.02M	30.97	43.50	-12.53	-11.25	3	Vertical	360	1.00	-	42.22	14.22	1.98	27.45
PK	222.06M	28.48	46.00	-17.52	-10.66	3	Vertical	360	1.00	-	39.14	14.51	2.13	27.30
PK	402.48M	32.19	46.00	-13.81	-3.87	3	Vertical	360	1.00	-	36.06	21.10	2.89	27.86
PK	534.4M	38.32	46.00	-7.68	-2.23	3	Vertical	360	1.00	-	40.55	22.94	3.38	28.55

5.725-5.85GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX

5755MHz\_Adapter



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	49.4M	32.30	40.00	-7.70	-12.59	3	Horizontal	0	1.00	-	44.89	13.76	1.04	27.39
PK	144.46M	31.24	43.50	-12.26	-10.07	3	Horizontal	0	1.00	-	41.31	15.94	1.69	27.70
PK	191.02M	36.24	43.50	-7.26	-11.25	3	Horizontal	0	1.00	-	47.49	14.22	1.98	27.45
PK	222.06M	30.01	46.00	-15.99	-10.66	3	Horizontal	0	1.00	-	40.67	14.51	2.13	27.30
PK	536.34M	38.17	46.00	-7.83	-2.14	3	Horizontal	0	1.00	-	40.31	23.04	3.38	28.56
PK	716.76M	38.39	46.00	-7.61	-0.19	3	Horizontal	0	1.00	-	38.58	24.26	3.86	28.31



Summar

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX	Pass	PK	10.40048G	67.08	68.20	-1.12	3	Horizontal	321	1.50
802.11ax HEW20_Nss1,(MCS0)_2TX	Pass	PK	10.4818G	67.01	68.20	-1.19	3	Horizontal	322	1.50
802.11ax HEW40_Nss1,(MCS0)_2TX	Pass	AV	5.1488G	53.31	54.00	-0.69	3	Horizontal	59	1.73
802.11ax HEW80_Nss1,(MCS0)_2TX	Pass	AV	5.149G	52.71	54.00	-1.29	3	Horizontal	60	1.81
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX	Pass	AV	11.48658G	51.88	54.00	-2.12	3	Vertical	360	2.09
802.11ax HEW20_Nss1,(MCS0)_2TX	Pass	AV	11.57224G	50.71	54.00	-3.29	3	Vertical	360	2.12
802.11ax HEW40_Nss1,(MCS0)_2TX	Pass	PK	5.6458G	64.05	68.20	-4.15	3	Horizontal	50	1.50
802.11ax HEW80_Nss1,(MCS0)_2TX	Pass	PK	5.649G	66.34	68.20	-1.86	3	Horizontal	41	2.88



Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11a_Nss1_(6Mbps)_2TX	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	AV	5.7726G	101.59	Inf	-Inf	3	Vertical	9	3.00
5180MHz	Pass	PK	5.6502G	65.70	68.35	-2.65	3	Vertical	9	3.00
5180MHz	Pass	PK	5.7714G	112.90	Inf	-Inf	3	Vertical	9	3.00
5180MHz	Pass	PK	5.9238G	64.24	69.09	-4.85	3	Vertical	9	3.00
5180MHz	Pass	AV	5.7774G	101.80	Inf	-Inf	3	Horizontal	41	2.88
5180MHz	Pass	PK	5.649G	66.34	68.20	-1.86	3	Horizontal	41	2.88
5180MHz	Pass	PK	5.7678G	112.77	Inf	-Inf	3	Horizontal	41	2.88
5180MHz	Pass	PK	5.9286G	63.25	68.20	-4.95	3	Horizontal	41	2.88
5180MHz	Pass	AV	11.5324G	45.28	54.00	-8.72	3	Vertical	360	2.13
5180MHz	Pass	PK	11.54232G	57.56	74.00	-16.44	3	Vertical	360	2.13
5180MHz	Pass	PK	17.30772G	62.72	68.20	-5.48	3	Vertical	310	2.55
5180MHz	Pass	AV	11.53656G	42.54	54.00	-11.46	3	Horizontal	315	1.50
5180MHz	Pass	PK	11.54648G	55.25	74.00	-18.75	3	Horizontal	315	1.50
5180MHz	Pass	PK	17.30676G	62.91	68.20	-5.29	3	Horizontal	86	2.62
5200MHz	Pass	AV	5.1292G	47.59	54.00	-6.41	3	Vertical	331	2.63
5200MHz	Pass	AV	5.2068G	104.02	Inf	-Inf	3	Vertical	331	2.63
5200MHz	Pass	PK	5.118G	59.37	74.00	-14.63	3	Vertical	331	2.63
5200MHz	Pass	PK	5.2068G	113.60	Inf	-Inf	3	Vertical	331	2.63
5200MHz	Pass	AV	5.1484G	47.71	54.00	-6.29	3	Horizontal	63	1.81
5200MHz	Pass	AV	5.194G	107.91	Inf	-Inf	3	Horizontal	63	1.81
5200MHz	Pass	PK	5.1156G	59.87	74.00	-14.13	3	Horizontal	63	1.81
5200MHz	Pass	PK	5.1932G	116.88	Inf	-Inf	3	Horizontal	63	1.81
5200MHz	Pass	AV	15.59376G	49.32	54.00	-4.68	3	Vertical	178	1.79
5200MHz	Pass	PK	10.4006G	64.94	68.20	-3.26	3	Vertical	350	1.68
5200MHz	Pass	PK	15.6018G	62.11	74.00	-11.89	3	Vertical	178	1.79
5200MHz	Pass	AV	15.59992G	51.74	54.00	-2.26	3	Horizontal	333	1.60
5200MHz	Pass	PK	10.40048G	67.08	68.20	-1.12	3	Horizontal	321	1.50
5200MHz	Pass	PK	15.59938G	63.08	74.00	-10.92	3	Horizontal	333	1.60
5240MHz	Pass	AV	5.126G	47.45	54.00	-6.55	3	Vertical	329	2.86
5240MHz	Pass	AV	5.2466G	104.54	Inf	-Inf	3	Vertical	329	2.86
5240MHz	Pass	AV	5.3882G	47.45	54.00	-6.55	3	Vertical	329	2.86
5240MHz	Pass	PK	5.1284G	59.20	74.00	-14.80	3	Vertical	329	2.86
5240MHz	Pass	PK	5.246G	113.90	Inf	-Inf	3	Vertical	329	2.86
5240MHz	Pass	PK	5.3852G	58.64	74.00	-15.36	3	Vertical	329	2.86
5240MHz	Pass	AV	5.1236G	47.70	54.00	-6.30	3	Horizontal	58	1.82
5240MHz	Pass	AV	5.2442G	107.31	Inf	-Inf	3	Horizontal	58	1.82
5240MHz	Pass	AV	5.3804G	47.42	54.00	-6.58	3	Horizontal	58	1.82
5240MHz	Pass	PK	5.12G	59.89	74.00	-14.11	3	Horizontal	58	1.82
5240MHz	Pass	PK	5.2448G	116.27	Inf	-Inf	3	Horizontal	58	1.82
5240MHz	Pass	PK	5.3606G	58.83	74.00	-15.17	3	Horizontal	58	1.82
5240MHz	Pass	AV	15.7251G	48.24	54.00	-5.76	3	Vertical	27	1.08
5240MHz	Pass	PK	10.48048G	65.55	68.20	-2.65	3	Vertical	348	1.62
5240MHz	Pass	PK	15.72762G	60.33	74.00	-13.67	3	Vertical	27	1.08
5240MHz	Pass	AV	15.70644G	47.99	54.00	-6.01	3	Horizontal	286	1.76
5240MHz	Pass	PK	10.48042G	66.99	68.20	-1.21	3	Horizontal	323	1.50
5240MHz	Pass	PK	15.71298G	60.51	74.00	-13.49	3	Horizontal	286	1.76
5745MHz	Pass	AV	5.7486G	108.49	Inf	-Inf	3	Vertical	20	3.00
5745MHz	Pass	PK	5.6142G	59.49	68.20	-8.71	3	Vertical	20	3.00
5745MHz	Pass	PK	5.7474G	117.77	Inf	-Inf	3	Vertical	20	3.00
5745MHz	Pass	PK	5.9862G	59.90	68.20	-8.30	3	Vertical	20	3.00
5745MHz	Pass	AV	5.7498G	109.04	Inf	-Inf	3	Horizontal	52	1.15
5745MHz	Pass	PK	5.6118G	58.87	68.20	-9.33	3	Horizontal	52	1.15
5745MHz	Pass	PK	5.751G	118.02	Inf	-Inf	3	Horizontal	52	1.15
5745MHz	Pass	PK	5.9634G	60.85	68.20	-7.35	3	Horizontal	52	1.15
5745MHz	Pass	AV	11.48658G	51.88	54.00	-2.12	3	Vertical	360	2.09
5745MHz	Pass	PK	11.49168G	64.69	74.00	-9.31	3	Vertical	360	2.09
5745MHz	Pass	PK	17.22504G	62.97	68.20	-5.23	3	Vertical	82	1.97
5745MHz	Pass	AV	11.49G	48.76	54.00	-5.24	3	Horizontal	306	1.90
5745MHz	Pass	PK	11.49042G	61.44	74.00	-12.56	3	Horizontal	306	1.90
5745MHz	Pass	PK	17.25G	63.00	68.20	-5.20	3	Horizontal	205	2.79



RSE TX above 1GHz\_Non-Beamforming\_Radio3

Appendix E.6

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5785MHz	Pass	AV	5.7922G	109.63	Inf	-Inf	3	Vertical	332	2.97
5785MHz	Pass	PK	5.5594G	59.23	68.20	-8.97	3	Vertical	332	2.97
5785MHz	Pass	PK	5.7922G	119.03	Inf	-Inf	3	Vertical	332	2.97
5785MHz	Pass	PK	5.983G	60.95	68.20	-7.25	3	Vertical	332	2.97
5785MHz	Pass	AV	5.791G	109.17	Inf	-Inf	3	Horizontal	42	3.00
5785MHz	Pass	PK	5.6398G	60.06	68.20	-8.14	3	Horizontal	42	3.00
5785MHz	Pass	PK	5.7922G	117.94	Inf	-Inf	3	Horizontal	42	3.00
5785MHz	Pass	PK	5.947G	60.13	68.20	-8.07	3	Horizontal	42	3.00
5785MHz	Pass	AV	11.5718G	50.44	54.00	-3.56	3	Vertical	360	2.75
5785MHz	Pass	PK	11.57066G	62.86	74.00	-11.14	3	Vertical	360	2.75
5785MHz	Pass	PK	17.34234G	63.38	68.20	-4.82	3	Vertical	209	2.05
5785MHz	Pass	AV	11.57204G	46.65	54.00	-7.35	3	Horizontal	5	1.49
5785MHz	Pass	PK	11.57228G	59.18	74.00	-14.82	3	Horizontal	5	1.49
5785MHz	Pass	PK	17.36526G	62.62	68.20	-5.58	3	Horizontal	310	2.26
5825MHz	Pass	AV	5.819G	109.14	Inf	-Inf	3	Vertical	4	2.94
5825MHz	Pass	PK	5.633G	60.29	68.20	-7.91	3	Vertical	4	2.94
5825MHz	Pass	PK	5.819G	117.74	Inf	-Inf	3	Vertical	4	2.94
5825MHz	Pass	PK	6.041G	60.60	68.20	-7.60	3	Vertical	4	2.94
5825MHz	Pass	AV	5.8322G	109.56	Inf	-Inf	3	Horizontal	45	2.94
5825MHz	Pass	PK	5.5946G	59.37	68.20	-8.83	3	Horizontal	45	2.94
5825MHz	Pass	PK	5.831G	118.05	Inf	-Inf	3	Horizontal	45	2.94
5825MHz	Pass	PK	5.963G	60.91	68.20	-7.29	3	Horizontal	45	2.94
5825MHz	Pass	AV	11.65174G	50.36	54.00	-3.64	3	Vertical	2	2.66
5825MHz	Pass	PK	11.64682G	63.04	74.00	-10.96	3	Vertical	2	2.66
5825MHz	Pass	PK	17.47692G	62.03	68.20	-6.17	3	Vertical	340	2.53
5825MHz	Pass	AV	11.6524G	46.30	54.00	-7.70	3	Horizontal	5	1.50
5825MHz	Pass	PK	11.65198G	58.82	74.00	-15.18	3	Horizontal	5	1.50
5825MHz	Pass	PK	17.46912G	62.54	68.20	-5.66	3	Horizontal	319	1.94
802.11ax HEW20_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	AV	5.15G	48.54	54.00	-5.46	3	Vertical	325	2.78
5180MHz	Pass	AV	5.1724G	102.46	Inf	-Inf	3	Vertical	325	2.78
5180MHz	Pass	PK	5.1418G	60.51	74.00	-13.49	3	Vertical	325	2.78
5180MHz	Pass	PK	5.1826G	115.15	Inf	-Inf	3	Vertical	325	2.78
5180MHz	Pass	AV	5.1484G	51.19	54.00	-2.81	3	Horizontal	59	1.73
5180MHz	Pass	AV	5.189G	108.21	Inf	-Inf	3	Horizontal	59	1.73
5180MHz	Pass	PK	5.147G	63.66	74.00	-10.34	3	Horizontal	59	1.73
5180MHz	Pass	PK	5.1882G	120.66	Inf	-Inf	3	Horizontal	59	1.73
5180MHz	Pass	AV	15.5398G	49.38	54.00	-4.62	3	Vertical	88	2.23
5180MHz	Pass	PK	10.36276G	64.45	68.20	-3.75	3	Vertical	352	1.70
5180MHz	Pass	PK	15.54072G	63.03	74.00	-10.97	3	Vertical	88	2.23
5180MHz	Pass	AV	15.54109G	49.23	54.00	-4.77	3	Horizontal	21	2.21
5180MHz	Pass	PK	10.35316G	66.60	68.20	-1.60	3	Horizontal	321	1.50
5180MHz	Pass	PK	15.5405G	62.11	74.00	-11.89	3	Horizontal	21	2.21
5200MHz	Pass	AV	5.1496G	47.83	54.00	-6.17	3	Vertical	333	2.54
5200MHz	Pass	AV	5.1924G	105.43	Inf	-Inf	3	Vertical	333	2.54
5200MHz	Pass	PK	5.1372G	59.48	74.00	-14.52	3	Vertical	333	2.54
5200MHz	Pass	PK	5.1924G	117.02	Inf	-Inf	3	Vertical	333	2.54
5200MHz	Pass	AV	5.148G	48.21	54.00	-5.79	3	Horizontal	60	1.83
5200MHz	Pass	AV	5.2084G	109.67	Inf	-Inf	3	Horizontal	60	1.83
5200MHz	Pass	PK	5.1376G	59.83	74.00	-14.17	3	Horizontal	60	1.83
5200MHz	Pass	PK	5.1992G	119.63	Inf	-Inf	3	Horizontal	60	1.83
5200MHz	Pass	AV	15.61122G	49.43	54.00	-4.57	3	Vertical	353	2.11
5200MHz	Pass	PK	10.39256G	64.92	68.20	-3.28	3	Vertical	350	1.70
5200MHz	Pass	PK	15.60588G	61.91	74.00	-12.09	3	Vertical	353	2.11
5200MHz	Pass	AV	15.59992G	51.17	54.00	-2.83	3	Horizontal	334	1.49
5200MHz	Pass	PK	10.40174G	67.00	68.20	-1.20	3	Horizontal	321	1.50
5200MHz	Pass	PK	15.59971G	62.88	74.00	-11.12	3	Horizontal	334	1.49
5240MHz	Pass	AV	5.1386G	47.29	54.00	-6.71	3	Vertical	331	2.86
5240MHz	Pass	AV	5.2328G	102.69	Inf	-Inf	3	Vertical	331	2.86
5240MHz	Pass	AV	5.3792G	47.07	54.00	-6.93	3	Vertical	331	2.86
5240MHz	Pass	PK	5.093G	59.20	74.00	-14.80	3	Vertical	331	2.86
5240MHz	Pass	PK	5.243G	113.69	Inf	-Inf	3	Vertical	331	2.86



RSE TX above 1GHz\_Non-Beamforming\_Radio3

Appendix E.6

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5240MHz	Pass	PK	5.3534G	58.50	74.00	-15.50	3	Vertical	331	2.86
5240MHz	Pass	AV	5.1308G	47.34	54.00	-6.66	3	Horizontal	59	1.60
5240MHz	Pass	AV	5.249G	105.93	Inf	-Inf	3	Horizontal	59	1.60
5240MHz	Pass	AV	5.375G	47.06	54.00	-6.94	3	Horizontal	59	1.60
5240MHz	Pass	PK	5.1182G	59.26	74.00	-14.74	3	Horizontal	59	1.60
5240MHz	Pass	PK	5.2382G	116.78	Inf	-Inf	3	Horizontal	59	1.60
5240MHz	Pass	PK	5.3852G	58.11	74.00	-15.89	3	Horizontal	59	1.60
5240MHz	Pass	AV	15.72906G	48.14	54.00	-5.86	3	Vertical	131	2.30
5240MHz	Pass	PK	10.4815G	62.27	68.20	-5.93	3	Vertical	345	1.50
5240MHz	Pass	PK	15.7161G	61.11	74.00	-12.89	3	Vertical	131	2.30
5240MHz	Pass	AV	15.71998G	50.05	54.00	-3.95	3	Horizontal	332	1.50
5240MHz	Pass	PK	10.4818G	67.01	68.20	-1.19	3	Horizontal	322	1.50
5240MHz	Pass	PK	15.72101G	61.73	74.00	-12.27	3	Horizontal	332	1.50
5745MHz	Pass	AV	5.739G	107.82	Inf	-Inf	3	Vertical	333	2.92
5745MHz	Pass	PK	5.5962G	59.83	68.20	-8.37	3	Vertical	333	2.92
5745MHz	Pass	PK	5.7498G	118.79	Inf	-Inf	3	Vertical	333	2.92
5745MHz	Pass	PK	6.0198G	60.16	68.20	-8.04	3	Vertical	333	2.92
5745MHz	Pass	AV	5.7366G	109.40	Inf	-Inf	3	Horizontal	49	1.50
5745MHz	Pass	PK	5.6286G	59.36	68.20	-8.84	3	Horizontal	49	1.50
5745MHz	Pass	PK	5.7378G	121.52	Inf	-Inf	3	Horizontal	49	1.50
5745MHz	Pass	PK	5.937G	60.81	68.20	-7.39	3	Horizontal	49	1.50
5745MHz	Pass	AV	11.4892G	49.51	54.00	-4.49	3	Vertical	32	1.52
5745MHz	Pass	PK	11.49056G	61.82	74.00	-12.18	3	Vertical	32	1.52
5745MHz	Pass	PK	17.24684G	63.36	68.20	-4.84	3	Vertical	60	2.12
5745MHz	Pass	AV	11.49008G	50.01	54.00	-3.99	3	Horizontal	304	1.81
5745MHz	Pass	PK	11.4896G	61.51	74.00	-12.49	3	Horizontal	304	1.81
5745MHz	Pass	PK	17.23634G	63.50	68.20	-4.70	3	Horizontal	134	2.38
5785MHz	Pass	AV	5.7778G	109.34	Inf	-Inf	3	Vertical	333	3.00
5785MHz	Pass	PK	5.6434G	59.83	68.20	-8.37	3	Vertical	333	3.00
5785MHz	Pass	PK	5.7802G	120.82	Inf	-Inf	3	Vertical	333	3.00
5785MHz	Pass	PK	5.9554G	60.62	68.20	-7.58	3	Vertical	333	3.00
5785MHz	Pass	AV	5.7766G	109.74	Inf	-Inf	3	Horizontal	50	1.53
5785MHz	Pass	PK	5.6278G	59.24	68.20	-8.96	3	Horizontal	50	1.53
5785MHz	Pass	PK	5.7778G	120.92	Inf	-Inf	3	Horizontal	50	1.53
5785MHz	Pass	PK	5.9566G	60.13	68.20	-8.07	3	Horizontal	50	1.53
5785MHz	Pass	AV	11.57224G	50.71	54.00	-3.29	3	Vertical	360	2.12
5785MHz	Pass	PK	11.564G	62.98	74.00	-11.02	3	Vertical	360	2.12
5785MHz	Pass	PK	17.33572G	64.45	68.20	-3.75	3	Vertical	72	2.51
5785MHz	Pass	AV	11.57448G	47.28	54.00	-6.72	3	Horizontal	6	1.66
5785MHz	Pass	PK	11.56616G	59.95	74.00	-14.05	3	Horizontal	6	1.66
5785MHz	Pass	PK	17.35311G	63.97	68.20	-4.23	3	Horizontal	228	1.12
5825MHz	Pass	AV	5.8334G	107.37	Inf	-Inf	3	Vertical	314	1.70
5825MHz	Pass	PK	5.5922G	59.17	68.20	-9.03	3	Vertical	314	1.70
5825MHz	Pass	PK	5.8334G	118.29	Inf	-Inf	3	Vertical	314	1.70
5825MHz	Pass	PK	6.0014G	60.48	68.20	-7.72	3	Vertical	314	1.70
5825MHz	Pass	AV	5.8166G	109.39	Inf	-Inf	3	Horizontal	51	1.50
5825MHz	Pass	PK	5.5622G	59.81	68.20	-8.39	3	Horizontal	51	1.50
5825MHz	Pass	PK	5.8178G	120.84	Inf	-Inf	3	Horizontal	51	1.50
5825MHz	Pass	PK	6.0842G	60.67	68.20	-7.53	3	Horizontal	51	1.50
5825MHz	Pass	AV	11.65336G	49.93	54.00	-4.07	3	Vertical	360	2.71
5825MHz	Pass	PK	11.65496G	62.65	74.00	-11.35	3	Vertical	360	2.71
5825MHz	Pass	PK	17.47362G	62.87	68.20	-5.33	3	Vertical	59	1.28
5825MHz	Pass	AV	11.65448G	46.93	54.00	-7.07	3	Horizontal	5	1.50
5825MHz	Pass	PK	11.65584G	59.96	74.00	-14.04	3	Horizontal	5	1.50
5825MHz	Pass	PK	17.47254G	63.75	68.20	-4.45	3	Horizontal	66	1.41
802.11ax HEW40_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5190MHz	Pass	AV	5.1432G	49.42	54.00	-4.58	3	Vertical	326	2.34
5190MHz	Pass	AV	5.1932G	99.85	Inf	-Inf	3	Vertical	326	2.34
5190MHz	Pass	PK	5.1496G	61.40	74.00	-12.60	3	Vertical	326	2.34
5190MHz	Pass	PK	5.184G	112.02	Inf	-Inf	3	Vertical	326	2.34
5190MHz	Pass	AV	5.1488G	53.31	54.00	-0.69	3	Horizontal	59	1.73
5190MHz	Pass	AV	5.1884G	104.20	Inf	-Inf	3	Horizontal	59	1.73



RSE TX above 1GHz\_Non-Beamforming\_Radio3

Appendix E.6

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5190MHz	Pass	PK	5.15G	65.74	74.00	-8.26	3	Horizontal	59	1.73
5190MHz	Pass	PK	5.1888G	116.57	Inf	-Inf	3	Horizontal	59	1.73
5190MHz	Pass	AV	15.58216G	48.85	54.00	-5.15	3	Vertical	160	2.61
5190MHz	Pass	PK	10.38016G	58.65	68.20	-9.55	3	Vertical	300	1.41
5190MHz	Pass	PK	15.58248G	61.13	74.00	-12.87	3	Vertical	160	2.61
5190MHz	Pass	AV	15.56392G	48.84	54.00	-5.16	3	Horizontal	121	2.17
5190MHz	Pass	PK	10.382G	62.84	68.20	-5.36	3	Horizontal	322	1.50
5190MHz	Pass	PK	15.58848G	61.87	74.00	-12.13	3	Horizontal	121	2.17
5230MHz	Pass	AV	5.1436G	49.04	54.00	-4.96	3	Vertical	328	2.30
5230MHz	Pass	AV	5.2332G	103.08	Inf	-Inf	3	Vertical	328	2.30
5230MHz	Pass	PK	5.1444G	61.19	74.00	-12.81	3	Vertical	328	2.30
5230MHz	Pass	PK	5.2436G	114.57	Inf	-Inf	3	Vertical	328	2.30
5230MHz	Pass	AV	5.1488G	52.83	54.00	-1.17	3	Horizontal	60	1.80
5230MHz	Pass	AV	5.2284G	108.23	Inf	-Inf	3	Horizontal	60	1.80
5230MHz	Pass	PK	5.1496G	67.39	74.00	-6.61	3	Horizontal	60	1.80
5230MHz	Pass	PK	5.2288G	120.27	Inf	-Inf	3	Horizontal	60	1.80
5230MHz	Pass	AV	15.6736G	48.00	54.00	-6.00	3	Vertical	322	2.51
5230MHz	Pass	PK	10.4612G	63.39	68.20	-4.81	3	Vertical	350	1.74
5230MHz	Pass	PK	15.676G	61.45	74.00	-12.55	3	Vertical	322	2.51
5230MHz	Pass	AV	15.67248G	47.97	54.00	-6.03	3	Horizontal	253	2.59
5230MHz	Pass	PK	10.46136G	65.97	68.20	-2.23	3	Horizontal	323	1.45
5230MHz	Pass	PK	15.67224G	61.05	74.00	-12.95	3	Horizontal	253	2.59
5755MHz	Pass	AV	5.7586G	105.93	Inf	-Inf	3	Vertical	332	2.89
5755MHz	Pass	PK	5.6494G	61.81	68.20	-6.39	3	Vertical	332	2.89
5755MHz	Pass	PK	5.7598G	117.47	Inf	-Inf	3	Vertical	332	2.89
5755MHz	Pass	PK	5.9254G	61.59	68.20	-6.61	3	Vertical	332	2.89
5755MHz	Pass	AV	5.7466G	106.33	Inf	-Inf	3	Horizontal	50	1.50
5755MHz	Pass	PK	5.6458G	64.05	68.20	-4.15	3	Horizontal	50	1.50
5755MHz	Pass	PK	5.7454G	117.71	Inf	-Inf	3	Horizontal	50	1.50
5755MHz	Pass	PK	6.0514G	60.68	68.20	-7.52	3	Horizontal	50	1.50
5755MHz	Pass	AV	11.51G	46.05	54.00	-7.95	3	Vertical	32	1.50
5755MHz	Pass	PK	11.50984G	59.22	74.00	-14.78	3	Vertical	32	1.50
5755MHz	Pass	PK	17.26116G	63.40	68.20	-4.80	3	Vertical	350	1.97
5755MHz	Pass	AV	11.51016G	48.32	54.00	-5.68	3	Horizontal	304	1.87
5755MHz	Pass	PK	11.5096G	61.67	74.00	-12.33	3	Horizontal	304	1.87
5755MHz	Pass	PK	17.26812G	63.07	68.20	-5.13	3	Horizontal	285	1.50
5795MHz	Pass	AV	5.7902G	106.27	Inf	-Inf	3	Vertical	333	3.00
5795MHz	Pass	PK	5.5946G	59.56	68.20	-8.64	3	Vertical	333	3.00
5795MHz	Pass	PK	5.7902G	118.61	Inf	-Inf	3	Vertical	333	3.00
5795MHz	Pass	PK	5.9558G	61.37	68.20	-6.83	3	Vertical	333	3.00
5795MHz	Pass	AV	5.7962G	106.92	Inf	-Inf	3	Horizontal	49	1.49
5795MHz	Pass	PK	5.6222G	60.38	68.20	-7.82	3	Horizontal	49	1.49
5795MHz	Pass	PK	5.7854G	117.95	Inf	-Inf	3	Horizontal	49	1.49
5795MHz	Pass	PK	5.9258G	60.95	68.20	-7.25	3	Horizontal	49	1.49
5795MHz	Pass	AV	11.59256G	48.90	54.00	-5.10	3	Vertical	0	2.79
5795MHz	Pass	PK	11.5912G	62.06	74.00	-11.94	3	Vertical	0	2.79
5795MHz	Pass	PK	17.37084G	63.41	68.20	-4.79	3	Vertical	59	1.50
5795MHz	Pass	AV	11.58992G	46.56	54.00	-7.44	3	Horizontal	306	1.68
5795MHz	Pass	PK	11.5916G	59.14	74.00	-14.86	3	Horizontal	306	1.68
5795MHz	Pass	PK	17.3938G	63.38	68.20	-4.82	3	Horizontal	19	1.50
802.11ax HEW80_Nss1_(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5210MHz	Pass	AV	5.142G	48.99	54.00	-5.01	3	Vertical	331	2.31
5210MHz	Pass	AV	5.213G	96.19	Inf	-Inf	3	Vertical	331	2.31
5210MHz	Pass	AV	5.448G	47.07	54.00	-6.93	3	Vertical	331	2.31
5210MHz	Pass	PK	5.142G	59.83	74.00	-14.17	3	Vertical	331	2.31
5210MHz	Pass	PK	5.193G	106.03	Inf	-Inf	3	Vertical	331	2.31
5210MHz	Pass	PK	5.396G	59.34	74.00	-14.66	3	Vertical	331	2.31
5210MHz	Pass	AV	5.149G	52.71	54.00	-1.29	3	Horizontal	60	1.81
5210MHz	Pass	AV	5.209G	100.75	Inf	-Inf	3	Horizontal	60	1.81
5210MHz	Pass	AV	5.451G	47.08	54.00	-6.92	3	Horizontal	60	1.81
5210MHz	Pass	PK	5.15G	64.14	74.00	-9.86	3	Horizontal	60	1.81
5210MHz	Pass	PK	5.199G	113.17	Inf	-Inf	3	Horizontal	60	1.81



RSE TX above 1GHz\_Non-Beamforming\_Radio3


Appendix E.6

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5210MHz	Pass	PK	5.415G	59.33	74.00	-14.67	3	Horizontal	60	1.81
5210MHz	Pass	AV	15.59272G	48.58	54.00	-5.42	3	Vertical	71	2.36
5210MHz	Pass	PK	10.42224G	58.21	68.20	-9.99	3	Vertical	350	1.70
5210MHz	Pass	PK	15.64232G	61.21	74.00	-12.79	3	Vertical	71	2.36
5210MHz	Pass	AV	15.59288G	48.63	54.00	-5.37	3	Horizontal	143	2.14
5210MHz	Pass	PK	10.43152G	60.18	68.20	-8.02	3	Horizontal	322	1.50
5210MHz	Pass	PK	15.642G	61.27	74.00	-12.73	3	Horizontal	143	2.14
5775MHz	Pass	AV	5.7726G	101.59	Inf	-Inf	3	Vertical	9	3.00
5775MHz	Pass	PK	5.6502G	65.70	68.35	-2.65	3	Vertical	9	3.00
5775MHz	Pass	PK	5.7714G	112.90	Inf	-Inf	3	Vertical	9	3.00
5775MHz	Pass	PK	5.9238G	64.24	69.09	-4.85	3	Vertical	9	3.00
5775MHz	Pass	AV	5.7774G	101.80	Inf	-Inf	3	Horizontal	41	2.88
5775MHz	Pass	PK	5.649G	66.34	68.20	-1.86	3	Horizontal	41	2.88
5775MHz	Pass	PK	5.7678G	112.77	Inf	-Inf	3	Horizontal	41	2.88
5775MHz	Pass	PK	5.9286G	63.25	68.20	-4.95	3	Horizontal	41	2.88
5775MHz	Pass	AV	11.5324G	45.28	54.00	-8.72	3	Vertical	360	2.13
5775MHz	Pass	PK	11.54232G	57.56	74.00	-16.44	3	Vertical	360	2.13
5775MHz	Pass	PK	17.30772G	62.72	68.20	-5.48	3	Vertical	310	2.55
5775MHz	Pass	AV	11.53656G	42.54	54.00	-11.46	3	Horizontal	315	1.50
5775MHz	Pass	PK	11.54648G	55.25	74.00	-18.75	3	Horizontal	315	1.50
5775MHz	Pass	PK	17.30676G	62.91	68.20	-5.29	3	Horizontal	86	2.62



### 5.15-5.25GHz\_802.11a\_Nss1,(6Mbps)\_2TX


#### 5180MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	47.89	54.00	-6.11	8.90	3	Vertical	325	2.90	38.99	33.20	9.83	34.13
AV	5.1868G	102.95	Inf	-Inf	8.85	3	Vertical	325	2.90	94.10	33.13	9.85	34.13
PK	5.1348G	59.46	74.00	-14.54	8.90	3	Vertical	325	2.90	50.56	33.20	9.82	34.12
PK	5.187G	112.75	Inf	-Inf	8.85	3	Vertical	325	2.90	103.90	33.13	9.85	34.13

### 5.15-5.25GHz\_802.11a\_Nss1,(6Mbps)\_2TX


#### 5180MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1496G	49.72	54.00	-4.28	8.90	3	Horizontal	60	1.76	40.82	33.20	9.83	34.13
AV	5.1736G	107.03	Inf	-Inf	8.87	3	Horizontal	60	1.76	98.16	33.15	9.85	34.13
PK	5.1496G	61.57	74.00	-12.43	8.90	3	Horizontal	60	1.76	52.67	33.20	9.83	34.13
PK	5.1736G	116.76	Inf	-Inf	8.87	3	Horizontal	60	1.76	107.89	33.15	9.85	34.13

5.15-5.25GHz\_802.11a\_Nss1,(6Mbps)\_2TX


5180MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.53992G	50.23	54.00	-3.77	19.95	3	Vertical	356	1.76	30.28	38.70	15.68	34.43
PK	10.36054G	64.24	68.20	-3.96	16.74	3	Vertical	350	1.65	47.50	38.66	12.67	34.59
PK	15.5403G	62.88	74.00	-11.12	19.95	3	Vertical	356	1.76	42.93	38.70	15.68	34.43

5.15-5.25GHz\_802.11a\_Nss1,(6Mbps)\_2TX


5180MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.54G	51.51	54.00	-2.49	19.95	3	Horizontal	333	1.54	31.56	38.70	15.68	34.43
PK	10.36042G	66.60	68.20	-1.60	16.74	3	Horizontal	322	1.49	49.86	38.66	12.67	34.59
PK	15.53941G	63.30	74.00	-10.70	19.95	3	Horizontal	333	1.54	43.35	38.70	15.68	34.43

5.15-5.25GHz\_802.11a\_Nss1,(6Mbps)\_2TX


5200MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1292G	47.59	54.00	-6.41	8.90	3	Vertical	331	2.63	38.69	33.20	9.82	34.12
AV	5.2068G	104.02	Inf	-Inf	8.79	3	Vertical	331	2.63	95.23	33.07	9.86	34.14
PK	5.118G	59.37	74.00	-14.63	8.89	3	Vertical	331	2.63	50.48	33.20	9.81	34.12
PK	5.2068G	113.60	Inf	-Inf	8.79	3	Vertical	331	2.63	104.81	33.07	9.86	34.14


5.15-5.25GHz\_802.11a\_Nss1,(6Mbps)\_2TX

5200MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1484G	47.71	54.00	-6.29	8.90	3	Horizontal	63	1.81	38.81	33.20	9.83	34.13
AV	5.194G	107.91	Inf	-Inf	8.84	3	Horizontal	63	1.81	99.07	33.11	9.86	34.13
PK	5.1156G	59.87	74.00	-14.13	8.89	3	Horizontal	63	1.81	50.98	33.20	9.81	34.12
PK	5.1932G	116.88	Inf	-Inf	8.84	3	Horizontal	63	1.81	108.04	33.11	9.86	34.13

**5.15-5.25GHz\_802.11a\_Nss1,(6Mbps)\_2TX**  
**5200MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.59376G	49.32	54.00	-4.68	19.96	3	Vertical	178	1.79	29.36	38.70	15.72	34.46
PK	10.4006G	64.94	68.20	-3.26	16.83	3	Vertical	350	1.68	48.11	38.70	12.69	34.56
PK	15.6018G	62.11	74.00	-11.89	19.95	3	Vertical	178	1.79	42.16	38.69	15.73	34.47


**5.15-5.25GHz\_802.11a\_Nss1,(6Mbps)\_2TX**  
**5200MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.59992G	51.74	54.00	-2.26	19.95	3	Horizontal	333	1.60	31.79	38.70	15.72	34.47
PK	10.40048G	67.08	68.20	-1.12	16.83	3	Horizontal	321	1.50	50.25	38.70	12.69	34.56
PK	15.59938G	63.08	74.00	-10.92	19.95	3	Horizontal	333	1.60	43.13	38.70	15.72	34.47

### 5.15-5.25GHz\_802.11a\_Nss1,(6Mbps)\_2TX


#### 5240MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.126G	47.45	54.00	-6.55	8.90	3	Vertical	329	2.86	38.55	33.20	9.82	34.12
AV	5.2466G	104.54	Inf	-Inf	8.66	3	Vertical	329	2.86	95.88	32.91	9.89	34.14
AV	5.3882G	47.45	54.00	-6.55	8.60	3	Vertical	329	2.86	38.85	32.78	9.99	34.17
PK	5.1284G	59.20	74.00	-14.80	8.90	3	Vertical	329	2.86	50.30	33.20	9.82	34.12
PK	5.246G	113.90	Inf	-Inf	8.67	3	Vertical	329	2.86	105.23	32.92	9.89	34.14
PK	5.3852G	58.64	74.00	-15.36	8.59	3	Vertical	329	2.86	50.05	32.77	9.99	34.17

### 5.15-5.25GHz\_802.11a\_Nss1,(6Mbps)\_2TX


#### 5240MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1236G	47.70	54.00	-6.30	8.90	3	Horizontal	58	1.82	38.80	33.20	9.82	34.12
AV	5.2442G	107.31	Inf	-Inf	8.67	3	Horizontal	58	1.82	98.64	32.92	9.89	34.14
AV	5.3804G	47.42	54.00	-6.58	8.58	3	Horizontal	58	1.82	38.84	32.76	9.99	34.17
PK	5.12G	59.89	74.00	-14.11	8.90	3	Horizontal	58	1.82	50.99	33.20	9.82	34.12
PK	5.2448G	116.27	Inf	-Inf	8.67	3	Horizontal	58	1.82	107.60	32.92	9.89	34.14
PK	5.3606G	58.83	74.00	-15.17	8.53	3	Horizontal	58	1.82	50.30	32.72	9.97	34.16

5.15-5.25GHz\_802.11a\_Nss1,(6Mbps)\_2TX


5240MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.7251G	48.24	54.00	-5.76	19.45	3	Vertical	27	1.08	28.79	38.17	15.82	34.54
PK	10.48048G	65.55	68.20	-2.65	16.84	3	Vertical	348	1.62	48.71	38.62	12.72	34.50
PK	15.72762G	60.33	74.00	-13.67	19.45	3	Vertical	27	1.08	40.88	38.17	15.82	34.54

5.15-5.25GHz\_802.11a\_Nss1,(6Mbps)\_2TX


5240MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.70644G	47.99	54.00	-6.01	19.46	3	Horizontal	286	1.76	28.53	38.19	15.80	34.53
PK	10.48042G	66.99	68.20	-1.21	16.84	3	Horizontal	323	1.50	50.15	38.62	12.72	34.50
PK	15.71298G	60.51	74.00	-13.49	19.47	3	Horizontal	286	1.76	41.04	38.19	15.81	34.53

5.725-5.85GHz\_802.11a\_Nss1,(6Mbps)\_2TX


5745MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7486G	108.49	Inf	-Inf	9.64	3	Vertical	20	3.00	98.85	33.69	10.15	34.20
PK	5.6142G	59.49	68.20	-8.71	9.04	3	Vertical	20	3.00	50.45	33.16	10.08	34.20
PK	5.7474G	117.77	Inf	-Inf	9.63	3	Vertical	20	3.00	108.14	33.68	10.15	34.20
PK	5.9862G	59.90	68.20	-8.30	10.18	3	Vertical	20	3.00	49.72	34.08	10.32	34.22


5.725-5.85GHz\_802.11a\_Nss1,(6Mbps)\_2TX

5745MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7498G	109.04	Inf	-Inf	9.65	3	Horizontal	52	1.15	99.39	33.70	10.15	34.20
PK	5.6118G	58.87	68.20	-9.33	9.03	3	Horizontal	52	1.15	49.84	33.15	10.08	34.20
PK	5.751G	118.02	Inf	-Inf	9.64	3	Horizontal	52	1.15	108.38	33.70	10.15	34.21
PK	5.9634G	60.85	68.20	-7.35	10.30	3	Horizontal	52	1.15	50.55	34.22	10.30	34.22

**5.725-5.85GHz\_802.11a\_Nss1,(6Mbps)\_2TX**  
**5745MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.48658G	51.88	54.00	-2.12	17.98	3	Vertical	360	2.09	33.90	38.93	13.11	34.06
PK	11.49168G	64.69	74.00	-9.31	17.97	3	Vertical	360	2.09	46.72	38.92	13.11	34.06
PK	17.22504G	62.97	68.20	-5.23	21.43	3	Vertical	82	1.97	41.54	38.48	16.22	33.27

**5.725-5.85GHz\_802.11a\_Nss1,(6Mbps)\_2TX**  
**5745MHz\_TX**




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.49G	48.76	54.00	-5.24	17.97	3	Horizontal	306	1.90	30.79	38.92	13.11	34.06
PK	11.49042G	61.44	74.00	-12.56	17.97	3	Horizontal	306	1.90	43.47	38.92	13.11	34.06
PK	17.25G	63.00	68.20	-5.20	21.50	3	Horizontal	205	2.79	41.50	38.55	16.22	33.27



5.725-5.85GHz\_802.11a\_Nss1,(6Mbps)\_2TX


5785MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7922G	109.63	Inf	-Inf	9.75	3	Vertical	332	2.97	99.88	33.78	10.18	34.21
PK	5.5594G	59.23	68.20	-8.97	8.73	3	Vertical	332	2.97	50.50	32.86	10.06	34.19
PK	5.7922G	119.03	Inf	-Inf	9.75	3	Vertical	332	2.97	109.28	33.78	10.18	34.21
PK	5.983G	60.95	68.20	-7.25	10.20	3	Vertical	332	2.97	50.75	34.10	10.32	34.22


5.725-5.85GHz\_802.11a\_Nss1,(6Mbps)\_2TX

5785MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.791G	109.17	Inf	-Inf	9.75	3	Horizontal	42	3.00	99.42	33.78	10.18	34.21
PK	5.6398G	60.06	68.20	-8.14	9.15	3	Horizontal	42	3.00	50.91	33.26	10.09	34.20
PK	5.7922G	117.94	Inf	-Inf	9.75	3	Horizontal	42	3.00	108.19	33.78	10.18	34.21
PK	5.947G	60.13	68.20	-8.07	10.36	3	Horizontal	42	3.00	49.77	34.29	10.29	34.22

**5.725-5.85GHz\_802.11a\_Nss1,(6Mbps)\_2TX**  
**5785MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.5718G	50.44	54.00	-3.56	17.80	3	Vertical	360	2.75	32.64	38.76	13.14	34.10
PK	11.57066G	62.86	74.00	-11.14	17.80	3	Vertical	360	2.75	45.06	38.76	13.14	34.10
PK	17.34234G	63.38	68.20	-4.82	21.82	3	Vertical	209	2.05	41.56	38.83	16.23	33.24


**5.725-5.85GHz\_802.11a\_Nss1,(6Mbps)\_2TX**  
**5785MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.57204G	46.65	54.00	-7.35	17.80	3	Horizontal	5	1.49	28.85	38.76	13.14	34.10
PK	11.57228G	59.18	74.00	-14.82	17.80	3	Horizontal	5	1.49	41.38	38.76	13.14	34.10
PK	17.36526G	62.62	68.20	-5.58	21.90	3	Horizontal	310	2.26	40.72	38.90	16.24	33.24

5.725-5.85GHz\_802.11a\_Nss1,(6Mbps)\_2TX


5825MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.819G	109.14	Inf	-Inf	9.89	3	Vertical	4	2.94	99.25	33.91	10.19	34.21
PK	5.633G	60.29	68.20	-7.91	9.12	3	Vertical	4	2.94	51.17	33.23	10.09	34.20
PK	5.819G	117.74	Inf	-Inf	9.89	3	Vertical	4	2.94	107.85	33.91	10.19	34.21
PK	6.041G	60.60	68.20	-7.60	10.31	3	Vertical	4	2.94	50.29	34.16	10.37	34.22


5.725-5.85GHz\_802.11a\_Nss1,(6Mbps)\_2TX

5825MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8322G	109.56	Inf	-Inf	9.98	3	Horizontal	45	2.94	99.58	33.99	10.20	34.21
PK	5.5946G	59.37	68.20	-8.83	8.94	3	Horizontal	45	2.94	50.43	33.07	10.07	34.20
PK	5.831G	118.05	Inf	-Inf	9.98	3	Horizontal	45	2.94	108.07	33.99	10.20	34.21
PK	5.963G	60.91	68.20	-7.29	10.30	3	Horizontal	45	2.94	50.61	34.22	10.30	34.22

**5.725-5.85GHz\_802.11a\_Nss1,(6Mbps)\_2TX**  
**5825MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.65174G	50.36	54.00	-3.64	17.68	3	Vertical	2	2.66	32.68	38.65	13.17	34.14
PK	11.64682G	63.04	74.00	-10.96	17.68	3	Vertical	2	2.66	45.36	38.65	13.17	34.14
PK	17.47692G	62.03	68.20	-6.17	22.20	3	Vertical	340	2.53	39.83	39.15	16.26	33.21


**5.725-5.85GHz\_802.11a\_Nss1,(6Mbps)\_2TX**  
**5825MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.6524G	46.30	54.00	-7.70	17.68	3	Horizontal	5	1.50	28.62	38.65	13.17	34.14
PK	11.65198G	58.82	74.00	-15.18	17.68	3	Horizontal	5	1.50	41.14	38.65	13.17	34.14
PK	17.46912G	62.54	68.20	-5.66	22.19	3	Horizontal	319	1.94	40.35	39.14	16.26	33.21

5.15-5.25GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX


5180MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	48.54	54.00	-5.46	8.90	3	Vertical	325	2.78	39.64	33.20	9.83	34.13
AV	5.1724G	102.46	Inf	-Inf	8.87	3	Vertical	325	2.78	93.59	33.16	9.84	34.13
PK	5.1418G	60.51	74.00	-13.49	8.90	3	Vertical	325	2.78	51.61	33.20	9.83	34.13
PK	5.1826G	115.15	Inf	-Inf	8.85	3	Vertical	325	2.78	106.30	33.13	9.85	34.13


5.15-5.25GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX

5180MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1484G	51.19	54.00	-2.81	8.90	3	Horizontal	59	1.73	42.29	33.20	9.83	34.13
AV	5.189G	108.21	Inf	-Inf	8.84	3	Horizontal	59	1.73	99.37	33.12	9.85	34.13
PK	5.147G	63.66	74.00	-10.34	8.90	3	Horizontal	59	1.73	54.76	33.20	9.83	34.13
PK	5.1882G	120.66	Inf	-Inf	8.84	3	Horizontal	59	1.73	111.82	33.12	9.85	34.13

**5.15-5.25GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX**  
**5180MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.5398G	49.38	54.00	-4.62	19.95	3	Vertical	88	2.23	29.43	38.70	15.68	34.43
PK	10.36276G	64.45	68.20	-3.75	16.74	3	Vertical	352	1.70	47.71	38.66	12.67	34.59
PK	15.54072G	63.03	74.00	-10.97	19.95	3	Vertical	88	2.23	43.08	38.70	15.68	34.43


**5.15-5.25GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX**  
**5180MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.54109G	49.23	54.00	-4.77	19.95	3	Horizontal	21	2.21	29.28	38.70	15.68	34.43
PK	10.35316G	66.60	68.20	-1.60	16.72	3	Horizontal	321	1.50	49.88	38.65	12.67	34.60
PK	15.5405G	62.11	74.00	-11.89	19.95	3	Horizontal	21	2.21	42.16	38.70	15.68	34.43

5.15-5.25GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX


5200MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1496G	47.83	54.00	-6.17	8.90	3	Vertical	333	2.54	38.93	33.20	9.83	34.13
AV	5.1924G	105.43	Inf	-Inf	8.85	3	Vertical	333	2.54	96.58	33.12	9.86	34.13
PK	5.1372G	59.48	74.00	-14.52	8.91	3	Vertical	333	2.54	50.57	33.20	9.83	34.12
PK	5.1924G	117.02	Inf	-Inf	8.85	3	Vertical	333	2.54	108.17	33.12	9.86	34.13


5.15-5.25GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX

5200MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.148G	48.21	54.00	-5.79	8.90	3	Horizontal	60	1.83	39.31	33.20	9.83	34.13
AV	5.2084G	109.67	Inf	-Inf	8.80	3	Horizontal	60	1.83	100.87	33.07	9.87	34.14
PK	5.1376G	59.83	74.00	-14.17	8.91	3	Horizontal	60	1.83	50.92	33.20	9.83	34.12
PK	5.1992G	119.63	Inf	-Inf	8.82	3	Horizontal	60	1.83	110.81	33.10	9.86	34.14

**5.15-5.25GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX  
5200MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.61122G	49.43	54.00	-4.57	19.90	3	Vertical	353	2.11	29.53	38.64	15.73	34.47
PK	10.39256G	64.92	68.20	-3.28	16.80	3	Vertical	350	1.70	48.12	38.69	12.68	34.57
PK	15.60588G	61.91	74.00	-12.09	19.93	3	Vertical	353	2.11	41.98	38.67	15.73	34.47


**5.15-5.25GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX  
5200MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.59992G	51.17	54.00	-2.83	19.95	3	Horizontal	334	1.49	31.22	38.70	15.72	34.47
PK	10.40174G	67.00	68.20	-1.20	16.83	3	Horizontal	321	1.50	50.17	38.70	12.69	34.56
PK	15.59971G	62.88	74.00	-11.12	19.95	3	Horizontal	334	1.49	42.93	38.70	15.72	34.47




5.15-5.25GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX  
5240MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1386G	47.29	54.00	-6.71	8.91	3	Vertical	331	2.86	38.38	33.20	9.83	34.12
AV	5.2328G	102.69	Inf	-Inf	8.71	3	Vertical	331	2.86	93.98	32.97	9.88	34.14
AV	5.3792G	47.07	54.00	-6.93	8.58	3	Vertical	331	2.86	38.49	32.76	9.99	34.17
PK	5.093G	59.20	74.00	-14.80	8.84	3	Vertical	331	2.86	50.36	33.16	9.80	34.12
PK	5.243G	113.69	Inf	-Inf	8.68	3	Vertical	331	2.86	105.01	32.93	9.89	34.14
PK	5.3534G	58.50	74.00	-15.50	8.52	3	Vertical	331	2.86	49.98	32.71	9.97	34.16

5.15-5.25GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX  
5240MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1308G	47.34	54.00	-6.66	8.90	3	Horizontal	59	1.60	38.44	33.20	9.82	34.12
AV	5.249G	105.93	Inf	-Inf	8.65	3	Horizontal	59	1.60	97.28	32.90	9.89	34.14
AV	5.375G	47.06	54.00	-6.94	8.56	3	Horizontal	59	1.60	38.50	32.75	9.98	34.17
PK	5.1182G	59.26	74.00	-14.74	8.90	3	Horizontal	59	1.60	50.36	33.20	9.82	34.12
PK	5.2382G	116.78	Inf	-Inf	8.70	3	Horizontal	59	1.60	108.08	32.95	9.89	34.14
PK	5.3852G	58.11	74.00	-15.89	8.59	3	Horizontal	59	1.60	49.52	32.77	9.99	34.17

5.15-5.25GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX  
5240MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.72906G	48.14	54.00	-5.86	19.45	3	Vertical	131	2.30	28.69	38.17	15.82	34.54
PK	10.4815G	62.27	68.20	-5.93	16.84	3	Vertical	345	1.50	45.43	38.62	12.72	34.50
PK	15.7161G	61.11	74.00	-12.89	19.46	3	Vertical	131	2.30	41.65	38.18	15.81	34.53


5.15-5.25GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX  
5240MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.71998G	50.05	54.00	-3.95	19.46	3	Horizontal	332	1.50	30.59	38.18	15.81	34.53
PK	10.4818G	67.01	68.20	-1.19	16.84	3	Horizontal	322	1.50	50.17	38.62	12.72	34.50
PK	15.72101G	61.73	74.00	-12.27	19.46	3	Horizontal	332	1.50	42.27	38.18	15.81	34.53

5.725-5.85GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX


5745MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.739G	107.82	Inf	-Inf	9.58	3	Vertical	333	2.92	98.24	33.63	10.15	34.20
PK	5.5962G	59.83	68.20	-8.37	8.95	3	Vertical	333	2.92	50.88	33.08	10.07	34.20
PK	5.7498G	118.79	Inf	-Inf	9.65	3	Vertical	333	2.92	109.14	33.70	10.15	34.20
PK	6.0198G	60.16	68.20	-8.04	10.21	3	Vertical	333	2.92	49.95	34.08	10.35	34.22


5.725-5.85GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX

5745MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7366G	109.40	Inf	-Inf	9.57	3	Horizontal	49	1.50	99.83	33.62	10.15	34.20
PK	5.6286G	59.36	68.20	-8.84	9.10	3	Horizontal	49	1.50	50.26	33.21	10.09	34.20
PK	5.7378G	121.52	Inf	-Inf	9.58	3	Horizontal	49	1.50	111.94	33.63	10.15	34.20
PK	5.937G	60.81	68.20	-7.39	10.31	3	Horizontal	49	1.50	50.50	34.25	10.28	34.22

**5.725-5.85GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX**  
**5745MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.4892G	49.51	54.00	-4.49	17.97	3	Vertical	32	1.52	31.54	38.92	13.11	34.06
PK	11.49056G	61.82	74.00	-12.18	17.97	3	Vertical	32	1.52	43.85	38.92	13.11	34.06
PK	17.24684G	63.36	68.20	-4.84	21.49	3	Vertical	60	2.12	41.87	38.54	16.22	33.27


**5.725-5.85GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX**  
**5745MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.49008G	50.01	54.00	-3.99	17.97	3	Horizontal	304	1.81	32.04	38.92	13.11	34.06
PK	11.4896G	61.51	74.00	-12.49	17.97	3	Horizontal	304	1.81	43.54	38.92	13.11	34.06
PK	17.23634G	63.50	68.20	-4.70	21.46	3	Horizontal	134	2.38	42.04	38.51	16.22	33.27

5.725-5.85GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX


5785MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7778G	109.34	Inf	-Inf	9.72	3	Vertical	333	3.00	99.62	33.76	10.17	34.21
PK	5.6434G	59.83	68.20	-8.37	9.16	3	Vertical	333	3.00	50.67	33.27	10.09	34.20
PK	5.7802G	120.82	Inf	-Inf	9.72	3	Vertical	333	3.00	111.10	33.76	10.17	34.21
PK	5.9554G	60.62	68.20	-7.58	10.35	3	Vertical	333	3.00	50.27	34.27	10.30	34.22


5.725-5.85GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX

5785MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7766G	109.74	Inf	-Inf	9.71	3	Horizontal	50	1.53	100.03	33.75	10.17	34.21
PK	5.6278G	59.24	68.20	-8.96	9.10	3	Horizontal	50	1.53	50.14	33.21	10.09	34.20
PK	5.7778G	120.92	Inf	-Inf	9.72	3	Horizontal	50	1.53	111.20	33.76	10.17	34.21
PK	5.9566G	60.13	68.20	-8.07	10.34	3	Horizontal	50	1.53	49.79	34.26	10.30	34.22

5.725-5.85GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX  
5785MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.57224G	50.71	54.00	-3.29	17.80	3	Vertical	360	2.12	32.91	38.76	13.14	34.10
PK	11.564G	62.98	74.00	-11.02	17.82	3	Vertical	360	2.12	45.16	38.77	13.14	34.09
PK	17.33572G	64.45	68.20	-3.75	21.80	3	Vertical	72	2.51	42.65	38.81	16.23	33.24


5.725-5.85GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX  
5785MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.57448G	47.28	54.00	-6.72	17.79	3	Horizontal	6	1.66	29.49	38.75	13.14	34.10
PK	11.56616G	59.95	74.00	-14.05	17.81	3	Horizontal	6	1.66	42.14	38.77	13.14	34.10
PK	17.35311G	63.97	68.20	-4.23	21.86	3	Horizontal	228	1.12	42.11	38.86	16.24	33.24

5.725-5.85GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX


5825MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8334G	107.37	Inf	-Inf	10.00	3	Vertical	314	1.70	97.37	34.00	10.21	34.21
PK	5.5922G	59.17	68.20	-9.03	8.92	3	Vertical	314	1.70	50.25	33.05	10.07	34.20
PK	5.8334G	118.29	Inf	-Inf	10.00	3	Vertical	314	1.70	108.29	34.00	10.21	34.21
PK	6.0014G	60.48	68.20	-7.72	10.12	3	Vertical	314	1.70	50.36	34.01	10.33	34.22


5.725-5.85GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX

5825MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8166G	109.39	Inf	-Inf	9.88	3	Horizontal	51	1.50	99.51	33.90	10.19	34.21
PK	5.5622G	59.81	68.20	-8.39	8.74	3	Horizontal	51	1.50	51.07	32.87	10.06	34.19
PK	5.8178G	120.84	Inf	-Inf	9.89	3	Horizontal	51	1.50	110.95	33.91	10.19	34.21
PK	6.0842G	60.67	68.20	-7.53	10.31	3	Horizontal	51	1.50	50.36	34.13	10.41	34.23

5.725-5.85GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX  
5825MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.65336G	49.93	54.00	-4.07	17.68	3	Vertical	360	2.71	32.25	38.65	13.17	34.14
PK	11.65496G	62.65	74.00	-11.35	17.69	3	Vertical	360	2.71	44.96	38.65	13.18	34.14
PK	17.47362G	62.87	68.20	-5.33	22.20	3	Vertical	59	1.28	40.67	39.15	16.26	33.21

5.725-5.85GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX  
5825MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.65448G	46.93	54.00	-7.07	17.69	3	Horizontal	5	1.50	29.24	38.65	13.18	34.14
PK	11.65584G	59.96	74.00	-14.04	17.68	3	Horizontal	5	1.50	42.28	38.64	13.18	34.14
PK	17.47254G	63.75	68.20	-4.45	22.20	3	Horizontal	66	1.41	41.55	39.15	16.26	33.21



5.15-5.25GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX


5190MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1432G	49.42	54.00	-4.58	8.90	3	Vertical	326	2.34	40.52	33.20	9.83	34.13
AV	5.1932G	99.85	Inf	-Inf	8.84	3	Vertical	326	2.34	91.01	33.11	9.86	34.13
PK	5.1496G	61.40	74.00	-12.60	8.90	3	Vertical	326	2.34	52.50	33.20	9.83	34.13
PK	5.184G	112.02	Inf	-Inf	8.85	3	Vertical	326	2.34	103.17	33.13	9.85	34.13


5.15-5.25GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX

5190MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1488G	53.31	54.00	-0.69	8.90	3	Horizontal	59	1.73	44.41	33.20	9.83	34.13
AV	5.1884G	104.20	Inf	-Inf	8.84	3	Horizontal	59	1.73	95.36	33.12	9.85	34.13
PK	5.15G	65.74	74.00	-8.26	8.90	3	Horizontal	59	1.73	56.84	33.20	9.83	34.13
PK	5.1888G	116.57	Inf	-Inf	8.84	3	Horizontal	59	1.73	107.73	33.12	9.85	34.13

**5.15-5.25GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX  
5190MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.58216G	48.85	54.00	-5.15	19.95	3	Vertical	160	2.61	28.90	38.70	15.71	34.46
PK	10.38016G	58.65	68.20	-9.55	16.78	3	Vertical	300	1.41	41.87	38.68	12.68	34.58
PK	15.58248G	61.13	74.00	-12.87	19.95	3	Vertical	160	2.61	41.18	38.70	15.71	34.46


**5.15-5.25GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX  
5190MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.56392G	48.84	54.00	-5.16	19.95	3	Horizontal	121	2.17	28.89	38.70	15.70	34.45
PK	10.382G	62.84	68.20	-5.36	16.79	3	Horizontal	322	1.50	46.05	38.68	12.68	34.57
PK	15.58848G	61.87	74.00	-12.13	19.96	3	Horizontal	121	2.17	41.91	38.70	15.72	34.46

5.15-5.25GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX


5230MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1436G	49.04	54.00	-4.96	8.90	3	Vertical	328	2.30	40.14	33.20	9.83	34.13
AV	5.2332G	103.08	Inf	-Inf	8.71	3	Vertical	328	2.30	94.37	32.97	9.88	34.14
PK	5.1444G	61.19	74.00	-12.81	8.90	3	Vertical	328	2.30	52.29	33.20	9.83	34.13
PK	5.2436G	114.57	Inf	-Inf	8.68	3	Vertical	328	2.30	105.89	32.93	9.89	34.14


5.15-5.25GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX

5230MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1488G	52.83	54.00	-1.17	8.90	3	Horizontal	60	1.80	43.93	33.20	9.83	34.13
AV	5.2284G	108.23	Inf	-Inf	8.73	3	Horizontal	60	1.80	99.50	32.99	9.88	34.14
PK	5.1496G	67.39	74.00	-6.61	8.90	3	Horizontal	60	1.80	58.49	33.20	9.83	34.13
PK	5.2288G	120.27	Inf	-Inf	8.72	3	Horizontal	60	1.80	111.55	32.98	9.88	34.14

5.15-5.25GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX  
5230MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.6736G	48.00	54.00	-6.00	19.60	3	Vertical	322	2.51	28.40	38.33	15.78	34.51
PK	10.4612G	63.39	68.20	-4.81	16.83	3	Vertical	350	1.74	46.56	38.64	12.71	34.52
PK	15.676G	61.45	74.00	-12.55	19.59	3	Vertical	322	2.51	41.86	38.32	15.78	34.51


5.15-5.25GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX  
5230MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.67248G	47.97	54.00	-6.03	19.61	3	Horizontal	253	2.59	28.36	38.34	15.78	34.51
PK	10.46136G	65.97	68.20	-2.23	16.83	3	Horizontal	323	1.45	49.14	38.64	12.71	34.52
PK	15.67224G	61.05	74.00	-12.95	19.61	3	Horizontal	253	2.59	41.44	38.34	15.78	34.51

5.725-5.85GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX


5755MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7586G	105.93	Inf	-Inf	9.67	3	Vertical	332	2.89	96.26	33.72	10.16	34.21
PK	5.6494G	61.81	68.20	-6.39	9.20	3	Vertical	332	2.89	52.61	33.30	10.10	34.20
PK	5.7598G	117.47	Inf	-Inf	9.67	3	Vertical	332	2.89	107.80	33.72	10.16	34.21
PK	5.9254G	61.59	68.20	-6.61	10.25	3	Vertical	332	2.89	51.34	34.20	10.27	34.22


5.725-5.85GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX

5755MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7466G	106.33	Inf	-Inf	9.63	3	Horizontal	50	1.50	96.70	33.68	10.15	34.20
PK	5.6458G	64.05	68.20	-4.15	9.18	3	Horizontal	50	1.50	54.87	33.28	10.10	34.20
PK	5.7454G	117.71	Inf	-Inf	9.62	3	Horizontal	50	1.50	108.09	33.67	10.15	34.20
PK	6.0514G	60.68	68.20	-7.52	10.36	3	Horizontal	50	1.50	50.32	34.20	10.38	34.22

**5.725-5.85GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX**  
**5755MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.51G	46.05	54.00	-7.95	17.93	3	Vertical	32	1.50	28.12	38.88	13.12	34.07
PK	11.50984G	59.22	74.00	-14.78	17.93	3	Vertical	32	1.50	41.29	38.88	13.12	34.07
PK	17.26116G	63.40	68.20	-4.80	21.54	3	Vertical	350	1.97	41.86	38.58	16.22	33.26


**5.725-5.85GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX**  
**5755MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.51016G	48.32	54.00	-5.68	17.93	3	Horizontal	304	1.87	30.39	38.88	13.12	34.07
PK	11.5096G	61.67	74.00	-12.33	17.93	3	Horizontal	304	1.87	43.74	38.88	13.12	34.07
PK	17.26812G	63.07	68.20	-5.13	21.56	3	Horizontal	285	1.50	41.51	38.60	16.22	33.26

5.725-5.85GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX


5795MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7902G	106.27	Inf	-Inf	9.74	3	Vertical	333	3.00	96.53	33.78	10.17	34.21
PK	5.5946G	59.56	68.20	-8.64	8.94	3	Vertical	333	3.00	50.62	33.07	10.07	34.20
PK	5.7902G	118.61	Inf	-Inf	9.74	3	Vertical	333	3.00	108.87	33.78	10.17	34.21
PK	5.9558G	61.37	68.20	-6.83	10.35	3	Vertical	333	3.00	51.02	34.27	10.30	34.22


5.725-5.85GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX

5795MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7962G	106.92	Inf	-Inf	9.76	3	Horizontal	49	1.49	97.16	33.79	10.18	34.21
PK	5.6222G	60.38	68.20	-7.82	9.07	3	Horizontal	49	1.49	51.31	33.19	10.08	34.20
PK	5.7854G	117.95	Inf	-Inf	9.73	3	Horizontal	49	1.49	108.22	33.77	10.17	34.21
PK	5.9258G	60.95	68.20	-7.25	10.25	3	Horizontal	49	1.49	50.70	34.20	10.27	34.22

**5.725-5.85GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX**  
**5795MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.59256G	48.90	54.00	-5.10	17.75	3	Vertical	0	2.79	31.15	38.71	13.15	34.11
PK	11.5912G	62.06	74.00	-11.94	17.76	3	Vertical	0	2.79	44.30	38.72	13.15	34.11
PK	17.37084G	63.41	68.20	-4.79	21.92	3	Vertical	59	1.50	41.49	38.91	16.24	33.23


**5.725-5.85GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX**  
**5795MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.58992G	46.56	54.00	-7.44	17.76	3	Horizontal	306	1.68	28.80	38.72	13.15	34.11
PK	11.5916G	59.14	74.00	-14.86	17.76	3	Horizontal	306	1.68	41.38	38.72	13.15	34.11
PK	17.3938G	63.38	68.20	-4.82	21.99	3	Horizontal	19	1.50	41.39	38.98	16.24	33.23




5.15-5.25GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX  
5210MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.142G	48.99	54.00	-5.01	8.90	3	Vertical	331	2.31	40.09	33.20	9.83	34.13
AV	5.213G	96.19	Inf	-Inf	8.78	3	Vertical	331	2.31	87.41	33.05	9.87	34.14
AV	5.448G	47.07	54.00	-6.93	8.74	3	Vertical	331	2.31	38.33	32.90	10.02	34.18
PK	5.142G	59.83	74.00	-14.17	8.90	3	Vertical	331	2.31	50.93	33.20	9.83	34.13
PK	5.193G	106.03	Inf	-Inf	8.84	3	Vertical	331	2.31	97.19	33.11	9.86	34.13
PK	5.396G	59.34	74.00	-14.66	8.62	3	Vertical	331	2.31	50.72	32.79	10.00	34.17

5.15-5.25GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX  
5210MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.149G	52.71	54.00	-1.29	8.90	3	Horizontal	60	1.81	43.81	33.20	9.83	34.13
AV	5.209G	100.75	Inf	-Inf	8.79	3	Horizontal	60	1.81	91.96	33.06	9.87	34.14
AV	5.451G	47.08	54.00	-6.92	8.74	3	Horizontal	60	1.81	38.34	32.90	10.02	34.18
PK	5.15G	64.14	74.00	-9.86	8.90	3	Horizontal	60	1.81	55.24	33.20	9.83	34.13
PK	5.199G	113.17	Inf	-Inf	8.82	3	Horizontal	60	1.81	104.35	33.10	9.86	34.14
PK	5.415G	59.33	74.00	-14.67	8.67	3	Horizontal	60	1.81	50.66	32.83	10.01	34.17

**5.15-5.25GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX  
5210MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.59272G	48.58	54.00	-5.42	19.96	3	Vertical	71	2.36	28.62	38.70	15.72	34.46
PK	10.42224G	58.21	68.20	-9.99	16.82	3	Vertical	350	1.70	41.39	38.68	12.69	34.55
PK	15.64232G	61.21	74.00	-12.79	19.76	3	Vertical	71	2.36	41.45	38.49	15.76	34.49


**5.15-5.25GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX  
5210MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.59288G	48.63	54.00	-5.37	19.96	3	Horizontal	143	2.14	28.67	38.70	15.72	34.46
PK	10.43152G	60.18	68.20	-8.02	16.83	3	Horizontal	322	1.50	43.35	38.67	12.70	34.54
PK	15.642G	61.27	74.00	-12.73	19.76	3	Horizontal	143	2.14	41.51	38.49	15.76	34.49

5.725-5.85GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX


5775MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7726G	101.59	Inf	-Inf	9.70	3	Vertical	9	3.00	91.89	33.75	10.16	34.21
PK	5.6502G	65.70	68.35	-2.65	9.20	3	Vertical	9	3.00	56.50	33.30	10.10	34.20
PK	5.7714G	112.90	Inf	-Inf	9.69	3	Vertical	9	3.00	103.21	33.74	10.16	34.21
PK	5.9238G	64.24	69.09	-4.85	10.25	3	Vertical	9	3.00	53.99	34.20	10.27	34.22


5.725-5.85GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX

5775MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7774G	101.80	Inf	-Inf	9.71	3	Horizontal	41	2.88	92.09	33.75	10.17	34.21
PK	5.649G	66.34	68.20	-1.86	9.20	3	Horizontal	41	2.88	57.14	33.30	10.10	34.20
PK	5.7678G	112.77	Inf	-Inf	9.69	3	Horizontal	41	2.88	103.08	33.74	10.16	34.21
PK	5.9286G	63.25	68.20	-4.95	10.27	3	Horizontal	41	2.88	52.98	34.21	10.28	34.22

**5.725-5.85GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX**  
**5775MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.5324G	45.28	54.00	-8.72	17.89	3	Vertical	360	2.13	27.39	38.84	13.13	34.08
PK	11.54232G	57.56	74.00	-16.44	17.87	3	Vertical	360	2.13	39.69	38.82	13.13	34.08
PK	17.30772G	62.72	68.20	-5.48	21.70	3	Vertical	310	2.55	41.02	38.72	16.23	33.25

**5.725-5.85GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX**  
**5775MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.53656G	42.54	54.00	-11.46	17.88	3	Horizontal	315	1.50	24.66	38.83	13.13	34.08
PK	11.54648G	55.25	74.00	-18.75	17.85	3	Horizontal	315	1.50	37.40	38.81	13.13	34.09
PK	17.30676G	62.91	68.20	-5.29	21.70	3	Horizontal	86	2.62	41.21	38.72	16.23	33.25



Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Condition
Mode 1	Pass	AV	4.875G	50.75	54.00	-3.25	Vertical
Mode 2	Pass	AV	1.07097G	44.75	54.00	-9.25	Vertical
Mode 3	Pass	PK	3.21352G	56.71	68.20	-11.49	Vertical
Mode 4	Pass	AV	4.876G	50.12	54.00	-3.88	Vertical
Mode 5	Pass	AV	1.06G	44.54	54.00	-9.46	Vertical
Mode 6	Pass	AV	1.06G	43.38	54.00	-10.62	Vertical
Mode 7	Pass	AV	1.06G	45.42	54.00	-8.58	Vertical
Mode 8	Pass	AV	1.06G	45.74	54.00	-8.26	Vertical



Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
Mode 1	Pass	AV	1.07G	45.45	54.00	-8.55	3	Vertical	333	3.00	-
Mode 1	Pass	AV	1.235G	40.77	54.00	-13.23	3	Vertical	360	2.95	-
Mode 1	Pass	AV	1.605G	34.50	54.00	-19.50	3	Vertical	187	1.56	-
Mode 1	Pass	AV	4.875G	50.75	54.00	-3.25	3	Vertical	338	2.57	-
Mode 1	Pass	PK	1.07G	48.50	74.00	-25.50	3	Vertical	333	3.00	-
Mode 1	Pass	PK	1.235G	54.70	74.00	-19.30	3	Vertical	360	2.95	-
Mode 1	Pass	PK	1.605G	48.50	74.00	-25.50	3	Vertical	187	1.56	-
Mode 1	Pass	PK	4.875G	52.25	74.00	-21.75	3	Vertical	338	2.57	-
Mode 1	Pass	AV	1.066G	45.39	54.00	-8.61	3	Horizontal	19	2.88	-
Mode 1	Pass	AV	2.14G	42.62	68.20	-25.58	3	Horizontal	322	1.82	-
Mode 1	Pass	AV	3.214G	40.93	68.20	-27.27	3	Horizontal	319	1.00	-
Mode 1	Pass	AV	4.876G	50.16	54.00	-3.84	3	Horizontal	60	2.52	-
Mode 1	Pass	PK	1.066G	52.62	74.00	-21.38	3	Horizontal	19	2.88	-
Mode 1	Pass	PK	2.14G	47.79	68.20	-20.41	3	Horizontal	322	1.82	-
Mode 1	Pass	PK	3.214G	49.89	68.20	-18.31	3	Horizontal	319	1.00	-
Mode 1	Pass	PK	4.876G	51.47	74.00	-22.53	3	Horizontal	60	2.52	-
Mode 2	Pass	AV	1.07097G	44.75	54.00	-9.25	3	Vertical	354	1.55	-
Mode 2	Pass	AV	1.23691G	41.13	54.00	-12.87	3	Vertical	301	2.82	-
Mode 2	Pass	AV	2.4377G	44.21	68.20	-23.99	3	Vertical	356	1.04	-
Mode 2	Pass	PK	1.07097G	47.92	74.00	-26.08	3	Vertical	354	1.55	-
Mode 2	Pass	PK	1.23691G	51.29	74.00	-22.71	3	Vertical	301	2.82	-
Mode 2	Pass	PK	2.4377G	47.74	68.20	-20.46	3	Vertical	356	1.04	-
Mode 2	Pass	PK	1.07106G	47.63	74.00	-26.37	3	Horizontal	42.8	1.35	-
Mode 2	Pass	PK	2.43777G	52.78	68.20	-15.42	3	Horizontal	236	1.49	-
Mode 2	Pass	PK	5.18531G	55.57	68.20	-12.63	3	Horizontal	124	3.00	-
Mode 2	Pass	AV	1.07106G	43.91	54.00	-10.09	3	Horizontal	42.8	1.35	-
Mode 2	Pass	AV	2.43777G	41.68	68.20	-26.52	3	Horizontal	236	1.49	-
Mode 2	Pass	AV	5.18531G	47.61	68.20	-20.59	3	Horizontal	124	3.00	-
Mode 3	Pass	AV	1.07097G	40.51	54.00	-13.49	3	Vertical	255	1.15	-
Mode 3	Pass	AV	1.24296G	37.45	68.20	-30.75	3	Vertical	266	1.20	-
Mode 3	Pass	AV	1.33658G	27.01	54.00	-26.99	3	Vertical	243	1.60	-
Mode 3	Pass	AV	3.2128G	36.91	68.20	-31.29	3	Vertical	202	3.00	-
Mode 3	Pass	PK	1.07122G	49.65	74.00	-24.35	3	Vertical	255	1.15	-
Mode 3	Pass	PK	1.24364G	56.11	68.20	-12.09	3	Vertical	266	1.20	-
Mode 3	Pass	PK	1.33872G	49.74	74.00	-24.26	3	Vertical	243	1.60	-
Mode 3	Pass	PK	3.21352G	56.71	68.20	-11.49	3	Vertical	202	3.00	-
Mode 3	Pass	AV	1.07096G	36.08	54.00	-17.92	3	Horizontal	191	1.92	-
Mode 3	Pass	AV	1.24192G	34.36	68.20	-33.84	3	Horizontal	242	1.50	-
Mode 3	Pass	AV	3.208G	36.93	68.20	-31.27	3	Horizontal	196	1.49	-
Mode 3	Pass	PK	1.07092G	46.29	74.00	-27.71	3	Horizontal	191	1.92	-
Mode 3	Pass	PK	1.24328G	50.45	68.20	-17.75	3	Horizontal	242	1.50	-
Mode 3	Pass	PK	3.208G	47.74	68.20	-20.46	3	Horizontal	196	1.49	-
Mode 4	Pass	AV	1.06G	45.13	54.00	-8.87	3	Vertical	236	1.50	-
Mode 4	Pass	AV	1.24G	39.78	68.20	-28.42	3	Vertical	96	2.64	-
Mode 4	Pass	AV	1.468G	29.50	54.00	-24.50	3	Vertical	307	2.79	-
Mode 4	Pass	AV	4.876G	50.12	54.00	-3.88	3	Vertical	36	2.89	-
Mode 4	Pass	PK	1.06G	46.79	74.00	-27.21	3	Vertical	236	1.50	-
Mode 4	Pass	PK	1.24G	50.59	68.20	-17.61	3	Vertical	96	2.64	-
Mode 4	Pass	PK	1.468G	50.75	74.00	-23.25	3	Vertical	307	2.79	-
Mode 4	Pass	PK	4.876G	54.64	74.00	-19.36	3	Vertical	36	2.89	-




Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
Mode 4	Pass	AV	1.06G	35.78	54.00	-18.22	3	Horizontal	194	2.02	-
Mode 4	Pass	AV	1.24G	34.70	68.20	-33.50	3	Horizontal	260	2.99	-
Mode 4	Pass	AV	4.876G	43.76	54.00	-10.24	3	Horizontal	360	2.99	-
Mode 4	Pass	PK	1.06G	43.51	74.00	-30.49	3	Horizontal	194	2.02	-
Mode 4	Pass	PK	1.24G	48.68	68.20	-19.52	3	Horizontal	260	2.99	-
Mode 4	Pass	PK	4.876G	47.05	74.00	-26.95	3	Horizontal	360	2.99	-
Mode 5	Pass	AV	1.06G	44.54	54.00	-9.46	3	Vertical	238	1.48	-
Mode 5	Pass	AV	1.24G	37.53	68.20	-30.67	3	Vertical	129	2.60	-
Mode 5	Pass	AV	3.208G	37.45	68.20	-30.75	3	Vertical	0	2.87	-
Mode 5	Pass	PK	1.06G	47.84	74.00	-26.16	3	Vertical	238	1.48	-
Mode 5	Pass	PK	1.24G	50.65	68.20	-17.55	3	Vertical	129	2.60	-
Mode 5	Pass	PK	3.208G	46.77	68.20	-21.43	3	Vertical	0	2.87	-
Mode 5	Pass	AV	1.06G	36.64	54.00	-17.36	3	Horizontal	192	2.06	-
Mode 5	Pass	AV	1.228G	33.12	54.00	-20.88	3	Horizontal	227	2.59	-
Mode 5	Pass	AV	3.22G	35.04	68.20	-33.16	3	Horizontal	360	2.80	-
Mode 5	Pass	PK	1.06G	44.19	74.00	-29.81	3	Horizontal	192	2.06	-
Mode 5	Pass	PK	1.228G	47.78	74.00	-26.22	3	Horizontal	227	2.59	-
Mode 5	Pass	PK	3.22G	47.68	68.20	-20.52	3	Horizontal	360	2.80	-
Mode 6	Pass	AV	1.06G	43.38	54.00	-10.62	3	Vertical	238	1.49	-
Mode 6	Pass	AV	1.24G	37.39	68.20	-30.81	3	Vertical	120	2.61	-
Mode 6	Pass	AV	3.208G	36.14	68.20	-32.06	3	Vertical	217	2.59	-
Mode 6	Pass	PK	1.06G	48.60	74.00	-25.40	3	Vertical	238	1.49	-
Mode 6	Pass	PK	1.24G	51.66	68.20	-16.54	3	Vertical	120	2.61	-
Mode 6	Pass	PK	3.208G	46.63	68.20	-21.57	3	Vertical	217	2.59	-
Mode 6	Pass	AV	1.06G	37.35	54.00	-16.65	3	Horizontal	189	1.50	-
Mode 6	Pass	AV	1.24G	32.54	68.20	-35.66	3	Horizontal	341	1.50	-
Mode 6	Pass	AV	3.388G	31.50	68.20	-36.70	3	Horizontal	345	1.50	-
Mode 6	Pass	PK	1.06G	44.19	74.00	-29.81	3	Horizontal	189	1.50	-
Mode 6	Pass	PK	1.24G	48.78	68.20	-19.42	3	Horizontal	341	1.50	-
Mode 6	Pass	PK	3.388G	45.31	68.20	-22.89	3	Horizontal	345	1.50	-
Mode 7	Pass	AV	1.06G	45.42	54.00	-8.58	3	Vertical	238	1.59	-
Mode 7	Pass	AV	1.24G	35.62	68.20	-32.58	3	Vertical	156	1.50	-
Mode 7	Pass	AV	1.6G	34.73	54.00	-19.27	3	Vertical	4	1.13	-
Mode 7	Pass	PK	1.06G	46.04	74.00	-27.96	3	Vertical	238	1.59	-
Mode 7	Pass	PK	1.24G	51.43	68.20	-16.77	3	Vertical	156	1.50	-
Mode 7	Pass	PK	1.6G	46.51	74.00	-27.49	3	Vertical	4	1.13	-
Mode 7	Pass	AV	1.06G	36.42	54.00	-17.58	3	Horizontal	194	1.92	-
Mode 7	Pass	AV	1.24G	35.13	68.20	-33.07	3	Horizontal	256	1.50	-
Mode 7	Pass	AV	3.208G	35.92	68.20	-32.28	3	Horizontal	198	1.88	-
Mode 7	Pass	PK	1.06G	42.39	74.00	-31.61	3	Horizontal	194	1.92	-
Mode 7	Pass	PK	1.24G	52.82	68.20	-15.38	3	Horizontal	256	1.50	-
Mode 7	Pass	PK	3.208G	46.50	68.20	-21.70	3	Horizontal	198	1.88	-
Mode 8	Pass	AV	1.06G	45.74	54.00	-8.26	3	Vertical	238	1.50	-
Mode 8	Pass	AV	1.24G	38.32	68.20	-29.88	3	Vertical	95	2.68	-
Mode 8	Pass	AV	3.22G	37.40	68.20	-30.80	3	Vertical	202	3.00	-
Mode 8	Pass	PK	1.06G	46.09	74.00	-27.91	3	Vertical	238	1.50	-
Mode 8	Pass	PK	1.24G	52.25	68.20	-15.95	3	Vertical	95	2.68	-
Mode 8	Pass	PK	3.22G	48.05	68.20	-20.15	3	Vertical	202	3.00	-
Mode 8	Pass	AV	1.06G	40.22	54.00	-13.78	3	Horizontal	121	2.70	-
Mode 8	Pass	AV	1.24G	36.18	68.20	-32.02	3	Horizontal	231	1.56	-



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
Mode 8	Pass	AV	3.208G	34.74	68.20	-33.46	3	Horizontal	191	1.25	-
Mode 8	Pass	PK	1.06G	43.70	74.00	-30.30	3	Horizontal	121	2.70	-
Mode 8	Pass	PK	1.24G	52.25	68.20	-15.95	3	Horizontal	231	1.56	-
Mode 8	Pass	PK	3.208G	49.48	68.20	-18.72	3	Horizontal	191	1.25	-




### Radiated Emissions above 1GHz\_Mode 1




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	1.07G	45.45	54.00	-8.55	-2.78	3	Vertical	333	3.00	-	48.23	25.26	5.50	33.54
AV	1.235G	40.77	54.00	-13.23	-0.78	3	Vertical	360	2.95	-	41.55	26.03	6.00	32.81
AV	1.605G	34.50	54.00	-19.50	1.05	3	Vertical	187	1.56	-	33.45	25.48	7.08	31.51
AV	4.875G	50.75	54.00	-3.25	12.30	3	Vertical	338	2.57	-	38.45	32.60	9.70	30.00
PK	1.07G	48.50	74.00	-25.50	-2.78	3	Vertical	333	3.00	-	51.28	25.26	5.50	33.54
PK	1.235G	54.70	74.00	-19.30	-0.78	3	Vertical	360	2.95	-	55.48	26.03	6.00	32.81
PK	1.605G	48.50	74.00	-25.50	1.05	3	Vertical	187	1.56	-	47.45	25.48	7.08	31.51
PK	4.875G	52.25	74.00	-21.75	12.30	3	Vertical	338	2.57	-	39.95	32.60	9.70	30.00

### Radiated Emissions above 1GHz\_Mode 1




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	1.066G	45.39	54.00	-8.61	-2.84	3	Horizontal	19	2.88	-	48.23	25.23	5.49	33.56
AV	2.14G	42.62	68.20	-25.58	4.51	3	Horizontal	322	1.82	-	38.11	27.42	8.06	30.97
AV	3.214G	40.93	68.20	-27.27	8.05	3	Horizontal	319	1.00	-	32.88	29.77	8.86	30.58
AV	4.876G	50.16	54.00	-3.84	12.30	3	Horizontal	60	2.52	-	37.86	32.60	9.70	30.00
PK	1.066G	52.62	74.00	-21.38	-2.84	3	Horizontal	19	2.88	-	55.46	25.23	5.49	33.56
PK	2.14G	47.79	68.20	-20.41	4.51	3	Horizontal	322	1.82	-	43.28	27.42	8.06	30.97
PK	3.214G	49.89	68.20	-18.31	8.05	3	Horizontal	319	1.00	-	41.84	29.77	8.86	30.58
PK	4.876G	51.47	74.00	-22.53	12.30	3	Horizontal	60	2.52	-	39.17	32.60	9.70	30.00

### Radiated Emissions above 1GHz\_Mode 2




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	1.07097G	44.75	54.00	-9.25	-2.77	3	Vertical	354	1.55	-	47.52	25.27	5.50	33.54
AV	1.23691G	41.13	54.00	-12.87	-0.76	3	Vertical	301	2.82	-	41.89	26.03	6.01	32.80
AV	2.4377G	44.21	68.20	-23.99	5.16	3	Vertical	356	1.04	-	39.05	27.68	8.31	30.83
PK	1.07097G	47.92	74.00	-26.08	-2.77	3	Vertical	354	1.55	-	50.69	25.27	5.50	33.54
PK	1.23691G	51.29	74.00	-22.71	-0.76	3	Vertical	301	2.82	-	52.05	26.03	6.01	32.80
PK	2.4377G	47.74	68.20	-20.46	5.16	3	Vertical	356	1.04	-	42.58	27.68	8.31	30.83

### Radiated Emissions above 1GHz\_Mode 2




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
PK	1.07106G	47.63	74.00	-26.37	-2.78	3	Horizontal	42.8	1.35	-	50.41	25.26	5.50	33.54
PK	2.43777G	52.78	68.20	-15.42	5.15	3	Horizontal	236	1.49	-	47.63	27.67	8.31	30.83
PK	5.18531G	55.57	68.20	-12.63	12.94	3	Horizontal	124	3.00	-	42.63	33.10	9.85	30.01
AV	1.07106G	43.91	54.00	-10.09	-2.77	3	Horizontal	42.8	1.35	-	46.68	25.27	5.50	33.54
AV	2.43777G	41.68	68.20	-26.52	5.16	3	Horizontal	236	1.49	-	36.52	27.68	8.31	30.83
AV	5.18531G	47.61	68.20	-20.59	12.94	3	Horizontal	124	3.00	-	34.67	33.10	9.85	30.01

### Radiated Emissions above 1GHz\_Mode 3




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	1.07097G	40.51	54.00	-13.49	-2.77	3	Vertical	255	1.15	-	43.28	25.27	5.50	33.54
AV	1.24296G	37.45	68.20	-30.75	-0.74	3	Vertical	266	1.20	-	38.19	26.01	6.03	32.78
AV	1.33658G	27.01	54.00	-26.99	-0.04	3	Vertical	243	1.60	-	27.05	25.99	6.33	32.36
AV	3.2128G	36.91	68.20	-31.29	8.05	3	Vertical	202	3.00	-	28.86	29.77	8.86	30.58
PK	1.07122G	49.65	74.00	-24.35	-2.77	3	Vertical	255	1.15	-	52.42	25.27	5.50	33.54
PK	1.24364G	56.11	68.20	-12.09	-0.73	3	Vertical	266	1.20	-	56.84	26.01	6.03	32.77
PK	1.33872G	49.74	74.00	-24.26	0.00	3	Vertical	243	1.60	-	49.74	26.01	6.34	32.35
PK	3.21352G	56.71	68.20	-11.49	8.05	3	Vertical	202	3.00	-	48.66	29.77	8.86	30.58

### Radiated Emissions above 1GHz\_Mode 3




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	1.07096G	36.08	54.00	-17.92	-2.77	3	Horizontal	191	1.92	-	38.85	25.27	5.50	33.54
AV	1.24192G	34.36	68.20	-33.84	-0.73	3	Horizontal	242	1.50	-	35.09	26.02	6.03	32.78
AV	3.208G	36.93	68.20	-31.27	8.06	3	Horizontal	196	1.49	-	28.87	29.78	8.86	30.58
PK	1.07092G	46.29	74.00	-27.71	-2.77	3	Horizontal	191	1.92	-	49.06	25.27	5.50	33.54
PK	1.24328G	50.45	68.20	-17.75	-0.73	3	Horizontal	242	1.50	-	51.18	26.01	6.03	32.77
PK	3.208G	47.74	68.20	-20.46	8.06	3	Horizontal	196	1.49	-	39.68	29.78	8.86	30.58

### Radiated Emissions above 1GHz\_Mode 4




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	1.06G	45.13	54.00	-8.87	-2.93	3	Vertical	236	1.50	-	48.06	25.18	5.47	33.58
AV	1.24G	39.78	68.20	-28.42	-0.75	3	Vertical	96	2.64	-	40.53	26.02	6.02	32.79
AV	1.468G	29.50	54.00	-24.50	0.70	3	Vertical	307	2.79	-	28.80	25.76	6.72	31.78
AV	4.876G	50.12	54.00	-3.88	12.30	3	Vertical	36	2.89	-	37.82	32.60	9.70	30.00
PK	1.06G	46.79	74.00	-27.21	-2.93	3	Vertical	236	1.50	-	49.72	25.18	5.47	33.58
PK	1.24G	50.59	68.20	-17.61	-0.75	3	Vertical	96	2.64	-	51.34	26.02	6.02	32.79
PK	1.468G	50.75	74.00	-23.25	0.70	3	Vertical	307	2.79	-	50.05	25.76	6.72	31.78
PK	4.876G	54.64	74.00	-19.36	12.30	3	Vertical	36	2.89	-	42.34	32.60	9.70	30.00

### Radiated Emissions above 1GHz\_Mode 4




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	1.06G	35.78	54.00	-18.22	-2.93	3	Horizontal	194	2.02	-	38.71	25.18	5.47	33.58
AV	1.24G	34.70	68.20	-33.50	-0.75	3	Horizontal	260	2.99	-	35.45	26.02	6.02	32.79
AV	4.876G	43.76	54.00	-10.24	12.30	3	Horizontal	360	2.99	-	31.46	32.60	9.70	30.00
PK	1.06G	43.51	74.00	-30.49	-2.93	3	Horizontal	194	2.02	-	46.44	25.18	5.47	33.58
PK	1.24G	48.68	68.20	-19.52	-0.75	3	Horizontal	260	2.99	-	49.43	26.02	6.02	32.79
PK	4.876G	47.05	74.00	-26.95	12.30	3	Horizontal	360	2.99	-	34.75	32.60	9.70	30.00

### Radiated Emissions above 1GHz\_Mode 5




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	1.06G	44.54	54.00	-9.46	-2.93	3	Vertical	238	1.48	-	47.47	25.18	5.47	33.58
AV	1.24G	37.53	68.20	-30.67	-0.75	3	Vertical	129	2.60	-	38.28	26.02	6.02	32.79
AV	3.208G	37.45	68.20	-30.75	8.06	3	Vertical	0	2.87	-	29.39	29.78	8.86	30.58
PK	1.06G	47.84	74.00	-26.16	-2.93	3	Vertical	238	1.48	-	50.77	25.18	5.47	33.58
PK	1.24G	50.65	68.20	-17.55	-0.75	3	Vertical	129	2.60	-	51.40	26.02	6.02	32.79
PK	3.208G	46.77	68.20	-21.43	8.06	3	Vertical	0	2.87	-	38.71	29.78	8.86	30.58

### Radiated Emissions above 1GHz\_Mode 5




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	1.06G	36.64	54.00	-17.36	-2.93	3	Horizontal	192	2.06	-	39.57	25.18	5.47	33.58
AV	1.228G	33.12	54.00	-20.88	-0.82	3	Horizontal	227	2.59	-	33.94	26.04	5.98	32.84
AV	3.22G	35.04	68.20	-33.16	8.04	3	Horizontal	360	2.80	-	27.00	29.76	8.86	30.58
PK	1.06G	44.19	74.00	-29.81	-2.93	3	Horizontal	192	2.06	-	47.12	25.18	5.47	33.58
PK	1.228G	47.78	74.00	-26.22	-0.82	3	Horizontal	227	2.59	-	48.60	26.04	5.98	32.84
PK	3.22G	47.68	68.20	-20.52	8.04	3	Horizontal	360	2.80	-	39.64	29.76	8.86	30.58

### Radiated Emissions above 1GHz\_Mode 6




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	1.06G	43.38	54.00	-10.62	-2.93	3	Vertical	238	1.49	-	46.31	25.18	5.47	33.58
AV	1.24G	37.39	68.20	-30.81	-0.75	3	Vertical	120	2.61	-	38.14	26.02	6.02	32.79
AV	3.208G	36.14	68.20	-32.06	8.06	3	Vertical	217	2.59	-	28.08	29.78	8.86	30.58
PK	1.06G	48.60	74.00	-25.40	-2.93	3	Vertical	238	1.49	-	51.53	25.18	5.47	33.58
PK	1.24G	51.66	68.20	-16.54	-0.75	3	Vertical	120	2.61	-	52.41	26.02	6.02	32.79
PK	3.208G	46.63	68.20	-21.57	8.06	3	Vertical	217	2.59	-	38.57	29.78	8.86	30.58

### Radiated Emissions above 1GHz\_Mode 6




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	1.06G	37.35	54.00	-16.65	-2.93	3	Horizontal	189	1.50	-	40.28	25.18	5.47	33.58
AV	1.24G	32.54	68.20	-35.66	-0.75	3	Horizontal	341	1.50	-	33.29	26.02	6.02	32.79
AV	3.388G	31.50	68.20	-36.70	7.98	3	Horizontal	345	1.50	-	23.52	29.58	8.90	30.50
PK	1.06G	44.19	74.00	-29.81	-2.93	3	Horizontal	189	1.50	-	47.12	25.18	5.47	33.58
PK	1.24G	48.78	68.20	-19.42	-0.75	3	Horizontal	341	1.50	-	49.53	26.02	6.02	32.79
PK	3.388G	45.31	68.20	-22.89	7.98	3	Horizontal	345	1.50	-	37.33	29.58	8.90	30.50

### Radiated Emissions above 1GHz\_Mode 7




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	1.06G	45.42	54.00	-8.58	-2.93	3	Vertical	238	1.59	-	48.35	25.18	5.47	33.58
AV	1.24G	35.62	68.20	-32.58	-0.75	3	Vertical	156	1.50	-	36.37	26.02	6.02	32.79
AV	1.6G	34.73	54.00	-19.27	1.05	3	Vertical	4	1.13	-	33.68	25.50	7.07	31.52
PK	1.06G	46.04	74.00	-27.96	-2.93	3	Vertical	238	1.59	-	48.97	25.18	5.47	33.58
PK	1.24G	51.43	68.20	-16.77	-0.75	3	Vertical	156	1.50	-	52.18	26.02	6.02	32.79
PK	1.6G	46.51	74.00	-27.49	1.05	3	Vertical	4	1.13	-	45.46	25.50	7.07	31.52

### Radiated Emissions above 1GHz\_Mode 7




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	1.06G	36.42	54.00	-17.58	-2.93	3	Horizontal	194	1.92	-	39.35	25.18	5.47	33.58
AV	1.24G	35.13	68.20	-33.07	-0.75	3	Horizontal	256	1.50	-	35.88	26.02	6.02	32.79
AV	3.208G	35.92	68.20	-32.28	8.06	3	Horizontal	198	1.88	-	27.86	29.78	8.86	30.58
PK	1.06G	42.39	74.00	-31.61	-2.93	3	Horizontal	194	1.92	-	45.32	25.18	5.47	33.58
PK	1.24G	52.82	68.20	-15.38	-0.75	3	Horizontal	256	1.50	-	53.57	26.02	6.02	32.79
PK	3.208G	46.50	68.20	-21.70	8.06	3	Horizontal	198	1.88	-	38.44	29.78	8.86	30.58

### Radiated Emissions above 1GHz\_Mode 8



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	1.06G	45.74	54.00	-8.26	-2.93	3	Vertical	238	1.50	-	48.67	25.18	5.47	33.58
AV	1.24G	38.32	68.20	-29.88	-0.75	3	Vertical	95	2.68	-	39.07	26.02	6.02	32.79
AV	3.22G	37.40	68.20	-30.80	8.04	3	Vertical	202	3.00	-	29.36	29.76	8.86	30.58
PK	1.06G	46.09	74.00	-27.91	-2.93	3	Vertical	238	1.50	-	49.02	25.18	5.47	33.58
PK	1.24G	52.25	68.20	-15.95	-0.75	3	Vertical	95	2.68	-	53.00	26.02	6.02	32.79
PK	3.22G	48.05	68.20	-20.15	8.04	3	Vertical	202	3.00	-	40.01	29.76	8.86	30.58

### Radiated Emissions above 1GHz\_Mode 8



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	1.06G	40.22	54.00	-13.78	-2.93	3	Horizontal	121	2.70	-	43.15	25.18	5.47	33.58
AV	1.24G	36.18	68.20	-32.02	-0.75	3	Horizontal	231	1.56	-	36.93	26.02	6.02	32.79
AV	3.208G	34.74	68.20	-33.46	8.06	3	Horizontal	191	1.25	-	26.68	29.78	8.86	30.58
PK	1.06G	43.70	74.00	-30.30	-2.93	3	Horizontal	121	2.70	-	46.63	25.18	5.47	33.58
PK	1.24G	52.25	68.20	-15.95	-0.75	3	Horizontal	231	1.56	-	53.00	26.02	6.02	32.79
PK	3.208G	49.48	68.20	-18.72	8.06	3	Horizontal	191	1.25	-	41.42	29.78	8.86	30.58