

5.15-5.25GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5230MHz

PSD

10/10/2022

CF
5.23GHz

Span
60MHz

RBW
1MHz

VBW
3MHz


Sweep Time
20ms



Detector Type
RMS

Sum

Port 1

Port 2







Summary

Mode	PD (dBm/RBW)	EIRP PD (dBm/RBW)
5.15-5.25GHz	-	-
802.11a_Nss1,(6Mbps)_2TX	9.67	17.11
802.11n HT20_Nss1,(MCS0)_2TX	9.01	16.45
802.11n HT40_Nss1,(MCS0)_2TX	8.09	15.53
802.11ac VHT20_Nss1,(MCS0)_2TX	8.75	16.19
802.11ac VHT40_Nss1,(MCS0)_2TX	8.06	15.50
802.11ac VHT80_Nss1,(MCS0)_2TX	1.10	8.54
802.11ax HEW20_Nss1,(MCS0)_2TX	9.13	16.57
802.11ax HEW40_Nss1,(MCS0)_2TX	7.94	15.38
802.11ax HEW80_Nss1,(MCS0)_2TX	1.15	8.59
5.725-5.85GHz	-	-
802.11a_Nss1,(6Mbps)_2TX	10.74	18.18
802.11n HT20_Nss1,(MCS0)_2TX	10.71	18.15
802.11n HT40_Nss1,(MCS0)_2TX	7.71	15.15
802.11ac VHT20_Nss1,(MCS0)_2TX	10.56	18.00
802.11ac VHT40_Nss1,(MCS0)_2TX	7.82	15.26
802.11ac VHT80_Nss1,(MCS0)_2TX	0.99	8.43
802.11ax HEW20_Nss1,(MCS0)_2TX	10.75	18.19
802.11ax HEW40_Nss1,(MCS0)_2TX	7.89	15.33
802.11ax HEW80_Nss1,(MCS0)_2TX	1.10	8.54



RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;





Result



Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
802.11a_Nss1,(6Mbps)_2TX	-	-	-	-	-	-	-	-
5180MHz	Pass	7.44	5.08	5.97	8.49	15.56	15.93	23.00
5200MHz	Pass	7.44	6.36	6.99	9.67	15.56	17.11	23.00
5240MHz	Pass	7.44	4.13	5.18	7.65	15.56	15.09	23.00
5745MHz	Pass	7.44	7.14	7.68	10.34	28.56	17.78	36.00
5785MHz	Pass	7.44	7.55	8.04	10.74	28.56	18.18	36.00
5825MHz	Pass	7.44	7.13	7.75	10.44	28.56	17.88	36.00
802.11n HT20_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5180MHz	Pass	7.44	4.12	5.27	7.70	15.56	15.14	23.00
5200MHz	Pass	7.44	4.48	5.29	7.86	15.56	15.30	23.00
5240MHz	Pass	7.44	5.60	6.51	9.01	15.56	16.45	23.00
5745MHz	Pass	7.44	7.22	7.63	10.39	28.56	17.83	36.00
5785MHz	Pass	7.44	7.48	8.03	10.71	28.56	18.15	36.00
5825MHz	Pass	7.44	7.33	7.68	10.45	28.56	17.89	36.00
802.11n HT40_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5190MHz	Pass	7.44	0.49	1.40	3.91	15.56	11.35	23.00
5230MHz	Pass	7.44	4.76	5.48	8.09	15.56	15.53	23.00
5755MHz	Pass	7.44	3.98	4.63	7.18	28.56	14.62	36.00
5795MHz	Pass	7.44	4.39	5.21	7.71	28.56	15.15	36.00
802.11ac VHT20_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5180MHz	Pass	7.44	4.06	5.19	7.55	15.56	14.99	23.00
5200MHz	Pass	7.44	4.25	5.14	7.67	15.56	15.11	23.00
5240MHz	Pass	7.44	5.46	6.28	8.75	15.56	16.19	23.00
5745MHz	Pass	7.44	6.99	7.41	10.15	28.56	17.59	36.00
5785MHz	Pass	7.44	7.35	7.99	10.56	28.56	18.00	36.00
5825MHz	Pass	7.44	6.96	7.60	10.22	28.56	17.66	36.00
802.11ac VHT40_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5190MHz	Pass	7.44	0.65	1.53	3.99	15.56	11.43	23.00
5230MHz	Pass	7.44	4.85	5.39	8.06	15.56	15.50	23.00
5755MHz	Pass	7.44	3.87	4.47	7.02	28.56	14.46	36.00
5795MHz	Pass	7.44	4.37	5.41	7.82	28.56	15.26	36.00
802.11ac VHT80_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5210MHz	Pass	7.44	-2.37	-1.44	1.10	15.56	8.54	23.00
5775MHz	Pass	7.44	-2.30	-1.43	0.99	28.56	8.43	36.00
802.11ax HEW20_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5180MHz	Pass	7.44	4.38	5.49	7.96	15.56	15.40	23.00
5200MHz	Pass	7.44	4.76	5.58	8.18	15.56	15.62	23.00
5240MHz	Pass	7.44	5.72	6.63	9.13	15.56	16.57	23.00
5745MHz	Pass	7.44	7.05	7.54	10.27	28.56	17.71	36.00
5785MHz	Pass	7.44	7.49	8.07	10.75	28.56	18.19	36.00
5825MHz	Pass	7.44	7.10	7.78	10.44	28.56	17.88	36.00
802.11ax HEW40_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5190MHz	Pass	7.44	0.72	1.60	3.99	15.56	11.43	23.00
5230MHz	Pass	7.44	4.67	5.33	7.94	15.56	15.38	23.00
5755MHz	Pass	7.44	3.80	4.39	7.07	28.56	14.51	36.00
5795MHz	Pass	7.44	4.43	5.37	7.89	28.56	15.33	36.00
802.11ax HEW80_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5210MHz	Pass	7.44	-2.23	-1.31	1.15	15.56	8.59	23.00
5775MHz	Pass	7.44	-2.26	-1.43	1.10	28.56	8.54	36.00


DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;
 PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;































5.725-5.85GHz_802.11ac VHT20_Nss1,(MCS0)_2TX


5745MHz



PSD


11/10/2022



CF	5.745GHz
Span	30MHz
RBW	500kHz
VBW	3MHz
Sweep Time	20ms
Detector Type	RMS















5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


5745MHz



PSD


11/10/2022

CF	5.745GHz
Span	30MHz
RBW	500kHz
VBW	3MHz
Sweep Time	20ms
Detector Type	RMS









5.725-5.85GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5775MHz

PSD

11/10/2022



Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-	-
5.725-5.85GHz_802.11ax HEW80_Nss1,(MCS0)_2TX	Pass	PK	866.14M	42.59	46.00	-3.41	3	Horizontal	0	1.00	-




Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.725-5.85GHz_802.11ax_HEW80_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-
5775MHz	Pass	PK	51.34M	34.52	40.00	-5.48	3	Vertical	360	1.00	-
5775MHz	Pass	PK	194.9M	31.50	43.50	-12.00	3	Vertical	360	1.00	-
5775MHz	Pass	PK	293.84M	27.15	46.00	-18.85	3	Vertical	360	1.00	-
5775MHz	Pass	PK	536.34M	42.53	46.00	-3.47	3	Vertical	360	1.00	-
5775MHz	Pass	PK	598.42M	42.31	46.00	-3.69	3	Vertical	360	1.00	-
5775MHz	Pass	PK	862.26M	41.17	46.00	-4.83	3	Vertical	360	1.00	-
5775MHz	Pass	PK	51.34M	33.56	40.00	-6.44	3	Horizontal	0	1.00	-
5775MHz	Pass	PK	192.96M	34.84	43.50	-8.66	3	Horizontal	0	1.00	-
5775MHz	Pass	PK	297.72M	32.57	46.00	-13.43	3	Horizontal	0	1.00	-
5775MHz	Pass	PK	536.34M	39.01	46.00	-6.99	3	Horizontal	0	1.00	-
5775MHz	Pass	PK	598.42M	41.34	46.00	-4.66	3	Horizontal	0	1.00	-
5775MHz	Pass	PK	866.14M	42.59	46.00	-3.41	3	Horizontal	0	1.00	-

5.725-5.85GHz_802.11ax HEW80_Nss1,(MCS0)_2TX


5775MHz_Adapter



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	51.34M	34.52	40.00	-5.48	-13.47	3	Vertical	360	1.00	-	47.99	12.94	1.05	27.46
PK	194.9M	31.50	43.50	-12.00	-11.14	3	Vertical	360	1.00	-	42.64	14.29	2.00	27.43
PK	293.84M	27.15	46.00	-18.85	-6.48	3	Vertical	360	1.00	-	33.63	18.23	2.48	27.19
PK	536.34M	42.53	46.00	-3.47	-2.14	3	Vertical	360	1.00	-	44.67	23.04	3.38	28.56
PK	598.42M	42.31	46.00	-3.69	-1.00	3	Vertical	360	1.00	-	43.31	23.87	3.58	28.45
PK	862.26M	41.17	46.00	-4.83	2.02	3	Vertical	360	1.00	-	39.15	25.56	4.30	27.84

5.725-5.85GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5775MHz_Adapter



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	51.34M	33.56	40.00	-6.44	-13.47	3	Horizontal	0	1.00	-	47.03	12.94	1.05	27.46
PK	192.96M	34.84	43.50	-8.66	-11.21	3	Horizontal	0	1.00	-	46.05	14.24	1.99	27.44
PK	297.72M	32.57	46.00	-13.43	-6.38	3	Horizontal	0	1.00	-	38.95	18.31	2.50	27.19
PK	536.34M	39.01	46.00	-6.99	-2.14	3	Horizontal	0	1.00	-	41.15	23.04	3.38	28.56
PK	598.42M	41.34	46.00	-4.66	-1.00	3	Horizontal	0	1.00	-	42.34	23.87	3.58	28.45
PK	866.14M	42.59	46.00	-3.41	2.05	3	Horizontal	0	1.00	-	40.54	25.56	4.32	27.83



Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX	Pass	AV	5.15G	53.47	54.00	-0.53	3	Vertical	335	1.69
802.11ax HEW20_Nss1,(MCS0)_2TX	Pass	PK	10.47748G	67.16	68.20	-1.04	3	Vertical	232	2.16
802.11ax HEW40_Nss1,(MCS0)_2TX	Pass	AV	5.1464G	52.76	54.00	-1.24	3	Vertical	207	1.73
802.11ax HEW80_Nss1,(MCS0)_2TX	Pass	AV	5.15G	52.65	54.00	-1.35	3	Vertical	334	1.77
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX	Pass	AV	11.48994G	52.92	54.00	-1.08	3	Vertical	126	1.95
802.11ax HEW20_Nss1,(MCS0)_2TX	Pass	AV	11.56928G	52.97	54.00	-1.03	3	Vertical	128	1.95
802.11ax HEW40_Nss1,(MCS0)_2TX	Pass	PK	5.6506G	67.27	68.64	-1.37	3	Vertical	92	1.90
802.11ax HEW80_Nss1,(MCS0)_2TX	Pass	AV	11.54016G	50.31	54.00	-3.69	3	Vertical	126	2.02



Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11a_Nss1_(6Mbps)_2TX	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	AV	5.15G	53.47	54.00	-0.53	3	Vertical	335	1.69
5180MHz	Pass	AV	5.1848G	109.64	Inf	-Inf	3	Vertical	335	1.69
5180MHz	Pass	PK	5.1494G	65.14	74.00	-8.86	3	Vertical	335	1.69
5180MHz	Pass	PK	5.1848G	119.52	Inf	-Inf	3	Vertical	335	1.69
5180MHz	Pass	AV	4.65637G	31.59	54.00	-22.41	3	Vertical	26	1.50
5180MHz	Pass	AV	15.55544G	48.94	54.00	-5.06	3	Vertical	297	2.23
5180MHz	Pass	PK	4.66022G	43.88	74.00	-30.12	3	Vertical	26	1.50
5180MHz	Pass	PK	10.36492G	59.70	68.20	-8.50	3	Vertical	36	2.01
5180MHz	Pass	PK	15.52188G	62.31	74.00	-11.69	3	Vertical	297	2.23
5180MHz	Pass	AV	4.73774G	31.53	54.00	-22.47	3	Horizontal	339	1.52
5180MHz	Pass	AV	15.52524G	49.08	54.00	-4.92	3	Horizontal	231	1.50
5180MHz	Pass	PK	4.73039G	43.98	74.00	-30.02	3	Horizontal	339	1.52
5180MHz	Pass	PK	10.36048G	59.08	68.20	-9.12	3	Horizontal	360	2.78
5180MHz	Pass	PK	15.55696G	62.58	74.00	-11.42	3	Horizontal	231	1.50
5200MHz	Pass	AV	5.1496G	48.31	54.00	-5.69	3	Vertical	336	1.40
5200MHz	Pass	AV	5.2054G	110.87	Inf	-Inf	3	Vertical	336	1.40
5200MHz	Pass	AV	5.35G	47.26	54.00	-6.74	3	Vertical	336	1.40
5200MHz	Pass	PK	5.1088G	61.03	74.00	-12.97	3	Vertical	336	1.40
5200MHz	Pass	PK	5.2048G	120.56	Inf	-Inf	3	Vertical	336	1.40
5200MHz	Pass	PK	5.35G	58.45	74.00	-15.55	3	Vertical	336	1.40
5200MHz	Pass	AV	4.77208G	31.73	54.00	-22.27	3	Vertical	255	1.00
5200MHz	Pass	AV	15.5812G	48.82	54.00	-5.18	3	Vertical	142	1.50
5200MHz	Pass	PK	4.62665G	43.82	74.00	-30.18	3	Vertical	255	1.00
5200MHz	Pass	PK	10.40488G	60.69	68.20	-7.51	3	Vertical	35	2.01
5200MHz	Pass	PK	15.58488G	62.62	74.00	-11.38	3	Vertical	142	1.50
5200MHz	Pass	AV	4.78223G	31.75	54.00	-22.25	3	Horizontal	114	2.72
5200MHz	Pass	AV	15.58276G	48.63	54.00	-5.37	3	Horizontal	303	1.50
5200MHz	Pass	PK	4.78048G	44.50	74.00	-29.50	3	Horizontal	114	2.72
5200MHz	Pass	PK	10.40044G	60.10	68.20	-8.10	3	Horizontal	126	2.01
5200MHz	Pass	PK	15.58444G	61.37	74.00	-12.63	3	Horizontal	303	1.50
5240MHz	Pass	AV	5.09G	47.85	54.00	-6.15	3	Vertical	170	1.50
5240MHz	Pass	AV	5.2466G	106.36	Inf	-Inf	3	Vertical	170	1.50
5240MHz	Pass	AV	5.3588G	47.53	54.00	-6.47	3	Vertical	170	1.50
5240MHz	Pass	PK	5.111G	60.19	74.00	-13.81	3	Vertical	170	1.50
5240MHz	Pass	PK	5.2466G	116.30	Inf	-Inf	3	Vertical	170	1.50
5240MHz	Pass	PK	5.3606G	59.58	74.00	-14.42	3	Vertical	170	1.50
5240MHz	Pass	AV	4.79735G	34.75	54.00	-19.25	3	Vertical	223	1.44
5240MHz	Pass	AV	15.70088G	48.38	54.00	-5.62	3	Vertical	0	2.35
5240MHz	Pass	PK	4.78965G	46.57	74.00	-27.43	3	Vertical	223	1.44
5240MHz	Pass	PK	10.48138G	67.16	68.20	-1.04	3	Vertical	120	2.11
5240MHz	Pass	PK	15.7046G	61.44	74.00	-12.56	3	Vertical	0	2.35
5240MHz	Pass	AV	4.8187G	34.05	54.00	-19.95	3	Horizontal	25	1.17
5240MHz	Pass	AV	15.70388G	48.41	54.00	-5.59	3	Horizontal	0	1.65
5240MHz	Pass	PK	4.7956G	46.54	74.00	-27.46	3	Horizontal	25	1.17
5240MHz	Pass	PK	10.47808G	59.73	68.20	-8.47	3	Horizontal	160	2.69
5240MHz	Pass	PK	15.70864G	61.14	74.00	-12.86	3	Horizontal	0	1.65
5745MHz	Pass	AV	5.7462G	108.79	Inf	-Inf	3	Vertical	4	1.91
5745MHz	Pass	PK	5.6442G	59.88	68.20	-8.32	3	Vertical	4	1.91
5745MHz	Pass	PK	5.745G	118.03	Inf	-Inf	3	Vertical	4	1.91
5745MHz	Pass	PK	5.9406G	59.95	68.20	-8.25	3	Vertical	4	1.91
5745MHz	Pass	AV	11.48994G	52.92	54.00	-1.08	3	Vertical	126	1.95
5745MHz	Pass	PK	5.24269G	52.52	68.20	-15.68	3	Vertical	44	1.50
5745MHz	Pass	PK	11.48436G	65.56	74.00	-8.44	3	Vertical	126	1.95
5745MHz	Pass	PK	17.24376G	62.31	68.20	-5.89	3	Vertical	329	1.04
5745MHz	Pass	AV	11.48988G	50.85	54.00	-3.15	3	Horizontal	161	2.54
5745MHz	Pass	PK	5.23429G	49.96	68.20	-18.24	3	Horizontal	197	1.00
5745MHz	Pass	PK	11.48442G	63.10	74.00	-10.90	3	Horizontal	161	2.54
5745MHz	Pass	PK	17.22708G	62.64	68.20	-5.56	3	Horizontal	357	1.50
5785MHz	Pass	AV	5.78129G	109.02	Inf	-Inf	3	Vertical	2	1.86
5785MHz	Pass	PK	5.64819G	59.82	68.20	-8.38	3	Vertical	2	1.86



RSE TX above 1GHz_Non-Beamforming_Radio2

Appendix E.2

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5785MHz	Pass	PK	5.78129G	118.59	Inf	-Inf	3	Vertical	2	1.86
5785MHz	Pass	PK	5.96037G	61.99	68.20	-6.21	3	Vertical	2	1.86
5785MHz	Pass	AV	11.56988G	52.64	54.00	-1.36	3	Vertical	127	1.95
5785MHz	Pass	PK	5.28021G	52.41	68.20	-15.79	3	Vertical	48	1.50
5785MHz	Pass	PK	11.57486G	65.65	74.00	-8.35	3	Vertical	127	1.95
5785MHz	Pass	PK	17.35854G	61.65	68.20	-6.55	3	Vertical	72	1.85
5785MHz	Pass	AV	11.56982G	50.09	54.00	-3.91	3	Horizontal	4	2.96
5785MHz	Pass	PK	5.27916G	49.60	68.20	-18.60	3	Horizontal	193	1.00
5785MHz	Pass	PK	11.5643G	62.61	74.00	-11.39	3	Horizontal	4	2.96
5785MHz	Pass	PK	17.35554G	61.42	68.20	-6.78	3	Horizontal	249	2.39
5825MHz	Pass	AV	5.8178G	112.02	Inf	-Inf	3	Vertical	193	1.91
5825MHz	Pass	PK	5.621G	60.35	68.20	-7.85	3	Vertical	193	1.91
5825MHz	Pass	PK	5.8178G	121.42	Inf	-Inf	3	Vertical	193	1.91
5825MHz	Pass	PK	5.9558G	60.95	68.20	-7.25	3	Vertical	193	1.91
5825MHz	Pass	AV	11.65174G	49.21	54.00	-4.79	3	Vertical	193	2.02
5825MHz	Pass	PK	5.18613G	47.95	68.20	-20.25	3	Vertical	191	1.94
5825MHz	Pass	PK	11.65192G	62.19	74.00	-11.81	3	Vertical	193	2.02
5825MHz	Pass	PK	17.46604G	62.33	68.20	-5.87	3	Vertical	291	2.65
5825MHz	Pass	AV	11.6482G	46.33	54.00	-7.67	3	Horizontal	213	1.84
5825MHz	Pass	PK	5.33733G	46.56	68.20	-21.64	3	Horizontal	0	1.50
5825MHz	Pass	PK	11.6527G	59.19	74.00	-14.81	3	Horizontal	213	1.84
5825MHz	Pass	PK	17.46636G	62.79	68.20	-5.41	3	Horizontal	164	2.45
802.11ax HEW20_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	AV	5.15G	52.68	54.00	-1.32	3	Vertical	334	1.70
5180MHz	Pass	AV	5.1806G	108.05	Inf	-Inf	3	Vertical	334	1.70
5180MHz	Pass	PK	5.1494G	64.64	74.00	-9.36	3	Vertical	334	1.70
5180MHz	Pass	PK	5.1818G	121.34	Inf	-Inf	3	Vertical	334	1.70
5180MHz	Pass	AV	4.69399G	31.16	54.00	-22.84	3	Vertical	279	2.69
5180MHz	Pass	AV	15.52602G	48.94	54.00	-5.06	3	Vertical	157	1.50
5180MHz	Pass	PK	4.65024G	43.77	74.00	-30.23	3	Vertical	279	2.69
5180MHz	Pass	PK	10.3597G	61.96	68.20	-6.24	3	Vertical	132	1.99
5180MHz	Pass	PK	15.54594G	62.75	74.00	-11.25	3	Vertical	157	1.50
5180MHz	Pass	AV	4.69959G	31.22	54.00	-22.78	3	Horizontal	297	1.50
5180MHz	Pass	AV	15.53376G	49.08	54.00	-4.92	3	Horizontal	97	1.50
5180MHz	Pass	PK	4.74019G	44.30	74.00	-29.70	3	Horizontal	297	1.50
5180MHz	Pass	PK	10.36072G	59.81	68.20	-8.39	3	Horizontal	132	2.03
5180MHz	Pass	PK	15.53454G	63.21	74.00	-10.79	3	Horizontal	97	1.50
5200MHz	Pass	AV	5.1466G	48.24	54.00	-5.76	3	Vertical	42	1.54
5200MHz	Pass	AV	5.206G	109.92	Inf	-Inf	3	Vertical	42	1.54
5200MHz	Pass	PK	5.1472G	61.57	74.00	-12.43	3	Vertical	42	1.54
5200MHz	Pass	PK	5.2054G	123.49	Inf	-Inf	3	Vertical	42	1.54
5200MHz	Pass	AV	4.77715G	31.26	54.00	-22.74	3	Vertical	27	1.50
5200MHz	Pass	AV	15.58818G	48.37	54.00	-5.63	3	Vertical	0	1.00
5200MHz	Pass	PK	4.6557G	44.02	74.00	-29.98	3	Vertical	27	1.50
5200MHz	Pass	PK	10.41026G	62.11	68.20	-6.09	3	Vertical	132	2.50
5200MHz	Pass	PK	15.58986G	61.50	74.00	-12.50	3	Vertical	0	1.00
5200MHz	Pass	AV	4.77575G	31.40	54.00	-22.60	3	Horizontal	30	1.18
5200MHz	Pass	AV	15.58644G	48.31	54.00	-5.69	3	Horizontal	3	1.50
5200MHz	Pass	PK	4.6207G	43.93	74.00	-30.07	3	Horizontal	30	1.18
5200MHz	Pass	PK	10.38878G	59.22	68.20	-8.98	3	Horizontal	132	1.90
5200MHz	Pass	PK	15.5889G	62.34	74.00	-11.66	3	Horizontal	3	1.50
5240MHz	Pass	AV	5.0978G	47.43	54.00	-6.57	3	Vertical	163	1.91
5240MHz	Pass	AV	5.2484G	108.15	Inf	-Inf	3	Vertical	163	1.91
5240MHz	Pass	AV	5.3828G	47.34	54.00	-6.66	3	Vertical	163	1.91
5240MHz	Pass	PK	5.1488G	60.24	74.00	-13.76	3	Vertical	163	1.91
5240MHz	Pass	PK	5.249G	120.46	Inf	-Inf	3	Vertical	163	1.91
5240MHz	Pass	PK	5.3642G	59.96	74.00	-14.04	3	Vertical	163	1.91
5240MHz	Pass	AV	4.79122G	34.58	54.00	-19.42	3	Vertical	221	1.28
5240MHz	Pass	AV	15.6216G	48.56	54.00	-5.44	3	Vertical	330	1.13
5240MHz	Pass	PK	4.81502G	47.33	74.00	-26.67	3	Vertical	221	1.28
5240MHz	Pass	PK	10.47748G	67.16	68.20	-1.04	3	Vertical	232	2.16
5240MHz	Pass	PK	15.6856G	60.94	74.00	-13.06	3	Vertical	330	1.13



RSE TX above 1GHz_Non-Beamforming_Radio2

Appendix E.2

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5240MHz	Pass	AV	4.81922G	33.54	54.00	-20.46	3	Horizontal	156	1.50
5240MHz	Pass	AV	15.6248G	48.42	54.00	-5.58	3	Horizontal	135	2.33
5240MHz	Pass	PK	4.81642G	46.34	74.00	-27.66	3	Horizontal	156	1.50
5240MHz	Pass	PK	10.48348G	62.13	68.20	-6.07	3	Horizontal	128	2.80
5240MHz	Pass	PK	15.6788G	60.89	74.00	-13.11	3	Horizontal	135	2.33
5745MHz	Pass	AV	5.7438G	108.33	Inf	-Inf	3	Vertical	0	1.84
5745MHz	Pass	PK	5.643G	59.45	68.20	-8.75	3	Vertical	0	1.84
5745MHz	Pass	PK	5.7438G	119.29	Inf	-Inf	3	Vertical	0	1.84
5745MHz	Pass	PK	5.9346G	60.06	68.20	-8.14	3	Vertical	0	1.84
5745MHz	Pass	AV	11.49006G	52.56	54.00	-1.44	3	Vertical	127	1.95
5745MHz	Pass	PK	5.24584G	52.65	68.20	-15.55	3	Vertical	336	1.78
5745MHz	Pass	PK	11.48868G	66.10	74.00	-7.90	3	Vertical	127	1.95
5745MHz	Pass	PK	17.23866G	62.22	68.20	-5.98	3	Vertical	222	2.01
5745MHz	Pass	AV	11.49078G	48.05	54.00	-5.95	3	Horizontal	145	1.00
5745MHz	Pass	PK	5.24794G	50.25	68.20	-17.95	3	Horizontal	202	1.00
5745MHz	Pass	PK	11.49084G	60.53	74.00	-13.47	3	Horizontal	145	1.00
5745MHz	Pass	PK	17.22846G	62.44	68.20	-5.76	3	Horizontal	207	1.50
5785MHz	Pass	AV	5.78613G	109.80	Inf	-Inf	3	Vertical	6	1.77
5785MHz	Pass	PK	5.59374G	59.97	68.20	-8.23	3	Vertical	6	1.77
5785MHz	Pass	PK	5.78613G	121.94	Inf	-Inf	3	Vertical	6	1.77
5785MHz	Pass	PK	5.94222G	60.93	68.20	-7.27	3	Vertical	6	1.77
5785MHz	Pass	AV	11.56928G	52.97	54.00	-1.03	3	Vertical	128	1.95
5785MHz	Pass	PK	5.29176G	52.60	68.20	-15.60	3	Vertical	48	1.50
5785MHz	Pass	PK	11.57858G	67.29	74.00	-6.71	3	Vertical	128	1.95
5785MHz	Pass	PK	17.34822G	62.00	68.20	-6.20	3	Vertical	341	2.96
5785MHz	Pass	AV	11.56958G	47.30	54.00	-6.70	3	Horizontal	160	2.77
5785MHz	Pass	PK	5.28021G	50.59	68.20	-17.61	3	Horizontal	199	1.01
5785MHz	Pass	PK	11.56982G	60.58	74.00	-13.42	3	Horizontal	160	2.77
5785MHz	Pass	PK	17.3589G	62.78	68.20	-5.42	3	Horizontal	316	1.50
5825MHz	Pass	AV	5.819G	110.05	Inf	-Inf	3	Vertical	90	1.92
5825MHz	Pass	PK	5.6366G	60.12	68.20	-8.08	3	Vertical	90	1.92
5825MHz	Pass	PK	5.819G	121.46	Inf	-Inf	3	Vertical	90	1.92
5825MHz	Pass	PK	6.0806G	61.70	68.20	-6.50	3	Vertical	90	1.92
5825MHz	Pass	AV	11.6536G	47.95	54.00	-6.05	3	Vertical	193	2.01
5825MHz	Pass	PK	5.23513G	48.04	68.20	-20.16	3	Vertical	211	1.74
5825MHz	Pass	PK	11.64292G	61.57	74.00	-12.43	3	Vertical	193	2.01
5825MHz	Pass	PK	17.47036G	62.90	68.20	-5.30	3	Vertical	160	1.22
5825MHz	Pass	AV	11.647G	45.29	54.00	-8.71	3	Horizontal	214	1.93
5825MHz	Pass	PK	5.34398G	46.56	68.20	-21.64	3	Horizontal	72	1.12
5825MHz	Pass	PK	11.6476G	57.27	74.00	-16.73	3	Horizontal	214	1.93
5825MHz	Pass	PK	17.4598G	62.79	68.20	-5.41	3	Horizontal	64	1.46
802.11ax HEW40_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5190MHz	Pass	AV	5.1464G	52.76	54.00	-1.24	3	Vertical	207	1.73
5190MHz	Pass	AV	5.1852G	104.64	Inf	-Inf	3	Vertical	207	1.73
5190MHz	Pass	PK	5.1424G	68.26	74.00	-5.74	3	Vertical	207	1.73
5190MHz	Pass	PK	5.1856G	117.35	Inf	-Inf	3	Vertical	207	1.73
5190MHz	Pass	AV	4.77337G	33.26	54.00	-20.74	3	Vertical	227	1.12
5190MHz	Pass	AV	15.56598G	48.56	54.00	-5.44	3	Vertical	235	1.02
5190MHz	Pass	PK	4.75342G	45.84	74.00	-28.16	3	Vertical	227	1.12
5190MHz	Pass	PK	10.37496G	65.20	68.20	-3.00	3	Vertical	120	2.08
5190MHz	Pass	PK	15.57274G	61.91	74.00	-12.09	3	Vertical	235	1.02
5190MHz	Pass	AV	4.77267G	32.68	54.00	-21.32	3	Horizontal	332	1.54
5190MHz	Pass	AV	15.57062G	48.60	54.00	-5.40	3	Horizontal	172	2.01
5190MHz	Pass	PK	4.66907G	44.56	74.00	-29.44	3	Horizontal	332	1.54
5190MHz	Pass	PK	10.3728G	59.01	68.20	-9.19	3	Horizontal	281	2.30
5190MHz	Pass	PK	15.57192G	61.84	74.00	-12.16	3	Horizontal	172	2.01
5230MHz	Pass	AV	5.15G	49.57	54.00	-4.43	3	Vertical	164	1.70
5230MHz	Pass	AV	5.2308G	106.57	Inf	-Inf	3	Vertical	164	1.70
5230MHz	Pass	PK	5.1488G	61.74	74.00	-12.26	3	Vertical	164	1.70
5230MHz	Pass	PK	5.2404G	119.11	Inf	-Inf	3	Vertical	164	1.70
5230MHz	Pass	AV	4.80004G	34.35	54.00	-19.65	3	Vertical	218	3.00
5230MHz	Pass	AV	15.68644G	47.92	54.00	-6.08	3	Vertical	145	2.11




RSE TX above 1GHz_Non-Beamforming_Radio2

Appendix E.2

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5230MHz	Pass	PK	4.78604G	46.38	74.00	-27.62	3	Vertical	218	3.00
5230MHz	Pass	PK	10.46384G	66.76	68.20	-1.44	3	Vertical	118	2.11
5230MHz	Pass	PK	15.6868G	61.42	74.00	-12.58	3	Vertical	145	2.11
5230MHz	Pass	AV	4.78814G	33.11	54.00	-20.89	3	Horizontal	275	2.26
5230MHz	Pass	AV	15.69366G	47.89	54.00	-6.11	3	Horizontal	250	2.46
5230MHz	Pass	PK	4.80809G	45.64	74.00	-28.36	3	Horizontal	275	2.26
5230MHz	Pass	PK	10.45832G	60.21	68.20	-7.99	3	Horizontal	159	2.53
5230MHz	Pass	PK	15.6917G	61.01	74.00	-12.99	3	Horizontal	250	2.46
5755MHz	Pass	AV	5.749G	107.94	Inf	-Inf	3	Vertical	92	1.90
5755MHz	Pass	PK	5.6506G	67.27	68.64	-1.37	3	Vertical	92	1.90
5755MHz	Pass	PK	5.7502G	119.85	Inf	-Inf	3	Vertical	92	1.90
5755MHz	Pass	PK	5.9494G	61.57	68.20	-6.63	3	Vertical	92	1.90
5755MHz	Pass	AV	11.50724G	44.48	54.00	-9.52	3	Vertical	191	2.12
5755MHz	Pass	PK	5.16728G	44.60	68.20	-23.60	3	Vertical	279	1.93
5755MHz	Pass	PK	11.48912G	56.92	74.00	-17.08	3	Vertical	191	2.12
5755MHz	Pass	PK	17.25384G	64.31	68.20	-3.89	3	Vertical	154	2.88
5755MHz	Pass	AV	11.513G	44.10	54.00	-9.90	3	Horizontal	221	2.71
5755MHz	Pass	PK	5.19176G	45.28	68.20	-22.92	3	Horizontal	171	2.87
5755MHz	Pass	PK	11.5142G	56.34	74.00	-17.66	3	Horizontal	221	2.71
5755MHz	Pass	PK	17.27016G	64.02	68.20	-4.18	3	Horizontal	168	2.72
5795MHz	Pass	AV	5.7998G	108.49	Inf	-Inf	3	Vertical	90	1.86
5795MHz	Pass	PK	5.6402G	61.55	68.20	-6.65	3	Vertical	90	1.86
5795MHz	Pass	PK	5.7986G	121.18	Inf	-Inf	3	Vertical	90	1.86
5795MHz	Pass	PK	5.9282G	62.73	68.20	-5.47	3	Vertical	90	1.86
5795MHz	Pass	AV	11.58508G	45.78	54.00	-8.22	3	Vertical	192	1.53
5795MHz	Pass	PK	5.25529G	51.82	68.20	-16.38	3	Vertical	161	1.50
5795MHz	Pass	PK	11.5864G	58.45	74.00	-15.55	3	Vertical	192	1.53
5795MHz	Pass	PK	17.37812G	62.80	68.20	-5.40	3	Vertical	96	1.50
5795MHz	Pass	AV	11.58292G	45.23	54.00	-8.77	3	Horizontal	223	1.96
5795MHz	Pass	PK	5.24409G	47.66	68.20	-20.54	3	Horizontal	15	1.00
5795MHz	Pass	PK	11.59444G	58.62	74.00	-15.38	3	Horizontal	223	1.96
5795MHz	Pass	PK	17.39332G	63.67	68.20	-4.53	3	Horizontal	179	1.05
802.11ax HEW80_Nss1_(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5210MHz	Pass	AV	5.15G	52.65	54.00	-1.35	3	Vertical	334	1.77
5210MHz	Pass	AV	5.211G	101.15	Inf	-Inf	3	Vertical	334	1.77
5210MHz	Pass	AV	5.351G	48.02	54.00	-5.98	3	Vertical	334	1.77
5210MHz	Pass	PK	5.15G	65.97	74.00	-8.03	3	Vertical	334	1.77
5210MHz	Pass	PK	5.212G	113.59	Inf	-Inf	3	Vertical	334	1.77
5210MHz	Pass	PK	5.352G	59.80	74.00	-14.20	3	Vertical	334	1.77
5210MHz	Pass	AV	4.77778G	31.39	54.00	-22.61	3	Vertical	161	1.50
5210MHz	Pass	AV	15.58128G	48.64	54.00	-5.36	3	Vertical	0	3.00
5210MHz	Pass	PK	4.70568G	44.21	74.00	-29.79	3	Vertical	161	1.50
5210MHz	Pass	PK	10.4104G	56.81	68.20	-11.39	3	Vertical	132	2.44
5210MHz	Pass	PK	15.57024G	61.68	74.00	-12.32	3	Vertical	0	3.00
5210MHz	Pass	AV	4.77323G	31.47	54.00	-22.53	3	Horizontal	274	1.50
5210MHz	Pass	AV	15.57816G	48.61	54.00	-5.39	3	Horizontal	0	1.50
5210MHz	Pass	PK	4.69588G	43.91	74.00	-30.09	3	Horizontal	274	1.50
5210MHz	Pass	PK	10.4296G	54.73	68.20	-13.47	3	Horizontal	212	3.00
5210MHz	Pass	PK	15.60072G	61.29	74.00	-12.71	3	Horizontal	0	1.50
5775MHz	Pass	AV	5.78371G	112.19	Inf	-Inf	3	Vertical	2	1.86
5775MHz	Pass	PK	5.59979G	60.89	68.20	-7.31	3	Vertical	2	1.86
5775MHz	Pass	PK	5.77887G	122.42	Inf	-Inf	3	Vertical	2	1.86
5775MHz	Pass	PK	5.95069G	61.38	68.20	-6.82	3	Vertical	2	1.86
5775MHz	Pass	AV	11.54016G	50.31	54.00	-3.69	3	Vertical	126	2.02
5775MHz	Pass	PK	5.29183G	53.32	68.20	-14.88	3	Vertical	46	1.50
5775MHz	Pass	PK	11.5392G	61.98	74.00	-12.02	3	Vertical	126	2.02
5775MHz	Pass	PK	17.32944G	62.29	68.20	-5.91	3	Vertical	166	2.85
5775MHz	Pass	AV	11.56982G	50.09	54.00	-3.91	3	Horizontal	4	2.96
5775MHz	Pass	PK	5.27916G	49.60	68.20	-18.60	3	Horizontal	193	1.00
5775MHz	Pass	PK	11.5643G	62.61	74.00	-11.39	3	Horizontal	4	2.96
5775MHz	Pass	PK	17.31432G	61.55	68.20	-6.65	3	Horizontal	118	1.65

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX


5180MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	53.47	54.00	-0.53	8.80	3	Vertical	335	1.69	44.67	33.10	9.83	34.13
AV	5.1848G	109.64	Inf	-Inf	8.89	3	Vertical	335	1.69	100.75	33.17	9.85	34.13
PK	5.1494G	65.14	74.00	-8.86	8.80	3	Vertical	335	1.69	56.34	33.10	9.83	34.13
PK	5.1848G	119.52	Inf	-Inf	8.89	3	Vertical	335	1.69	110.63	33.17	9.85	34.13

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX


5180MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.65637G	31.59	54.00	-22.41	7.41	3	Vertical	26	1.50	24.18	32.10	9.57	34.26
AV	15.55544G	48.94	54.00	-5.06	19.78	3	Vertical	297	2.23	29.16	38.53	15.69	34.44
PK	4.66022G	43.88	74.00	-30.12	7.41	3	Vertical	26	1.50	36.47	32.10	9.57	34.26
PK	10.36492G	59.70	68.20	-8.50	16.98	3	Vertical	36	2.01	42.72	38.90	12.67	34.59
PK	15.52188G	62.31	74.00	-11.69	19.88	3	Vertical	297	2.23	42.43	38.63	15.67	34.42

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX


5180MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.73774G	31.53	54.00	-22.47	7.58	3	Horizontal	339	1.52	23.95	32.18	9.63	34.23
AV	15.52524G	49.08	54.00	-4.92	19.87	3	Horizontal	231	1.50	29.21	38.62	15.67	34.42
PK	4.73039G	43.98	74.00	-30.02	7.55	3	Horizontal	339	1.52	36.43	32.16	9.62	34.23
PK	10.36048G	59.08	68.20	-9.12	16.98	3	Horizontal	360	2.78	42.10	38.90	12.67	34.59
PK	15.55696G	62.58	74.00	-11.42	19.78	3	Horizontal	231	1.50	42.80	38.53	15.69	34.44

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX


5200MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1496G	48.31	54.00	-5.69	8.80	3	Vertical	336	1.40	39.51	33.10	9.83	34.13
AV	5.2054G	110.87	Inf	-Inf	8.92	3	Vertical	336	1.40	101.95	33.20	9.86	34.14
AV	5.35G	47.26	54.00	-6.74	8.70	3	Vertical	336	1.40	38.56	32.90	9.96	34.16
PK	5.1088G	61.03	74.00	-12.97	8.87	3	Vertical	336	1.40	52.16	33.18	9.81	34.12
PK	5.2048G	120.56	Inf	-Inf	8.92	3	Vertical	336	1.40	111.64	33.20	9.86	34.14
PK	5.35G	58.45	74.00	-15.55	8.70	3	Vertical	336	1.40	49.75	32.90	9.96	34.16

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX


5200MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.77208G	31.73	54.00	-22.27	7.73	3	Vertical	255	1.00	24.00	32.29	9.65	34.21
AV	15.5812G	48.82	54.00	-5.18	19.71	3	Vertical	142	1.50	29.11	38.46	15.71	34.46
PK	4.62665G	43.82	74.00	-30.18	7.28	3	Vertical	255	1.00	36.54	32.01	9.55	34.28
PK	10.40488G	60.69	68.20	-7.51	17.03	3	Vertical	35	2.01	43.66	38.90	12.69	34.56
PK	15.58488G	62.62	74.00	-11.38	19.70	3	Vertical	142	1.50	42.92	38.45	15.71	34.46

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX


5200MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.78223G	31.75	54.00	-22.25	7.79	3	Horizontal	114	2.72	23.96	32.33	9.66	34.20
AV	15.58276G	48.63	54.00	-5.37	19.70	3	Horizontal	303	1.50	28.93	38.45	15.71	34.46
PK	4.78048G	44.50	74.00	-29.50	7.77	3	Horizontal	114	2.72	36.73	32.32	9.66	34.21
PK	10.40044G	60.10	68.20	-8.10	17.03	3	Horizontal	126	2.01	43.07	38.90	12.69	34.56
PK	15.58444G	61.37	74.00	-12.63	19.70	3	Horizontal	303	1.50	41.67	38.45	15.71	34.46

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX


5240MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1464G	47.74	54.00	-6.26	8.81	3	Vertical	335	1.84	38.93	33.11	9.83	34.13
AV	5.2424G	111.44	Inf	-Inf	8.95	3	Vertical	335	1.84	102.49	33.20	9.89	34.14
AV	5.3696G	47.84	54.00	-6.16	8.75	3	Vertical	335	1.84	39.09	32.94	9.98	34.17
PK	5.141G	59.80	74.00	-14.20	8.82	3	Vertical	335	1.84	50.98	33.12	9.83	34.13
PK	5.243G	120.92	Inf	-Inf	8.95	3	Vertical	335	1.84	111.97	33.20	9.89	34.14
PK	5.3768G	60.32	74.00	-13.68	8.76	3	Vertical	335	1.84	51.56	32.95	9.98	34.17

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX


5240MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.81467G	33.22	54.00	-20.78	7.98	3	Vertical	328	1.50	25.24	32.49	9.68	34.19
AV	15.70548G	47.97	54.00	-6.03	19.47	3	Vertical	331	1.50	28.50	38.20	15.80	34.53
PK	4.81257G	45.54	74.00	-28.46	7.97	3	Vertical	328	1.50	37.57	32.48	9.68	34.19
PK	10.47433G	65.40	68.20	-2.80	17.17	3	Vertical	132	2.53	48.23	38.97	12.71	34.51
PK	15.70932G	60.55	74.00	-13.45	19.47	3	Vertical	331	1.50	41.08	38.20	15.80	34.53

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX


5240MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.81537G	33.25	54.00	-20.75	7.98	3	Horizontal	256	1.50	25.27	32.49	9.68	34.19
AV	15.72453G	47.75	54.00	-6.25	19.48	3	Horizontal	247	1.56	28.27	38.20	15.82	34.54
PK	4.77687G	45.00	74.00	-29.00	7.75	3	Horizontal	256	1.50	37.25	32.31	9.65	34.21
PK	10.48411G	60.01	68.20	-8.19	17.20	3	Horizontal	132	1.94	42.81	38.98	12.72	34.50
PK	15.72747G	61.15	74.00	-12.85	19.48	3	Horizontal	247	1.56	41.67	38.20	15.82	34.54

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX


5745MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7462G	108.79	Inf	-Inf	9.93	3	Vertical	4	1.91	98.86	33.98	10.15	34.20
PK	5.6442G	59.88	68.20	-8.32	9.27	3	Vertical	4	1.91	50.61	33.38	10.09	34.20
PK	5.745G	118.03	Inf	-Inf	9.92	3	Vertical	4	1.91	108.11	33.97	10.15	34.20
PK	5.9406G	59.95	68.20	-8.25	10.57	3	Vertical	4	1.91	49.38	34.50	10.29	34.22

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX


5745MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.48994G	52.92	54.00	-1.08	18.27	3	Vertical	126	1.95	34.65	39.22	13.11	34.06
PK	5.24269G	52.52	68.20	-15.68	8.95	3	Vertical	44	1.50	43.57	33.20	9.89	34.14
PK	11.48436G	65.56	74.00	-8.44	18.28	3	Vertical	126	1.95	47.28	39.23	13.11	34.06
PK	17.24376G	62.31	68.20	-5.89	20.71	3	Vertical	329	1.04	41.60	37.76	16.22	33.27

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX


5745MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.48988G	50.85	54.00	-3.15	18.27	3	Horizontal	161	2.54	32.58	39.22	13.11	34.06
PK	5.23429G	49.96	68.20	-18.24	8.94	3	Horizontal	197	1.00	41.02	33.20	9.88	34.14
PK	11.48442G	63.10	74.00	-10.90	18.28	3	Horizontal	161	2.54	44.82	39.23	13.11	34.06
PK	17.22708G	62.64	68.20	-5.56	20.72	3	Horizontal	357	1.50	41.92	37.77	16.22	33.27

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX


5785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.78129G	109.02	Inf	-Inf	10.15	3	Vertical	2	1.86	98.87	34.19	10.17	34.21
PK	5.64819G	59.82	68.20	-8.38	9.29	3	Vertical	2	1.86	50.53	33.39	10.10	34.20
PK	5.78129G	118.59	Inf	-Inf	10.15	3	Vertical	2	1.86	108.44	34.19	10.17	34.21
PK	5.96037G	61.99	68.20	-6.21	10.54	3	Vertical	2	1.86	51.45	34.46	10.30	34.22

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX


5785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.56988G	52.64	54.00	-1.36	18.10	3	Vertical	127	1.95	34.54	39.06	13.14	34.10
PK	5.28021G	52.41	68.20	-15.79	8.91	3	Vertical	48	1.50	43.50	33.14	9.92	34.15
PK	11.57486G	65.65	74.00	-8.35	18.09	3	Vertical	127	1.95	47.56	39.05	13.14	34.10
PK	17.35854G	61.65	68.20	-6.55	20.88	3	Vertical	72	1.85	40.77	37.88	16.24	33.24

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX


5785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.56982G	50.09	54.00	-3.91	18.10	3	Horizontal	4	2.96	31.99	39.06	13.14	34.10
PK	5.27916G	49.60	68.20	-18.60	8.91	3	Horizontal	193	1.00	40.69	33.14	9.92	34.15
PK	11.5643G	62.61	74.00	-11.39	18.12	3	Horizontal	4	2.96	44.49	39.07	13.14	34.09
PK	17.35554G	61.42	68.20	-6.78	20.87	3	Horizontal	249	2.39	40.55	37.87	16.24	33.24

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX


5825MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8214G	111.57	Inf	-Inf	10.29	3	Vertical	340	1.85	101.28	34.30	10.20	34.21
PK	5.6342G	61.20	68.20	-7.00	9.23	3	Vertical	340	1.85	51.97	33.34	10.09	34.20
PK	5.8214G	121.83	Inf	-Inf	10.29	3	Vertical	340	1.85	111.54	34.30	10.20	34.21
PK	6.119G	61.44	68.20	-6.76	10.46	3	Vertical	340	1.85	50.98	34.24	10.45	34.23

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX


5825MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.64994G	50.92	54.00	-3.08	17.93	3	Vertical	149	1.89	32.99	38.90	13.17	34.14
PK	5.22008G	56.01	68.20	-12.19	8.93	3	Vertical	353	1.00	47.08	33.20	9.87	34.14
PK	11.64418G	63.84	74.00	-10.16	17.94	3	Vertical	149	1.89	45.90	38.91	13.17	34.14
PK	17.46864G	63.30	68.20	-4.90	21.18	3	Vertical	219	3.00	42.12	38.14	16.25	33.21

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX


5825MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.65012G	48.76	54.00	-5.24	17.93	3	Horizontal	360	2.87	30.83	38.90	13.17	34.14
PK	5.25368G	46.12	68.20	-22.08	8.94	3	Horizontal	360	1.17	37.18	33.19	9.90	34.15
PK	11.6548G	62.03	74.00	-11.97	17.93	3	Horizontal	360	2.87	44.10	38.89	13.18	34.14
PK	17.4897G	61.05	68.20	-7.15	21.24	3	Horizontal	280	1.50	39.81	38.18	16.26	33.20

5.15-5.25GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


5180MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	52.68	54.00	-1.32	8.80	3	Vertical	334	1.70	43.88	33.10	9.83	34.13
AV	5.1806G	108.05	Inf	-Inf	8.88	3	Vertical	334	1.70	99.17	33.16	9.85	34.13
PK	5.1494G	64.64	74.00	-9.36	8.80	3	Vertical	334	1.70	55.84	33.10	9.83	34.13
PK	5.1818G	121.34	Inf	-Inf	8.88	3	Vertical	334	1.70	112.46	33.16	9.85	34.13

5.15-5.25GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


5180MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.69399G	31.16	54.00	-22.84	7.45	3	Vertical	279	2.69	23.71	32.10	9.60	34.25
AV	15.52602G	48.94	54.00	-5.06	19.87	3	Vertical	157	1.50	29.07	38.62	15.67	34.42
PK	4.65024G	43.77	74.00	-30.23	7.40	3	Vertical	279	2.69	36.37	32.10	9.57	34.27
PK	10.3597G	61.96	68.20	-6.24	16.98	3	Vertical	132	1.99	44.98	38.90	12.67	34.59
PK	15.54594G	62.75	74.00	-11.25	19.80	3	Vertical	157	1.50	42.95	38.56	15.68	34.44

5.15-5.25GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


5180MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.69959G	31.22	54.00	-22.78	7.46	3	Horizontal	297	1.50	23.76	32.10	9.60	34.24
AV	15.53376G	49.08	54.00	-4.92	19.84	3	Horizontal	97	1.50	29.24	38.60	15.67	34.43
PK	4.74019G	44.30	74.00	-29.70	7.59	3	Horizontal	297	1.50	36.71	32.18	9.63	34.22
PK	10.36072G	59.81	68.20	-8.39	16.98	3	Horizontal	132	2.03	42.83	38.90	12.67	34.59
PK	15.53454G	63.21	74.00	-10.79	19.85	3	Horizontal	97	1.50	43.36	38.60	15.68	34.43

5.15-5.25GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


5200MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1466G	48.24	54.00	-5.76	8.81	3	Vertical	42	1.54	39.43	33.11	9.83	34.13
AV	5.206G	109.92	Inf	-Inf	8.92	3	Vertical	42	1.54	101.00	33.20	9.86	34.14
PK	5.1472G	61.57	74.00	-12.43	8.81	3	Vertical	42	1.54	52.76	33.11	9.83	34.13
PK	5.2054G	123.49	Inf	-Inf	8.92	3	Vertical	42	1.54	114.57	33.20	9.86	34.14

5.15-5.25GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


5200MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.77715G	31.26	54.00	-22.74	7.75	3	Vertical	27	1.50	23.51	32.31	9.65	34.21
AV	15.58818G	48.37	54.00	-5.63	19.70	3	Vertical	0	1.00	28.67	38.44	15.72	34.46
PK	4.6557G	44.02	74.00	-29.98	7.40	3	Vertical	27	1.50	36.62	32.10	9.57	34.27
PK	10.41026G	62.11	68.20	-6.09	17.05	3	Vertical	132	2.50	45.06	38.91	12.69	34.55
PK	15.58986G	61.50	74.00	-12.50	19.69	3	Vertical	0	1.00	41.81	38.43	15.72	34.46


5.15-5.25GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5200MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.77575G	31.40	54.00	-22.60	7.74	3	Horizontal	30	1.18	23.66	32.30	9.65	34.21
AV	15.58644G	48.31	54.00	-5.69	19.69	3	Horizontal	3	1.50	28.62	38.44	15.71	34.46
PK	4.6207G	43.93	74.00	-30.07	7.24	3	Horizontal	30	1.18	36.69	31.98	9.54	34.28
PK	10.38878G	59.22	68.20	-8.98	17.01	3	Horizontal	132	1.90	42.21	38.90	12.68	34.57
PK	15.5889G	62.34	74.00	-11.66	19.69	3	Horizontal	3	1.50	42.65	38.43	15.72	34.46

**5.15-5.25GHz_802.11ax HEW20_Nss1,(MCS0)_2TX
5240MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.144G	47.36	54.00	-6.64	8.81	3	Vertical	333	1.78	38.55	33.11	9.83	34.13
AV	5.2412G	110.13	Inf	-Inf	8.95	3	Vertical	333	1.78	101.18	33.20	9.89	34.14
AV	5.351G	47.56	54.00	-6.44	8.71	3	Vertical	333	1.78	38.85	32.90	9.97	34.16
PK	5.1446G	59.94	74.00	-14.06	8.81	3	Vertical	333	1.78	51.13	33.11	9.83	34.13
PK	5.2406G	123.34	Inf	-Inf	8.95	3	Vertical	333	1.78	114.39	33.20	9.89	34.14
PK	5.354G	60.48	74.00	-13.52	8.72	3	Vertical	333	1.78	51.76	32.91	9.97	34.16


**5.15-5.25GHz_802.11ax HEW20_Nss1,(MCS0)_2TX
5240MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.81887G	31.63	54.00	-22.37	8.00	3	Vertical	0	1.73	23.63	32.51	9.68	34.19
AV	15.71046G	47.33	54.00	-6.67	19.48	3	Vertical	300	1.50	27.85	38.20	15.81	34.53
PK	4.77687G	44.55	74.00	-29.45	7.75	3	Vertical	0	1.73	36.80	32.31	9.65	34.21
PK	10.47748G	63.86	68.20	-4.34	17.19	3	Vertical	131	2.50	46.67	38.98	12.72	34.51
PK	15.71046G	61.00	74.00	-13.00	19.48	3	Vertical	300	1.50	41.52	38.20	15.81	34.53

5.15-5.25GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


5240MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.81747G	31.55	54.00	-22.45	7.99	3	Horizontal	292	1.50	23.56	32.50	9.68	34.19
AV	15.705G	47.27	54.00	-6.73	19.48	3	Horizontal	50	1.34	27.79	38.20	15.80	34.52
PK	4.69462G	44.55	74.00	-29.45	7.45	3	Horizontal	292	1.50	37.10	32.10	9.60	34.25
PK	10.48108G	59.88	68.20	-8.32	17.20	3	Horizontal	131	2.02	42.68	38.98	12.72	34.50
PK	15.71268G	60.81	74.00	-13.19	19.48	3	Horizontal	50	1.34	41.33	38.20	15.81	34.53

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


5745MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7438G	108.33	Inf	-Inf	9.91	3	Vertical	0	1.84	98.42	33.96	10.15	34.20
PK	5.643G	59.45	68.20	-8.75	9.26	3	Vertical	0	1.84	50.19	33.37	10.09	34.20
PK	5.7438G	119.29	Inf	-Inf	9.91	3	Vertical	0	1.84	109.38	33.96	10.15	34.20
PK	5.9346G	60.06	68.20	-8.14	10.56	3	Vertical	0	1.84	49.50	34.50	10.28	34.22

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


5745MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.49006G	52.56	54.00	-1.44	18.27	3	Vertical	127	1.95	34.29	39.22	13.11	34.06
PK	5.24584G	52.65	68.20	-15.55	8.95	3	Vertical	336	1.78	43.70	33.20	9.89	34.14
PK	11.48868G	66.10	74.00	-7.90	18.27	3	Vertical	127	1.95	47.83	39.22	13.11	34.06
PK	17.23866G	62.22	68.20	-5.98	20.71	3	Vertical	222	2.01	41.51	37.76	16.22	33.27

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


5745MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.49078G	48.05	54.00	-5.95	18.27	3	Horizontal	145	1.00	29.78	39.22	13.11	34.06
PK	5.24794G	50.25	68.20	-17.95	8.95	3	Horizontal	202	1.00	41.30	33.20	9.89	34.14
PK	11.49084G	60.53	74.00	-13.47	18.27	3	Horizontal	145	1.00	42.26	39.22	13.11	34.06
PK	17.22846G	62.44	68.20	-5.76	20.72	3	Horizontal	207	1.50	41.72	37.77	16.22	33.27

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


5785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.78613G	109.80	Inf	-Inf	10.18	3	Vertical	6	1.77	99.62	34.22	10.17	34.21
PK	5.59374G	59.97	68.20	-8.23	9.07	3	Vertical	6	1.77	50.90	33.20	10.07	34.20
PK	5.78613G	121.94	Inf	-Inf	10.18	3	Vertical	6	1.77	111.76	34.22	10.17	34.21
PK	5.94222G	60.93	68.20	-7.27	10.57	3	Vertical	6	1.77	50.36	34.50	10.29	34.22

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


5785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.56928G	52.97	54.00	-1.03	18.10	3	Vertical	128	1.95	34.87	39.06	13.14	34.10
PK	5.29176G	52.60	68.20	-15.60	8.89	3	Vertical	48	1.50	43.71	33.12	9.92	34.15
PK	11.57858G	67.29	74.00	-6.71	18.09	3	Vertical	128	1.95	49.20	39.04	13.15	34.10
PK	17.34822G	62.00	68.20	-6.20	20.84	3	Vertical	341	2.96	41.16	37.84	16.24	33.24

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


5785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.56958G	47.30	54.00	-6.70	18.10	3	Horizontal	160	2.77	29.20	39.06	13.14	34.10
PK	5.28021G	50.59	68.20	-17.61	8.91	3	Horizontal	199	1.01	41.68	33.14	9.92	34.15
PK	11.56982G	60.58	74.00	-13.42	18.10	3	Horizontal	160	2.77	42.48	39.06	13.14	34.10
PK	17.3589G	62.78	68.20	-5.42	20.88	3	Horizontal	316	1.50	41.90	37.88	16.24	33.24

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


5825MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8262G	109.92	Inf	-Inf	10.29	3	Vertical	6	1.71	99.63	34.30	10.20	34.21
PK	5.6246G	61.87	68.20	-6.33	9.18	3	Vertical	6	1.71	52.69	33.30	10.08	34.20
PK	5.8262G	121.82	Inf	-Inf	10.29	3	Vertical	6	1.71	111.53	34.30	10.20	34.21
PK	6.0446G	60.60	68.20	-7.60	10.45	3	Vertical	6	1.71	50.15	34.30	10.37	34.22

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


5825MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.64934G	52.34	54.00	-1.66	17.93	3	Vertical	126	2.13	34.41	38.90	13.17	34.14
PK	5.34363G	53.97	68.20	-14.23	8.73	3	Vertical	51	2.03	45.24	32.93	9.96	34.16
PK	11.64892G	65.54	74.00	-8.46	17.93	3	Vertical	126	2.13	47.61	38.90	13.17	34.14
PK	17.46264G	61.97	68.20	-6.23	21.17	3	Vertical	304	1.81	40.80	38.13	16.25	33.21

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


5825MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.64976G	46.98	54.00	-7.02	17.93	3	Horizontal	136	1.00	29.05	38.90	13.17	34.14
PK	5.29323G	49.87	68.20	-18.33	8.89	3	Horizontal	200	1.00	40.98	33.11	9.93	34.15
PK	11.65948G	60.67	74.00	-13.33	17.91	3	Horizontal	136	1.00	42.76	38.88	13.18	34.15
PK	17.47158G	60.96	68.20	-7.24	21.19	3	Horizontal	77	1.50	39.77	38.14	16.26	33.21

5.15-5.25GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


5190MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1472G	52.65	54.00	-1.35	8.81	3	Vertical	321	1.78	43.84	33.11	9.83	34.13
AV	5.1968G	104.81	Inf	-Inf	8.91	3	Vertical	321	1.78	95.90	33.19	9.86	34.14
PK	5.1476G	64.95	74.00	-9.05	8.80	3	Vertical	321	1.78	56.15	33.10	9.83	34.13
PK	5.1972G	116.91	Inf	-Inf	8.91	3	Vertical	321	1.78	108.00	33.19	9.86	34.14

5.15-5.25GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


5190MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.76882G	31.36	54.00	-22.64	7.72	3	Vertical	250	2.42	23.64	32.28	9.65	34.21
AV	15.55824G	48.80	54.00	-5.20	19.78	3	Vertical	298	1.47	29.02	38.53	15.69	34.44
PK	4.74432G	43.76	74.00	-30.24	7.60	3	Vertical	250	2.42	36.16	32.19	9.63	34.22
PK	10.38828G	55.41	68.20	-12.79	17.01	3	Vertical	48	2.02	38.40	38.90	12.68	34.57
PK	15.54696G	62.81	74.00	-11.19	19.80	3	Vertical	298	1.47	43.01	38.56	15.68	34.44

5.15-5.25GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


5190MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.77162G	31.32	54.00	-22.68	7.73	3	Horizontal	222	1.00	23.59	32.29	9.65	34.21
AV	15.5502G	48.81	54.00	-5.19	19.80	3	Horizontal	0	2.23	29.01	38.55	15.69	34.44
PK	4.76742G	44.16	74.00	-29.84	7.71	3	Horizontal	222	1.00	36.45	32.27	9.65	34.21
PK	10.36956G	56.29	68.20	-11.91	16.99	3	Horizontal	130	1.96	39.30	38.90	12.67	34.58
PK	15.57408G	62.39	74.00	-11.61	19.73	3	Horizontal	0	2.23	42.66	38.48	15.70	34.45

5.15-5.25GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


5230MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1444G	49.55	54.00	-4.45	8.81	3	Vertical	336	1.50	40.74	33.11	9.83	34.13
AV	5.2248G	107.22	Inf	-Inf	8.94	3	Vertical	336	1.50	98.28	33.20	9.88	34.14
PK	5.146G	62.00	74.00	-12.00	8.81	3	Vertical	336	1.50	53.19	33.11	9.83	34.13
PK	5.2236G	120.17	Inf	-Inf	8.94	3	Vertical	336	1.50	111.23	33.20	9.88	34.14

5.15-5.25GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


5230MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.80669G	31.45	54.00	-22.55	7.92	3	Vertical	308	1.07	23.53	32.44	9.67	34.19
AV	15.66732G	47.73	54.00	-6.27	19.54	3	Vertical	133	1.50	28.19	38.27	15.77	34.50
PK	4.76819G	44.35	74.00	-29.65	7.71	3	Vertical	308	1.07	36.64	32.27	9.65	34.21
PK	10.46036G	60.83	68.20	-7.37	17.15	3	Vertical	130	2.55	43.68	38.96	12.71	34.52
PK	15.66708G	61.27	74.00	-12.73	19.54	3	Vertical	133	1.50	41.73	38.27	15.77	34.50

5.15-5.25GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


5230MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.77204G	31.42	54.00	-22.58	7.73	3	Horizontal	15	1.50	23.69	32.29	9.65	34.21
AV	15.66744G	47.71	54.00	-6.29	19.54	3	Horizontal	360	1.50	28.17	38.27	15.77	34.50
PK	4.77974G	44.05	74.00	-29.95	7.77	3	Horizontal	15	1.50	36.28	32.32	9.66	34.21
PK	10.46924G	57.33	68.20	-10.87	17.17	3	Horizontal	133	1.90	40.16	38.97	12.71	34.51
PK	15.6696G	61.27	74.00	-12.73	19.54	3	Horizontal	360	1.50	41.73	38.26	15.78	34.50

5.725-5.85GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


5755MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7514G	109.85	Inf	-Inf	9.95	3	Vertical	4	1.90	99.90	34.01	10.15	34.21
PK	5.6506G	62.98	68.64	-5.66	9.30	3	Vertical	4	1.90	53.68	33.40	10.10	34.20
PK	5.7514G	121.41	Inf	-Inf	9.95	3	Vertical	4	1.90	111.46	34.01	10.15	34.21
PK	5.9494G	61.00	68.20	-7.20	10.57	3	Vertical	4	1.90	50.43	34.50	10.29	34.22

5.725-5.85GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


5755MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.50868G	52.69	54.00	-1.31	18.24	3	Vertical	126	2.04	34.45	39.18	13.12	34.06
PK	5.24927G	53.35	68.20	-14.85	8.95	3	Vertical	48	1.50	44.40	33.20	9.89	34.14
PK	11.50892G	65.85	74.00	-8.15	18.24	3	Vertical	126	2.04	47.61	39.18	13.12	34.06
PK	17.256G	62.54	68.20	-5.66	20.70	3	Vertical	-0	1.61	41.84	37.74	16.22	33.26

5.725-5.85GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


5755MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.50856G	47.62	54.00	-6.38	18.24	3	Horizontal	159	2.64	29.38	39.18	13.12	34.06
PK	5.24472G	49.55	68.20	-18.65	8.95	3	Horizontal	199	1.03	40.60	33.20	9.89	34.14
PK	11.50904G	60.56	74.00	-13.44	18.24	3	Horizontal	159	2.64	42.32	39.18	13.12	34.06
PK	17.27808G	62.40	68.20	-5.80	20.68	3	Horizontal	240	1.50	41.72	37.72	16.22	33.26

5.725-5.85GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


5795MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7974G	108.61	Inf	-Inf	10.25	3	Vertical	4	1.89	98.36	34.28	10.18	34.21
PK	5.6162G	61.65	68.20	-6.55	9.14	3	Vertical	4	1.89	52.51	33.26	10.08	34.20
PK	5.7962G	120.52	Inf	-Inf	10.25	3	Vertical	4	1.89	110.27	34.28	10.18	34.21
PK	5.957G	61.72	68.20	-6.48	10.55	3	Vertical	4	1.89	51.17	34.47	10.30	34.22

5.725-5.85GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


5795MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.58976G	52.92	54.00	-1.08	18.06	3	Vertical	126	1.93	34.86	39.02	13.15	34.11
PK	5.29519G	53.54	68.20	-14.66	8.89	3	Vertical	52	1.88	44.65	33.11	9.93	34.15
PK	11.5903G	66.60	74.00	-7.40	18.06	3	Vertical	126	1.93	48.54	39.02	13.15	34.11
PK	17.4078G	62.65	68.20	-5.55	21.05	3	Vertical	222	1.14	41.60	38.02	16.25	33.22


5.725-5.85GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5795MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.58976G	46.56	54.00	-7.44	18.06	3	Horizontal	135	1.00	28.50	39.02	13.15	34.11
PK	5.26684G	50.36	68.20	-17.84	8.93	3	Horizontal	197	1.06	41.43	33.17	9.91	34.15
PK	11.60968G	59.00	74.00	-15.00	18.02	3	Horizontal	135	1.00	40.98	38.98	13.16	34.12
PK	17.38968G	62.20	68.20	-6.00	20.98	3	Horizontal	35	1.77	41.22	37.97	16.24	33.23

**5.15-5.25GHz_802.11ax HEW80_Nss1,(MCS0)_2TX
5210MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	52.65	54.00	-1.35	8.80	3	Vertical	334	1.77	43.85	33.10	9.83	34.13
AV	5.211G	101.15	Inf	-Inf	8.93	3	Vertical	334	1.77	92.22	33.20	9.87	34.14
AV	5.351G	48.02	54.00	-5.98	8.71	3	Vertical	334	1.77	39.31	32.90	9.97	34.16
PK	5.15G	65.97	74.00	-8.03	8.80	3	Vertical	334	1.77	57.17	33.10	9.83	34.13
PK	5.212G	113.59	Inf	-Inf	8.93	3	Vertical	334	1.77	104.66	33.20	9.87	34.14
PK	5.352G	59.80	74.00	-14.20	8.71	3	Vertical	334	1.77	51.09	32.90	9.97	34.16


**5.15-5.25GHz_802.11ax HEW80_Nss1,(MCS0)_2TX
5210MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.77778G	31.39	54.00	-22.61	7.75	3	Vertical	161	1.50	23.64	32.31	9.65	34.21
AV	15.58128G	48.64	54.00	-5.36	19.71	3	Vertical	0	3.00	28.93	38.46	15.71	34.46
PK	4.70568G	44.21	74.00	-29.79	7.47	3	Vertical	161	1.50	36.74	32.11	9.60	34.24
PK	10.4104G	56.81	68.20	-11.39	17.05	3	Vertical	132	2.44	39.76	38.91	12.69	34.55
PK	15.57024G	61.68	74.00	-12.32	19.74	3	Vertical	0	3.00	41.94	38.49	15.70	34.45

5.15-5.25GHz_802.11ax HEW80_Nss1,(MCS0)_2TX


5210MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.77323G	31.47	54.00	-22.53	7.73	3	Horizontal	274	1.50	23.74	32.29	9.65	34.21
AV	15.57816G	48.61	54.00	-5.39	19.73	3	Horizontal	0	1.50	28.88	38.47	15.71	34.45
PK	4.69588G	43.91	74.00	-30.09	7.45	3	Horizontal	274	1.50	36.46	32.10	9.60	34.25
PK	10.4296G	54.73	68.20	-13.47	17.09	3	Horizontal	212	3.00	37.64	38.93	12.70	34.54
PK	15.60072G	61.29	74.00	-12.71	19.65	3	Horizontal	0	1.50	41.64	38.40	15.72	34.47

5.725-5.85GHz_802.11ax HEW80_Nss1,(MCS0)_2TX


5775MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.78371G	112.19	Inf	-Inf	10.16	3	Vertical	2	1.86	102.03	34.20	10.17	34.21
PK	5.59979G	60.89	68.20	-7.31	9.07	3	Vertical	2	1.86	51.82	33.20	10.07	34.20
PK	5.77887G	122.42	Inf	-Inf	10.13	3	Vertical	2	1.86	112.29	34.17	10.17	34.21
PK	5.95069G	61.38	68.20	-6.82	10.57	3	Vertical	2	1.86	50.81	34.50	10.29	34.22

5.725-5.85GHz_802.11ax HEW80_Nss1,(MCS0)_2TX


5775MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.54016G	50.31	54.00	-3.69	18.17	3	Vertical	126	2.02	32.14	39.12	13.13	34.08
PK	5.29183G	53.32	68.20	-14.88	8.89	3	Vertical	46	1.50	44.43	33.12	9.92	34.15
PK	11.5392G	61.98	74.00	-12.02	18.17	3	Vertical	126	2.02	43.81	39.12	13.13	34.08
PK	17.32944G	62.29	68.20	-5.91	20.78	3	Vertical	166	2.85	41.51	37.79	16.23	33.24

5.725-5.85GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5775MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.56982G	50.09	54.00	-3.91	18.10	3	Horizontal	4	2.96	31.99	39.06	13.14	34.10
PK	5.27916G	49.60	68.20	-18.60	8.91	3	Horizontal	193	1.00	40.69	33.14	9.92	34.15
PK	11.5643G	62.61	74.00	-11.39	18.12	3	Horizontal	4	2.96	44.49	39.07	13.14	34.09
PK	17.31432G	61.55	68.20	-6.65	20.72	3	Horizontal	118	1.65	40.83	37.74	16.23	33.25



RSE TX below 1GHz
Non-Beamforming_Radio2(Low Band)+Radio3(High Band)

Appendix E.3

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW80_Nss1,(MCS0)_2TX	Pass	PK	537.2M	41.67	46.00	-4.33	3	Vertical	360	1.00	-



**RSE TX below 1GHz
Non-Beamforming_Radio2(Low Band)+Radio3(High Band)**

Appendix E.3


Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
802.11ax HEW80_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-
5775MHz	Pass	PK	31.91M	32.16	40.00	-7.84	3	Vertical	360	1.00	-
5775MHz	Pass	PK	225.01M	27.99	46.00	-18.01	3	Vertical	360	1.00	-
5775MHz	Pass	PK	292.89M	29.16	46.00	-16.84	3	Vertical	360	1.00	-
5775MHz	Pass	PK	537.2M	41.67	46.00	-4.33	3	Vertical	360	1.00	-
5775MHz	Pass	PK	673.54M	41.55	46.00	-4.45	3	Vertical	360	1.00	-
5775MHz	Pass	PK	868.9M	39.49	46.00	-6.51	3	Vertical	360	1.00	-
5775MHz	Pass	PK	31.97M	30.92	40.00	-9.08	3	Horizontal	0	1.00	-
5775MHz	Pass	PK	135.6M	30.12	43.50	-13.38	3	Horizontal	0	1.00	-
5775MHz	Pass	PK	198.14M	32.76	43.50	-10.74	3	Horizontal	0	1.00	-
5775MHz	Pass	PK	293.43M	34.77	46.00	-11.23	3	Horizontal	0	1.00	-
5775MHz	Pass	PK	537.8M	33.98	46.00	-12.02	3	Horizontal	0	1.00	-
5775MHz	Pass	PK	599.93M	36.40	46.00	-9.60	3	Horizontal	0	1.00	-



5.725-5.85GHz_802.11ax HEW80_Nss1,(MCS0)_2TX


5775MHz_Adapter



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	31.91M	32.16	40.00	-7.84	-3.74	3	Vertical	360	1.00	-	35.90	22.07	1.02	26.83
PK	225.01M	27.99	46.00	-18.01	-10.38	3	Vertical	360	1.00	-	38.37	14.75	2.15	27.28
PK	292.89M	29.16	46.00	-16.84	-6.51	3	Vertical	360	1.00	-	35.67	18.21	2.47	27.19
PK	537.2M	41.67	46.00	-4.33	-2.09	3	Vertical	360	1.00	-	43.76	23.09	3.38	28.56
PK	673.54M	41.55	46.00	-4.45	-0.54	3	Vertical	360	1.00	-	42.09	24.17	3.75	28.46
PK	868.9M	39.49	46.00	-6.51	2.11	3	Vertical	360	1.00	-	37.38	25.59	4.34	27.82

5.725-5.85GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5775MHz_Adapter



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	31.97M	30.92	40.00	-9.08	-3.77	3	Horizontal	0	1.00	-	34.69	22.04	1.02	26.83
PK	135.6M	30.12	43.50	-13.38	-9.38	3	Horizontal	0	1.00	-	39.50	16.71	1.64	27.73
PK	198.14M	32.76	43.50	-10.74	-11.01	3	Horizontal	0	1.00	-	43.77	14.39	2.02	27.42
PK	293.43M	34.77	46.00	-11.23	-6.49	3	Horizontal	0	1.00	-	41.26	18.22	2.48	27.19
PK	537.8M	33.98	46.00	-12.02	-2.06	3	Horizontal	0	1.00	-	36.04	23.12	3.39	28.57
PK	599.93M	36.40	46.00	-9.60	-0.98	3	Horizontal	0	1.00	-	37.38	23.87	3.59	28.44



**RSE TX above 1GHz
Non-Beamforming_Radio2(Low Band)+Radio3(High Band)**

Appendix E.4

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX	Pass	PK	10.4744G	65.05	68.20	-3.15	3	Vertical	132	2.77
802.11ax HEW20_Nss1,(MCS0)_2TX	Pass	AV	5.1462G	52.80	54.00	-1.20	3	Vertical	339	1.43
802.11ax HEW40_Nss1,(MCS0)_2TX	Pass	AV	5.1476G	53.02	54.00	-0.98	3	Vertical	336	1.73
802.11ax HEW80_Nss1,(MCS0)_2TX	Pass	AV	5.142G	53.22	54.00	-0.78	3	Vertical	334	1.50
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX	Pass	AV	11.49192G	50.09	54.00	-3.91	3	Vertical	276	1.95
802.11ax HEW20_Nss1,(MCS0)_2TX	Pass	PK	17.23876G	63.63	68.20	-4.57	3	Vertical	258	1.00
802.11ax HEW40_Nss1,(MCS0)_2TX	Pass	PK	5.6542G	70.68	71.31	-0.63	3	Vertical	189	1.95
802.11ax HEW80_Nss1,(MCS0)_2TX	Pass	PK	17.27476G	62.72	68.20	-5.48	3	Vertical	6	1.50



**RSE TX above 1GHz
Non-Beamforming_Radio2(Low Band)+Radio3(High Band)**

Appendix E.4

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11a_Nss1_(6Mbps)_2TX	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	AV	5.1486G	49.41	54.00	-4.59	3	Vertical	324	1.85
5180MHz	Pass	AV	5.1784G	109.83	Inf	-Inf	3	Vertical	324	1.85
5180MHz	Pass	PK	5.1482G	61.20	74.00	-12.80	3	Vertical	324	1.85
5180MHz	Pass	PK	5.1738G	120.04	Inf	-Inf	3	Vertical	324	1.85
5180MHz	Pass	AV	15.5428G	49.01	54.00	-4.99	3	Vertical	360	2.49
5180MHz	Pass	PK	10.36064G	56.83	68.20	-11.37	3	Vertical	43	2.03
5180MHz	Pass	PK	15.5388G	62.06	74.00	-11.94	3	Vertical	360	2.49
5180MHz	Pass	AV	15.53176G	49.19	54.00	-4.81	3	Horizontal	50	1.50
5180MHz	Pass	PK	10.36496G	54.82	68.20	-13.38	3	Horizontal	163	1.10
5180MHz	Pass	PK	15.53488G	62.25	74.00	-11.75	3	Horizontal	50	1.50
5200MHz	Pass	AV	5.148G	48.10	54.00	-5.90	3	Vertical	338	1.72
5200MHz	Pass	AV	5.2024G	110.67	Inf	-Inf	3	Vertical	338	1.72
5200MHz	Pass	PK	5.1392G	60.79	74.00	-13.21	3	Vertical	338	1.72
5200MHz	Pass	PK	5.2028G	120.65	Inf	-Inf	3	Vertical	338	1.72
5200MHz	Pass	AV	15.58072G	48.95	54.00	-5.05	3	Vertical	345	1.50
5200MHz	Pass	PK	10.40032G	58.86	68.20	-9.34	3	Vertical	40	2.20
5200MHz	Pass	PK	15.60912G	61.46	74.00	-12.54	3	Vertical	345	1.50
5200MHz	Pass	AV	15.58216G	49.00	54.00	-5.00	3	Horizontal	171	2.99
5200MHz	Pass	PK	10.40544G	56.34	68.20	-11.86	3	Horizontal	163	1.00
5200MHz	Pass	PK	15.60184G	60.95	74.00	-13.05	3	Horizontal	171	2.99
5240MHz	Pass	AV	5.1446G	47.73	54.00	-6.27	3	Vertical	336	1.50
5240MHz	Pass	AV	5.2406G	110.47	Inf	-Inf	3	Vertical	336	1.50
5240MHz	Pass	AV	5.3546G	47.40	54.00	-6.60	3	Vertical	336	1.50
5240MHz	Pass	PK	5.1446G	60.24	74.00	-13.76	3	Vertical	336	1.50
5240MHz	Pass	PK	5.2358G	120.28	Inf	-Inf	3	Vertical	336	1.50
5240MHz	Pass	PK	5.36G	59.25	74.00	-14.75	3	Vertical	336	1.50
5240MHz	Pass	AV	15.7064G	47.98	54.00	-6.02	3	Vertical	0	2.57
5240MHz	Pass	PK	10.4744G	65.05	68.20	-3.15	3	Vertical	132	2.77
5240MHz	Pass	PK	15.70824G	61.20	74.00	-12.80	3	Vertical	0	2.57
5240MHz	Pass	AV	15.7008G	48.21	54.00	-5.79	3	Horizontal	61	1.50
5240MHz	Pass	PK	10.47432G	57.44	68.20	-10.76	3	Horizontal	165	2.98
5240MHz	Pass	PK	15.70768G	60.76	74.00	-13.24	3	Horizontal	61	1.50
5745MHz	Pass	AV	5.7378G	111.51	Inf	-Inf	3	Vertical	213	2.20
5745MHz	Pass	PK	5.6094G	60.56	68.20	-7.64	3	Vertical	213	2.20
5745MHz	Pass	PK	5.7378G	120.71	Inf	-Inf	3	Vertical	213	2.20
5745MHz	Pass	PK	5.955G	61.46	68.20	-6.74	3	Vertical	213	2.20
5745MHz	Pass	AV	11.49192G	50.09	54.00	-3.91	3	Vertical	276	1.95
5745MHz	Pass	PK	11.48688G	62.59	74.00	-11.41	3	Vertical	276	1.95
5745MHz	Pass	PK	17.2302G	63.09	68.20	-5.11	3	Vertical	293	2.19
5745MHz	Pass	AV	11.492G	45.87	54.00	-8.13	3	Horizontal	320	2.28
5745MHz	Pass	PK	11.49136G	58.57	74.00	-15.43	3	Horizontal	320	2.28
5745MHz	Pass	PK	17.2246G	62.73	68.20	-5.47	3	Horizontal	160	1.36
5785MHz	Pass	AV	5.77766G	112.43	Inf	-Inf	3	Vertical	98	2.12
5785MHz	Pass	PK	5.64335G	60.53	68.20	-7.67	3	Vertical	98	2.12
5785MHz	Pass	PK	5.77766G	121.59	Inf	-Inf	3	Vertical	98	2.12
5785MHz	Pass	PK	5.95795G	61.19	68.20	-7.01	3	Vertical	98	2.12
5785MHz	Pass	AV	11.56824G	48.66	54.00	-5.34	3	Vertical	188	2.02
5785MHz	Pass	PK	11.5676G	61.02	74.00	-12.98	3	Vertical	188	2.02
5785MHz	Pass	PK	17.36108G	63.78	68.20	-4.42	3	Vertical	134	1.92
5785MHz	Pass	AV	11.56816G	45.54	54.00	-8.46	3	Horizontal	224	3.00
5785MHz	Pass	PK	11.56288G	57.54	74.00	-16.46	3	Horizontal	224	3.00
5785MHz	Pass	PK	17.36932G	62.18	68.20	-6.02	3	Horizontal	188	2.70
5825MHz	Pass	AV	5.8202G	110.62	Inf	-Inf	3	Vertical	189	2.00
5825MHz	Pass	PK	5.6282G	60.05	68.20	-8.15	3	Vertical	189	2.00
5825MHz	Pass	PK	5.819G	120.03	Inf	-Inf	3	Vertical	189	2.00
5825MHz	Pass	PK	5.939G	61.94	68.20	-6.26	3	Vertical	189	2.00
5825MHz	Pass	AV	11.64832G	46.65	54.00	-7.35	3	Vertical	184	2.10
5825MHz	Pass	PK	11.648G	60.00	74.00	-14.00	3	Vertical	184	2.10
5825MHz	Pass	PK	17.4842G	61.49	68.20	-6.71	3	Vertical	360	1.17
5825MHz	Pass	AV	11.64832G	45.05	54.00	-8.95	3	Horizontal	210	1.02



**RSE TX above 1GHz
Non-Beamforming_Radio2(Low Band)+Radio3(High Band)**

Appendix E.4

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5825MHz	Pass	PK	11.6588G	57.16	74.00	-16.84	3	Horizontal	210	1.02
5825MHz	Pass	PK	17.4562G	61.55	68.20	-6.65	3	Horizontal	205	1.50
802.11ax HEW20_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	AV	5.1462G	52.80	54.00	-1.20	3	Vertical	339	1.43
5180MHz	Pass	AV	5.175G	108.33	Inf	-Inf	3	Vertical	339	1.43
5180MHz	Pass	PK	5.1452G	66.23	74.00	-7.77	3	Vertical	339	1.43
5180MHz	Pass	PK	5.1754G	121.14	Inf	-Inf	3	Vertical	339	1.43
5180MHz	Pass	AV	15.5368G	48.77	54.00	-5.23	3	Vertical	327	2.63
5180MHz	Pass	PK	10.36024G	57.30	68.20	-10.90	3	Vertical	40	2.21
5180MHz	Pass	PK	15.55864G	61.90	74.00	-12.10	3	Vertical	327	2.63
5180MHz	Pass	AV	15.53704G	48.81	54.00	-5.19	3	Horizontal	222	1.35
5180MHz	Pass	PK	10.3604G	56.56	68.20	-11.64	3	Horizontal	0	2.95
5180MHz	Pass	PK	15.52192G	61.49	74.00	-12.51	3	Horizontal	222	1.35
5200MHz	Pass	AV	5.15G	48.27	54.00	-5.73	3	Vertical	236	1.92
5200MHz	Pass	AV	5.2036G	110.21	Inf	-Inf	3	Vertical	236	1.92
5200MHz	Pass	PK	5.1436G	60.86	74.00	-13.14	3	Vertical	236	1.92
5200MHz	Pass	PK	5.2028G	122.54	Inf	-Inf	3	Vertical	236	1.92
5200MHz	Pass	AV	15.58216G	48.45	54.00	-5.55	3	Vertical	278	2.18
5200MHz	Pass	PK	10.39904G	58.17	68.20	-10.03	3	Vertical	41	2.14
5200MHz	Pass	PK	15.61672G	62.52	74.00	-11.48	3	Vertical	278	2.18
5200MHz	Pass	AV	15.60304G	48.43	54.00	-5.57	3	Horizontal	191	1.50
5200MHz	Pass	PK	10.40832G	59.67	68.20	-8.53	3	Horizontal	130	1.98
5200MHz	Pass	PK	15.58504G	62.14	74.00	-11.86	3	Horizontal	191	1.50
5240MHz	Pass	AV	5.1446G	47.55	54.00	-6.45	3	Vertical	338	1.50
5240MHz	Pass	AV	5.2418G	109.16	Inf	-Inf	3	Vertical	338	1.50
5240MHz	Pass	AV	5.3864G	47.05	54.00	-6.95	3	Vertical	338	1.50
5240MHz	Pass	PK	5.1446G	59.53	74.00	-14.47	3	Vertical	338	1.50
5240MHz	Pass	PK	5.2424G	122.04	Inf	-Inf	3	Vertical	338	1.50
5240MHz	Pass	PK	5.3732G	59.18	74.00	-14.82	3	Vertical	338	1.50
5240MHz	Pass	AV	15.70056G	47.69	54.00	-6.31	3	Vertical	115	1.50
5240MHz	Pass	PK	10.4796G	64.54	68.20	-3.66	3	Vertical	132	2.83
5240MHz	Pass	PK	15.7168G	60.93	74.00	-13.07	3	Vertical	115	1.50
5240MHz	Pass	AV	15.7008G	47.74	54.00	-6.26	3	Horizontal	82	1.29
5240MHz	Pass	PK	10.47856G	57.24	68.20	-10.96	3	Horizontal	162	3.00
5240MHz	Pass	PK	15.71368G	61.18	74.00	-12.82	3	Horizontal	82	1.29
5745MHz	Pass	AV	5.7366G	111.36	Inf	-Inf	3	Vertical	190	1.94
5745MHz	Pass	PK	5.538G	60.04	68.20	-8.16	3	Vertical	190	1.94
5745MHz	Pass	PK	5.7366G	122.34	Inf	-Inf	3	Vertical	190	1.94
5745MHz	Pass	PK	5.9526G	61.29	68.20	-6.91	3	Vertical	190	1.94
5745MHz	Pass	AV	11.48536G	48.97	54.00	-5.03	3	Vertical	278	2.04
5745MHz	Pass	PK	11.4848G	62.44	74.00	-11.56	3	Vertical	278	2.04
5745MHz	Pass	PK	17.23876G	63.63	68.20	-4.57	3	Vertical	258	1.00
5745MHz	Pass	AV	11.48448G	44.75	54.00	-9.25	3	Horizontal	320	2.29
5745MHz	Pass	PK	11.47248G	58.02	74.00	-15.98	3	Horizontal	320	2.29
5745MHz	Pass	PK	17.2322G	62.41	68.20	-5.79	3	Horizontal	243	1.50
5785MHz	Pass	AV	5.77645G	110.83	Inf	-Inf	3	Vertical	191	1.96
5785MHz	Pass	PK	5.63851G	60.78	68.20	-7.42	3	Vertical	191	1.96
5785MHz	Pass	PK	5.77645G	121.93	Inf	-Inf	3	Vertical	191	1.96
5785MHz	Pass	PK	5.94585G	61.04	68.20	-7.16	3	Vertical	191	1.96
5785MHz	Pass	AV	11.57496G	47.05	54.00	-6.95	3	Vertical	202	2.02
5785MHz	Pass	PK	11.57728G	61.36	74.00	-12.64	3	Vertical	202	2.02
5785MHz	Pass	PK	17.35164G	63.46	68.20	-4.74	3	Vertical	265	2.21
5785MHz	Pass	AV	11.56696G	44.32	54.00	-9.68	3	Horizontal	219	1.68
5785MHz	Pass	PK	11.56624G	57.55	74.00	-16.45	3	Horizontal	219	1.68
5785MHz	Pass	PK	17.36884G	62.75	68.20	-5.45	3	Horizontal	89	1.83
5825MHz	Pass	AV	5.8166G	110.80	Inf	-Inf	3	Vertical	192	2.11
5825MHz	Pass	PK	5.6138G	60.33	68.20	-7.87	3	Vertical	192	2.11
5825MHz	Pass	PK	5.8166G	123.29	Inf	-Inf	3	Vertical	192	2.11
5825MHz	Pass	PK	6.095G	61.10	68.20	-7.10	3	Vertical	192	2.11
5825MHz	Pass	AV	11.64608G	45.96	54.00	-8.04	3	Vertical	183	1.95
5825MHz	Pass	PK	11.63544G	58.61	74.00	-15.39	3	Vertical	183	1.95
5825MHz	Pass	PK	17.4834G	61.44	68.20	-6.76	3	Vertical	360	3.00



**RSE TX above 1GHz
Non-Beamforming_Radio2(Low Band)+Radio3(High Band)**

Appendix E.4

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5825MHz	Pass	AV	11.64624G	43.84	54.00	-10.16	3	Horizontal	211	1.04
5825MHz	Pass	PK	11.65872G	57.14	74.00	-16.86	3	Horizontal	211	1.04
5825MHz	Pass	PK	17.4586G	61.21	68.20	-6.99	3	Horizontal	18	2.75
802.11ax HEW40_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5190MHz	Pass	AV	5.1476G	53.02	54.00	-0.98	3	Vertical	336	1.73
5190MHz	Pass	AV	5.1864G	104.21	Inf	-Inf	3	Vertical	336	1.73
5190MHz	Pass	PK	5.146G	66.13	74.00	-7.87	3	Vertical	336	1.73
5190MHz	Pass	PK	5.1968G	117.64	Inf	-Inf	3	Vertical	336	1.73
5190MHz	Pass	AV	15.53912G	48.79	54.00	-5.21	3	Vertical	170	3.00
5190MHz	Pass	PK	10.38G	54.87	68.20	-13.33	3	Vertical	39	2.26
5190MHz	Pass	PK	15.58024G	61.60	74.00	-12.40	3	Vertical	170	3.00
5190MHz	Pass	AV	15.54136G	48.70	54.00	-5.30	3	Horizontal	247	2.21
5190MHz	Pass	PK	10.37216G	55.16	68.20	-13.04	3	Horizontal	322	2.98
5190MHz	Pass	PK	15.58008G	61.76	74.00	-12.24	3	Horizontal	247	2.21
5230MHz	Pass	AV	5.1464G	49.20	54.00	-4.80	3	Vertical	338	1.50
5230MHz	Pass	AV	5.236G	107.18	Inf	-Inf	3	Vertical	338	1.50
5230MHz	Pass	PK	5.1448G	62.15	74.00	-11.85	3	Vertical	338	1.50
5230MHz	Pass	PK	5.2264G	120.80	Inf	-Inf	3	Vertical	338	1.50
5230MHz	Pass	AV	15.65176G	47.98	54.00	-6.02	3	Vertical	155	1.50
5230MHz	Pass	PK	10.4784G	61.37	68.20	-6.83	3	Vertical	132	2.83
5230MHz	Pass	PK	15.66328G	60.92	74.00	-13.08	3	Vertical	155	1.50
5230MHz	Pass	AV	15.65032G	47.99	54.00	-6.01	3	Horizontal	250	1.50
5230MHz	Pass	PK	10.49056G	55.15	68.20	-13.05	3	Horizontal	162	1.00
5230MHz	Pass	PK	15.67768G	61.55	74.00	-12.45	3	Horizontal	250	1.50
5755MHz	Pass	AV	5.7454G	108.59	Inf	-Inf	3	Vertical	189	1.95
5755MHz	Pass	PK	5.6542G	70.68	71.31	-0.63	3	Vertical	189	1.95
5755MHz	Pass	PK	5.7454G	119.92	Inf	-Inf	3	Vertical	189	1.95
5755MHz	Pass	PK	5.9494G	61.23	68.20	-6.97	3	Vertical	189	1.95
5755MHz	Pass	AV	11.50664G	44.95	54.00	-9.05	3	Vertical	181	1.94
5755MHz	Pass	PK	11.50696G	57.38	74.00	-16.62	3	Vertical	181	1.94
5755MHz	Pass	PK	17.27988G	62.62	68.20	-5.58	3	Vertical	70	1.50
5755MHz	Pass	AV	11.50552G	44.46	54.00	-9.54	3	Horizontal	314	1.96
5755MHz	Pass	PK	11.50568G	57.39	74.00	-16.61	3	Horizontal	314	1.96
5755MHz	Pass	PK	17.24548G	62.34	68.20	-5.86	3	Horizontal	58	1.50
5795MHz	Pass	AV	5.7974G	107.91	Inf	-Inf	3	Vertical	191	1.99
5795MHz	Pass	PK	5.6306G	61.32	68.20	-6.88	3	Vertical	191	1.99
5795MHz	Pass	PK	5.795G	120.40	Inf	-Inf	3	Vertical	191	1.99
5795MHz	Pass	PK	5.9618G	61.26	68.20	-6.94	3	Vertical	191	1.99
5795MHz	Pass	AV	11.5868G	46.85	54.00	-7.15	3	Vertical	182	2.00
5795MHz	Pass	PK	11.5836G	59.52	74.00	-14.48	3	Vertical	182	2.00
5795MHz	Pass	PK	17.39604G	64.05	68.20	-4.15	3	Vertical	141	2.86
5795MHz	Pass	AV	11.58952G	43.77	54.00	-10.23	3	Horizontal	214	3.00
5795MHz	Pass	PK	11.5796G	56.39	74.00	-17.61	3	Horizontal	214	3.00
5795MHz	Pass	PK	17.3866G	62.78	68.20	-5.42	3	Horizontal	218	2.61
802.11ax HEW80_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5210MHz	Pass	AV	5.142G	53.22	54.00	-0.78	3	Vertical	334	1.50
5210MHz	Pass	AV	5.233G	100.05	Inf	-Inf	3	Vertical	334	1.50
5210MHz	Pass	AV	5.353G	47.48	54.00	-6.52	3	Vertical	334	1.50
5210MHz	Pass	PK	5.141G	66.67	74.00	-7.33	3	Vertical	334	1.50
5210MHz	Pass	PK	5.232G	112.34	Inf	-Inf	3	Vertical	334	1.50
5210MHz	Pass	PK	5.404G	60.49	74.00	-13.51	3	Vertical	334	1.50
5210MHz	Pass	AV	15.55128G	48.69	54.00	-5.31	3	Vertical	360	1.50
5210MHz	Pass	PK	10.45008G	55.56	68.20	-12.64	3	Vertical	131	2.89
5210MHz	Pass	PK	15.67704G	61.25	74.00	-12.75	3	Vertical	360	1.50
5210MHz	Pass	AV	15.58008G	48.56	54.00	-5.44	3	Horizontal	343	1.15
5210MHz	Pass	PK	10.46928G	53.78	68.20	-14.42	3	Horizontal	2	3.00
5210MHz	Pass	PK	15.70648G	60.91	74.00	-13.09	3	Horizontal	343	1.15
5775MHz	Pass	AV	5.8166G	110.80	Inf	-Inf	3	Vertical	192	2.11
5775MHz	Pass	PK	5.6138G	60.33	68.20	-7.87	3	Vertical	192	2.11
5775MHz	Pass	PK	5.8166G	123.29	Inf	-Inf	3	Vertical	192	2.11
5775MHz	Pass	PK	6.095G	61.10	68.20	-7.10	3	Vertical	192	2.11
5775MHz	Pass	AV	11.53944G	43.06	54.00	-10.94	3	Vertical	190	1.46




**RSE TX above 1GHz_
Non-Beamforming_Radio2(Low Band)+Radio3(High Band)**

Appendix E.4

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5775MHz	Pass	PK	11.55928G	55.80	74.00	-18.20	3	Vertical	190	1.46
5775MHz	Pass	PK	17.27476G	62.72	68.20	-5.48	3	Vertical	6	1.50
5775MHz	Pass	AV	11.55832G	42.53	54.00	-11.47	3	Horizontal	214	2.90
5775MHz	Pass	PK	11.54456G	54.86	74.00	-19.14	3	Horizontal	214	2.90
5775MHz	Pass	PK	17.27924G	62.19	68.20	-6.01	3	Horizontal	256	1.50

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX


5180MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1486G	49.41	54.00	-4.59	8.80	3	Vertical	324	1.85	40.61	33.10	9.83	34.13
AV	5.1784G	109.83	Inf	-Inf	8.88	3	Vertical	324	1.85	100.95	33.16	9.85	34.13
PK	5.1482G	61.20	74.00	-12.80	8.80	3	Vertical	324	1.85	52.40	33.10	9.83	34.13
PK	5.1738G	120.04	Inf	-Inf	8.87	3	Vertical	324	1.85	111.17	33.15	9.85	34.13

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX


5180MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.5428G	49.01	54.00	-4.99	19.82	3	Vertical	360	2.49	29.19	38.57	15.68	34.43
PK	10.36064G	56.83	68.20	-11.37	16.98	3	Vertical	43	2.03	39.85	38.90	12.67	34.59
PK	15.5388G	62.06	74.00	-11.94	19.83	3	Vertical	360	2.49	42.23	38.58	15.68	34.43

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX


5180MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.53176G	49.19	54.00	-4.81	19.84	3	Horizontal	50	1.50	29.35	38.60	15.67	34.43
PK	10.36496G	54.82	68.20	-13.38	16.98	3	Horizontal	163	1.10	37.84	38.90	12.67	34.59
PK	15.53488G	62.25	74.00	-11.75	19.85	3	Horizontal	50	1.50	42.40	38.60	15.68	34.43

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX


5200MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.148G	48.10	54.00	-5.90	8.80	3	Vertical	338	1.72	39.30	33.10	9.83	34.13
AV	5.2024G	110.67	Inf	-Inf	8.92	3	Vertical	338	1.72	101.75	33.20	9.86	34.14
PK	5.1392G	60.79	74.00	-13.21	8.82	3	Vertical	338	1.72	51.97	33.12	9.83	34.13
PK	5.2028G	120.65	Inf	-Inf	8.92	3	Vertical	338	1.72	111.73	33.20	9.86	34.14




5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX
 5200MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.58072G	48.95	54.00	-5.05	19.71	3	Vertical	345	1.50	29.24	38.46	15.71	34.46
PK	10.40032G	58.86	68.20	-9.34	17.03	3	Vertical	40	2.20	41.83	38.90	12.69	34.56
PK	15.60912G	61.46	74.00	-12.54	19.64	3	Vertical	345	1.50	41.82	38.38	15.73	34.47


5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX
 5200MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.58216G	49.00	54.00	-5.00	19.70	3	Horizontal	171	2.99	29.30	38.45	15.71	34.46
PK	10.40544G	56.34	68.20	-11.86	17.04	3	Horizontal	163	1.00	39.30	38.91	12.69	34.56
PK	15.60184G	60.95	74.00	-13.05	19.66	3	Horizontal	171	2.99	41.29	38.40	15.73	34.47

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX


5240MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1446G	47.73	54.00	-6.27	8.81	3	Vertical	336	1.50	38.92	33.11	9.83	34.13
AV	5.2406G	110.47	Inf	-Inf	8.95	3	Vertical	336	1.50	101.52	33.20	9.89	34.14
AV	5.3546G	47.40	54.00	-6.60	8.72	3	Vertical	336	1.50	38.68	32.91	9.97	34.16
PK	5.1446G	60.24	74.00	-13.76	8.81	3	Vertical	336	1.50	51.43	33.11	9.83	34.13
PK	5.2358G	120.28	Inf	-Inf	8.95	3	Vertical	336	1.50	111.33	33.20	9.89	34.14
PK	5.36G	59.25	74.00	-14.75	8.73	3	Vertical	336	1.50	50.52	32.92	9.97	34.16


5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5240MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.7064G	47.98	54.00	-6.02	19.47	3	Vertical	0	2.57	28.51	38.20	15.80	34.53
PK	10.4744G	65.05	68.20	-3.15	17.18	3	Vertical	132	2.77	47.87	38.97	12.72	34.51
PK	15.70824G	61.20	74.00	-12.80	19.47	3	Vertical	0	2.57	41.73	38.20	15.80	34.53

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX
5240MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.7008G	48.21	54.00	-5.79	19.48	3	Horizontal	61	1.50	28.73	38.20	15.80	34.52
PK	10.47432G	57.44	68.20	-10.76	17.17	3	Horizontal	165	2.98	40.27	38.97	12.71	34.51
PK	15.70768G	60.76	74.00	-13.24	19.47	3	Horizontal	61	1.50	41.29	38.20	15.80	34.53


5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX
5745MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7378G	111.51	Inf	-Inf	9.88	3	Vertical	213	2.20	101.63	33.93	10.15	34.20
PK	5.6094G	60.56	68.20	-7.64	9.12	3	Vertical	213	2.20	51.44	33.24	10.08	34.20
PK	5.7378G	120.71	Inf	-Inf	9.88	3	Vertical	213	2.20	110.83	33.93	10.15	34.20
PK	5.955G	61.46	68.20	-6.74	10.56	3	Vertical	213	2.20	50.90	34.48	10.30	34.22




5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX
5745MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.49192G	50.09	54.00	-3.91	18.27	3	Vertical	276	1.95	31.82	39.22	13.11	34.06
PK	11.48688G	62.59	74.00	-11.41	18.28	3	Vertical	276	1.95	44.31	39.23	13.11	34.06
PK	17.2302G	63.09	68.20	-5.11	20.72	3	Vertical	293	2.19	42.37	37.77	16.22	33.27

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX
5745MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.492G	45.87	54.00	-8.13	18.27	3	Horizontal	320	2.28	27.60	39.22	13.11	34.06
PK	11.49136G	58.57	74.00	-15.43	18.27	3	Horizontal	320	2.28	40.30	39.22	13.11	34.06
PK	17.2246G	62.73	68.20	-5.47	20.73	3	Horizontal	160	1.36	42.00	37.78	16.22	33.27



5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX


5785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.77766G	112.43	Inf	-Inf	10.13	3	Vertical	98	2.12	102.30	34.17	10.17	34.21
PK	5.64335G	60.53	68.20	-7.67	9.26	3	Vertical	98	2.12	51.27	33.37	10.09	34.20
PK	5.77766G	121.59	Inf	-Inf	10.13	3	Vertical	98	2.12	111.46	34.17	10.17	34.21
PK	5.95795G	61.19	68.20	-7.01	10.55	3	Vertical	98	2.12	50.64	34.47	10.30	34.22

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX


5785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.56824G	48.66	54.00	-5.34	18.10	3	Vertical	188	2.02	30.56	39.06	13.14	34.10
PK	11.5676G	61.02	74.00	-12.98	18.10	3	Vertical	188	2.02	42.92	39.06	13.14	34.10
PK	17.36108G	63.78	68.20	-4.42	20.88	3	Vertical	134	1.92	42.90	37.88	16.24	33.24

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX


5785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.56816G	45.54	54.00	-8.46	18.10	3	Horizontal	224	3.00	27.44	39.06	13.14	34.10
PK	11.56288G	57.54	74.00	-16.46	18.12	3	Horizontal	224	3.00	39.42	39.07	13.14	34.09
PK	17.36932G	62.18	68.20	-6.02	20.92	3	Horizontal	188	2.70	41.26	37.91	16.24	33.23


5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5825MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8202G	110.62	Inf	-Inf	10.29	3	Vertical	189	2.00	100.33	34.30	10.20	34.21
PK	5.6282G	60.05	68.20	-8.15	9.20	3	Vertical	189	2.00	50.85	33.31	10.09	34.20
PK	5.819G	120.03	Inf	-Inf	10.28	3	Vertical	189	2.00	109.75	34.30	10.19	34.21
PK	5.939G	61.94	68.20	-6.26	10.56	3	Vertical	189	2.00	51.38	34.50	10.28	34.22

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX
5825MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.64832G	46.65	54.00	-7.35	17.93	3	Vertical	184	2.10	28.72	38.90	13.17	34.14
PK	11.648G	60.00	74.00	-14.00	17.93	3	Vertical	184	2.10	42.07	38.90	13.17	34.14
PK	17.4842G	61.49	68.20	-6.71	21.23	3	Vertical	360	1.17	40.26	38.17	16.26	33.20


5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX
5825MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.64832G	45.05	54.00	-8.95	17.93	3	Horizontal	210	1.02	27.12	38.90	13.17	34.14
PK	11.6588G	57.16	74.00	-16.84	17.91	3	Horizontal	210	1.02	39.25	38.88	13.18	34.15
PK	17.4562G	61.55	68.20	-6.65	21.15	3	Horizontal	205	1.50	40.40	38.11	16.25	33.21

5.15-5.25GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5180MHz_TX




20/09/2022

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1462G	52.80	54.00	-1.20	8.81	3	Vertical	339	1.43	43.99	33.11	9.83	34.13
AV	5.175G	108.33	Inf	-Inf	8.87	3	Vertical	339	1.43	99.46	33.15	9.85	34.13
PK	5.1452G	66.23	74.00	-7.77	8.81	3	Vertical	339	1.43	57.42	33.11	9.83	34.13
PK	5.1754G	121.14	Inf	-Inf	8.87	3	Vertical	339	1.43	112.27	33.15	9.85	34.13

5.15-5.25GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


5180MHz_TX



19/09/2022


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.5368G	48.77	54.00	-5.23	19.84	3	Vertical	327	2.63	28.93	38.59	15.68	34.43
PK	10.36024G	57.30	68.20	-10.90	16.98	3	Vertical	40	2.21	40.32	38.90	12.67	34.59
PK	15.55864G	61.90	74.00	-12.10	19.77	3	Vertical	327	2.63	42.13	38.52	15.69	34.44

5.15-5.25GHz_802.11ax HEW20_Nss1,(MCS0)_2TX
5180MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.53704G	48.81	54.00	-5.19	19.84	3	Horizontal	222	1.35	28.97	38.59	15.68	34.43
PK	10.3604G	56.56	68.20	-11.64	16.98	3	Horizontal	0	2.95	39.58	38.90	12.67	34.59
PK	15.52192G	61.49	74.00	-12.51	19.88	3	Horizontal	222	1.35	41.61	38.63	15.67	34.42


5.15-5.25GHz_802.11ax HEW20_Nss1,(MCS0)_2TX
5200MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	48.27	54.00	-5.73	8.80	3	Vertical	236	1.92	39.47	33.10	9.83	34.13
AV	5.2036G	110.21	Inf	-Inf	8.92	3	Vertical	236	1.92	101.29	33.20	9.86	34.14
PK	5.1436G	60.86	74.00	-13.14	8.81	3	Vertical	236	1.92	52.05	33.11	9.83	34.13
PK	5.2028G	122.54	Inf	-Inf	8.92	3	Vertical	236	1.92	113.62	33.20	9.86	34.14




5.15-5.25GHz_802.11ax HEW20_Nss1,(MCS0)_2TX
5200MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.58216G	48.45	54.00	-5.55	19.70	3	Vertical	278	2.18	28.75	38.45	15.71	34.46
PK	10.39904G	58.17	68.20	-10.03	17.03	3	Vertical	41	2.14	41.14	38.90	12.69	34.56
PK	15.61672G	62.52	74.00	-11.48	19.63	3	Vertical	278	2.18	42.89	38.37	15.74	34.48

5.15-5.25GHz_802.11ax HEW20_Nss1,(MCS0)_2TX
5200MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.60304G	48.43	54.00	-5.57	19.65	3	Horizontal	191	1.50	28.78	38.39	15.73	34.47
PK	10.40832G	59.67	68.20	-8.53	17.04	3	Horizontal	130	1.98	42.63	38.91	12.69	34.56
PK	15.58504G	62.14	74.00	-11.86	19.69	3	Horizontal	191	1.50	42.45	38.44	15.71	34.46

5.15-5.25GHz_802.11ax HEW20_Nss1,(MCS0)_2TX
 5240MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1446G	47.55	54.00	-6.45	8.81	3	Vertical	338	1.50	38.74	33.11	9.83	34.13
AV	5.2418G	109.16	Inf	-Inf	8.95	3	Vertical	338	1.50	100.21	33.20	9.89	34.14
AV	5.3864G	47.05	54.00	-6.95	8.79	3	Vertical	338	1.50	38.26	32.97	9.99	34.17
PK	5.1446G	59.53	74.00	-14.47	8.81	3	Vertical	338	1.50	50.72	33.11	9.83	34.13
PK	5.2424G	122.04	Inf	-Inf	8.95	3	Vertical	338	1.50	113.09	33.20	9.89	34.14
PK	5.3732G	59.18	74.00	-14.82	8.76	3	Vertical	338	1.50	50.42	32.95	9.98	34.17

5.15-5.25GHz_802.11ax HEW20_Nss1,(MCS0)_2TX
 5240MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.70056G	47.69	54.00	-6.31	19.48	3	Vertical	115	1.50	28.21	38.20	15.80	34.52
PK	10.4796G	64.54	68.20	-3.66	17.20	3	Vertical	132	2.83	47.34	38.98	12.72	34.50
PK	15.7168G	60.93	74.00	-13.07	19.48	3	Vertical	115	1.50	41.45	38.20	15.81	34.53

5.15-5.25GHz_802.11ax HEW20_Nss1,(MCS0)_2TX
5240MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.7008G	47.74	54.00	-6.26	19.48	3	Horizontal	82	1.29	28.26	38.20	15.80	34.52
PK	10.47856G	57.24	68.20	-10.96	17.19	3	Horizontal	162	3.00	40.05	38.98	12.72	34.51
PK	15.71368G	61.18	74.00	-12.82	19.48	3	Horizontal	82	1.29	41.70	38.20	15.81	34.53

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_2TX
5745MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7366G	111.36	Inf	-Inf	9.87	3	Vertical	190	1.94	101.49	33.92	10.15	34.20
PK	5.5338G	60.04	68.20	-8.16	9.06	3	Vertical	190	1.94	50.98	33.20	10.05	34.19
PK	5.7366G	122.34	Inf	-Inf	9.87	3	Vertical	190	1.94	112.47	33.92	10.15	34.20
PK	5.9526G	61.29	68.20	-6.91	10.56	3	Vertical	190	1.94	50.73	34.49	10.29	34.22

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_2TX
5745MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.48536G	48.97	54.00	-5.03	18.28	3	Vertical	278	2.04	30.69	39.23	13.11	34.06
PK	11.4848G	62.44	74.00	-11.56	18.28	3	Vertical	278	2.04	44.16	39.23	13.11	34.06
PK	17.23876G	63.63	68.20	-4.57	20.71	3	Vertical	258	1.00	42.92	37.76	16.22	33.27


5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_2TX
5745MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.48448G	44.75	54.00	-9.25	18.28	3	Horizontal	320	2.29	26.47	39.23	13.11	34.06
PK	11.47248G	58.02	74.00	-15.98	18.30	3	Horizontal	320	2.29	39.72	39.26	13.10	34.06
PK	17.2322G	62.41	68.20	-5.79	20.72	3	Horizontal	243	1.50	41.69	37.77	16.22	33.27

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


5785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.77645G	110.83	Inf	-Inf	10.12	3	Vertical	191	1.96	100.71	34.16	10.17	34.21
PK	5.63851G	60.78	68.20	-7.42	9.24	3	Vertical	191	1.96	51.54	33.35	10.09	34.20
PK	5.77645G	121.93	Inf	-Inf	10.12	3	Vertical	191	1.96	111.81	34.16	10.17	34.21
PK	5.94585G	61.04	68.20	-7.16	10.57	3	Vertical	191	1.96	50.47	34.50	10.29	34.22

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


5785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.57496G	47.05	54.00	-6.95	18.09	3	Vertical	202	2.02	28.96	39.05	13.14	34.10
PK	11.57728G	61.36	74.00	-12.64	18.10	3	Vertical	202	2.02	43.26	39.05	13.15	34.10
PK	17.35164G	63.46	68.20	-4.74	20.85	3	Vertical	265	2.21	42.61	37.85	16.24	33.24




5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_2TX
 5785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.56696G	44.32	54.00	-9.68	18.11	3	Horizontal	219	1.68	26.21	39.07	13.14	34.10
PK	11.56624G	57.55	74.00	-16.45	18.11	3	Horizontal	219	1.68	39.44	39.07	13.14	34.10
PK	17.36884G	62.75	68.20	-5.45	20.92	3	Horizontal	89	1.83	41.83	37.91	16.24	33.23


5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_2TX
 5825MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8166G	110.80	Inf	-Inf	10.28	3	Vertical	192	2.11	100.52	34.30	10.19	34.21
PK	5.6138G	60.33	68.20	-7.87	9.14	3	Vertical	192	2.11	51.19	33.26	10.08	34.20
PK	5.8166G	123.29	Inf	-Inf	10.28	3	Vertical	192	2.11	113.01	34.30	10.19	34.21
PK	6.095G	61.10	68.20	-7.10	10.41	3	Vertical	192	2.11	50.69	34.21	10.43	34.23




5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_2TX
5825MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.64608G	45.96	54.00	-8.04	17.94	3	Vertical	183	1.95	28.02	38.91	13.17	34.14
PK	11.63544G	58.61	74.00	-15.39	17.97	3	Vertical	183	1.95	40.64	38.93	13.17	34.13
PK	17.4834G	61.44	68.20	-6.76	21.23	3	Vertical	360	3.00	40.21	38.17	16.26	33.20

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_2TX
5825MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.64624G	43.84	54.00	-10.16	17.94	3	Horizontal	211	1.04	25.90	38.91	13.17	34.14
PK	11.65872G	57.14	74.00	-16.86	17.91	3	Horizontal	211	1.04	39.23	38.88	13.18	34.15
PK	17.4586G	61.21	68.20	-6.99	21.16	3	Horizontal	18	2.75	40.05	38.12	16.25	33.21



5.15-5.25GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


5190MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1476G	53.02	54.00	-0.98	8.80	3	Vertical	336	1.73	44.22	33.10	9.83	34.13
AV	5.1864G	104.21	Inf	-Inf	8.89	3	Vertical	336	1.73	95.32	33.17	9.85	34.13
PK	5.146G	66.13	74.00	-7.87	8.81	3	Vertical	336	1.73	57.32	33.11	9.83	34.13
PK	5.1968G	117.64	Inf	-Inf	8.91	3	Vertical	336	1.73	108.73	33.19	9.86	34.14


5.15-5.25GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5190MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.53912G	48.79	54.00	-5.21	19.83	3	Vertical	170	3.00	28.96	38.58	15.68	34.43
PK	10.38G	54.87	68.20	-13.33	17.00	3	Vertical	39	2.26	37.87	38.90	12.68	34.58
PK	15.58024G	61.60	74.00	-12.40	19.72	3	Vertical	170	3.00	41.88	38.46	15.71	34.45

5.15-5.25GHz_802.11ax HEW40_Nss1,(MCS0)_2TX
5190MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.54136G	48.70	54.00	-5.30	19.83	3	Horizontal	247	2.21	28.87	38.58	15.68	34.43
PK	10.37216G	55.16	68.20	-13.04	17.00	3	Horizontal	322	2.98	38.16	38.90	12.68	34.58
PK	15.58008G	61.76	74.00	-12.24	19.72	3	Horizontal	247	2.21	42.04	38.46	15.71	34.45


5.15-5.25GHz_802.11ax HEW40_Nss1,(MCS0)_2TX
5230MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1464G	49.20	54.00	-4.80	8.81	3	Vertical	338	1.50	40.39	33.11	9.83	34.13
AV	5.236G	107.18	Inf	-Inf	8.95	3	Vertical	338	1.50	98.23	33.20	9.89	34.14
PK	5.1448G	62.15	74.00	-11.85	8.81	3	Vertical	338	1.50	53.34	33.11	9.83	34.13
PK	5.2264G	120.80	Inf	-Inf	8.94	3	Vertical	338	1.50	111.86	33.20	9.88	34.14




5.15-5.25GHz_802.11ax HEW40_Nss1,(MCS0)_2TX
5230MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.65176G	47.98	54.00	-6.02	19.57	3	Vertical	155	1.50	28.41	38.30	15.76	34.49
PK	10.4784G	61.37	68.20	-6.83	17.19	3	Vertical	132	2.83	44.18	38.98	12.72	34.51
PK	15.66328G	60.92	74.00	-13.08	19.54	3	Vertical	155	1.50	41.38	38.27	15.77	34.50


5.15-5.25GHz_802.11ax HEW40_Nss1,(MCS0)_2TX
5230MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.65032G	47.99	54.00	-6.01	19.57	3	Horizontal	250	1.50	28.42	38.30	15.76	34.49
PK	10.49056G	55.15	68.20	-13.05	17.21	3	Horizontal	162	1.00	37.94	38.99	12.72	34.50
PK	15.67768G	61.55	74.00	-12.45	19.51	3	Horizontal	250	1.50	42.04	38.24	15.78	34.51

5.725-5.85GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


5755MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7454G	108.59	Inf	-Inf	9.92	3	Vertical	189	1.95	98.67	33.97	10.15	34.20
PK	5.6542G	70.68	71.31	-0.63	9.33	3	Vertical	189	1.95	61.35	33.43	10.10	34.20
PK	5.7454G	119.92	Inf	-Inf	9.92	3	Vertical	189	1.95	110.00	33.97	10.15	34.20
PK	5.9494G	61.23	68.20	-6.97	10.57	3	Vertical	189	1.95	50.66	34.50	10.29	34.22

5.725-5.85GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


5755MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.50664G	44.95	54.00	-9.05	18.25	3	Vertical	181	1.94	26.70	39.19	13.12	34.06
PK	11.50696G	57.38	74.00	-16.62	18.25	3	Vertical	181	1.94	39.13	39.19	13.12	34.06
PK	17.27988G	62.62	68.20	-5.58	20.68	3	Vertical	70	1.50	41.94	37.72	16.22	33.26




5.725-5.85GHz_802.11ax HEW40_Nss1,(MCS0)_2TX
5755MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.50552G	44.46	54.00	-9.54	18.25	3	Horizontal	314	1.96	26.21	39.19	13.12	34.06
PK	11.50568G	57.39	74.00	-16.61	18.25	3	Horizontal	314	1.96	39.14	39.19	13.12	34.06
PK	17.24548G	62.34	68.20	-5.86	20.70	3	Horizontal	58	1.50	41.64	37.75	16.22	33.27

5.725-5.85GHz_802.11ax HEW40_Nss1,(MCS0)_2TX
5795MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7974G	107.91	Inf	-Inf	10.25	3	Vertical	191	1.99	97.66	34.28	10.18	34.21
PK	5.6306G	61.32	68.20	-6.88	9.21	3	Vertical	191	1.99	52.11	33.32	10.09	34.20
PK	5.795G	120.40	Inf	-Inf	10.24	3	Vertical	191	1.99	110.16	34.27	10.18	34.21
PK	5.9618G	61.26	68.20	-6.94	10.53	3	Vertical	191	1.99	50.73	34.45	10.30	34.22

5.725-5.85GHz_802.11ax HEW40_Nss1,(MCS0)_2TX
5795MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.5868G	46.85	54.00	-7.15	18.07	3	Vertical	182	2.00	28.78	39.03	13.15	34.11
PK	11.5836G	59.52	74.00	-14.48	18.07	3	Vertical	182	2.00	41.45	39.03	13.15	34.11
PK	17.39604G	64.05	68.20	-4.15	21.00	3	Vertical	141	2.86	43.05	37.99	16.24	33.23

5.725-5.85GHz_802.11ax HEW40_Nss1,(MCS0)_2TX
5795MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.58952G	43.77	54.00	-10.23	18.06	3	Horizontal	214	3.00	25.71	39.02	13.15	34.11
PK	11.5796G	56.39	74.00	-17.61	18.09	3	Horizontal	214	3.00	38.30	39.04	13.15	34.10
PK	17.3866G	62.78	68.20	-5.42	20.97	3	Horizontal	218	2.61	41.81	37.96	16.24	33.23

5.15-5.25GHz_802.11ax HEW80_Nss1,(MCS0)_2TX
5210MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.142G	53.22	54.00	-0.78	8.82	3	Vertical	334	1.50	44.40	33.12	9.83	34.13
AV	5.233G	100.05	Inf	-Inf	8.94	3	Vertical	334	1.50	91.11	33.20	9.88	34.14
AV	5.353G	47.48	54.00	-6.52	8.72	3	Vertical	334	1.50	38.76	32.91	9.97	34.16
PK	5.141G	66.67	74.00	-7.33	8.82	3	Vertical	334	1.50	57.85	33.12	9.83	34.13
PK	5.232G	112.34	Inf	-Inf	8.94	3	Vertical	334	1.50	103.40	33.20	9.88	34.14
PK	5.404G	60.49	74.00	-13.51	8.83	3	Vertical	334	1.50	51.66	33.00	10.00	34.17

5.15-5.25GHz_802.11ax HEW80_Nss1,(MCS0)_2TX
5210MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.55128G	48.69	54.00	-5.31	19.80	3	Vertical	360	1.50	28.89	38.55	15.69	34.44
PK	10.45008G	55.56	68.20	-12.64	17.13	3	Vertical	131	2.89	38.43	38.95	12.71	34.53
PK	15.67704G	61.25	74.00	-12.75	19.52	3	Vertical	360	1.50	41.73	38.25	15.78	34.51

5.15-5.25GHz_802.11ax HEW80_Nss1,(MCS0)_2TX
 5210MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.58008G	48.56	54.00	-5.44	19.72	3	Horizontal	343	1.15	28.84	38.46	15.71	34.45
PK	10.46928G	53.78	68.20	-14.42	17.17	3	Horizontal	2	3.00	36.61	38.97	12.71	34.51
PK	15.70648G	60.91	74.00	-13.09	19.47	3	Horizontal	343	1.15	41.44	38.20	15.80	34.53

5.725-5.85GHz_802.11ax HEW80_Nss1,(MCS0)_2TX
 5775MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8166G	110.80	Inf	-Inf	10.28	3	Vertical	192	2.11	100.52	34.30	10.19	34.21
PK	5.6138G	60.33	68.20	-7.87	9.14	3	Vertical	192	2.11	51.19	33.26	10.08	34.20
PK	5.8166G	123.29	Inf	-Inf	10.28	3	Vertical	192	2.11	113.01	34.30	10.19	34.21
PK	6.095G	61.10	68.20	-7.10	10.41	3	Vertical	192	2.11	50.69	34.21	10.43	34.23

5.725-5.85GHz_802.11ax HEW80_Nss1,(MCS0)_2TX
5775MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.53944G	43.06	54.00	-10.94	18.17	3	Vertical	190	1.46	24.89	39.12	13.13	34.08
PK	11.55928G	55.80	74.00	-18.20	18.13	3	Vertical	190	1.46	37.67	39.08	13.14	34.09
PK	17.27476G	62.72	68.20	-5.48	20.69	3	Vertical	6	1.50	42.03	37.73	16.22	33.26

5.725-5.85GHz_802.11ax HEW80_Nss1,(MCS0)_2TX
5775MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.55832G	42.53	54.00	-11.47	18.13	3	Horizontal	214	2.90	24.40	39.08	13.14	34.09
PK	11.54456G	54.86	74.00	-19.14	18.16	3	Horizontal	214	2.90	36.70	39.11	13.13	34.08
PK	17.27924G	62.19	68.20	-6.01	20.68	3	Horizontal	256	1.50	41.51	37.72	16.22	33.26



Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW80_Nss1,(MCS0)_2TX	Pass	PK	620.46M	40.79	46.00	-5.21	3	Vertical	0	1.00	-




Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
802.11ax HEW80_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-
5775MHz	Pass	PK	31.78M	31.96	40.00	-8.04	3	Vertical	0	1.00	-
5775MHz	Pass	PK	224.96M	29.55	46.00	-16.45	3	Vertical	0	1.00	-
5775MHz	Pass	PK	290.65M	28.75	46.00	-17.25	3	Vertical	0	1.00	-
5775MHz	Pass	PK	535.1M	34.57	46.00	-11.43	3	Vertical	0	1.00	-
5775MHz	Pass	PK	620.46M	40.79	46.00	-5.21	3	Vertical	0	1.00	-
5775MHz	Pass	PK	877.16M	37.15	46.00	-8.85	3	Vertical	0	1.00	-
5775MHz	Pass	PK	43.17M	29.61	40.00	-10.39	3	Horizontal	360	1.00	-
5775MHz	Pass	PK	191.34M	33.53	43.50	-9.97	3	Horizontal	360	1.00	-
5775MHz	Pass	PK	294.22M	32.33	46.00	-13.67	3	Horizontal	360	1.00	-
5775MHz	Pass	PK	345.02M	34.04	46.00	-11.96	3	Horizontal	360	1.00	-
5775MHz	Pass	PK	617.06M	38.59	46.00	-7.41	3	Horizontal	360	1.00	-
5775MHz	Pass	PK	859.41M	37.79	46.00	-8.21	3	Horizontal	360	1.00	-

5.725-5.85GHz_802.11ax HEW80_Nss1,(MCS0)_2TX


5775MHz_Adapter



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	31.78M	31.96	40.00	-8.04	-3.68	3	Vertical	0	1.00	-	35.64	22.14	1.02	26.84
PK	224.96M	29.55	46.00	-16.45	-10.40	3	Vertical	0	1.00	-	39.95	14.75	2.14	27.29
PK	290.65M	28.75	46.00	-17.25	-6.55	3	Vertical	0	1.00	-	35.30	18.17	2.46	27.18
PK	535.1M	34.57	46.00	-11.43	-2.20	3	Vertical	0	1.00	-	36.77	22.97	3.38	28.55
PK	620.46M	40.79	46.00	-5.21	-0.70	3	Vertical	0	1.00	-	41.49	24.15	3.64	28.49
PK	877.16M	37.15	46.00	-8.85	2.14	3	Vertical	0	1.00	-	35.01	25.56	4.38	27.80

5.725-5.85GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5775MHz_Adapter



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	43.17M	29.61	40.00	-10.39	-9.73	3	Horizontal	360	1.00	-	39.34	16.27	1.03	27.03
PK	191.34M	33.53	43.50	-9.97	-11.25	3	Horizontal	360	1.00	-	44.78	14.22	1.98	27.45
PK	294.22M	32.33	46.00	-13.67	-6.47	3	Horizontal	360	1.00	-	38.80	18.24	2.48	27.19
PK	345.02M	34.04	46.00	-11.96	-5.47	3	Horizontal	360	1.00	-	39.51	19.31	2.69	27.47
PK	617.06M	38.59	46.00	-7.41	-0.74	3	Horizontal	360	1.00	-	39.33	24.11	3.63	28.48
PK	859.41M	37.79	46.00	-8.21	2.01	3	Horizontal	360	1.00	-	35.78	25.57	4.29	27.85



Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX	Pass	PK	10.47814G	67.06	68.20	-1.14	3	Vertical	235	2.15
802.11ax HEW20_Nss1,(MCS0)_2TX	Pass	PK	10.40288G	66.95	68.20	-1.25	3	Vertical	119	2.03
802.11ax HEW40_Nss1,(MCS0)_2TX	Pass	AV	5.1496G	53.14	54.00	-0.86	3	Vertical	220	1.50
802.11ax HEW80_Nss1,(MCS0)_2TX	Pass	AV	5.15G	52.82	54.00	-1.18	3	Vertical	167	1.50
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX	Pass	PK	17.22258G	63.36	68.20	-4.84	3	Horizontal	235	1.50
802.11ax HEW20_Nss1,(MCS0)_2TX	Pass	PK	17.22652G	63.78	68.20	-4.42	3	Vertical	224	3.00
802.11ax HEW40_Nss1,(MCS0)_2TX	Pass	PK	5.6446G	66.26	68.20	-1.94	3	Vertical	192	1.82
802.11ax HEW80_Nss1,(MCS0)_2TX	Pass	PK	5.649G	66.26	68.20	-1.94	3	Vertical	192	1.78



Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11a_Nss1_(6Mbps)_2TX	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	AV	5.1484G	51.97	54.00	-2.03	3	Vertical	212	1.20
5180MHz	Pass	AV	5.1728G	109.48	Inf	-Inf	3	Vertical	212	1.20
5180MHz	Pass	PK	5.1486G	65.41	74.00	-8.59	3	Vertical	212	1.20
5180MHz	Pass	PK	5.1732G	119.32	Inf	-Inf	3	Vertical	212	1.20
5180MHz	Pass	AV	5.5454G	49.26	54.00	-4.74	3	Vertical	99	1.50
5180MHz	Pass	PK	10.36198G	65.59	68.20	-2.61	3	Vertical	119	2.08
5180MHz	Pass	PK	15.53928G	61.68	74.00	-12.32	3	Vertical	99	1.50
5180MHz	Pass	AV	15.53802G	49.21	54.00	-4.79	3	Horizontal	71	1.50
5180MHz	Pass	PK	10.36222G	60.40	68.20	-7.80	3	Horizontal	209	1.01
5180MHz	Pass	PK	15.52674G	62.06	74.00	-11.94	3	Horizontal	71	1.50
5200MHz	Pass	AV	5.15G	48.30	54.00	-5.70	3	Vertical	186	1.50
5200MHz	Pass	AV	5.206G	109.69	Inf	-Inf	3	Vertical	186	1.50
5200MHz	Pass	PK	5.146G	60.29	74.00	-13.71	3	Vertical	186	1.50
5200MHz	Pass	PK	5.2056G	118.84	Inf	-Inf	3	Vertical	186	1.50
5200MHz	Pass	AV	15.58686G	48.86	54.00	-5.14	3	Vertical	265	1.50
5200MHz	Pass	PK	10.40168G	66.80	68.20	-1.40	3	Vertical	119	2.00
5200MHz	Pass	PK	15.5916G	61.85	74.00	-12.15	3	Vertical	265	1.50
5200MHz	Pass	AV	15.58584G	48.63	54.00	-5.37	3	Horizontal	77	1.50
5200MHz	Pass	PK	10.40222G	62.26	68.20	-5.94	3	Horizontal	210	1.04
5200MHz	Pass	PK	15.58818G	61.89	74.00	-12.11	3	Horizontal	77	1.50
5240MHz	Pass	AV	5.1194G	47.47	54.00	-6.53	3	Vertical	214	1.45
5240MHz	Pass	AV	5.2334G	108.37	Inf	-Inf	3	Vertical	214	1.45
5240MHz	Pass	AV	5.3882G	47.30	54.00	-6.70	3	Vertical	214	1.45
5240MHz	Pass	PK	5.093G	60.14	74.00	-13.86	3	Vertical	214	1.45
5240MHz	Pass	PK	5.234G	117.87	Inf	-Inf	3	Vertical	214	1.45
5240MHz	Pass	PK	5.3522G	59.92	74.00	-14.08	3	Vertical	214	1.45
5240MHz	Pass	AV	15.7149G	47.81	54.00	-6.19	3	Vertical	84	1.50
5240MHz	Pass	PK	10.47814G	67.06	68.20	-1.14	3	Vertical	235	2.15
5240MHz	Pass	PK	15.72156G	60.87	74.00	-13.13	3	Vertical	84	1.50
5240MHz	Pass	AV	15.72852G	47.62	54.00	-6.38	3	Horizontal	360	1.50
5240MHz	Pass	PK	10.48204G	61.68	68.20	-6.52	3	Horizontal	208	1.03
5240MHz	Pass	PK	15.72222G	60.21	74.00	-13.79	3	Horizontal	360	1.50
5745MHz	Pass	AV	5.7378G	111.78	Inf	-Inf	3	Vertical	198	1.72
5745MHz	Pass	PK	5.631G	60.45	68.20	-7.75	3	Vertical	198	1.72
5745MHz	Pass	PK	5.739G	121.12	Inf	-Inf	3	Vertical	198	1.72
5745MHz	Pass	PK	6.0414G	61.22	68.20	-6.98	3	Vertical	198	1.72
5745MHz	Pass	AV	11.49192G	45.09	54.00	-8.91	3	Vertical	205	1.87
5745MHz	Pass	PK	11.49204G	57.70	74.00	-16.30	3	Vertical	205	1.87
5745MHz	Pass	PK	17.24766G	62.57	68.20	-5.63	3	Vertical	151	1.50
5745MHz	Pass	AV	11.49192G	46.78	54.00	-7.22	3	Horizontal	317	2.18
5745MHz	Pass	PK	11.49198G	59.34	74.00	-14.66	3	Horizontal	317	2.18
5745MHz	Pass	PK	17.22258G	63.36	68.20	-4.84	3	Horizontal	235	1.50
5785MHz	Pass	AV	5.79218G	112.96	Inf	-Inf	3	Vertical	194	1.88
5785MHz	Pass	PK	5.6252G	60.04	68.20	-8.16	3	Vertical	194	1.88
5785MHz	Pass	PK	5.77766G	121.79	Inf	-Inf	3	Vertical	194	1.88
5785MHz	Pass	PK	5.93254G	61.41	68.20	-6.79	3	Vertical	194	1.88
5785MHz	Pass	AV	11.57234G	48.21	54.00	-5.79	3	Vertical	194	2.00
5785MHz	Pass	PK	11.57216G	60.71	74.00	-13.29	3	Vertical	194	2.00
5785MHz	Pass	PK	17.3469G	61.94	68.20	-6.26	3	Vertical	159	2.97
5785MHz	Pass	AV	11.57204G	46.80	54.00	-7.20	3	Horizontal	223	1.00
5785MHz	Pass	PK	11.57162G	58.97	74.00	-15.03	3	Horizontal	223	1.00
5785MHz	Pass	PK	17.34408G	62.44	68.20	-5.76	3	Horizontal	112	2.53
5825MHz	Pass	AV	5.8178G	112.87	Inf	-Inf	3	Vertical	197	1.73
5825MHz	Pass	PK	5.6174G	60.07	68.20	-8.13	3	Vertical	197	1.73
5825MHz	Pass	PK	5.8178G	121.75	Inf	-Inf	3	Vertical	197	1.73
5825MHz	Pass	PK	5.9786G	61.28	68.20	-6.92	3	Vertical	197	1.73
5825MHz	Pass	AV	11.64826G	48.15	54.00	-5.85	3	Vertical	182	2.04
5825MHz	Pass	PK	11.64808G	60.64	74.00	-13.36	3	Vertical	182	2.04
5825MHz	Pass	PK	17.46252G	61.38	68.20	-6.82	3	Vertical	231	1.50
5825MHz	Pass	AV	11.64814G	45.74	54.00	-8.26	3	Horizontal	213	1.00



RSE TX above 1GHz_Non-Beamforming_Radio3

Appendix E.6

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5825MHz	Pass	PK	11.64874G	58.71	74.00	-15.29	3	Horizontal	213	1.00
5825MHz	Pass	PK	17.46006G	61.51	68.20	-6.69	3	Horizontal	360	1.44
802.11ax HEW20_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	AV	5.15G	52.68	54.00	-1.32	3	Vertical	166	1.50
5180MHz	Pass	AV	5.1708G	108.14	Inf	-Inf	3	Vertical	166	1.50
5180MHz	Pass	PK	5.1496G	68.20	74.00	-5.80	3	Vertical	166	1.50
5180MHz	Pass	PK	5.1714G	120.42	Inf	-Inf	3	Vertical	166	1.50
5180MHz	Pass	AV	15.52376G	48.69	54.00	-5.31	3	Vertical	254	1.93
5180MHz	Pass	PK	10.36448G	65.75	68.20	-2.45	3	Vertical	123	2.00
5180MHz	Pass	PK	15.54096G	61.70	74.00	-12.30	3	Vertical	254	1.93
5180MHz	Pass	AV	15.52224G	48.61	54.00	-5.39	3	Horizontal	88	1.50
5180MHz	Pass	PK	10.36288G	62.60	68.20	-5.60	3	Horizontal	283	2.10
5180MHz	Pass	PK	15.53208G	62.77	74.00	-11.23	3	Horizontal	88	1.50
5200MHz	Pass	AV	5.1496G	47.69	54.00	-6.31	3	Vertical	218	1.50
5200MHz	Pass	AV	5.2084G	108.65	Inf	-Inf	3	Vertical	218	1.50
5200MHz	Pass	PK	5.1144G	60.60	74.00	-13.40	3	Vertical	218	1.50
5200MHz	Pass	PK	5.2084G	120.95	Inf	-Inf	3	Vertical	218	1.50
5200MHz	Pass	AV	15.58524G	48.28	54.00	-5.72	3	Vertical	296	1.00
5200MHz	Pass	PK	10.40288G	66.95	68.20	-1.25	3	Vertical	119	2.03
5200MHz	Pass	PK	15.60456G	62.20	74.00	-11.80	3	Vertical	296	1.00
5200MHz	Pass	AV	15.5853G	48.23	54.00	-5.77	3	Horizontal	25	1.50
5200MHz	Pass	PK	10.39508G	59.45	68.20	-8.75	3	Horizontal	210	1.14
5200MHz	Pass	PK	15.60276G	61.69	74.00	-12.31	3	Horizontal	25	1.50
5240MHz	Pass	AV	5.09G	47.21	54.00	-6.79	3	Vertical	218	1.50
5240MHz	Pass	AV	5.249G	109.91	Inf	-Inf	3	Vertical	218	1.50
5240MHz	Pass	AV	5.381G	47.27	54.00	-6.73	3	Vertical	218	1.50
5240MHz	Pass	PK	5.108G	59.68	74.00	-14.32	3	Vertical	218	1.50
5240MHz	Pass	PK	5.2484G	122.44	Inf	-Inf	3	Vertical	218	1.50
5240MHz	Pass	PK	5.3846G	59.52	74.00	-14.48	3	Vertical	218	1.50
5240MHz	Pass	AV	15.7137G	47.32	54.00	-6.68	3	Vertical	6	2.94
5240MHz	Pass	PK	10.4779G	66.92	68.20	-1.28	3	Vertical	236	1.94
5240MHz	Pass	PK	15.71418G	60.58	74.00	-13.42	3	Vertical	6	2.94
5240MHz	Pass	AV	15.71238G	47.27	54.00	-6.73	3	Horizontal	344	1.50
5240MHz	Pass	PK	10.47142G	62.88	68.20	-5.32	3	Horizontal	281	2.25
5240MHz	Pass	PK	15.7341G	60.49	74.00	-13.51	3	Horizontal	344	1.50
5745MHz	Pass	AV	5.7366G	112.15	Inf	-Inf	3	Vertical	189	2.12
5745MHz	Pass	PK	5.637G	60.51	68.20	-7.69	3	Vertical	189	2.12
5745MHz	Pass	PK	5.7378G	122.96	Inf	-Inf	3	Vertical	189	2.12
5745MHz	Pass	PK	5.9586G	61.35	68.20	-6.85	3	Vertical	189	2.12
5745MHz	Pass	AV	11.49G	43.75	54.00	-10.25	3	Vertical	194	1.50
5745MHz	Pass	PK	11.486G	56.36	74.00	-17.64	3	Vertical	194	1.50
5745MHz	Pass	PK	17.22652G	63.78	68.20	-4.42	3	Vertical	224	3.00
5745MHz	Pass	AV	11.49272G	44.64	54.00	-9.36	3	Horizontal	319	2.27
5745MHz	Pass	PK	11.47352G	57.59	74.00	-16.41	3	Horizontal	319	2.27
5745MHz	Pass	PK	17.21652G	62.30	68.20	-5.90	3	Horizontal	19	1.47
5785MHz	Pass	AV	5.77766G	113.28	Inf	-Inf	3	Vertical	191	1.80
5785MHz	Pass	PK	5.56954G	60.15	68.20	-8.05	3	Vertical	191	1.80
5785MHz	Pass	PK	5.77766G	125.25	Inf	-Inf	3	Vertical	191	1.80
5785MHz	Pass	PK	6.05112G	61.54	68.20	-6.66	3	Vertical	191	1.80
5785MHz	Pass	AV	11.56968G	46.22	54.00	-7.78	3	Vertical	192	1.40
5785MHz	Pass	PK	11.56952G	60.10	74.00	-13.90	3	Vertical	192	1.40
5785MHz	Pass	PK	17.3702G	63.29	68.20	-4.91	3	Vertical	272	1.28
5785MHz	Pass	AV	11.57064G	44.90	54.00	-9.10	3	Horizontal	251	2.04
5785MHz	Pass	PK	11.58104G	57.44	74.00	-16.56	3	Horizontal	251	2.04
5785MHz	Pass	PK	17.3374G	61.87	68.20	-6.33	3	Horizontal	183	1.50
5825MHz	Pass	AV	5.8166G	113.37	Inf	-Inf	3	Vertical	190	1.88
5825MHz	Pass	PK	5.6426G	60.88	68.20	-7.32	3	Vertical	190	1.88
5825MHz	Pass	PK	5.8178G	125.85	Inf	-Inf	3	Vertical	190	1.88
5825MHz	Pass	PK	6.1166G	61.82	68.20	-6.38	3	Vertical	190	1.88
5825MHz	Pass	AV	11.64672G	47.25	54.00	-6.75	3	Vertical	184	1.95
5825MHz	Pass	PK	11.64688G	60.04	74.00	-13.96	3	Vertical	184	1.95
5825MHz	Pass	PK	17.4706G	61.36	68.20	-6.84	3	Vertical	136	2.27



RSE TX above 1GHz_Non-Beamforming_Radio3

Appendix E.6


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5825MHz	Pass	AV	11.64728G	45.07	54.00	-8.93	3	Horizontal	215	1.00
5825MHz	Pass	PK	11.64944G	57.75	74.00	-16.25	3	Horizontal	215	1.00
5825MHz	Pass	PK	17.47844G	61.10	68.20	-7.10	3	Horizontal	0	1.62
802.11ax HEW40_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5190MHz	Pass	AV	5.1472G	52.98	54.00	-1.02	3	Vertical	214	1.50
5190MHz	Pass	AV	5.1872G	104.58	Inf	-Inf	3	Vertical	214	1.50
5190MHz	Pass	PK	5.1436G	70.50	74.00	-3.50	3	Vertical	214	1.50
5190MHz	Pass	PK	5.176G	116.68	Inf	-Inf	3	Vertical	214	1.50
5190MHz	Pass	AV	15.54056G	48.53	54.00	-5.47	3	Vertical	208	2.16
5190MHz	Pass	PK	10.37712G	61.46	68.20	-6.74	3	Vertical	234	2.39
5190MHz	Pass	PK	15.53512G	62.01	74.00	-11.99	3	Vertical	208	2.16
5190MHz	Pass	AV	15.56184G	48.60	54.00	-5.40	3	Horizontal	86	1.50
5190MHz	Pass	PK	10.38112G	59.52	68.20	-8.68	3	Horizontal	280	2.14
5190MHz	Pass	PK	15.57672G	61.63	74.00	-12.37	3	Horizontal	86	1.50
5230MHz	Pass	AV	5.1496G	53.14	54.00	-0.86	3	Vertical	220	1.50
5230MHz	Pass	AV	5.2388G	107.52	Inf	-Inf	3	Vertical	220	1.50
5230MHz	Pass	PK	5.1496G	66.90	74.00	-7.10	3	Vertical	220	1.50
5230MHz	Pass	PK	5.2396G	119.88	Inf	-Inf	3	Vertical	220	1.50
5230MHz	Pass	AV	15.69208G	49.34	54.00	-4.66	3	Vertical	252	2.98
5230MHz	Pass	PK	10.4601G	66.12	68.20	-2.08	3	Vertical	235	2.75
5230MHz	Pass	PK	15.69G	61.83	74.00	-12.17	3	Vertical	252	2.98
5230MHz	Pass	AV	15.65608G	47.90	54.00	-6.10	3	Horizontal	248	3.00
5230MHz	Pass	PK	10.46192G	62.98	68.20	-5.22	3	Horizontal	280	2.20
5230MHz	Pass	PK	15.68184G	61.59	74.00	-12.41	3	Horizontal	248	3.00
5755MHz	Pass	AV	5.7574G	109.21	Inf	-Inf	3	Vertical	192	1.82
5755MHz	Pass	PK	5.6446G	66.26	68.20	-1.94	3	Vertical	192	1.82
5755MHz	Pass	PK	5.749G	122.08	Inf	-Inf	3	Vertical	192	1.82
5755MHz	Pass	PK	5.9266G	61.76	68.20	-6.44	3	Vertical	192	1.82
5755MHz	Pass	AV	11.51G	44.28	54.00	-9.72	3	Vertical	193	1.50
5755MHz	Pass	PK	11.49932G	56.91	74.00	-17.09	3	Vertical	193	1.50
5755MHz	Pass	PK	17.32428G	62.74	68.20	-5.46	3	Vertical	32	2.08
5755MHz	Pass	AV	11.50412G	44.48	54.00	-9.52	3	Horizontal	317	2.66
5755MHz	Pass	PK	11.5112G	57.44	74.00	-16.56	3	Horizontal	317	2.66
5755MHz	Pass	PK	17.24364G	61.82	68.20	-6.38	3	Horizontal	152	2.27
5795MHz	Pass	AV	5.7986G	110.29	Inf	-Inf	3	Vertical	194	1.94
5795MHz	Pass	PK	5.6474G	62.44	68.20	-5.76	3	Vertical	194	1.94
5795MHz	Pass	PK	5.7998G	122.54	Inf	-Inf	3	Vertical	194	1.94
5795MHz	Pass	PK	5.9282G	65.24	68.20	-2.96	3	Vertical	194	1.94
5795MHz	Pass	AV	11.58568G	46.87	54.00	-7.13	3	Vertical	196	1.95
5795MHz	Pass	PK	11.58676G	59.04	74.00	-14.96	3	Vertical	196	1.95
5795MHz	Pass	PK	17.34396G	61.85	68.20	-6.35	3	Vertical	317	1.41
5795MHz	Pass	AV	11.58736G	45.55	54.00	-8.45	3	Horizontal	214	1.03
5795MHz	Pass	PK	11.60788G	57.77	74.00	-16.23	3	Horizontal	214	1.03
5795MHz	Pass	PK	17.42868G	61.65	68.20	-6.55	3	Horizontal	305	2.07
802.11ax HEW80_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5210MHz	Pass	AV	5.15G	52.82	54.00	-1.18	3	Vertical	167	1.50
5210MHz	Pass	AV	5.211G	102.71	Inf	-Inf	3	Vertical	167	1.50
5210MHz	Pass	AV	5.35G	47.70	54.00	-6.30	3	Vertical	167	1.50
5210MHz	Pass	PK	5.143G	69.60	74.00	-4.40	3	Vertical	167	1.50
5210MHz	Pass	PK	5.212G	114.94	Inf	-Inf	3	Vertical	167	1.50
5210MHz	Pass	PK	5.389G	59.92	74.00	-14.08	3	Vertical	167	1.50
5210MHz	Pass	AV	15.57144G	48.50	54.00	-5.50	3	Vertical	221	1.50
5210MHz	Pass	PK	10.42192G	57.85	68.20	-10.35	3	Vertical	122	1.97
5210MHz	Pass	PK	15.60312G	61.07	74.00	-12.93	3	Vertical	221	1.50
5210MHz	Pass	AV	15.56184G	48.45	54.00	-5.55	3	Horizontal	8	1.50
5210MHz	Pass	PK	10.4104G	55.24	68.20	-12.96	3	Horizontal	210	1.00
5210MHz	Pass	PK	15.5868G	61.26	74.00	-12.74	3	Horizontal	8	1.50
5775MHz	Pass	AV	5.7774G	103.89	Inf	-Inf	3	Vertical	192	1.78
5775MHz	Pass	PK	5.649G	66.26	68.20	-1.94	3	Vertical	192	1.78
5775MHz	Pass	PK	5.7786G	117.07	Inf	-Inf	3	Vertical	192	1.78
5775MHz	Pass	PK	5.9382G	63.88	68.20	-4.32	3	Vertical	192	1.78
5775MHz	Pass	AV	11.53824G	42.81	54.00	-11.19	3	Vertical	192	1.71



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5775MHz	Pass	PK	11.5392G	55.92	74.00	-18.08	3	Vertical	192	1.71
5775MHz	Pass	PK	17.27868G	62.14	68.20	-6.06	3	Vertical	53	1.40
5775MHz	Pass	AV	11.53824G	42.42	54.00	-11.58	3	Horizontal	213	1.04
5775MHz	Pass	PK	11.52888G	54.81	74.00	-19.19	3	Horizontal	213	1.04
5775MHz	Pass	PK	17.2674G	61.71	68.20	-6.49	3	Horizontal	30	2.78

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX


5180MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1484G	51.97	54.00	-2.03	8.80	3	Vertical	212	1.20	43.17	33.10	9.83	34.13
AV	5.1728G	109.48	Inf	-Inf	8.87	3	Vertical	212	1.20	100.61	33.15	9.85	34.13
PK	5.1486G	65.41	74.00	-8.59	8.80	3	Vertical	212	1.20	56.61	33.10	9.83	34.13
PK	5.1732G	119.32	Inf	-Inf	8.87	3	Vertical	212	1.20	110.45	33.15	9.85	34.13

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX


5180MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.5454G	49.26	54.00	-4.74	19.80	3	Vertical	99	1.50	29.46	38.56	15.68	34.44
PK	10.36198G	65.59	68.20	-2.61	16.98	3	Vertical	119	2.08	48.61	38.90	12.67	34.59
PK	15.53928G	61.68	74.00	-12.32	19.83	3	Vertical	99	1.50	41.85	38.58	15.68	34.43

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX


5180MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.53802G	49.21	54.00	-4.79	19.84	3	Horizontal	71	1.50	29.37	38.59	15.68	34.43
PK	10.36222G	60.40	68.20	-7.80	16.98	3	Horizontal	209	1.01	43.42	38.90	12.67	34.59
PK	15.52674G	62.06	74.00	-11.94	19.87	3	Horizontal	71	1.50	42.19	38.62	15.67	34.42


5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5200MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	48.30	54.00	-5.70	8.80	3	Vertical	186	1.50	39.50	33.10	9.83	34.13
AV	5.206G	109.69	Inf	-Inf	8.92	3	Vertical	186	1.50	100.77	33.20	9.86	34.14
PK	5.146G	60.29	74.00	-13.71	8.81	3	Vertical	186	1.50	51.48	33.11	9.83	34.13
PK	5.2056G	118.84	Inf	-Inf	8.92	3	Vertical	186	1.50	109.92	33.20	9.86	34.14

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX
5200MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.58686G	48.86	54.00	-5.14	19.69	3	Vertical	265	1.50	29.17	38.44	15.71	34.46
PK	10.40168G	66.80	68.20	-1.40	17.03	3	Vertical	119	2.00	49.77	38.90	12.69	34.56
PK	15.5916G	61.85	74.00	-12.15	19.69	3	Vertical	265	1.50	42.16	38.43	15.72	34.46


5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX
5200MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.58584G	48.63	54.00	-5.37	19.69	3	Horizontal	77	1.50	28.94	38.44	15.71	34.46
PK	10.40222G	62.26	68.20	-5.94	17.03	3	Horizontal	210	1.04	45.23	38.90	12.69	34.56
PK	15.58818G	61.89	74.00	-12.11	19.70	3	Horizontal	77	1.50	42.19	38.44	15.72	34.46

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX


5240MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1194G	47.47	54.00	-6.53	8.86	3	Vertical	214	1.45	38.61	33.16	9.82	34.12
AV	5.2334G	108.37	Inf	-Inf	8.94	3	Vertical	214	1.45	99.43	33.20	9.88	34.14
AV	5.3882G	47.30	54.00	-6.70	8.80	3	Vertical	214	1.45	38.50	32.98	9.99	34.17
PK	5.093G	60.14	74.00	-13.86	8.91	3	Vertical	214	1.45	51.23	33.23	9.80	34.12
PK	5.234G	117.87	Inf	-Inf	8.94	3	Vertical	214	1.45	108.93	33.20	9.88	34.14
PK	5.3522G	59.92	74.00	-14.08	8.71	3	Vertical	214	1.45	51.21	32.90	9.97	34.16


5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5240MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.7149G	47.81	54.00	-6.19	19.48	3	Vertical	84	1.50	28.33	38.20	15.81	34.53
PK	10.47814G	67.06	68.20	-1.14	17.19	3	Vertical	235	2.15	49.87	38.98	12.72	34.51
PK	15.72156G	60.87	74.00	-13.13	19.48	3	Vertical	84	1.50	41.39	38.20	15.81	34.53

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX
5240MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.72852G	47.62	54.00	-6.38	19.48	3	Horizontal	360	1.50	28.14	38.20	15.82	34.54
PK	10.48204G	61.68	68.20	-6.52	17.20	3	Horizontal	208	1.03	44.48	38.98	12.72	34.50
PK	15.72222G	60.21	74.00	-13.79	19.48	3	Horizontal	360	1.50	40.73	38.20	15.81	34.53

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX
5745MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7378G	111.78	Inf	-Inf	9.88	3	Vertical	198	1.72	101.90	33.93	10.15	34.20
PK	5.631G	60.45	68.20	-7.75	9.21	3	Vertical	198	1.72	51.24	33.32	10.09	34.20
PK	5.739G	121.12	Inf	-Inf	9.88	3	Vertical	198	1.72	111.24	33.93	10.15	34.20
PK	6.0414G	61.22	68.20	-6.98	10.45	3	Vertical	198	1.72	50.77	34.30	10.37	34.22

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX
5745MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.49192G	45.09	54.00	-8.91	18.27	3	Vertical	205	1.87	26.82	39.22	13.11	34.06
PK	11.49204G	57.70	74.00	-16.30	18.27	3	Vertical	205	1.87	39.43	39.22	13.11	34.06
PK	17.24766G	62.57	68.20	-5.63	20.70	3	Vertical	151	1.50	41.87	37.75	16.22	33.27


5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX
5745MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.49192G	46.78	54.00	-7.22	18.27	3	Horizontal	317	2.18	28.51	39.22	13.11	34.06
PK	11.49198G	59.34	74.00	-14.66	18.27	3	Horizontal	317	2.18	41.07	39.22	13.11	34.06
PK	17.22258G	63.36	68.20	-4.84	20.73	3	Horizontal	235	1.50	42.63	37.78	16.22	33.27

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX


5785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.79218G	112.96	Inf	-Inf	10.22	3	Vertical	194	1.88	102.74	34.25	10.18	34.21
PK	5.6252G	60.04	68.20	-8.16	9.18	3	Vertical	194	1.88	50.86	33.30	10.08	34.20
PK	5.77766G	121.79	Inf	-Inf	10.13	3	Vertical	194	1.88	111.66	34.17	10.17	34.21
PK	5.93254G	61.41	68.20	-6.79	10.56	3	Vertical	194	1.88	50.85	34.50	10.28	34.22

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX


5785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.57234G	48.21	54.00	-5.79	18.10	3	Vertical	194	2.00	30.11	39.06	13.14	34.10
PK	11.57216G	60.71	74.00	-13.29	18.10	3	Vertical	194	2.00	42.61	39.06	13.14	34.10
PK	17.3469G	61.94	68.20	-6.26	20.84	3	Vertical	159	2.97	41.10	37.84	16.24	33.24

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX


5785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.57204G	46.80	54.00	-7.20	18.10	3	Horizontal	223	1.00	28.70	39.06	13.14	34.10
PK	11.57162G	58.97	74.00	-15.03	18.10	3	Horizontal	223	1.00	40.87	39.06	13.14	34.10
PK	17.34408G	62.44	68.20	-5.76	20.83	3	Horizontal	112	2.53	41.61	37.83	16.24	33.24


5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5825MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8178G	112.87	Inf	-Inf	10.28	3	Vertical	197	1.73	102.59	34.30	10.19	34.21
PK	5.6174G	60.07	68.20	-8.13	9.15	3	Vertical	197	1.73	50.92	33.27	10.08	34.20
PK	5.8178G	121.75	Inf	-Inf	10.28	3	Vertical	197	1.73	111.47	34.30	10.19	34.21
PK	5.9786G	61.28	68.20	-6.92	10.48	3	Vertical	197	1.73	50.80	34.39	10.31	34.22

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX
5825MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.64826G	48.15	54.00	-5.85	17.93	3	Vertical	182	2.04	30.22	38.90	13.17	34.14
PK	11.64808G	60.64	74.00	-13.36	17.93	3	Vertical	182	2.04	42.71	38.90	13.17	34.14
PK	17.46252G	61.38	68.20	-6.82	21.17	3	Vertical	231	1.50	40.21	38.13	16.25	33.21


5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX
5825MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.64814G	45.74	54.00	-8.26	17.93	3	Horizontal	213	1.00	27.81	38.90	13.17	34.14
PK	11.64874G	58.71	74.00	-15.29	17.93	3	Horizontal	213	1.00	40.78	38.90	13.17	34.14
PK	17.46006G	61.51	68.20	-6.69	21.16	3	Horizontal	360	1.44	40.35	38.12	16.25	33.21

5.15-5.25GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


5180MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	52.68	54.00	-1.32	8.80	3	Vertical	166	1.50	43.88	33.10	9.83	34.13
AV	5.1708G	108.14	Inf	-Inf	8.85	3	Vertical	166	1.50	99.29	33.14	9.84	34.13
PK	5.1496G	68.20	74.00	-5.80	8.80	3	Vertical	166	1.50	59.40	33.10	9.83	34.13
PK	5.1714G	120.42	Inf	-Inf	8.85	3	Vertical	166	1.50	111.57	33.14	9.84	34.13


5.15-5.25GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5180MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.52376G	48.69	54.00	-5.31	19.88	3	Vertical	254	1.93	28.81	38.63	15.67	34.42
PK	10.36448G	65.75	68.20	-2.45	16.98	3	Vertical	123	2.00	48.77	38.90	12.67	34.59
PK	15.54096G	61.70	74.00	-12.30	19.83	3	Vertical	254	1.93	41.87	38.58	15.68	34.43

5.15-5.25GHz_802.11ax HEW20_Nss1,(MCS0)_2TX
5180MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.52224G	48.61	54.00	-5.39	19.88	3	Horizontal	88	1.50	28.73	38.63	15.67	34.42
PK	10.36288G	62.60	68.20	-5.60	16.98	3	Horizontal	283	2.10	45.62	38.90	12.67	34.59
PK	15.53208G	62.77	74.00	-11.23	19.84	3	Horizontal	88	1.50	42.93	38.60	15.67	34.43

5.15-5.25GHz_802.11ax HEW20_Nss1,(MCS0)_2TX
5200MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1496G	47.69	54.00	-6.31	8.80	3	Vertical	218	1.50	38.89	33.10	9.83	34.13
AV	5.2084G	108.65	Inf	-Inf	8.93	3	Vertical	218	1.50	99.72	33.20	9.87	34.14
PK	5.1144G	60.60	74.00	-13.40	8.86	3	Vertical	218	1.50	51.74	33.17	9.81	34.12
PK	5.2084G	120.95	Inf	-Inf	8.93	3	Vertical	218	1.50	112.02	33.20	9.87	34.14

**5.15-5.25GHz_802.11ax HEW20_Nss1,(MCS0)_2TX
5200MHz_TX**




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.58524G	48.28	54.00	-5.72	19.69	3	Vertical	296	1.00	28.59	38.44	15.71	34.46
PK	10.40288G	66.95	68.20	-1.25	17.03	3	Vertical	119	2.03	49.92	38.90	12.69	34.56
PK	15.60456G	62.20	74.00	-11.80	19.65	3	Vertical	296	1.00	42.55	38.39	15.73	34.47

**5.15-5.25GHz_802.11ax HEW20_Nss1,(MCS0)_2TX
5200MHz_TX**




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.5853G	48.23	54.00	-5.77	19.69	3	Horizontal	25	1.50	28.54	38.44	15.71	34.46
PK	10.39508G	59.45	68.20	-8.75	17.01	3	Horizontal	210	1.14	42.44	38.90	12.68	34.57
PK	15.60276G	61.69	74.00	-12.31	19.65	3	Horizontal	25	1.50	42.04	38.39	15.73	34.47

5.15-5.25GHz_802.11ax HEW20_Nss1,(MCS0)_2TX
5240MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.09G	47.21	54.00	-6.79	8.92	3	Vertical	218	1.50	38.29	33.24	9.80	34.12
AV	5.249G	109.91	Inf	-Inf	8.95	3	Vertical	218	1.50	100.96	33.20	9.89	34.14
AV	5.381G	47.27	54.00	-6.73	8.78	3	Vertical	218	1.50	38.49	32.96	9.99	34.17
PK	5.108G	59.68	74.00	-14.32	8.87	3	Vertical	218	1.50	50.81	33.18	9.81	34.12
PK	5.2484G	122.44	Inf	-Inf	8.95	3	Vertical	218	1.50	113.49	33.20	9.89	34.14
PK	5.3846G	59.52	74.00	-14.48	8.79	3	Vertical	218	1.50	50.73	32.97	9.99	34.17

5.15-5.25GHz_802.11ax HEW20_Nss1,(MCS0)_2TX
5240MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.7137G	47.32	54.00	-6.68	19.48	3	Vertical	6	2.94	27.84	38.20	15.81	34.53
PK	10.4779G	66.92	68.20	-1.28	17.19	3	Vertical	236	1.94	49.73	38.98	12.72	34.51
PK	15.71418G	60.58	74.00	-13.42	19.48	3	Vertical	6	2.94	41.10	38.20	15.81	34.53

**5.15-5.25GHz_802.11ax HEW20_Nss1,(MCS0)_2TX
5240MHz_TX**




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.71238G	47.27	54.00	-6.73	19.48	3	Horizontal	344	1.50	27.79	38.20	15.81	34.53
PK	10.47142G	62.88	68.20	-5.32	17.17	3	Horizontal	281	2.25	45.71	38.97	12.71	34.51
PK	15.7341G	60.49	74.00	-13.51	19.48	3	Horizontal	344	1.50	41.01	38.20	15.82	34.54

**5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_2TX
5745MHz_TX**




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7366G	112.15	Inf	-Inf	9.87	3	Vertical	189	2.12	102.28	33.92	10.15	34.20
PK	5.637G	60.51	68.20	-7.69	9.24	3	Vertical	189	2.12	51.27	33.35	10.09	34.20
PK	5.7378G	122.96	Inf	-Inf	9.88	3	Vertical	189	2.12	113.08	33.93	10.15	34.20
PK	5.9586G	61.35	68.20	-6.85	10.55	3	Vertical	189	2.12	50.80	34.47	10.30	34.22

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_2TX
5745MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.49G	43.75	54.00	-10.25	18.27	3	Vertical	194	1.50	25.48	39.22	13.11	34.06
PK	11.486G	56.36	74.00	-17.64	18.28	3	Vertical	194	1.50	38.08	39.23	13.11	34.06
PK	17.22652G	63.78	68.20	-4.42	20.72	3	Vertical	224	3.00	43.06	37.77	16.22	33.27


5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_2TX
5745MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.49272G	44.64	54.00	-9.36	18.26	3	Horizontal	319	2.27	26.38	39.21	13.11	34.06
PK	11.47352G	57.59	74.00	-16.41	18.29	3	Horizontal	319	2.27	39.30	39.25	13.10	34.06
PK	17.21652G	62.30	68.20	-5.90	20.72	3	Horizontal	19	1.47	41.58	37.78	16.21	33.27

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


5785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.77766G	113.28	Inf	-Inf	10.13	3	Vertical	191	1.80	103.15	34.17	10.17	34.21
PK	5.56954G	60.15	68.20	-8.05	9.07	3	Vertical	191	1.80	51.08	33.20	10.06	34.19
PK	5.77766G	125.25	Inf	-Inf	10.13	3	Vertical	191	1.80	115.12	34.17	10.17	34.21
PK	6.05112G	61.54	68.20	-6.66	10.46	3	Vertical	191	1.80	51.08	34.30	10.38	34.22


5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5785MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.56968G	46.22	54.00	-7.78	18.10	3	Vertical	192	1.40	28.12	39.06	13.14	34.10
PK	11.56952G	60.10	74.00	-13.90	18.10	3	Vertical	192	1.40	42.00	39.06	13.14	34.10
PK	17.3702G	63.29	68.20	-4.91	20.92	3	Vertical	272	1.28	42.37	37.91	16.24	33.23

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_2TX
5785MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.57064G	44.90	54.00	-9.10	18.10	3	Horizontal	251	2.04	26.80	39.06	13.14	34.10
PK	11.58104G	57.44	74.00	-16.56	18.09	3	Horizontal	251	2.04	39.35	39.04	13.15	34.10
PK	17.3374G	61.87	68.20	-6.33	20.80	3	Horizontal	183	1.50	41.07	37.81	16.23	33.24

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_2TX
5825MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8166G	113.37	Inf	-Inf	10.28	3	Vertical	190	1.88	103.09	34.30	10.19	34.21
PK	5.6426G	60.88	68.20	-7.32	9.26	3	Vertical	190	1.88	51.62	33.37	10.09	34.20
PK	5.8178G	125.85	Inf	-Inf	10.28	3	Vertical	190	1.88	115.57	34.30	10.19	34.21
PK	6.1166G	61.82	68.20	-6.38	10.45	3	Vertical	190	1.88	51.37	34.23	10.45	34.23

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_2TX
5825MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.64672G	47.25	54.00	-6.75	17.94	3	Vertical	184	1.95	29.31	38.91	13.17	34.14
PK	11.64688G	60.04	74.00	-13.96	17.94	3	Vertical	184	1.95	42.10	38.91	13.17	34.14
PK	17.4706G	61.36	68.20	-6.84	21.19	3	Vertical	136	2.27	40.17	38.14	16.26	33.21


5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_2TX
5825MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.64728G	45.07	54.00	-8.93	17.94	3	Horizontal	215	1.00	27.13	38.91	13.17	34.14
PK	11.64944G	57.75	74.00	-16.25	17.93	3	Horizontal	215	1.00	39.82	38.90	13.17	34.14
PK	17.47844G	61.10	68.20	-7.10	21.21	3	Horizontal	0	1.62	39.89	38.16	16.26	33.21

5.15-5.25GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


5190MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1472G	52.98	54.00	-1.02	8.81	3	Vertical	214	1.50	44.17	33.11	9.83	34.13
AV	5.1872G	104.58	Inf	-Inf	8.89	3	Vertical	214	1.50	95.69	33.17	9.85	34.13
PK	5.1436G	70.50	74.00	-3.50	8.81	3	Vertical	214	1.50	61.69	33.11	9.83	34.13
PK	5.176G	116.68	Inf	-Inf	8.87	3	Vertical	214	1.50	107.81	33.15	9.85	34.13


5.15-5.25GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5190MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.54056G	48.53	54.00	-5.47	19.83	3	Vertical	208	2.16	28.70	38.58	15.68	34.43
PK	10.37712G	61.46	68.20	-6.74	17.00	3	Vertical	234	2.39	44.46	38.90	12.68	34.58
PK	15.53512G	62.01	74.00	-11.99	19.84	3	Vertical	208	2.16	42.17	38.59	15.68	34.43

5.15-5.25GHz_802.11ax HEW40_Nss1,(MCS0)_2TX
5190MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.56184G	48.60	54.00	-5.40	19.77	3	Horizontal	86	1.50	28.83	38.51	15.70	34.44
PK	10.38112G	59.52	68.20	-8.68	17.00	3	Horizontal	280	2.14	42.52	38.90	12.68	34.58
PK	15.57672G	61.63	74.00	-12.37	19.73	3	Horizontal	86	1.50	41.90	38.47	15.71	34.45

5.15-5.25GHz_802.11ax HEW40_Nss1,(MCS0)_2TX
5230MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1496G	53.14	54.00	-0.86	8.80	3	Vertical	220	1.50	44.34	33.10	9.83	34.13
AV	5.2388G	107.52	Inf	-Inf	8.95	3	Vertical	220	1.50	98.57	33.20	9.89	34.14
PK	5.1496G	66.90	74.00	-7.10	8.80	3	Vertical	220	1.50	58.10	33.10	9.83	34.13
PK	5.2396G	119.88	Inf	-Inf	8.95	3	Vertical	220	1.50	110.93	33.20	9.89	34.14

**5.15-5.25GHz_802.11ax HEW40_Nss1,(MCS0)_2TX
5230MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.69208G	49.34	54.00	-4.66	19.49	3	Vertical	252	2.98	29.85	38.22	15.79	34.52
PK	10.4601G	66.12	68.20	-2.08	17.15	3	Vertical	235	2.75	48.97	38.96	12.71	34.52
PK	15.69G	61.83	74.00	-12.17	19.49	3	Vertical	252	2.98	42.34	38.22	15.79	34.52


**5.15-5.25GHz_802.11ax HEW40_Nss1,(MCS0)_2TX
5230MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.65608G	47.90	54.00	-6.10	19.56	3	Horizontal	248	3.00	28.34	38.29	15.77	34.50
PK	10.46192G	62.98	68.20	-5.22	17.15	3	Horizontal	280	2.20	45.83	38.96	12.71	34.52
PK	15.68184G	61.59	74.00	-12.41	19.51	3	Horizontal	248	3.00	42.08	38.24	15.78	34.51

5.725-5.85GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


5755MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7574G	109.21	Inf	-Inf	9.99	3	Vertical	192	1.82	99.22	34.04	10.16	34.21
PK	5.6446G	66.26	68.20	-1.94	9.27	3	Vertical	192	1.82	56.99	33.38	10.09	34.20
PK	5.749G	122.08	Inf	-Inf	9.94	3	Vertical	192	1.82	112.14	33.99	10.15	34.20
PK	5.9266G	61.76	68.20	-6.44	10.55	3	Vertical	192	1.82	51.21	34.50	10.27	34.22


5.725-5.85GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5755MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.51G	44.28	54.00	-9.72	18.23	3	Vertical	193	1.50	26.05	39.18	13.12	34.07
PK	11.49932G	56.91	74.00	-17.09	18.25	3	Vertical	193	1.50	38.66	39.20	13.11	34.06
PK	17.32428G	62.74	68.20	-5.46	20.75	3	Vertical	32	2.08	41.99	37.77	16.23	33.25

5.725-5.85GHz_802.11ax HEW40_Nss1,(MCS0)_2TX
5755MHz_TX




Type	Freq (Hz)	Level (dBUV/m)	Limit (dBUV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBUV)	AF (dB)	CL (dB)	PA (dB)
AV	11.50412G	44.48	54.00	-9.52	18.25	3	Horizontal	317	2.66	26.23	39.19	13.12	34.06
PK	11.5112G	57.44	74.00	-16.56	18.23	3	Horizontal	317	2.66	39.21	39.18	13.12	34.07
PK	17.24364G	61.82	68.20	-6.38	20.71	3	Horizontal	152	2.27	41.11	37.76	16.22	33.27

5.725-5.85GHz_802.11ax HEW40_Nss1,(MCS0)_2TX
5795MHz_TX




Type	Freq (Hz)	Level (dBUV/m)	Limit (dBUV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBUV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7986G	110.29	Inf	-Inf	10.26	3	Vertical	194	1.94	100.03	34.29	10.18	34.21
PK	5.6474G	62.44	68.20	-5.76	9.29	3	Vertical	194	1.94	53.15	33.39	10.10	34.20
PK	5.7998G	122.54	Inf	-Inf	10.27	3	Vertical	194	1.94	112.27	34.30	10.18	34.21
PK	5.9282G	65.24	68.20	-2.96	10.56	3	Vertical	194	1.94	54.68	34.50	10.28	34.22

5.725-5.85GHz_802.11ax HEW40_Nss1,(MCS0)_2TX
5795MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.58568G	46.87	54.00	-7.13	18.07	3	Vertical	196	1.95	28.80	39.03	13.15	34.11
PK	11.58676G	59.04	74.00	-14.96	18.07	3	Vertical	196	1.95	40.97	39.03	13.15	34.11
PK	17.34396G	61.85	68.20	-6.35	20.83	3	Vertical	317	1.41	41.02	37.83	16.24	33.24

5.725-5.85GHz_802.11ax HEW40_Nss1,(MCS0)_2TX
5795MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.58736G	45.55	54.00	-8.45	18.07	3	Horizontal	214	1.03	27.48	39.03	13.15	34.11
PK	11.60788G	57.77	74.00	-16.23	18.02	3	Horizontal	214	1.03	39.75	38.98	13.16	34.12
PK	17.42868G	61.65	68.20	-6.55	21.09	3	Horizontal	305	2.07	40.56	38.06	16.25	33.22

**5.15-5.25GHz_802.11ax HEW80_Nss1,(MCS0)_2TX
5210MHz_TX**




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	52.82	54.00	-1.18	8.80	3	Vertical	167	1.50	44.02	33.10	9.83	34.13
AV	5.211G	102.71	Inf	-Inf	8.93	3	Vertical	167	1.50	93.78	33.20	9.87	34.14
AV	5.35G	47.70	54.00	-6.30	8.70	3	Vertical	167	1.50	39.00	32.90	9.96	34.16
PK	5.143G	69.60	74.00	-4.40	8.81	3	Vertical	167	1.50	60.79	33.11	9.83	34.13
PK	5.212G	114.94	Inf	-Inf	8.93	3	Vertical	167	1.50	106.01	33.20	9.87	34.14
PK	5.389G	59.92	74.00	-14.08	8.80	3	Vertical	167	1.50	51.12	32.98	9.99	34.17

**5.15-5.25GHz_802.11ax HEW80_Nss1,(MCS0)_2TX
5210MHz_TX**




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.57144G	48.50	54.00	-5.50	19.74	3	Vertical	221	1.50	28.76	38.49	15.70	34.45
PK	10.42192G	57.85	68.20	-10.35	17.06	3	Vertical	122	1.97	40.79	38.92	12.69	34.55
PK	15.60312G	61.07	74.00	-12.93	19.65	3	Vertical	221	1.50	41.42	38.39	15.73	34.47

5.15-5.25GHz_802.11ax HEW80_Nss1,(MCS0)_2TX
5210MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.56184G	48.45	54.00	-5.55	19.77	3	Horizontal	8	1.50	28.68	38.51	15.70	34.44
PK	10.4104G	55.24	68.20	-12.96	17.05	3	Horizontal	210	1.00	38.19	38.91	12.69	34.55
PK	15.5868G	61.26	74.00	-12.74	19.69	3	Horizontal	8	1.50	41.57	38.44	15.71	34.46

5.725-5.85GHz_802.11ax HEW80_Nss1,(MCS0)_2TX
5775MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7774G	103.89	Inf	-Inf	10.12	3	Vertical	192	1.78	93.77	34.16	10.17	34.21
PK	5.649G	66.26	68.20	-1.94	9.30	3	Vertical	192	1.78	56.96	33.40	10.10	34.20
PK	5.7786G	117.07	Inf	-Inf	10.13	3	Vertical	192	1.78	106.94	34.17	10.17	34.21
PK	5.9382G	63.88	68.20	-4.32	10.56	3	Vertical	192	1.78	53.32	34.50	10.28	34.22

5.725-5.85GHz_802.11ax HEW80_Nss1,(MCS0)_2TX
5775MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.53824G	42.81	54.00	-11.19	18.17	3	Vertical	192	1.71	24.64	39.12	13.13	34.08
PK	11.5392G	55.92	74.00	-18.08	18.17	3	Vertical	192	1.71	37.75	39.12	13.13	34.08
PK	17.27868G	62.14	68.20	-6.06	20.68	3	Vertical	53	1.40	41.46	37.72	16.22	33.26

5.725-5.85GHz_802.11ax HEW80_Nss1,(MCS0)_2TX
5775MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.53824G	42.42	54.00	-11.58	18.17	3	Horizontal	213	1.04	24.25	39.12	13.13	34.08
PK	11.52888G	54.81	74.00	-19.19	18.19	3	Horizontal	213	1.04	36.62	39.14	13.13	34.08
PK	17.2674G	61.71	68.20	-6.49	20.69	3	Horizontal	30	2.78	41.02	37.73	16.22	33.26



Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Condition
Mode 1	Pass	AV	1.07102G	37.93	54.00	-16.07	Vertical
Mode 2	Pass	AV	1.07103G	39.88	54.00	-14.12	Horizontal
Mode 3	Pass	PK	3.21243G	54.77	68.20	-13.43	Vertical
Mode 4	Pass	AV	1.07078G	40.85	54.00	-13.15	Vertical
Mode 5	Pass	AV	1.07093G	39.22	54.00	-14.78	Horizontal
Mode 6	Pass	PK	3.21252G	58.03	68.20	-10.17	Vertical
Mode 7	Pass	AV	4.876G	48.10	54.00	-5.90	Vertical
Mode 8	Pass	AV	1.06G	38.90	54.00	-15.10	Horizontal




Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
Mode 1	Pass	AV	1.07102G	37.93	54.00	-16.07	3	Vertical	288	1.37	-
Mode 1	Pass	AV	3.20722G	35.39	68.20	-32.81	3	Vertical	202	1.72	-
Mode 1	Pass	AV	4.5675G	32.01	54.00	-21.99	3	Vertical	201	2.47	-
Mode 1	Pass	PK	1.07078G	51.48	74.00	-22.52	3	Vertical	288	1.37	-
Mode 1	Pass	PK	3.20722G	44.05	68.20	-24.15	3	Vertical	202	1.72	-
Mode 1	Pass	PK	4.5675G	45.77	74.00	-28.23	3	Vertical	201	2.47	-
Mode 1	Pass	AV	1.07094G	37.67	54.00	-16.33	3	Horizontal	322	1.38	-
Mode 1	Pass	AV	1.16082G	30.60	54.00	-23.40	3	Horizontal	357	3.00	-
Mode 1	Pass	AV	3.34084G	30.28	68.20	-37.92	3	Horizontal	107	1.35	-
Mode 1	Pass	PK	1.07078G	51.86	74.00	-22.14	3	Horizontal	322	1.38	-
Mode 1	Pass	PK	1.15428G	50.16	74.00	-23.84	3	Horizontal	357	3.00	-
Mode 1	Pass	PK	3.34332G	44.50	68.20	-23.70	3	Horizontal	107	1.35	-
Mode 2	Pass	AV	1.07098G	37.64	54.00	-16.36	3	Vertical	179	1.50	-
Mode 2	Pass	AV	1.33354G	29.14	54.00	-24.86	3	Vertical	34	1.79	-
Mode 2	Pass	AV	1.43491G	30.76	68.20	-37.44	3	Vertical	49	1.23	-
Mode 2	Pass	PK	1.07091G	49.26	74.00	-24.74	3	Vertical	179	1.50	-
Mode 2	Pass	PK	1.33893G	49.57	74.00	-24.43	3	Vertical	34	1.79	-
Mode 2	Pass	PK	1.43253G	49.07	68.20	-19.13	3	Vertical	49	1.23	-
Mode 2	Pass	AV	1.07103G	39.88	54.00	-14.12	3	Horizontal	309	1.50	-
Mode 2	Pass	AV	1.15984G	29.82	54.00	-24.18	3	Horizontal	0	3.00	-
Mode 2	Pass	AV	1.42186G	32.34	54.00	-21.66	3	Horizontal	40	2.67	-
Mode 2	Pass	PK	1.07111G	58.44	74.00	-15.56	3	Horizontal	309	1.50	-
Mode 2	Pass	PK	1.15412G	49.92	74.00	-24.08	3	Horizontal	0	3.00	-
Mode 2	Pass	PK	1.42294G	48.31	74.00	-25.69	3	Horizontal	40	2.67	-
Mode 3	Pass	AV	1.07103G	36.78	54.00	-17.22	3	Vertical	289	1.80	-
Mode 3	Pass	AV	1.42056G	34.44	54.00	-19.56	3	Vertical	88	3.00	-
Mode 3	Pass	AV	3.2126G	37.10	68.20	-31.10	3	Vertical	202	1.33	-
Mode 3	Pass	PK	1.07094G	49.13	74.00	-24.87	3	Vertical	289	1.80	-
Mode 3	Pass	PK	1.42544G	51.19	74.00	-22.81	3	Vertical	88	3.00	-
Mode 3	Pass	PK	3.21243G	54.77	68.20	-13.43	3	Vertical	202	1.33	-
Mode 3	Pass	AV	1.07101G	39.44	54.00	-14.56	3	Horizontal	306	1.50	-
Mode 3	Pass	AV	1.19584G	26.62	54.00	-27.38	3	Horizontal	196	2.96	-
Mode 3	Pass	AV	1.47056G	28.12	54.00	-25.88	3	Horizontal	337	2.86	-
Mode 3	Pass	PK	1.07096G	53.24	74.00	-20.76	3	Horizontal	306	1.50	-
Mode 3	Pass	PK	1.19578G	40.94	74.00	-33.06	3	Horizontal	196	2.96	-
Mode 3	Pass	PK	1.47158G	48.17	74.00	-25.83	3	Horizontal	337	2.86	-
Mode 4	Pass	AV	1.07078G	40.85	54.00	-13.15	3	Vertical	284	1.48	-
Mode 4	Pass	AV	1.15636G	31.59	54.00	-22.41	3	Vertical	110	1.72	-
Mode 4	Pass	AV	3.47052G	31.26	68.20	-36.94	3	Vertical	292	1.71	-
Mode 4	Pass	PK	1.07133G	52.71	74.00	-21.29	3	Vertical	284	1.48	-
Mode 4	Pass	PK	1.1542G	51.20	74.00	-22.80	3	Vertical	110	1.72	-
Mode 4	Pass	PK	3.4734G	45.17	68.20	-23.03	3	Vertical	292	1.71	-
Mode 4	Pass	AV	1.07089G	38.47	54.00	-15.53	3	Horizontal	320	2.38	-
Mode 4	Pass	AV	1.16284G	33.44	54.00	-20.56	3	Horizontal	9	3.00	-
Mode 4	Pass	AV	1.42036G	34.59	54.00	-19.41	3	Horizontal	53	2.57	-
Mode 4	Pass	PK	1.07078G	51.10	74.00	-22.90	3	Horizontal	320	2.38	-
Mode 4	Pass	PK	1.15404G	51.51	74.00	-22.49	3	Horizontal	9	3.00	-
Mode 4	Pass	PK	1.42852G	51.37	68.20	-16.83	3	Horizontal	53	2.57	-
Mode 5	Pass	AV	1.07094G	38.29	54.00	-15.71	3	Vertical	282	1.50	-
Mode 5	Pass	AV	1.15648G	30.54	54.00	-23.46	3	Vertical	112	2.36	-




Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
Mode 5	Pass	AV	1.4112G	33.79	54.00	-20.21	3	Vertical	80	2.64	-
Mode 5	Pass	PK	1.0709G	52.54	74.00	-21.46	3	Vertical	282	1.50	-
Mode 5	Pass	PK	1.15396G	51.58	74.00	-22.42	3	Vertical	112	2.36	-
Mode 5	Pass	PK	1.41568G	50.38	74.00	-23.62	3	Vertical	80	2.64	-
Mode 5	Pass	AV	1.07093G	39.22	54.00	-14.78	3	Horizontal	306	1.50	-
Mode 5	Pass	AV	1.15856G	33.01	54.00	-20.99	3	Horizontal	5	2.96	-
Mode 5	Pass	AV	1.33416G	29.09	54.00	-24.91	3	Horizontal	225	1.00	-
Mode 5	Pass	PK	1.07072G	53.16	74.00	-20.84	3	Horizontal	306	1.50	-
Mode 5	Pass	PK	1.15422G	50.39	74.00	-23.61	3	Horizontal	5	2.96	-
Mode 5	Pass	PK	1.33896G	50.69	74.00	-23.31	3	Horizontal	225	1.00	-
Mode 6	Pass	AV	1.07094G	37.36	54.00	-16.64	3	Vertical	276	2.03	-
Mode 6	Pass	AV	1.4188G	31.96	54.00	-22.04	3	Vertical	131	1.50	-
Mode 6	Pass	AV	3.2126G	37.21	68.20	-30.99	3	Vertical	204	1.28	-
Mode 6	Pass	PK	1.07114G	52.01	74.00	-21.99	3	Vertical	276	2.03	-
Mode 6	Pass	PK	1.42088G	47.51	74.00	-26.49	3	Vertical	131	1.50	-
Mode 6	Pass	PK	3.21252G	58.03	68.20	-10.17	3	Vertical	204	1.28	-
Mode 6	Pass	AV	1.07109G	38.63	54.00	-15.37	3	Horizontal	313	1.62	-
Mode 6	Pass	AV	1.16864G	31.58	54.00	-22.42	3	Horizontal	0	3.00	-
Mode 6	Pass	AV	1.42488G	31.73	54.00	-22.27	3	Horizontal	55	2.66	-
Mode 6	Pass	PK	1.07041G	51.21	74.00	-22.79	3	Horizontal	313	1.62	-
Mode 6	Pass	PK	1.17488G	51.37	74.00	-22.63	3	Horizontal	0	3.00	-
Mode 6	Pass	PK	1.42268G	48.04	74.00	-25.96	3	Horizontal	55	2.66	-
Mode 7	Pass	AV	1.06G	40.70	54.00	-13.30	3	Vertical	289	1.75	-
Mode 7	Pass	AV	1.42G	35.83	54.00	-18.17	3	Vertical	117	1.50	-
Mode 7	Pass	AV	3.208G	38.20	68.20	-30.00	3	Vertical	218	1.50	-
Mode 7	Pass	AV	4.876G	48.10	54.00	-5.90	3	Vertical	241	1.11	-
Mode 7	Pass	PK	1.06G	46.72	74.00	-27.28	3	Vertical	289	1.75	-
Mode 7	Pass	PK	1.42G	51.98	74.00	-22.02	3	Vertical	117	1.50	-
Mode 7	Pass	PK	3.208G	49.02	68.20	-19.18	3	Vertical	218	1.50	-
Mode 7	Pass	PK	4.876G	51.89	74.00	-22.11	3	Vertical	241	1.11	-
Mode 7	Pass	AV	1.06G	40.67	54.00	-13.33	3	Horizontal	342	1.50	-
Mode 7	Pass	AV	1.144G	32.97	54.00	-21.03	3	Horizontal	0	2.97	-
Mode 7	Pass	AV	3.208G	36.76	68.20	-31.44	3	Horizontal	0	2.52	-
Mode 7	Pass	AV	4.876G	42.82	54.00	-11.18	3	Horizontal	26	1.00	-
Mode 7	Pass	PK	1.06G	47.04	74.00	-26.96	3	Horizontal	342	1.50	-
Mode 7	Pass	PK	1.144G	46.66	74.00	-27.34	3	Horizontal	0	2.97	-
Mode 7	Pass	PK	3.208G	46.57	68.20	-21.63	3	Horizontal	0	2.52	-
Mode 7	Pass	PK	4.876G	47.83	74.00	-26.17	3	Horizontal	26	1.00	-
Mode 8	Pass	AV	1.06G	38.49	54.00	-15.51	3	Vertical	192	2.22	-
Mode 8	Pass	AV	1.408G	29.71	54.00	-24.29	3	Vertical	74	2.65	-
Mode 8	Pass	AV	3.208G	37.51	68.20	-30.69	3	Vertical	217	1.00	-
Mode 8	Pass	PK	1.06G	44.94	74.00	-29.06	3	Vertical	192	2.22	-
Mode 8	Pass	PK	1.408G	47.08	74.00	-26.92	3	Vertical	74	2.65	-
Mode 8	Pass	PK	3.208G	47.48	68.20	-20.72	3	Vertical	217	1.00	-
Mode 8	Pass	AV	1.06G	38.90	54.00	-15.10	3	Horizontal	161	2.00	-
Mode 8	Pass	AV	1.168G	33.27	54.00	-20.73	3	Horizontal	11	3.00	-
Mode 8	Pass	AV	3.136G	32.30	68.20	-35.90	3	Horizontal	266	1.50	-
Mode 8	Pass	PK	1.06G	50.25	74.00	-23.75	3	Horizontal	161	2.00	-
Mode 8	Pass	PK	1.168G	49.46	74.00	-24.54	3	Horizontal	11	3.00	-
Mode 8	Pass	PK	3.136G	45.39	68.20	-22.81	3	Horizontal	266	1.50	-

Radiated Emissions above 1GHz_Mode 1




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	1.07102G	37.93	54.00	-16.07	-2.77	3	Vertical	288	1.37	-	40.70	25.27	5.50	33.54
AV	3.20722G	35.39	68.20	-32.81	8.07	3	Vertical	202	1.72	-	27.32	29.79	8.86	30.58
AV	4.5675G	32.01	54.00	-21.99	11.07	3	Vertical	201	2.47	-	20.94	31.66	9.52	30.11
PK	1.07078G	51.48	74.00	-22.52	-2.77	3	Vertical	288	1.37	-	54.25	25.27	5.50	33.54
PK	3.20722G	44.05	68.20	-24.15	8.07	3	Vertical	202	1.72	-	35.98	29.79	8.86	30.58
PK	4.5675G	45.77	74.00	-28.23	11.07	3	Vertical	201	2.47	-	34.70	31.66	9.52	30.11

Radiated Emissions above 1GHz_Mode 1




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	1.07094G	37.67	54.00	-16.33	-2.77	3	Horizontal	322	1.38	-	40.44	25.27	5.50	33.54
AV	1.16082G	30.60	54.00	-23.40	-1.27	3	Horizontal	357	3.00	-	31.87	26.10	5.77	33.14
AV	3.34084G	30.28	68.20	-37.92	7.89	3	Horizontal	107	1.35	-	22.39	29.52	8.89	30.52
PK	1.07078G	51.86	74.00	-22.14	-2.77	3	Horizontal	322	1.38	-	54.63	25.27	5.50	33.54
PK	1.15428G	50.16	74.00	-23.84	-1.32	3	Horizontal	357	3.00	-	51.48	26.10	5.75	33.17
PK	3.34332G	44.50	68.20	-23.70	7.88	3	Horizontal	107	1.35	-	36.62	29.51	8.89	30.52

Radiated Emissions above 1GHz_Mode 2




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	1.07098G	37.64	54.00	-16.36	-2.77	3	Vertical	179	1.50	-	40.41	25.27	5.50	33.54
AV	1.33354G	29.14	54.00	-24.86	-0.09	3	Vertical	34	1.79	-	29.23	25.97	6.32	32.38
AV	1.43491G	30.76	68.20	-37.44	0.57	3	Vertical	49	1.23	-	30.19	25.87	6.63	31.93
PK	1.07091G	49.26	74.00	-24.74	-2.77	3	Vertical	179	1.50	-	52.03	25.27	5.50	33.54
PK	1.33893G	49.57	74.00	-24.43	0.00	3	Vertical	34	1.79	-	49.57	26.01	6.34	32.35
PK	1.43253G	49.07	68.20	-19.13	0.56	3	Vertical	49	1.23	-	48.51	25.87	6.63	31.94

Radiated Emissions above 1GHz_Mode 2




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	1.07103G	39.88	54.00	-14.12	-2.77	3	Horizontal	309	1.50	-	42.65	25.27	5.50	33.54
AV	1.15984G	29.82	54.00	-24.18	-1.27	3	Horizontal	0	3.00	-	31.09	26.10	5.77	33.14
AV	1.42186G	32.34	54.00	-21.66	0.45	3	Horizontal	40	2.67	-	31.89	25.84	6.60	31.99
PK	1.07111G	58.44	74.00	-15.56	-2.77	3	Horizontal	309	1.50	-	61.21	25.27	5.50	33.54
PK	1.15412G	49.92	74.00	-24.08	-1.32	3	Horizontal	0	3.00	-	51.24	26.10	5.75	33.17
PK	1.42294G	48.31	74.00	-25.69	0.47	3	Horizontal	40	2.67	-	47.84	25.85	6.60	31.98

Radiated Emissions above 1GHz_Mode 3




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	1.07103G	36.78	54.00	-17.22	-2.77	3	Vertical	289	1.80	-	39.55	25.27	5.50	33.54
AV	1.42056G	34.44	54.00	-19.56	0.44	3	Vertical	88	3.00	-	34.00	25.84	6.59	31.99
AV	3.2126G	37.10	68.20	-31.10	8.05	3	Vertical	202	1.33	-	29.05	29.77	8.86	30.58
PK	1.07094G	49.13	74.00	-24.87	-2.77	3	Vertical	289	1.80	-	51.90	25.27	5.50	33.54
PK	1.42544G	51.19	74.00	-22.81	0.49	3	Vertical	88	3.00	-	50.70	25.85	6.61	31.97
PK	3.21243G	54.77	68.20	-13.43	8.06	3	Vertical	202	1.33	-	46.71	29.78	8.86	30.58

Radiated Emissions above 1GHz_Mode 3




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	1.07101G	39.44	54.00	-14.56	-2.77	3	Horizontal	306	1.50	-	42.21	25.27	5.50	33.54
AV	1.19584G	26.62	54.00	-27.38	-1.00	3	Horizontal	196	2.96	-	27.62	26.10	5.88	32.98
AV	1.47056G	28.12	54.00	-25.88	0.70	3	Horizontal	337	2.86	-	27.42	25.74	6.73	31.77
PK	1.07096G	53.24	74.00	-20.76	-2.77	3	Horizontal	306	1.50	-	56.01	25.27	5.50	33.54
PK	1.19578G	40.94	74.00	-33.06	-1.00	3	Horizontal	196	2.96	-	41.94	26.10	5.88	32.98
PK	1.47158G	48.17	74.00	-25.83	0.69	3	Horizontal	337	2.86	-	47.48	25.73	6.73	31.77

Radiated Emissions above 1GHz_Mode 4




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	1.07078G	40.85	54.00	-13.15	-2.77	3	Vertical	284	1.48	-	43.62	25.27	5.50	33.54
AV	1.15636G	31.59	54.00	-22.41	-1.30	3	Vertical	110	1.72	-	32.89	26.10	5.76	33.16
AV	3.47052G	31.26	68.20	-36.94	8.00	3	Vertical	292	1.71	-	23.26	29.50	8.96	30.46
PK	1.07133G	52.71	74.00	-21.29	-2.76	3	Vertical	284	1.48	-	55.47	25.27	5.50	33.53
PK	1.1542G	51.20	74.00	-22.80	-1.32	3	Vertical	110	1.72	-	52.52	26.10	5.75	33.17
PK	3.4734G	45.17	68.20	-23.03	8.00	3	Vertical	292	1.71	-	37.17	29.50	8.96	30.46

Radiated Emissions above 1GHz_Mode 4




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	1.07089G	38.47	54.00	-15.53	-2.77	3	Horizontal	320	2.38	-	41.24	25.27	5.50	33.54
AV	1.16284G	33.44	54.00	-20.56	-1.25	3	Horizontal	9	3.00	-	34.69	26.10	5.78	33.13
AV	1.42036G	34.59	54.00	-19.41	0.44	3	Horizontal	53	2.57	-	34.15	25.84	6.59	31.99
PK	1.07078G	51.10	74.00	-22.90	-2.77	3	Horizontal	320	2.38	-	53.87	25.27	5.50	33.54
PK	1.15404G	51.51	74.00	-22.49	-1.32	3	Horizontal	9	3.00	-	52.83	26.10	5.75	33.17
PK	1.42852G	51.37	68.20	-16.83	0.52	3	Horizontal	53	2.57	-	50.85	25.86	6.62	31.96

Radiated Emissions above 1GHz_Mode 5




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	1.07094G	38.29	54.00	-15.71	-2.77	3	Vertical	282	1.50	-	41.06	25.27	5.50	33.54
AV	1.15648G	30.54	54.00	-23.46	-1.30	3	Vertical	112	2.36	-	31.84	26.10	5.76	33.16
AV	1.4112G	33.79	54.00	-20.21	0.36	3	Vertical	80	2.64	-	33.43	25.82	6.57	32.03
PK	1.0709G	52.54	74.00	-21.46	-2.77	3	Vertical	282	1.50	-	55.31	25.27	5.50	33.54
PK	1.15396G	51.58	74.00	-22.42	-1.32	3	Vertical	112	2.36	-	52.90	26.10	5.75	33.17
PK	1.41568G	50.38	74.00	-23.62	0.40	3	Vertical	80	2.64	-	49.98	25.83	6.58	32.01

Radiated Emissions above 1GHz_Mode 5




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	1.07093G	39.22	54.00	-14.78	-2.77	3	Horizontal	306	1.50	-	41.99	25.27	5.50	33.54
AV	1.15856G	33.01	54.00	-20.99	-1.28	3	Horizontal	5	2.96	-	34.29	26.10	5.77	33.15
AV	1.33416G	29.09	54.00	-24.91	-0.07	3	Horizontal	225	1.00	-	29.16	25.97	6.33	32.37
PK	1.07072G	53.16	74.00	-20.84	-2.77	3	Horizontal	306	1.50	-	55.93	25.27	5.50	33.54
PK	1.15422G	50.39	74.00	-23.61	-1.32	3	Horizontal	5	2.96	-	51.71	26.10	5.75	33.17
PK	1.33896G	50.69	74.00	-23.31	0.00	3	Horizontal	225	1.00	-	50.69	26.01	6.34	32.35

Radiated Emissions above 1GHz_Mode 6




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	1.07094G	37.36	54.00	-16.64	-2.77	3	Vertical	276	2.03	-	40.13	25.27	5.50	33.54
AV	1.4188G	31.96	54.00	-22.04	0.43	3	Vertical	131	1.50	-	31.53	25.84	6.59	32.00
AV	3.2126G	37.21	68.20	-30.99	8.05	3	Vertical	204	1.28	-	29.16	29.77	8.86	30.58
PK	1.07114G	52.01	74.00	-21.99	-2.77	3	Vertical	276	2.03	-	54.78	25.27	5.50	33.54
PK	1.42088G	47.51	74.00	-26.49	0.45	3	Vertical	131	1.50	-	47.06	25.84	6.60	31.99
PK	3.21252G	58.03	68.20	-10.17	8.05	3	Vertical	204	1.28	-	49.98	29.77	8.86	30.58

Radiated Emissions above 1GHz_Mode 6




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	1.07109G	38.63	54.00	-15.37	-2.77	3	Horizontal	313	1.62	-	41.40	25.27	5.50	33.54
AV	1.16864G	31.58	54.00	-22.42	-1.20	3	Horizontal	0	3.00	-	32.78	26.10	5.80	33.10
AV	1.42488G	31.73	54.00	-22.27	0.49	3	Horizontal	55	2.66	-	31.24	25.85	6.61	31.97
PK	1.07041G	51.21	74.00	-22.79	-2.78	3	Horizontal	313	1.62	-	53.99	25.26	5.50	33.54
PK	1.17488G	51.37	74.00	-22.63	-1.17	3	Horizontal	0	3.00	-	52.54	26.10	5.81	33.08
PK	1.42268G	48.04	74.00	-25.96	0.47	3	Horizontal	55	2.66	-	47.57	25.85	6.60	31.98

Radiated Emissions above 1GHz_Mode 7




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	1.06G	40.70	54.00	-13.30	-2.93	3	Vertical	289	1.75	-	43.63	25.18	5.47	33.58
AV	1.42G	35.83	54.00	-18.17	0.44	3	Vertical	117	1.50	-	35.39	25.84	6.59	31.99
AV	3.208G	38.20	68.20	-30.00	8.06	3	Vertical	218	1.50	-	30.14	29.78	8.86	30.58
AV	4.876G	48.10	54.00	-5.90	12.30	3	Vertical	241	1.11	-	35.80	32.60	9.70	30.00
PK	1.06G	46.72	74.00	-27.28	-2.93	3	Vertical	289	1.75	-	49.65	25.18	5.47	33.58
PK	1.42G	51.98	74.00	-22.02	0.44	3	Vertical	117	1.50	-	51.54	25.84	6.59	31.99
PK	3.208G	49.02	68.20	-19.18	8.06	3	Vertical	218	1.50	-	40.96	29.78	8.86	30.58
PK	4.876G	51.89	74.00	-22.11	12.30	3	Vertical	241	1.11	-	39.59	32.60	9.70	30.00

Radiated Emissions above 1GHz_Mode 7




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	1.06G	40.67	54.00	-13.33	-2.93	3	Horizontal	342	1.50	-	43.60	25.18	5.47	33.58
AV	1.144G	32.97	54.00	-21.03	-1.46	3	Horizontal	0	2.97	-	34.43	26.03	5.72	33.21
AV	3.208G	36.76	68.20	-31.44	8.06	3	Horizontal	0	2.52	-	28.70	29.78	8.86	30.58
AV	4.876G	42.82	54.00	-11.18	12.30	3	Horizontal	26	1.00	-	30.52	32.60	9.70	30.00
PK	1.06G	47.04	74.00	-26.96	-2.93	3	Horizontal	342	1.50	-	49.97	25.18	5.47	33.58
PK	1.144G	46.66	74.00	-27.34	-1.46	3	Horizontal	0	2.97	-	48.12	26.03	5.72	33.21
PK	3.208G	46.57	68.20	-21.63	8.06	3	Horizontal	0	2.52	-	38.51	29.78	8.86	30.58
PK	4.876G	47.83	74.00	-26.17	12.30	3	Horizontal	26	1.00	-	35.53	32.60	9.70	30.00

Radiated Emissions above 1GHz_Mode 8



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	1.06G	38.49	54.00	-15.51	-2.93	3	Vertical	192	2.22	-	41.42	25.18	5.47	33.58
AV	1.408G	29.71	54.00	-24.29	0.33	3	Vertical	74	2.65	-	29.38	25.82	6.56	32.05
AV	3.208G	37.51	68.20	-30.69	8.06	3	Vertical	217	1.00	-	29.45	29.78	8.86	30.58
PK	1.06G	44.94	74.00	-29.06	-2.93	3	Vertical	192	2.22	-	47.87	25.18	5.47	33.58
PK	1.408G	47.08	74.00	-26.92	0.33	3	Vertical	74	2.65	-	46.75	25.82	6.56	32.05
PK	3.208G	47.48	68.20	-20.72	8.06	3	Vertical	217	1.00	-	39.42	29.78	8.86	30.58

Radiated Emissions above 1GHz_Mode 8



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	1.06G	38.90	54.00	-15.10	-2.93	3	Horizontal	161	2.00	-	41.83	25.18	5.47	33.58
AV	1.168G	33.27	54.00	-20.73	-1.22	3	Horizontal	11	3.00	-	34.49	26.10	5.79	33.11
AV	3.136G	32.30	68.20	-35.90	7.95	3	Horizontal	266	1.50	-	24.35	29.77	8.80	30.62
PK	1.06G	50.25	74.00	-23.75	-2.93	3	Horizontal	161	2.00	-	53.18	25.18	5.47	33.58
PK	1.168G	49.46	74.00	-24.54	-1.22	3	Horizontal	11	3.00	-	50.68	26.10	5.79	33.11
PK	3.136G	45.39	68.20	-22.81	7.95	3	Horizontal	266	1.50	-	37.44	29.77	8.80	30.62