


### 802.11g\_Nss1,(6Mbps)\_2TX


#### 2462MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4552G	104.87	Inf	-Inf	35.86	3	Vertical	3	1.04	-	69.01	27.53	8.33	-
AV	2.4846G	50.21	54.00	-3.79	36.05	3	Vertical	3	1.04	-	14.16	27.71	8.34	-
PK	2.4604G	114.55	Inf	-Inf	35.89	3	Vertical	3	1.04	-	78.66	27.56	8.33	-
PK	2.484G	62.02	74.00	-11.98	36.04	3	Vertical	3	1.04	-	25.98	27.70	8.34	-

### 802.11g\_Nss1,(6Mbps)\_2TX


#### 2462MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4552G	110.80	Inf	-Inf	35.86	3	Horizontal	36	2.50	-	74.94	27.53	8.33	-
AV	2.4844G	52.62	54.00	-1.38	36.05	3	Horizontal	36	2.50	-	16.57	27.71	8.34	-
PK	2.4606G	120.39	Inf	-Inf	35.89	3	Horizontal	36	2.50	-	84.50	27.56	8.33	-
PK	2.486G	65.45	74.00	-8.55	36.07	3	Horizontal	36	2.50	-	29.38	27.72	8.35	-

### 802.11g\_Nss1,(6Mbps)\_2TX


#### 2462MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.924G	32.64	54.00	-21.36	8.38	3	Vertical	14	2.08	-	24.26	32.80	9.72	34.14
AV	7.37672G	37.21	54.00	-16.79	13.39	3	Vertical	317	2.70	-	23.82	36.54	11.34	34.49
PK	4.93152G	44.37	74.00	-29.63	8.42	3	Vertical	14	2.08	-	35.95	32.83	9.72	34.13
PK	7.39392G	49.67	74.00	-24.33	13.29	3	Vertical	317	2.70	-	36.38	36.44	11.34	34.49

### 802.11g\_Nss1,(6Mbps)\_2TX


#### 2462MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.924G	31.83	54.00	-22.17	8.38	3	Horizontal	293	1.99	-	23.45	32.80	9.72	34.14
AV	7.37692G	37.20	54.00	-16.80	13.39	3	Horizontal	36	1.49	-	23.81	36.54	11.34	34.49
PK	4.93336G	45.43	74.00	-28.57	8.42	3	Horizontal	293	1.99	-	37.01	32.83	9.72	34.13
PK	7.38188G	49.53	74.00	-24.47	13.36	3	Horizontal	36	1.49	-	36.17	36.51	11.34	34.49

802.11ax HEW20\_Nss1,(MCS0)\_2TX


2412MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.39G	52.92	54.00	-1.08	35.56	3	Vertical	349	1.00	-	17.36	27.28	8.28	-
AV	2.4188G	103.97	Inf	-Inf	35.68	3	Vertical	349	1.00	-	68.29	27.38	8.30	-
PK	2.3888G	63.50	74.00	-10.50	35.56	3	Vertical	349	1.00	-	27.94	27.28	8.28	-
PK	2.4192G	116.87	Inf	-Inf	35.68	3	Vertical	349	1.00	-	81.19	27.38	8.30	-


802.11ax HEW20\_Nss1,(MCS0)\_2TX

2412MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.39G	52.77	54.00	-1.23	35.56	3	Horizontal	50	2.76	-	17.21	27.28	8.28	-
AV	2.4178G	108.97	Inf	-Inf	35.67	3	Horizontal	50	2.76	-	73.30	27.37	8.30	-
PK	2.3894G	65.15	74.00	-8.85	35.56	3	Horizontal	50	2.76	-	29.59	27.28	8.28	-
PK	2.417G	120.61	Inf	-Inf	35.67	3	Horizontal	50	2.76	-	84.94	27.37	8.30	-

**802.11ax HEW20\_Nss1,(MCS0)\_2TX  
2412MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.82384G	31.73	54.00	-22.27	8.05	3	Vertical	8	1.63	-	23.68	32.55	9.68	34.18
PK	4.82524G	45.11	74.00	-28.89	8.05	3	Vertical	8	1.63	-	37.06	32.55	9.68	34.18


**802.11ax HEW20\_Nss1,(MCS0)\_2TX  
2412MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.824G	31.55	54.00	-22.45	8.05	3	Horizontal	360	1.50	-	23.50	32.55	9.68	34.18
PK	4.8282G	44.60	74.00	-29.40	8.06	3	Horizontal	360	1.50	-	36.54	32.56	9.68	34.18

802.11ax HEW20\_Nss1,(MCS0)\_2TX


2417MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.39G	48.53	54.00	-5.47	35.56	3	Vertical	358	1.00	-	12.97	27.28	8.28	-
AV	2.4232G	105.64	Inf	-Inf	35.70	3	Vertical	358	1.00	-	69.94	27.39	8.31	-
PK	2.39G	60.30	74.00	-13.70	35.56	3	Vertical	358	1.00	-	24.74	27.28	8.28	-
PK	2.4238G	118.13	Inf	-Inf	35.71	3	Vertical	358	1.00	-	82.42	27.40	8.31	-

802.11ax HEW20\_Nss1,(MCS0)\_2TX


2417MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.39G	49.93	54.00	-4.07	35.56	3	Horizontal	51	2.79	-	14.37	27.28	8.28	-
AV	2.4224G	112.87	Inf	-Inf	35.69	3	Horizontal	51	2.79	-	77.18	27.39	8.30	-
PK	2.39G	60.18	74.00	-13.82	35.56	3	Horizontal	51	2.79	-	24.62	27.28	8.28	-
PK	2.423G	124.22	Inf	-Inf	35.69	3	Horizontal	51	2.79	-	88.53	27.39	8.30	-

802.11ax HEW20\_Nss1,(MCS0)\_2TX


2437MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.353G	47.69	54.00	-6.31	35.46	3	Vertical	352	1.00	-	12.23	27.21	8.25	-
AV	2.4342G	104.29	Inf	-Inf	35.75	3	Vertical	352	1.00	-	68.54	27.44	8.31	-
AV	2.4835G	48.48	54.00	-5.52	36.04	3	Vertical	352	1.00	-	12.44	27.70	8.34	-
PK	2.369G	59.62	74.00	-14.38	35.51	3	Vertical	352	1.00	-	24.11	27.24	8.27	-
PK	2.4342G	116.93	Inf	-Inf	35.75	3	Vertical	352	1.00	-	81.18	27.44	8.31	-
PK	2.4878G	60.21	74.00	-13.79	36.08	3	Vertical	352	1.00	-	24.13	27.73	8.35	-

802.11ax HEW20\_Nss1,(MCS0)\_2TX


2437MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3682G	47.68	54.00	-6.32	35.51	3	Horizontal	34	2.04	-	12.17	27.24	8.27	-
AV	2.4342G	110.51	Inf	-Inf	35.75	3	Horizontal	34	2.04	-	74.76	27.44	8.31	-
AV	2.4835G	49.96	54.00	-4.04	36.04	3	Horizontal	34	2.04	-	13.92	27.70	8.34	-
PK	2.3438G	58.59	74.00	-15.41	35.43	3	Horizontal	34	2.04	-	23.16	27.18	8.25	-
PK	2.4438G	123.27	Inf	-Inf	35.80	3	Horizontal	34	2.04	-	87.47	27.48	8.32	-
PK	2.4838G	61.04	74.00	-12.96	36.04	3	Horizontal	34	2.04	-	25.00	27.70	8.34	-

802.11ax HEW20\_Nss1,(MCS0)\_2TX


2437MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.87396G	31.75	54.00	-22.25	8.19	3	Vertical	360	1.72	-	23.56	32.65	9.70	34.16
AV	7.3126G	36.82	54.00	-17.18	13.45	3	Vertical	17	1.50	-	23.37	36.63	11.32	34.50
PK	4.87612G	45.33	74.00	-28.67	8.19	3	Vertical	360	1.72	-	37.14	32.65	9.70	34.16
PK	7.321G	50.53	74.00	-23.47	13.46	3	Vertical	17	1.50	-	37.07	36.64	11.32	34.50

802.11ax HEW20\_Nss1,(MCS0)\_2TX


2437MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.87396G	31.56	54.00	-22.44	8.19	3	Horizontal	298	1.09	-	23.37	32.65	9.70	34.16
AV	7.31148G	36.81	54.00	-17.19	13.44	3	Horizontal	277	2.10	-	23.37	36.62	11.32	34.50
PK	4.86528G	44.79	74.00	-29.21	8.17	3	Horizontal	298	1.09	-	36.62	32.63	9.70	34.16
PK	7.31136G	50.68	74.00	-23.32	13.44	3	Horizontal	277	2.10	-	37.24	36.62	11.32	34.50

802.11ax HEW20\_Nss1,(MCS0)\_2TX


2457MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4542G	104.56	Inf	-Inf	35.86	3	Vertical	0	1.04	-	68.70	27.53	8.33	-
AV	2.4835G	49.56	54.00	-4.44	36.04	3	Vertical	0	1.04	-	13.52	27.70	8.34	-
PK	2.455G	116.20	Inf	-Inf	35.86	3	Vertical	0	1.04	-	80.34	27.53	8.33	-
PK	2.4838G	62.28	74.00	-11.72	36.04	3	Vertical	0	1.04	-	26.24	27.70	8.34	-

802.11ax HEW20\_Nss1,(MCS0)\_2TX

2457MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4542G	110.46	Inf	-Inf	35.86	3	Horizontal	36	2.51	-	74.60	27.53	8.33	-
AV	2.4835G	52.75	54.00	-1.25	36.04	3	Horizontal	36	2.51	-	16.71	27.70	8.34	-
PK	2.4546G	123.30	Inf	-Inf	35.86	3	Horizontal	36	2.51	-	87.44	27.53	8.33	-
PK	2.484G	66.04	74.00	-7.96	36.04	3	Horizontal	36	2.51	-	30.00	27.70	8.34	-



802.11ax HEW20\_Nss1,(MCS0)\_2TX


2462MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.459G	104.07	Inf	-Inf	35.88	3	Vertical	0	1.03	-	68.19	27.55	8.33	-
AV	2.4835G	49.70	54.00	-4.30	36.04	3	Vertical	0	1.03	-	13.66	27.70	8.34	-
PK	2.4586G	116.04	Inf	-Inf	35.88	3	Vertical	0	1.03	-	80.16	27.55	8.33	-
PK	2.4842G	62.51	74.00	-11.49	36.05	3	Vertical	0	1.03	-	26.46	27.71	8.34	-

802.11ax HEW20\_Nss1,(MCS0)\_2TX


2462MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4588G	109.63	Inf	-Inf	35.88	3	Horizontal	37	2.26	-	73.75	27.55	8.33	-
AV	2.4835G	52.11	54.00	-1.89	36.04	3	Horizontal	37	2.26	-	16.07	27.70	8.34	-
PK	2.458G	121.23	Inf	-Inf	35.88	3	Horizontal	37	2.26	-	85.35	27.55	8.33	-
PK	2.4874G	67.37	74.00	-6.63	36.07	3	Horizontal	37	2.26	-	31.30	27.72	8.35	-

802.11ax HEW20\_Nss1,(MCS0)\_2TX


2462MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.92996G	31.39	54.00	-22.61	8.41	3	Vertical	255	1.50	-	22.98	32.82	9.72	34.13
AV	7.37892G	36.82	54.00	-17.18	13.38	3	Vertical	94	2.60	-	23.44	36.53	11.34	34.49
PK	4.92364G	44.96	74.00	-29.04	8.37	3	Vertical	255	1.50	-	36.59	32.79	9.72	34.14
PK	7.39084G	49.64	74.00	-24.36	13.30	3	Vertical	94	2.60	-	36.34	36.45	11.34	34.49


802.11ax HEW20\_Nss1,(MCS0)\_2TX

2462MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.9222G	31.62	54.00	-22.38	8.37	3	Horizontal	72	1.50	-	23.25	32.79	9.72	34.14
AV	7.37748G	36.80	54.00	-17.20	13.39	3	Horizontal	135	1.50	-	23.41	36.54	11.34	34.49
PK	4.92424G	44.83	74.00	-29.17	8.38	3	Horizontal	72	1.50	-	36.45	32.80	9.72	34.14
PK	7.38804G	50.07	74.00	-23.93	13.32	3	Horizontal	135	1.50	-	36.75	36.47	11.34	34.49

**802.11ax HEW40\_Nss1,(MCS0)\_2TX  
2422MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.39G	49.93	54.00	-4.07	35.56	3	Vertical	351	1.00	-	14.37	27.28	8.28	-
AV	2.42G	101.45	Inf	-Inf	35.68	3	Vertical	351	1.00	-	65.77	27.38	8.30	-
AV	2.4884G	48.32	54.00	-5.68	36.08	3	Vertical	351	1.00	-	12.24	27.73	8.35	-
PK	2.3884G	60.36	74.00	-13.64	35.56	3	Vertical	351	1.00	-	24.80	27.28	8.28	-
PK	2.4188G	112.81	Inf	-Inf	35.68	3	Vertical	351	1.00	-	77.13	27.38	8.30	-
PK	2.4912G	59.41	74.00	-14.59	36.10	3	Vertical	351	1.00	-	23.31	27.75	8.35	-


**802.11ax HEW40\_Nss1,(MCS0)\_2TX  
2422MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.39G	52.46	54.00	-1.54	35.56	3	Horizontal	32	2.10	-	16.90	27.28	8.28	-
AV	2.4196G	106.98	Inf	-Inf	35.68	3	Horizontal	32	2.10	-	71.30	27.38	8.30	-
AV	2.4856G	49.17	54.00	-4.83	36.06	3	Horizontal	32	2.10	-	13.11	27.71	8.35	-
PK	2.3896G	62.09	74.00	-11.91	35.56	3	Horizontal	32	2.10	-	26.53	27.28	8.28	-
PK	2.418G	118.45	Inf	-Inf	35.67	3	Horizontal	32	2.10	-	82.78	27.37	8.30	-
PK	2.4876G	60.25	74.00	-13.75	36.08	3	Horizontal	32	2.10	-	24.17	27.73	8.35	-

802.11ax HEW40\_Nss1,(MCS0)\_2TX


2422MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.86376G	31.44	54.00	-22.56	8.16	3	Vertical	42	1.50	-	23.28	32.63	9.70	34.17
AV	7.26512G	36.80	54.00	-17.20	13.48	3	Vertical	0	1.50	-	23.32	36.67	11.31	34.50
PK	4.8604G	45.03	74.00	-28.97	8.14	3	Vertical	42	1.50	-	36.89	32.62	9.69	34.17
PK	7.26988G	49.73	74.00	-24.27	13.47	3	Vertical	0	1.50	-	36.26	36.66	11.31	34.50


802.11ax HEW40\_Nss1,(MCS0)\_2TX

2422MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.86344G	31.16	54.00	-22.84	8.16	3	Horizontal	0	1.50	-	23.00	32.63	9.70	34.17
AV	7.25752G	37.06	54.00	-16.94	13.49	3	Horizontal	75	2.76	-	23.57	36.68	11.31	34.50
PK	4.86352G	44.34	74.00	-29.66	8.16	3	Horizontal	0	1.50	-	36.18	32.63	9.70	34.17
PK	7.25712G	49.57	74.00	-24.43	13.50	3	Horizontal	75	2.76	-	36.07	36.69	11.31	34.50

**802.11ax HEW40\_Nss1,(MCS0)\_2TX  
2427MHz\_TX**




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	48.92	54.00	-5.08	35.56	3	Vertical	353	1.00	-	13.36	27.28	8.28	-
AV	2.4242G	102.69	Inf	-Inf	35.71	3	Vertical	353	1.00	-	66.98	27.40	8.31	-
AV	2.4835G	50.12	54.00	-3.88	36.04	3	Vertical	353	1.00	-	14.08	27.70	8.34	-
PK	2.3878G	59.12	74.00	-14.88	35.56	3	Vertical	353	1.00	-	23.56	27.28	8.28	-
PK	2.4354G	113.76	Inf	-Inf	35.75	3	Vertical	353	1.00	-	78.01	27.44	8.31	-
PK	2.4838G	60.84	74.00	-13.16	36.04	3	Vertical	353	1.00	-	24.80	27.70	8.34	-

**802.11ax HEW40\_Nss1,(MCS0)\_2TX  
2427MHz\_TX**




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	49.88	54.00	-4.12	35.56	3	Horizontal	50	2.76	-	14.32	27.28	8.28	-
AV	2.4226G	109.32	Inf	-Inf	35.69	3	Horizontal	50	2.76	-	73.63	27.39	8.30	-
AV	2.4835G	52.92	54.00	-1.08	36.04	3	Horizontal	50	2.76	-	16.88	27.70	8.34	-
PK	2.3846G	60.31	74.00	-13.69	35.55	3	Horizontal	50	2.76	-	24.76	27.27	8.28	-
PK	2.4334G	120.61	Inf	-Inf	35.74	3	Horizontal	50	2.76	-	84.87	27.43	8.31	-
PK	2.4835G	66.00	74.00	-8.00	36.04	3	Horizontal	50	2.76	-	29.96	27.70	8.34	-

**802.11ax HEW40\_Nss1,(MCS0)\_2TX  
2437MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	47.88	54.00	-6.12	35.56	3	Vertical	351	1.04	-	12.32	27.28	8.28	-
AV	2.4546G	100.10	Inf	-Inf	35.86	3	Vertical	351	1.04	-	64.24	27.53	8.33	-
AV	2.4835G	50.66	54.00	-3.34	36.04	3	Vertical	351	1.04	-	14.62	27.70	8.34	-
PK	2.3662G	58.94	74.00	-15.06	35.49	3	Vertical	351	1.04	-	23.45	27.23	8.26	-
PK	2.4454G	111.45	Inf	-Inf	35.80	3	Vertical	351	1.04	-	75.65	27.48	8.32	-
PK	2.4862G	62.25	74.00	-11.75	36.07	3	Vertical	351	1.04	-	26.18	27.72	8.35	-


**802.11ax HEW40\_Nss1,(MCS0)\_2TX  
2437MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	48.32	54.00	-5.68	35.56	3	Horizontal	46	2.82	-	12.76	27.28	8.28	-
AV	2.423G	105.56	Inf	-Inf	35.69	3	Horizontal	46	2.82	-	69.87	27.39	8.30	-
AV	2.4835G	53.16	54.00	-0.84	36.04	3	Horizontal	46	2.82	-	17.12	27.70	8.34	-
PK	2.3874G	59.11	74.00	-14.89	35.55	3	Horizontal	46	2.82	-	23.56	27.27	8.28	-
PK	2.4234G	116.43	Inf	-Inf	35.70	3	Horizontal	46	2.82	-	80.73	27.39	8.31	-
PK	2.4838G	66.48	74.00	-7.52	36.04	3	Horizontal	46	2.82	-	30.44	27.70	8.34	-

802.11ax HEW40\_Nss1,(MCS0)\_2TX


2437MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.874G	31.06	54.00	-22.94	8.19	3	Vertical	282	1.50	-	22.87	32.65	9.70	34.16
AV	7.31484G	36.66	54.00	-17.34	13.45	3	Vertical	226	2.09	-	23.21	36.63	11.32	34.50
PK	4.87548G	43.96	74.00	-30.04	8.19	3	Vertical	282	1.50	-	35.77	32.65	9.70	34.16
PK	7.31508G	49.73	74.00	-24.27	13.45	3	Vertical	226	2.09	-	36.28	36.63	11.32	34.50

802.11ax HEW40\_Nss1,(MCS0)\_2TX


2437MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.88308G	31.12	54.00	-22.88	8.21	3	Horizontal	360	2.19	-	22.91	32.67	9.70	34.16
AV	7.31408G	36.63	54.00	-17.37	13.45	3	Horizontal	76	2.42	-	23.18	36.63	11.32	34.50
PK	4.88388G	44.21	74.00	-29.79	8.21	3	Horizontal	360	2.19	-	36.00	32.67	9.70	34.16
PK	7.30996G	49.61	74.00	-24.39	13.44	3	Horizontal	76	2.42	-	36.17	36.62	11.32	34.50

802.11ax HEW40\_Nss1,(MCS0)\_2TX


2447MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3598G	47.64	54.00	-6.36	35.48	3	Vertical	0	1.03	-	12.16	27.22	8.26	-
AV	2.4542G	100.01	Inf	-Inf	35.86	3	Vertical	0	1.03	-	64.15	27.53	8.33	-
AV	2.4835G	49.73	54.00	-4.27	36.04	3	Vertical	0	1.03	-	13.69	27.70	8.34	-
PK	2.3694G	59.10	74.00	-14.90	35.51	3	Vertical	0	1.03	-	23.59	27.24	8.27	-
PK	2.4542G	112.06	Inf	-Inf	35.86	3	Vertical	0	1.03	-	76.20	27.53	8.33	-
PK	2.4835G	60.40	74.00	-13.60	36.04	3	Vertical	0	1.03	-	24.36	27.70	8.34	-

802.11ax HEW40\_Nss1,(MCS0)\_2TX


2447MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3614G	47.63	54.00	-6.37	35.48	3	Horizontal	34	2.49	-	12.15	27.22	8.26	-
AV	2.4542G	105.60	Inf	-Inf	35.86	3	Horizontal	34	2.49	-	69.74	27.53	8.33	-
AV	2.4838G	53.09	54.00	-0.91	36.04	3	Horizontal	34	2.49	-	17.05	27.70	8.34	-
PK	2.3638G	58.17	74.00	-15.83	35.49	3	Horizontal	34	2.49	-	22.68	27.23	8.26	-
PK	2.4534G	117.56	Inf	-Inf	35.84	3	Horizontal	34	2.49	-	81.72	27.52	8.32	-
PK	2.4842G	63.78	74.00	-10.22	36.05	3	Horizontal	34	2.49	-	27.73	27.71	8.34	-




**802.11ax HEW40\_Nss1,(MCS0)\_2TX  
2452MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3528G	47.62	54.00	-6.38	35.46	3	Vertical	5	1.03	-	12.16	27.21	8.25	-
AV	2.4588G	99.38	Inf	-Inf	35.88	3	Vertical	5	1.03	-	63.50	27.55	8.33	-
AV	2.4876G	49.09	54.00	-4.91	36.08	3	Vertical	5	1.03	-	13.01	27.73	8.35	-
PK	2.3576G	59.53	74.00	-14.47	35.48	3	Vertical	5	1.03	-	24.05	27.22	8.26	-
PK	2.4592G	109.98	Inf	-Inf	35.89	3	Vertical	5	1.03	-	74.09	27.56	8.33	-
PK	2.4892G	60.07	74.00	-13.93	36.09	3	Vertical	5	1.03	-	23.98	27.74	8.35	-


**802.11ax HEW40\_Nss1,(MCS0)\_2TX  
2452MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3644G	47.62	54.00	-6.38	35.49	3	Horizontal	308	1.00	-	12.13	27.23	8.26	-
AV	2.4556G	103.98	Inf	-Inf	35.86	3	Horizontal	308	1.00	-	68.12	27.53	8.33	-
AV	2.4844G	52.79	54.00	-1.21	36.05	3	Horizontal	308	1.00	-	16.74	27.71	8.34	-
PK	2.3568G	58.68	74.00	-15.32	35.47	3	Horizontal	308	1.00	-	23.21	27.21	8.26	-
PK	2.4556G	116.25	Inf	-Inf	35.86	3	Horizontal	308	1.00	-	80.39	27.53	8.33	-
PK	2.4835G	64.47	74.00	-9.53	36.04	3	Horizontal	308	1.00	-	28.43	27.70	8.34	-

802.11ax HEW40\_Nss1,(MCS0)\_2TX


2452MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.8968G	31.36	54.00	-22.64	8.25	3	Vertical	310	2.14	-	23.11	32.69	9.71	34.15
AV	7.34792G	36.86	54.00	-17.14	13.53	3	Vertical	214	2.70	-	23.33	36.70	11.33	34.50
PK	4.89964G	43.91	74.00	-30.09	8.26	3	Vertical	310	2.14	-	35.65	32.70	9.71	34.15
PK	7.3552G	49.56	74.00	-24.44	13.51	3	Vertical	214	2.70	-	36.05	36.67	11.33	34.49

802.11ax HEW40\_Nss1,(MCS0)\_2TX

2452MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	4.89648G	45.16	74.00	-28.84	8.25	3	Horizontal	216	2.54	-	36.91	32.69	9.71	34.15
AV	4.89832G	31.31	54.00	-22.69	8.26	3	Horizontal	216	2.54	-	23.05	32.70	9.71	34.15
PK	7.35556G	49.80	74.00	-24.20	13.51	3	Horizontal	310	2.99	-	36.29	36.67	11.33	34.49
AV	7.35188G	36.95	54.00	-17.05	13.53	3	Horizontal	310	2.99	-	23.42	36.69	11.33	34.49



Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1,(MCS0)_2TX	Pass	PK	49.4M	36.33	40.00	-3.67	3	Vertical	360	1.00	-




Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
802.11ax HEW20_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-
2437MHz	Pass	PK	49.4M	36.33	40.00	-3.67	3	Vertical	360	1.00	-
2437MHz	Pass	PK	125.06M	26.36	43.50	-17.14	3	Vertical	360	1.00	-
2437MHz	Pass	PK	198.78M	31.96	43.50	-11.54	3	Vertical	360	1.00	-
2437MHz	Pass	PK	227.88M	26.34	46.00	-19.66	3	Vertical	360	1.00	-
2437MHz	Pass	PK	371.44M	27.50	46.00	-18.50	3	Vertical	360	1.00	-
2437MHz	Pass	PK	536.34M	32.83	46.00	-13.17	3	Vertical	360	1.00	-
2437MHz	Pass	PK	30M	35.22	40.00	-4.78	3	Horizontal	0	1.00	-
2437MHz	Pass	PK	140.58M	32.24	43.50	-11.26	3	Horizontal	0	1.00	-
2437MHz	Pass	PK	196.84M	35.58	43.50	-7.92	3	Horizontal	0	1.00	-
2437MHz	Pass	PK	371.44M	28.27	46.00	-17.73	3	Horizontal	0	1.00	-
2437MHz	Pass	PK	536.34M	32.67	46.00	-13.33	3	Horizontal	0	1.00	-
2437MHz	Pass	PK	716.76M	38.66	46.00	-7.34	3	Horizontal	0	1.00	-

### 802.11ax HEW20\_Nss1,(MCS0)\_2TX


#### 2437MHz\_Adapter



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	49.4M	36.33	40.00	-3.67	-12.59	3	Vertical	360	1.00	-	48.92	13.76	1.04	27.39
PK	125.06M	26.36	43.50	-17.14	-8.84	3	Vertical	360	1.00	-	35.20	17.35	1.57	27.76
PK	198.78M	31.96	43.50	-11.54	-10.98	3	Vertical	360	1.00	-	42.94	14.42	2.02	27.42
PK	227.88M	26.34	46.00	-19.66	-10.05	3	Vertical	360	1.00	-	36.39	15.06	2.16	27.27
PK	371.44M	27.50	46.00	-18.50	-4.85	3	Vertical	360	1.00	-	32.35	20.02	2.78	27.65
PK	536.34M	32.83	46.00	-13.17	-2.14	3	Vertical	360	1.00	-	34.97	23.04	3.38	28.56

### 802.11ax HEW20\_Nss1,(MCS0)\_2TX

#### 2437MHz\_Adapter



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	30M	35.22	40.00	-4.78	-2.80	3	Horizontal	0	1.00	-	38.02	23.14	1.02	26.96
PK	140.58M	32.24	43.50	-11.26	-9.73	3	Horizontal	0	1.00	-	41.97	16.32	1.67	27.72
PK	196.84M	35.58	43.50	-7.92	-11.05	3	Horizontal	0	1.00	-	46.63	14.36	2.01	27.42
PK	371.44M	28.27	46.00	-17.73	-4.85	3	Horizontal	0	1.00	-	33.12	20.02	2.78	27.65
PK	536.34M	32.67	46.00	-13.33	-2.14	3	Horizontal	0	1.00	-	34.81	23.04	3.38	28.56
PK	716.76M	38.66	46.00	-7.34	-0.19	3	Horizontal	0	1.00	-	38.85	24.26	3.86	28.31



Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-
802.11b_Nss1,(1Mbps)_2TX	Pass	AV	2.4836G	50.56	54.00	-3.44	3	Horizontal	46	1.58
802.11g_Nss1,(6Mbps)_2TX	Pass	AV	2.39G	53.43	54.00	-0.57	3	Horizontal	323	2.40
802.11ax HEW20_Nss1,(MCS0)_2TX	Pass	AV	2.4842G	53.46	54.00	-0.54	3	Horizontal	323	2.36
802.11ax HEW40_Nss1,(MCS0)_2TX	Pass	AV	2.4835G	53.29	54.00	-0.71	3	Horizontal	326	2.34



Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11b_Nss1,(1Mbps)_2TX	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	AV	2.3868G	49.52	54.00	-4.48	3	Vertical	20	1.04
2412MHz	Pass	AV	2.4114G	105.67	Inf	-Inf	3	Vertical	20	1.04
2412MHz	Pass	PK	2.3756G	60.30	74.00	-13.70	3	Vertical	20	1.04
2412MHz	Pass	PK	2.411G	109.28	Inf	-Inf	3	Vertical	20	1.04
2412MHz	Pass	AV	2.39G	49.49	54.00	-4.51	3	Horizontal	42	1.39
2412MHz	Pass	AV	2.4128G	109.48	Inf	-Inf	3	Horizontal	42	1.39
2412MHz	Pass	PK	2.3722G	60.39	74.00	-13.61	3	Horizontal	42	1.39
2412MHz	Pass	PK	2.413G	113.31	Inf	-Inf	3	Horizontal	42	1.39
2412MHz	Pass	AV	4.824G	34.36	54.00	-19.64	3	Vertical	171	1.50
2412MHz	Pass	PK	4.81744G	46.32	74.00	-27.68	3	Vertical	171	1.50
2412MHz	Pass	AV	4.824G	37.39	54.00	-16.61	3	Horizontal	295	1.65
2412MHz	Pass	PK	4.82392G	46.65	74.00	-27.35	3	Horizontal	295	1.65
2437MHz	Pass	AV	2.377G	49.48	54.00	-4.52	3	Vertical	333	2.73
2437MHz	Pass	AV	2.4378G	106.88	Inf	-Inf	3	Vertical	333	2.73
2437MHz	Pass	AV	2.497G	50.05	54.00	-3.95	3	Vertical	333	2.73
2437MHz	Pass	PK	2.367G	60.71	74.00	-13.29	3	Vertical	333	2.73
2437MHz	Pass	PK	2.4362G	110.09	Inf	-Inf	3	Vertical	333	2.73
2437MHz	Pass	PK	2.4846G	60.74	74.00	-13.26	3	Vertical	333	2.73
2437MHz	Pass	AV	2.3726G	49.40	54.00	-4.60	3	Horizontal	46	1.94
2437MHz	Pass	AV	2.4366G	112.33	Inf	-Inf	3	Horizontal	46	1.94
2437MHz	Pass	AV	2.4878G	50.18	54.00	-3.82	3	Horizontal	46	1.94
2437MHz	Pass	PK	2.3486G	60.51	74.00	-13.49	3	Horizontal	46	1.94
2437MHz	Pass	PK	2.4362G	115.98	Inf	-Inf	3	Horizontal	46	1.94
2437MHz	Pass	PK	2.4938G	61.00	74.00	-13.00	3	Horizontal	46	1.94
2437MHz	Pass	AV	4.874G	41.92	54.00	-12.08	3	Vertical	335	2.30
2437MHz	Pass	AV	7.31792G	38.94	54.00	-15.06	3	Vertical	301	1.50
2437MHz	Pass	PK	4.87416G	48.63	74.00	-25.37	3	Vertical	335	2.30
2437MHz	Pass	PK	7.32028G	51.01	74.00	-22.99	3	Vertical	301	1.50
2437MHz	Pass	AV	4.87404G	40.09	54.00	-13.91	3	Horizontal	329	1.49
2437MHz	Pass	AV	7.32032G	38.76	54.00	-15.24	3	Horizontal	117	1.50
2437MHz	Pass	PK	4.87416G	47.30	74.00	-26.70	3	Horizontal	329	1.49
2437MHz	Pass	PK	7.31908G	51.88	74.00	-22.12	3	Horizontal	117	1.50
2462MHz	Pass	AV	2.4614G	105.27	Inf	-Inf	3	Vertical	336	2.11
2462MHz	Pass	AV	2.4856G	50.12	54.00	-3.88	3	Vertical	336	2.11
2462MHz	Pass	PK	2.461G	108.84	Inf	-Inf	3	Vertical	336	2.11
2462MHz	Pass	PK	2.4992G	60.62	74.00	-13.38	3	Vertical	336	2.11
2462MHz	Pass	AV	2.4612G	112.53	Inf	-Inf	3	Horizontal	46	1.58
2462MHz	Pass	AV	2.4836G	50.56	54.00	-3.44	3	Horizontal	46	1.58
2462MHz	Pass	PK	2.461G	116.07	Inf	-Inf	3	Horizontal	46	1.58
2462MHz	Pass	PK	2.4912G	61.81	74.00	-12.19	3	Horizontal	46	1.58
2462MHz	Pass	AV	4.92392G	36.66	54.00	-17.34	3	Vertical	360	3.00
2462MHz	Pass	AV	7.37916G	38.46	54.00	-15.54	3	Vertical	360	2.07
2462MHz	Pass	PK	4.92424G	45.87	74.00	-28.13	3	Vertical	360	3.00
2462MHz	Pass	PK	7.3764G	50.70	74.00	-23.30	3	Vertical	360	2.07
2462MHz	Pass	AV	4.92392G	35.30	54.00	-18.70	3	Horizontal	287	1.49
2462MHz	Pass	AV	7.37868G	38.62	54.00	-15.38	3	Horizontal	142	1.13
2462MHz	Pass	PK	4.92384G	47.06	74.00	-26.94	3	Horizontal	287	1.49
2462MHz	Pass	PK	7.39508G	51.42	74.00	-22.58	3	Horizontal	142	1.13
802.11g_Nss1,(6Mbps)_2TX	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	AV	2.3892G	50.33	54.00	-3.67	3	Vertical	10	1.06
2412MHz	Pass	AV	2.418G	102.84	Inf	-Inf	3	Vertical	10	1.06
2412MHz	Pass	PK	2.3892G	62.04	74.00	-11.96	3	Vertical	10	1.06
2412MHz	Pass	PK	2.4176G	112.43	Inf	-Inf	3	Vertical	10	1.06
2412MHz	Pass	AV	2.39G	53.43	54.00	-0.57	3	Horizontal	323	2.40
2412MHz	Pass	AV	2.4192G	109.49	Inf	-Inf	3	Horizontal	323	2.40
2412MHz	Pass	PK	2.39G	66.71	74.00	-7.29	3	Horizontal	323	2.40
2412MHz	Pass	PK	2.4196G	118.78	Inf	-Inf	3	Horizontal	323	2.40
2412MHz	Pass	AV	4.8244G	37.00	54.00	-17.00	3	Vertical	58	1.62
2412MHz	Pass	PK	4.8246G	50.26	74.00	-23.74	3	Vertical	58	1.62
2412MHz	Pass	AV	4.8438G	38.61	54.00	-15.39	3	Horizontal	342	1.49



RSE TX above 1GHz\_Non-Beamforming\_Radio3

Appendix F.4

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
2412MHz	Pass	PK	4.8247G	50.07	74.00	-23.93	3	Horizontal	342	1.49
2437MHz	Pass	AV	2.3818G	48.93	54.00	-5.07	3	Vertical	358	2.89
2437MHz	Pass	AV	2.4298G	103.27	Inf	-Inf	3	Vertical	358	2.89
2437MHz	Pass	AV	2.4842G	49.58	54.00	-4.42	3	Vertical	358	2.89
2437MHz	Pass	PK	2.3474G	60.15	74.00	-13.85	3	Vertical	358	2.89
2437MHz	Pass	PK	2.4302G	112.17	Inf	-Inf	3	Vertical	358	2.89
2437MHz	Pass	PK	2.4922G	61.24	74.00	-12.76	3	Vertical	358	2.89
2437MHz	Pass	AV	2.357G	49.00	54.00	-5.00	3	Horizontal	321	1.95
2437MHz	Pass	AV	2.4298G	109.97	Inf	-Inf	3	Horizontal	321	1.95
2437MHz	Pass	AV	2.4846G	49.76	54.00	-4.24	3	Horizontal	321	1.95
2437MHz	Pass	PK	2.3894G	59.97	74.00	-14.03	3	Horizontal	321	1.95
2437MHz	Pass	PK	2.4302G	119.26	Inf	-Inf	3	Horizontal	321	1.95
2437MHz	Pass	PK	2.4866G	60.19	74.00	-13.81	3	Horizontal	321	1.95
2437MHz	Pass	AV	4.87296G	39.24	54.00	-14.76	3	Vertical	360	2.55
2437MHz	Pass	AV	7.32764G	38.14	54.00	-15.86	3	Vertical	251	1.55
2437MHz	Pass	PK	4.87248G	51.99	74.00	-22.01	3	Vertical	360	2.55
2437MHz	Pass	PK	7.32956G	50.74	74.00	-23.26	3	Vertical	251	1.55
2437MHz	Pass	AV	4.87576G	39.64	54.00	-14.36	3	Horizontal	315	1.98
2437MHz	Pass	AV	7.32924G	38.21	54.00	-15.79	3	Horizontal	258	2.11
2437MHz	Pass	PK	4.8764G	53.06	74.00	-20.94	3	Horizontal	315	1.98
2437MHz	Pass	PK	7.31196G	50.99	74.00	-23.01	3	Horizontal	258	2.11
2457MHz	Pass	AV	2.464G	103.08	Inf	-Inf	3	Vertical	4	2.85
2457MHz	Pass	AV	2.4836G	50.83	54.00	-3.17	3	Vertical	4	2.85
2457MHz	Pass	PK	2.464G	112.58	Inf	-Inf	3	Vertical	4	2.85
2457MHz	Pass	PK	2.4836G	64.20	74.00	-9.80	3	Vertical	4	2.85
2457MHz	Pass	AV	2.4498G	108.82	Inf	-Inf	3	Horizontal	322	2.13
2457MHz	Pass	AV	2.4842G	52.82	54.00	-1.18	3	Horizontal	322	2.13
2457MHz	Pass	PK	2.45G	118.17	Inf	-Inf	3	Horizontal	322	2.13
2457MHz	Pass	PK	2.484G	66.57	74.00	-7.43	3	Horizontal	322	2.13
2462MHz	Pass	AV	2.4582G	100.59	Inf	-Inf	3	Vertical	8	2.85
2462MHz	Pass	AV	2.4835G	50.80	54.00	-3.20	3	Vertical	8	2.85
2462MHz	Pass	PK	2.458G	109.88	Inf	-Inf	3	Vertical	8	2.85
2462MHz	Pass	PK	2.4835G	62.88	74.00	-11.12	3	Vertical	8	2.85
2462MHz	Pass	AV	2.4548G	107.67	Inf	-Inf	3	Horizontal	319	2.35
2462MHz	Pass	AV	2.4835G	53.30	54.00	-0.70	3	Horizontal	319	2.35
2462MHz	Pass	PK	2.455G	116.85	Inf	-Inf	3	Horizontal	319	2.35
2462MHz	Pass	PK	2.4838G	66.38	74.00	-7.62	3	Horizontal	319	2.35
2462MHz	Pass	AV	4.9258G	37.61	54.00	-16.39	3	Vertical	32	2.64
2462MHz	Pass	AV	7.4095G	37.99	54.00	-16.01	3	Vertical	205	2.50
2462MHz	Pass	PK	4.9259G	50.88	74.00	-23.12	3	Vertical	32	2.64
2462MHz	Pass	PK	7.3865G	50.62	74.00	-23.38	3	Vertical	205	2.50
2462MHz	Pass	AV	4.9258G	38.76	54.00	-15.24	3	Horizontal	322	1.81
2462MHz	Pass	AV	7.411G	37.85	54.00	-16.15	3	Horizontal	101	1.71
2462MHz	Pass	PK	4.9162G	51.95	74.00	-22.05	3	Horizontal	322	1.81
2462MHz	Pass	PK	7.4022G	50.76	74.00	-23.24	3	Horizontal	101	1.71
802.11ax HEW20_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	AV	2.39G	50.45	54.00	-3.55	3	Vertical	16	1.09
2412MHz	Pass	AV	2.4034G	101.11	Inf	-Inf	3	Vertical	16	1.09
2412MHz	Pass	PK	2.3898G	61.30	74.00	-12.70	3	Vertical	16	1.09
2412MHz	Pass	PK	2.4038G	113.35	Inf	-Inf	3	Vertical	16	1.09
2412MHz	Pass	AV	2.39G	52.94	54.00	-1.06	3	Horizontal	54	1.77
2412MHz	Pass	AV	2.4208G	106.71	Inf	-Inf	3	Horizontal	54	1.77
2412MHz	Pass	PK	2.3894G	63.83	74.00	-10.17	3	Horizontal	54	1.77
2412MHz	Pass	PK	2.4202G	118.05	Inf	-Inf	3	Horizontal	54	1.77
2412MHz	Pass	AV	4.82604G	36.09	54.00	-17.91	3	Vertical	40	2.75
2412MHz	Pass	PK	4.81674G	51.47	74.00	-22.53	3	Vertical	40	2.75
2412MHz	Pass	AV	4.82748G	37.49	54.00	-16.51	3	Horizontal	322	1.87
2412MHz	Pass	PK	4.82844G	51.63	74.00	-22.37	3	Horizontal	322	1.87
2417MHz	Pass	AV	2.39G	51.32	54.00	-2.68	3	Vertical	10	1.08
2417MHz	Pass	AV	2.4086G	104.86	Inf	-Inf	3	Vertical	10	1.08
2417MHz	Pass	PK	2.3896G	62.57	74.00	-11.43	3	Vertical	10	1.08
2417MHz	Pass	PK	2.409G	116.51	Inf	-Inf	3	Vertical	10	1.08





RSE TX above 1GHz\_Non-Beamforming\_Radio3

Appendix F.4

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
2417MHz	Pass	AV	2.39G	53.28	54.00	-0.72	3	Horizontal	324	2.40
2417MHz	Pass	AV	2.4216G	110.68	Inf	-Inf	3	Horizontal	324	2.40
2417MHz	Pass	PK	2.39G	65.72	74.00	-8.28	3	Horizontal	324	2.40
2417MHz	Pass	PK	2.4118G	123.19	Inf	-Inf	3	Horizontal	324	2.40
2437MHz	Pass	AV	2.3398G	48.71	54.00	-5.29	3	Vertical	7	2.90
2437MHz	Pass	AV	2.4298G	104.62	Inf	-Inf	3	Vertical	7	2.90
2437MHz	Pass	AV	2.4862G	49.44	54.00	-4.56	3	Vertical	7	2.90
2437MHz	Pass	PK	2.3382G	59.80	74.00	-14.20	3	Vertical	7	2.90
2437MHz	Pass	PK	2.4314G	115.52	Inf	-Inf	3	Vertical	7	2.90
2437MHz	Pass	PK	2.4942G	59.49	74.00	-14.51	3	Vertical	7	2.90
2437MHz	Pass	AV	2.3898G	49.15	54.00	-4.85	3	Horizontal	328	1.95
2437MHz	Pass	AV	2.4306G	109.99	Inf	-Inf	3	Horizontal	328	1.95
2437MHz	Pass	AV	2.4835G	49.98	54.00	-4.02	3	Horizontal	328	1.95
2437MHz	Pass	PK	2.3858G	59.76	74.00	-14.24	3	Horizontal	328	1.95
2437MHz	Pass	PK	2.4306G	122.37	Inf	-Inf	3	Horizontal	328	1.95
2437MHz	Pass	PK	2.4854G	60.13	74.00	-13.87	3	Horizontal	328	1.95
2437MHz	Pass	AV	4.8724G	39.43	54.00	-14.57	3	Vertical	0	2.55
2437MHz	Pass	AV	7.3245G	37.96	54.00	-16.04	3	Vertical	200	1.56
2437MHz	Pass	PK	4.8712G	53.81	74.00	-20.19	3	Vertical	0	2.55
2437MHz	Pass	PK	7.336G	51.01	74.00	-22.99	3	Vertical	200	1.56
2437MHz	Pass	AV	4.8726G	40.86	54.00	-13.14	3	Horizontal	69	2.80
2437MHz	Pass	AV	7.3293G	37.90	54.00	-16.10	3	Horizontal	268	1.09
2437MHz	Pass	PK	4.8706G	56.02	74.00	-17.98	3	Horizontal	69	2.80
2437MHz	Pass	PK	7.2864G	51.15	74.00	-22.85	3	Horizontal	268	1.09
2457MHz	Pass	AV	2.449G	102.70	Inf	-Inf	3	Vertical	6	2.84
2457MHz	Pass	AV	2.4835G	50.28	54.00	-3.72	3	Vertical	6	2.84
2457MHz	Pass	PK	2.4598G	115.62	Inf	-Inf	3	Vertical	6	2.84
2457MHz	Pass	PK	2.4836G	60.66	74.00	-13.34	3	Vertical	6	2.84
2457MHz	Pass	AV	2.451G	108.68	Inf	-Inf	3	Horizontal	327	2.35
2457MHz	Pass	AV	2.4835G	53.21	54.00	-0.79	3	Horizontal	327	2.35
2457MHz	Pass	PK	2.451G	121.45	Inf	-Inf	3	Horizontal	327	2.35
2457MHz	Pass	PK	2.4836G	63.35	74.00	-10.65	3	Horizontal	327	2.35
2462MHz	Pass	AV	2.4546G	100.12	Inf	-Inf	3	Vertical	7	2.85
2462MHz	Pass	AV	2.4835G	50.97	54.00	-3.03	3	Vertical	7	2.85
2462MHz	Pass	PK	2.4542G	113.19	Inf	-Inf	3	Vertical	7	2.85
2462MHz	Pass	PK	2.4835G	61.38	74.00	-12.62	3	Vertical	7	2.85
2462MHz	Pass	AV	2.4566G	106.11	Inf	-Inf	3	Horizontal	323	2.36
2462MHz	Pass	AV	2.4842G	53.46	54.00	-0.54	3	Horizontal	323	2.36
2462MHz	Pass	PK	2.457G	118.24	Inf	-Inf	3	Horizontal	323	2.36
2462MHz	Pass	PK	2.4838G	65.45	74.00	-8.55	3	Horizontal	323	2.36
2462MHz	Pass	AV	4.9214G	37.44	54.00	-16.56	3	Vertical	360	2.87
2462MHz	Pass	AV	7.3985G	37.19	54.00	-16.81	3	Vertical	13	1.25
2462MHz	Pass	PK	4.92G	51.25	74.00	-22.75	3	Vertical	360	2.87
2462MHz	Pass	PK	7.411G	50.26	74.00	-23.74	3	Vertical	13	1.25
2462MHz	Pass	AV	4.9224G	39.92	54.00	-14.08	3	Horizontal	68	2.38
2462MHz	Pass	AV	7.4066G	37.31	54.00	-16.69	3	Horizontal	112	2.98
2462MHz	Pass	PK	4.9209G	53.24	74.00	-20.76	3	Horizontal	68	2.38
2462MHz	Pass	PK	7.3679G	50.52	74.00	-23.48	3	Horizontal	112	2.98
802.11ax HEW40_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
2422MHz	Pass	AV	2.39G	50.58	54.00	-3.42	3	Vertical	345	2.28
2422MHz	Pass	AV	2.4204G	98.85	Inf	-Inf	3	Vertical	345	2.28
2422MHz	Pass	AV	2.4852G	49.32	54.00	-4.68	3	Vertical	345	2.28
2422MHz	Pass	PK	2.3884G	61.74	74.00	-12.26	3	Vertical	345	2.28
2422MHz	Pass	PK	2.4212G	111.07	Inf	-Inf	3	Vertical	345	2.28
2422MHz	Pass	PK	2.494G	59.37	74.00	-14.63	3	Vertical	345	2.28
2422MHz	Pass	AV	2.39G	53.08	54.00	-0.92	3	Horizontal	54	1.74
2422MHz	Pass	AV	2.4212G	104.40	Inf	-Inf	3	Horizontal	54	1.74
2422MHz	Pass	AV	2.4835G	49.69	54.00	-4.31	3	Horizontal	54	1.74
2422MHz	Pass	PK	2.3896G	65.64	74.00	-8.36	3	Horizontal	54	1.74
2422MHz	Pass	PK	2.42G	115.85	Inf	-Inf	3	Horizontal	54	1.74
2422MHz	Pass	PK	2.4835G	59.61	74.00	-14.39	3	Horizontal	54	1.74
2422MHz	Pass	AV	4.8438G	39.46	54.00	-14.54	3	Vertical	41	2.37




RSE TX above 1GHz\_Non-Beamforming\_Radio3

Appendix F.4

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
2422MHz	Pass	AV	7.25604G	37.17	54.00	-16.83	3	Vertical	259	2.50
2422MHz	Pass	PK	4.8438G	49.38	74.00	-24.62	3	Vertical	41	2.37
2422MHz	Pass	PK	7.26936G	50.27	74.00	-23.73	3	Vertical	259	2.50
2422MHz	Pass	AV	4.8438G	39.80	54.00	-14.20	3	Horizontal	345	1.50
2422MHz	Pass	AV	7.25788G	37.13	54.00	-16.87	3	Horizontal	162	1.70
2422MHz	Pass	PK	4.844G	49.46	74.00	-24.54	3	Horizontal	345	1.50
2422MHz	Pass	PK	7.2752G	49.79	74.00	-24.21	3	Horizontal	162	1.70
2437MHz	Pass	AV	2.3898G	49.02	54.00	-4.98	3	Vertical	1	2.89
2437MHz	Pass	AV	2.4306G	100.00	Inf	-Inf	3	Vertical	1	2.89
2437MHz	Pass	AV	2.4835G	50.60	54.00	-3.40	3	Vertical	1	2.89
2437MHz	Pass	PK	2.3682G	59.87	74.00	-14.13	3	Vertical	1	2.89
2437MHz	Pass	PK	2.431G	111.57	Inf	-Inf	3	Vertical	1	2.89
2437MHz	Pass	PK	2.4835G	61.73	74.00	-12.27	3	Vertical	1	2.89
2437MHz	Pass	AV	2.3898G	49.18	54.00	-4.82	3	Horizontal	57	1.96
2437MHz	Pass	AV	2.4254G	104.83	Inf	-Inf	3	Horizontal	57	1.96
2437MHz	Pass	AV	2.4842G	52.70	54.00	-1.30	3	Horizontal	57	1.96
2437MHz	Pass	PK	2.3774G	59.40	74.00	-14.60	3	Horizontal	57	1.96
2437MHz	Pass	PK	2.4254G	117.63	Inf	-Inf	3	Horizontal	57	1.96
2437MHz	Pass	PK	2.4866G	64.98	74.00	-9.02	3	Horizontal	57	1.96
2437MHz	Pass	AV	4.8803G	36.37	54.00	-17.63	3	Vertical	10	2.93
2437MHz	Pass	AV	7.333G	37.70	54.00	-16.30	3	Vertical	304	2.46
2437MHz	Pass	PK	4.8803G	49.06	74.00	-24.94	3	Vertical	10	2.93
2437MHz	Pass	PK	7.292G	50.24	74.00	-23.76	3	Vertical	304	2.46
2437MHz	Pass	AV	4.8805G	37.14	54.00	-16.86	3	Horizontal	74	2.40
2437MHz	Pass	AV	7.3262G	37.73	54.00	-16.27	3	Horizontal	182	2.67
2437MHz	Pass	PK	4.88G	49.89	74.00	-24.11	3	Horizontal	74	2.40
2437MHz	Pass	PK	7.312G	50.60	74.00	-23.40	3	Horizontal	182	2.67
2447MHz	Pass	AV	2.3842G	48.66	54.00	-5.34	3	Vertical	360	2.83
2447MHz	Pass	AV	2.4502G	98.10	Inf	-Inf	3	Vertical	360	2.83
2447MHz	Pass	AV	2.4835G	50.77	54.00	-3.23	3	Vertical	360	2.83
2447MHz	Pass	PK	2.3542G	59.56	74.00	-14.44	3	Vertical	360	2.83
2447MHz	Pass	PK	2.4502G	110.02	Inf	-Inf	3	Vertical	360	2.83
2447MHz	Pass	PK	2.4842G	60.71	74.00	-13.29	3	Vertical	360	2.83
2447MHz	Pass	AV	2.3814G	48.72	54.00	-5.28	3	Horizontal	326	2.34
2447MHz	Pass	AV	2.4522G	104.42	Inf	-Inf	3	Horizontal	326	2.34
2447MHz	Pass	AV	2.4835G	53.29	54.00	-0.71	3	Horizontal	326	2.34
2447MHz	Pass	PK	2.3894G	59.45	74.00	-14.55	3	Horizontal	326	2.34
2447MHz	Pass	PK	2.4606G	115.35	Inf	-Inf	3	Horizontal	326	2.34
2447MHz	Pass	PK	2.4835G	63.45	74.00	-10.55	3	Horizontal	326	2.34
2452MHz	Pass	AV	2.3896G	48.67	54.00	-5.33	3	Vertical	-0	2.83
2452MHz	Pass	AV	2.4552G	97.37	Inf	-Inf	3	Vertical	-0	2.83
2452MHz	Pass	AV	2.484G	51.02	54.00	-2.98	3	Vertical	-0	2.83
2452MHz	Pass	PK	2.3732G	59.73	74.00	-14.27	3	Vertical	-0	2.83
2452MHz	Pass	PK	2.4552G	109.74	Inf	-Inf	3	Vertical	-0	2.83
2452MHz	Pass	PK	2.486G	61.80	74.00	-12.20	3	Vertical	-0	2.83
2452MHz	Pass	AV	2.3884G	48.65	54.00	-5.35	3	Horizontal	327	2.36
2452MHz	Pass	AV	2.4564G	103.19	Inf	-Inf	3	Horizontal	327	2.36
2452MHz	Pass	AV	2.4852G	52.90	54.00	-1.10	3	Horizontal	327	2.36
2452MHz	Pass	PK	2.3828G	58.89	74.00	-15.11	3	Horizontal	327	2.36
2452MHz	Pass	PK	2.4576G	114.09	Inf	-Inf	3	Horizontal	327	2.36
2452MHz	Pass	PK	2.4868G	64.91	74.00	-9.09	3	Horizontal	327	2.36
2452MHz	Pass	AV	4.9117G	36.08	54.00	-17.92	3	Vertical	-0	2.51
2452MHz	Pass	AV	7.3438G	37.93	54.00	-16.07	3	Vertical	224	2.31
2452MHz	Pass	PK	4.9125G	48.38	74.00	-25.62	3	Vertical	-0	2.51
2452MHz	Pass	PK	7.3399G	50.09	74.00	-23.91	3	Vertical	224	2.31
2452MHz	Pass	AV	4.9088G	36.06	54.00	-17.94	3	Horizontal	316	1.96
2452MHz	Pass	AV	7.3314G	37.53	54.00	-16.47	3	Horizontal	231	1.78
2452MHz	Pass	PK	4.9083G	51.18	74.00	-22.82	3	Horizontal	316	1.96
2452MHz	Pass	PK	7.3592G	50.01	74.00	-23.99	3	Horizontal	231	1.78

### 2.4-2.4835GHz\_802.11b\_Nss1,(1Mbps)\_2TX


#### 2412MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3868G	49.52	54.00	-4.48	35.70	3	Vertical	20	1.04	13.82	27.42	8.28	-
AV	2.4114G	105.67	Inf	-Inf	35.87	3	Vertical	20	1.04	69.80	27.57	8.30	-
PK	2.3756G	60.30	74.00	-13.70	35.62	3	Vertical	20	1.04	24.68	27.35	8.27	-
PK	2.411G	109.28	Inf	-Inf	35.87	3	Vertical	20	1.04	73.41	27.57	8.30	-


### 2.4-2.4835GHz\_802.11b\_Nss1,(1Mbps)\_2TX

#### 2412MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.39G	49.49	54.00	-4.51	35.72	3	Horizontal	42	1.39	13.77	27.44	8.28	-
AV	2.4128G	109.48	Inf	-Inf	35.88	3	Horizontal	42	1.39	73.60	27.58	8.30	-
PK	2.3722G	60.39	74.00	-13.61	35.60	3	Horizontal	42	1.39	24.79	27.33	8.27	-
PK	2.413G	113.31	Inf	-Inf	35.88	3	Horizontal	42	1.39	77.43	27.58	8.30	-

**2.4-2.4835GHz\_802.11b\_Nss1,(1Mbps)\_2TX**  
**2412MHz\_TX**




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.824G	34.36	54.00	-19.64	8.04	3	Vertical	171	1.50	26.32	32.54	9.68	34.18
PK	4.81744G	46.32	74.00	-27.68	7.99	3	Vertical	171	1.50	38.33	32.50	9.68	34.19

**2.4-2.4835GHz\_802.11b\_Nss1,(1Mbps)\_2TX**  
**2412MHz\_TX**




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.824G	37.39	54.00	-16.61	8.04	3	Horizontal	295	1.65	29.35	32.54	9.68	34.18
PK	4.82392G	46.65	74.00	-27.35	8.04	3	Horizontal	295	1.65	38.61	32.54	9.68	34.18

**2.4-2.4835GHz\_802.11b\_Nss1,(1Mbps)\_2TX**  
**2437MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.377G	49.48	54.00	-4.52	35.63	3	Vertical	333	2.73	13.85	27.36	8.27	-
AV	2.4378G	106.88	Inf	-Inf	36.04	3	Vertical	333	2.73	70.84	27.73	8.31	-
AV	2.497G	50.05	54.00	-3.95	36.24	3	Vertical	333	2.73	13.81	27.89	8.35	-
PK	2.367G	60.71	74.00	-13.29	35.57	3	Vertical	333	2.73	25.14	27.30	8.27	-
PK	2.4362G	110.09	Inf	-Inf	36.03	3	Vertical	333	2.73	74.06	27.72	8.31	-
PK	2.4846G	60.74	74.00	-13.26	36.21	3	Vertical	333	2.73	24.53	27.87	8.34	-


**2.4-2.4835GHz\_802.11b\_Nss1,(1Mbps)\_2TX**  
**2437MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3726G	49.40	54.00	-4.60	35.61	3	Horizontal	46	1.94	13.79	27.34	8.27	-
AV	2.4366G	112.33	Inf	-Inf	36.03	3	Horizontal	46	1.94	76.30	27.72	8.31	-
AV	2.4878G	50.18	54.00	-3.82	36.23	3	Horizontal	46	1.94	13.95	27.88	8.35	-
PK	2.3486G	60.51	74.00	-13.49	35.45	3	Horizontal	46	1.94	25.06	27.20	8.25	-
PK	2.4362G	115.98	Inf	-Inf	36.03	3	Horizontal	46	1.94	79.95	27.72	8.31	-
PK	2.4938G	61.00	74.00	-13.00	36.24	3	Horizontal	46	1.94	24.76	27.89	8.35	-

### 2.4-2.4835GHz\_802.11b\_Nss1,(1Mbps)\_2TX


#### 2437MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.874G	41.92	54.00	-12.08	8.34	3	Vertical	335	2.30	33.58	32.80	9.70	34.16
AV	7.31792G	38.94	54.00	-15.06	13.95	3	Vertical	301	1.50	24.99	37.13	11.32	34.50
PK	4.87416G	48.63	74.00	-25.37	8.34	3	Vertical	335	2.30	40.29	32.80	9.70	34.16
PK	7.32028G	51.01	74.00	-22.99	13.94	3	Vertical	301	1.50	37.07	37.12	11.32	34.50

### 2.4-2.4835GHz\_802.11b\_Nss1,(1Mbps)\_2TX


#### 2437MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.87404G	40.09	54.00	-13.91	8.34	3	Horizontal	329	1.49	31.75	32.80	9.70	34.16
AV	7.32032G	38.76	54.00	-15.24	13.94	3	Horizontal	117	1.50	24.82	37.12	11.32	34.50
PK	4.87416G	47.30	74.00	-26.70	8.34	3	Horizontal	329	1.49	38.96	32.80	9.70	34.16
PK	7.31908G	51.88	74.00	-22.12	13.94	3	Horizontal	117	1.50	37.94	37.12	11.32	34.50

2.4-2.4835GHz\_802.11b\_Nss1,(1Mbps)\_2TX


2462MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4614G	105.27	Inf	-Inf	36.15	3	Vertical	336	2.11	69.12	27.82	8.33	-
AV	2.4856G	50.12	54.00	-3.88	36.22	3	Vertical	336	2.11	13.90	27.87	8.35	-
PK	2.461G	108.84	Inf	-Inf	36.15	3	Vertical	336	2.11	72.69	27.82	8.33	-
PK	2.4992G	60.62	74.00	-13.38	36.25	3	Vertical	336	2.11	24.37	27.90	8.35	-

2.4-2.4835GHz\_802.11b\_Nss1,(1Mbps)\_2TX


2462MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4612G	112.53	Inf	-Inf	36.15	3	Horizontal	46	1.58	76.38	27.82	8.33	-
AV	2.4836G	50.56	54.00	-3.44	36.21	3	Horizontal	46	1.58	14.35	27.87	8.34	-
PK	2.461G	116.07	Inf	-Inf	36.15	3	Horizontal	46	1.58	79.92	27.82	8.33	-
PK	2.4912G	61.81	74.00	-12.19	36.23	3	Horizontal	46	1.58	25.58	27.88	8.35	-

### 2.4-2.4835GHz\_802.11b\_Nss1,(1Mbps)\_2TX


#### 2462MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.92392G	36.66	54.00	-17.34	8.53	3	Vertical	360	3.00	28.13	32.95	9.72	34.14
AV	7.37916G	38.46	54.00	-15.54	13.73	3	Vertical	360	2.07	24.73	36.88	11.34	34.49
PK	4.92424G	45.87	74.00	-28.13	8.53	3	Vertical	360	3.00	37.34	32.95	9.72	34.14
PK	7.3764G	50.70	74.00	-23.30	13.74	3	Vertical	360	2.07	36.96	36.89	11.34	34.49

### 2.4-2.4835GHz\_802.11b\_Nss1,(1Mbps)\_2TX

#### 2462MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.92392G	35.30	54.00	-18.70	8.53	3	Horizontal	287	1.49	26.77	32.95	9.72	34.14
AV	7.37868G	38.62	54.00	-15.38	13.74	3	Horizontal	142	1.13	24.88	36.89	11.34	34.49
PK	4.92384G	47.06	74.00	-26.94	8.53	3	Horizontal	287	1.49	38.53	32.95	9.72	34.14
PK	7.39508G	51.42	74.00	-22.58	13.67	3	Horizontal	142	1.13	37.75	36.82	11.34	34.49



### 2.4-2.4835GHz\_802.11g\_Nss1,(6Mbps)\_2TX


#### 2412MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3892G	50.33	54.00	-3.67	35.56	3	Vertical	10	1.06	14.77	27.28	8.28	-
AV	2.418G	102.84	Inf	-Inf	35.67	3	Vertical	10	1.06	67.17	27.37	8.30	-
PK	2.3892G	62.04	74.00	-11.96	35.56	3	Vertical	10	1.06	26.48	27.28	8.28	-
PK	2.4176G	112.43	Inf	-Inf	35.67	3	Vertical	10	1.06	76.76	27.37	8.30	-


### 2.4-2.4835GHz\_802.11g\_Nss1,(6Mbps)\_2TX

#### 2412MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.39G	53.43	54.00	-0.57	35.56	3	Horizontal	323	2.40	17.87	27.28	8.28	-
AV	2.4192G	109.49	Inf	-Inf	35.68	3	Horizontal	323	2.40	73.81	27.38	8.30	-
PK	2.39G	66.71	74.00	-7.29	35.56	3	Horizontal	323	2.40	31.15	27.28	8.28	-
PK	2.4196G	118.78	Inf	-Inf	35.68	3	Horizontal	323	2.40	83.10	27.38	8.30	-

**2.4-2.4835GHz\_802.11g\_Nss1,(6Mbps)\_2TX**  
**2412MHz\_TX**




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.8244G	37.00	54.00	-17.00	8.05	3	Vertical	58	1.62	28.95	32.55	9.68	34.18
PK	4.8246G	50.26	74.00	-23.74	8.05	3	Vertical	58	1.62	42.21	32.55	9.68	34.18

**2.4-2.4835GHz\_802.11g\_Nss1,(6Mbps)\_2TX**  
**2412MHz\_TX**




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.8438G	38.61	54.00	-15.39	8.11	3	Horizontal	342	1.49	30.50	32.59	9.69	34.17
PK	4.8247G	50.07	74.00	-23.93	8.05	3	Horizontal	342	1.49	42.02	32.55	9.68	34.18

**2.4-2.4835GHz\_802.11g\_Nss1,(6Mbps)\_2TX**  
**2437MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3818G	48.93	54.00	-5.07	35.54	3	Vertical	358	2.89	13.39	27.26	8.28	-
AV	2.4298G	103.27	Inf	-Inf	35.73	3	Vertical	358	2.89	67.54	27.42	8.31	-
AV	2.4842G	49.58	54.00	-4.42	36.05	3	Vertical	358	2.89	13.53	27.71	8.34	-
PK	2.3474G	60.15	74.00	-13.85	35.44	3	Vertical	358	2.89	24.71	27.19	8.25	-
PK	2.4302G	112.17	Inf	-Inf	35.73	3	Vertical	358	2.89	76.44	27.42	8.31	-
PK	2.4922G	61.24	74.00	-12.76	36.10	3	Vertical	358	2.89	25.14	27.75	8.35	-


**2.4-2.4835GHz\_802.11g\_Nss1,(6Mbps)\_2TX**  
**2437MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.357G	49.00	54.00	-5.00	35.47	3	Horizontal	321	1.95	13.53	27.21	8.26	-
AV	2.4298G	109.97	Inf	-Inf	35.73	3	Horizontal	321	1.95	74.24	27.42	8.31	-
AV	2.4846G	49.76	54.00	-4.24	36.05	3	Horizontal	321	1.95	13.71	27.71	8.34	-
PK	2.3894G	59.97	74.00	-14.03	35.56	3	Horizontal	321	1.95	24.41	27.28	8.28	-
PK	2.4302G	119.26	Inf	-Inf	35.73	3	Horizontal	321	1.95	83.53	27.42	8.31	-
PK	2.4866G	60.19	74.00	-13.81	36.07	3	Horizontal	321	1.95	24.12	27.72	8.35	-

2.4-2.4835GHz\_802.11g\_Nss1,(6Mbps)\_2TX


2437MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.87296G	39.24	54.00	-14.76	8.19	3	Vertical	360	2.55	31.05	32.65	9.70	34.16
AV	7.32764G	38.14	54.00	-15.86	13.49	3	Vertical	251	1.55	24.65	36.66	11.33	34.50
PK	4.87248G	51.99	74.00	-22.01	8.18	3	Vertical	360	2.55	43.81	32.64	9.70	34.16
PK	7.32956G	50.74	74.00	-23.26	13.49	3	Vertical	251	1.55	37.25	36.66	11.33	34.50

2.4-2.4835GHz\_802.11g\_Nss1,(6Mbps)\_2TX


2437MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.87576G	39.64	54.00	-14.36	8.19	3	Horizontal	315	1.98	31.45	32.65	9.70	34.16
AV	7.32924G	38.21	54.00	-15.79	13.49	3	Horizontal	258	2.11	24.72	36.66	11.33	34.50
PK	4.8764G	53.06	74.00	-20.94	8.19	3	Horizontal	315	1.98	44.87	32.65	9.70	34.16
PK	7.31196G	50.99	74.00	-23.01	13.44	3	Horizontal	258	2.11	37.55	36.62	11.32	34.50

2.4-2.4835GHz\_802.11g\_Nss1,(6Mbps)\_2TX


2457MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.464G	103.08	Inf	-Inf	35.91	3	Vertical	4	2.85	67.17	27.58	8.33	-
AV	2.4836G	50.83	54.00	-3.17	36.04	3	Vertical	4	2.85	14.79	27.70	8.34	-
PK	2.464G	112.58	Inf	-Inf	35.91	3	Vertical	4	2.85	76.67	27.58	8.33	-
PK	2.4836G	64.20	74.00	-9.80	36.04	3	Vertical	4	2.85	28.16	27.70	8.34	-

2.4-2.4835GHz\_802.11g\_Nss1,(6Mbps)\_2TX


2457MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4498G	108.82	Inf	-Inf	35.82	3	Horizontal	322	2.13	73.00	27.50	8.32	-
AV	2.4842G	52.82	54.00	-1.18	36.05	3	Horizontal	322	2.13	16.77	27.71	8.34	-
PK	2.45G	118.17	Inf	-Inf	35.82	3	Horizontal	322	2.13	82.35	27.50	8.32	-
PK	2.484G	66.57	74.00	-7.43	36.04	3	Horizontal	322	2.13	30.53	27.70	8.34	-

2.4-2.4835GHz\_802.11g\_Nss1,(6Mbps)\_2TX


2462MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4582G	100.59	Inf	-Inf	35.88	3	Vertical	8	2.85	64.71	27.55	8.33	-
AV	2.4835G	50.80	54.00	-3.20	36.04	3	Vertical	8	2.85	14.76	27.70	8.34	-
PK	2.458G	109.88	Inf	-Inf	35.88	3	Vertical	8	2.85	74.00	27.55	8.33	-
PK	2.4835G	62.88	74.00	-11.12	36.04	3	Vertical	8	2.85	26.84	27.70	8.34	-

2.4-2.4835GHz\_802.11g\_Nss1,(6Mbps)\_2TX


2462MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4548G	107.67	Inf	-Inf	35.86	3	Horizontal	319	2.35	71.81	27.53	8.33	-
AV	2.4835G	53.30	54.00	-0.70	36.04	3	Horizontal	319	2.35	17.26	27.70	8.34	-
PK	2.455G	116.85	Inf	-Inf	35.86	3	Horizontal	319	2.35	80.99	27.53	8.33	-
PK	2.4838G	66.38	74.00	-7.62	36.04	3	Horizontal	319	2.35	30.34	27.70	8.34	-

### 2.4-2.4835GHz\_802.11g\_Nss1,(6Mbps)\_2TX


#### 2462MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.9258G	37.61	54.00	-16.39	8.38	3	Vertical	32	2.64	29.23	32.80	9.72	34.14
AV	7.4095G	37.99	54.00	-16.01	13.20	3	Vertical	205	2.50	24.79	36.36	11.33	34.49
PK	4.9259G	50.88	74.00	-23.12	8.38	3	Vertical	32	2.64	42.50	32.80	9.72	34.14
PK	7.3865G	50.62	74.00	-23.38	13.33	3	Vertical	205	2.50	37.29	36.48	11.34	34.49

### 2.4-2.4835GHz\_802.11g\_Nss1,(6Mbps)\_2TX


#### 2462MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.9258G	38.76	54.00	-15.24	8.38	3	Horizontal	322	1.81	30.38	32.80	9.72	34.14
AV	7.411G	37.85	54.00	-16.15	13.20	3	Horizontal	101	1.71	24.65	36.36	11.33	34.49
PK	4.9162G	51.95	74.00	-22.05	8.34	3	Horizontal	322	1.81	43.61	32.76	9.72	34.14
PK	7.4022G	50.76	74.00	-23.24	13.24	3	Horizontal	101	1.71	37.52	36.39	11.34	34.49

2.4-2.4835GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX


2412MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.39G	50.45	54.00	-3.55	35.56	3	Vertical	16	1.09	14.89	27.28	8.28	-
AV	2.4034G	101.11	Inf	-Inf	35.60	3	Vertical	16	1.09	65.51	27.31	8.29	-
PK	2.3898G	61.30	74.00	-12.70	35.56	3	Vertical	16	1.09	25.74	27.28	8.28	-
PK	2.4038G	113.35	Inf	-Inf	35.61	3	Vertical	16	1.09	77.74	27.32	8.29	-

2.4-2.4835GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX


2412MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.39G	52.94	54.00	-1.06	35.56	3	Horizontal	54	1.77	17.38	27.28	8.28	-
AV	2.4208G	106.71	Inf	-Inf	35.68	3	Horizontal	54	1.77	71.03	27.38	8.30	-
PK	2.3894G	63.83	74.00	-10.17	35.56	3	Horizontal	54	1.77	28.27	27.28	8.28	-
PK	2.4202G	118.05	Inf	-Inf	35.68	3	Horizontal	54	1.77	82.37	27.38	8.30	-




**2.4-2.4835GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX  
2412MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.82604G	36.09	54.00	-17.91	8.05	3	Vertical	40	2.75	28.04	32.55	9.68	34.18
PK	4.81674G	51.47	74.00	-22.53	8.02	3	Vertical	40	2.75	43.45	32.53	9.68	34.19


**2.4-2.4835GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX  
2412MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.82748G	37.49	54.00	-16.51	8.05	3	Horizontal	322	1.87	29.44	32.55	9.68	34.18
PK	4.82844G	51.63	74.00	-22.37	8.06	3	Horizontal	322	1.87	43.57	32.56	9.68	34.18

2.4-2.4835GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX


2417MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.39G	51.32	54.00	-2.68	35.56	3	Vertical	10	1.08	15.76	27.28	8.28	-
AV	2.4086G	104.86	Inf	-Inf	35.63	3	Vertical	10	1.08	69.23	27.33	8.30	-
PK	2.3896G	62.57	74.00	-11.43	35.56	3	Vertical	10	1.08	27.01	27.28	8.28	-
PK	2.409G	116.51	Inf	-Inf	35.64	3	Vertical	10	1.08	80.87	27.34	8.30	-


2.4-2.4835GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX

2417MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.39G	53.28	54.00	-0.72	35.56	3	Horizontal	324	2.40	17.72	27.28	8.28	-
AV	2.4216G	110.68	Inf	-Inf	35.69	3	Horizontal	324	2.40	74.99	27.39	8.30	-
PK	2.39G	65.72	74.00	-8.28	35.56	3	Horizontal	324	2.40	30.16	27.28	8.28	-
PK	2.4118G	123.19	Inf	-Inf	35.65	3	Horizontal	324	2.40	87.54	27.35	8.30	-

**2.4-2.4835GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX  
2437MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3398G	48.71	54.00	-5.29	35.40	3	Vertical	7	2.90	13.31	27.16	8.24	-
AV	2.4298G	104.62	Inf	-Inf	35.73	3	Vertical	7	2.90	68.89	27.42	8.31	-
AV	2.4862G	49.44	54.00	-4.56	36.07	3	Vertical	7	2.90	13.37	27.72	8.35	-
PK	2.3382G	59.80	74.00	-14.20	35.39	3	Vertical	7	2.90	24.41	27.15	8.24	-
PK	2.4314G	115.52	Inf	-Inf	35.74	3	Vertical	7	2.90	79.78	27.43	8.31	-
PK	2.4942G	59.49	74.00	-14.51	36.12	3	Vertical	7	2.90	23.37	27.77	8.35	-


**2.4-2.4835GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX  
2437MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	49.15	54.00	-4.85	35.56	3	Horizontal	328	1.95	13.59	27.28	8.28	-
AV	2.4306G	109.99	Inf	-Inf	35.73	3	Horizontal	328	1.95	74.26	27.42	8.31	-
AV	2.4835G	49.98	54.00	-4.02	36.04	3	Horizontal	328	1.95	13.94	27.70	8.34	-
PK	2.3858G	59.76	74.00	-14.24	35.55	3	Horizontal	328	1.95	24.21	27.27	8.28	-
PK	2.4306G	122.37	Inf	-Inf	35.73	3	Horizontal	328	1.95	86.64	27.42	8.31	-
PK	2.4854G	60.13	74.00	-13.87	36.06	3	Horizontal	328	1.95	24.07	27.71	8.35	-

2.4-2.4835GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX


2437MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.8724G	39.43	54.00	-14.57	8.18	3	Vertical	0	2.55	31.25	32.64	9.70	34.16
AV	7.3245G	37.96	54.00	-16.04	13.47	3	Vertical	200	1.56	24.49	36.65	11.32	34.50
PK	4.8712G	53.81	74.00	-20.19	8.18	3	Vertical	0	2.55	45.63	32.64	9.70	34.16
PK	7.336G	51.01	74.00	-22.99	13.50	3	Vertical	200	1.56	37.51	36.67	11.33	34.50

2.4-2.4835GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX


2437MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.8726G	40.86	54.00	-13.14	8.19	3	Horizontal	69	2.80	32.67	32.65	9.70	34.16
AV	7.3293G	37.90	54.00	-16.10	13.49	3	Horizontal	268	1.09	24.41	36.66	11.33	34.50
PK	4.8706G	56.02	74.00	-17.98	8.18	3	Horizontal	69	2.80	47.84	32.64	9.70	34.16
PK	7.2864G	51.15	74.00	-22.85	13.45	3	Horizontal	268	1.09	37.70	36.63	11.32	34.50

2.4-2.4835GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX


2457MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.449G	102.70	Inf	-Inf	35.82	3	Vertical	6	2.84	66.88	27.50	8.32	-
AV	2.4835G	50.28	54.00	-3.72	36.04	3	Vertical	6	2.84	14.24	27.70	8.34	-
PK	2.4598G	115.62	Inf	-Inf	35.89	3	Vertical	6	2.84	79.73	27.56	8.33	-
PK	2.4836G	60.66	74.00	-13.34	36.04	3	Vertical	6	2.84	24.62	27.70	8.34	-

2.4-2.4835GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX


2457MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.451G	108.68	Inf	-Inf	35.83	3	Horizontal	327	2.35	72.85	27.51	8.32	-
AV	2.4835G	53.21	54.00	-0.79	36.04	3	Horizontal	327	2.35	17.17	27.70	8.34	-
PK	2.451G	121.45	Inf	-Inf	35.83	3	Horizontal	327	2.35	85.62	27.51	8.32	-
PK	2.4836G	63.35	74.00	-10.65	36.04	3	Horizontal	327	2.35	27.31	27.70	8.34	-

2.4-2.4835GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX


2462MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4546G	100.12	Inf	-Inf	35.86	3	Vertical	7	2.85	64.26	27.53	8.33	-
AV	2.4835G	50.97	54.00	-3.03	36.04	3	Vertical	7	2.85	14.93	27.70	8.34	-
PK	2.4542G	113.19	Inf	-Inf	35.86	3	Vertical	7	2.85	77.33	27.53	8.33	-
PK	2.4835G	61.38	74.00	-12.62	36.04	3	Vertical	7	2.85	25.34	27.70	8.34	-

2.4-2.4835GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX


2462MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4566G	106.11	Inf	-Inf	35.87	3	Horizontal	323	2.36	70.24	27.54	8.33	-
AV	2.4842G	53.46	54.00	-0.54	36.05	3	Horizontal	323	2.36	17.41	27.71	8.34	-
PK	2.457G	118.24	Inf	-Inf	35.87	3	Horizontal	323	2.36	82.37	27.54	8.33	-
PK	2.4838G	65.45	74.00	-8.55	36.04	3	Horizontal	323	2.36	29.41	27.70	8.34	-

2.4-2.4835GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX


2462MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.9214G	37.44	54.00	-16.56	8.37	3	Vertical	360	2.87	29.07	32.79	9.72	34.14
AV	7.3985G	37.19	54.00	-16.81	13.26	3	Vertical	13	1.25	23.93	36.41	11.34	34.49
PK	4.92G	51.25	74.00	-22.75	8.36	3	Vertical	360	2.87	42.89	32.78	9.72	34.14
PK	7.411G	50.26	74.00	-23.74	13.20	3	Vertical	13	1.25	37.06	36.36	11.33	34.49


2.4-2.4835GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX

2462MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.9224G	39.92	54.00	-14.08	8.37	3	Horizontal	68	2.38	31.55	32.79	9.72	34.14
AV	7.4066G	37.31	54.00	-16.69	13.21	3	Horizontal	112	2.98	24.10	36.37	11.33	34.49
PK	4.9209G	53.24	74.00	-20.76	8.36	3	Horizontal	68	2.38	44.88	32.78	9.72	34.14
PK	7.3679G	50.52	74.00	-23.48	13.43	3	Horizontal	112	2.98	37.09	36.59	11.33	34.49

**2.4-2.4835GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX  
2422MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.39G	50.58	54.00	-3.42	35.56	3	Vertical	345	2.28	15.02	27.28	8.28	-
AV	2.4204G	98.85	Inf	-Inf	35.68	3	Vertical	345	2.28	63.17	27.38	8.30	-
AV	2.4852G	49.32	54.00	-4.68	36.06	3	Vertical	345	2.28	13.26	27.71	8.35	-
PK	2.3884G	61.74	74.00	-12.26	35.56	3	Vertical	345	2.28	26.18	27.28	8.28	-
PK	2.4212G	111.07	Inf	-Inf	35.68	3	Vertical	345	2.28	75.39	27.38	8.30	-
PK	2.494G	59.37	74.00	-14.63	36.11	3	Vertical	345	2.28	23.26	27.76	8.35	-

**2.4-2.4835GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX  
2422MHz\_TX**




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.39G	53.08	54.00	-0.92	35.56	3	Horizontal	54	1.74	17.52	27.28	8.28	-
AV	2.4212G	104.40	Inf	-Inf	35.68	3	Horizontal	54	1.74	68.72	27.38	8.30	-
AV	2.4835G	49.69	54.00	-4.31	36.04	3	Horizontal	54	1.74	13.65	27.70	8.34	-
PK	2.3896G	65.64	74.00	-8.36	35.56	3	Horizontal	54	1.74	30.08	27.28	8.28	-
PK	2.42G	115.85	Inf	-Inf	35.68	3	Horizontal	54	1.74	80.17	27.38	8.30	-
PK	2.4835G	59.61	74.00	-14.39	36.04	3	Horizontal	54	1.74	23.57	27.70	8.34	-



2.4-2.4835GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX


2422MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.8438G	39.46	54.00	-14.54	8.11	3	Vertical	41	2.37	31.35	32.59	9.69	34.17
AV	7.25604G	37.17	54.00	-16.83	13.50	3	Vertical	259	2.50	23.67	36.69	11.31	34.50
PK	4.8438G	49.38	74.00	-24.62	8.11	3	Vertical	41	2.37	41.27	32.59	9.69	34.17
PK	7.26936G	50.27	74.00	-23.73	13.47	3	Vertical	259	2.50	36.80	36.66	11.31	34.50


2.4-2.4835GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX

2422MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.8438G	39.80	54.00	-14.20	8.11	3	Horizontal	345	1.50	31.69	32.59	9.69	34.17
AV	7.25788G	37.13	54.00	-16.87	13.49	3	Horizontal	162	1.70	23.64	36.68	11.31	34.50
PK	4.844G	49.46	74.00	-24.54	8.11	3	Horizontal	345	1.50	41.35	32.59	9.69	34.17
PK	7.2752G	49.79	74.00	-24.21	13.47	3	Horizontal	162	1.70	36.32	36.65	11.32	34.50

**2.4-2.4835GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX**  
**2437MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	49.02	54.00	-4.98	35.56	3	Vertical	1	2.89	13.46	27.28	8.28	-
AV	2.4306G	100.00	Inf	-Inf	35.73	3	Vertical	1	2.89	64.27	27.42	8.31	-
AV	2.4835G	50.60	54.00	-3.40	36.04	3	Vertical	1	2.89	14.56	27.70	8.34	-
PK	2.3682G	59.87	74.00	-14.13	35.51	3	Vertical	1	2.89	24.36	27.24	8.27	-
PK	2.431G	111.57	Inf	-Inf	35.73	3	Vertical	1	2.89	75.84	27.42	8.31	-
PK	2.4835G	61.73	74.00	-12.27	36.04	3	Vertical	1	2.89	25.69	27.70	8.34	-


**2.4-2.4835GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX**  
**2437MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	49.18	54.00	-4.82	35.56	3	Horizontal	57	1.96	13.62	27.28	8.28	-
AV	2.4254G	104.83	Inf	-Inf	35.71	3	Horizontal	57	1.96	69.12	27.40	8.31	-
AV	2.4842G	52.70	54.00	-1.30	36.05	3	Horizontal	57	1.96	16.65	27.71	8.34	-
PK	2.3774G	59.40	74.00	-14.60	35.52	3	Horizontal	57	1.96	23.88	27.25	8.27	-
PK	2.4254G	117.63	Inf	-Inf	35.71	3	Horizontal	57	1.96	81.92	27.40	8.31	-
PK	2.4866G	64.98	74.00	-9.02	36.07	3	Horizontal	57	1.96	28.91	27.72	8.35	-

2.4-2.4835GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX


2437MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.8803G	36.37	54.00	-17.63	8.20	3	Vertical	10	2.93	28.17	32.66	9.70	34.16
AV	7.333G	37.70	54.00	-16.30	13.50	3	Vertical	304	2.46	24.20	36.67	11.33	34.50
PK	4.8803G	49.06	74.00	-24.94	8.20	3	Vertical	10	2.93	40.86	32.66	9.70	34.16
PK	7.292G	50.24	74.00	-23.76	13.44	3	Vertical	304	2.46	36.80	36.62	11.32	34.50


2.4-2.4835GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX

2437MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.8805G	37.14	54.00	-16.86	8.20	3	Horizontal	74	2.40	28.94	32.66	9.70	34.16
AV	7.3262G	37.73	54.00	-16.27	13.48	3	Horizontal	182	2.67	24.25	36.65	11.33	34.50
PK	4.88G	49.89	74.00	-24.11	8.20	3	Horizontal	74	2.40	41.69	32.66	9.70	34.16
PK	7.312G	50.60	74.00	-23.40	13.44	3	Horizontal	182	2.67	37.16	36.62	11.32	34.50

**2.4-2.4835GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX  
2447MHz\_TX**




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3842G	48.66	54.00	-5.34	35.55	3	Vertical	360	2.83	13.11	27.27	8.28	-
AV	2.4502G	98.10	Inf	-Inf	35.82	3	Vertical	360	2.83	62.28	27.50	8.32	-
AV	2.4835G	50.77	54.00	-3.23	36.04	3	Vertical	360	2.83	14.73	27.70	8.34	-
PK	2.3542G	59.56	74.00	-14.44	35.47	3	Vertical	360	2.83	24.09	27.21	8.26	-
PK	2.4502G	110.02	Inf	-Inf	35.82	3	Vertical	360	2.83	74.20	27.50	8.32	-
PK	2.4842G	60.71	74.00	-13.29	36.05	3	Vertical	360	2.83	24.66	27.71	8.34	-

**2.4-2.4835GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX  
2447MHz\_TX**




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3814G	48.72	54.00	-5.28	35.54	3	Horizontal	326	2.34	13.18	27.26	8.28	-
AV	2.4522G	104.42	Inf	-Inf	35.83	3	Horizontal	326	2.34	68.59	27.51	8.32	-
AV	2.4835G	53.29	54.00	-0.71	36.04	3	Horizontal	326	2.34	17.25	27.70	8.34	-
PK	2.3894G	59.45	74.00	-14.55	35.56	3	Horizontal	326	2.34	23.89	27.28	8.28	-
PK	2.4606G	115.35	Inf	-Inf	35.89	3	Horizontal	326	2.34	79.46	27.56	8.33	-
PK	2.4835G	63.45	74.00	-10.55	36.04	3	Horizontal	326	2.34	27.41	27.70	8.34	-

**2.4-2.4835GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX**  
**2452MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3896G	48.67	54.00	-5.33	35.56	3	Vertical	-0	2.83	13.11	27.28	8.28	-
AV	2.4552G	97.37	Inf	-Inf	35.86	3	Vertical	-0	2.83	61.51	27.53	8.33	-
AV	2.484G	51.02	54.00	-2.98	36.04	3	Vertical	-0	2.83	14.98	27.70	8.34	-
PK	2.3732G	59.73	74.00	-14.27	35.52	3	Vertical	-0	2.83	24.21	27.25	8.27	-
PK	2.4552G	109.74	Inf	-Inf	35.86	3	Vertical	-0	2.83	73.88	27.53	8.33	-
PK	2.486G	61.80	74.00	-12.20	36.07	3	Vertical	-0	2.83	25.73	27.72	8.35	-


**2.4-2.4835GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX**  
**2452MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3884G	48.65	54.00	-5.35	35.56	3	Horizontal	327	2.36	13.09	27.28	8.28	-
AV	2.4564G	103.19	Inf	-Inf	35.87	3	Horizontal	327	2.36	67.32	27.54	8.33	-
AV	2.4852G	52.90	54.00	-1.10	36.06	3	Horizontal	327	2.36	16.84	27.71	8.35	-
PK	2.3828G	58.89	74.00	-15.11	35.55	3	Horizontal	327	2.36	23.34	27.27	8.28	-
PK	2.4576G	114.09	Inf	-Inf	35.88	3	Horizontal	327	2.36	78.21	27.55	8.33	-
PK	2.4868G	64.91	74.00	-9.09	36.07	3	Horizontal	327	2.36	28.84	27.72	8.35	-

2.4-2.4835GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX


2452MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.9117G	36.08	54.00	-17.92	8.32	3	Vertical	-0	2.51	27.76	32.75	9.71	34.14
AV	7.3438G	37.93	54.00	-16.07	13.52	3	Vertical	224	2.31	24.41	36.69	11.33	34.50
PK	4.9125G	48.38	74.00	-25.62	8.32	3	Vertical	-0	2.51	40.06	32.75	9.71	34.14
PK	7.3399G	50.09	74.00	-23.91	13.51	3	Vertical	224	2.31	36.58	36.68	11.33	34.50

2.4-2.4835GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX

2452MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.9088G	36.06	54.00	-17.94	8.31	3	Horizontal	316	1.96	27.75	32.74	9.71	34.14
AV	7.3314G	37.53	54.00	-16.47	13.49	3	Horizontal	231	1.78	24.04	36.66	11.33	34.50
PK	4.9083G	51.18	74.00	-22.82	8.30	3	Horizontal	316	1.96	42.88	32.73	9.71	34.14
PK	7.3592G	50.01	74.00	-23.99	13.48	3	Horizontal	231	1.78	36.53	36.64	11.33	34.49



Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Condition
Mode 1	Pass	AV	4.875G	50.75	54.00	-3.25	Vertical
Mode 2	Pass	AV	1.07097G	44.75	54.00	-9.25	Vertical
Mode 3	Pass	PK	3.21352G	56.71	68.20	-11.49	Vertical
Mode 4	Pass	AV	4.876G	50.12	54.00	-3.88	Vertical
Mode 5	Pass	AV	1.06G	44.54	54.00	-9.46	Vertical
Mode 6	Pass	AV	1.06G	43.38	54.00	-10.62	Vertical
Mode 7	Pass	AV	1.06G	45.42	54.00	-8.58	Vertical
Mode 8	Pass	AV	1.06G	45.74	54.00	-8.26	Vertical



Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
Mode 1	Pass	AV	1.07G	45.45	54.00	-8.55	3	Vertical	333	3.00	-
Mode 1	Pass	AV	1.235G	40.77	54.00	-13.23	3	Vertical	360	2.95	-
Mode 1	Pass	AV	1.605G	34.50	54.00	-19.50	3	Vertical	187	1.56	-
Mode 1	Pass	AV	4.875G	50.75	54.00	-3.25	3	Vertical	338	2.57	-
Mode 1	Pass	PK	1.07G	48.50	74.00	-25.50	3	Vertical	333	3.00	-
Mode 1	Pass	PK	1.235G	54.70	74.00	-19.30	3	Vertical	360	2.95	-
Mode 1	Pass	PK	1.605G	48.50	74.00	-25.50	3	Vertical	187	1.56	-
Mode 1	Pass	PK	4.875G	52.25	74.00	-21.75	3	Vertical	338	2.57	-
Mode 1	Pass	AV	1.066G	45.39	54.00	-8.61	3	Horizontal	19	2.88	-
Mode 1	Pass	AV	2.14G	42.62	68.20	-25.58	3	Horizontal	322	1.82	-
Mode 1	Pass	AV	3.214G	40.93	68.20	-27.27	3	Horizontal	319	1.00	-
Mode 1	Pass	AV	4.876G	50.16	54.00	-3.84	3	Horizontal	60	2.52	-
Mode 1	Pass	PK	1.066G	52.62	74.00	-21.38	3	Horizontal	19	2.88	-
Mode 1	Pass	PK	2.14G	47.79	68.20	-20.41	3	Horizontal	322	1.82	-
Mode 1	Pass	PK	3.214G	49.89	68.20	-18.31	3	Horizontal	319	1.00	-
Mode 1	Pass	PK	4.876G	51.47	74.00	-22.53	3	Horizontal	60	2.52	-
Mode 2	Pass	AV	1.07097G	44.75	54.00	-9.25	3	Vertical	354	1.55	-
Mode 2	Pass	AV	1.23691G	41.13	54.00	-12.87	3	Vertical	301	2.82	-
Mode 2	Pass	AV	2.4377G	44.21	68.20	-23.99	3	Vertical	356	1.04	-
Mode 2	Pass	PK	1.07097G	47.92	74.00	-26.08	3	Vertical	354	1.55	-
Mode 2	Pass	PK	1.23691G	51.29	74.00	-22.71	3	Vertical	301	2.82	-
Mode 2	Pass	PK	2.4377G	47.74	68.20	-20.46	3	Vertical	356	1.04	-
Mode 2	Pass	PK	1.07106G	47.63	74.00	-26.37	3	Horizontal	42.8	1.35	-
Mode 2	Pass	PK	2.43777G	52.78	68.20	-15.42	3	Horizontal	236	1.49	-
Mode 2	Pass	PK	5.18531G	55.57	68.20	-12.63	3	Horizontal	124	3.00	-
Mode 2	Pass	AV	1.07106G	43.91	54.00	-10.09	3	Horizontal	42.8	1.35	-
Mode 2	Pass	AV	2.43777G	41.68	68.20	-26.52	3	Horizontal	236	1.49	-
Mode 2	Pass	AV	5.18531G	47.61	68.20	-20.59	3	Horizontal	124	3.00	-
Mode 3	Pass	AV	1.07097G	40.51	54.00	-13.49	3	Vertical	255	1.15	-
Mode 3	Pass	AV	1.24296G	37.45	68.20	-30.75	3	Vertical	266	1.20	-
Mode 3	Pass	AV	1.33658G	27.01	54.00	-26.99	3	Vertical	243	1.60	-
Mode 3	Pass	AV	3.2128G	36.91	68.20	-31.29	3	Vertical	202	3.00	-
Mode 3	Pass	PK	1.07122G	49.65	74.00	-24.35	3	Vertical	255	1.15	-
Mode 3	Pass	PK	1.24364G	56.11	68.20	-12.09	3	Vertical	266	1.20	-
Mode 3	Pass	PK	1.33872G	49.74	74.00	-24.26	3	Vertical	243	1.60	-
Mode 3	Pass	PK	3.21352G	56.71	68.20	-11.49	3	Vertical	202	3.00	-
Mode 3	Pass	AV	1.07096G	36.08	54.00	-17.92	3	Horizontal	191	1.92	-
Mode 3	Pass	AV	1.24192G	34.36	68.20	-33.84	3	Horizontal	242	1.50	-
Mode 3	Pass	AV	3.208G	36.93	68.20	-31.27	3	Horizontal	196	1.49	-
Mode 3	Pass	PK	1.07092G	46.29	74.00	-27.71	3	Horizontal	191	1.92	-
Mode 3	Pass	PK	1.24328G	50.45	68.20	-17.75	3	Horizontal	242	1.50	-
Mode 3	Pass	PK	3.208G	47.74	68.20	-20.46	3	Horizontal	196	1.49	-
Mode 4	Pass	AV	1.06G	45.13	54.00	-8.87	3	Vertical	236	1.50	-
Mode 4	Pass	AV	1.24G	39.78	68.20	-28.42	3	Vertical	96	2.64	-
Mode 4	Pass	AV	1.468G	29.50	54.00	-24.50	3	Vertical	307	2.79	-
Mode 4	Pass	AV	4.876G	50.12	54.00	-3.88	3	Vertical	36	2.89	-
Mode 4	Pass	PK	1.06G	46.79	74.00	-27.21	3	Vertical	236	1.50	-
Mode 4	Pass	PK	1.24G	50.59	68.20	-17.61	3	Vertical	96	2.64	-
Mode 4	Pass	PK	1.468G	50.75	74.00	-23.25	3	Vertical	307	2.79	-
Mode 4	Pass	PK	4.876G	54.64	74.00	-19.36	3	Vertical	36	2.89	-






Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
Mode 4	Pass	AV	1.06G	35.78	54.00	-18.22	3	Horizontal	194	2.02	-
Mode 4	Pass	AV	1.24G	34.70	68.20	-33.50	3	Horizontal	260	2.99	-
Mode 4	Pass	AV	4.876G	43.76	54.00	-10.24	3	Horizontal	360	2.99	-
Mode 4	Pass	PK	1.06G	43.51	74.00	-30.49	3	Horizontal	194	2.02	-
Mode 4	Pass	PK	1.24G	48.68	68.20	-19.52	3	Horizontal	260	2.99	-
Mode 4	Pass	PK	4.876G	47.05	74.00	-26.95	3	Horizontal	360	2.99	-
Mode 5	Pass	AV	1.06G	44.54	54.00	-9.46	3	Vertical	238	1.48	-
Mode 5	Pass	AV	1.24G	37.53	68.20	-30.67	3	Vertical	129	2.60	-
Mode 5	Pass	AV	3.208G	37.45	68.20	-30.75	3	Vertical	0	2.87	-
Mode 5	Pass	PK	1.06G	47.84	74.00	-26.16	3	Vertical	238	1.48	-
Mode 5	Pass	PK	1.24G	50.65	68.20	-17.55	3	Vertical	129	2.60	-
Mode 5	Pass	PK	3.208G	46.77	68.20	-21.43	3	Vertical	0	2.87	-
Mode 5	Pass	AV	1.06G	36.64	54.00	-17.36	3	Horizontal	192	2.06	-
Mode 5	Pass	AV	1.228G	33.12	54.00	-20.88	3	Horizontal	227	2.59	-
Mode 5	Pass	AV	3.22G	35.04	68.20	-33.16	3	Horizontal	360	2.80	-
Mode 5	Pass	PK	1.06G	44.19	74.00	-29.81	3	Horizontal	192	2.06	-
Mode 5	Pass	PK	1.228G	47.78	74.00	-26.22	3	Horizontal	227	2.59	-
Mode 5	Pass	PK	3.22G	47.68	68.20	-20.52	3	Horizontal	360	2.80	-
Mode 6	Pass	AV	1.06G	43.38	54.00	-10.62	3	Vertical	238	1.49	-
Mode 6	Pass	AV	1.24G	37.39	68.20	-30.81	3	Vertical	120	2.61	-
Mode 6	Pass	AV	3.208G	36.14	68.20	-32.06	3	Vertical	217	2.59	-
Mode 6	Pass	PK	1.06G	48.60	74.00	-25.40	3	Vertical	238	1.49	-
Mode 6	Pass	PK	1.24G	51.66	68.20	-16.54	3	Vertical	120	2.61	-
Mode 6	Pass	PK	3.208G	46.63	68.20	-21.57	3	Vertical	217	2.59	-
Mode 6	Pass	AV	1.06G	37.35	54.00	-16.65	3	Horizontal	189	1.50	-
Mode 6	Pass	AV	1.24G	32.54	68.20	-35.66	3	Horizontal	341	1.50	-
Mode 6	Pass	AV	3.388G	31.50	68.20	-36.70	3	Horizontal	345	1.50	-
Mode 6	Pass	PK	1.06G	44.19	74.00	-29.81	3	Horizontal	189	1.50	-
Mode 6	Pass	PK	1.24G	48.78	68.20	-19.42	3	Horizontal	341	1.50	-
Mode 6	Pass	PK	3.388G	45.31	68.20	-22.89	3	Horizontal	345	1.50	-
Mode 7	Pass	AV	1.06G	45.42	54.00	-8.58	3	Vertical	238	1.59	-
Mode 7	Pass	AV	1.24G	35.62	68.20	-32.58	3	Vertical	156	1.50	-
Mode 7	Pass	AV	1.6G	34.73	54.00	-19.27	3	Vertical	4	1.13	-
Mode 7	Pass	PK	1.06G	46.04	74.00	-27.96	3	Vertical	238	1.59	-
Mode 7	Pass	PK	1.24G	51.43	68.20	-16.77	3	Vertical	156	1.50	-
Mode 7	Pass	PK	1.6G	46.51	74.00	-27.49	3	Vertical	4	1.13	-
Mode 7	Pass	AV	1.06G	36.42	54.00	-17.58	3	Horizontal	194	1.92	-
Mode 7	Pass	AV	1.24G	35.13	68.20	-33.07	3	Horizontal	256	1.50	-
Mode 7	Pass	AV	3.208G	35.92	68.20	-32.28	3	Horizontal	198	1.88	-
Mode 7	Pass	PK	1.06G	42.39	74.00	-31.61	3	Horizontal	194	1.92	-
Mode 7	Pass	PK	1.24G	52.82	68.20	-15.38	3	Horizontal	256	1.50	-
Mode 7	Pass	PK	3.208G	46.50	68.20	-21.70	3	Horizontal	198	1.88	-
Mode 8	Pass	AV	1.06G	45.74	54.00	-8.26	3	Vertical	238	1.50	-
Mode 8	Pass	AV	1.24G	38.32	68.20	-29.88	3	Vertical	95	2.68	-
Mode 8	Pass	AV	3.22G	37.40	68.20	-30.80	3	Vertical	202	3.00	-
Mode 8	Pass	PK	1.06G	46.09	74.00	-27.91	3	Vertical	238	1.50	-
Mode 8	Pass	PK	1.24G	52.25	68.20	-15.95	3	Vertical	95	2.68	-
Mode 8	Pass	PK	3.22G	48.05	68.20	-20.15	3	Vertical	202	3.00	-
Mode 8	Pass	AV	1.06G	40.22	54.00	-13.78	3	Horizontal	121	2.70	-
Mode 8	Pass	AV	1.24G	36.18	68.20	-32.02	3	Horizontal	231	1.56	-




Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
Mode 8	Pass	AV	3.208G	34.74	68.20	-33.46	3	Horizontal	191	1.25	-
Mode 8	Pass	PK	1.06G	43.70	74.00	-30.30	3	Horizontal	121	2.70	-
Mode 8	Pass	PK	1.24G	52.25	68.20	-15.95	3	Horizontal	231	1.56	-
Mode 8	Pass	PK	3.208G	49.48	68.20	-18.72	3	Horizontal	191	1.25	-

### Radiated Emissions above 1GHz\_Mode 1




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	1.07G	45.45	54.00	-8.55	-2.78	3	Vertical	333	3.00	-	48.23	25.26	5.50	33.54
AV	1.235G	40.77	54.00	-13.23	-0.78	3	Vertical	360	2.95	-	41.55	26.03	6.00	32.81
AV	1.605G	34.50	54.00	-19.50	1.05	3	Vertical	187	1.56	-	33.45	25.48	7.08	31.51
AV	4.875G	50.75	54.00	-3.25	12.30	3	Vertical	338	2.57	-	38.45	32.60	9.70	30.00
PK	1.07G	48.50	74.00	-25.50	-2.78	3	Vertical	333	3.00	-	51.28	25.26	5.50	33.54
PK	1.235G	54.70	74.00	-19.30	-0.78	3	Vertical	360	2.95	-	55.48	26.03	6.00	32.81
PK	1.605G	48.50	74.00	-25.50	1.05	3	Vertical	187	1.56	-	47.45	25.48	7.08	31.51
PK	4.875G	52.25	74.00	-21.75	12.30	3	Vertical	338	2.57	-	39.95	32.60	9.70	30.00

### Radiated Emissions above 1GHz\_Mode 1




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	1.066G	45.39	54.00	-8.61	-2.84	3	Horizontal	19	2.88	-	48.23	25.23	5.49	33.56
AV	2.14G	42.62	68.20	-25.58	4.51	3	Horizontal	322	1.82	-	38.11	27.42	8.06	30.97
AV	3.214G	40.93	68.20	-27.27	8.05	3	Horizontal	319	1.00	-	32.88	29.77	8.86	30.58
AV	4.876G	50.16	54.00	-3.84	12.30	3	Horizontal	60	2.52	-	37.86	32.60	9.70	30.00
PK	1.066G	52.62	74.00	-21.38	-2.84	3	Horizontal	19	2.88	-	55.46	25.23	5.49	33.56
PK	2.14G	47.79	68.20	-20.41	4.51	3	Horizontal	322	1.82	-	43.28	27.42	8.06	30.97
PK	3.214G	49.89	68.20	-18.31	8.05	3	Horizontal	319	1.00	-	41.84	29.77	8.86	30.58
PK	4.876G	51.47	74.00	-22.53	12.30	3	Horizontal	60	2.52	-	39.17	32.60	9.70	30.00

### Radiated Emissions above 1GHz\_Mode 2




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	1.07097G	44.75	54.00	-9.25	-2.77	3	Vertical	354	1.55	-	47.52	25.27	5.50	33.54
AV	1.23691G	41.13	54.00	-12.87	-0.76	3	Vertical	301	2.82	-	41.89	26.03	6.01	32.80
AV	2.4377G	44.21	68.20	-23.99	5.16	3	Vertical	356	1.04	-	39.05	27.68	8.31	30.83
PK	1.07097G	47.92	74.00	-26.08	-2.77	3	Vertical	354	1.55	-	50.69	25.27	5.50	33.54
PK	1.23691G	51.29	74.00	-22.71	-0.76	3	Vertical	301	2.82	-	52.05	26.03	6.01	32.80
PK	2.4377G	47.74	68.20	-20.46	5.16	3	Vertical	356	1.04	-	42.58	27.68	8.31	30.83

### Radiated Emissions above 1GHz\_Mode 2




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
PK	1.07106G	47.63	74.00	-26.37	-2.78	3	Horizontal	42.8	1.35	-	50.41	25.26	5.50	33.54
PK	2.43777G	52.78	68.20	-15.42	5.15	3	Horizontal	236	1.49	-	47.63	27.67	8.31	30.83
PK	5.18531G	55.57	68.20	-12.63	12.94	3	Horizontal	124	3.00	-	42.63	33.10	9.85	30.01
AV	1.07106G	43.91	54.00	-10.09	-2.77	3	Horizontal	42.8	1.35	-	46.68	25.27	5.50	33.54
AV	2.43777G	41.68	68.20	-26.52	5.16	3	Horizontal	236	1.49	-	36.52	27.68	8.31	30.83
AV	5.18531G	47.61	68.20	-20.59	12.94	3	Horizontal	124	3.00	-	34.67	33.10	9.85	30.01

### Radiated Emissions above 1GHz\_Mode 3




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	1.07097G	40.51	54.00	-13.49	-2.77	3	Vertical	255	1.15	-	43.28	25.27	5.50	33.54
AV	1.24296G	37.45	68.20	-30.75	-0.74	3	Vertical	266	1.20	-	38.19	26.01	6.03	32.78
AV	1.33658G	27.01	54.00	-26.99	-0.04	3	Vertical	243	1.60	-	27.05	25.99	6.33	32.36
AV	3.2128G	36.91	68.20	-31.29	8.05	3	Vertical	202	3.00	-	28.86	29.77	8.86	30.58
PK	1.07122G	49.65	74.00	-24.35	-2.77	3	Vertical	255	1.15	-	52.42	25.27	5.50	33.54
PK	1.24364G	56.11	68.20	-12.09	-0.73	3	Vertical	266	1.20	-	56.84	26.01	6.03	32.77
PK	1.33872G	49.74	74.00	-24.26	0.00	3	Vertical	243	1.60	-	49.74	26.01	6.34	32.35
PK	3.21352G	56.71	68.20	-11.49	8.05	3	Vertical	202	3.00	-	48.66	29.77	8.86	30.58

### Radiated Emissions above 1GHz\_Mode 3




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	1.07096G	36.08	54.00	-17.92	-2.77	3	Horizontal	191	1.92	-	38.85	25.27	5.50	33.54
AV	1.24192G	34.36	68.20	-33.84	-0.73	3	Horizontal	242	1.50	-	35.09	26.02	6.03	32.78
AV	3.208G	36.93	68.20	-31.27	8.06	3	Horizontal	196	1.49	-	28.87	29.78	8.86	30.58
PK	1.07092G	46.29	74.00	-27.71	-2.77	3	Horizontal	191	1.92	-	49.06	25.27	5.50	33.54
PK	1.24328G	50.45	68.20	-17.75	-0.73	3	Horizontal	242	1.50	-	51.18	26.01	6.03	32.77
PK	3.208G	47.74	68.20	-20.46	8.06	3	Horizontal	196	1.49	-	39.68	29.78	8.86	30.58

### Radiated Emissions above 1GHz\_Mode 4




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	1.06G	45.13	54.00	-8.87	-2.93	3	Vertical	236	1.50	-	48.06	25.18	5.47	33.58
AV	1.24G	39.78	68.20	-28.42	-0.75	3	Vertical	96	2.64	-	40.53	26.02	6.02	32.79
AV	1.468G	29.50	54.00	-24.50	0.70	3	Vertical	307	2.79	-	28.80	25.76	6.72	31.78
AV	4.876G	50.12	54.00	-3.88	12.30	3	Vertical	36	2.89	-	37.82	32.60	9.70	30.00
PK	1.06G	46.79	74.00	-27.21	-2.93	3	Vertical	236	1.50	-	49.72	25.18	5.47	33.58
PK	1.24G	50.59	68.20	-17.61	-0.75	3	Vertical	96	2.64	-	51.34	26.02	6.02	32.79
PK	1.468G	50.75	74.00	-23.25	0.70	3	Vertical	307	2.79	-	50.05	25.76	6.72	31.78
PK	4.876G	54.64	74.00	-19.36	12.30	3	Vertical	36	2.89	-	42.34	32.60	9.70	30.00

### Radiated Emissions above 1GHz\_Mode 4




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	1.06G	35.78	54.00	-18.22	-2.93	3	Horizontal	194	2.02	-	38.71	25.18	5.47	33.58
AV	1.24G	34.70	68.20	-33.50	-0.75	3	Horizontal	260	2.99	-	35.45	26.02	6.02	32.79
AV	4.876G	43.76	54.00	-10.24	12.30	3	Horizontal	360	2.99	-	31.46	32.60	9.70	30.00
PK	1.06G	43.51	74.00	-30.49	-2.93	3	Horizontal	194	2.02	-	46.44	25.18	5.47	33.58
PK	1.24G	48.68	68.20	-19.52	-0.75	3	Horizontal	260	2.99	-	49.43	26.02	6.02	32.79
PK	4.876G	47.05	74.00	-26.95	12.30	3	Horizontal	360	2.99	-	34.75	32.60	9.70	30.00

### Radiated Emissions above 1GHz\_Mode 5




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	1.06G	44.54	54.00	-9.46	-2.93	3	Vertical	238	1.48	-	47.47	25.18	5.47	33.58
AV	1.24G	37.53	68.20	-30.67	-0.75	3	Vertical	129	2.60	-	38.28	26.02	6.02	32.79
AV	3.208G	37.45	68.20	-30.75	8.06	3	Vertical	0	2.87	-	29.39	29.78	8.86	30.58
PK	1.06G	47.84	74.00	-26.16	-2.93	3	Vertical	238	1.48	-	50.77	25.18	5.47	33.58
PK	1.24G	50.65	68.20	-17.55	-0.75	3	Vertical	129	2.60	-	51.40	26.02	6.02	32.79
PK	3.208G	46.77	68.20	-21.43	8.06	3	Vertical	0	2.87	-	38.71	29.78	8.86	30.58

### Radiated Emissions above 1GHz\_Mode 5




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	1.06G	36.64	54.00	-17.36	-2.93	3	Horizontal	192	2.06	-	39.57	25.18	5.47	33.58
AV	1.228G	33.12	54.00	-20.88	-0.82	3	Horizontal	227	2.59	-	33.94	26.04	5.98	32.84
AV	3.22G	35.04	68.20	-33.16	8.04	3	Horizontal	360	2.80	-	27.00	29.76	8.86	30.58
PK	1.06G	44.19	74.00	-29.81	-2.93	3	Horizontal	192	2.06	-	47.12	25.18	5.47	33.58
PK	1.228G	47.78	74.00	-26.22	-0.82	3	Horizontal	227	2.59	-	48.60	26.04	5.98	32.84
PK	3.22G	47.68	68.20	-20.52	8.04	3	Horizontal	360	2.80	-	39.64	29.76	8.86	30.58

### Radiated Emissions above 1GHz\_Mode 6



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	1.06G	43.38	54.00	-10.62	-2.93	3	Vertical	238	1.49	-	46.31	25.18	5.47	33.58
AV	1.24G	37.39	68.20	-30.81	-0.75	3	Vertical	120	2.61	-	38.14	26.02	6.02	32.79
AV	3.208G	36.14	68.20	-32.06	8.06	3	Vertical	217	2.59	-	28.08	29.78	8.86	30.58
PK	1.06G	48.60	74.00	-25.40	-2.93	3	Vertical	238	1.49	-	51.53	25.18	5.47	33.58
PK	1.24G	51.66	68.20	-16.54	-0.75	3	Vertical	120	2.61	-	52.41	26.02	6.02	32.79
PK	3.208G	46.63	68.20	-21.57	8.06	3	Vertical	217	2.59	-	38.57	29.78	8.86	30.58


### Radiated Emissions above 1GHz\_Mode 6



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	1.06G	37.35	54.00	-16.65	-2.93	3	Horizontal	189	1.50	-	40.28	25.18	5.47	33.58
AV	1.24G	32.54	68.20	-35.66	-0.75	3	Horizontal	341	1.50	-	33.29	26.02	6.02	32.79
AV	3.388G	31.50	68.20	-36.70	7.98	3	Horizontal	345	1.50	-	23.52	29.58	8.90	30.50
PK	1.06G	44.19	74.00	-29.81	-2.93	3	Horizontal	189	1.50	-	47.12	25.18	5.47	33.58
PK	1.24G	48.78	68.20	-19.42	-0.75	3	Horizontal	341	1.50	-	49.53	26.02	6.02	32.79
PK	3.388G	45.31	68.20	-22.89	7.98	3	Horizontal	345	1.50	-	37.33	29.58	8.90	30.50




### Radiated Emissions above 1GHz\_Mode 7




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	1.06G	45.42	54.00	-8.58	-2.93	3	Vertical	238	1.59	-	48.35	25.18	5.47	33.58
AV	1.24G	35.62	68.20	-32.58	-0.75	3	Vertical	156	1.50	-	36.37	26.02	6.02	32.79
AV	1.6G	34.73	54.00	-19.27	1.05	3	Vertical	4	1.13	-	33.68	25.50	7.07	31.52
PK	1.06G	46.04	74.00	-27.96	-2.93	3	Vertical	238	1.59	-	48.97	25.18	5.47	33.58
PK	1.24G	51.43	68.20	-16.77	-0.75	3	Vertical	156	1.50	-	52.18	26.02	6.02	32.79
PK	1.6G	46.51	74.00	-27.49	1.05	3	Vertical	4	1.13	-	45.46	25.50	7.07	31.52

### Radiated Emissions above 1GHz\_Mode 7




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	1.06G	36.42	54.00	-17.58	-2.93	3	Horizontal	194	1.92	-	39.35	25.18	5.47	33.58
AV	1.24G	35.13	68.20	-33.07	-0.75	3	Horizontal	256	1.50	-	35.88	26.02	6.02	32.79
AV	3.208G	35.92	68.20	-32.28	8.06	3	Horizontal	198	1.88	-	27.86	29.78	8.86	30.58
PK	1.06G	42.39	74.00	-31.61	-2.93	3	Horizontal	194	1.92	-	45.32	25.18	5.47	33.58
PK	1.24G	52.82	68.20	-15.38	-0.75	3	Horizontal	256	1.50	-	53.57	26.02	6.02	32.79
PK	3.208G	46.50	68.20	-21.70	8.06	3	Horizontal	198	1.88	-	38.44	29.78	8.86	30.58

### Radiated Emissions above 1GHz\_Mode 8



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	1.06G	45.74	54.00	-8.26	-2.93	3	Vertical	238	1.50	-	48.67	25.18	5.47	33.58
AV	1.24G	38.32	68.20	-29.88	-0.75	3	Vertical	95	2.68	-	39.07	26.02	6.02	32.79
AV	3.22G	37.40	68.20	-30.80	8.04	3	Vertical	202	3.00	-	29.36	29.76	8.86	30.58
PK	1.06G	46.09	74.00	-27.91	-2.93	3	Vertical	238	1.50	-	49.02	25.18	5.47	33.58
PK	1.24G	52.25	68.20	-15.95	-0.75	3	Vertical	95	2.68	-	53.00	26.02	6.02	32.79
PK	3.22G	48.05	68.20	-20.15	8.04	3	Vertical	202	3.00	-	40.01	29.76	8.86	30.58

### Radiated Emissions above 1GHz\_Mode 8



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	1.06G	40.22	54.00	-13.78	-2.93	3	Horizontal	121	2.70	-	43.15	25.18	5.47	33.58
AV	1.24G	36.18	68.20	-32.02	-0.75	3	Horizontal	231	1.56	-	36.93	26.02	6.02	32.79
AV	3.208G	34.74	68.20	-33.46	8.06	3	Horizontal	191	1.25	-	26.68	29.78	8.86	30.58
PK	1.06G	43.70	74.00	-30.30	-2.93	3	Horizontal	121	2.70	-	46.63	25.18	5.47	33.58
PK	1.24G	52.25	68.20	-15.95	-0.75	3	Horizontal	231	1.56	-	53.00	26.02	6.02	32.79
PK	3.208G	49.48	68.20	-18.72	8.06	3	Horizontal	191	1.25	-	41.42	29.78	8.86	30.58