




5.47-5.725GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX
5690MHz Straddle 5.47-5.725GHz_TX

AV Power

15/10/2022

CF
5.65GHz
Span
300MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS
CP BW
150MHz



Port 1

Port 2

Sum=Total Power
PX=Port X


Sum(dBm)	P1(dBm)	P2(dBm)
21.37	18.17	18.55

5.725-5.85GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX
5690MHz Straddle 5.725-5.85GHz_TX

AV Power

15/10/2022

CF
5.735GHz
Span
40MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS
CP BW
20MHz



Port 1

Port 2

Sum=Total Power
PX=Port X

Sum(dBm)	P1(dBm)	P2(dBm)
7.30	3.95	4.61



**Average Power_
Beamforming_Radio2(Low Band)+Radio3(High Band)**

Appendix B.5

Summary

Mode	Total Power (dBm)	Total Power (W)	EIRP (dBm)	EIRP (W)
5.25-5.35GHz	-	-	-	-
802.11ax HEW20-BF_Nss1,(MCS0)_2TX	21.54	0.14256	29.33	0.85704
802.11ax HEW40-BF_Nss1,(MCS0)_2TX	21.57	0.14355	29.36	0.86298
802.11ax HEW80-BF_Nss1,(MCS0)_2TX	21.08	0.12823	28.87	0.77090
5.47-5.725GHz	-	-	-	-
802.11ax HEW20-BF_Nss1,(MCS0)_2TX	21.62	0.14521	29.06	0.80538
802.11ax HEW40-BF_Nss1,(MCS0)_2TX	22.02	0.15922	29.46	0.88308
802.11ax HEW80-BF_Nss1,(MCS0)_2TX	21.84	0.15276	29.28	0.84723
802.11ax HEW160-BF_Nss1,(MCS0)_2TX	20.99	0.12560	28.43	0.69663
5.725-5.85GHz	-	-	-	-
802.11ax HEW20-BF_Nss1,(MCS0)_2TX	16.47	0.04436	23.91	0.24604
802.11ax HEW40-BF_Nss1,(MCS0)_2TX	11.82	0.01521	19.26	0.08433
802.11ax HEW80-BF_Nss1,(MCS0)_2TX	7.61	0.00577	15.05	0.03199



**Average Power_
Beamforming_Radio2(Low Band)+Radio3(High Band)**

Appendix B.5

Result

Mode	Result	DG (dBi)	Port 1 (dBm)	Port 2 (dBm)	Total Power (dBm)	Power Limit (dBm)	EIRP (dBm)	EIRP Limit (dBm)
802.11ax HEW20-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5260MHz	Pass	7.79	18.52	18.40	21.47	22.19	29.26	30.00
5300MHz	Pass	7.79	18.97	18.04	21.54	22.19	29.33	30.00
5320MHz	Pass	7.79	18.36	18.49	21.44	22.19	29.23	30.00
5500MHz	Pass	7.44	18.16	18.68	21.44	22.54	28.88	30.00
5580MHz	Pass	7.44	18.52	18.69	21.62	22.54	29.06	30.00
5700MHz	Pass	7.44	17.87	18.29	21.10	22.54	28.54	30.00
5720MHz Straddle 5.47-5.725GHz	Pass	7.44	17.70	18.06	20.89	22.09	28.33	29.53
5720MHz Straddle 5.725-5.85GHz	Pass	7.44	13.05	13.83	16.47	28.56	23.91	36.00
802.11ax HEW40-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5270MHz	Pass	7.79	18.79	18.32	21.57	22.19	29.36	30.00
5310MHz	Pass	7.79	18.81	17.98	21.43	22.19	29.22	30.00
5510MHz	Pass	7.44	16.94	17.74	20.37	22.54	27.81	30.00
5550MHz	Pass	7.44	18.83	19.18	22.02	22.54	29.46	30.00
5670MHz	Pass	7.44	17.02	17.18	20.11	22.54	27.55	30.00
5710MHz Straddle 5.47-5.725GHz	Pass	7.44	18.58	19.19	21.91	22.54	29.35	30.00
5710MHz Straddle 5.725-5.85GHz	Pass	7.44	8.40	9.18	11.82	28.56	19.26	36.00
802.11ax HEW80-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5290MHz	Pass	7.79	18.43	17.67	21.08	22.19	28.87	30.00
5530MHz	Pass	7.44	17.63	18.03	20.84	22.54	28.28	30.00
5610MHz	Pass	7.44	18.45	18.98	21.73	22.54	29.17	30.00
5690MHz Straddle 5.47-5.725GHz	Pass	7.44	18.68	18.97	21.84	22.54	29.28	30.00
5690MHz Straddle 5.725-5.85GHz	Pass	7.44	4.41	4.78	7.61	28.56	15.05	36.00
802.11ax HEW160-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5570MHz	Pass	7.44	17.79	18.16	20.99	22.54	28.43	30.00

DG = Directional Gain; Port X = Port X output power




5.47-5.725GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

AV Power

5720MHz Straddle 5.47-5.725GHz_TX

17/10/2022

CF
5.71GHz
Span
60MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS
CP BW
30MHz



Port 1
Port 2

Sum= Total Power
PX=Port X

Sum(dBm)	P1(dBm)	P2(dBm)
20.89	17.70	18.06


5.725-5.85GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

AV Power

5720MHz Straddle 5.725-5.85GHz_TX

17/10/2022

CF
5.735GHz
Span
40MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS
CP BW
20MHz



Port 1
Port 2

Sum= Total Power
PX=Port X

Sum(dBm)	P1(dBm)	P2(dBm)
16.47	13.05	13.83




5.47-5.725GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX
5710MHz Straddle 5.47-5.725GHz_TX

AV Power

17/10/2022

CF
5.69GHz
Span
140MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS
CP BW
70MHz



Port 1

Port 2

Sum=Total Power
PX=Port X


Sum(dBm)	P1(dBm)	P2(dBm)
21.91	18.58	19.19

5.725-5.85GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX
5710MHz Straddle 5.725-5.85GHz_TX

AV Power

17/10/2022

CF
5.735GHz
Span
40MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS
CP BW
20MHz



Port 1

Port 2

Sum=Total Power
PX=Port X

Sum(dBm)	P1(dBm)	P2(dBm)
11.82	8.40	9.18




5.47-5.725GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX
5690MHz Straddle 5.47-5.725GHz_TX

AV Power

17/10/2022

CF
5.65GHz
Span
300MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS
CP BW
150MHz



Port 1

Port 2

Sum=Total Power
PX=Port X


Sum(dBm)	P1(dBm)	P2(dBm)
21.84	18.68	18.97

5.725-5.85GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX
5690MHz Straddle 5.725-5.85GHz_TX

AV Power

17/10/2022

CF
5.735GHz
Span
40MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS
CP BW
20MHz



Port 1

Port 2

Sum=Total Power
PX=Port X

Sum(dBm)	P1(dBm)	P2(dBm)
7.61	4.41	4.78



Summary



Mode	Total Power (dBm)	Total Power (W)	EIRP (dBm)	EIRP (W)
5.15-5.25GHz	-	-	-	-
802.11ax HEW160-BF_Nss1,(MCS0)_2TX	15.82	0.03819	23.26	0.21184
5.25-5.35GHz	-	-	-	-
802.11ax HEW20-BF_Nss1,(MCS0)_2TX	22.04	0.15996	29.48	0.88716
802.11ax HEW40-BF_Nss1,(MCS0)_2TX	21.60	0.14454	29.04	0.80168
802.11ax HEW80-BF_Nss1,(MCS0)_2TX	18.29	0.06745	25.73	0.37411
802.11ax HEW160-BF_Nss1,(MCS0)_2TX	14.91	0.03097	22.35	0.17179
5.47-5.725GHz	-	-	-	-
802.11ax HEW20-BF_Nss1,(MCS0)_2TX	22.05	0.16032	29.49	0.88920
802.11ax HEW40-BF_Nss1,(MCS0)_2TX	21.93	0.15596	29.37	0.86497
802.11ax HEW80-BF_Nss1,(MCS0)_2TX	22.02	0.15922	29.46	0.88308
802.11ax HEW160-BF_Nss1,(MCS0)_2TX	20.87	0.12218	28.31	0.67764
5.725-5.85GHz	-	-	-	-
802.11ax HEW20-BF_Nss1,(MCS0)_2TX	16.44	0.04406	23.88	0.24434
802.11ax HEW40-BF_Nss1,(MCS0)_2TX	11.20	0.01318	18.64	0.07311
802.11ax HEW80-BF_Nss1,(MCS0)_2TX	7.12	0.00515	14.56	0.02858





Result

Mode	Result	DG (dBi)	Port 1 (dBm)	Port 2 (dBm)	Total Power (dBm)	Power Limit (dBm)	EIRP (dBm)	EIRP Limit (dBm)
802.11ax HEW20-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5260MHz	Pass	7.44	18.75	19.05	21.91	22.54	29.35	30.00
5300MHz	Pass	7.44	18.66	18.92	21.80	22.54	29.24	30.00
5320MHz	Pass	7.44	18.93	19.13	22.04	22.54	29.48	30.00
5500MHz	Pass	7.44	17.44	18.27	20.89	22.54	28.33	30.00
5580MHz	Pass	7.44	18.41	19.11	21.78	22.54	29.22	30.00
5700MHz	Pass	7.44	18.49	19.52	22.05	22.54	29.49	30.00
5720MHz Straddle 5.47-5.725GHz	Pass	7.44	17.51	18.03	20.79	21.63	28.23	29.07
5720MHz Straddle 5.725-5.85GHz	Pass	7.44	12.96	13.86	16.44	28.56	23.88	36.00
802.11ax HEW40-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5270MHz	Pass	7.44	18.62	18.56	21.60	22.54	29.04	30.00
5310MHz	Pass	7.44	18.23	18.74	21.50	22.54	28.94	30.00
5510MHz	Pass	7.44	16.90	17.74	20.35	22.54	27.79	30.00
5550MHz	Pass	7.44	18.52	19.00	21.78	22.54	29.22	30.00
5670MHz	Pass	7.44	18.26	18.82	21.56	22.54	29.00	30.00
5710MHz Straddle 5.47-5.725GHz	Pass	7.44	18.74	19.10	21.93	22.54	29.37	30.00
5710MHz Straddle 5.725-5.85GHz	Pass	7.44	7.74	8.59	11.20	28.56	18.64	36.00
802.11ax HEW80-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5290MHz	Pass	7.44	14.92	15.61	18.29	22.54	25.73	30.00
5530MHz	Pass	7.44	17.79	18.72	21.29	22.54	28.73	30.00
5610MHz	Pass	7.44	18.50	19.47	22.02	22.54	29.46	30.00
5690MHz Straddle 5.47-5.725GHz	Pass	7.44	18.25	19.02	21.66	22.54	29.10	30.00
5690MHz Straddle 5.725-5.85GHz	Pass	7.44	3.61	4.56	7.12	28.56	14.56	36.00
802.11ax HEW160-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5250MHz Straddle 5.15-5.25GHz	Pass	7.44	12.41	13.17	15.82	28.56	23.26	36.00
5250MHz Straddle 5.25-5.35GHz	Pass	7.44	11.34	12.39	14.91	22.54	22.35	30.00
5570MHz	Pass	7.44	17.38	18.30	20.87	22.54	28.31	30.00

DG = Directional Gain; Port X = Port X output power








5.47-5.725GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX
5690MHz Straddle 5.47-5.725GHz_TX

AV Power

17/10/2022

CF
5.65GHz
Span
300MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS
CP BW
150MHz



Port 1
Port 2

Sum=Total Power
PX=Port X


Sum(dBm)	P1(dBm)	P2(dBm)
21.66	18.25	19.02

5.725-5.85GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX
5690MHz Straddle 5.725-5.85GHz_TX

AV Power

17/10/2022



CF
5.735GHz
Span
40MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS
CP BW
20MHz



Port 1
Port 2

Sum=Total Power
PX=Port X

Sum(dBm)	P1(dBm)	P2(dBm)
7.12	3.61	4.56





Summary

Mode	PD (dBm/RBW)	EIRP PD (dBm/RBW)
5.25-5.35GHz	-	-
802.11a_Nss1,(6Mbps)_2TX	9.09	16.88
802.11n HT20_Nss1,(MCS0)_2TX	9.18	16.97
802.11n HT40_Nss1,(MCS0)_2TX	6.82	14.61
802.11ac VHT20_Nss1,(MCS0)_2TX	9.13	16.92
802.11ac VHT40_Nss1,(MCS0)_2TX	7.55	15.34
802.11ac VHT80_Nss1,(MCS0)_2TX	-1.54	6.25
802.11ax HEW20_Nss1,(MCS0)_2TX	9.07	16.86
802.11ax HEW40_Nss1,(MCS0)_2TX	7.12	14.91
802.11ax HEW80_Nss1,(MCS0)_2TX	-1.56	6.23
5.47-5.725GHz	-	-
802.11a_Nss1,(6Mbps)_2TX	9.18	16.97
802.11n HT20_Nss1,(MCS0)_2TX	8.99	16.78
802.11n HT40_Nss1,(MCS0)_2TX	7.35	15.14
802.11ac VHT20_Nss1,(MCS0)_2TX	8.89	16.68
802.11ac VHT40_Nss1,(MCS0)_2TX	7.55	15.34
802.11ac VHT80_Nss1,(MCS0)_2TX	4.43	12.22
802.11ax HEW20_Nss1,(MCS0)_2TX	9.03	16.82
802.11ax HEW40_Nss1,(MCS0)_2TX	7.35	15.14
802.11ax HEW80_Nss1,(MCS0)_2TX	5.05	12.84
5.725-5.85GHz	-	-
802.11a_Nss1,(6Mbps)_2TX	4.14	11.93
802.11n HT20_Nss1,(MCS0)_2TX	7.50	15.29
802.11n HT40_Nss1,(MCS0)_2TX	4.74	12.53
802.11ac VHT20_Nss1,(MCS0)_2TX	7.37	15.16
802.11ac VHT40_Nss1,(MCS0)_2TX	4.94	12.73
802.11ac VHT80_Nss1,(MCS0)_2TX	1.05	8.84
802.11ax HEW20_Nss1,(MCS0)_2TX	6.88	14.67
802.11ax HEW40_Nss1,(MCS0)_2TX	5.16	12.95
802.11ax HEW80_Nss1,(MCS0)_2TX	1.48	9.27

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;





Result


Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)	
802.11a_Nss1,(6Mbps)_2TX	-	-	-	-	-	-	-	-	-
5260MHz	Pass	7.79	6.17	6.35	9.09	9.21	16.88	17.00	
5300MHz	Pass	7.79	6.59	5.51	8.98	9.21	16.77	17.00	
5320MHz	Pass	7.79	4.63	4.03	7.22	9.21	15.01	17.00	
5500MHz	Pass	7.79	6.01	6.47	9.18	9.21	16.97	17.00	
5580MHz	Pass	7.79	5.41	5.88	8.57	9.21	16.36	17.00	
5700MHz	Pass	7.79	2.75	3.27	5.85	9.21	13.64	17.00	
5720MHz Straddle 5.47-5.725GHz	Pass	7.79	2.74	3.56	6.03	9.21	13.82	17.00	
5720MHz Straddle 5.725-5.85GHz	Pass	7.79	0.68	1.73	4.14	28.21	11.93	36.00	
802.11n HT20_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-
5260MHz	Pass	7.79	5.9	6.36	8.94	9.21	16.73	17.00	
5300MHz	Pass	7.79	6.77	5.9	9.18	9.21	16.97	17.00	
5320MHz	Pass	7.79	5.27	4.93	7.78	9.21	15.57	17.00	
5500MHz	Pass	7.79	5.6	6.05	8.77	9.21	16.56	17.00	
5580MHz	Pass	7.79	5.91	6.23	8.99	9.21	16.78	17.00	
5700MHz	Pass	7.79	3.47	5.83	7.69	9.21	15.48	17.00	
5720MHz Straddle 5.47-5.725GHz	Pass	7.79	5.56	6.17	8.66	9.21	16.45	17.00	
5720MHz Straddle 5.725-5.85GHz	Pass	7.79	4.25	4.8	7.50	28.21	15.29	36.00	
802.11n HT40_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-
5270MHz	Pass	7.79	3.76	4.18	6.82	9.21	14.61	17.00	
5310MHz	Pass	7.79	1.04	0.7	3.74	9.21	11.53	17.00	
5510MHz	Pass	7.79	1.87	2.25	5.02	9.21	12.81	17.00	
5550MHz	Pass	7.79	4.36	4.44	7.35	9.21	15.14	17.00	
5670MHz	Pass	7.79	1.38	2.05	4.58	9.21	12.37	17.00	
5710MHz Straddle 5.47-5.725GHz	Pass	7.79	3.08	5.38	7.30	9.21	15.09	17.00	
5710MHz Straddle 5.725-5.85GHz	Pass	7.79	0.63	2.8	4.74	28.21	12.53	36.00	
802.11ac VHT20_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-
5260MHz	Pass	7.79	5.93	6.55	8.96	9.21	16.75	17.00	
5300MHz	Pass	7.79	6.81	5.91	9.13	9.21	16.92	17.00	
5320MHz	Pass	7.79	5.21	4.9	7.94	9.21	15.73	17.00	
5500MHz	Pass	7.79	5.77	6.16	8.89	9.21	16.68	17.00	
5580MHz	Pass	7.79	5.73	6.14	8.88	9.21	16.67	17.00	
5700MHz	Pass	7.79	3.35	5.67	7.58	9.21	15.37	17.00	
5720MHz Straddle 5.47-5.725GHz	Pass	7.79	5.58	6.2	8.79	9.21	16.58	17.00	
5720MHz Straddle 5.725-5.85GHz	Pass	7.79	4.19	4.64	7.37	28.21	15.16	36.00	
802.11ac VHT40_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-
5270MHz	Pass	7.79	4.45	4.92	7.55	9.21	15.34	17.00	
5310MHz	Pass	7.79	1.4	1.17	4.12	9.21	11.91	17.00	
5510MHz	Pass	7.79	1.91	2.33	5.13	9.21	12.92	17.00	
5550MHz	Pass	7.79	4.51	4.5	7.45	9.21	15.24	17.00	
5670MHz	Pass	7.79	1.72	2.29	4.87	9.21	12.66	17.00	
5710MHz Straddle 5.47-5.725GHz	Pass	7.79	3.21	5.68	7.55	9.21	15.34	17.00	
5710MHz Straddle 5.725-5.85GHz	Pass	7.79	0.69	2.99	4.94	28.21	12.73	36.00	
802.11ac VHT80_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-
5290MHz	Pass	7.79	-4.1	-4.77	-1.54	9.21	6.25	17.00	
5530MHz	Pass	7.79	-4.35	-3.84	-1.20	9.21	6.59	17.00	
5610MHz	Pass	7.79	1.01	0.59	3.66	9.21	11.45	17.00	
5690MHz Straddle 5.47-5.725GHz	Pass	7.79	0.81	2.16	4.43	9.21	12.22	17.00	
5690MHz Straddle 5.725-5.85GHz	Pass	7.79	-2.9	-1.09	1.05	28.21	8.84	36.00	
802.11ax HEW20_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-
5260MHz	Pass	7.79	6.11	6.32	9.07	9.21	16.86	17.00	
5300MHz	Pass	7.79	6.53	5.66	9.06	9.21	16.85	17.00	
5320MHz	Pass	7.79	4.97	4.52	7.58	9.21	15.37	17.00	
5500MHz	Pass	7.79	5.7	6.27	8.97	9.21	16.76	17.00	
5580MHz	Pass	7.79	5.87	6.28	9.03	9.21	16.82	17.00	






Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)	
5700MHz	Pass	7.79	4.79	5.28	7.91	9.21	15.70	17.00	
5720MHz Straddle 5.47-5.725GHz	Pass	7.79	5.63	6.34	8.86	9.21	16.65	17.00	
5720MHz Straddle 5.725-5.85GHz	Pass	7.79	3.71	4.1	6.88	28.21	14.67	36.00	
802.11ax HEW40_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-
5270MHz	Pass	7.79	4.32	4.39	7.12	9.21	14.91	17.00	
5310MHz	Pass	7.79	0.94	0.24	3.44	9.21	11.23	17.00	
5510MHz	Pass	7.79	1.81	2.28	5.03	9.21	12.82	17.00	
5550MHz	Pass	7.79	4.27	4.41	7.35	9.21	15.14	17.00	
5670MHz	Pass	7.79	2.14	1.68	4.89	9.21	12.68	17.00	
5710MHz Straddle 5.47-5.725GHz	Pass	7.79	2.68	5.25	7.04	9.21	14.83	17.00	
5710MHz Straddle 5.725-5.85GHz	Pass	7.79	2.05	2.26	5.16	28.21	12.95	36.00	
802.11ax HEW80_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-
5290MHz	Pass	7.79	-3.98	-4.81	-1.56	9.21	6.23	17.00	
5530MHz	Pass	7.79	-3.86	-3.42	-0.67	9.21	7.12	17.00	
5610MHz	Pass	7.79	1.15	0.5	3.75	9.21	11.54	17.00	
5690MHz Straddle 5.47-5.725GHz	Pass	7.79	2.17	2	5.05	9.21	12.84	17.00	
5690MHz Straddle 5.725-5.85GHz	Pass	7.79	-1.39	-1.6	1.48	28.21	9.27	36.00	

DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;
 PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;











5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX


5720MHz Straddle 5.725-5.85GHz



PSD


09/10/2022


CF	5.735GHz
Span	40MHz
RBW	500kHz
VBW	3MHz
Sweep Time	20ms
Detector Type	RMS






















5.25-5.35GHz_802.11ac VHT20_Nss1,(MCS0)_2TX

5260MHz

PSD

09/10/2022

CF
5.26GHz

Span
30MHz

RBW
1MHz

VBW
3MHz

Sweep Time
20ms


Detector Type
RMS



Sum

Port 1

Port 2



5.25-5.35GHz_802.11ac VHT20_Nss1,(MCS0)_2TX



5320MHz



PSD


09/10/2022

CF	5.32GHz
Span	30MHz
RBW	1MHz
VBW	3MHz
Sweep Time	20ms
Detector Type	RMS

Sum	
Port 1	
Port 2	










5.25-5.35GHz_802.11ac VHT40_Nss1,(MCS0)_2TX


5270MHz

PSD

09/10/2022







5.725-5.85GHz_802.11ac VHT40_Nss1,(MCS0)_2TX

5710MHz Straddle 5.725-5.85GHz

PSD

09/10/2022

CF
5.735GHz

Span
40MHz

RBW
500kHz

VBW
3MHz

Sweep Time
20ms


Detector Type
RMS



Sum 

Port 1 

Port 2 





5.47-5.725GHz_802.11ac VHT80_Nss1,(MCS0)_2TX

5530MHz

PSD

09/10/2022



5.725-5.85GHz_802.11ac VHT80_Nss1,(MCS0)_2TX

5690MHz Straddle 5.725-5.85GHz

PSD

09/10/2022

CF
5.735GHz


Span
40MHz


RBW
500kHz


VBW
3MHz


Sweep Time
20ms

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
1.05	1.05	-2.90	-1.09

5.25-5.35GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5260MHz

PSD

09/10/2022

CF
5.26GHz


Span
30MHz


RBW
1MHz


VBW
3MHz


Sweep Time
20ms

Detector Type
RMS






Sum 



Port 1 



Port 2 


Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
9.07	9.07	6.11	6.32



















5.725-5.85GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5710MHz Straddle 5.725-5.85GHz

PSD

09/10/2022

CF	5.735GHz
Span	40MHz
RBW	500kHz
VBW	3MHz
Sweep Time	20ms
Detector Type	RMS






5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5530MHz

PSD

10/10/2022







PSD_Non-Beamforming_Radio2(Low Band)+Radio3(High Band) Appendix C.2

Summary

Mode	PD (dBm/RBW)	EIRP PD (dBm/RBW)
5.25-5.35GHz	-	-
802.11a_Nss1,(6Mbps)_2TX	8.89	16.68
802.11n HT20_Nss1,(MCS0)_2TX	8.97	16.76
802.11n HT40_Nss1,(MCS0)_2TX	7.55	15.34
802.11ac VHT20_Nss1,(MCS0)_2TX	8.56	16.35
802.11ac VHT40_Nss1,(MCS0)_2TX	6.86	14.65
802.11ac VHT80_Nss1,(MCS0)_2TX	2.23	10.02
802.11ax HEW20_Nss1,(MCS0)_2TX	9.15	16.94
802.11ax HEW40_Nss1,(MCS0)_2TX	7.4	15.19
802.11ax HEW80_Nss1,(MCS0)_2TX	2.01	9.80
5.47-5.725GHz	-	-
802.11a_Nss1,(6Mbps)_2TX	9.41	16.85
802.11n HT20_Nss1,(MCS0)_2TX	8.68	16.12
802.11n HT40_Nss1,(MCS0)_2TX	8.05	15.49
802.11ac VHT20_Nss1,(MCS0)_2TX	8.31	15.75
802.11ac VHT40_Nss1,(MCS0)_2TX	7.97	15.41
802.11ac VHT80_Nss1,(MCS0)_2TX	4.72	12.16
802.11ac VHT160_Nss1,(MCS0)_2TX	-1.01	6.43
802.11ax HEW20_Nss1,(MCS0)_2TX	9.23	16.67
802.11ax HEW40_Nss1,(MCS0)_2TX	7.87	15.31
802.11ax HEW80_Nss1,(MCS0)_2TX	4.81	12.25
802.11ax HEW160_Nss1,(MCS0)_2TX	-0.98	6.46
5.725-5.85GHz	-	-
802.11a_Nss1,(6Mbps)_2TX	7.68	15.12
802.11n HT20_Nss1,(MCS0)_2TX	7.1	14.54
802.11n HT40_Nss1,(MCS0)_2TX	5	12.44
802.11ac VHT20_Nss1,(MCS0)_2TX	4.05	11.49
802.11ac VHT40_Nss1,(MCS0)_2TX	4.79	12.23
802.11ac VHT80_Nss1,(MCS0)_2TX	1.06	8.50
802.11ax HEW20_Nss1,(MCS0)_2TX	7.63	15.07
802.11ax HEW40_Nss1,(MCS0)_2TX	4.82	12.26
802.11ax HEW80_Nss1,(MCS0)_2TX	1.22	8.66

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;



PSD_Non-Beamforming_Radio2(Low Band)+Radio3(High Band) Appendix C.2

Result



Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
802.11a_Nss1,(6Mbps)_2TX	-	-	-	-	-	-	-	-
5260MHz	Pass	7.79	5.83	6.17	8.85	9.21	16.64	17.00
5300MHz	Pass	7.79	6.49	5.72	8.89	9.21	16.68	17.00
5320MHz	Pass	7.79	5.92	5.76	8.71	9.21	16.50	17.00
5500MHz	Pass	7.44	6.83	5.94	9.41	9.56	16.85	17.00
5580MHz	Pass	7.44	6.15	6.40	9.24	9.56	16.68	17.00
5700MHz	Pass	7.44	4.42	4.44	7.35	9.56	14.79	17.00
5720MHz Straddle 5.47-5.725GHz	Pass	7.44	6.26	6.44	9.30	9.56	16.74	17.00
5720MHz Straddle 5.725-5.85GHz	Pass	7.44	4.71	4.74	7.68	28.56	15.12	36.00
802.11n HT20_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5260MHz	Pass	7.79	5.91	6.09	8.83	9.21	16.62	17.00
5300MHz	Pass	7.79	6.49	5.86	8.97	9.21	16.76	17.00
5320MHz	Pass	7.79	5.84	6.03	8.83	9.21	16.62	17.00
5500MHz	Pass	7.44	3.86	4.60	7.19	9.56	14.63	17.00
5580MHz	Pass	7.44	5.55	5.83	8.65	9.56	16.09	17.00
5700MHz	Pass	7.44	4.01	4.65	7.20	9.56	14.64	17.00
5720MHz Straddle 5.47-5.725GHz	Pass	7.44	5.60	5.79	8.68	9.56	16.12	17.00
5720MHz Straddle 5.725-5.85GHz	Pass	7.44	3.74	4.47	7.10	28.56	14.54	36.00
802.11n HT40_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5270MHz	Pass	7.79	4.92	4.73	7.55	9.21	15.34	17.00
5310MHz	Pass	7.79	3.43	3.21	6.13	9.21	13.92	17.00
5510MHz	Pass	7.44	0.31	1.28	3.72	9.56	11.16	17.00
5550MHz	Pass	7.44	3.90	4.24	7.08	9.56	14.52	17.00
5670MHz	Pass	7.44	0.58	0.73	3.65	9.56	11.09	17.00
5710MHz Straddle 5.47-5.725GHz	Pass	7.44	4.95	5.48	8.05	9.56	15.49	17.00
5710MHz Straddle 5.725-5.85GHz	Pass	7.44	1.74	2.33	5.00	28.56	12.44	36.00
802.11ac VHT20_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5260MHz	Pass	7.79	5.55	5.71	8.55	9.21	16.34	17.00
5300MHz	Pass	7.79	6.12	5.28	8.56	9.21	16.35	17.00
5320MHz	Pass	7.79	4.37	3.60	6.92	9.21	14.71	17.00
5500MHz	Pass	7.44	3.31	3.97	6.61	9.56	14.05	17.00
5580MHz	Pass	7.44	5.10	5.63	8.31	9.56	15.75	17.00
5700MHz	Pass	7.44	3.81	4.11	6.85	9.56	14.29	17.00
5720MHz Straddle 5.47-5.725GHz	Pass	7.44	5.21	5.50	5.50	9.56	12.94	17.00
5720MHz Straddle 5.725-5.85GHz	Pass	7.44	3.19	4.05	4.05	28.56	11.49	36.00
802.11ac VHT40_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5270MHz	Pass	7.79	4.11	4.01	6.86	9.21	14.65	17.00
5310MHz	Pass	7.79	3.31	2.96	6.00	9.21	13.79	17.00
5510MHz	Pass	7.44	0.32	1.07	3.63	9.56	11.07	17.00
5550MHz	Pass	7.44	3.80	4.15	6.94	9.56	14.38	17.00
5670MHz	Pass	7.44	0.73	0.65	3.61	9.56	11.05	17.00
5710MHz Straddle 5.47-5.725GHz	Pass	7.44	4.72	5.32	7.97	9.56	15.41	17.00
5710MHz Straddle 5.725-5.85GHz	Pass	7.44	1.62	2.05	4.79	28.56	12.23	36.00
802.11ac VHT80_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5290MHz	Pass	7.79	-0.39	-0.99	2.23	9.21	10.02	17.00
5530MHz	Pass	7.44	-1.92	-1.73	1.08	9.56	8.52	17.00
5610MHz	Pass	7.44	-0.52	0.14	2.68	9.56	10.12	17.00
5690MHz Straddle 5.47-5.725GHz	Pass	7.44	1.73	1.99	4.72	9.56	12.16	17.00
5690MHz Straddle 5.725-5.85GHz	Pass	7.44	-1.98	-1.91	1.06	28.56	8.50	36.00
802.11ac VHT160_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5570MHz	Pass	7.44	-4.08	-3.87	-1.01	9.56	6.43	17.00
802.11ax HEW20_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5260MHz	Pass	7.79	5.87	5.81	8.72	9.21	16.51	17.00
5300MHz	Pass	7.79	6.40	5.77	8.82	9.21	16.61	17.00
5320MHz	Pass	7.79	6.32	6.31	9.15	9.21	16.94	17.00






PSD_Non-Beamforming_Radio2(Low Band)+Radio3(High Band) Appendix C.2



Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
5500MHz	Pass	7.44	4.64	5.19	7.90	9.56	15.34	17.00
5580MHz	Pass	7.44	5.99	6.37	9.15	9.56	16.59	17.00
5700MHz	Pass	7.44	4.72	5.32	7.86	9.56	15.30	17.00
5720MHz Straddle 5.47-5.725GHz	Pass	7.44	6.07	6.59	9.23	9.56	16.67	17.00
5720MHz Straddle 5.725-5.85GHz	Pass	7.44	4.21	5.18	7.63	28.56	15.07	36.00
802.11ax HEW40_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5270MHz	Pass	7.79	4.84	4.48	7.40	9.21	15.19	17.00
5310MHz	Pass	7.79	2.76	2.38	5.38	9.21	13.17	17.00
5510MHz	Pass	7.44	0.19	1.11	3.62	9.56	11.06	17.00
5550MHz	Pass	7.44	4.61	5.06	7.73	9.56	15.17	17.00
5670MHz	Pass	7.44	0.71	0.64	3.57	9.56	11.01	17.00
5710MHz Straddle 5.47-5.725GHz	Pass	7.44	4.67	5.19	7.87	9.56	15.31	17.00
5710MHz Straddle 5.725-5.85GHz	Pass	7.44	1.63	2.00	4.82	28.56	12.26	36.00
802.11ax HEW80_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5290MHz	Pass	7.79	-0.59	-1.18	2.01	9.21	9.80	17.00
5530MHz	Pass	7.44	-1.75	-1.70	1.23	9.56	8.67	17.00
5610MHz	Pass	7.44	-0.48	0.19	2.79	9.56	10.23	17.00
5690MHz Straddle 5.47-5.725GHz	Pass	7.44	1.72	2.00	4.81	9.56	12.25	17.00
5690MHz Straddle 5.725-5.85GHz	Pass	7.44	-1.95	-1.59	1.22	28.56	8.66	36.00
802.11ax HEW160_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5570MHz	Pass	7.44	-3.99	-3.85	-0.98	9.56	6.46	17.00



DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;
 PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;













5.25-5.35GHz_802.11n HT20_Nss1,(MCS0)_2TX

5320MHz

PSD

14/04/2023

CF
5.32GHz


Span
30MHz

RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Sum

Port 1

Port 2

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
8.83	8.83	5.84	6.03

5.47-5.725GHz_802.11n HT20_Nss1,(MCS0)_2TX

5500MHz

PSD

14/04/2023

CF
5.5GHz


Span
30MHz

RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Sum

Port 1

Port 2

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
7.19	7.19	3.86	4.60



5.47-5.725GHz_802.11n HT20_Nss1,(MCS0)_2TX

5580MHz

PSD

11/10/2022

CF
5.58GHz


Span
30MHz

RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Sum

Port 1

Port 2

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
8.65	8.65	5.55	5.83

5.47-5.725GHz_802.11n HT20_Nss1,(MCS0)_2TX

5700MHz

PSD

11/10/2022

CF
5.7GHz


Span
30MHz

RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Sum

Port 1

Port 2

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
7.20	7.20	4.01	4.65



5.47-5.725GHz_802.11n HT20_Nss1,(MCS0)_2TX

5720MHz Straddle 5.47-5.725GHz

PSD

11/10/2022

CF
5.71GHz


Span
60MHz

RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Sum

Port 1

Port 2

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
8.68	8.68	5.60	5.79

5.725-5.85GHz_802.11n HT20_Nss1,(MCS0)_2TX

5720MHz Straddle 5.725-5.85GHz

PSD

11/10/2022

CF
5.735GHz


Span
40MHz

RBW
500kHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS







Sum

Port 1

Port 2

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
7.10	7.10	3.74	4.47







5.47-5.725GHz_802.11n HT40_Nss1,(MCS0)_2TX

5670MHz

PSD

11/10/2022

CF
5.67GHz


Span
60MHz

RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Sum

Port 1

Port 2

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
3.65	3.65	0.58	0.73

5.47-5.725GHz_802.11n HT40_Nss1,(MCS0)_2TX

5710MHz Straddle 5.47-5.725GHz

PSD

11/10/2022

CF
5.69GHz


Span
140MHz

RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Sum

Port 1

Port 2

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
8.05	8.05	4.95	5.48



5.725-5.85GHz_802.11n HT40_Nss1,(MCS0)_2TX

5710MHz Straddle 5.725-5.85GHz

PSD

11/10/2022

CF
5.735GHz


Span
40MHz

RBW
500kHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Sum

Port 1

Port 2

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
5.00	5.00	1.74	2.33

5.25-5.35GHz_802.11ac VHT20_Nss1,(MCS0)_2TX

5260MHz

PSD

10/10/2022

CF
5.26GHz


Span
30MHz

RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS







Sum



Port 1

Port 2

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
8.55	8.55	5.55	5.71









5.725-5.85GHz_802.11ac VHT20_Nss1,(MCS0)_2TX

5720MHz Straddle 5.725-5.85GHz

PSD

11/10/2022

CF
5.735GHz


Span
40MHz

RBW
500kHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Sum

Port 1

Port 2

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
6.61	6.61	3.19	4.05

5.25-5.35GHz_802.11ac VHT40_Nss1,(MCS0)_2TX

5270MHz

PSD

10/10/2022

CF
5.27GHz


Span
60MHz

RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS





Sum

Port 1

Port 2

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
6.86	6.86	4.11	4.01






5.47-5.725GHz_802.11ac VHT40_Nss1,(MCS0)_2TX

PSD

5550MHz

11/10/2022

CF
5.55GHz
Span
60MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Sum
Port 1
Port 2

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
6.94	6.94	3.80	4.15


5.47-5.725GHz_802.11ac VHT40_Nss1,(MCS0)_2TX

PSD

5670MHz

11/10/2022

CF
5.67GHz
Span
60MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Sum
Port 1
Port 2

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
3.61	3.61	0.73	0.65



5.47-5.725GHz_802.11ac VHT40_Nss1,(MCS0)_2TX

5710MHz Straddle 5.47-5.725GHz

PSD

11/10/2022

CF
5.69GHz


Span
140MHz

RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Sum

Port 1

Port 2

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
7.97	7.97	4.72	5.32

5.725-5.85GHz_802.11ac VHT40_Nss1,(MCS0)_2TX

5710MHz Straddle 5.725-5.85GHz

PSD

11/10/2022

CF
5.735GHz


Span
40MHz

RBW
500kHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Sum

Port 1

Port 2

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
4.79	4.79	1.62	2.05



5.25-5.35GHz_802.11ac VHT80_Nss1,(MCS0)_2TX

5290MHz

PSD

10/10/2022

CF
5.29GHz


Span
120MHz

RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Sum

Port 1

Port 2

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
2.23	2.23	-0.39	-0.99

5.47-5.725GHz_802.11ac VHT80_Nss1,(MCS0)_2TX

5530MHz

PSD

11/10/2022

CF
5.53GHz


Span
120MHz

RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS





Sum

Port 1

Port 2

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
1.08	1.08	-1.92	-1.73





5.725-5.85GHz_802.11ac VHT80_Nss1,(MCS0)_2TX

5690MHz Straddle 5.725-5.85GHz

PSD

11/10/2022

CF
5.735GHz


Span
40MHz

RBW
500kHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Sum

Port 1

Port 2

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
1.06	1.06	-1.98	-1.91

5.47-5.725GHz_802.11ac VHT160_Nss1,(MCS0)_2TX

5570MHz

PSD

11/10/2022

CF
5.57GHz


Span
240MHz

RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Sum

Port 1

Port 2

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-1.01	-1.01	-4.08	-3.87



5.25-5.35GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5260MHz

PSD

10/10/2022

CF
5.26GHz


Span
30MHz

RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Sum

Port 1

Port 2

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
8.72	8.72	5.87	5.81

5.25-5.35GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5300MHz

PSD

10/10/2022

CF
5.3GHz


Span
30MHz

RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Sum

Port 1

Port 2

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
8.82	8.82	6.40	5.77



5.25-5.35GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5320MHz

PSD

14/04/2023

CF
5.32GHz


Span
30MHz

RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Sum

Port 1

Port 2

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
9.15	9.15	6.32	6.31

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5500MHz

PSD

14/04/2023

CF
5.5GHz


Span
30MHz

RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Sum

Port 1

Port 2

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
7.90	7.90	4.64	5.19



5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5580MHz

PSD

11/10/2022

CF
5.58GHz


Span
30MHz

RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Sum

Port 1

Port 2

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
9.15	9.15	5.99	6.37

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5700MHz

PSD

11/10/2022

CF
5.7GHz


Span
30MHz

RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Sum

Port 1

Port 2

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
7.86	7.86	4.72	5.32



5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5720MHz Straddle 5.47-5.725GHz

PSD

11/10/2022

CF
5.71GHz


Span
60MHz

RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Sum

Port 1

Port 2

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
9.23	9.23	6.07	6.59

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5720MHz Straddle 5.725-5.85GHz

PSD

11/10/2022

CF
5.735GHz


Span
40MHz

RBW
500kHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS







Sum

Port 1

Port 2

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
7.63	7.63	4.21	5.18







5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5670MHz

PSD

11/10/2022

CF
5.67GHz


Span
60MHz

RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Sum

Port 1

Port 2

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
3.57	3.57	0.71	0.64

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5710MHz Straddle 5.47-5.725GHz

PSD

11/10/2022

CF
5.69GHz


Span
140MHz

RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS







Sum

Port 1

Port 2

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
7.87	7.87	4.67	5.19







5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz

PSD

11/10/2022

CF
5.65GHz


Span
300MHz

RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Sum

Port 1

Port 2

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
4.81	4.81	1.72	2.00

5.725-5.85GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5690MHz Straddle 5.725-5.85GHz

PSD

11/10/2022

CF
5.735GHz


Span
40MHz

RBW
500kHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Sum

Port 1

Port 2

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
1.22	1.22	-1.95	-1.59




5.47-5.725GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

5570MHz

PSD

11/10/2022

CF
5.57GHz
Span
240MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Sum
Port 1
Port 2

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-0.98	-0.98	-3.99	-3.85



Summary

Mode	PD (dBm/RBW)	EIRP PD (dBm/RBW)
5.15-5.25GHz	-	-
802.11ac VHT160_Nss1,(MCS0)_2TX	-3.22	4.22
802.11ax HEW160_Nss1,(MCS0)_2TX	-3.11	4.33
5.25-5.35GHz	-	-
802.11a_Nss1,(6Mbps)_2TX	9.28	16.72
802.11n HT20_Nss1,(MCS0)_2TX	9.15	16.59
802.11n HT40_Nss1,(MCS0)_2TX	7.18	14.62
802.11ac VHT20_Nss1,(MCS0)_2TX	8.99	16.43
802.11ac VHT40_Nss1,(MCS0)_2TX	7.10	14.54
802.11ac VHT80_Nss1,(MCS0)_2TX	-1.45	5.99
802.11ac VHT160_Nss1,(MCS0)_2TX	-3.92	3.52
802.11ax HEW20_Nss1,(MCS0)_2TX	9.53	16.97
802.11ax HEW40_Nss1,(MCS0)_2TX	6.93	14.37
802.11ax HEW80_Nss1,(MCS0)_2TX	-1.35	6.09
802.11ax HEW160_Nss1,(MCS0)_2TX	-3.73	3.71
5.47-5.725GHz	-	-
802.11a_Nss1,(6Mbps)_2TX	9.49	16.93
802.11n HT20_Nss1,(MCS0)_2TX	9.53	16.97
802.11n HT40_Nss1,(MCS0)_2TX	8.13	15.57
802.11ac VHT20_Nss1,(MCS0)_2TX	9.33	16.77
802.11ac VHT40_Nss1,(MCS0)_2TX	8.21	15.65
802.11ac VHT80_Nss1,(MCS0)_2TX	4.52	11.96
802.11ac VHT160_Nss1,(MCS0)_2TX	-1.33	6.11
802.11ax HEW20_Nss1,(MCS0)_2TX	9.53	16.97
802.11ax HEW40_Nss1,(MCS0)_2TX	8.27	15.71
802.11ax HEW80_Nss1,(MCS0)_2TX	4.55	11.99
802.11ax HEW160_Nss1,(MCS0)_2TX	-1.22	6.22
5.725-5.85GHz	-	-
802.11a_Nss1,(6Mbps)_2TX	7.63	15.07
802.11n HT20_Nss1,(MCS0)_2TX	7.77	15.21
802.11n HT40_Nss1,(MCS0)_2TX	4.94	12.38
802.11ac VHT20_Nss1,(MCS0)_2TX	7.62	15.06
802.11ac VHT40_Nss1,(MCS0)_2TX	5.19	12.63
802.11ac VHT80_Nss1,(MCS0)_2TX	0.68	8.12
802.11ax HEW20_Nss1,(MCS0)_2TX	7.55	14.99
802.11ax HEW40_Nss1,(MCS0)_2TX	4.43	11.87
802.11ax HEW80_Nss1,(MCS0)_2TX	0.78	8.22

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;





Result


Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
802.11a_Nss1,(6Mbps)_2TX	-	-	-	-	-	-	-	-
5260MHz	Pass	7.44	6.18	6.39	9.28	9.56	16.72	17.00
5300MHz	Pass	7.44	6.10	6.21	9.14	9.56	16.58	17.00
5320MHz	Pass	7.44	6.14	6.13	9.15	9.56	16.59	17.00
5500MHz	Pass	7.44	6.78	6.33	9.49	9.56	16.93	17.00
5580MHz	Pass	7.44	5.96	6.85	9.36	9.56	16.80	17.00
5700MHz	Pass	7.44	5.79	6.64	9.21	9.56	16.65	17.00
5720MHz Straddle 5.47-5.725GHz	Pass	7.44	6.01	6.73	9.40	9.56	16.84	17.00
5720MHz Straddle 5.725-5.85GHz	Pass	7.44	4.37	4.91	7.63	28.56	15.07	36.00
802.11n HT20_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5260MHz	Pass	7.44	5.88	6.51	9.15	9.56	16.59	17.00
5300MHz	Pass	7.44	5.97	6.14	9.00	9.56	16.44	17.00
5320MHz	Pass	7.44	5.63	5.77	8.69	9.56	16.13	17.00
5500MHz	Pass	7.44	4.58	5.26	7.86	9.56	15.30	17.00
5580MHz	Pass	7.44	6.02	7.01	9.52	9.56	16.96	17.00
5700MHz	Pass	7.44	4.85	5.92	8.34	9.56	15.78	17.00
5720MHz Straddle 5.47-5.725GHz	Pass	7.44	6.38	6.75	9.53	9.56	16.97	17.00
5720MHz Straddle 5.725-5.85GHz	Pass	7.44	4.29	5.29	7.77	28.56	15.21	36.00
802.11n HT40_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5270MHz	Pass	7.44	4.08	4.34	7.18	9.56	14.62	17.00
5310MHz	Pass	7.44	1.51	2.34	4.93	9.56	12.37	17.00
5510MHz	Pass	7.44	1.38	2.26	4.80	9.56	12.24	17.00
5550MHz	Pass	7.44	4.00	4.60	7.25	9.56	14.69	17.00
5670MHz	Pass	7.44	1.74	2.48	5.04	9.56	12.48	17.00
5710MHz Straddle 5.47-5.725GHz	Pass	7.44	4.82	5.57	8.13	9.56	15.57	17.00
5710MHz Straddle 5.725-5.85GHz	Pass	7.44	1.59	2.31	4.94	28.56	12.38	36.00
802.11ac VHT20_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5260MHz	Pass	7.44	5.77	6.22	8.99	9.56	16.43	17.00
5300MHz	Pass	7.44	5.87	6.10	8.97	9.56	16.41	17.00
5320MHz	Pass	7.44	5.43	5.72	8.50	9.56	15.94	17.00
5500MHz	Pass	7.44	4.23	5.15	7.64	9.56	15.08	17.00
5580MHz	Pass	7.44	5.84	6.83	9.30	9.56	16.74	17.00
5700MHz	Pass	7.44	4.96	5.66	8.25	9.56	15.69	17.00
5720MHz Straddle 5.47-5.725GHz	Pass	7.44	6.07	6.61	9.33	9.56	16.77	17.00
5720MHz Straddle 5.725-5.85GHz	Pass	7.44	4.01	5.17	7.62	28.56	15.06	36.00
802.11ac VHT40_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5270MHz	Pass	7.44	4.06	4.24	7.10	9.56	14.54	17.00
5310MHz	Pass	7.44	1.57	2.13	4.80	9.56	12.24	17.00
5510MHz	Pass	7.44	1.32	2.20	4.66	9.56	12.10	17.00
5550MHz	Pass	7.44	4.01	4.58	7.27	9.56	14.71	17.00
5670MHz	Pass	7.44	1.67	2.54	5.11	9.56	12.55	17.00
5710MHz Straddle 5.47-5.725GHz	Pass	7.44	4.90	5.76	8.21	9.56	15.65	17.00
5710MHz Straddle 5.725-5.85GHz	Pass	7.44	1.90	2.44	5.19	28.56	12.63	36.00
802.11ac VHT80_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5290MHz	Pass	7.44	-5.06	-3.84	-1.45	9.56	5.99	17.00
5530MHz	Pass	7.44	-1.75	-1.16	1.45	9.56	8.89	17.00
5610MHz	Pass	7.44	-0.72	0.29	2.72	9.56	10.16	17.00
5690MHz Straddle 5.47-5.725GHz	Pass	7.44	1.27	1.91	4.52	9.56	11.96	17.00
5690MHz Straddle 5.725-5.85GHz	Pass	7.44	-2.73	-1.85	0.68	28.56	8.12	36.00
802.11ac VHT160_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5250MHz Straddle 5.15-5.25GHz	Pass	7.44	-6.71	-5.61	-3.22	15.56	4.22	23.00
5250MHz Straddle 5.25-5.35GHz	Pass	7.44	-7.61	-6.21	-3.92	9.56	3.52	17.00
5570MHz	Pass	7.44	-4.92	-3.66	-1.33	9.56	6.11	17.00
802.11ax HEW20_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5260MHz	Pass	7.44	6.45	6.79	9.51	9.56	16.95	17.00



Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
5300MHz	Pass	7.44	6.48	6.66	9.53	9.56	16.97	17.00
5320MHz	Pass	7.44	6.02	6.07	9.02	9.56	16.46	17.00
5500MHz	Pass	7.44	4.93	5.72	8.23	9.56	15.67	17.00
5580MHz	Pass	7.44	6.13	6.96	9.53	9.56	16.97	17.00
5700MHz	Pass	7.44	4.92	6.15	8.49	9.56	15.93	17.00
5720MHz Straddle 5.47-5.725GHz	Pass	7.44	5.95	6.49	9.20	9.56	16.64	17.00
5720MHz Straddle 5.725-5.85GHz	Pass	7.44	3.99	5.03	7.55	28.56	14.99	36.00
802.11ax HEW40_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5270MHz	Pass	7.44	3.86	4.02	6.93	9.56	14.37	17.00
5310MHz	Pass	7.44	1.45	1.81	4.59	9.56	12.03	17.00
5510MHz	Pass	7.44	0.99	1.83	4.34	9.56	11.78	17.00
5550MHz	Pass	7.44	3.99	4.51	7.26	9.56	14.70	17.00
5670MHz	Pass	7.44	1.94	2.50	5.12	9.56	12.56	17.00
5710MHz Straddle 5.47-5.725GHz	Pass	7.44	5.05	5.67	8.27	9.56	15.71	17.00
5710MHz Straddle 5.725-5.85GHz	Pass	7.44	1.24	1.61	4.43	28.56	11.87	36.00
802.11ax HEW80_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5290MHz	Pass	7.44	-4.73	-3.88	-1.35	9.56	6.09	17.00
5530MHz	Pass	7.44	-1.39	-1.13	1.66	9.56	9.10	17.00
5610MHz	Pass	7.44	-0.31	0.52	2.89	9.56	10.33	17.00
5690MHz Straddle 5.47-5.725GHz	Pass	7.44	1.27	2.08	4.55	9.56	11.99	17.00
5690MHz Straddle 5.725-5.85GHz	Pass	7.44	-2.70	-1.79	0.78	28.56	8.22	36.00
802.11ax HEW160_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5250MHz Straddle 5.15-5.25GHz	Pass	7.44	-6.71	-5.60	-3.11	15.56	4.33	23.00
5250MHz Straddle 5.25-5.35GHz	Pass	7.44	-7.24	-6.13	-3.73	9.56	3.71	17.00
5570MHz	Pass	7.44	-4.85	-3.57	-1.22	9.56	6.22	17.00

DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;
 PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;





5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX



5500MHz



PSD



14/04/2023



CF	5.5GHz
Span	30MHz
RBW	1MHz
VBW	3MHz
Sweep Time	20ms
Detector Type	RMS



Sum	
Port 1	
Port 2	













































5.25-5.35GHz_802.11ac VHT40_Nss1,(MCS0)_2TX

5270MHz

PSD

14/04/2023

CF
5.27GHz

Span
60MHz

RBW
1MHz

VBW
3MHz

Sweep Time
20ms



Detector Type
RMS





Sum 

Port 1 

Port 2 







5.725-5.85GHz_802.11ac VHT40_Nss1,(MCS0)_2TX

5710MHz Straddle 5.725-5.85GHz

PSD

11/10/2022

CF
5.735GHz

Span
40MHz

RBW
500kHz

VBW
3MHz

Sweep Time
20ms



Detector Type
RMS





Sum 

Port 1 

Port 2 





5.725-5.85GHz_802.11ac VHT80_Nss1,(MCS0)_2TX

5690MHz Straddle 5.725-5.85GHz

PSD

11/10/2022

CF
5.735GHz


Span
40MHz


RBW
500kHz


VBW
3MHz


Sweep Time
20ms

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
0.68	0.68	-2.73	-1.85

5.15-5.25GHz_802.11ac VHT160_Nss1,(MCS0)_2TX

5250MHz Straddle 5.15-5.25GHz

PSD

11/10/2022

CF
5.17GHz


Span
320MHz


RBW
1MHz


VBW
3MHz


Sweep Time
20ms

Detector Type
RMS






Sum 


Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-3.22	-3.22	-6.71	-5.61









5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX



5500MHz


PSD

14/04/2023

CF	5.5GHz
Span	30MHz
RBW	1MHz
VBW	3MHz
Sweep Time	20ms
Detector Type	RMS









5.25-5.35GHz_802.11ax HEW40_Nss1,(MCS0)_2TX



5310MHz


PSD

14/04/2023

CF	5.31GHz
Span	60MHz
RBW	1MHz
VBW	3MHz
Sweep Time	20ms
Detector Type	RMS







5.25-5.35GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5290MHz

PSD

11/10/2022

CF
5.29GHz

Span
120MHz

RBW
1MHz

VBW
3MHz

Sweep Time
20ms



Detector Type
RMS






Sum

Port 1

Port 2








5.25-5.35GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

5250MHz Straddle 5.25-5.35GHz

PSD

11/10/2022





Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX	Pass	PK	10.52204G	67.18	68.20	-1.02	3	Vertical	249	2.92
802.11ax HEW20_Nss1,(MCS0)_2TX	Pass	PK	10.5218G	67.16	68.20	-1.04	3	Vertical	233	2.78
802.11ax HEW40_Nss1,(MCS0)_2TX	Pass	AV	5.35G	53.11	54.00	-0.89	3	Vertical	211	1.50
802.11ax HEW80_Nss1,(MCS0)_2TX	Pass	AV	5.354G	53.17	54.00	-0.83	3	Vertical	316	1.87
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX	Pass	PK	16.74072G	67.06	68.20	-1.14	3	Vertical	184	1.10
802.11ax HEW20_Nss1,(MCS0)_2TX	Pass	AV	11.3994G	52.93	54.00	-1.07	3	Vertical	126	1.99
802.11ax HEW40_Nss1,(MCS0)_2TX	Pass	PK	5.7276G	67.24	68.20	-0.96	3	Vertical	92	1.32
802.11ax HEW80_Nss1,(MCS0)_2TX	Pass	PK	5.727G	67.41	68.20	-0.79	3	Vertical	26	1.50



Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11a_Nss1_(6Mbps)_2TX	-	-	-	-	-	-	-	-	-	-
5260MHz	Pass	AV	5.1466G	47.84	54.00	-6.16	3	Vertical	192	2.10
5260MHz	Pass	AV	5.2528G	107.32	Inf	-Inf	3	Vertical	192	2.10
5260MHz	Pass	AV	5.407G	47.72	54.00	-6.28	3	Vertical	192	2.10
5260MHz	Pass	PK	5.1346G	60.19	74.00	-13.81	3	Vertical	192	2.10
5260MHz	Pass	PK	5.2528G	116.97	Inf	-Inf	3	Vertical	192	2.10
5260MHz	Pass	PK	5.359G	60.41	74.00	-13.59	3	Vertical	192	2.10
5260MHz	Pass	AV	4.82433G	35.07	54.00	-18.93	3	Vertical	220	1.50
5260MHz	Pass	AV	15.7616G	47.83	54.00	-6.17	3	Vertical	360	2.32
5260MHz	Pass	PK	4.82206G	48.11	74.00	-25.89	3	Vertical	220	1.50
5260MHz	Pass	PK	10.52204G	67.18	68.20	-1.02	3	Vertical	249	2.92
5260MHz	Pass	PK	15.78976G	60.90	74.00	-13.10	3	Vertical	360	2.32
5260MHz	Pass	AV	4.82153G	34.07	54.00	-19.93	3	Horizontal	233	1.50
5260MHz	Pass	AV	15.76484G	47.94	54.00	-6.06	3	Horizontal	79	3.00
5260MHz	Pass	PK	4.78338G	46.00	74.00	-28.00	3	Horizontal	233	1.50
5260MHz	Pass	PK	10.5206G	60.56	68.20	-7.64	3	Horizontal	276	2.87
5260MHz	Pass	PK	15.77372G	60.85	74.00	-13.15	3	Horizontal	79	3.00
5300MHz	Pass	AV	5.2934G	104.15	Inf	-Inf	3	Vertical	210	1.58
5300MHz	Pass	AV	5.4104G	47.81	54.00	-6.19	3	Vertical	210	1.58
5300MHz	Pass	PK	5.2934G	113.94	Inf	-Inf	3	Vertical	210	1.58
5300MHz	Pass	PK	5.375G	60.04	74.00	-13.96	3	Vertical	210	1.58
5300MHz	Pass	AV	4.82405G	34.78	54.00	-19.22	3	Vertical	204	1.56
5300MHz	Pass	AV	10.60177G	52.59	54.00	-1.41	3	Vertical	266	2.96
5300MHz	Pass	AV	15.91952G	48.06	54.00	-5.94	3	Vertical	157	1.50
5300MHz	Pass	PK	4.82615G	46.88	74.00	-27.12	3	Vertical	204	1.56
5300MHz	Pass	PK	10.60189G	65.46	74.00	-8.54	3	Vertical	266	2.96
5300MHz	Pass	PK	15.90936G	61.10	74.00	-12.90	3	Vertical	157	1.50
5300MHz	Pass	AV	4.86535G	34.22	54.00	-19.78	3	Horizontal	37	1.50
5300MHz	Pass	AV	10.60024G	44.78	54.00	-9.22	3	Horizontal	236	3.00
5300MHz	Pass	AV	15.91416G	48.06	54.00	-5.94	3	Horizontal	154	1.50
5300MHz	Pass	PK	4.85695G	46.88	74.00	-27.12	3	Horizontal	37	1.50
5300MHz	Pass	PK	10.60012G	57.77	74.00	-16.23	3	Horizontal	236	3.00
5300MHz	Pass	PK	15.90716G	61.23	74.00	-12.77	3	Horizontal	154	1.50
5320MHz	Pass	AV	5.323G	106.51	Inf	-Inf	3	Vertical	334	2.06
5320MHz	Pass	AV	5.35G	48.39	54.00	-5.61	3	Vertical	334	2.06
5320MHz	Pass	PK	5.3236G	116.00	Inf	-Inf	3	Vertical	334	2.06
5320MHz	Pass	PK	5.47G	57.99	68.20	-10.21	3	Vertical	334	2.06
5320MHz	Pass	AV	4.8636G	33.69	54.00	-20.31	3	Vertical	65	1.84
5320MHz	Pass	AV	10.64G	52.40	54.00	-1.60	3	Vertical	115	2.05
5320MHz	Pass	AV	15.9588G	47.95	54.00	-6.05	3	Vertical	48	1.42
5320MHz	Pass	PK	4.85982G	45.67	74.00	-28.33	3	Vertical	65	1.84
5320MHz	Pass	PK	10.6343G	65.02	74.00	-8.98	3	Vertical	115	2.05
5320MHz	Pass	PK	15.9645G	60.79	74.00	-13.21	3	Vertical	48	1.42
5320MHz	Pass	AV	4.85646G	32.23	54.00	-21.77	3	Horizontal	77	1.50
5320MHz	Pass	AV	10.64006G	49.97	54.00	-4.03	3	Horizontal	142	1.01
5320MHz	Pass	AV	15.96984G	48.15	54.00	-5.85	3	Horizontal	263	2.30
5320MHz	Pass	PK	4.82601G	44.96	74.00	-29.04	3	Horizontal	77	1.50
5320MHz	Pass	PK	10.64054G	62.93	74.00	-11.07	3	Horizontal	142	1.01
5320MHz	Pass	PK	15.972G	60.87	74.00	-13.13	3	Horizontal	263	2.30
5500MHz	Pass	AV	5.4586G	48.22	54.00	-5.78	3	Vertical	22	1.80
5500MHz	Pass	AV	5.5052G	106.16	Inf	-Inf	3	Vertical	22	1.80
5500MHz	Pass	PK	5.4596G	61.66	74.00	-12.34	3	Vertical	22	1.80
5500MHz	Pass	PK	5.4696G	66.13	68.20	-2.07	3	Vertical	22	1.80
5500MHz	Pass	PK	5.505G	116.67	Inf	-Inf	3	Vertical	22	1.80
5500MHz	Pass	AV	4.9518G	29.67	54.00	-24.33	3	Vertical	78	1.00
5500MHz	Pass	AV	11G	41.75	54.00	-12.25	3	Vertical	188	2.07
5500MHz	Pass	PK	4.9376G	65.11	74.00	-8.89	3	Vertical	78	1.00
5500MHz	Pass	PK	10.99984G	52.88	74.00	-21.12	3	Vertical	188	2.07
5500MHz	Pass	PK	16.4956G	65.36	68.20	-2.84	3	Vertical	208	3.00
5500MHz	Pass	AV	4.9586G	29.51	54.00	-24.49	3	Horizontal	320	1.50
5500MHz	Pass	AV	11.00016G	39.69	54.00	-14.31	3	Horizontal	204	1.09



RSE TX above 1GHz_Non-Beamforming_Radio2

Appendix D.1

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5500MHz	Pass	PK	4.938G	50.26	74.00	-23.74	3	Horizontal	320	1.50
5500MHz	Pass	PK	11.00336G	52.79	74.00	-21.21	3	Horizontal	204	1.09
5500MHz	Pass	PK	16.49712G	60.45	68.20	-7.75	3	Horizontal	151	1.93
5580MHz	Pass	AV	5.445G	45.89	54.00	-8.11	3	Vertical	18	1.78
5580MHz	Pass	AV	5.5812G	106.07	Inf	-Inf	3	Vertical	18	1.78
5580MHz	Pass	PK	5.4312G	59.18	74.00	-14.82	3	Vertical	18	1.78
5580MHz	Pass	PK	5.4696G	58.43	68.20	-9.77	3	Vertical	18	1.78
5580MHz	Pass	PK	5.5764G	117.01	Inf	-Inf	3	Vertical	18	1.78
5580MHz	Pass	PK	5.727G	58.47	68.20	-9.73	3	Vertical	18	1.78
5580MHz	Pass	AV	5.01737G	29.71	54.00	-24.29	3	Vertical	56	1.41
5580MHz	Pass	AV	11.16G	42.10	54.00	-11.90	3	Vertical	189	2.95
5580MHz	Pass	PK	5.00513G	55.37	74.00	-18.63	3	Vertical	56	1.41
5580MHz	Pass	PK	11.16024G	54.80	74.00	-19.20	3	Vertical	189	2.95
5580MHz	Pass	PK	16.74072G	67.06	68.20	-1.14	3	Vertical	184	1.10
5580MHz	Pass	AV	5.01717G	29.56	54.00	-24.44	3	Horizontal	270	2.17
5580MHz	Pass	AV	11.16G	41.42	54.00	-12.58	3	Horizontal	216	2.18
5580MHz	Pass	PK	5.00497G	48.39	74.00	-25.61	3	Horizontal	270	2.17
5580MHz	Pass	PK	11.15976G	55.30	74.00	-18.70	3	Horizontal	216	2.18
5580MHz	Pass	PK	16.73504G	64.20	68.20	-4.00	3	Horizontal	39	1.87
5700MHz	Pass	AV	5.7024G	109.92	Inf	-Inf	3	Vertical	5	1.74
5700MHz	Pass	PK	5.6976G	119.87	Inf	-Inf	3	Vertical	5	1.74
5700MHz	Pass	PK	5.7276G	66.83	68.20	-1.37	3	Vertical	5	1.74
5700MHz	Pass	AV	11.39994G	52.67	54.00	-1.33	3	Vertical	126	1.99
5700MHz	Pass	PK	11.39436G	66.00	74.00	-8.00	3	Vertical	126	1.99
5700MHz	Pass	AV	11.39982G	49.03	54.00	-4.97	3	Horizontal	144	1.02
5700MHz	Pass	AV	11.39994G	46.45	54.00	-7.55	3	Horizontal	144	1.04
5700MHz	Pass	PK	5.19155G	50.70	68.20	-17.50	3	Horizontal	194	1.06
5700MHz	Pass	PK	11.40054G	61.95	74.00	-12.05	3	Horizontal	144	1.02
5700MHz	Pass	PK	11.4009G	58.63	74.00	-15.37	3	Horizontal	144	1.04
5700MHz	Pass	PK	17.10504G	62.07	68.20	-6.13	3	Horizontal	349	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.4284G	47.28	54.00	-6.72	3	Vertical	96	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.7272G	109.24	Inf	-Inf	3	Vertical	96	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.468G	58.47	68.20	-9.73	3	Vertical	96	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.7272G	118.47	Inf	-Inf	3	Vertical	96	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.9252G	60.44	68.20	-7.76	3	Vertical	96	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.44048G	46.31	54.00	-7.69	3	Vertical	187	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.22641G	49.92	68.20	-18.28	3	Vertical	209	1.93
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.4412G	58.89	74.00	-15.11	3	Vertical	187	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	PK	17.16248G	65.70	68.20	-2.50	3	Vertical	152	2.90
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.13296G	35.13	54.00	-18.87	3	Horizontal	0	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.43796G	44.05	54.00	-9.95	3	Horizontal	315	2.60
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.16726G	47.21	68.20	-20.99	3	Horizontal	0	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.4412G	56.57	74.00	-17.43	3	Horizontal	315	2.60
5720MHz Straddle 5.47-5.725GHz	Pass	PK	17.17576G	63.78	68.20	-4.42	3	Horizontal	43	1.37
802.11ax HEW20_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5260MHz	Pass	AV	5.1142G	47.58	54.00	-6.42	3	Vertical	165	1.50
5260MHz	Pass	AV	5.251G	107.06	Inf	-Inf	3	Vertical	165	1.50
5260MHz	Pass	AV	5.404G	47.35	54.00	-6.65	3	Vertical	165	1.50
5260MHz	Pass	PK	5.1388G	60.60	74.00	-13.40	3	Vertical	165	1.50
5260MHz	Pass	PK	5.2522G	119.68	Inf	-Inf	3	Vertical	165	1.50
5260MHz	Pass	PK	5.3506G	60.15	74.00	-13.85	3	Vertical	165	1.50
5260MHz	Pass	AV	4.79913G	34.51	54.00	-19.49	3	Vertical	226	1.76
5260MHz	Pass	AV	15.7793G	47.30	54.00	-6.70	3	Vertical	160	2.24
5260MHz	Pass	PK	4.81068G	47.40	74.00	-26.60	3	Vertical	226	1.76
5260MHz	Pass	PK	10.5218G	67.16	68.20	-1.04	3	Vertical	233	2.78
5260MHz	Pass	PK	15.78454G	60.88	74.00	-13.12	3	Vertical	160	2.24
5260MHz	Pass	AV	4.81908G	33.70	54.00	-20.30	3	Horizontal	162	1.50
5260MHz	Pass	AV	15.7794G	47.31	54.00	-6.69	3	Horizontal	160	2.94
5260MHz	Pass	PK	4.79528G	46.07	74.00	-27.93	3	Horizontal	162	1.50
5260MHz	Pass	PK	10.5218G	60.77	68.20	-7.43	3	Horizontal	276	2.77
5260MHz	Pass	PK	15.78432G	60.87	74.00	-13.13	3	Horizontal	160	2.94
5300MHz	Pass	AV	5.303G	110.04	Inf	-Inf	3	Vertical	331	1.50



RSE TX above 1GHz_Non-Beamforming_Radio2

Appendix D.1

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5300MHz	Pass	AV	5.351G	48.71	54.00	-5.29	3	Vertical	331	1.50
5300MHz	Pass	PK	5.3036G	122.15	Inf	-Inf	3	Vertical	331	1.50
5300MHz	Pass	PK	5.3546G	61.62	74.00	-12.38	3	Vertical	331	1.50
5300MHz	Pass	AV	4.8754G	33.31	54.00	-20.69	3	Vertical	30	1.74
5300MHz	Pass	AV	10.60216G	52.75	54.00	-1.25	3	Vertical	118	2.16
5300MHz	Pass	AV	15.88776G	46.80	54.00	-7.20	3	Vertical	296	1.69
5300MHz	Pass	PK	4.85968G	45.99	74.00	-28.01	3	Vertical	30	1.74
5300MHz	Pass	PK	10.59172G	66.38	68.20	-1.82	3	Vertical	118	2.16
5300MHz	Pass	PK	15.88764G	60.03	74.00	-13.97	3	Vertical	296	1.69
5300MHz	Pass	AV	4.8622G	31.85	54.00	-22.15	3	Horizontal	73	1.07
5300MHz	Pass	AV	15.90696G	46.94	54.00	-7.06	3	Horizontal	128	3.00
5300MHz	Pass	PK	4.7208G	45.60	74.00	-28.40	3	Horizontal	73	1.07
5300MHz	Pass	PK	10.59982G	60.23	68.20	-7.97	3	Horizontal	157	2.80
5300MHz	Pass	PK	15.89538G	59.86	74.00	-14.14	3	Horizontal	128	3.00
5320MHz	Pass	AV	5.311G	105.49	Inf	-Inf	3	Vertical	164	1.50
5320MHz	Pass	AV	5.35G	49.94	54.00	-4.06	3	Vertical	164	1.50
5320MHz	Pass	PK	5.311G	117.55	Inf	-Inf	3	Vertical	164	1.50
5320MHz	Pass	PK	5.4694G	60.12	68.20	-8.08	3	Vertical	164	1.50
5320MHz	Pass	AV	4.83721G	35.01	54.00	-18.99	3	Vertical	222	1.03
5320MHz	Pass	AV	15.95614G	47.87	54.00	-6.13	3	Vertical	146	2.00
5320MHz	Pass	PK	4.82531G	47.78	74.00	-26.22	3	Vertical	222	1.03
5320MHz	Pass	PK	10.403G	66.74	68.20	-1.46	3	Vertical	118	2.12
5320MHz	Pass	PK	15.9566G	61.46	74.00	-12.54	3	Vertical	146	2.00
5320MHz	Pass	AV	4.85961G	33.94	54.00	-20.06	3	Horizontal	35	1.50
5320MHz	Pass	AV	15.96338G	47.90	54.00	-6.10	3	Horizontal	172	2.46
5320MHz	Pass	PK	4.79906G	47.31	74.00	-26.69	3	Horizontal	35	1.50
5320MHz	Pass	PK	10.39766G	60.53	68.20	-7.67	3	Horizontal	208	1.00
5320MHz	Pass	PK	15.96264G	60.74	74.00	-13.26	3	Horizontal	172	2.46
5500MHz	Pass	AV	5.35G	44.33	54.00	-9.67	3	Vertical	26	1.88
5500MHz	Pass	AV	5.4538G	47.23	54.00	-6.77	3	Vertical	26	1.88
5500MHz	Pass	AV	5.5012G	107.49	Inf	-Inf	3	Vertical	26	1.88
5500MHz	Pass	PK	5.35G	56.68	74.00	-17.32	3	Vertical	26	1.88
5500MHz	Pass	PK	5.4526G	60.20	74.00	-13.80	3	Vertical	26	1.88
5500MHz	Pass	PK	5.4688G	63.57	68.20	-4.63	3	Vertical	26	1.88
5500MHz	Pass	PK	5.5024G	120.60	Inf	-Inf	3	Vertical	26	1.88
5500MHz	Pass	AV	4.93385G	29.57	54.00	-24.43	3	Vertical	360	1.18
5500MHz	Pass	AV	10.99994G	41.58	54.00	-12.42	3	Vertical	192	2.07
5500MHz	Pass	PK	4.92715G	65.29	74.00	-8.71	3	Vertical	360	1.18
5500MHz	Pass	PK	10.99358G	50.99	74.00	-23.01	3	Vertical	192	2.07
5500MHz	Pass	PK	16.49544G	64.17	68.20	-4.03	3	Vertical	214	1.04
5500MHz	Pass	AV	4.95175G	28.52	54.00	-25.48	3	Horizontal	250	1.18
5500MHz	Pass	AV	10.9979G	39.42	54.00	-14.58	3	Horizontal	220	2.85
5500MHz	Pass	PK	4.93515G	54.00	74.00	-20.00	3	Horizontal	250	1.18
5500MHz	Pass	PK	11.0081G	51.80	74.00	-22.20	3	Horizontal	220	2.85
5500MHz	Pass	PK	16.50012G	60.13	68.20	-8.07	3	Horizontal	153	1.85
5580MHz	Pass	AV	5.442G	44.80	54.00	-9.20	3	Vertical	17	1.50
5580MHz	Pass	AV	5.5842G	104.10	Inf	-Inf	3	Vertical	17	1.50
5580MHz	Pass	PK	5.4324G	58.17	74.00	-15.83	3	Vertical	17	1.50
5580MHz	Pass	PK	5.5848G	116.02	Inf	-Inf	3	Vertical	17	1.50
5580MHz	Pass	PK	5.7282G	58.33	68.20	-9.87	3	Vertical	17	1.50
5580MHz	Pass	AV	5.0159G	35.54	54.00	-18.46	3	Vertical	0	1.09
5580MHz	Pass	AV	11.15992G	41.45	54.00	-12.55	3	Vertical	190	3.00
5580MHz	Pass	PK	5.0127G	71.90	74.00	-2.10	3	Vertical	0	1.09
5580MHz	Pass	PK	11.16972G	53.93	74.00	-20.07	3	Vertical	190	3.00
5580MHz	Pass	PK	16.73736G	64.78	68.20	-3.42	3	Vertical	185	1.10
5580MHz	Pass	AV	5.0162G	30.02	54.00	-23.98	3	Horizontal	204	1.50
5580MHz	Pass	AV	11.1598G	40.02	54.00	-13.98	3	Horizontal	218	1.98
5580MHz	Pass	PK	5.01208G	60.05	74.00	-13.95	3	Horizontal	204	1.50
5580MHz	Pass	PK	11.15892G	52.52	74.00	-21.48	3	Horizontal	218	1.98
5580MHz	Pass	PK	16.7352G	59.68	68.20	-8.52	3	Horizontal	41	1.96
5700MHz	Pass	AV	5.7018G	106.34	Inf	-Inf	3	Vertical	19	1.50
5700MHz	Pass	PK	5.7012G	117.32	Inf	-Inf	3	Vertical	19	1.50



RSE TX above 1GHz_Non-Beamforming_Radio2

Appendix D.1

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5700MHz	Pass	PK	5.7324G	61.79	68.20	-6.41	3	Vertical	19	1.50
5700MHz	Pass	AV	11.3994G	52.93	54.00	-1.07	3	Vertical	126	1.99
5700MHz	Pass	PK	5.18385G	54.43	68.20	-13.77	3	Vertical	337	1.76
5700MHz	Pass	PK	11.40006G	65.92	74.00	-8.08	3	Vertical	126	1.99
5700MHz	Pass	PK	17.10174G	61.84	68.20	-6.36	3	Vertical	224	1.03
5700MHz	Pass	AV	11.3994G	47.81	54.00	-6.19	3	Horizontal	143	1.00
5700MHz	Pass	PK	5.1863G	48.42	68.20	-19.78	3	Horizontal	190	1.13
5700MHz	Pass	PK	11.4G	61.20	74.00	-12.80	3	Horizontal	143	1.00
5700MHz	Pass	PK	17.09958G	62.83	68.20	-5.37	3	Horizontal	5	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.438G	47.08	54.00	-6.92	3	Vertical	154	1.77
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.7116G	110.47	Inf	-Inf	3	Vertical	154	1.77
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4656G	59.13	68.20	-9.07	3	Vertical	154	1.77
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.7128G	122.69	Inf	-Inf	3	Vertical	154	1.77
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.99G	62.31	68.20	-5.89	3	Vertical	154	1.77
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.44072G	45.46	54.00	-8.54	3	Vertical	187	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.21136G	49.00	68.20	-19.20	3	Vertical	211	1.70
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.44246G	57.81	74.00	-16.19	3	Vertical	187	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	PK	17.16472G	66.75	68.20	-1.45	3	Vertical	146	2.59
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.13716G	34.58	54.00	-19.42	3	Horizontal	11	1.23
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.4424G	43.28	54.00	-10.72	3	Horizontal	354	2.38
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.15746G	47.52	68.20	-20.68	3	Horizontal	11	1.23
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.44192G	56.46	74.00	-17.54	3	Horizontal	354	2.38
5720MHz Straddle 5.47-5.725GHz	Pass	PK	17.16624G	64.43	68.20	-3.77	3	Horizontal	168	2.82
802.11ax HEW40_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5270MHz	Pass	AV	5.2676G	107.92	Inf	-Inf	3	Vertical	211	1.50
5270MHz	Pass	AV	5.35G	53.11	54.00	-0.89	3	Vertical	211	1.50
5270MHz	Pass	PK	5.2676G	121.01	Inf	-Inf	3	Vertical	211	1.50
5270MHz	Pass	PK	5.35G	65.27	74.00	-8.73	3	Vertical	211	1.50
5270MHz	Pass	AV	4.80011G	35.37	54.00	-18.63	3	Vertical	217	3.00
5270MHz	Pass	AV	15.8137G	47.11	54.00	-6.89	3	Vertical	254	1.56
5270MHz	Pass	PK	4.79731G	47.59	74.00	-26.41	3	Vertical	217	3.00
5270MHz	Pass	PK	10.5448G	66.07	68.20	-2.13	3	Vertical	232	2.15
5270MHz	Pass	PK	15.8142G	59.91	74.00	-14.09	3	Vertical	254	1.56
5270MHz	Pass	AV	4.83091G	33.48	54.00	-20.52	3	Horizontal	256	1.00
5270MHz	Pass	AV	15.81492G	47.13	54.00	-6.87	3	Horizontal	144	1.12
5270MHz	Pass	PK	4.80956G	46.25	74.00	-27.75	3	Horizontal	256	1.00
5270MHz	Pass	PK	10.53388G	58.43	68.20	-9.77	3	Horizontal	267	1.85
5270MHz	Pass	PK	15.8099G	60.77	74.00	-13.23	3	Horizontal	144	1.12
5310MHz	Pass	AV	5.3172G	104.94	Inf	-Inf	3	Vertical	210	1.86
5310MHz	Pass	AV	5.35G	53.01	54.00	-0.99	3	Vertical	210	1.86
5310MHz	Pass	PK	5.3064G	118.09	Inf	-Inf	3	Vertical	210	1.86
5310MHz	Pass	PK	5.3592G	69.91	74.00	-4.09	3	Vertical	210	1.86
5310MHz	Pass	AV	4.83588G	33.89	54.00	-20.11	3	Vertical	225	1.50
5310MHz	Pass	AV	10.62324G	52.85	54.00	-1.15	3	Vertical	266	3.00
5310MHz	Pass	AV	15.93114G	47.78	54.00	-6.22	3	Vertical	344	1.84
5310MHz	Pass	PK	4.85198G	46.57	74.00	-27.43	3	Vertical	225	1.50
5310MHz	Pass	PK	10.6212G	66.32	74.00	-7.68	3	Vertical	266	3.00
5310MHz	Pass	PK	15.93316G	62.22	74.00	-11.78	3	Vertical	344	1.84
5310MHz	Pass	AV	4.86388G	33.54	54.00	-20.46	3	Horizontal	20	1.33
5310MHz	Pass	AV	10.6338G	41.90	54.00	-12.10	3	Horizontal	360	3.00
5310MHz	Pass	AV	15.93274G	47.79	54.00	-6.21	3	Horizontal	70	2.11
5310MHz	Pass	PK	4.87823G	46.06	74.00	-27.94	3	Horizontal	20	1.33
5310MHz	Pass	PK	10.62348G	54.76	74.00	-19.24	3	Horizontal	360	3.00
5310MHz	Pass	PK	15.9291G	61.18	74.00	-12.82	3	Horizontal	70	2.11
5510MHz	Pass	AV	5.46G	47.68	54.00	-6.32	3	Vertical	19	1.98
5510MHz	Pass	AV	5.5036G	101.62	Inf	-Inf	3	Vertical	19	1.98
5510MHz	Pass	PK	5.46G	61.01	74.00	-12.99	3	Vertical	19	1.98
5510MHz	Pass	PK	5.466G	66.38	68.20	-1.82	3	Vertical	19	1.98
5510MHz	Pass	PK	5.5044G	114.90	Inf	-Inf	3	Vertical	19	1.98
5510MHz	Pass	AV	4.9576G	28.92	54.00	-25.08	3	Vertical	0	1.31
5510MHz	Pass	AV	11.02G	40.72	54.00	-13.28	3	Vertical	191	2.02
5510MHz	Pass	PK	4.9988G	42.42	74.00	-31.58	3	Vertical	0	1.31



RSE TX above 1GHz_Non-Beamforming_Radio2

Appendix D.1

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5510MHz	Pass	PK	11.03616G	52.59	74.00	-21.41	3	Vertical	191	2.02
5510MHz	Pass	PK	16.51576G	55.46	68.20	-12.74	3	Vertical	209	2.90
5510MHz	Pass	AV	4.961G	28.89	54.00	-25.11	3	Horizontal	72	2.55
5510MHz	Pass	AV	11.02016G	38.15	54.00	-15.85	3	Horizontal	358	3.00
5510MHz	Pass	PK	4.9216G	42.50	74.00	-31.50	3	Horizontal	72	2.55
5510MHz	Pass	PK	11.01328G	51.75	74.00	-22.25	3	Horizontal	358	3.00
5510MHz	Pass	PK	16.51816G	52.97	68.20	-15.23	3	Horizontal	142	1.20
5550MHz	Pass	AV	5.4592G	47.94	54.00	-6.06	3	Vertical	19	1.90
5550MHz	Pass	AV	5.5532G	102.88	Inf	-Inf	3	Vertical	19	1.90
5550MHz	Pass	PK	5.46G	62.23	74.00	-11.77	3	Vertical	19	1.90
5550MHz	Pass	PK	5.47G	63.83	68.20	-4.37	3	Vertical	19	1.90
5550MHz	Pass	PK	5.5628G	115.97	Inf	-Inf	3	Vertical	19	1.90
5550MHz	Pass	AV	5.029G	29.18	54.00	-24.82	3	Vertical	154	1.50
5550MHz	Pass	AV	11.1G	41.17	54.00	-12.83	3	Vertical	191	1.46
5550MHz	Pass	PK	4.9968G	43.57	74.00	-30.43	3	Vertical	154	1.50
5550MHz	Pass	PK	11.10008G	52.50	74.00	-21.50	3	Vertical	191	1.46
5550MHz	Pass	PK	16.65312G	66.91	68.20	-1.29	3	Vertical	228	1.94
5550MHz	Pass	AV	5.0344G	29.06	54.00	-24.94	3	Horizontal	44	2.14
5550MHz	Pass	AV	11.09984G	38.68	54.00	-15.32	3	Horizontal	184	1.00
5550MHz	Pass	PK	5.0374G	42.39	74.00	-31.61	3	Horizontal	44	2.14
5550MHz	Pass	PK	11.0916G	51.80	74.00	-22.20	3	Horizontal	184	1.00
5550MHz	Pass	PK	16.66944G	62.87	68.20	-5.33	3	Horizontal	181	2.05
5670MHz	Pass	AV	5.6652G	104.61	Inf	-Inf	3	Vertical	92	1.32
5670MHz	Pass	PK	5.6652G	116.63	Inf	-Inf	3	Vertical	92	1.32
5670MHz	Pass	PK	5.7276G	67.24	68.20	-0.96	3	Vertical	92	1.32
5670MHz	Pass	AV	11.3418G	44.06	54.00	-9.94	3	Vertical	187	1.50
5670MHz	Pass	PK	5.16446G	49.68	68.20	-18.52	3	Vertical	170	1.49
5670MHz	Pass	PK	11.3226G	57.37	74.00	-16.63	3	Vertical	187	1.50
5670MHz	Pass	PK	17.01082G	62.87	68.20	-5.33	3	Vertical	131	1.80
5670MHz	Pass	AV	11.34396G	44.12	54.00	-9.88	3	Horizontal	176	1.02
5670MHz	Pass	PK	5.15G	47.04	74.00	-26.96	3	Horizontal	0	1.00
5670MHz	Pass	PK	11.33556G	56.69	74.00	-17.31	3	Horizontal	176	1.02
5670MHz	Pass	PK	17.00706G	62.04	68.20	-6.16	3	Horizontal	345	2.54
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.4508G	47.49	54.00	-6.51	3	Vertical	18	1.50
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.7172G	109.51	Inf	-Inf	3	Vertical	18	1.50
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.464G	59.23	68.20	-8.97	3	Vertical	18	1.50
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.7268G	120.86	Inf	-Inf	3	Vertical	18	1.50
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.944G	61.28	68.20	-6.92	3	Vertical	18	1.50
5710MHz Straddle 5.47-5.725GHz	Pass	AV	11.41988G	52.90	54.00	-1.10	3	Vertical	128	1.96
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.23453G	51.68	68.20	-16.52	3	Vertical	218	1.93
5710MHz Straddle 5.47-5.725GHz	Pass	PK	11.429G	66.45	74.00	-7.55	3	Vertical	128	1.96
5710MHz Straddle 5.47-5.725GHz	Pass	PK	17.14512G	62.38	68.20	-5.82	3	Vertical	192	1.50
5710MHz Straddle 5.47-5.725GHz	Pass	AV	11.42096G	46.73	54.00	-7.27	3	Horizontal	145	1.01
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.18378G	48.61	68.20	-19.59	3	Horizontal	194	1.00
5710MHz Straddle 5.47-5.725GHz	Pass	PK	11.4122G	60.92	74.00	-13.08	3	Horizontal	145	1.01
5710MHz Straddle 5.47-5.725GHz	Pass	PK	17.15292G	62.39	68.20	-5.81	3	Horizontal	271	1.66
802.11ax HEW80_Nss1_(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5290MHz	Pass	AV	5.144G	47.18	54.00	-6.82	3	Vertical	316	1.87
5290MHz	Pass	AV	5.284G	99.59	Inf	-Inf	3	Vertical	316	1.87
5290MHz	Pass	AV	5.354G	53.17	54.00	-0.83	3	Vertical	316	1.87
5290MHz	Pass	PK	5.141G	59.82	74.00	-14.18	3	Vertical	316	1.87
5290MHz	Pass	PK	5.285G	112.29	Inf	-Inf	3	Vertical	316	1.87
5290MHz	Pass	PK	5.354G	64.62	74.00	-9.38	3	Vertical	316	1.87
5290MHz	Pass	AV	4.82412G	32.76	54.00	-21.24	3	Vertical	87	2.46
5290MHz	Pass	AV	15.9264G	47.18	54.00	-6.82	3	Vertical	117	2.18
5290MHz	Pass	PK	4.85947G	44.73	74.00	-29.27	3	Vertical	87	2.46
5290MHz	Pass	PK	10.5884G	57.50	68.20	-10.70	3	Vertical	118	2.02
5290MHz	Pass	PK	15.84216G	60.12	74.00	-13.88	3	Vertical	117	2.18
5290MHz	Pass	AV	4.81572G	31.86	54.00	-22.14	3	Horizontal	159	2.96
5290MHz	Pass	AV	15.92904G	47.20	54.00	-6.80	3	Horizontal	320	1.00
5290MHz	Pass	PK	4.80312G	44.32	74.00	-29.68	3	Horizontal	159	2.96
5290MHz	Pass	PK	10.60136G	54.89	74.00	-19.11	3	Horizontal	0	2.76




RSE TX above 1GHz_Non-Beamforming_Radio2

Appendix D.1

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5290MHz	Pass	PK	15.82056G	60.68	74.00	-13.32	3	Horizontal	320	1.00
5530MHz	Pass	AV	5.454G	52.40	54.00	-1.60	3	Vertical	12	1.50
5530MHz	Pass	AV	5.515G	100.61	Inf	-Inf	3	Vertical	12	1.50
5530MHz	Pass	PK	5.465G	66.13	68.20	-2.07	3	Vertical	12	1.50
5530MHz	Pass	PK	5.515G	113.44	Inf	-Inf	3	Vertical	12	1.50
5530MHz	Pass	PK	5.753G	60.84	68.20	-7.36	3	Vertical	12	1.50
5530MHz	Pass	AV	5.02614G	37.97	54.00	-16.03	3	Vertical	36	1.50
5530MHz	Pass	AV	11.05064G	48.32	54.00	-5.68	3	Vertical	124	2.07
5530MHz	Pass	PK	5.03384G	67.32	74.00	-6.68	3	Vertical	36	1.50
5530MHz	Pass	PK	11.07032G	61.12	74.00	-12.88	3	Vertical	124	2.07
5530MHz	Pass	PK	16.55136G	62.28	68.20	-5.92	3	Vertical	213	2.61
5530MHz	Pass	AV	5.04539G	33.43	54.00	-20.57	3	Horizontal	194	1.12
5530MHz	Pass	AV	11.05016G	44.55	54.00	-9.45	3	Horizontal	135	1.01
5530MHz	Pass	PK	5.05239G	58.43	74.00	-15.57	3	Horizontal	194	1.12
5530MHz	Pass	PK	11.05088G	58.01	74.00	-15.99	3	Horizontal	135	1.01
5530MHz	Pass	PK	16.61256G	61.91	68.20	-6.29	3	Horizontal	161	1.02
5610MHz	Pass	AV	5.454G	49.80	54.00	-4.20	3	Vertical	26	1.50
5610MHz	Pass	AV	5.596G	103.67	Inf	-Inf	3	Vertical	26	1.50
5610MHz	Pass	PK	5.464G	63.00	68.20	-5.20	3	Vertical	26	1.50
5610MHz	Pass	PK	5.607G	116.49	Inf	-Inf	3	Vertical	26	1.50
5610MHz	Pass	PK	5.727G	67.41	68.20	-0.79	3	Vertical	26	1.50
5610MHz	Pass	AV	5.13408G	37.81	54.00	-16.19	3	Vertical	8	1.50
5610MHz	Pass	AV	11.21016G	52.28	54.00	-1.72	3	Vertical	126	2.02
5610MHz	Pass	PK	5.12253G	65.10	74.00	-8.90	3	Vertical	8	1.50
5610MHz	Pass	PK	11.2008G	64.83	74.00	-9.17	3	Vertical	126	2.02
5610MHz	Pass	PK	16.78848G	60.37	68.20	-7.83	3	Vertical	262	1.73
5610MHz	Pass	AV	5.13233G	35.00	54.00	-19.00	3	Horizontal	194	1.12
5610MHz	Pass	AV	11.20968G	46.64	54.00	-7.36	3	Horizontal	136	1.00
5610MHz	Pass	PK	5.12358G	64.50	74.00	-9.50	3	Horizontal	194	1.12
5610MHz	Pass	PK	11.20872G	58.97	74.00	-15.03	3	Horizontal	136	1.00
5610MHz	Pass	PK	16.78656G	60.52	68.20	-7.68	3	Horizontal	305	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.4584G	48.68	54.00	-5.32	3	Vertical	5	1.76
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.6708G	106.10	Inf	-Inf	3	Vertical	5	1.76
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.4668G	59.36	68.20	-8.84	3	Vertical	5	1.76
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.6924G	117.98	Inf	-Inf	3	Vertical	5	1.76
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.8508G	66.32	68.20	-1.88	3	Vertical	5	1.76
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.37928G	51.59	54.00	-2.41	3	Vertical	125	1.94
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.1838G	54.79	68.20	-13.41	3	Vertical	44	1.45
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.37904G	63.44	74.00	-10.56	3	Vertical	125	1.94
5690MHz Straddle 5.47-5.725GHz	Pass	PK	17.11968G	61.71	68.20	-6.49	3	Vertical	273	1.37
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.38096G	44.49	54.00	-9.51	3	Horizontal	146	1.01
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.1838G	49.40	68.20	-18.80	3	Horizontal	200	1.01
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.41024G	56.25	74.00	-17.75	3	Horizontal	146	1.01
5690MHz Straddle 5.47-5.725GHz	Pass	PK	17.12256G	61.71	68.20	-6.49	3	Horizontal	327	2.24

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX


5260MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.14G	47.79	54.00	-6.21	8.82	3	Vertical	41	1.49	38.97	33.12	9.83	34.13
AV	5.2612G	111.06	Inf	-Inf	8.93	3	Vertical	41	1.49	102.13	33.18	9.90	34.15
AV	5.3518G	48.39	54.00	-5.61	8.71	3	Vertical	41	1.49	39.68	32.90	9.97	34.16
PK	5.1352G	59.92	74.00	-14.08	8.83	3	Vertical	41	1.49	51.09	33.13	9.82	34.12
PK	5.2612G	120.94	Inf	-Inf	8.93	3	Vertical	41	1.49	112.01	33.18	9.90	34.15
PK	5.3986G	60.48	74.00	-13.52	8.83	3	Vertical	41	1.49	51.65	33.00	10.00	34.17

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX


5260MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.82416G	32.43	54.00	-21.57	8.04	3	Vertical	198	1.50	24.39	32.54	9.68	34.18
AV	15.77901G	47.59	54.00	-6.41	19.49	3	Vertical	281	1.16	28.10	38.20	15.86	34.57
PK	4.76343G	44.69	74.00	-29.31	7.68	3	Vertical	198	1.50	37.01	32.25	9.64	34.21
PK	10.51448G	65.08	68.20	-3.12	17.29	3	Vertical	134	1.99	47.79	39.04	12.73	34.48
PK	15.77409G	60.04	74.00	-13.96	19.49	3	Vertical	281	1.16	40.55	38.20	15.85	34.56

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX


5260MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.82468G	32.28	54.00	-21.72	8.05	3	Horizontal	96	2.48	24.23	32.55	9.68	34.18
AV	15.76524G	47.44	54.00	-6.56	19.49	3	Horizontal	283	2.27	27.95	38.20	15.85	34.56
PK	4.70008G	44.07	74.00	-29.93	7.46	3	Horizontal	96	2.48	36.61	32.10	9.60	34.24
PK	10.51436G	58.95	68.20	-9.25	17.29	3	Horizontal	159	1.00	41.66	39.04	12.73	34.48
PK	15.77502G	59.79	74.00	-14.21	19.49	3	Horizontal	283	2.27	40.30	38.20	15.85	34.56

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX


5300MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3012G	111.55	Inf	-Inf	8.88	3	Vertical	333	1.91	102.67	33.10	9.93	34.15
AV	5.402G	48.61	54.00	-5.39	8.83	3	Vertical	333	1.91	39.78	33.00	10.00	34.17
PK	5.2964G	121.55	Inf	-Inf	8.89	3	Vertical	333	1.91	112.66	33.11	9.93	34.15
PK	5.393G	61.85	74.00	-12.15	8.82	3	Vertical	333	1.91	53.03	32.99	10.00	34.17

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX


5300MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.82388G	33.03	54.00	-20.97	8.04	3	Vertical	81	2.58	24.99	32.54	9.68	34.18
AV	15.90288G	47.41	54.00	-6.59	19.31	3	Vertical	360	1.50	28.10	38.00	15.95	34.64
PK	4.79413G	44.67	74.00	-29.33	7.85	3	Vertical	81	2.58	36.82	32.38	9.67	34.20
PK	10.60054G	68.06	74.00	-5.94	17.66	3	Vertical	120	1.94	50.40	39.30	12.76	34.40
PK	15.90645G	59.97	74.00	-14.03	19.31	3	Vertical	360	1.50	40.66	38.00	15.95	34.64

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX


5300MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.85993G	32.27	54.00	-21.73	8.26	3	Horizontal	320	1.50	24.01	32.74	9.69	34.17
AV	15.88515G	47.41	54.00	-6.59	19.34	3	Horizontal	162	1.67	28.07	38.03	15.94	34.63
PK	4.78713G	44.64	74.00	-29.36	7.81	3	Horizontal	320	1.50	36.83	32.35	9.66	34.20
PK	10.60483G	60.29	74.00	-13.71	17.67	3	Horizontal	160	1.12	42.62	39.30	12.77	34.40
PK	15.90132G	60.81	74.00	-13.19	19.32	3	Horizontal	162	1.67	41.49	38.00	15.95	34.63

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX


5320MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.323G	106.51	Inf	-Inf	8.80	3	Vertical	334	2.06	97.71	33.01	9.95	34.16
AV	5.35G	48.39	54.00	-5.61	8.71	3	Vertical	334	2.06	39.68	32.90	9.97	34.16
PK	5.3236G	116.00	Inf	-Inf	8.80	3	Vertical	334	2.06	107.20	33.01	9.95	34.16
PK	5.47G	57.99	68.20	-10.21	8.92	3	Vertical	334	2.06	49.07	33.08	10.02	34.18

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX


5320MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.8636G	33.69	54.00	-20.31	8.28	3	Vertical	65	1.84	25.41	32.75	9.70	34.17
AV	10.64G	52.40	54.00	-1.60	17.76	3	Vertical	115	2.05	34.64	39.34	12.78	34.36
AV	15.9588G	47.95	54.00	-6.05	19.32	3	Vertical	48	1.42	28.63	38.00	15.99	34.67
PK	4.85982G	45.67	74.00	-28.33	8.26	3	Vertical	65	1.84	37.41	32.74	9.69	34.17
PK	10.6343G	65.02	74.00	-8.98	17.74	3	Vertical	115	2.05	47.28	39.33	12.78	34.37
PK	15.9645G	60.79	74.00	-13.21	19.32	3	Vertical	48	1.42	41.47	38.00	15.99	34.67

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX


5320MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.85646G	32.23	54.00	-21.77	8.25	3	Horizontal	77	1.50	23.98	32.73	9.69	34.17
AV	10.64006G	49.97	54.00	-4.03	17.76	3	Horizontal	142	1.01	32.21	39.34	12.78	34.36
AV	15.96984G	48.15	54.00	-5.85	19.33	3	Horizontal	263	2.30	28.82	38.00	16.00	34.67
PK	4.82601G	44.96	74.00	-29.04	8.06	3	Horizontal	77	1.50	36.90	32.56	9.68	34.18
PK	10.64054G	62.93	74.00	-11.07	17.76	3	Horizontal	142	1.01	45.17	39.34	12.78	34.36
PK	15.972G	60.87	74.00	-13.13	19.33	3	Horizontal	263	2.30	41.54	38.00	16.00	34.67

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX


5500MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4586G	48.22	54.00	-5.78	5.36	3	Vertical	22	1.80	42.86	32.90	6.64	34.18
AV	5.5052G	106.16	Inf	-Inf	5.40	3	Vertical	22	1.80	100.76	32.90	6.68	34.18
PK	5.4596G	61.66	74.00	-12.34	5.36	3	Vertical	22	1.80	56.30	32.90	6.64	34.18
PK	5.4696G	66.13	68.20	-2.07	5.37	3	Vertical	22	1.80	60.76	32.90	6.65	34.18
PK	5.505G	116.67	Inf	-Inf	5.40	3	Vertical	22	1.80	111.27	32.90	6.68	34.18

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX


5500MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.9518G	29.67	54.00	-24.33	5.14	3	Vertical	78	1.00	24.53	33.01	6.27	34.14
AV	11G	41.75	54.00	-12.25	16.09	3	Vertical	188	2.07	25.66	39.00	11.25	34.16
PK	4.9376G	65.11	74.00	-8.89	5.05	3	Vertical	78	1.00	60.06	32.93	6.26	34.14
PK	10.99984G	52.88	74.00	-21.12	16.09	3	Vertical	188	2.07	36.79	39.00	11.25	34.16
PK	16.4956G	65.36	68.20	-2.84	16.85	3	Vertical	208	3.00	48.51	38.38	12.67	34.20

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX


5500MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.9586G	29.51	54.00	-24.49	5.17	3	Horizontal	320	1.50	24.34	33.03	6.27	34.13
AV	11.00016G	39.69	54.00	-14.31	16.09	3	Horizontal	204	1.09	23.60	39.00	11.25	34.16
PK	4.938G	50.26	74.00	-23.74	5.05	3	Horizontal	320	1.50	45.21	32.93	6.26	34.14
PK	11.00336G	52.79	74.00	-21.21	16.09	3	Horizontal	204	1.09	36.70	39.00	11.25	34.16
PK	16.49712G	60.45	68.20	-7.75	16.86	3	Horizontal	151	1.93	43.59	38.39	12.67	34.20

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX


5580MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.445G	45.89	54.00	-8.11	5.36	3	Vertical	18	1.78	40.53	32.90	6.63	34.17
AV	5.5812G	106.07	Inf	-Inf	5.52	3	Vertical	18	1.78	100.55	32.96	6.75	34.19
PK	5.4312G	59.18	74.00	-14.82	5.35	3	Vertical	18	1.78	53.83	32.90	6.62	34.17
PK	5.4696G	58.43	68.20	-9.77	5.37	3	Vertical	18	1.78	53.06	32.90	6.65	34.18
PK	5.5764G	117.01	Inf	-Inf	5.51	3	Vertical	18	1.78	111.50	32.95	6.75	34.19
PK	5.727G	58.47	68.20	-9.73	6.36	3	Vertical	18	1.78	52.11	33.71	6.85	34.20

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX


5580MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.01737G	29.71	54.00	-24.29	5.42	3	Vertical	56	1.41	24.29	33.23	6.31	34.12
AV	11.16G	42.10	54.00	-11.90	16.14	3	Vertical	189	2.95	25.96	38.96	11.31	34.13
PK	5.00513G	55.37	74.00	-18.63	5.39	3	Vertical	56	1.41	49.98	33.21	6.30	34.12
PK	11.16024G	54.80	74.00	-19.20	16.14	3	Vertical	189	2.95	38.66	38.96	11.31	34.13
PK	16.74072G	67.06	68.20	-1.14	17.36	3	Vertical	184	1.10	49.70	38.30	12.78	33.72

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX


5580MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.01717G	29.56	54.00	-24.44	5.42	3	Horizontal	270	2.17	24.14	33.23	6.31	34.12
AV	11.16G	41.42	54.00	-12.58	16.14	3	Horizontal	216	2.18	25.28	38.96	11.31	34.13
PK	5.00497G	48.39	74.00	-25.61	5.39	3	Horizontal	270	2.17	43.00	33.21	6.30	34.12
PK	11.15976G	55.30	74.00	-18.70	16.14	3	Horizontal	216	2.18	39.16	38.96	11.31	34.13
PK	16.73504G	64.20	68.20	-4.00	17.34	3	Horizontal	39	1.87	46.86	38.30	12.77	33.73

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX


5700MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.6976G	105.71	Inf	-Inf	9.61	3	Vertical	22	1.74	96.10	33.69	10.12	34.20
PK	5.697G	115.44	Inf	-Inf	9.60	3	Vertical	22	1.74	105.84	33.68	10.12	34.20
PK	5.7252G	62.28	68.20	-5.92	9.79	3	Vertical	22	1.74	52.49	33.85	10.14	34.20

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX


5700MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.39994G	52.67	54.00	-1.33	18.42	3	Vertical	126	1.99	34.25	39.40	13.08	34.06
PK	5.1842G	52.46	68.20	-15.74	8.89	3	Vertical	337	1.68	43.57	33.17	9.85	34.13
PK	11.39436G	66.00	74.00	-8.00	18.40	3	Vertical	126	1.99	47.60	39.39	13.07	34.06
PK	17.1021G	61.45	68.20	-6.75	20.70	3	Vertical	75	2.98	40.75	37.80	16.20	33.30

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX


5700MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.39982G	49.03	54.00	-4.97	18.42	3	Horizontal	144	1.02	30.61	39.40	13.08	34.06
PK	5.19155G	50.70	68.20	-17.50	8.91	3	Horizontal	194	1.06	41.79	33.18	9.86	34.13
PK	11.40054G	61.95	74.00	-12.05	18.42	3	Horizontal	144	1.02	43.53	39.40	13.08	34.06
PK	17.10504G	62.07	68.20	-6.13	20.70	3	Horizontal	349	1.50	41.37	37.80	16.20	33.30

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX


5720MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4272G	47.60	54.00	-6.40	8.83	3	Vertical	17	1.74	38.77	33.00	10.01	34.18
AV	5.7164G	107.66	Inf	-Inf	9.73	3	Vertical	17	1.74	97.93	33.80	10.13	34.20
PK	5.4656G	58.50	68.20	-9.70	8.90	3	Vertical	17	1.74	49.60	33.06	10.02	34.18
PK	5.7224G	116.87	Inf	-Inf	9.77	3	Vertical	17	1.74	107.10	33.83	10.14	34.20
PK	5.882G	59.98	68.20	-8.22	10.46	3	Vertical	17	1.74	49.52	34.43	10.24	34.21

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX


5720MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.43988G	52.75	54.00	-1.25	18.35	3	Vertical	126	1.94	34.40	39.32	13.09	34.06
PK	5.21591G	51.38	68.20	-16.82	8.93	3	Vertical	336	1.50	42.45	33.20	9.87	34.14
PK	11.43442G	65.89	74.00	-8.11	18.36	3	Vertical	126	1.94	47.53	39.33	13.09	34.06
PK	17.17296G	61.97	68.20	-6.23	20.72	3	Vertical	106	1.20	41.25	37.80	16.21	33.29

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX


5720MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.44G	50.29	54.00	-3.71	18.35	3	Horizontal	144	1.00	31.94	39.32	13.09	34.06
PK	5.21731G	49.79	68.20	-18.41	8.93	3	Horizontal	195	1.00	40.86	33.20	9.87	34.14
PK	11.44054G	62.59	74.00	-11.41	18.35	3	Horizontal	144	1.00	44.24	39.32	13.09	34.06
PK	17.1684G	63.07	68.20	-5.13	20.72	3	Horizontal	188	2.67	42.35	37.80	16.21	33.29

5.25-5.35GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX


5260MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	47.25	54.00	-6.75	8.80	3	Vertical	317	1.98	38.45	33.10	9.83	34.13
AV	5.2588G	110.28	Inf	-Inf	8.93	3	Vertical	317	1.98	101.35	33.18	9.90	34.15
AV	5.3554G	48.13	54.00	-5.87	8.72	3	Vertical	317	1.98	39.41	32.91	9.97	34.16
PK	5.1424G	59.90	74.00	-14.10	8.82	3	Vertical	317	1.98	51.08	33.12	9.83	34.13
PK	5.2582G	123.03	Inf	-Inf	8.93	3	Vertical	317	1.98	114.10	33.18	9.90	34.15
PK	5.3554G	61.03	74.00	-12.97	8.72	3	Vertical	317	1.98	52.31	32.91	9.97	34.16

5.25-5.35GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


5260MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.81698G	31.76	54.00	-22.24	7.99	3	Vertical	213	1.64	23.77	32.50	9.68	34.19
AV	15.76512G	46.93	54.00	-7.07	19.49	3	Vertical	307	1.50	27.44	38.20	15.85	34.56
PK	4.71723G	44.44	74.00	-29.56	7.50	3	Vertical	213	1.64	36.94	32.13	9.61	34.24
PK	10.5182G	64.18	68.20	-4.02	17.31	3	Vertical	134	1.92	46.87	39.05	12.73	34.47
PK	15.77964G	59.93	74.00	-14.07	19.49	3	Vertical	307	1.50	40.44	38.20	15.86	34.57

5.25-5.35GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


5260MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.81348G	31.64	54.00	-22.36	7.97	3	Horizontal	180	1.84	23.67	32.48	9.68	34.19
AV	15.77322G	47.09	54.00	-6.91	19.49	3	Horizontal	194	1.50	27.60	38.20	15.85	34.56
PK	4.81838G	44.21	74.00	-29.79	8.00	3	Horizontal	180	1.84	36.21	32.51	9.68	34.19
PK	10.51016G	59.52	68.20	-8.68	17.28	3	Horizontal	134	1.94	42.24	39.03	12.73	34.48
PK	15.77916G	61.17	74.00	-12.83	19.49	3	Horizontal	194	1.50	41.68	38.20	15.86	34.57

5.25-5.35GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


5300MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.303G	110.04	Inf	-Inf	8.87	3	Vertical	331	1.50	101.17	33.09	9.93	34.15
AV	5.351G	48.71	54.00	-5.29	8.71	3	Vertical	331	1.50	40.00	32.90	9.97	34.16
PK	5.3036G	122.15	Inf	-Inf	8.87	3	Vertical	331	1.50	113.28	33.09	9.93	34.15
PK	5.3546G	61.62	74.00	-12.38	8.72	3	Vertical	331	1.50	52.90	32.91	9.97	34.16

5.25-5.35GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


5300MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.8754G	33.31	54.00	-20.69	8.34	3	Vertical	30	1.74	24.97	32.80	9.70	34.16
AV	10.60216G	52.75	54.00	-1.25	17.66	3	Vertical	118	2.16	35.09	39.30	12.76	34.40
AV	15.88776G	46.80	54.00	-7.20	19.33	3	Vertical	296	1.69	27.47	38.02	15.94	34.63
PK	4.85968G	45.99	74.00	-28.01	8.26	3	Vertical	30	1.74	37.73	32.74	9.69	34.17
PK	10.59172G	66.38	68.20	-1.82	17.63	3	Vertical	118	2.16	48.75	39.28	12.76	34.41
PK	15.88764G	60.03	74.00	-13.97	19.33	3	Vertical	296	1.69	40.70	38.02	15.94	34.63

5.25-5.35GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


5300MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.8622G	31.85	54.00	-22.15	8.27	3	Horizontal	73	1.07	23.58	32.75	9.69	34.17
AV	15.90696G	46.94	54.00	-7.06	19.31	3	Horizontal	128	3.00	27.63	38.00	15.95	34.64
PK	4.7208G	45.60	74.00	-28.40	7.52	3	Horizontal	73	1.07	38.08	32.14	9.61	34.23
PK	10.59982G	60.23	68.20	-7.97	17.66	3	Horizontal	157	2.80	42.57	39.30	12.76	34.40
PK	15.89538G	59.86	74.00	-14.14	19.32	3	Horizontal	128	3.00	40.54	38.01	15.94	34.63

5.25-5.35GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


5320MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3176G	107.36	Inf	-Inf	8.81	3	Vertical	332	1.50	98.55	33.03	9.94	34.16
AV	5.35G	49.91	54.00	-4.09	8.71	3	Vertical	332	1.50	41.20	32.90	9.97	34.16
PK	5.3158G	119.33	Inf	-Inf	8.82	3	Vertical	332	1.50	110.51	33.04	9.94	34.16
PK	5.4604G	58.94	68.20	-9.26	8.88	3	Vertical	332	1.50	50.06	33.04	10.02	34.18

5.25-5.35GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX


5320MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.89959G	33.52	54.00	-20.48	8.46	3	Vertical	249	2.34	25.06	32.90	9.71	34.15
AV	10.64192G	52.42	54.00	-1.58	17.76	3	Vertical	118	1.98	34.66	39.34	12.78	34.36
AV	15.97128G	47.32	54.00	-6.68	19.33	3	Vertical	201	2.88	27.99	38.00	16.00	34.67
PK	4.89023G	46.19	74.00	-27.81	8.42	3	Vertical	249	2.34	37.77	32.86	9.71	34.15
PK	10.64078G	67.82	74.00	-6.18	17.76	3	Vertical	118	1.98	50.06	39.34	12.78	34.36
PK	15.9498G	60.99	74.00	-13.01	19.32	3	Vertical	201	2.88	41.67	38.00	15.98	34.66

5.25-5.35GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX


5320MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.89041G	32.02	54.00	-21.98	8.42	3	Horizontal	329	1.50	23.60	32.86	9.71	34.15
AV	10.63838G	48.26	54.00	-5.74	17.75	3	Horizontal	164	2.86	30.51	39.34	12.78	34.37
AV	15.97446G	47.75	54.00	-6.25	19.32	3	Horizontal	229	2.63	28.43	38.00	16.00	34.68
PK	4.84491G	45.23	74.00	-28.77	8.19	3	Horizontal	329	1.50	37.04	32.67	9.69	34.17
PK	10.63916G	61.70	74.00	-12.30	17.76	3	Horizontal	164	2.86	43.94	39.34	12.78	34.36
PK	15.96846G	60.85	74.00	-13.15	19.33	3	Horizontal	229	2.63	41.52	38.00	16.00	34.67

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


5500MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.35G	44.33	54.00	-9.67	5.29	3	Vertical	26	1.88	39.04	32.90	6.55	34.16
AV	5.4538G	47.23	54.00	-6.77	5.37	3	Vertical	26	1.88	41.86	32.90	6.64	34.17
AV	5.5012G	107.49	Inf	-Inf	5.40	3	Vertical	26	1.88	102.09	32.90	6.68	34.18
PK	5.35G	56.68	74.00	-17.32	5.29	3	Vertical	26	1.88	51.39	32.90	6.55	34.16
PK	5.4526G	60.20	74.00	-13.80	5.37	3	Vertical	26	1.88	54.83	32.90	6.64	34.17
PK	5.4688G	63.57	68.20	-4.63	5.37	3	Vertical	26	1.88	58.20	32.90	6.65	34.18
PK	5.5024G	120.60	Inf	-Inf	5.40	3	Vertical	26	1.88	115.20	32.90	6.68	34.18

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


5500MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.93385G	29.57	54.00	-24.43	5.01	3	Vertical	360	1.18	24.56	32.90	6.25	34.14
AV	10.99994G	41.58	54.00	-12.42	16.09	3	Vertical	192	2.07	25.49	39.00	11.25	34.16
PK	4.92715G	65.29	74.00	-8.71	4.96	3	Vertical	360	1.18	60.33	32.86	6.25	34.15
PK	10.99358G	50.99	74.00	-23.01	16.10	3	Vertical	192	2.07	34.89	39.01	11.25	34.16
PK	16.49544G	64.17	68.20	-4.03	16.85	3	Vertical	214	1.04	47.32	38.38	12.67	34.20

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


5500MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.95175G	28.52	54.00	-25.48	5.14	3	Horizontal	250	1.18	23.38	33.01	6.27	34.14
AV	10.9979G	39.42	54.00	-14.58	16.09	3	Horizontal	220	2.85	23.33	39.00	11.25	34.16
PK	4.93515G	54.00	74.00	-20.00	5.02	3	Horizontal	250	1.18	48.98	32.91	6.25	34.14
PK	11.0081G	51.80	74.00	-22.20	16.08	3	Horizontal	220	2.85	35.72	38.99	11.25	34.16
PK	16.50012G	60.13	68.20	-8.07	16.87	3	Horizontal	153	1.85	43.26	38.40	12.67	34.20

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


5580MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.442G	44.80	54.00	-9.20	5.36	3	Vertical	17	1.50	39.44	32.90	6.63	34.17
AV	5.5842G	104.10	Inf	-Inf	5.54	3	Vertical	17	1.50	98.56	32.97	6.76	34.19
PK	5.4324G	58.17	74.00	-15.83	5.35	3	Vertical	17	1.50	52.82	32.90	6.62	34.17
PK	5.5848G	116.02	Inf	-Inf	5.54	3	Vertical	17	1.50	110.48	32.97	6.76	34.19
PK	5.7282G	58.33	68.20	-9.87	6.36	3	Vertical	17	1.50	51.97	33.71	6.85	34.20

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


5580MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.0159G	35.54	54.00	-18.46	5.42	3	Vertical	0	1.09	30.12	33.23	6.31	34.12
AV	11.15992G	41.45	54.00	-12.55	16.14	3	Vertical	190	3.00	25.31	38.96	11.31	34.13
PK	5.0127G	71.90	74.00	-2.10	5.42	3	Vertical	0	1.09	66.48	33.23	6.31	34.12
PK	11.16972G	53.93	74.00	-20.07	16.15	3	Vertical	190	3.00	37.78	38.97	11.31	34.13
PK	16.73736G	64.78	68.20	-3.42	17.35	3	Vertical	185	1.10	47.43	38.30	12.78	33.73

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


5580MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.0162G	30.02	54.00	-23.98	5.42	3	Horizontal	204	1.50	24.60	33.23	6.31	34.12
AV	11.1598G	40.02	54.00	-13.98	16.14	3	Horizontal	218	1.98	23.88	38.96	11.31	34.13
PK	5.01208G	60.05	74.00	-13.95	5.41	3	Horizontal	204	1.50	54.64	33.22	6.31	34.12
PK	11.15892G	52.52	74.00	-21.48	16.14	3	Horizontal	218	1.98	36.38	38.96	11.31	34.13
PK	16.7352G	59.68	68.20	-8.52	17.34	3	Horizontal	41	1.96	42.34	38.30	12.77	33.73

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


5700MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7018G	106.34	Inf	-Inf	9.64	3	Vertical	19	1.50	96.70	33.71	10.13	34.20
PK	5.7012G	117.32	Inf	-Inf	9.64	3	Vertical	19	1.50	107.68	33.71	10.13	34.20
PK	5.7324G	61.79	68.20	-6.41	9.83	3	Vertical	19	1.50	51.96	33.89	10.14	34.20

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


5700MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.3994G	52.93	54.00	-1.07	18.42	3	Vertical	126	1.99	34.51	39.40	13.08	34.06
PK	5.18385G	54.43	68.20	-13.77	8.89	3	Vertical	337	1.76	45.54	33.17	9.85	34.13
PK	11.40006G	65.92	74.00	-8.08	18.42	3	Vertical	126	1.99	47.50	39.40	13.08	34.06
PK	17.10174G	61.84	68.20	-6.36	20.70	3	Vertical	224	1.03	41.14	37.80	16.20	33.30

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


5700MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.3994G	47.81	54.00	-6.19	18.42	3	Horizontal	143	1.00	29.39	39.40	13.08	34.06
PK	5.1863G	48.42	68.20	-19.78	8.89	3	Horizontal	190	1.13	39.53	33.17	9.85	34.13
PK	11.4G	61.20	74.00	-12.80	18.42	3	Horizontal	143	1.00	42.78	39.40	13.08	34.06
PK	17.09958G	62.83	68.20	-5.37	20.70	3	Horizontal	5	1.50	42.13	37.80	16.20	33.30

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4344G	46.95	54.00	-7.05	8.83	3	Vertical	18	1.50	38.12	33.00	10.01	34.18
AV	5.7224G	105.77	Inf	-Inf	9.77	3	Vertical	18	1.50	96.00	33.83	10.14	34.20
PK	5.4644G	57.81	68.20	-10.39	8.90	3	Vertical	18	1.50	48.91	33.06	10.02	34.18
PK	5.7224G	116.98	Inf	-Inf	9.77	3	Vertical	18	1.50	107.21	33.83	10.14	34.20
PK	5.8856G	60.90	68.20	-7.30	10.47	3	Vertical	18	1.50	50.43	34.44	10.24	34.21



5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


5720MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.43976G	50.83	54.00	-3.17	18.35	3	Vertical	128	1.94	32.48	39.32	13.09	34.06
PK	5.20576G	51.16	68.20	-17.04	8.92	3	Vertical	335	1.54	42.24	33.20	9.86	34.14
PK	11.44102G	64.69	74.00	-9.31	18.35	3	Vertical	128	1.94	46.34	39.32	13.09	34.06
PK	17.17224G	61.92	68.20	-6.28	20.72	3	Vertical	127	1.73	41.20	37.80	16.21	33.29

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


5720MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.44042G	49.19	54.00	-4.81	18.35	3	Horizontal	144	1.00	30.84	39.32	13.09	34.06
PK	5.21906G	49.89	68.20	-18.31	8.93	3	Horizontal	193	1.00	40.96	33.20	9.87	34.14
PK	11.45111G	62.48	74.00	-11.52	18.34	3	Horizontal	144	1.00	44.14	39.30	13.10	34.06
PK	17.17074G	62.27	68.20	-5.93	20.72	3	Horizontal	189	1.50	41.55	37.80	16.21	33.29

5.25-5.35GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


5270MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.272G	107.93	Inf	-Inf	8.92	3	Vertical	331	2.07	99.01	33.16	9.91	34.15
AV	5.3528G	51.12	54.00	-2.88	8.72	3	Vertical	331	2.07	42.40	32.91	9.97	34.16
PK	5.2828G	120.65	Inf	-Inf	8.90	3	Vertical	331	2.07	111.75	33.13	9.92	34.15
PK	5.354G	64.21	74.00	-9.79	8.72	3	Vertical	331	2.07	55.49	32.91	9.97	34.16

5.25-5.35GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


5270MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.81796G	31.76	54.00	-22.24	8.00	3	Vertical	138	1.01	23.76	32.51	9.68	34.19
AV	15.7866G	47.04	54.00	-6.96	19.49	3	Vertical	162	1.34	27.55	38.20	15.86	34.57
PK	4.80466G	45.20	74.00	-28.80	7.91	3	Vertical	138	1.01	37.29	32.43	9.67	34.19
PK	10.54696G	63.92	68.20	-4.28	17.43	3	Vertical	117	2.00	46.49	39.14	12.74	34.45
PK	15.81264G	60.30	74.00	-13.70	19.46	3	Vertical	162	1.34	40.84	38.17	15.88	34.59

5.25-5.35GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


5270MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.81096G	31.68	54.00	-22.32	7.95	3	Horizontal	238	2.26	23.73	32.47	9.67	34.19
AV	15.78108G	47.11	54.00	-6.89	19.49	3	Horizontal	0	1.64	27.62	38.20	15.86	34.57
PK	4.80711G	44.01	74.00	-29.99	7.92	3	Horizontal	238	2.26	36.09	32.44	9.67	34.19
PK	10.52908G	57.74	68.20	-10.46	17.37	3	Horizontal	164	2.88	40.37	39.09	12.74	34.46
PK	15.78132G	60.16	74.00	-13.84	19.49	3	Horizontal	0	1.64	40.67	38.20	15.86	34.57

5.25-5.35GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


5310MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.312G	103.84	Inf	-Inf	8.83	3	Vertical	333	1.78	95.01	33.05	9.94	34.16
AV	5.3512G	53.39	54.00	-0.61	8.71	3	Vertical	333	1.78	44.68	32.90	9.97	34.16
PK	5.3028G	116.85	Inf	-Inf	8.87	3	Vertical	333	1.78	107.98	33.09	9.93	34.15
PK	5.3516G	66.03	74.00	-7.97	8.71	3	Vertical	333	1.78	57.32	32.90	9.97	34.16

5.25-5.35GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX


5310MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.81593G	31.90	54.00	-22.10	7.99	3	Vertical	0	1.50	23.91	32.50	9.68	34.19
AV	10.62228G	48.92	54.00	-5.08	17.71	3	Vertical	121	1.95	31.21	39.32	12.77	34.38
AV	15.957G	47.56	54.00	-6.44	19.32	3	Vertical	169	1.00	28.24	38.00	15.99	34.67
PK	4.88173G	45.13	74.00	-28.87	8.37	3	Vertical	0	1.50	36.76	32.83	9.70	34.16
PK	10.62024G	62.03	74.00	-11.97	17.71	3	Vertical	121	1.95	44.32	39.32	12.77	34.38
PK	15.94728G	60.94	74.00	-13.06	19.32	3	Vertical	169	1.00	41.62	38.00	15.98	34.66

5.25-5.35GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX


5310MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.86143G	31.92	54.00	-22.08	8.27	3	Horizontal	136	2.46	23.65	32.75	9.69	34.17
AV	10.61916G	43.67	54.00	-10.33	17.71	3	Horizontal	165	2.84	25.96	39.32	12.77	34.38
AV	15.942G	47.45	54.00	-6.55	19.32	3	Horizontal	130	1.12	28.13	38.00	15.98	34.66
PK	4.85478G	44.88	74.00	-29.12	8.24	3	Horizontal	136	2.46	36.64	32.72	9.69	34.17
PK	10.61904G	55.85	74.00	-18.15	17.71	3	Horizontal	165	2.84	38.14	39.32	12.77	34.38
PK	15.95376G	60.59	74.00	-13.41	19.33	3	Horizontal	130	1.12	41.26	38.00	15.99	34.66

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


5510MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	47.68	54.00	-6.32	5.36	3	Vertical	19	1.98	42.32	32.90	6.64	34.18
AV	5.5036G	101.62	Inf	-Inf	5.40	3	Vertical	19	1.98	96.22	32.90	6.68	34.18
PK	5.46G	61.01	74.00	-12.99	5.36	3	Vertical	19	1.98	55.65	32.90	6.64	34.18
PK	5.466G	66.38	68.20	-1.82	5.37	3	Vertical	19	1.98	61.01	32.90	6.65	34.18
PK	5.5044G	114.90	Inf	-Inf	5.40	3	Vertical	19	1.98	109.50	32.90	6.68	34.18

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


5510MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.9576G	28.92	54.00	-25.08	5.16	3	Vertical	0	1.31	23.76	33.03	6.27	34.14
AV	11.02G	40.72	54.00	-13.28	16.08	3	Vertical	191	2.02	24.64	38.98	11.26	34.16
PK	4.9988G	42.42	74.00	-31.58	5.38	3	Vertical	0	1.31	37.04	33.20	6.30	34.12
PK	11.03616G	52.59	74.00	-21.41	16.07	3	Vertical	191	2.02	36.52	38.96	11.26	34.15
PK	16.51576G	55.46	68.20	-12.74	16.85	3	Vertical	209	2.90	38.61	38.35	12.67	34.17

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


5510MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.961G	28.89	54.00	-25.11	5.18	3	Horizontal	72	2.55	23.71	33.04	6.27	34.13
AV	11.02016G	38.15	54.00	-15.85	16.08	3	Horizontal	358	3.00	22.07	38.98	11.26	34.16
PK	4.9216G	42.50	74.00	-31.50	4.93	3	Horizontal	72	2.55	37.57	32.83	6.25	34.15
PK	11.01328G	51.75	74.00	-22.25	16.08	3	Horizontal	358	3.00	35.67	38.99	11.25	34.16
PK	16.51816G	52.97	68.20	-15.23	16.87	3	Horizontal	142	1.20	36.10	38.35	12.68	34.16

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


5550MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4592G	47.94	54.00	-6.06	5.36	3	Vertical	19	1.90	42.58	32.90	6.64	34.18
AV	5.5532G	102.88	Inf	-Inf	5.46	3	Vertical	19	1.90	97.42	32.91	6.73	34.18
PK	5.46G	62.23	74.00	-11.77	5.36	3	Vertical	19	1.90	56.87	32.90	6.64	34.18
PK	5.47G	63.83	68.20	-4.37	5.37	3	Vertical	19	1.90	58.46	32.90	6.65	34.18
PK	5.5628G	115.97	Inf	-Inf	5.48	3	Vertical	19	1.90	110.49	32.93	6.74	34.19

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


5550MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.029G	29.18	54.00	-24.82	5.46	3	Vertical	154	1.50	23.72	33.26	6.32	34.12
AV	11.1G	41.17	54.00	-12.83	16.05	3	Vertical	191	1.46	25.12	38.90	11.29	34.14
PK	4.9968G	43.57	74.00	-30.43	5.37	3	Vertical	154	1.50	38.20	33.19	6.30	34.12
PK	11.10008G	52.50	74.00	-21.50	16.05	3	Vertical	191	1.46	36.45	38.90	11.29	34.14
PK	16.65312G	66.91	68.20	-1.29	17.05	3	Vertical	228	1.94	49.86	38.21	12.74	33.90

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


5550MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.0344G	29.06	54.00	-24.94	5.48	3	Horizontal	44	2.14	23.58	33.27	6.33	34.12
AV	11.09984G	38.68	54.00	-15.32	16.05	3	Horizontal	184	1.00	22.63	38.90	11.29	34.14
PK	5.0374G	42.39	74.00	-31.61	5.48	3	Horizontal	44	2.14	36.91	33.27	6.33	34.12
PK	11.0916G	51.80	74.00	-22.20	16.05	3	Horizontal	184	1.00	35.75	38.91	11.28	34.14
PK	16.66944G	62.87	68.20	-5.33	17.12	3	Horizontal	181	2.05	45.75	38.24	12.74	33.86

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


5670MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.673G	106.05	Inf	-Inf	9.45	3	Vertical	8	1.50	96.60	33.54	10.11	34.20
PK	5.6736G	118.24	Inf	-Inf	9.45	3	Vertical	8	1.50	108.79	33.54	10.11	34.20
PK	5.7276G	66.83	68.20	-1.37	9.81	3	Vertical	8	1.50	57.02	33.87	10.14	34.20

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


5670MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.34G	51.77	54.00	-2.23	18.34	3	Vertical	127	1.96	33.43	39.34	13.05	34.05
PK	5.18196G	50.93	68.20	-17.27	8.88	3	Vertical	219	1.92	42.05	33.16	9.85	34.13
PK	11.33916G	65.07	74.00	-8.93	18.34	3	Vertical	127	1.96	46.73	39.34	13.05	34.05
PK	17.03784G	61.34	68.20	-6.86	20.55	3	Vertical	76	1.01	40.79	37.68	16.19	33.32

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


5670MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.3406G	45.89	54.00	-8.11	18.34	3	Horizontal	145	1.00	27.55	39.34	13.05	34.05
PK	5.16726G	48.09	68.20	-20.11	8.84	3	Horizontal	193	1.10	39.25	33.13	9.84	34.13
PK	11.34084G	59.09	74.00	-14.91	18.34	3	Horizontal	145	1.00	40.75	39.34	13.05	34.05
PK	17.02212G	61.27	68.20	-6.93	20.50	3	Horizontal	46	1.50	40.77	37.64	16.18	33.32

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5710MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4508G	47.49	54.00	-6.51	8.84	3	Vertical	18	1.50	38.65	33.00	10.02	34.18
AV	5.7172G	109.51	Inf	-Inf	9.73	3	Vertical	18	1.50	99.78	33.80	10.13	34.20
PK	5.464G	59.23	68.20	-8.97	8.90	3	Vertical	18	1.50	50.33	33.06	10.02	34.18
PK	5.7268G	120.86	Inf	-Inf	9.80	3	Vertical	18	1.50	111.06	33.86	10.14	34.20
PK	5.944G	61.28	68.20	-6.92	10.57	3	Vertical	18	1.50	50.71	34.50	10.29	34.22



5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


5710MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.41988G	52.90	54.00	-1.10	18.38	3	Vertical	128	1.96	34.52	39.36	13.08	34.06
PK	5.23453G	51.68	68.20	-16.52	8.94	3	Vertical	218	1.93	42.74	33.20	9.88	34.14
PK	11.429G	66.45	74.00	-7.55	18.37	3	Vertical	128	1.96	48.08	39.34	13.09	34.06
PK	17.14512G	62.38	68.20	-5.82	20.71	3	Vertical	192	1.50	41.67	37.80	16.20	33.29

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX



5710MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.42096G	46.73	54.00	-7.27	18.38	3	Horizontal	145	1.01	28.35	39.36	13.08	34.06
PK	5.18378G	48.61	68.20	-19.59	8.89	3	Horizontal	194	1.00	39.72	33.17	9.85	34.13
PK	11.4122G	60.92	74.00	-13.08	18.40	3	Horizontal	145	1.01	42.52	39.38	13.08	34.06
PK	17.15292G	62.39	68.20	-5.81	20.71	3	Horizontal	271	1.66	41.68	37.80	16.20	33.29

5.25-5.35GHz_802.11ax_HEW80_Nss1,(MCS0)_2TX

5290MHz_TX





15/09/2022

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.144G	47.18	54.00	-6.82	8.81	3	Vertical	316	1.87	38.37	33.11	9.83	34.13
AV	5.284G	99.59	Inf	-Inf	8.90	3	Vertical	316	1.87	90.69	33.13	9.92	34.15
AV	5.354G	53.17	54.00	-0.83	8.72	3	Vertical	316	1.87	44.45	32.91	9.97	34.16
PK	5.141G	59.82	74.00	-14.18	8.82	3	Vertical	316	1.87	51.00	33.12	9.83	34.13
PK	5.285G	112.29	Inf	-Inf	8.90	3	Vertical	316	1.87	103.39	33.13	9.92	34.15
PK	5.354G	64.62	74.00	-9.38	8.72	3	Vertical	316	1.87	55.90	32.91	9.97	34.16

5.25-5.35GHz_802.11ax_HEW80_Nss1,(MCS0)_2TX

5290MHz_TX




16/09/2022

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.82412G	32.76	54.00	-21.24	8.04	3	Vertical	87	2.46	24.72	32.54	9.68	34.18
AV	15.9264G	47.18	54.00	-6.82	19.32	3	Vertical	117	2.18	27.86	38.00	15.97	34.65
PK	4.85947G	44.73	74.00	-29.27	8.26	3	Vertical	87	2.46	36.47	32.74	9.69	34.17
PK	10.5884G	57.50	68.20	-10.70	17.62	3	Vertical	118	2.02	39.88	39.27	12.76	34.41
PK	15.84216G	60.12	74.00	-13.88	19.42	3	Vertical	117	2.18	40.70	38.12	15.90	34.60

5.25-5.35GHz_802.11ax HEW80_Nss1,(MCS0)_2TX


5290MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.81572G	31.86	54.00	-22.14	7.98	3	Horizontal	159	2.96	23.88	32.49	9.68	34.19
AV	15.92904G	47.20	54.00	-6.80	19.32	3	Horizontal	320	1.00	27.88	38.00	15.97	34.65
PK	4.80312G	44.32	74.00	-29.68	7.90	3	Horizontal	159	2.96	36.42	32.42	9.67	34.19
PK	10.60136G	54.89	74.00	-19.11	17.66	3	Horizontal	0	2.76	37.23	39.30	12.76	34.40
PK	15.82056G	60.68	74.00	-13.32	19.46	3	Horizontal	320	1.00	41.22	38.16	15.89	34.59

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5530MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.454G	52.40	54.00	-1.60	8.86	3	Vertical	12	1.50	43.54	33.02	10.02	34.18
AV	5.515G	100.61	Inf	-Inf	9.05	3	Vertical	12	1.50	91.56	33.20	10.04	34.19
PK	5.465G	66.13	68.20	-2.07	8.90	3	Vertical	12	1.50	57.23	33.06	10.02	34.18
PK	5.515G	113.44	Inf	-Inf	9.05	3	Vertical	12	1.50	104.39	33.20	10.04	34.19
PK	5.753G	60.84	68.20	-7.36	9.96	3	Vertical	12	1.50	50.88	34.02	10.15	34.21



5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX


5530MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.02614G	37.97	54.00	-16.03	9.06	3	Vertical	36	1.50	28.91	33.40	9.76	34.10
AV	11.05064G	48.32	54.00	-5.68	18.00	3	Vertical	124	2.07	30.32	39.10	12.94	34.04
PK	5.03384G	67.32	74.00	-6.68	9.06	3	Vertical	36	1.50	58.26	33.40	9.77	34.11
PK	11.07032G	61.12	74.00	-12.88	18.01	3	Vertical	124	2.07	43.11	39.10	12.95	34.04
PK	16.55136G	62.28	68.20	-5.92	19.70	3	Vertical	213	2.61	42.58	37.84	16.11	34.25

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX


5530MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.04539G	33.43	54.00	-20.57	9.06	3	Horizontal	194	1.12	24.37	33.40	9.77	34.11
AV	11.05016G	44.55	54.00	-9.45	18.00	3	Horizontal	135	1.01	26.55	39.10	12.94	34.04
PK	5.05239G	58.43	74.00	-15.57	9.06	3	Horizontal	194	1.12	49.37	33.39	9.78	34.11
PK	11.05088G	58.01	74.00	-15.99	18.00	3	Horizontal	135	1.01	40.01	39.10	12.94	34.04
PK	16.61256G	61.91	68.20	-6.29	19.63	3	Horizontal	161	1.02	42.28	37.64	16.12	34.13

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX


5610MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.454G	49.80	54.00	-4.20	8.86	3	Vertical	26	1.50	40.94	33.02	10.02	34.18
AV	5.596G	103.67	Inf	-Inf	9.07	3	Vertical	26	1.50	94.60	33.20	10.07	34.20
PK	5.464G	63.00	68.20	-5.20	8.90	3	Vertical	26	1.50	54.10	33.06	10.02	34.18
PK	5.607G	116.49	Inf	-Inf	9.10	3	Vertical	26	1.50	107.39	33.23	10.07	34.20
PK	5.727G	67.41	68.20	-0.79	9.80	3	Vertical	26	1.50	57.61	33.86	10.14	34.20

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX


5610MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.13408G	37.81	54.00	-16.19	8.83	3	Vertical	8	1.50	28.98	33.13	9.82	34.12
AV	11.21016G	52.28	54.00	-1.72	18.16	3	Vertical	126	2.02	34.12	39.21	13.00	34.05
PK	5.12253G	65.10	74.00	-8.90	8.85	3	Vertical	8	1.50	56.25	33.15	9.82	34.12
PK	11.2008G	64.83	74.00	-9.17	18.15	3	Vertical	126	2.02	46.68	39.20	13.00	34.05
PK	16.78848G	60.37	68.20	-7.83	20.28	3	Vertical	262	1.73	40.09	37.90	16.15	33.77

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX


5610MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.13233G	35.00	54.00	-19.00	8.84	3	Horizontal	194	1.12	26.16	33.14	9.82	34.12
AV	11.20968G	46.64	54.00	-7.36	18.16	3	Horizontal	136	1.00	28.48	39.21	13.00	34.05
PK	5.12358G	64.50	74.00	-9.50	8.85	3	Horizontal	194	1.12	55.65	33.15	9.82	34.12
PK	11.20872G	58.97	74.00	-15.03	18.16	3	Horizontal	136	1.00	40.81	39.21	13.00	34.05
PK	16.78656G	60.52	68.20	-7.68	20.28	3	Horizontal	305	1.50	40.24	37.90	16.15	33.77

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4584G	48.68	54.00	-5.32	8.87	3	Vertical	5	1.76	39.81	33.03	10.02	34.18
AV	5.6708G	106.10	Inf	-Inf	9.43	3	Vertical	5	1.76	96.67	33.52	10.11	34.20
PK	5.4668G	59.36	68.20	-8.84	8.91	3	Vertical	5	1.76	50.45	33.07	10.02	34.18
PK	5.6924G	117.98	Inf	-Inf	9.57	3	Vertical	5	1.76	108.41	33.65	10.12	34.20
PK	5.8508G	66.32	68.20	-1.88	10.31	3	Vertical	5	1.76	56.01	34.30	10.22	34.21



5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX


5690MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.37928G	51.59	54.00	-2.41	18.39	3	Vertical	125	1.94	33.20	39.38	13.07	34.06
PK	5.1838G	54.79	68.20	-13.41	8.89	3	Vertical	44	1.45	45.90	33.17	9.85	34.13
PK	11.37904G	63.44	74.00	-10.56	18.39	3	Vertical	125	1.94	45.05	39.38	13.07	34.06
PK	17.11968G	61.71	68.20	-6.49	20.70	3	Vertical	273	1.37	41.01	37.80	16.20	33.30

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.38096G	44.49	54.00	-9.51	18.39	3	Horizontal	146	1.01	26.10	39.38	13.07	34.06
PK	5.1838G	49.40	68.20	-18.80	8.89	3	Horizontal	200	1.01	40.51	33.17	9.85	34.13
PK	11.41024G	56.25	74.00	-17.75	18.40	3	Horizontal	146	1.01	37.85	39.38	13.08	34.06
PK	17.12256G	61.71	68.20	-6.49	20.70	3	Horizontal	327	2.24	41.01	37.80	16.20	33.30



**RSE TX above 1GHz_
Non-Beamforming_Radio2(Low Band)+Radio3(High Band)**

Appendix D.2

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX	Pass	AV	5.3522G	52.42	54.00	-1.58	3	Vertical	330	1.58
802.11ax HEW20_Nss1,(MCS0)_2TX	Pass	AV	5.35G	53.41	54.00	-0.59	3	Vertical	332	1.44
802.11ax HEW40_Nss1,(MCS0)_2TX	Pass	AV	5.3524G	53.01	54.00	-0.99	3	Vertical	334	2.08
802.11ax HEW80_Nss1,(MCS0)_2TX	Pass	AV	5.353G	53.28	54.00	-0.72	3	Vertical	334	1.77
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX	Pass	PK	5.4666G	67.53	68.20	-0.67	3	Vertical	201	1.95
802.11ax HEW20_Nss1,(MCS0)_2TX	Pass	PK	5.7304G	67.10	68.20	-1.10	3	Vertical	191	2.00
802.11ax HEW40_Nss1,(MCS0)_2TX	Pass	PK	5.4644G	66.68	68.20	-1.52	3	Vertical	181	1.70
802.11ax HEW80_Nss1,(MCS0)_2TX	Pass	PK	5.732G	67.52	68.20	-0.68	3	Vertical	161	1.94
802.11ax HEW160_Nss1,(MCS0)_2TX	Pass	PK	5.726G	66.43	68.20	-1.77	3	Vertical	179	1.76



RSE TX above 1GHz_
Non-Beamforming_Radio2(Low Band)+Radio3(High Band)

Appendix D.2

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11a_Nss1,(6Mbps)_2TX	-	-	-	-	-	-	-	-	-	-
5260MHz	Pass	AV	5.146G	47.69	54.00	-6.31	3	Vertical	337	1.90
5260MHz	Pass	AV	5.260G	111.22	Inf	-Inf	3	Vertical	337	1.90
5260MHz	Pass	AV	5.3584G	47.77	54.00	-6.23	3	Vertical	337	1.90
5260MHz	Pass	PK	5.1166G	59.91	74.00	-14.09	3	Vertical	337	1.90
5260MHz	Pass	PK	5.2606G	121.20	Inf	-Inf	3	Vertical	337	1.90
5260MHz	Pass	PK	5.3554G	60.01	74.00	-13.99	3	Vertical	337	1.90
5260MHz	Pass	AV	15.77616G	47.92	54.00	-6.08	3	Vertical	217	1.50
5260MHz	Pass	PK	10.51424G	65.39	68.20	-2.81	3	Vertical	132	2.85
5260MHz	Pass	PK	15.79672G	60.42	74.00	-13.58	3	Vertical	217	1.50
5260MHz	Pass	AV	15.76856G	47.87	54.00	-6.13	3	Horizontal	0	1.00
5260MHz	Pass	PK	10.51408G	59.59	68.20	-8.61	3	Horizontal	165	3.00
5260MHz	Pass	PK	15.77768G	60.95	74.00	-13.05	3	Horizontal	0	1.00
5300MHz	Pass	AV	5.3032G	108.30	Inf	-Inf	3	Vertical	332	1.50
5300MHz	Pass	AV	5.3532G	44.03	54.00	-9.97	3	Vertical	332	1.50
5300MHz	Pass	PK	5.2984G	118.10	Inf	-Inf	3	Vertical	332	1.50
5300MHz	Pass	PK	5.3676G	57.27	74.00	-16.73	3	Vertical	332	1.50
5300MHz	Pass	AV	15.89616G	39.17	54.00	-14.83	3	Vertical	167	1.64
5300MHz	Pass	PK	10.5916G	51.95	68.20	-16.25	3	Vertical	277	2.04
5300MHz	Pass	PK	15.89232G	52.11	74.00	-21.89	3	Vertical	167	1.64
5300MHz	Pass	AV	15.91896G	38.84	54.00	-15.16	3	Horizontal	60	1.38
5300MHz	Pass	PK	10.59448G	53.28	68.20	-14.92	3	Horizontal	150	1.06
5300MHz	Pass	PK	15.91552G	50.77	74.00	-23.23	3	Horizontal	60	1.38
5320MHz	Pass	AV	5.3168G	108.40	Inf	-Inf	3	Vertical	330	1.58
5320MHz	Pass	AV	5.3522G	52.42	54.00	-1.58	3	Vertical	330	1.58
5320MHz	Pass	PK	5.3168G	118.55	Inf	-Inf	3	Vertical	330	1.58
5320MHz	Pass	PK	5.351G	66.58	74.00	-7.42	3	Vertical	330	1.58
5320MHz	Pass	AV	10.64012G	43.37	54.00	-10.63	3	Vertical	149	2.16
5320MHz	Pass	AV	15.95334G	39.53	54.00	-14.47	3	Vertical	165	1.54
5320MHz	Pass	PK	10.64018G	54.53	74.00	-19.47	3	Vertical	149	2.16
5320MHz	Pass	PK	15.96948G	53.14	74.00	-20.86	3	Vertical	165	1.54
5320MHz	Pass	AV	10.63988G	41.63	54.00	-12.37	3	Horizontal	157	2.86
5320MHz	Pass	AV	15.96G	38.72	54.00	-15.28	3	Horizontal	95	1.52
5320MHz	Pass	PK	10.63406G	52.84	74.00	-21.16	3	Horizontal	157	2.86
5320MHz	Pass	PK	15.94554G	50.82	74.00	-23.18	3	Horizontal	95	1.52
5500MHz	Pass	AV	5.4574G	47.16	54.00	-6.84	3	Vertical	201	1.95
5500MHz	Pass	AV	5.5074G	109.47	Inf	-Inf	3	Vertical	201	1.95
5500MHz	Pass	PK	5.457G	60.33	74.00	-13.67	3	Vertical	201	1.95
5500MHz	Pass	PK	5.4666G	67.53	68.20	-0.67	3	Vertical	201	1.95
5500MHz	Pass	PK	5.5074G	118.70	Inf	-Inf	3	Vertical	201	1.95
5500MHz	Pass	AV	11.00016G	45.68	54.00	-8.32	3	Vertical	194	1.98
5500MHz	Pass	PK	11G	57.40	74.00	-16.60	3	Vertical	194	1.98
5500MHz	Pass	PK	16.49432G	50.59	68.20	-17.61	3	Vertical	358	2.00
5500MHz	Pass	AV	11.0022G	45.45	54.00	-8.55	3	Horizontal	207	2.17
5500MHz	Pass	PK	11.00132G	58.18	74.00	-15.82	3	Horizontal	207	2.17
5500MHz	Pass	PK	16.49948G	51.03	68.20	-17.17	3	Horizontal	360	2.38
5580MHz	Pass	AV	5.4546G	47.69	54.00	-6.31	3	Vertical	162	1.68
5580MHz	Pass	AV	5.5728G	110.94	Inf	-Inf	3	Vertical	162	1.68
5580MHz	Pass	PK	5.469G	59.13	68.20	-9.07	3	Vertical	162	1.68
5580MHz	Pass	PK	5.5878G	120.32	Inf	-Inf	3	Vertical	162	1.68
5580MHz	Pass	PK	5.7288G	60.96	68.20	-7.24	3	Vertical	162	1.68
5580MHz	Pass	AV	11.15816G	51.37	54.00	-2.63	3	Vertical	186	2.44
5580MHz	Pass	PK	11.16272G	63.65	74.00	-10.35	3	Vertical	186	2.44
5580MHz	Pass	PK	16.72512G	61.81	68.20	-6.39	3	Vertical	12	3.00
5580MHz	Pass	AV	11.16008G	49.81	54.00	-4.19	3	Horizontal	166	2.20
5580MHz	Pass	PK	11.1604G	62.59	74.00	-11.41	3	Horizontal	166	2.20
5580MHz	Pass	PK	16.7248G	62.25	68.20	-5.95	3	Horizontal	258	2.86
5700MHz	Pass	AV	5.6932G	106.37	Inf	-Inf	3	Vertical	98	2.10
5700MHz	Pass	PK	5.6932G	116.21	Inf	-Inf	3	Vertical	98	2.10
5700MHz	Pass	PK	5.7276G	66.96	68.20	-1.24	3	Vertical	98	2.10
5700MHz	Pass	AV	11.39784G	48.24	54.00	-5.76	3	Vertical	277	2.09



**RSE TX above 1GHz_
Non-Beamforming_Radio2(Low Band)+Radio3(High Band)**

Appendix D.2

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5700MHz	Pass	PK	11.39728G	60.66	74.00	-13.34	3	Vertical	277	2.09
5700MHz	Pass	PK	17.10656G	62.14	68.20	-6.06	3	Vertical	233	1.50
5700MHz	Pass	AV	11.40176G	45.29	54.00	-8.71	3	Horizontal	321	2.07
5700MHz	Pass	PK	11.40176G	58.64	74.00	-15.36	3	Horizontal	321	2.07
5700MHz	Pass	PK	17.11288G	62.11	68.20	-6.09	3	Horizontal	354	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.4332G	47.54	54.00	-6.46	3	Vertical	97	1.97
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.7128G	111.45	Inf	-Inf	3	Vertical	97	1.97
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4692G	58.80	68.20	-9.40	3	Vertical	97	1.97
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.7128G	120.95	Inf	-Inf	3	Vertical	97	1.97
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.8616G	61.66	68.20	-6.54	3	Vertical	97	1.97
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.44248G	50.10	54.00	-3.90	3	Vertical	279	2.01
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.44192G	62.62	74.00	-11.38	3	Vertical	279	2.01
5720MHz Straddle 5.47-5.725GHz	Pass	PK	17.17168G	62.31	68.20	-5.89	3	Vertical	24	3.00
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.442G	46.73	54.00	-7.27	3	Horizontal	318	2.64
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.44144G	59.52	74.00	-14.48	3	Horizontal	318	2.64
5720MHz Straddle 5.47-5.725GHz	Pass	PK	17.14912G	62.35	68.20	-5.85	3	Horizontal	225	1.50
802.11ax HEW20_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5260MHz	Pass	AV	5.1406G	47.17	54.00	-6.83	3	Vertical	337	1.90
5260MHz	Pass	AV	5.2558G	110.22	Inf	-Inf	3	Vertical	337	1.90
5260MHz	Pass	AV	5.362G	47.28	54.00	-6.72	3	Vertical	337	1.90
5260MHz	Pass	PK	5.14G	59.59	74.00	-14.41	3	Vertical	337	1.90
5260MHz	Pass	PK	5.257G	122.93	Inf	-Inf	3	Vertical	337	1.90
5260MHz	Pass	PK	5.386G	59.25	74.00	-14.75	3	Vertical	337	1.90
5260MHz	Pass	AV	15.76568G	47.29	54.00	-6.71	3	Vertical	323	1.12
5260MHz	Pass	PK	10.51896G	63.05	68.20	-5.15	3	Vertical	134	2.72
5260MHz	Pass	PK	15.79552G	60.23	74.00	-13.77	3	Vertical	323	1.12
5260MHz	Pass	AV	15.76312G	47.32	54.00	-6.68	3	Horizontal	0	3.00
5260MHz	Pass	PK	10.52888G	58.97	68.20	-9.23	3	Horizontal	165	3.00
5260MHz	Pass	PK	15.78872G	60.99	74.00	-13.01	3	Horizontal	0	3.00
5300MHz	Pass	AV	5.2972G	109.96	Inf	-Inf	3	Vertical	334	1.42
5300MHz	Pass	AV	5.35G	47.95	54.00	-6.05	3	Vertical	334	1.42
5300MHz	Pass	PK	5.2984G	122.36	Inf	-Inf	3	Vertical	334	1.42
5300MHz	Pass	PK	5.3672G	60.95	74.00	-13.05	3	Vertical	334	1.42
5300MHz	Pass	AV	10.6002G	51.86	54.00	-2.14	3	Vertical	118	2.21
5300MHz	Pass	AV	15.91904G	47.09	54.00	-6.91	3	Vertical	328	1.50
5300MHz	Pass	PK	10.608G	65.93	74.00	-8.07	3	Vertical	118	2.21
5300MHz	Pass	PK	15.91336G	60.09	74.00	-13.91	3	Vertical	328	1.50
5300MHz	Pass	AV	10.60016G	46.12	54.00	-7.88	3	Horizontal	160	1.00
5300MHz	Pass	AV	15.91504G	47.07	54.00	-6.93	3	Horizontal	174	1.50
5300MHz	Pass	PK	10.60104G	60.85	74.00	-13.15	3	Horizontal	160	1.00
5300MHz	Pass	PK	15.90512G	60.55	74.00	-13.45	3	Horizontal	174	1.50
5320MHz	Pass	AV	5.319G	109.26	Inf	-Inf	3	Vertical	332	1.44
5320MHz	Pass	AV	5.35G	53.41	54.00	-0.59	3	Vertical	332	1.44
5320MHz	Pass	PK	5.319G	122.39	Inf	-Inf	3	Vertical	332	1.44
5320MHz	Pass	PK	5.3502G	67.65	74.00	-6.35	3	Vertical	332	1.44
5320MHz	Pass	AV	10.63994G	42.89	54.00	-11.11	3	Vertical	147	2.16
5320MHz	Pass	AV	15.96228G	39.36	54.00	-14.64	3	Vertical	168	1.67
5320MHz	Pass	PK	10.64072G	57.40	74.00	-16.60	3	Vertical	147	2.16
5320MHz	Pass	PK	15.96306G	57.50	74.00	-16.50	3	Vertical	168	1.67
5320MHz	Pass	AV	10.64006G	39.99	54.00	-14.01	3	Horizontal	189	2.10
5320MHz	Pass	AV	15.95712G	38.53	54.00	-15.47	3	Horizontal	145	1.50
5320MHz	Pass	PK	10.63928G	52.73	74.00	-21.27	3	Horizontal	189	2.10
5320MHz	Pass	PK	15.95028G	52.60	74.00	-21.40	3	Horizontal	145	1.50
5500MHz	Pass	AV	5.4592G	46.93	54.00	-7.07	3	Vertical	158	1.90
5500MHz	Pass	AV	5.5088G	107.55	Inf	-Inf	3	Vertical	158	1.90
5500MHz	Pass	PK	5.4594G	60.51	74.00	-13.49	3	Vertical	158	1.90
5500MHz	Pass	PK	5.4678G	66.63	68.20	-1.57	3	Vertical	158	1.90
5500MHz	Pass	PK	5.5084G	119.54	Inf	-Inf	3	Vertical	158	1.90
5500MHz	Pass	AV	11.00048G	43.69	54.00	-10.31	3	Vertical	194	1.99
5500MHz	Pass	PK	10.99972G	55.99	74.00	-18.01	3	Vertical	194	1.99
5500MHz	Pass	PK	16.49796G	51.44	68.20	-16.76	3	Vertical	119	3.00
5500MHz	Pass	AV	11.0042G	43.03	54.00	-10.97	3	Horizontal	207	2.03



**RSE TX above 1GHz_
Non-Beamforming_Radio2(Low Band)+Radio3(High Band)**

Appendix D.2

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5500MHz	Pass	PK	10.99456G	57.51	74.00	-16.49	3	Horizontal	207	2.03
5500MHz	Pass	PK	16.50412G	51.02	68.20	-17.18	3	Horizontal	238	1.50
5580MHz	Pass	AV	5.4402G	47.28	54.00	-6.72	3	Vertical	226	2.36
5580MHz	Pass	AV	5.5716G	111.19	Inf	-Inf	3	Vertical	226	2.36
5580MHz	Pass	PK	5.4672G	59.61	68.20	-8.59	3	Vertical	226	2.36
5580MHz	Pass	PK	5.5716G	122.57	Inf	-Inf	3	Vertical	226	2.36
5580MHz	Pass	PK	5.7264G	59.88	68.20	-8.32	3	Vertical	226	2.36
5580MHz	Pass	AV	11.15992G	48.97	54.00	-5.03	3	Vertical	177	1.14
5580MHz	Pass	PK	11.15968G	61.41	74.00	-12.59	3	Vertical	177	1.14
5580MHz	Pass	PK	16.74728G	61.34	68.20	-6.86	3	Vertical	249	2.28
5580MHz	Pass	AV	11.16032G	51.51	54.00	-2.49	3	Horizontal	168	3.00
5580MHz	Pass	PK	11.16032G	63.57	74.00	-10.43	3	Horizontal	168	3.00
5580MHz	Pass	PK	16.75672G	61.77	68.20	-6.43	3	Horizontal	243	1.50
5700MHz	Pass	AV	5.6912G	106.39	Inf	-Inf	3	Vertical	191	2.00
5700MHz	Pass	PK	5.6916G	118.75	Inf	-Inf	3	Vertical	191	2.00
5700MHz	Pass	PK	5.7304G	67.10	68.20	-1.10	3	Vertical	191	2.00
5700MHz	Pass	AV	11.39536G	47.04	54.00	-6.96	3	Vertical	279	2.11
5700MHz	Pass	PK	11.40496G	60.44	74.00	-13.56	3	Vertical	279	2.11
5700MHz	Pass	PK	17.11112G	62.49	68.20	-5.71	3	Vertical	154	1.50
5700MHz	Pass	AV	11.39536G	44.67	54.00	-9.33	3	Horizontal	318	2.14
5700MHz	Pass	PK	11.3968G	58.35	74.00	-15.65	3	Horizontal	318	2.14
5700MHz	Pass	PK	17.0896G	62.04	68.20	-6.16	3	Horizontal	360	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.4212G	47.24	54.00	-6.76	3	Vertical	160	1.83
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.7128G	109.95	Inf	-Inf	3	Vertical	160	1.83
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4692G	59.20	68.20	-9.00	3	Vertical	160	1.83
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.7128G	121.89	Inf	-Inf	3	Vertical	160	1.83
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.8664G	62.66	68.20	-5.54	3	Vertical	160	1.83
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.4444G	49.35	54.00	-4.65	3	Vertical	278	2.02
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.44432G	62.16	74.00	-11.84	3	Vertical	278	2.02
5720MHz Straddle 5.47-5.725GHz	Pass	PK	17.14784G	62.59	68.20	-5.61	3	Vertical	339	2.84
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.44344G	46.16	54.00	-7.84	3	Horizontal	320	2.13
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.438G	59.21	74.00	-14.79	3	Horizontal	320	2.13
5720MHz Straddle 5.47-5.725GHz	Pass	PK	17.164G	63.03	68.20	-5.17	3	Horizontal	223	2.18
802.11ax HEW40_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5270MHz	Pass	AV	5.2784G	107.39	Inf	-Inf	3	Vertical	320	1.96
5270MHz	Pass	AV	5.35G	50.27	54.00	-3.73	3	Vertical	320	1.96
5270MHz	Pass	PK	5.2784G	119.69	Inf	-Inf	3	Vertical	320	1.96
5270MHz	Pass	PK	5.35G	64.07	74.00	-9.93	3	Vertical	320	1.96
5270MHz	Pass	AV	15.78616G	47.29	54.00	-6.71	3	Vertical	300	2.54
5270MHz	Pass	PK	10.53024G	62.77	68.20	-5.43	3	Vertical	131	2.86
5270MHz	Pass	PK	15.79896G	60.61	74.00	-13.39	3	Vertical	300	2.54
5270MHz	Pass	AV	15.77656G	47.30	54.00	-6.70	3	Horizontal	325	1.50
5270MHz	Pass	PK	10.53904G	56.02	68.20	-12.18	3	Horizontal	160	1.00
5270MHz	Pass	PK	15.7716G	60.43	74.00	-13.57	3	Horizontal	325	1.50
5310MHz	Pass	AV	5.3024G	105.47	Inf	-Inf	3	Vertical	334	2.08
5310MHz	Pass	AV	5.3524G	53.01	54.00	-0.99	3	Vertical	334	2.08
5310MHz	Pass	PK	5.3028G	118.21	Inf	-Inf	3	Vertical	334	2.08
5310MHz	Pass	PK	5.3524G	66.06	74.00	-7.94	3	Vertical	334	2.08
5310MHz	Pass	AV	10.61968G	50.34	54.00	-3.66	3	Vertical	112	2.12
5310MHz	Pass	AV	15.96568G	47.56	54.00	-6.44	3	Vertical	149	1.50
5310MHz	Pass	PK	10.61984G	63.45	74.00	-10.55	3	Vertical	112	2.12
5310MHz	Pass	PK	15.92792G	60.88	74.00	-13.12	3	Vertical	149	1.50
5310MHz	Pass	AV	10.6296G	45.80	54.00	-8.20	3	Horizontal	163	3.00
5310MHz	Pass	AV	15.96968G	47.69	54.00	-6.31	3	Horizontal	316	2.22
5310MHz	Pass	PK	10.62896G	59.22	74.00	-14.78	3	Horizontal	163	3.00
5310MHz	Pass	PK	15.94856G	60.92	74.00	-13.08	3	Horizontal	316	2.22
5510MHz	Pass	AV	5.4568G	48.48	54.00	-5.52	3	Vertical	180	1.84
5510MHz	Pass	AV	5.516G	102.82	Inf	-Inf	3	Vertical	180	1.84
5510MHz	Pass	PK	5.4668G	65.71	68.20	-2.49	3	Vertical	180	1.84
5510MHz	Pass	PK	5.5148G	115.66	Inf	-Inf	3	Vertical	180	1.84
5510MHz	Pass	AV	11.0168G	48.65	54.00	-5.35	3	Vertical	186	2.44
5510MHz	Pass	PK	11.0176G	61.54	74.00	-12.46	3	Vertical	186	2.44



**RSE TX above 1GHz_
Non-Beamforming_Radio2(Low Band)+Radio3(High Band)**

Appendix D.2

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5510MHz	Pass	PK	16.50792G	61.59	68.20	-6.61	3	Vertical	323	1.12
5510MHz	Pass	AV	11.0216G	49.81	54.00	-4.19	3	Horizontal	168	2.97
5510MHz	Pass	PK	11.03024G	62.83	74.00	-11.17	3	Horizontal	168	2.97
5510MHz	Pass	PK	16.5596G	61.94	68.20	-6.26	3	Horizontal	292	1.50
5550MHz	Pass	AV	5.4564G	50.10	54.00	-3.90	3	Vertical	181	1.70
5550MHz	Pass	AV	5.5456G	107.37	Inf	-Inf	3	Vertical	181	1.70
5550MHz	Pass	PK	5.4644G	66.68	68.20	-1.52	3	Vertical	181	1.70
5550MHz	Pass	PK	5.5472G	119.83	Inf	-Inf	3	Vertical	181	1.70
5550MHz	Pass	AV	11.09824G	47.65	54.00	-6.35	3	Vertical	186	2.42
5550MHz	Pass	PK	11.09904G	60.52	74.00	-13.48	3	Vertical	186	2.42
5550MHz	Pass	PK	16.62696G	62.73	68.20	-5.47	3	Vertical	0	1.50
5550MHz	Pass	AV	11.1008G	49.67	54.00	-4.33	3	Horizontal	167	3.00
5550MHz	Pass	PK	11.08064G	62.01	74.00	-11.99	3	Horizontal	167	3.00
5550MHz	Pass	PK	16.65912G	62.18	68.20	-6.02	3	Horizontal	273	1.74
5670MHz	Pass	AV	5.6664G	103.60	Inf	-Inf	3	Vertical	98	1.80
5670MHz	Pass	PK	5.6658G	115.68	Inf	-Inf	3	Vertical	98	1.80
5670MHz	Pass	PK	5.7282G	64.80	68.20	-3.40	3	Vertical	98	1.80
5670MHz	Pass	AV	11.34464G	46.79	54.00	-7.21	3	Vertical	277	2.01
5670MHz	Pass	PK	11.33408G	59.19	74.00	-14.81	3	Vertical	277	2.01
5670MHz	Pass	PK	17.01032G	61.95	68.20	-6.25	3	Vertical	37	1.50
5670MHz	Pass	AV	11.34496G	44.59	54.00	-9.41	3	Horizontal	319	2.00
5670MHz	Pass	PK	11.34368G	57.32	74.00	-16.68	3	Horizontal	319	2.00
5670MHz	Pass	PK	17.02024G	60.94	68.20	-7.26	3	Horizontal	360	2.13
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.4388G	47.18	54.00	-6.82	3	Vertical	98	1.98
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.7148G	107.50	Inf	-Inf	3	Vertical	98	1.98
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.4604G	59.61	68.20	-8.59	3	Vertical	98	1.98
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.716G	119.19	Inf	-Inf	3	Vertical	98	1.98
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.8792G	62.04	68.20	-6.16	3	Vertical	98	1.98
5710MHz Straddle 5.47-5.725GHz	Pass	AV	11.42496G	48.55	54.00	-5.45	3	Vertical	278	1.98
5710MHz Straddle 5.47-5.725GHz	Pass	PK	11.41456G	61.02	74.00	-12.98	3	Vertical	278	1.98
5710MHz Straddle 5.47-5.725GHz	Pass	PK	17.12648G	62.86	68.20	-5.34	3	Vertical	360	2.82
5710MHz Straddle 5.47-5.725GHz	Pass	AV	11.424G	44.82	54.00	-9.18	3	Horizontal	321	2.20
5710MHz Straddle 5.47-5.725GHz	Pass	PK	11.41536G	57.38	74.00	-16.62	3	Horizontal	321	2.20
5710MHz Straddle 5.47-5.725GHz	Pass	PK	17.14664G	61.96	68.20	-6.24	3	Horizontal	23	1.31
802.11ax HEW80_Nss1_(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5290MHz	Pass	AV	5.141G	47.44	54.00	-6.56	3	Vertical	334	1.77
5290MHz	Pass	AV	5.293G	102.14	Inf	-Inf	3	Vertical	334	1.77
5290MHz	Pass	AV	5.353G	53.28	54.00	-0.72	3	Vertical	334	1.77
5290MHz	Pass	PK	5.139G	59.53	74.00	-14.47	3	Vertical	334	1.77
5290MHz	Pass	PK	5.292G	114.04	Inf	-Inf	3	Vertical	334	1.77
5290MHz	Pass	PK	5.353G	66.32	74.00	-7.68	3	Vertical	334	1.77
5290MHz	Pass	PK	5.539G	59.97	68.20	-8.23	3	Vertical	334	1.77
5290MHz	Pass	AV	15.94232G	47.46	54.00	-6.54	3	Vertical	62	1.31
5290MHz	Pass	PK	10.58064G	58.67	68.20	-9.53	3	Vertical	107	2.48
5290MHz	Pass	PK	15.91576G	60.20	74.00	-13.80	3	Vertical	62	1.31
5290MHz	Pass	AV	15.93688G	47.48	54.00	-6.52	3	Horizontal	294	1.00
5290MHz	Pass	PK	10.60496G	56.42	74.00	-17.58	3	Horizontal	157	1.86
5290MHz	Pass	PK	15.88312G	59.69	74.00	-14.31	3	Horizontal	294	1.00
5530MHz	Pass	AV	5.457G	50.20	54.00	-3.80	3	Vertical	182	1.50
5530MHz	Pass	AV	5.537G	99.87	Inf	-Inf	3	Vertical	182	1.50
5530MHz	Pass	PK	5.466G	65.52	68.20	-2.68	3	Vertical	182	1.50
5530MHz	Pass	PK	5.526G	112.31	Inf	-Inf	3	Vertical	182	1.50
5530MHz	Pass	PK	5.74G	61.62	68.20	-6.58	3	Vertical	182	1.50
5530MHz	Pass	AV	11.04848G	45.87	54.00	-8.13	3	Vertical	187	2.31
5530MHz	Pass	PK	11.05008G	58.34	74.00	-15.66	3	Vertical	187	2.31
5530MHz	Pass	PK	16.5132G	62.11	68.20	-6.09	3	Vertical	183	1.50
5530MHz	Pass	AV	11.04976G	47.21	54.00	-6.79	3	Horizontal	168	3.00
5530MHz	Pass	PK	11.05008G	59.37	74.00	-14.63	3	Horizontal	168	3.00
5530MHz	Pass	PK	16.55416G	62.13	68.20	-6.07	3	Horizontal	0	1.26
5610MHz	Pass	AV	5.456G	48.17	54.00	-5.83	3	Vertical	161	1.94
5610MHz	Pass	AV	5.615G	102.38	Inf	-Inf	3	Vertical	161	1.94
5610MHz	Pass	PK	5.466G	61.86	68.20	-6.34	3	Vertical	161	1.94



**RSE TX above 1GHz_
Non-Beamforming_Radio2(Low Band)+Radio3(High Band)**


Appendix D.2

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5610MHz	Pass	PK	5.604G	115.84	Inf	-Inf	3	Vertical	161	1.94
5610MHz	Pass	PK	5.732G	67.52	68.20	-0.68	3	Vertical	161	1.94
5610MHz	Pass	AV	11.19888G	44.79	54.00	-9.21	3	Vertical	184	2.13
5610MHz	Pass	PK	11.19696G	57.93	74.00	-16.07	3	Vertical	184	2.13
5610MHz	Pass	PK	16.77208G	60.98	68.20	-7.22	3	Vertical	86	1.50
5610MHz	Pass	AV	11.21008G	44.44	54.00	-9.56	3	Horizontal	168	2.89
5610MHz	Pass	PK	11.18992G	57.48	74.00	-16.52	3	Horizontal	168	2.89
5610MHz	Pass	PK	16.78648G	62.03	68.20	-6.17	3	Horizontal	294	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.4536G	47.57	54.00	-6.43	3	Vertical	158	2.01
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.6924G	103.44	Inf	-Inf	3	Vertical	158	2.01
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.4608G	60.75	68.20	-7.45	3	Vertical	158	2.01
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.6924G	116.46	Inf	-Inf	3	Vertical	158	2.01
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.8508G	66.43	68.20	-1.77	3	Vertical	158	2.01
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.37456G	47.28	54.00	-6.72	3	Vertical	277	2.01
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.38416G	59.60	74.00	-14.40	3	Vertical	277	2.01
5690MHz Straddle 5.47-5.725GHz	Pass	PK	17.11832G	63.21	68.20	-4.99	3	Vertical	209	1.11
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.37456G	43.54	54.00	-10.46	3	Horizontal	226	2.29
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.38448G	56.10	74.00	-17.90	3	Horizontal	226	2.29
5690MHz Straddle 5.47-5.725GHz	Pass	PK	17.06648G	62.37	68.20	-5.83	3	Horizontal	272	1.82
802.11ax HEW160_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5570MHz	Pass	AV	5.4548G	50.49	54.00	-3.51	3	Vertical	179	1.76
5570MHz	Pass	AV	5.5652G	98.52	Inf	-Inf	3	Vertical	179	1.76
5570MHz	Pass	PK	5.4644G	64.11	68.20	-4.09	3	Vertical	179	1.76
5570MHz	Pass	PK	5.5652G	111.66	Inf	-Inf	3	Vertical	179	1.76
5570MHz	Pass	PK	5.726G	66.43	68.20	-1.77	3	Vertical	179	1.76
5570MHz	Pass	AV	11.11952G	43.04	54.00	-10.96	3	Vertical	176	1.12
5570MHz	Pass	PK	11.07984G	55.95	74.00	-18.05	3	Vertical	176	1.12
5570MHz	Pass	PK	16.65752G	62.12	68.20	-6.08	3	Vertical	54	1.50
5570MHz	Pass	AV	11.13104G	44.39	54.00	-9.61	3	Horizontal	167	3.00
5570MHz	Pass	PK	11.16112G	56.94	74.00	-17.06	3	Horizontal	167	3.00
5570MHz	Pass	PK	16.65304G	62.34	68.20	-5.86	3	Horizontal	71	1.50



5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX


5260MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.146G	47.69	54.00	-6.31	8.81	3	Vertical	337	1.90	23	38.88	33.11	9.83	34.13
AV	5.2606G	111.22	Inf	-Inf	8.93	3	Vertical	337	1.90	23	102.29	33.18	9.90	34.15
AV	5.3584G	47.77	54.00	-6.23	8.73	3	Vertical	337	1.90	23	39.04	32.92	9.97	34.16
PK	5.1166G	59.91	74.00	-14.09	8.86	3	Vertical	337	1.90	23	51.05	33.17	9.81	34.12
PK	5.2606G	121.20	Inf	-Inf	8.93	3	Vertical	337	1.90	23	112.27	33.18	9.90	34.15
PK	5.3554G	60.01	74.00	-13.99	8.72	3	Vertical	337	1.90	23	51.29	32.91	9.97	34.16

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5260MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.77616G	47.92	54.00	-6.08	19.49	3	Vertical	217	1.50	-	28.43	38.20	15.85	34.56
PK	10.51424G	65.39	68.20	-2.81	17.29	3	Vertical	132	2.85	23	48.10	39.04	12.73	34.48
PK	15.79672G	60.42	74.00	-13.58	19.49	3	Vertical	217	1.50	-	40.93	38.20	15.87	34.58



5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX


5260MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.76856G	47.87	54.00	-6.13	19.49	3	Horizontal	0	1.00	-	28.38	38.20	15.85	34.56
PK	10.51408G	59.59	68.20	-8.61	17.29	3	Horizontal	165	3.00	23	42.30	39.04	12.73	34.48
PK	15.77768G	60.95	74.00	-13.05	19.49	3	Horizontal	0	1.00	-	41.46	38.20	15.86	34.57

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5300MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3032G	108.30	Inf	-Inf	5.35	3	Vertical	332	1.50	102.95	32.99	6.52	34.16
AV	5.3532G	44.03	54.00	-9.97	5.30	3	Vertical	332	1.50	38.73	32.90	6.56	34.16
PK	5.2984G	118.10	Inf	-Inf	5.36	3	Vertical	332	1.50	112.74	33.00	6.52	34.16
PK	5.3676G	57.27	74.00	-16.73	5.31	3	Vertical	332	1.50	51.96	32.90	6.57	34.16



5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX


5300MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.89616G	39.17	54.00	-14.83	15.99	3	Vertical	167	1.64	23.18	38.21	12.38	34.60
PK	10.5916G	51.95	68.20	-16.25	15.55	3	Vertical	277	2.04	36.40	38.90	11.10	34.45
PK	15.89232G	52.11	74.00	-21.89	15.99	3	Vertical	167	1.64	36.12	38.22	12.37	34.60

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5300MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.91896G	38.84	54.00	-15.16	15.93	3	Horizontal	60	1.38	22.91	38.16	12.39	34.62
PK	10.59448G	53.28	68.20	-14.92	15.56	3	Horizontal	150	1.06	37.72	38.90	11.10	34.44
PK	15.91552G	50.77	74.00	-23.23	15.95	3	Horizontal	60	1.38	34.82	38.17	12.39	34.61



5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX


5320MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3168G	108.40	Inf	-Inf	5.34	3	Vertical	330	1.58	103.06	32.97	6.53	34.16
AV	5.3522G	52.42	54.00	-1.58	5.30	3	Vertical	330	1.58	47.12	32.90	6.56	34.16
PK	5.3168G	118.55	Inf	-Inf	5.34	3	Vertical	330	1.58	113.21	32.97	6.53	34.16
PK	5.351G	66.58	74.00	-7.42	5.30	3	Vertical	330	1.58	61.28	32.90	6.56	34.16

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX


5320MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.64012G	43.37	54.00	-10.63	15.73	3	Vertical	149	2.16	27.64	39.02	11.12	34.41
AV	15.95334G	39.53	54.00	-14.47	15.86	3	Vertical	165	1.54	23.67	38.09	12.41	34.64
PK	10.64018G	54.53	74.00	-19.47	15.73	3	Vertical	149	2.16	38.80	39.02	11.12	34.41
PK	15.96948G	53.14	74.00	-20.86	15.82	3	Vertical	165	1.54	37.32	38.06	12.42	34.66

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX


5320MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.63988G	41.63	54.00	-12.37	15.73	3	Horizontal	157	2.86	25.90	39.02	11.12	34.41
AV	15.96G	38.72	54.00	-15.28	15.85	3	Horizontal	95	1.52	22.87	38.08	12.42	34.65
PK	10.63406G	52.84	74.00	-21.16	15.69	3	Horizontal	157	2.86	37.15	39.00	11.11	34.42
PK	15.94554G	50.82	74.00	-23.18	15.88	3	Horizontal	95	1.52	34.94	38.11	12.41	34.64

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX


5500MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4574G	47.16	54.00	-6.84	5.37	3	Vertical	201	1.95	41.79	32.90	6.64	34.17
AV	5.5074G	109.47	Inf	-Inf	5.41	3	Vertical	201	1.95	104.06	32.90	6.69	34.18
PK	5.457G	60.33	74.00	-13.67	5.37	3	Vertical	201	1.95	54.96	32.90	6.64	34.17
PK	5.4666G	67.53	68.20	-0.67	5.37	3	Vertical	201	1.95	62.16	32.90	6.65	34.18
PK	5.5074G	118.70	Inf	-Inf	5.41	3	Vertical	201	1.95	113.29	32.90	6.69	34.18

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX


5500MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.00016G	45.68	54.00	-8.32	16.09	3	Vertical	194	1.98	29.59	39.00	11.25	34.16
PK	11G	57.40	74.00	-16.60	16.09	3	Vertical	194	1.98	41.31	39.00	11.25	34.16
PK	16.49432G	50.59	68.20	-17.61	16.82	3	Vertical	358	2.00	33.77	38.37	12.66	34.21

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5500MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.0022G	45.45	54.00	-8.55	16.09	3	Horizontal	207	2.17	29.36	39.00	11.25	34.16
PK	11.00132G	58.18	74.00	-15.82	16.09	3	Horizontal	207	2.17	42.09	39.00	11.25	34.16
PK	16.49948G	51.03	68.20	-17.17	16.87	3	Horizontal	360	2.38	34.16	38.40	12.67	34.20



5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX


5580MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4546G	47.69	54.00	-6.31	8.86	3	Vertical	162	1.68	23	38.83	33.02	10.02	34.18
AV	5.5728G	110.94	Inf	-Inf	9.07	3	Vertical	162	1.68	23	101.87	33.20	10.06	34.19
PK	5.469G	59.13	68.20	-9.07	8.92	3	Vertical	162	1.68	23	50.21	33.08	10.02	34.18
PK	5.5878G	120.32	Inf	-Inf	9.07	3	Vertical	162	1.68	23	111.25	33.20	10.07	34.20
PK	5.7288G	60.96	68.20	-7.24	9.81	3	Vertical	162	1.68	23	51.15	33.87	10.14	34.20

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX


5580MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.15816G	51.37	54.00	-2.63	18.09	3	Vertical	186	2.44	23	33.28	39.16	12.98	34.05
PK	11.16272G	63.65	74.00	-10.35	18.09	3	Vertical	186	2.44	23	45.56	39.16	12.98	34.05
PK	16.72512G	61.81	68.20	-6.39	20.14	3	Vertical	12	3.00	-	41.67	37.90	16.14	33.90




5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX
5580MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.16008G	49.81	54.00	-4.19	18.09	3	Horizontal	166	2.20	23	31.72	39.16	12.98	34.05
PK	11.1604G	62.59	74.00	-11.41	18.09	3	Horizontal	166	2.20	23	44.50	39.16	12.98	34.05
PK	16.7248G	62.25	68.20	-5.95	20.14	3	Horizontal	258	2.86	-	42.11	37.90	16.14	33.90


5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX
5700MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.6932G	106.37	Inf	-Inf	9.58	3	Vertical	98	2.10	18	96.79	33.66	10.12	34.20
PK	5.6932G	116.21	Inf	-Inf	9.58	3	Vertical	98	2.10	18	106.63	33.66	10.12	34.20
PK	5.7276G	66.96	68.20	-1.24	9.81	3	Vertical	98	2.10	18	57.15	33.87	10.14	34.20




5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX
5700MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.39784G	48.24	54.00	-5.76	18.42	3	Vertical	277	2.09	18	29.82	39.40	13.08	34.06
PK	11.39728G	60.66	74.00	-13.34	18.41	3	Vertical	277	2.09	18	42.25	39.40	13.07	34.06
PK	17.10656G	62.14	68.20	-6.06	20.70	3	Vertical	233	1.50	-	41.44	37.80	16.20	33.30

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX
5700MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.40176G	45.29	54.00	-8.71	18.42	3	Horizontal	321	2.07	18	26.87	39.40	13.08	34.06
PK	11.40176G	58.64	74.00	-15.36	18.42	3	Horizontal	321	2.07	18	40.22	39.40	13.08	34.06
PK	17.11288G	62.11	68.20	-6.09	20.70	3	Horizontal	354	1.50	-	41.41	37.80	16.20	33.30



5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX


5720MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4332G	47.54	54.00	-6.46	8.83	3	Vertical	97	1.97	23	38.71	33.00	10.01	34.18
AV	5.7128G	111.45	Inf	-Inf	9.71	3	Vertical	97	1.97	23	101.74	33.78	10.13	34.20
PK	5.4692G	58.80	68.20	-9.40	8.92	3	Vertical	97	1.97	23	49.88	33.08	10.02	34.18
PK	5.7128G	120.95	Inf	-Inf	9.71	3	Vertical	97	1.97	23	111.24	33.78	10.13	34.20
PK	5.8616G	61.66	68.20	-6.54	10.37	3	Vertical	97	1.97	23	51.29	34.35	10.23	34.21


5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.44248G	50.10	54.00	-3.90	18.35	3	Vertical	279	2.01	23	31.75	39.32	13.09	34.06
PK	11.44192G	62.62	74.00	-11.38	18.35	3	Vertical	279	2.01	23	44.27	39.32	13.09	34.06
PK	17.17168G	62.31	68.20	-5.89	20.72	3	Vertical	24	3.00	-	41.59	37.80	16.21	33.29

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX
5720MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.442G	46.73	54.00	-7.27	18.35	3	Horizontal	318	2.64	23	28.38	39.32	13.09	34.06
PK	11.44144G	59.52	74.00	-14.48	18.35	3	Horizontal	318	2.64	23	41.17	39.32	13.09	34.06
PK	17.14912G	62.35	68.20	-5.85	20.71	3	Horizontal	225	1.50	-	41.64	37.80	16.20	33.29


5.25-5.35GHz_802.11ax HEW20_Nss1,(MCS0)_2TX
5260MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1406G	47.17	54.00	-6.83	8.82	3	Vertical	337	1.90	23	38.35	33.12	9.83	34.13
AV	5.2558G	110.22	Inf	-Inf	8.94	3	Vertical	337	1.90	23	101.28	33.19	9.90	34.15
AV	5.362G	47.28	54.00	-6.72	8.72	3	Vertical	337	1.90	23	38.56	32.92	9.97	34.17
PK	5.14G	59.59	74.00	-14.41	8.82	3	Vertical	337	1.90	23	50.77	33.12	9.83	34.13
PK	5.257G	122.93	Inf	-Inf	8.94	3	Vertical	337	1.90	23	113.99	33.19	9.90	34.15
PK	5.386G	59.25	74.00	-14.75	8.79	3	Vertical	337	1.90	23	50.46	32.97	9.99	34.17




5.25-5.35GHz_802.11ax HEW20_Nss1,(MCS0)_2TX
5260MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.76568G	47.29	54.00	-6.71	19.49	3	Vertical	323	1.12	-	27.80	38.20	15.85	34.56
PK	10.51896G	63.05	68.20	-5.15	17.32	3	Vertical	134	2.72	23	45.73	39.06	12.73	34.47
PK	15.79552G	60.23	74.00	-13.77	19.49	3	Vertical	323	1.12	-	40.74	38.20	15.87	34.58


5.25-5.35GHz_802.11ax HEW20_Nss1,(MCS0)_2TX
5260MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.76312G	47.32	54.00	-6.68	19.48	3	Horizontal	-0	3.00	-	27.84	38.20	15.84	34.56
PK	10.52888G	58.97	68.20	-9.23	17.37	3	Horizontal	165	3.00	23	41.60	39.09	12.74	34.46
PK	15.78872G	60.99	74.00	-13.01	19.49	3	Horizontal	-0	3.00	-	41.50	38.20	15.86	34.57




5.25-5.35GHz_802.11ax HEW20_Nss1,(MCS0)_2TX
5300MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.2972G	109.96	Inf	-Inf	8.89	3	Vertical	334	1.42	23	101.07	33.11	9.93	34.15
AV	5.35G	47.95	54.00	-6.05	8.70	3	Vertical	334	1.42	23	39.25	32.90	9.96	34.16
PK	5.2984G	122.36	Inf	-Inf	8.88	3	Vertical	334	1.42	23	113.48	33.10	9.93	34.15
PK	5.3672G	60.95	74.00	-13.05	8.74	3	Vertical	334	1.42	23	52.21	32.93	9.98	34.17


5.25-5.35GHz_802.11ax HEW20_Nss1,(MCS0)_2TX
5300MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.6002G	51.86	54.00	-2.14	17.66	3	Vertical	118	2.21	23	34.20	39.30	12.76	34.40
AV	15.91904G	47.09	54.00	-6.91	19.32	3	Vertical	328	1.50	-	27.77	38.00	15.96	34.64
PK	10.608G	65.93	74.00	-8.07	17.69	3	Vertical	118	2.21	23	48.24	39.31	12.77	34.39
PK	15.91336G	60.09	74.00	-13.91	19.32	3	Vertical	328	1.50	-	40.77	38.00	15.96	34.64




5.25-5.35GHz_802.11ax HEW20_Nss1,(MCS0)_2TX
5300MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.60016G	46.12	54.00	-7.88	17.66	3	Horizontal	160	1.00	23	28.46	39.30	12.76	34.40
AV	15.91504G	47.07	54.00	-6.93	19.32	3	Horizontal	174	1.50	-	27.75	38.00	15.96	34.64
PK	10.60104G	60.85	74.00	-13.15	17.66	3	Horizontal	160	1.00	23	43.19	39.30	12.76	34.40
PK	15.90512G	60.55	74.00	-13.45	19.31	3	Horizontal	174	1.50	-	41.24	38.00	15.95	34.64

5.25-5.35GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5320MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.319G	109.26	Inf	-Inf	5.33	3	Vertical	332	1.44	103.93	32.96	6.53	34.16
AV	5.35G	53.41	54.00	-0.59	5.29	3	Vertical	332	1.44	48.12	32.90	6.55	34.16
PK	5.319G	122.39	Inf	-Inf	5.33	3	Vertical	332	1.44	117.06	32.96	6.53	34.16
PK	5.3502G	67.65	74.00	-6.35	5.30	3	Vertical	332	1.44	62.35	32.90	6.56	34.16



5.25-5.35GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


5320MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.63994G	42.89	54.00	-11.11	15.73	3	Vertical	147	2.16	27.16	39.02	11.12	34.41
AV	15.96228G	39.36	54.00	-14.64	15.85	3	Vertical	168	1.67	23.51	38.08	12.42	34.65
PK	10.64072G	57.40	74.00	-16.60	15.73	3	Vertical	147	2.16	41.67	39.02	11.12	34.41
PK	15.96306G	57.50	74.00	-16.50	15.84	3	Vertical	168	1.67	41.66	38.07	12.42	34.65

5.25-5.35GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5320MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.64006G	39.99	54.00	-14.01	15.73	3	Horizontal	189	2.10	24.26	39.02	11.12	34.41
AV	15.95712G	38.53	54.00	-15.47	15.85	3	Horizontal	145	1.50	22.68	38.09	12.41	34.65
PK	10.63928G	52.73	74.00	-21.27	15.73	3	Horizontal	189	2.10	37.00	39.02	11.12	34.41
PK	15.95028G	52.60	74.00	-21.40	15.87	3	Horizontal	145	1.50	36.73	38.10	12.41	34.64



5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


5500MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4592G	46.93	54.00	-7.07	5.36	3	Vertical	158	1.90	41.57	32.90	6.64	34.18
AV	5.5088G	107.55	Inf	-Inf	5.41	3	Vertical	158	1.90	102.14	32.90	6.69	34.18
PK	5.4594G	60.51	74.00	-13.49	5.36	3	Vertical	158	1.90	55.15	32.90	6.64	34.18
PK	5.4678G	66.63	68.20	-1.57	5.37	3	Vertical	158	1.90	61.26	32.90	6.65	34.18
PK	5.5084G	119.54	Inf	-Inf	5.41	3	Vertical	158	1.90	114.13	32.90	6.69	34.18

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5500MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.00048G	43.69	54.00	-10.31	16.09	3	Vertical	194	1.99	27.60	39.00	11.25	34.16
PK	10.99972G	55.99	74.00	-18.01	16.09	3	Vertical	194	1.99	39.90	39.00	11.25	34.16
PK	16.49796G	51.44	68.20	-16.76	16.86	3	Vertical	119	3.00	34.58	38.39	12.67	34.20



5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


5500MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.0042G	43.03	54.00	-10.97	16.09	3	Horizontal	207	2.03	26.94	39.00	11.25	34.16
PK	10.99456G	57.51	74.00	-16.49	16.10	3	Horizontal	207	2.03	41.41	39.01	11.25	34.16
PK	16.50412G	51.02	68.20	-17.18	16.87	3	Horizontal	238	1.50	34.15	38.39	12.67	34.19


5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5580MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4402G	47.28	54.00	-6.72	8.83	3	Vertical	226	2.36	23	38.45	33.00	10.01	34.18
AV	5.5716G	111.19	Inf	-Inf	9.07	3	Vertical	226	2.36	23	102.12	33.20	10.06	34.19
PK	5.4672G	59.61	68.20	-8.59	8.91	3	Vertical	226	2.36	23	50.70	33.07	10.02	34.18
PK	5.5716G	122.57	Inf	-Inf	9.07	3	Vertical	226	2.36	23	113.50	33.20	10.06	34.19
PK	5.7264G	59.88	68.20	-8.32	9.80	3	Vertical	226	2.36	23	50.08	33.86	10.14	34.20

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX
5580MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.15992G	48.97	54.00	-5.03	18.09	3	Vertical	177	1.14	23	30.88	39.16	12.98	34.05
PK	11.15968G	61.41	74.00	-12.59	18.09	3	Vertical	177	1.14	23	43.32	39.16	12.98	34.05
PK	16.74728G	61.34	68.20	-6.86	20.19	3	Vertical	249	2.28	-	41.15	37.90	16.14	33.85


5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX
5580MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.16032G	51.51	54.00	-2.49	18.09	3	Horizontal	168	3.00	23	33.42	39.16	12.98	34.05
PK	11.16032G	63.57	74.00	-10.43	18.09	3	Horizontal	168	3.00	23	45.48	39.16	12.98	34.05
PK	16.75672G	61.77	68.20	-6.43	20.21	3	Horizontal	243	1.50	-	41.56	37.90	16.14	33.83




5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX
5700MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.6912G	106.39	Inf	-Inf	9.57	3	Vertical	191	2.00	18.5	96.82	33.65	10.12	34.20
PK	5.6916G	118.75	Inf	-Inf	9.57	3	Vertical	191	2.00	18.5	109.18	33.65	10.12	34.20
PK	5.7304G	67.10	68.20	-1.10	9.82	3	Vertical	191	2.00	18.5	57.28	33.88	10.14	34.20


5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX
5700MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.39536G	47.04	54.00	-6.96	18.41	3	Vertical	279	2.11	18.5	28.63	39.40	13.07	34.06
PK	11.40496G	60.44	74.00	-13.56	18.41	3	Vertical	279	2.11	18.5	42.03	39.39	13.08	34.06
PK	17.11112G	62.49	68.20	-5.71	20.70	3	Vertical	154	1.50	-	41.79	37.80	16.20	33.30




5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX
5700MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.39536G	44.67	54.00	-9.33	18.41	3	Horizontal	318	2.14	18.5	26.26	39.40	13.07	34.06
PK	11.3968G	58.35	74.00	-15.65	18.41	3	Horizontal	318	2.14	18.5	39.94	39.40	13.07	34.06
PK	17.0896G	62.04	68.20	-6.16	20.66	3	Horizontal	360	1.50	-	41.38	37.78	16.19	33.31


5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX
5720MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4212G	47.24	54.00	-6.76	8.83	3	Vertical	160	1.83	23	38.41	33.00	10.01	34.18
AV	5.7128G	109.95	Inf	-Inf	9.71	3	Vertical	160	1.83	23	100.24	33.78	10.13	34.20
PK	5.4692G	59.20	68.20	-9.00	8.92	3	Vertical	160	1.83	23	50.28	33.08	10.02	34.18
PK	5.7128G	121.89	Inf	-Inf	9.71	3	Vertical	160	1.83	23	112.18	33.78	10.13	34.20
PK	5.8664G	62.66	68.20	-5.54	10.39	3	Vertical	160	1.83	23	52.27	34.37	10.23	34.21




5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX
5720MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.4444G	49.35	54.00	-4.65	18.34	3	Vertical	278	2.02	23	31.01	39.31	13.09	34.06
PK	11.44432G	62.16	74.00	-11.84	18.34	3	Vertical	278	2.02	23	43.82	39.31	13.09	34.06
PK	17.14784G	62.59	68.20	-5.61	20.71	3	Vertical	339	2.84	-	41.88	37.80	16.20	33.29


5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX
5720MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.44344G	46.16	54.00	-7.84	18.34	3	Horizontal	320	2.13	23	27.82	39.31	13.09	34.06
PK	11.438G	59.21	74.00	-14.79	18.35	3	Horizontal	320	2.13	23	40.86	39.32	13.09	34.06
PK	17.164G	63.03	68.20	-5.17	20.72	3	Horizontal	223	2.18	-	42.31	37.80	16.21	33.29




5.25-5.35GHz_802.11ax HEW40_Nss1,(MCS0)_2TX
5270MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.2784G	107.39	Inf	-Inf	8.90	3	Vertical	320	1.96	23	98.49	33.14	9.91	34.15
AV	5.35G	50.27	54.00	-3.73	8.70	3	Vertical	320	1.96	23	41.57	32.90	9.96	34.16
PK	5.2784G	119.69	Inf	-Inf	8.90	3	Vertical	320	1.96	23	110.79	33.14	9.91	34.15
PK	5.35G	64.07	74.00	-9.93	8.70	3	Vertical	320	1.96	23	55.37	32.90	9.96	34.16

5.25-5.35GHz_802.11ax HEW40_Nss1,(MCS0)_2TX
5270MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.78616G	47.29	54.00	-6.71	19.49	3	Vertical	300	2.54	-	27.80	38.20	15.86	34.57
PK	10.53024G	62.77	68.20	-5.43	17.37	3	Vertical	131	2.86	23	45.40	39.09	12.74	34.46
PK	15.79896G	60.61	74.00	-13.39	19.49	3	Vertical	300	2.54	-	41.12	38.20	15.87	34.58