





5.25-5.35GHz_802.11ax HEW40_Nss1,(MCS0)_2TX
5270MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.77656G	47.30	54.00	-6.70	19.49	3	Horizontal	325	1.50	-	27.81	38.20	15.85	34.56
PK	10.53904G	56.02	68.20	-12.18	17.41	3	Horizontal	160	1.00	23	38.61	39.12	12.74	34.45
PK	15.7716G	60.43	74.00	-13.57	19.49	3	Horizontal	325	1.50	-	40.94	38.20	15.85	34.56


5.25-5.35GHz_802.11ax HEW40_Nss1,(MCS0)_2TX
5310MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3024G	105.47	Inf	-Inf	8.87	3	Vertical	334	2.08	20.5	96.60	33.09	9.93	34.15
AV	5.3524G	53.01	54.00	-0.99	8.71	3	Vertical	334	2.08	20.5	44.30	32.90	9.97	34.16
PK	5.3028G	118.21	Inf	-Inf	8.87	3	Vertical	334	2.08	20.5	109.34	33.09	9.93	34.15
PK	5.3524G	66.06	74.00	-7.94	8.71	3	Vertical	334	2.08	20.5	57.35	32.90	9.97	34.16




5.25-5.35GHz_802.11ax HEW40_Nss1,(MCS0)_2TX
5310MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.61968G	50.34	54.00	-3.66	17.71	3	Vertical	112	2.12	20.5	32.63	39.32	12.77	34.38
AV	15.96568G	47.56	54.00	-6.44	19.32	3	Vertical	149	1.50	-	28.24	38.00	15.99	34.67
PK	10.61984G	63.45	74.00	-10.55	17.71	3	Vertical	112	2.12	20.5	45.74	39.32	12.77	34.38
PK	15.92792G	60.88	74.00	-13.12	19.32	3	Vertical	149	1.50	-	41.56	38.00	15.97	34.65


5.25-5.35GHz_802.11ax HEW40_Nss1,(MCS0)_2TX
5310MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.6296G	45.80	54.00	-8.20	17.74	3	Horizontal	163	3.00	20.5	28.06	39.33	12.78	34.37
AV	15.96968G	47.69	54.00	-6.31	19.33	3	Horizontal	316	2.22	-	28.36	38.00	16.00	34.67
PK	10.62896G	59.22	74.00	-14.78	17.74	3	Horizontal	163	3.00	20.5	41.48	39.33	12.78	34.37
PK	15.94856G	60.92	74.00	-13.08	19.32	3	Horizontal	316	2.22	-	41.60	38.00	15.98	34.66




5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX
5510MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4568G	48.48	54.00	-5.52	8.87	3	Vertical	180	1.84	18	39.61	33.03	10.02	34.18
AV	5.516G	102.82	Inf	-Inf	9.05	3	Vertical	180	1.84	18	93.77	33.20	10.04	34.19
PK	5.4668G	65.71	68.20	-2.49	8.91	3	Vertical	180	1.84	18	56.80	33.07	10.02	34.18
PK	5.5148G	115.66	Inf	-Inf	9.05	3	Vertical	180	1.84	18	106.61	33.20	10.04	34.19


5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX
5510MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.0168G	48.65	54.00	-5.35	17.99	3	Vertical	186	2.44	18	30.66	39.10	12.93	34.04
PK	11.0176G	61.54	74.00	-12.46	17.99	3	Vertical	186	2.44	18	43.55	39.10	12.93	34.04
PK	16.50792G	61.59	68.20	-6.61	19.82	3	Vertical	323	1.12	-	41.77	38.06	16.10	34.34




5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX
5510MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.0216G	49.81	54.00	-4.19	17.99	3	Horizontal	168	2.97	18	31.82	39.10	12.93	34.04
PK	11.03024G	62.83	74.00	-11.17	17.99	3	Horizontal	168	2.97	18	44.84	39.10	12.93	34.04
PK	16.5596G	61.94	68.20	-6.26	19.67	3	Horizontal	292	1.50	-	42.27	37.80	16.11	34.24


5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX
5550MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4564G	50.10	54.00	-3.90	8.87	3	Vertical	181	1.70	22.5	41.23	33.03	10.02	34.18
AV	5.5456G	107.37	Inf	-Inf	9.06	3	Vertical	181	1.70	22.5	98.31	33.20	10.05	34.19
PK	5.4644G	66.68	68.20	-1.52	8.90	3	Vertical	181	1.70	22.5	57.78	33.06	10.02	34.18
PK	5.5472G	119.83	Inf	-Inf	9.06	3	Vertical	181	1.70	22.5	110.77	33.20	10.05	34.19




5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX
5550MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.09824G	47.65	54.00	-6.35	18.02	3	Vertical	186	2.42	22.5	29.63	39.10	12.96	34.04
PK	11.09904G	60.52	74.00	-13.48	18.02	3	Vertical	186	2.42	22.5	42.50	39.10	12.96	34.04
PK	16.62696G	62.73	68.20	-5.47	19.70	3	Vertical	0	1.50	-	43.03	37.68	16.12	34.10

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX
5550MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.1008G	49.67	54.00	-4.33	18.02	3	Horizontal	167	3.00	22.5	31.65	39.10	12.96	34.04
PK	11.08064G	62.01	74.00	-11.99	18.01	3	Horizontal	167	3.00	22.5	44.00	39.10	12.95	34.04
PK	16.65912G	62.18	68.20	-6.02	19.88	3	Horizontal	273	1.74	-	42.30	37.78	16.13	34.03

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX
5670MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.6664G	103.60	Inf	-Inf	9.41	3	Vertical	98	1.80	18	94.19	33.50	10.11	34.20
PK	5.6658G	115.68	Inf	-Inf	9.40	3	Vertical	98	1.80	18	106.28	33.49	10.11	34.20
PK	5.7282G	64.80	68.20	-3.40	9.81	3	Vertical	98	1.80	18	54.99	33.87	10.14	34.20


5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX
5670MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.34464G	46.79	54.00	-7.21	18.34	3	Vertical	277	2.01	18	28.45	39.34	13.05	34.05
PK	11.33408G	59.19	74.00	-14.81	18.33	3	Vertical	277	2.01	18	40.86	39.33	13.05	34.05
PK	17.01032G	61.95	68.20	-6.25	20.47	3	Vertical	37	1.50	-	41.48	37.62	16.18	33.33




5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX
5670MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.34496G	44.59	54.00	-9.41	18.34	3	Horizontal	319	2.00	18	26.25	39.34	13.05	34.05
PK	11.34368G	57.32	74.00	-16.68	18.34	3	Horizontal	319	2.00	18	38.98	39.34	13.05	34.05
PK	17.02024G	60.94	68.20	-7.26	20.50	3	Horizontal	360	2.13	-	40.44	37.64	16.18	33.32


5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX
5710MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4388G	47.18	54.00	-6.82	8.83	3	Vertical	98	1.98	23	38.35	33.00	10.01	34.18
AV	5.7148G	107.50	Inf	-Inf	9.72	3	Vertical	98	1.98	23	97.78	33.79	10.13	34.20
PK	5.4604G	59.61	68.20	-8.59	8.88	3	Vertical	98	1.98	23	50.73	33.04	10.02	34.18
PK	5.716G	119.19	Inf	-Inf	9.73	3	Vertical	98	1.98	23	109.46	33.80	10.13	34.20
PK	5.8792G	62.04	68.20	-6.16	10.45	3	Vertical	98	1.98	23	51.59	34.42	10.24	34.21




5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX
5710MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.42496G	48.55	54.00	-5.45	18.38	3	Vertical	278	1.98	23	30.17	39.35	13.09	34.06
PK	11.41456G	61.02	74.00	-12.98	18.39	3	Vertical	278	1.98	23	42.63	39.37	13.08	34.06
PK	17.12648G	62.86	68.20	-5.34	20.70	3	Vertical	360	2.82	-	42.16	37.80	16.20	33.30

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX
5710MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.424G	44.82	54.00	-9.18	18.38	3	Horizontal	321	2.20	23	26.44	39.35	13.09	34.06
PK	11.41536G	57.38	74.00	-16.62	18.39	3	Horizontal	321	2.20	23	38.99	39.37	13.08	34.06
PK	17.14664G	61.96	68.20	-6.24	20.71	3	Horizontal	23	1.31	-	41.25	37.80	16.20	33.29



5.25-5.35GHz_802.11ax HEW80_Nss1,(MCS0)_2TX


5290MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.141G	47.44	54.00	-6.56	8.82	3	Vertical	334	1.77	20.5	38.62	33.12	9.83	34.13
AV	5.293G	102.14	Inf	-Inf	8.89	3	Vertical	334	1.77	20.5	93.25	33.11	9.93	34.15
AV	5.353G	53.28	54.00	-0.72	8.72	3	Vertical	334	1.77	20.5	44.56	32.91	9.97	34.16
PK	5.139G	59.53	74.00	-14.47	8.82	3	Vertical	334	1.77	20.5	50.71	33.12	9.83	34.13
PK	5.292G	114.04	Inf	-Inf	8.89	3	Vertical	334	1.77	20.5	105.15	33.12	9.92	34.15
PK	5.353G	66.32	74.00	-7.68	8.72	3	Vertical	334	1.77	20.5	57.60	32.91	9.97	34.16

5.25-5.35GHz_802.11ax HEW80_Nss1,(MCS0)_2TX


5290MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.94232G	47.46	54.00	-6.54	19.32	3	Vertical	62	1.31	20.5	28.14	38.00	15.98	34.66
PK	10.58064G	58.67	68.20	-9.53	17.58	3	Vertical	107	2.48	20.5	41.09	39.24	12.76	34.42
PK	15.91576G	60.20	74.00	-13.80	19.32	3	Vertical	62	1.31	20.5	40.88	38.00	15.96	34.64




5.25-5.35GHz_802.11ax HEW80_Nss1,(MCS0)_2TX
5290MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.93688G	47.48	54.00	-6.52	19.32	3	Horizontal	294	1.00	20.5	28.16	38.00	15.97	34.65
PK	10.60496G	56.42	74.00	-17.58	17.67	3	Horizontal	157	1.86	20.5	38.75	39.30	12.77	34.40
PK	15.88312G	59.69	74.00	-14.31	19.34	3	Horizontal	294	1.00	20.5	40.35	38.03	15.93	34.62

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX
5530MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.457G	50.20	54.00	-3.80	8.87	3	Vertical	182	1.50	18.5	41.33	33.03	10.02	34.18
AV	5.537G	99.87	Inf	-Inf	9.06	3	Vertical	182	1.50	18.5	90.81	33.20	10.05	34.19
PK	5.466G	65.52	68.20	-2.68	8.90	3	Vertical	182	1.50	18.5	56.62	33.06	10.02	34.18
PK	5.526G	112.31	Inf	-Inf	9.05	3	Vertical	182	1.50	18.5	103.26	33.20	10.04	34.19
PK	5.74G	61.62	68.20	-6.58	9.89	3	Vertical	182	1.50	18.5	51.73	33.94	10.15	34.20

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX
5530MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.04848G	45.87	54.00	-8.13	18.00	3	Vertical	187	2.31	18.5	27.87	39.10	12.94	34.04
PK	11.05008G	58.34	74.00	-15.66	18.00	3	Vertical	187	2.31	18.5	40.34	39.10	12.94	34.04
PK	16.5132G	62.11	68.20	-6.09	19.80	3	Vertical	183	1.50	-	42.31	38.03	16.10	34.33

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX
5530MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.04976G	47.21	54.00	-6.79	18.00	3	Horizontal	168	3.00	18.5	29.21	39.10	12.94	34.04
PK	11.05008G	59.37	74.00	-14.63	18.00	3	Horizontal	168	3.00	18.5	41.37	39.10	12.94	34.04
PK	16.55416G	62.13	68.20	-6.07	19.69	3	Horizontal	0	1.26	-	42.44	37.83	16.11	34.25



5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX


5610MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.456G	48.17	54.00	-5.83	8.86	3	Vertical	161	1.94	20	39.31	33.02	10.02	34.18
AV	5.615G	102.38	Inf	-Inf	9.14	3	Vertical	161	1.94	20	93.24	33.26	10.08	34.20
PK	5.466G	61.86	68.20	-6.34	8.90	3	Vertical	161	1.94	20	52.96	33.06	10.02	34.18
PK	5.604G	115.84	Inf	-Inf	9.09	3	Vertical	161	1.94	20	106.75	33.22	10.07	34.20
PK	5.732G	67.52	68.20	-0.68	9.83	3	Vertical	161	1.94	20	57.69	33.89	10.14	34.20

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX


5610MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.19888G	44.79	54.00	-9.21	18.15	3	Vertical	184	2.13	20	26.64	39.20	13.00	34.05
PK	11.19696G	57.93	74.00	-16.07	18.15	3	Vertical	184	2.13	20	39.78	39.20	13.00	34.05
PK	16.77208G	60.98	68.20	-7.22	20.24	3	Vertical	86	1.50	-	40.74	37.90	16.14	33.80




5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX
5610MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.21008G	44.44	54.00	-9.56	18.16	3	Horizontal	168	2.89	20	26.28	39.21	13.00	34.05
PK	11.18992G	57.48	74.00	-16.52	18.13	3	Horizontal	168	2.89	20	39.35	39.19	12.99	34.05
PK	16.78648G	62.03	68.20	-6.17	20.28	3	Horizontal	294	1.50	-	41.75	37.90	16.15	33.77


5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX
5690MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4536G	47.57	54.00	-6.43	8.85	3	Vertical	158	2.01	23	38.72	33.01	10.02	34.18
AV	5.6924G	103.44	Inf	-Inf	9.57	3	Vertical	158	2.01	23	93.87	33.65	10.12	34.20
PK	5.4608G	60.75	68.20	-7.45	8.88	3	Vertical	158	2.01	23	51.87	33.04	10.02	34.18
PK	5.6924G	116.46	Inf	-Inf	9.57	3	Vertical	158	2.01	23	106.89	33.65	10.12	34.20
PK	5.8508G	66.43	68.20	-1.77	10.31	3	Vertical	158	2.01	23	56.12	34.30	10.22	34.21




5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX
5690MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.37456G	47.28	54.00	-6.72	18.39	3	Vertical	277	2.01	23	28.89	39.37	13.07	34.05
PK	11.38416G	59.60	74.00	-14.40	18.39	3	Vertical	277	2.01	23	41.21	39.38	13.07	34.06
PK	17.11832G	63.21	68.20	-4.99	20.70	3	Vertical	209	1.11	-	42.51	37.80	16.20	33.30

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX
5690MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.37456G	43.54	54.00	-10.46	18.39	3	Horizontal	226	2.29	23	25.15	39.37	13.07	34.05
PK	11.38448G	56.10	74.00	-17.90	18.39	3	Horizontal	226	2.29	23	37.71	39.38	13.07	34.06
PK	17.06648G	62.37	68.20	-5.83	20.61	3	Horizontal	272	1.82	-	41.76	37.73	16.19	33.31



5.47-5.725GHz_802.11ax HEW160_Nss1,(MCS0)_2TX


5570MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4548G	50.49	54.00	-3.51	8.86	3	Vertical	179	1.76	18.5	41.63	33.02	10.02	34.18
AV	5.5652G	98.52	Inf	-Inf	9.07	3	Vertical	179	1.76	18.5	89.45	33.20	10.06	34.19
PK	5.4644G	64.11	68.20	-4.09	8.90	3	Vertical	179	1.76	18.5	55.21	33.06	10.02	34.18
PK	5.5652G	111.66	Inf	-Inf	9.07	3	Vertical	179	1.76	18.5	102.59	33.20	10.06	34.19
PK	5.726G	66.43	68.20	-1.77	9.80	3	Vertical	179	1.76	18.5	56.63	33.86	10.14	34.20

5.47-5.725GHz_802.11ax HEW160_Nss1,(MCS0)_2TX


5570MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.11952G	43.04	54.00	-10.96	18.05	3	Vertical	176	1.12	18.5	24.99	39.12	12.97	34.04
PK	11.07984G	55.95	74.00	-18.05	18.01	3	Vertical	176	1.12	18.5	37.94	39.10	12.95	34.04
PK	16.65752G	62.12	68.20	-6.08	19.86	3	Vertical	54	1.50	-	42.26	37.77	16.13	34.04



5.47-5.725GHz_802.11ax HEW160_Nss1,(MCS0)_2TX
5570MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.13104G	44.39	54.00	-9.61	18.05	3	Horizontal	167	3.00	18.5	26.34	39.13	12.97	34.05
PK	11.16112G	56.94	74.00	-17.06	18.09	3	Horizontal	167	3.00	18.5	38.85	39.16	12.98	34.05
PK	16.65304G	62.34	68.20	-5.86	19.84	3	Horizontal	71	1.50	-	42.50	37.76	16.12	34.04



Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX	Pass	AV	5.35G	53.49	54.00	-0.51	3	Vertical	160	1.71
802.11ax HEW20_Nss1,(MCS0)_2TX	Pass	AV	5.3562G	53.33	54.00	-0.67	3	Vertical	160	1.63
802.11ax HEW40_Nss1,(MCS0)_2TX	Pass	AV	5.35G	52.82	54.00	-1.18	3	Vertical	159	1.59
802.11ax HEW80_Nss1,(MCS0)_2TX	Pass	AV	5.352G	52.94	54.00	-1.06	3	Vertical	223	1.50
802.11ax HEW160_Nss1,(MCS0)_2TX	Pass	AV	5.3508G	52.93	54.00	-1.07	3	Vertical	168	1.50
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX	Pass	PK	5.4676G	67.68	68.20	-0.52	3	Vertical	201	1.92
802.11ax HEW20_Nss1,(MCS0)_2TX	Pass	PK	5.7252G	66.80	68.20	-1.40	3	Vertical	225	1.64
802.11ax HEW40_Nss1,(MCS0)_2TX	Pass	PK	5.7252G	67.05	68.20	-1.15	3	Vertical	200	1.84
802.11ax HEW80_Nss1,(MCS0)_2TX	Pass	AV	5.459G	53.14	54.00	-0.86	3	Vertical	201	1.50
802.11ax HEW160_Nss1,(MCS0)_2TX	Pass	PK	5.726G	66.90	68.20	-1.30	3	Vertical	183	1.50



Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11a_Nss1,(6Mbps)_2TX	-	-	-	-	-	-	-	-	-	-
5260MHz	Pass	AV	5.1322G	43.41	54.00	-10.59	3	Vertical	176	1.50
5260MHz	Pass	AV	5.2528G	112.14	Inf	-Inf	3	Vertical	176	1.50
5260MHz	Pass	AV	5.3674G	44.27	54.00	-9.73	3	Vertical	176	1.50
5260MHz	Pass	PK	5.1316G	56.74	74.00	-17.26	3	Vertical	176	1.50
5260MHz	Pass	PK	5.254G	121.67	Inf	-Inf	3	Vertical	176	1.50
5260MHz	Pass	PK	5.3746G	56.62	74.00	-17.38	3	Vertical	176	1.50
5260MHz	Pass	AV	15.78432G	50.09	54.00	-3.91	3	Vertical	145	2.17
5260MHz	Pass	PK	10.52172G	55.94	68.20	-12.26	3	Vertical	143	2.96
5260MHz	Pass	PK	10.52204G	54.78	68.20	-13.42	3	Vertical	360	2.08
5260MHz	Pass	PK	15.78472G	63.71	74.00	-10.29	3	Vertical	145	2.17
5260MHz	Pass	AV	15.77524G	43.85	54.00	-10.15	3	Horizontal	129	2.14
5260MHz	Pass	PK	10.52276G	54.91	68.20	-13.29	3	Horizontal	254	1.88
5260MHz	Pass	PK	15.78088G	56.58	74.00	-17.42	3	Horizontal	129	2.14
5300MHz	Pass	AV	5.2928G	113.28	Inf	-Inf	3	Vertical	160	1.71
5300MHz	Pass	AV	5.35G	53.49	54.00	-0.51	3	Vertical	160	1.71
5300MHz	Pass	PK	5.2932G	122.79	Inf	-Inf	3	Vertical	160	1.71
5300MHz	Pass	PK	5.35G	68.46	74.00	-5.54	3	Vertical	160	1.71
5300MHz	Pass	AV	10.60124G	48.01	54.00	-5.99	3	Vertical	114	2.54
5300MHz	Pass	AV	15.89864G	49.26	54.00	-4.74	3	Vertical	207	3.00
5300MHz	Pass	PK	10.60156G	59.77	74.00	-14.23	3	Vertical	114	2.54
5300MHz	Pass	PK	15.89396G	62.26	74.00	-11.74	3	Vertical	207	3.00
5300MHz	Pass	AV	10.60292G	44.72	54.00	-9.28	3	Horizontal	158	3.00
5300MHz	Pass	AV	15.89696G	44.59	54.00	-9.41	3	Horizontal	219	1.05
5300MHz	Pass	PK	10.59808G	56.77	68.20	-11.43	3	Horizontal	158	3.00
5300MHz	Pass	PK	15.89628G	57.59	74.00	-16.41	3	Horizontal	219	1.05
5320MHz	Pass	AV	5.3128G	110.82	Inf	-Inf	3	Vertical	160	1.60
5320MHz	Pass	AV	5.3528G	52.85	54.00	-1.15	3	Vertical	160	1.60
5320MHz	Pass	PK	5.3132G	119.92	Inf	-Inf	3	Vertical	160	1.60
5320MHz	Pass	PK	5.3528G	69.06	74.00	-4.94	3	Vertical	160	1.60
5320MHz	Pass	AV	10.64156G	48.02	54.00	-5.98	3	Vertical	114	2.72
5320MHz	Pass	AV	15.95956G	39.34	54.00	-14.66	3	Vertical	197	2.72
5320MHz	Pass	PK	10.64164G	60.93	74.00	-13.07	3	Vertical	114	1.68
5320MHz	Pass	PK	15.95772G	51.90	74.00	-22.10	3	Vertical	197	1.68
5320MHz	Pass	AV	10.63808G	43.85	54.00	-10.15	3	Horizontal	160	2.97
5320MHz	Pass	AV	15.95396G	38.85	54.00	-15.15	3	Horizontal	331	2.46
5320MHz	Pass	PK	10.64276G	55.67	74.00	-18.33	3	Horizontal	160	2.97
5320MHz	Pass	PK	15.95064G	50.37	74.00	-23.63	3	Horizontal	331	2.46
5500MHz	Pass	AV	5.457G	47.19	54.00	-6.81	3	Vertical	201	1.92
5500MHz	Pass	AV	5.5072G	110.78	Inf	-Inf	3	Vertical	201	1.92
5500MHz	Pass	PK	5.4576G	61.01	74.00	-12.99	3	Vertical	201	1.92
5500MHz	Pass	PK	5.4676G	67.68	68.20	-0.52	3	Vertical	201	1.92
5500MHz	Pass	PK	5.5074G	119.92	Inf	-Inf	3	Vertical	201	1.92
5500MHz	Pass	AV	11.00036G	45.07	54.00	-8.93	3	Vertical	195	2.02
5500MHz	Pass	PK	11.00076G	58.03	74.00	-15.97	3	Vertical	195	2.02
5500MHz	Pass	PK	16.50252G	50.28	68.20	-17.92	3	Vertical	107	1.83
5500MHz	Pass	AV	11.00204G	44.04	54.00	-9.96	3	Horizontal	207	1.16
5500MHz	Pass	PK	11.00172G	56.74	74.00	-17.26	3	Horizontal	207	1.16
5500MHz	Pass	PK	16.50432G	50.09	68.20	-18.11	3	Horizontal	240	1.59
5580MHz	Pass	AV	5.43G	47.52	54.00	-6.48	3	Vertical	180	1.49
5580MHz	Pass	AV	5.5728G	112.25	Inf	-Inf	3	Vertical	180	1.49
5580MHz	Pass	PK	5.469G	59.85	68.20	-8.35	3	Vertical	180	1.49
5580MHz	Pass	PK	5.5728G	121.90	Inf	-Inf	3	Vertical	180	1.49
5580MHz	Pass	PK	5.7264G	59.90	68.20	-8.30	3	Vertical	180	1.49
5580MHz	Pass	AV	11.1621G	49.54	54.00	-4.46	3	Vertical	200	2.00
5580MHz	Pass	PK	11.16156G	62.43	74.00	-11.57	3	Vertical	200	2.00
5580MHz	Pass	PK	16.73268G	60.98	68.20	-7.22	3	Vertical	246	2.15
5580MHz	Pass	AV	11.15832G	49.19	54.00	-4.81	3	Horizontal	195	2.11
5580MHz	Pass	PK	11.15826G	61.12	74.00	-12.88	3	Horizontal	195	2.11
5580MHz	Pass	PK	16.75278G	61.05	68.20	-7.15	3	Horizontal	360	2.09
5700MHz	Pass	AV	5.6924G	108.65	Inf	-Inf	3	Vertical	194	1.50



RSE TX above 1GHz_Non-Beamforming_Radio3

Appendix D.3

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5700MHz	Pass	PK	5.6928G	118.07	Inf	-Inf	3	Vertical	194	1.50
5700MHz	Pass	PK	5.7264G	67.11	68.20	-1.09	3	Vertical	194	1.50
5700MHz	Pass	AV	11.40006G	44.25	54.00	-9.75	3	Vertical	189	1.42
5700MHz	Pass	PK	11.40072G	57.32	74.00	-16.68	3	Vertical	189	1.42
5700MHz	Pass	PK	17.08536G	61.98	68.20	-6.22	3	Vertical	170	1.50
5700MHz	Pass	AV	11.40192G	45.66	54.00	-8.34	3	Horizontal	316	2.10
5700MHz	Pass	PK	11.39778G	58.46	74.00	-15.54	3	Horizontal	316	2.10
5700MHz	Pass	PK	17.11182G	61.80	68.20	-6.40	3	Horizontal	360	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.4404G	47.30	54.00	-6.70	3	Vertical	296	2.13
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.7128G	110.80	Inf	-Inf	3	Vertical	296	2.13
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4656G	58.90	68.20	-9.30	3	Vertical	296	2.13
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.7128G	120.43	Inf	-Inf	3	Vertical	296	2.13
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.9492G	60.74	68.20	-7.46	3	Vertical	296	2.13
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.44192G	44.56	54.00	-9.44	3	Vertical	192	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.44204G	57.83	74.00	-16.17	3	Vertical	192	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	PK	17.14968G	62.70	68.20	-5.50	3	Vertical	120	2.06
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.44228G	45.90	54.00	-8.10	3	Horizontal	222	1.00
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.44198G	58.03	74.00	-15.97	3	Horizontal	222	1.00
5720MHz Straddle 5.47-5.725GHz	Pass	PK	17.154G	63.57	68.20	-4.63	3	Horizontal	288	1.50
802.11ax HEW20_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5260MHz	Pass	AV	5.125G	43.29	54.00	-10.71	3	Vertical	159	1.50
5260MHz	Pass	AV	5.2666G	112.20	Inf	-Inf	3	Vertical	159	1.50
5260MHz	Pass	AV	5.4082G	44.18	54.00	-9.82	3	Vertical	159	1.50
5260MHz	Pass	PK	5.1154G	55.90	74.00	-18.10	3	Vertical	159	1.50
5260MHz	Pass	PK	5.2576G	123.91	Inf	-Inf	3	Vertical	159	1.50
5260MHz	Pass	PK	5.353G	57.29	74.00	-16.71	3	Vertical	159	1.50
5260MHz	Pass	AV	15.78016G	49.06	54.00	-4.94	3	Vertical	145	2.17
5260MHz	Pass	PK	10.52208G	57.01	68.20	-11.19	3	Vertical	116	2.07
5260MHz	Pass	PK	15.77848G	62.77	74.00	-11.23	3	Vertical	145	2.17
5260MHz	Pass	AV	15.78108G	44.51	54.00	-9.49	3	Horizontal	129	2.12
5260MHz	Pass	PK	10.5174G	54.33	68.20	-13.87	3	Horizontal	253	1.91
5260MHz	Pass	PK	15.7724G	59.95	74.00	-14.05	3	Horizontal	129	2.12
5300MHz	Pass	AV	5.3088G	111.77	Inf	-Inf	3	Vertical	156	1.72
5300MHz	Pass	AV	5.35G	53.29	54.00	-0.71	3	Vertical	156	1.72
5300MHz	Pass	PK	5.3076G	123.65	Inf	-Inf	3	Vertical	156	1.72
5300MHz	Pass	PK	5.3504G	67.51	74.00	-6.49	3	Vertical	156	1.72
5300MHz	Pass	AV	10.60204G	48.10	54.00	-5.90	3	Vertical	113	2.68
5300MHz	Pass	AV	15.89832G	46.27	54.00	-7.73	3	Vertical	205	3.00
5300MHz	Pass	PK	10.60344G	60.21	74.00	-13.79	3	Vertical	113	2.68
5300MHz	Pass	PK	15.89956G	60.50	74.00	-13.50	3	Vertical	205	3.00
5300MHz	Pass	AV	10.60408G	43.55	54.00	-10.45	3	Horizontal	158	2.92
5300MHz	Pass	AV	15.89192G	42.24	54.00	-11.76	3	Horizontal	343	1.98
5300MHz	Pass	PK	10.6074G	56.13	74.00	-17.87	3	Horizontal	158	2.92
5300MHz	Pass	PK	15.89084G	54.97	74.00	-19.03	3	Horizontal	343	1.98
5320MHz	Pass	AV	5.3268G	109.61	Inf	-Inf	3	Vertical	160	1.63
5320MHz	Pass	AV	5.3562G	53.33	54.00	-0.67	3	Vertical	160	1.63
5320MHz	Pass	PK	5.3262G	121.98	Inf	-Inf	3	Vertical	160	1.63
5320MHz	Pass	PK	5.3552G	69.85	74.00	-4.15	3	Vertical	160	1.63
5320MHz	Pass	AV	10.63644G	45.61	54.00	-8.39	3	Vertical	202	2.68
5320MHz	Pass	AV	15.96004G	38.93	54.00	-15.07	3	Vertical	358	1.98
5320MHz	Pass	PK	10.63488G	58.14	74.00	-15.86	3	Vertical	202	2.68
5320MHz	Pass	PK	15.96216G	50.76	74.00	-23.24	3	Vertical	358	1.98
5320MHz	Pass	AV	10.63616G	43.00	54.00	-11.00	3	Horizontal	160	2.97
5320MHz	Pass	AV	15.95168G	38.37	54.00	-15.63	3	Horizontal	201	1.87
5320MHz	Pass	PK	10.63628G	55.25	74.00	-18.75	3	Horizontal	160	2.97
5320MHz	Pass	PK	15.96428G	51.41	74.00	-22.59	3	Horizontal	201	1.87
5500MHz	Pass	AV	5.4584G	46.44	54.00	-7.56	3	Vertical	176	1.73
5500MHz	Pass	AV	5.5088G	108.46	Inf	-Inf	3	Vertical	176	1.73
5500MHz	Pass	PK	5.4586G	62.44	74.00	-11.56	3	Vertical	176	1.73
5500MHz	Pass	PK	5.4684G	65.39	68.20	-2.81	3	Vertical	176	1.73
5500MHz	Pass	PK	5.5078G	119.99	Inf	-Inf	3	Vertical	176	1.73
5500MHz	Pass	AV	11.00124G	43.17	54.00	-10.83	3	Vertical	195	1.89



RSE TX above 1GHz_Non-Beamforming_Radio3

Appendix D.3

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5500MHz	Pass	PK	10.99164G	56.98	74.00	-17.02	3	Vertical	195	1.89
5500MHz	Pass	PK	16.49704G	51.08	68.20	-17.12	3	Vertical	324	1.99
5500MHz	Pass	AV	11.00356G	42.64	54.00	-11.36	3	Horizontal	207	1.18
5500MHz	Pass	PK	11.00488G	54.62	74.00	-19.38	3	Horizontal	207	1.18
5500MHz	Pass	PK	16.49488G	51.55	68.20	-16.65	3	Horizontal	240	1.50
5580MHz	Pass	AV	5.43G	47.31	54.00	-6.69	3	Vertical	183	1.50
5580MHz	Pass	AV	5.5872G	111.67	Inf	-Inf	3	Vertical	183	1.50
5580MHz	Pass	PK	5.4642G	58.83	68.20	-9.37	3	Vertical	183	1.50
5580MHz	Pass	PK	5.5866G	123.69	Inf	-Inf	3	Vertical	183	1.50
5580MHz	Pass	PK	5.7288G	60.62	68.20	-7.58	3	Vertical	183	1.50
5580MHz	Pass	AV	11.15984G	51.99	54.00	-2.01	3	Vertical	144	2.04
5580MHz	Pass	PK	11.1608G	64.64	74.00	-9.36	3	Vertical	144	2.04
5580MHz	Pass	PK	16.73352G	63.42	68.20	-4.78	3	Vertical	247	3.00
5580MHz	Pass	AV	11.16072G	49.71	54.00	-4.29	3	Horizontal	156	2.14
5580MHz	Pass	PK	11.15768G	62.78	74.00	-11.22	3	Horizontal	156	2.14
5580MHz	Pass	PK	16.72728G	61.80	68.20	-6.40	3	Horizontal	244	1.50
5700MHz	Pass	AV	5.692G	107.70	Inf	-Inf	3	Vertical	225	1.64
5700MHz	Pass	PK	5.6916G	120.30	Inf	-Inf	3	Vertical	225	1.64
5700MHz	Pass	PK	5.7252G	66.80	68.20	-1.40	3	Vertical	225	1.64
5700MHz	Pass	AV	11.39802G	45.44	54.00	-8.56	3	Vertical	184	1.95
5700MHz	Pass	PK	11.39784G	58.73	74.00	-15.27	3	Vertical	184	1.95
5700MHz	Pass	PK	17.08872G	62.16	68.20	-6.04	3	Vertical	205	2.66
5700MHz	Pass	AV	11.4033G	44.26	54.00	-9.74	3	Horizontal	318	2.46
5700MHz	Pass	PK	11.397G	57.44	74.00	-16.56	3	Horizontal	318	2.46
5700MHz	Pass	PK	17.13048G	61.91	68.20	-6.29	3	Horizontal	324	2.70
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.4212G	47.10	54.00	-6.90	3	Vertical	185	1.67
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.7284G	112.14	Inf	-Inf	3	Vertical	185	1.67
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.462G	58.92	68.20	-9.28	3	Vertical	185	1.67
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.7284G	124.78	Inf	-Inf	3	Vertical	185	1.67
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.8712G	61.90	68.20	-6.30	3	Vertical	185	1.67
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.44064G	44.85	54.00	-9.15	3	Vertical	193	1.89
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.44528G	57.25	74.00	-16.75	3	Vertical	193	1.89
5720MHz Straddle 5.47-5.725GHz	Pass	PK	17.16336G	62.25	68.20	-5.95	3	Vertical	200	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.44392G	45.67	54.00	-8.33	3	Horizontal	317	2.44
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.44392G	59.70	74.00	-14.30	3	Horizontal	317	2.44
5720MHz Straddle 5.47-5.725GHz	Pass	PK	17.17048G	62.20	68.20	-6.00	3	Horizontal	141	1.50
802.11ax HEW40_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5270MHz	Pass	AV	5.2656G	108.38	Inf	-Inf	3	Vertical	160	1.54
5270MHz	Pass	AV	5.35G	52.52	54.00	-1.48	3	Vertical	160	1.54
5270MHz	Pass	PK	5.2768G	120.48	Inf	-Inf	3	Vertical	160	1.54
5270MHz	Pass	PK	5.35G	65.98	74.00	-8.02	3	Vertical	160	1.54
5270MHz	Pass	AV	15.80304G	45.34	54.00	-8.66	3	Vertical	218	2.09
5270MHz	Pass	PK	10.54408G	54.33	68.20	-13.87	3	Vertical	119	2.00
5270MHz	Pass	PK	15.80256G	58.75	74.00	-15.25	3	Vertical	218	2.09
5270MHz	Pass	AV	15.80296G	40.91	54.00	-13.09	3	Horizontal	218	1.00
5270MHz	Pass	PK	10.5356G	52.69	68.20	-15.51	3	Horizontal	254	1.89
5270MHz	Pass	PK	15.81104G	54.13	74.00	-19.87	3	Horizontal	218	1.00
5310MHz	Pass	AV	5.3064G	106.28	Inf	-Inf	3	Vertical	159	1.59
5310MHz	Pass	AV	5.35G	52.82	54.00	-1.18	3	Vertical	159	1.59
5310MHz	Pass	PK	5.308G	118.68	Inf	-Inf	3	Vertical	159	1.59
5310MHz	Pass	PK	5.358G	70.72	74.00	-3.28	3	Vertical	159	1.59
5310MHz	Pass	AV	10.62568G	40.18	54.00	-13.82	3	Vertical	203	2.68
5310MHz	Pass	AV	15.9212G	38.11	54.00	-15.89	3	Vertical	72	1.50
5310MHz	Pass	PK	10.62624G	52.89	74.00	-21.11	3	Vertical	203	2.68
5310MHz	Pass	PK	15.94776G	50.48	74.00	-23.52	3	Vertical	72	1.50
5310MHz	Pass	AV	10.62536G	39.21	54.00	-14.79	3	Horizontal	159	2.84
5310MHz	Pass	AV	15.9104G	38.54	54.00	-15.46	3	Horizontal	217	3.00
5310MHz	Pass	PK	10.62576G	52.34	74.00	-21.66	3	Horizontal	159	2.84
5310MHz	Pass	PK	15.9284G	51.49	74.00	-22.51	3	Horizontal	217	3.00
5510MHz	Pass	AV	5.454G	47.59	54.00	-6.41	3	Vertical	202	1.92
5510MHz	Pass	AV	5.5136G	105.32	Inf	-Inf	3	Vertical	202	1.92
5510MHz	Pass	PK	5.4432G	64.08	74.00	-9.92	3	Vertical	202	1.92



RSE TX above 1GHz_Non-Beamforming_Radio3

Appendix D.3

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5510MHz	Pass	PK	5.4656G	66.57	68.20	-1.63	3	Vertical	202	1.92
5510MHz	Pass	PK	5.5144G	117.23	Inf	-Inf	3	Vertical	202	1.92
5510MHz	Pass	AV	11.0208G	41.25	54.00	-12.75	3	Vertical	185	2.21
5510MHz	Pass	PK	11.03056G	53.47	74.00	-20.53	3	Vertical	185	2.21
5510MHz	Pass	PK	16.54584G	52.02	68.20	-16.18	3	Vertical	323	1.91
5510MHz	Pass	AV	11.01408G	40.95	54.00	-13.05	3	Horizontal	207	2.12
5510MHz	Pass	PK	11.01344G	53.37	74.00	-20.63	3	Horizontal	207	2.12
5510MHz	Pass	PK	16.52224G	50.87	68.20	-17.33	3	Horizontal	253	1.50
5550MHz	Pass	AV	5.4552G	49.34	54.00	-4.66	3	Vertical	176	1.50
5550MHz	Pass	AV	5.554G	107.97	Inf	-Inf	3	Vertical	176	1.50
5550MHz	Pass	PK	5.4648G	65.35	68.20	-2.85	3	Vertical	176	1.50
5550MHz	Pass	PK	5.5544G	120.61	Inf	-Inf	3	Vertical	176	1.50
5550MHz	Pass	AV	11.09988G	50.00	54.00	-4.00	3	Vertical	146	2.01
5550MHz	Pass	PK	11.09976G	63.41	74.00	-10.59	3	Vertical	146	2.01
5550MHz	Pass	PK	16.68672G	61.67	68.20	-6.53	3	Vertical	264	2.85
5550MHz	Pass	AV	11.10156G	50.84	54.00	-3.16	3	Horizontal	172	3.00
5550MHz	Pass	PK	11.09184G	62.87	74.00	-11.13	3	Horizontal	172	3.00
5550MHz	Pass	PK	16.6092G	61.49	68.20	-6.71	3	Horizontal	341	2.86
5670MHz	Pass	AV	5.6676G	104.62	Inf	-Inf	3	Vertical	200	1.84
5670MHz	Pass	PK	5.6676G	116.76	Inf	-Inf	3	Vertical	200	1.84
5670MHz	Pass	PK	5.7252G	67.05	68.20	-1.15	3	Vertical	200	1.84
5670MHz	Pass	AV	11.337G	44.04	54.00	-9.96	3	Vertical	182	1.92
5670MHz	Pass	PK	11.34792G	57.27	74.00	-16.73	3	Vertical	182	1.92
5670MHz	Pass	PK	17.02512G	61.15	68.20	-7.05	3	Vertical	92	1.59
5670MHz	Pass	AV	11.34528G	43.66	54.00	-10.34	3	Horizontal	317	2.21
5670MHz	Pass	PK	11.34624G	56.48	74.00	-17.52	3	Horizontal	317	2.21
5670MHz	Pass	PK	17.06688G	61.09	68.20	-7.11	3	Horizontal	28	2.06
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.416G	47.15	54.00	-6.85	3	Vertical	181	1.50
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.716G	108.40	Inf	-Inf	3	Vertical	181	1.50
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.4616G	59.48	68.20	-8.72	3	Vertical	181	1.50
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.7064G	120.28	Inf	-Inf	3	Vertical	181	1.50
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.8708G	62.15	68.20	-6.05	3	Vertical	181	1.50
5710MHz Straddle 5.47-5.725GHz	Pass	AV	11.42348G	43.48	54.00	-10.52	3	Vertical	194	1.50
5710MHz Straddle 5.47-5.725GHz	Pass	PK	11.42384G	56.40	74.00	-17.60	3	Vertical	194	1.50
5710MHz Straddle 5.47-5.725GHz	Pass	PK	17.15928G	62.23	68.20	-5.97	3	Vertical	134	2.54
5710MHz Straddle 5.47-5.725GHz	Pass	AV	11.42444G	45.24	54.00	-8.76	3	Horizontal	319	2.23
5710MHz Straddle 5.47-5.725GHz	Pass	PK	11.41472G	59.05	74.00	-14.95	3	Horizontal	319	2.23
5710MHz Straddle 5.47-5.725GHz	Pass	PK	17.16888G	61.51	68.20	-6.69	3	Horizontal	244	2.73
802.11ax HEW80_Nss1_(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5290MHz	Pass	AV	5.15G	47.37	54.00	-6.63	3	Vertical	223	1.50
5290MHz	Pass	AV	5.281G	100.60	Inf	-Inf	3	Vertical	223	1.50
5290MHz	Pass	AV	5.352G	52.94	54.00	-1.06	3	Vertical	223	1.50
5290MHz	Pass	PK	5.15G	59.48	74.00	-14.52	3	Vertical	223	1.50
5290MHz	Pass	PK	5.282G	112.36	Inf	-Inf	3	Vertical	223	1.50
5290MHz	Pass	PK	5.521G	59.70	68.20	-8.50	3	Vertical	223	1.50
5290MHz	Pass	AV	15.8705G	47.15	54.00	-6.85	3	Vertical	6	2.11
5290MHz	Pass	PK	10.58048G	61.22	68.20	-6.98	3	Vertical	235	2.87
5290MHz	Pass	PK	15.8796G	60.35	74.00	-13.65	3	Vertical	6	2.11
5290MHz	Pass	AV	15.8759G	47.16	54.00	-6.84	3	Horizontal	149	1.66
5290MHz	Pass	PK	10.58456G	58.48	68.20	-9.72	3	Horizontal	279	2.41
5290MHz	Pass	PK	15.8921G	61.24	74.00	-12.76	3	Horizontal	149	1.66
5530MHz	Pass	AV	5.459G	53.14	54.00	-0.86	3	Vertical	201	1.50
5530MHz	Pass	AV	5.539G	102.21	Inf	-Inf	3	Vertical	201	1.50
5530MHz	Pass	PK	5.467G	66.89	68.20	-1.31	3	Vertical	201	1.50
5530MHz	Pass	PK	5.538G	114.52	Inf	-Inf	3	Vertical	201	1.50
5530MHz	Pass	PK	5.773G	61.12	68.20	-7.08	3	Vertical	201	1.50
5530MHz	Pass	AV	11.04968G	46.06	54.00	-7.94	3	Vertical	146	2.03
5530MHz	Pass	PK	11.05064G	59.86	74.00	-14.14	3	Vertical	146	2.03
5530MHz	Pass	PK	16.644G	61.34	68.20	-6.86	3	Vertical	100	1.88
5530MHz	Pass	AV	11.05064G	48.21	54.00	-5.79	3	Horizontal	163	2.95
5530MHz	Pass	PK	11.04128G	61.58	74.00	-12.42	3	Horizontal	163	2.95
5530MHz	Pass	PK	16.55496G	61.83	68.20	-6.37	3	Horizontal	100	2.10




RSE TX above 1GHz_Non-Beamforming_Radio3

Appendix D.3

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5610MHz	Pass	AV	5.456G	48.08	54.00	-5.92	3	Vertical	181	1.50
5610MHz	Pass	AV	5.617G	103.03	Inf	-Inf	3	Vertical	181	1.50
5610MHz	Pass	PK	5.468G	61.12	68.20	-7.08	3	Vertical	181	1.50
5610MHz	Pass	PK	5.616G	115.03	Inf	-Inf	3	Vertical	181	1.50
5610MHz	Pass	PK	5.725G	67.32	68.20	-0.88	3	Vertical	181	1.50
5610MHz	Pass	AV	11.19696G	45.63	54.00	-8.37	3	Vertical	252	2.28
5610MHz	Pass	PK	11.1972G	60.37	74.00	-13.63	3	Vertical	252	2.28
5610MHz	Pass	PK	16.80744G	60.38	68.20	-7.82	3	Vertical	322	2.17
5610MHz	Pass	AV	11.202G	43.79	54.00	-10.21	3	Horizontal	160	2.22
5610MHz	Pass	PK	11.19288G	57.50	74.00	-16.50	3	Horizontal	160	2.22
5610MHz	Pass	PK	16.77408G	60.15	68.20	-8.05	3	Horizontal	177	1.06
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.456G	47.60	54.00	-6.40	3	Vertical	182	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.6864G	104.24	Inf	-Inf	3	Vertical	182	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.4668G	59.53	68.20	-8.67	3	Vertical	182	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.6672G	116.16	Inf	-Inf	3	Vertical	182	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.8556G	64.25	68.20	-3.95	3	Vertical	182	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.39344G	43.05	54.00	-10.95	3	Vertical	191	1.37
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.35216G	55.42	74.00	-18.58	3	Vertical	191	1.37
5690MHz Straddle 5.47-5.725GHz	Pass	PK	17.1264G	62.35	68.20	-5.85	3	Vertical	218	2.80
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.3764G	42.95	54.00	-11.05	3	Horizontal	197	2.08
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.37952G	55.27	74.00	-18.73	3	Horizontal	197	2.08
5690MHz Straddle 5.47-5.725GHz	Pass	PK	17.10696G	61.91	68.20	-6.29	3	Horizontal	332	1.91
802.11ax HEW160_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.15G	52.44	54.00	-1.56	3	Vertical	168	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.2116G	97.22	Inf	-Inf	3	Vertical	168	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.3608G	52.93	54.00	-1.07	3	Vertical	168	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.13G	66.06	74.00	-7.94	3	Vertical	168	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.2116G	110.73	Inf	-Inf	3	Vertical	168	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.4912G	59.96	68.20	-8.24	3	Vertical	168	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	AV	15.59448G	48.35	54.00	-5.65	3	Vertical	44	1.42
5250MHz Straddle 5.25-5.35GHz	Pass	PK	10.49936G	57.24	68.20	-10.96	3	Vertical	234	2.18
5250MHz Straddle 5.25-5.35GHz	Pass	PK	15.60472G	61.34	74.00	-12.66	3	Vertical	44	1.42
5250MHz Straddle 5.25-5.35GHz	Pass	AV	15.59128G	48.35	54.00	-5.65	3	Horizontal	210	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	PK	10.46096G	54.86	68.20	-13.34	3	Horizontal	271	1.00
5250MHz Straddle 5.25-5.35GHz	Pass	PK	15.66168G	60.88	74.00	-13.12	3	Horizontal	210	1.50
5570MHz	Pass	AV	5.4572G	52.30	54.00	-1.70	3	Vertical	183	1.50
5570MHz	Pass	AV	5.5964G	99.06	Inf	-Inf	3	Vertical	183	1.50
5570MHz	Pass	PK	5.4632G	66.58	68.20	-1.62	3	Vertical	183	1.50
5570MHz	Pass	PK	5.5472G	110.78	Inf	-Inf	3	Vertical	183	1.50
5570MHz	Pass	PK	5.726G	66.90	68.20	-1.30	3	Vertical	183	1.50
5570MHz	Pass	AV	11.11024G	42.08	54.00	-11.92	3	Vertical	143	1.50
5570MHz	Pass	PK	11.10448G	51.21	74.00	-22.79	3	Vertical	143	1.50
5570MHz	Pass	PK	16.69656G	61.08	68.20	-7.12	3	Vertical	195	2.05
5570MHz	Pass	AV	11.1352G	43.24	54.00	-10.76	3	Horizontal	259	1.79
5570MHz	Pass	PK	11.1551G	57.25	74.00	-16.75	3	Horizontal	259	1.79
5570MHz	Pass	PK	16.7264G	60.78	68.20	-7.42	3	Horizontal	79	2.77

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX


5260MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1322G	43.41	54.00	-10.59	5.36	3	Vertical	176	1.50	-	38.05	33.10	6.40	34.14
AV	5.2528G	112.14	Inf	-Inf	5.34	3	Vertical	176	1.50	-	106.80	33.00	6.49	34.15
AV	5.3674G	44.27	54.00	-9.73	5.31	3	Vertical	176	1.50	-	38.96	32.90	6.57	34.16
PK	5.1316G	56.74	74.00	-17.26	5.36	3	Vertical	176	1.50	-	51.38	33.10	6.40	34.14
PK	5.254G	121.67	Inf	-Inf	5.34	3	Vertical	176	1.50	-	116.33	33.00	6.49	34.15
PK	5.3746G	56.62	74.00	-17.38	5.31	3	Vertical	176	1.50	-	51.31	32.90	6.57	34.16

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX


5260MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.78432G	50.09	54.00	-3.91	16.20	3	Vertical	145	2.17	-	33.89	38.40	12.31	34.51
PK	10.52172G	55.94	68.20	-12.26	15.48	3	Vertical	143	2.96	-	40.46	38.90	11.07	34.49
PK	10.52204G	54.78	68.20	-13.42	15.48	3	Vertical	360	2.08	-	39.30	38.90	11.07	34.49
PK	15.78472G	63.71	74.00	-10.29	16.20	3	Vertical	145	2.17	-	47.51	38.40	12.31	34.51

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX


5260MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.77524G	43.85	54.00	-10.15	16.20	3	Horizontal	129	2.14	-	27.65	38.40	12.30	34.50
PK	10.52276G	54.91	68.20	-13.29	15.48	3	Horizontal	254	1.88	-	39.43	38.90	11.07	34.49
PK	15.78088G	56.58	74.00	-17.42	16.19	3	Horizontal	129	2.14	-	40.39	38.40	12.30	34.51

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5300MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.2928G	113.28	Inf	-Inf	5.35	3	Vertical	160	1.71	-	107.93	33.00	6.51	34.16
AV	5.35G	53.49	54.00	-0.51	5.29	3	Vertical	160	1.71	-	48.20	32.90	6.55	34.16
PK	5.2932G	122.79	Inf	-Inf	5.36	3	Vertical	160	1.71	-	117.43	33.00	6.52	34.16
PK	5.35G	68.46	74.00	-5.54	5.29	3	Vertical	160	1.71	-	63.17	32.90	6.55	34.16



5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX


5300MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.60124G	48.01	54.00	-5.99	15.56	3	Vertical	114	2.54	-	32.45	38.90	11.10	34.44
AV	15.89864G	49.26	54.00	-4.74	15.98	3	Vertical	207	3.00	-	33.28	38.20	12.38	34.60
PK	10.60156G	59.77	74.00	-14.23	15.56	3	Vertical	114	2.54	-	44.21	38.90	11.10	34.44
PK	15.89396G	62.26	74.00	-11.74	15.98	3	Vertical	207	3.00	-	46.28	38.21	12.37	34.60

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX


5300MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.60292G	44.72	54.00	-9.28	15.57	3	Horizontal	158	3.00	-	29.15	38.91	11.10	34.44
AV	15.89696G	44.59	54.00	-9.41	15.99	3	Horizontal	219	1.05	-	28.60	38.21	12.38	34.60
PK	10.59808G	56.77	68.20	-11.43	15.56	3	Horizontal	158	3.00	-	41.21	38.90	11.10	34.44
PK	15.89628G	57.59	74.00	-16.41	15.99	3	Horizontal	219	1.05	-	41.60	38.21	12.38	34.60

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX


5320MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3128G	110.82	Inf	-Inf	5.34	3	Vertical	160	1.60	-	105.48	32.97	6.53	34.16
AV	5.3528G	52.85	54.00	-1.15	5.30	3	Vertical	160	1.60	-	47.55	32.90	6.56	34.16
PK	5.3132G	119.92	Inf	-Inf	5.34	3	Vertical	160	1.60	-	114.58	32.97	6.53	34.16
PK	5.3528G	69.06	74.00	-4.94	5.30	3	Vertical	160	1.60	-	63.76	32.90	6.56	34.16

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX


5320MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.64156G	48.02	54.00	-5.98	15.73	3	Vertical	114	2.72	-	32.29	39.02	11.12	34.41
AV	15.95956G	39.34	54.00	-14.66	15.84	3	Vertical	197	2.72	-	23.50	38.08	12.41	34.65
PK	10.64164G	60.93	74.00	-13.07	15.73	3	Vertical	114	1.68	-	45.20	39.02	11.12	34.41
PK	15.95772G	51.90	74.00	-22.10	15.84	3	Vertical	197	1.68	-	36.06	38.08	12.41	34.65

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX


5320MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.63808G	43.85	54.00	-10.15	15.72	3	Horizontal	160	2.97	-	28.13	39.01	11.12	34.41
AV	15.95396G	38.85	54.00	-15.15	15.86	3	Horizontal	331	2.46	-	22.99	38.09	12.41	34.64
PK	10.64276G	55.67	74.00	-18.33	15.74	3	Horizontal	160	2.97	-	39.93	39.03	11.12	34.41
PK	15.95064G	50.37	74.00	-23.63	15.87	3	Horizontal	331	2.46	-	34.50	38.10	12.41	34.64

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX


5500MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.457G	47.19	54.00	-6.81	5.37	3	Vertical	201	1.92	-	41.82	32.90	6.64	34.17
AV	5.5072G	110.78	Inf	-Inf	5.41	3	Vertical	201	1.92	-	105.37	32.90	6.69	34.18
PK	5.4576G	61.01	74.00	-12.99	5.37	3	Vertical	201	1.92	-	55.64	32.90	6.64	34.17
PK	5.4676G	67.68	68.20	-0.52	5.37	3	Vertical	201	1.92	-	62.31	32.90	6.65	34.18
PK	5.5074G	119.92	Inf	-Inf	5.41	3	Vertical	201	1.92	-	114.51	32.90	6.69	34.18

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX


5500MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.00036G	45.07	54.00	-8.93	16.09	3	Vertical	195	2.02	-	28.98	39.00	11.25	34.16
PK	11.00076G	58.03	74.00	-15.97	16.09	3	Vertical	195	2.02	-	41.94	39.00	11.25	34.16
PK	16.50252G	50.28	68.20	-17.92	16.86	3	Vertical	107	1.83	-	33.42	38.39	12.67	34.20

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX


5500MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.00204G	44.04	54.00	-9.96	16.09	3	Horizontal	207	1.16	-	27.95	39.00	11.25	34.16
PK	11.00172G	56.74	74.00	-17.26	16.09	3	Horizontal	207	1.16	-	40.65	39.00	11.25	34.16
PK	16.50432G	50.09	68.20	-18.11	16.87	3	Horizontal	240	1.59	-	33.22	38.39	12.67	34.19

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX


5580MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.43G	47.52	54.00	-6.48	8.83	3	Vertical	180	1.49	23	38.69	33.00	10.01	34.18
AV	5.5728G	112.25	Inf	-Inf	9.07	3	Vertical	180	1.49	23	103.18	33.20	10.06	34.19
PK	5.469G	59.85	68.20	-8.35	8.92	3	Vertical	180	1.49	23	50.93	33.08	10.02	34.18
PK	5.5728G	121.90	Inf	-Inf	9.07	3	Vertical	180	1.49	23	112.83	33.20	10.06	34.19
PK	5.7264G	59.90	68.20	-8.30	9.80	3	Vertical	180	1.49	23	50.10	33.86	10.14	34.20


5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5580MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.1621G	49.54	54.00	-4.46	18.09	3	Vertical	200	2.00	23	31.45	39.16	12.98	34.05
PK	11.16156G	62.43	74.00	-11.57	18.09	3	Vertical	200	2.00	23	44.34	39.16	12.98	34.05
PK	16.73268G	60.98	68.20	-7.22	20.16	3	Vertical	246	2.15	23	40.82	37.90	16.14	33.88

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX
5580MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.15832G	49.19	54.00	-4.81	18.09	3	Horizontal	195	2.11	23	31.10	39.16	12.98	34.05
PK	11.15826G	61.12	74.00	-12.88	18.09	3	Horizontal	195	2.11	23	43.03	39.16	12.98	34.05
PK	16.75278G	61.05	68.20	-7.15	20.20	3	Horizontal	360	2.09	23	40.85	37.90	16.14	33.84

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX
5700MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.6924G	108.65	Inf	-Inf	9.57	3	Vertical	194	1.50	19	99.08	33.65	10.12	34.20
PK	5.6928G	118.07	Inf	-Inf	9.58	3	Vertical	194	1.50	19	108.49	33.66	10.12	34.20
PK	5.7264G	67.11	68.20	-1.09	9.80	3	Vertical	194	1.50	19	57.31	33.86	10.14	34.20

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX
5700MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.40006G	44.25	54.00	-9.75	18.42	3	Vertical	189	1.42	19	25.83	39.40	13.08	34.06
PK	11.40072G	57.32	74.00	-16.68	18.42	3	Vertical	189	1.42	19	38.90	39.40	13.08	34.06
PK	17.08536G	61.98	68.20	-6.22	20.65	3	Vertical	170	1.50	19	41.33	37.77	16.19	33.31


5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX
5700MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.40192G	45.66	54.00	-8.34	18.42	3	Horizontal	316	2.10	19	27.24	39.40	13.08	34.06
PK	11.39778G	58.46	74.00	-15.54	18.42	3	Horizontal	316	2.10	19	40.04	39.40	13.08	34.06
PK	17.11182G	61.80	68.20	-6.40	20.70	3	Horizontal	360	1.50	19	41.10	37.80	16.20	33.30

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX


5720MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4404G	47.30	54.00	-6.70	8.83	3	Vertical	296	2.13	23	38.47	33.00	10.01	34.18
AV	5.7128G	110.80	Inf	-Inf	9.71	3	Vertical	296	2.13	23	101.09	33.78	10.13	34.20
PK	5.4656G	58.90	68.20	-9.30	8.90	3	Vertical	296	2.13	23	50.00	33.06	10.02	34.18
PK	5.7128G	120.43	Inf	-Inf	9.71	3	Vertical	296	2.13	23	110.72	33.78	10.13	34.20
PK	5.9492G	60.74	68.20	-7.46	10.57	3	Vertical	296	2.13	23	50.17	34.50	10.29	34.22


5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5720MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.44192G	44.56	54.00	-9.44	18.35	3	Vertical	192	1.50	23	26.21	39.32	13.09	34.06
PK	11.44204G	57.83	74.00	-16.17	18.35	3	Vertical	192	1.50	23	39.48	39.32	13.09	34.06
PK	17.14968G	62.70	68.20	-5.50	20.71	3	Vertical	120	2.06	23	41.99	37.80	16.20	33.29


5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX
5720MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.44228G	45.90	54.00	-8.10	18.35	3	Horizontal	222	1.00	23	27.55	39.32	13.09	34.06
PK	11.44198G	58.03	74.00	-15.97	18.35	3	Horizontal	222	1.00	23	39.68	39.32	13.09	34.06
PK	17.154G	63.57	68.20	-4.63	20.71	3	Horizontal	288	1.50	23	42.86	37.80	16.20	33.29

5.25-5.35GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX


5260MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.125G	43.29	54.00	-10.71	5.36	3	Vertical	159	1.50	-	37.93	33.10	6.39	34.13
AV	5.2666G	112.20	Inf	-Inf	5.35	3	Vertical	159	1.50	-	106.85	33.00	6.50	34.15
AV	5.4082G	44.18	54.00	-9.82	5.33	3	Vertical	159	1.50	-	38.85	32.90	6.60	34.17
PK	5.1154G	55.90	74.00	-18.10	5.36	3	Vertical	159	1.50	-	50.54	33.10	6.39	34.13
PK	5.2576G	123.91	Inf	-Inf	5.34	3	Vertical	159	1.50	-	118.57	33.00	6.49	34.15
PK	5.353G	57.29	74.00	-16.71	5.30	3	Vertical	159	1.50	-	51.99	32.90	6.56	34.16

5.25-5.35GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX


5260MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.78016G	49.06	54.00	-4.94	16.19	3	Vertical	145	2.17	-	32.87	38.40	12.30	34.51
PK	10.52208G	57.01	68.20	-11.19	15.48	3	Vertical	116	2.07	-	41.53	38.90	11.07	34.49
PK	15.77848G	62.77	74.00	-11.23	16.19	3	Vertical	145	2.17	-	46.58	38.40	12.30	34.51

5.25-5.35GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX


5260MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.78108G	44.51	54.00	-9.49	16.19	3	Horizontal	129	2.12	-	28.32	38.40	12.30	34.51
PK	10.5174G	54.33	68.20	-13.87	15.47	3	Horizontal	253	1.91	-	38.86	38.90	11.07	34.50
PK	15.7724G	59.95	74.00	-14.05	16.20	3	Horizontal	129	2.12	-	43.75	38.40	12.30	34.50

5.25-5.35GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


5300MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3088G	111.77	Inf	-Inf	5.35	3	Vertical	156	1.72	-	106.42	32.98	6.53	34.16
AV	5.35G	53.29	54.00	-0.71	5.29	3	Vertical	156	1.72	-	48.00	32.90	6.55	34.16
PK	5.3076G	123.65	Inf	-Inf	5.35	3	Vertical	156	1.72	-	118.30	32.98	6.53	34.16
PK	5.3504G	67.51	74.00	-6.49	5.30	3	Vertical	156	1.72	-	62.21	32.90	6.56	34.16

5.25-5.35GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


5300MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.60204G	48.10	54.00	-5.90	15.57	3	Vertical	113	2.68	-	32.53	38.91	11.10	34.44
AV	15.89832G	46.27	54.00	-7.73	15.98	3	Vertical	205	3.00	-	30.29	38.20	12.38	34.60
PK	10.60344G	60.21	74.00	-13.79	15.57	3	Vertical	113	2.68	-	44.64	38.91	11.10	34.44
PK	15.89956G	60.50	74.00	-13.50	15.98	3	Vertical	205	3.00	-	44.52	38.20	12.38	34.60

5.25-5.35GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


5300MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.60408G	43.55	54.00	-10.45	15.57	3	Horizontal	158	2.92	-	27.98	38.91	11.10	34.44
AV	15.89192G	42.24	54.00	-11.76	15.99	3	Horizontal	343	1.98	-	26.25	38.22	12.37	34.60
PK	10.6074G	56.13	74.00	-17.87	15.59	3	Horizontal	158	2.92	-	40.54	38.92	11.10	34.43
PK	15.89084G	54.97	74.00	-19.03	16.00	3	Horizontal	343	1.98	-	38.97	38.22	12.37	34.59

5.25-5.35GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


5320MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3268G	109.61	Inf	-Inf	5.33	3	Vertical	160	1.63	-	104.28	32.95	6.54	34.16
AV	5.3562G	53.33	54.00	-0.67	5.30	3	Vertical	160	1.63	-	48.03	32.90	6.56	34.16
PK	5.3262G	121.98	Inf	-Inf	5.33	3	Vertical	160	1.63	-	116.65	32.95	6.54	34.16
PK	5.3552G	69.85	74.00	-4.15	5.30	3	Vertical	160	1.63	-	64.55	32.90	6.56	34.16

5.25-5.35GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


5320MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.63644G	45.61	54.00	-8.39	15.72	3	Vertical	202	2.68	-	29.89	39.01	11.12	34.41
AV	15.96004G	38.93	54.00	-15.07	15.85	3	Vertical	358	1.98	-	23.08	38.08	12.42	34.65
PK	10.63488G	58.14	74.00	-15.86	15.69	3	Vertical	202	2.68	-	42.45	39.00	11.11	34.42
PK	15.96216G	50.76	74.00	-23.24	15.85	3	Vertical	358	1.98	-	34.91	38.08	12.42	34.65

5.25-5.35GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


5320MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.63616G	43.00	54.00	-11.00	15.72	3	Horizontal	160	2.97	-	27.28	39.01	11.12	34.41
AV	15.95168G	38.37	54.00	-15.63	15.87	3	Horizontal	201	1.87	-	22.50	38.10	12.41	34.64
PK	10.63628G	55.25	74.00	-18.75	15.72	3	Horizontal	160	2.97	-	39.53	39.01	11.12	34.41
PK	15.96428G	51.41	74.00	-22.59	15.84	3	Horizontal	201	1.87	-	35.57	38.07	12.42	34.65

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


5500MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4584G	46.44	54.00	-7.56	5.36	3	Vertical	176	1.73	-	41.08	32.90	6.64	34.18
AV	5.5088G	108.46	Inf	-Inf	5.41	3	Vertical	176	1.73	-	103.05	32.90	6.69	34.18
PK	5.4586G	62.44	74.00	-11.56	5.36	3	Vertical	176	1.73	-	57.08	32.90	6.64	34.18
PK	5.4684G	65.39	68.20	-2.81	5.37	3	Vertical	176	1.73	-	60.02	32.90	6.65	34.18
PK	5.5078G	119.99	Inf	-Inf	5.41	3	Vertical	176	1.73	-	114.58	32.90	6.69	34.18

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


5500MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.00124G	43.17	54.00	-10.83	16.09	3	Vertical	195	1.89	-	27.08	39.00	11.25	34.16
PK	10.99164G	56.98	74.00	-17.02	16.09	3	Vertical	195	1.89	-	40.89	39.01	11.25	34.17
PK	16.49704G	51.08	68.20	-17.12	16.86	3	Vertical	324	1.99	-	34.22	38.39	12.67	34.20

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


5500MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.00356G	42.64	54.00	-11.36	16.09	3	Horizontal	207	1.18	-	26.55	39.00	11.25	34.16
PK	11.00488G	54.62	74.00	-19.38	16.09	3	Horizontal	207	1.18	-	38.53	39.00	11.25	34.16
PK	16.49488G	51.55	68.20	-16.65	16.84	3	Horizontal	240	1.50	-	34.71	38.37	12.67	34.20


5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5580MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.43G	47.31	54.00	-6.69	8.83	3	Vertical	183	1.50	23	38.48	33.00	10.01	34.18
AV	5.5872G	111.67	Inf	-Inf	9.07	3	Vertical	183	1.50	23	102.60	33.20	10.07	34.20
PK	5.4642G	58.83	68.20	-9.37	8.90	3	Vertical	183	1.50	23	49.93	33.06	10.02	34.18
PK	5.5866G	123.69	Inf	-Inf	9.07	3	Vertical	183	1.50	23	114.62	33.20	10.07	34.20
PK	5.7288G	60.62	68.20	-7.58	9.81	3	Vertical	183	1.50	23	50.81	33.87	10.14	34.20

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX
5580MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.15984G	51.99	54.00	-2.01	18.09	3	Vertical	144	2.04	23	33.90	39.16	12.98	34.05
PK	11.1608G	64.64	74.00	-9.36	18.09	3	Vertical	144	2.04	23	46.55	39.16	12.98	34.05
PK	16.73352G	63.42	68.20	-4.78	20.16	3	Vertical	247	3.00	23	43.26	37.90	16.14	33.88

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX
5580MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.16072G	49.71	54.00	-4.29	18.09	3	Horizontal	156	2.14	23	31.62	39.16	12.98	34.05
PK	11.15768G	62.78	74.00	-11.22	18.09	3	Horizontal	156	2.14	23	44.69	39.16	12.98	34.05
PK	16.72728G	61.80	68.20	-6.40	20.15	3	Horizontal	244	1.50	23	41.65	37.90	16.14	33.89

**5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX
5700MHz_TX**




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.692G	107.70	Inf	-Inf	9.57	3	Vertical	225	1.64	18.5	98.13	33.65	10.12	34.20
PK	5.6916G	120.30	Inf	-Inf	9.57	3	Vertical	225	1.64	18.5	110.73	33.65	10.12	34.20
PK	5.7252G	66.80	68.20	-1.40	9.79	3	Vertical	225	1.64	18.5	57.01	33.85	10.14	34.20

**5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX
5700MHz_TX**




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.39802G	45.44	54.00	-8.56	18.42	3	Vertical	184	1.95	18.5	27.02	39.40	13.08	34.06
PK	11.39784G	58.73	74.00	-15.27	18.42	3	Vertical	184	1.95	18.5	40.31	39.40	13.08	34.06
PK	17.08872G	62.16	68.20	-6.04	20.66	3	Vertical	205	2.66	18.5	41.50	37.78	16.19	33.31

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX
5700MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.4033G	44.26	54.00	-9.74	18.41	3	Horizontal	318	2.46	18.5	25.85	39.39	13.08	34.06
PK	11.397G	57.44	74.00	-16.56	18.41	3	Horizontal	318	2.46	18.5	39.03	39.40	13.07	34.06
PK	17.13048G	61.91	68.20	-6.29	20.70	3	Horizontal	324	2.70	18.5	41.21	37.80	16.20	33.30

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX
5720MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4212G	47.10	54.00	-6.90	8.83	3	Vertical	185	1.67	23	38.27	33.00	10.01	34.18
AV	5.7284G	112.14	Inf	-Inf	9.81	3	Vertical	185	1.67	23	102.33	33.87	10.14	34.20
PK	5.462G	58.92	68.20	-9.28	8.89	3	Vertical	185	1.67	23	50.03	33.05	10.02	34.18
PK	5.7284G	124.78	Inf	-Inf	9.81	3	Vertical	185	1.67	23	114.97	33.87	10.14	34.20
PK	5.8712G	61.90	68.20	-6.30	10.40	3	Vertical	185	1.67	23	51.50	34.38	10.23	34.21

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX
5720MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.44064G	44.85	54.00	-9.15	18.35	3	Vertical	193	1.89	23	26.50	39.32	13.09	34.06
PK	11.44528G	57.25	74.00	-16.75	18.34	3	Vertical	193	1.89	23	38.91	39.31	13.09	34.06
PK	17.16336G	62.25	68.20	-5.95	20.72	3	Vertical	200	1.50	23	41.53	37.80	16.21	33.29


5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX
5720MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.44392G	45.67	54.00	-8.33	18.34	3	Horizontal	317	2.44	23	27.33	39.31	13.09	34.06
PK	11.44392G	59.70	74.00	-14.30	18.34	3	Horizontal	317	2.44	23	41.36	39.31	13.09	34.06
PK	17.17048G	62.20	68.20	-6.00	20.72	3	Horizontal	141	1.50	23	41.48	37.80	16.21	33.29

5.25-5.35GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


5270MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.2656G	108.38	Inf	-Inf	5.35	3	Vertical	160	1.54	-	103.03	33.00	6.50	34.15
AV	5.35G	52.52	54.00	-1.48	5.29	3	Vertical	160	1.54	-	47.23	32.90	6.55	34.16
PK	5.2768G	120.48	Inf	-Inf	5.35	3	Vertical	160	1.54	-	115.13	33.00	6.50	34.15
PK	5.35G	65.98	74.00	-8.02	5.29	3	Vertical	160	1.54	-	60.69	32.90	6.55	34.16

5.25-5.35GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


5270MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.80304G	45.34	54.00	-8.66	16.18	3	Vertical	218	2.09	-	29.16	38.39	12.32	34.53
PK	10.54408G	54.33	68.20	-13.87	15.50	3	Vertical	119	2.00	-	38.83	38.90	11.08	34.48
PK	15.80256G	58.75	74.00	-15.25	16.18	3	Vertical	218	2.09	-	42.57	38.39	12.32	34.53

5.25-5.35GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX


5270MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.80296G	40.91	54.00	-13.09	16.18	3	Horizontal	218	1.00	-	24.73	38.39	12.32	34.53
PK	10.5356G	52.69	68.20	-15.51	15.49	3	Horizontal	254	1.89	-	37.20	38.90	11.08	34.49
PK	15.81104G	54.13	74.00	-19.87	16.17	3	Horizontal	218	1.00	-	37.96	38.38	12.32	34.53

5.25-5.35GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX


5310MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3064G	106.28	Inf	-Inf	5.35	3	Vertical	159	1.59	-	100.93	32.99	6.52	34.16
AV	5.35G	52.82	54.00	-1.18	5.29	3	Vertical	159	1.59	-	47.53	32.90	6.55	34.16
PK	5.308G	118.68	Inf	-Inf	5.35	3	Vertical	159	1.59	-	113.33	32.98	6.53	34.16
PK	5.358G	70.72	74.00	-3.28	5.30	3	Vertical	159	1.59	-	65.42	32.90	6.56	34.16

5.25-5.35GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


5310MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.62568G	40.18	54.00	-13.82	15.67	3	Vertical	203	2.68	-	24.51	38.98	11.11	34.42
AV	15.9212G	38.11	54.00	-15.89	15.93	3	Vertical	72	1.50	-	22.18	38.16	12.39	34.62
PK	10.62624G	52.89	74.00	-21.11	15.67	3	Vertical	203	2.68	-	37.22	38.98	11.11	34.42
PK	15.94776G	50.48	74.00	-23.52	15.87	3	Vertical	72	1.50	-	34.61	38.10	12.41	34.64

5.25-5.35GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


5310MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.62536G	39.21	54.00	-14.79	15.67	3	Horizontal	159	2.84	-	23.54	38.98	11.11	34.42
AV	15.9104G	38.54	54.00	-15.46	15.95	3	Horizontal	217	3.00	-	22.59	38.18	12.38	34.61
PK	10.62576G	52.34	74.00	-21.66	15.67	3	Horizontal	159	2.84	-	36.67	38.98	11.11	34.42
PK	15.9284G	51.49	74.00	-22.51	15.92	3	Horizontal	217	3.00	-	35.57	38.14	12.40	34.62

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


5510MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.454G	47.59	54.00	-6.41	5.37	3	Vertical	202	1.92	-	42.22	32.90	6.64	34.17
AV	5.5136G	105.32	Inf	-Inf	5.41	3	Vertical	202	1.92	-	99.91	32.90	6.69	34.18
PK	5.4432G	64.08	74.00	-9.92	5.36	3	Vertical	202	1.92	-	58.72	32.90	6.63	34.17
PK	5.4656G	66.57	68.20	-1.63	5.37	3	Vertical	202	1.92	-	61.20	32.90	6.65	34.18
PK	5.5144G	117.23	Inf	-Inf	5.41	3	Vertical	202	1.92	-	111.82	32.90	6.69	34.18

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


5510MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.0208G	41.25	54.00	-12.75	16.08	3	Vertical	185	2.21	-	25.17	38.98	11.26	34.16
PK	11.03056G	53.47	74.00	-20.53	16.08	3	Vertical	185	2.21	-	37.39	38.97	11.26	34.15
PK	16.54584G	52.02	68.20	-16.18	16.84	3	Vertical	323	1.91	-	35.18	38.26	12.69	34.11

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


5510MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.01408G	40.95	54.00	-13.05	16.09	3	Horizontal	207	2.12	-	24.86	38.99	11.26	34.16
PK	11.01344G	53.37	74.00	-20.63	16.08	3	Horizontal	207	2.12	-	37.29	38.99	11.25	34.16
PK	16.52224G	50.87	68.20	-17.33	16.85	3	Horizontal	253	1.50	-	34.02	38.33	12.68	34.16


5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5550MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4552G	49.34	54.00	-4.66	8.86	3	Vertical	176	1.50	22	40.48	33.02	10.02	34.18
AV	5.554G	107.97	Inf	-Inf	9.06	3	Vertical	176	1.50	22	98.91	33.20	10.05	34.19
PK	5.4648G	65.35	68.20	-2.85	8.90	3	Vertical	176	1.50	22	56.45	33.06	10.02	34.18
PK	5.5544G	120.61	Inf	-Inf	9.06	3	Vertical	176	1.50	22	111.55	33.20	10.05	34.19

**5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX
5550MHz_TX**




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.09988G	50.00	54.00	-4.00	18.02	3	Vertical	146	2.01	22	31.98	39.10	12.96	34.04
PK	11.09976G	63.41	74.00	-10.59	18.02	3	Vertical	146	2.01	22	45.39	39.10	12.96	34.04
PK	16.68672G	61.67	68.20	-6.53	20.01	3	Vertical	264	2.85	22	41.66	37.86	16.13	33.98

**5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX
5550MHz_TX**




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.10156G	50.84	54.00	-3.16	18.02	3	Horizontal	172	3.00	22	32.82	39.10	12.96	34.04
PK	11.09184G	62.87	74.00	-11.13	18.02	3	Horizontal	172	3.00	22	44.85	39.10	12.96	34.04
PK	16.6092G	61.49	68.20	-6.71	19.61	3	Horizontal	341	2.86	22	41.88	37.63	16.12	34.14

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX
5670MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.6676G	104.62	Inf	-Inf	9.42	3	Vertical	200	1.84	18	95.20	33.51	10.11	34.20
PK	5.6676G	116.76	Inf	-Inf	9.42	3	Vertical	200	1.84	18	107.34	33.51	10.11	34.20
PK	5.7252G	67.05	68.20	-1.15	9.79	3	Vertical	200	1.84	18	57.26	33.85	10.14	34.20

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX
5670MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.337G	44.04	54.00	-9.96	18.34	3	Vertical	182	1.92	18	25.70	39.34	13.05	34.05
PK	11.34792G	57.27	74.00	-16.73	18.36	3	Vertical	182	1.92	18	38.91	39.35	13.06	34.05
PK	17.02512G	61.15	68.20	-7.05	20.51	3	Vertical	92	1.59	18	40.64	37.65	16.18	33.32

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX
5670MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.34528G	43.66	54.00	-10.34	18.35	3	Horizontal	317	2.21	18	25.31	39.35	13.05	34.05
PK	11.34624G	56.48	74.00	-17.52	18.36	3	Horizontal	317	2.21	18	38.12	39.35	13.06	34.05
PK	17.06688G	61.09	68.20	-7.11	20.61	3	Horizontal	28	2.06	18	40.48	37.73	16.19	33.31

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX
5710MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.416G	47.15	54.00	-6.85	8.84	3	Vertical	181	1.50	23	38.31	33.00	10.01	34.17
AV	5.716G	108.40	Inf	-Inf	9.73	3	Vertical	181	1.50	23	98.67	33.80	10.13	34.20
PK	5.4616G	59.48	68.20	-8.72	8.89	3	Vertical	181	1.50	23	50.59	33.05	10.02	34.18
PK	5.7064G	120.28	Inf	-Inf	9.67	3	Vertical	181	1.50	23	110.61	33.74	10.13	34.20
PK	5.8708G	62.15	68.20	-6.05	10.40	3	Vertical	181	1.50	23	51.75	34.38	10.23	34.21

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX
5710MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.42348G	43.48	54.00	-10.52	18.38	3	Vertical	194	1.50	23	25.10	39.35	13.09	34.06
PK	11.42384G	56.40	74.00	-17.60	18.38	3	Vertical	194	1.50	23	38.02	39.35	13.09	34.06
PK	17.15928G	62.23	68.20	-5.97	20.72	3	Vertical	134	2.54	23	41.51	37.80	16.21	33.29


5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX
5710MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.42444G	45.24	54.00	-8.76	18.38	3	Horizontal	319	2.23	23	26.86	39.35	13.09	34.06
PK	11.41472G	59.05	74.00	-14.95	18.39	3	Horizontal	319	2.23	23	40.66	39.37	13.08	34.06
PK	17.16888G	61.51	68.20	-6.69	20.72	3	Horizontal	244	2.73	23	40.79	37.80	16.21	33.29

5.25-5.35GHz_802.11ax HEW80_Nss1,(MCS0)_2TX


5290MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	47.37	54.00	-6.63	8.80	3	Vertical	223	1.50	16	38.57	33.10	9.83	34.13
AV	5.281G	100.60	Inf	-Inf	8.91	3	Vertical	223	1.50	16	91.69	33.14	9.92	34.15
AV	5.352G	52.94	54.00	-1.06	8.71	3	Vertical	223	1.50	16	44.23	32.90	9.97	34.16
PK	5.15G	59.48	74.00	-14.52	8.80	3	Vertical	223	1.50	16	50.68	33.10	9.83	34.13
PK	5.282G	112.36	Inf	-Inf	8.91	3	Vertical	223	1.50	16	103.45	33.14	9.92	34.15
PK	5.521G	59.70	68.20	-8.50	9.05	3	Vertical	223	1.50	16	50.65	33.20	10.04	34.19


5.25-5.35GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5290MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.8705G	47.15	54.00	-6.85	19.36	3	Vertical	6	2.11	16	27.79	38.06	15.92	34.62
PK	10.58048G	61.22	68.20	-6.98	17.58	3	Vertical	235	2.87	16	43.64	39.24	12.76	34.42
PK	15.8796G	60.35	74.00	-13.65	19.35	3	Vertical	6	2.11	16	41.00	38.04	15.93	34.62

5.25-5.35GHz_802.11ax HEW80_Nss1,(MCS0)_2TX
5290MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.8759G	47.16	54.00	-6.84	19.36	3	Horizontal	149	1.66	16	27.80	38.05	15.93	34.62
PK	10.58456G	58.48	68.20	-9.72	17.60	3	Horizontal	279	2.41	16	40.88	39.25	12.76	34.41
PK	15.8921G	61.24	74.00	-12.76	19.33	3	Horizontal	149	1.66	16	41.91	38.02	15.94	34.63

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX
5530MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.459G	53.14	54.00	-0.86	8.88	3	Vertical	201	1.50	18.5	44.26	33.04	10.02	34.18
AV	5.539G	102.21	Inf	-Inf	9.06	3	Vertical	201	1.50	18.5	93.15	33.20	10.05	34.19
PK	5.467G	66.89	68.20	-1.31	8.91	3	Vertical	201	1.50	18.5	57.98	33.07	10.02	34.18
PK	5.538G	114.52	Inf	-Inf	9.06	3	Vertical	201	1.50	18.5	105.46	33.20	10.05	34.19
PK	5.773G	61.12	68.20	-7.08	10.10	3	Vertical	201	1.50	18.5	51.02	34.14	10.17	34.21

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX
5530MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.04968G	46.06	54.00	-7.94	18.00	3	Vertical	146	2.03	18.5	28.06	39.10	12.94	34.04
PK	11.05064G	59.86	74.00	-14.14	18.00	3	Vertical	146	2.03	18.5	41.86	39.10	12.94	34.04
PK	16.644G	61.34	68.20	-6.86	19.79	3	Vertical	100	1.88	18.5	41.55	37.73	16.12	34.06


5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX
5530MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.05064G	48.21	54.00	-5.79	18.00	3	Horizontal	163	2.95	18.5	30.21	39.10	12.94	34.04
PK	11.04128G	61.58	74.00	-12.42	18.00	3	Horizontal	163	2.95	18.5	43.58	39.10	12.94	34.04
PK	16.55496G	61.83	68.20	-6.37	19.69	3	Horizontal	100	2.10	18.5	42.14	37.83	16.11	34.25

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX


5610MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.456G	48.08	54.00	-5.92	8.86	3	Vertical	181	1.50	19.5	39.22	33.02	10.02	34.18
AV	5.617G	103.03	Inf	-Inf	9.15	3	Vertical	181	1.50	19.5	93.88	33.27	10.08	34.20
PK	5.468G	61.12	68.20	-7.08	8.91	3	Vertical	181	1.50	19.5	52.21	33.07	10.02	34.18
PK	5.616G	115.03	Inf	-Inf	9.14	3	Vertical	181	1.50	19.5	105.89	33.26	10.08	34.20
PK	5.725G	67.32	68.20	-0.88	9.79	3	Vertical	181	1.50	19.5	57.53	33.85	10.14	34.20


5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5610MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.19696G	45.63	54.00	-8.37	18.15	3	Vertical	252	2.28	19.5	27.48	39.20	13.00	34.05
PK	11.1972G	60.37	74.00	-13.63	18.15	3	Vertical	252	2.28	19.5	42.22	39.20	13.00	34.05
PK	16.80744G	60.38	68.20	-7.82	20.31	3	Vertical	322	2.17	19.5	40.07	37.89	16.15	33.73

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX
5610MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.202G	43.79	54.00	-10.21	18.15	3	Horizontal	160	2.22	19.5	25.64	39.20	13.00	34.05
PK	11.19288G	57.50	74.00	-16.50	18.14	3	Horizontal	160	2.22	19.5	39.36	39.19	13.00	34.05
PK	16.77408G	60.15	68.20	-8.05	20.24	3	Horizontal	177	1.06	19.5	39.91	37.90	16.14	33.80

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX
5690MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.456G	47.60	54.00	-6.40	8.86	3	Vertical	182	1.50	21.5	38.74	33.02	10.02	34.18
AV	5.6864G	104.24	Inf	-Inf	9.54	3	Vertical	182	1.50	21.5	94.70	33.62	10.12	34.20
PK	5.4668G	59.53	68.20	-8.67	8.91	3	Vertical	182	1.50	21.5	50.62	33.07	10.02	34.18
PK	5.6672G	116.16	Inf	-Inf	9.41	3	Vertical	182	1.50	21.5	106.75	33.50	10.11	34.20
PK	5.8556G	64.25	68.20	-3.95	10.33	3	Vertical	182	1.50	21.5	53.92	34.32	10.22	34.21

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX
5690MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.39344G	43.05	54.00	-10.95	18.40	3	Vertical	191	1.37	21.5	24.65	39.39	13.07	34.06
PK	11.35216G	55.42	74.00	-18.58	18.36	3	Vertical	191	1.37	21.5	37.06	39.35	13.06	34.05
PK	17.1264G	62.35	68.20	-5.85	20.70	3	Vertical	218	2.80	21.5	41.65	37.80	16.20	33.30


5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX
5690MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.3764G	42.95	54.00	-11.05	18.39	3	Horizontal	197	2.08	21.5	24.56	39.38	13.07	34.06
PK	11.37952G	55.27	74.00	-18.73	18.39	3	Horizontal	197	2.08	21.5	36.88	39.38	13.07	34.06
PK	17.10696G	61.91	68.20	-6.29	20.70	3	Horizontal	332	1.91	21.5	41.21	37.80	16.20	33.30

5.25-5.35GHz_802.11ax HEW160_Nss1,(MCS0)_2TX


5250MHz Straddle 5.25-5.35GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	52.44	54.00	-1.56	8.80	3	Vertical	168	1.50	16	43.64	33.10	9.83	34.13
AV	5.2116G	97.22	Inf	-Inf	8.93	3	Vertical	168	1.50	16	88.29	33.20	9.87	34.14
AV	5.3508G	52.93	54.00	-1.07	8.71	3	Vertical	168	1.50	16	44.22	32.90	9.97	34.16
PK	5.13G	66.06	74.00	-7.94	8.84	3	Vertical	168	1.50	16	57.22	33.14	9.82	34.12
PK	5.2116G	110.73	Inf	-Inf	8.93	3	Vertical	168	1.50	16	101.80	33.20	9.87	34.14
PK	5.4912G	59.96	68.20	-8.24	9.00	3	Vertical	168	1.50	16	50.96	33.16	10.03	34.19


5.25-5.35GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

5250MHz Straddle 5.25-5.35GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.59448G	48.35	54.00	-5.65	19.68	3	Vertical	44	1.42	16	28.67	38.42	15.72	34.46
PK	10.49936G	57.24	68.20	-10.96	17.23	3	Vertical	234	2.18	16	40.01	39.00	12.72	34.49
PK	15.60472G	61.34	74.00	-12.66	19.65	3	Vertical	44	1.42	16	41.69	38.39	15.73	34.47

5.25-5.35GHz_802.11ax HEW160_Nss1,(MCS0)_2TX
5250MHz Straddle 5.25-5.35GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.59128G	48.35	54.00	-5.65	19.69	3	Horizontal	210	1.50	16	28.66	38.43	15.72	34.46
PK	10.46096G	54.86	68.20	-13.34	17.15	3	Horizontal	271	1.00	16	37.71	38.96	12.71	34.52
PK	15.66168G	60.88	74.00	-13.12	19.55	3	Horizontal	210	1.50	16	41.33	38.28	15.77	34.50

5.47-5.725GHz_802.11ax HEW160_Nss1,(MCS0)_2TX
5570MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4572G	52.30	54.00	-1.70	8.87	3	Vertical	183	1.50	17.5	43.43	33.03	10.02	34.18
AV	5.5964G	99.06	Inf	-Inf	9.07	3	Vertical	183	1.50	17.5	89.99	33.20	10.07	34.20
PK	5.4632G	66.58	68.20	-1.62	8.89	3	Vertical	183	1.50	17.5	57.69	33.05	10.02	34.18
PK	5.5472G	110.78	Inf	-Inf	9.06	3	Vertical	183	1.50	17.5	101.72	33.20	10.05	34.19
PK	5.726G	66.90	68.20	-1.30	9.80	3	Vertical	183	1.50	17.5	57.10	33.86	10.14	34.20

5.47-5.725GHz_802.11ax HEW160_Nss1,(MCS0)_2TX
5570MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.11024G	42.08	54.00	-11.92	18.03	3	Vertical	143	1.50	17.5	24.05	39.11	12.96	34.04
PK	11.10448G	51.21	74.00	-22.79	18.02	3	Vertical	143	1.50	17.5	33.19	39.10	12.96	34.04
PK	16.69656G	61.08	68.20	-7.12	20.06	3	Vertical	195	2.05	17.5	41.02	37.89	16.13	33.96

5.47-5.725GHz_802.11ax HEW160_Nss1,(MCS0)_2TX
5570MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.1352G	43.24	54.00	-10.76	18.06	3	Horizontal	259	1.79	17.5	25.18	39.14	12.97	34.05
PK	11.1551G	57.25	74.00	-16.75	18.09	3	Horizontal	259	1.79	17.5	39.16	39.16	12.98	34.05
PK	16.7264G	60.78	68.20	-7.42	20.15	3	Horizontal	79	2.77	17.5	40.63	37.90	16.14	33.89