


5.25-5.35GHz\_802.11a\_Nss1,(6Mbps)\_2TX


5320MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.7971G	32.79	54.00	-21.21	7.95	3	Vertical	346	2.89	24.84	32.48	9.67	34.20
AV	10.64012G	52.55	54.00	-1.45	17.28	3	Vertical	22	2.74	35.27	38.86	12.78	34.36
AV	15.96264G	48.05	54.00	-5.95	19.66	3	Vertical	241	1.50	28.39	38.34	15.99	34.67
PK	4.7906G	45.29	74.00	-28.71	7.90	3	Vertical	346	2.89	37.39	32.44	9.66	34.20
PK	10.64048G	65.40	74.00	-8.60	17.28	3	Vertical	22	2.74	48.12	38.86	12.78	34.36
PK	15.95008G	60.57	74.00	-13.43	19.67	3	Vertical	241	1.50	40.90	38.35	15.98	34.66

5.25-5.35GHz\_802.11a\_Nss1,(6Mbps)\_2TX


5320MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.8017G	32.87	54.00	-21.13	7.97	3	Horizontal	181	1.60	24.90	32.50	9.67	34.20
AV	10.63964G	50.86	54.00	-3.14	17.28	3	Horizontal	24	1.94	33.58	38.86	12.78	34.36
AV	15.95892G	48.11	54.00	-5.89	19.66	3	Horizontal	269	1.50	28.45	38.34	15.99	34.67
PK	4.8033G	45.63	74.00	-28.37	7.99	3	Horizontal	181	1.60	37.64	32.51	9.67	34.19
PK	10.63924G	63.54	74.00	-10.46	17.28	3	Horizontal	24	1.94	46.26	38.86	12.78	34.36
PK	15.9586G	61.65	74.00	-12.35	19.66	3	Horizontal	269	1.50	41.99	38.34	15.99	34.67

5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_2TX


5500MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4572G	46.33	54.00	-7.67	5.37	3	Vertical	26	2.94	40.96	32.90	6.64	34.17
AV	5.501G	108.61	Inf	-Inf	5.40	3	Vertical	26	2.94	103.21	32.90	6.68	34.18
PK	5.4678G	64.87	68.20	-3.33	5.37	3	Vertical	26	2.94	59.50	32.90	6.65	34.18
PK	5.4968G	118.47	Inf	-Inf	5.40	3	Vertical	26	2.94	113.07	32.90	6.68	34.18

5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_2TX


5500MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4576G	48.14	54.00	-5.86	5.37	3	Horizontal	47	2.09	42.77	32.90	6.64	34.17
AV	5.5024G	109.51	Inf	-Inf	5.40	3	Horizontal	47	2.09	104.11	32.90	6.68	34.18
PK	5.4678G	67.69	68.20	-0.51	5.37	3	Horizontal	47	2.09	62.32	32.90	6.65	34.18
PK	5.5026G	119.78	Inf	-Inf	5.40	3	Horizontal	47	2.09	114.38	32.90	6.68	34.18

5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_2TX


5500MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.94052G	33.80	54.00	-20.20	5.06	3	Vertical	56	2.46	28.74	32.94	6.26	34.14
AV	10.99996G	41.94	54.00	-12.06	16.09	3	Vertical	23	1.69	25.85	39.00	11.25	34.16
PK	4.93992G	70.37	74.00	-3.63	5.06	3	Vertical	56	2.46	65.31	32.94	6.26	34.14
PK	10.9944G	55.30	74.00	-18.70	16.10	3	Vertical	23	1.69	39.20	39.01	11.25	34.16
PK	16.4972G	52.91	68.20	-15.29	16.86	3	Vertical	21	1.37	36.05	38.39	12.67	34.20

5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_2TX


5500MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.93972G	33.41	54.00	-20.59	5.06	3	Horizontal	360	2.14	28.35	32.94	6.26	34.14
AV	10.99824G	40.91	54.00	-13.09	16.09	3	Horizontal	291	1.87	24.82	39.00	11.25	34.16
PK	4.94042G	69.51	74.00	-4.49	5.06	3	Horizontal	360	2.14	64.45	32.94	6.26	34.14
PK	10.99856G	53.45	74.00	-20.55	16.09	3	Horizontal	291	1.87	37.36	39.00	11.25	34.16
PK	16.50564G	59.09	68.20	-9.11	16.86	3	Horizontal	10	1.92	42.23	38.38	12.67	34.19

5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_2TX


5580MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4444G	45.92	54.00	-8.08	5.36	3	Vertical	220	2.93	40.56	32.90	6.63	34.17
AV	5.5776G	109.39	Inf	-Inf	5.52	3	Vertical	220	2.93	103.87	32.96	6.75	34.19
PK	5.4438G	59.66	74.00	-14.34	5.36	3	Vertical	220	2.93	54.30	32.90	6.63	34.17
PK	5.469G	59.00	68.20	-9.20	5.37	3	Vertical	220	2.93	53.63	32.90	6.65	34.18
PK	5.5836G	119.89	Inf	-Inf	5.54	3	Vertical	220	2.93	114.35	32.97	6.76	34.19
PK	5.7258G	59.91	68.20	-8.29	6.35	3	Vertical	220	2.93	53.56	33.70	6.85	34.20

5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_2TX


5580MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4366G	45.37	54.00	-8.63	5.35	3	Horizontal	149	2.46	40.02	32.90	6.62	34.17
AV	5.5824G	104.41	Inf	-Inf	5.52	3	Horizontal	149	2.46	98.89	32.96	6.75	34.19
PK	5.4558G	58.53	74.00	-15.47	5.37	3	Horizontal	149	2.46	53.16	32.90	6.64	34.17
PK	5.4684G	58.52	68.20	-9.68	5.37	3	Horizontal	149	2.46	53.15	32.90	6.65	34.18
PK	5.583G	114.16	Inf	-Inf	5.53	3	Horizontal	149	2.46	108.63	32.97	6.75	34.19
PK	5.7252G	58.60	68.20	-9.60	6.35	3	Horizontal	149	2.46	52.25	33.70	6.85	34.20

5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_2TX


5580MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.0182G	33.93	54.00	-20.07	5.43	3	Vertical	50	1.00	28.50	33.24	6.31	34.12
AV	11.16012G	41.88	54.00	-12.12	16.14	3	Vertical	208	1.50	25.74	38.96	11.31	34.13
PK	5.0168G	61.91	74.00	-12.09	5.42	3	Vertical	50	1.00	56.49	33.23	6.31	34.12
PK	11.15984G	53.95	74.00	-20.05	16.14	3	Vertical	208	1.50	37.81	38.96	11.31	34.13
PK	16.73048G	52.24	68.20	-15.96	17.33	3	Vertical	343	2.11	34.91	38.30	12.77	33.74

5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_2TX


5580MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.0187G	36.42	54.00	-17.58	5.43	3	Horizontal	302	1.00	30.99	33.24	6.31	34.12
AV	11.15992G	39.36	54.00	-14.64	16.14	3	Horizontal	167	1.83	23.22	38.96	11.31	34.13
PK	5.0202G	68.60	74.00	-5.40	5.44	3	Horizontal	302	1.00	63.16	33.24	6.32	34.12
PK	11.16536G	51.36	74.00	-22.64	16.15	3	Horizontal	167	1.83	35.21	38.97	11.31	34.13
PK	16.7412G	52.38	68.20	-15.82	17.36	3	Horizontal	115	1.50	35.02	38.30	12.78	33.72

5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_2TX


5700MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.703G	107.33	Inf	-Inf	9.35	3	Vertical	39	1.04	97.98	33.42	10.13	34.20
PK	5.703G	117.07	Inf	-Inf	9.35	3	Vertical	39	1.04	107.72	33.42	10.13	34.20
PK	5.7276G	63.05	68.20	-5.15	9.51	3	Vertical	39	1.04	53.54	33.57	10.14	34.20

5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_2TX


5700MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.6988G	109.19	Inf	-Inf	9.32	3	Horizontal	67	1.95	99.87	33.40	10.12	34.20
PK	5.703G	118.63	Inf	-Inf	9.35	3	Horizontal	67	1.95	109.28	33.42	10.13	34.20
PK	5.7282G	65.73	68.20	-2.47	9.51	3	Horizontal	67	1.95	56.22	33.57	10.14	34.20

5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_2TX


5700MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.39804G	46.30	54.00	-7.70	18.12	3	Vertical	47	1.63	28.18	39.10	13.08	34.06
PK	5.1838G	52.38	68.20	-15.82	8.85	3	Vertical	65	2.16	43.53	33.13	9.85	34.13
PK	11.39876G	59.35	74.00	-14.65	18.12	3	Vertical	47	1.63	41.23	39.10	13.08	34.06
PK	17.10752G	63.16	68.20	-5.04	21.30	3	Vertical	331	1.03	41.86	38.40	16.20	33.30

5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_2TX


5700MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.39816G	46.28	54.00	-7.72	18.12	3	Horizontal	16	2.08	28.16	39.10	13.08	34.06
PK	5.184G	52.36	68.20	-15.84	8.85	3	Horizontal	53	2.03	43.51	33.13	9.85	34.13
PK	11.39264G	59.98	74.00	-14.02	18.11	3	Horizontal	16	2.08	41.87	39.10	13.07	34.06
PK	17.10724G	62.92	68.20	-5.28	21.30	3	Horizontal	0	1.84	41.62	38.40	16.20	33.30

5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_2TX


5720MHz Straddle 5.47-5.725GHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4308G	47.57	54.00	-6.43	8.69	3	Vertical	37	1.02	38.88	32.86	10.01	34.18
AV	5.7236G	109.52	Inf	-Inf	9.48	3	Vertical	37	1.02	100.04	33.54	10.14	34.20
PK	5.4692G	57.90	68.20	-10.30	8.78	3	Vertical	37	1.02	49.12	32.94	10.02	34.18
PK	5.7236G	119.10	Inf	-Inf	9.48	3	Vertical	37	1.02	109.62	33.54	10.14	34.20
PK	5.9648G	60.58	68.20	-7.62	10.29	3	Vertical	37	1.02	50.29	34.21	10.30	34.22

5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_2TX

5720MHz Straddle 5.47-5.725GHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4572G	47.96	54.00	-6.04	8.75	3	Horizontal	64	1.92	39.21	32.91	10.02	34.18
AV	5.7188G	111.72	Inf	-Inf	9.45	3	Horizontal	64	1.92	102.27	33.51	10.14	34.20
PK	5.4656G	58.74	68.20	-9.46	8.77	3	Horizontal	64	1.92	49.97	32.93	10.02	34.18
PK	5.7248G	120.82	Inf	-Inf	9.49	3	Horizontal	64	1.92	111.33	33.55	10.14	34.20
PK	5.9036G	60.45	68.20	-7.75	10.16	3	Horizontal	64	1.92	50.29	34.11	10.26	34.21



5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_2TX


5720MHz Straddle 5.47-5.725GHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.43832G	47.43	54.00	-6.57	18.05	3	Vertical	46	1.67	29.38	39.02	13.09	34.06
PK	5.21276G	51.75	68.20	-16.45	8.78	3	Vertical	64	2.26	42.97	33.05	9.87	34.14
PK	11.44332G	59.52	74.00	-14.48	18.04	3	Vertical	46	1.67	41.48	39.01	13.09	34.06
PK	17.1692G	63.30	68.20	-4.90	21.32	3	Vertical	238	2.79	41.98	38.40	16.21	33.29

5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_2TX


5720MHz Straddle 5.47-5.725GHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.43832G	46.71	54.00	-7.29	18.05	3	Horizontal	330	2.88	28.66	39.02	13.09	34.06
PK	5.20616G	53.58	68.20	-14.62	8.80	3	Horizontal	54	2.06	44.78	33.08	9.86	34.14
PK	11.443G	59.51	74.00	-14.49	18.04	3	Horizontal	330	2.88	41.47	39.01	13.09	34.06
PK	17.16132G	63.75	68.20	-4.45	21.32	3	Horizontal	162	2.03	42.43	38.40	16.21	33.29

5.25-5.35GHz\_802.11ax\_HEW20\_Nss1,(MCS0)\_2TX


5260MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1454G	47.21	54.00	-6.79	8.90	3	Vertical	38	1.04	38.31	33.20	9.83	34.13
AV	5.2618G	105.38	Inf	-Inf	8.67	3	Vertical	38	1.04	96.71	32.92	9.90	34.15
AV	5.356G	47.44	54.00	-6.56	8.52	3	Vertical	38	1.04	38.92	32.71	9.97	34.16
PK	5.122G	59.31	74.00	-14.69	8.90	3	Vertical	38	1.04	50.41	33.20	9.82	34.12
PK	5.2612G	118.00	Inf	-Inf	8.67	3	Vertical	38	1.04	109.33	32.92	9.90	34.15
PK	5.3896G	60.23	74.00	-13.77	8.60	3	Vertical	38	1.04	51.63	32.78	9.99	34.17

5.25-5.35GHz\_802.11ax\_HEW20\_Nss1,(MCS0)\_2TX


5260MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1496G	47.53	54.00	-6.47	8.90	3	Horizontal	56	1.96	38.63	33.20	9.83	34.13
AV	5.2558G	110.44	Inf	-Inf	8.66	3	Horizontal	56	1.96	101.78	32.91	9.90	34.15
AV	5.3758G	49.30	54.00	-4.70	8.56	3	Horizontal	56	1.96	40.74	32.75	9.98	34.17
PK	5.1292G	59.71	74.00	-14.29	8.90	3	Horizontal	56	1.96	50.81	33.20	9.82	34.12
PK	5.2654G	123.75	Inf	-Inf	8.69	3	Horizontal	56	1.96	115.06	32.93	9.91	34.15
PK	5.3506G	60.76	74.00	-13.24	8.51	3	Horizontal	56	1.96	52.25	32.70	9.97	34.16

5.25-5.35GHz\_802.11ax\_HEW20\_Nss1,(MCS0)\_2TX


5260MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.82268G	32.59	54.00	-21.41	8.04	3	Vertical	170	2.51	24.55	32.55	9.68	34.19
AV	15.76224G	46.88	54.00	-7.12	19.42	3	Vertical	101	2.80	27.46	38.14	15.84	34.56
PK	4.82068G	45.64	74.00	-28.36	8.03	3	Vertical	170	2.51	37.61	32.54	9.68	34.19
PK	10.5176G	61.88	68.20	-6.32	16.91	3	Vertical	340	2.00	44.97	38.65	12.73	34.47
PK	15.768G	59.59	74.00	-14.41	19.42	3	Vertical	101	2.80	40.17	38.13	15.85	34.56

5.25-5.35GHz\_802.11ax\_HEW20\_Nss1,(MCS0)\_2TX


5260MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.82428G	32.81	54.00	-21.19	8.05	3	Horizontal	273	2.46	24.76	32.55	9.68	34.18
AV	15.77072G	46.79	54.00	-7.21	19.42	3	Horizontal	270	2.12	27.37	38.13	15.85	34.56
PK	4.79668G	44.81	74.00	-29.19	7.95	3	Horizontal	273	2.46	36.86	32.48	9.67	34.20
PK	10.52856G	64.30	68.20	-3.90	16.97	3	Horizontal	333	2.93	47.33	38.69	12.74	34.46
PK	15.79768G	59.64	74.00	-14.36	19.39	3	Horizontal	270	2.12	40.25	38.10	15.87	34.58

5.25-5.35GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX


5300MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3018G	104.04	Inf	-Inf	8.77	3	Vertical	36	1.04	95.27	32.99	9.93	34.15
AV	5.399G	47.01	54.00	-6.99	8.63	3	Vertical	36	1.04	38.38	32.80	10.00	34.17
PK	5.3024G	117.06	Inf	-Inf	8.77	3	Vertical	36	1.04	108.29	32.99	9.93	34.15
PK	5.3972G	58.67	74.00	-15.33	8.62	3	Vertical	36	1.04	50.05	32.79	10.00	34.17

5.25-5.35GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX


5300MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.2958G	109.25	Inf	-Inf	8.77	3	Horizontal	56	2.04	100.48	32.99	9.93	34.15
AV	5.3762G	48.50	54.00	-5.50	8.56	3	Horizontal	56	2.04	39.94	32.75	9.98	34.17
PK	5.2964G	121.32	Inf	-Inf	8.77	3	Horizontal	56	2.04	112.55	32.99	9.93	34.15
PK	5.3924G	59.74	74.00	-14.26	8.60	3	Horizontal	56	2.04	51.14	32.78	9.99	34.17

5.25-5.35GHz\_802.11ax\_HEW20\_Nss1,(MCS0)\_2TX


5300MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.8195G	32.77	54.00	-21.23	8.03	3	Vertical	210	1.68	24.74	32.54	9.68	34.19
AV	10.60112G	52.83	54.00	-1.17	17.26	3	Vertical	23	2.73	35.57	38.90	12.76	34.40
AV	15.91952G	46.93	54.00	-7.07	19.70	3	Vertical	298	2.08	27.23	38.38	15.96	34.64
PK	4.7901G	46.03	74.00	-27.97	7.90	3	Vertical	210	1.68	38.13	32.44	9.66	34.20
PK	10.59752G	65.64	68.20	-2.56	17.25	3	Vertical	23	2.73	48.39	38.89	12.76	34.40
PK	15.88696G	60.07	74.00	-13.93	19.67	3	Vertical	298	2.08	40.40	38.36	15.94	34.63

5.25-5.35GHz\_802.11ax\_HEW20\_Nss1,(MCS0)\_2TX


5300MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.8199G	32.70	54.00	-21.30	8.03	3	Horizontal	81	2.81	24.67	32.54	9.68	34.19
AV	10.60072G	50.86	54.00	-3.14	17.26	3	Horizontal	310	1.66	33.60	38.90	12.76	34.40
AV	15.91272G	47.00	54.00	-7.00	19.71	3	Horizontal	300	2.69	27.29	38.39	15.96	34.64
PK	4.8062G	45.32	74.00	-28.68	7.99	3	Horizontal	81	2.81	37.33	32.51	9.67	34.19
PK	10.60144G	63.92	74.00	-10.08	17.26	3	Horizontal	310	1.66	46.66	38.90	12.76	34.40
PK	15.91696G	61.08	74.00	-12.92	19.70	3	Horizontal	300	2.69	41.38	38.38	15.96	34.64

5.25-5.35GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX


5320MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3218G	102.35	Inf	-Inf	8.66	3	Vertical	38	1.08	93.69	32.87	9.95	34.16
AV	5.3518G	47.06	54.00	-6.94	8.51	3	Vertical	38	1.08	38.55	32.70	9.97	34.16
PK	5.3218G	113.75	Inf	-Inf	8.66	3	Vertical	38	1.08	105.09	32.87	9.95	34.16
PK	5.4214G	59.36	74.00	-14.64	8.67	3	Vertical	38	1.08	50.69	32.84	10.01	34.18

5.25-5.35GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX


5320MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3164G	107.20	Inf	-Inf	8.68	3	Horizontal	54	2.03	98.52	32.90	9.94	34.16
AV	5.3758G	48.36	54.00	-5.64	8.56	3	Horizontal	54	2.03	39.80	32.75	9.98	34.17
PK	5.3176G	119.83	Inf	-Inf	8.67	3	Horizontal	54	2.03	111.16	32.89	9.94	34.16
PK	5.4538G	59.81	74.00	-14.19	8.75	3	Horizontal	54	2.03	51.06	32.91	10.02	34.18

5.25-5.35GHz\_802.11ax\_HEW20\_Nss1,(MCS0)\_2TX


5320MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.82396G	32.54	54.00	-21.46	8.05	3	Vertical	144	1.27	24.49	32.55	9.68	34.18
AV	10.64112G	52.59	54.00	-1.41	17.28	3	Vertical	24	2.64	35.31	38.86	12.78	34.36
AV	15.96984G	47.53	54.00	-6.47	19.66	3	Vertical	296	1.02	27.87	38.33	16.00	34.67
PK	4.83724G	45.44	74.00	-28.56	8.07	3	Vertical	144	1.27	37.37	32.57	9.68	34.18
PK	10.64128G	65.45	74.00	-8.55	17.28	3	Vertical	24	2.64	48.17	38.86	12.78	34.36
PK	15.95656G	60.38	74.00	-13.62	19.66	3	Vertical	296	1.02	40.72	38.34	15.99	34.67

5.25-5.35GHz\_802.11ax\_HEW20\_Nss1,(MCS0)\_2TX


5320MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.824G	32.85	54.00	-21.15	8.05	3	Horizontal	274	1.11	24.80	32.55	9.68	34.18
AV	10.63968G	50.55	54.00	-3.45	17.28	3	Horizontal	26	1.95	33.27	38.86	12.78	34.36
AV	15.96368G	47.40	54.00	-6.60	19.66	3	Horizontal	235	2.27	27.74	38.34	15.99	34.67
PK	4.83816G	45.36	74.00	-28.64	8.09	3	Horizontal	274	1.11	37.27	32.58	9.69	34.18
PK	10.64112G	63.87	74.00	-10.13	17.28	3	Horizontal	26	1.95	46.59	38.86	12.78	34.36
PK	15.96448G	61.08	74.00	-12.92	19.66	3	Horizontal	235	2.27	41.42	38.34	15.99	34.67

5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX


5500MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4544G	45.83	54.00	-8.17	5.37	3	Vertical	25	2.94	40.46	32.90	6.64	34.17
AV	5.5028G	106.96	Inf	-Inf	5.40	3	Vertical	25	2.94	101.56	32.90	6.68	34.18
PK	5.4696G	61.44	68.20	-6.76	5.37	3	Vertical	25	2.94	56.07	32.90	6.65	34.18
PK	5.5022G	121.00	Inf	-Inf	5.40	3	Vertical	25	2.94	115.60	32.90	6.68	34.18

5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX

5500MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4544G	46.14	54.00	-7.86	5.37	3	Horizontal	47	1.95	40.77	32.90	6.64	34.17
AV	5.5044G	107.10	Inf	-Inf	5.40	3	Horizontal	47	1.95	101.70	32.90	6.68	34.18
PK	5.4688G	63.11	68.20	-5.09	5.37	3	Horizontal	47	1.95	57.74	32.90	6.65	34.18
PK	5.5052G	120.78	Inf	-Inf	5.40	3	Horizontal	47	1.95	115.38	32.90	6.68	34.18



5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX


5500MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.94038G	31.77	54.00	-22.23	5.06	3	Vertical	57	1.21	26.71	32.94	6.26	34.14
AV	10.9914G	37.02	54.00	-16.98	16.09	3	Vertical	241	1.95	20.93	39.01	11.25	34.17
PK	4.93302G	67.23	74.00	-6.77	5.01	3	Vertical	57	1.21	62.22	32.90	6.25	34.14
PK	10.99308G	50.63	74.00	-23.37	16.10	3	Vertical	241	1.95	34.53	39.01	11.25	34.16
PK	16.49732G	52.15	68.20	-16.05	16.86	3	Vertical	15	2.83	35.29	38.39	12.67	34.20

5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX


5500MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.93889G	33.58	54.00	-20.42	5.05	3	Horizontal	296	1.06	28.53	32.93	6.26	34.14
AV	10.99976G	38.81	54.00	-15.19	16.09	3	Horizontal	64	1.67	22.72	39.00	11.25	34.16
PK	4.93289G	71.60	74.00	-2.40	5.01	3	Horizontal	296	1.06	66.59	32.90	6.25	34.14
PK	10.99948G	52.11	74.00	-21.89	16.09	3	Horizontal	64	1.67	36.02	39.00	11.25	34.16
PK	16.4928G	52.78	68.20	-15.42	16.81	3	Horizontal	98	2.91	35.97	38.36	12.66	34.21

5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX


5580MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4372G	45.27	54.00	-8.73	5.35	3	Vertical	0	2.83	39.92	32.90	6.62	34.17
AV	5.5812G	107.57	Inf	-Inf	5.52	3	Vertical	0	2.83	102.05	32.96	6.75	34.19
PK	5.4642G	57.82	68.20	-10.38	5.37	3	Vertical	0	2.83	52.45	32.90	6.65	34.18
PK	5.5812G	121.20	Inf	-Inf	5.52	3	Vertical	0	2.83	115.68	32.96	6.75	34.19
PK	5.7258G	59.60	68.20	-8.60	6.35	3	Vertical	0	2.83	53.25	33.70	6.85	34.20

5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX


5580MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4348G	46.06	54.00	-7.94	5.35	3	Horizontal	303	2.85	40.71	32.90	6.62	34.17
AV	5.5776G	110.25	Inf	-Inf	5.52	3	Horizontal	303	2.85	104.73	32.96	6.75	34.19
PK	5.4606G	59.12	68.20	-9.08	5.36	3	Horizontal	303	2.85	53.76	32.90	6.64	34.18
PK	5.5776G	123.59	Inf	-Inf	5.51	3	Horizontal	303	2.85	118.08	32.95	6.75	34.19
PK	5.7294G	59.85	68.20	-8.35	6.37	3	Horizontal	303	2.85	53.48	33.72	6.85	34.20

5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX


5580MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.02072G	34.91	54.00	-19.09	5.44	3	Vertical	62	1.98	29.47	33.24	6.32	34.12
AV	11.15812G	40.38	54.00	-13.62	16.14	3	Vertical	221	1.23	24.24	38.96	11.31	34.13
PK	5.01804G	72.04	74.00	-1.96	5.43	3	Vertical	62	1.98	66.61	33.24	6.31	34.12
PK	11.15732G	53.41	74.00	-20.59	16.14	3	Vertical	221	1.23	37.27	38.96	11.31	34.13
PK	16.73848G	51.20	68.20	-17.00	17.35	3	Vertical	206	1.61	33.85	38.30	12.78	33.73

5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX


5580MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.02218G	35.18	54.00	-18.82	5.44	3	Horizontal	308	1.14	29.74	33.24	6.32	34.12
AV	11.15992G	40.54	54.00	-13.46	16.14	3	Horizontal	349	2.19	24.40	38.96	11.31	34.13
PK	5.02104G	72.04	74.00	-1.96	5.44	3	Horizontal	308	1.14	66.60	33.24	6.32	34.12
PK	11.16816G	52.90	74.00	-21.10	16.15	3	Horizontal	349	2.19	36.75	38.97	11.31	34.13
PK	16.7452G	51.13	68.20	-17.07	17.37	3	Horizontal	254	2.62	33.76	38.30	12.78	33.71

5.47-5.725GHz\_802.11ax\_HEW20\_Nss1,(MCS0)\_2TX


5700MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7018G	105.81	Inf	-Inf	9.34	3	Vertical	36	1.06	96.47	33.41	10.13	34.20
PK	5.7024G	118.31	Inf	-Inf	9.34	3	Vertical	36	1.06	108.97	33.41	10.13	34.20
PK	5.7324G	64.36	68.20	-3.84	9.53	3	Vertical	36	1.06	54.83	33.59	10.14	34.20

5.47-5.725GHz\_802.11ax\_HEW20\_Nss1,(MCS0)\_2TX


5700MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.703G	108.61	Inf	-Inf	9.35	3	Horizontal	63	2.02	99.26	33.42	10.13	34.20
PK	5.7036G	121.24	Inf	-Inf	9.35	3	Horizontal	63	2.02	111.89	33.42	10.13	34.20
PK	5.7252G	65.96	68.20	-2.24	9.49	3	Horizontal	63	2.02	56.47	33.55	10.14	34.20

5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX


5700MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.39736G	45.76	54.00	-8.24	18.11	3	Vertical	47	1.60	27.65	39.10	13.07	34.06
PK	5.184G	52.47	68.20	-15.73	8.85	3	Vertical	67	2.35	43.62	33.13	9.85	34.13
PK	11.40608G	58.74	74.00	-15.26	18.11	3	Vertical	47	1.60	40.63	39.09	13.08	34.06
PK	17.11352G	61.66	68.20	-6.54	21.30	3	Vertical	187	1.71	40.36	38.40	16.20	33.30

5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX


5700MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.39688G	46.35	54.00	-7.65	18.11	3	Horizontal	18	2.06	28.24	39.10	13.07	34.06
PK	5.184G	53.07	68.20	-15.13	8.85	3	Horizontal	56	2.03	44.22	33.13	9.85	34.13
PK	11.39608G	60.52	74.00	-13.48	18.11	3	Horizontal	18	2.06	42.41	39.10	13.07	34.06
PK	17.10256G	61.48	68.20	-6.72	21.30	3	Horizontal	258	2.55	40.18	38.40	16.20	33.30

5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX


5720MHz Straddle 5.47-5.725GHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4368G	47.37	54.00	-6.63	8.70	3	Vertical	34	1.00	38.67	32.87	10.01	34.18
AV	5.7164G	108.26	Inf	-Inf	9.43	3	Vertical	34	1.00	98.83	33.50	10.13	34.20
PK	5.462G	58.02	68.20	-10.18	8.76	3	Vertical	34	1.00	49.26	32.92	10.02	34.18
PK	5.7176G	121.34	Inf	-Inf	9.44	3	Vertical	34	1.00	111.90	33.51	10.13	34.20
PK	5.9816G	61.44	68.20	-6.76	10.21	3	Vertical	34	1.00	51.23	34.11	10.32	34.22

5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX


5720MHz Straddle 5.47-5.725GHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.45G	47.63	54.00	-6.37	8.74	3	Horizontal	64	1.90	38.89	32.90	10.02	34.18
AV	5.7176G	110.67	Inf	-Inf	9.44	3	Horizontal	64	1.90	101.23	33.51	10.13	34.20
PK	5.4668G	59.00	68.20	-9.20	8.77	3	Horizontal	64	1.90	50.23	32.93	10.02	34.18
PK	5.7176G	121.94	Inf	-Inf	9.44	3	Horizontal	64	1.90	112.50	33.51	10.13	34.20
PK	5.9336G	60.84	68.20	-7.36	10.29	3	Horizontal	64	1.90	50.55	34.23	10.28	34.22

5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX


5720MHz Straddle 5.47-5.725GHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.43776G	46.80	54.00	-7.20	18.05	3	Vertical	44	1.60	28.75	39.02	13.09	34.06
PK	5.20196G	53.50	68.20	-14.70	8.81	3	Vertical	70	2.15	44.69	33.09	9.86	34.14
PK	11.4376G	59.41	74.00	-14.59	18.05	3	Vertical	44	1.60	41.36	39.02	13.09	34.06
PK	17.15272G	62.09	68.20	-6.11	21.31	3	Vertical	21	1.32	40.78	38.40	16.20	33.29

5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX


5720MHz Straddle 5.47-5.725GHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.43624G	44.73	54.00	-9.27	18.06	3	Horizontal	360	1.40	26.67	39.03	13.09	34.06
PK	5.18376G	54.00	68.20	-14.20	8.85	3	Horizontal	56	2.03	45.15	33.13	9.85	34.13
PK	11.44656G	59.13	74.00	-14.87	18.04	3	Horizontal	360	1.40	41.09	39.01	13.09	34.06
PK	17.16896G	65.08	68.20	-3.12	21.32	3	Horizontal	172	2.06	43.76	38.40	16.21	33.29

5.25-5.35GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX


5270MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.2724G	102.61	Inf	-Inf	8.70	3	Vertical	38	1.96	93.91	32.94	9.91	34.15
AV	5.352G	48.13	54.00	-5.87	8.51	3	Vertical	38	1.96	39.62	32.70	9.97	34.16
PK	5.2716G	114.28	Inf	-Inf	8.70	3	Vertical	38	1.96	105.58	32.94	9.91	34.15
PK	5.3536G	60.33	74.00	-13.67	8.52	3	Vertical	38	1.96	51.81	32.71	9.97	34.16

5.25-5.35GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX

5270MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.266G	108.31	Inf	-Inf	8.69	3	Horizontal	56	2.00	99.62	32.93	9.91	34.15
AV	5.356G	49.84	54.00	-4.16	8.52	3	Horizontal	56	2.00	41.32	32.71	9.97	34.16
PK	5.2748G	119.72	Inf	-Inf	8.71	3	Horizontal	56	2.00	111.01	32.95	9.91	34.15
PK	5.3548G	65.45	74.00	-8.55	8.52	3	Horizontal	56	2.00	56.93	32.71	9.97	34.16



5.25-5.35GHz\_802.11ax\_HEW40\_Nss1,(MCS0)\_2TX


5270MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.79962G	32.68	54.00	-21.32	7.97	3	Vertical	139	2.41	24.71	32.50	9.67	34.20
AV	15.7818G	47.09	54.00	-6.91	19.41	3	Vertical	216	2.86	27.68	38.12	15.86	34.57
PK	4.79862G	45.46	74.00	-28.54	7.96	3	Vertical	139	2.41	37.50	32.49	9.67	34.20
PK	10.54972G	62.95	68.20	-5.25	17.04	3	Vertical	9	1.26	45.91	38.75	12.74	34.45
PK	15.82236G	60.73	74.00	-13.27	19.47	3	Vertical	216	2.86	41.26	38.17	15.89	34.59

5.25-5.35GHz\_802.11ax\_HEW40\_Nss1,(MCS0)\_2TX


5270MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.77122G	32.64	54.00	-21.36	7.77	3	Horizontal	218	2.32	24.87	32.33	9.65	34.21
AV	15.81696G	47.06	54.00	-6.94	19.44	3	Horizontal	0	1.66	27.62	38.15	15.88	34.59
PK	4.75392G	45.32	74.00	-28.68	7.64	3	Horizontal	218	2.32	37.68	32.22	9.64	34.22
PK	10.54708G	62.41	68.20	-5.79	17.03	3	Horizontal	71	2.86	45.38	38.74	12.74	34.45
PK	15.8064G	59.94	74.00	-14.06	19.42	3	Horizontal	0	1.66	40.52	38.12	15.88	34.58

5.25-5.35GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX


5310MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3068G	100.84	Inf	-Inf	8.73	3	Vertical	38	2.05	92.11	32.96	9.93	34.16
AV	5.3568G	48.38	54.00	-5.62	8.52	3	Vertical	38	2.05	39.86	32.71	9.97	34.16
PK	5.3164G	112.50	Inf	-Inf	8.68	3	Vertical	38	2.05	103.82	32.90	9.94	34.16
PK	5.3556G	61.13	74.00	-12.87	8.52	3	Vertical	38	2.05	52.61	32.71	9.97	34.16

5.25-5.35GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX


5310MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3016G	105.61	Inf	-Inf	8.77	3	Horizontal	53	2.06	96.84	32.99	9.93	34.15
AV	5.3508G	53.32	54.00	-0.68	8.51	3	Horizontal	53	2.06	44.81	32.70	9.97	34.16
PK	5.3012G	118.24	Inf	-Inf	8.77	3	Horizontal	53	2.06	109.47	32.99	9.93	34.15
PK	5.35G	65.62	74.00	-8.38	8.51	3	Horizontal	53	2.06	57.11	32.70	9.97	34.16

5.25-5.35GHz\_802.11ax\_HEW40\_Nss1,(MCS0)\_2TX


5310MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.82406G	33.90	54.00	-20.10	8.05	3	Vertical	360	2.95	25.85	32.55	9.68	34.18
AV	10.6218G	49.57	54.00	-4.43	17.27	3	Vertical	18	1.96	32.30	38.88	12.77	34.38
AV	15.933G	47.76	54.00	-6.24	19.69	3	Vertical	238	1.50	28.07	38.37	15.97	34.65
PK	4.79866G	45.76	74.00	-28.24	7.96	3	Vertical	360	2.95	37.80	32.49	9.67	34.20
PK	10.6212G	62.88	74.00	-11.12	17.27	3	Vertical	18	1.96	45.61	38.88	12.77	34.38
PK	15.95196G	60.56	74.00	-13.44	19.67	3	Vertical	238	1.50	40.89	38.35	15.98	34.66

5.25-5.35GHz\_802.11ax\_HEW40\_Nss1,(MCS0)\_2TX


5310MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.82406G	33.69	54.00	-20.31	8.05	3	Horizontal	352	1.61	25.64	32.55	9.68	34.18
AV	10.62804G	48.57	54.00	-5.43	17.27	3	Horizontal	23	1.76	31.30	38.87	12.77	34.37
AV	15.9594G	47.69	54.00	-6.31	19.66	3	Horizontal	109	1.50	28.03	38.34	15.99	34.67
PK	4.82086G	45.73	74.00	-28.27	8.03	3	Horizontal	352	1.61	37.70	32.54	9.68	34.19
PK	10.629G	61.99	74.00	-12.01	17.28	3	Horizontal	23	1.76	44.71	38.87	12.78	34.37
PK	15.954G	61.20	74.00	-12.80	19.68	3	Horizontal	109	1.50	41.52	38.35	15.99	34.66

5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX


5510MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4584G	46.32	54.00	-7.68	5.36	3	Vertical	28	2.94	40.96	32.90	6.64	34.18
AV	5.5072G	103.39	Inf	-Inf	5.41	3	Vertical	28	2.94	97.98	32.90	6.69	34.18
PK	5.4496G	59.12	74.00	-14.88	5.36	3	Vertical	28	2.94	53.76	32.90	6.63	34.17
PK	5.4672G	62.79	68.20	-5.41	5.37	3	Vertical	28	2.94	57.42	32.90	6.65	34.18
PK	5.5068G	116.21	Inf	-Inf	5.41	3	Vertical	28	2.94	110.80	32.90	6.69	34.18

5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX


5510MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4596G	49.11	54.00	-4.89	5.36	3	Horizontal	46	2.09	43.75	32.90	6.64	34.18
AV	5.5092G	104.25	Inf	-Inf	5.41	3	Horizontal	46	2.09	98.84	32.90	6.69	34.18
PK	5.4588G	62.00	74.00	-12.00	5.36	3	Horizontal	46	2.09	56.64	32.90	6.64	34.18
PK	5.4684G	65.68	68.20	-2.52	5.37	3	Horizontal	46	2.09	60.31	32.90	6.65	34.18
PK	5.5084G	117.58	Inf	-Inf	5.41	3	Horizontal	46	2.09	112.17	32.90	6.69	34.18

5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX


5510MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.9536G	30.40	54.00	-23.60	5.14	3	Vertical	57	2.46	25.26	33.01	6.27	34.14
AV	11.0144G	36.78	54.00	-17.22	16.09	3	Vertical	273	2.86	20.69	38.99	11.26	34.16
PK	4.948G	60.11	74.00	-13.89	5.11	3	Vertical	57	2.46	55.00	32.99	6.26	34.14
PK	11.01396G	48.99	74.00	-25.01	16.09	3	Vertical	273	2.86	32.90	38.99	11.26	34.16
PK	16.6522G	49.96	68.20	-18.24	17.04	3	Vertical	75	1.32	32.92	38.20	12.74	33.90

5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX


5510MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.9544G	30.79	54.00	-23.21	5.15	3	Horizontal	0	2.49	25.64	33.02	6.27	34.14
AV	11.01412G	36.80	54.00	-17.20	16.09	3	Horizontal	113	1.98	20.71	38.99	11.26	34.16
PK	4.9512G	61.65	74.00	-12.35	5.13	3	Horizontal	0	2.49	56.52	33.00	6.27	34.14
PK	11.01288G	49.81	74.00	-24.19	16.08	3	Horizontal	113	1.98	33.73	38.99	11.25	34.16
PK	16.52544G	49.91	68.20	-18.29	16.85	3	Horizontal	329	1.21	33.06	38.32	12.68	34.15

5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX


5550MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4548G	46.76	54.00	-7.24	5.37	3	Vertical	0	2.97	41.39	32.90	6.64	34.17
AV	5.5564G	105.40	Inf	-Inf	5.46	3	Vertical	0	2.97	99.94	32.91	6.73	34.18
PK	5.4588G	61.24	74.00	-12.76	5.36	3	Vertical	0	2.97	55.88	32.90	6.64	34.18
PK	5.4604G	62.19	68.20	-6.01	5.36	3	Vertical	0	2.97	56.83	32.90	6.64	34.18
PK	5.5564G	118.09	Inf	-Inf	5.46	3	Vertical	0	2.97	112.63	32.91	6.73	34.18

5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX


5550MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4596G	48.87	54.00	-5.13	5.36	3	Horizontal	303	3.00	43.51	32.90	6.64	34.18
AV	5.552G	107.45	Inf	-Inf	5.45	3	Horizontal	303	3.00	102.00	32.90	6.73	34.18
PK	5.4544G	62.73	74.00	-11.27	5.37	3	Horizontal	303	3.00	57.36	32.90	6.64	34.17
PK	5.4652G	65.70	68.20	-2.50	5.37	3	Horizontal	303	3.00	60.33	32.90	6.65	34.18
PK	5.5616G	120.18	Inf	-Inf	5.48	3	Horizontal	303	3.00	114.70	32.92	6.74	34.18

5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX


5550MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.9996G	31.29	54.00	-22.71	5.38	3	Vertical	59	2.31	25.91	33.20	6.30	34.12
AV	11.09016G	36.67	54.00	-17.33	16.05	3	Vertical	194	1.72	20.62	38.91	11.28	34.14
PK	4.984G	56.41	74.00	-17.59	5.30	3	Vertical	59	2.31	51.11	33.14	6.29	34.13
PK	11.09888G	48.92	74.00	-25.08	16.05	3	Vertical	194	1.72	32.87	38.90	11.29	34.14
PK	16.65276G	49.83	68.20	-18.37	17.05	3	Vertical	294	2.17	32.78	38.21	12.74	33.90

5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX


5550MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.0032G	32.59	54.00	-21.41	5.39	3	Horizontal	301	1.00	27.20	33.21	6.30	34.12
AV	11.09804G	36.61	54.00	-17.39	16.05	3	Horizontal	231	2.04	20.56	38.90	11.29	34.14
PK	5.0002G	58.90	74.00	-15.10	5.38	3	Horizontal	301	1.00	53.52	33.20	6.30	34.12
PK	11.10692G	49.48	74.00	-24.52	16.06	3	Horizontal	231	2.04	33.42	38.91	11.29	34.14
PK	16.65368G	50.55	68.20	-17.65	17.05	3	Horizontal	143	2.20	33.50	38.21	12.74	33.90

5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX


5670MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.6664G	103.55	Inf	-Inf	9.24	3	Vertical	0	2.95	94.31	33.33	10.11	34.20
PK	5.6766G	114.19	Inf	-Inf	9.26	3	Vertical	0	2.95	104.93	33.35	10.11	34.20
PK	5.7486G	61.11	68.20	-7.09	9.64	3	Vertical	0	2.95	51.47	33.69	10.15	34.20

5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX

5670MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.673G	104.25	Inf	-Inf	9.26	3	Horizontal	64	1.93	94.99	33.35	10.11	34.20
PK	5.6832G	116.29	Inf	-Inf	9.29	3	Horizontal	64	1.93	107.00	33.37	10.12	34.20
PK	5.7258G	61.17	68.20	-7.03	9.49	3	Horizontal	64	1.93	51.68	33.55	10.14	34.20



5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX


5670MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.09392G	33.18	54.00	-20.82	8.84	3	Vertical	144	2.41	24.34	33.16	9.80	34.12
AV	11.33664G	47.32	54.00	-6.68	18.10	3	Vertical	44	1.43	29.22	39.10	13.05	34.05
PK	5.09716G	45.73	74.00	-28.27	8.86	3	Vertical	144	2.41	36.87	33.18	9.80	34.12
PK	11.32776G	61.25	74.00	-12.75	18.10	3	Vertical	44	1.43	43.15	39.10	13.05	34.05
PK	17.00964G	62.26	68.20	-5.94	21.34	3	Vertical	238	1.50	40.92	38.49	16.18	33.33

5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX


5670MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.0938G	33.22	54.00	-20.78	8.84	3	Horizontal	338	2.77	24.38	33.16	9.80	34.12
AV	11.34G	47.35	54.00	-6.65	18.10	3	Horizontal	33	1.80	29.25	39.10	13.05	34.05
PK	5.1118G	46.92	74.00	-27.08	8.89	3	Horizontal	338	2.77	38.03	33.20	9.81	34.12
PK	11.32992G	60.64	74.00	-13.36	18.10	3	Horizontal	33	1.80	42.54	39.10	13.05	34.05
PK	17.00448G	62.48	68.20	-5.72	21.35	3	Horizontal	28	2.52	41.13	38.50	16.18	33.33

5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX


5710MHz Straddle 5.47-5.725GHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4304G	46.95	54.00	-7.05	8.69	3	Vertical	0	2.80	38.26	32.86	10.01	34.18
AV	5.7112G	104.27	Inf	-Inf	9.40	3	Vertical	0	2.80	94.87	33.47	10.13	34.20
PK	5.4652G	58.47	68.20	-9.73	8.77	3	Vertical	0	2.80	49.70	32.93	10.02	34.18
PK	5.71G	116.96	Inf	-Inf	9.39	3	Vertical	0	2.80	107.57	33.46	10.13	34.20
PK	5.9272G	60.14	68.20	-8.06	10.27	3	Vertical	0	2.80	49.87	34.21	10.28	34.22

5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX


5710MHz Straddle 5.47-5.725GHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4352G	47.24	54.00	-6.76	8.70	3	Horizontal	66	2.02	38.54	32.87	10.01	34.18
AV	5.7184G	106.12	Inf	-Inf	9.45	3	Horizontal	66	2.02	96.67	33.51	10.14	34.20
PK	5.4688G	58.75	68.20	-9.45	8.78	3	Horizontal	66	2.02	49.97	32.94	10.02	34.18
PK	5.7184G	117.77	Inf	-Inf	9.45	3	Horizontal	66	2.02	108.32	33.51	10.14	34.20
PK	5.8576G	63.03	68.20	-5.17	10.11	3	Horizontal	66	2.02	52.92	34.10	10.22	34.21

5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX


5710MHz Straddle 5.47-5.725GHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.41616G	47.20	54.00	-6.80	18.09	3	Vertical	47	1.40	29.11	39.07	13.08	34.06
PK	5.18394G	53.50	68.20	-14.70	8.85	3	Vertical	62	3.00	44.65	33.13	9.85	34.13
PK	11.3972G	59.77	74.00	-14.23	18.11	3	Vertical	47	1.40	41.66	39.10	13.07	34.06
PK	17.1252G	62.61	68.20	-5.59	21.30	3	Vertical	295	1.07	41.31	38.40	16.20	33.30

5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX


5710MHz Straddle 5.47-5.725GHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.42732G	45.57	54.00	-8.43	18.08	3	Horizontal	328	1.50	27.49	39.05	13.09	34.06
PK	5.18415G	55.90	68.20	-12.30	8.85	3	Horizontal	307	1.01	47.05	33.13	9.85	34.13
PK	11.42696G	58.26	74.00	-15.74	18.08	3	Horizontal	328	1.50	40.18	39.05	13.09	34.06
PK	17.1204G	63.00	68.20	-5.20	21.30	3	Horizontal	339	1.50	41.70	38.40	16.20	33.30

5.25-5.35GHz\_802.11ax\_HEW80\_Nss1,(MCS0)\_2TX


5290MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.142G	47.09	54.00	-6.91	8.90	3	Vertical	60	3.00	38.19	33.20	9.83	34.13
AV	5.298G	98.66	Inf	-Inf	8.78	3	Vertical	60	3.00	89.88	33.00	9.93	34.15
AV	5.35G	49.39	54.00	-4.61	8.51	3	Vertical	60	3.00	40.88	32.70	9.97	34.16
PK	5.102G	59.42	74.00	-14.58	8.89	3	Vertical	60	3.00	50.53	33.20	9.81	34.12
PK	5.288G	109.59	Inf	-Inf	8.75	3	Vertical	60	3.00	100.84	32.98	9.92	34.15
PK	5.488G	58.81	68.20	-9.39	8.82	3	Vertical	60	3.00	49.99	32.98	10.03	34.19

5.25-5.35GHz\_802.11ax\_HEW80\_Nss1,(MCS0)\_2TX


5290MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.144G	47.34	54.00	-6.66	8.90	3	Horizontal	315	2.01	38.44	33.20	9.83	34.13
AV	5.287G	101.76	Inf	-Inf	8.74	3	Horizontal	315	2.01	93.02	32.97	9.92	34.15
AV	5.358G	52.66	54.00	-1.34	8.53	3	Horizontal	315	2.01	44.13	32.72	9.97	34.16
PK	5.135G	59.38	74.00	-14.62	8.90	3	Horizontal	315	2.01	50.48	33.20	9.82	34.12
PK	5.267G	114.46	Inf	-Inf	8.69	3	Horizontal	315	2.01	105.77	32.93	9.91	34.15
PK	5.478G	60.02	68.20	-8.18	8.80	3	Horizontal	315	2.01	51.22	32.96	10.03	34.19

5.25-5.35GHz\_802.11ax\_HEW80\_Nss1,(MCS0)\_2TX


5290MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.82426G	33.07	54.00	-20.93	8.05	3	Vertical	352	1.84	25.02	32.55	9.68	34.18
AV	15.86296G	47.40	54.00	-6.60	19.60	3	Vertical	108	1.50	27.80	38.29	15.92	34.61
PK	4.7921G	45.61	74.00	-28.39	7.91	3	Vertical	352	1.84	37.70	32.45	9.66	34.20
PK	10.58016G	57.80	68.20	-10.40	17.18	3	Vertical	10	2.67	40.62	38.84	12.76	34.42
PK	15.87544G	60.63	74.00	-13.37	19.64	3	Vertical	108	1.50	40.99	38.33	15.93	34.62

5.25-5.35GHz\_802.11ax\_HEW80\_Nss1,(MCS0)\_2TX


5290MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.8241G	33.56	54.00	-20.44	8.05	3	Horizontal	348	1.82	25.51	32.55	9.68	34.18
AV	15.8852G	47.43	54.00	-6.57	19.67	3	Horizontal	263	1.50	27.76	38.36	15.94	34.63
PK	4.7601G	45.58	74.00	-28.42	7.68	3	Horizontal	348	1.82	37.90	32.26	9.64	34.22
PK	10.58864G	58.31	68.20	-9.89	17.22	3	Horizontal	23	1.81	41.09	38.87	12.76	34.41
PK	15.87832G	60.65	74.00	-13.35	19.64	3	Horizontal	263	1.50	41.01	38.33	15.93	34.62

5.47-5.725GHz\_802.11ax\_HEW80\_Nss1,(MCS0)\_2TX


5530MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.35G	46.95	54.00	-7.05	8.50	3	Vertical	13	2.86	38.45	32.70	9.96	34.16
AV	5.4568G	50.39	54.00	-3.61	8.75	3	Vertical	13	2.86	41.64	32.91	10.02	34.18
AV	5.5048G	97.59	Inf	-Inf	8.83	3	Vertical	13	2.86	88.76	32.98	10.04	34.19
PK	5.3284G	58.99	68.20	-9.21	8.62	3	Vertical	13	2.86	50.37	32.83	9.95	34.16
PK	5.506G	109.10	Inf	-Inf	8.83	3	Vertical	13	2.86	100.27	32.98	10.04	34.19
PK	5.7868G	60.28	68.20	-7.92	9.73	3	Vertical	13	2.86	50.55	33.77	10.17	34.21

5.47-5.725GHz\_802.11ax\_HEW80\_Nss1,(MCS0)\_2TX


5530MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.35G	47.46	54.00	-6.54	8.50	3	Horizontal	318	2.86	38.96	32.70	9.96	34.16
AV	5.4592G	53.07	54.00	-0.93	8.76	3	Horizontal	318	2.86	44.31	32.92	10.02	34.18
AV	5.5312G	99.73	Inf	-Inf	8.74	3	Horizontal	318	2.86	90.99	32.88	10.05	34.19
PK	5.242G	59.75	68.20	-8.45	8.68	3	Horizontal	318	2.86	51.07	32.93	9.89	34.14
PK	5.542G	111.32	Inf	-Inf	8.69	3	Horizontal	318	2.86	102.63	32.83	10.05	34.19
PK	5.8144G	60.58	68.20	-7.62	9.87	3	Horizontal	318	2.86	50.71	33.89	10.19	34.21

5.47-5.725GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX


5530MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.02986G	39.33	54.00	-14.67	8.64	3	Vertical	60	2.96	30.69	32.98	9.77	34.11
AV	11.05072G	47.38	54.00	-6.62	17.70	3	Vertical	19	2.70	29.68	38.80	12.94	34.04
PK	5.02378G	72.74	74.00	-1.26	8.66	3	Vertical	60	2.96	64.08	33.00	9.76	34.10
PK	11.05056G	59.77	74.00	-14.23	17.70	3	Vertical	19	2.70	42.07	38.80	12.94	34.04
PK	16.57176G	62.85	68.20	-5.35	20.57	3	Vertical	93	1.57	42.28	38.67	16.11	34.21

5.47-5.725GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX


5530MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.02058G	38.64	54.00	-15.36	8.68	3	Horizontal	8	2.00	29.96	33.02	9.76	34.10
AV	11.04816G	46.51	54.00	-7.49	17.70	3	Horizontal	47	1.84	28.81	38.80	12.94	34.04
PK	5.02282G	70.83	74.00	-3.17	8.67	3	Horizontal	8	2.00	62.16	33.01	9.76	34.10
PK	11.05808G	60.02	74.00	-13.98	17.70	3	Horizontal	47	1.84	42.32	38.80	12.94	34.04
PK	16.62184G	62.88	68.20	-5.32	20.75	3	Horizontal	230	1.40	42.13	38.74	16.12	34.11

5.47-5.725GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX


5610MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.451G	47.62	54.00	-6.38	8.74	3	Vertical	29	3.00	38.88	32.90	10.02	34.18
AV	5.591G	98.15	Inf	-Inf	8.92	3	Vertical	29	3.00	89.23	33.05	10.07	34.20
PK	5.435G	59.55	74.00	-14.45	8.70	3	Vertical	29	3.00	50.85	32.87	10.01	34.18
PK	5.591G	109.51	Inf	-Inf	8.92	3	Vertical	29	3.00	100.59	33.05	10.07	34.20
PK	5.821G	60.63	68.20	-7.57	9.92	3	Vertical	29	3.00	50.71	33.93	10.20	34.21

5.47-5.725GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX

5610MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.452G	47.74	54.00	-6.26	8.74	3	Horizontal	64	2.08	39.00	32.90	10.02	34.18
AV	5.613G	99.67	Inf	-Inf	9.03	3	Horizontal	64	2.08	90.64	33.15	10.08	34.20
PK	5.426G	61.81	74.00	-12.19	8.68	3	Horizontal	64	2.08	53.13	32.85	10.01	34.18
PK	5.613G	111.69	Inf	-Inf	9.03	3	Horizontal	64	2.08	102.66	33.15	10.08	34.20
PK	5.725G	60.62	68.20	-7.58	9.49	3	Horizontal	64	2.08	51.13	33.55	10.14	34.20



5.47-5.725GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX


5610MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.08046G	37.70	54.00	-16.30	8.76	3	Vertical	66	1.97	28.94	33.08	9.79	34.11
AV	11.2072G	44.84	54.00	-9.16	17.86	3	Vertical	5	2.56	26.98	38.91	13.00	34.05
PK	5.07518G	71.45	74.00	-2.55	8.73	3	Vertical	66	1.97	62.72	33.05	9.79	34.11
PK	11.20704G	57.90	74.00	-16.10	17.86	3	Vertical	5	2.56	40.04	38.91	13.00	34.05
PK	16.85992G	61.53	68.20	-6.67	20.90	3	Vertical	155	2.91	40.63	38.36	16.16	33.62

5.47-5.725GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX


5610MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.08158G	36.66	54.00	-17.34	8.77	3	Horizontal	75	2.93	27.89	33.09	9.79	34.11
AV	11.19824G	46.10	54.00	-7.90	17.85	3	Horizontal	45	1.73	28.25	38.90	13.00	34.05
PK	5.0843G	68.62	74.00	-5.38	8.79	3	Horizontal	75	2.93	59.83	33.11	9.80	34.12
PK	11.2072G	58.36	74.00	-15.64	17.86	3	Horizontal	45	1.73	40.50	38.91	13.00	34.05
PK	16.79816G	61.47	68.20	-6.73	20.71	3	Horizontal	152	1.50	40.76	38.31	16.15	33.75

5.47-5.725GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX


5690MHz Straddle 5.47-5.725GHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4044G	47.38	54.00	-6.62	8.64	3	Vertical	360	2.82	38.74	32.81	10.00	34.17
AV	5.6756G	100.95	Inf	-Inf	9.26	3	Vertical	360	2.82	91.69	33.35	10.11	34.20
PK	5.4332G	59.22	74.00	-14.78	8.70	3	Vertical	360	2.82	50.52	32.87	10.01	34.18
PK	5.6972G	112.40	Inf	-Inf	9.31	3	Vertical	360	2.82	103.09	33.39	10.12	34.20
PK	5.8532G	60.51	68.20	-7.69	10.11	3	Vertical	360	2.82	50.40	34.10	10.22	34.21

5.47-5.725GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX


5690MHz Straddle 5.47-5.725GHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4524G	47.88	54.00	-6.12	8.74	3	Horizontal	65	1.96	39.14	32.90	10.02	34.18
AV	5.6936G	102.87	Inf	-Inf	9.31	3	Horizontal	65	1.96	93.56	33.39	10.12	34.20
PK	5.4548G	62.39	74.00	-11.61	8.75	3	Horizontal	65	1.96	53.64	32.91	10.02	34.18
PK	5.6936G	114.55	Inf	-Inf	9.31	3	Horizontal	65	1.96	105.24	33.39	10.12	34.20
PK	5.852G	66.78	68.20	-1.42	10.11	3	Horizontal	65	1.96	56.67	34.10	10.22	34.21

5.47-5.725GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX


5690MHz Straddle 5.47-5.725GHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.3768G	45.26	54.00	-8.74	18.11	3	Vertical	44	1.33	27.15	39.10	13.07	34.06
PK	5.15914G	56.75	68.20	-11.45	8.89	3	Vertical	61	2.97	47.86	33.18	9.84	34.13
PK	11.38608G	58.06	74.00	-15.94	18.11	3	Vertical	44	1.33	39.95	39.10	13.07	34.06
PK	17.06792G	62.57	68.20	-5.63	21.31	3	Vertical	242	1.50	41.26	38.43	16.19	33.31

5.47-5.725GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX

5690MHz Straddle 5.47-5.725GHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.35776G	45.46	54.00	-8.54	18.11	3	Horizontal	43	1.78	27.35	39.10	13.06	34.05
PK	5.18394G	55.57	68.20	-12.63	8.85	3	Horizontal	305	1.94	46.72	33.13	9.85	34.13
PK	11.36736G	58.34	74.00	-15.66	18.11	3	Horizontal	43	1.78	40.23	39.10	13.06	34.05
PK	17.10872G	62.94	68.20	-5.26	21.30	3	Horizontal	199	1.50	41.64	38.40	16.20	33.30



**RSE TX above 1GHz  
Non-Beamforming\_Radio2(Low Band)+Radio3(High Band)**

**Appendix D.2**

**Summary**

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX	Pass	AV	5.35G	52.83	54.00	-1.17	3	Horizontal	300	2.19
802.11ax HEW20_Nss1,(MCS0)_2TX	Pass	AV	5.3512G	52.01	54.00	-1.99	3	Horizontal	47	1.93
802.11ax HEW40_Nss1,(MCS0)_2TX	Pass	AV	5.3544G	52.65	54.00	-1.35	3	Horizontal	324	2.08
802.11ax HEW80_Nss1,(MCS0)_2TX	Pass	AV	5.356G	52.31	54.00	-1.69	3	Horizontal	314	2.14
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX	Pass	AV	11.44G	52.70	54.00	-1.30	3	Horizontal	307	1.91
802.11ax HEW20_Nss1,(MCS0)_2TX	Pass	PK	5.73G	67.36	68.20	-0.84	3	Horizontal	49	1.47
802.11ax HEW40_Nss1,(MCS0)_2TX	Pass	PK	5.47G	66.23	68.20	-1.97	3	Horizontal	52	1.50
802.11ax HEW80_Nss1,(MCS0)_2TX	Pass	PK	5.742G	66.83	68.20	-1.37	3	Horizontal	50	1.50
802.11ax HEW160_Nss1,(MCS0)_2TX	Pass	PK	5.732G	66.75	68.20	-1.45	3	Horizontal	51	1.50



**RSE TX above 1GHz  
Non-Beamforming\_Radio2(Low Band)+Radio3(High Band)**

**Appendix D.2**

**Result**

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11a_Nss1,(6Mbps)_2TX	-	-	-	-	-	-	-	-	-	-
5260MHz	Pass	AV	5.1238G	47.97	54.00	-6.03	3	Vertical	63	2.91
5260MHz	Pass	AV	5.2594G	109.07	Inf	-Inf	3	Vertical	63	2.91
5260MHz	Pass	AV	5.3764G	48.11	54.00	-5.89	3	Vertical	63	2.91
5260MHz	Pass	PK	5.1268G	60.45	74.00	-13.55	3	Vertical	63	2.91
5260MHz	Pass	PK	5.2642G	118.75	Inf	-Inf	3	Vertical	63	2.91
5260MHz	Pass	PK	5.407G	59.98	74.00	-14.02	3	Vertical	63	2.91
5260MHz	Pass	AV	5.1454G	48.37	54.00	-5.63	3	Horizontal	316	2.08
5260MHz	Pass	AV	5.263G	112.72	Inf	-Inf	3	Horizontal	316	2.08
5260MHz	Pass	AV	5.3764G	48.93	54.00	-5.07	3	Horizontal	316	2.08
5260MHz	Pass	PK	5.1352G	60.28	74.00	-13.72	3	Horizontal	316	2.08
5260MHz	Pass	PK	5.2636G	122.65	Inf	-Inf	3	Horizontal	316	2.08
5260MHz	Pass	PK	5.4004G	60.45	74.00	-13.55	3	Horizontal	316	2.08
5260MHz	Pass	AV	15.7692G	48.04	54.00	-5.96	3	Vertical	244	2.87
5260MHz	Pass	PK	10.52496G	64.18	68.20	-4.02	3	Vertical	12	1.59
5260MHz	Pass	PK	15.76312G	60.62	74.00	-13.38	3	Vertical	244	2.87
5260MHz	Pass	AV	15.76392G	48.08	54.00	-5.92	3	Horizontal	100	2.98
5260MHz	Pass	PK	10.52072G	62.71	68.20	-5.49	3	Horizontal	48	1.71
5260MHz	Pass	PK	15.76416G	60.38	74.00	-13.62	3	Horizontal	100	2.98
5300MHz	Pass	AV	5.2992G	108.32	Inf	-Inf	3	Vertical	30	2.32
5300MHz	Pass	AV	5.354G	46.33	54.00	-7.67	3	Vertical	30	2.32
5300MHz	Pass	PK	5.2992G	118.55	Inf	-Inf	3	Vertical	30	2.32
5300MHz	Pass	PK	5.3596G	59.14	74.00	-14.86	3	Vertical	30	2.32
5300MHz	Pass	AV	5.2968G	112.01	Inf	-Inf	3	Horizontal	305	2.02
5300MHz	Pass	AV	5.376G	47.43	54.00	-6.57	3	Horizontal	305	2.02
5300MHz	Pass	PK	5.2964G	122.57	Inf	-Inf	3	Horizontal	305	2.02
5300MHz	Pass	PK	5.3516G	60.66	74.00	-13.34	3	Horizontal	305	2.02
5300MHz	Pass	AV	15.90496G	38.56	54.00	-15.44	3	Vertical	39	2.11
5300MHz	Pass	PK	10.59992G	54.37	68.20	-13.83	3	Vertical	40	2.95
5300MHz	Pass	PK	15.89192G	52.45	74.00	-21.55	3	Vertical	39	2.11
5300MHz	Pass	AV	10.60568G	38.33	54.00	-15.67	3	Horizontal	7	1.38
5300MHz	Pass	AV	15.8946G	38.42	54.00	-15.58	3	Horizontal	329	1.62
5300MHz	Pass	PK	10.60576G	51.51	74.00	-22.49	3	Horizontal	7	1.38
5300MHz	Pass	PK	15.89484G	51.74	74.00	-22.26	3	Horizontal	329	1.62
5320MHz	Pass	AV	5.3168G	107.75	Inf	-Inf	3	Vertical	30	2.28
5320MHz	Pass	AV	5.3512G	49.47	54.00	-4.53	3	Vertical	30	2.28
5320MHz	Pass	PK	5.3168G	118.12	Inf	-Inf	3	Vertical	30	2.28
5320MHz	Pass	PK	5.3512G	63.09	74.00	-10.91	3	Vertical	30	2.28
5320MHz	Pass	AV	5.3242G	110.30	Inf	-Inf	3	Horizontal	300	2.19
5320MHz	Pass	AV	5.35G	52.83	54.00	-1.17	3	Horizontal	300	2.19
5320MHz	Pass	PK	5.3244G	120.45	Inf	-Inf	3	Horizontal	300	2.19
5320MHz	Pass	PK	5.3502G	66.68	74.00	-7.32	3	Horizontal	300	2.19
5320MHz	Pass	AV	10.64004G	42.09	54.00	-11.91	3	Vertical	37	2.93
5320MHz	Pass	AV	15.96208G	38.60	54.00	-15.40	3	Vertical	48	2.96
5320MHz	Pass	PK	10.64036G	53.72	74.00	-20.28	3	Vertical	37	2.93
5320MHz	Pass	PK	15.96084G	51.68	74.00	-22.32	3	Vertical	48	2.96
5320MHz	Pass	AV	10.63504G	38.43	54.00	-15.57	3	Horizontal	316	1.50
5320MHz	Pass	AV	15.95248G	38.63	54.00	-15.37	3	Horizontal	318	1.19
5320MHz	Pass	PK	10.64188G	51.77	74.00	-22.23	3	Horizontal	316	1.50
5320MHz	Pass	PK	15.95132G	51.44	74.00	-22.56	3	Horizontal	318	1.19
5500MHz	Pass	AV	5.46G	47.84	54.00	-6.16	3	Vertical	61	1.54
5500MHz	Pass	AV	5.5054G	101.46	Inf	-Inf	3	Vertical	61	1.54
5500MHz	Pass	PK	5.4698G	60.62	68.20	-7.58	3	Vertical	61	1.54
5500MHz	Pass	PK	5.5056G	110.86	Inf	-Inf	3	Vertical	61	1.54
5500MHz	Pass	AV	5.4598G	48.48	54.00	-5.52	3	Horizontal	57	1.50
5500MHz	Pass	AV	5.4948G	106.68	Inf	-Inf	3	Horizontal	57	1.50
5500MHz	Pass	PK	5.47G	64.07	68.20	-4.13	3	Horizontal	57	1.50
5500MHz	Pass	PK	5.4948G	115.87	Inf	-Inf	3	Horizontal	57	1.50
5500MHz	Pass	AV	11.0012G	52.59	54.00	-1.41	3	Vertical	69	1.43
5500MHz	Pass	PK	11.00048G	65.66	74.00	-8.34	3	Vertical	69	1.43
5500MHz	Pass	PK	16.49789G	62.20	68.20	-6.00	3	Vertical	177	2.15



**RSE TX above 1GHz  
Non-Beamforming\_Radio2(Low Band)+Radio3(High Band)**

**Appendix D.2**

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5500MHz	Pass	AV	11.00012G	52.62	54.00	-1.38	3	Horizontal	276	1.48
5500MHz	Pass	PK	11.00048G	65.80	74.00	-8.20	3	Horizontal	276	1.48
5500MHz	Pass	PK	16.49894G	62.83	68.20	-5.37	3	Horizontal	27	2.64
5580MHz	Pass	AV	5.4366G	45.26	54.00	-8.74	3	Vertical	15	2.92
5580MHz	Pass	AV	5.5728G	109.80	Inf	-Inf	3	Vertical	15	2.92
5580MHz	Pass	PK	5.4408G	57.53	74.00	-16.47	3	Vertical	15	2.92
5580MHz	Pass	PK	5.4624G	57.57	68.20	-10.63	3	Vertical	15	2.92
5580MHz	Pass	PK	5.5878G	119.39	Inf	-Inf	3	Vertical	15	2.92
5580MHz	Pass	PK	5.7282G	58.34	68.20	-9.86	3	Vertical	15	2.92
5580MHz	Pass	AV	5.4336G	45.04	54.00	-8.96	3	Horizontal	54	1.24
5580MHz	Pass	AV	5.5746G	104.39	Inf	-Inf	3	Horizontal	54	1.24
5580MHz	Pass	PK	5.4576G	57.49	74.00	-16.51	3	Horizontal	54	1.24
5580MHz	Pass	PK	5.4636G	58.25	68.20	-9.95	3	Horizontal	54	1.24
5580MHz	Pass	PK	5.5854G	113.73	Inf	-Inf	3	Horizontal	54	1.24
5580MHz	Pass	PK	5.7282G	58.28	68.20	-9.92	3	Horizontal	54	1.24
5580MHz	Pass	AV	11.15988G	52.62	54.00	-1.38	3	Vertical	5	2.46
5580MHz	Pass	PK	11.16072G	65.27	74.00	-8.73	3	Vertical	5	2.46
5580MHz	Pass	PK	16.73152G	53.41	68.20	-14.79	3	Vertical	25	1.00
5580MHz	Pass	AV	11.16076G	44.50	54.00	-9.50	3	Horizontal	32	1.57
5580MHz	Pass	PK	11.16064G	58.56	74.00	-15.44	3	Horizontal	32	1.57
5580MHz	Pass	PK	16.73532G	52.24	68.20	-15.96	3	Horizontal	204	2.25
5700MHz	Pass	AV	5.6924G	106.61	Inf	-Inf	3	Vertical	22	2.95
5700MHz	Pass	PK	5.6932G	116.29	Inf	-Inf	3	Vertical	22	2.95
5700MHz	Pass	PK	5.728G	64.27	68.20	-3.93	3	Vertical	22	2.95
5700MHz	Pass	AV	5.6948G	106.91	Inf	-Inf	3	Horizontal	56	1.63
5700MHz	Pass	PK	5.6948G	115.96	Inf	-Inf	3	Horizontal	56	1.63
5700MHz	Pass	PK	5.7252G	66.44	68.20	-1.76	3	Horizontal	56	1.63
5700MHz	Pass	AV	11.4002G	51.17	54.00	-2.83	3	Vertical	18	2.08
5700MHz	Pass	PK	11.40036G	63.89	74.00	-10.11	3	Vertical	18	2.08
5700MHz	Pass	PK	17.09116G	63.13	68.20	-5.07	3	Vertical	301	2.56
5700MHz	Pass	AV	11.3998G	52.25	54.00	-1.75	3	Horizontal	306	1.94
5700MHz	Pass	PK	11.40052G	65.31	74.00	-8.69	3	Horizontal	306	1.94
5700MHz	Pass	PK	17.10036G	63.25	68.20	-4.95	3	Horizontal	236	2.46
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.4404G	47.60	54.00	-6.40	3	Vertical	16	2.93
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.7128G	109.48	Inf	-Inf	3	Vertical	16	2.93
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4608G	59.35	68.20	-8.85	3	Vertical	16	2.93
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.7128G	118.64	Inf	-Inf	3	Vertical	16	2.93
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.9456G	61.18	68.20	-7.02	3	Vertical	16	2.93
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.45G	47.66	54.00	-6.34	3	Horizontal	46	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.726G	109.89	Inf	-Inf	3	Horizontal	46	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.462G	59.77	68.20	-8.43	3	Horizontal	46	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.726G	119.08	Inf	-Inf	3	Horizontal	46	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.9876G	61.17	68.20	-7.03	3	Horizontal	46	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.43982G	50.74	54.00	-3.26	3	Vertical	33	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.43442G	62.91	74.00	-11.09	3	Vertical	33	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	PK	17.1711G	63.41	68.20	-4.79	3	Vertical	36	1.97
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.44G	52.70	54.00	-1.30	3	Horizontal	307	1.91
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.4406G	64.90	74.00	-9.10	3	Horizontal	307	1.91
5720MHz Straddle 5.47-5.725GHz	Pass	PK	17.16006G	63.66	68.20	-4.54	3	Horizontal	276	2.33
802.11ax HEW20_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5260MHz	Pass	AV	5.1238G	47.61	54.00	-6.39	3	Vertical	65	2.67
5260MHz	Pass	AV	5.2588G	108.08	Inf	-Inf	3	Vertical	65	2.67
5260MHz	Pass	AV	5.3764G	48.15	54.00	-5.85	3	Vertical	65	2.67
5260MHz	Pass	PK	5.116G	60.23	74.00	-13.77	3	Vertical	65	2.67
5260MHz	Pass	PK	5.2588G	119.95	Inf	-Inf	3	Vertical	65	2.67
5260MHz	Pass	PK	5.4076G	60.45	74.00	-13.55	3	Vertical	65	2.67
5260MHz	Pass	AV	5.1484G	48.27	54.00	-5.73	3	Horizontal	316	2.01
5260MHz	Pass	AV	5.257G	111.19	Inf	-Inf	3	Horizontal	316	2.01
5260MHz	Pass	AV	5.3764G	48.74	54.00	-5.26	3	Horizontal	316	2.01
5260MHz	Pass	PK	5.1442G	60.58	74.00	-13.42	3	Horizontal	316	2.01
5260MHz	Pass	PK	5.2564G	124.74	Inf	-Inf	3	Horizontal	316	2.01
5260MHz	Pass	PK	5.3554G	60.44	74.00	-13.56	3	Horizontal	316	2.01



**RSE TX above 1GHz  
Non-Beamforming\_Radio2(Low Band)+Radio3(High Band)**

**Appendix D.2**

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5260MHz	Pass	AV	15.76064G	47.53	54.00	-6.47	3	Vertical	6	2.70
5260MHz	Pass	PK	10.5204G	64.05	68.20	-4.15	3	Vertical	11	1.63
5260MHz	Pass	PK	15.77728G	60.72	74.00	-13.28	3	Vertical	6	2.70
5260MHz	Pass	AV	15.7616G	47.56	54.00	-6.44	3	Horizontal	286	1.35
5260MHz	Pass	PK	10.512G	61.94	68.20	-6.26	3	Horizontal	41	1.79
5260MHz	Pass	PK	15.78344G	60.91	74.00	-13.09	3	Horizontal	286	1.35
5300MHz	Pass	AV	5.2992G	108.32	Inf	-Inf	3	Vertical	30	2.32
5300MHz	Pass	AV	5.354G	46.33	54.00	-7.67	3	Vertical	30	2.32
5300MHz	Pass	PK	5.2992G	118.55	Inf	-Inf	3	Vertical	30	2.32
5300MHz	Pass	PK	5.3596G	59.14	74.00	-14.86	3	Vertical	30	2.32
5300MHz	Pass	AV	5.2968G	112.01	Inf	-Inf	3	Horizontal	305	2.02
5300MHz	Pass	AV	5.376G	47.43	54.00	-6.57	3	Horizontal	305	2.02
5300MHz	Pass	PK	5.2964G	122.57	Inf	-Inf	3	Horizontal	305	2.02
5300MHz	Pass	PK	5.3516G	60.66	74.00	-13.34	3	Horizontal	305	2.02
5300MHz	Pass	AV	15.90496G	38.56	54.00	-15.44	3	Vertical	39	2.11
5300MHz	Pass	PK	10.59992G	54.37	68.20	-13.83	3	Vertical	40	2.95
5300MHz	Pass	PK	15.89192G	52.45	74.00	-21.55	3	Vertical	39	2.11
5300MHz	Pass	AV	10.60568G	38.33	54.00	-15.67	3	Horizontal	7	1.38
5300MHz	Pass	AV	15.8946G	38.42	54.00	-15.58	3	Horizontal	329	1.62
5300MHz	Pass	PK	10.60576G	51.51	74.00	-22.49	3	Horizontal	7	1.38
5300MHz	Pass	PK	15.89484G	51.74	74.00	-22.26	3	Horizontal	329	1.62
5320MHz	Pass	AV	5.3186G	106.14	Inf	-Inf	3	Vertical	28	2.23
5320MHz	Pass	AV	5.35G	50.36	54.00	-3.64	3	Vertical	28	2.23
5320MHz	Pass	PK	5.319G	119.63	Inf	-Inf	3	Vertical	28	2.23
5320MHz	Pass	PK	5.35G	64.76	74.00	-9.24	3	Vertical	28	2.23
5320MHz	Pass	AV	5.3214G	108.64	Inf	-Inf	3	Horizontal	47	1.93
5320MHz	Pass	AV	5.3512G	52.01	54.00	-1.99	3	Horizontal	47	1.93
5320MHz	Pass	PK	5.3224G	122.37	Inf	-Inf	3	Horizontal	47	1.93
5320MHz	Pass	PK	5.3514G	66.52	74.00	-7.48	3	Horizontal	47	1.93
5320MHz	Pass	AV	10.64G	42.02	54.00	-11.98	3	Vertical	40	3.00
5320MHz	Pass	AV	15.95616G	38.39	54.00	-15.61	3	Vertical	39	2.08
5320MHz	Pass	PK	10.64032G	54.44	74.00	-19.56	3	Vertical	40	3.00
5320MHz	Pass	PK	15.95516G	51.65	74.00	-22.35	3	Vertical	39	2.08
5320MHz	Pass	AV	10.637G	40.46	54.00	-13.54	3	Horizontal	9	1.74
5320MHz	Pass	AV	15.9506G	38.39	54.00	-15.61	3	Horizontal	120	1.05
5320MHz	Pass	PK	10.64716G	53.82	74.00	-20.18	3	Horizontal	9	1.74
5320MHz	Pass	PK	15.95032G	51.88	74.00	-22.12	3	Horizontal	120	1.05
5500MHz	Pass	AV	5.4598G	47.99	54.00	-6.01	3	Vertical	59	1.62
5500MHz	Pass	AV	5.4914G	101.08	Inf	-Inf	3	Vertical	59	1.62
5500MHz	Pass	PK	5.47G	62.86	68.20	-5.34	3	Vertical	59	1.62
5500MHz	Pass	PK	5.5016G	113.21	Inf	-Inf	3	Vertical	59	1.62
5500MHz	Pass	AV	5.459G	49.34	54.00	-4.66	3	Horizontal	60	1.50
5500MHz	Pass	AV	5.5088G	106.32	Inf	-Inf	3	Horizontal	60	1.50
5500MHz	Pass	PK	5.4692G	67.01	68.20	-1.19	3	Horizontal	60	1.50
5500MHz	Pass	PK	5.508G	118.73	Inf	-Inf	3	Horizontal	60	1.50
5500MHz	Pass	AV	11.00016G	52.34	54.00	-1.66	3	Vertical	69	1.40
5500MHz	Pass	PK	11.00104G	66.46	74.00	-7.54	3	Vertical	69	1.40
5500MHz	Pass	PK	16.50368G	62.45	68.20	-5.75	3	Vertical	248	2.09
5500MHz	Pass	AV	11.0004G	52.83	54.00	-1.17	3	Horizontal	274	1.05
5500MHz	Pass	PK	11.00136G	65.91	74.00	-8.09	3	Horizontal	274	1.05
5500MHz	Pass	PK	16.5052G	62.67	68.20	-5.53	3	Horizontal	6	1.18
5580MHz	Pass	AV	5.4546G	44.73	54.00	-9.27	3	Vertical	16	2.90
5580MHz	Pass	AV	5.5848G	109.12	Inf	-Inf	3	Vertical	16	2.90
5580MHz	Pass	PK	5.4516G	58.00	74.00	-16.00	3	Vertical	16	2.90
5580MHz	Pass	PK	5.4672G	58.11	68.20	-10.09	3	Vertical	16	2.90
5580MHz	Pass	PK	5.5746G	122.06	Inf	-Inf	3	Vertical	16	2.90
5580MHz	Pass	PK	5.7282G	58.77	68.20	-9.43	3	Vertical	16	2.90
5580MHz	Pass	AV	5.46G	44.96	54.00	-9.04	3	Horizontal	45	1.64
5580MHz	Pass	AV	5.5716G	110.72	Inf	-Inf	3	Horizontal	45	1.64
5580MHz	Pass	PK	5.4588G	57.66	74.00	-16.34	3	Horizontal	45	1.64
5580MHz	Pass	PK	5.4606G	58.05	68.20	-10.15	3	Horizontal	45	1.64
5580MHz	Pass	PK	5.5722G	122.64	Inf	-Inf	3	Horizontal	45	1.64



**RSE TX above 1GHz  
Non-Beamforming\_Radio2(Low Band)+Radio3(High Band)**

**Appendix D.2**

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5580MHz	Pass	PK	5.73G	58.46	68.20	-9.74	3	Horizontal	45	1.64
5580MHz	Pass	AV	11.1602G	52.96	54.00	-1.04	3	Vertical	7	2.46
5580MHz	Pass	PK	11.16124G	66.14	74.00	-7.86	3	Vertical	7	2.46
5580MHz	Pass	PK	16.73236G	53.36	68.20	-14.84	3	Vertical	0	1.69
5580MHz	Pass	AV	11.16036G	50.93	54.00	-3.07	3	Horizontal	312	1.71
5580MHz	Pass	PK	11.16196G	64.00	74.00	-10.00	3	Horizontal	312	1.71
5580MHz	Pass	PK	16.74024G	52.52	68.20	-15.68	3	Horizontal	349	2.96
5700MHz	Pass	AV	5.6916G	101.43	Inf	-Inf	3	Vertical	58	1.50
5700MHz	Pass	PK	5.7008G	113.05	Inf	-Inf	3	Vertical	58	1.50
5700MHz	Pass	PK	5.7316G	65.27	68.20	-2.93	3	Vertical	58	1.50
5700MHz	Pass	AV	5.6916G	106.35	Inf	-Inf	3	Horizontal	49	1.47
5700MHz	Pass	PK	5.6916G	117.82	Inf	-Inf	3	Horizontal	49	1.47
5700MHz	Pass	PK	5.73G	67.36	68.20	-0.84	3	Horizontal	49	1.47
5700MHz	Pass	AV	11.39992G	49.57	54.00	-4.43	3	Vertical	18	2.03
5700MHz	Pass	PK	11.39984G	62.45	74.00	-11.55	3	Vertical	18	2.03
5700MHz	Pass	PK	17.10744G	63.69	68.20	-4.51	3	Vertical	18	2.08
5700MHz	Pass	AV	11.4G	51.60	54.00	-2.40	3	Horizontal	308	1.93
5700MHz	Pass	PK	11.40064G	64.64	74.00	-9.36	3	Horizontal	308	1.93
5700MHz	Pass	PK	17.08816G	63.54	68.20	-4.66	3	Horizontal	171	1.94
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.4296G	47.19	54.00	-6.81	3	Vertical	58	1.43
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.7116G	105.17	Inf	-Inf	3	Vertical	58	1.43
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.462G	58.68	68.20	-9.52	3	Vertical	58	1.43
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.7116G	117.16	Inf	-Inf	3	Vertical	58	1.43
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.8664G	61.06	68.20	-7.14	3	Vertical	58	1.43
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.4488G	47.17	54.00	-6.83	3	Horizontal	49	1.25
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.7116G	109.11	Inf	-Inf	3	Horizontal	49	1.25
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4608G	58.50	68.20	-9.70	3	Horizontal	49	1.25
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.7116G	121.15	Inf	-Inf	3	Horizontal	49	1.25
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.9252G	60.85	68.20	-7.35	3	Horizontal	49	1.25
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.44128G	52.11	54.00	-1.89	3	Vertical	360	2.25
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.44352G	65.17	74.00	-8.83	3	Vertical	360	2.25
5720MHz Straddle 5.47-5.725GHz	Pass	PK	17.17408G	63.35	68.20	-4.85	3	Vertical	260	1.60
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.44G	51.20	54.00	-2.80	3	Horizontal	308	1.92
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.44032G	64.68	74.00	-9.32	3	Horizontal	308	1.92
5720MHz Straddle 5.47-5.725GHz	Pass	PK	17.15144G	63.68	68.20	-4.52	3	Horizontal	40	2.00
802.11ax HEW40_Nss1_(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5270MHz	Pass	AV	5.2736G	106.68	Inf	-Inf	3	Vertical	64	2.91
5270MHz	Pass	AV	5.3556G	48.45	54.00	-5.55	3	Vertical	64	2.91
5270MHz	Pass	PK	5.274G	118.93	Inf	-Inf	3	Vertical	64	2.91
5270MHz	Pass	PK	5.3516G	63.96	74.00	-10.04	3	Vertical	64	2.91
5270MHz	Pass	AV	5.2716G	109.65	Inf	-Inf	3	Horizontal	313	2.10
5270MHz	Pass	AV	5.3512G	50.07	54.00	-3.93	3	Horizontal	313	2.10
5270MHz	Pass	PK	5.2716G	122.66	Inf	-Inf	3	Horizontal	313	2.10
5270MHz	Pass	PK	5.352G	65.46	74.00	-8.54	3	Horizontal	313	2.10
5270MHz	Pass	AV	15.82848G	47.49	54.00	-6.51	3	Vertical	112	1.28
5270MHz	Pass	PK	10.53984G	62.18	68.20	-6.02	3	Vertical	10	1.68
5270MHz	Pass	PK	15.80896G	60.49	74.00	-13.51	3	Vertical	112	1.28
5270MHz	Pass	AV	15.81912G	47.53	54.00	-6.47	3	Horizontal	79	1.22
5270MHz	Pass	PK	10.55056G	61.20	68.20	-7.00	3	Horizontal	46	1.73
5270MHz	Pass	PK	15.81912G	60.28	74.00	-13.72	3	Horizontal	79	1.22
5310MHz	Pass	AV	5.3024G	104.24	Inf	-Inf	3	Vertical	33	2.75
5310MHz	Pass	AV	5.3508G	51.34	54.00	-2.66	3	Vertical	33	2.75
5310MHz	Pass	PK	5.312G	116.72	Inf	-Inf	3	Vertical	33	2.75
5310MHz	Pass	PK	5.3516G	63.15	74.00	-10.85	3	Vertical	33	2.75
5310MHz	Pass	AV	5.296G	107.14	Inf	-Inf	3	Horizontal	324	2.08
5310MHz	Pass	AV	5.3544G	52.65	54.00	-1.35	3	Horizontal	324	2.08
5310MHz	Pass	PK	5.3064G	120.67	Inf	-Inf	3	Horizontal	324	2.08
5310MHz	Pass	PK	5.356G	65.46	74.00	-8.54	3	Horizontal	324	2.08
5310MHz	Pass	AV	10.62064G	52.19	54.00	-1.81	3	Vertical	24	2.91
5310MHz	Pass	AV	15.94232G	48.20	54.00	-5.80	3	Vertical	322	2.83
5310MHz	Pass	PK	10.63112G	65.05	74.00	-8.95	3	Vertical	24	2.91
5310MHz	Pass	PK	15.91272G	61.50	74.00	-12.50	3	Vertical	322	2.83





**RSE TX above 1GHz**  
**Non-Beamforming\_Radio2(Low Band)+Radio3(High Band)**

**Appendix D.2**

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5310MHz	Pass	AV	10.61944G	49.90	54.00	-4.10	3	Horizontal	25	2.11
5310MHz	Pass	AV	15.94088G	48.13	54.00	-5.87	3	Horizontal	27	1.48
5310MHz	Pass	PK	10.62G	63.30	74.00	-10.70	3	Horizontal	25	2.11
5310MHz	Pass	PK	15.91568G	62.07	74.00	-11.93	3	Horizontal	27	1.48
5510MHz	Pass	AV	5.46G	48.24	54.00	-5.76	3	Vertical	63	1.68
5510MHz	Pass	AV	5.5108G	97.95	Inf	-Inf	3	Vertical	63	1.68
5510MHz	Pass	PK	5.4696G	61.65	68.20	-6.55	3	Vertical	63	1.68
5510MHz	Pass	PK	5.5204G	110.72	Inf	-Inf	3	Vertical	63	1.68
5510MHz	Pass	AV	5.46G	49.94	54.00	-4.06	3	Horizontal	53	1.66
5510MHz	Pass	AV	5.5112G	103.20	Inf	-Inf	3	Horizontal	53	1.66
5510MHz	Pass	PK	5.4692G	65.36	68.20	-2.84	3	Horizontal	53	1.66
5510MHz	Pass	PK	5.5G	115.71	Inf	-Inf	3	Horizontal	53	1.66
5510MHz	Pass	AV	11.02064G	49.57	54.00	-4.43	3	Vertical	68	1.40
5510MHz	Pass	PK	11.02072G	63.03	74.00	-10.97	3	Vertical	68	1.40
5510MHz	Pass	PK	16.53304G	63.57	68.20	-4.63	3	Vertical	123	2.20
5510MHz	Pass	AV	11.02104G	49.63	54.00	-4.37	3	Horizontal	277	1.33
5510MHz	Pass	PK	11.03048G	63.71	74.00	-10.29	3	Horizontal	277	1.33
5510MHz	Pass	PK	16.53688G	62.52	68.20	-5.68	3	Horizontal	212	1.85
5550MHz	Pass	AV	5.46G	48.72	54.00	-5.28	3	Vertical	56	1.50
5550MHz	Pass	AV	5.5512G	101.66	Inf	-Inf	3	Vertical	56	1.50
5550MHz	Pass	PK	5.4608G	61.56	68.20	-6.64	3	Vertical	56	1.50
5550MHz	Pass	PK	5.5528G	113.92	Inf	-Inf	3	Vertical	56	1.50
5550MHz	Pass	AV	5.46G	50.96	54.00	-3.04	3	Horizontal	52	1.50
5550MHz	Pass	AV	5.5412G	106.61	Inf	-Inf	3	Horizontal	52	1.50
5550MHz	Pass	PK	5.47G	66.23	68.20	-1.97	3	Horizontal	52	1.50
5550MHz	Pass	PK	5.5396G	118.40	Inf	-Inf	3	Horizontal	52	1.50
5550MHz	Pass	AV	11.1004G	51.13	54.00	-2.87	3	Vertical	65	1.50
5550MHz	Pass	PK	11.1G	64.54	74.00	-9.46	3	Vertical	65	1.50
5550MHz	Pass	PK	16.63792G	63.17	68.20	-5.03	3	Vertical	255	1.71
5550MHz	Pass	AV	11.10056G	51.05	54.00	-2.95	3	Horizontal	65	1.50
5550MHz	Pass	PK	11.10048G	63.80	74.00	-10.20	3	Horizontal	65	1.50
5550MHz	Pass	PK	16.66656G	63.23	68.20	-4.97	3	Horizontal	62	2.84
5670MHz	Pass	AV	5.6664G	102.50	Inf	-Inf	3	Vertical	16	3.00
5670MHz	Pass	PK	5.6652G	115.34	Inf	-Inf	3	Vertical	16	3.00
5670MHz	Pass	PK	5.736G	62.85	68.20	-5.35	3	Vertical	16	3.00
5670MHz	Pass	AV	5.6708G	103.99	Inf	-Inf	3	Horizontal	50	1.50
5670MHz	Pass	PK	5.6712G	117.08	Inf	-Inf	3	Horizontal	50	1.50
5670MHz	Pass	PK	5.7308G	65.79	68.20	-2.41	3	Horizontal	50	1.50
5670MHz	Pass	AV	11.3404G	45.15	54.00	-8.85	3	Vertical	20	1.50
5670MHz	Pass	PK	11.35088G	58.86	74.00	-15.14	3	Vertical	20	1.50
5670MHz	Pass	PK	17.02888G	62.15	68.20	-6.05	3	Vertical	17	1.83
5670MHz	Pass	AV	11.34G	49.29	54.00	-4.71	3	Horizontal	312	2.16
5670MHz	Pass	PK	11.34104G	61.88	74.00	-12.12	3	Horizontal	312	2.16
5670MHz	Pass	PK	17.01136G	61.78	68.20	-6.42	3	Horizontal	161	2.55
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.4448G	47.59	54.00	-6.41	3	Vertical	61	1.50
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.7112G	102.46	Inf	-Inf	3	Vertical	61	1.50
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.4604G	58.95	68.20	-9.25	3	Vertical	61	1.50
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.7112G	115.28	Inf	-Inf	3	Vertical	61	1.50
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.8516G	61.88	68.20	-6.32	3	Vertical	61	1.50
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.4484G	47.57	54.00	-6.43	3	Horizontal	49	1.24
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.7112G	107.40	Inf	-Inf	3	Horizontal	49	1.24
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.4628G	60.06	68.20	-8.14	3	Horizontal	49	1.24
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.7208G	118.23	Inf	-Inf	3	Horizontal	49	1.24
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.9416G	62.02	68.20	-6.18	3	Horizontal	49	1.24
5710MHz Straddle 5.47-5.725GHz	Pass	AV	11.42G	50.53	54.00	-3.47	3	Vertical	306	1.93
5710MHz Straddle 5.47-5.725GHz	Pass	PK	11.41872G	63.65	74.00	-10.35	3	Vertical	306	1.93
5710MHz Straddle 5.47-5.725GHz	Pass	PK	17.14376G	63.36	68.20	-4.84	3	Vertical	258	2.94
5710MHz Straddle 5.47-5.725GHz	Pass	AV	11.41984G	50.64	54.00	-3.36	3	Horizontal	306	1.93
5710MHz Straddle 5.47-5.725GHz	Pass	PK	11.41992G	63.81	74.00	-10.19	3	Horizontal	306	1.93
5710MHz Straddle 5.47-5.725GHz	Pass	PK	17.1156G	63.10	68.20	-5.10	3	Horizontal	285	2.34
802.11ax HEW80_Nss1_(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5290MHz	Pass	AV	5.14G	47.86	54.00	-6.14	3	Vertical	64	2.78



**RSE TX above 1GHz**  
**Non-Beamforming\_Radio2(Low Band)+Radio3(High Band)**

**Appendix D.2**

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5290MHz	Pass	AV	5.279G	99.70	Inf	-Inf	3	Vertical	64	2.78
5290MHz	Pass	AV	5.358G	49.89	54.00	-4.11	3	Vertical	64	2.78
5290MHz	Pass	PK	5.09G	60.09	74.00	-13.91	3	Vertical	64	2.78
5290MHz	Pass	PK	5.287G	111.35	Inf	-Inf	3	Vertical	64	2.78
5290MHz	Pass	PK	5.477G	60.28	68.20	-7.92	3	Vertical	64	2.78
5290MHz	Pass	AV	5.148G	48.49	54.00	-5.51	3	Horizontal	314	2.14
5290MHz	Pass	AV	5.287G	102.95	Inf	-Inf	3	Horizontal	314	2.14
5290MHz	Pass	AV	5.356G	52.31	54.00	-1.69	3	Horizontal	314	2.14
5290MHz	Pass	PK	5.143G	61.05	74.00	-12.95	3	Horizontal	314	2.14
5290MHz	Pass	PK	5.288G	115.69	Inf	-Inf	3	Horizontal	314	2.14
5290MHz	Pass	PK	5.352G	65.67	74.00	-8.33	3	Horizontal	314	2.14
5290MHz	Pass	AV	15.878G	48.04	54.00	-5.96	3	Vertical	97	1.32
5290MHz	Pass	PK	10.57856G	58.05	68.20	-10.15	3	Vertical	25	1.00
5290MHz	Pass	PK	15.8644G	61.01	74.00	-12.99	3	Vertical	97	1.32
5290MHz	Pass	AV	15.90952G	47.90	54.00	-6.10	3	Horizontal	235	1.38
5290MHz	Pass	PK	10.59184G	56.26	68.20	-11.94	3	Horizontal	49	1.68
5290MHz	Pass	PK	15.86392G	61.64	74.00	-12.36	3	Horizontal	235	1.38
5530MHz	Pass	AV	5.35G	46.49	54.00	-7.51	3	Vertical	58	1.58
5530MHz	Pass	AV	5.46G	47.80	54.00	-6.20	3	Vertical	58	1.58
5530MHz	Pass	AV	5.54G	92.93	Inf	-Inf	3	Vertical	58	1.58
5530MHz	Pass	PK	5.461G	60.48	68.20	-7.72	3	Vertical	58	1.58
5530MHz	Pass	PK	5.521G	104.57	Inf	-Inf	3	Vertical	58	1.58
5530MHz	Pass	PK	5.758G	60.08	68.20	-8.12	3	Vertical	58	1.58
5530MHz	Pass	AV	5.35G	46.48	54.00	-7.52	3	Horizontal	54	1.43
5530MHz	Pass	AV	5.46G	49.68	54.00	-4.32	3	Horizontal	54	1.43
5530MHz	Pass	AV	5.54G	98.59	Inf	-Inf	3	Horizontal	54	1.43
5530MHz	Pass	PK	5.469G	64.90	68.20	-3.30	3	Horizontal	54	1.43
5530MHz	Pass	PK	5.529G	110.91	Inf	-Inf	3	Horizontal	54	1.43
5530MHz	Pass	PK	5.761G	60.32	68.20	-7.88	3	Horizontal	54	1.43
5530MHz	Pass	AV	11.05072G	46.51	54.00	-7.49	3	Vertical	279	1.45
5530MHz	Pass	PK	11.07008G	60.00	74.00	-14.00	3	Vertical	279	1.45
5530MHz	Pass	PK	16.59784G	63.47	68.20	-4.73	3	Vertical	91	2.25
5530MHz	Pass	AV	11.05104G	46.60	54.00	-7.40	3	Horizontal	279	1.45
5530MHz	Pass	PK	11.05168G	60.40	74.00	-13.60	3	Horizontal	279	1.45
5530MHz	Pass	PK	16.61096G	63.51	68.20	-4.69	3	Horizontal	139	2.67
5610MHz	Pass	AV	5.459G	47.19	54.00	-6.81	3	Vertical	62	1.50
5610MHz	Pass	AV	5.6G	94.86	Inf	-Inf	3	Vertical	62	1.50
5610MHz	Pass	PK	5.469G	59.52	68.20	-8.68	3	Vertical	62	1.50
5610MHz	Pass	PK	5.6G	107.81	Inf	-Inf	3	Vertical	62	1.50
5610MHz	Pass	PK	5.732G	63.02	68.20	-5.18	3	Vertical	62	1.50
5610MHz	Pass	AV	5.46G	48.74	54.00	-5.26	3	Horizontal	50	1.50
5610MHz	Pass	AV	5.591G	100.23	Inf	-Inf	3	Horizontal	50	1.50
5610MHz	Pass	PK	5.47G	61.65	68.20	-6.55	3	Horizontal	50	1.50
5610MHz	Pass	PK	5.603G	112.35	Inf	-Inf	3	Horizontal	50	1.50
5610MHz	Pass	PK	5.742G	66.83	68.20	-1.37	3	Horizontal	50	1.50
5610MHz	Pass	AV	11.22G	48.54	54.00	-5.46	3	Vertical	36	1.49
5610MHz	Pass	PK	11.20928G	61.61	74.00	-12.39	3	Vertical	36	1.49
5610MHz	Pass	PK	16.7956G	61.64	68.20	-6.56	3	Vertical	144	1.68
5610MHz	Pass	AV	11.22064G	43.63	54.00	-10.37	3	Horizontal	36	1.49
5610MHz	Pass	PK	11.23072G	56.72	74.00	-17.28	3	Horizontal	36	1.49
5610MHz	Pass	PK	16.86504G	61.52	68.20	-6.68	3	Horizontal	292	2.97
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.4548G	46.99	54.00	-7.01	3	Vertical	20	2.97
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.6864G	101.57	Inf	-Inf	3	Vertical	20	2.97
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.468G	58.98	68.20	-9.22	3	Vertical	20	2.97
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.6768G	113.43	Inf	-Inf	3	Vertical	20	2.97
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.8568G	62.20	68.20	-6.00	3	Vertical	20	2.97
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.4596G	47.67	54.00	-6.33	3	Horizontal	48	1.49
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.6924G	101.75	Inf	-Inf	3	Horizontal	48	1.49
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.4608G	58.91	68.20	-9.29	3	Horizontal	48	1.49
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.7128G	113.85	Inf	-Inf	3	Horizontal	48	1.49
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.8532G	65.52	68.20	-2.68	3	Horizontal	48	1.49
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.35232G	43.22	54.00	-10.78	3	Vertical	306	1.92



**RSE TX above 1GHz  
Non-Beamforming\_Radio2(Low Band)+Radio3(High Band)**


**Appendix D.2**

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.36096G	55.80	74.00	-18.20	3	Vertical	306	1.92
5690MHz Straddle 5.47-5.725GHz	Pass	PK	17.07896G	62.87	68.20	-5.33	3	Vertical	287	2.77
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.37952G	48.49	54.00	-5.51	3	Horizontal	306	1.92
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.35984G	61.48	74.00	-12.52	3	Horizontal	306	1.92
5690MHz Straddle 5.47-5.725GHz	Pass	PK	17.03016G	62.81	68.20	-5.39	3	Horizontal	79	2.27
802.11ax HEW160_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5570MHz	Pass	AV	5.4596G	48.66	54.00	-5.34	3	Vertical	59	1.50
5570MHz	Pass	AV	5.5904G	91.97	Inf	-Inf	3	Vertical	59	1.50
5570MHz	Pass	PK	5.4692G	60.77	68.20	-7.43	3	Vertical	59	1.50
5570MHz	Pass	PK	5.5604G	103.75	Inf	-Inf	3	Vertical	59	1.50
5570MHz	Pass	PK	5.732G	63.15	68.20	-5.05	3	Vertical	59	1.50
5570MHz	Pass	AV	5.4596G	52.08	54.00	-1.92	3	Horizontal	51	1.50
5570MHz	Pass	AV	5.5808G	97.46	Inf	-Inf	3	Horizontal	51	1.50
5570MHz	Pass	PK	5.4608G	65.24	68.20	-2.96	3	Horizontal	51	1.50
5570MHz	Pass	PK	5.5592G	109.49	Inf	-Inf	3	Horizontal	51	1.50
5570MHz	Pass	PK	5.732G	66.75	68.20	-1.45	3	Horizontal	51	1.50
5570MHz	Pass	AV	11.1096G	45.76	54.00	-8.24	3	Vertical	34	2.30
5570MHz	Pass	PK	11.10096G	58.37	74.00	-15.63	3	Vertical	34	2.30
5570MHz	Pass	PK	16.65464G	62.60	68.20	-5.60	3	Vertical	328	2.91
5570MHz	Pass	AV	11.13131G	44.75	54.00	-9.25	3	Horizontal	278	1.50
5570MHz	Pass	PK	11.17123G	57.75	74.00	-16.25	3	Horizontal	278	1.50
5570MHz	Pass	PK	16.64504G	62.71	68.20	-5.49	3	Horizontal	256	2.09



5.25-5.35GHz\_802.11a\_Nss1,(6Mbps)\_2TX


5260MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1238G	47.97	54.00	-6.03	8.90	3	Vertical	63	2.91	39.07	33.20	9.82	34.12
AV	5.2594G	109.07	Inf	-Inf	8.67	3	Vertical	63	2.91	100.40	32.92	9.90	34.15
AV	5.3764G	48.11	54.00	-5.89	8.56	3	Vertical	63	2.91	39.55	32.75	9.98	34.17
PK	5.1268G	60.45	74.00	-13.55	8.90	3	Vertical	63	2.91	51.55	33.20	9.82	34.12
PK	5.2642G	118.75	Inf	-Inf	8.68	3	Vertical	63	2.91	110.07	32.93	9.90	34.15
PK	5.407G	59.98	74.00	-14.02	8.64	3	Vertical	63	2.91	51.34	32.81	10.00	34.17

5.25-5.35GHz\_802.11a\_Nss1,(6Mbps)\_2TX

5260MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1454G	48.37	54.00	-5.63	8.90	3	Horizontal	316	2.08	39.47	33.20	9.83	34.13
AV	5.263G	112.72	Inf	-Inf	8.68	3	Horizontal	316	2.08	104.04	32.93	9.90	34.15
AV	5.3764G	48.93	54.00	-5.07	8.56	3	Horizontal	316	2.08	40.37	32.75	9.98	34.17
PK	5.1352G	60.28	74.00	-13.72	8.90	3	Horizontal	316	2.08	51.38	33.20	9.82	34.12
PK	5.2636G	122.65	Inf	-Inf	8.68	3	Horizontal	316	2.08	113.97	32.93	9.90	34.15
PK	5.4004G	60.45	74.00	-13.55	8.63	3	Horizontal	316	2.08	51.82	32.80	10.00	34.17



5.25-5.35GHz\_802.11a\_Nss1,(6Mbps)\_2TX


5260MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.7692G	48.04	54.00	-5.96	19.42	3	Vertical	244	2.87	28.62	38.13	15.85	34.56
PK	10.52496G	64.18	68.20	-4.02	16.93	3	Vertical	12	1.59	47.25	38.67	12.73	34.47
PK	15.76312G	60.62	74.00	-13.38	19.42	3	Vertical	244	2.87	41.20	38.14	15.84	34.56

5.25-5.35GHz\_802.11a\_Nss1,(6Mbps)\_2TX

5260MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.76392G	48.08	54.00	-5.92	19.43	3	Horizontal	100	2.98	28.65	38.14	15.85	34.56
PK	10.52072G	62.71	68.20	-5.49	16.92	3	Horizontal	48	1.71	45.79	38.66	12.73	34.47
PK	15.76416G	60.38	74.00	-13.62	19.43	3	Horizontal	100	2.98	40.95	38.14	15.85	34.56



5.25-5.35GHz\_802.11a\_Nss1,(6Mbps)\_2TX


5300MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.2992G	108.32	Inf	-Inf	5.36	3	Vertical	30	2.32	102.96	33.00	6.52	34.16
AV	5.354G	46.33	54.00	-7.67	5.30	3	Vertical	30	2.32	41.03	32.90	6.56	34.16
PK	5.2992G	118.55	Inf	-Inf	5.36	3	Vertical	30	2.32	113.19	33.00	6.52	34.16
PK	5.3596G	59.14	74.00	-14.86	5.30	3	Vertical	30	2.32	53.84	32.90	6.56	34.16

5.25-5.35GHz\_802.11a\_Nss1,(6Mbps)\_2TX


5300MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.2968G	112.01	Inf	-Inf	5.36	3	Horizontal	305	2.02	106.65	33.00	6.52	34.16
AV	5.376G	47.43	54.00	-6.57	5.30	3	Horizontal	305	2.02	42.13	32.90	6.57	34.17
PK	5.2964G	122.57	Inf	-Inf	5.36	3	Horizontal	305	2.02	117.21	33.00	6.52	34.16
PK	5.3516G	60.66	74.00	-13.34	5.30	3	Horizontal	305	2.02	55.36	32.90	6.56	34.16

5.25-5.35GHz\_802.11a\_Nss1,(6Mbps)\_2TX


5300MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.90496G	38.56	54.00	-15.44	15.96	3	Vertical	39	2.11	22.60	38.19	12.38	34.61
PK	10.59992G	54.37	68.20	-13.83	15.56	3	Vertical	40	2.95	38.81	38.90	11.10	34.44
PK	15.89192G	52.45	74.00	-21.55	15.99	3	Vertical	39	2.11	36.46	38.22	12.37	34.60

5.25-5.35GHz\_802.11a\_Nss1,(6Mbps)\_2TX

5300MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.60568G	38.33	54.00	-15.67	15.58	3	Horizontal	7	1.38	22.75	38.92	11.10	34.44
AV	15.8946G	38.42	54.00	-15.58	15.98	3	Horizontal	329	1.62	22.44	38.21	12.37	34.60
PK	10.60576G	51.51	74.00	-22.49	15.58	3	Horizontal	7	1.38	35.93	38.92	11.10	34.44
PK	15.89484G	51.74	74.00	-22.26	15.98	3	Horizontal	329	1.62	35.76	38.21	12.37	34.60



5.25-5.35GHz\_802.11a\_Nss1,(6Mbps)\_2TX


5320MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3168G	107.75	Inf	-Inf	5.34	3	Vertical	30	2.28	102.41	32.97	6.53	34.16
AV	5.3512G	49.47	54.00	-4.53	5.30	3	Vertical	30	2.28	44.17	32.90	6.56	34.16
PK	5.3168G	118.12	Inf	-Inf	5.34	3	Vertical	30	2.28	112.78	32.97	6.53	34.16
PK	5.3512G	63.09	74.00	-10.91	5.30	3	Vertical	30	2.28	57.79	32.90	6.56	34.16

5.25-5.35GHz\_802.11a\_Nss1,(6Mbps)\_2TX

5320MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3242G	110.30	Inf	-Inf	5.33	3	Horizontal	300	2.19	104.97	32.95	6.54	34.16
AV	5.35G	52.83	54.00	-1.17	5.29	3	Horizontal	300	2.19	47.54	32.90	6.55	34.16
PK	5.3244G	120.45	Inf	-Inf	5.33	3	Horizontal	300	2.19	115.12	32.95	6.54	34.16
PK	5.3502G	66.68	74.00	-7.32	5.30	3	Horizontal	300	2.19	61.38	32.90	6.56	34.16





5.25-5.35GHz\_802.11a\_Nss1,(6Mbps)\_2TX


5320MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.64004G	42.09	54.00	-11.91	15.73	3	Vertical	37	2.93	26.36	39.02	11.12	34.41
AV	15.96208G	38.60	54.00	-15.40	15.85	3	Vertical	48	2.96	22.75	38.08	12.42	34.65
PK	10.64036G	53.72	74.00	-20.28	15.73	3	Vertical	37	2.93	37.99	39.02	11.12	34.41
PK	15.96084G	51.68	74.00	-22.32	15.85	3	Vertical	48	2.96	35.83	38.08	12.42	34.65

5.25-5.35GHz\_802.11a\_Nss1,(6Mbps)\_2TX


5320MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.63504G	38.43	54.00	-15.57	15.70	3	Horizontal	316	1.50	22.73	39.01	11.11	34.42
AV	15.95248G	38.63	54.00	-15.37	15.87	3	Horizontal	318	1.19	22.76	38.10	12.41	34.64
PK	10.64188G	51.77	74.00	-22.23	15.74	3	Horizontal	316	1.50	36.03	39.03	11.12	34.41
PK	15.95132G	51.44	74.00	-22.56	15.87	3	Horizontal	318	1.19	35.57	38.10	12.41	34.64

5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_2TX


5500MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	47.84	54.00	-6.16	8.76	3	Vertical	61	1.54	39.08	32.92	10.02	34.18
AV	5.5054G	101.46	Inf	-Inf	8.83	3	Vertical	61	1.54	92.63	32.98	10.04	34.19
PK	5.4698G	60.62	68.20	-7.58	8.78	3	Vertical	61	1.54	51.84	32.94	10.02	34.18
PK	5.5056G	110.86	Inf	-Inf	8.83	3	Vertical	61	1.54	102.03	32.98	10.04	34.19

5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_2TX

5500MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4598G	48.48	54.00	-5.52	8.76	3	Horizontal	57	1.50	39.72	32.92	10.02	34.18
AV	5.4948G	106.68	Inf	-Inf	8.83	3	Horizontal	57	1.50	97.85	32.99	10.03	34.19
PK	5.47G	64.07	68.20	-4.13	8.78	3	Horizontal	57	1.50	55.29	32.94	10.02	34.18
PK	5.4948G	115.87	Inf	-Inf	8.83	3	Horizontal	57	1.50	107.04	32.99	10.03	34.19



5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_2TX


5500MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.00012G	52.59	54.00	-1.41	17.68	3	Vertical	69	1.43	34.91	38.80	12.92	34.04
PK	11.00048G	65.66	74.00	-8.34	17.68	3	Vertical	69	1.43	47.98	38.80	12.92	34.04
PK	16.49789G	62.20	68.20	-6.00	20.33	3	Vertical	177	2.15	41.87	38.59	16.10	34.36

5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_2TX

5500MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.00012G	52.62	54.00	-1.38	17.68	3	Horizontal	276	1.48	34.94	38.80	12.92	34.04
PK	11.00048G	65.80	74.00	-8.20	17.68	3	Horizontal	276	1.48	48.12	38.80	12.92	34.04
PK	16.49894G	62.83	68.20	-5.37	20.34	3	Horizontal	27	2.64	42.49	38.60	16.10	34.36



5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_2TX


5580MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4366G	45.26	54.00	-8.74	5.35	3	Vertical	15	2.92	39.91	32.90	6.62	34.17
AV	5.5728G	109.80	Inf	-Inf	5.51	3	Vertical	15	2.92	104.29	32.95	6.75	34.19
PK	5.4408G	57.53	74.00	-16.47	5.36	3	Vertical	15	2.92	52.17	32.90	6.63	34.17
PK	5.4624G	57.57	68.20	-10.63	5.37	3	Vertical	15	2.92	52.20	32.90	6.65	34.18
PK	5.5878G	119.39	Inf	-Inf	5.55	3	Vertical	15	2.92	113.84	32.98	6.76	34.19
PK	5.7282G	58.34	68.20	-9.86	6.36	3	Vertical	15	2.92	51.98	33.71	6.85	34.20

5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_2TX

5580MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4336G	45.04	54.00	-8.96	5.35	3	Horizontal	54	1.24	39.69	32.90	6.62	34.17
AV	5.5746G	104.39	Inf	-Inf	5.51	3	Horizontal	54	1.24	98.88	32.95	6.75	34.19
PK	5.4576G	57.49	74.00	-16.51	5.37	3	Horizontal	54	1.24	52.12	32.90	6.64	34.17
PK	5.4636G	58.25	68.20	-9.95	5.37	3	Horizontal	54	1.24	52.88	32.90	6.65	34.18
PK	5.5854G	113.73	Inf	-Inf	5.54	3	Horizontal	54	1.24	108.19	32.97	6.76	34.19
PK	5.7282G	58.28	68.20	-9.92	6.36	3	Horizontal	54	1.24	51.92	33.71	6.85	34.20



5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_2TX


5580MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.15988G	52.62	54.00	-1.38	16.14	3	Vertical	5	2.46	36.48	38.96	11.31	34.13
PK	11.16072G	65.27	74.00	-8.73	16.14	3	Vertical	5	2.46	49.13	38.96	11.31	34.13
PK	16.73152G	53.41	68.20	-14.79	17.33	3	Vertical	25	1.00	36.08	38.30	12.77	33.74

5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_2TX

5580MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.16076G	44.50	54.00	-9.50	16.14	3	Horizontal	32	1.57	28.36	38.96	11.31	34.13
PK	11.16064G	58.56	74.00	-15.44	16.14	3	Horizontal	32	1.57	42.42	38.96	11.31	34.13
PK	16.73532G	52.24	68.20	-15.96	17.34	3	Horizontal	204	2.25	34.90	38.30	12.77	33.73



5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_2TX


5700MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.6924G	106.61	Inf	-Inf	9.30	3	Vertical	22	2.95	97.31	33.38	10.12	34.20
PK	5.6932G	116.29	Inf	-Inf	9.31	3	Vertical	22	2.95	106.98	33.39	10.12	34.20
PK	5.728G	64.27	68.20	-3.93	9.51	3	Vertical	22	2.95	54.76	33.57	10.14	34.20

5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_2TX

5700MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.6948G	106.91	Inf	-Inf	9.31	3	Horizontal	56	1.63	97.60	33.39	10.12	34.20
PK	5.6948G	115.96	Inf	-Inf	9.31	3	Horizontal	56	1.63	106.65	33.39	10.12	34.20
PK	5.7252G	66.44	68.20	-1.76	9.49	3	Horizontal	56	1.63	56.95	33.55	10.14	34.20



5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_2TX


5700MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.4002G	51.17	54.00	-2.83	18.12	3	Vertical	18	2.08	33.05	39.10	13.08	34.06
PK	11.40036G	63.89	74.00	-10.11	18.12	3	Vertical	18	2.08	45.77	39.10	13.08	34.06
PK	17.09116G	63.13	68.20	-5.07	21.29	3	Vertical	301	2.56	41.84	38.41	16.19	33.31

5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_2TX

5700MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.3998G	52.25	54.00	-1.75	18.12	3	Horizontal	306	1.94	34.13	39.10	13.08	34.06
PK	11.40052G	65.31	74.00	-8.69	18.12	3	Horizontal	306	1.94	47.19	39.10	13.08	34.06
PK	17.10036G	63.25	68.20	-4.95	21.30	3	Horizontal	236	2.46	41.95	38.40	16.20	33.30



5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_2TX


5720MHz Straddle 5.47-5.725GHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4404G	47.60	54.00	-6.40	8.71	3	Vertical	16	2.93	38.89	32.88	10.01	34.18
AV	5.7128G	109.48	Inf	-Inf	9.41	3	Vertical	16	2.93	100.07	33.48	10.13	34.20
PK	5.4608G	59.35	68.20	-8.85	8.76	3	Vertical	16	2.93	50.59	32.92	10.02	34.18
PK	5.7128G	118.64	Inf	-Inf	9.41	3	Vertical	16	2.93	109.23	33.48	10.13	34.20
PK	5.9456G	61.18	68.20	-7.02	10.35	3	Vertical	16	2.93	50.83	34.28	10.29	34.22

5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_2TX

5720MHz Straddle 5.47-5.725GHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.45G	47.66	54.00	-6.34	8.74	3	Horizontal	46	1.50	38.92	32.90	10.02	34.18
AV	5.726G	109.89	Inf	-Inf	9.50	3	Horizontal	46	1.50	100.39	33.56	10.14	34.20
PK	5.462G	59.77	68.20	-8.43	8.76	3	Horizontal	46	1.50	51.01	32.92	10.02	34.18
PK	5.726G	119.08	Inf	-Inf	9.50	3	Horizontal	46	1.50	109.58	33.56	10.14	34.20
PK	5.9876G	61.17	68.20	-7.03	10.17	3	Horizontal	46	1.50	51.00	34.07	10.32	34.22





5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_2TX


5720MHz Straddle 5.47-5.725GHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.43982G	50.74	54.00	-3.26	18.05	3	Vertical	33	1.50	32.69	39.02	13.09	34.06
PK	11.43442G	62.91	74.00	-11.09	18.06	3	Vertical	33	1.50	44.85	39.03	13.09	34.06
PK	17.1711G	63.41	68.20	-4.79	21.32	3	Vertical	36	1.97	42.09	38.40	16.21	33.29

5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_2TX

5720MHz Straddle 5.47-5.725GHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.44G	52.70	54.00	-1.30	18.05	3	Horizontal	307	1.91	34.65	39.02	13.09	34.06
PK	11.4406G	64.90	74.00	-9.10	18.05	3	Horizontal	307	1.91	46.85	39.02	13.09	34.06
PK	17.16006G	63.66	68.20	-4.54	21.32	3	Horizontal	276	2.33	42.34	38.40	16.21	33.29



5.25-5.35GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX


5260MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1238G	47.61	54.00	-6.39	8.90	3	Vertical	65	2.67	38.71	33.20	9.82	34.12
AV	5.2588G	108.08	Inf	-Inf	8.67	3	Vertical	65	2.67	99.41	32.92	9.90	34.15
AV	5.3764G	48.15	54.00	-5.85	8.56	3	Vertical	65	2.67	39.59	32.75	9.98	34.17
PK	5.116G	60.23	74.00	-13.77	8.89	3	Vertical	65	2.67	51.34	33.20	9.81	34.12
PK	5.2588G	119.95	Inf	-Inf	8.67	3	Vertical	65	2.67	111.28	32.92	9.90	34.15
PK	5.4076G	60.45	74.00	-13.55	8.65	3	Vertical	65	2.67	51.80	32.82	10.00	34.17

5.25-5.35GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX

5260MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1484G	48.27	54.00	-5.73	8.90	3	Horizontal	316	2.01	39.37	33.20	9.83	34.13
AV	5.257G	111.19	Inf	-Inf	8.66	3	Horizontal	316	2.01	102.53	32.91	9.90	34.15
AV	5.3764G	48.74	54.00	-5.26	8.56	3	Horizontal	316	2.01	40.18	32.75	9.98	34.17
PK	5.1442G	60.58	74.00	-13.42	8.90	3	Horizontal	316	2.01	51.68	33.20	9.83	34.13
PK	5.2564G	124.74	Inf	-Inf	8.66	3	Horizontal	316	2.01	116.08	32.91	9.90	34.15
PK	5.3554G	60.44	74.00	-13.56	8.52	3	Horizontal	316	2.01	51.92	32.71	9.97	34.16



5.25-5.35GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX


5260MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.76064G	47.53	54.00	-6.47	19.42	3	Vertical	6	2.70	28.11	38.14	15.84	34.56
PK	10.5204G	64.05	68.20	-4.15	16.92	3	Vertical	11	1.63	47.13	38.66	12.73	34.47
PK	15.77728G	60.72	74.00	-13.28	19.41	3	Vertical	6	2.70	41.31	38.12	15.86	34.57

5.25-5.35GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX

5260MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.7616G	47.56	54.00	-6.44	19.42	3	Horizontal	286	1.35	28.14	38.14	15.84	34.56
PK	10.512G	61.94	68.20	-6.26	16.89	3	Horizontal	41	1.79	45.05	38.64	12.73	34.48
PK	15.78344G	60.91	74.00	-13.09	19.41	3	Horizontal	286	1.35	41.50	38.12	15.86	34.57



5.25-5.35GHz\_802.11ax\_HEW20\_Nss1,(MCS0)\_2TX


5300MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.2992G	108.32	Inf	-Inf	5.36	3	Vertical	30	2.32	102.96	33.00	6.52	34.16
AV	5.354G	46.33	54.00	-7.67	5.30	3	Vertical	30	2.32	41.03	32.90	6.56	34.16
PK	5.2992G	118.55	Inf	-Inf	5.36	3	Vertical	30	2.32	113.19	33.00	6.52	34.16
PK	5.3596G	59.14	74.00	-14.86	5.30	3	Vertical	30	2.32	53.84	32.90	6.56	34.16

5.25-5.35GHz\_802.11ax\_HEW20\_Nss1,(MCS0)\_2TX

5300MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.2968G	112.01	Inf	-Inf	5.36	3	Horizontal	305	2.02	106.65	33.00	6.52	34.16
AV	5.376G	47.43	54.00	-6.57	5.30	3	Horizontal	305	2.02	42.13	32.90	6.57	34.17
PK	5.2964G	122.57	Inf	-Inf	5.36	3	Horizontal	305	2.02	117.21	33.00	6.52	34.16
PK	5.3516G	60.66	74.00	-13.34	5.30	3	Horizontal	305	2.02	55.36	32.90	6.56	34.16



5.25-5.35GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX


5300MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.90496G	38.56	54.00	-15.44	15.96	3	Vertical	39	2.11	22.60	38.19	12.38	34.61
PK	10.59992G	54.37	68.20	-13.83	15.56	3	Vertical	40	2.95	38.81	38.90	11.10	34.44
PK	15.89192G	52.45	74.00	-21.55	15.99	3	Vertical	39	2.11	36.46	38.22	12.37	34.60

5.25-5.35GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX

5300MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.60568G	38.33	54.00	-15.67	15.58	3	Horizontal	7	1.38	22.75	38.92	11.10	34.44
AV	15.8946G	38.42	54.00	-15.58	15.98	3	Horizontal	329	1.62	22.44	38.21	12.37	34.60
PK	10.60576G	51.51	74.00	-22.49	15.58	3	Horizontal	7	1.38	35.93	38.92	11.10	34.44
PK	15.89484G	51.74	74.00	-22.26	15.98	3	Horizontal	329	1.62	35.76	38.21	12.37	34.60



5.25-5.35GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX


5320MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3186G	106.14	Inf	-Inf	5.33	3	Vertical	28	2.23	100.81	32.96	6.53	34.16
AV	5.35G	50.36	54.00	-3.64	5.29	3	Vertical	28	2.23	45.07	32.90	6.55	34.16
PK	5.319G	119.63	Inf	-Inf	5.33	3	Vertical	28	2.23	114.30	32.96	6.53	34.16
PK	5.35G	64.76	74.00	-9.24	5.29	3	Vertical	28	2.23	59.47	32.90	6.55	34.16

5.25-5.35GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX

5320MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3214G	108.64	Inf	-Inf	5.33	3	Horizontal	47	1.93	103.31	32.96	6.53	34.16
AV	5.3512G	52.01	54.00	-1.99	5.30	3	Horizontal	47	1.93	46.71	32.90	6.56	34.16
PK	5.3224G	122.37	Inf	-Inf	5.34	3	Horizontal	47	1.93	117.03	32.96	6.54	34.16
PK	5.3514G	66.52	74.00	-7.48	5.30	3	Horizontal	47	1.93	61.22	32.90	6.56	34.16



5.25-5.35GHz\_802.11ax\_HEW20\_Nss1,(MCS0)\_2TX


5320MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.64G	42.02	54.00	-11.98	15.73	3	Vertical	40	3.00	26.29	39.02	11.12	34.41
AV	15.95616G	38.39	54.00	-15.61	15.85	3	Vertical	39	2.08	22.54	38.09	12.41	34.65
PK	10.64032G	54.44	74.00	-19.56	15.73	3	Vertical	40	3.00	38.71	39.02	11.12	34.41
PK	15.95516G	51.65	74.00	-22.35	15.85	3	Vertical	39	2.08	35.80	38.09	12.41	34.65

5.25-5.35GHz\_802.11ax\_HEW20\_Nss1,(MCS0)\_2TX


5320MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.637G	40.46	54.00	-13.54	15.72	3	Horizontal	9	1.74	24.74	39.01	11.12	34.41
AV	15.9506G	38.39	54.00	-15.61	15.87	3	Horizontal	120	1.05	22.52	38.10	12.41	34.64
PK	10.64716G	53.82	74.00	-20.18	15.75	3	Horizontal	9	1.74	38.07	39.04	11.12	34.41
PK	15.95032G	51.88	74.00	-22.12	15.87	3	Horizontal	120	1.05	36.01	38.10	12.41	34.64

5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX


5500MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4598G	47.99	54.00	-6.01	8.76	3	Vertical	59	1.62	39.23	32.92	10.02	34.18
AV	5.4914G	101.08	Inf	-Inf	8.82	3	Vertical	59	1.62	92.26	32.98	10.03	34.19
PK	5.47G	62.86	68.20	-5.34	8.78	3	Vertical	59	1.62	54.08	32.94	10.02	34.18
PK	5.5016G	113.21	Inf	-Inf	8.84	3	Vertical	59	1.62	104.37	32.99	10.04	34.19

5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX

5500MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.459G	49.34	54.00	-4.66	8.76	3	Horizontal	60	1.50	40.58	32.92	10.02	34.18
AV	5.5088G	106.32	Inf	-Inf	8.81	3	Horizontal	60	1.50	97.51	32.96	10.04	34.19
PK	5.4692G	67.01	68.20	-1.19	8.78	3	Horizontal	60	1.50	58.23	32.94	10.02	34.18
PK	5.508G	118.73	Inf	-Inf	8.82	3	Horizontal	60	1.50	109.91	32.97	10.04	34.19



5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX


5500MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.00016G	52.34	54.00	-1.66	17.68	3	Vertical	69	1.40	34.66	38.80	12.92	34.04
PK	11.00104G	66.46	74.00	-7.54	17.68	3	Vertical	69	1.40	48.78	38.80	12.92	34.04
PK	16.50368G	62.45	68.20	-5.75	20.35	3	Vertical	248	2.09	42.10	38.60	16.10	34.35

5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX

5500MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.0004G	52.83	54.00	-1.17	17.68	3	Horizontal	274	1.05	35.15	38.80	12.92	34.04
PK	11.00136G	65.91	74.00	-8.09	17.68	3	Horizontal	274	1.05	48.23	38.80	12.92	34.04
PK	16.5052G	62.67	68.20	-5.53	20.36	3	Horizontal	6	1.18	42.31	38.61	16.10	34.35



5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX


5580MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4546G	44.73	54.00	-9.27	5.37	3	Vertical	16	2.90	39.36	32.90	6.64	34.17
AV	5.5848G	109.12	Inf	-Inf	5.54	3	Vertical	16	2.90	103.58	32.97	6.76	34.19
PK	5.4516G	58.00	74.00	-16.00	5.37	3	Vertical	16	2.90	52.63	32.90	6.64	34.17
PK	5.4672G	58.11	68.20	-10.09	5.37	3	Vertical	16	2.90	52.74	32.90	6.65	34.18
PK	5.5746G	122.06	Inf	-Inf	5.51	3	Vertical	16	2.90	116.55	32.95	6.75	34.19
PK	5.7282G	58.77	68.20	-9.43	6.36	3	Vertical	16	2.90	52.41	33.71	6.85	34.20

5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX


5580MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	44.96	54.00	-9.04	5.36	3	Horizontal	45	1.64	39.60	32.90	6.64	34.18
AV	5.5716G	110.72	Inf	-Inf	5.49	3	Horizontal	45	1.64	105.23	32.94	6.74	34.19
PK	5.4588G	57.66	74.00	-16.34	5.36	3	Horizontal	45	1.64	52.30	32.90	6.64	34.18
PK	5.4606G	58.05	68.20	-10.15	5.36	3	Horizontal	45	1.64	52.69	32.90	6.64	34.18
PK	5.5722G	122.64	Inf	-Inf	5.49	3	Horizontal	45	1.64	117.15	32.94	6.74	34.19
PK	5.73G	58.46	68.20	-9.74	6.37	3	Horizontal	45	1.64	52.09	33.72	6.85	34.20

5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX


5580MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.1602G	52.96	54.00	-1.04	16.14	3	Vertical	7	2.46	36.82	38.96	11.31	34.13
PK	11.16124G	66.14	74.00	-7.86	16.14	3	Vertical	7	2.46	50.00	38.96	11.31	34.13
PK	16.73236G	53.36	68.20	-14.84	17.33	3	Vertical	0	1.69	36.03	38.30	12.77	33.74

5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX


5580MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.16036G	50.93	54.00	-3.07	16.14	3	Horizontal	312	1.71	34.79	38.96	11.31	34.13
PK	11.16196G	64.00	74.00	-10.00	16.14	3	Horizontal	312	1.71	47.86	38.96	11.31	34.13
PK	16.74024G	52.52	68.20	-15.68	17.36	3	Horizontal	349	2.96	35.16	38.30	12.78	33.72

5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX


5700MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.6916G	101.43	Inf	-Inf	9.30	3	Vertical	58	1.50	92.13	33.38	10.12	34.20
PK	5.7008G	113.05	Inf	-Inf	9.33	3	Vertical	58	1.50	103.72	33.40	10.13	34.20
PK	5.7316G	65.27	68.20	-2.93	9.53	3	Vertical	58	1.50	55.74	33.59	10.14	34.20

5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX

5700MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.6916G	106.35	Inf	-Inf	9.30	3	Horizontal	49	1.47	97.05	33.38	10.12	34.20
PK	5.6916G	117.82	Inf	-Inf	9.30	3	Horizontal	49	1.47	108.52	33.38	10.12	34.20
PK	5.73G	67.36	68.20	-0.84	9.52	3	Horizontal	49	1.47	57.84	33.58	10.14	34.20



5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX


5700MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.39992G	49.57	54.00	-4.43	18.12	3	Vertical	18	2.03	31.45	39.10	13.08	34.06
PK	11.39984G	62.45	74.00	-11.55	18.12	3	Vertical	18	2.03	44.33	39.10	13.08	34.06
PK	17.10744G	63.69	68.20	-4.51	21.30	3	Vertical	18	2.08	42.39	38.40	16.20	33.30

5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX

5700MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.4G	51.60	54.00	-2.40	18.12	3	Horizontal	308	1.93	33.48	39.10	13.08	34.06
PK	11.40064G	64.64	74.00	-9.36	18.12	3	Horizontal	308	1.93	46.52	39.10	13.08	34.06
PK	17.08816G	63.54	68.20	-4.66	21.29	3	Horizontal	171	1.94	42.25	38.41	16.19	33.31



5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX


5720MHz Straddle 5.47-5.725GHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4296G	47.19	54.00	-6.81	8.69	3	Vertical	58	1.43	38.50	32.86	10.01	34.18
AV	5.7116G	105.17	Inf	-Inf	9.40	3	Vertical	58	1.43	95.77	33.47	10.13	34.20
PK	5.462G	58.68	68.20	-9.52	8.76	3	Vertical	58	1.43	49.92	32.92	10.02	34.18
PK	5.7116G	117.16	Inf	-Inf	9.40	3	Vertical	58	1.43	107.76	33.47	10.13	34.20
PK	5.8664G	61.06	68.20	-7.14	10.12	3	Vertical	58	1.43	50.94	34.10	10.23	34.21

5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX

5720MHz Straddle 5.47-5.725GHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4488G	47.17	54.00	-6.83	8.74	3	Horizontal	49	1.25	38.43	32.90	10.02	34.18
AV	5.7116G	109.11	Inf	-Inf	9.40	3	Horizontal	49	1.25	99.71	33.47	10.13	34.20
PK	5.4608G	58.50	68.20	-9.70	8.76	3	Horizontal	49	1.25	49.74	32.92	10.02	34.18
PK	5.7116G	121.15	Inf	-Inf	9.40	3	Horizontal	49	1.25	111.75	33.47	10.13	34.20
PK	5.9252G	60.85	68.20	-7.35	10.25	3	Horizontal	49	1.25	50.60	34.20	10.27	34.22



5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX


5720MHz Straddle 5.47-5.725GHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.44128G	52.11	54.00	-1.89	18.05	3	Vertical	360	2.25	34.06	39.02	13.09	34.06
PK	11.44352G	65.17	74.00	-8.83	18.04	3	Vertical	360	2.25	47.13	39.01	13.09	34.06
PK	17.17408G	63.35	68.20	-4.85	21.33	3	Vertical	260	1.60	42.02	38.40	16.21	33.28

5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX

5720MHz Straddle 5.47-5.725GHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.44G	51.20	54.00	-2.80	18.05	3	Horizontal	308	1.92	33.15	39.02	13.09	34.06
PK	11.44032G	64.68	74.00	-9.32	18.05	3	Horizontal	308	1.92	46.63	39.02	13.09	34.06
PK	17.15144G	63.68	68.20	-4.52	21.31	3	Horizontal	40	2.00	42.37	38.40	16.20	33.29



5.25-5.35GHz\_802.11ax\_HEW40\_Nss1,(MCS0)\_2TX


5270MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.2736G	106.68	Inf	-Inf	8.71	3	Vertical	64	2.91	97.97	32.95	9.91	34.15
AV	5.3556G	48.45	54.00	-5.55	8.52	3	Vertical	64	2.91	39.93	32.71	9.97	34.16
PK	5.274G	118.93	Inf	-Inf	8.71	3	Vertical	64	2.91	110.22	32.95	9.91	34.15
PK	5.3516G	63.96	74.00	-10.04	8.51	3	Vertical	64	2.91	55.45	32.70	9.97	34.16

5.25-5.35GHz\_802.11ax\_HEW40\_Nss1,(MCS0)\_2TX

5270MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.2716G	109.65	Inf	-Inf	8.70	3	Horizontal	313	2.10	100.95	32.94	9.91	34.15
AV	5.3512G	50.07	54.00	-3.93	8.51	3	Horizontal	313	2.10	41.56	32.70	9.97	34.16
PK	5.2716G	122.66	Inf	-Inf	8.70	3	Horizontal	313	2.10	113.96	32.94	9.91	34.15
PK	5.352G	65.46	74.00	-8.54	8.51	3	Horizontal	313	2.10	56.95	32.70	9.97	34.16



5.25-5.35GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX


5270MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.82848G	47.49	54.00	-6.51	19.49	3	Vertical	112	1.28	28.00	38.19	15.89	34.59
PK	10.53984G	62.18	68.20	-6.02	17.01	3	Vertical	10	1.68	45.17	38.72	12.74	34.45
PK	15.80896G	60.49	74.00	-13.51	19.43	3	Vertical	112	1.28	41.06	38.13	15.88	34.58

5.25-5.35GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX

5270MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.81912G	47.53	54.00	-6.47	19.46	3	Horizontal	79	1.22	28.07	38.16	15.89	34.59
PK	10.55056G	61.20	68.20	-7.00	17.05	3	Horizontal	46	1.73	44.15	38.75	12.74	34.44
PK	15.81912G	60.28	74.00	-13.72	19.46	3	Horizontal	79	1.22	40.82	38.16	15.89	34.59



5.25-5.35GHz\_802.11ax\_HEW40\_Nss1,(MCS0)\_2TX


5310MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3024G	104.24	Inf	-Inf	8.77	3	Vertical	33	2.75	95.47	32.99	9.93	34.15
AV	5.3508G	51.34	54.00	-2.66	8.51	3	Vertical	33	2.75	42.83	32.70	9.97	34.16
PK	5.312G	116.72	Inf	-Inf	8.71	3	Vertical	33	2.75	108.01	32.93	9.94	34.16
PK	5.3516G	63.15	74.00	-10.85	8.51	3	Vertical	33	2.75	54.64	32.70	9.97	34.16

5.25-5.35GHz\_802.11ax\_HEW40\_Nss1,(MCS0)\_2TX

5310MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.296G	107.14	Inf	-Inf	8.77	3	Horizontal	324	2.08	98.37	32.99	9.93	34.15
AV	5.3544G	52.65	54.00	-1.35	8.52	3	Horizontal	324	2.08	44.13	32.71	9.97	34.16
PK	5.3064G	120.67	Inf	-Inf	8.73	3	Horizontal	324	2.08	111.94	32.96	9.93	34.16
PK	5.356G	65.46	74.00	-8.54	8.52	3	Horizontal	324	2.08	56.94	32.71	9.97	34.16



5.25-5.35GHz\_802.11ax\_HEW40\_Nss1,(MCS0)\_2TX


5310MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.62064G	52.19	54.00	-1.81	17.27	3	Vertical	24	2.91	34.92	38.88	12.77	34.38
AV	15.94232G	48.20	54.00	-5.80	19.68	3	Vertical	322	2.83	28.52	38.36	15.98	34.66
PK	10.63112G	65.05	74.00	-8.95	17.28	3	Vertical	24	2.91	47.77	38.87	12.78	34.37
PK	15.91272G	61.50	74.00	-12.50	19.71	3	Vertical	322	2.83	41.79	38.39	15.96	34.64

5.25-5.35GHz\_802.11ax\_HEW40\_Nss1,(MCS0)\_2TX

5310MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.61944G	49.90	54.00	-4.10	17.27	3	Horizontal	25	2.11	32.63	38.88	12.77	34.38
AV	15.94088G	48.13	54.00	-5.87	19.68	3	Horizontal	27	1.48	28.45	38.36	15.98	34.66
PK	10.62G	63.30	74.00	-10.70	17.27	3	Horizontal	25	2.11	46.03	38.88	12.77	34.38
PK	15.91568G	62.07	74.00	-11.93	19.70	3	Horizontal	27	1.48	42.37	38.38	15.96	34.64



5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX


5510MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	48.24	54.00	-5.76	8.76	3	Vertical	63	1.68	39.48	32.92	10.02	34.18
AV	5.5108G	97.95	Inf	-Inf	8.81	3	Vertical	63	1.68	89.14	32.96	10.04	34.19
PK	5.4696G	61.65	68.20	-6.55	8.78	3	Vertical	63	1.68	52.87	32.94	10.02	34.18
PK	5.5204G	110.72	Inf	-Inf	8.77	3	Vertical	63	1.68	101.95	32.92	10.04	34.19

5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX


5510MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	49.94	54.00	-4.06	8.76	3	Horizontal	53	1.66	41.18	32.92	10.02	34.18
AV	5.5112G	103.20	Inf	-Inf	8.81	3	Horizontal	53	1.66	94.39	32.96	10.04	34.19
PK	5.4692G	65.36	68.20	-2.84	8.78	3	Horizontal	53	1.66	56.58	32.94	10.02	34.18
PK	5.5G	115.71	Inf	-Inf	8.85	3	Horizontal	53	1.66	106.86	33.00	10.04	34.19

5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX


5510MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.02064G	49.57	54.00	-4.43	17.69	3	Vertical	68	1.40	31.88	38.80	12.93	34.04
PK	11.02072G	63.03	74.00	-10.97	17.69	3	Vertical	68	1.40	45.34	38.80	12.93	34.04
PK	16.53304G	63.57	68.20	-4.63	20.45	3	Vertical	123	2.20	43.12	38.63	16.11	34.29

5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX

5510MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.02104G	49.63	54.00	-4.37	17.69	3	Horizontal	277	1.33	31.94	38.80	12.93	34.04
PK	11.03048G	63.71	74.00	-10.29	17.69	3	Horizontal	277	1.33	46.02	38.80	12.93	34.04
PK	16.53688G	62.52	68.20	-5.68	20.47	3	Horizontal	212	1.85	42.05	38.64	16.11	34.28



5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX


5550MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	48.72	54.00	-5.28	8.76	3	Vertical	56	1.50	39.96	32.92	10.02	34.18
AV	5.5512G	101.66	Inf	-Inf	8.67	3	Vertical	56	1.50	92.99	32.81	10.05	34.19
PK	5.4608G	61.56	68.20	-6.64	8.76	3	Vertical	56	1.50	52.80	32.92	10.02	34.18
PK	5.5528G	113.92	Inf	-Inf	8.68	3	Vertical	56	1.50	105.24	32.82	10.05	34.19

5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX

5550MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	50.96	54.00	-3.04	8.76	3	Horizontal	52	1.50	42.20	32.92	10.02	34.18
AV	5.5412G	106.61	Inf	-Inf	8.70	3	Horizontal	52	1.50	97.91	32.84	10.05	34.19
PK	5.47G	66.23	68.20	-1.97	8.78	3	Horizontal	52	1.50	57.45	32.94	10.02	34.18
PK	5.5396G	118.40	Inf	-Inf	8.70	3	Horizontal	52	1.50	109.70	32.84	10.05	34.19



5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX


5550MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.1004G	51.13	54.00	-2.87	17.72	3	Vertical	65	1.50	33.41	38.80	12.96	34.04
PK	11.1G	64.54	74.00	-9.46	17.72	3	Vertical	65	1.50	46.82	38.80	12.96	34.04
PK	16.63792G	63.17	68.20	-5.03	20.82	3	Vertical	255	1.71	42.35	38.78	16.12	34.08

5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX


5550MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.10056G	51.05	54.00	-2.95	17.72	3	Horizontal	65	1.50	33.33	38.80	12.96	34.04
PK	11.10048G	63.80	74.00	-10.20	17.72	3	Horizontal	65	1.50	46.08	38.80	12.96	34.04
PK	16.66656G	63.23	68.20	-4.97	20.94	3	Horizontal	62	2.84	42.29	38.83	16.13	34.02

5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX


5670MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.6664G	102.50	Inf	-Inf	9.24	3	Vertical	16	3.00	93.26	33.33	10.11	34.20
PK	5.6652G	115.34	Inf	-Inf	9.24	3	Vertical	16	3.00	106.10	33.33	10.11	34.20
PK	5.736G	62.85	68.20	-5.35	9.56	3	Vertical	16	3.00	53.29	33.62	10.14	34.20

5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX

5670MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.6708G	103.99	Inf	-Inf	9.25	3	Horizontal	50	1.50	94.74	33.34	10.11	34.20
PK	5.6712G	117.08	Inf	-Inf	9.25	3	Horizontal	50	1.50	107.83	33.34	10.11	34.20
PK	5.7308G	65.79	68.20	-2.41	9.52	3	Horizontal	50	1.50	56.27	33.58	10.14	34.20





5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX


5670MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.3404G	45.15	54.00	-8.85	18.10	3	Vertical	20	1.50	27.05	39.10	13.05	34.05
PK	11.35088G	58.86	74.00	-15.14	18.11	3	Vertical	20	1.50	40.75	39.10	13.06	34.05
PK	17.02888G	62.15	68.20	-6.05	21.33	3	Vertical	17	1.83	40.82	38.47	16.18	33.32

5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX


5670MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.34G	49.29	54.00	-4.71	18.10	3	Horizontal	312	2.16	31.19	39.10	13.05	34.05
PK	11.34104G	61.88	74.00	-12.12	18.10	3	Horizontal	312	2.16	43.78	39.10	13.05	34.05
PK	17.01136G	61.78	68.20	-6.42	21.34	3	Horizontal	161	2.55	40.44	38.49	16.18	33.33

**5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX**


**5710MHz Straddle 5.47-5.725GHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4448G	47.59	54.00	-6.41	8.73	3	Vertical	61	1.50	38.86	32.89	10.02	34.18
AV	5.7112G	102.46	Inf	-Inf	9.40	3	Vertical	61	1.50	93.06	33.47	10.13	34.20
PK	5.4604G	58.95	68.20	-9.25	8.76	3	Vertical	61	1.50	50.19	32.92	10.02	34.18
PK	5.7112G	115.28	Inf	-Inf	9.40	3	Vertical	61	1.50	105.88	33.47	10.13	34.20
PK	5.8516G	61.88	68.20	-6.32	10.11	3	Vertical	61	1.50	51.77	34.10	10.22	34.21

**5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX**

**5710MHz Straddle 5.47-5.725GHz\_TX**




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4484G	47.57	54.00	-6.43	8.74	3	Horizontal	49	1.24	38.83	32.90	10.02	34.18
AV	5.7112G	107.40	Inf	-Inf	9.40	3	Horizontal	49	1.24	98.00	33.47	10.13	34.20
PK	5.4628G	60.06	68.20	-8.14	8.77	3	Horizontal	49	1.24	51.29	32.93	10.02	34.18
PK	5.7208G	118.23	Inf	-Inf	9.46	3	Horizontal	49	1.24	108.77	33.52	10.14	34.20
PK	5.9416G	62.02	68.20	-6.18	10.34	3	Horizontal	49	1.24	51.68	34.27	10.29	34.22



5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX


5710MHz Straddle 5.47-5.725GHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.42G	50.53	54.00	-3.47	18.08	3	Vertical	306	1.93	32.45	39.06	13.08	34.06
PK	11.41872G	63.65	74.00	-10.35	18.08	3	Vertical	306	1.93	45.57	39.06	13.08	34.06
PK	17.14376G	63.36	68.20	-4.84	21.31	3	Vertical	258	2.94	42.05	38.40	16.20	33.29

5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX

5710MHz Straddle 5.47-5.725GHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.41984G	50.64	54.00	-3.36	18.08	3	Horizontal	306	1.93	32.56	39.06	13.08	34.06
PK	11.41992G	63.81	74.00	-10.19	18.08	3	Horizontal	306	1.93	45.73	39.06	13.08	34.06
PK	17.1156G	63.10	68.20	-5.10	21.30	3	Horizontal	285	2.34	41.80	38.40	16.20	33.30



5.25-5.35GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX


5290MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.14G	47.86	54.00	-6.14	8.90	3	Vertical	64	2.78	38.96	33.20	9.83	34.13
AV	5.279G	99.70	Inf	-Inf	8.73	3	Vertical	64	2.78	90.97	32.96	9.92	34.15
AV	5.358G	49.89	54.00	-4.11	8.53	3	Vertical	64	2.78	41.36	32.72	9.97	34.16
PK	5.09G	60.09	74.00	-13.91	8.82	3	Vertical	64	2.78	51.27	33.14	9.80	34.12
PK	5.287G	111.35	Inf	-Inf	8.74	3	Vertical	64	2.78	102.61	32.97	9.92	34.15
PK	5.477G	60.28	68.20	-7.92	8.79	3	Vertical	64	2.78	51.49	32.95	10.03	34.19

5.25-5.35GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX

5290MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.148G	48.49	54.00	-5.51	8.90	3	Horizontal	314	2.14	39.59	33.20	9.83	34.13
AV	5.287G	102.95	Inf	-Inf	8.74	3	Horizontal	314	2.14	94.21	32.97	9.92	34.15
AV	5.356G	52.31	54.00	-1.69	8.52	3	Horizontal	314	2.14	43.79	32.71	9.97	34.16
PK	5.143G	61.05	74.00	-12.95	8.90	3	Horizontal	314	2.14	52.15	33.20	9.83	34.13
PK	5.288G	115.69	Inf	-Inf	8.75	3	Horizontal	314	2.14	106.94	32.98	9.92	34.15
PK	5.352G	65.67	74.00	-8.33	8.51	3	Horizontal	314	2.14	57.16	32.70	9.97	34.16



5.25-5.35GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX


5290MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.878G	48.04	54.00	-5.96	19.64	3	Vertical	97	1.32	28.40	38.33	15.93	34.62
PK	10.57856G	58.05	68.20	-10.15	17.18	3	Vertical	25	1.00	40.87	38.84	12.76	34.42
PK	15.8644G	61.01	74.00	-12.99	19.60	3	Vertical	97	1.32	41.41	38.29	15.92	34.61

5.25-5.35GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX

5290MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.90952G	47.90	54.00	-6.10	19.70	3	Horizontal	235	1.38	28.20	38.39	15.95	34.64
PK	10.59184G	56.26	68.20	-11.94	17.23	3	Horizontal	49	1.68	39.03	38.88	12.76	34.41
PK	15.86392G	61.64	74.00	-12.36	19.60	3	Horizontal	235	1.38	42.04	38.29	15.92	34.61




**RSE TX above 1GHz\_**  
**Non-Beamforming\_Radio2(Low Band)+Radio3(High Band)**

**Appendix D.2**

5.47-5.725GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX


5530MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.35G	46.49	54.00	-7.51	8.50	3	Vertical	58	1.58	37.99	32.70	9.96	34.16
AV	5.46G	47.80	54.00	-6.20	8.76	3	Vertical	58	1.58	39.04	32.92	10.02	34.18
AV	5.54G	92.93	Inf	-Inf	8.70	3	Vertical	58	1.58	84.23	32.84	10.05	34.19
PK	5.461G	60.48	68.20	-7.72	8.76	3	Vertical	58	1.58	51.72	32.92	10.02	34.18
PK	5.521G	104.57	Inf	-Inf	8.77	3	Vertical	58	1.58	95.80	32.92	10.04	34.19
PK	5.758G	60.08	68.20	-8.12	9.67	3	Vertical	58	1.58	50.41	33.72	10.16	34.21

5.47-5.725GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX


5530MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.35G	46.48	54.00	-7.52	8.50	3	Horizontal	54	1.43	37.98	32.70	9.96	34.16
AV	5.46G	49.68	54.00	-4.32	8.76	3	Horizontal	54	1.43	40.92	32.92	10.02	34.18
AV	5.54G	98.59	Inf	-Inf	8.70	3	Horizontal	54	1.43	89.89	32.84	10.05	34.19
PK	5.469G	64.90	68.20	-3.30	8.78	3	Horizontal	54	1.43	56.12	32.94	10.02	34.18
PK	5.529G	110.91	Inf	-Inf	8.74	3	Horizontal	54	1.43	102.17	32.88	10.05	34.19
PK	5.761G	60.32	68.20	-7.88	9.67	3	Horizontal	54	1.43	50.65	33.72	10.16	34.21

5.47-5.725GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX


5530MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.05072G	46.51	54.00	-7.49	17.70	3	Vertical	279	1.45	28.81	38.80	12.94	34.04
PK	11.07008G	60.00	74.00	-14.00	17.71	3	Vertical	279	1.45	42.29	38.80	12.95	34.04
PK	16.59784G	63.47	68.20	-4.73	20.66	3	Vertical	91	2.25	42.81	38.70	16.12	34.16

5.47-5.725GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX

5530MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.05104G	46.60	54.00	-7.40	17.70	3	Horizontal	279	1.45	28.90	38.80	12.94	34.04
PK	11.05168G	60.40	74.00	-13.60	17.70	3	Horizontal	279	1.45	42.70	38.80	12.94	34.04
PK	16.61096G	63.51	68.20	-4.69	20.71	3	Horizontal	139	2.67	42.80	38.72	16.12	34.13



5.47-5.725GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX


5610MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.459G	47.19	54.00	-6.81	8.76	3	Vertical	62	1.50	38.43	32.92	10.02	34.18
AV	5.6G	94.86	Inf	-Inf	8.97	3	Vertical	62	1.50	85.89	33.10	10.07	34.20
PK	5.469G	59.52	68.20	-8.68	8.78	3	Vertical	62	1.50	50.74	32.94	10.02	34.18
PK	5.6G	107.81	Inf	-Inf	8.97	3	Vertical	62	1.50	98.84	33.10	10.07	34.20
PK	5.732G	63.02	68.20	-5.18	9.53	3	Vertical	62	1.50	53.49	33.59	10.14	34.20

5.47-5.725GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX

5610MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	48.74	54.00	-5.26	8.76	3	Horizontal	50	1.50	39.98	32.92	10.02	34.18
AV	5.591G	100.23	Inf	-Inf	8.92	3	Horizontal	50	1.50	91.31	33.05	10.07	34.20
PK	5.47G	61.65	68.20	-6.55	8.78	3	Horizontal	50	1.50	52.87	32.94	10.02	34.18
PK	5.603G	112.35	Inf	-Inf	8.98	3	Horizontal	50	1.50	103.37	33.11	10.07	34.20
PK	5.742G	66.83	68.20	-1.37	9.60	3	Horizontal	50	1.50	57.23	33.65	10.15	34.20





5.47-5.725GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX


5610MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.22G	48.54	54.00	-5.46	17.90	3	Vertical	36	1.49	30.64	38.94	13.01	34.05
PK	11.20928G	61.61	74.00	-12.39	17.87	3	Vertical	36	1.49	43.74	38.92	13.00	34.05
PK	16.7956G	61.64	68.20	-6.56	20.73	3	Vertical	144	1.68	40.91	38.33	16.15	33.75

5.47-5.725GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX

5610MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.22064G	43.63	54.00	-10.37	17.90	3	Horizontal	36	1.49	25.73	38.94	13.01	34.05
PK	11.23072G	56.72	74.00	-17.28	17.92	3	Horizontal	36	1.49	38.80	38.96	13.01	34.05
PK	16.86504G	61.52	68.20	-6.68	20.92	3	Horizontal	292	2.97	40.60	38.37	16.16	33.61



5.47-5.725GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX


5690MHz Straddle 5.47-5.725GHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4548G	46.99	54.00	-7.01	8.75	3	Vertical	20	2.97	38.24	32.91	10.02	34.18
AV	5.6864G	101.57	Inf	-Inf	9.29	3	Vertical	20	2.97	92.28	33.37	10.12	34.20
PK	5.468G	58.98	68.20	-9.22	8.78	3	Vertical	20	2.97	50.20	32.94	10.02	34.18
PK	5.6768G	113.43	Inf	-Inf	9.26	3	Vertical	20	2.97	104.17	33.35	10.11	34.20
PK	5.8568G	62.20	68.20	-6.00	10.11	3	Vertical	20	2.97	52.09	34.10	10.22	34.21

5.47-5.725GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX

5690MHz Straddle 5.47-5.725GHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4596G	47.67	54.00	-6.33	8.76	3	Horizontal	48	1.49	38.91	32.92	10.02	34.18
AV	5.6924G	101.75	Inf	-Inf	9.30	3	Horizontal	48	1.49	92.45	33.38	10.12	34.20
PK	5.4608G	58.91	68.20	-9.29	8.76	3	Horizontal	48	1.49	50.15	32.92	10.02	34.18
PK	5.7128G	113.85	Inf	-Inf	9.41	3	Horizontal	48	1.49	104.44	33.48	10.13	34.20
PK	5.8532G	65.52	68.20	-2.68	10.11	3	Horizontal	48	1.49	55.41	34.10	10.22	34.21



5.47-5.725GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX


5690MHz Straddle 5.47-5.725GHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.35232G	43.22	54.00	-10.78	18.11	3	Vertical	306	1.92	25.11	39.10	13.06	34.05
PK	11.36096G	55.80	74.00	-18.20	18.11	3	Vertical	306	1.92	37.69	39.10	13.06	34.05
PK	17.07896G	62.87	68.20	-5.33	21.30	3	Vertical	287	2.77	41.57	38.42	16.19	33.31

5.47-5.725GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX


5690MHz Straddle 5.47-5.725GHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.37952G	48.49	54.00	-5.51	18.11	3	Horizontal	306	1.92	30.38	39.10	13.07	34.06
PK	11.35984G	61.48	74.00	-12.52	18.11	3	Horizontal	306	1.92	43.37	39.10	13.06	34.05
PK	17.03016G	62.81	68.20	-5.39	21.33	3	Horizontal	79	2.27	41.48	38.47	16.18	33.32

5.47-5.725GHz\_802.11ax HEW160\_Nss1,(MCS0)\_2TX


5570MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4596G	48.66	54.00	-5.34	8.76	3	Vertical	59	1.50	39.90	32.92	10.02	34.18
AV	5.5904G	91.97	Inf	-Inf	8.91	3	Vertical	59	1.50	83.06	33.04	10.07	34.20
PK	5.4692G	60.77	68.20	-7.43	8.78	3	Vertical	59	1.50	51.99	32.94	10.02	34.18
PK	5.5604G	103.75	Inf	-Inf	8.73	3	Vertical	59	1.50	95.02	32.86	10.06	34.19
PK	5.732G	63.15	68.20	-5.05	9.53	3	Vertical	59	1.50	53.62	33.59	10.14	34.20

5.47-5.725GHz\_802.11ax HEW160\_Nss1,(MCS0)\_2TX

5570MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4596G	52.08	54.00	-1.92	8.76	3	Horizontal	51	1.50	43.32	32.92	10.02	34.18
AV	5.5808G	97.46	Inf	-Inf	8.85	3	Horizontal	51	1.50	88.61	32.98	10.06	34.19
PK	5.4608G	65.24	68.20	-2.96	8.76	3	Horizontal	51	1.50	56.48	32.92	10.02	34.18
PK	5.5592G	109.49	Inf	-Inf	8.73	3	Horizontal	51	1.50	100.76	32.86	10.06	34.19
PK	5.732G	66.75	68.20	-1.45	9.53	3	Horizontal	51	1.50	57.22	33.59	10.14	34.20



5.47-5.725GHz\_802.11ax HEW160\_Nss1,(MCS0)\_2TX


5570MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.1096G	45.76	54.00	-8.24	17.73	3	Vertical	34	2.30	28.03	38.81	12.96	34.04
PK	11.10096G	58.37	74.00	-15.63	17.72	3	Vertical	34	2.30	40.65	38.80	12.96	34.04
PK	16.65464G	62.60	68.20	-5.60	20.89	3	Vertical	328	2.91	41.71	38.81	16.12	34.04

5.47-5.725GHz\_802.11ax HEW160\_Nss1,(MCS0)\_2TX

5570MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.13131G	44.75	54.00	-9.25	17.75	3	Horizontal	278	1.50	27.00	38.83	12.97	34.05
PK	11.17123G	57.75	74.00	-16.25	17.81	3	Horizontal	278	1.50	39.94	38.87	12.99	34.05
PK	16.64504G	62.71	68.20	-5.49	20.85	3	Horizontal	256	2.09	41.86	38.79	16.12	34.06



Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX	Pass	AV	5.35G	52.50	54.00	-1.50	3	Horizontal	64	1.75
802.11ax HEW20_Nss1,(MCS0)_2TX	Pass	AV	5.35G	53.36	54.00	-0.64	3	Horizontal	59	1.64
802.11ax HEW40_Nss1,(MCS0)_2TX	Pass	AV	5.35G	53.38	54.00	-0.62	3	Horizontal	59	1.62
802.11ax HEW80_Nss1,(MCS0)_2TX	Pass	AV	5.35G	53.34	54.00	-0.66	3	Horizontal	56	1.50
802.11ax HEW160_Nss1,(MCS0)_2TX	Pass	AV	5.3592G	53.07	54.00	-0.93	3	Horizontal	61	1.64
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX	Pass	AV	11.16012G	51.38	54.00	-2.62	3	Vertical	5	2.56
802.11ax HEW20_Nss1,(MCS0)_2TX	Pass	AV	11.0004G	52.92	54.00	-1.08	3	Vertical	65	1.41
802.11ax HEW40_Nss1,(MCS0)_2TX	Pass	AV	11.0996G	52.91	54.00	-1.09	3	Vertical	34	2.41
802.11ax HEW80_Nss1,(MCS0)_2TX	Pass	AV	5.46G	52.93	54.00	-1.07	3	Horizontal	52	1.49
802.11ax HEW160_Nss1,(MCS0)_2TX	Pass	AV	5.45G	53.04	54.00	-0.96	3	Horizontal	56	1.50



Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11a_Nss1,(6Mbps)_2TX	-	-	-	-	-	-	-	-	-	-
5260MHz	Pass	AV	5.1484G	45.11	54.00	-8.89	3	Vertical	56	1.52
5260MHz	Pass	AV	5.2654G	105.75	Inf	-Inf	3	Vertical	56	1.52
5260MHz	Pass	AV	5.3746G	46.21	54.00	-7.79	3	Vertical	56	1.52
5260MHz	Pass	PK	5.1124G	57.71	74.00	-16.29	3	Vertical	56	1.52
5260MHz	Pass	PK	5.2654G	115.70	Inf	-Inf	3	Vertical	56	1.52
5260MHz	Pass	PK	5.4058G	59.29	74.00	-14.71	3	Vertical	56	1.52
5260MHz	Pass	AV	5.1274G	45.77	54.00	-8.23	3	Horizontal	58	1.71
5260MHz	Pass	AV	5.2648G	113.23	Inf	-Inf	3	Horizontal	58	1.71
5260MHz	Pass	AV	5.4076G	46.97	54.00	-7.03	3	Horizontal	58	1.71
5260MHz	Pass	PK	5.11G	59.11	74.00	-14.89	3	Horizontal	58	1.71
5260MHz	Pass	PK	5.2648G	122.93	Inf	-Inf	3	Horizontal	58	1.71
5260MHz	Pass	PK	5.3962G	59.88	74.00	-14.12	3	Horizontal	58	1.71
5260MHz	Pass	AV	15.779G	46.40	54.00	-7.60	3	Vertical	336	1.58
5260MHz	Pass	PK	10.5227G	64.04	68.20	-4.16	3	Vertical	357	2.67
5260MHz	Pass	PK	15.7791G	60.67	74.00	-13.33	3	Vertical	336	1.58
5260MHz	Pass	AV	15.7806G	50.53	54.00	-3.47	3	Horizontal	316	1.30
5260MHz	Pass	PK	10.5164G	59.63	68.20	-8.57	3	Horizontal	309	1.50
5260MHz	Pass	PK	15.7805G	64.83	74.00	-9.17	3	Horizontal	316	1.30
5300MHz	Pass	AV	5.2928G	110.19	Inf	-Inf	3	Vertical	15	2.38
5300MHz	Pass	AV	5.3528G	49.65	54.00	-4.35	3	Vertical	15	2.38
5300MHz	Pass	PK	5.2932G	119.49	Inf	-Inf	3	Vertical	15	2.38
5300MHz	Pass	PK	5.3532G	64.33	74.00	-9.67	3	Vertical	15	2.38
5300MHz	Pass	AV	5.2948G	113.15	Inf	-Inf	3	Horizontal	57	1.78
5300MHz	Pass	AV	5.35G	52.46	54.00	-1.54	3	Horizontal	57	1.78
5300MHz	Pass	PK	5.2948G	122.72	Inf	-Inf	3	Horizontal	57	1.78
5300MHz	Pass	PK	5.35G	67.54	74.00	-6.46	3	Horizontal	57	1.78
5300MHz	Pass	AV	10.60282G	51.89	54.00	-2.11	3	Vertical	353	1.96
5300MHz	Pass	AV	15.90312G	45.34	54.00	-8.66	3	Vertical	333	3.00
5300MHz	Pass	PK	10.60204G	64.37	74.00	-9.63	3	Vertical	353	1.96
5300MHz	Pass	PK	15.90744G	59.62	74.00	-14.38	3	Vertical	333	3.00
5300MHz	Pass	AV	10.60222G	46.36	54.00	-7.64	3	Horizontal	303	1.16
5300MHz	Pass	AV	15.89316G	44.18	54.00	-9.82	3	Horizontal	313	1.50
5300MHz	Pass	PK	10.6024G	58.36	74.00	-15.64	3	Horizontal	303	1.16
5300MHz	Pass	PK	15.8883G	57.55	74.00	-16.45	3	Horizontal	313	1.50
5320MHz	Pass	AV	5.315G	103.16	Inf	-Inf	3	Vertical	58	1.62
5320MHz	Pass	AV	5.35G	48.03	54.00	-5.97	3	Vertical	58	1.62
5320MHz	Pass	PK	5.3146G	112.34	Inf	-Inf	3	Vertical	58	1.62
5320MHz	Pass	PK	5.35G	60.89	74.00	-13.11	3	Vertical	58	1.62
5320MHz	Pass	AV	5.3142G	110.10	Inf	-Inf	3	Horizontal	64	1.75
5320MHz	Pass	AV	5.35G	52.50	54.00	-1.50	3	Horizontal	64	1.75
5320MHz	Pass	PK	5.314G	119.65	Inf	-Inf	3	Horizontal	64	1.75
5320MHz	Pass	PK	5.35G	66.44	74.00	-7.56	3	Horizontal	64	1.75
5320MHz	Pass	AV	10.64234G	50.11	54.00	-3.89	3	Vertical	355	1.95
5320MHz	Pass	AV	15.9525G	38.87	54.00	-15.13	3	Vertical	169	1.14
5320MHz	Pass	PK	10.63844G	61.59	74.00	-12.41	3	Vertical	355	1.95
5320MHz	Pass	PK	15.97152G	50.58	74.00	-23.42	3	Vertical	169	1.14
5320MHz	Pass	AV	10.63814G	43.73	54.00	-10.27	3	Horizontal	169	1.14
5320MHz	Pass	AV	15.96102G	38.79	54.00	-15.21	3	Horizontal	332	1.34
5320MHz	Pass	PK	10.64318G	56.20	74.00	-17.80	3	Horizontal	169	1.14
5320MHz	Pass	PK	15.95244G	50.90	74.00	-23.10	3	Horizontal	332	1.34
5500MHz	Pass	AV	5.4574G	46.02	54.00	-7.98	3	Vertical	21	3.00
5500MHz	Pass	AV	5.5074G	108.22	Inf	-Inf	3	Vertical	21	3.00
5500MHz	Pass	PK	5.4592G	59.44	74.00	-14.56	3	Vertical	21	3.00
5500MHz	Pass	PK	5.4678G	63.94	68.20	-4.26	3	Vertical	21	3.00
5500MHz	Pass	PK	5.5076G	117.50	Inf	-Inf	3	Vertical	21	3.00
5500MHz	Pass	AV	5.4598G	48.27	54.00	-5.73	3	Horizontal	57	1.53
5500MHz	Pass	AV	5.4948G	108.29	Inf	-Inf	3	Horizontal	57	1.53
5500MHz	Pass	PK	5.46G	63.27	74.00	-10.73	3	Horizontal	57	1.53
5500MHz	Pass	PK	5.47G	65.28	68.20	-2.92	3	Horizontal	57	1.53
5500MHz	Pass	PK	5.4948G	118.55	Inf	-Inf	3	Horizontal	57	1.53



RSE TX above 1GHz\_Non-Beamforming\_Radio3

Appendix D.3

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5500MHz	Pass	AV	11.00018G	51.20	54.00	-2.80	3	Vertical	351	2.97
5500MHz	Pass	PK	10.99688G	62.99	74.00	-11.01	3	Vertical	351	2.97
5500MHz	Pass	PK	16.49268G	51.65	68.20	-16.55	3	Vertical	353	2.95
5500MHz	Pass	AV	11.00024G	47.50	54.00	-6.50	3	Horizontal	312	1.65
5500MHz	Pass	PK	11.0006G	60.15	74.00	-13.85	3	Horizontal	312	1.65
5500MHz	Pass	PK	16.49676G	51.81	68.20	-16.39	3	Horizontal	355	1.50
5580MHz	Pass	AV	5.4594G	45.66	54.00	-8.34	3	Vertical	21	2.94
5580MHz	Pass	AV	5.5728G	111.70	Inf	-Inf	3	Vertical	21	2.94
5580MHz	Pass	PK	5.4468G	58.79	74.00	-15.21	3	Vertical	21	2.94
5580MHz	Pass	PK	5.469G	58.61	68.20	-9.59	3	Vertical	21	2.94
5580MHz	Pass	PK	5.5872G	121.28	Inf	-Inf	3	Vertical	21	2.94
5580MHz	Pass	PK	5.73G	59.36	68.20	-8.84	3	Vertical	21	2.94
5580MHz	Pass	AV	5.4426G	45.53	54.00	-8.47	3	Horizontal	58	1.58
5580MHz	Pass	AV	5.5746G	111.96	Inf	-Inf	3	Horizontal	58	1.58
5580MHz	Pass	PK	5.4402G	58.57	74.00	-15.43	3	Horizontal	58	1.58
5580MHz	Pass	PK	5.4624G	58.60	68.20	-9.60	3	Horizontal	58	1.58
5580MHz	Pass	PK	5.5746G	121.67	Inf	-Inf	3	Horizontal	58	1.58
5580MHz	Pass	PK	5.7294G	59.35	68.20	-8.85	3	Horizontal	58	1.58
5580MHz	Pass	AV	11.16012G	51.38	54.00	-2.62	3	Vertical	5	2.56
5580MHz	Pass	PK	11.16036G	62.75	74.00	-11.25	3	Vertical	5	2.56
5580MHz	Pass	PK	16.74504G	52.84	68.20	-15.36	3	Vertical	335	1.47
5580MHz	Pass	AV	11.16G	47.44	54.00	-6.56	3	Horizontal	32	1.56
5580MHz	Pass	PK	11.1597G	59.29	74.00	-14.71	3	Horizontal	32	1.56
5580MHz	Pass	PK	16.74252G	52.49	68.20	-15.71	3	Horizontal	312	1.62
5700MHz	Pass	AV	5.6928G	107.18	Inf	-Inf	3	Vertical	21	2.95
5700MHz	Pass	PK	5.6928G	116.29	Inf	-Inf	3	Vertical	21	2.95
5700MHz	Pass	PK	5.7276G	62.10	68.20	-6.10	3	Vertical	21	2.95
5700MHz	Pass	AV	5.6952G	105.90	Inf	-Inf	3	Horizontal	51	1.22
5700MHz	Pass	PK	5.6952G	114.99	Inf	-Inf	3	Horizontal	51	1.22
5700MHz	Pass	PK	5.726G	65.31	68.20	-2.89	3	Horizontal	51	1.22
5700MHz	Pass	AV	11.40006G	48.94	54.00	-5.06	3	Vertical	32	1.50
5700MHz	Pass	PK	11.39976G	60.84	74.00	-13.16	3	Vertical	32	1.50
5700MHz	Pass	PK	17.11314G	62.42	68.20	-5.78	3	Vertical	147	2.86
5700MHz	Pass	AV	11.39982G	48.05	54.00	-5.95	3	Horizontal	308	1.84
5700MHz	Pass	PK	11.40054G	60.20	74.00	-13.80	3	Horizontal	308	1.84
5700MHz	Pass	PK	17.08524G	63.46	68.20	-4.74	3	Horizontal	265	2.77
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.444G	47.25	54.00	-6.75	3	Vertical	20	2.92
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.7128G	109.94	Inf	-Inf	3	Vertical	20	2.92
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.462G	57.32	68.20	-10.88	3	Vertical	20	2.92
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.7128G	119.12	Inf	-Inf	3	Vertical	20	2.92
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.912G	60.17	68.20	-8.03	3	Vertical	20	2.92
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.42G	47.19	54.00	-6.81	3	Horizontal	45	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.726G	108.93	Inf	-Inf	3	Horizontal	45	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4644G	59.01	68.20	-9.19	3	Horizontal	45	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.726G	118.20	Inf	-Inf	3	Horizontal	45	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.882G	60.69	68.20	-7.51	3	Horizontal	45	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.43994G	50.42	54.00	-3.58	3	Vertical	32	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.44054G	62.67	74.00	-11.33	3	Vertical	32	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	PK	17.1696G	63.07	68.20	-5.13	3	Vertical	69	2.36
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.43982G	48.91	54.00	-5.09	3	Horizontal	309	1.91
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.44066G	61.48	74.00	-12.52	3	Horizontal	309	1.91
5720MHz Straddle 5.47-5.725GHz	Pass	PK	17.16006G	63.74	68.20	-4.46	3	Horizontal	121	1.79
802.11ax HEW20_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5260MHz	Pass	AV	5.1496G	45.00	54.00	-9.00	3	Vertical	58	1.64
5260MHz	Pass	AV	5.269G	106.05	Inf	-Inf	3	Vertical	58	1.64
5260MHz	Pass	AV	5.4094G	46.28	54.00	-7.72	3	Vertical	58	1.64
5260MHz	Pass	PK	5.1394G	58.05	74.00	-15.95	3	Vertical	58	1.64
5260MHz	Pass	PK	5.269G	117.91	Inf	-Inf	3	Vertical	58	1.64
5260MHz	Pass	PK	5.3566G	59.03	74.00	-14.97	3	Vertical	58	1.64
5260MHz	Pass	AV	5.1292G	45.76	54.00	-8.24	3	Horizontal	58	1.70
5260MHz	Pass	AV	5.269G	113.53	Inf	-Inf	3	Horizontal	58	1.70
5260MHz	Pass	AV	5.4058G	46.97	54.00	-7.03	3	Horizontal	58	1.70





RSE TX above 1GHz\_Non-Beamforming\_Radio3

Appendix D.3

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5260MHz	Pass	PK	5.1472G	58.64	74.00	-15.36	3	Horizontal	58	1.70
5260MHz	Pass	PK	5.269G	125.32	Inf	-Inf	3	Horizontal	58	1.70
5260MHz	Pass	PK	5.395G	60.48	74.00	-13.52	3	Horizontal	58	1.70
5260MHz	Pass	PK	10.5133G	64.13	68.20	-4.07	3	Vertical	359	2.66
5260MHz	Pass	PK	15.7883G	66.14	74.00	-7.86	3	Vertical	338	1.50
5260MHz	Pass	AV	15.7866G	52.10	54.00	-1.90	3	Vertical	338	1.50
5260MHz	Pass	PK	10.5122G	58.84	68.20	-9.36	3	Horizontal	308	1.42
5260MHz	Pass	PK	15.7887G	65.47	74.00	-8.53	3	Horizontal	317	1.39
5260MHz	Pass	AV	15.7796G	51.84	54.00	-2.16	3	Horizontal	317	1.39
5300MHz	Pass	AV	5.2912G	104.87	Inf	-Inf	3	Vertical	50	1.50
5300MHz	Pass	AV	5.3508G	47.82	54.00	-6.18	3	Vertical	50	1.50
5300MHz	Pass	PK	5.2916G	116.52	Inf	-Inf	3	Vertical	50	1.50
5300MHz	Pass	PK	5.3508G	61.28	74.00	-12.72	3	Vertical	50	1.50
5300MHz	Pass	AV	5.3092G	112.34	Inf	-Inf	3	Horizontal	59	1.64
5300MHz	Pass	AV	5.35G	53.36	54.00	-0.64	3	Horizontal	59	1.64
5300MHz	Pass	PK	5.3092G	124.51	Inf	-Inf	3	Horizontal	59	1.64
5300MHz	Pass	PK	5.35G	68.01	74.00	-5.99	3	Horizontal	59	1.64
5300MHz	Pass	PK	10.59484G	64.12	68.20	-4.08	3	Vertical	357	2.75
5300MHz	Pass	AV	10.605G	51.78	54.00	-2.22	3	Vertical	357	2.75
5300MHz	Pass	PK	15.89891G	58.37	74.00	-15.63	3	Vertical	337	1.10
5300MHz	Pass	AV	15.89796G	43.31	54.00	-10.69	3	Vertical	337	1.10
5300MHz	Pass	PK	10.59972G	58.86	68.20	-9.34	3	Horizontal	311	1.61
5300MHz	Pass	AV	10.60059G	45.66	54.00	-8.34	3	Horizontal	311	1.61
5300MHz	Pass	PK	15.89841G	61.39	74.00	-12.61	3	Horizontal	317	1.44
5300MHz	Pass	AV	15.89802G	45.38	54.00	-8.62	3	Horizontal	317	1.44
5320MHz	Pass	AV	5.3288G	102.46	Inf	-Inf	3	Vertical	58	1.56
5320MHz	Pass	AV	5.35G	48.27	54.00	-5.73	3	Vertical	58	1.56
5320MHz	Pass	PK	5.329G	114.61	Inf	-Inf	3	Vertical	58	1.56
5320MHz	Pass	PK	5.35G	62.52	74.00	-11.48	3	Vertical	58	1.56
5320MHz	Pass	AV	5.3288G	109.59	Inf	-Inf	3	Horizontal	63	1.70
5320MHz	Pass	AV	5.35G	51.90	54.00	-2.10	3	Horizontal	63	1.70
5320MHz	Pass	PK	5.3278G	120.64	Inf	-Inf	3	Horizontal	63	1.70
5320MHz	Pass	PK	5.3506G	65.95	74.00	-8.05	3	Horizontal	63	1.70
5320MHz	Pass	AV	10.637G	48.30	54.00	-5.70	3	Vertical	351	2.71
5320MHz	Pass	AV	15.95184G	38.98	54.00	-15.02	3	Vertical	346	1.13
5320MHz	Pass	PK	10.63624G	60.93	74.00	-13.07	3	Vertical	351	2.71
5320MHz	Pass	PK	15.95384G	50.98	74.00	-23.02	3	Vertical	346	1.13
5320MHz	Pass	AV	10.63672G	42.80	54.00	-11.20	3	Horizontal	334	1.47
5320MHz	Pass	AV	15.95408G	39.03	54.00	-14.97	3	Horizontal	99	1.85
5320MHz	Pass	PK	10.63688G	55.26	74.00	-18.74	3	Horizontal	334	1.47
5320MHz	Pass	PK	15.9528G	50.74	74.00	-23.26	3	Horizontal	99	1.85
5500MHz	Pass	AV	5.4598G	47.65	54.00	-6.35	3	Vertical	56	1.47
5500MHz	Pass	AV	5.4916G	100.21	Inf	-Inf	3	Vertical	56	1.47
5500MHz	Pass	PK	5.4676G	60.55	68.20	-7.65	3	Vertical	56	1.47
5500MHz	Pass	PK	5.4918G	111.78	Inf	-Inf	3	Vertical	56	1.47
5500MHz	Pass	AV	5.4598G	48.94	54.00	-5.06	3	Horizontal	50	1.57
5500MHz	Pass	AV	5.4912G	106.06	Inf	-Inf	3	Horizontal	50	1.57
5500MHz	Pass	PK	5.469G	64.59	68.20	-3.61	3	Horizontal	50	1.57
5500MHz	Pass	PK	5.4916G	117.60	Inf	-Inf	3	Horizontal	50	1.57
5500MHz	Pass	AV	11.0004G	52.92	54.00	-1.08	3	Vertical	65	1.41
5500MHz	Pass	PK	11.00016G	65.03	74.00	-8.97	3	Vertical	65	1.41
5500MHz	Pass	PK	16.50006G	63.13	68.20	-5.07	3	Vertical	0	1.50
5500MHz	Pass	AV	11.00104G	52.85	54.00	-1.15	3	Horizontal	274	1.38
5500MHz	Pass	PK	11.00064G	65.42	74.00	-8.58	3	Horizontal	274	1.38
5500MHz	Pass	PK	16.49971G	63.10	68.20	-5.10	3	Horizontal	68	1.50
5580MHz	Pass	AV	5.4348G	45.46	54.00	-8.54	3	Vertical	25	2.96
5580MHz	Pass	AV	5.5746G	110.70	Inf	-Inf	3	Vertical	25	2.96
5580MHz	Pass	PK	5.439G	59.03	74.00	-14.97	3	Vertical	25	2.96
5580MHz	Pass	PK	5.4642G	58.05	68.20	-10.15	3	Vertical	25	2.96
5580MHz	Pass	PK	5.5752G	124.50	Inf	-Inf	3	Vertical	25	2.96
5580MHz	Pass	PK	5.7276G	59.32	68.20	-8.88	3	Vertical	25	2.96
5580MHz	Pass	AV	5.4426G	45.77	54.00	-8.23	3	Horizontal	50	1.58



RSE TX above 1GHz\_Non-Beamforming\_Radio3

Appendix D.3

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5580MHz	Pass	AV	5.571G	112.09	Inf	-Inf	3	Horizontal	50	1.58
5580MHz	Pass	PK	5.4498G	58.79	74.00	-15.21	3	Horizontal	50	1.58
5580MHz	Pass	PK	5.4696G	59.47	68.20	-8.73	3	Horizontal	50	1.58
5580MHz	Pass	PK	5.5716G	123.33	Inf	-Inf	3	Horizontal	50	1.58
5580MHz	Pass	PK	5.7294G	58.67	68.20	-9.53	3	Horizontal	50	1.58
5580MHz	Pass	AV	11.1606G	52.31	54.00	-1.69	3	Vertical	12	2.61
5580MHz	Pass	PK	11.16032G	63.78	74.00	-10.22	3	Vertical	12	2.61
5580MHz	Pass	PK	16.7412G	54.04	68.20	-14.16	3	Vertical	266	1.99
5580MHz	Pass	AV	11.15948G	48.71	54.00	-5.29	3	Horizontal	312	1.65
5580MHz	Pass	PK	11.16132G	59.42	74.00	-14.58	3	Horizontal	312	1.65
5580MHz	Pass	PK	16.74976G	51.49	68.20	-16.71	3	Horizontal	279	1.55
5700MHz	Pass	AV	5.6912G	101.54	Inf	-Inf	3	Vertical	56	1.50
5700MHz	Pass	PK	5.692G	112.54	Inf	-Inf	3	Vertical	56	1.50
5700MHz	Pass	PK	5.7312G	63.41	68.20	-4.79	3	Vertical	56	1.50
5700MHz	Pass	AV	5.6912G	106.86	Inf	-Inf	3	Horizontal	48	1.28
5700MHz	Pass	PK	5.7008G	117.25	Inf	-Inf	3	Horizontal	48	1.28
5700MHz	Pass	PK	5.7312G	66.16	68.20	-2.04	3	Horizontal	48	1.28
5700MHz	Pass	AV	11.40008G	46.86	54.00	-7.14	3	Vertical	32	1.50
5700MHz	Pass	PK	11.40072G	58.81	74.00	-15.19	3	Vertical	32	1.50
5700MHz	Pass	PK	17.10057G	63.30	68.20	-4.90	3	Vertical	18	1.96
5700MHz	Pass	AV	11.3996G	49.26	54.00	-4.74	3	Horizontal	305	1.91
5700MHz	Pass	PK	11.3996G	61.36	74.00	-12.64	3	Horizontal	305	1.91
5700MHz	Pass	PK	17.09832G	62.18	68.20	-6.02	3	Horizontal	46	1.37
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.4284G	47.29	54.00	-6.71	3	Vertical	21	2.92
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.726G	108.28	Inf	-Inf	3	Vertical	21	2.92
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4608G	58.24	68.20	-9.96	3	Vertical	21	2.92
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.7164G	118.93	Inf	-Inf	3	Vertical	21	2.92
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.936G	60.02	68.20	-8.18	3	Vertical	21	2.92
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.45G	47.30	54.00	-6.70	3	Horizontal	47	1.22
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.7116G	108.93	Inf	-Inf	3	Horizontal	47	1.22
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4632G	58.82	68.20	-9.38	3	Horizontal	47	1.22
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.7224G	118.91	Inf	-Inf	3	Horizontal	47	1.22
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.9384G	60.22	68.20	-7.98	3	Horizontal	47	1.22
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.43968G	49.58	54.00	-4.42	3	Vertical	32	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.43968G	62.26	74.00	-11.74	3	Vertical	32	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	PK	17.16239G	63.49	68.20	-4.71	3	Vertical	269	2.32
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.44016G	50.58	54.00	-3.42	3	Horizontal	306	1.90
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.4392G	63.79	74.00	-10.21	3	Horizontal	306	1.90
5720MHz Straddle 5.47-5.725GHz	Pass	PK	17.15879G	63.41	68.20	-4.79	3	Horizontal	148	2.71
802.11ax HEW40_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5270MHz	Pass	AV	5.2708G	102.28	Inf	-Inf	3	Vertical	60	1.88
5270MHz	Pass	AV	5.3512G	49.40	54.00	-4.60	3	Vertical	60	1.88
5270MHz	Pass	PK	5.2712G	115.28	Inf	-Inf	3	Vertical	60	1.88
5270MHz	Pass	PK	5.3616G	62.02	74.00	-11.98	3	Vertical	60	1.88
5270MHz	Pass	AV	5.2688G	108.84	Inf	-Inf	3	Horizontal	56	1.63
5270MHz	Pass	AV	5.3504G	52.73	54.00	-1.27	3	Horizontal	56	1.63
5270MHz	Pass	PK	5.2692G	122.07	Inf	-Inf	3	Horizontal	56	1.63
5270MHz	Pass	PK	5.35G	66.35	74.00	-7.65	3	Horizontal	56	1.63
5270MHz	Pass	AV	15.79624G	47.06	54.00	-6.94	3	Vertical	124	3.00
5270MHz	Pass	PK	10.5404G	62.32	68.20	-5.88	3	Vertical	349	1.62
5270MHz	Pass	PK	15.8152G	60.49	74.00	-13.51	3	Vertical	124	3.00
5270MHz	Pass	AV	15.79752G	47.04	54.00	-6.96	3	Horizontal	218	1.36
5270MHz	Pass	PK	10.54184G	65.90	68.20	-2.30	3	Horizontal	322	1.45
5270MHz	Pass	PK	15.7976G	60.22	74.00	-13.78	3	Horizontal	218	1.36
5310MHz	Pass	AV	5.3004G	99.72	Inf	-Inf	3	Vertical	58	1.72
5310MHz	Pass	AV	5.3512G	50.35	54.00	-3.65	3	Vertical	58	1.72
5310MHz	Pass	PK	5.3204G	111.95	Inf	-Inf	3	Vertical	58	1.72
5310MHz	Pass	PK	5.3516G	64.79	74.00	-9.21	3	Vertical	58	1.72
5310MHz	Pass	AV	5.2988G	104.75	Inf	-Inf	3	Horizontal	59	1.62
5310MHz	Pass	AV	5.35G	53.38	54.00	-0.62	3	Horizontal	59	1.62
5310MHz	Pass	PK	5.298G	117.05	Inf	-Inf	3	Horizontal	59	1.62
5310MHz	Pass	PK	5.3508G	66.64	74.00	-7.36	3	Horizontal	59	1.62



RSE TX above 1GHz\_Non-Beamforming\_Radio3

Appendix D.3

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5310MHz	Pass	AV	10.622G	48.94	54.00	-5.06	3	Vertical	61	2.76
5310MHz	Pass	AV	15.94408G	47.88	54.00	-6.12	3	Vertical	55	1.03
5310MHz	Pass	PK	10.62144G	63.06	74.00	-10.94	3	Vertical	61	2.76
5310MHz	Pass	PK	15.94552G	60.95	74.00	-13.05	3	Vertical	55	1.03
5310MHz	Pass	AV	10.62224G	51.24	54.00	-2.76	3	Horizontal	325	1.41
5310MHz	Pass	AV	15.93016G	47.90	54.00	-6.10	3	Horizontal	200	2.37
5310MHz	Pass	PK	10.6216G	64.45	74.00	-9.55	3	Horizontal	325	1.41
5310MHz	Pass	PK	15.91336G	60.82	74.00	-13.18	3	Horizontal	200	2.37
5510MHz	Pass	AV	5.46G	49.05	54.00	-4.95	3	Vertical	57	1.69
5510MHz	Pass	AV	5.5112G	98.33	Inf	-Inf	3	Vertical	57	1.69
5510MHz	Pass	PK	5.4684G	62.30	68.20	-5.90	3	Vertical	57	1.69
5510MHz	Pass	PK	5.5108G	110.68	Inf	-Inf	3	Vertical	57	1.69
5510MHz	Pass	AV	5.46G	51.77	54.00	-2.23	3	Horizontal	47	1.67
5510MHz	Pass	AV	5.512G	103.87	Inf	-Inf	3	Horizontal	47	1.67
5510MHz	Pass	PK	5.4692G	66.72	68.20	-1.48	3	Horizontal	47	1.67
5510MHz	Pass	PK	5.512G	115.26	Inf	-Inf	3	Horizontal	47	1.67
5510MHz	Pass	AV	11.02064G	49.49	54.00	-4.51	3	Vertical	70	1.50
5510MHz	Pass	PK	11.0196G	61.85	74.00	-12.15	3	Vertical	70	1.50
5510MHz	Pass	PK	16.5392G	62.09	68.20	-6.11	3	Vertical	290	1.38
5510MHz	Pass	AV	11.02048G	49.86	54.00	-4.14	3	Horizontal	276	1.41
5510MHz	Pass	PK	11.0216G	63.92	74.00	-10.08	3	Horizontal	276	1.41
5510MHz	Pass	PK	16.54728G	62.24	68.20	-5.96	3	Horizontal	41	2.52
5550MHz	Pass	AV	5.46G	48.07	54.00	-5.93	3	Vertical	57	1.50
5550MHz	Pass	AV	5.5612G	100.87	Inf	-Inf	3	Vertical	57	1.50
5550MHz	Pass	PK	5.4696G	60.85	68.20	-7.35	3	Vertical	57	1.50
5550MHz	Pass	PK	5.5508G	112.85	Inf	-Inf	3	Vertical	57	1.50
5550MHz	Pass	AV	5.46G	49.90	54.00	-4.10	3	Horizontal	51	1.50
5550MHz	Pass	AV	5.5408G	106.14	Inf	-Inf	3	Horizontal	51	1.50
5550MHz	Pass	PK	5.4604G	65.74	68.20	-2.46	3	Horizontal	51	1.50
5550MHz	Pass	PK	5.5604G	117.91	Inf	-Inf	3	Horizontal	51	1.50
5550MHz	Pass	AV	11.0996G	52.91	54.00	-1.09	3	Vertical	34	2.41
5550MHz	Pass	PK	11.10088G	65.94	74.00	-8.06	3	Vertical	34	2.41
5550MHz	Pass	PK	16.65768G	62.56	68.20	-5.64	3	Vertical	141	2.25
5550MHz	Pass	AV	11.1012G	52.28	54.00	-1.72	3	Horizontal	275	1.50
5550MHz	Pass	PK	11.10104G	65.27	74.00	-8.73	3	Horizontal	275	1.50
5550MHz	Pass	PK	16.63288G	62.08	68.20	-6.12	3	Horizontal	220	1.68
5670MHz	Pass	AV	5.6652G	103.88	Inf	-Inf	3	Vertical	19	2.98
5670MHz	Pass	PK	5.6658G	116.78	Inf	-Inf	3	Vertical	19	2.98
5670MHz	Pass	PK	5.7276G	62.68	68.20	-5.52	3	Vertical	19	2.98
5670MHz	Pass	AV	5.6712G	104.59	Inf	-Inf	3	Horizontal	49	1.49
5670MHz	Pass	PK	5.6814G	116.56	Inf	-Inf	3	Horizontal	49	1.49
5670MHz	Pass	PK	5.7282G	66.80	68.20	-1.40	3	Horizontal	49	1.49
5670MHz	Pass	AV	11.3408G	47.64	54.00	-6.36	3	Vertical	20	1.50
5670MHz	Pass	PK	11.3316G	61.09	74.00	-12.91	3	Vertical	20	1.50
5670MHz	Pass	PK	16.99568G	62.31	68.20	-5.89	3	Vertical	346	1.91
5670MHz	Pass	AV	11.34032G	47.51	54.00	-6.49	3	Horizontal	316	2.01
5670MHz	Pass	PK	11.3504G	60.40	74.00	-13.60	3	Horizontal	316	2.01
5670MHz	Pass	PK	17.01384G	61.90	68.20	-6.30	3	Horizontal	235	2.52
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.4376G	47.09	54.00	-6.91	3	Vertical	19	2.92
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.716G	106.04	Inf	-Inf	3	Vertical	19	2.92
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.4664G	58.19	68.20	-10.01	3	Vertical	19	2.92
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.716G	116.29	Inf	-Inf	3	Vertical	19	2.92
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.9716G	60.34	68.20	-7.86	3	Vertical	19	2.92
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.434G	47.18	54.00	-6.82	3	Horizontal	45	1.57
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.7112G	106.66	Inf	-Inf	3	Horizontal	45	1.57
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.4688G	58.74	68.20	-9.46	3	Horizontal	45	1.57
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.7124G	118.13	Inf	-Inf	3	Horizontal	45	1.57
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.9104G	61.32	68.20	-6.88	3	Horizontal	45	1.57
5710MHz Straddle 5.47-5.725GHz	Pass	AV	11.42184G	48.88	54.00	-5.12	3	Vertical	360	2.21
5710MHz Straddle 5.47-5.725GHz	Pass	PK	11.41136G	61.46	74.00	-12.54	3	Vertical	360	2.21
5710MHz Straddle 5.47-5.725GHz	Pass	PK	17.1136G	62.69	68.20	-5.51	3	Vertical	82	1.90
5710MHz Straddle 5.47-5.725GHz	Pass	AV	11.42256G	48.18	54.00	-5.82	3	Horizontal	321	1.86



RSE TX above 1GHz\_Non-Beamforming\_Radio3

Appendix D.3

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5710MHz Straddle 5.47-5.725GHz	Pass	PK	11.42112G	60.88	74.00	-13.12	3	Horizontal	321	1.86
5710MHz Straddle 5.47-5.725GHz	Pass	PK	17.12984G	62.92	68.20	-5.28	3	Horizontal	260	2.48
802.11ax HEW80_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5290MHz	Pass	AV	5.141G	47.50	54.00	-6.50	3	Vertical	340	2.80
5290MHz	Pass	AV	5.281G	97.95	Inf	-Inf	3	Vertical	340	2.80
5290MHz	Pass	AV	5.352G	51.57	54.00	-2.43	3	Vertical	340	2.80
5290MHz	Pass	PK	5.075G	59.31	74.00	-14.69	3	Vertical	340	2.80
5290MHz	Pass	PK	5.291G	108.91	Inf	-Inf	3	Vertical	340	2.80
5290MHz	Pass	PK	5.351G	65.18	74.00	-8.82	3	Vertical	340	2.80
5290MHz	Pass	AV	5.149G	48.10	54.00	-5.90	3	Horizontal	56	1.50
5290MHz	Pass	AV	5.279G	101.71	Inf	-Inf	3	Horizontal	56	1.50
5290MHz	Pass	AV	5.35G	53.34	54.00	-0.66	3	Horizontal	56	1.50
5290MHz	Pass	PK	5.128G	59.72	74.00	-14.28	3	Horizontal	56	1.50
5290MHz	Pass	PK	5.289G	112.70	Inf	-Inf	3	Horizontal	56	1.50
5290MHz	Pass	PK	5.361G	66.39	74.00	-7.61	3	Horizontal	56	1.50
5290MHz	Pass	AV	15.88664G	47.64	54.00	-6.36	3	Vertical	280	2.96
5290MHz	Pass	PK	10.57344G	59.37	68.20	-8.83	3	Vertical	59	2.85
5290MHz	Pass	PK	15.8716G	60.68	74.00	-13.32	3	Vertical	280	2.96
5290MHz	Pass	AV	15.90792G	47.52	54.00	-6.48	3	Horizontal	65	2.57
5290MHz	Pass	PK	10.59264G	60.69	68.20	-7.51	3	Horizontal	324	1.45
5290MHz	Pass	PK	15.85976G	61.63	74.00	-12.37	3	Horizontal	65	2.57
5530MHz	Pass	AV	5.46G	49.69	54.00	-4.31	3	Vertical	57	1.46
5530MHz	Pass	AV	5.54G	94.10	Inf	-Inf	3	Vertical	57	1.46
5530MHz	Pass	PK	5.469G	61.29	68.20	-6.91	3	Vertical	57	1.46
5530MHz	Pass	PK	5.541G	105.33	Inf	-Inf	3	Vertical	57	1.46
5530MHz	Pass	PK	5.747G	59.64	68.20	-8.56	3	Vertical	57	1.46
5530MHz	Pass	AV	5.46G	52.93	54.00	-1.07	3	Horizontal	52	1.49
5530MHz	Pass	AV	5.541G	99.16	Inf	-Inf	3	Horizontal	52	1.49
5530MHz	Pass	PK	5.463G	65.41	68.20	-2.79	3	Horizontal	52	1.49
5530MHz	Pass	PK	5.521G	111.84	Inf	-Inf	3	Horizontal	52	1.49
5530MHz	Pass	PK	5.745G	59.54	68.20	-8.66	3	Horizontal	52	1.49
5530MHz	Pass	AV	11.05136G	47.36	54.00	-6.64	3	Vertical	65	1.38
5530MHz	Pass	PK	11.06144G	60.80	74.00	-13.20	3	Vertical	65	1.38
5530MHz	Pass	PK	16.56568G	63.23	68.20	-4.97	3	Vertical	222	2.76
5530MHz	Pass	AV	11.06144G	46.95	54.00	-7.05	3	Horizontal	274	1.41
5530MHz	Pass	PK	11.06032G	60.07	74.00	-13.93	3	Horizontal	274	1.41
5530MHz	Pass	PK	16.61576G	62.42	68.20	-5.78	3	Horizontal	97	2.06
5610MHz	Pass	AV	5.459G	47.50	54.00	-6.50	3	Vertical	54	1.48
5610MHz	Pass	AV	5.612G	96.29	Inf	-Inf	3	Vertical	54	1.48
5610MHz	Pass	PK	5.463G	58.54	68.20	-9.66	3	Vertical	54	1.48
5610MHz	Pass	PK	5.601G	107.96	Inf	-Inf	3	Vertical	54	1.48
5610MHz	Pass	PK	5.732G	62.60	68.20	-5.60	3	Vertical	54	1.48
5610MHz	Pass	AV	5.46G	48.95	54.00	-5.05	3	Horizontal	49	1.50
5610MHz	Pass	AV	5.621G	101.68	Inf	-Inf	3	Horizontal	49	1.50
5610MHz	Pass	PK	5.47G	60.31	68.20	-7.89	3	Horizontal	49	1.50
5610MHz	Pass	PK	5.612G	113.37	Inf	-Inf	3	Horizontal	49	1.50
5610MHz	Pass	PK	5.733G	65.83	68.20	-2.37	3	Horizontal	49	1.50
5610MHz	Pass	AV	11.20016G	49.19	54.00	-4.81	3	Vertical	35	1.50
5610MHz	Pass	PK	11.20944G	62.13	74.00	-11.87	3	Vertical	35	1.50
5610MHz	Pass	PK	16.85128G	60.97	68.20	-7.23	3	Vertical	14	2.30
5610MHz	Pass	AV	11.20032G	46.22	54.00	-7.78	3	Horizontal	275	1.45
5610MHz	Pass	PK	11.1888G	58.49	74.00	-15.51	3	Horizontal	275	1.45
5610MHz	Pass	PK	16.85864G	61.39	68.20	-6.81	3	Horizontal	4	1.94
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.4452G	47.56	54.00	-6.44	3	Vertical	18	2.95
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.6864G	103.26	Inf	-Inf	3	Vertical	18	2.95
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.4608G	58.49	68.20	-9.71	3	Vertical	18	2.95
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.6864G	114.27	Inf	-Inf	3	Vertical	18	2.95
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.8556G	63.29	68.20	-4.91	3	Vertical	18	2.95
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.4596G	47.97	54.00	-6.03	3	Horizontal	46	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.672G	103.22	Inf	-Inf	3	Horizontal	46	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.4692G	59.56	68.20	-8.64	3	Horizontal	46	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.672G	115.13	Inf	-Inf	3	Horizontal	46	1.50




RSE TX above 1GHz\_Non-Beamforming\_Radio3

Appendix D.3

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.8532G	66.52	68.20	-1.68	3	Horizontal	46	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.36224G	46.02	54.00	-7.98	3	Vertical	19	2.10
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.3832G	58.61	74.00	-15.39	3	Vertical	19	2.10
5690MHz Straddle 5.47-5.725GHz	Pass	PK	17.0996G	62.51	68.20	-5.69	3	Vertical	126	2.63
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.38048G	45.78	54.00	-8.22	3	Horizontal	322	1.91
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.35152G	58.49	74.00	-15.51	3	Horizontal	322	1.91
5690MHz Straddle 5.47-5.725GHz	Pass	PK	17.10648G	62.29	68.20	-5.91	3	Horizontal	357	1.02
802.11ax HEW160_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.1432G	49.89	54.00	-4.11	3	Vertical	324	2.96
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.274G	93.50	Inf	-Inf	3	Vertical	324	2.96
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.394G	50.95	54.00	-3.05	3	Vertical	324	2.96
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.1228G	61.12	74.00	-12.88	3	Vertical	324	2.96
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.2956G	104.26	Inf	-Inf	3	Vertical	324	2.96
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.4792G	58.94	68.20	-9.26	3	Vertical	324	2.96
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.1492G	52.34	54.00	-1.66	3	Horizontal	61	1.64
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.2692G	97.86	Inf	-Inf	3	Horizontal	61	1.64
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.3592G	53.07	54.00	-0.93	3	Horizontal	61	1.64
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.1168G	63.61	74.00	-10.39	3	Horizontal	61	1.64
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.2692G	109.61	Inf	-Inf	3	Horizontal	61	1.64
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.4912G	60.30	68.20	-7.90	3	Horizontal	61	1.64
5250MHz Straddle 5.25-5.35GHz	Pass	AV	15.68152G	47.99	54.00	-6.01	3	Vertical	177	1.43
5250MHz Straddle 5.25-5.35GHz	Pass	PK	10.492G	55.24	68.20	-12.96	3	Vertical	83	2.76
5250MHz Straddle 5.25-5.35GHz	Pass	PK	15.68568G	60.37	74.00	-13.63	3	Vertical	177	1.43
5250MHz Straddle 5.25-5.35GHz	Pass	AV	15.6732G	48.11	54.00	-5.89	3	Horizontal	99	1.02
5250MHz Straddle 5.25-5.35GHz	Pass	PK	10.50416G	57.41	68.20	-10.79	3	Horizontal	321	1.47
5250MHz Straddle 5.25-5.35GHz	Pass	PK	15.67672G	60.72	74.00	-13.28	3	Horizontal	99	1.02
5570MHz	Pass	AV	5.4512G	49.82	54.00	-4.18	3	Vertical	55	1.49
5570MHz	Pass	AV	5.6012G	91.69	Inf	-Inf	3	Vertical	55	1.49
5570MHz	Pass	PK	5.4632G	60.07	68.20	-8.13	3	Vertical	55	1.49
5570MHz	Pass	PK	5.5808G	102.63	Inf	-Inf	3	Vertical	55	1.49
5570MHz	Pass	PK	5.7812G	62.57	68.20	-5.63	3	Vertical	55	1.49
5570MHz	Pass	AV	5.45G	53.04	54.00	-0.96	3	Horizontal	56	1.50
5570MHz	Pass	AV	5.5796G	97.04	Inf	-Inf	3	Horizontal	56	1.50
5570MHz	Pass	PK	5.4608G	64.47	68.20	-3.73	3	Horizontal	56	1.50
5570MHz	Pass	PK	5.5592G	107.80	Inf	-Inf	3	Horizontal	56	1.50
5570MHz	Pass	PK	5.7296G	64.33	68.20	-3.87	3	Horizontal	56	1.50
5570MHz	Pass	AV	11.15056G	46.39	54.00	-7.61	3	Vertical	35	1.50
5570MHz	Pass	PK	11.11888G	58.80	74.00	-15.20	3	Vertical	35	1.50
5570MHz	Pass	PK	16.63128G	62.43	68.20	-5.77	3	Vertical	323	2.51
5570MHz	Pass	AV	11.1112G	45.02	54.00	-8.98	3	Horizontal	275	1.50
5570MHz	Pass	PK	11.16208G	58.08	74.00	-15.92	3	Horizontal	275	1.50
5570MHz	Pass	PK	16.69656G	62.34	68.20	-5.86	3	Horizontal	32	2.03

5.25-5.35GHz\_802.11a\_Nss1,(6Mbps)\_2TX


5260MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1484G	45.11	54.00	-8.89	5.37	3	Vertical	56	1.52	39.74	33.10	6.41	34.14
AV	5.2654G	105.75	Inf	-Inf	5.35	3	Vertical	56	1.52	100.40	33.00	6.50	34.15
AV	5.3746G	46.21	54.00	-7.79	5.31	3	Vertical	56	1.52	40.90	32.90	6.57	34.16
PK	5.1124G	57.71	74.00	-16.29	5.35	3	Vertical	56	1.52	52.36	33.10	6.38	34.13
PK	5.2654G	115.70	Inf	-Inf	5.35	3	Vertical	56	1.52	110.35	33.00	6.50	34.15
PK	5.4058G	59.29	74.00	-14.71	5.33	3	Vertical	56	1.52	53.96	32.90	6.60	34.17

5.25-5.35GHz\_802.11a\_Nss1,(6Mbps)\_2TX


5260MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1274G	45.77	54.00	-8.23	5.36	3	Horizontal	58	1.71	40.41	33.10	6.40	34.14
AV	5.2648G	113.23	Inf	-Inf	5.35	3	Horizontal	58	1.71	107.88	33.00	6.50	34.15
AV	5.4076G	46.97	54.00	-7.03	5.33	3	Horizontal	58	1.71	41.64	32.90	6.60	34.17
PK	5.11G	59.11	74.00	-14.89	5.35	3	Horizontal	58	1.71	53.76	33.10	6.38	34.13
PK	5.2648G	122.93	Inf	-Inf	5.35	3	Horizontal	58	1.71	117.58	33.00	6.50	34.15
PK	5.3962G	59.88	74.00	-14.12	5.32	3	Horizontal	58	1.71	54.56	32.90	6.59	34.17


5.25-5.35GHz\_802.11a\_Nss1,(6Mbps)\_2TX

5260MHz\_TX




5.25-5.35GHz\_802.11a\_Nss1,(6Mbps)\_2TX

5260MHz\_TX



5.25-5.35GHz\_802.11a\_Nss1,(6Mbps)\_2TX


5300MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.2928G	110.19	Inf	-Inf	5.35	3	Vertical	15	2.38	104.84	33.00	6.51	34.16
AV	5.3528G	49.65	54.00	-4.35	5.30	3	Vertical	15	2.38	44.35	32.90	6.56	34.16
PK	5.2932G	119.49	Inf	-Inf	5.36	3	Vertical	15	2.38	114.13	33.00	6.52	34.16
PK	5.3532G	64.33	74.00	-9.67	5.30	3	Vertical	15	2.38	59.03	32.90	6.56	34.16

5.25-5.35GHz\_802.11a\_Nss1,(6Mbps)\_2TX

5300MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.2948G	113.15	Inf	-Inf	5.36	3	Horizontal	57	1.78	107.79	33.00	6.52	34.16
AV	5.35G	52.46	54.00	-1.54	5.29	3	Horizontal	57	1.78	47.17	32.90	6.55	34.16
PK	5.2948G	122.72	Inf	-Inf	5.36	3	Horizontal	57	1.78	117.36	33.00	6.52	34.16
PK	5.35G	67.54	74.00	-6.46	5.30	3	Horizontal	57	1.78	62.24	32.90	6.56	34.16



5.25-5.35GHz\_802.11a\_Nss1,(6Mbps)\_2TX


5300MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.60282G	51.89	54.00	-2.11	15.57	3	Vertical	353	1.96	36.32	38.91	11.10	34.44
AV	15.90312G	45.34	54.00	-8.66	15.97	3	Vertical	333	3.00	29.37	38.19	12.38	34.60
PK	10.60204G	64.37	74.00	-9.63	15.57	3	Vertical	353	1.96	48.80	38.91	11.10	34.44
PK	15.90744G	59.62	74.00	-14.38	15.96	3	Vertical	333	3.00	43.66	38.19	12.38	34.61

5.25-5.35GHz\_802.11a\_Nss1,(6Mbps)\_2TX


5300MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.60222G	46.36	54.00	-7.64	15.57	3	Horizontal	303	1.16	30.79	38.91	11.10	34.44
AV	15.89316G	44.18	54.00	-9.82	15.98	3	Horizontal	313	1.50	28.20	38.21	12.37	34.60
PK	10.6024G	58.36	74.00	-15.64	15.57	3	Horizontal	303	1.16	42.79	38.91	11.10	34.44
PK	15.8883G	57.55	74.00	-16.45	16.00	3	Horizontal	313	1.50	41.55	38.22	12.37	34.59

5.25-5.35GHz\_802.11a\_Nss1,(6Mbps)\_2TX


5320MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.315G	103.16	Inf	-Inf	5.34	3	Vertical	58	1.62	97.82	32.97	6.53	34.16
AV	5.35G	48.03	54.00	-5.97	5.30	3	Vertical	58	1.62	42.73	32.90	6.56	34.16
PK	5.3146G	112.34	Inf	-Inf	5.34	3	Vertical	58	1.62	107.00	32.97	6.53	34.16
PK	5.35G	60.89	74.00	-13.11	5.30	3	Vertical	58	1.62	55.59	32.90	6.56	34.16

5.25-5.35GHz\_802.11a\_Nss1,(6Mbps)\_2TX


5320MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3142G	110.10	Inf	-Inf	5.34	3	Horizontal	64	1.75	104.76	32.97	6.53	34.16
AV	5.35G	52.50	54.00	-1.50	5.29	3	Horizontal	64	1.75	47.21	32.90	6.55	34.16
PK	5.314G	119.65	Inf	-Inf	5.34	3	Horizontal	64	1.75	114.31	32.97	6.53	34.16
PK	5.35G	66.44	74.00	-7.56	5.29	3	Horizontal	64	1.75	61.15	32.90	6.55	34.16

5.25-5.35GHz\_802.11a\_Nss1,(6Mbps)\_2TX


5320MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.64234G	50.11	54.00	-3.89	15.74	3	Vertical	355	1.95	34.37	39.03	11.12	34.41
AV	15.9525G	38.87	54.00	-15.13	15.86	3	Vertical	169	1.14	23.01	38.09	12.41	34.64
PK	10.63844G	61.59	74.00	-12.41	15.73	3	Vertical	355	1.95	45.86	39.02	11.12	34.41
PK	15.97152G	50.58	74.00	-23.42	15.82	3	Vertical	169	1.14	34.76	38.06	12.42	34.66

5.25-5.35GHz\_802.11a\_Nss1,(6Mbps)\_2TX


5320MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.63814G	43.73	54.00	-10.27	15.72	3	Horizontal	169	1.14	28.01	39.01	11.12	34.41
AV	15.96102G	38.79	54.00	-15.21	15.85	3	Horizontal	332	1.34	22.94	38.08	12.42	34.65
PK	10.64318G	56.20	74.00	-17.80	15.74	3	Horizontal	169	1.14	40.46	39.03	11.12	34.41
PK	15.95244G	50.90	74.00	-23.10	15.87	3	Horizontal	332	1.34	35.03	38.10	12.41	34.64

5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_2TX


5500MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4574G	46.02	54.00	-7.98	5.37	3	Vertical	21	3.00	40.65	32.90	6.64	34.17
AV	5.5074G	108.22	Inf	-Inf	5.41	3	Vertical	21	3.00	102.81	32.90	6.69	34.18
PK	5.4592G	59.44	74.00	-14.56	5.36	3	Vertical	21	3.00	54.08	32.90	6.64	34.18
PK	5.4678G	63.94	68.20	-4.26	5.37	3	Vertical	21	3.00	58.57	32.90	6.65	34.18
PK	5.5076G	117.50	Inf	-Inf	5.41	3	Vertical	21	3.00	112.09	32.90	6.69	34.18

5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_2TX


5500MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4598G	48.27	54.00	-5.73	5.36	3	Horizontal	57	1.53	42.91	32.90	6.64	34.18
AV	5.4948G	108.29	Inf	-Inf	5.40	3	Horizontal	57	1.53	102.89	32.90	6.68	34.18
PK	5.46G	63.27	74.00	-10.73	5.36	3	Horizontal	57	1.53	57.91	32.90	6.64	34.18
PK	5.47G	65.28	68.20	-2.92	5.37	3	Horizontal	57	1.53	59.91	32.90	6.65	34.18
PK	5.4948G	118.55	Inf	-Inf	5.40	3	Horizontal	57	1.53	113.15	32.90	6.68	34.18

5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_2TX


5500MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.00018G	51.20	54.00	-2.80	16.09	3	Vertical	351	2.97	35.11	39.00	11.25	34.16
PK	10.99688G	62.99	74.00	-11.01	16.09	3	Vertical	351	2.97	46.90	39.00	11.25	34.16
PK	16.49268G	51.65	68.20	-16.55	16.81	3	Vertical	353	2.95	34.84	38.36	12.66	34.21

5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_2TX


5500MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.00024G	47.50	54.00	-6.50	16.09	3	Horizontal	312	1.65	31.41	39.00	11.25	34.16
PK	11.0006G	60.15	74.00	-13.85	16.09	3	Horizontal	312	1.65	44.06	39.00	11.25	34.16
PK	16.49676G	51.81	68.20	-16.39	16.85	3	Horizontal	355	1.50	34.96	38.38	12.67	34.20

5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_2TX


5580MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4594G	45.66	54.00	-8.34	5.36	3	Vertical	21	2.94	40.30	32.90	6.64	34.18
AV	5.5728G	111.70	Inf	-Inf	5.51	3	Vertical	21	2.94	106.19	32.95	6.75	34.19
PK	5.4468G	58.79	74.00	-15.21	5.36	3	Vertical	21	2.94	53.43	32.90	6.63	34.17
PK	5.469G	58.61	68.20	-9.59	5.37	3	Vertical	21	2.94	53.24	32.90	6.65	34.18
PK	5.5872G	121.28	Inf	-Inf	5.54	3	Vertical	21	2.94	115.74	32.97	6.76	34.19
PK	5.73G	59.36	68.20	-8.84	6.37	3	Vertical	21	2.94	52.99	33.72	6.85	34.20

5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_2TX


5580MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4426G	45.53	54.00	-8.47	5.36	3	Horizontal	58	1.58	40.17	32.90	6.63	34.17
AV	5.5746G	111.96	Inf	-Inf	5.51	3	Horizontal	58	1.58	106.45	32.95	6.75	34.19
PK	5.4402G	58.57	74.00	-15.43	5.36	3	Horizontal	58	1.58	53.21	32.90	6.63	34.17
PK	5.4624G	58.60	68.20	-9.60	5.37	3	Horizontal	58	1.58	53.23	32.90	6.65	34.18
PK	5.5746G	121.67	Inf	-Inf	5.51	3	Horizontal	58	1.58	116.16	32.95	6.75	34.19
PK	5.7294G	59.35	68.20	-8.85	6.37	3	Horizontal	58	1.58	52.98	33.72	6.85	34.20

5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_2TX


5580MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.16012G	51.38	54.00	-2.62	16.14	3	Vertical	5	2.56	35.24	38.96	11.31	34.13
PK	11.16036G	62.75	74.00	-11.25	16.14	3	Vertical	5	2.56	46.61	38.96	11.31	34.13
PK	16.74504G	52.84	68.20	-15.36	17.37	3	Vertical	335	1.47	35.47	38.30	12.78	33.71


5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_2TX

5580MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.16G	47.44	54.00	-6.56	16.14	3	Horizontal	32	1.56	31.30	38.96	11.31	34.13
PK	11.1597G	59.29	74.00	-14.71	16.14	3	Horizontal	32	1.56	43.15	38.96	11.31	34.13
PK	16.74252G	52.49	68.20	-15.71	17.36	3	Horizontal	312	1.62	35.13	38.30	12.78	33.72

**5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_2TX**  
**5700MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.6928G	107.18	Inf	-Inf	9.31	3	Vertical	21	2.95	97.87	33.39	10.12	34.20
PK	5.6928G	116.29	Inf	-Inf	9.31	3	Vertical	21	2.95	106.98	33.39	10.12	34.20
PK	5.7276G	62.10	68.20	-6.10	9.51	3	Vertical	21	2.95	52.59	33.57	10.14	34.20


**5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_2TX**  
**5700MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.6952G	105.90	Inf	-Inf	9.31	3	Horizontal	51	1.22	96.59	33.39	10.12	34.20
PK	5.6952G	114.99	Inf	-Inf	9.31	3	Horizontal	51	1.22	105.68	33.39	10.12	34.20
PK	5.726G	65.31	68.20	-2.89	9.50	3	Horizontal	51	1.22	55.81	33.56	10.14	34.20




**5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_2TX**  
**5700MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.40006G	48.94	54.00	-5.06	18.12	3	Vertical	32	1.50	30.82	39.10	13.08	34.06
PK	11.39976G	60.84	74.00	-13.16	18.12	3	Vertical	32	1.50	42.72	39.10	13.08	34.06
PK	17.11314G	62.42	68.20	-5.78	21.30	3	Vertical	147	2.86	41.12	38.40	16.20	33.30


**5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_2TX**  
**5700MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.39982G	48.05	54.00	-5.95	18.12	3	Horizontal	308	1.84	29.93	39.10	13.08	34.06
PK	11.40054G	60.20	74.00	-13.80	18.12	3	Horizontal	308	1.84	42.08	39.10	13.08	34.06
PK	17.08524G	63.46	68.20	-4.74	21.29	3	Horizontal	265	2.77	42.17	38.41	16.19	33.31

5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_2TX


5720MHz Straddle 5.47-5.725GHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.444G	47.25	54.00	-6.75	8.73	3	Vertical	20	2.92	38.52	32.89	10.02	34.18
AV	5.7128G	109.94	Inf	-Inf	9.41	3	Vertical	20	2.92	100.53	33.48	10.13	34.20
PK	5.462G	57.32	68.20	-10.88	8.76	3	Vertical	20	2.92	48.56	32.92	10.02	34.18
PK	5.7128G	119.12	Inf	-Inf	9.41	3	Vertical	20	2.92	109.71	33.48	10.13	34.20
PK	5.912G	60.17	68.20	-8.03	10.20	3	Vertical	20	2.92	49.97	34.15	10.26	34.21

5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_2TX


5720MHz Straddle 5.47-5.725GHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.42G	47.19	54.00	-6.81	8.67	3	Horizontal	45	1.50	38.52	32.84	10.01	34.18
AV	5.726G	108.93	Inf	-Inf	9.50	3	Horizontal	45	1.50	99.43	33.56	10.14	34.20
PK	5.4644G	59.01	68.20	-9.19	8.77	3	Horizontal	45	1.50	50.24	32.93	10.02	34.18
PK	5.726G	118.20	Inf	-Inf	9.50	3	Horizontal	45	1.50	108.70	33.56	10.14	34.20
PK	5.882G	60.69	68.20	-7.51	10.13	3	Horizontal	45	1.50	50.56	34.10	10.24	34.21

5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_2TX


5720MHz Straddle 5.47-5.725GHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.43994G	50.42	54.00	-3.58	18.05	3	Vertical	32	1.50	32.37	39.02	13.09	34.06
PK	11.44054G	62.67	74.00	-11.33	18.05	3	Vertical	32	1.50	44.62	39.02	13.09	34.06
PK	17.1696G	63.07	68.20	-5.13	21.32	3	Vertical	69	2.36	41.75	38.40	16.21	33.29

5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_2TX


5720MHz Straddle 5.47-5.725GHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.43982G	48.91	54.00	-5.09	18.05	3	Horizontal	309	1.91	30.86	39.02	13.09	34.06
PK	11.44066G	61.48	74.00	-12.52	18.05	3	Horizontal	309	1.91	43.43	39.02	13.09	34.06
PK	17.16006G	63.74	68.20	-4.46	21.32	3	Horizontal	121	1.79	42.42	38.40	16.21	33.29

5.25-5.35GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX


5260MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1496G	45.00	54.00	-9.00	5.37	3	Vertical	58	1.64	39.63	33.10	6.41	34.14
AV	5.269G	106.05	Inf	-Inf	5.35	3	Vertical	58	1.64	100.70	33.00	6.50	34.15
AV	5.4094G	46.28	54.00	-7.72	5.33	3	Vertical	58	1.64	40.95	32.90	6.60	34.17
PK	5.1394G	58.05	74.00	-15.95	5.36	3	Vertical	58	1.64	52.69	33.10	6.40	34.14
PK	5.269G	117.91	Inf	-Inf	5.35	3	Vertical	58	1.64	112.56	33.00	6.50	34.15
PK	5.3566G	59.03	74.00	-14.97	5.30	3	Vertical	58	1.64	53.73	32.90	6.56	34.16

5.25-5.35GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX


5260MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1292G	45.76	54.00	-8.24	5.36	3	Horizontal	58	1.70	40.40	33.10	6.40	34.14
AV	5.269G	113.53	Inf	-Inf	5.35	3	Horizontal	58	1.70	108.18	33.00	6.50	34.15
AV	5.4058G	46.97	54.00	-7.03	5.33	3	Horizontal	58	1.70	41.64	32.90	6.60	34.17
PK	5.1472G	58.64	74.00	-15.36	5.37	3	Horizontal	58	1.70	53.27	33.10	6.41	34.14
PK	5.269G	125.32	Inf	-Inf	5.35	3	Horizontal	58	1.70	119.97	33.00	6.50	34.15
PK	5.395G	60.48	74.00	-13.52	5.32	3	Horizontal	58	1.70	55.16	32.90	6.59	34.17

5.25-5.35GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX


5260MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.7866G	52.10	54.00	-1.90	16.20	3	Vertical	338	1.50	35.90	38.40	12.31	34.51
PK	10.5133G	64.13	68.20	-4.07	15.47	3	Vertical	359	2.66	48.66	38.90	11.07	34.50
PK	15.7883G	66.14	74.00	-7.86	16.20	3	Vertical	338	1.50	49.94	38.40	12.31	34.51

5.25-5.35GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX


5260MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.7796G	51.84	54.00	-2.16	16.19	3	Horizontal	317	1.39	35.65	38.40	12.30	34.51
PK	10.5122G	58.84	68.20	-9.36	15.47	3	Horizontal	308	1.42	43.37	38.90	11.07	34.50
PK	15.7887G	65.47	74.00	-8.53	16.19	3	Horizontal	317	1.39	49.28	38.40	12.31	34.52

5.25-5.35GHz\_802.11ax\_HEW20\_Nss1,(MCS0)\_2TX


5300MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.2912G	104.87	Inf	-Inf	5.36	3	Vertical	50	1.50	99.51	33.00	6.51	34.15
AV	5.3508G	47.82	54.00	-6.18	5.30	3	Vertical	50	1.50	42.52	32.90	6.56	34.16
PK	5.2916G	116.52	Inf	-Inf	5.36	3	Vertical	50	1.50	111.16	33.00	6.51	34.15
PK	5.3508G	61.28	74.00	-12.72	5.30	3	Vertical	50	1.50	55.98	32.90	6.56	34.16

5.25-5.35GHz\_802.11ax\_HEW20\_Nss1,(MCS0)\_2TX


5300MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3092G	112.34	Inf	-Inf	5.35	3	Horizontal	59	1.64	106.99	32.98	6.53	34.16
AV	5.35G	53.36	54.00	-0.64	5.30	3	Horizontal	59	1.64	48.06	32.90	6.56	34.16
PK	5.3092G	124.51	Inf	-Inf	5.35	3	Horizontal	59	1.64	119.16	32.98	6.53	34.16
PK	5.35G	68.01	74.00	-5.99	5.30	3	Horizontal	59	1.64	62.71	32.90	6.56	34.16

5.25-5.35GHz\_802.11ax\_HEW20\_Nss1,(MCS0)\_2TX


5300MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.59484G	64.12	68.20	-4.08	15.56	3	Vertical	357	2.75	48.56	38.90	11.10	34.44
AV	10.605G	51.78	54.00	-2.22	15.57	3	Vertical	357	2.75	36.21	38.91	11.10	34.44
PK	15.89891G	58.37	74.00	-15.63	15.98	3	Vertical	337	1.10	42.39	38.20	12.38	34.60
AV	15.89796G	43.31	54.00	-10.69	15.98	3	Vertical	337	1.10	27.33	38.20	12.38	34.60

5.25-5.35GHz\_802.11ax\_HEW20\_Nss1,(MCS0)\_2TX


5300MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.59972G	58.86	68.20	-9.34	15.56	3	Horizontal	311	1.61	43.30	38.90	11.10	34.44
AV	10.60059G	45.66	54.00	-8.34	15.56	3	Horizontal	311	1.61	30.10	38.90	11.10	34.44
PK	15.89841G	61.39	74.00	-12.61	15.98	3	Horizontal	317	1.44	45.41	38.20	12.38	34.60
AV	15.89802G	45.38	54.00	-8.62	15.98	3	Horizontal	317	1.44	29.40	38.20	12.38	34.60

5.25-5.35GHz\_802.11ax\_HEW20\_Nss1,(MCS0)\_2TX


5320MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3288G	102.46	Inf	-Inf	5.32	3	Vertical	58	1.56	97.14	32.94	6.54	34.16
AV	5.35G	48.27	54.00	-5.73	5.30	3	Vertical	58	1.56	42.97	32.90	6.56	34.16
PK	5.329G	114.61	Inf	-Inf	5.32	3	Vertical	58	1.56	109.29	32.94	6.54	34.16
PK	5.35G	62.52	74.00	-11.48	5.30	3	Vertical	58	1.56	57.22	32.90	6.56	34.16

5.25-5.35GHz\_802.11ax\_HEW20\_Nss1,(MCS0)\_2TX

5320MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3288G	109.59	Inf	-Inf	5.32	3	Horizontal	63	1.70	104.27	32.94	6.54	34.16
AV	5.35G	51.90	54.00	-2.10	5.29	3	Horizontal	63	1.70	46.61	32.90	6.55	34.16
PK	5.3278G	120.64	Inf	-Inf	5.32	3	Horizontal	63	1.70	115.32	32.94	6.54	34.16
PK	5.3506G	65.95	74.00	-8.05	5.30	3	Horizontal	63	1.70	60.65	32.90	6.56	34.16



5.25-5.35GHz\_802.11ax\_HEW20\_Nss1,(MCS0)\_2TX

5320MHz\_TX




19/04/2023

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.637G	48.30	54.00	-5.70	15.72	3	Vertical	351	2.71	32.58	39.01	11.12	34.41
AV	15.95184G	38.98	54.00	-15.02	15.87	3	Vertical	346	1.13	23.11	38.10	12.41	34.64
PK	10.63624G	60.93	74.00	-13.07	15.72	3	Vertical	351	2.71	45.21	39.01	11.12	34.41
PK	15.95384G	50.98	74.00	-23.02	15.86	3	Vertical	346	1.13	35.12	38.09	12.41	34.64

5.25-5.35GHz\_802.11ax\_HEW20\_Nss1,(MCS0)\_2TX

5320MHz\_TX




19/04/2023

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.63672G	42.80	54.00	-11.20	15.72	3	Horizontal	334	1.47	27.08	39.01	11.12	34.41
AV	15.95408G	39.03	54.00	-14.97	15.86	3	Horizontal	99	1.85	23.17	38.09	12.41	34.64
PK	10.63688G	55.26	74.00	-18.74	15.72	3	Horizontal	334	1.47	39.54	39.01	11.12	34.41
PK	15.9528G	50.74	74.00	-23.26	15.86	3	Horizontal	99	1.85	34.88	38.09	12.41	34.64

5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX


5500MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4598G	47.65	54.00	-6.35	8.76	3	Vertical	56	1.47	38.89	32.92	10.02	34.18
AV	5.4916G	100.21	Inf	-Inf	8.82	3	Vertical	56	1.47	91.39	32.98	10.03	34.19
PK	5.4676G	60.55	68.20	-7.65	8.78	3	Vertical	56	1.47	51.77	32.94	10.02	34.18
PK	5.4918G	111.78	Inf	-Inf	8.82	3	Vertical	56	1.47	102.96	32.98	10.03	34.19

5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX


5500MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4598G	48.94	54.00	-5.06	8.76	3	Horizontal	50	1.57	40.18	32.92	10.02	34.18
AV	5.4912G	106.06	Inf	-Inf	8.82	3	Horizontal	50	1.57	97.24	32.98	10.03	34.19
PK	5.469G	64.59	68.20	-3.61	8.78	3	Horizontal	50	1.57	55.81	32.94	10.02	34.18
PK	5.4916G	117.60	Inf	-Inf	8.82	3	Horizontal	50	1.57	108.78	32.98	10.03	34.19

5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX


5500MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.0004G	52.92	54.00	-1.08	17.68	3	Vertical	65	1.41	35.24	38.80	12.92	34.04
PK	11.00016G	65.03	74.00	-8.97	17.68	3	Vertical	65	1.41	47.35	38.80	12.92	34.04
PK	16.50006G	63.13	68.20	-5.07	20.34	3	Vertical	0	1.50	42.79	38.60	16.10	34.36

5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX


5500MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.00104G	52.85	54.00	-1.15	17.68	3	Horizontal	274	1.38	35.17	38.80	12.92	34.04
PK	11.00064G	65.42	74.00	-8.58	17.68	3	Horizontal	274	1.38	47.74	38.80	12.92	34.04
PK	16.49971G	63.10	68.20	-5.10	20.34	3	Horizontal	68	1.50	42.76	38.60	16.10	34.36

5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX


5580MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4348G	45.46	54.00	-8.54	5.35	3	Vertical	25	2.96	40.11	32.90	6.62	34.17
AV	5.5746G	110.70	Inf	-Inf	5.51	3	Vertical	25	2.96	105.19	32.95	6.75	34.19
PK	5.439G	59.03	74.00	-14.97	5.36	3	Vertical	25	2.96	53.67	32.90	6.63	34.17
PK	5.4642G	58.05	68.20	-10.15	5.37	3	Vertical	25	2.96	52.68	32.90	6.65	34.18
PK	5.5752G	124.50	Inf	-Inf	5.51	3	Vertical	25	2.96	118.99	32.95	6.75	34.19
PK	5.7276G	59.32	68.20	-8.88	6.36	3	Vertical	25	2.96	52.96	33.71	6.85	34.20

5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX


5580MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4426G	45.77	54.00	-8.23	5.36	3	Horizontal	50	1.58	40.41	32.90	6.63	34.17
AV	5.571G	112.09	Inf	-Inf	5.49	3	Horizontal	50	1.58	106.60	32.94	6.74	34.19
PK	5.4498G	58.79	74.00	-15.21	5.36	3	Horizontal	50	1.58	53.43	32.90	6.63	34.17
PK	5.4696G	59.47	68.20	-8.73	5.37	3	Horizontal	50	1.58	54.10	32.90	6.65	34.18
PK	5.5716G	123.33	Inf	-Inf	5.49	3	Horizontal	50	1.58	117.84	32.94	6.74	34.19
PK	5.7294G	58.67	68.20	-9.53	6.37	3	Horizontal	50	1.58	52.30	33.72	6.85	34.20

5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX


5580MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.1606G	52.31	54.00	-1.69	16.14	3	Vertical	12	2.61	36.17	38.96	11.31	34.13
PK	11.16032G	63.78	74.00	-10.22	16.14	3	Vertical	12	2.61	47.64	38.96	11.31	34.13
PK	16.7412G	54.04	68.20	-14.16	17.36	3	Vertical	266	1.99	36.68	38.30	12.78	33.72


5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX

5580MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.15948G	48.71	54.00	-5.29	16.14	3	Horizontal	312	1.65	32.57	38.96	11.31	34.13
PK	11.16132G	59.42	74.00	-14.58	16.14	3	Horizontal	312	1.65	43.28	38.96	11.31	34.13
PK	16.74976G	51.49	68.20	-16.71	17.37	3	Horizontal	279	1.55	34.12	38.30	12.78	33.71

**5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX**  
**5700MHz\_TX**




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.6912G	101.54	Inf	-Inf	9.30	3	Vertical	56	1.50	92.24	33.38	10.12	34.20
PK	5.692G	112.54	Inf	-Inf	9.30	3	Vertical	56	1.50	103.24	33.38	10.12	34.20
PK	5.7312G	63.41	68.20	-4.79	9.53	3	Vertical	56	1.50	53.88	33.59	10.14	34.20

**5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX**  
**5700MHz\_TX**




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.6912G	106.86	Inf	-Inf	9.30	3	Horizontal	48	1.28	97.56	33.38	10.12	34.20
PK	5.7008G	117.25	Inf	-Inf	9.33	3	Horizontal	48	1.28	107.92	33.40	10.13	34.20
PK	5.7312G	66.16	68.20	-2.04	9.53	3	Horizontal	48	1.28	56.63	33.59	10.14	34.20

**5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX**  
**5700MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.40008G	46.86	54.00	-7.14	18.12	3	Vertical	32	1.50	28.74	39.10	13.08	34.06
PK	11.40072G	58.81	74.00	-15.19	18.12	3	Vertical	32	1.50	40.69	39.10	13.08	34.06
PK	17.10057G	63.30	68.20	-4.90	21.30	3	Vertical	18	1.96	42.00	38.40	16.20	33.30


**5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX**  
**5700MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.3996G	49.26	54.00	-4.74	18.12	3	Horizontal	305	1.91	31.14	39.10	13.08	34.06
PK	11.3996G	61.36	74.00	-12.64	18.12	3	Horizontal	305	1.91	43.24	39.10	13.08	34.06
PK	17.09832G	62.18	68.20	-6.02	21.30	3	Horizontal	46	1.37	40.88	38.40	16.20	33.30

5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX


5720MHz Straddle 5.47-5.725GHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4284G	47.29	54.00	-6.71	8.69	3	Vertical	21	2.92	38.60	32.86	10.01	34.18
AV	5.726G	108.28	Inf	-Inf	9.50	3	Vertical	21	2.92	98.78	33.56	10.14	34.20
PK	5.4608G	58.24	68.20	-9.96	8.76	3	Vertical	21	2.92	49.48	32.92	10.02	34.18
PK	5.7164G	118.93	Inf	-Inf	9.43	3	Vertical	21	2.92	109.50	33.50	10.13	34.20
PK	5.936G	60.02	68.20	-8.18	10.30	3	Vertical	21	2.92	49.72	34.24	10.28	34.22

5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX

5720MHz Straddle 5.47-5.725GHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.45G	47.30	54.00	-6.70	8.74	3	Horizontal	47	1.22	38.56	32.90	10.02	34.18
AV	5.7116G	108.93	Inf	-Inf	9.40	3	Horizontal	47	1.22	99.53	33.47	10.13	34.20
PK	5.4632G	58.82	68.20	-9.38	8.77	3	Horizontal	47	1.22	50.05	32.93	10.02	34.18
PK	5.7224G	118.91	Inf	-Inf	9.47	3	Horizontal	47	1.22	109.44	33.53	10.14	34.20
PK	5.9384G	60.22	68.20	-7.98	10.31	3	Horizontal	47	1.22	49.91	34.25	10.28	34.22



5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX


5720MHz Straddle 5.47-5.725GHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.43968G	49.58	54.00	-4.42	18.05	3	Vertical	32	1.50	31.53	39.02	13.09	34.06
PK	11.43968G	62.26	74.00	-11.74	18.05	3	Vertical	32	1.50	44.21	39.02	13.09	34.06
PK	17.16239G	63.49	68.20	-4.71	21.32	3	Vertical	269	2.32	42.17	38.40	16.21	33.29

5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX


5720MHz Straddle 5.47-5.725GHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.44016G	50.58	54.00	-3.42	18.05	3	Horizontal	306	1.90	32.53	39.02	13.09	34.06
PK	11.4392G	63.79	74.00	-10.21	18.05	3	Horizontal	306	1.90	45.74	39.02	13.09	34.06
PK	17.15879G	63.41	68.20	-4.79	21.32	3	Horizontal	148	2.71	42.09	38.40	16.21	33.29

5.25-5.35GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX


5270MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.2708G	102.28	Inf	-Inf	8.70	3	Vertical	60	1.88	93.58	32.94	9.91	34.15
AV	5.3512G	49.40	54.00	-4.60	8.51	3	Vertical	60	1.88	40.89	32.70	9.97	34.16
PK	5.2712G	115.28	Inf	-Inf	8.70	3	Vertical	60	1.88	106.58	32.94	9.91	34.15
PK	5.3616G	62.02	74.00	-11.98	8.52	3	Vertical	60	1.88	53.50	32.72	9.97	34.17


5.25-5.35GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX

5270MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.2688G	108.84	Inf	-Inf	8.70	3	Horizontal	56	1.63	100.14	32.94	9.91	34.15
AV	5.3504G	52.73	54.00	-1.27	8.51	3	Horizontal	56	1.63	44.22	32.70	9.97	34.16
PK	5.2692G	122.07	Inf	-Inf	8.70	3	Horizontal	56	1.63	113.37	32.94	9.91	34.15
PK	5.35G	66.35	74.00	-7.65	8.51	3	Horizontal	56	1.63	57.84	32.70	9.97	34.16

**5.25-5.35GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX  
5270MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.79624G	47.06	54.00	-6.94	19.39	3	Vertical	124	3.00	27.67	38.10	15.87	34.58
PK	10.5404G	62.32	68.20	-5.88	17.01	3	Vertical	349	1.62	45.31	38.72	12.74	34.45
PK	15.8152G	60.49	74.00	-13.51	19.44	3	Vertical	124	3.00	41.05	38.15	15.88	34.59


**5.25-5.35GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX  
5270MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.79752G	47.04	54.00	-6.96	19.39	3	Horizontal	218	1.36	27.65	38.10	15.87	34.58
PK	10.54184G	65.90	68.20	-2.30	17.02	3	Horizontal	322	1.45	48.88	38.73	12.74	34.45
PK	15.7976G	60.22	74.00	-13.78	19.39	3	Horizontal	218	1.36	40.83	38.10	15.87	34.58

5.25-5.35GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX


5310MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3004G	99.72	Inf	-Inf	8.78	3	Vertical	58	1.72	90.94	33.00	9.93	34.15
AV	5.3512G	50.35	54.00	-3.65	8.51	3	Vertical	58	1.72	41.84	32.70	9.97	34.16
PK	5.3204G	111.95	Inf	-Inf	8.66	3	Vertical	58	1.72	103.29	32.88	9.94	34.16
PK	5.3516G	64.79	74.00	-9.21	8.51	3	Vertical	58	1.72	56.28	32.70	9.97	34.16

5.25-5.35GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX


5310MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.2988G	104.75	Inf	-Inf	8.78	3	Horizontal	59	1.62	95.97	33.00	9.93	34.15
AV	5.35G	53.38	54.00	-0.62	8.51	3	Horizontal	59	1.62	44.87	32.70	9.97	34.16
PK	5.298G	117.05	Inf	-Inf	8.78	3	Horizontal	59	1.62	108.27	33.00	9.93	34.15
PK	5.3508G	66.64	74.00	-7.36	8.51	3	Horizontal	59	1.62	58.13	32.70	9.97	34.16

5.25-5.35GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX


5310MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.622G	48.94	54.00	-5.06	17.27	3	Vertical	61	2.76	31.67	38.88	12.77	34.38
AV	15.94408G	47.88	54.00	-6.12	19.68	3	Vertical	55	1.03	28.20	38.36	15.98	34.66
PK	10.62144G	63.06	74.00	-10.94	17.27	3	Vertical	61	2.76	45.79	38.88	12.77	34.38
PK	15.94552G	60.95	74.00	-13.05	19.67	3	Vertical	55	1.03	41.28	38.35	15.98	34.66

5.25-5.35GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX


5310MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.62224G	51.24	54.00	-2.76	17.27	3	Horizontal	325	1.41	33.97	38.88	12.77	34.38
AV	15.93016G	47.90	54.00	-6.10	19.69	3	Horizontal	200	2.37	28.21	38.37	15.97	34.65
PK	10.6216G	64.45	74.00	-9.55	17.27	3	Horizontal	325	1.41	47.18	38.88	12.77	34.38
PK	15.91336G	60.82	74.00	-13.18	19.71	3	Horizontal	200	2.37	41.11	38.39	15.96	34.64

5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX


5510MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	49.05	54.00	-4.95	8.76	3	Vertical	57	1.69	40.29	32.92	10.02	34.18
AV	5.5112G	98.33	Inf	-Inf	8.81	3	Vertical	57	1.69	89.52	32.96	10.04	34.19
PK	5.4684G	62.30	68.20	-5.90	8.78	3	Vertical	57	1.69	53.52	32.94	10.02	34.18
PK	5.5108G	110.68	Inf	-Inf	8.81	3	Vertical	57	1.69	101.87	32.96	10.04	34.19


5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX

5510MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	51.77	54.00	-2.23	8.76	3	Horizontal	47	1.67	43.01	32.92	10.02	34.18
AV	5.512G	103.87	Inf	-Inf	8.80	3	Horizontal	47	1.67	95.07	32.95	10.04	34.19
PK	5.4692G	66.72	68.20	-1.48	8.78	3	Horizontal	47	1.67	57.94	32.94	10.02	34.18
PK	5.512G	115.26	Inf	-Inf	8.80	3	Horizontal	47	1.67	106.46	32.95	10.04	34.19

**5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX**  
**5510MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.02064G	49.49	54.00	-4.51	17.69	3	Vertical	70	1.50	31.80	38.80	12.93	34.04
PK	11.0196G	61.85	74.00	-12.15	17.69	3	Vertical	70	1.50	44.16	38.80	12.93	34.04
PK	16.5392G	62.09	68.20	-6.11	20.47	3	Vertical	290	1.38	41.62	38.64	16.11	34.28


**5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX**  
**5510MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.02048G	49.86	54.00	-4.14	17.69	3	Horizontal	276	1.41	32.17	38.80	12.93	34.04
PK	11.0216G	63.92	74.00	-10.08	17.69	3	Horizontal	276	1.41	46.23	38.80	12.93	34.04
PK	16.54728G	62.24	68.20	-5.96	20.50	3	Horizontal	41	2.52	41.74	38.65	16.11	34.26

5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX


5550MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	48.07	54.00	-5.93	8.76	3	Vertical	57	1.50	39.31	32.92	10.02	34.18
AV	5.5612G	100.87	Inf	-Inf	8.74	3	Vertical	57	1.50	92.13	32.87	10.06	34.19
PK	5.4696G	60.85	68.20	-7.35	8.78	3	Vertical	57	1.50	52.07	32.94	10.02	34.18
PK	5.5508G	112.85	Inf	-Inf	8.66	3	Vertical	57	1.50	104.19	32.80	10.05	34.19

5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX


5550MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	49.90	54.00	-4.10	8.76	3	Horizontal	51	1.50	41.14	32.92	10.02	34.18
AV	5.5408G	106.14	Inf	-Inf	8.70	3	Horizontal	51	1.50	97.44	32.84	10.05	34.19
PK	5.4604G	65.74	68.20	-2.46	8.76	3	Horizontal	51	1.50	56.98	32.92	10.02	34.18
PK	5.5604G	117.91	Inf	-Inf	8.73	3	Horizontal	51	1.50	109.18	32.86	10.06	34.19




**5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX**  
**5550MHz\_TX**




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.0996G	52.91	54.00	-1.09	17.72	3	Vertical	34	2.41	35.19	38.80	12.96	34.04
PK	11.10088G	65.94	74.00	-8.06	17.72	3	Vertical	34	2.41	48.22	38.80	12.96	34.04
PK	16.65768G	62.56	68.20	-5.64	20.91	3	Vertical	141	2.25	41.65	38.82	16.13	34.04

**5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX**  
**5550MHz\_TX**




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.1012G	52.28	54.00	-1.72	17.72	3	Horizontal	275	1.50	34.56	38.80	12.96	34.04
PK	11.10104G	65.27	74.00	-8.73	17.72	3	Horizontal	275	1.50	47.55	38.80	12.96	34.04
PK	16.63288G	62.08	68.20	-6.12	20.80	3	Horizontal	220	1.68	41.28	38.77	16.12	34.09

**5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX  
5670MHz\_TX**




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.6652G	103.88	Inf	-Inf	9.24	3	Vertical	19	2.98	94.64	33.33	10.11	34.20
PK	5.6658G	116.78	Inf	-Inf	9.24	3	Vertical	19	2.98	107.54	33.33	10.11	34.20
PK	5.7276G	62.68	68.20	-5.52	9.51	3	Vertical	19	2.98	53.17	33.57	10.14	34.20

**5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX  
5670MHz\_TX**




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.6712G	104.59	Inf	-Inf	9.25	3	Horizontal	49	1.49	95.34	33.34	10.11	34.20
PK	5.6814G	116.56	Inf	-Inf	9.27	3	Horizontal	49	1.49	107.29	33.36	10.11	34.20
PK	5.7282G	66.80	68.20	-1.40	9.51	3	Horizontal	49	1.49	57.29	33.57	10.14	34.20

**5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX**  
**5670MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.3408G	47.64	54.00	-6.36	18.10	3	Vertical	20	1.50	29.54	39.10	13.05	34.05
PK	11.3316G	61.09	74.00	-12.91	18.10	3	Vertical	20	1.50	42.99	39.10	13.05	34.05
PK	16.99568G	62.31	68.20	-5.89	21.34	3	Vertical	346	1.91	40.97	38.50	16.18	33.34

**5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX**  
**5670MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.34032G	47.51	54.00	-6.49	18.10	3	Horizontal	316	2.01	29.41	39.10	13.05	34.05
PK	11.3504G	60.40	74.00	-13.60	18.11	3	Horizontal	316	2.01	42.29	39.10	13.06	34.05
PK	17.01384G	61.90	68.20	-6.30	21.34	3	Horizontal	235	2.52	40.56	38.49	16.18	33.33